

CITATION REPORT

List of articles citing

Expression of a Late Embryogenesis Abundant Protein Gene, HVA1, from Barley Confers Tolerance to Water Deficit and Salt Stress in Transgenic Rice

DOI: 10.1104/pp.110.1.249

Plant Physiology, 1996, 110, 249-257.

Source: <https://exaly.com/paper-pdf/26874226/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
894	Ca ²⁺ -dependent protein kinases and stress signal transduction in plants. 1996 , 274, 1900-2		503
893	Optimization of biolistic method for transient gene expression and production of agronomically useful transgenic Basmati rice plants. <i>Plant Cell Reports</i> , 1996 , 15, 963-8	5.1	39
892	Alfalfa Nuclei Contain Cold-Responsive Phosphoproteins and Accumulate Heat-Stable Proteins during Cold Treatment of Seedlings. 1996 , 37, 1204-1210		13
891	Identification and expression of water stress- and abscisic acid-regulated genes in a drought-tolerant sunflower genotype. <i>Plant Molecular Biology</i> , 1996 , 31, 819-29	4.6	116
890	Tissue specific modulation of salt inducible gene expression: Callus versus whole plant response in salt tolerant alfalfa. 1997 , 100, 314-319		1
889	Nucleus and nucleolus in pea root meristems are affected by variations in moisture content. 1997 , 131, 13-24		7
888	Molecular genetic improvement of salt tolerance in plants. 1997 , 3, 245-267		31
887	Transient expression of multiple genes in salinity-stressed young seedlings of rice (<i>Oryza sativa</i> L.) cv. bura rata. 1997 , 233, 663-7		24
886	Plant responses to water deficit. 1997 , 2, 48-54		1120
885	Identification and expression of novel cold induced genes in potato (<i>Solanum tuberosum</i>). <i>Plant Science</i> , 1997 , 124, 69-78	5.3	24
884	Dormancy-breakage in seeds of Douglas fir (<i>Pseudotsuga menziesii</i> (Mirb.) Franco). Support for the hypothesis that LEA gene expression is essential for this process. 1997 , 151, 457-464		15
883	A group 3 LEA cDNA of rice, responsive to abscisic acid, but not to jasmonic acid, shows variety-specific differences in salt stress response. <i>Gene</i> , 1997 , 191, 197-204	3.8	96
882	Characterization and expression of dehydrins in water-stressed <i>Sorghum bicolor</i> . 1997 , 99, 144-152		30
881	Tissue specific modulation of salt inducible gene expression: Callus versus whole plant response in salt tolerant alfalfa. 1997 , 100, 314-319		19
880	Plantlet regeneration from protoplast-derived haploid embryogenic calli of wheat. 1997 , 50, 139-145		3
879	Salt tolerance in crop plants: new approaches through tissue culture and gene regulation. 1997 , 19, 435-449		45
878	Function and regulation of <i>Arabidopsis thaliana</i> COR (cold-regulated) genes. 1997 , 19, 497-504		14

877	HSP 12 is a LEA-like protein in <i>Saccharomyces cerevisiae</i> . <i>Plant Molecular Biology</i> , 1998 , 37, 513-21	4.6	52
876	Glutathione-mediated detoxification systems in plants. 1998 , 1, 258-66		294
875	Plant resistance to environmental stress. 1998 , 9, 214-9		397
874	Plant stress adaptations--making metabolism move. 1998 , 1, 267-74		254
873	Mapping quantitative trait loci for tolerance to abiotic stresses in maize. 1998 , 282, 164-170		11
872	Gene structure and expression analysis of the drought- and abscisic acid-responsive CDeT11-24 gene family from the resurrection plant <i>Craterostigma plantagineum</i> Hochst. 1998 , 204, 459-71		34
871	Enhanced germination under high-salt conditions of seeds of transgenic <i>Arabidopsis</i> with a bacterial gene (<i>codA</i>) for choline oxidase. 1998 , 111, 357-362		64
870	Expression and possible role of stress-responsive proteins in <i>Anabaena</i> . 1998 , 23, 399-406		26
869	Genetic engineering of polyamine and carbohydrate metabolism for osmotic stress tolerance in higher plants. 1998 , 23, 473-482		28
868	Genetic variation in pea (<i>Pisum</i>) dehydrins: sequence elements responsible for length differences between dehydrin alleles and between dehydrin loci in <i>Pisum sativum</i> L.. 1998 , 96, 1186-1192		7
867	Dissecting the roles of osmolyte accumulation during stress. 1998 , 21, 535-553		965
866	PROTEINS IMMUNOLOGICALLY RELATED TO DEHYDRINS IN FUCOID ALGAE. 1998 , 34, 642-650		31
865	Expression patterns of genes encoding seed trypsin inhibitors in <i>Pisum sativum</i> . <i>Plant Science</i> , 1998 , 131, 13-24	5.3	22
864	A routine system for generation of transgenic rice (<i>Oryza sativa</i> L.) plants by microprojectile bombardment of embryogenic cell clusters. <i>Plant Science</i> , 1998 , 133, 203-210	5.3	8
863	Isolation and characterization of genes expressed during early events of the dehydration process in the resurrection plant <i>Craterostigma plantagineum</i> . 1998 , 152, 158-166		54
862	Transformation and compatible solutes. 1998 , 78, 237-260		188
861	Genetic engineering of salt and drought tolerance with yeast regulatory genes. 1998 , 78, 261-269		86
860	Improving stress tolerance in plants by gene transfer. 1998 , 3, 61-66		239

859	Genotypic Variability in Differential Expression of <i>lea2</i> and <i>lea3</i> Genes and Proteins in Response to Salinity Stress in Finger millet (<i>Eleusine coracana</i> Gaertn) and Rice (<i>Oryza sativa</i> L.) Seedlings. 1998 , 82, 513-522		26
858	New Molecular Approaches to Improving Salt Tolerance in Crop Plants. 1998 , 82, 703-710		85
857	Irrigation and Seed Quality Development in Rapid-cycling Brassica: Accumulation of Stress Proteins. 1998 , 82, 657-663		5
856	Irrigation and Seed Quality Development in Rapid-cycling Brassica: Soluble Carbohydrates and Heat-stable Proteins. 1998 , 82, 647-655		36
855	Abscisic acid-dependent and -independent expression of the carrot late-embryogenesis-abundant-class gene Dc3 in transgenic tobacco seedlings. <i>Plant Physiology</i> , 1998 , 118, 1181-90	6.6	29
854	Stress protein content of mature Brassica seeds and their germination performance. 1998 , 8, 347-355		17
853	Dehydration-stress-regulated transgene expression in stably transformed rice plants. <i>Plant Physiology</i> , 1998 , 117, 913-22	6.6	59
852	Role of cold-responsive genes in plant freezing tolerance. <i>Plant Physiology</i> , 1998 , 118, 1-8	6.6	524
851	Genetic Engineering for Abiotic Stress Tolerance in Plants.. <i>Plant Biotechnology</i> , 1998 , 15, 1-10	1.3	27
850	Possibilities of improving stress tolerance in crops by genetic engineering.. 1999 , 1, 83-90		1
849	A Recessive Arabidopsis Mutant That Grows Photoautotrophically under Salt Stress Shows Enhanced Active Oxygen Detoxification. 1999 , 11, 1195		7
848	Transgenic overexpression of the transcription factor <i>alfin1</i> enhances expression of the endogenous <i>MsPRP2</i> gene in alfalfa and improves salinity tolerance of the plants. <i>Plant Physiology</i> , 1999 , 120, 473-80	6.6	120
847	Transgenic Cereals: <i>Hordeum vulgare</i> L. (barley). 1999 , 255-316		28
846	An abscisic acid-induced protein kinase, PKABA1, mediates abscisic acid-suppressed gene expression in barley aleurone layers. 1999 , 96, 1767-72		178
845	Pvlea-18, a member of a new late-embryogenesis-abundant protein family that accumulates during water stress and in the growing regions of well-irrigated bean seedlings. <i>Plant Physiology</i> , 1999 , 120, 93-104	6.6	61
844	Transgenic Rice: A Valuable Monocot System for Crop Improvement and Gene Research. 1999 , 19, 41-79		35
843	A recessive Arabidopsis mutant that grows photoautotrophically under salt stress shows enhanced active oxygen detoxification. 1999 , 11, 1195-206		256
842	Plant responses to drought, from ABA signal transduction events to the action of the induced proteins. <i>Plant Physiology and Biochemistry</i> , 1999 , 37, 327-340	5.4	67

841	The dormancy-related peroxiredoxin anti-oxidant, PER1, is localized to the nucleus of barley embryo and aleurone cells. 1999 , 19, 1-8		157
840	Improving plant drought, salt, and freezing tolerance by gene transfer of a single stress-inducible transcription factor. 1999 , 17, 287-91		1632
839	Transgenic approaches to increase dehydration-stress tolerance in plants. 1999 , 5, 493-503		111
838	Molecular and genetic analysis of transgenic rice plants expressing the maize ribosome-inactivating protein b-32 gene and the herbicide resistance bar gene. 1999 , 5, 85-94		27
837	The wheat LEA protein Em functions as an osmoprotective molecule in <i>Saccharomyces cerevisiae</i> . <i>Plant Molecular Biology</i> , 1999 , 39, 117-28	4.6	108
836	Seed-specific expression patterns and regulation by ABI3 of an unusual late embryogenesis-abundant gene in sunflower. <i>Plant Molecular Biology</i> , 1999 , 39, 615-27	4.6	24
835	Molecular analysis of acclimation to cold. 1999 , 29, 47-76		128
834	Structure, organization and expression of two closely related novel Lea (late-embryogenesis-abundant) genes in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 1999 , 40, 153-65	4.6	19
833	The barley (<i>Hordeum vulgare</i> L.) dehydrin multigene family: sequences, allele types, chromosome assignments, and expression characteristics of 11 Dhn genes of cv Dicktoo. 1999 , 98, 1234-1247		178
832	Tolerance to abiotic stresses in potato plants: a molecular approach. 1999 , 42, 333-351		13
831	Transfer of <i>E. coli</i> gutD gene into maize and regeneration of salt-tolerant transgenic plants. 1999 , 42, 90-5		9
830	LEA Proteins. 1999 , 753-780		94
829	Le peuplier, le stress et la transgénèse. 1999 , 1999, 36-39		1
828	Characterization and expression pattern of an abscisic acid and osmotic stress responsive gene from rice. <i>Plant Science</i> , 1999 , 140, 21-30	5.3	90
827	Enzyme-stabilizing activity of seed trypsin inhibitors during desiccation. <i>Plant Science</i> , 1999 , 142, 209-218	5.3	16
826	Taming abiotic stresses in plants through genetic engineering: current strategies and perspective. <i>Plant Science</i> , 1999 , 143, 101-111	5.3	44
825	Turfgrass Molecular Genetic Improvement for Abiotic/Edaphic Stress Resistance. 1999 , 67, 233-305		45
824	New members of a cold-responsive group-3 Lea/Rab-related Cor gene family from common wheat (<i>Triticum aestivum</i> L.). 2000 , 75, 179-88		58

823	Expression of plant group 2 and group 3 lea genes in <i>Saccharomyces cerevisiae</i> revealed functional divergence among LEA proteins. 2000 , 127, 611-6	89
822	Desiccation stress of entomopathogenic nematodes induces the accumulation of a novel heat-stable protein. 2000 , 121 (Pt 4), 409-16	92
821	Over-expression of a single Ca ²⁺ -dependent protein kinase confers both cold and salt/drought tolerance on rice plants. 2000 , 23, 319-27	693
820	Production of transgenic rice with agronomically useful genes: an assessment. 2000 , 18, 653-83	40
819	Comparative study of the <i>Nicotiana</i> species with respect to water deficit tolerance during early growth. 2000 , 116, 121-130	8
818	PLANT CELLULAR AND MOLECULAR RESPONSES TO HIGH SALINITY. 2000 , 51, 463-499	3051
817	Genetic engineering for abiotic stress resistance in crop plants. 2000 , 36, 108-114	50
816	Alteration of starch- sucrose transition in germinating wheat seed under sodium chloride salinity. 2000 , 43, 121-127	16
815	Salt tolerance of transgenic rice (<i>Oryza sativa</i> L.) with mtID gene and gutD gene. 2000 , 45, 1685-1690	12
814	The genes ABI1 and ABI2 are involved in abscisic acid- and drought-inducible expression of the <i>Daucus carota</i> L. Dc3 promoter in guard cells of transgenic <i>Arabidopsis thaliana</i> (L.) Heynh. 2000 , 210, 875-83	48
813	High Efficiency Transformation of U.S. Rice Lines from Mature Seed-Derived Calli and Segregation of Glufosinate Resistance under Field Conditions. 2000 , 40, 1729-1741	26
812	Isolation and analysis of thermotolerant mutants of wheat. 2000 , 51, 139-146	1
811	Photosynthesis during desiccation in an intertidal alga and a land plant. 2000 , 41, 344-53	35
810	Differential expression of the <i>Arabidopsis</i> genes coding for Em-like proteins1. 2000 , 51, 1211-1220	48
809	Isolation and analysis of thermotolerant mutants of wheat. 2000 , 51, 139-146	54
808	The yeast HAL1 gene improves salt tolerance of transgenic tomato. <i>Plant Physiology</i> , 2000 , 123, 393-4026.6	148
807	Metabolic Engineering for Stress Tolerance: Installing Osmoprotectant Synthesis Pathways. 2000 , 86, 709-716	180
806	Rice transformation for crop improvement and functional genomics. <i>Plant Science</i> , 2000 , 158, 1-18	5-3 95

805	Improved biomass productivity and water use efficiency under water deficit conditions in transgenic wheat constitutively expressing the barley HVA1 gene. <i>Plant Science</i> , 2000 , 155, 1-9	5.3	369
804	The LEA-like protein HSP 12 in <i>Saccharomyces cerevisiae</i> has a plasma membrane location and protects membranes against desiccation and ethanol-induced stress. 2000 , 1463, 267-78		135
803	Biotechnological applications of plant freezing associated proteins. 2000 , 6, 59-101		51
802	Role of Transgenic Plants in Abiotic Stress Management. 2001 , 3, 43-69		1
801	Identification of differentially expressed genes by the cDNA-AFLP technique during dehydration of almond (<i>Prunus amygdalus</i>). 2001 , 21, 633-43		42
800	Molecular characterization of two alanine-rich Lea genes abundantly expressed in the resurrection plant <i>C. plantagineum</i> in response to osmotic stress and ABA. 2001 , 158, 623-633		12
799	Late Embryogenesis Abundant (LEA) protein gene regulation during Arabidopsis seed maturation. 2001 , 158, 419-427		41
798	Plant salt tolerance. 2001 , 6, 66-71		2469
797	Nitric oxide induces stomatal closure and enhances the adaptive plant responses against drought stress. <i>Plant Physiology</i> , 2001 , 126, 1196-204	6.6	574
796	Plant Response to Water-deficit Stress. 2001 ,		8
795	BIOTECHNOLOGY OF PLANT OSMOTIC STRESS TOLERANCE PHYSIOLOGICAL AND MOLECULAR CONSIDERATIONS. 2001 , 285-292		115
794	Genetic transformation of wheat: progress during the 1990s into the Millennium. 2001 , 23, 221-239		7
793	Downstream DNA sequences are required to modulate Pvlea-18 gene expression in response to dehydration. <i>Plant Molecular Biology</i> , 2001 , 45, 501-15	4.6	17
792	Genetic enrichment of cereal crops via alien gene transfer: New challenges. 2001 , 64, 159-183		59
791	Tobacco matrix attachment region sequence increased transgene expression levels in rice plants. 2001 , 7, 317-327		18
790	Molecular cloning and characterization of a novel low temperature-induced gene, blti2, from barley (<i>Hordeum vulgare</i> L.). 2001 , 1522, 134-7		8
789	Desiccation Tolerance in the Resurrection Plant <i>Craterostigma plantagineum</i> . A Contribution to the Study of Drought Tolerance at the Molecular Level. <i>Plant Physiology</i> , 2001 , 127, 1346-1353	6.6	251
788	Cold acclimation-induced WAP27 localized in endoplasmic reticulum in cortical parenchyma cells of mulberry tree was homologous to group 3 late-embryogenesis abundant proteins. <i>Plant Physiology</i> , 2001 , 126, 1588-97	6.6	35

787	Recent Advances of Plant Root Structure and Function. 2001 ,		2
786	Tomato plants ectopically expressing Arabidopsis CBF1 show enhanced resistance to water deficit stress. <i>Plant Physiology</i> , 2002 , 130, 618-26	6.6	345
785	Temperature-induced extended helix/random coil transitions in a group 1 late embryogenesis-abundant protein from soybean. <i>Plant Physiology</i> , 2002 , 128, 822-32	6.6	99
784	Identification of unique or elevated levels of kernel proteins in aflatoxin-resistant maize genotypes through proteome analysis. 2002 , 92, 1084-94		72
783	The role of plant CCTalpha in salt- and osmotic-stress tolerance. 2002 , 43, 1043-8		46
782	Salt tolerance. 2002 , 1, e0048		54
781	Genetic modification of agronomic traits in fruit crops. 2002 , 25-113		2
780	Arabidopsis ABI5 subfamily members have distinct DNA-binding and transcriptional activities. <i>Plant Physiology</i> , 2002 , 130, 688-97	6.6	113
779	Expression of mangrove allene oxide cyclase enhances salt tolerance in Escherichia coli, yeast, and tobacco cells. 2002 , 43, 903-10		80
778	Molecular and physiological approaches to maize improvement for drought tolerance. 2002 , 53, 13-25		337
777	Trehalose accumulation in rice plants confers high tolerance levels to different abiotic stresses. 2002 , 99, 15898-903		953
776	Making Rice a Perfect Food. 2002 , 5, 93-130		4
775	Introduction of a Na ⁺ /H ⁺ antiporter gene from Atriplex gmelini confers salt tolerance to rice. 2002 , 532, 279-82		236
774	Changes of DHN1 expression and subcellular distribution in A. delicioosa cells under osmotic stress. 2002 , 45, 1-9		6
773	Genetic improvement of Basmati rice for salt and drought tolerance by regulated expression of a barley Hva1 cDNA. <i>Plant Science</i> , 2002 , 163, 525-532	5.3	117
772	Plant biotechnology in agriculture. 2002 , 84, 1105-10		18
771	Abscisic Acid and Stress Tolerance in Plants. 2002 , 381-412		1
770	Novel genes are enriched in normalized cDNA libraries from drought-stressed seedlings of rice (<i>Oryza sativa</i> L. subsp. indica cv. Nagina 22). 2002 , 45, 204-11		66

769	Endogenous enzyme activities and polyamine levels in diverse rice cultivars depend on the genetic background and are not affected by the presence of the hygromycin phosphotransferase selectable marker. 2002 , 105, 594-603		8
768	Competence of oat (<i>Avena sativa</i> L.) shoot apical meristems for integrative transformation, inherited expression, and osmotic tolerance of transgenic lines containing <i>hva1</i> . 2002 , 105, 201-208		59
767	Drought survival, summer dormancy and dehydrin accumulation in contrasting cultivars of <i>Dactylis glomerata</i> . 2002 , 116, 42-51		57
766	Isolation and expression of <i>Lea</i> gene in desiccation-tolerant microspore-derived embryos in <i>Brassica</i> spp. 2002 , 116, 223-230		15
765	Drought- and desiccation-induced modulation of gene expression in plants. 2002 , 25, 141-151		324
764	Molecular and genetic aspects of plant responses to osmotic stress. 2002 , 25, 131-139		553
763	Quality variations in transgenic rice with a synthetic <i>cry1Ab</i> gene from <i>Bacillus thuringiensis</i> . <i>Plant Breeding</i> , 2002 , 121, 198-202	2.4	6
762	Chromosome regions and stress-related sequences involved in resistance to abiotic stress in Triticeae. <i>Plant Molecular Biology</i> , 2002 , 48, 649-65	4.6	159
761	Monitoring large-scale changes in transcript abundance in drought- and salt-stressed barley. <i>Plant Molecular Biology</i> , 2002 , 48, 551-73	4.6	427
760	Wheat <i>LEA</i> genes, <i>PMA80</i> and <i>PMA1959</i> , enhance dehydration tolerance of transgenic rice (<i>Oryza sativa</i> L.). 2002 , 10, 71-82		120
759	Abiotic stress tolerance in transgenic eggplant (<i>Solanum melongena</i> L.) by introduction of bacterial mannitol phosphodehydrogenase gene. 2002 , 9, 137-147		74
758	Improved Performance of Transgenic Glycinebetaine-Accumulating Rice Plants under Drought Stress. <i>Biologia Plantarum</i> , 2003 , 46, 39-44	2.1	29
757	A comparative study on the protective role of trehalose and <i>LEA</i> proteins against abiotic stresses in transgenic Chinese cabbage (<i>Brassica campestris</i>) overexpressing <i>CaLEA</i> or <i>rotsA</i> . 2003 , 46, 277-286		23
756	The expression of the <i>Saccharomyces cerevisiae</i> <i>HAL1</i> gene increases salt tolerance in transgenic watermelon [<i>Citrullus lanatus</i> (Thunb.) Matsun. & Nakai.]. 2003 , 107, 462-9		47
755	Plant responses to drought, salinity and extreme temperatures: towards genetic engineering for stress tolerance. 2003 , 218, 1-14		2335
754	Arbuscular mycorrhizal symbiosis and alleviation of osmotic stress. New perspectives for molecular studies. 2003 , 13, 309-17		416
753	Genetic transformation of Indian bread (<i>T. aestivum</i>) and pasta (<i>T. durum</i>) wheat by particle bombardment of mature embryo-derived calli. <i>BMC Plant Biology</i> , 2003 , 3, 5	5.3	23
752	Theoretical and experimental studies on freezing point depression and vapor pressure deficit as methods to measure osmotic pressure of aqueous polyethylene glycol and bovine serum albumin solutions. 2003 , 104, 171-88		34

751	COMPARATIVE STUDIES ON MAJOR NUTRITIONAL COMPONENTS AND PHYSICOCHEMICAL PROPERTIES OF THE TRANSGENIC RICE WITH A SYNTHETIC Cry1Ab GENE FROM BACILLUS THURINGIENSIS. 2003 , 27, 295-308	3
750	Overexpression of a plasma membrane Na ⁺ /H ⁺ antiporter gene improves salt tolerance in <i>Arabidopsis thaliana</i> . 2003 , 21, 81-5	728
749	Does Foliar-applied Glycine Betaine Affect Endogenous Betaine Levels and Yield In Cotton?. 2003 , 2, 1-10	17
748	Transgenic indica Rice cv IR-50 Over-expressing <i>Vigna aconitifolia</i> β -Pyrroline -5- Carboxylate Synthetase cDNA Shows Tolerance to High Salt. 2003 , 12, 109-116	31
747	The pea (<i>Pisum sativum</i> L.) rbcS transit peptide directs the <i>Alcaligenes eutrophus</i> polyhydroxybutyrate enzymes into the maize (<i>Zea mays</i> L.) chloroplasts. <i>Plant Science</i> , 2003 , 165, 455-462	19
746	Biphasic response to elevated levels of NaCl in <i>Nicotiana occidentalis</i> subspecies <i>obliqua</i> Burbidge. <i>Plant Science</i> , 2003 , 165, 159-165	53 1
745	Accumulation of LEA proteins in salt (NaCl) stressed young seedlings of rice (<i>Oryza sativa</i> L.) cultivar Bura Rata and their degradation during recovery from salinity stress. 2003 , 160, 1165-74	42
744	3. Genetically modified food crops for improving agricultural practice and their effects on human health. 2003 , 14, 210-228	16
743	Molecular Approaches to Improve Salt Resistance in Crops: Facts and Perspectives. 2003 , 7, 67-98	
742	Enhancing Salt Tolerance in Crops Through Molecular Breeding: A New Strategy. 2003 , 7, 11-65	11
741	Na ⁺ tolerance and Na ⁺ transport in higher plants. 2003 , 91, 503-27	2050
740	The transcription factors HvABI5 and HvVP1 are required for the abscisic acid induction of gene expression in barley aleurone cells. 2003 , 15, 271-84	125
739	Baker's yeast: challenges and future prospects. 2003 , 57-97	19
738	Transition from natively unfolded to folded state induced by desiccation in an anhydrobiotic nematode protein. 2003 , 278, 12977-84	166
737	Plant RelA/SpoT homolog confers salt tolerance in <i>Escherichia coli</i> and <i>Saccharomyces cerevisiae</i> . 2003 , 44, 3-9	37
736	Molecular Bases of Desiccation Tolerance in Plant Cells and Potential Applications in Food Dehydration. 2003 , 9, 157-161	12
735	Plant salt tolerance. 2003 , 241-270	47
734	Photosynthetic acclimation is reflected in specific patterns of gene expression in drought-stressed loblolly pine. <i>Plant Physiology</i> , 2003 , 133, 1702-16	6.6 129

733	Molecular responses of higher plants to dehydration. 2003 , 9-38	19
732	. 2003 ,	5
731	Biotechnology and industrial ecology: new challenges for a changing global environment. 2003 , 2, 596-601	5
730	The potential of genetically enhanced plants to address food insecurity. 2004 , 17, 23-42	107
729	Salinity: Environment - Plants - Molecules. 2004 ,	7
728	Overexpression of a zinc-finger protein gene from rice confers tolerance to cold, dehydration, and salt stress in transgenic tobacco. 2004 , 101, 6309-14	358
727	A new rice zinc-finger protein binds to the O2S box of the alpha-amylase gene promoter. 2004 , 271, 2949-55	11
726	Microarray analysis of nitric oxide responsive transcripts in Arabidopsis. 2004 , 2, 359-66	222
725	Over-expression of a transcription factor regulating ABA-responsive gene expression confers multiple stress tolerance. 2004 , 2, 459-66	79
724	Differential organ-specific response to salt stress and water deficit in nodulated bean (<i>Phaseolus vulgaris</i>). 2004 , 27, 757-767	35
723	Maize Rab17 overexpression in Arabidopsis plants promotes osmotic stress tolerance. 2004 , 144, 251-257	56
722	Insights into the cellular mechanisms of desiccation tolerance among angiosperm resurrection plant species. 2004 , 27, 1329-1340	116
721	Recent Advances in Genetics of Salt Tolerance in Tomato. 2004 , 76, 101-119	176
720	Allele mining for stress tolerance genes in <i>Oryza</i> species and related germplasm. 2004 , 27, 101-8	33
719	The effect of exogenous jasmonic acid on induced resistance and productivity in amaranth (<i>Amaranthus hypochondriacus</i>) is influenced by environmental conditions. 2004 , 30, 1001-34	25
718	Functional definition of ABA-response complexes: the promoter units necessary and sufficient for ABA induction of gene expression in barley (<i>Hordeum vulgare</i> L.). <i>Plant Molecular Biology</i> , 2004 , 54, 1114-24	45
717	Overexpression of multiple dehydrin genes enhances tolerance to freezing stress in Arabidopsis. <i>Plant Molecular Biology</i> , 2004 , 54, 743-53	4.6 276
716	The novel gene CpEdi-9 from the resurrection plant <i>C. plantagineum</i> encodes a hydrophilic protein and is expressed in mature seeds as well as in response to dehydration in leaf phloem tissues. 2004 , 219, 579-89	11

715	Gene cloning and characterization of a soybean (<i>Glycine max</i> L.) LEA protein, GmPM16. <i>Plant Molecular Biology</i> , 2004 , 56, 689-703	4.6	64
714	Identification of drought-inducible genes and differentially expressed sequence tags in barley. 2004 , 109, 1417-25		120
713	Osmoregulation mechanism of drought stress and genetic engineering strategies for improving drought resistance in plants. 2004 , 6, 56-62		9
712	Progress in Elucidating the Molecular Basis of the Host Plant- <i>AspergillusFlavus</i> Interaction, a Basis for Devising Strategies to Reduce Aflatoxin Contamination in Crops. 2004 , 23, 345-380		10
711	Transcript identification and profiling during salt stress and recovery of <i>Populus euphratica</i> . 2004 , 24, 265-76		134
710	Mechanisms underlying plant resilience to water deficits: prospects for water-saving agriculture. 2004 , 55, 2365-84		786
709	Genetic Improvement for Abiotic Stress Responses. 2004 , 167-193		3
708	Transgenics in Crop Improvement. 2004 , 333-371		
707	Targeting transgene expression in research, agricultural, and environmental applications: Promoters used in plant transformation. 2004 , 40, 1-22		186
706	Genetics of Salinity Responses and Plant Breeding. 2002 , 451-489		3
705	Expressed sequence tags from <i>Thellungiella halophila</i> , a new model to study plant salt-tolerance. <i>Plant Science</i> , 2004 , 166, 609-616	5.3	103
704	HVA1, a LEA gene from barley confers dehydration tolerance in transgenic rice (<i>Oryza sativa</i> L.) via cell membrane protection. <i>Plant Science</i> , 2004 , 166, 855-862	5.3	241
703	Stress-inducible synthesis of proline in transgenic rice confers faster growth under stress conditions than that with constitutive synthesis. <i>Plant Science</i> , 2004 , 166, 941-948	5.3	180
702	POPP the question: what do LEA proteins do?. 2004 , 9, 13-7		337
701	Drought-induced responses of photosynthesis and antioxidant metabolism in higher plants. 2004 , 161, 1189-202		1316
700	DEVELOPMENT AND GENE EXPRESSION IN SAFFRON CORMS. 2004 , 141-153		5
699	Transformation of strawberry (<i>Fragaria ananassa</i> Duch.) with late embryogenesis abundant protein gene. 2004 , 79, 735-738		17
698	Commercial plant breeding: What is in the biotech pipeline?. 2004 , 10, 209-223		10

697	Introduction. 2005 , 1-5	1
696	Hormones and Signals: Identification and Description of Signalling Molecules. 2005 , 6-41	
695	Barley HVA1 Gene Confers Salt Tolerance in R3 Transgenic Oat. 2005 , 45, 2218-2227	43
694	Understanding and Improving Salt Tolerance in Plants. 2005 , 45, 437-448	780
693	Utilization of Microspore-Derived Embryos. 2005 , 153-169	9
692	Identification of salt stress-induced transcripts in potato leaves by cDNA-AFLP. 2005 , 30, 31-40	21
691	Field evaluation of transgenic wheat plants stably expressing the HVA1 gene for drought tolerance. 2005 , 123, 421-427	124
690	Isolation and characterization of a dehydrin gene from <i>Cicer pinnatifidum</i> , a drought-resistant wild relative of chickpea. 2005 , 123, 452-458	28
689	Recent advances in rice biotechnology--towards genetically superior transgenic rice. 2005 , 3, 275-307	178
688	Hydrophilins from distant organisms can protect enzymatic activities from water limitation effects in vitro. 2005 , 28, 709-718	125
687	Salt-responsive genes in rice revealed by cDNA microarray analysis. 2005 , 15, 796-810	100
686	Prospects for crop production under drought: research priorities and future directions. 2005 , 147, 211-226	166
685	Expression in <i>Escherichia coli</i> of Three Different Soybean Late Embryogenesis Abundant (LEA) Genes to Investigate Enhanced Stress Tolerance. 2005 , 47, 613-621	29
684	Transformation and Functional Expression of the rFCA-RRM2 Gene in Rice. 2005 , 47, 823-830	10
683	Two New Group 3 LEA Genes of Wheat and Their Functional Analysis in Yeast. 2005 , 47, 1372-1381	20
682	Comparative expression of five LeA Genes during wheat seed development and in response to abiotic stresses by real-time quantitative RT-PCR. 2005 , 1730, 56-65	57
681	Plant Adaptive Responses to Salinity Stress. 37-70	17
680	Transformation of radish (<i>Raphanus sativus</i> L.) via sonication and vacuum infiltration of germinated seeds with <i>Agrobacterium</i> harboring a group 3 LEA gene from <i>B. napus</i> . <i>Plant Cell Reports</i> , 2005 , 24, 494-500	5.1 52

679	Analysis of salt-stress-inducible ESTs isolated by PCR-subtraction in salt-tolerant rice. 2005 , 110, 1177-86	35
678	High salinity reduces the content of a highly abundant 23-kDa protein of the mangrove <i>Bruguiera parviflora</i> . 2005 , 221, 135-40	30
677	Transgenic tobacco plants expressing BoRS1 gene from <i>Brassica oleracea</i> var. <i>acephala</i> show enhanced tolerance to water stress. 2005 , 30, 647-55	10
676	Expression profiles of hot pepper (<i>Capsicum annum</i>) genes under cold stress conditions. 2005 , 30, 657-67	84
675	Improvement of wheat drought and salt tolerance by expression of a stress-inducible transcription factor GmDREB of soybean (<i>Glycine max</i>). 2005 , 50, 2714-2723	14
674	Plant molecular biology in China: Opportunities and challenges. 2005 , 23, 345-358	46
673	Hahb-4, a sunflower homeobox-leucine zipper gene, is a developmental regulator and confers drought tolerance to <i>Arabidopsis thaliana</i> plants. 2005 , 14, 429-40	112
672	Increased tolerance to salt- and water-deficit stress in transgenic lettuce (<i>Lactuca sativa</i> L.) by constitutive expression of LEA. 2005 , 45, 165-171	56
671	The Novel Use of a Combination of Sonication and Vacuum Infiltration in <i>Agrobacterium</i> -mediated Transformation of Kidney Bean (<i>Phaseolus vulgaris</i> L.) with lea Gene. 2005 , 16, 189-197	73
670	Isolation and functional characterisation of two new bZIP maize regulators of the ABA responsive gene <i>rab28</i> . <i>Plant Molecular Biology</i> , 2005 , 58, 899-914	4.6 56
669	Tolerance to Salt Stress of the Transgenic Tetrasomic Tetraploid Potato, <i>Solanum tuberosum</i> cv. Desiree Appears to be Induced by the DREB1A Gene and rd29A Promoter of <i>Arabidopsis thaliana</i> . 2005 , 55, 311-319	37
668	Putative UDP-galactose Epimerase and Metallothioneine of <i>Paspalum vaginatum</i> Enhanced the Salt Tolerance of Rice, <i>Oryza sativa</i> L. from Transplanting to Harvest Stages. 2005 , 55, 163-173	10
667	Preface. 2005 , xi-xii	
666	Cell-to-Cell Signalling: Short and Long Distance. 2005 , 42-75	
665	Population Diversity of Cell Types and Target Identification in Higher Plants. 2005 , 76-97	
664	Flexibility of Cell Types and the Target Cell Status. 2005 , 98-116	
663	Terminally Committed Cell Types and the Target Status. 2005 , 117-145	
662	The Mechanisms of Target Cell Perception and Response to Specific Signals. 2005 , 146-178	

661 Hormone Action and the Relief of Repression. **2005**, 179-197

660 The Phenomenon of Hormonal Cross-Talk. **2005**, 198-204

659 References. **2005**, 205-248

658 Identification of adaptation-specific differences in mRNA expression of sessile and pedunculate oak based on osmotic-stress-induced genes. **2005**, 25, 1317-29 35

657 Pea DNA helicase 45 overexpression in tobacco confers high salinity tolerance without affecting yield. **2005**, 102, 509-14 186

656 A global survey of gene regulation during cold acclimation in *Arabidopsis thaliana*. **2005**, 1, e26 322

655 Cis-regulatory element based targeted gene finding: genome-wide identification of abscisic acid- and abiotic stress-responsive genes in *Arabidopsis thaliana*. **2005**, 21, 3074-81 133

654 A Lily ASR protein involves abscisic acid signaling and confers drought and salt resistance in *Arabidopsis*. *Plant Physiology*, **2005**, 139, 836-46 6.6 130

653 Genetically Modified Plants. **2005**, 26-61 2

652 Identification in pea seed mitochondria of a late-embryogenesis abundant protein able to protect enzymes from drying. *Plant Physiology*, **2005**, 137, 157-67 6.6 184

651 The signature of seeds in resurrection plants: a molecular and physiological comparison of desiccation tolerance in seeds and vegetative tissues. **2005**, 45, 771-87 114

650 Desiccation Tolerance Studied in the Resurrection Plant *Craterostigma plantagineum*. **2005**, 45, 696-701 113

649 Transgenic Crops for Abiotic Stress Tolerance. **2004**, 346-365 4

648 Evaluation of the role of genes encoding for dehydrin proteins (LEA D-11) during drought stress in arbuscular mycorrhizal *Glycine max* and *Lactuca sativa* plants. **2005**, 56, 1933-42 45

647 PM2, a group 3 LEA protein from soybean, and its 22-mer repeating region confer salt tolerance in *Escherichia coli*. **2005**, 331, 325-32 80

646 Molecular and functional characterization of CaLEA6, the gene for a hydrophobic LEA protein from *Capsicum annuum*. *Gene*, **2005**, 344, 115-23 3.8 53

645 Isolation and expression analysis of salt up-regulated ESTs in upland rice using PCR-based subtractive suppression hybridization method. *Plant Science*, **2005**, 168, 847-853 5.3 36

644 Genetic improvement of Chinese cabbage for salt and drought tolerance by constitutive expression of a *B. napus* LEA gene. *Plant Science*, **2005**, 169, 553-558 5.3 98

643	Functional Genomics for Tolerance to Abiotic Stress in Cereals. 2004 , 483-514		4
642	LEA proteins prevent protein aggregation due to water stress. 2005 , 388, 151-7		571
641	Plant Biotechnology and Molecular Markers. 2005 ,		1
640	Cereal Genomics. 2005 ,		3
639	Haploids in Crop Improvement II. 2005 ,		10
638	Identification of a Maize Kernel Pathogenesis-Related Protein and Evidence for Its Involvement in Resistance to <i>Aspergillus flavus</i> Infection and Aflatoxin Production. 2006 , 96, 87-95		85
637	Salt stress signaling and mechanisms of plant salt tolerance. 2006 , 27, 141-77		173
636	Identification of drought tolerance determinants by genetic analysis of root response to drought stress and abscisic Acid. <i>Plant Physiology</i> , 2006 , 142, 1065-74	6.6	291
635	Gene expression microarrays and their application in drought stress research. 2006 , 97, 101-110		41
634	METABOLIC ENGINEERING FOR STRESS TOLERANCE. 2006 , 255-299		3
633	Functional screening of plant stress-related cDNAs by random over-expression in <i>Escherichia coli</i> . <i>Plant Science</i> , 2006 , 170, 880-888	5.3	5
632	Expression of biologically active <i>Acidothermus cellulolyticus</i> endoglucanase in transgenic maize plants. <i>Plant Science</i> , 2006 , 171, 617-623	5.3	84
631	A novel LEA gene from <i>Tamarix androssowii</i> confers drought tolerance in transgenic tobacco. <i>Plant Science</i> , 2006 , 171, 655-662	5.3	59
630	Plant genetic and molecular responses to water deficit. 2006 , 1, 617		2
629	Anhydrobiosis in invertebrates. 2006 , 41, 15-31		140
628	Engineering for Drought Tolerance in Horticultural and Ornamental Plants. 2006 , 17, 121-153		
627	Constitutive expression of the pea ABA-responsive 17 (ABR17) cDNA confers multiple stress tolerance in <i>Arabidopsis thaliana</i> . 2006 , 4, 529-49		26
626	Cloning of a Potato Proteinase Inhibitor Gene PINII-2x from Diploid Potato (<i>Solanum phurejia</i> L.) and Transgenic Investigation of Its Potential to Confer Insect Resistance in Rice. 2006 , 48, 732-739		18

625	Cloning of Salt Tolerance-Related cDNAs from the Mangrove Plant <i>Sesuvium portulacastrum</i> L.. 2006 , 48, 952-957		14
624	Methods and concepts in quantifying resistance to drought, salt and freezing, abiotic stresses that affect plant water status. 2006 , 45, 523-39		1029
623	Yeast complementation reveals a role for an <i>Arabidopsis thaliana</i> late embryogenesis abundant (LEA)-like protein in oxidative stress tolerance. 2006 , 48, 743-56		80
622	XVSAP1 from <i>Xerophyta viscosa</i> improves osmotic-, salinity- and high-temperature-stress tolerance in <i>Arabidopsis</i> . 2006 , 1, 1137-46		21
621	Transformation of tomato cultivar 'Busa Ruby' with bspA gene from <i>Populus tremula</i> for drought tolerance. 2006 , 84, 56-68		31
620	Transgenic plants with improved dehydration-stress tolerance: Progress and future prospects. <i>Biologia Plantarum</i> , 2006 , 50, 481-495	2.1	39
619	Salt stress response in rice: genetics, molecular biology, and comparative genomics. 2006 , 6, 263-84		140
618	Monitoring expression profiles of antioxidant genes to salinity, iron, oxidative, light and hyperosmotic stresses in the highly salt tolerant grey mangrove, <i>Avicennia marina</i> (Forsk.) Vierh. by mRNA analysis. <i>Plant Cell Reports</i> , 2006 , 25, 865-76	5.1	79
617	Stress- and development-induced expression of spliced and unspliced transcripts from two highly similar dehydrin 1 genes in <i>V. riparia</i> and <i>V. vinifera</i> . <i>Plant Cell Reports</i> , 2006 , 25, 968-77	5.1	69
616	Effects of a biocontrol bacterium on growth and defence of transgenic rice plants expressing a bacterial type-III effector. 2006 , 56, 281-287		20
615	Fruit ripening-related expression of a gene encoding group 5 late embryogenesis abundant protein in Citrus. 2006 , 49, 403-408		4
614	Combinative effects of a bacterial type-III effector and a biocontrol bacterium on rice growth and disease resistance. 2006 , 31, 617-27		30
613	In silico insight into two rice chromosomal regions associated with submergence tolerance and resistance to bacterial leaf blight and gall midge. 2006 , 24, 561-89		15
612	Genetically Modified Plants. 2006 , 27-63		1
611	Genetic Engineering. 2006 ,		
610	Molecular Approaches and Breeding Strategies for Drought Tolerance in Barley. 2007 , 51-79		28
609	Advances in Transgenic Rice Biotechnology. <i>Critical Reviews in Plant Sciences</i> , 2007 , 26, 65-103	5.6	70
608	Adaptations to environmental extremes by multicellular organisms. 2007 , 6, 199-215		15

607	Improving Plant Drought, Salt and Freezing Tolerance by Gene Transfer of a Single Stress-Inducible Transcription Factor. 2007 , 176-189		10
606	Isolation of dehydration-responsive genes in a drought tolerant common bean cultivar and expression of a group 3 late embryogenesis abundant mRNA in tolerant and susceptible bean cultivars. 2007 , 34, 368-381		18
605	Functional characterization of DHN-5, a dehydrin showing a differential phosphorylation pattern in two Tunisian durum wheat (<i>Triticum durum</i> Desf.) varieties with marked differences in salt and drought tolerance. <i>Plant Science</i> , 2007 , 172, 20-28	5.3	95
604	Genome-scale identification and analysis of LEA genes in rice (<i>Oryza sativa</i> L.). <i>Plant Science</i> , 2007 , 172, 414-420	5.3	125
603	Exclusion of Na ⁺ via sodium ATPase (PpENA1) ensures normal growth of <i>Physcomitrella patens</i> under moderate salt stress. <i>Plant Physiology</i> , 2007 , 144, 1786-96	6.6	60
602	Identification of Maize Kernel Endosperm Proteins Associated with Resistance to Aflatoxin Contamination by <i>Aspergillus flavus</i> . 2007 , 97, 1094-103		62
601	Genomics-Assisted Crop Improvement. 2007 ,		12
600	[Transgenic rice breeding for abiotic stress tolerance--present and future]. 2007 , 23, 1-6		5
599	Genotypic variability in sequence and expression of HVA1 gene in Tibetan hulless barley, <i>Hordeum vulgare</i> ssp. <i>vulgare</i> , associated with resistance to water deficit. 2007 , 58, 425		16
598	Recent Advances in Genetic Engineering of Potato Crops For Drought and Saline Stress Tolerance. 2007 , 713-737		6
597	Identifying water stress-response mechanisms in citrus by in silico transcriptome analysis. 2007 , 30, 888-905		6
596	LC-MSMS identification of <i>Arabidopsis thaliana</i> heat-stable seed proteins: enriching for LEA-type proteins by acid treatment. 2007 , 42, 1485-95		28
595	Water deficit induces variation in expression of stress-responsive genes in two peanut (<i>Arachis hypogaea</i> L.) cultivars with different tolerance to drought. <i>Plant Physiology and Biochemistry</i> , 2007 , 45, 236-43	5.4	38
594	SAGE of the developing wheat caryopsis. 2007 , 5, 69-83		42
593	Emerging trends in the functional genomics of the abiotic stress response in crop plants. 2007 , 5, 361-80		181
592	Transformed tobacco plants with increased tolerance to drought. 2007 , 73, 505-511		37
591	CbLEA, a Novel LEA Gene from <i>Chorispora bungeana</i> , Confers Cold Tolerance in Transgenic Tobacco. 2007 , 50, 336-343		4
590	Overexpression of barley <i>hva1</i> gene in creeping bentgrass for improving drought tolerance. <i>Plant Cell Reports</i> , 2007 , 26, 467-77	5.1	66

589	Transgenic tobacco plants overexpressing the heterologous lea gene Rab16A from rice during high salt and water deficit display enhanced tolerance to salinity stress. <i>Plant Cell Reports</i> , 2007 , 26, 1839-59	5.1	145
588	Stress-inducible expression of At DREB1A in transgenic peanut (<i>Arachis hypogaea</i> L.) increases transpiration efficiency under water-limiting conditions. <i>Plant Cell Reports</i> , 2007 , 26, 2071-82	5.1	208
587	Overexpression of wheat dehydrin DHN-5 enhances tolerance to salt and osmotic stress in <i>Arabidopsis thaliana</i> . <i>Plant Cell Reports</i> , 2007 , 26, 2017-26	5.1	187
586	The continuing conundrum of the LEA proteins. 2007 , 94, 791-812		532
585	Over-expression of a LEA gene in rice improves drought resistance under the field conditions. 2007 , 115, 35-46		384
584	Over-expression of a vacuolar Na ⁺ /H ⁺ antiporter gene improves salt tolerance in an upland rice. 2007 , 19, 215-225		101
583	Global genome expression analysis of rice in response to drought and high-salinity stresses in shoot, flag leaf, and panicle. <i>Plant Molecular Biology</i> , 2007 , 63, 591-608	4.6	227
582	AtCPK23 functions in <i>Arabidopsis</i> responses to drought and salt stresses. <i>Plant Molecular Biology</i> , 2007 , 65, 511-8	4.6	158
581	Overexpression of the rFCA RNA recognition motif affects morphologies modifications in rice (<i>Oryza sativa</i> L.). 2007 , 27, 225-34		13
580	Characterization of a stress responsive proteinase inhibitor gene with positive effect in improving drought resistance in rice. 2007 , 226, 73-85		89
579	14-3-3 Proteins are components of the transcription complex of the ATEM1 promoter in <i>Arabidopsis</i> . 2007 , 227, 167-75		21
578	Enhancement of salt tolerance in transgenic rice expressing an <i>Escherichia coli</i> catalase gene, katE. 2007 , 1, 49-55		64
577	Heterologous <i>Acidothermus cellulolyticus</i> 1,4-beta-endoglucanase E1 produced within the corn biomass converts corn stover into glucose. 2007 , 137-140, 207-19		54
576	Inventory, evolution and expression profiling diversity of the LEA (late embryogenesis abundant) protein gene family in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 2008 , 67, 107-24	4.6	208
575	Transcriptional and physiological study of the response of Burma mangrove (<i>Bruguiera gymnorhiza</i>) to salt and osmotic stress. <i>Plant Molecular Biology</i> , 2008 , 68, 119-29	4.6	34
574	Salt stress alleviation in transgenic <i>Vigna mungo</i> L. Hepper (blackgram) by overexpression of the glyoxalase I gene using a novel <i>Cestrum</i> yellow leaf curling virus (CmYLCV) promoter. 2008 , 22, 169-181		60
573	Overexpression of HVA1 gene from barley generates tolerance to salinity and water stress in transgenic mulberry (<i>Morus indica</i>). 2008 , 17, 651-63		102
572	Differential protection of photosynthetic capacity in trehalose-and lea protein-producing transgenic plants under abiotic stresses. 2008 , 51, 327-336		11

571	A sterol biosynthetic geneAtCYP51A2 promoter for constitutive and ectopic expression of a transgene in plants. 2008 , 51, 359-365		2
570	Transgenic approaches for abiotic stress tolerance in plants: retrospect and prospects. <i>Plant Cell Reports</i> , 2008 , 27, 411-24	5.1	431
569	Constitutive expression of a meiotic recombination protein gene homolog, OsTOP6A1, from rice confers abiotic stress tolerance in transgenic Arabidopsis plants. <i>Plant Cell Reports</i> , 2008 , 27, 767-78	5.1	26
568	Quantitative trait loci associated with adaptation to Mediterranean dryland conditions in barley. 2008 , 117, 653-69		92
567	Raising salinity tolerant rice: recent progress and future perspectives. 2008 , 14, 137-54		31
566	Genetic approaches towards overcoming water deficit in plants - special emphasis on LEAs. 2008 , 14, 277-98		20
565	BjDHNs confer heavy-metal tolerance in plants. 2008 , 38, 91-8		57
564	Genome-wide analysis for identification of salt-responsive genes in common wheat. 2008 , 8, 277-86		66
563	Proteomic profiling of rice embryos from a hybrid rice cultivar and its parental lines. 2008 , 8, 4808-21		47
562	OsLEA3, a late embryogenesis abundant protein gene from rice, confers tolerance to water deficit and salt stress to transgenic rice. 2008 , 55, 530-537		32
561	Genetic diversity and association analysis for salinity tolerance, heading date and plant height of barley germplasm using simple sequence repeat markers. 2008 , 50, 1004-14		32
560	Drought stress and preharvest aflatoxin contamination in agricultural commodity: genetics, genomics and proteomics. 2008 , 50, 1281-91		77
559	Comparison analysis of transcripts from the halophyte <i>Thellungiella halophila</i> . 2008 , 50, 1327-35		46
558	Abscisic acid regulates gene expression in cortical fiber cells and silica cells of rice shoots. 2008 , 178, 68-79		19
557	Differential expression of ribosome-inactivating protein genes during somatic embryogenesis in spinach (<i>Spinacia oleracea</i>). 2008 , 134, 270-81		15
556	Gene expression analysis in citrus reveals the role of gibberellins on photosynthesis and stress. 2008 , 31, 1620-33		38
555	LEA (late embryogenesis abundant) proteins and their encoding genes in <i>Arabidopsis thaliana</i> . 2008 , 9, 118		643
554	Changes in late embryogenesis abundant proteins and a small heat shock protein during storage of beech (<i>Fagus sylvatica</i> L.) seeds. <i>Environmental and Experimental Botany</i> , 2008 , 63, 274-280	5.9	27

553	Regeneration of transgenic rice plants using high salt for selection without the need for antibiotics or herbicides. <i>Plant Science</i> , 2008 , 174, 519-523	5.3	15
552	Maize drought tolerance: Potential improvements through arbuscular mycorrhizal symbiosis?. 2008 , 108, 14-31		100
551	Phenotypic and genotypic analysis of drought-resistance traits for development of rice cultivars adapted to rainfed environments. 2008 , 109, 1-23		214
550	Some Prospective Strategies for Improving Crop Salt Tolerance. 2008 , 45-110		240
549	Late Embryogenesis Abundant Proteins. 2008 , 211-255		86
548	Microarray-based analysis of stress-regulated microRNAs in <i>Arabidopsis thaliana</i> . 2008 , 14, 836-43		734
547	The enigmatic LEA proteins and other hydrophilins. <i>Plant Physiology</i> , 2008 , 148, 6-24	6.6	558
546	Evaluation of the Possible Participation of Drought-induced Genes in the Enhanced Tolerance of Arbuscular Mycorrhizal Plants to Water Deficit. 2008 , 185-205		13
545	Bacterial RNA chaperones confer abiotic stress tolerance in plants and improved grain yield in maize under water-limited conditions. <i>Plant Physiology</i> , 2008 , 147, 446-55	6.6	328
544	A transient assay system for the assessment of cell-autonomous gene function in dehydration-stressed barley. 2008 , 59, 3359-69		15
543	An abscisic acid-induced protein, HVA22, inhibits gibberellin-mediated programmed cell death in cereal aleurone cells. <i>Plant Physiology</i> , 2008 , 147, 1710-22	6.6	83
542	?????????????????????. 2008 , 46, 128-134		
541	Salt stress and phyto-biochemical responses of plants: a review. 2008 , 54, 89-99		318
540	Effects of NaCl on protein profiles of tetraploid and hexaploid wheat species and their diploid wild progenitors. 2008 , 54, 227-233		7
539	Biochemical and molecular mechanisms of desiccation tolerance in bryophytes. 269-298		8
538	. 2009 ,		4
537	Biological Activity of Essential Oils from Leaves and Fruits of Pepper Tree (<i>Schinus molle</i> L.) to Control Rice Weevil (<i>Sitophilus oryzae</i> L.). 2009 , 69,		31
536	Modern Applied Science, Vol. 3, No. 3, March 2009, all in one file, Part B. 2009 , 3,		0

535	Transcriptome profiling of the mangrove plant <i>Bruguiera gymnorhiza</i> and identification of salt tolerance genes by <i>Agrobacterium</i> functional screening. 2009 , 73, 304-10	22
534	Transgenic Strategies for Improved Drought Tolerance in Legumes of Semi-Arid Tropics. 2009 , 24, 92-111	14
533	Identifying Aflatoxin Resistance-related Proteins/Genes through Proteomics and RNAi Gene Silencing1. 2009 , 36, 35-41	10
532	Metabolic Drift as Internal Defense Against Drought in Crop Plants: Evidence Unlocked from Rice Cultivars. 2009 , 10, 206-228	5
531	Rice transcription factor AP37 involved in grain yield increase under drought stress. 2009 , 4, 735-6	16
530	Isolation of high salinity stress tolerant genes from <i>Pisum sativum</i> by random overexpression in <i>Escherichia coli</i> and their functional validation. 2009 , 4, 400-12	13
529	A pivotal role of the basic leucine zipper transcription factor bZIP53 in the regulation of <i>Arabidopsis</i> seed maturation gene expression based on heterodimerization and protein complex formation. 2009 , 21, 1747-61	149
528	RETRACTED: Strategies for Producing More Rice with Less Water. 2009 , e1	49
527	Gene expression profiling in peanut using high density oligonucleotide microarrays. 2009 , 10, 265	45
526	Proteome analysis of soybean hypocotyl and root under salt stress. 2009 , 36, 91-8	138
525	Desiccation tolerance acquisition in developing beech (<i>Fagus sylvatica</i> L.) seeds: the contribution of dehydrin-like protein. 2009 , 23, 305-315	16
524	Enhanced drought tolerance in transgenic <i>Leymus chinensis</i> plants with constitutively expressed wheat TaLEA3. 2009 , 31, 313-9	48
523	Shared and novel molecular responses of mandarin to drought. <i>Plant Molecular Biology</i> , 2009 , 70, 403-204.6	50
522	Review and prospect of transgenic rice research. 2009 , 54, 4049-4068	31
521	Monitoring gene expression of potato under salinity using cDNA microarrays. <i>Plant Cell Reports</i> , 2009 , 28, 1799-816	5.1 22
520	Abiotic stress and ABA-inducible Group 4 LEA from <i>Brassica napus</i> plays a key role in salt and drought tolerance. 2009 , 139, 137-45	143
519	Transgenic Approaches. 2009 , 417-450	3
518	Transgenic plants tolerant to abiotic stresses. 2009 , 43, 132-149	17

517	Altered architecture and enhanced drought tolerance in rice via the down-regulation of indole-3-acetic acid by TLD1/OsGH3.13 activation. <i>Plant Physiology</i> , 2009 , 151, 1889-901	6.6	215
516	Overexpression of the transcription factor AP37 in rice improves grain yield under drought conditions. <i>Plant Physiology</i> , 2009 , 150, 1368-79	6.6	249
515	Improvement of Drought Resistance in Rice. 2009 , 41-99		102
514	Differentially expressed genes between drought-tolerant and drought-sensitive barley genotypes in response to drought stress during the reproductive stage. 2009 , 60, 3531-44		280
513	The use of Group 3 LEA proteins as fusion partners in facilitating recombinant expression of recalcitrant proteins in E. coli. 2009 , 67, 15-22		15
512	LEA 4 group genes from the resurrection plant <i>Boea hygrometrica</i> confer dehydration tolerance in transgenic tobacco. <i>Plant Science</i> , 2009 , 176, 90-98	5.3	83
511	Vegetative desiccation tolerance: Is it a goldmine for bioengineering crops?. <i>Plant Science</i> , 2009 , 176, 187-199	5.3	80
510	Identification of salt tolerance genes from the mangrove plant <i>Bruguiera gymnorhiza</i> using <i>Agrobacterium</i> functional screening. <i>Plant Science</i> , 2009 , 176, 272-278	5.3	34
509	Genetic Determinants of Salinity Tolerance in Crop Plants. 81-111		
508	Biotechnology and Drought Tolerance. 2009 , 23, 19-54		104
507	Transgenic Wheat, Barley and Oats. 2009 ,		7
506	Evaluation of seven function-known candidate genes for their effects on improving drought resistance of transgenic rice under field conditions. 2009 , 2, 73-83		189
505	Advances in Drought Resistance of Rice. <i>Critical Reviews in Plant Sciences</i> , 2009 , 28, 199-217	5.6	138
504	Transformation of oats and its application to improving osmotic stress tolerance. 2009 , 478, 149-68		3
503	Overexpression of SOS (Salt Overly Sensitive) genes increases salt tolerance in transgenic <i>Arabidopsis</i> . 2009 , 2, 22-31		290
502	Patenting drought tolerance in organisms. 2009 , 3, 16-25		10
501	Discovery and characterization of proteins associated with aflatoxin-resistance: evaluating their potential as breeding markers. 2010 , 2, 919-33		26
500	Plant Stress Tolerance. 2010 ,		23

499	Functional analysis of six drought-inducible promoters in transgenic rice plants throughout all stages of plant growth. 2010 , 232, 743-54		44
498	Multifunctional genes: the cross-talk among the regulation networks of abiotic stress responses. <i>Biologia Plantarum</i> , 2010 , 54, 213-223	2.1	27
497	Evaluation of abiotic stress tolerance of genetically modified potatoes (<i>Solanum tuberosum</i> cv. Desiree). 2010 , 25, 527-540		34
496	Heterologous expression of a <i>Ammopiptanthus mongolicus</i> late embryogenesis abundant protein gene (AmLEA) enhances <i>Escherichia coli</i> viability under cold and heat stress. 2010 , 60, 163-168		19
495	Inducing drought tolerance in plants: recent advances. 2010 , 28, 169-83		485
494	Isolation and characterization of oil palm constitutive promoter derived from ubiquitin extension protein (<i>uep1</i>) gene. 2010 , 27, 289-99		14
493	Abscisic acid pretreatment enhances salt tolerance of rice seedlings: proteomic evidence. 2010 , 1804, 929-40		101
492	Drought and salt tolerances in wild relatives for wheat and barley improvement. 2010 , 33, 670-85		280
491	Loss of function of the HSFA9 seed longevity program. 2010 , 33, 1408-17		42
490	Different Patterns of Physiological and Molecular Response to Drought in Seedlings of Malt- and Feed-type Barleys (<i>Hordeum vulgare</i>). 2010 , 196, 9-19		43
489	Yeast as a Molecular Genetic System for Improvement of Plant Salt Tolerance. 2010 , 389-426		
488	Gene flow, biodiversity, and genetically modified crops: Weedy rice in Thailand. 35-49		2
487	OsLEA1a, a new Em-like protein of cereal plants. 2010 , 51, 2132-44		17
486	Identification and expression analysis of genes in response to high-salinity and drought stresses in <i>Brassica napus</i> . 2010 , 42, 154-64		48
485	Cotton. 2010 ,		
484	Using Genomics to Exploit Grain Legume Biodiversity in Crop Improvement. 2010 , 171-357		3
483	Characterization of two soybean (<i>Glycine max</i> L.) LEA IV proteins by circular dichroism and Fourier transform infrared spectrometry. 2010 , 51, 395-407		51
482	Salinity-imposed changes of some isozymes and total leaf protein expression in five mangroves from two different habitats. 2010 , 5, 211-221		14

481	Functional analysis of the group 4 late embryogenesis abundant proteins reveals their relevance in the adaptive response during water deficit in Arabidopsis. <i>Plant Physiology</i> , 2010 , 154, 373-90	6.6	129
480	Dehydration tolerance in plants. 2010 , 639, 3-24		34
479	Roles of enzymatic and nonenzymatic antioxidants in plants during abiotic stress. 2010 , 30, 161-75		665
478	Detection of Consensus Genomic Region of QTLs Relevant to Drought-Tolerance in Maize by QTL Meta-Analysis and Bioinformatics Approach. 2010 , 36, 1457-1467		15
477	Root-specific expression of OsNAC10 improves drought tolerance and grain yield in rice under field drought conditions. <i>Plant Physiology</i> , 2010 , 153, 185-97	6.6	528
476	Drought Stress Tolerance. 2010 , 139-157		9
475	Desiccation tolerance: From genomics to the field. <i>Plant Science</i> , 2010 , 179, 554-564	5.3	106
474	Narrowing down the targets: towards successful genetic engineering of drought-tolerant crops. 2010 , 3, 469-90		293
473	Transgenic Plants for Abiotic Stress Resistance. 2010 , 67-132		71
472	Membrane transport, sensing and signaling in plant adaptation to environmental stress. 2011 , 52, 1583-602		193
471	Salt Effects on the structural and thermodynamic properties of a group 3 LEA protein model peptide. 2011 , 50, 7093-103		31
470	Plant Breeding for Water-Limited Environments. 2011 ,		199
469	Plant Desiccation Tolerance. 2011 ,		17
468	Toxic effect of NaCl on ion metabolism, antioxidative enzymes and gene expression of perennial ryegrass. 2011 , 74, 2050-6		54
467	Group 1 and 2 LEA protein expression correlates with a decrease in water stress induced protein aggregation in horsegram during germination and seedling growth. 2011 , 168, 671-7		20
466	A phytoeyanin-related early nodulin-like gene, BcBCP1, cloned from <i>Boea crassifolia</i> enhances osmotic tolerance in transgenic tobacco. 2011 , 168, 935-43		19
465	A general method of protein purification for recombinant unstructured non-acidic proteins. 2011 , 80, 47-51		10
464	The differential proteome of endosperm and embryo from mature seed of <i>Jatropha curcas</i> . <i>Plant Science</i> , 2011 , 181, 660-6	5.3	30

463	Enhancement of stress tolerance in mulberry. 2011 , 129, 511-519		8
462	Identification of Gene Markers in Aflatoxin-Resistant Maize Germplasm for Marker-Assisted Breeding. 2011 ,		
461	Plant Genes for Abiotic Stress. 2011 ,		9
460	Genetic Resistance to Drought in Maize and Its Relationship in Aflatoxins Production. 2011 ,		
459	Protein electrophoretic profiles and physiochemical indicators of salinity tolerance in sorghum (<i>Sorghum bicolor</i> L.). 2011 , 10, 2683-2697		12
458	A critical review on halophytes: Salt tolerant plants. 2011 , 5,		18
457	An insight into functional genomics of transgenic lines of tomato cv Rio Grande harbouring yeast halotolerance genes. 2011 , 13, 620-31		5
456	Improvement of stress tolerance of wheat and barley by modulation of expression of DREB/CBF factors. 2011 , 9, 230-49		318
455	Use of doubled haploid technology for development of stable drought tolerant bread wheat (<i>Triticum aestivum</i> L.) transgenics. 2011 , 9, 408-17		58
454	Overexpression of AtLEA3-3 confers resistance to cold stress in <i>Escherichia coli</i> and provides enhanced osmotic stress tolerance and ABA sensitivity in <i>Arabidopsis thaliana</i> . 2011 , 45, 785-796		23
453	Gene Expression Profiling of Plants under Salt Stress. <i>Critical Reviews in Plant Sciences</i> , 2011 , 30, 435-458	6	383
452	Molecular characterization and roles of AP2 transcription factors on drought tolerance in plants. 2011 , 5, 463-472		2
451	Expression of <i>Bruguiera gymnorhiza</i> BgARP1 enhances salt tolerance in transgenic <i>Arabidopsis</i> plants. 2011 , 177, 383-392		9
450	Improvement of cold tolerance of the half-high bush Northland blueberry by transformation with the LEA gene from <i>Tamarix androssowii</i> . 2011 , 63, 13-22		12
449	Beyond osmolytes and transcription factors: drought tolerance in plants via protective proteins and aquaporins. <i>Biologia Plantarum</i> , 2011 , 55, 401-413	2.1	37
448	Heterologous expression of P5CS gene in chickpea enhances salt tolerance without affecting yield. <i>Biologia Plantarum</i> , 2011 , 55,	2.1	34
447	Analysis of the Wsi18, a stress-inducible promoter that is active in the whole grain of transgenic rice. 2011 , 20, 153-63		18
446	Group 3 late embryogenesis abundant protein in <i>Arabidopsis</i> : structure, regulation, and function. 2011 , 33, 1063-1073		15

445	The use of JIP test to evaluate drought-tolerance of transgenic rice overexpressing OsNAC10. 2011 , 5, 169-175		62
444	Genetic Adjustment to Changing Climates: Maize. 2011 , 314-325		5
443	The induction of anhydrobiosis in the sleeping chironomid: current status of our knowledge. 2011 , 63, 419-29		88
442	Changes in the plant proteome resulting from salt stress: toward the creation of salt-tolerant crops?. 2011 , 74, 1323-37		117
441	Transgenic Strategies Toward the Development of Salt-Tolerant Plants. 2011 , 235-274		2
440	Expression analysis of stress-related genes in kernels of different maize (<i>Zea mays</i> L.) inbred lines with different resistance to aflatoxin contamination. 2011 , 3, 538-50		15
439	Fe binding properties of two soybean (<i>Glycine max</i> L.) LEA4 proteins associated with antioxidant activity. 2011 , 52, 994-1002		50
438	An Update on Biotechnological Approaches for Improving Abiotic Stress Tolerance in Tomato. 2011 , 51, 2303-2324		14
437	Mapping salinity tolerance during <i>Arabidopsis thaliana</i> germination and seedling growth. 2011 , 6, e22832		53
436	Identification of Late Embryogenesis Abundant (LEA) protein putative interactors using phage display. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 6582-603	6,3	10
435	Genetic Transformation of Common Bean (<i>Phaseolus vulgaris</i> L.) with the GusColor Marker, the BarHerbicide Resistance, and the Barley (<i>Hordeum vulgare</i>) HVA1 Drought Tolerance Genes. 2012 , 2012, 1-8		17
434	Overexpression of Rab16A gene in indica rice variety for generating enhanced salt tolerance. 2012 , 7, 502-9		59
433	Overexpression of rice sphingosine-1-phosphate lyase gene OsSPL1 in transgenic tobacco reduces salt and oxidative stress tolerance. 2012 , 54, 652-62		11
432	Microbial rescue to plant under habitat-imposed abiotic and biotic stresses. 2012 , 96, 1137-55		44
431	A shared response of thaumatin like protein, chitinase, and late embryogenesis abundant protein3 to environmental stresses in tea [<i>Camellia sinensis</i> (L.) O. Kuntze]. 2012 , 12, 565-71		27
430	Induction Kinetics of a Novel Stress-related LEA Gene in Wheat. 2012 , 30, 1313-1321		14
429	Stress-inducible expression of barley Hva1 gene in transgenic mulberry displays enhanced tolerance against drought, salinity and cold stress. 2012 , 21, 939-57		83
428	Alternatively spliced transcripts of group 3 late embryogenesis abundant protein from <i>Pogonatherum paniceum</i> confer different abiotic stress tolerance in <i>Escherichia coli</i> . 2012 , 169, 1559-64		8

427	Functional studies of soybean (<i>Glycine max</i> L.) seed LEA proteins GmPM6, GmPM11, and GmPM30 by CD and FTIR spectroscopy. <i>Plant Science</i> , 2012 , 196, 152-9	5-3	29
426	Differential contribution of individual dehydrin genes from <i>Physcomitrella patens</i> to salt and osmotic stress tolerance. <i>Plant Science</i> , 2012 , 190, 89-102	5-3	45
425	Targeting metabolic pathways for genetic engineering abiotic stress-tolerance in crops. 2012 , 1819, 186-94		97
424	Clustered metallothionein genes are co-regulated in rice and ectopic expression of OsMT1e-P confers multiple abiotic stress tolerance in tobacco via ROS scavenging. <i>BMC Plant Biology</i> , 2012 , 12, 107	5-3	115
423	Transcription Factors and Genes in Abiotic Stress. 2012 , 317-357		7
422	Rice: Genetic Engineering Approaches for Abiotic Stress Tolerance [Retrospects and Prospects. 2012 , 201-236		2
421	Overexpression of SOS Genes Enhanced Salt Tolerance in Sweetpotato. 2012 , 11, 378-386		16
420	Identifying cotton (<i>Gossypium hirsutum</i> L.) genes induced in response to <i>Aspergillus flavus</i> infection. 2012 , 80, 35-40		7
419	Genetic Mechanisms of Drought Stress Tolerance, Implications of Transgenic Crops for Agriculture. 2012 , 213-235		5
418	Salinity Stress: A Major Constraint in Crop Production. 2012 , 71-96		11
417	Grain Legumes (Soybean, Chickpea, and Peanut): Omics Approaches to Enhance Abiotic Stress Tolerance. 2012 , 995-1032		17
416	Rice: Genomics-Assisted Breeding for Drought Tolerance. 2012 , 715-731		5
415	Barley: Omics Approaches for Abiotic Stress Tolerance. 2012 , 779-884		2
414	Brassica Crops: Improving Abiotic Stress Tolerance [Current Status and Prospects. 2012 , 1315-1349		2
413	Brassica Crop Species: Improving Water Use Efficiency: Challenges and Opportunities. 2012 , 1301-1314		1
412	OSMIOX, a myo-inositol oxygenase gene, improves drought tolerance through scavenging of reactive oxygen species in rice (<i>Oryza sativa</i> L.). <i>Plant Science</i> , 2012 , 196, 143-51	5-3	95
411	Dry state preservation of nucleated cells: progress and challenges. 2012 , 10, 376-85		12
410	OsLEA3-2, an abiotic stress induced gene of rice plays a key role in salt and drought tolerance. 2012 , 7, e45117		147

409	Plant Water-Stress Response Mechanisms. 2012,	11
408	Virus-induced silencing of genes encoding LEA protein in Tibetan hulless barley (<i>Hordeum vulgare</i> ssp. <i>vulgare</i>) and their relationship to drought tolerance. 2012, 30, 441-451	34
407	A bioinformatic evaluation of potential allergenicity of 85 candidate genes in transgenic organisms. 2012, 57, 1824-1832	0
406	Short-term response of wild grapevines (<i>Vitis vinifera</i> L. ssp. <i>sylvestris</i>) to NaCl salinity exposure: changes of some physiological and molecular characteristics. 2012, 34, 957-968	18
405	Analysis and application of RD29 genes in abiotic stress response. 2012, 34, 1239-1250	24
404	Influences of India's Local Wheat Varieties and Additives on Quality of Pasta. 2012, 5, 1743-1755	9
403	A novel function for a redox-related LEA protein (SAG21/AtLEA5) in root development and biotic stress responses. 2012, 35, 418-29	71
402	Expression of the <i>Aeluropus littoralis</i> ALSAP gene in rice confers broad tolerance to abiotic stresses through maintenance of photosynthesis. 2012, 35, 626-43	53
401	Role of transgenic plants in agriculture and biopharming. 2012, 30, 524-40	168
400	The effects of elicitation on the expression of key enzyme genes and on production of tropane alkaloids in <i>Anisodus acutangulus</i> plant. 2012, 67, 352-359	5
399	The overexpression of OsNAC9 alters the root architecture of rice plants enhancing drought resistance and grain yield under field conditions. 2012, 10, 792-805	210
398	Three-dimensional structure and mimetic-membrane association of consensus 11-amino-acid motif from soybean LEA3 protein. 2012, 98, 59-66	7
397	Salinity stress alleviation using arbuscular mycorrhizal fungi. A review. 2012, 32, 181-200	401
396	Genetic transformation of <i>Populus tomentosa</i> to improve salt tolerance. 2012, 108, 181-189	23
395	Isolation and functional characterization of a <i>Medicago sativa</i> L. gene, MsLEA3-1. 2012, 39, 2883-92	13
394	Ectopic expression of a LEA protein gene TsLEA1 from <i>Thellungiella salsuginea</i> confers salt-tolerance in yeast and <i>Arabidopsis</i> . 2012, 39, 4627-33	21
393	Transcriptional analysis of Dehydrin1 genes responsive to dehydrating stress in grapevines. 2013, 54, 272-279	7
392	Isolation and functional characterization of a salt responsive transcriptional factor, LrbZIP from lotus root (<i>Nelumbo nucifera</i> Gaertn). 2013, 40, 4033-45	17

391	Cloning and characterization of dehydrin gene from <i>Ammopiptanthus mongolicus</i> . 2013 , 40, 2281-91		11
390	Breeding aflatoxin-resistant maize lines using recent advances in technologies - a review. 2013 , 30, 1382-91		30
389	Genomics and Breeding for Climate-Resilient Crops. 2013 ,		3
388	<i>Jatropha</i> , Challenges for a New Energy Crop. 2013 ,		9
387	Salt Stress in Plants. 2013 ,		36
386	Group 1 LEA proteins, an ancestral plant protein group, are also present in other eukaryotes, and in the archaea and bacteria domains. 2013 , 288, 503-17		36
385	Genetics and Genomics of Rice. 2013 ,		4
384	Drought inducible <i>OsDhn1</i> promoter is activated by <i>OsDREB1A</i> and <i>OsDREB1D</i> . 2013 , 56, 115-121		15
383	Co-treatment effect of triadimefon and salt stress on antioxidant responses, <i>NHX1</i> and LEA expression in two alfalfa cultivars (<i>Medicago sativa</i> L.) under in vitro culture. 2013 , 56, 409-417		
382	Role of Plant Metabolites in Abiotic Stress Tolerance Under Changing Climatic Conditions with Special Reference to Secondary Compounds. 2013 , 705-726		8
381	Developing Robust Crop Plants for Sustaining Growth and Yield Under Adverse Climatic Changes. 2013 , 27-56		6
380	Insights into genomics of salt stress response in rice. 2013 , 6, 27		157
379	Drought stress adaptation: metabolic adjustment and regulation of gene expression. <i>Plant Breeding</i> , 2013 , 132, 21-32	2.4	219
378	Molecular approaches to improve rice abiotic stress tolerance. 2013 , 956, 269-83		18
377	Genome-wide analysis of the LEA (late embryogenesis abundant) protein gene family in <i>Populus trichocarpa</i> . 2013 , 9, 253-264		57
376	Stress Tolerance in Plants: A Proteomics Approach. 2013 , 359-386		2
375	<i>OsNAC5</i> overexpression enlarges root diameter in rice plants leading to enhanced drought tolerance and increased grain yield in the field. 2013 , 11, 101-14		243
374	Analysis of the barley leaf transcriptome under salinity stress using mRNA-Seq. 2013 , 35, 1915-1924		30

373	LEA Proteins in Salt Stress Tolerance. 2013 , 79-112		8
372	Improving Salt Tolerance in Rice: Looking Beyond the Conventional. 2013 , 219-260		17
371	Salt Stress: A Biochemical and Physiological Adaptation of Some Indian Halophytes of Sundarbans. 2013 , 155-177		4
370	Plant Tissue Culture: A Useful Measure for the Screening of Salt Tolerance in Plants. 2013 , 465-495		1
369	Proteomic analysis of the enhancement of seed vigour in osmoprimed alfalfa seeds germinated under salinity stress. 2013 , 23, 99-110		44
368	Genomics-based precision breeding approaches to improve drought tolerance in rice. 2013 , 31, 1308-18		62
367	Development of Maize Host Resistance to Aflatoxigenic Fungi. 2013 ,		0
366	Plant abiotic stress: deciphering remedial strategies for emerging problem. 2013 , 8, 97-108		13
365	A Novel Moderate Constitutive Promoter Derived from Poplar (<i>Populus tomentosa</i> Carrière). <i>International Journal of Molecular Sciences</i> , 2013 , 14, 6187-204	6.3	12
364	Transformation and Transgenic Breeding. 2013 , 363-386		1
363	Towards the Domestication of <i>Jatropha</i> : The Integration of Sciences. 2013 , 263-299		10
362	Transgene Pyramiding of the HVA1 and mtlD in T3 Maize (<i>Zea mays</i> L.) Plants Confers Drought and Salt Tolerance, along with an Increase in Crop Biomass. 2013 , 2013, 1-10		19
361	Understanding desiccation tolerance using the resurrection plant <i>Boea hygrometrica</i> as a model system. <i>Frontiers in Plant Science</i> , 2013 , 4, 446	6.2	41
360	Abiotic Stress in Plants. 2013 ,		2
359	Programmed Cell Death as a Response to High Light, UV and Drought Stress in Plants. 2013 ,		12
358	Identification of Salt-responsive Biosynthesis Genes in Rice via Microarray Analysis. 2013 , 01,		
357	Overexpression of a rice long-chain base kinase gene OsLCBK1 in tobacco improves oxidative stress tolerance. <i>Plant Biotechnology</i> , 2013 , 30, 9-16	1.3	4
356	Abiotic Stress Responses in Plants: Unraveling the Complexity of Genes and Networks to Survive. 2013 ,		12

355	Identification of Chimeric Repressors that Confer Salt and Osmotic Stress Tolerance in Arabidopsis. <i>Plants</i> , 2013 , 2, 769-85	4.5	13
354	Cloning and characterization of the drought-resistance OsRC12-5 gene in rice (<i>Oryza sativa</i> L.). 2014 , 13, 4022-35		10
353	Identification of differentially expressed genes in leaf of <i>Reaumuria soongorica</i> under PEG-induced drought stress by digital gene expression profiling. 2014 , 9, e94277		19
352	Translational research in agricultural biology-enhancing crop resistivity against environmental stress alongside nutritional quality. 2014 , 2, 30		8
351	Development of specific primers for the detection of HVA1 from barley in transgenic durum wheat by polymerase chain reaction (PCR) technology. 2014 , 13, 581-592		2
350	Overexpression of the <i>Jatropha curcas</i> JcERF1 gene coding an AP2/ERF-type transcription factor increases tolerance to salt in transgenic tobacco. 2014 , 79, 1226-36		14
349	Identification of a novel LEA protein involved in freezing tolerance in wheat. 2014 , 55, 136-47		60
348	A dehydrin-dehydrin interaction: the case of SK3 from <i>Opuntia streptacantha</i> . <i>Frontiers in Plant Science</i> , 2014 , 5, 520	6.2	37
347	Molecular Cloning and Computational Analysis of Rice OsEm Gene. 2014 , 522-524, 1109-1116		
346	Improved salt tolerance of <i>Populus davidiana</i> P. bolleana overexpressed LEA from <i>Tamarix androssowii</i> . 2014 , 25, 813-818		6
345	Breeding and Transgenic Approaches for Development of Abiotic Stress Tolerance in Rice. 2014 , 153-190		1
344	Over-expression of dehydrin gene, OsDhn1, improves drought and salt stress tolerance through scavenging of reactive oxygen species in rice (<i>Oryza sativa</i> L.). 2014 , 57, 383-393		82
343	Histological analysis of biocompatibility of ionomer cements with an acid-base reaction. 2014 , 28,		7
342	Targeting of Metabolic Pathways for Genetic Engineering to Combat Abiotic Stress Tolerance in Crop Plants. 2014 , 23-37		3
341	Plant Water-Stress Response Mechanisms. 2014 , 149-172		13
340	Progeny analysis of transgenic rice variety transformed with Glyoxalase I gene. 2014 , 7, 769		
339	Analysis of salt-induced mRNA transcripts in Tunisian local barley (<i>Hordeum vulgare</i>) leaves identified by differential display RT-PCR. 2014 , 52, 106-15		2
338	A proteomic analysis to identify cold acclimation associated proteins in wild wheat (<i>Triticum urartu</i> L.). 2014 , 41, 3897-905		46

337	Genetic Engineering of Crop Plants for Abiotic Stress Tolerance. 2014 , 99-123		5
336	Overexpression of SmLEA enhances salt and drought tolerance in <i>Escherichia coli</i> and <i>Salvia miltiorrhiza</i> . 2014 , 251, 1191-9		41
335	Improvement of Crops in the Era of Climatic Changes. 2014 ,		11
334	Overexpression of Late Embryogenesis Abundant 14 enhances <i>Arabidopsis</i> salt stress tolerance. 2014 , 454, 505-11		47
333	Enhancing salt tolerance in eggplant by introduction of foreign halotolerance gene, HAL1 isolated from yeast. 2014 , 55, 222-229		8
332	Functional characterization of selected LEA proteins from <i>Arabidopsis thaliana</i> in yeast and in vitro. 2014 , 240, 325-36		42
331	RcLEA, a late embryogenesis abundant protein gene isolated from <i>Rosa chinensis</i> , confers tolerance to <i>Escherichia coli</i> and <i>Arabidopsis thaliana</i> and stabilizes enzyme activity under diverse stresses. <i>Plant Molecular Biology</i> , 2014 , 85, 333-47	4.6	22
330	Comparative transcriptome analysis of aerial and subterranean pods development provides insights into seed abortion in peanut. <i>Plant Molecular Biology</i> , 2014 , 85, 395-409	4.6	22
329	Abscisic acid and abiotic stress tolerance - different tiers of regulation. 2014 , 171, 486-96		117
328	Molecular mechanism of salicylic acid-induced abiotic stress tolerance in higher plants. 2014 , 36, 2287-2297		63
327	Differential physiological and molecular response of barley genotypes to water deficit. <i>Plant Physiology and Biochemistry</i> , 2014 , 80, 234-48	5-4	35
326	Recent Advances in Biotechnology and Genomic Approaches for Abiotic Stress Tolerance in Crop Plants. 2015 , 333-366		14
325	Omics approaches and abiotic stress tolerance in legumes. 2015 , 215-230		1
324	Legumes and breeding under abiotic stress. 2015 , 1-20		2
323	Chickpea. 2015 , 67-79		7
322	Mulberry Transcription Factor MnDREB4A Confers Tolerance to Multiple Abiotic Stresses in Transgenic Tobacco. 2015 , 10, e0145619		22
321	A dehydrin gene isolated from feral olive enhances drought tolerance in <i>Arabidopsis</i> transgenic plants. <i>Frontiers in Plant Science</i> , 2015 , 6, 392	6.2	37
320	Understanding salinity responses and adopting 'omics-based' approaches to generate salinity tolerant cultivars of rice. <i>Frontiers in Plant Science</i> , 2015 , 6, 712	6.2	61

319	Breeding and Domesticating Crops Adapted to Drought and Salinity: A New Paradigm for Increasing Food Production. <i>Frontiers in Plant Science</i> , 2015 , 6, 978	6.2	180
318	. 2015 ,		6
317	Engineering food crops to grow in harsh environments. 2015 , 4, 651		13
316	Elucidation of Abiotic Stress Signaling in Plants. 2015 ,		6
315	Recent advances in the dissection of drought-stress regulatory networks and strategies for development of drought-tolerant transgenic rice plants. <i>Frontiers in Plant Science</i> , 2015 , 6, 84	6.2	250
314	Watermelon (<i>Citrullus lanatus</i>) late-embryogenesis abundant group 3 protein, CLLEA3-1, responds to diverse abiotic stresses. 2015 , 56, 555-560		4
313	Genetic Improvement of Drought Resistance in Rice. 2015 , 73-102		3
312	Overexpression of EaDREB2 and pyramiding of EaDREB2 with the pea DNA helicase gene (PDH45) enhance drought and salinity tolerance in sugarcane (<i>Saccharum</i> spp. hybrid). <i>Plant Cell Reports</i> , 2015 , 34, 247-63	5.1	85
311	A late embryogenesis abundant protein HVA1 regulated by an inducible promoter enhances root growth and abiotic stress tolerance in rice without yield penalty. 2015 , 13, 105-16		52
310	Introduction of Pea DNA Helicase 45 Into Sugarcane (<i>Saccharum</i> spp. Hybrid) Enhances Cell Membrane Thermostability And Upregulation Of Stress-responsive Genes Leads To Abiotic Stress Tolerance. 2015 , 57, 475-88		36
309	Role of microRNAs in plant drought tolerance. 2015 , 13, 293-305		163
308	Engineering crop plants against abiotic stress: Current achievements and prospects. 2015 , 27, 24		25
307	Abiotic Stress Tolerance and Sustainable Agriculture: A Functional Genomics Perspective. 2015 , 439-472		2
306	Integrating omics analysis of salt stress-responsive genes in rice. 2015 , 37, 645-655		4
305	Genetic Engineering Strategies for Abiotic Stress Tolerance in Plants. 2015 , 579-609		31
304	De novo transcriptome sequencing of <i>Agropyron cristatum</i> to identify available gene resources for the enhancement of wheat. 2015 , 106, 129-36		45
303	Nitric Oxide in Drought Stress Signalling and Tolerance in Plants. 2015 , 95-114		7
302	Nitric Oxide Action in Abiotic Stress Responses in Plants. 2015 ,		7

301	Tolerance to Combined Stress of Drought and Salinity in Barley. 2015 , 93-121		3
300	Identification of genomic regions involved in tolerance to drought stress and drought stress induced leaf senescence in juvenile barley. <i>BMC Plant Biology</i> , 2015 , 15, 125	5.3	61
299	CaLEA 73 gene from <i>Capsicum annuum</i> L. enhances drought and osmotic tolerance modulating transpiration rate in transgenic <i>Arabidopsis thaliana</i> . 2015 , 95, 227-235		5
298	Global analysis of uncapped mRNA changes under drought stress and microRNA-dependent endonucleolytic cleavages in foxtail millet. <i>BMC Plant Biology</i> , 2015 , 15, 241	5.3	6
297	High-throughput transformation pipeline for a Brazilian japonica rice with bar gene selection. 2015 , 252, 1071-83		3
296	Combined Stresses in Plants. 2015 ,		12
295	Overexpression of a NF-YC transcription factor from bermudagrass confers tolerance to drought and salinity in transgenic rice. 2015 , 13, 482-91		80
294	Exploration and Utilization of Salt-Tolerant Barley Germplasm. 2016 , 75-113		
293	Exploration and Utilization of Drought-Tolerant Barley Germplasm. 2016 , 115-152		1
292	KvLEA, a New Isolated Late Embryogenesis Abundant Protein Gene from <i>Kosteletzkya virginica</i> Responding to Multiabiotic Stresses. 2016 , 2016, 9823697		11
291	Improvement of Salinity Stress Tolerance in Rice: Challenges and Opportunities. 2016 , 6, 54		104
290	Differential Molecular Responses of Rapeseed Cotyledons to Light and Dark Reveal Metabolic Adaptations toward Autotrophy Establishment. <i>Frontiers in Plant Science</i> , 2016 , 7, 988	6.2	3
289	Barley Genes as Tools to Confer Abiotic Stress Tolerance in Crops. <i>Frontiers in Plant Science</i> , 2016 , 7, 1137	6.2	51
288	Role of Proteomics in Crop Stress Tolerance. <i>Frontiers in Plant Science</i> , 2016 , 7, 1336	6.2	40
287	New Insights on Plant Salt Tolerance Mechanisms and Their Potential Use for Breeding. <i>Frontiers in Plant Science</i> , 2016 , 7, 1787	6.2	328
286	Genomics of Salinity Tolerance in Plants. 2016 ,		6
285	Overexpression of the OsERF71 Transcription Factor Alters Rice Root Structure and Drought Resistance. <i>Plant Physiology</i> , 2016 , 172, 575-88	6.6	90
284	Genetically modified (GM) crops: milestones and new advances in crop improvement. 2016 , 129, 1639-55		83

283	Functional characterization of the late embryogenesis abundant (LEA) protein gene family from <i>Pinus tabuliformis</i> (Pinaceae) in <i>Escherichia coli</i> . 2016 , 6, 19467	62
282	Transcriptome Analysis of <i>Oryza sativa</i> (Rice) Seed Germination at High Temperature Shows Dynamics of Genome Expression Associated with Hormones Signalling and Abiotic Stress Pathways. 2016 , 9, 215-228	22
281	Assessment of genetic diversity of Saltol QTL among the rice (<i>Oryza sativa</i> L.) genotypes. 2016 , 22, 107-14	33
280	Characterization of Rice Group 3 LEA Genes in Developmental Stages and Under Abiotic Stress. 2016 , 34, 1003-1015	6
279	Climate Change and Agriculture: Adaptation Strategies and Mitigation Opportunities for Food Security in South Asia and Latin America. 2016 , 137, 127-235	64
278	Comparative proteomics analyses of intraspecific differences in the response of to drought. 2016 , 38, 101-117	10
277	Some key physiological and molecular processes of cold acclimation. <i>Biologia Plantarum</i> , 2016 , 60, 603-618	40
276	Overexpression of OsEm1 encoding a group I LEA protein confers enhanced drought tolerance in rice. 2016 , 478, 703-9	50
275	Photosynthesis, antioxidant system and gene expression of bermudagrass in response to low temperature and salt stress. 2016 , 25, 1445-1457	27
274	Present Status and Future Prospects of Transgenic Approaches for Drought Tolerance. 2016 , 549-569	1
273	Plant Molecular Adaptations and Strategies Under Drought Stress. 2016 , 91-122	9
272	MicroRNAs: A Potential Resource and Tool in Enhancing Plant Tolerance to Drought. 2016 , 217-236	1
271	Physiological and Molecular Insights into Mechanisms for Salt Tolerance in Plants. 2016 , 321-349	3
270	Role of proteins in alleviating drought stress in plants. 2016 , 165-176	3
269	Soil metaproteomics reveals an inter-kingdom stress response to the presence of black truffles. 2016 , 6, 25773	45
268	De novo sequencing and analysis of the transcriptome of <i>Panax ginseng</i> in the leaf-expansion period. 2016 , 14, 1404-12	9
267	Drought Tolerant Wild Species Are the Important Sources of Genes and Molecular Mechanisms Studies: Implication for Developing Drought Tolerant Crops. 2016 , 401-426	
266	Dehydrins from wheat x <i>Thinopyrum ponticum</i> amphiploid increase salinity and drought tolerance under their own inducible promoters without growth retardation. <i>Plant Physiology and Biochemistry</i> , 2016 , 99, 142-9	5.4 15

265	Mapping QTLs and association of differentially expressed gene transcripts for multiple agronomic traits under different nitrogen levels in sorghum. <i>BMC Plant Biology</i> , 2016 , 16, 16	5.3	35
264	Photosynthesis and antioxidative defense mechanisms in deciphering drought stress tolerance of crop plants. <i>Biologia Plantarum</i> , 2016 , 60, 201-218	2.1	58
263	Comprehensive tissue-specific proteome analysis of drought stress responses in <i>Pennisetum glaucum</i> (L.) R. Br. (Pearl millet). 2016 , 143, 122-135		32
262	Generation and characterization of expressed sequence tags in young roots of tea (<i>Camellia assamica</i>). <i>Biologia Plantarum</i> , 2016 , 60, 48-54	2.1	3
261	De novo transcriptome sequencing of <i>Acer palmatum</i> and comprehensive analysis of differentially expressed genes under salt stress in two contrasting genotypes. 2016 , 291, 575-86		10
260	Wsi18 promoter from wild rice genotype, <i>Oryza nivara</i> , shows enhanced expression under soil water stress in contrast to elite cultivar, IR20. 2017 , 26, 14-26		3
259	In silico search and biological validation of microRNAs related to drought response in peach and almond. 2017 , 17, 189-201		17
258	Bioorthogonal Noncanonical Amino Acid Tagging (BONCAT) Enables Time-Resolved Analysis of Protein Synthesis in Native Plant Tissue. <i>Plant Physiology</i> , 2017 , 173, 1543-1553	6.6	29
257	Role of Biotechnology in Rice Production. 2017 , 487-547		5
256	iTRAQ-based quantitative proteomic analysis of wheat roots in response to salt stress. 2017 , 17, 1600265		26
255	Reproductive stage physiological and transcriptional responses to salinity stress in reciprocal populations derived from tolerant (Horkuch) and susceptible (IR29) rice. 2017 , 7, 46138		27
254	Transgenic approaches to enhance salt and drought tolerance in plants. 2017 , 11, 219-231		31
253	Desiccation tolerance: Seedy origins of resurrection. 2017 , 3, 17046		11
252	Genetics and Genomics of <i>Setaria</i> . 2017 ,		7
251	Medicinal Plants and Environmental Challenges. 2017 ,		16
250	In vivo expression of a short peptide designed from late embryogenesis abundant protein for enhancing abiotic stress tolerance in <i>Escherichia coli</i> . 2017 , 492, 386-390		6
249	Adaptation Strategies and Defence Mechanisms of Plants During Environmental Stress. 2017 , 359-413		15
248	Structural disorder in plant proteins: where plasticity meets sessility. 2017 , 74, 3119-3147		22

247	Effect of drought stress on chlorophyll fluorescence, antioxidant enzyme activities and gene expression patterns in faba bean (<i>Vicia faba</i> L.). 2017 , 63, 536-552		28
246	Genomics-assisted breeding [A] revolutionary strategy for crop improvement. 2017 , 16, 2674-2685		33
245	Cross-tolerance to Thermal Stresses and its Application to the Development of Cold Tolerant Rice. 2017 , 51, 99-105		6
244	Drought-Tolerant Plants. 2017 , 101-123		
243	The Histone Deacetylase Inhibitor Suberoylanilide Hydroxamic Acid Alleviates Salinity Stress in Cassava. <i>Frontiers in Plant Science</i> , 2016 , 7, 2039	6.2	29
242	Insights on Structure and Function of a Late Embryogenesis Abundant Protein from : An Intrinsically Disordered Protein Involved in Protection against Desiccation, Oxidant Conditions, and Osmotic Stress. <i>Frontiers in Plant Science</i> , 2017 , 8, 497	6.2	26
241	Physcomitrella Patens Dehydrins (PpDHNA and PpDHNC) Confer Salinity and Drought Tolerance to Transgenic Arabidopsis Plants. <i>Frontiers in Plant Science</i> , 2017 , 8, 1316	6.2	18
240	Effect of the Winter Wheat Cheyenne 5A Substituted Chromosome on Dynamics of Abscisic Acid and Cytokinins in Freezing-Sensitive Chinese Spring Genetic Background. <i>Frontiers in Plant Science</i> , 2017 , 8, 2033	6.2	7
239	Selection of Reference Genes for qRT-PCR Analysis of Gene Expression in <i>Stipa grandis</i> during Environmental Stresses. 2017 , 12, e0169465		12
238	Triticum aestivum WRAB18 functions in plastids and confers abiotic stress tolerance when overexpressed in <i>Escherichia coli</i> and <i>Nicotiana benthamiana</i> . 2017 , 12, e0171340		11
237	The U-box family genes in <i>Medicago truncatula</i> : Key elements in response to salt, cold, and drought stresses. 2017 , 12, e0182402		18
236	Salinity Stress Responses and Adaptive Mechanisms in Major Glycophytic Crops: The Story So Far. 2018 , 1-39		3
235	Impact of heat stress during seed filling on seed quality and seed yield in lentil (<i>Lens culinaris</i> Medikus) genotypes. 2018 , 98, 5134-5141		29
234	Transcriptome sequence analysis and mining of SSRs in Jhar Ber (<i>Ziziphus nummularia</i> (Burm.f.) Wight & Arn) under drought stress. 2018 , 8, 2406		6
233	EhEm1, a novel Em-like protein from <i>Eutrema halophilum</i> , confers tolerance to salt and drought stresses in rice. 2018 , 38, 1		3
232	A new Em-like protein from <i>Lactuca sativa</i> , LsEm1, enhances drought and salt stress tolerance in <i>Escherichia coli</i> and rice. 2018 , 255, 1089-1106		6
231	An Atypical Late Embryogenesis Abundant Protein OsLEA5 Plays a Positive Role in ABA-Induced Antioxidant Defense in <i>Oryza sativa</i> L. 2018 , 59, 916-929		25
230	Ionic, metabolomic and proteomic analyses reveal molecular mechanisms of root adaption to salt stress in Tibetan wild barley. <i>Plant Physiology and Biochemistry</i> , 2018 , 123, 319-330	5.4	36

229	Salt hypersensitive mutant 9, a nucleolar APUM23 protein, is essential for salt sensitivity in association with the ABA signaling pathway in Arabidopsis. <i>BMC Plant Biology</i> , 2018 , 18, 40	5.3	27
228	Genetically Engineered Food Crops to Abiotic Stress Tolerance. 2018 , 247-279		2
227	GmLEA2-1, a late embryogenesis abundant protein gene isolated from soybean (<i>Glycine max</i> (L.) Merr.), confers tolerance to abiotic stress. 2018 , 69, 270-282		1
226	Development and Application of Genetic Engineering for Wheat Improvement. <i>Critical Reviews in Plant Sciences</i> , 2018 , 37, 335-421	5.6	15
225	Forward and reverse genetics approaches for combined stress tolerance in rice. 2018 , 23, 630-646		18
224	Improving photosynthesis, plant productivity and abiotic stress tolerance - current trends and future perspectives. 2018 , 231, 415-433		50
223	Comprehensive transcriptome analysis reveals genes in response to water deficit in the leaves of <i>Saccharum narenga</i> (Nees ex Steud.) hack. <i>BMC Plant Biology</i> , 2018 , 18, 250	5.3	22
222	Overexpression of a NF-YC Gene Results in Enhanced Drought and Salt Tolerance in Transgenic Seashore Paspalum. <i>Frontiers in Plant Science</i> , 2018 , 9, 1355	6.2	12
221	Identification of SNPs and Candidate Genes Associated With Salt Tolerance at the Seedling Stage in Cotton (L.). <i>Frontiers in Plant Science</i> , 2018 , 9, 1011	6.2	30
220	The SLCMO Gene Driven by Its Own Promoter Enhances Salt Tolerance of Transgenic Tomato Without Affecting Growth and Yield. 2018 , 36, 596-604		2
219	Molecular Breeding for Abiotic Stresses in Maize (<i>Zea mays</i> L.). 2018 ,		2
218	Regulation and Modification of the Epigenome for Enhanced Salinity Tolerance in Crop Plants. 2018 , 77-91		3
217	The chrysanthemum leaf and root transcript profiling in response to salinity stress. <i>Gene</i> , 2018 , 674, 1613-1619		12
216	Salinity Responses and Tolerance in Plants, Volume 2. 2018 ,		1
215	Genomic Roadmaps for Augmenting Salinity Stress Tolerance in Crop Plants. 2018 , 189-216		3
214	Discovery of Cryoprotective Activity in Human Genome-Derived Intrinsically Disordered Proteins. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	9
213	An Integrated Approach of Proteomics and Computational Genetic Modification Effectiveness Analysis to Uncover the Mechanisms of Flood Tolerance in Soybeans. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	15
212	Transgenic Plants for Improved Salinity and Drought Tolerance. 2018 , 141-181		14

211	Genomic and Genetic Studies of Abiotic Stress Tolerance in Barley. 2018 , 259-286		7
210	Biotic and Abiotic Stress Tolerance in Plants. 2018 ,		6
209	Progress and Prospects in Capsicum Breeding for Biotic and Abiotic Stresses. 2018 , 279-322		10
208	Response of Plants to Salinity Stress and the Role of Salicylic Acid in Modulating Tolerance Mechanisms: Physiological and Proteomic Approach. 2018 , 103-136		2
207	Plant Responses to Drought Stress: Physiological, Biochemical and Molecular Basis. 2018 , 1-25		16
206	Rice in Saline Soils: Physiology, Biochemistry, Genetics, and Management. 2018 , 148, 231-287		60
205	Proteomics of Bulked Rachides Combined with Documented QTL Uncovers Genotype Nonspecific Players of the Fusarium Head Blight Responses in Wheat. 2019 , 109, 111-119		12
204	Overexpression of OsTF1L, a rice HD-Zip transcription factor, promotes lignin biosynthesis and stomatal closure that improves drought tolerance. 2019 , 17, 118-131		47
203	Influence of drought and heat stress, applied independently or in combination during seed development, on qualitative and quantitative aspects of seeds of lentil (<i>Lens culinaris</i> Medikus) genotypes, differing in drought sensitivity. 2019 , 42, 198-211		52
202	Identifying superior drought-tolerant olive genotypes and their biochemical and some physiological responses to various irrigation levels. 2019 , 42, 2057-2069		9
201	Network-based feature selection reveals substructures of gene modules responding to salt stress in rice. 2019 , 3, e00154		5
200	Beneficial Effects of Salt on Halophyte Growth: Morphology, Cells, and Genes. 2019 , 14, 191-200		18
199	Drought Resistance in Rice from Conventional to Molecular Breeding: A Review. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	69
198	Cellular Mechanisms of Plant Salt Tolerance. 2019 , 169-210		5
197	Nitrogen Fertilizer Induced Alterations in The Root Proteome of Two Rice Cultivars. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	3
196	Genomics Assisted Breeding of Crops for Abiotic Stress Tolerance, Vol. II. 2019 ,		2
195	Genetics of Drought Tolerance, Mapping QTLs, Candidate Genes and Their Utilization in Rice Improvement. 2019 , 145-186		10
194	A comparative screening of abiotic stress tolerance in early flowering rice mutants. 2019 , 302, 112-122		14

193	Salt Stress, Microbes, and Plant Interactions: Mechanisms and Molecular Approaches. 2019 ,		2
192	Genome-Wide Identification and Expression Profiles of Late Embryogenesis-Abundant (LEA) Genes during Grain Maturation in Wheat (L.). 2019 , 10,		3
191	Genetic dissection of winter barley seedling response to salt and osmotic stress. 2019 , 39, 1		8
190	The functional analysis of a wheat group 3 late embryogenesis abundant protein in and under abiotic stresses. 2019 , 14, 1667207		5
189	Quantitative Proteomics Analysis of Barley-Based Liquid Feed and the Effect of Protease Inhibitors and NADPH-Dependent Thioredoxin Reductase/Thioredoxin (NTR/Trx) System. 2019 , 67, 6432-6444		1
188	Opportunities for Developing Salt-tolerant Wheat and Barley Varieties. 2019 , 157-218		1
187	Genome-wide association of barley plant growth under drought stress using a nested association mapping population. <i>BMC Plant Biology</i> , 2019 , 19, 134	5-3	35
186	A MYB-related transcription factor from sheepgrass, LcMYB2, promotes seed germination and root growth under drought stress. <i>BMC Plant Biology</i> , 2019 , 19, 564	5-3	19
185	Genome-scale identification, classification, and tissue specific expression analysis of late embryogenesis abundant (LEA) genes under abiotic stress conditions in Sorghum bicolor L. 2019 , 14, e0209980		38
184	Abiotic Stress and Plant Senescence. 2019 , 15-27		3
183	Plant growth-promoting rhizobacteria—alleviators of abiotic stresses in soil: A review. 2020 , 30, 40-61		81
182	Comparative Cytological and Gene Expression Analysis Reveals Potential Metabolic Pathways and Target Genes Responsive to Salt Stress in Kenaf (<i>Hibiscus cannabinus</i> L.). <i>Journal of Plant Growth Regulation</i> , 2020 , 39, 1245-1260	4-7	11
181	An update and perspectives on the use of promoters in plant genetic engineering. 2020 , 45, 1		7
180	Peptides as Potential Biomarkers for Authentication of Mountain-Cultivated Ginseng and Cultivated Ginseng of Different Ages Using UPLC-HRMS. 2020 , 68, 2263-2275		11
179	Endophytic Microbes and Their Role to Overcome Abiotic Stress in Crop Plants. 2020 , 109-122		1
178	Genome-wide identification and characterization of late embryogenesis abundant protein-encoding gene family in wheat: Evolution and expression profiles during development and stress. <i>Gene</i> , 2020 , 736, 144422	3-8	8
177	Proteomic responses to progressive dehydration stress in leaves of chickpea seedlings. 2020 , 21, 523		13
176	Salt Tolerance Mechanisms and Approaches: Future Scope of Halotolerant Genes and Rice Landraces. 2020 , 27, 368-383		6

175	Overexpression of wheat transcription factor (TaHsfA6b) provides thermotolerance in barley. 2020 , 252, 53		13
174	De-novo transcriptome analysis unveils differentially expressed genes regulating drought and salt stress response in <i>Panicum sumatrense</i> . 2020 , 10, 21251		8
173	Seed Priming: A Feasible Strategy to Enhance Drought Tolerance in Crop Plants. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	44
172	The effect of salt and temperature on the conformational changes of P1LEA-22, a repeat unit of plant Late Embryogenesis Abundant proteins. 2020 , 26, e3247		2
171	Reactive nitrogen species mediated cross-stress tolerance in plants. 2020 , 133-148		0
170	Common Functions of Disordered Proteins across Evolutionary Distant Organisms. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	15
169	Transcriptome analysis uncovers the gene expression profile of salt-stressed potato (<i>Solanum tuberosum</i> L.). 2020 , 10, 5411		13
168	Evo-physio: on stress responses and the earliest land plants. 2020 , 71, 3254-3269		45
167	Salt and Drought Stress Tolerance in Plants. 2020 ,		6
166	Molecular mechanism of drought tolerance in wheat. 2020 , 129-154		2
165	Transcriptomic and metabolomic analyses reveal mechanisms of adaptation to salinity in which carbon and nitrogen metabolism is altered in sugar beet roots. <i>BMC Plant Biology</i> , 2020 , 20, 138	5.3	25
164	Genetically Modified Crops. 2021 ,		0
163	Next-generation genetic engineering tools for abiotic stress tolerance in plants. 2021 , 153-197		1
162	Genome-wide association analysis reveals seed protein loci as determinants of variations in grain mold resistance in sorghum. 2021 , 134, 1167-1184		6
161	Carbon Assimilation, Isotope Discrimination, Proline and Lipid Peroxidation Contribution to Barley () Salinity Tolerance. <i>Plants</i> , 2021 , 10,	4.5	5
160	Allele mining for a drought responsive gene determining root growth angle in donors of drought tolerance in rice (L.). 2021 , 27, 523-534		0
159	Modern Approaches for the Genetic Improvement of Rice, Wheat and Maize for Abiotic Constraints-Related Traits: A Comparative Overview. 2021 , 11, 376		8
158	Comprehensive analysis of the gene expression profile of wheat at the crossroads of heat, drought and combined stress. bs202104		2

157	Yield and antiyield genes in common bean (<i>Phaseolus vulgaris</i> L.). 2021 , 3, e91		1
156	Overexpression of RNA-binding bacterial chaperones in rice leads to stay-green phenotype, improved yield and tolerance to salt and drought stresses. 2021 , 173, 1351-1368		1
155	Influences of Priming on Selected Physiological Attributes and Protein Pattern Responses of Salinized Wheat with Extracts of <i>Hormophysa cuneiformis</i> and <i>Actinotrichia fragilis</i> . 2021 , 11, 545		4
154	Growth adaptability and foreign gene stability of TaLEA transgenic <i>Populus simonii</i> [higra]. 2021 , 78, 1		0
153	Genome-wide identification and expression analysis of late embryogenesis abundant protein-encoding genes in rye (<i>Secale cereale</i> L.). 2021 , 16, e0249757		2
152	Contribution of functional genomics to identify the genetic basis of water-deficit tolerance in barley and the related molecular mechanisms. 2021 , 207, 913		2
151	Identification of the trehalose-6-phosphate synthase gene family in <i>Medicago truncatula</i> and expression analysis under abiotic stresses. <i>Gene</i> , 2021 , 787, 145641	3.8	1
150	Adapting Cereal Grain Crops to Drought Stress: 2020 and Beyond.		3
149	and Are Involved in Tolerance to Water Stress and Stomata Density in. <i>Plants</i> , 2021 , 10,	4.5	1
148	Overexpression of rice OsLEA5 relieves the deterioration in seed quality caused by high-temperature stress. <i>Plant Biotechnology</i> , 2021 , 38, 367-371	1.3	0
147	Functional characterization of late embryogenesis abundant genes and promoters in pearl millet (<i>Pennisetum glaucum</i> L.) for abiotic stress tolerance. 2021 , 173, 1616-1628		3
146	Transcript responses to drought in Kentucky bluegrass (<i>Poa pratensis</i> L.) germplasm varying in their tolerance to drought stress. <i>Environmental and Experimental Botany</i> , 2021 , 190, 104571	5.9	1
145	Biotechnological intervention in global warming: climate change and water crisis. 2021 , 315-332		
144	Recombinant DNA Technology for Sustainable Plant Growth and Production. 2021 , 99-120		
143	Genomic Improvement of Rice for Drought, Aluminum, and Iron Toxicity Stress Tolerance. 2021 , 1-69		
142	Identification, Gene Structure, and Expression of : A Gene Upregulated in Embryogenic Microspores. <i>Frontiers in Plant Science</i> , 2020 , 11, 576008	6.2	4
141	Genetically Modified Crops and Climate Change Adaptation. 2021 , 203-235		0
140	Exogenous metabolites spray, which identified from metabolomics analysis and transcriptomic analysis, can improve salt tolerance of Chinese cabbages (<i>Brassica rapa</i> L.ssp <i>pekinensis</i>)*. 2021 , 16, 452-461		0

139	The Long and Winding Road to Halotolerance Genes. 2002 , 505-533	2
138	Recent Advances in Breeding Barley for Drought and Saline Stress Tolerance. 2007 , 603-626	8
137	Genetic Resources for Drought Resistance. 2011 , 217-234	5
136	Transformation of Cereals. 1999 , 113-157	3
135	Biotechnology Research in Rice for Asia: Priorities, Focus and Directions. 2000 , 99-120	4
134	Salinity tolerance--mechanisms, models and the metabolic engineering of complex traits. 1998 , 20, 153-76	29
133	Heterologous <i>Acidothermus cellulolyticus</i> 1,4- β -Endoglucanase E1 Produced Within the Corn Biomass Converts Corn Stover Into Glucose. 2007 , 207-219	2
132	Programmed Cell Death and Drought Stress Signaling. 2020 , 211-229	1
131	ABA signaling in plant development and growth. 1997 , 23-43	8
130	Genetic Determinants of Drought Stress Tolerance in <i>Setaria</i> . 2017 , 267-289	9
129	Rice. 2010 , 423-451	1
128	Opportunities for Engineering Abiotic Stress Tolerance in Cotton Plants. 2010 , 127-160	5
127	Introduction. 2011 , 3-8	1
126	Genetic Engineering for Tolerance to Climate Change-Related Traits. 2013 , 285-330	4
125	Genotoxic Effects of Tungsten Microparticles Under Conditions of Biolistic Transformation. 2003 , 175-193	1
124	Plant Tolerance to Water and Salt Stress: The Expression Pattern of a Water Stress Responsive Protein (BspA) in Transgenic Aspen Plants. <i>Current Plant Science and Biotechnology in Agriculture</i> , 1999 , 561-565	4
123	Transgenic Cereals: <i>Oryza sativa</i> (rice). 1999 , 149-187	7
122	Molecular Strategies to Overcome Salt Stress in Agriculture. 2001 , 103-129	2

121	Unravelling the Genetic Basis of Drought Tolerance in Crops. 2003 , 71-122	7
120	Molecular Approaches for Increasing Plant Resistance to Biotic and Abiotic Stresses. 2002 , 197-218	5
119	Transgenic Approaches for Enhancement of Salinity Stress Tolerance in Plants. 2019 , 265-322	4
118	Genetically Engineered Enhancement of Salt Tolerance in Higher Plants. 1998 , 133-148	42
117	Hormones, Signals and Target Cells in Plant Development. 2005 ,	24
116	Quantitative Proteome Profiling Provides Insight into the Proteins Associated with β Glucan Accumulation in Hull-less Barley Grains. 2021 , 69, 568-583	1
115	Genetic analysis of salt-tolerant mutants in <i>Arabidopsis thaliana</i> . 2000 , 154, 421-36	126
114	Differential expression of the <i>Arabidopsis</i> genes coding for Em-like proteins 1. 2000 , 51, 1211-1220	4
113	Molecular and physiological approaches to maize improvement for drought tolerance.	17
112	Drought and salt tolerances in wild relatives for wheat and barley improvement. 2010 ,	1
111	Isolation of gene conferring salt tolerance from halophilic bacteria of Lunsu, Himachal Pradesh, India. <i>Journal of Genetic Engineering and Biotechnology</i> , 2020 , 18, 57	3.1 1
110	Molecular Dissection of Abiotic Stress Tolerance in Sorghum and Rice. <i>Books in Soils, Plants, and the Environment</i> , 2004 ,	2
109	Adaptation Of Higher Plants To Freezing. 2004 , 171-203	11
108	Protein Synthesis by Plants Under Stressful Conditions. <i>Books in Soils, Plants, and the Environment</i> , 1999 , 365-397	14
107	Genetic Factors Affecting Abiotic Stress Tolerance in Crop Plants. <i>Books in Soils, Plants, and the Environment</i> , 1999 , 795-826	2
106	Photosynthesis and Light Stress in a Model Plant: Role of Chloroplast Transporters. 2016 , 391-420	2
105	Genetic Factors Affecting Abiotic Stress Tolerance in Crops. 2016 , 833-880	7
104	Biotechnology and drought tolerance. 2010 , 229-259	2

103	Tolerance to Abiotic Stresses. 2006 , 521-591		2
102	Plant molecular biotechnology: Applications of transgenics. 2016 , 61-89		1
101	JcLEA, a novel LEA-like protein from <i>Jatropha curcas</i> , confers a high level of tolerance to dehydration and salinity in <i>Arabidopsis thaliana</i> . 2013 , 8, e83056		39
100	Genome-Wide Identification, Characterization, and Stress-Responsive Expression Profiling of Genes Encoding LEA (Late Embryogenesis Abundant) Proteins in Moso Bamboo (<i>Phyllostachys edulis</i>). 2016 , 11, e0165953		28
99	Identification of methyl jasmonate-responsive genes in sugarcane using cDNA arrays. 2005 , 17, 173-180		15
98	What Do We Know About the Genetic Basis of Seed Desiccation Tolerance and Longevity?. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
97	<i>Agrobacterium</i> -Mediated Transformation of indica Rice (<i>Oryza sativa</i> L.), IR64 with Mungbean LEA Protein Gene for Water-Stress Tolerance. 2008 , 3, 101-110		6
96	A New Lea Gene is Induced During Osmopriming of <i>Capsicum annum</i> L. Seeds. 2007 , 4, 77-84		5
95	Detection of Differences in mRNA Expression Regulated by Salt-Stress in Mangrove Cultured Cells.. <i>Plant Biotechnology</i> , 2002 , 19, 145-148	1.3	11
94	Expression of Plant CCT.ALPHA. Genes Enhance Salt and Osmotic Stress Tolerance in <i>Escherichia coli</i> .. <i>Plant Biotechnology</i> , 2002 , 19, 191-196	1.3	3
93	Challenges and opportunities in productivity and sustainability of rice cultivation system: a critical review in Indian perspective. <i>Cereal Research Communications</i> , 2021 , 1-29	1.1	5
92	Novel QTL identification and candidate gene analysis for enhancing salt tolerance in soybean (<i>Glycine max</i> (L.) Merr.). <i>Plant Science</i> , 2021 , 313, 111085	5.3	1
91	Genetic transformation of <i>Populus</i> toward improving plant performance and drought tolerance. <i>Forestry Sciences</i> , 2000 , 135-160		
90	Effect of water stress upon root meristems of pea seedlings: The role of quantitative and qualitative changes in protein patterns. 2001 , 151-158		
89	Molecular Markers and Abiotic Stresses. 2002 , 203-237		1
88	Studies on Genetic Engineering of Rice. 2002 ,		
87	Plants and Environmental Stress Adaptation Strategies. 2002 ,		
86	Genetic Engineering of Oat (<i>Avena Sativa</i> L.) Via the Biolistic Bombardment of Shoot Apical Meristems. 2004 , 63-78		

- 85 Genetic Engineering for Enhancing Plant Productivity and Stress Tolerance. *Books in Soils, Plants, and the Environment*, **2004**,
- 84 Molecular Bases of Plant Adaptation to Abiotic Stress and Approaches to Enhance Tolerance to Hostile Environments. 1
- 83 Resistance to stress. **2005**, 344-372
- 82 Salinity Tolerance. **2006**, 121-175 1
- 81 Improving Low- Temperature Tolerance in Plants. **2006**, 247-290
- 80 Genetic Transformation of *Eucommia ulmoides* Oliv. with the Late Embryogenesis Abundant Protein Gene. *International Symposium on Eucommia Ulmoides*, **2007**, 1, 72-74
- 79 Abiotic Stress Tolerance in Rice. **2008**, 237-267
- 78 Transgenic strategies for improved drought tolerance in legumes of semi-arid tropics. **2010**, 261-277 1
- 77 Enhanced drought tolerance by expression of hvDhn5 gene in poplar. *Journal of Plant Biotechnology*, **2011**, 38, 203-208 0.6 1
- 76 Probing the Genes Expressed in Developing Seed of Oilseed Plants: Brassica Napus (L.) as A Case Example. **2012**, 171-186
- 75 Practical Omics Approaches for Drought Tolerance in Rice. **2013**, 47-72
- 74 Improvement of Cereal Crops through Androgenesis and Transgenic Approaches for Abiotic Stress Tolerance to Mitigate the Challenges of Climate Change in Sustainable Agriculture. 785-814
- 73 Isolation and Identification of a New Gene Related to Salt Tolerance in Chinese Cabbage. *Horticultural Science and Technology*, **2013**, 31, 748-755 1.6 1
- 72 Frontier of Rice Breeding by Utilization of Genetic Resources and Biotechnology. **1997**, 103-115
- 71 Gene Technology for Increased Rice Production in Developing Countries. *Plant Gene Research*, **1999**, 39-60 0
- 70 Transgenic Rice: Development, Products, Acceptance and Economic Impact. *Current Plant Science and Biotechnology in Agriculture*, **1999**, 737-740
- 69 Characterization and Gene Co-expression Network Analysis of a Salt Tolerance-related Gene, BrSSR, in Brassica rapa. *Horticultural Science and Technology*, **2014**, 32, 845-852 1.6
- 68 Study of the Effect of Salt Stress on Biometric Characteristics of Barley: *Hordeum Vulgare* L. (Poaceae). *Journal of Medical and Bioengineering*, **2015**, 4, 270-274

67	Stress in Plants and Crops Induced by Parasitic Weeds. 2016 , 765-776		
66	Proteomics of Seed Development: A Case Study of Rice and Soybean. 2017 , 367-381		
65	Identification of Up-regulated Transcripts in Salt Tolerant Rice (<i>Oryza sativa</i> L.) Cultivar using the cDNA-AFLP Technique. <i>Journal of Crop Breeding</i> , 2017 , 9, 125-137	0.1	
64	Advances in Functional Genomics in Investigating Salinity Tolerance in Plants. 2019 , 171-188		2
63	Mechanisms and Molecular Approaches for Salt Tolerance Enhancement. 2019 , 213-236		
62	Compatible Solute Engineering: An Approach for Plant Growth Under Climate Change. 2021 , 241-257		
61	The Adaptive Potential of Plant Development: Evidence from the Response to Salinity. 2002 , 291-312		
60	Auxin and Cytokinin Signaling Component Genes and Their Potential for Crop Improvement. 2007 , 289-314		
59	Beyond osmolytes and transcription factors: drought tolerance in plants via protective proteins and aquaporins. <i>Biologia Plantarum</i> ,	2.1	1
58	Genetically Modified Citrus: Current Status, Prospects, and Future Challenges. 2021 , 161-201		0
57	The role of 14-3-3 proteins in plant growth and response to abiotic stress. <i>Plant Cell Reports</i> , 2021 , 1	5.1	1
56	Salinity tolerance mechanisms and their breeding implications. <i>Journal of Genetic Engineering and Biotechnology</i> , 2021 , 19, 173	3.1	5
55	Transcriptome Profiling of the Salt Stress Response in the Leaves and Roots of Halophytic. <i>Frontiers in Genetics</i> , 2021 , 12, 770742	4.5	3
54	A NAC transcription factor OsNAC3 positively regulates ABA response and salt tolerance in rice. <i>BMC Plant Biology</i> , 2021 , 21, 546	5.3	4
53	Vacuolar H ⁺ -pyrophosphatase HVP10 enhances salt tolerance via promoting Na ⁺ translocation into root vacuoles. <i>Plant Physiology</i> , 2021 ,	6.6	2
52	Transgenic Implications for Biotic and Abiotic Stress Tolerance in Agricultural Crops. 2021 , 185-221		1
51	Combined Transcriptomics and Metabolomics Analysis Reveals the Molecular Mechanism of Salt Tolerance of Huayouza 62, an Elite Cultivar in Rapeseed (L.).. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
50	Integrated Approaches to Develop Drought-Tolerant Rice: Demand of Era for Global Food Security. <i>Journal of Plant Growth Regulation</i> , 1	4.7	1

49	Overexpression of Enhances Drought and Heat Stress Tolerance in Doubled Haploid Plants.. <i>Cells</i> , 2022 , 11,	7.9	0
48	Genome-wide identification, evolutionary and expression analyses of LEA gene family in peanut (<i>Arachis hypogaea</i> L.).. <i>BMC Plant Biology</i> , 2022 , 22, 155	5.3	0
47	Signal Transduction in Cereal Plants Struggling with Environmental Stresses: From Perception to Response.. <i>Plants</i> , 2022 , 11,	4.5	1
46	Dehydrin responsive HVA1 driven inducible gene expression enhanced salt and drought tolerance in wheat.. <i>Plant Physiology and Biochemistry</i> , 2022 , 180, 124-133	5.4	0
45	C2H2-type zinc finger OsZFP15 accelerates seed germination and confers salinity and drought tolerance of rice seedling through ABA catabolism. <i>Environmental and Experimental Botany</i> , 2022 , 104873	5.9	0
44	Crop responses and management strategies under shade and drought stress. <i>Photosynthetica</i> , 2021 , 59, 664-682	2.2	0
43	How salt stress-responsive proteins regulate plant adaptation to saline conditions?. <i>Plant Molecular Biology</i> , 2021 , 108, 175	4.6	1
42	Table_1.XLSX. 2018 ,		
41	Table_2.XLSX. 2018 ,		
40	Table_3.XLSX. 2018 ,		
39	Table_4.XLSX. 2018 ,		
38	Table_5.XLSX. 2018 ,		
37	Table_6.XLSX. 2018 ,		
36	Table_7.XLSX. 2018 ,		
35	Image1.JPEG. 2017 ,		
34	Image2.JPEG. 2017 ,		
33	Image3.JPEG. 2017 ,		
32	Image4.JPEG. 2017 ,		

31	Image5.JPEG. 2017,		
30	Image6.JPEG. 2017,		
29	Image7.JPEG. 2017,		
28	Image8.JPEG. 2017,		
27	Table1.XLSX. 2017,		
26	Table2.XLSX. 2017,		
25	Table3.XLSX. 2017,		
24	Table4.DOCX. 2017,		
23	Evolution of Approaches to Increase the Salt Tolerance of Crops. <i>Critical Reviews in Plant Sciences</i> , 1-33	5.6	1
22	Bulked Segregant Analysis-Sequencing identification of candidate genes for salt tolerance at the seedling stage of sorghum (<i>Sorghum bicolor</i>). <i>Plant Breeding</i> ,	2.4	
21	Genetically Engineered Cereals Tolerant to Abiotic Stress. 2022 , 231-257		
20	A Review of Integrative Omic Approaches for Understanding Rice Salt Response Mechanisms. <i>Plants</i> , 2022 , 11, 1430	4.5	o
19	Diversity Analysis of Bangladeshi Coastal Rice Landraces (<i>Oryza sativa</i>) for Morpho-Physiological and Molecular Markers' Responses to Seedling Salinity Tolerance. <i>Plant Breeding and Biotechnology</i> , 2022 , 10, 115-127	1.2	
18	Genome-wide identification and expression analyses of late embryogenesis abundant (LEA) gene family in tobacco (<i>Nicotiana tabacum</i> L.) reveal their function in abiotic stress responses. <i>Gene</i> , 2022 , 836, 146665	3.8	o
17	Adaptative Mechanisms of Halophytic <i>Eutrema salsugineum</i> Encountering Saline Environment. <i>Frontiers in Plant Science</i> , 13,	6.2	o
16	Cloning and function analysis of a <i>Saussurea involucreata</i> LEA4 gene. <i>Frontiers in Plant Science</i> , 13,	6.2	o
15	Plant Transformation Techniques. 2022 , 1-73		o
14	Strategies for Enhancement of Transgene Expression. 2022 , 75-106		o

- 13 Recent Advances in Rice Breeding Using Biotechnological and Genomics Tools. **2022**, 81-102 ○
- 12 A Combination of a Genome-Wide Association Study and a Transcriptome Analysis Reveals circRNAs as New Regulators Involved in the Response to Salt Stress in Maize. **2022**, 23, 9755 ○
- 11 Transgenics and Crop Improvement. **2022**, 131-347 ○
- 10 Transcriptomic and proteomic profile approaches toward drought and salinity stresses. 66, 255-271 ○
- 9 Soybean late embryogenesis abundant protein GmLEA4 interacts with GmCaM1, enhancing seed vigor in transgenic Arabidopsis under high temperature and humidity stress. ○
- 8 Functional analysis of a late embryogenesis abundant protein ZmNHL1 in maize under drought stress. **2023**, 280, 153883 ○
- 7 Functional regulation of Responsive to abscisic acid (Rab) genes from representative plant species and their stress response. **2022**, 27, 653-664 ○
- 6 Regulatory Network in Plant under Abiotic Stress. ○
- 5 Molecular Mechanisms and Strategies Contributing toward Abiotic Stress Tolerance in Plants. ○
- 4 Salicylic Acid: A Phenolic Molecule with Multiple Roles in Salt-Stressed Plants. ○
- 3 Plant root plasticity during drought and recovery: What do we know and where to go?. 14, ○
- 2 Addition of Hop (*Humulus Lupulus* L.) Bitter Acids Yields Modification of Malt Protein Aggregate Profiles during Wort Boiling. **2023**, 71, 5700-5711 ○
- 1 Screening of barley germplasm for drought tolerance based on root architecture, agronomic traits and identification of novel allelic variants of HVA1. ○