

# The calibration of CT Hounsfield units for radiotherapy

Physics in Medicine and Biology

41, 111-124

DOI: [10.1088/0031-9155/41/1/009](https://doi.org/10.1088/0031-9155/41/1/009)

Citation Report

#	ARTICLE	IF	CITATIONS
2	THE STRUCTURE OF COMPLEXONES AND THEIR COMPLEX-FORMING POWER. Russian Chemical Reviews, 1965, 34, 481-496.	2.5	7
3	THE USE OF RADIOACTIVE INERT GASES IN THE STUDY OF SOLIDS. Russian Chemical Reviews, 1967, 36, 592-602.	2.5	2
4	MEAN DISTRIBUTION OF ARITHMETIC FUNCTIONS OVER PROGRESSIONS (THEOREMS OF) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 Td	0.2	1
5	Density Dependence of the Energy Cost of Muons for Muon-Catalyzed Fusion. Europhysics Letters, 1988, 7, 299-304.	0.7	1
6	LETTERS TO THE EDITOR. Physics in Medicine and Biology, 1996, 41, 1517-1530.	1.6	4
7	Registration of abdominal CT and SPECT images using Compton scatter data. Lecture Notes in Computer Science, 1997, , 232-244.	1.0	3
8	Electron density of tissues and breast cancer radiotherapy: a quantitative CT study. International Journal of Radiation Oncology Biology Physics, 1998, 41, 1209-1214.	0.4	18
9	The precision of proton range calculations in proton radiotherapy treatment planning: experimental verification of the relation between CT-HU and proton stopping power. Physics in Medicine and Biology, 1998, 43, 1579-1592.	1.6	324
10	Dosimetric impact of computed tomography calibration on a commercial treatment planning system for external radiation therapy. Radiotherapy and Oncology, 1998, 48, 335-338.	0.3	60
11	Relationship between CT number and electron density, scatter angle and nuclear reaction for hadron-therapy treatment planning. Physics in Medicine and Biology, 1998, 43, 3261-3275.	1.6	70
12	Quantitative estimation of biological cell concentration suspended in aqueous medium by using dielectrophoretic impedance measurement method. Journal Physics D: Applied Physics, 1999, 32, 2814-2820.	1.3	139
13	The NAC proton treatment planning system. Strahlentherapie Und Onkologie, 1999, 175, 10-12.	1.0	4
14	Derivation of linear attenuation coefficients from CT numbers for low-energy photons. Physics in Medicine and Biology, 1999, 44, 2201-2211.	1.6	67
15	Relative electron density calibration of CT scanners for radiotherapy treatment planning.. British Journal of Radiology, 1999, 72, 781-786.	1.0	125
16	Correlation between CT numbers and tissue parameters needed for Monte Carlo simulations of clinical dose distributions. Physics in Medicine and Biology, 2000, 45, 459-478.	1.6	630
17	The measurement of proton stopping power using proton-cone-beam computed tomography. Physics in Medicine and Biology, 2000, 45, 511-528.	1.6	93
18	An improved breast irradiation technique using three-dimensional geometrical information and intensity modulation. Radiotherapy and Oncology, 2001, 58, 341-347.	0.3	87
20	Experimental determination and verification of the parameters used in a proton pencil beam algorithm. Medical Physics, 2001, 28, 975-987.	1.6	47

#	ARTICLE	IF	CITATIONS
21	Accuracy of inhomogeneity correction in photon radiotherapy from CT scans with different settings. <i>Physics in Medicine and Biology</i> , 2002, 47, N223-N231.	1.6	46
22	Tolerance of Pelvic Organs to Radiation Treatment for Carcinoma of Cervix. <i>Clinical Oncology</i> , 2003, 15, 240-247.	0.6	11
23	A CT calibration method based on the polybinary tissue model for radiotherapy treatment planning. <i>Physics in Medicine and Biology</i> , 2003, 48, 1053-1064.	1.6	115
24	Calibration of CT Hounsfield units for radiotherapy treatment planning of patients with metallic hip prostheses: the use of the extended CT-scale. <i>Physics in Medicine and Biology</i> , 2003, 48, 1591-1603.	1.6	100
25	Washout measurement of radioisotope implanted by radioactive beams in the rabbit. <i>Physics in Medicine and Biology</i> , 2003, 48, 2269-2281.	1.6	100
26	Cylinder on an incline as a fold catastrophe system. <i>European Journal of Physics</i> , 2003, 24, 115-123.	0.3	3
27	Monte Carlo studies on proton computed tomography using a silicon strip detector telescope. , 0, , .		2
28	CT calibration for two-dimensional scaling of proton pencil beams. <i>Physics in Medicine and Biology</i> , 2003, 48, 861-874.	1.6	11
29	Washout studies of $^{11}\text{C}$ in rabbit thigh muscle implanted by secondary beams of HIMAC. <i>Physics in Medicine and Biology</i> , 2003, 48, 875-889.	1.6	77
30	Quantitative proton radiography of an animal patient. , 2003, 5030, 585.		1
31	Accuracy of rigid CT-FDG-PET image registration of the liver. <i>Physics in Medicine and Biology</i> , 2004, 49, 5393-5405.	1.6	24
32	Development of an inorganic scintillating mixture for proton beam verification dosimetry. <i>Physics in Medicine and Biology</i> , 2004, 49, 4637-4655.	1.6	54
33	The modelling of positron emitter production and PET imaging during carbon ion therapy. <i>Physics in Medicine and Biology</i> , 2004, 49, 5217-5232.	1.6	120
34	Three-dimensional LET calculations for treatment planning of proton therapy. <i>Zeitschrift Fur Medizinische Physik</i> , 2004, 14, 41-46.	0.6	34
35	CT tube-voltage dependent attenuation correction scheme for PET/CT scanners. , 0, , .		4
36	Effects of photon attenuation on the determination of cardiac volumes from reconstructed counts in gated blood pool SPET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 399-402.	3.3	4
37	Application of GEANT4 radiation transport toolkit to dose calculations in anthropomorphic phantoms. <i>Applied Radiation and Isotopes</i> , 2004, 61, 1451-1461.	0.7	21
38	DICOM data handling for Geant4-based medical physics application. , 0, , .		9

#	ARTICLE	IF	CITATIONS
39	Toward Proton Computed Tomography. IEEE Transactions on Nuclear Science, 2004, 51, 3-9.	1.2	44
40	The most likely path of an energetic charged particle through a uniform medium. Physics in Medicine and Biology, 2004, 49, 2899-2911.	1.6	142
41	Patient specific optimization of the relation between CT-Hounsfield units and proton stopping power with proton radiography. Medical Physics, 2004, 32, 195-199.	1.6	83
42	Determination of CT-to-density conversion relationship for image-based treatment planning systems. Medical Dosimetry, 2005, 30, 145-148.	0.4	57
43	In-vivo portal dosimetry by an ionization chamber. Physica Medica, 2005, 21, 143-152.	0.4	20
44	Proton computed tomography as a tool for proton therapy planning: preliminary computer simulations and comparisons with x-ray CT basics. X-Ray Spectrometry, 2005, 34, 481-492.	0.9	6
45	Effects of CT based Voxel Phantoms on Dose Distribution Calculated with Monte Carlo Method. Plasma Science and Technology, 2005, 7, 2777-2780.	0.7	2
46	Experimental characterization and physical modelling of the dose distribution of scanned proton pencil beams. Physics in Medicine and Biology, 2005, 50, 541-561.	1.6	293
47	Sensitivity study for CT image use in Monte Carlo treatment planning. Physics in Medicine and Biology, 2005, 50, 937-946.	1.6	80
48	Monte Carlo dose calculations for spot scanned proton therapy. Physics in Medicine and Biology, 2005, 50, 971-981.	1.6	100
49	DICOM Interface and Visualization Tool for Geant4-Based Dose Calculation. , 0, , .		8
50	Assigning nonelastic nuclear interaction cross sections to Hounsfield units for Monte Carlo treatment planning of proton beams. Physics in Medicine and Biology, 2005, 50, 991-1000.	1.6	28
51	The impact of peak-kilovoltage settings on heterogeneity-corrected photon-beam treatment plans. Radiotherapy and Oncology, 2006, 81, 206-208.	0.3	5
52	Dose distributions of a proton beam for eye tumor therapy: Hybrid pencil-beam ray-tracing calculations. Medical Physics, 2006, 33, 782-791.	1.6	13
53	Method for transforming CT images for attenuation correction in PET/CT imaging. Medical Physics, 2006, 33, 976-983.	1.6	229
54	Dosimetric Verification of the System of Planning Brainscan for Stereotactic Radiosurgery at Oncology Department of the General Hospital of Mexico. AIP Conference Proceedings, 2006, , .	0.3	0
55	Electron Density Calibration for Radiotherapy Treatment Planning. AIP Conference Proceedings, 2006, , .	0.3	5
56	Dosimetric feasibility of cone-beam CT-based treatment planning compared to CT-based treatment planning. International Journal of Radiation Oncology Biology Physics, 2006, 66, 1553-1561.	0.4	209

#	ARTICLE	IF	CITATIONS
57	Ranges of ions in metals for use in particle treatment planning. <i>Physics in Medicine and Biology</i> , 2006, 51, N173-N177.	1.6	15
58	Application of heavy-ion CT. <i>Physics in Medicine and Biology</i> , 2006, 51, 4073-4081.	1.6	27
59	Scatter factors in proton therapy with a broad beam. <i>Physics in Medicine and Biology</i> , 2006, 51, 1919-1928.	1.6	20
60	Experimental determination of particle range and dose distribution in thick targets through fragmentation reactions of stable heavy ions. <i>Physics in Medicine and Biology</i> , 2006, 51, 4129-4146.	1.6	14
61	In vivo dosimetry by an aSi-based EPID. <i>Medical Physics</i> , 2006, 33, 4414-4422.	1.6	58
62	Dosimetric impact of a CT metal artefact suppression algorithm for proton, electron and photon therapies. <i>Physics in Medicine and Biology</i> , 2006, 51, 5183-5197.	1.6	56
63	Development and application of anthropomorphic voxel phantom of the head for in vivo measurement. <i>Radiation Protection Dosimetry</i> , 2007, 127, 201-204.	0.4	9
64	The Effect of the CT Number for Each CT on Photon Dose Calculation. <i>IFMBE Proceedings</i> , 2007, , 1984-1986.	0.2	1
65	Breast in vivo dosimetry by a portal ionization chamber. <i>Medical Physics</i> , 2007, 34, 1121-1127.	1.6	9
66	The Surface of 2003 EL61in the Near-Infrared. <i>Astrophysical Journal</i> , 2007, 655, 1172-1178.	1.6	76
68	Monte Carlo simulations for configuring and testing an analytical proton dose-calculation algorithm. <i>Physics in Medicine and Biology</i> , 2007, 52, 4569-4584.	1.6	98
69	Computer simulation of feeding behaviour in the thylacine and dingo as a novel test for convergence and niche overlap. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 2819-2828.	1.2	113
70	Conversion of CT numbers into tissue parameters for Monte Carlo dose calculations: a multi-centre study. <i>Physics in Medicine and Biology</i> , 2007, 52, 539-562.	1.6	91
71	Application of a practical method for the isocenter point <i>in vivo</i> dosimetry by a transit signal. <i>Physics in Medicine and Biology</i> , 2007, 52, 5101-5117.	1.6	45
72	Monte Carlo Dose Calculations in Homogeneous and Heterogeneous Media: A Comparison between the PMCEPT code and the MCNP5, EGS4, DPM codes, and Experiments. , 2007, , 1859-1862.		0
74	High-Resolution Three-Dimensional Computer Simulation of Hominid Cranial Mechanics. <i>Anatomical Record</i> , 2007, 290, 1248-1255.	0.8	88
75	Monte Carlo treatment planning for photon and electron beams. <i>Radiation Physics and Chemistry</i> , 2007, 76, 643-686.	1.4	125
76	Range accuracy in carbon ion treatment planning based on CT-calibration with real tissue samples. <i>Radiation Oncology</i> , 2007, 2, 14.	1.2	59

#	ARTICLE	IF	CITATIONS
77	Current Status and New Developments in Ion Therapy. <i>Strahlentherapie Und Onkologie</i> , 2007, 183, 295-300.	1.0	38
78	Automatic CT-ultrasound registration for diagnostic imaging and image-guided intervention. <i>Medical Image Analysis</i> , 2008, 12, 577-585.	7.0	291
79	CT-ED conversion on a GE Lightspeed-RT scanner: influence of scanner settings. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2008, 31, 154-159.	1.4	24
80	Investigation of the usability of conebeam CT data sets for dose calculation. <i>Radiation Oncology</i> , 2008, 3, 42.	1.2	156
81	Influence of Lipiodol Agent on Proton Beam Range in Radiotherapy Planning Using Computed Tomography for Hepatocellular Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 687-694.	0.4	10
82	Validation of a Monte Carlo tool for patient-specific dose simulations in multi-slice computed tomography. <i>European Radiology</i> , 2008, 18, 759-772.	2.3	184
83	Cranial performance in the Komodo dragon ( <i>Varanus komodoensis</i> ) as revealed by high-resolution finite element analysis. <i>Journal of Anatomy</i> , 2008, 212, 736-746.	0.9	79
84	Cranial mechanics compared in extinct marsupial and extant African lions using a finite-element approach. <i>Journal of Zoology</i> , 2008, 274, 332-339.	0.8	72
85	Three-dimensional computer analysis of white shark jaw mechanics: how hard can a great white bite?. <i>Journal of Zoology</i> , 2008, 276, 336-342.	0.8	100
86	Intensity modulated proton therapy and its sensitivity to treatment uncertainties 1: the potential effects of calculational uncertainties. <i>Physics in Medicine and Biology</i> , 2008, 53, 1027-1042.	1.6	314
87	Sensitivity of intensity modulated proton therapy plans to changes in patient weight. <i>Radiotherapy and Oncology</i> , 2008, 86, 187-194.	0.3	58
88	Region-oriented CT image representation for reducing computing time of Monte Carlo simulations. <i>Medical Physics</i> , 2008, 35, 1452-1463.	1.6	31
89	ACCURACY OF FINITE ELEMENT PREDICTIONS ON BONE/IMPLANT INTERFACE CONTACT PRESSURES FOR MODELS RECONSTRUCTED FROM CT SCANS. <i>Journal of Mechanics in Medicine and Biology</i> , 2008, 08, 161-182.	0.3	5
90	Can megavoltage computed tomography reduce proton range uncertainties in treatment plans for patients with large metal implants?. <i>Physics in Medicine and Biology</i> , 2008, 53, 2327-2344.	1.6	71
91	Anatomical imaging for radiotherapy. <i>Physics in Medicine and Biology</i> , 2008, 53, R151-R191.	1.6	107
92	Improving accuracy of electron density measurement in the presence of metallic implants using orthovoltage computed tomography. <i>Medical Physics</i> , 2008, 35, 1932-1941.	1.6	19
93	Dual-energy CT-based material extraction for tissue segmentation in Monte Carlo dose calculations. <i>Physics in Medicine and Biology</i> , 2008, 53, 2439-2456.	1.6	171
94	Dynamic conformal arc therapy: Transmitted signal <i>in vivo</i> dosimetry. <i>Medical Physics</i> , 2008, 35, 1830-1839.	1.6	10

#	ARTICLE	IF	CITATIONS
95	Reducing the sensitivity of IMPT treatment plans to setup errors and range uncertainties via probabilistic treatment planning. <i>Medical Physics</i> , 2009, 36, 149-163.	1.6	259
96	Vision : Proton therapy. <i>Medical Physics</i> , 2009, 36, 556-568.	1.6	123
97	EVALUATION AND MINIMIZATION OF GEOMETRIC RECONSTRUCTION ERRORS IN FEM MODELS GENERATED FROM CT-SCAN IMAGES. <i>Journal of Mechanics in Medicine and Biology</i> , 2009, 09, 301-327.	0.3	4
98	Visible photoluminescence of porous silicon covered with an HfON dielectric layer. <i>Journal of Semiconductors</i> , 2009, 30, 082003.	2.0	0
99	A bone composition model for Monte Carlo x-ray transport simulations. <i>Medical Physics</i> , 2009, 36, 1008-1018.	1.6	28
100	Dose to water versus dose to medium in proton beam therapy. <i>Physics in Medicine and Biology</i> , 2009, 54, 4399-4421.	1.6	73
101	Radiography Simulation Based on Exposure Buildup Factors for Multilayer Structures. <i>Japanese Journal of Applied Physics</i> , 2009, 48, 066002.	0.8	0
102	Radiography simulation based on point-kernel model and dose buildup factors. <i>Journal of X-Ray Science and Technology</i> , 2009, 17, 41-59.	0.7	1
103	Ultrasound goes GPU: real-time simulation using CUDA. <i>Proceedings of SPIE</i> , 2009, , .	0.8	39
104	Influence of Intravenous Contrast Agent on Dose Calculation in 3-D Treatment Planning for Radiosurgery of Cerebral Arteriovenous Malformations. <i>Strahlentherapie Und Onkologie</i> , 2009, 185, 318-324.	1.0	19
105	Cone beam computerized tomography: the effect of calibration of the Hounsfield unit number to electron density on dose calculation accuracy for adaptive radiation therapy. <i>Physics in Medicine and Biology</i> , 2009, 54, N329-N346.	1.6	133
106	A more accurate reconstruction system matrix for quantitative proton computed tomography. <i>Medical Physics</i> , 2009, 36, 4511-4518.	1.6	49
107	Assembling and test of a proton computed radiography apparatus. , 2009, , .		0
108	Fast Monte Carlo simulation on a voxelized human phantom deformed to a patient. <i>Medical Physics</i> , 2009, 36, 5162-5174.	1.6	10
109	Dose calculation accuracy using cone-beam CT (CBCT) for pelvic adaptive radiotherapy. <i>Physics in Medicine and Biology</i> , 2009, 54, 6239-6250.	1.6	91
110	A radionuclide dosimetry toolkit based on material-specific Monte Carlo dose kernels. <i>Nuclear Medicine Communications</i> , 2009, 30, 504-512.	0.5	22
111	Charged Particle Therapy: The Physics of Interaction. <i>Cancer Journal (Sudbury, Mass )</i> , 2009, 15, 285-291.	1.0	52
112	Assessment and management of radiotherapy beam intersections with the treatment couch. <i>Journal of Applied Clinical Medical Physics</i> , 2010, 11, 128-139.	0.8	20

#	ARTICLE	IF	CITATIONS
113	Analysis of CT Numbers and Relative Proton Stopping Powers for Real Tissue Samples. , 2010, , .		0
114	Toward Clinical X-ray Phase-Contrast CT. Investigative Radiology, 2010, 45, 445-452.	3.5	152
115	Theoretical methods for the calculation of Bragg curves and 3D distributions of proton beams. European Physical Journal: Special Topics, 2010, 190, 1-81.	1.2	40
116	Dosimetry for ion beam radiotherapy. Physics in Medicine and Biology, 2010, 55, R193-R234.	1.6	163
117	Ion Stopping Powers and CT Numbers. Medical Dosimetry, 2010, 35, 179-194.	0.4	84
118	Dose Calculation on KV Cone Beam CT Images: An Investigation of the Hu-Density Conversion Stability and Dose Accuracy Using the Site-Specific Calibration. Medical Dosimetry, 2010, 35, 195-207.	0.4	70
119	Sensitivity of low energy brachytherapy Monte Carlo dose calculations to uncertainties in human tissue composition. Medical Physics, 2010, 37, 5188-5198.	1.6	77
120	Estimation of influence of material assignment in CT data for hadron therapy using GEANT4. , 2010, , .		2
121	Dosimetric study in the human head for CT investigation of the inner ear using the Geant4 toolkit. , 2010, , .		1
122	The impact of uncertainties in the CT conversion algorithm when predicting proton beam ranges in patients from dose and PET-activity distributions. Physics in Medicine and Biology, 2010, 55, 7557-7571.	1.6	51
123	Theoretical variance analysis of single- and dual-energy computed tomography methods for calculating proton stopping power ratios of biological tissues. Physics in Medicine and Biology, 2010, 55, 1343-1362.	1.6	204
124	The influence of CT image noise on proton range calculation in radiotherapy planning. Physics in Medicine and Biology, 2010, 55, N141-N149.	1.6	42
125	Characterization of a Silicon Strip Detector and a YAG:Ce Calorimeter for a Proton Computed Radiography Apparatus. IEEE Transactions on Nuclear Science, 2010, 57, 8-16.	1.2	27
126	Heavy-ion tumor therapy: Physical and radiobiological benefits. Reviews of Modern Physics, 2010, 82, 383-425.	16.4	606
127	Laser Interstitial Thermotherapy for pancreatic tumor ablation: Theoretical model and experimental validation. , 2011, 2011, 5585-8.		26
128	Simulation of shadowing effects in ultrasound imaging from computed tomography images. , 2011, , .		1
129	Simulation study on potential accuracy gains from dual energy CT tissue segmentation for low-energy brachytherapy Monte Carlo dose calculations. Physics in Medicine and Biology, 2011, 56, 6257-6278.	1.6	57
130	Is it necessary to plan with safety margins for actively scanned proton therapy?. Physics in Medicine and Biology, 2011, 56, 4399-4413.	1.6	124



#	ARTICLE	IF	CITATIONS
131	Semiempirical analysis of materials' elemental composition to formulate tissue-equivalent materials: a preliminary study. <i>Physics in Medicine and Biology</i> , 2011, 56, 2963-2977.	1.6	14
132	The importance of tissue segmentation for dose calculations for kilovoltage radiation therapy. <i>Medical Physics</i> , 2011, 38, 3039-3049.	1.6	47
133	Intensity modulated radiosurgery for the spine: Dosimetric impact of beamlet size variation in the leaf travel direction. <i>Radiotherapy and Oncology</i> , 2011, 98, 227-233.	0.3	5
134	The Effect of a Contrast Agent on Proton Beam Range in Radiotherapy Planning Using Computed Tomography for Patients With Locoregionally Advanced Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e317-e324.	0.4	12
135	Evolution of Ripple Field Architecture during Sediment Transport, as Measured by CT Scanning. , 2011, , .		0
136	The Dosimetry Calculation for Boron Neutron Capture Therapy. , 0, , .		0
137	Accuracy of the Most Likely Path Formalism in Inhomogeneous Phantoms. <i>Nuclear Technology</i> , 2011, 175, 40-47.	0.7	0
138	Monte Carlo Investigation of Rebinning Material Density Distributions of Lung Parenchyma Phantoms in Proton Therapy. <i>Nuclear Technology</i> , 2011, 175, 22-26.	0.7	3
139	Correlation functions for Elekta aSi EPIDs used as transit dosimeter for open fields. <i>Journal of Applied Clinical Medical Physics</i> , 2011, 12, 218-233.	0.8	10
140	Skull mechanics and implications for feeding behaviour in a large marsupial carnivore guild: the thylacine, Tasmanian devil and spotted-tailed quoll. <i>Journal of Zoology</i> , 2011, 285, 292-300.	0.8	60
141	Proton Range Uncertainty Due to Bone Cement Injected Into the Vertebra in Radiation Therapy Planning. <i>Medical Dosimetry</i> , 2011, 36, 299-305.	0.4	4
142	Monte Carlo evaluation of the Filtered Back Projection method for image reconstruction in proton computed tomography. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 658, 78-83.	0.7	25
143	Treatment planning in proton therapy. <i>European Physical Journal Plus</i> , 2011, 126, 1.	1.2	14
144	The status of CNAO. <i>European Physical Journal Plus</i> , 2011, 126, 1.	1.2	74
145	A generalized calibration procedure for in vivo transit dosimetry using siemens electronic portal imaging devices. <i>Medical and Biological Engineering and Computing</i> , 2011, 49, 373-383.	1.6	5
146	On the dosimetric impact of inhomogeneity management in the Acuros XB algorithm for breast treatment. <i>Radiation Oncology</i> , 2011, 6, 103.	1.2	42
147	Generalized EPID calibration for in vivo transit dosimetry. <i>Physica Medica</i> , 2011, 27, 30-38.	0.4	27
148	Foundation of an analytical proton beamlet model for inclusion in a general proton dose calculation system. <i>Radiation Physics and Chemistry</i> , 2011, 80, 378-389.	1.4	45

#	ARTICLE	IF	CITATIONS
149	A model for multi-energy x-ray analysis. <i>Physics in Medicine and Biology</i> , 2011, 56, 2943-2962.	1.6	11
150	Experimental verification of IMPT treatment plans in an anthropomorphic phantom in the presence of delivery uncertainties. <i>Physics in Medicine and Biology</i> , 2011, 56, 4415-4431.	1.6	52
151	Does kVâ€“MV dual-energy computed tomography have an advantage in determining proton stopping power ratios in patients?. <i>Physics in Medicine and Biology</i> , 2011, 56, 4499-4515.	1.6	31
152	Bragg peak prediction from quantitative proton computed tomography using different path estimates. <i>Physics in Medicine and Biology</i> , 2011, 56, 587-599.	1.6	21
153	CTC-ask: a new algorithm for conversion of CT numbers to tissue parameters for Monte Carlo dose calculations applying DICOM RS knowledge. <i>Physics in Medicine and Biology</i> , 2011, 56, N263-N274.	1.6	7
154	Radiological Features of the Intraosseous Lipoma of the Sphenoid. <i>Otolaryngology - Head and Neck Surgery</i> , 2011, 144, 617-622.	1.1	16
155	Piezoelectric transducer parameter selection for exciting a single mode from multiple modes of Lamb waves. <i>Chinese Physics B</i> , 2011, 20, 094301.	0.7	11
156	Calibration of Elekta aSi EPIDs Used as Transit Dosimeter. <i>Technology in Cancer Research and Treatment</i> , 2011, 10, 39-48.	0.8	5
157	Fast onâ€“site Monte Carlo tool for dose calculations in CT applications. <i>Medical Physics</i> , 2012, 39, 2985-2996.	1.6	66
158	Quantitative carbon ion beam radiography and tomography with a flat-panel detector. <i>Physics in Medicine and Biology</i> , 2012, 57, 7957-7971.	1.6	56
159	Automatic and robust calibration of optical detector arrays for biomedical diffuse optical spectroscopy. <i>Biomedical Optics Express</i> , 2012, 3, 2339.	1.5	7
160	Report of the Task Group 186 on modelâ€“based dose calculation methods in brachytherapy beyond the TGâ€“43 formalism: Current status and recommendations for clinical implementation. <i>Medical Physics</i> , 2012, 39, 6208-6236.	1.6	391
161	Meeting the demands of highly precise Ion Beam Therapy - how a flat-panel detector can improve conformance tests. , 2012, , .		0
162	A study on multiplex proton imaging using GEANT4. , 2012, , .		0
163	Experimental measurement of the correlation between CT number and heavy ion range. <i>Chinese Physics C</i> , 2012, 36, 954-957.	1.5	0
164	Estimating photon interaction coefficients from single energy x-ray CT. <i>Physics in Medicine and Biology</i> , 2012, 57, 8079-8098.	1.6	2
165	Image-Guided Adaptive Radiation Therapy with anatomic imaging and dose verification in head and neck cancer using kV CBCT. <i>International Journal of Biomedical Engineering and Technology</i> , 2012, 8, 151.	0.2	1
166	Early Outcomes From Three Prospective Trials of Image-Guided Proton Therapy for Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 213-221.	0.4	95

#	ARTICLE	IF	CITATIONS
167	A Beam-Specific Planning Target Volume (PTV) Design for Proton Therapy to Account for Setup and Range Uncertainties. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, e329-e336.	0.4	145
168	Practical considerations for reporting surface dose in external beam radiotherapy: a 6ÅMV X-ray beam study. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2012, 35, 271-282.	1.4	15
169	Feasibility of using PRESAGE® for relative 3D dosimetry of small proton fields. <i>Physics in Medicine and Biology</i> , 2012, 57, N431-N443.	1.6	22
170	Absolute measurement of the effective atomic number and the electron density by using dual-energy CT images. <i>Journal of the Korean Physical Society</i> , 2012, 61, 2042-2048.	0.3	1
171	The influence of silicone oil used in ophthalmology on the proton therapy of uveal melanomas. <i>Physics in Medicine and Biology</i> , 2012, 57, 8325-8341.	1.6	5
172	Shadow effects in simulated ultrasound images derived from computed tomography images using a focused beam tracing model. <i>Journal of the Acoustical Society of America</i> , 2012, 132, 487-497.	0.5	0
173	Comprehensive analysis of proton range uncertainties related to patient stopping-power-ratio estimation using the stoichiometric calibration. <i>Physics in Medicine and Biology</i> , 2012, 57, 4095-4115.	1.6	273
174	A formulation of tissue- and water-equivalent materials using the stoichiometric analysis method for CT-number calibration in radiotherapy treatment planning. <i>Physics in Medicine and Biology</i> , 2012, 57, 1173-1190.	1.6	56
175	Potential of dual-energy subtraction for converting CT numbers to electron density based on a single linear relationship. <i>Medical Physics</i> , 2012, 39, 2021-2030.	1.6	115
176	Relationship between electron density and effective densities of body tissues for stopping, scattering, and nuclear interactions of proton and ion beams. <i>Medical Physics</i> , 2012, 39, 1016-1020.	1.6	38
177	Development of a Proton Computed Tomography system for pre-clinical tests. , 2012, , .		1
178	Observable analysis for proton computed tomography. , 2012, , .		0
179	On proton CT reconstruction using MVCT-converted virtual proton projections. <i>Medical Physics</i> , 2012, 39, 2997-3008.	1.6	7
180	Comparison of MCNPX and Geant4 proton energy deposition predictions for clinical use. <i>Physics in Medicine and Biology</i> , 2012, 57, 6381-6393.	1.6	38
181	Dosimetry concepts for scanner quality assurance and tissue dose assessment in micro-CT. <i>Medical Physics</i> , 2012, 39, 658-670.	1.6	30
182	The preparation of PLLA/calcium phosphate hybrid composite and its evaluation of biocompatibility. <i>Dental Materials Journal</i> , 2012, 31, 1087-1096.	0.8	12
183	Range uncertainties in proton therapy and the role of Monte Carlo simulations. <i>Physics in Medicine and Biology</i> , 2012, 57, R99-R117.	1.6	948
184	A parametrization of the CT number of a substance and its use for stoichiometric calibration. <i>Physica Medica</i> , 2012, 28, 33-42.	0.4	12

#	ARTICLE	IF	CITATIONS
185	Preclinical investigations towards the first spacer gel application in prostate cancer treatment during particle therapy at HIT. <i>Radiation Oncology</i> , 2013, 8, 134.	1.2	13
186	The potential of dual-energy computed tomography for quantitative decomposition of soft tissues to water, protein and lipid in brachytherapy. <i>Physics in Medicine and Biology</i> , 2013, 58, 771-785.	1.6	27
187	Orthodontic soft-tissue parameters: A comparison of cone-beam computed tomography and the 3dMD imaging system. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2013, 144, 672-681.	0.8	41
188	Calibration of CT Hounsfield units for proton therapy treatment planning: use of kilovoltage and megavoltage images and comparison of parameterized methods. <i>Physics in Medicine and Biology</i> , 2013, 58, 4255-4276.	1.6	36
189	<i>In vivo</i> proton range verification: a review. <i>Physics in Medicine and Biology</i> , 2013, 58, R131-R160.	1.6	430
190	Dynamic Target Definition: A novel approach for PTV definition in ion beam therapy. <i>Radiotherapy and Oncology</i> , 2013, 107, 227-233.	0.3	9
191	Ion range estimation by using dual energy computed tomography. <i>Zeitschrift Fur Medizinische Physik</i> , 2013, 23, 300-313.	0.6	50
192	Physics Controversies in Proton Therapy. <i>Seminars in Radiation Oncology</i> , 2013, 23, 88-96.	1.0	127
193	Positional dependence of the CT number with use of a cone-beam CT scanner for an electron density phantom in particle beam therapy. <i>Radiological Physics and Technology</i> , 2013, 6, 241-247.	1.0	3
194	Experimental characterization of a prototype detector system for carbon ion radiography and tomography. <i>Physics in Medicine and Biology</i> , 2013, 58, 413-427.	1.6	49
195	Conversion of the energy-subtracted CT number to electron density based on a single linear relationship: an experimental verification using a clinical dual-source CT scanner. <i>Physics in Medicine and Biology</i> , 2013, 58, N135-N144.	1.6	24
196	Should image rotation be addressed during routine cone-beam CT quality assurance?. <i>Physics in Medicine and Biology</i> , 2013, 58, 1059-1073.	1.6	3
197	Deriving effective atomic numbers from DECT based on a parameterization of the ratio of high and low linear attenuation coefficients. <i>Physics in Medicine and Biology</i> , 2013, 58, 6851-6866.	1.6	144
198	Quality assurance evaluation of spot scanning beam proton therapy with an anthropomorphic prostate phantom. <i>British Journal of Radiology</i> , 2013, 86, 20130390.	1.0	12
199	Robustness of IMPT treatment plans with respect to inter-fractional set-up uncertainties: Impact of various beam arrangements for cranial targets. <i>Acta Oncologica</i> , 2013, 52, 570-579.	0.8	16
200	Evaluation of different fiducial markers for image-guided radiotherapy and particle therapy. <i>Journal of Radiation Research</i> , 2013, 54, i61-i68.	0.8	79
201	Deriving concentrations of oxygen and carbon in human tissues using single- and dual-energy CT for ion therapy applications. <i>Physics in Medicine and Biology</i> , 2013, 58, 5029-5048.	1.6	50
202	Threshold effect and entanglement enhancement through local squeezing of initial separable states in continuous-variable systems. <i>Physica Scripta</i> , 2013, 87, 025001.	1.2	7

#	ARTICLE	IF	CITATIONS
203	Towards a large area apparatus for Proton Computed Tomography. , 2013, , .		0
204	Proton computed tomography from multiple physics processes. Physics in Medicine and Biology, 2013, 58, 7261-7276.	1.6	13
205	Compensation method for respiratory motion in proton treatment planning for mobile liver cancer. Journal of Applied Clinical Medical Physics, 2013, 14, 102-114.	0.8	3
206	Absolute calibration for complex-geometry biomedical diffuse optical spectroscopy. , 2013, , .		0
207	SAR Analysis for handheld mobile phone using DICOM based voxel model. Journal of Microwaves, Optoelectronics and Electromagnetic Applications, 2013, 12, 363-375.	0.4	8
208	Accuracy of pencilâ€beam redefinition algorithm dose calculations in patientâ€like cylindrical phantoms for bolus electron conformal therapy. Medical Physics, 2013, 40, 071720.	1.6	12
209	Quantitative Evaluation of the Robustness of Beam Directions Based on Power Spectral Analysis of Water-Equivalent Path Length Image in Charged Particle Therapy. International Journal of Intelligent Computing in Medical Sciences and Image Processing, 2014, 6, 1-16.	0.5	1
210	Experimental verification of ion range calculation in a treatment planning system using a flat-panel detector. Physics in Medicine and Biology, 2014, 59, 3737-3747.	1.6	8
211	A method for estimating radiation interaction coefficients for tissues from single energy CT. Physics in Medicine and Biology, 2014, 59, 7479-7499.	1.6	1
212	Feasibility assessment of the interactive use of a Monte Carlo algorithm in treatment planning for intraoperative electron radiation therapy. Physics in Medicine and Biology, 2014, 59, 7159-7179.	1.6	16
213	The impact of CBCT reconstruction and calibration for radiotherapy planning in the head and neck region â€ a phantom study. Acta OncolÃ³gica, 2014, 53, 1114-1124.	0.8	17
214	Characterization of a human tooth with carious lesions using conventional and synchrotron radiation-based micro computed tomography. Proceedings of SPIE, 2014, , .	0.8	2
215	Upright cone beam CT imaging using the onboard imager. Medical Physics, 2014, 41, 061906.	1.6	9
216	Comparison of x ray computed tomography number to proton relative linear stopping power conversion functions using a standard phantom. Medical Physics, 2014, 41, 061705.	1.6	15
217	A theoretical comparison of tissue parameter extraction methods for dual energy computed tomography. Medical Physics, 2014, 41, 081905.	1.6	24
218	Patient Dose Computation. , 2014, , 235-247.		0
219	IGRT/ART phantom with programmable independent rib cage and tumor motion. Medical Physics, 2014, 41, 022106.	1.6	11
220	Dosimetric effects of residual uncertainties in carbon ion treatment of head chordoma. Radiotherapy and Oncology, 2014, 113, 66-71.	0.3	18

#	ARTICLE	IF	CITATIONS
221	Improved proton computed tomography by dual modality image reconstruction. <i>Medical Physics</i> , 2014, 41, 031904.	1.6	16
222	Dose distribution resulting from changes in aeration of nasal cavity or paranasal sinus cancer in the proton therapy. <i>Radiotherapy and Oncology</i> , 2014, 113, 72-76.	0.3	30
223	Tissue decomposition from dual energy CT data for MC based dose calculation in particle therapy. <i>Medical Physics</i> , 2014, 41, 061714.	1.6	93
224	The effect of surgical titanium rods on proton therapy delivered for cervical bone tumors: experimental validation using an anthropomorphic phantom. <i>Physics in Medicine and Biology</i> , 2014, 59, 7181-7194.	1.6	24
225	Growth and local structure of BiFeO <sub>3</sub> thin films with giant tetragonality on SrRuO <sub>3</sub> -buffered SrTiO <sub>3</sub> (001) substrate by ion beam sputtering. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 05FE05.	0.8	5
226	A simple physical phantom for an intercomparison exercise on <sup>241</sup> Am activity determination in the skull. <i>Radiation Protection Dosimetry</i> , 2014, 158, 224-229.	0.4	6
227	A method to increase the nominal range resolution of a stack of parallel-plate ionization chambers. <i>Physics in Medicine and Biology</i> , 2014, 59, 5501-5515.	1.6	9
228	Design and uncertainty assessment of a setup for calibration of microfluidic devices down to 5 nL min <sup>-1</sup> . <i>Measurement Science and Technology</i> , 2014, 25, 015301.	1.4	14
229	Hadron accelerators for radiotherapy. <i>Contemporary Physics</i> , 2014, 55, 55-74.	0.8	12
230	Beam-specific planning volumes for scattered-proton lung radiotherapy. <i>Physics in Medicine and Biology</i> , 2014, 59, 4549-4566.	1.6	4
231	Experimental verification of ion stopping power prediction from dual energy CT data in tissue surrogates. <i>Physics in Medicine and Biology</i> , 2014, 59, 83-96.	1.6	158
232	Experimental investigations on carbon ion scanning radiography using a range telescope. <i>Physics in Medicine and Biology</i> , 2014, 59, 3041-3057.	1.6	28
233	A stoichiometric calibration method for dual energy computed tomography. <i>Physics in Medicine and Biology</i> , 2014, 59, 2059-2088.	1.6	124
234	Dosimetric effects caused by couch tops and immobilization devices: Report of AAPM Task Group 176. <i>Medical Physics</i> , 2014, 41, 061501.	1.6	114
235	The impact of tracking system properties on the most likely path estimation in proton CT. <i>Physics in Medicine and Biology</i> , 2014, 59, N197-N210.	1.6	17
236	Benchmarking of a treatment planning system for spot scanning proton therapy: Comparison and analysis of robustness to setup errors of photon IMRT and proton SFUD treatment plans of base of skull meningioma. <i>Medical Physics</i> , 2014, 41, 111710.	1.6	9
237	Exploring new paths in particle therapy: A Monte Carlo study on the use of spatial fractionation of the dose. <i>Physica Medica</i> , 2014, 30, e27.	0.4	1
238	A comparison of two practical approaches for cone beam computed tomography (CBCT) dosimetry using Monte Carlo technique. <i>Physica Medica</i> , 2014, 30, e27-e28.	0.4	0

#	ARTICLE	IF	CITATIONS
239	Ion beams of therapeutical energy on PMMA phantoms measurements in view of an innovative dose profiler realization for on line monitoring in hadrontherapy treatments. <i>Physica Medica</i> , 2014, 30, e26.	0.4	0
240	Proton radiography imaging tool to improve a proton therapy treatment. <i>Physica Medica</i> , 2014, 30, e26-e27.	0.4	2
241	Bone marrow fat accumulation accelerated by high fat diet is suppressed by exercise. <i>Bone</i> , 2014, 64, 39-46.	1.4	124
242	Five-Year Outcomes from 3 Prospective Trials of Image-Guided Proton Therapy for Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 88, 596-602.	0.4	103
243	Evaluation of a metal artifact reduction algorithm in CT studies used for proton radiotherapy treatment planning. <i>Journal of Applied Clinical Medical Physics</i> , 2014, 15, 112-119.	0.8	24
244	Practical considerations in the calibration of CT scanners for proton therapy. <i>Journal of Applied Clinical Medical Physics</i> , 2014, 15, 202-220.	0.8	35
245	Relative stopping power measurements to aid in the design of anthropomorphic phantoms for proton radiotherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2014, 15, 121-126.	0.8	27
246	Transmission portal in vivo dosimetry by means of the Monte Carlo method and the mathematical programming language MATLAB. <i>Radioprotection</i> , 2014, 49, 205-211.	0.5	1
248	Monitoring the dose distribution of therapeutic photons on Korean Typical Man-2 phantom (KTMAN-2) by using multiple-scattering Compton camera. , 2014, , .		2
249	Monte Carlo comparison of x-ray and proton CT for range calculations of proton therapy beams. <i>Physics in Medicine and Biology</i> , 2015, 60, 7585-7599.	1.6	39
250	An advanced image processing method to improve the spatial resolution of ion radiographies. <i>Physics in Medicine and Biology</i> , 2015, 60, 8525-8547.	1.6	24
251	Technical Note: On the calculation of stoppingâ€power ratio for stoichiometric calibration in proton therapy. <i>Medical Physics</i> , 2015, 42, 5252-5257.	1.6	8
252	A comparison of the dose distributions from three proton treatment planning systems in the planning of meningioma patients with singleâ€field uniform dose pencil beam scanning. <i>Journal of Applied Clinical Medical Physics</i> , 2015, 16, 86-99.	0.8	8
253	Monte Carlo calculation based on hydrogen composition of the tissue for MV photon radiotherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2015, 16, 117-130.	0.8	8
254	Influence of nuclear interactions in body tissues on tumor dose in carbonâ€ion radiotherapy. <i>Medical Physics</i> , 2015, 42, 7132-7137.	1.6	12
255	Technical Note: Radiation properties of tissue- and water-equivalent materials formulated using the stoichiometric analysis method in charged particle therapy. <i>Medical Physics</i> , 2015, 43, 308-313.	1.6	4
256	Technical Note: Relation between dualâ€energy subtraction of CT images for electron density calibration and virtual monochromatic imaging. <i>Medical Physics</i> , 2015, 42, 4088-4093.	1.6	8
257	A pencil beam approach to proton computed tomography. <i>Medical Physics</i> , 2015, 42, 6610-6624.	1.6	11

#	ARTICLE	IF	CITATIONS
258	The impact of CT scan energy on range calculation in proton therapy planning. <i>Journal of Applied Clinical Medical Physics</i> , 2015, 16, 100-109.	0.8	4
259	Monte Carlo study on the sensitivity of prompt gamma imaging to proton range variations due to interfractional changes in prostate cancer patients. <i>Physics in Medicine and Biology</i> , 2015, 60, 9329-9347.	1.6	17
260	Chirp- and random-based coded ultrasonic excitation for localized blood-brain barrier opening. <i>Physics in Medicine and Biology</i> , 2015, 60, 7695-7712.	1.6	25
261	MSPT: an open-source motion simulator for proton therapy. <i>Biomedical Physics and Engineering Express</i> , 2015, 1, 037001.	0.6	1
262	Developing a phenomenological model of the proton trajectory within a heterogeneous medium required for proton imaging. <i>Physics in Medicine and Biology</i> , 2015, 60, 5071-5082.	1.6	44
263	Predictive Risk of Radiation Induced Cerebral Necrosis in Pediatric Brain Cancer Patients after VMAT Versus Proton Therapy. <i>Cancers</i> , 2015, 7, 617-630.	1.7	23
264	Independent dose calculations for commissioning, quality assurance and dose reconstruction of PBS proton therapy. <i>Physics in Medicine and Biology</i> , 2015, 60, 2819-2836.	1.6	45
265	The application of computed tomography in wound ballistics research. <i>Journal of Physics: Conference Series</i> , 2015, 637, 012029.	0.3	1
266	Patient-specific stopping power calibration for proton therapy planning based on single-detector proton radiography. <i>Physics in Medicine and Biology</i> , 2015, 60, 1901-1917.	1.6	61
267	Clinical evaluation of the iterative metal artifact reduction algorithm for CT simulation in radiotherapy. <i>Medical Physics</i> , 2015, 42, 1170-1183.	1.6	85
268	VIDA: A Voxel-Based Dosimetry Method for Targeted Radionuclide Therapy Using Geant4. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2015, 30, 16-26.	0.7	49
269	Optimization of the stopping-power-ratio to Hounsfield-value calibration curve in proton and heavy ion therapy. <i>Zeitschrift Fur Medizinische Physik</i> , 2015, 25, 251-263.	0.6	9
270	Dose calculation accuracy of different image value to density tables for cone-beam CT planning in head & neck and pelvic localizations. <i>Physica Medica</i> , 2015, 31, 146-151.	0.4	14
271	Nuclear-interaction correction of integrated depth dose in carbon-ion radiotherapy treatment planning. <i>Physics in Medicine and Biology</i> , 2015, 60, 421-435.	1.6	29
272	Proton Radiobiology. <i>Cancers</i> , 2015, 7, 353-381.	1.7	198
273	Additive manufacture of custom radiation dosimetry phantoms: An automated method compatible with commercial polymer 3D printers. <i>Materials and Design</i> , 2015, 86, 487-499.	3.3	48
275	Intensity modulated proton therapy. <i>British Journal of Radiology</i> , 2015, 88, 20150195.	1.0	52
276	Improved calibration of mass stopping power in low density tissue for a proton pencil beam algorithm. <i>Physics in Medicine and Biology</i> , 2015, 60, 4243-4261.	1.6	7



#	ARTICLE	IF	CITATIONS
277	Spectra of clinical CT scanners using a portable Compton spectrometer. <i>Medical Physics</i> , 2015, 42, 1884-1894.	1.6	17
278	Sub-second pencil beam dose calculation on GPU for adaptive proton therapy. <i>Physics in Medicine and Biology</i> , 2015, 60, 4777-4795.	1.6	27
279	Relative electron density determination using a physics based parameterization of photon interactions in medical DECT. <i>Physics in Medicine and Biology</i> , 2015, 60, 3825-3846.	1.6	19
280	Sparse-view proton computed tomography using modulated proton beams. <i>Medical Physics</i> , 2015, 42, 1129-1137.	1.6	5
282	Initial implementation of the conversion from the energy-subtracted CT number to electron density in tissue inhomogeneity corrections: An anthropomorphic phantom study of radiotherapy treatment planning. <i>Medical Physics</i> , 2015, 42, 1378-1388.	1.6	30
283	Patient-specific dose calculations for pediatric CT of the chest, abdomen and pelvis. <i>Pediatric Radiology</i> , 2015, 45, 1771-1780.	1.1	16
284	A simulation study on proton computed tomography (CT) stopping power accuracy using dual energy CT scans as benchmark. <i>Acta Oncologica</i> , 2015, 54, 1638-1642.	0.8	53
285	Proton radiography and tomography with application to proton therapy. <i>British Journal of Radiology</i> , 2015, 88, 20150134.	1.0	130
286	Proton dose calculation on scatter-corrected CBCT image: Feasibility study for adaptive proton therapy. <i>Medical Physics</i> , 2015, 42, 4449-4459.	1.6	107
287	Depth-Dependent Glycosaminoglycan Concentration in Articular Cartilage by Quantitative Contrast-Enhanced Micro-Computed Tomography. <i>Cartilage</i> , 2015, 6, 216-225.	1.4	14
288	An anthropomorphic multimodality (CT/MRI) head phantom prototype for end-to-end tests in ion radiotherapy. <i>Zeitschrift Fur Medizinische Physik</i> , 2015, 25, 391-399.	0.6	35
289	The application of metal artifact reduction (MAR) in CT scans for radiation oncology by monoenergetic extrapolation with a DECT scanner. <i>Zeitschrift Fur Medizinische Physik</i> , 2015, 25, 314-325.	0.6	20
290	Dose to "water-like" media or dose to tissue in MV photons radiotherapy treatment planning: still a matter of debate. <i>Physics in Medicine and Biology</i> , 2015, 60, 309-337.	1.6	70
291	Contrast reference values in panoramic radiographic images using an arch-form phantom stand. <i>Imaging Science in Dentistry</i> , 2016, 46, 203.	0.6	3
292	Comparison of radiotherapy dosimetry for 3D-CRT, IMRT, and SBRT based on electron density calibration. <i>Journal of Physics: Conference Series</i> , 2016, 694, 012017.	0.3	2
293	Proof-of-Principle results of proton computed tomography. , 2016, , .		2
294	A dose calculation algorithm with correction for proton-nucleus interactions in non-water materials for proton radiotherapy treatment planning. <i>Physics in Medicine and Biology</i> , 2016, 61, 67-89.	1.6	7
295	A patient immobilization device for prone breast radiotherapy: Dosimetric effects and inclusion in the treatment planning system. <i>Physica Medica</i> , 2016, 32, 758-766.	0.4	11

#	ARTICLE	IF	CITATIONS
296	Quantitative assessment of anatomical change using a virtual proton depth radiograph for adaptive head and neck proton therapy. <i>Journal of Applied Clinical Medical Physics</i> , 2016, 17, 427-440.	0.8	26
297	An end-to-end assessment of range uncertainty in proton therapy using animal tissues. <i>Physics in Medicine and Biology</i> , 2016, 61, 8010-8024.	1.6	7
298	A linear, separable two-parameter model for dual energy CT imaging of proton stopping power computation. <i>Medical Physics</i> , 2016, 43, 600-612.	1.6	59
299	Technical Note: Improving proton stopping power ratio determination for a deformable silicone-based 3D dosimeter using dual energy CT. <i>Medical Physics</i> , 2016, 43, 2780-2784.	1.6	11
300	Effective particle energies for stopping power calculation in radiotherapy treatment planning with protons and helium, carbon, and oxygen ions. <i>Physics in Medicine and Biology</i> , 2016, 61, N542-N550.	1.6	17
301	Comparison of proton therapy treatment planning for head tumors with a pencil beam algorithm on dual and single energy CT images. <i>Medical Physics</i> , 2016, 43, 495-504.	1.6	89
302	Thermoacoustic range verification using a clinical ultrasound array provides perfectly co-registered overlay of the Bragg peak onto an ultrasound image. <i>Physics in Medicine and Biology</i> , 2016, 61, 5621-5638.	1.6	35
303	Towards 3D printed multifunctional immobilization for proton therapy: Initial materials characterization. <i>Medical Physics</i> , 2016, 43, 5392-5402.	1.6	15
304	A general method to derive tissue parameters for Monte Carlo dose calculation with multi-energy CT. <i>Physics in Medicine and Biology</i> , 2016, 61, 8044-8069.	1.6	57
305	Beam angle selection incorporation of anatomical heterogeneities for pencil beam scanning charged-particle therapy. <i>Physics in Medicine and Biology</i> , 2016, 61, 8664-8675.	1.6	9
306	Dosimetric comparison of stopping power calibration with dual-energy CT and single-energy CT in proton therapy treatment planning. <i>Medical Physics</i> , 2016, 43, 2845-2854.	1.6	54
307	Physical Model-Based Contrast Enhancement of Computed Tomography Images: Contrast Enhancement of Computed Tomography. , 2016, , .		1
308	Strategies for CT tissue segmentation for Monte Carlo calculations in nuclear medicine dosimetry. <i>Medical Physics</i> , 2016, 43, 6507-6516.	1.6	6
309	A robust empirical parametrization of proton stopping power using dual energy CT. <i>Medical Physics</i> , 2016, 43, 5547-5560.	1.6	45
310	Proton computed tomography using a 1D silicon diode array. <i>Medical Physics</i> , 2016, 43, 5758-5766.	1.6	3
311	Accuracy of dose calculations on kV cone beam CT images of lung cancer patients. <i>Medical Physics</i> , 2016, 43, 5934-5941.	1.6	41
312	Commissioning and initial experience with the first clinical gantry-mounted proton therapy system. <i>Journal of Applied Clinical Medical Physics</i> , 2016, 17, 24-40.	0.8	28
313	Dosimetric accuracy of the cone-beam CT-based treatment planning of the Vero system: a phantom study. <i>Journal of Applied Clinical Medical Physics</i> , 2016, 17, 106-113.	0.8	4

#	ARTICLE	IF	CITATIONS
314	Fast multipurpose Monte Carlo simulation for proton therapy using multi- and many-core CPU architectures. <i>Medical Physics</i> , 2016, 43, 1700-1712.	1.6	79
315	Range prediction for tissue mixtures based on dual-energy CT. <i>Physics in Medicine and Biology</i> , 2016, 61, N268-N275.	1.6	49
316	From 2D to 3D: Proton radiography and proton CT in proton therapy: A simulation study. <i>Radiotherapy and Oncology</i> , 2016, 118, S10-S11.	0.3	0
317	Improved proton stopping power ratio estimation for a deformable 3D dosimeter using Dual Energy CT. <i>Radiotherapy and Oncology</i> , 2016, 118, S99-S100.	0.3	0
318	Filtered back-projection reconstruction for attenuation proton CT along most likely paths. <i>Physics in Medicine and Biology</i> , 2016, 61, 3258-3278.	1.6	13
319	A new method to measure electron density and effective atomic number using dual-energy CT images. <i>Physics in Medicine and Biology</i> , 2016, 61, 265-279.	1.6	47
320	Modeling of body tissues for Monte Carlo simulation of radiotherapy treatments planned with conventional x-ray CT systems. <i>Physics in Medicine and Biology</i> , 2016, 61, 5037-5050.	1.6	32
321	A robustness analysis method with fast estimation of dose uncertainty distributions for carbon-ion therapy treatment planning. <i>Physics in Medicine and Biology</i> , 2016, 61, 5818-5836.	1.6	5
322	Translational Biomedical Informatics. <i>Advances in Experimental Medicine and Biology</i> , 2016, , .	0.8	1
323	Medical Imaging Informatics. <i>Advances in Experimental Medicine and Biology</i> , 2016, 939, 167-224.	0.8	9
324	Inter-comparison of relative stopping power estimation models for proton therapy. <i>Physics in Medicine and Biology</i> , 2016, 61, 8085-8104.	1.6	8
325	A maximum likelihood method for high resolution proton radiography/proton CT. <i>Physics in Medicine and Biology</i> , 2016, 61, 8232-8248.	1.6	25
326	Factors influencing the performance of patient specific quality assurance for pencil beam scanning IMPT fields. <i>Medical Physics</i> , 2016, 43, 5998-6008.	1.6	16
327	Proton radiography to improve proton therapy treatment. <i>Journal of Instrumentation</i> , 2016, 11, C01004-C01004.	0.5	3
328	Development of proton CT imaging system using plastic scintillator and CCD camera. <i>Physics in Medicine and Biology</i> , 2016, 61, 4156-4167.	1.6	17
329	Response-based Bayesian Network Approaches for Adaptive Radiotherapy of Non-Small Cell Lung Cancer (NSCLC). <i>Radiotherapy and Oncology</i> , 2016, 118, S100-S101.	0.3	1
330	Real patient data based cross verification of kilovoltage and megavoltage CT calibration for proton therapy. <i>Physica Medica</i> , 2016, 32, 343-352.	0.4	3
331	Review of 3D image data calibration for heterogeneity correction in proton therapy treatment planning. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2016, 39, 379-390.	1.4	1

#	ARTICLE	IF	CITATIONS
332	Line Integral Alternating Minimization Algorithm for Dual-Energy X-Ray CT Image Reconstruction. IEEE Transactions on Medical Imaging, 2016, 35, 685-698.	5.4	13
333	Five-Year Biochemical Results, Toxicity, and Patient-Reported Quality of Life After Delivery of Dose-Escalated Image Guided Proton Therapy for Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2016, 95, 422-434.	0.4	90
334	Proton Radiography With Timepix Based Time Projection Chambers. IEEE Transactions on Medical Imaging, 2016, 35, 1099-1105.	5.4	10
335	Evaluation of Robustness to Setup and Range Uncertainties for Head and Neck Patients Treated With Pencil Beam Scanning Proton Therapy. International Journal of Radiation Oncology Biology Physics, 2016, 95, 154-162.	0.4	33
336	Incorporating the effect of fractionation in the evaluation of proton plan robustness to setup errors. Physics in Medicine and Biology, 2016, 61, 413-429.	1.6	33
337	Study of the electron densities of some food products dried using the new method. Drying Technology, 2016, 34, 1445-1454.	1.7	3
338	Particle Radiotherapy. , 2016, , .		5
339	Evaluation of a bilinear model for attenuation correction using CT numbers generated from a parametric method. Applied Radiation and Isotopes, 2016, 107, 77-86.	0.7	6
340	Automated Monte Carlo Simulation of Proton Therapy Treatment Plans. Technology in Cancer Research and Treatment, 2016, 15, NP35-NP46.	0.8	23
341	Full-wave nonlinear ultrasound simulation on distributed clusters with applications in high-intensity focused ultrasound. International Journal of High Performance Computing Applications, 2016, 30, 137-155.	2.4	50
342	A Virtual Reality System for PTCd Simulation Using Direct Visuo-Haptic Rendering of Partially Segmented Image Data. IEEE Journal of Biomedical and Health Informatics, 2016, 20, 355-366.	3.9	31
343	The iMPACT project tracker and calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 845, 664-667.	0.7	1
344	Development of a high resolution voxelised head phantom for medical physics applications. Physica Medica, 2017, 33, 182-188.	0.4	22
345	Standardizing <sc>CT</sc> lung density measure across scanner manufacturers. Medical Physics, 2017, 44, 974-985.	1.6	48
346	A comprehensive evaluation of the accuracy of CBCT and deformable registration based dose calculation in lung proton therapy. Biomedical Physics and Engineering Express, 2017, 3, 015003.	0.6	22
347	Liquid fiducial marker applicability in proton therapy of locally advanced lung cancer. Radiotherapy and Oncology, 2017, 122, 393-399.	0.3	22
348	A simple formulation for deriving effective atomic numbers via electron density calibration from dual-energy CT data in the human body. Medical Physics, 2017, 44, 2293-2303.	1.6	41
349	Present state and issues in IORT Physics. Radiation Oncology, 2017, 12, 37.	1.2	65

#	ARTICLE	IF	CITATIONS
350	Validation study of the thorax phantom Lungman for optimization purposes. Proceedings of SPIE, 2017, , ,	0.8	0
351	A theoretical framework to predict the most likely ion path in particle imaging. Physics in Medicine and Biology, 2017, 62, 1777-1790.	1.6	42
352	Proton Computed Tomography: iterative image reconstruction and dose evaluation. Journal of Instrumentation, 2017, 12, C01034-C01034.	0.5	6
353	Total variation superiorization in dual-energy CT reconstruction for proton therapy treatment planning. Inverse Problems, 2017, 33, 044013.	1.0	4
354	Proton radiography and computed tomography with dynamic water range shifter. Journal of Instrumentation, 2017, 12, P04004-P04004.	0.5	1
355	Elastic modulus varies along the bovine femur. Journal of the Mechanical Behavior of Biomedical Materials, 2017, 71, 279-285.	1.5	18
356	An efficient method to predict and include Bragg curve degradation due to lung-equivalent materials in Monte Carlo codes by applying a density modulation. Physics in Medicine and Biology, 2017, 62, 3997-4016.	1.6	15
357	On mixed electron-photon radiation therapy optimization using the column generation approach. Medical Physics, 2017, 44, 4287-4298.	1.6	28
358	Radiolucent Carbon Fiber-Reinforced Pedicle Screws for Treatment of Spinal Tumors: Advantages for Radiation Planning and Follow-Up Imaging. World Neurosurgery, 2017, 105, 294-301.	0.7	93
360	Can CT scan protocols used for radiotherapy treatment planning be adjusted to optimize image quality and patient dose? A systematic review. British Journal of Radiology, 2017, 90, 20160406.	1.0	62
361	Impact of X-ray energy on absorbed dose assessed with Monte Carlo simulations in a mouse tumor and in nearest organs irradiated with kilovoltage X-ray beams. Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique, 2017, 21, 190-198.	0.6	4
362	Simplified derivation of stopping power ratio in the human body from dual-energy CT data. Medical Physics, 2017, 44, 4179-4187.	1.6	26
363	A new CT reconstruction technique using adaptive deformation recovery and intensity correction (ADRIC). Medical Physics, 2017, 44, 2223-2241.	1.6	14
364	Proton tracking in a high-granularity Digital Tracking Calorimeter for proton CT purposes. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2017, 860, 51-61.	0.7	22
365	Targeting Effects on the Volume of the Focused Ultrasound-Induced Blood-Brain Barrier Opening in Nonhuman Primates <i>In Vivo</i> . IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2017, 64, 798-810.	1.7	41
366	The potential of dual-energy CT to reduce proton beam range uncertainties. Medical Physics, 2017, 44, 2332-2344.	1.6	103
367	High density scintillating glass proton imaging detector. Proceedings of SPIE, 2017, , ,	0.8	2
368	Investigation of time-resolved proton radiography using x-ray flat-panel imaging system. Physics in Medicine and Biology, 2017, 62, 1905-1919.	1.6	20

#	ARTICLE	IF	CITATIONS
369	Clinical Implementation of Dual-energy CT for Proton Treatment Planning on Pseudo-monoenergetic CT scans. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 97, 427-434.	0.4	98
370	Nanoscale Insights into Ion-Beam Cancer Therapy. , 2017, , .		46
371	Treatment Planning Systems and Hadron Therapy Practice in France. , 2017, , 467-494.		0
372	Converting computed tomography images into photon interaction coefficients by using stoichiometric calibration and parametric fit models. <i>Medical Physics</i> , 2017, 44, 510-521.	1.6	6
373	Differential Aging Signals in Abdominal CT Scans. <i>Academic Radiology</i> , 2017, 24, 1535-1543.	1.3	6
374	Design, construction, and in vivo feasibility of a positioning device for irradiation of mice brains using a clinical linear accelerator and intensity modulated radiation therapy. <i>International Journal of Radiation Biology</i> , 2017, 93, 1321-1326.	1.0	4
375	Polyquant CT: direct electron and mass density reconstruction from a single polyenergetic source. <i>Physics in Medicine and Biology</i> , 2017, 62, 8739-8762.	1.6	4
376	A Monte Carlo Framework for Low Dose CT Reconstruction Testing. <i>Lecture Notes in Computer Science</i> , 2017, , 79-88.	1.0	2
377	A robust optimisation approach accounting for the effect of fractionation on setup uncertainties. <i>Physics in Medicine and Biology</i> , 2017, 62, 8178-8196.	1.6	10
378	Comparison of projection- and image-based methods for proton stopping power estimation using dual energy CT. <i>Physics and Imaging in Radiation Oncology</i> , 2017, 3, 28-36.	1.2	22
379	Fred: a GPU-accelerated fast-Monte Carlo code for rapid treatment plan recalculation in ion beam therapy. <i>Physics in Medicine and Biology</i> , 2017, 62, 7482-7504.	1.6	53
380	A comparison of relative proton stopping power measurements across patient size using dual- and single-energy CT. <i>Acta OncolÃ³gica</i> , 2017, 56, 1465-1471.	0.8	22
381	Freeform fabrication of tissue-simulating phantom for potential use of surgical planning in conjoined twins separation surgery. <i>Scientific Reports</i> , 2017, 7, 11048.	1.6	23
382	The optimal balance between quality and efficiency in proton radiography imaging technique at various proton beam energies: A Monte Carlo study. <i>Physica Medica</i> , 2017, 41, 141-146.	0.4	4
383	An approximate analytical solution of the Bethe equation for charged particles in the radiotherapeutic energy range. <i>Scientific Reports</i> , 2017, 7, 9781.	1.6	31
384	Empowering Intensity Modulated Proton Therapy Through Physics and Technology: An Overview. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 99, 304-316.	0.4	56
385	Combined influence of CT random noise and HU-RSP calibration curve nonlinearities on proton range systematic errors. <i>Physics in Medicine and Biology</i> , 2017, 62, 8226-8245.	1.6	14
386	Optimization of dual-energy CT acquisitions for proton therapy using projection-based decomposition. <i>Medical Physics</i> , 2017, 44, 4548-4558.	1.6	7

#	ARTICLE	IF	CITATIONS
387	Clinical evaluation of a novel CT image reconstruction algorithm for direct dose calculations. <i>Physics and Imaging in Radiation Oncology</i> , 2017, 2, 11-16.	1.2	18
388	A Bayesian approach to solve proton stopping powers from noisy multi-energy CT data. <i>Medical Physics</i> , 2017, 44, 5293-5302.	1.6	25
389	Vertical off-centering affects organ dose in chest CT: Evidence from Monte Carlo simulations in anthropomorphic phantoms. <i>Medical Physics</i> , 2017, 44, 5697-5704.	1.6	35
390	Europium-155 as a source for dual energy cone beam computed tomography in adaptive proton therapy: A simulation study. <i>Medical Physics</i> , 2017, 44, 5143-5152.	1.6	2
391	Independent dose verification system with Monte Carlo simulations using TOPAS for passive scattering proton therapy at the National Cancer Center in Korea. <i>Physics in Medicine and Biology</i> , 2017, 62, 7598-7616.	1.6	17
392	Intensity-based dual model method for generation of synthetic CT images from standard T2-weighted MR images – Generalized technique for four different MR scanners. <i>Radiotherapy and Oncology</i> , 2017, 125, 411-419.	0.3	22
393	Pre-treatment patient-specific stopping power by combining list-mode proton radiography and x-ray CT. <i>Physics in Medicine and Biology</i> , 2017, 62, 6836-6852.	1.6	31
394	Comprehensive analysis of proton range uncertainties related to stopping-power-ratio estimation using dual-energy CT imaging. <i>Physics in Medicine and Biology</i> , 2017, 62, 7056-7074.	1.6	50
395	Acoustic window planning for ultrasound acquisition. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2017, 12, 993-1001.	1.7	13
396	Investigation of real tissue water equivalent path lengths using an efficient dose extinction method. <i>Physics in Medicine and Biology</i> , 2017, 62, 5640-5651.	1.6	6
397	The influence of respiratory motion on dose delivery in a mouse lung tumour irradiation using the 4D MOBY phantom. <i>British Journal of Radiology</i> , 2017, 90, 20160419.	1.0	16
398	Reduce beam hardening artifacts of polychromatic X-ray computed tomography by an iterative approximation approach. <i>Journal of X-Ray Science and Technology</i> , 2017, 25, 417-428.	0.7	7
399	A fast - Monte Carlo toolkit on GPU for treatment plan dose recalculation in proton therapy. <i>Journal of Physics: Conference Series</i> , 2017, 905, 012027.	0.3	5
400	Effects of 16-bit CT imaging scanning conditions for metal implants on radiotherapy dose distribution. <i>Oncology Letters</i> , 2017, 15, 2373-2379.	0.8	6
401	CARNA - A Compact Glass Proton Imager. , 2017, , .		0
402	Material elemental decomposition in dual and multi-energy CT via a sparsity-dictionary approach for proton stopping power ratio calculation. <i>Medical Physics</i> , 2018, 45, 1491-1503.	1.6	15
403	Technical Note: Feasibility of MRI-based estimation of water-equivalent path length to detect changes in proton range during treatment courses. <i>Medical Physics</i> , 2018, 45, 1677-1683.	1.6	7
404	Optimum size of a calibration phantom for x-ray CT to convert the Hounsfield units to stopping power ratios in charged particle therapy treatment planning. <i>Journal of Radiation Research</i> , 2018, 59, 216-224.	0.8	4

#	ARTICLE	IF	CITATIONS
405	Construction and verification of a physical chest phantom from suitable tissue equivalent materials for computed tomography examinations. <i>Radiation Physics and Chemistry</i> , 2018, 150, 51-57.	1.4	12
406	Monte Carlo proton dose calculations using a radiotherapy specific dual-energy CT scanner for tissue segmentation and range assessment. <i>Physics in Medicine and Biology</i> , 2018, 63, 115008.	1.6	29
407	Impact of joint statistical dual-energy CT reconstruction of proton stopping power images: Comparison to image- and sinogram-domain material decomposition approaches. <i>Medical Physics</i> , 2018, 45, 2129-2142.	1.6	27
408	Accuracy of electron density, effective atomic number, and iodine concentration determination with a dual-layer dual-energy computed tomography system. <i>Medical Physics</i> , 2018, 45, 2486-2497.	1.6	91
409	<math>HU</math> deviation in lung and bone tissues: Characterization and a corrective strategy. <i>Medical Physics</i> , 2018, 45, 2108-2118.	1.6	11
410	Exploring the potential of polyurethane-based soft foam as cell-free scaffold for soft tissue regeneration. <i>Acta Biomaterialia</i> , 2018, 73, 141-153.	4.1	33
411	Measurement of nuclear reaction cross sections by using Cherenkov radiation toward high-precision proton therapy. <i>Scientific Reports</i> , 2018, 8, 2570.	1.6	23
412	<i>Ex vivo</i> validation of a stoichiometric dual energy CT proton stopping power ratio calibration. <i>Physics in Medicine and Biology</i> , 2018, 63, 055016.	1.6	42
413	Physics Model-Based Scatter Correction in Multi-Source Interior Computed Tomography. <i>IEEE Transactions on Medical Imaging</i> , 2018, 37, 349-360.	5.4	6
414	Washout effect in rabbit brain: in-beam PET measurements using $^{10}C$ , $^{11}C$ and $^{15}O$ ion beams. <i>Biomedical Physics and Engineering Express</i> , 2018, 4, 035001.	0.6	27
415	Comparison of Monte Carlo and analytical dose computations for intensity modulated proton therapy. <i>Physics in Medicine and Biology</i> , 2018, 63, 045003.	1.6	34
416	Construction and First Tests of an <i>in-beam</i> PET Demonstrator Dedicated to the Ballistic Control of Hadrontherapy Treatments With 65 MeV Protons. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2018, 2, 51-60.	2.7	11
418	Dosimetric impact of dual-energy CT tissue segmentation for low-energy prostate brachytherapy: a Monte Carlo study. <i>Physics in Medicine and Biology</i> , 2018, 63, 025013.	1.6	19
419	Improved proton CT imaging using a bismuth germanium oxide scintillator. <i>Physics in Medicine and Biology</i> , 2018, 63, 035030.	1.6	15
420	A carbon CT system: how to obtain accurate stopping power ratio using a Bragg peak reduction technique. <i>Physics in Medicine and Biology</i> , 2018, 63, 035025.	1.6	5
421	Experimental verification of stopping-power prediction from single- and dual-energy computed tomography in biological tissues. <i>Physics in Medicine and Biology</i> , 2018, 63, 025001.	1.6	58
422	Proton Treatment Planning. <i>Practical Guides in Radiation Oncology</i> , 2018, , 45-105.	0.0	3
423	Robust quantitative contrast-enhanced dual-energy CT for radiotherapy applications. <i>Medical Physics</i> , 2018, 45, 3086-3096.	1.6	17



#	ARTICLE	IF	CITATIONS
424	Helium CT : Monte Carlo simulation results for an ideal source and detector with comparison to proton CT. Medical Physics, 2018, 45, 3264-3274.	1.6	19
425	Inter-centre variability of CT-based stopping-power prediction in particle therapy: Survey-based evaluation. Physics and Imaging in Radiation Oncology, 2018, 6, 25-30.	1.2	53
426	Comparison of single and dual energy CT for stopping power determination in proton therapy of head and neck cancer. Physics and Imaging in Radiation Oncology, 2018, 6, 14-19.	1.2	28
427	Comparison of CT-number parameterization models for stoichiometric CT calibration in proton therapy. Physica Medica, 2018, 47, 42-49.	0.4	9
428	Image Guidance for Proton Therapy. Clinical Oncology, 2018, 30, 293-298.	0.6	29
429	Validation of proton stopping power ratio estimation based on dual energy CT using fresh tissue samples. Physics in Medicine and Biology, 2018, 63, 015012.	1.6	54
430	Performance of a hybrid Monte Carloâ€Pencil Beam dose algorithm for proton therapy inverse planning. Medical Physics, 2018, 45, 846-862.	1.6	14
431	Acoustic-based proton range verification in heterogeneous tissue: simulation studies. Physics in Medicine and Biology, 2018, 63, 025018.	1.6	27
432	Positioning of head and neck patients for proton therapy using proton range probes: a proof of concept study. Physics in Medicine and Biology, 2018, 63, 015025.	1.6	9
433	Experimental validation of two dualâ€Energy CT methods for proton therapy using heterogeneous tissue samples. Medical Physics, 2018, 45, 48-59.	1.6	61
434	Image guidance in proton therapy for lung cancer. Translational Lung Cancer Research, 2018, 7, 160-170.	1.3	8
435	Data-Based Parameter Calibration Method of the Computed Tomography System. , 2018, , .		0
436	Rotation Center Calibration of CT System Based on Geometric Analysis and Iterative Correction. , 2018, , .		0
437	Dual-layer spectral computed tomography: measuring relative electron density. European Radiology Experimental, 2018, 2, 20.	1.7	21
438	Analytical Proof of Principle for a Novel Approach to Imaging with Polyenergetic Proton Beams. , 2018, , .		0
439	Effects of CT FOV displacement and acquisition parameters variation on texture analysis features. Physics in Medicine and Biology, 2018, 63, 235021.	1.6	5
440	Cone beam CT based dose calculation in the thorax region. Physics and Imaging in Radiation Oncology, 2018, 7, 45-50.	1.2	13
441	Quantitative cone-beam CT reconstruction with polyenergetic scatter model fusion. Physics in Medicine and Biology, 2018, 63, 225001.	1.6	4

#	ARTICLE	IF	CITATIONS
442	Revisiting the single-energy CT calibration for proton therapy treatment planning: a critical look at the stoichiometric method. <i>Physics in Medicine and Biology</i> , 2018, 63, 235011.	1.6	34
443	Toward adaptive proton therapy guided with a mobile helical CT scanner. <i>Radiotherapy and Oncology</i> , 2018, 129, 479-485.	0.3	11
444	Proton radiography with a commercial range telescope detector using dedicated post processing methods. <i>Physics in Medicine and Biology</i> , 2018, 63, 205016.	1.6	13
445	The impact of secondary fragments on the image quality of helium ion imaging. <i>Physics in Medicine and Biology</i> , 2018, 63, 195016.	1.6	25
446	High accuracy proton relative stopping power measurement. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2018, 436, 99-106.	0.6	8
447	Theoretical and experimental analysis of photon counting detector CT for proton stopping power prediction. <i>Medical Physics</i> , 2018, 45, 5186-5196.	1.6	11
448	Patient positioning verification for proton therapy using proton radiography. <i>Physics in Medicine and Biology</i> , 2018, 63, 245009.	1.6	13
449	Efficient Blood-Brain Barrier Opening in Primates with Neuronavigation-Guided Ultrasound and Real-Time Acoustic Mapping. <i>Scientific Reports</i> , 2018, 8, 7978.	1.6	84
450	Improvement of dose calculation in radiation therapy due to metal artifact correction using the augmented likelihood image reconstruction. <i>Journal of Applied Clinical Medical Physics</i> , 2018, 19, 227-233.	0.8	9
451	Machine learning-based dual-energy CT parametric mapping. <i>Physics in Medicine and Biology</i> , 2018, 63, 125001.	1.6	23
452	Deriving the mean excitation energy map from dual-energy and proton computed tomography. <i>Physics and Imaging in Radiation Oncology</i> , 2018, 6, 20-24.	1.2	4
453	Simultaneous characterization of electron density and effective atomic number for radiotherapy planning using stoichiometric calibration method and dual energy algorithms. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2018, 41, 601-619.	1.4	7
454	Characterization of CT Hounsfield Units for 3D acquisition trajectories on a dedicated breast CT system. <i>Journal of X-Ray Science and Technology</i> , 2018, 26, 535-551.	0.7	4
455	Optimized $\langle I \rangle$ -values for use with the Bragg additivity rule and their impact on proton stopping power and range uncertainty. <i>Physics in Medicine and Biology</i> , 2018, 63, 165007.	1.6	31
456	Comment on "Methodological accuracy of image-based electron density assessment using dual-energy computed tomography" [Med. Phys. 44 (6), 2429-2437 (2017)]. <i>Medical Physics</i> , 2018, 45, 2345-2348.	1.6	1
457	Multienergy Cone-Beam Computed Tomography Reconstruction with a Spatial Spectral Nonlocal Means Algorithm. <i>SIAM Journal on Imaging Sciences</i> , 2018, 11, 1205-1229.	1.3	16
458	3D treatment planning system "Varian Eclipse for proton therapy planning. <i>Medical Dosimetry</i> , 2018, 43, 184-194.	0.4	7
459	A new tissue segmentation method to calculate 3D dose in small animal radiation therapy. <i>Radiation Oncology</i> , 2018, 13, 32.	1.2	9

#	ARTICLE	IF	CITATIONS
460	Reassessment of stopping power ratio uncertainties caused by mean excitation energies using a water-based formalism. <i>Medical Physics</i> , 2018, 45, 3361-3370.	1.6	11
461	Evaluation of two commercial <sc>CT</sc> metal artifact reduction algorithms for use in proton radiotherapy treatment planning in the head and neck area. <i>Medical Physics</i> , 2018, 45, 4329-4344.	1.6	41
462	Quantitative accuracy of CT numbers: Theoretical analyses and experimental studies. <i>Medical Physics</i> , 2018, 45, 4519-4528.	1.6	15
463	Navigation and Computer-Assisted Craniomaxillofacial Surgery. , 2018, , 351-373.		1
464	Development of simple proton CT system with novel correction methods of proton scattering. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019, 924, 332-338.	0.7	0
465	Clinical examination of proton pencil beam scanning on a moving anthropomorphic lung phantom. <i>Medical Dosimetry</i> , 2019, 44, 122-129.	0.4	11
466	Higher order analysis of time-resolved proton radiographs. <i>Biomedical Physics and Engineering Express</i> , 2019, 5, 057002.	0.6	1
467	Preclinical dosimetry: exploring the use of small animal phantoms. <i>Radiation Oncology</i> , 2019, 14, 134.	1.2	24
468	Diagnosing Forward Operator Error Using Optimal Transport. <i>Journal of Scientific Computing</i> , 2019, 80, 1549-1576.	1.1	2
469	Holograms to Focus Arbitrary Ultrasonic Fields through the Skull. <i>Physical Review Applied</i> , 2019, 12, .	1.5	99
471	Estimation of respiratory phases during proton radiotherapy from a 4D-CT and Prompt gamma detection profiles. <i>Physica Medica</i> , 2019, 64, 33-39.	0.4	1
472	Evaluation of raw-data-based and calculated electron density for contrast media with a dual-energy CT technique. <i>Reports of Practical Oncology and Radiotherapy</i> , 2019, 24, 499-506.	0.3	4
473	Optimal energy selection for proton stopping-power-ratio estimation using dual-energy CT-based monoenergetic imaging. <i>Physics in Medicine and Biology</i> , 2019, 64, 195015.	1.6	9
474	ML-EM algorithm for dose estimation using PET in proton therapy. <i>Physics in Medicine and Biology</i> , 2019, 64, 175011.	1.6	11
475	Regularised patient-specific stopping power calibration for proton therapy planning based on proton radiographic images. <i>Physics in Medicine and Biology</i> , 2019, 64, 065008.	1.6	25
476	Experimental comparison of proton CT and dual energy x-ray CT for relative stopping power estimation in proton therapy. <i>Physics in Medicine and Biology</i> , 2019, 64, 165002.	1.6	58
477	Comparative study of alternative Geant4 hadronic ion inelastic physics models for prediction of positron-emitting radionuclide production in carbon and oxygen ion therapy. <i>Physics in Medicine and Biology</i> , 2019, 64, 155014.	1.6	10
478	Quantification of the dependencies of the Bragg peak degradation due to lung tissue in proton therapy on a CT-based lung tumor phantom. <i>Physics in Medicine and Biology</i> , 2019, 64, 155005.	1.6	10

#	ARTICLE	IF	CITATIONS
479	Simulation studies of time reversalâ€based protoacoustic reconstruction for range and dose verification in proton therapy. <i>Medical Physics</i> , 2019, 46, 3649-3662.	1.6	21
480	Dosimetric comparison of distal esophageal carcinoma plans for patients treated with smallâ€spot intensityâ€modulated proton versus volumetricâ€modulated arc therapies. <i>Journal of Applied Clinical Medical Physics</i> , 2019, 20, 15-27.	0.8	40
481	Evaluation of CT calibration curves from stoichiometric and tissue substitute methods according to tissue characteristics. <i>Radioprotection</i> , 2019, 54, 117-123.	0.5	0
482	Determination of proton stopping power ratio with dualâ€energy CT in 3Dâ€printed tissue/air cavity surrogates. <i>Medical Physics</i> , 2019, 46, 3245-3253.	1.6	7
483	A track repeating algorithm for intensity modulated carbon ion therapy. <i>Physics in Medicine and Biology</i> , 2019, 64, 095026.	1.6	8
484	Impact of noise reduction schemes on quantitative accuracy of CT numbers. <i>Medical Physics</i> , 2019, 46, 3013-3024.	1.6	9
485	Influence of intravenous contrast agent on dose calculation in proton therapy using dual energy CT. <i>Physics in Medicine and Biology</i> , 2019, 64, 125024.	1.6	14
486	Investigation of in vivo beam range verification in carbon ion therapy using the Doppler Shift Effect of prompt gamma: A Monte Carlo simulation study. <i>Radiation Physics and Chemistry</i> , 2019, 162, 72-81.	1.4	4
487	Systematic analysis of the impact of imaging noise on dualâ€energy CT â€based proton stopping power ratio estimation. <i>Medical Physics</i> , 2019, 46, 2251-2263.	1.6	14
488	Simulation and experimental validation of a prototype electron beam linear accelerator for preclinical studies. <i>Physica Medica</i> , 2019, 60, 50-57.	0.4	35
489	Dosimetric verification of <scp>IMPT</scp> using a commercial heterogeneous phantom. <i>Journal of Applied Clinical Medical Physics</i> , 2019, 20, 114-120.	0.8	9
490	Technical Note: Optimization of spot and trimmer position during dynamically collimated proton therapy. <i>Medical Physics</i> , 2019, 46, 1922-1930.	1.6	11
491	Proton Computed Tomography: A Case Study for Optimal Data Acquisition. , 2019, , .		0
492	A New Potential Method for Proton Radiography. , 2019, , .		0
493	Influence of 12-bit and 16-bit CT values of metals on dose calculation in radiotherapy using PRIMO, a Monte Carlo code for clinical linear accelerators. <i>Current Directions in Biomedical Engineering</i> , 2019, 5, 597-600.	0.2	2
494	Validation of the RayStation Monte Carlo dose calculation algorithm using a realistic lung phantom. <i>Journal of Applied Clinical Medical Physics</i> , 2019, 20, 127-137.	0.8	15
495	Towards in-vivo ultrasound-histology: Plane-waves and generative adversarial networks for pixel-wise speed of sound reconstruction. , 2019, , .		3
496	A single detector energy-resolved proton radiography system: a proof of principle study by Monte Carlo simulations. <i>Physics in Medicine and Biology</i> , 2019, 64, 025016.	1.6	7

#	ARTICLE	IF	CITATIONS
497	Secondary Neutron Dose From a Dynamic Collimation System During Intracranial Pencil Beam Scanning Proton Therapy: A Monte Carlo Investigation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 241-250.	0.4	23
498	Experimental implementation of a joint statistical image reconstruction method for proton stopping power mapping from dual-energy CT data. <i>Medical Physics</i> , 2019, 46, 273-285.	1.6	15
499	Impact of varying planning parameters on proton pencil beam scanning dose distributions in four commercial treatment planning systems. <i>Medical Physics</i> , 2019, 46, 1150-1162.	1.6	14
500	Simulation of photon-counting detectors for conversion of dual-energy-subtracted computed tomography number to electron density. <i>Radiological Physics and Technology</i> , 2019, 12, 105-117.	1.0	2
501	Murine vs human tissue compositions: implications of using human tissue compositions for photon energy absorption in mice. <i>British Journal of Radiology</i> , 2019, 92, 20180454.	1.0	9
502	Response of the Axial Skeleton to Bipedal Loading Behaviors in an Experimental Animal Model. <i>Anatomical Record</i> , 2020, 303, 150-166.	0.8	3
503	Imaging with Ion Beams at MedAustron. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020, 958, 162246.	0.7	1
504	A comparison study between single- and dual-energy CT density extraction methods for neurological proton monte carlo treatment planning. <i>Acta Oncologica</i> , 2020, 59, 171-179.	0.8	5
505	Modified fast adaptive scatter kernel superposition (mfASKS) correction and its dosimetric impact on CBCT-based proton therapy dose calculation. <i>Medical Physics</i> , 2020, 47, 190-200.	1.6	10
506	A novel design of proton computed tomography detected by multiple-layer ionization chamber with strip chambers: A feasibility study with Monte Carlo simulation. <i>Medical Physics</i> , 2020, 47, 614-625.	1.6	3
507	Sparse deconvolution of proton radiography data to estimate water equivalent thickness maps. <i>Medical Physics</i> , 2020, 47, 509-517.	1.6	10
508	Status and innovations in pre-treatment CT imaging for proton therapy. <i>British Journal of Radiology</i> , 2020, 93, 20190590.	1.0	41
509	Standardization of Preclinical PET/CT Imaging to Improve Quantitative Accuracy, Precision, and Reproducibility: A Multicenter Study. <i>Journal of Nuclear Medicine</i> , 2020, 61, 461-468.	2.8	23
510	Validation of the proton range accuracy and optimization of CT calibration curves utilizing range probing. <i>Physics in Medicine and Biology</i> , 2020, 65, 03NT02.	1.6	24
511	Inter-fraction robustness of intensity-modulated proton therapy in the post-operative treatment of oropharyngeal and oral cavity squamous cell carcinomas. <i>British Journal of Radiology</i> , 2020, 93, 20190638.	1.0	12
512	A novel computed tomography image synthesis method for correcting the spectrum dependence of CT numbers. <i>Physics in Medicine and Biology</i> , 2020, 65, 025013.	1.6	2
513	Latest developments in in-vivo imaging for proton therapy. <i>British Journal of Radiology</i> , 2020, 93, 20190787.	1.0	34
514	Nuclear-interaction correction for patient dose calculations in treatment planning of helium-, carbon-, oxygen-, and neon-ion beams. <i>Physics in Medicine and Biology</i> , 2020, 65, 025004.	1.6	13

#	ARTICLE	IF	CITATIONS
515	Myths and realities of range uncertainty. British Journal of Radiology, 2020, 93, 20190582.	1.0	30
516	Impact on dose distribution and volume changes of a bioabsorbable polyglycolic acid spacer during chemo-proton therapy for a pediatric Ewing sarcoma. Journal of Radiation Research, 2020, 61, 952-958.	0.8	4
517	Evaluation of GATE's Geant4 Monte Carlo simulation settings for proton pencil beam scanning quality assurance. Medical Physics, 2020, 47, 5817-5828.	1.6	19
518	Imaging with protons at MedAustron. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 978, 164407.	0.7	8
519	Photon fluence and dose estimation in computed tomography using a discrete ordinates Boltzmann solver. Scientific Reports, 2020, 10, 11609.	1.6	2
520	A High-Granularity Digital Tracking Calorimeter Optimized for Proton CT. Frontiers in Physics, 2020, 8, .	1.0	21
521	High-Energy Charged Particles for Spatially Fractionated Radiation Therapy. Frontiers in Physics, 2020, 8, .	1.0	1
522	A Machine Learning method for relabeling arbitrary DICOM structure sets to TG-263 defined labels. Journal of Biomedical Informatics, 2020, 109, 103527.	2.5	10
523	Automated Monte-Carlo re-calculation of proton therapy plans using Geant4/Gate: implementation and comparison to plan-specific quality assurance measurements. British Journal of Radiology, 2020, 93, 20200228.	1.0	17
524	Optimal CT Protocols for CT-Guided Planning Preparation in Radiotherapy. Medical Radiology, 2020, , 27-45.	0.0	0
525	Body size and tube voltage dependent corrections for Hounsfield Unit in medical X-ray computed tomography: theory and experiments. Scientific Reports, 2020, 10, 15696.	1.6	12
526	Acoustic and ultrasonographic characterization of polychloroprene, beeswax, and carbomer-gel to mimic soft-tissue for diagnostic ultrasound. Physical and Engineering Sciences in Medicine, 2020, 43, 1171-1181.	1.3	2
527	Stopping power ratio databases for proton therapy dose calculation. Journal of Physics: Conference Series, 2020, 1505, 012012.	0.3	0
528	A Novel Fetal Movement Simulator for the Performance Evaluation of Vibration Sensors for Wearable Fetal Movement Monitors. Sensors, 2020, 20, 6020.	2.1	9
529	Assessment of range uncertainty in lung-like tissue using a porcine lung phantom and proton radiography. Physics in Medicine and Biology, 2020, 65, 155014.	1.6	14
530	Multi-energy computed tomography and material quantification: Current barriers and opportunities for advancement. Medical Physics, 2020, 47, 3752-3771.	1.6	14
531	Material assignment for proton range prediction in Monte Carlo patient simulations using stopping-power datasets. Physics in Medicine and Biology, 2020, 65, 185004.	1.6	10
532	The dosimetric impact of stabilizing spinal implants in radiotherapy treatment planning with protons and photons: standard titanium alloy vs. radiolucent carbon fiber-reinforced PEEK systems. Journal of Applied Clinical Medical Physics, 2020, 21, 6-14.	0.8	31

#	ARTICLE	IF	CITATIONS
533	Electron density and effective atomic number estimation in a maximum a <i>posteriori</i> framework for dual-energy computed tomography. <i>Medical Physics</i> , 2020, 47, 4137-4149.	1.6	11
534	Investigation of the effect of air gap size on the spatial resolution in proton- and helium radio- and tomography. <i>Zeitschrift Fur Medizinische Physik</i> , 2020, , .	0.6	0
535	Auto-segmentation of organs at risk for head and neck radiotherapy planning: From atlas-based to deep learning methods. <i>Medical Physics</i> , 2020, 47, e929-e950.	1.6	85
536	A phantom based evaluation of the dose prediction and effects in treatment plans, when calculating on a direct density CT reconstruction. <i>Journal of Applied Clinical Medical Physics</i> , 2020, 21, 52-61.	0.8	7
537	Managing treatment-related uncertainties in proton beam radiotherapy for gastrointestinal cancers. <i>Journal of Gastrointestinal Oncology</i> , 2020, 11, 212-224.	0.6	32
538	Dosimetric evaluation of synthetic CT generated with GANs for MRI-only proton therapy treatment planning of brain tumors. <i>Journal of Applied Clinical Medical Physics</i> , 2020, 21, 76-86.	0.8	35
539	Flat-panel imager energy-dependent proton radiography for a proton pencil-beam scanning system. <i>Physics in Medicine and Biology</i> , 2020, 65, 145001.	1.6	8
540	Patient-specific CT calibration based on ion radiography for different detector configurations in <sup>1</sup> H, <sup>4</sup> He and <sup>12</sup> C ion pencil beam scanning. <i>Physics in Medicine and Biology</i> , 2020, 65, 245014.	1.6	7
541	Cone-beam CT-derived relative stopping power map generation via deep learning for proton radiotherapy. <i>Medical Physics</i> , 2020, 47, 4416-4427.	1.6	21
542	Robust Optimization for Intensity Modulated Proton Therapy to Redistribute High Linear Energy Transfer from Nearby Critical Organs to Tumors in Head and Neck Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 107, 181-193.	0.4	43
543	Pitfalls in the beam modelling process of Monte Carlo calculations for proton pencil beam scanning. <i>British Journal of Radiology</i> , 2020, 93, 20190919.	1.0	7
544	Development of a CT number calibration audit phantom in photon radiation therapy: A pilot study. <i>Medical Physics</i> , 2020, 47, 1509-1522.	1.6	11
545	Pre-clinical evaluation of dual-layer spectral computed tomography-based stopping power prediction for particle therapy planning at the Heidelberg Ion Beam Therapy Center. <i>Physics in Medicine and Biology</i> , 2020, 65, 095007.	1.6	16
547	The effects of CT x-ray tube voltage and current variations on the relative electron density (RED) and CT number conversion curves. <i>Journal of Radiation Research and Applied Sciences</i> , 2020, 13, 1-11.	0.7	14
548	A standardized commissioning framework of Monte Carlo dose calculation algorithms for proton pencil beam scanning treatment planning systems. <i>Medical Physics</i> , 2020, 47, 1545-1557.	1.6	33
549	Dosimetric characteristics of the INTRABEAM Â® system with spherical applicators in the presence of air gaps and tissue heterogeneities. <i>Radiation and Environmental Biophysics</i> , 2020, 59, 295-306.	0.6	9
550	Assessing the advantages of CFR-PEEK over titanium spinal stabilization implants in proton therapy—a phantom study. <i>Physics in Medicine and Biology</i> , 2020, 65, 245031.	1.6	17
551	Design of a Versatile Angle-Rotatable Skull-Shaped Conformal Transcranial Focused Ultrasound Transducer for Noninvasive Brain Therapy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 116-126.	1.7	6

#	ARTICLE	IF	CITATIONS
552	Radiomics for precision medicine: Current challenges, future prospects, and the proposal of a new framework. <i>Methods</i> , 2021, 188, 20-29.	1.9	129
553	Clinical commissioning of pencil beam scanning for intensity-modulated proton therapy. , 2021, , 25-44.e3.		0
554	Feasibility of using post-contrast dual-energy CT for pediatric radiation treatment planning and dose calculation. <i>British Journal of Radiology</i> , 2021, 94, 20200170.	1.0	8
555	Technical Note: A methodology for improved accuracy in stopping power estimation using MRI and CT. <i>Medical Physics</i> , 2021, 48, 342-353.	1.6	6
556	openPR " A computational tool for CT conversion assessment with proton radiography. <i>Medical Physics</i> , 2021, 48, 387-396.	1.6	9
557	Clinical commissioning of intensity-modulated proton therapy systems: Report of AAPM Task Group 185. <i>Medical Physics</i> , 2021, 48, e1-e30.	1.6	23
558	Acoustic Holograms for Bilateral Blood-Brain Barrier Opening in a Mouse Model. <i>IEEE Transactions on Biomedical Engineering</i> , 2022, 69, 1359-1368.	2.5	23
559	Hyper-dense foreign bodies found in the bowel during IGRT following brachytherapy. <i>Medical Dosimetry</i> , 2021, 46, 45-50.	0.4	0
560	3-D Transcranial Microbubble Cavitation Localization by Four Sensors. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 3336-3346.	1.7	9
561	Learning-Based Stopping Power Mapping on Dual-Energy CT for Proton Radiation Therapy. <i>International Journal of Particle Therapy</i> , 2021, 7, 46-60.	0.9	5
562	Methodology to create 3D models of COVID-19 pathologies for virtual clinical trials. <i>Journal of Medical Imaging</i> , 2021, 8, 013501.	0.8	3
563	Development of phantom materials with independently adjustable CT- and MR-contrast at 0.35, 1.5 and 3 T. <i>Physics in Medicine and Biology</i> , 2021, 66, 045013.	1.6	5
564	Calculation of Stopping-Power Ratio from Multiple CT Numbers Using Photon-Counting CT System: Two- and Three-Parameter-Fitting Method. <i>Sensors</i> , 2021, 21, 1215.	2.1	2
565	Feasibility of using megavoltage computed tomography to reduce proton range uncertainty: A simulation study. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 131-140.	0.8	2
566	Analysis of target doses on various tissues in treatment of lung cancer: a simulation study. <i>Journal of Physics: Conference Series</i> , 2021, 1825, 012091.	0.3	3
567	Suppressing Grating Lobes for Transcranial Focused Ultrasound System by Frequency-Modulated Excitation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 341-351.	1.7	2
569	A tool for precise calculation of organ doses in voxelised geometries using GAMOS/Geant4 with a graphical user interface. <i>Polish Journal of Medical Physics and Engineering</i> , 2021, 27, 31-40.	0.2	2
570	Synthetic dual-energy CT for MRI-only based proton therapy treatment planning using label-GAN. <i>Physics in Medicine and Biology</i> , 2021, 66, 065014.	1.6	18



#	ARTICLE	IF	CITATIONS
571	Calibrated uncertainty estimation for interpretable proton computed tomography image correction using Bayesian deep learning. <i>Physics in Medicine and Biology</i> , 2021, 66, 065029.	1.6	3
572	Postoperative or Salvage Proton Radiotherapy for Prostate Cancer After Radical Prostatectomy. <i>International Journal of Particle Therapy</i> , 2021, 7, 52-64.	0.9	0
573	Animal tissue-based quantitative comparison of dual-energy CT to SPR conversion methods using high-resolution gel dosimetry. <i>Physics in Medicine and Biology</i> , 2021, 66, 075009.	1.6	13
574	Determination of the test-samples electron density via dual energy computer tomography. <i>Journal of Physics: Conference Series</i> , 2021, 1843, 012021.	0.3	3
575	Dictionary-based protoacoustic dose map imaging for proton range verification. <i>Photoacoustics</i> , 2021, 21, 100240.	4.4	12
576	The feasibility of dual-energy CT to predict the probability of symptomatic intracerebral haemorrhage after successful mechanical thrombectomy. <i>Clinical Radiology</i> , 2021, 76, 316.e9-316.e18.	0.5	7
577	First application of the GPU-based software framework TIGRE for proton CT image reconstruction. <i>Physica Medica</i> , 2021, 84, 56-64.	0.4	6
578	Dosimetric impact of range uncertainty in passive scattering proton therapy. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 6-14.	0.8	0
579	NRG Oncology Survey of Monte Carlo Dose Calculation Use in US Proton Therapy Centers. <i>International Journal of Particle Therapy</i> , 2021, 8, 73-81.	0.9	6
580	Quadratic relation for mass density calibration in human body using dual-energy CT data. <i>Medical Physics</i> , 2021, 48, 3065-3073.	1.6	4
581	Automated and robust organ segmentation for 3D-based internal dose calculation. <i>EJNMMI Research</i> , 2021, 11, 53.	1.1	8
582	Dual-Energy Computed Tomography Proton-Dose Calculation with Scripting and Modified Hounsfield Units. <i>International Journal of Particle Therapy</i> , 2021, 8, 62-72.	0.9	6
583	Effect of Abdominal Wall Inhomogeneities on the Focusing of an Ultrasonic Beam at Different Positions of the Transducer. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2021, 85, 675-680.	0.1	3
584	An empirical artifact correction for proton computed tomography. <i>Physica Medica</i> , 2021, 86, 57-65.	0.4	7
585	Development of clinical application program for radiotherapy induced cancer risk calculation using Monte Carlo engine in volumetric-modulated arc therapy. <i>Radiation Oncology</i> , 2021, 16, 108.	1.2	5
586	Range probing as a quality control tool for CBCT-based synthetic CTs: In vivo application for head and neck cancer patients. <i>Medical Physics</i> , 2021, 48, 4498-4505.	1.6	13
587	Density calibrated cone beam CT as a tool for adaptive radiotherapy. <i>Acta Oncologica</i> , 2021, 60, 1275-1282.	0.8	3
588	Assessment of the impact of CT calibration procedures for proton therapy planning on pediatric treatments. <i>Medical Physics</i> , 2021, 48, 5202-5218.	1.6	5

#	ARTICLE	IF	CITATIONS
589	Implementation and experimental evaluation of Mega-voltage fan-beam CT using a linear accelerator. <i>Radiation Oncology</i> , 2021, 16, 139.	1.2	1
590	Proton stopping power prediction based on dual-energy CT-generated virtual monoenergetic images. <i>Medical Physics</i> , 2021, 48, 5232-5243.	1.6	9
591	First-In-Human Validation of CT-Based Proton Range Prediction Using Prompt Gamma Imaging in Prostate Cancer Treatments. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 1033-1043.	0.4	23
592	Comparison of compressional and elastic wave simulations for patient-specific planning prior to transcranial photoacoustic-guided neurosurgery. <i>Journal of Biomedical Optics</i> , 2021, 26, .	1.4	2
593	Accuracy of proton stopping power estimation of silicone breast implants with single and dual-energy CT calibration techniques. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 159-170.	0.8	3
594	Interaction of therapeutic $^{12}\text{C}$ ions with bone-like targets: physical characterization and dosimetric effect at material interfaces. <i>Physics in Medicine and Biology</i> , 2021, 66, 185003.	1.6	1
595	Physical density estimations of single- and dual-energy CT using material-based forward projection algorithm: a simulation study. <i>British Journal of Radiology</i> , 2021, 94, 20201236.	1.0	2
596	Calculating $\int_0^L \rho(x) dx$ for most likely path estimates for protons and helium ions using an analytical model. <i>Physica Medica</i> , 2021, 89, 169-175.	0.4	0
597	Estimating the modulating effect of lung tissue in particle therapy using a clinical CT voxel histogram analysis. <i>Physics in Medicine and Biology</i> , 2021, 66, 185002.	1.6	2
598	Harmonization of in-plane resolution in CT using multiple reconstructions from single acquisitions. <i>Medical Physics</i> , 2021, 48, 6941-6961.	1.6	0
599	Can a ToF-PET photon attenuation reconstruction test stopping-power estimations in proton therapy? A phantom study. <i>Physics in Medicine and Biology</i> , 2021, 66, 215010.	1.6	2
600	$kV$ and $kV$ DECT based estimation of proton stopping power ratio – a simulation study. <i>Physica Medica</i> , 2021, 89, 182-192.	0.4	3
601	First experimental results of gated proton imaging using x-ray fluoroscopy to detect a fiducial marker. <i>Physics in Medicine and Biology</i> , 2021, 66, 18NT03.	1.6	2
602	Experimental assessment of inter-centre variation in stopping-power and range prediction in particle therapy. <i>Radiotherapy and Oncology</i> , 2021, 163, 7-13.	0.3	15
603	Study of relationship between dose, LET and the risk of brain necrosis after proton therapy for skull base tumors. <i>Radiotherapy and Oncology</i> , 2021, 163, 143-149.	0.3	16
604	Validation of polylactic acid polymer as soft tissue substitutive in radiotherapy. <i>Radiation Physics and Chemistry</i> , 2021, 189, 109726.	1.4	7
605	A Probability-Based Investigation on the Setup Robustness of Pencil-beam Proton Radiation Therapy for Skull-Base Meningioma. <i>International Journal of Particle Therapy</i> , 2021, 7, 34-45.	0.9	0
606	Dual-Energy Computed Tomography for Detection and Characterization of Monosodium Urate, Calcium Pyrophosphate, and Hydroxyapatite. <i>Investigative Radiology</i> , 2021, 56, 417-424.	3.5	17

#	ARTICLE	IF	CITATIONS
607	Commissioning of GPU-accelerated Monte Carlo Code FRED for Clinical Applications in Proton Therapy. <i>Frontiers in Physics</i> , 2021, 8, .	1.0	25
609	Characterizing Imaging Data. , 2010, , 197-255.		2
610	Proton Beam Therapy (For CNS Tumors). , 2018, , 709-722.		4
611	Quantitative Electron Density CT Imaging for Radiotherapy Planning. <i>Communications in Computer and Information Science</i> , 2017, , 297-308.	0.4	1
612	Simulation and Fully Automatic Multimodal Registration of Medical Ultrasound. <i>Lecture Notes in Computer Science</i> , 2007, 10, 136-143.	1.0	65
613	Anatomical Optical Coherence Tomography of the Human Upper Airway. <i>Biological and Medical Physics Series</i> , 2008, , 1269-1291.	0.3	1
614	Correlation between CT number and water-equivalent thickness for heavy charged particles. , 2000, , 362-364.		1
615	SFUD, IMPT, and Plan Robustness. , 2016, , 169-194.		9
616	An inhomogeneous most likely path formalism for proton computed tomography. <i>Physica Medica</i> , 2020, 70, 184-195.	0.4	10
617	Dosimetric impact of geometric distortions in an MRI-only proton therapy workflow for lung, liver and pancreas. <i>Zeitschrift Fur Medizinische Physik</i> , 2020, , .	0.6	2
618	More maximum likelihood proton path estimation approximated by cubic Bézier curve for scatter corrected proton CT reconstruction. <i>Physics in Medicine and Biology</i> , 2020, 65, 175003.	1.6	1
619	Dose quantification in carbon ion therapy using in-beam positron emission tomography. <i>Physics in Medicine and Biology</i> , 2020, 65, 235052.	1.6	7
620	Proton dose calculation based on converting dual-energy CT data to stopping power ratio (DEEDZ-SPR): a beam-hardening assessment. <i>Physics in Medicine and Biology</i> , 2020, 65, 235046.	1.6	4
621	Relative stopping power measurements and prosthesis artifacts reduction in proton CT. <i>Physics in Medicine and Biology</i> , 2020, 65, 225012.	1.6	12
622	Investigation of the Bragg peak degradation caused by homogeneous and heterogeneous lung tissue substitutes: proton beam experiments and comparison to current clinical dose calculation. <i>Physics in Medicine and Biology</i> , 2020, 65, 245036.	1.6	6
623	Feasibility of energy-resolved dose imaging technique in pencil beam scanning mode. <i>Biomedical Physics and Engineering Express</i> , 2020, 6, 065009.	0.6	2
624	Transcranial Focusing of Ultrasonic Vortices by Acoustic Holograms. <i>Physical Review Applied</i> , 2020, 14, .	1.5	38
625	Elementwise approach for simulating transcranial MRI-guided focused ultrasound thermal ablation. <i>Physical Review Research</i> , 2019, 1, .	1.3	28

#	ARTICLE	IF	CITATIONS
626	Normal-conducting scaling fixed field alternating gradient accelerator for proton therapy. <i>Physical Review Special Topics: Accelerators and Beams</i> , 2015, 18, .	1.8	6
627	Additive Manufacture of Lung Equivalent Anthropomorphic Phantoms: A Method to Control Hounsfield Number Utilizing Partial Volume Effect. <i>Journal of Engineering and Science in Medical Diagnostics and Therapy</i> , 2020, 3, .	0.3	12
628	Characterization and validation of the thorax phantom Lungman for dose assessment in chest radiography optimization studies. <i>Journal of Medical Imaging</i> , 2018, 5, 1.	0.8	9
629	Optimized conversion from CT numbers to proton relative stopping power based on proton radiography and scatter corrected cone-beam CT images. , 2019, , .		1
631	Physics of Treatment Planning Using Scanned Beams. <i>Series in Medical Physics and Biomedical Engineering</i> , 2011, , 335-380.	0.1	2
632	Precision and Uncertainties in Proton Therapy for Nonmoving Targets. <i>Series in Medical Physics and Biomedical Engineering</i> , 2011, , 413-434.	0.1	4
633	Model Sensitivity and Use of the Comparative Finite Element Method in Mammalian Jaw Mechanics: Mandible Performance in the Gray Wolf. <i>PLoS ONE</i> , 2011, 6, e19171.	1.1	32
634	The Tarsometatarsus of the Ostrich <i>Struthio camelus</i> : Anatomy, Bone Densities, and Structural Mechanics. <i>PLoS ONE</i> , 2016, 11, e0149708.	1.1	22
635	Energy Dependence of Measured CT Numbers on Substituted Materials Used for CT Number Calibration of Radiotherapy Treatment Planning Systems. <i>PLoS ONE</i> , 2016, 11, e0158828.	1.1	17
636	Race Does Not Affect Tumor Control, Adverse Effects, or Quality of Life after Proton Therapy. <i>International Journal of Particle Therapy</i> , 2017, 3, 461-472.	0.9	2
637	Evaluation of Computed Tomography Scanners for Feasibility of Using Averaged Hounsfield Unitâ€œtoâ€œStopping Power Ratio Calibration Curve. <i>International Journal of Particle Therapy</i> , 2018, 5, 28-37.	0.9	2
638	MRI-based radiotherapy planning method using rigid image registration technique combined with outer body correction scheme: a feasibility study. <i>Oncotarget</i> , 2017, 8, 54497-54505.	0.8	2
640	New developments in treatment planning and verification of particle beam therapy. <i>Translational Cancer Research</i> , 2012, 1, 184-195.	0.4	9
642	Tissue Density Mapping of Cone Beam CT Images for Accurate Dose Calculations. <i>International Journal of Medical Physics, Clinical Engineering and Radiation Oncology</i> , 2015, 04, 162-171.	0.3	2
643	Feasibility of a Direct-Conversion Method from Magnetic Susceptibility to Relative Electron Density for Radiation Therapy Treatment Planning. <i>International Journal of Medical Physics, Clinical Engineering and Radiation Oncology</i> , 2017, 06, 252-265.	0.3	3
644	Performance characterization of a prototype dual-layer cone-beam computed tomography system. <i>Medical Physics</i> , 2021, 48, 6740-6754.	1.6	11
645	Influence of tissue composition on the results of Monte Carlo simulations for patient dose calculations. , 2000, , 443-445.		2
647	Impact of Truncation Correction in Flat-Detector Computed Tomography on Carbon Ion Radiotherapy Treatment Planning. <i>IFMBE Proceedings</i> , 2009, , 385-388.	0.2	0

#	ARTICLE	IF	CITATIONS
648	CT-Based Attenuation Correction for PET. , 2011, , 39-46.		0
649	Dentale Implantologie. , 2011, , 421-428.		0
650	Considerations for an Effective Quality Assurance Program for Proton Therapy. Biological and Medical Physics Series, 2012, , 471-485.	0.3	0
651	Effect of Gamma Energy of Positron Emission Radionuclide on X-Ray CT Image. Journal of the Korea Academia-Industrial Cooperation Society, 2011, 12, 4418-4424.	0.0	1
652	Dose Calculation Algorithms. Series in Medical Physics and Biomedical Engineering, 2011, , 381-412.	0.1	0
654	Radiation Therapy Using High-Energy Carbon Beams. Springer Series on Atomic, Optical, and Plasma Physics, 2012, , 333-355.	0.1	0
657	Development and implementation of an anthropomorphic pediatric spine phantom for the assessment of craniospinal irradiation procedures in proton therapy. International Journal of Cancer Therapy and Oncology, 2014, 2, 020227.	0.2	0
658	Tracking for proton Computed Tomography. , 2014, , .		0
659	Evaluation of Metal Artifact Reduction for Orthopedic Implants (O-MAR) on Radiotherapy Treatment Planning. Journal of the Korean Society of Radiology, 2014, 8, 217-223.	0.0	0
660	Advanced Imaging Technologies in Proton Therapy. , 2014, , 377-406.		0
661	Evaluation of Single Field Uniform Dose (SFUD) Proton Pencil Beam Scanning (PBS) Planning Strategy for Lung Mobile Tumor Using a Digital Phantom. International Journal of Medical Physics, Clinical Engineering and Radiation Oncology, 2016, 05, 213-229.	0.3	0
662	Differential Absorption Analysis of Nonmagnetic Material in the Phantom using Dual CT. Journal of Magnetics, 2016, 21, 286-292.	0.2	0
663	Medical therapy and imaging fixed-field alternating-gradient accelerator with realistic magnets. Physical Review Accelerators and Beams, 2017, 20, .	0.6	0
664	Experimental Evaluation of CT Number Changes in 320-Row CBCT Volume Scan for Proton Range Calculation. International Journal of Medical Physics, Clinical Engineering and Radiation Oncology, 2018, 07, 141-150.	0.3	0
665	3D-printable lung substitutes for particle therapy on the base of high-resolution CTs for mimicking Bragg peak degradation. , 2019, , .		1
666	Use of machine learning in CARNA proton imager. , 2019, , .		0
667	Spot decomposition in a novel pencil beam scanning proton computed tomography. , 2019, , .		0
668	An improved physics model for multi-material identification in photon counting CT. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
669	Fabrication and Characterisations of Rhizophora spp. Particleboards Bonded with Corn Starch as Water Equivalent Phantoms for Diagnostic Photon Energy Ranges. Journal of Physical Science, 2019, 30, 131-155.	0.5	2
670	Valida��o da curva de calibra��o do tom��grafo para o sistema de planejamento de Radioterapia no Instituto Nacional de C��ncer. Revista Brasileira De F��sica M��dica, 2019, 13, 16.	0.0	0
671	Experimental comparison of photon versus particle computed tomography to predict tissue relative stopping powers. Medical Physics, 2022, 49, 474-487.	1.6	13
672	The accuracy of helium ion CT based particle therapy range prediction: an experimental study comparing different particle and x-ray CT modalities. Physics in Medicine and Biology, 2021, 66, 235010.	1.6	9
673	Learning-based synthetic dual energy CT imaging from single energy CT for stopping power ratio calculation in proton radiation therapy. British Journal of Radiology, 2022, 95, 20210644.	1.0	9
674	Dual��layer spectral CT for proton, helium, and carbon ion beam therapy planning of brain tumors. Journal of Applied Clinical Medical Physics, 2022, 23, .	0.8	3
675	Automatic liver segmentation using U-net in the assistance of CNN. , 2020, , .		2
676	Treatment Planning System for Proton Radiotherapy. , 2020, , 113-125.		0
677	Development and Benchmarking of a Monte Carlo Dose Engine for Proton Radiation Therapy. Frontiers in Physics, 2021, 9, .	1.0	11
678	Identification of Common Minerals Using Stoichiometric Calibration Method for Dual��Energy CT. Geochemistry, Geophysics, Geosystems, 2021, 22, e2021GC009885.	1.0	7
679	An efficient and accurate parallel hybrid acoustic signal correction method for transcranial ultrasound. Physics in Medicine and Biology, 2020, 65, 215019.	1.6	5
680	Convolutional neural network based proton stopping-power-ratio estimation with dual-energy CT: a feasibility study. Physics in Medicine and Biology, 2020, 65, 215016.	1.6	3
681	Monte Carlo <sup>90</sup>Y PET/CT dosimetry of unexpected focal radiation-induced lung damage after hepatic radioembolisation. Physics in Medicine and Biology, 2020, 65, 235014.	1.6	10
682	Modeling of intensity-modulated focused ultrasound in pediatric brain tumors using acoustic holograms. , 2021, , .		1
683	Development of a dose estimation code for BNCT with GPU accelerated Monte Carlo and collapsed cone Convolution method. Nuclear Engineering and Technology, 2022, 54, 1769-1780.	1.1	6
684	The Value of On-Site Proton Audits. International Journal of Radiation Oncology Biology Physics, 2022, 112, 1004-1011.	0.4	2
685	Reduction of clinical safety margins in proton therapy enabled by the clinical implementation of dual-energy CT for direct stopping-power prediction. Radiotherapy and Oncology, 2022, 166, 71-78.	0.3	44
686	Gold-nanoparticle-enriched breast tissue in breast cancer treatment using the INTRABEAM�� system: a Monte Carlo study. Radiation and Environmental Biophysics, 2021, , 1.	0.6	1

#	ARTICLE	IF	CITATIONS
687	First in-vivo Demonstration of Bilateral Blood-Brain Barrier Opening Using Acoustic Holograms in Mice. , 2020, , .		1
688	Covid CT Net: A Transfer Learning Approach for Identifying Corona Virus from CT Scans. , 2020, , .		0
689	Multifocal acoustic holograms for deep-brain neuromodulation and BBB opening. , 2020, , .		0
690	Towards subpercentage uncertainty proton stopping power mapping via dual-energy CT: Direct experimental validation and uncertainty analysis of a statistical iterative image reconstruction method. Medical Physics, 2022, 49, 1599-1618.	1.6	5
691	Development of a heterogeneous phantom to measure range in clinical proton therapy beams. Physica Medica, 2022, 93, 59-68.	0.4	3
692	Dose assessment for daily cone-beam CT in lung radiotherapy patients and its combination with treatment planning. Physical and Engineering Sciences in Medicine, 2022, 45, 231-237.	1.3	2
693	Different radiographic imaging modalities with a proton computed tomography demonstrator. Journal of Instrumentation, 2022, 17, C01010.	0.5	2
694	A reconstruction approach for proton computed tomography by modeling the integral depth dose of the scanning proton pencil beam. Medical Physics, 2022, , .	1.6	0
695	Stopping power measurement for proton therapy by combining proton radiography and X-ray CT. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2022, 1027, 166316.	0.7	0
696	Development and validation of an automatic commissioning tool for the Monte Carlo dose engine in myQA iON. Physica Medica, 2022, 95, 1-8.	0.4	1
697	An adaptive planning strategy in carbon ion therapy of pancreatic cancer involving beam angle selection. Physics and Imaging in Radiation Oncology, 2022, 21, 35-41.	1.2	3
698	An Affordable and Easy-to-Use Focused Ultrasound Device for Noninvasive and High Precision Drug Delivery to the Mouse Brain. IEEE Transactions on Biomedical Engineering, 2022, 69, 2723-2732.	2.5	9
699	Monte Carlo-based software for 3D personalized dose calculations in image-guided radiotherapy. Physics and Imaging in Radiation Oncology, 2022, 21, 108-114.	1.2	2
700	The Influence of Motion on the Delivery Accuracy When Comparing Actively Scanned Carbon Ions versus Protons at a Synchrotron-Based Radiotherapy Facility. Cancers, 2022, 14, 1788.	1.7	6
701	The reliability of CT numbers as absolute values for diagnostic scanning, dental imaging, and radiation therapy simulation: A narrative review. Journal of Medical Imaging and Radiation Sciences, 2022, 53, 138-146.	0.2	1
702	Technical note: Evaluation of Artificial 120 kilovolt computed tomography images for radiation therapy applications. Medical Physics, 2022, , .	1.6	1
703	Using a neural network to enhance dual-energy computed tomography parametric mapping for proton therapy. , 2022, , .		1
704	Safe and Effective Treatment of Compromised Clavicle Fracture of the Medial and Lateral Third Using Focused Shockwaves. Journal of Clinical Medicine, 2022, 11, 1988.	1.0	1

#	ARTICLE	IF	CITATIONS
705	Evaluating Proton Dose and Associated Range Uncertainty Using Daily Cone-Beam CT. <i>Frontiers in Oncology</i> , 2022, 12, 830981.	1.3	4
706	Numerical Study of Acoustic Holograms for Deep-Brain Targeting through the Temporal Bone Window. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 872-886.	0.7	10
707	Deep learning techniques for synthetic CT generation: a single model for multiple anatomical sites. , 2021, , .		0
708	Evaluating the usefulness of the direct density reconstruction algorithm for intensity modulated and passively scattered proton therapy: Validation using an anthropomorphic phantom. <i>Physica Medica</i> , 2021, 92, 95-101.	0.4	3
709	Numerical simulation of transcranial focused ultrasound based on head CT images. , 2021, , .		0
710	Improved accuracy of relative electron density and proton stopping power ratio through CycleGAN machine learning. <i>Physics in Medicine and Biology</i> , 2022, 67, 105001.	1.6	3
711	Potential of a Second-Generation Dual-Layer Spectral CT for Dose Calculation in Particle Therapy Treatment Planning. <i>Frontiers in Oncology</i> , 2022, 12, 853495.	1.3	5
712	Comparative accuracy and resolution assessment of two prototype proton computed tomography scanners. <i>Medical Physics</i> , 2022, 49, 4671-4681.	1.6	4
713	Proton Therapy. , 0, , 271-282.		0
714	Analysis of diaphragm movements to specify geometric uncertainties of respiratory gating near end-exhalation for irradiation fields involving the liver dome. <i>Radiotherapy and Oncology</i> , 2022, 171, 146-154.	0.3	1
717	Investigation of tube voltage dependence on CT number and its effect on dose calculation algorithms using thorax phantom in Monaco treatment planning system for external beam radiation therapy.. <i>Journal of Medical Physics</i> , 2021, 46, 315-323.	0.1	2
718	Relevance of artefacts in <sup>99m</sup> Tc-MAA SPECT scans on pre-therapy patient-specific <sup>90</sup> Y TARE internal dosimetry: a GATE Monte Carlo study. <i>Physics in Medicine and Biology</i> , 2022, 67, 115002.	1.6	4
719	Commissioning a newly developed treatment planning system, VQA Plan, for fast-raster scanning of carbon-ion beams. <i>PLoS ONE</i> , 2022, 17, e0268087.	1.1	12
720	Development and validation of an ensemble artificial intelligence model for comprehensive imaging quality check to classify body parts and contrast enhancement. <i>BMC Medical Imaging</i> , 2022, 22, 87.	1.4	3
721	Accuracy of stopping power ratio calculation and experimental validation of proton range with dual-layer computed tomography. <i>Acta OncolÃ³gica</i> , 2022, 61, 864-868.	0.8	0
722	Dual-energy CT based mass density and relative stopping power estimation for proton therapy using physics-informed deep learning. <i>Physics in Medicine and Biology</i> , 2022, 67, 115010.	1.6	14
723	The dose accumulation and the impact of deformable image registration on dose reporting parameters in a moving patient undergoing proton radiotherapy. <i>Radiology and Oncology</i> , 2022, 56, 248-258.	0.6	1
725	Stoichiometric CT number calibration using three-parameter fit model for ion therapy. <i>Physica Medica</i> , 2022, 99, 22-30.	0.4	2



#	ARTICLE	IF	CITATIONS
726	COVLIAS 1.0 Lesion vs. MedSeg: An Artificial Intelligence Framework for Automated Lesion Segmentation in COVID-19 Lung Computed Tomography Scans. <i>Diagnostics</i> , 2022, 12, 1283.	1.3	15
727	Verification of morphological and physical properties for the development of a lung substitute phantom using microspheres. <i>Review of Scientific Instruments</i> , 2022, 93, 064101.	0.6	0
728	A Comparative Feasibility Study for Transcranial Extracorporeal Shock Wave Therapy. <i>Biomedicines</i> , 2022, 10, 1457.	1.4	3
729	Validation of a Monte Carlo Framework for Out-of-Field Dose Calculations in Proton Therapy. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	14
730	Virtual computed-tomography system for deep-learning-based material decomposition. <i>Physics in Medicine and Biology</i> , 2022, 67, 155008.	1.6	4
731	Possibilities and challenges when using synthetic computed tomography in an adaptive carbon-ion treatment workflow. <i>Zeitschrift Fur Medizinische Physik</i> , 2023, 33, 146-154.	0.6	3
732	Impact of beam-hardening corrections on proton relative stopping power estimates from single- and dual-energy CT. <i>Journal of Applied Clinical Medical Physics</i> , 0, , .	0.8	3
733	Measurements of proton beam attenuation radiographs at a clinical facility. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2022, 1040, 167069.	0.7	0
734	Computed tomography to evaluate the influence of the internal concrete structure on attenuation coefficients. <i>Radiation Physics and Chemistry</i> , 2022, 201, 110433.	1.4	4
735	The Role of a DirectDensity <sup>®</sup> CT Reconstruction in a Radiotherapy Workflow: A Phantom Study. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 7845.	1.3	3
736	Carbon Fiber Implants in Orthopaedic Oncology. <i>Journal of Clinical Medicine</i> , 2022, 11, 4959.	1.0	6
737	Generation of synthetic megavoltage CT for MRI-only radiotherapy treatment planning using a 3D deep convolutional neural network. <i>Medical Physics</i> , 2022, 49, 6622-6634.	1.6	3
738	Prediction of proton beam range in phantom with metals based on monochromatic energy CT images. <i>Journal of Radiation Research</i> , 0, , .	0.8	0
739	Classical and Learned MR to Pseudo-CT Mappings for Accurate Transcranial Ultrasound Simulation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2022, 69, 2896-2905.	1.7	8
740	Combined proton radiography and irradiation for high-precision preclinical studies in small animals. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	5
741	Validation of a deep learning-based material estimation model for Monte Carlo dose calculation in proton therapy. <i>Physics in Medicine and Biology</i> , 2022, 67, 215004.	1.6	10
742	Binary acoustic metasurfaces for dynamic focusing of transcranial ultrasound. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	6
743	ProTheRaMon—a GATE simulation framework for proton therapy range monitoring using PET imaging. <i>Physics in Medicine and Biology</i> , 2022, 67, 224002.	1.6	7

#	ARTICLE	IF	CITATIONS
744	Assessment of quantitative information for radiation therapy at a first-generation clinical photon-counting computed tomography scanner. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	2
745	Extension of the open-source TIGRE toolbox for proton imaging. <i>Zeitschrift Fur Medizinische Physik</i> , 2023, 33, 552-566.	0.6	1
746	A component method to delineate surgical spine implants for proton Monte Carlo dose calculation. <i>Journal of Applied Clinical Medical Physics</i> , 2023, 24, .	0.8	3
747	Stoppingâ€power ratio estimation for proton radiotherapy using dualâ€energy computed tomography and priorâ€image constrained denoising. <i>Medical Physics</i> , 2023, 50, 1481-1495.	1.6	2
748	Characterization of the Targeting Accuracy of a Neuronavigation-Guided Transcranial FUS System In Vitro, In Vivo, and In Silico. <i>IEEE Transactions on Biomedical Engineering</i> , 2023, 70, 1528-1538.	2.5	6
749	Improvement of proton beam range uncertainty in breast treatment using tissue samples. <i>Physics in Medicine and Biology</i> , 2022, 67, 245006.	1.6	1
750	Proton Therapy. , 2022, , 53-62.		0
751	Design and Holographic Field Reconstruction of Ultrasonic Lenses for Drug Delivery in non-Human Primates. , 2022, , .		0
752	Improving the Accuracy of the Effective Atomic Number (EAN) and Relative Electron Density (RED) with Stoichiometric Calibration on PCD-CT Images. <i>Sensors</i> , 2022, 22, 9220.	2.1	0
753	Investigation on Accuracy of Stopping Power Ratio Prediction Based on Spectral CT. <i>Journal of Medical and Biological Engineering</i> , 2022, 42, 845-852.	1.0	0
754	Feasibility study of block-matching and 3D filtering denoising algorithm in multi-material decomposition technique for dual-energy computed tomography. <i>Journal of the Korean Physical Society</i> , 0, , .	0.3	0
755	Dual- and multi-energy CT for particle stopping-power estimation: current state, challenges and potential. <i>Physics in Medicine and Biology</i> , 2023, 68, 04TR01.	1.6	7
756	The automated measurement of CT number linearity using an ACR accreditation phantom. <i>Biomedical Physics and Engineering Express</i> , 2023, 9, 017002.	0.6	2
757	GPU accelerated Monte Carlo scoring of positron emitting isotopes produced during proton therapy for PET verification. <i>Physics in Medicine and Biology</i> , 2022, 67, 244001.	1.6	3
758	Feasibility study of using triple-energy CT images for improving stopping power estimation. <i>Nuclear Engineering and Technology</i> , 2023, 55, 1342-1349.	1.1	0
760	Evaluation of treatment planning system accuracy in estimating the stoppingâ€power ratio of immobilization devices for proton therapy. <i>Journal of Applied Clinical Medical Physics</i> , 2023, 24, .	0.8	2
761	A comparative study of machine-learning approaches in proton radiography using energy-resolved dose function. <i>Physica Medica</i> , 2023, 106, 102525.	0.4	1
762	An evaluation of the use of DirectSPR images for proton planning in the RayStation treatment planning software. <i>Journal of Applied Clinical Medical Physics</i> , 2023, 24, .	0.8	5

#	ARTICLE	IF	CITATIONS
763	Recent Advancements of Artificial Intelligence in Particle Therapy. IEEE Transactions on Radiation and Plasma Medical Sciences, 2023, 7, 213-224.	2.7	1
765	Computed tomography and radioactive <sup>32</sup> P detected phosphorus impairment in metabolism, reduced bones density and animal performance caused by mixed infection of Haemonchus contortus and Trichostrongylus colubriformis in sheep. Veterinary Parasitology, 2023, 315, 109887.	0.7	4
766	Development of optimised tissue-equivalent materials for proton therapy. Physics in Medicine and Biology, 2023, 68, 075009.	1.6	2
767	Developing improved mathematical models of aortic mechanics. Journal of Thoracic and Cardiovascular Surgery, 2023, , .	0.4	0
768	Computed Tomography Analysis of the Manufacture of Cast Head-Bust Figurines by Patricia Pat™ Elvins (1922–2011). Heritage, 2023, 6, 2268-2291.	0.9	0
769	Percutaneous Ablation, Osteoplasty, Reinforcement, and Internal Fixation for Pain and Ambulatory Function in Periacetabular Osteolytic Malignancies. Radiology, 0, , .	3.6	1
770	Proton Therapy for Head and Neck Cancer. , 2023, , 95-121.		0
771	Proton versus photon radiation therapy: A clinical review. Frontiers in Oncology, 0, 13, .	1.3	8
772	Experimental comparison of relative stopping power evaluation between proton CT and x-ray CT for pre-clinical proton irradiation studies of small animals. Physics in Medicine and Biology, 0, , .	1.6	0
773	Error on the stopping power ratio of ERKODENT's mouthpiece for head and neck carbon ion radiotherapy treatment. Journal of Applied Clinical Medical Physics, 0, , .	0.8	1
774	Consensus guide on CT-based prediction of stopping-power ratio using a Hounsfield look-up table for proton therapy. Radiotherapy and Oncology, 2023, 184, 109675.	0.3	8
775	Tissue-specific range uncertainty estimation in proton therapy. Physics and Imaging in Radiation Oncology, 2023, 26, 100441.	1.2	1
780	Treatment planning. , 2023, , 163-178.		0
785	Creation, evolution, and future challenges of ion beam therapy from a medical physicist's viewpoint (Part 2). Chapter 2. Biophysical model, treatment planning system and image guided radiotherapy. Radiological Physics and Technology, 2023, 16, 137-159.	1.0	2
792	Treatment planning and doses analysis in the case of stage IIIB Non-Small Cell Lung Cancer (NSCLC). AIP Conference Proceedings, 2023, , .	0.3	0
793	Evaluation of radiotherapy planning based on the value of target doses on tissues in the treatment of lung cancer stage II using 3D Slicer-SliceRT. AIP Conference Proceedings, 2023, , .	0.3	0
802	Research on proton radiography denoising based on deep learning. , 2023, , .		0
807	First In-vivo Demonstration of Hologram-assisted Bilateral Blood-Brain Barrier Opening in Non-Human-Primates. , 2023, , .		0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------