

A Framework for Biological Criteria for Florida Streams Macroinvertebrates

Journal of the North American Benthological Society
15, 185-211

DOI: [10.2307/1467948](https://doi.org/10.2307/1467948)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Rapid assessment procedures: Radical re-invention or just sloppy science?. Human and Ecological Risk Assessment (HERA), 1997, 3, 1005-1016.	3.4	16
2	Effective and scientifically sound bioassessment: Opinions and corroboration from academe. Human and Ecological Risk Assessment (HERA), 1997, 3, 941-954.	3.4	10
3	A multivariate method for determining optimal subsample size in the analysis of macroinvertebrate samples. Marine and Freshwater Research, 1997, 48, 241.	1.3	39
4	Maryland Biological Stream Survey: Development of a Fish Index of Biotic Integrity. Environmental Monitoring and Assessment, 1998, 51, 89-106.	2.7	50
6	Ecological effects of sediment-associated contaminants in Inner Burlington Harbor, Lake Champlain. Water Science and Application, 1999, , 261-276.	0.3	0
7	Large-scale assessments of river health using an Index of Biotic Integrity with low-diversity fish communities. Freshwater Biology, 1999, 41, 235-252.	2.4	130
8	Predicting diatom communities at the genus level for the rapid biological assessment of rivers. Freshwater Biology, 1999, 41, 317-331.	2.4	147
9	Species traits for future biomonitoring across ecoregions: patterns along a human-impacted river. Freshwater Biology, 1999, 42, 737-758.	2.4	225
10	Development of a preliminary invertebrate index of biotic integrity for Lake Huron coastal wetlands. Wetlands, 1999, 19, 869-882.	1.5	101
11	Determination of the sensitivity of macroinvertebrates in stream mesocosms through field-derived assessments. Environmental Toxicology and Chemistry, 1999, 18, 2903-2907.	4.3	17
12	Hexazinone dissipation in forest ecosystems and impacts on aquatic communities. Canadian Journal of Forest Research, 1999, 29, 1170-1181.	1.7	22
13	Field assessments in conjunction with whole effluent toxicity testing. Environmental Toxicology and Chemistry, 2000, 19, 14-24.	4.3	40
14	The effect of fixed-count subsampling on macroinvertebrate biomonitoring in small streams. Freshwater Biology, 2000, 44, 355-371.	2.4	65
15	Integrated ecological assessment methods as a basis for sustainable catchment management. Hydrobiologia, 2000, 422/423, 389-412.	2.0	72
16	Monitoring river health. Hydrobiologia, 2000, 435, 5-17.	2.0	125
17	Title is missing!. Wetlands Ecology and Management, 2000, 8, 243-256.	1.5	22
18	Correspondence between stream macroinvertebrate assemblages and 4 ecoregions of the southeastern USA. Journal of the North American Benthological Society, 2000, 19, 442-461.	3.1	61
19	Regional Frameworks and Candidate Metrics for Assessing Biotic Integrity in Mid-Atlantic Highland Streams. Transactions of the American Fisheries Society, 2000, 129, 962-981.	1.4	62

#	ARTICLE	IF	CITATIONS
20	HEAVY METALS STRUCTURE BENTHIC COMMUNITIES IN COLORADO MOUNTAIN STREAMS. , 2000, 10, 626-638.		326
21	Biomonitoring through biological traits of benthic macroinvertebrates: how to use species trait databases?. , 2000, , 153-162.		39
22	Evaluation of the use of landscape classifications for the prediction of freshwater biota: synthesis and recommendations. Journal of the North American Benthological Society, 2000, 19, 541-556.	3.1	235
23	Apples, oranges, and ecoregions: on determining pattern in aquatic assemblages. Journal of the North American Benthological Society, 2000, 19, 487-496.	3.1	60
24	A Comparison of Macroinvertebrates of Two Great Lakes Coastal Wetlands: Testing Potential Metrics for an Index of Ecological Integrity. Journal of Great Lakes Research, 2000, 26, 460-481.	1.9	61
25	Influence of taxonomic determination level on several community indices. Water Research, 2000, 34, 487-492.	11.3	64
26	Classification strengths of ecoregions, catchments, and geographic clusters for aquatic vertebrates in Oregon. Journal of the North American Benthological Society, 2000, 19, 370-384.	3.1	146
27	Distributions of freshwater fishes in ecoregions and hydroregions of Alaska. Journal of the North American Benthological Society, 2000, 19, 405-418.	3.1	31
28	DEVELOPMENT AND EVALUATION OF PREDICTIVE MODELS FOR MEASURING THE BIOLOGICAL INTEGRITY OF STREAMS. , 2000, 10, 1456-1477.		348
29	Assessment framework for mid-Atlantic coastal plain streams using benthic macroinvertebrates. Journal of the North American Benthological Society, 2000, 19, 128-144.	3.1	105
30	Comparison of models predicting invertebrate assemblages for biomonitoring in the Fraser River catchment, British Columbia. Canadian Journal of Fisheries and Aquatic Sciences, 2001, 58, 1395-1410.	1.4	106
31	Using stream bioassessment to monitor best management practice effectiveness. Forest Ecology and Management, 2001, 143, 237-244.	3.2	38
32	ANALYSIS OF MACROINVERTEBRATE ASSEMBLAGES IN RELATION TO ENVIRONMENTAL GRADIENTS IN ROCKY MOUNTAIN STREAMS. , 2001, 11, 489-505.		48
33	Development of Macroinvertebrate-Based Index for Bioassessment of Idaho Rivers. Environmental Management, 2001, 27, 627-636.	2.7	30
34	A stream visual assessment protocol (SVAP) for riparian landowners. Environmental Monitoring and Assessment, 2001, 68, 99-125.	2.7	40
35	Title is missing!. Hydrobiologia, 2001, 8, 407-419.	0.9	13
36	Comment: Vertical Migration of Bloaters. Transactions of the American Fisheries Society, 2001, 130, 166-167.	1.4	4
37	Test of an Index of Biotic Integrity: Response to Comment. Transactions of the American Fisheries Society, 2001, 130, 172-173.	1.4	0

#	ARTICLE	IF	CITATIONS
38	Vertical Migration of Bloaters: Response to Comment. Transactions of the American Fisheries Society, 2001, 130, 167-169.	1.4	4
39	Comment: Test of an Index of Biotic Integrity. Transactions of the American Fisheries Society, 2001, 130, 169-172.	1.4	5
40	PERSPECTIVES ON USE OF A MULTIMETRIC LAKE BIOASSESSMENT INTEGRITY INDEX USING BENTHIC MACROINVERTEBRATES. Northeastern Naturalist, 2001, 8, 233-246.	0.3	26
41	Perspectives on Use of a Multimetric Lake Bioassessment Integrity Index Using Benthic Macroinvertebrates. Northeastern Naturalist, 2001, 8, 233.	0.3	6
42	Response of the Cache Creek macroinvertebrates during the first 10 years following disturbance by the 1988 Yellowstone wildfires. Canadian Journal of Fisheries and Aquatic Sciences, 2001, 58, 1077-1088.	1.4	59
43	Developing an Index of Biotic Integrity for Streams and Wadeable Rivers in Mississippi. Proceedings of the Water Environment Federation, 2002, 2002, 811-830.	0.0	0
44	Volunteer Biological Monitoring: Can It Accurately Assess the Ecological Condition of Streams?. American Entomologist, 2002, 48, 164-177.	0.2	103
45	Development and application of a macroinvertebrate functional-group approach in the bioassessment of remnant river oxbows in southwest Florida. Journal of the North American Benthological Society, 2002, 21, 290-310.	3.1	110
46	Macroinvertebrate-based index of biotic integrity for protection of streams in west-central Mexico. Journal of the North American Benthological Society, 2002, 21, 686-700.	3.1	62
47	A multi-agency comparison of aquatic macroinvertebrate-based stream bioassessment methodologies. Ecological Indicators, 2002, 1, 279-292.	6.3	33
48	Assessing Metal Mine Effects using Benthic Invertebrates for Canada's Environmental Effects Program. Water Quality Research Journal of Canada, 2002, 37, 251-278.	2.7	15
49	Use of physical, chemical, and biological indices to assess impacts of contaminants and physical habitat alteration in urban streams. Environmental Toxicology and Chemistry, 2002, 21, 1156-1167.	4.3	30
50	An estuarine benthic index of biotic integrity for the Mid-Atlantic region of the United States. II. Index development. Estuaries and Coasts, 2002, 25, 1231-1242.	1.7	59
51	Longitudinal changes in macroinvertebrate assemblages in the Meuse River: anthropogenic effects versus natural change. River Research and Applications, 2002, 18, 197-211.	1.7	59
52	Rapid assessment of rivers using macroinvertebrates: the role of experience, and comparisons with quantitative methods. Hydrobiologia, 2003, 510, 39-52.	2.0	64
53	Integrating Bioassessment and Ecological Risk Assessment: An Approach to Developing Numerical Water-Quality Criteria. Environmental Management, 2003, 31, 795-809.	2.7	136
54	Development and Evaluation of a Macroinvertebrate Biotic Integrity Index (MBII) for Regionally Assessing Mid-Atlantic Highlands Streams. Environmental Management, 2003, 31, 656-669.	2.7	176
55	A Performance Comparison of Metric Scoring Methods for a Multimetric Index for Mid-Atlantic Highlands Streams. Environmental Management, 2003, 31, 670-682.	2.7	96

#	ARTICLE	IF	CITATIONS
56	Relative influence of variables at multiple spatial scales on stream macroinvertebrates in the Northern Lakes and Forest ecoregion, U.S.A.. <i>Freshwater Biology</i> , 2003, 48, 1440-1461.	2.4	93
57	Combining biological indicators of watershed condition from multiple sampling programs—a case study from Maryland, USA. <i>Ecological Indicators</i> , 2003, 3, 13-25.	6.3	6
58	Natural and anthropogenic factors affecting the structure of the benthic macroinvertebrate community in an effluent-dominated reach of the Santa Cruz River, AZ. <i>Ecological Indicators</i> , 2003, 3, 93-117.	6.3	52
59	Sensitivity of aquatic insect species richness to disturbance in the Adour-Garonne stream system (France). <i>Ecological Indicators</i> , 2003, 3, 135-142.	6.3	60
60	A Benthic Community Index for streams in the Northern Lakes and Forests Ecoregion. <i>Ecological Indicators</i> , 2003, 3, 181-193.	6.3	43
61	Development of Stream Macroinvertebrate Models That Predict Watershed and Local Stressors in Wisconsin. <i>Journal of the North American Benthological Society</i> , 2003, 22, 123-142.	3.1	43
62	Chapter 23 USEPA biomonitoring and bioindicator concepts needed to evaluate the biological integrity of aquatic systems. <i>Trace Metals and Other Contaminants in the Environment</i> , 2003, 6, 831-874.	0.1	12
63	The Development and Application of Multimetric Indices for the Assessment of Impacts to Fish Assemblages in Large Rivers: A Review of Current Science and Applications. <i>Canadian Water Resources Journal</i> , 2003, 28, 301-328.	1.2	12
65	IS AUSTROPOTAMOBIVUS PALLIPES A GOOD BIOINDICATOR?*. <i>Knowledge and Management of Aquatic Ecosystems: an International Journal on Aquatic Ecosystems</i> , 2003, , 157-163.	0.4	50
66	Macroinvertebrate Biomonitoring in Intermittent Coastal Plain Streams Impacted by Animal Agriculture. <i>Journal of Environmental Quality</i> , 2003, 32, 1036-1043.	2.0	46
68	“Electronic Subsampling”™ of Macrobenthic Samples: How Many Individuals are Needed for a Valid Assessment Result?. , 2004, , 299-312.		7
69	The AQEM Multimetric System for the Southern Italian Apennines: Assessing the Impact of Water Quality and Habitat Degradation on Pool Macroinvertebrates in Mediterranean Rivers. , 2004, , 313-329.		24
70	DEVELOPMENT OF AN INVERTEBRATE COMMUNITY INDEX FOR AN ALABAMA COASTAL PLAIN WATERSHED. <i>Journal of the American Water Resources Association</i> , 2004, 40, 43-51.	2.4	16
71	A biological assessment of best management practice effectiveness during intensive silviculture and forest chemical application. <i>Water, Air and Soil Pollution</i> , 2004, 4, 297-307.	0.8	18
72	Using Fish Communities to Assess Streams in Romania: Initial Development of an Index of Biotic Integrity*. <i>Hydrobiologia</i> , 2004, 511, 65-78.	2.0	49
73	Towards a multimetric index for the assessment of Dutch streams using benthic macroinvertebrates. <i>Hydrobiologia</i> , 2004, 516, 173-189.	2.0	92
74	Seasonal changes in the distribution and abundance of benthic invertebrates in six headwater streams in central Florida. <i>Hydrobiologia</i> , 2004, 522, 99-115.	2.0	29
75	Variability of Lotic Macroinvertebrate Assemblages and Stream Habitat Characteristics Across Hierarchical Landscape Classifications. <i>Environmental Management</i> , 2004, 34, 341-352.	2.7	47

#	ARTICLE	IF	CITATIONS
76	Improving Expert Panel Assessments through the use of a Composite River Condition Index?the case of the rivers affected by the Snowy Mountains hydro-electric scheme, Australia. River Research and Applications, 2004, 20, 733-750.	1.7	9
77	Validation and performance of an invertebrate index of biotic integrity for Lakes Huron and Michigan fringing wetlands during a period of lake level decline. Aquatic Ecosystem Health and Management, 2004, 7, 269-288.	0.6	68
78	Assessment of Temporary Streams: The Robustness of Metric and Multimetric Indices under Different Hydrological Conditions. , 2004, , 229-249.		22
79	Mesoscale spatial variability of selected aquatic invertebrate community metrics from a minimally impaired stream segment. Journal of the North American Benthological Society, 2004, 23, 616-633.	3.1	11
80	Assessing streams in Germany with benthic invertebrates: Development of a multimetric invertebrate based assessment system. Limnologica, 2004, 34, 416-432.	1.5	100
81	Simulating biological impairment to evaluate the accuracy of ecological indicators. Journal of Applied Ecology, 2005, 42, 954-965.	4.0	48
82	Assessing cause and effect of multiple stressors on marine systems. Marine Pollution Bulletin, 2005, 51, 649-657.	5.0	191
83	A biologically relevant habitat condition index for streams in northern Portugal. Aquatic Conservation: Marine and Freshwater Ecosystems, 2005, 15, 189-210.	2.0	22
84	Environmental impacts of surface mining on mined lands, affected streams and agricultural lands in the Dabaoshan Mine region, southern China. Land Degradation and Development, 2005, 16, 463-474.	3.9	61
85	A Quantitative Tool for Assessing the Integrity of Southern Coastal California Streams. Environmental Management, 2005, 35, 493-504.	2.7	90
86	Macroinvertebrate response to land cover, habitat, and water chemistry in a mining-impacted river ecosystem: A GIS watershed analysis. Aquatic Sciences, 2005, 67, 403-423.	1.5	33
87	Stream invertebrate community functional responses to deposited sediment. Aquatic Sciences, 2005, 67, 395-402.	1.5	167
88	Benthic macroinvertebrates for uses in stream biomonitoring and restoration. KSCE Journal of Civil Engineering, 2005, 9, 55-63.	1.9	31
89	LANDSCAPE DEVELOPMENT INTENSITY INDEX. Environmental Monitoring and Assessment, 2005, 101, 289-309.	2.7	260
90	Use of Florida's Biological and Habitat Assessment Procedures to Evaluate Sediment Impacts. , 2005, , .		0
91	THE AGGREGATION OF IMPACTS: USING SPECIES-SPECIFIC EFFECTS TO INFER COMMUNITY-LEVEL DISTURBANCES. , 2005, 15, 599-617.		18
92	Use of GIS and remotely sensed data for a priori identification of reference areas for Great Lakes coastal ecosystems. International Journal of Remote Sensing, 2005, 26, 5325-5342.	2.9	27
93	ASSESSING AND MONITORING ECOLOGICAL COMMUNITY HEALTH IN MARINE SYSTEMS. , 2005, 15, 942-953.		80

#	ARTICLE	IF	CITATIONS
94	Development and evaluation of a diatom-based Index of Biotic Integrity for the Interior Plateau Ecoregion, USA. <i>Journal of the North American Benthological Society</i> , 2005, 24, 990-1008.	3.1	118
95	Comparative application of indices of biotic integrity based on periphyton, macroinvertebrates, and fish to southern Rocky Mountain streams. <i>Ecological Indicators</i> , 2005, 5, 117-136.	6.3	116
96	Alternative approach for establishing acceptable thresholds on macroinvertebrate community metrics. <i>Journal of the North American Benthological Society</i> , 2005, 24, 428-440.	3.1	16
97	MODIFYING DAM OPERATIONS TO RESTORE RIVERS: ECOLOGICAL RESPONSES TO TENNESSEE RIVER DAM MITIGATION. , 2005, 15, 997-1008.		116
98	Macrophytes in Aquatic Ecosystems: From Biology to Management. , 2006, , .		3
100	Tools for assessing European streams with macroinvertebrates: major results and conclusions from the STAR project. , 2006, , 299-309.		3
101	Towards the development of a macroinvertebrate sampling technique for palustrine wetlands in South Africa: a pilot investigation in the KwaZuluNatal midlands. <i>African Journal of Aquatic Science</i> , 2006, 31, 15-23.	1.1	4
102	Macroinvertebrate distribution in relation to land use and water chemistry in New York City drinking-water-supply watersheds. <i>Journal of the North American Benthological Society</i> , 2006, 25, 954-976.	3.1	59
103	Beyond Biological Monitoring: An Integrated Approach. <i>Water Quality Measurements Series</i> , 2006, , 435-459.	0.1	0
104	Characterization of benthic macroinvertebrate communities in a restored stream by using self-organizing map. <i>Ecological Informatics</i> , 2006, 1, 295-305.	5.2	20
105	Diatom reference communities in QuÃ©bec (Canada) streams based on Kohonen self-organizing maps and multivariate analyses. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2006, 63, 2087-2106.	1.4	37
106	Anthropogenic impacts on the distribution and biodiversity of benthic macroinvertebrates and water quality of the Langat River, Peninsular Malaysia. <i>Ecotoxicology and Environmental Safety</i> , 2006, 64, 337-347.	6.0	194
107	Evaluation of single- and multi-metric benthic macroinvertebrate indicators of catchment disturbance over time at the Fort Benning Military Installation, Georgia, USA. <i>Ecological Indicators</i> , 2006, 6, 469-484.	6.3	36
108	Data synthesis and bioindicator development for nontidal streams in the interstate Potomac River basin, USA. <i>Ecological Indicators</i> , 2006, 6, 664-685.	6.3	18
109	Stream Buffer Effectiveness in an Agriculturally Influenced Area, Southwestern Georgia. <i>Journal of Environmental Quality</i> , 2006, 35, 1924-1938.	2.0	65
110	Biomonitoring in the Boulder River Watershed, Montana, USA: Metal Concentrations in Biofilm and Macroinvertebrates, and Relations with Macroinvertebrate Assemblage. <i>Environmental Monitoring and Assessment</i> , 2006, 115, 381-393.	2.7	30
111	Accurately Defining the Reference Condition for Summary Biotic Metrics: A Comparison of Four Approaches. <i>Hydrobiologia</i> , 2006, 572, 151-170.	2.0	34
112	Influence of macroinvertebrate sample size on bioassessment of streams. <i>Hydrobiologia</i> , 2006, 566, 523-542.	2.0	44

#	ARTICLE	IF	CITATIONS
113	Tools for assessing European streams with macroinvertebrates: major results and conclusions from the STAR project. <i>Hydrobiologia</i> , 2006, 566, 299-309.	2.0	18
114	Comparison of different biological indices for the assessment of river quality: application to the upper river Moselle (France). <i>Hydrobiologia</i> , 2006, 570, 159-164.	2.0	18
115	River condition assessment may depend on the sub-sampling method: field live-sort versus laboratory sub-sampling of invertebrates for bioassessment. <i>Hydrobiologia</i> , 2006, 572, 195-213.	2.0	22
116	Influence of macroinvertebrate sample size on bioassessment of streams. , 2006, , 523-542.		7
117	Temporal Variation in Ohio River Macroinvertebrates: A Historical Comparison of Rock Basket Sampling (1965–1971 and 2002). <i>Journal of Freshwater Ecology</i> , 2006, 21, 561-574.	1.2	5
118	Improving biological indicators to better assess the condition of streams. <i>Ecological Indicators</i> , 2007, 7, 751-767.	6.3	47
119	Comparisons of targeted-riffle and reach-wide benthic macroinvertebrate samples: implications for data sharing in stream-condition assessments. <i>Journal of the North American Benthological Society</i> , 2007, 26, 332-348.	3.1	37
120	Sewage input effects on the macroinvertebrate community associated to <i>Typha domingensis</i> Pers in a coastal lagoon in southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2007, 67, 73-80.	0.9	15
121	A simple procedure to harmonize class boundaries of assessment systems at the pan-European scale. <i>Environmental Science and Policy</i> , 2007, 10, 709-724.	4.9	44
122	First steps in developing a multimetric macroinvertebrate index for the Ohio River. <i>River Research and Applications</i> , 2007, 23, 683-697.	1.7	30
123	Self-organizing mapping of benthic macroinvertebrate communities implemented to community assessment and water quality evaluation. <i>Ecological Modelling</i> , 2007, 203, 18-25.	2.5	32
124	Applying a stochastic-dynamic methodology (StDM) to facilitate ecological monitoring of running waters, using selected trophic and taxonomic metrics as state variables. <i>Ecological Modelling</i> , 2007, 207, 109-127.	2.5	21
125	Effects of subsample size on seasonal and spatial comparisons of stream macroinvertebrate communities. <i>Environmental Monitoring and Assessment</i> , 2007, 135, 409-422.	2.7	6
126	A multimetric index based on benthic macroinvertebrates for evaluation of Atlantic Forest streams at Rio de Janeiro State, Brazil. <i>Hydrobiologia</i> , 2007, 575, 83-94.	2.0	143
127	Initial development of a multi-metric index based on aquatic macroinvertebrates to assess streams condition in the Upper Isiboro-S�cure Basin, Bolivian Amazon. <i>Hydrobiologia</i> , 2007, 589, 107-116.	2.0	51
128	Assessing Urban Impacts on Water Quality, Benthic Communities and Fish in Streams of the Andes Mountains, Patagonia (Argentina). <i>Water, Air, and Soil Pollution</i> , 2008, 194, 91-110.	2.4	76
129	Integrating probabilistic and targeted compliance monitoring for comprehensive watershed assessment. <i>Environmental Monitoring and Assessment</i> , 2008, 144, 117-129.	2.7	6
130	Developing a multimetric index of ecological integrity based on macroinvertebrates of mountain ponds in central Italy. <i>Hydrobiologia</i> , 2008, 597, 109-123.	2.0	57

#	ARTICLE	IF	CITATIONS
131	Land use, habitat integrity, and aquatic insect assemblages in Central Amazonian streams. <i>Hydrobiologia</i> , 2008, 614, 117.	2.0	213
132	Assessment of Potential Aquatic Herbicide Impacts to California Aquatic Ecosystems. <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 55, 415-431.	4.1	42
133	Fuzzy synthetic evaluation of water quality of Naoli River using parameter correlation analysis. <i>Chinese Geographical Science</i> , 2008, 18, 361-368.	3.0	17
134	Field and laboratory performance characteristics of a new protocol for sampling riverine macroinvertebrate assemblages. <i>River Research and Applications</i> , 2008, 24, 373-387.	1.7	9
135	Organic matter breakdown and ecosystem metabolism: functional indicators for assessing river ecosystem health. <i>Journal of the North American Benthological Society</i> , 2008, 27, 605-625.	3.1	353
136	Riparian Butterfly (Papilionoidea and Hesperioidea) Assemblages Associated with Tamarix-Dominated, Native Vegetation-Dominated, and Tamarix Removal Sites along the Arkansas River, Colorado, U.S.A.. <i>Restoration Ecology</i> , 2008, 16, 168-179.	2.9	21
137	Selection of benthic macroinvertebrate-based multimetrics and preliminary establishment of biocriteria for the bioassessment of the water quality of Taihu Lake, China. <i>Acta Ecologica Sinica</i> , 2008, 28, 1192-1200.	1.9	21
138	Landuse legacies and small streams: identifying relationships between historical land use and contemporary stream conditions. <i>Journal of the North American Benthological Society</i> , 2008, 27, 280-294.	3.1	59
139	Back-pumping of agricultural runoff into a large shallow lake and concurrent changes in the macroinvertebrate assemblage. <i>Water Research</i> , 2008, 42, 1489-1500.	11.3	6
140	Keeping it simple: Benefits of targeting riffle-pool macroinvertebrate communities over multi-substratum sampling protocols in the preparation of a new European biotic index. <i>Ecological Indicators</i> , 2008, 8, 555-563.	6.3	5
141	A preliminary assessment of the impact of forest conversion from natural to pine plantation on macroinvertebrate communities in two mountain streams in Zimbabwe. <i>African Journal of Aquatic Science</i> , 2008, 33, 115-124.	1.1	5
142	Influence of anthropogenic factors on microhabitats inhabited by riverine hydrobionts - assessment with MRT method. <i>Ecological Questions</i> , 2008, 10, .	0.3	0
143	Chironomidae assemblage structure in relation to organic enrichment of an aquatic environment. <i>Neotropical Entomology</i> , 2009, 38, 464-471.	1.2	18
144	Influência da atividade antrópica sobre a fauna de macroinvertebrados aquáticos em riachos de uma região de cerrado do sudoeste do Estado de São Paulo. <i>Iheringia - Serie Zoologia</i> , 2009, 99, 36-43.	0.5	19
145	The Influence of Physical Habitat, Pyrethroids, and Metals on Benthic Community Condition in an Urban and Residential Stream in California. <i>Human and Ecological Risk Assessment (HERA)</i> , 2009, 15, 526-553.	3.4	22
146	Integrated assessment of river health based on water quality, aquatic life and physical habitat. <i>Journal of Environmental Sciences</i> , 2009, 21, 1017-1027.	6.1	67
147	Impact of agricultural land use on aquatic insect assemblages in the Garonne river catchment (SW) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.5	49
148	Development of rapid bioassessment approaches using benthic macroinvertebrates for Thai streams. <i>Environmental Monitoring and Assessment</i> , 2009, 155, 129-147.	2.7	32

#	ARTICLE	IF	CITATIONS
149	Benthic macroinvertebrates as indicators of biological condition below hydropower dams on west slope Sierra Nevada streams, California, USA. <i>River Research and Applications</i> , 2009, 25, 208-228.	1.7	46
150	Development and Use of a Sedimentation Risk Index for Unpaved Road-Stream Crossings in the Choctawhatchee Watershed. <i>Journal of the American Water Resources Association</i> , 2009, 45, 734-747.	2.4	8
151	Development of a regional macroinvertebrate index for large river bioassessment. <i>Ecological Indicators</i> , 2009, 9, 313-328.	6.3	60
152	Benthic diatom composition in isolated forested wetlands subject to drying: Implications for monitoring and assessment. <i>Ecological Indicators</i> , 2009, 9, 1121-1128.	6.3	11
153	Determining degradation and restoration of benthic conditions for Great Lakes Areas of Concern. <i>Journal of Great Lakes Research</i> , 2009, 35, 36-44.	1.9	16
154	A review of research on the development of lake indices of biotic integrity. <i>Environmental Reviews</i> , 2009, 17, 21-44.	4.5	62
155	Biological assessments of streams that have been adversely impacted by sediment runoff in Idaho, USA. <i>Annals of Warsaw University of Life Sciences, Land Reclamation</i> , 2010, 42, 31-37.	0.2	0
156	Response of benthic macroinvertebrate communities to highway construction in an Appalachian watershed. <i>Hydrobiologia</i> , 2010, 641, 115-131.	2.0	15
157	Assessing river ecological quality using benthic macroinvertebrates in the Hindu Kush-Himalayan region. <i>Hydrobiologia</i> , 2010, 651, 59-76.	2.0	17
158	Current and substrate preferences of benthic invertebrates in the rivers of the Hindu Kush-Himalayan region as indicators of hydromorphological degradation. <i>Hydrobiologia</i> , 2010, 651, 77-91.	2.0	11
159	Using dual classifications in the development of avian wetland indices of biological integrity for wetlands in West Virginia, USA. <i>Environmental Monitoring and Assessment</i> , 2010, 164, 533-548.	2.7	14
160	Evaluating macroinvertebrate biological metrics for ecological assessment of streams in northern Portugal. <i>Environmental Monitoring and Assessment</i> , 2010, 166, 201-221.	2.7	15
161	Using two classification schemes to develop vegetation indices of biological integrity for wetlands in West Virginia, USA. <i>Environmental Monitoring and Assessment</i> , 2010, 170, 555-569.	2.7	8
162	A preliminary macroinvertebrate Index of Biotic Integrity for bioassessment of the Kipkaren and Sosiani Rivers, Nzoia River basin, Kenya. <i>Lakes and Reservoirs: Research and Management</i> , 2010, 15, 119-128.	0.9	30
163	Urbanization Effects on Watershed Hydrology and In-Stream Processes in the Southern United States. <i>Water (Switzerland)</i> , 2010, 2, 605-648.	2.7	314
164	Diversity of macrobenthos in lowland streams: ecological determinants and taxonomic specificity. <i>Journal of Limnology</i> , 2010, 69, 88.	1.1	27
165	Chemical and biological monitoring in ephemeral and intermittent streams: a study of two transboundary Palestinian-Israeli watersheds. <i>International Journal of River Basin Management</i> , 2010, 8, 185-205.	2.7	17
166	Temporal variation of invertebrate communities in perennial wetlands. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2010, 44, 229-246.	2.0	5

#	ARTICLE	IF	CITATIONS
167	Preliminary Assessment of Freshwater Crayfish as Environmental Indicators of Human Impacts in Canyons of the Blue Mountains, Australia. <i>Journal of Crustacean Biology</i> , 2010, 30, 770-777.	0.8	6
168	The reference condition: predicting benchmarks for ecological and water-quality assessments. <i>Journal of the North American Benthological Society</i> , 2010, 29, 312-343.	3.1	252
169	Correlated Metrics Yield Multimetric Indices with Inferior Performance. <i>Transactions of the American Fisheries Society</i> , 2010, 139, 1802-1817.	1.4	29
170	Responses of freshwater biota to human disturbances: contribution of <i>J-NABS</i> to developments in ecological integrity assessments. <i>Journal of the North American Benthological Society</i> , 2010, 29, 286-311.	3.1	112
171	Ecological assessment of highly heterogeneous systems: The importance of taxonomic sufficiency. <i>Limnologica</i> , 2010, 40, 208-214.	1.5	10
172	Assessment of regulated rivers with indices based on macroinvertebrates, fish and riparian forest in the southeast of Spain. <i>Ecological Indicators</i> , 2010, 10, 935-942.	6.3	40
173	Biomonitoring and Bioindicators Used for River Ecosystems: Definitions, Approaches and Trends. <i>Procedia Environmental Sciences</i> , 2010, 2, 1510-1524.	1.4	202
174	Which index is the best to assess stream health?. <i>Ecological Indicators</i> , 2011, 11, 582-589.	6.3	67
175	The CIEPT: A macroinvertebrate-based multimetric index for assessing the ecological quality of Swiss lowland ponds. <i>Ecological Indicators</i> , 2011, 11, 590-600.	6.3	43
176	Effects of taxonomic group, spatial scale and descriptor on the relationship between human activity and stream biota. <i>Ecological Indicators</i> , 2011, 11, 759-771.	6.3	17
177	Macroinvertebrate-based multimetric predictive models for evaluating the human impact on biotic condition of Bolivian streams. <i>Ecological Indicators</i> , 2011, 11, 840-847.	6.3	122
178	Forest proportion as indicator of ecological integrity in streams using Plecoptera as a proxy. <i>Ecological Indicators</i> , 2011, 11, 1366-1374.	6.3	18
179	Towards rapid bioassessment of Wadeable streams in Brazil: Development of the Guapiaçu-Macau Multimetric Index (GMMI) based on benthic macroinvertebrates. <i>Ecological Indicators</i> , 2011, 11, 1584-1593.	6.3	59
180	Effects of fluvial processes and human activities on stream macro-invertebrates. <i>International Journal of Sediment Research</i> , 2011, 26, 416-430.	3.5	18
181	Development of a macroinvertebrate-based Nepal Lake Biotic Index (NLBI): an applied method for assessing the ecological quality of lakes and reservoirs in Nepal. <i>International Journal of Hydrology Science and Technology</i> , 2011, 1, 125.	0.3	10
182	Impact d'un effluent urbain de la ville de Taourirt sur la structure des communautés de macroinvertés de l'oued Za (Maroc oriental). <i>Revue Des Sciences De L'Eau</i> , 0, 24, 87-101.	0.2	9
183	Application of the biotic index IBE-IOC for water quality assessment in Wadeable streams in south-east Brazil. <i>Acta Limnologica Brasiliensia</i> , 2011, 23, 74-85.	0.4	5
184	Freshwater conservation planning: the case for systematic approaches. <i>Freshwater Biology</i> , 2011, 56, 6-20.	2.4	181

#	ARTICLE	IF	CITATIONS
185	The Impact of Hydrological Restoration on Benthic Aquatic Invertebrate Communities in a New Zealand Wetland. <i>Restoration Ecology</i> , 2011, 19, 747-757.	2.9	9
186	Polycyclic aromatic hydrocarbons in surface sediments of the Jialu River. <i>Ecotoxicology</i> , 2011, 20, 940-950.	2.4	34
187	Influence of anthropogenic transformations of river bed on plant and macrozoobenthos communities. <i>Environmental Monitoring and Assessment</i> , 2011, 173, 747-763.	2.7	4
188	Choice of macroinvertebrate metrics to evaluate stream conditions in Atlantic Forest, Brazil. <i>Environmental Monitoring and Assessment</i> , 2011, 175, 87-101.	2.7	48
189	Use of Ephemeroptera as bioindicators of the occurrence of white-clawed crayfish (<i>Austropotamobius pallipes</i>). <i>Hydrobiologia</i> , 2011, 671, 253-258.	2.0	10
190	Are landscape-based wetland condition indices reflected by invertebrate and diatom communities?. <i>Wetlands Ecology and Management</i> , 2011, 19, 73-88.	1.5	8
191	Tissue residue approach for chemical mixtures. <i>Integrated Environmental Assessment and Management</i> , 2011, 7, 99-115.	2.9	28
192	Predictive Models for Freshwater Biological Assessment: Statistical Approaches, Biological Elements and the Iberian Peninsula Experience: A Review. <i>International Review of Hydrobiology</i> , 2011, 96, 321-346.	0.9	27
193	Quantifying regional reference conditions for freshwater ecosystem management: A comparison of approaches and future research needs. <i>Lake and Reservoir Management</i> , 2011, 27, 138-148.	1.3	29
194	Temporal and spatial variability of invertebrate communities in potential reference headwater streams of the Georgia Piedmont. <i>Journal of Freshwater Ecology</i> , 2012, 27, 273-285.	1.2	3
195	Ecological assessment of Cheffa Wetland in the Borkena Valley, northeast Ethiopia: Macroinvertebrate and bird communities. <i>Ecological Indicators</i> , 2012, 15, 63-71.	6.3	40
196	Integration of invertebrate traits into predictive models for indirect assessment of stream functional integrity: A case study in Portugal. <i>Ecological Indicators</i> , 2012, 15, 236-247.	6.3	62
197	A macroinvertebrate multimetric index to evaluate the biological condition of streams in the Central Amazon region of Brazil. <i>Ecological Indicators</i> , 2012, 18, 118-125.	6.3	92
198	A Multimetric Benthic Macroinvertebrate Index for the Assessment of Stream Biotic Integrity in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 3599-3628.	2.6	70
199	Indices of Biological Integrity or the Multi-metric Indices. , 2012, , 249-335.		1
200	Macroinvertebrates communities of a coastal lagoon in southern Benin, West Africa. <i>International Journal of Biological and Chemical Sciences</i> , 2012, 6, .	0.2	7
202	Chironomid faunal composition represented by taxonomic distinctness index reveals environmental change in a lotic system over three decades. <i>Hydrobiologia</i> , 2012, 683, 69-82.	2.0	27
203	A tool to assess the ecological condition of tropical high Andean streams in Ecuador and Peru: The IMEERA index. <i>Ecological Indicators</i> , 2013, 29, 79-92.	6.3	49

#	ARTICLE	IF	CITATIONS
204	Development of a multimetric index based on benthic macroinvertebrates for the assessment of natural wetlands in Southwest Ethiopia. <i>Ecological Indicators</i> , 2013, 29, 510-521.	6.3	128
205	Physico-chemical and biological characterization of anopheline mosquito larval habitats (Diptera: Tj ETQq1 1 0.784314 rgBT JOverloc 2.5 48	2.5	48
206	Comparative assessment of scoring methods to evaluate the conservation value of pond and small lake biodiversity. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2013, 23, 23-36.	2.0	32
207	The influence of connectivity in forest patches, and riparian vegetation width on stream macroinvertebrate fauna. <i>Brazilian Journal of Biology</i> , 2013, 73, 231-238.	0.9	24
208	Development of a benthic multimetric index for the Serra da Bocaina bioregion in Southeast Brazil. <i>Brazilian Journal of Biology</i> , 2013, 73, 573-583.	0.9	20
209	The water quality degradation of upper Awash River, Ethiopia. <i>Ethiopian Journal of Environmental Studies and Management</i> , 2013, 6, .	0.1	16
210	Taxonomic composition and feeding habits of Chironomidae in Cerrado streams (Southeast Brazil): impacts of land use changes. <i>Acta Limnologica Brasiliensia</i> , 2014, 26, 35-46.	0.4	15
212	Potential Vegetation Criteria for Identifying Reference-Quality Wetlands in the South-Central United States. <i>Wetlands</i> , 2014, 34, 1159-1169.	1.5	14
213	Quantifying ecological responses to amplified water level fluctuations in standing waters: an experimental approach. <i>Journal of Applied Ecology</i> , 2014, 51, 1282-1291.	4.0	39
214	Benthic Macroinvertebrates along the Haraz Downstream in Southern Caspian Sea Basin: In Gradient of the Physicochemical Parameters. <i>International Journal of Zoology</i> , 2014, 2014, 1-7.	0.8	5
215	The Evaluation of Water Quality and Investigation of Benthic Macroinvertebrates in Stone-Horse River of Dongjiang (China). <i>Advanced Materials Research</i> , 0, 1073-1076, 405-407.	0.3	0
216	Using MODIS data for mapping of water types within river plumes in the Great Barrier Reef, Australia: Towards the production of river plume risk maps for reef and seagrass ecosystems. <i>Journal of Environmental Management</i> , 2014, 137, 163-177.	7.8	37
217	Application of neural networks to quantify the utility of indices of biotic integrity for biological monitoring. <i>Ecological Indicators</i> , 2014, 45, 195-208.	6.3	10
218	Using benthic indicators to assess status at HUC levels: A robust hierarchical modeling approach. <i>Ecological Indicators</i> , 2014, 36, 447-455.	6.3	0
219	Evaluating performance of macroinvertebrate-based adjusted and unadjusted multi-metric indices (MMI) using multi-season and multi-year samples. <i>Ecological Indicators</i> , 2014, 36, 142-151.	6.3	74
220	Inferring community properties of benthic macroinvertebrates in streams using Shannon index and exergy. <i>Frontiers of Earth Science</i> , 2014, 8, 44-57.	2.1	2
221	Heavy metals in surface sediments of the Jialu River, China: Their relations to environmental factors. <i>Journal of Hazardous Materials</i> , 2014, 270, 102-109.	12.4	359
222	Relationships between ecological risk indices for metals and benthic communities metrics in a macrophyte-dominated lake. <i>Ecological Indicators</i> , 2014, 40, 162-174.	6.3	19

#	ARTICLE	IF	CITATIONS
223	Comparability of ecological quality boundaries in the Mediterranean basin using freshwater benthic invertebrates. Statistical options and implications. <i>Science of the Total Environment</i> , 2014, 476-477, 777-784.	8.0	36
224	A pilot macroinvertebrate index of the water quality of Singapore's reservoirs. <i>Ecological Indicators</i> , 2014, 38, 90-103.	6.3	26
225	Unraveling the relationships between freshwater invertebrate assemblages and interacting environmental factors. <i>Freshwater Science</i> , 2014, 33, 1148-1158.	1.8	22
226	Mitigating the Effects of Landscape Development on Streams in Urbanizing Watersheds. <i>Journal of the American Water Resources Association</i> , 2014, 50, 163-178.	2.4	33
227	Importance of environmental factors for the richness and distribution of benthic macroinvertebrates in tropical headwater streams. <i>Freshwater Science</i> , 2014, 33, 860-871.	1.8	56
228	Adult Odonata conservatism as an indicator of freshwater wetland condition. <i>Ecological Indicators</i> , 2014, 38, 31-39.	6.3	83
229	A Summary of Case Studies Designed To Determine the Influence of Multiple Stressors on Benthic Communities in Urban California Streams. <i>ACS Symposium Series</i> , 2014, , 135-152.	0.5	4
230	Spatial variation of macroinvertebrate community structure and associated environmental conditions in a subtropical river system of southeastern China. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2015, , 17.	1.1	4
231	Combination of Biological and Habitat Indices for Assessment of Idaho Streams. <i>Journal of the American Water Resources Association</i> , 2015, 51, 1408-1417.	2.4	4
232	Responses of stream benthic macroinvertebrate communities to timber harvesting: Best management practices in a low-gradient watershed in Central Louisiana, USA. <i>Riparian Ecology and Conservation</i> , 2015, 2, .	1.0	0
233	Development and evaluation of the Lake Multi-biotic Integrity Index for Dongting Lake, China. <i>Journal of Limnology</i> , 2015, , .	1.1	7
234	Effect of land use on the composition, diversity and abundance of insects drifting in neotropical streams. <i>Brazilian Journal of Biology</i> , 2015, 75, 52-59.	0.9	12
235	Settling distances of benthic invertebrates in a sediment mobilization simulation in semi-natural flumes. <i>Journal of Limnology</i> , 2015, , .	1.1	2
236	Integrated Ecological River Health Assessments, Based on Water Chemistry, Physical Habitat Quality and Biological Integrity. <i>Water (Switzerland)</i> , 2015, 7, 6378-6403.	2.7	49
237	Environmental Quality and Aquatic Invertebrate Metrics Relationships at Patagonian Wetlands Subjected to Livestock Grazing Pressures. <i>PLoS ONE</i> , 2015, 10, e0137873.	2.5	37
238	Fine sediment deposition affects biodiversity and density of benthic macroinvertebrates: A case study in the freshwater pearl mussel river Waldaist (Upper Austria). <i>Limnologica</i> , 2015, 50, 54-57.	1.5	46
239	Oil palm crops effects on environmental integrity of Amazonian streams and Heteropteran (Hemiptera) species diversity. <i>Ecological Indicators</i> , 2015, 52, 422-429.	6.3	74
240	Discretization of continuous predictor variables in Bayesian networks: An ecological threshold approach. <i>Environmental Modelling and Software</i> , 2015, 66, 36-45.	4.5	15

#	ARTICLE	IF	CITATIONS
241	Assessing impact of acid mine drainage on benthic macroinvertebrates: can functional diversity metrics be used as indicators?. <i>Journal of Freshwater Ecology</i> , 2015, 30, 513-524.	1.2	17
242	Characteristics of <i>Anopheles arabiensis</i> larval habitats in Tubu village, Botswana. <i>Journal of Vector Ecology</i> , 2015, 40, 129-138.	1.0	31
243	Water Quality Criteria Green Book of China. , 2015, , .		1
244	Testing the Performance of Macroinvertebrate Metrics as Indicators of Changes in Biodiversity After Pasture Conversion in Patagonian Mountain Streams. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1.	2.4	23
245	Stream biomonitoring using macroinvertebrates around the globe: a comparison of large-scale programs. <i>Environmental Monitoring and Assessment</i> , 2015, 187, 4132.	2.7	209
246	Development and application of benthic macroinvertebrate-based multimetric indices for the assessment of streams and rivers in the Taihu Basin, China. <i>Ecological Indicators</i> , 2015, 48, 649-659.	6.3	80
247	Should phylogenetic and functional diversity metrics compose macroinvertebrate multimetric indices for stream biomonitoring?. <i>Hydrobiologia</i> , 2015, 745, 167-179.	2.0	58
248	Diversity measures in macroinvertebrate and zooplankton communities related to the trophic status of subtropical reservoirs: Contradictory or complementary responses?. <i>Ecological Indicators</i> , 2015, 50, 135-149.	6.3	47
249	Comparison of the spatial and temporal variability of macroinvertebrate and periphyton-based metrics in a macrophyte-dominated shallow lake. <i>Frontiers of Earth Science</i> , 2015, 9, 137-151.	2.1	2
250	Development of a multimetric index based on aquatic macroinvertebrate communities to assess water quality of rice fields in southern Brazil. <i>Hydrobiologia</i> , 2015, 742, 1-14.	2.0	22
251	Little effects of reduced-impact logging on insect communities in eastern Amazonia. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 441.	2.7	19
252	A Comparison of Three Macroinvertebrate Sampling Devices for Use in Conducting Rapid-Assessment Procedures of Delmarva Peninsula Wetlands. <i>Northeastern Naturalist</i> , 2016, 23, 321-338.	0.3	2
253	How oil palm cultivation is affecting mayfly assemblages in Amazon streams. <i>Annales De Limnologie</i> , 2016, 52, 35-45.	0.6	31
254	Classification efficiency of the B-IBI comparing water body size classes in Chesapeake Bay. <i>Ecological Indicators</i> , 2016, 63, 144-153.	6.3	7
255	Developing a baseline and tools for the future assessment of the ecological status of rivers within the Three Gorges Reservoir catchment, China. <i>Hydrobiologia</i> , 2016, 775, 185-196.	2.0	7
256	A Stream Multimetric Macroinvertebrate Index (MMI) for the Sand Hills Ecoregion of the Southeastern Plains, USA. <i>Environmental Management</i> , 2016, 58, 741-751.	2.7	7
257	Cyclopoid copepods as bioindicators of eutrophication in reservoirs: Do patterns hold for large spatial extents?. <i>Ecological Indicators</i> , 2016, 70, 340-347.	6.3	31
258	Incorporating natural variability in the bioassessment of stream condition in the Atlantic Forest biome, Brazil. <i>Ecological Indicators</i> , 2016, 69, 606-616.	6.3	24

#	ARTICLE	IF	CITATIONS
259	Development of a multimetric plant-based index of biotic integrity for assessing the ecological state of forested, urban and agricultural natural wetlands of Jimma Highlands, Ethiopia. <i>Ecological Indicators</i> , 2016, 71, 208-217.	6.3	20
260	Selection of reference lakes and adaptation of a fish multimetric index of biotic integrity to six amazon floodplain lakes. <i>Ecological Engineering</i> , 2016, 97, 535-544.	3.6	17
261	Water-level fluctuations regulate the structure and functioning of natural lakes. <i>Freshwater Biology</i> , 2016, 61, 251-264.	2.4	102
262	Aggregate index of social environmental sustainability to evaluate the social environmental quality in a watershed in the Southern Amazon. <i>Ecological Indicators</i> , 2016, 63, 337-345.	6.3	13
263	Integrative neural networks models for stream assessment in restoration projects. <i>Journal of Hydrology</i> , 2016, 536, 339-350.	5.4	37
264	Development of a benthic macroinvertebrate multimetric index (MMI) for Neotropical Savanna headwater streams. <i>Ecological Indicators</i> , 2016, 64, 132-141.	6.3	68
265	Toward a practical use of Neotropical odonates as bioindicators: Testing congruence across taxonomic resolution and life stages. <i>Ecological Indicators</i> , 2016, 61, 952-959.	6.3	70
266	Environmental stressor gradients hierarchically regulate macrozoobenthic community turnover in lotic systems of Northern Italy. <i>Hydrobiologia</i> , 2016, 765, 131-147.	2.0	18
267	Structural Dynamics of Pristine Headwater Streams from Southern Brazilian Amazon. <i>River Research and Applications</i> , 2016, 32, 473-482.	1.7	4
268	Stream phosphorus dynamics of minimally impacted coastal plain watersheds. <i>Hydrological Processes</i> , 2017, 31, 1636-1649.	2.6	8
269	The influence of multiple chemical and non-chemical stressors on benthic communities in a mid-west agricultural stream. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2017, 52, 1008-1021.	1.7	4
270	Allochthonous and autochthonous carbon flows in food webs of tropical forest streams. <i>Freshwater Biology</i> , 2017, 62, 1012-1023.	2.4	60
271	Establishment of stream nutrient criteria by comparing reference conditions with ecological thresholds in a typical eutrophic lake basin. <i>Environmental Sciences: Processes and Impacts</i> , 2017, 19, 1554-1562.	3.5	6
272	Comparative study of the effects of a small-scale trout farm on the macrozoobenthos, potamoplankton, and epilithic diatom communities. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 403.	2.7	6
273	A pilot macroinvertebrate-based multimetric index (MMI-CS) for assessing the ecological status of the Chishui River basin, China. <i>Ecological Indicators</i> , 2017, 83, 84-95.	6.3	16
274	An improved macroinvertebrate multimetric index for the assessment of wadeable streams in the neotropical savanna. <i>Ecological Indicators</i> , 2017, 81, 514-525.	6.3	72
275	Improving the performance of the EPT Index to accommodate multiple stressors in Afrotropical streams. <i>African Journal of Aquatic Science</i> , 2017, 42, 219-233.	1.1	36
276	Comparison of trophic structure of the benthic macroinvertebrates in three Bulgarian riverine water bodies. <i>Turkish Journal of Zoology</i> , 2017, 41, 267-277.	0.9	2

#	ARTICLE	IF	CITATIONS
277	Composition and dynamic of benthic macroinvertebrates community in semi-arid area rivers of Burkina Faso (West Africa). <i>International Journal of Biological and Chemical Sciences</i> , 2017, 10, 1542.	0.2	6
278	Macroinvertebrates and Fishes as Bioindicators of Stream Water Pollution. , 0, , .		17
279	Taxonomic, phylogenetic and functional diversity of leeches (Hirudinea) and their suitability in biological assessment of environmental quality. <i>Knowledge and Management of Aquatic Ecosystems</i> , 2017, , 49.	1.1	7
280	Evaluating how variants of floristic quality assessment indicate wetland condition. <i>Journal of Environmental Management</i> , 2018, 217, 231-239.	7.8	19
281	A benthic macroinvertebrate multimetric index for Chilean Mediterranean streams. <i>Ecological Indicators</i> , 2018, 91, 13-23.	6.3	42
282	Using multimetric indices to assess the effect of reduced impact logging on ecological integrity of Amazonian streams. <i>Ecological Indicators</i> , 2018, 91, 315-323.	6.3	15
283	Effects of oil palm plantations on habitat structure and fish assemblages in Amazon streams. <i>Environmental Biology of Fishes</i> , 2018, 101, 547-562.	1.0	28
284	Development of a plant based riparian index of biotic integrity (RIBI) for assessing the ecological condition of highland streams in East Africa. <i>Ecological Indicators</i> , 2018, 87, 77-85.	6.3	9
285	Developing reference criteria for the ecological status of West African rivers. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 2.	2.7	20
286	Variability and variation in <i>Dromiciops Thomas, 1894</i> (Marsupialia, Microbiotheria, Microbiotheriidae). <i>Journal of Mammalogy</i> , 2018, 99, 159-173.	1.3	27
287	Assessment of wetland health status of Poyang Lake using vegetation-based indices of biotic integrity. <i>Ecological Indicators</i> , 2018, 90, 79-89.	6.3	37
288	Physical Habitat Assessment of the Ganjal and Morand River Using GIS Techniques. <i>Journal of the Indian Society of Remote Sensing</i> , 2018, 46, 443-450.	2.4	6
289	How to assess the impact of fine sediments on the macroinvertebrate communities of alpine streams? A selection of the best metrics. <i>Ecological Indicators</i> , 2018, 84, 60-69.	6.3	30
290	Development of a diatom-based multimetric index for acid mine drainage impacted depressional wetlands. <i>Science of the Total Environment</i> , 2018, 612, 214-222.	8.0	25
291	Towards developing a river health index. <i>Ecological Indicators</i> , 2018, 85, 999-1011.	6.3	46
292	Land use changes and socio-economic development strongly deteriorate river ecosystem health in one of the largest basins in China. <i>Science of the Total Environment</i> , 2018, 616-617, 376-385.	8.0	112
293	Development of a microbial community-based index of biotic integrity (MC-IBI) for the assessment of ecological status of rivers in the Taihu Basin, China. <i>Ecological Indicators</i> , 2018, 85, 204-213.	6.3	48
294	An Analysis of Multiple Stressors on Resident Benthic Communities in a California Agricultural Stream. <i>Air, Soil and Water Research</i> , 2018, 11, 117862211877776.	2.5	7

#	ARTICLE	IF	CITATIONS
295	Biodiversity and Biomonitoring Indexes. , 2018, , 83-106.		3
296	Loss of biodiversity alters ecosystem function in freshwater streams: potential evidence from benthic macroinvertebrates. <i>Ecosphere</i> , 2018, 9, e02445.	2.2	17
297	The future of biotic indices in the ecogenomic era: Integrating (e)DNA metabarcoding in biological assessment of aquatic ecosystems. <i>Science of the Total Environment</i> , 2018, 637-638, 1295-1310.	8.0	377
298	Development of a bacteria-based index of biotic integrity (Ba-IBI) for assessing ecological health of the Three Gorges Reservoir in different operation periods. <i>Science of the Total Environment</i> , 2018, 640-641, 255-263.	8.0	25
299	Selecting indicators based on biodiversity surrogacy and environmental response in a riverine network: Bringing operationality to biomonitoring. <i>Ecological Indicators</i> , 2018, 94, 198-206.	6.3	20
300	Stream Health Evaluation Using a Combined Approach of Multi-Metric Chemical Pollution and Biological Integrity Models. <i>Water (Switzerland)</i> , 2018, 10, 661.	2.7	37
301	Assessing Aquatic Ecological Health for Lake Poyang, China: Part I Index Development. <i>Water (Switzerland)</i> , 2018, 10, 943.	2.7	15
302	Hydrogeomorphic Reference Condition and Its Relationship with Macroinvertebrate Assemblages in Southeastern U.S. Sand Hills Streams. <i>Journal of the American Water Resources Association</i> , 2018, 54, 914-933.	2.4	0
303	A macroinvertebrate multi-metric index for Ethiopian highland streams. <i>Hydrobiologia</i> , 2019, 843, 125-141.	2.0	17
304	Ranking the importance of benthic metrics and environmental stressors from over a decade of bioassessment multiple stressor studies in five California waterbodies. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2019, 54, 1364-1386.	1.7	4
305	The Relative Importance of Spatial Scale Variables for Explaining Macroinvertebrate Richness in Different Aquatic Ecological Function Regions. <i>Water (Switzerland)</i> , 2019, 11, 1550.	2.7	4
306	Macroinvertebrates as indicators of ecological conditions in the rivers of KwaZulu-Natal, South Africa. <i>Ecological Indicators</i> , 2019, 106, 105465.	6.3	14
307	Utility of a macroinvertebrate-based multimetric index in subtropical shallow lakes. <i>Ecological Indicators</i> , 2019, 106, 105527.	6.3	16
308	Development and evaluation of a Planktonic Integrity Index (PII) for Jingpo Lake, China. <i>Journal of Limnology</i> , 2019, 78, .	1.1	3
309	Freshwater lake ecosystem health assessment and its response to pollution stresses based on planktonic index of biotic integrity. <i>Environmental Science and Pollution Research</i> , 2019, 26, 35240-35252.	5.3	19
310	To what extent can oil palm plantations in the Amazon support assemblages of Odonata larvae?. <i>Insect Conservation and Diversity</i> , 2019, 12, 448-458.	3.0	21
311	Examining the influence of human stressors on benthic algae, macroinvertebrate, and fish assemblages in Mediterranean streams of Chile. <i>Science of the Total Environment</i> , 2019, 686, 26-37.	8.0	32
312	A predictive multimetric index based on macroinvertebrates for Atlantic Forest Wadeable streams assessment. <i>Biota Neotropica</i> , 2019, 19, .	0.5	7

#	ARTICLE	IF	CITATIONS
313	Integrated assessment of ecosystem health using multiple indicator species. <i>Ecological Engineering</i> , 2019, 130, 157-168.	3.6	44
314	The Influence of Riparian Corridor Land Use on the Pesquer�a River's Macroinvertebrate Community (N.E. Mexico). <i>Water (Switzerland)</i> , 2019, 11, 1930.	2.7	9
315	Using co-occurrence network topology in assessing ecological stress in benthic macroinvertebrate communities. <i>Ecology and Evolution</i> , 2019, 9, 12789-12801.	1.9	2
316	Developing and applying a macroinvertebrate-based multimetric index for urban rivers in the Niger Delta, Nigeria. <i>Ecology and Evolution</i> , 2019, 9, 12869-12885.	1.9	24
317	Testing of the applicability of European diatom indices in the tropical rift valley lake, Lake Hawassa, in Ethiopia. <i>African Journal of Aquatic Science</i> , 2019, 44, 209-217.	1.1	6
318	Spatial distribution patterns of benthic macroinvertebrate functional feeding groups by stream size and gradient in Republic of Korea. <i>Journal of Freshwater Ecology</i> , 2019, 34, 715-738.	1.2	4
319	A Macroinvertebrate Multimetric Index for the Bioassessment of Wetlands Adjacent to Agriculture Fields in the Sanjiang Plain, China. <i>Chinese Geographical Science</i> , 2019, 29, 974-984.	3.0	6
320	Development of a multi-metric index based on aquatic invertebrates to assess floodplain wetland condition. <i>Hydrobiologia</i> , 2019, 827, 141-153.	2.0	21
321	Wetland genesis rules invertebrate spatial patterns at Patagonian ponds (Santa Cruz, Argentina): A multiscale perspective. <i>Ecological Engineering</i> , 2019, 126, 43-54.	3.6	13
322	eDNA metabarcoding in zooplankton improves the ecological status assessment of aquatic ecosystems. <i>Environment International</i> , 2020, 134, 105230.	10.0	53
323	Streams dry and ecological uniqueness rise: environmental selection drives aquatic insect patterns in a stream network prone to intermittence. <i>Hydrobiologia</i> , 2020, 847, 617-628.	2.0	11
324	Biogeographic classification of streams using fish community and trait environment relationships. <i>Diversity and Distributions</i> , 2020, 26, 108-125.	4.1	12
325	Health assessment of important tributaries of Three Georges Reservoir based on the benthic index of biotic integrity. <i>Scientific Reports</i> , 2020, 10, 18743.	3.3	6
326	Development of a periphyton-based index for biological integrity for lakes and reservoirs in Baiyangdian Watershed, China. <i>Aquatic Ecosystem Health and Management</i> , 2020, 23, 288-301.	0.6	1
327	Development of new fish-based indices of biotic integrity for estimating the effects of cascade reservoirs on fish assemblages in the upper Yangtze River, China. <i>Ecological Indicators</i> , 2020, 119, 106860.	6.3	10
328	A Multivariate Approach to the Selection and Validation of Reference Conditions in KwaZulu-Natal Rivers, South Africa. <i>Frontiers in Environmental Science</i> , 2020, 8, .	3.3	4
329	Quantifying stream periphyton assemblage responses to nutrient amendments with a molecular approach. <i>Freshwater Science</i> , 2020, 39, 292-308.	1.8	4
330	Relationship between turbidity and the benthic community in the preserved Montebello Lakes in Chiapas, Mexico. <i>Marine and Freshwater Research</i> , 2020, 71, 824.	1.3	3

#	ARTICLE	IF	CITATIONS
331	A multimetric index for assessment of aquatic ecosystem health based on macroinvertebrates for the Zio river basin in Togo. <i>Limnologica</i> , 2020, 83, 125783.	1.5	29
332	The use of macroinvertebrate based biotic indices and diversity indices to evaluate the water quality of Lepenci river basin in Kosovo. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2020, 55, 748-758.	1.7	9
333	Relationships between aquatic invertebrate assemblages and environmental quality on saline wetlands of an arid environment. <i>Journal of Arid Environments</i> , 2020, 181, 104245.	2.4	5
334	Recent invasion of <i>Didymosphenia geminata</i> (Lyngbye) M. Schmidt in a Patagonian regulated river promotes changes in composition and density of macroinvertebrate community. <i>Biological Invasions</i> , 2020, 22, 1903-1915.	2.4	5
335	Evaluating ecological health in the middle-lower reaches of the Hanjiang River with cascade reservoirs using the Planktonic index of biotic integrity (P-IBI). <i>Ecological Indicators</i> , 2020, 114, 106282.	6.3	40
336	Degradation of river ecological quality in Tibet plateau with overgrazing: A quantitative assessment using biotic integrity index improved by random forest. <i>Ecological Indicators</i> , 2021, 120, 106948.	6.3	33
337	Joint effects of habitat indexes and physic-chemical factors for freshwater basin of semi-arid area on plankton integrity – A case study of the Wei River Basin, China. <i>Ecological Indicators</i> , 2021, 120, 106909.	6.3	13
338	A comparison of metric scoring and health status classification methods to evaluate benthic macroinvertebrate-based index of biotic integrity performance in Poyang Lake wetland. <i>Science of the Total Environment</i> , 2021, 761, 144112.	8.0	19
339	Standards for environmental flow verification. <i>Ecohydrology</i> , 2021, 14, .	2.4	5
341	Assessing water quality in the Kelebek Stream branch (Gediz River Basin, West Anatolia of Turkey) using physicochemical and macroinvertebrate-based indices. <i>Aquatic Research</i> , 2021, 4, 260-278.	0.7	13
342	Spatial distribution patterns of benthic macroinvertebrate functional feeding groups in two rivers of the olifants river system, South Africa. <i>Journal of Freshwater Ecology</i> , 2021, 36, 97-109.	1.2	7
343	Dams Change Beta Diversity of Aquatic Communities in the Veredas of the Brazilian Cerrado. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	2.2	5
344	Long term bioassessment multiple stressors study in a residential California stream. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2021, 56, 346-360.	1.7	4
345	A novel comprehensive model of set pair analysis with extenics for river health evaluation and prediction of semi-arid basin - A case study of Wei River Basin, China. <i>Science of the Total Environment</i> , 2021, 775, 145845.	8.0	24
346	Development of a multimetric index for assessing the ecological integrity of some selected rivers and streams in the north-eastern part of Lake Tana sub-basin, Ethiopia. <i>African Journal of Aquatic Science</i> , 0, , 1-10.	1.1	3
347	Macroinvertebrate community structure and diversity in relation to environmental factors in wetlands of the lower Gilgel Abay River catchment, Ethiopia. <i>African Journal of Aquatic Science</i> , 2022, 47, 23-35.	1.1	2
348	Incorporating costs, thresholds and spatial extents for selecting stream bioindicators in an ecotone between two Brazilian biodiversity hotspots. <i>Ecological Indicators</i> , 2021, 127, 107761.	6.3	11
349	Assessment of river ecosystem health in Tianjin City, China: index of ecological integrity and water comprehensive pollution approach. <i>Frontiers of Earth Science</i> , 2021, 15, 936-946.	2.1	3

#	ARTICLE	IF	CITATIONS
350	Benthic Macroinvertebrates as Ecological Indicators: Their Sensitivity to the Water Quality and Human Disturbances in a Tropical River. <i>Frontiers in Water</i> , 2021, 3, .	2.3	34
351	Karabal ĞayĞnĞn (Gediz Nehri, TĞrkiye) Su Kalitesinin DeĞerlendirilmesi ve KullanĞlan Endeks PerformanslarĞn KarĞlaĞtırılması. <i>Acta Aquatica Turcica</i> , 2021, 17, 334-349.	0.6	5
352	Macrozoobenthos of Basti Damar Stream in Rudraprayag District, Garhwal, Uttarakhand: Diversity and Habitat Analysis. <i>Journal of Mountain Research</i> , 2021, 16, .	0.1	0
353	Rivers as Sentinels: Using the Biology of Rivers to Guide Landscape Management. , 1998, , 502-528.		54
354	Principles for the Development of Contemporary Bioassessment Indices for Freshwater Ecosystems. <i>Handbook of Environmental Chemistry</i> , 2015, , 233-266.	0.4	3
355	Developing a multimetric index of ecological integrity based on macroinvertebrates of mountain ponds in central Italy. , 2007, , 109-123.		1
356	Towards a Multimetric Index for the Assessment of Dutch Streams Using Benthic Macroinvertebrates. , 2004, , 173-189.		2
357	Multimetric Assessment of Data Provided by Water Managers from Germany: Assessment of Several Different Types of Stressors with Macrozoobenthos Communities. , 2004, , 215-228.		9
358	A Stressor Specific Multimetric Approach for Monitoring Running Waters in Austria Using Benthic Macro-Invertebrates. , 2004, , 251-268.		20
359	Does the Ecoregion Approach Support the Typological Demands of the Eu Ğwater Framework DirectiveĞ?. , 2004, , 21-33.		15
360	Wetland Indices of Biological Integrity. , 2013, , 1-28.		8
361	Macroinvertebrate functional feeding group methods in ecological assessment. , 2000, , 225-232.		15
362	Integrated ecological assessment methods as a basis for sustainable catchment management. , 2000, , 389-412.		23
363	Measuring the attainment of biological integrity in the USA: a critical element of ecological integrity. , 2000, , 453-464.		20
364	Maryland Biological Stream Survey: Development of a Fish Index of Biotic Integrity. , 1998, , 89-106.		11
365	Macroinvertebrate response to land cover, habitat, and water chemistry in a mining-impacted river ecosystem: A GIS watershed analysis. <i>Aquatic Sciences</i> , 2005, 67, 403-423.	1.5	4
366	Ecological informatics approach to screening of integrity metrics based on benthic macroinvertebrates in streams. <i>Annales De Limnologie</i> , 2011, 47, S51-S62.	0.6	6
367	Ecological Indicators to Assess the Health of River Ecosystems. <i>Applied Ecology and Environmental Management</i> , 2010, , 447-464.	0.1	7

#	ARTICLE	IF	CITATIONS
368	Rapid Bioassessment of Magura haor (Floodplain wetland), Cachar District, Assam, India using Aquatic Insects. <i>Current World Environment Journal</i> , 2015, 10, 296-304.	0.5	3
369	Mayflies (Order Ephemeroptera): An Effective Indicator of Water Bodies Conditions in Jordan. <i>International Journal of Scientific Research in Environmental Sciences</i> , 2014, 2, 361-370.	0.1	22
370	The Andean Biotic Index (ABI): revised tolerance to pollution values for macroinvertebrate families and index performance evaluation. <i>Revista De Biología Tropical</i> , 2014, 62, 249.	0.4	74
371	Assessing the performance of macroinvertebrate metrics in the Challhuaco-Ñireco System (Northern Tj ETQq1 1 0,784314 rgBT /Over	0.5	14
372	Development of a benthic multimetric index for biomonitoring of a neotropical watershed. <i>Brazilian Journal of Biology</i> , 2011, 71, 15-25.	0.9	63
373	Multimetric index for assessing ecological condition of running waters in the upper reaches of the Piabanha-Paquequer-Preto Basin, Rio de Janeiro, Brazil. <i>Zoologia</i> , 2011, 28, 619-628.	0.5	20
374	HISTÓRICO E PERSPECTIVAS DA UTILIZAÇÃO DE MACROINVERTEBRADOS NO MONITORAMENTO BIOLÓGICO DE ECOSISTEMAS AQUÁTICOS NO BRASIL. <i>Acta Scientiae Et Technicae</i> , 2013, 1, .	0.1	3
375	Community structure and biodiversity of macrozoobentos in a tributary of upper reaches of Hanjiang River. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2007, 19, 585-591.	0.8	1
376	Stream ecosystem health assessment of inflow rivers in Lake Dianchi catchment by using Benthic Integrity Biotic Index (B-IBI). <i>Hupo Kexue/Journal of Lake Sciences</i> , 2013, 25, 91-98.	0.8	1
377	Application of a benthic index of biotic integrity for the ecosystem health assessment of Lake Taihu. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2014, 26, 74-82.	0.8	6
378	Health assessment on rivers in Shanghai City using benthic index of biotic integrity. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2015, 27, 1067-1078.	0.8	2
379	Macroinvertebrates community structure and water quality assessment in the North Canal River Basin, Beijing, China. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2017, 29, 1444-1454.	0.8	3
380	Densidad Larval de Chironomidae (Insecta: Diptera) en un Meandro del Río Bogotá (Cajicá, Colombia) Durante La Niña 2011. <i>Revista Facultad De Ciencias Básicas</i> , 2015, 11, 48.	0.2	5
381	Wetland water quality assessment in cold and dry regions (Case study: Choghakhor wetland, Iran). <i>Limnological Review</i> , 2019, 19, 57-75.	0.5	6
385	Methods for sampling benthic macroinvertebrates in tropical lentic systems. <i>Aquatic Biology</i> , 2010, 10, 119-130.	1.4	12
386	Patterns of Benthic Insect Assemblages in Relation to Riparian Vegetation in a Small Stream, Northern Hokkaido, Japan.. <i>Japanese Journal of Limnology</i> , 1999, 60, 385-397.	0.1	4
387	Ecology and Abundance of Oligochaetes as Indicators of Organic Pollution in an Urban Stream in Southern Nigeria. <i>Pakistan Journal of Biological Sciences</i> , 2007, 10, 446-453.	0.5	18
388	A Three Year Assessment of the Influence of Physical Habitat, Pyrethroids and Metals on Benthic Communities in Two Urban California Streams. <i>Journal of Ecosystem & Ecography</i> , 2013, 03, .	0.2	7

#	ARTICLE	IF	CITATIONS
389	USO DE MACROINVERTEBRADOS EM PROCEDIMENTOS DE BIOMONITORAMENTO EM ECOSISTEMAS AQUÁTICOS. <i>Oecologia Australis</i> , 2008, 12, 425-441.	0.2	11
391	Evaluating macroinvertebrate metrics for ecological assessment of large saline rivers (Argentina). <i>Environmental Science and Pollution Research</i> , 2021, 28, 66464-66476.	5.3	4
392	Assessing the health of forested riverine systems in the Niger Delta area of Nigeria: a macroinvertebrate-based multimetric index approach. <i>Environmental Science and Pollution Research</i> , 2022, 29, 15068-15080.	5.3	6
394	Benthic Community Assessment. , 2001, , .		0
395	Using Biological Criteria for Establishing Restoration and Ecological Recovery Endpoints. , 2002, , 103-118.		0
399	The Future of Ecological Risk Assessment. , 2006, , .		0
400	Influence of anthropogenic factors on microhabitats inhabited by riverine hydrobionts - assessment with MRT method. <i>Ecological Questions</i> , 0, 10, 41.	0.3	0
401	DESENVOLVIMENTO DE ÍNDICES MULTIMÉTRICOS PARA UTILIZAÇÃO EM PROGRAMAS DE MONITORAMENTO BIOLÓGICO DA INTEGRIDADE DE ECOSISTEMAS AQUÁTICOS. <i>Oecologia Australis</i> , 2008, 12, 487-505.	0.2	4
402	Comparison of Bioassessment Methods. , 2009, , .		0
403	Rapid Bioassessment Materials and Methods. , 2009, , .		0
404	Rapid Bioassessment Materials and Methods. , 2009, , 31-48.		0
405	A Numerical Index of Stream Health. , 2009, , .		0
406	Health assessment based on a RIVPACS-type predictive model in Lijiang River. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2011, 23, 73-79.	0.8	1
410	Assessment of River Ecological Quality Using B-IBI (Dez River, Southwestern of Iran). <i>International Journal of Environmental Science and Development</i> , 2015, 6, 746-749.	0.6	0
411	Yaz aylarında Su Kalitesinin Değerlendirilmesi ve İzlenmesi İçin Biyolojik BİYAP-4K İndeksi: Balık İndekslerinin Kullanılması. <i>Nevşehir Bilim Ve Teknoloji Dergisi</i> , 2015, 4, 45-45.	0.1	2
412	Fish Assemblages, Growth Pattern and Environmental Factors in Upper Baleh River, Kapit, Sarawak. <i>Borneo Journal of Resource Science and Technology</i> , 2019, 9, 14-25.	0.1	3
413	On the generation and correction of deviation of biological integrity assessment for time-scale trend analysis: A case study of Songhua River Basin. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2020, 32, 1473-1483.	0.8	0
414	Influence of the landscape in different scales on the EPT community (Ephemeroptera, Plecoptera and Trichoptera) in the Tj ETQq1 1 0,784314 rgBT /Over	2.7	1

#	ARTICLE	IF	CITATIONS
415	Structure of macroinvertebrate communities and bioassessment of water quality in the Weihe River mainstream and its typical tributaries from the northern Qinling Mountains. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2020, 32, 1793-1805.	0.8	0
416	Composition, Structure and Functional Feeding of Aquatic Entomofauna in Kodjouboué Lake: Water Quality Assessment. <i>Open Journal of Ecology</i> , 2020, 10, 160-176.	1.0	8
417	Comparison of different biological indices for the assessment of river quality: application to the upper river Moselle (France). , 2006, , 159-164.		3
418	Stream invertebrate community functional responses to deposited sediment. <i>Aquatic Sciences</i> , 2005, 67, 395-402.	1.5	14
419	Human Impact Induces Shifts in Trophic Composition and Diversity of Consumer Communities in Small Freshwater Ecosystems. <i>Springer Water</i> , 2022, , 389-418.	0.3	1
420	Assessment of River Health through Water and Biological Characteristics. , 2022, , 127-153.		0
421	Arthropods: An Important Bio-Indicator to Decipher the Health of the Water of South Asian Rivers. , 2022, , 9-38.		2
422	Criterios para la selecci3n de condiciones de referencia en los r3os mediterr3neos. Resultados del proyecto GUADALMED. , 2002, 21, 99-114.		17
423	Ensayo de una tipolog3a de las cuencas mediterr3neas del proyecto GUADALMED siguiendo las directrices de la directiva marco del agua. , 2002, 21, 77-98.		10
424	Diversity of patterns and processes in rivers of eastern Andalusia. , 2006, 25, 155-170.		14
425	Environmental indicators of ecological integrity and their development for running waters in northern Portugal. , 2006, 25, 479-498.		16
426	Assessment of Aquatic Ecosystem Health with Indices of Biotic Integrity (IBIs) in the Ganjiang River System, China. <i>Water (Switzerland)</i> , 2022, 14, 278.	2.7	14
427	A benthic invertebrates-based biotic index to assess the ecological status of West African Sahel Rivers, Burkina Faso. <i>Journal of Environmental Management</i> , 2022, 307, 114503.	7.8	15
428	Development of a Landscape-Based Multi-Metric Index to Assess Wetland Health of the Poyang Lake. <i>Remote Sensing</i> , 2022, 14, 1082.	4.0	5
429	Development of a macroinvertebrate-based multimetric index for biological assessment of streams in the Sakarya River Basin, Turkey. <i>Biologia (Poland)</i> , 2022, 77, 1317-1326.	1.5	7
430	The coastal plain headwater stream restoration (CP-HStR) index: a macroinvertebrate index for assessing the biological effectiveness of stream restoration in the Georgia coastal plain, USA. <i>Environmental Monitoring and Assessment</i> , 2022, 194, 319.	2.7	0
431	A rapid method to assess salt marsh condition and guide management decisions. <i>Ecological Indicators</i> , 2022, 138, 108841.	6.3	7
432	Improved Benthic Ecosystem Health Assessment Method for Polluted Lakes: Comparative Analysis Using Different Assessment Index Systems. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0

#	ARTICLE	IF	CITATIONS
437	Benthic community ecology for Algerian river Seybouse. <i>Brazilian Journal of Biology</i> , 2022, 84, e251566.	0.9	4
438	Responses of Macroinvertebrate Assemblages to Flow in the Qinghai-Tibet Plateau: Establishment and Application of a Multi-Metric Habitat Suitability Model. <i>Water Resources Research</i> , 2022, 58, .	4.2	11
439	Development of the Karun macroinvertebrate tolerance index (KMTI) for semi-arid mountainous streams in Iran. <i>Environmental Monitoring and Assessment</i> , 2022, 194, 421.	2.7	2
440	Quantifying the ecological effects of water abstraction in Alpine streams through flume simulations. <i>Ecohydrology</i> , 2022, 15, .	2.4	1
441	Macroinvertebrate-based index of biotic integrity for assessing the ecological condition of Lake Wanchi, Ethiopia. <i>F1000Research</i> , 0, 11, 544.	1.6	0
442	Ecological health assessment of Ethiopian wetlands: Review and synthesis. <i>Environmental and Sustainability Indicators</i> , 2022, 15, 100194.	3.3	6
443	A Comparison of Sediment Metal Concentrations as Potential Stressors to Resident Benthic Communities in an Agricultural Waterbody. <i>Agriculture (Switzerland)</i> , 2022, 12, 1029.	3.1	2
444	Genus-level, trait-based multimetric diatom indices for assessing the ecological condition of rivers and streams across the conterminous United States. <i>Ecological Indicators</i> , 2022, 141, 109131.	6.3	9
445	Choice of benthic macroinvertebrate-based metrics for assessing water quality in the littoral zone under anthropogenic disturbance in southern Lake Kivu (Central Africa). <i>Ecohydrology</i> , 0, , .	2.4	0
446	A Simple Index of Lake Ecosystem Health Based on Species-Area Models of Macrobenthos. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 9678.	2.6	4
447	A Macroinvertebrate-Based Multimetric Index for Assessing Ecological Condition of Forested Stream Sites Draining Nigerian Urbanizing Landscapes. <i>Sustainability</i> , 2022, 14, 11289.	3.2	13
448	The cumulative impacts of anthropogenic stressors vary markedly along environmental gradients. <i>Global Change Biology</i> , 2023, 29, 590-602.	9.5	9
449	Macroinvertebrate-Based Biomonitoring of Coastal Wetlands in Mediterranean Chile: Testing Potential Metrics Able to Detect Anthropogenic Impacts. <i>Water (Switzerland)</i> , 2022, 14, 3449.	2.7	2
450	Dragonflies (Odonata) in Cocoa Growing Areas in the Atlantic Forest: Taxonomic Diversity and Relationships with Environmental and Spatial Variables. <i>Diversity</i> , 2022, 14, 919.	1.7	1
451	Quantifying hydrological-ecological response relationships based on zooplankton index of biotic integrity and comprehensive habitat quality index - A case study of typical rivers in Xi'an, China. <i>Science of the Total Environment</i> , 2023, 858, 159925.	8.0	6
452	Applicability of macrobenthos indexes in health assessment upstream of a large river: A case study in the Babian River of the Red River Basin, China. <i>Ecological Informatics</i> , 2023, 74, 101958.	5.2	5
453	Monitoring structural and functional responses of the macroinvertebrate community in a resilient stream after its depollution (Casablanca, Morocco). <i>Environmental Monitoring and Assessment</i> , 2023, 195, .	2.7	1
454	Evaluation of fisheries management strategies using a biotic integrity index in floodplain lakes in the lower Solimões River, Amazonas, Brazil. <i>Acta Amazonica</i> , 2022, 52, 289-298.	0.7	0

#	ARTICLE	IF	CITATIONS
455	Mine tailings storage dams modify upstream headwater fish assemblages. , 2023, 2, 100136.		3
456	Benthic Macroinvertebrate Multimetric Index for River (BMIR): Development of a multimetric index based on benthic macroinvertebrates for rivers in TÄ¼rkiye. Turkish Journal of Water Science and Management, 0, , .	0.2	0
457	Macroinvertebrate metric indicators should be juxtaposed with the community conservation index as ecological tools for conservation evaluation of pristine freshwater ecosystems. , 2023, 78, 1067-1078.		3
458	Fish Biomonitoring and Ecological Assessment in the Dianchi Lake Basin Based on Environmental DNA. Water (Switzerland), 2023, 15, 399.	2.7	2
459	Flow regulation by dams impacts more than land use on water quality and benthic communities in high-gradient streams in a semi-arid region. Science of the Total Environment, 2023, 881, 163468.	8.0	3
460	Improved method for benthic ecosystem health assessment by integrating chemical indexes into multiple biological indicator speciesâ€”A case study of the Baiyangdian Lake, China. Journal of Environmental Management, 2023, 335, 117530.	7.8	3
461	Development of macroinvertebrate based multimetric index for ecological health monitoring in Lake Hawassa, Ethiopia. Environmental and Sustainability Indicators, 2023, 18, 100242.	3.3	3
462	Evaluating the ecological health of aquatic habitats in a megacity through a multimetric index model based on macroinvertebrates. Ecological Indicators, 2023, 150, 110235.	6.3	3
464	Assessment of aquatic macro-invertebrates communities and water quality parameters of River Zhob, Balochistan, Pakistan. Brazilian Journal of Biology, 0, 84, .	0.9	0
465	Development of a multi-metric index based on macroinvertebrates for wetland ecosystem health assessment in predominantly agricultural landscapes, Upper Blue Nile basin, northwestern Ethiopia. Frontiers in Environmental Science, 0, 11, .	3.3	3
466	Benthic Macroinvertebrate Communities in Wadeable Rivers and Streams of Lao PDR as a Useful Tool for Biomonitoring Water Quality: A Multimetric Index Approach. Water (Switzerland), 2023, 15, 625.	2.7	3
467	Impact of hydrotechnical construction on aquatic ecosystems of the Kilia branch of the Danube Delta. Biosystems Diversity, 2022, 30, 359-371.	0.7	2
468	Spatio-temporal distribution of aquatic insects and functional feeding groups in different stretches of River Jatinga, south Assam, India. Acta Ecologica Sinica, 2023, 43, 1019-1028.	1.9	2
469	Bioassessment of multiple stressors in Afrotropical rivers: Evaluating the performance of a macroinvertebrate-based index of biotic integrity, diversity, and regional biotic indices. Frontiers in Environmental Science, 0, 11, .	3.3	0
471	Fire severity influences large wood and stream ecosystem responses in western Oregon watersheds. Fire Ecology, 2023, 19, .	3.0	1
472	Benthic Macroinvertebrates of the KÄ±zÄ±lirmak River (NevÅŸehir, Turkey) and Their Relation with Environmental Variables. Inland Water Biology, 0, , .	0.8	0
473	Assessment of functional feeding groups (FFG) structure of aquatic insects in North- western Rif - Morocco. Biodiversity Data Journal, 0, 11, .	0.8	5
474	Unsupervised biological integrity assessment by eDNA biomonitoring of multi-trophic aquatic taxa. Environment International, 2023, 175, 107950.	10.0	4

#	ARTICLE	IF	CITATIONS
475	Probing river health status: a study based on index of biotic integrity (IBI) in Tapi River of Deccan plateau, India. <i>Environmental Science and Pollution Research</i> , 2023, 30, 73185-73201.	5.3	1
478	Mt. Apo Biotic Index (MABI): a macroinvertebrate-based multimetric index for assessing stream biotic integrity of wadeable streams within a geothermal production field in Mindanao, Philippines. <i>Environmental Monitoring and Assessment</i> , 2023, 195, .	2.7	0
480	Assessments and diagnoses of aquatic ecosystem integrity based on integrity requirements of ecosystem service targets. , 2023, , 100230.		0
481	Development of lake macroinvertebrate-based multimetric index for monitoring ecological health in North Central Nigeria. <i>Environmental Monitoring and Assessment</i> , 2023, 195, .	2.7	0
483	Biodiversity of aquatic Heteroptera in relation to physico-chemical parameters, the Biological Reserve of Sidi Bouhaba and the Merja of Fouarat as a case studies (Gharb Plain, Morocco). <i>Acta Zoológica Lilloana</i> , 0, , 473-488.	0.1	0
484	Effects of mine tailings on aquatic macroinvertebrate structure within the first year after a major dam collapse. <i>Marine and Freshwater Research</i> , 2023, , .	1.3	0
485	Development of a macroinvertebrate-based biotic index to assess water quality of rivers in Niger State, North Central Ecoregion of Nigeria. <i>Environmental Monitoring and Assessment</i> , 2024, 196, .	2.7	0
486	Environmental impact assessment and conservation planning of a Middleâ€Eastern River basin using a fishâ€based tolerance index. <i>River Research and Applications</i> , 2024, 40, 411-424.	1.7	0
487	Construction of benthic integrated biotic index and health assessment in different soil erosion areas of Wuding River Basin. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2024, 36, 274-285.	0.8	0
488	Assessing ecological health in a semi-arid basin: a case study of the Wei River Basin, China. <i>Environmental Science and Pollution Research</i> , 2024, 31, 21687-21708.	5.3	0