

CITATION REPORT

List of articles citing

Analytical and Qualitative Model-based Fault Diagnosis A Survey and Some New Results

DOI: 10.1016/s0947-3580(96)70024-9
European Journal of Control, 1996, 2, 6-28.

Source: <https://exaly.com/paper-pdf/26890844/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
416	Diagnostic reasoning based on means-end models: experiences and future prospects.		
415	Residual Evaluation for Fault Diagnosis Using Adaptive Fuzzy Thresholds and Fuzzy Inference. 1996 , 29, 6435-6440		2
414	FDI with computer-assisted human intelligence. 1997 ,		4
413	Robust fault detection in open loop vs. closed loop.		21
412	Qualitative observer and its application to fault detection and isolation systems. 1997 , 211, 253-262		2
411	Fuzzy-Markov Simulation Technique for Product Testing Equipment. 1997 , 30, 319-323		
410	Fault Detection Using Parallel Simulations. 1997 , 30, 125-131		2
409	Integration of Control and Fault Detection: Nominal and Robust Design 1. 1997 , 30, 331-336		8
408	Diagnosing Faults at Different Process Operating Points Using Neural Networks. 1997 , 30, 361-366		1
407	Principles of a Rain Gauge Fault Diagnosis System for Urban Sewer Network Control. 1997 , 30, 385-390		2
406	Fault Diagnosis on a Winding-Machine. 1997 , 30, 465-470		
405	Fault Diagnosis of a Nuclear Fuel Process with Different Operating Points Using Neural Networks. 1997 , 30, 457-462		
404	Dynamic Model and Causal Knowledge-Based Fault Detection and Isolation. 1997 , 30, 687-692		3
403	The IMM Approach to the Fault Detection Problem. 1997 , 30, 603-608		4
402	Condition Monitoring of a Sensor Prone to Intermittent Failure. 1997 , 30, 335-340		
401	Fault Diagnosis of a Nuclear Processing Plant Using Neural Networks. 1997 , 30, 977-982		1
400	New developments using AI in fault diagnosis. 1997 , 10, 3-14		75

399	Fuzzy logic and neural network applications to fault diagnosis. 1997 , 16, 67-88	62
398	Robust discrete time observer with application to fault diagnosis. 1998 , 145, 353-357	18
397	An application of LTR design in fault detection. 1998 , 19, 215-225	7
396	Neural networks for fault diagnosis of a nuclear fuel processing plant at different operating points. 1998 , 6, 281-289	24
395	A qualitative-observer approach to generating and evaluating residuals.	1
394	Model-based control of a copper micro plating process. 1998 ,	2
393	Adaptive neural network approach to on-line learning for process fault diagnosis. 1998 , 20, 144-152	13
392	Norm based threshold selection for fault detectors. 1998 ,	1
391	. 1998 ,	0
390	Low expense architectures for a dynamic spectrum analyzer based on SC-filters.	0
389	Fault Detection in Industrial Processes. 1998 , 31, 891-896	
388	What is Specific for the Modelling in Fault Detection and Isolation. 1998 , 31, 935-940	
387	Fault Detection for Continuous-Time Systems, The P.M.F Identification Approach. 1998 , 31, 395-400	
386	Nonlinear rule-based detection and identification of control system failures. 1998 ,	1
385	Rudder servo-system fault diagnosis using neural network fault modeling.	1
384	Norm based design of fault detectors. 1999 , 72, 773-783	92
383	Analysis of multivariate statistical methods for continuous systems. 1999 , 23, S207-S210	2
382	Observer-based fault diagnosis in manipulation robots. 1999 , 9, 929-939	15

381	A ship propulsion system as a benchmark for fault-tolerant control. 1999 , 7, 227-239	84
380	On the disturbed fault detection and isolation problem. 1999 , 38, 73-78	11
379	Integrating symbolic and numerical features for fault prediction and diagnosis by an expert system. 1999 , 16, 233-239	
378	Improving fault handling in marine vehicle course-keeping systems. 1999 , 6, 39-52	7
377	Multiplicative fault isolation in linear systems.	2
376	The frequency-domain heterogeneous control mixer module method for control reconfiguration.	
375	Causal modeling for supervision. 1999 ,	5
374	Nonlinear observers for fault detection and isolation. 1999 , 399-422	16
373	A Fault Detection Scheme Based On Stochastic Qualitative Modeling. 1999 , 32, 7629-7634	
372	Qualitative And Neural Decision For Fault Detection And Isolation. 1999 , 32, 7635-7640	1
371	Identification of fuzzy relational models for fault detection. 1999 , 32, 5474-5479	1
370	Structural Modeling and Fuzzy-Logic Based Diagnosis of a Ship Propulsion Benchmark. 2000 , 33, 367-372	
369	Qualitative Model-Based Fault Detection of a Fuel Injection System. 2000 , 33, 89-94	1
368	Diagnostic Decision Using Recurrent Neural Networks. 2000 , 33, 405-410	2
367	Robust Failure Detection and Isolation for Input-Output Non-Linear Systems. 2000 , 33, 993-998	
366	Soft Computing Approaches to Fault Diagnosis for Dynamic Systems: A Survey. 2000 , 33, 303-315	23
365	Simple Methods for Alarm Sanitation. 2000 , 33, 83-88	2
364	Alarm Analysis on Large Systems using Multilevel Flow Models. 2000 , 33, 95-100	

363	Sensor Failure Detection of Air Quality Monitoring Network. 2000 , 33, 529-534	8
362	AI and Automatic Control Approaches of Model-Based Diagnosis: Links and Underlying Hypotheses. 2000 , 33, 279-284	11
361	Architecture and Selected Algorithms of a Process Condition Monitoring Microsystem. 2000 , 33, 411-416	
360	Smart Actuator Fault Diagnosis. 2000 , 33, 179-183	
359	Diagnosis of the Industrial Systems by Fuzzy Classification. 2000 , 33, 1203-1208	1
358	Fuzzy reasoning in co-operative supervision systems. 2000 , 8, 389-407	37
357	Dynamic causal model diagnostic reasoning for online technical process supervision. <i>Automatica</i> , 2000 , 36, 1137-1152	5-7 37
356	A variable structure adaptive observer approach for actuator fault detection and diagnosis in uncertain nonlinear systems. 2000 ,	8
355	Observer-based fault diagnosis for structured systems.	0
354	Model-based fault diagnosis in technical processes. 2000 , 22, 57-101	94
353	Development of an on-line diagnosis system for rotor vibration via model-based intelligent inference. 2000 , 107, 315-23	2
352	Diagnosis of process faults with neural networks and principal component analysis. 2000 , 214, 131-143	8
351	Intelligent Systems and Interfaces. 2000 ,	5
350	Parallel process diagnosis based on qualitative models. 2000 , 73, 1061-1077	4
349	A sequential Monte Carlo filtering approach to fault detection and isolation in nonlinear systems.	10
348	Particle filtering based likelihood ratio approach to fault diagnosis in nonlinear stochastic systems. 2001 , 31, 337-343	102
347	Design of a class of reduced order unknown inputs nonlinear observer for fault diagnosis. 2001 ,	29
346	A fault diagnosis system for heat pumps.	3

345	Fault diagnosis reasoning for set-membership approaches and application.		8
344	Discrete-event models of quantized systems for diagnosis. 2001 , 74, 690-700		17
343	Soft Computing Approaches to Fault Diagnosis for Dynamic Systems. <i>European Journal of Control</i> , 2001 , 7, 248-286	2.5	69
342	Generic Properties and Control of Linear Structured Systems. 2001 , 34, 1-12		1
341	Fault Detection of a Diesel Injection System by Qualitative Modelling. 2001 , 34, 263-269		1
340	Supervision and Diagnosis of Complex PV Power Systems. 2001 , 34, 165-169		
339	Industrial application of neural networks in investigation. 2001 , 11, 497-507		61
338	Identification of fuzzy relational models for fault detection. 2001 , 9, 555-562		14
337	Rainfall runoff multi-modelling for sensor fault diagnosis. 2001 , 9, 659-671		19
336	Control of Complex Systems. 2001 ,		50
335	Failure diagnosis of dynamic systems: an approach based on discrete event systems. 2001 ,		45
334	Recent experiences in the industrial exploitation of principal component based fault detection methods.		
333	Performance based fault diagnosis. 2002 ,		2
332	ON THE ROBUST FAULT ISOLATION OBSERVER BY ASSIGNING LEFT AND RIGHT EIGENVECTORS. 2002 , 35, 389-394		
331	DETECTION OF PARAMETRIC FAULTS. 2002 , 35, 383-388		1
330	A QFT fault-tolerant control for electrohydraulic positioning systems. 2002 , 10, 626-632		39
329	.		10
328	Observer-based fault detection and isolation for structured systems. 2002 , 47, 2074-2079		61

327	Fault tolerance and reliability in integrated ship control - the ATOMOS concept.	
326	Fault detection and isolation of the three-tank system using the modal interval analysis. 2002 , 12, 325-338	42
325	Observer-based robust failure detection and isolation in greenhouses. 2002 , 10, 519-531	4
324	Diagnostic reasoning based on means-end models: experiences and future prospects. 2002 , 15, 103-110	10
323	Parameterization of a fuzzy classifier for the diagnosis of an industrial process. 2002 , 77, 269-279	1
322	Fault estimation – standard problem approach. 2002 , 12, 649-673	58
321	Sliding mode observers for detection and reconstruction of sensor faults. <i>Automatica</i> , 2002 , 38, 1815-1827	249
320	Models and Algorithms for Failure Diagnosis and Recovery in FMSs. 2003 , 15, 57-85	25
319	Statistical process monitoring: basics and beyond. 2003 , 17, 480-502	1061
318	Diagnosis of the industrial systems by fuzzy classification. 2003 , 42, 327-35	6
317	Cheap diagnosis using structural modelling and fuzzy-logic-based detection. 2003 , 11, 415-422	9
316	Generic properties and control of linear structured systems: a survey. <i>Automatica</i> , 2003 , 39, 1125-1144	5.7 333
315	Sliding mode observers for reconstruction of simultaneous actuator and sensor faults.	4
314	Nonlinear PCA combining principal curves and RBF-networks for process monitoring.	9
313	An interactive tool for causal graph modeling for supervision purposes. 2003 ,	
312	Fault detection and isolation based on Takagi-Sugeno modelling. 2003 ,	
311	Fault Diagnosis and Fault Tolerance for Mechatronic Systems:Recent Advances. 2003 ,	29
310	Modelling, State Observation and Diagnosis of Quantised Systems. 2003 ,	18

309	Sensor location for diagnosis in linear structured systems with disturbances.	6
308	Optimal threshold functions for fault detection and isolation.	8
307	Generic signature generation tool for diagnosis and parametric estimation of multi-variable dynamical nonlinear systems.	7
306	Auxiliary signal design for robust active failure detection: the general cost case. 2003 , 36, 251-256	1
305	A SOM and Expert System Based Scheme for Fault Detection and Isolation in a Hydroelectric Power Station. 2003 , 36, 999-1004	1
304	Real-Time Implementation of Fault Diagnosis to a Heat Exchanger. 2003 , 36, 1053-1058	2
303	Variable Reconstruction Using RBF-NLPCA for Process Monitoring. 2003 , 36, 1131-1136	
302	Bibliographical review on reconfigurable fault-tolerant control systems. 2003 , 36, 257-268	49
301	Diagnosis of timed automata with an application to industrial actuators. 2004 , 11, 25-36	
300	Bibliography. 2004 , 193-200	
299	Robust sensor fault reconstruction for an inverted pendulum using right eigenstructure assignment.	
298	Residual generator design for linear dynamic system fault detection. 2004 ,	
297	Residual generator function design for actuator fault detection and isolation of a Piper PA30 aircraft. 2004 ,	
296	Development of fault detection and diagnosis schemes for industrial refrigeration systems - lessons learned.	4
295	Model-based fault diagnosis in continuous dynamic systems. 2004 , 43, 459-75	14
294	An optimal fast rate fault detection scheme for multirate sampled-data systems. 2004 ,	1
293	Multivariate fault detection with convex hull.	2
292	Combining FDI and AI approaches within causal-model-based diagnosis. 2004 , 34, 2207-21	40

291	Conflicts versus analytical redundancy relations: a comparative analysis of the model based diagnosis approach from the artificial intelligence and automatic control perspectives. 2004 , 34, 2163-77	130
290	Component-Based Simulation for a Reconfiguration Study of Transitive Systems. 2004 , 80, 153-163	4
289	Diagnose zeitbewerteter ereignisdiskreter Systeme (Diagnosis of Timed Discrete Event Systems). 2004 , 52, 164-173	2
288	A System Decomposition for Failure Detection and Isolation. 2004 , 37, 567-572	
287	Trends in Fault-Tolerant Control of Engineering Systems. 2004 , 37, 377-384	7
286	ONLINE TESTING EMBEDDED SYSTEMS: ADAPTING AUTOMATIC CONTROL TECHNIQUES TO MICROELECTRONICS TESTING. 2005 , 38, 14-19	
285	A SYSTEM DECOMPOSITION FOR SENSOR LOCATION IN FAULT DETECTION AND ISOLATION. 2005 , 38, 382-387	2
284	An optimal scheme for fast rate fault detection based on multirate sampled data. 2005 , 15, 307-319	36
283	Real-time implementation of fault diagnosis to a heat exchanger. 2005 , 13, 1061-1069	17
282	Fuzzy-based Refinement of the Fault Diagnosis Task in Industrial Devices. 2005 , 16, 599-614	10
281	Robust fault detection of uncertain linear systems via quasi-LMIs.	3
280	Diagnostic decision algorithm based on spectral analysis and model validity.	
279	. 2005 ,	
278	HDynamic observer design with application in fault diagnosis.	3
277	Investigating Conformance Monitoring Issues in Air Traffic Control Using Fault Detection Techniques. 2005 , 42, 1307-1317	24
276	Identification of residual generators for fault detection of linear dynamic models.	
275	Diagnostic Symptom Generation Aggregating Model Validity and Residual Evaluation. 2005 ,	1
274	Diagnosis and Fault-Tolerant Control [Book Report]. 2005 , 25, 100-102	1

273	Application of multivariate statistics to support process control.	
272	An actuator fault isolation strategy for linear and nonlinear systems.	5
271	.	4
270	Fault Diagnosis of AUV Based on Bayesian Networks. 2006 ,	2
269	On-board monitoring and diagnosis for spark ignition engine air path via adaptive neural networks. 2006 , 220, 1641-1655	8
268	Sensor Gain Fault Diagnosis for a Class of Nonlinear Systems. <i>European Journal of Control</i> , 2006 , 12, 523-535	12
267	Intelligent system for process supervision and fault diagnosis in dynamic physical systems. 2006 , 53, 581-592	42
266	A semi-formal approach to build the functional graph of an automated production system for supervision purposes. 2006 , 19, 234-247	3
265	A REALIZATION APPROACH FOR RESIDUAL EXPRESSIONS. 2006 , 39, 54-59	5
264	DIAGNOSIS OF TIMED AUTOMATA BASED ON AN OBSERVATION PRINCIPLE. 2006 , 39, 1270-1275	
263	A time-delayed observer for fault detection and isolation in industrial robots. 2006 , 24, 557-565	10
262	FAULT DIAGNOSIS OF AN ACTIVE SUSPENSION CONTROL SYSTEM. 2006 , 39, 498-503	1
261	STRUCTURAL ANALYSIS FOR THE SENSOR LOCATION PROBLEM IN FAULT DETECTION AND ISOLATION. 2006 , 39, 896-901	8
260	Fault diagnosis for heat pumps with parameter identification and clustering. 2006 , 14, 1435-1444	31
259	An improved PCA scheme for sensor FDI: Application to an air quality monitoring network. 2006 , 16, 625-634	102
258	Fault measurement detection in an urban water supply network. 2006 , 16, 887-902	48
257	Diagnosis of timed automata: Theory and application to the DAMADICS actuator benchmark problem. 2006 , 14, 609-619	26
256	Application of a novel fuzzy classifier to fault detection and isolation of the DAMADICS benchmark problem. 2006 , 14, 653-669	22

255	Fault detection and isolation for on-board sensors of a general aviation aircraft. 2006 , 20, 381-408	36
254	Entwurfsmethode für den verallgemeinerten virtuellen Aktor zur Rekonfiguration von Regelkreisen (Design Approach to the Generalised Virtual Actuator for Control Reconfiguration). 2006 , 54, 353-361	3
253	Rotor Fault Detection in Induction Machines: Methods and Techniques - State-of-the-Art. 2006 ,	2
252	New Results In Robust Observation And Fault Reconstruction. 2006 ,	
251	Diagnosis of active dynamic control systems using virtual sensors and observers. 2006 ,	1
250	FAULT TOLERANCE AND DETECTION IN CHAOTIC COMPUTERS. 2007 , 17, 1955-1968	18
249	Fault Diagnosis of an Active Suspension Control System. 2007 , 498-503	
248	A hybrid architecture for diagnosis in hybrid systems with applications to spacecraft propulsion system. 2007 ,	7
247	Research and Application of Appliance Fault Diagnosis Based on Dynamic Modeling. 2007 ,	
246	Knowledge-Based Automatic Fault Detection in Flight Control System. 2007 , 605	
245	CONTROL/FAULT DIAGNOSIS INTERACTIONS ANALYSIS FOR STRUCTURED BILINEAR SYSTEMS. 2007 , 40, 655-660	
244	SENSOR CLASSIFICATION FOR THE FAULT DETECTION AND ISOLATION PROBLEM. 2007 , 40, 661-666	
243	A dual-loop scheme for fault-tolerance and early fault detection. 2007 , 1, 925-932	5
242	Adaptive actuator fault detection, isolation and accommodation in uncertain systems. 2007 , 80, 45-63	59
241	Observer-based actuator fault detection for chemical batch reactors: A comparison between nonlinear adaptive and H _∞ -based approaches. 2007 ,	2
240	Sensor Location for Diagnosis in Linear Systems: A Structural Analysis. 2007 , 52, 155-169	48
239	Active Fault-Tolerant Control of Nonlinear Batch Processes with Sensor Faults. 2007 , 46, 9158-9169	27
238	A sliding mode observer-based strategy for fault detection, isolation, and estimation in a class of Lipschitz nonlinear systems. 2007 , 38, 943-955	53

237	Fuzzy-genetic algorithm for automatic fault detection in HVAC systems. 2007 , 7, 554-560		45
236	New results in robust actuator fault reconstruction for linear uncertain systems using sliding mode observers. 2007 , 17, 1294-1319		29
235	Observer-based strategies for actuator fault detection, isolation and estimation for certain class of uncertain nonlinear systems. 2007 , 1, 1672-1680		88
234	Sensor fault detection, isolation and reconstruction using nonlinear principal component analysis. 2007 , 4, 149-155		35
233	Robust sensor fault reconstruction applied in real-time to an inverted pendulum. 2007 , 17, 368-380		10
232	Diagnosis of process faults in chemical systems using a local partial least squares approach. 2008 , 54, 2581-2596		72
231	Bibliographical review on reconfigurable fault-tolerant control systems. 2008 , 32, 229-252		1517
230	Adaptive threshold computation for CUSUM-type procedures in change detection and isolation problems. 2008 , 52, 4161-4174		27
229	Observer-based sensor fault detection and isolation for chemical batch reactors. 2008 , 21, 1204-1216		40
228	Structural analysis for the sensor location problem in fault detection and isolation. <i>Automatica</i> , 2008 , 44, 2074-2080	5.7	29
227	Online expert systems for fault diagnosis in technical processes. 2008 , 25, 115-132		19
226	Reconfigurable Fault-tolerant Control: A Tutorial Introduction. <i>European Journal of Control</i> , 2008 , 14, 359-386	2.5	72
225	Model-based Fault Diagnosis Techniques. 2008 ,		4
224	Application of BP neural network in fault diagnosis of FOG SINS. 2008 ,		1
223	Optimal fault diagnosis for systems with delayed measurements. 2008 , 2, 990-998		16
222	Extension of statistical process control (SPC) methodology to dynamic systems controlled via output feedback. 2008 ,		
221	Fuzzy observer for fault detection and reconstruction of unknown input fuzzy models. 2008 , 3, 193		10
220	Adaptive Observer for Fault Diagnosis in Nonlinear Discrete-Time Systems. 2008 , 130,		31

219	Fault diagnosis and prediction of hybrid system based on particle filter algorithm. 2008,	4
218	Co-operative functional/hybrid behavioural models for dynamical failure assessment. 2008, 46, 5313-5336	1
217	Fault Diagnosis of Complex Systems Based on Multi-sensor and Multi-domain Knowledge Information Fusion. 2008,	4
216	Fault diagnosis of FOG SINS based on neural network. 2008,	
215	Application of RBF neural network in fault diagnosis of FOG SINS. 2008,	
214	A New Model of Mine Hoist Fault Diagnosis Based on the Rough Set Theory. 2008,	
213	A New Approach to Multiple Fault Diagnosis: A Combination of Diagnostic Matrices, Graphs, Algebraic and Rule-Based Models. The Case of Two-Layer Models. 2008, 18, 465-476	15
212	Tools for Fault Detection and Diagnosis. 211-237	
211	Extended Luenberger Observer-Based Fault Detection for an Activated Sludge Process. 2008, 41, 9725-9730	2
210	. 2008,	46
209	An Efficient Diagnosis Technique for Variations of Shaft-Bow and Unbalance. 2009,	1
208	An intelligent model based on data mining and fuzzy logic for fault diagnosis of external gear hydraulic pumps. 2009, 51, 594-600	5
207	HVAC Fault Diagnosis System Using Rough Set Theory and Support Vector Machine. 2009,	1
206	Functional diagnosis of the nonlinear dynamic delay systems. 2009, 70, 502-512	4
205	An integrated approach to fault diagnosis for a class of chemical batch processes. 2009, 19, 827-841	21
204	Condition monitoring and fault detection of wind turbines and related algorithms: A review. 2009, 13, 1-39	653
203	Neural network-based robust fault detection for nonlinear jump systems. 2009, 42, 760-766	6
202	Improving decision making in fault detection and isolation using model validity. 2009, 22, 534-545	8

201	Cointegration Testing Method for Monitoring Nonstationary Processes. 2009 , 48, 3533-3543	61
200	Intelligent Automatic Fault Detection for Actuator Failures in Aircraft. 2009 , 5, 50-55	43
199	Fault Detection Schemes for Continuous-Time Stochastic Dynamical Systems. 2009 , 54, 1820-1836	21
198	Support Vector Regression and Immune Clone Selection Algorithm for Intelligent Electronic Circuit Fault Diagnosis. 2009 ,	
197	A New Method for Dynamic Fault Diagnosis of Electric Appliance. 2009 ,	
196	. 2009 ,	8
195	A Quick Search Strategy for Multiple Fault Diagnosis of Turbomachinery. 2009 ,	
194	Diagnosability of Networks of Hybrid Systems. 2009 , 42, 1492-1497	
193	Design of observers for Takagi-Sugeno fuzzy models for Fault Detection and Isolation. 2009 , 42, 1109-1114	12
192	A neural network approach for on-line fault detection of nitrogen sensors in alternated active sludge treatment plants. 2010 , 62, 2760-8	10
191	Fault identification and analysis using artificial intelligence techniques for three-tank system. 2010 , 4, 84	1
190	Fuzzy logic approach applied to the surge detection and isolation in centrifugal compressor. 2010 , 44, 53-59	9
189	Fusion of Manifold Learning and Spectral Clustering Algorithm with Applications to Fault Diagnosis. 2010 ,	1
188	Fault diagnosis analysis with support vector regression and particle swarm optimization algorithm. 2010 ,	
187	A novel fault diagnosis model research for electronic circuit. 2010 ,	
186	Fault diagnosis model research based on support vector regression and principal components analysis. 2010 ,	1
185	An optimal sensor placement algorithm taking into account diagnosability specifications. 2010 ,	0
184	Sliding mode observer for robust estimation of state and fault for linear uncertain systems. 2010 ,	1

183	Monitoring of Timed Discrete Events Systems With Interrupts. 2010 , 7, 146-150	6
182	Fault Detection and Isolation Based on Optimal Fault-Tolerant Observers for Linear System. 2010 ,	2
181	Control and Monitoring of Chemical Batch Reactors. 2011 ,	10
180	Sensor fault reconstruction and observability for unknown inputs, with an application to wastewater treatment plants. 2011 , 84, 822-833	8
179	A proposal to fault diagnosis in industrial systems using bio-inspired strategies. 2011 , 19, 240-252	2
178	Sensor classification for the fault detection and isolation, a structural approach. 2011 , 25, 1-17	14
177	Structural analysis and duality for bond graph models. 2011 ,	
176	Multiple Faults Model-Based Detection and Localisation in Complex Systems. 2011 , 20, 7-31	4
175	Constructing Dynamic Multiple-Input Multiple-Output Logic Gates. 2011 , 2011, 1-12	3
174	The development of the adaptive diagnostic system for navigation sensors of autonomous underwater vehicles. 2012 ,	
173	. 2012 ,	
172	Monitoring of a Wind Turbine Rotor using a Multi-blade Coordinate Framework*. 2012 , 45, 374-379	1
171	A hybrid fault diagnosis strategy for chemical process startups. 2012 , 22, 1287-1297	11
170	Detection of abnormal energy patterns pointing to gradual conveyor misalignment in a factory automation testbed. 2012 ,	0
169	Development of a structuring residuals method for diagnostic by PCA-based genetic algorithms. 2012 ,	
168	Robust fault detection and isolation in stochastic systems. 2012 , 85, 779-799	4
167	Embedded service oriented diagnostics based on energy consumption data. 2012 ,	1
166	Multiple fault detection and diagnosis in a Gas Turbine using principal component analysis and structured residuals. 2012 ,	1

165	Diagnosability of discrete event systems for temporary failures. 2012 , 38, 1534-1549	11
164	Fault Diagnosis System Based on Fuzzy-inference. 2012 , 4, 51-61	5
163	Design of unknown input functional observers for nonlinear systems with application to fault diagnosis. 2013 , 23, 1169-1184	32
162	Sensor fault reconstruction for one-sided Lipschitz nonlinear systems. 2013 ,	1
161	Introduction. 2013 , 1-15	
160	Fault-Tolerant Nonlinear Control Systems. 2013 , 175-218	
159	Fault detection of dynamical systems using first-order functional observers. 2013 ,	7
158	Wind turbine fault detection and isolation using support vector machine and a residual-based method. 2013 ,	7
157	Residual structuration based on a new observer scheme for sensor fault detection and isolation. 2013 ,	2
156	RFDF design for a class of time delay systems with unknown inputs and parameter uncertainties using bicausal transformation. 2013 ,	1
155	Self-tuning fault diagnosis of MEMS. 2013 , 23, 1094-1099	13
154	Model-based Intermittent Fault Detection. 2013 , 11, 68-73	13
153	Modeling, analysis and performance evaluation for fault diagnosis and Fault Tolerant Control in bottle-filling plant modeled using Hybrid Petri nets. 2013 , 37, 4842-4859	13
152	Robust fault detection of Markovian jump systems with different system modes. 2013 , 37, 5001-5012	10
151	Model-Based Fault Diagnosis Techniques. 2013 ,	278
150	Fault Detection Filter Design for Stochastic Systems with Mixed Time-Delays and Parameter Uncertainties. 2013 , 2013, 1-11	
149	Notice of Retraction: Study on army productsSRMS parameter shooting-range test and assessment. 2013 ,	
148	Fast-rate residual generator based on multiple slow-rate sensors. 2014 , 8, 878-884	3

147	A knowledge-based fault diagnosis platform in smart grid: A conceptual design. 2014,	1
146	. 2014,	
145	The Performance of Observer-based Residuals for Detecting Intermittent Faults: The Limitations. 2014, 22, 65-70	2
144	Hybrid intelligent approach to diagnose multiple faults in complex systems. 2014,	1
143	Robust Fault Detection of Uncertain Time-Delay Markovian Jump Systems with Different System Modes. 2014, 33, 115-139	9
142	Estimation of an incipient fault using an adaptive neurofuzzy sliding-mode observer. 2014, 77, 256-269	8
141	A variant of the particle swarm optimization for the improvement of fault diagnosis in industrial systems via faults estimation. 2014, 28, 36-51	20
140	Predictive diagnosis based on a fleet-wide ontology approach. 2014, 68, 40-57	44
139	Observer-based fault-tolerant control for a class of nonlinear networked control systems. 2014, 87, 1707-1715	40
138	Intelligent Fault Diagnosis in Nonlinear Systems. 2014, 20, 201-212	3
137	Automatic recognition for mechanical images based on Sparse non-negative matrix factorization and Probabilistic Neural Networks. 2015,	
136	ModelBased Techniques for Virtual Sensing of Longitudinal Flight Parameters. 2015, 25, 23-38	11
135	. 2015,	1
134	A Plug-and-Play Fault Diagnosis Approach for Large-Scale Systems. 2015, 48, 601-606	4
133	Fault accommodation for multi-input linear sampled-data systems. 2015, 29, 835-854	2
132	Research on the Fault Coefficient in Complex Electrical Engineering. 2015, 5, 307-319	5
131	Robust sensor fault estimation for descriptor-LPV systems with unmeasurable gain scheduling functions: Application to an anaerobic bioreactor. 2015, 25, 233-244	41
130	Ontology Modeling in Physical Asset Integrity Management. 2015,	2

129	Review of control and fault diagnosis methods applied to coal mills. 2015 , 32, 138-153	40
128	Analysis of fault isolation assumptions when comparing model-based design approaches of diagnosis systems. 2015 , 48, 1289-1296	11
127	A new dynamic observer approach to fault detection for LTI system. 2016 ,	
126	A concept map-based cognitive framework for acquiring expert knowledge in industrial environment. 2016 ,	1
125	Implementation of nonintrusive monitoring and fault diagnosis in industrial robot system. 2016 ,	
124	Introducci3n a la Diagn3s de Fallos basada en Modelos mediante Aprendizaje basado en Proyectos. 2016 , 13, 186-195	3
123	Probabilistic Graphical Models for Fault Diagnosis in Complex Systems. 2016 , 109-139	3
122	Automated quantitative model-based fault diagnostic protocol via Assumption State Differences. 2016 , 90, 94-110	
121	Biocorrosion and biodeterioration of some materials used in electrical engineering. 2016 ,	1
120	Introduction. 2016 , 1-18	
119	Mathematical Modeling and Computational Intelligence in Engineering Applications. 2016 ,	1
118	Multiple fault diagnosis by signature recognition of time-varying residuals. 2016 ,	
117	Diagnosis of hybrid systems through Observers and Timed Automata. 2016 ,	2
116	Fault diagnosis method for vacuum pump of space environment simulator. 2016 ,	4
115	Introduction. 2016 , 1-10	1
114	Design of robust H _∞ fault detection filter for uncertain time-delay systems using canonical form approach. 2016 , 353, 54-71	10
113	On Teaching Model-Based Fault Diagnosis in Engineering Curricula [Lecture Notes]. 2016 , 36, 53-62	0
112	Advanced and Intelligent Computations in Diagnosis and Control. 2016 ,	1

111	Fault Tolerant Control for T-S Fuzzy Systems with Application to NSHV. 2017 , 13-42	
110	Adaptive Fault Detection for Uncertain Time-Delay Systems. 2017 , 211-235	0
109	Adaptive Fault Tolerant Backstepping Control for High-Order Nonlinear Systems. 2017 , 127-161	
108	Neural Network-Based Fault Tolerant Control Scheme Against Un-modeled Fault. 2017 , 163-190	3
107	Fault diagnosis of a vehicular active suspension system by Luenberger observer using bond graph approach. 2017 ,	0
106	Estimation based Fault Diagnosis and identification in sequential Industrial batch processes modeled as Hybrid Petri nets. 2017 ,	0
105	Model-Based Parameter Estimation for Fault Detection Using Multiparametric Programming. 2017 , 56, 8000-8015	12
104	A nonlinear quality-related fault detection approach based on modified kernel partial least squares. 2017 , 66, 275-283	50
103	Least Squares Estimation and Fuzzy Logic Based Condition Monitoring for High Redundancy Actuator. 2017 , 50, 3189-3194	1
102	Process monitoring using independent component analysis based on gradient and newton iteration methods. 2017 ,	1
101	Fault detection method for a wastewater treatment process based on a neural model. 2017 ,	0
100	Observer-Based Multiple Faults Diagnosis for Satellite Attitude Control System. 2017 ,	
99	Root cause diagnosis of quality-related faults in industrial multimode processes using robust Gaussian mixture model and transfer entropy. 2018 , 285, 60-73	24
98	An intelligent hybrid methodology of on-line system-level fault diagnosis for nuclear power plant. 2018 , 50, 396-410	26
97	Diagnosis of sensor grids in a building context: Application to an office setting. 2018 , 17, 75-83	5
96	Phenomenological model of a solid electrolyte NOx and O2 sensor using temperature perturbation for on-board diagnostics. 2018 , 321, 62-68	10
95	An Approach to Fault Detection for Multirate Sampled-Data Systems With Frequency Specifications. 2018 , 48, 1155-1165	20
94	Complex data study on mechanical fault diagnosing. 2018 , 34, 1169-1176	3

93	State assignment method for improvement of transient response caused by controller switching. 2018 , 51, 365-370		2
92	Fault diagnosis of discrete-event systems based on the symbolic observation graph. 2018 , 8, 141		3
91	Observer-Based NCS Fault Diagnosis. 2018 , 1087, 062044		
90	Statistical Process Monitoring with Biogeography-Based Optimization Independent Component Analysis. 2018 , 2018, 1-14		1
89	Neural network-based fault diagnosis scheme for satellite attitude control system. 2018 ,		2
88	Model Based Fault Diagnosis and Inverse Problems. 2019 , 1-9		
87	Fault Diagnosis Inverse Problems: Solution with Metaheuristics. 2019 ,		5
86	Research on Light-Weight of the High Pressure Heater Tubesheet. 2019 , 237, 032118		
85	. <i>IEEE Access</i> , 2019 , 7, 70513-70524	3.5	2
84	Application of fuzzy analytic hierarchy process (FAHP) in failure investigation of knowledge-based business plans. 2019 , 1, 1		2
83	A Three-Dimensional Information Flow Modeling Method for Integrated Fault Diagnosis and Maintenance of Complex System. 2019 ,		0
82	Functional Observer Design for Time-Delayed Systems With Application to Fault Diagnosis. <i>IEEE Access</i> , 2019 , 7, 14558-14568	3.5	3
81	Methods for fault diagnosis of high-speed railways: A review. 2019 , 233, 908-922		9
80	Observer-Based Control Design: Basics, Progress, and Outlook. 2019 , 143-208		
79	Activated sludge process faults diagnosis based on an improved particle filter algorithm. <i>Chemical Engineering Research and Design</i> , 2019 , 127, 66-72	5.5	9
78	Sliding mode switching observer-based actuator fault detection and isolation for a class of uncertain systems. 2019 , 33, 322-335		8
77	Fault Detection of Discriminant Improved Local Tangent Space Alignment. 2019 ,		1
76	Study of fast orthogonal search for fault detection in multi-inertial sensors frame. 2019 ,		

75	A Bioreactor Fault Diagnosis Based on Metaheuristics. 2019 , 139-163		
74	Advanced Engine Diagnostics. 2019 ,		4
73	. 2019 , 64, 4-19		25
72	Sensor fault localization with accumulated residual contribution rate for bridge SHM. 2019 , 22, 7821-7829		4
71	Observer-Based Multiple Faults Diagnosis Scheme for Satellite Attitude Control System. 2020 , 22, 307-322		3
70	Fault diagnosis and accommodation with flight control applications. 2020 , 7, 24-43		12
69	A Fault Diagnosis Method of Rotating Machinery Based on One-Dimensional, Self-Normalizing Convolutional Neural Networks. <i>Sensors</i> , 2020 , 20,	3.8	8
68	Enhanced fault diagnosis method using conditional Gaussian network for dynamic processes. 2020 , 93, 103704		2
67	Fault Detection and Isolation for Linear Structured Systems. 2020 , 4, 874-879		3
66	Fault detection in level and flow rate sensors for safe and performant remote-control in a water supply system. 2020 , 22, 132-147		3
65	Active Fault-Tolerant Control for Discrete Vehicle Active Suspension via Reduced-Order Observer. 2020 , 1-11		11
64	Computational Intelligence in Emerging Technologies for Engineering Applications. 2020 ,		
63	Introduction. 2021 , 1-17		
62	An efficient method for determining fault isolability properties based on an augmented system model. <i>European Journal of Control</i> , 2021 , 58, 90-100	2.5	1
61	Research on fault diagnosis technology of centrifugal pump blade crack based on PCA and GMM. 2021 , 173, 108558		16
60	An analysis of process fault diagnosis methods from safety perspectives. 2021 , 145, 107197		12
59	A survey and classification of incipient fault diagnosis approaches. 2021 , 97, 1-16		13
58	An overview of time-delay control systems. 2021 , 1-82		

57	A Framework for Monitoring and Fault Diagnosis in Nuclear Power Plants Based on Signed Directed Graph Methods. 2021 , 9,	1
56	Fault Diagnosis for Industrial Robots. 2003 , 85-108	4
55	State Observation and Diagnosis of Quantised Systems. 2003 , 169-197	1
54	Introduction. 2013 , 3-11	3
53	Diagnosis Strategies and Systems: Principles, Fuzzy and Neural Approaches. 2000 , 307-350	7
52	Computational Intelligence Methodologies in Fault Diagnosis: Review and State of the Art. 2006 , 1-36	3
51	Time-Frequency Causal Inference Uncovers Anomalous Events in Environmental Systems. 2019 , 499-512	5
50	Fault Diagnosis System Based on Ontology for Fleet Case Reused. 2015 , 133-169	2
49	Model-Based Diagnosis. 2017 , 435-461	1
48	Refinement of the Diagnosis Process Performed with a Fuzzy Classifier. 2004 , 365-372	1
47	A Fuzzy Classification Solution for Fault Diagnosis of Valve Actuators. 2003 , 741-747	2
46	Fuzzy-Inference Based Fault Diagnosis System for Pneumatic Press. 2009 , 583-590	1
45	Model-Based Fault Detection on Modern Automotive Engines. 2019 , 167-204	2
44	Nonlinear Observer Based Fault Diagnosis for an Innovative Intensified Heat-Exchanger/Reactor. <i>Lecture Notes in Electrical Engineering</i> , 2020 , 423-432	0.2 1
43	Structural Analysis for the Sensor Location Problem in Fault Detection and Isolation. 2007 , 896-901	2
42	A first step toward a model driven diagnosis algorithm design methodology. 2011 , 353-360	1
41	Fault Diagnosis Methods in Dynamic Systems: A Review. 2015 , 3,	3
40	Robust Unknown Input Observer-Based Fast Adaptive Fault Estimation. 2015 , 427-456	3

39 Diagnosis Algorithms for a Symbolically Modeled Manufacturing Process. **2001**, 1228-1236

38 Bayesian Networks in Decision Support. **2002**, 75-90

37 Fault diagnosis of continuous-variable systems. **2003**, 173-257

36 Non-Analytical Approaches to Model-Based Fault Detection and Isolation. **2003**, 407-418

35 Non-Analytical Approaches to Model-Based Fault Detection and Isolation. **2004**, 85-99

34 A Realization Approach for Residual Expressions. **2007**, 54-59

33 Diagnosis of Timed Automata Based on an Observation Principle. **2007**, 1270-1275

32 Fault Diagnosis. **2011**, 121-158

31 Observers in Dynamic Engineering Systems. **2011**, 1-23

30 Perfect Unknown Input Decoupling. **2013**, 117-161

29 The Proposed Architecture. **2013**, 59-78

28 Fault Diagnosis Based on Controller Modification. **2016**, 3-18

27 Intelligent Model-Based Fault Diagnosis of MEMS. 21-61

26 Probabilistic Reasoning-Based Rail Train Electric Traction System Vulnerability Analysis. *Lecture Notes in Electrical Engineering*, **2016**, 811-819

0.2

25 Diagnosing Time-Dependent Incipient Faults. **2016**, 47-62

24 Command Filtered Adaptive Fuzzy Backstepping FTC Against Actuator Fault. **2017**, 77-97

23 Introduction. **2017**, 1-11

22 Fuzzy Logic System-Based Adaptive FC for NSV Attitude Dynamics with Multiple Faults. **2017**, 43-76

21	Model matching fault detection filter design for a linear discrete-time system with mixed uncertainties. 1-22		1
20	A Real-Time Hierarchical Fault Diagnosis Strategy for SADA Based on Information Fusion. <i>Lecture Notes in Electrical Engineering</i> , 2021 , 758-766	0.2	
19	Fault Detection and Isolation in Smart Grid Devices Using Probabilistic Boolean Networks. 2020 , 165-185		0
18	Single Fault Diagnosis Method of Sensors in Cascade System Based on Data-Driven. <i>Sensors</i> , 2021 , 21,	3.8	
17	A Fuzzy Classification Technique Applied to Fault Diagnosis. 2006 , 105-123		
16	Fault diagnosis of continuous-variable systems. 2006 , 189-298		
15	A sensor fault diagnosis method based on KPCA and contribution graph. <i>Vibroengineering PROCEDIA</i> , 2020 , 33, 6-10	0.4	1
14	Mathematical Modeling and Fault Description. 2021 , 1-55		
13	Conclusions. 2021 , 215-239		
12	The AffectMove Challenge: some machine learning approaches. 2021 ,		1
11	An Actuator Fault Diagnosis Combined Method Based on Intelligent Disturbance Observer. <i>Lecture Notes in Electrical Engineering</i> , 2022 , 813-824	0.2	
10	Solar Panels String Predictive and Parametric Fault Diagnosis Using Low-Cost Sensors.. <i>Sensors</i> , 2022 , 22,	3.8	6
9	Process monitoring of abnormal working conditions in the zinc roasting process with an ALD-based LOF-PCA method. <i>Chemical Engineering Research and Design</i> , 2022 , 161, 640-650	5.5	0
8	An overview of structural systems theory. <i>Automatica</i> , 2022 , 140, 110229	5.7	0
7	A Novel Performance Adaptation and Diagnostic Method for Aero-Engines Based on the Aerothermodynamic Inverse Model. <i>Aerospace</i> , 2022 , 9, 16	2.5	0
6	Fault Diagnosis of the Rotating Rectifier Diode Over a TSSM Based on the Armature Current Calculation and Similarity Measurement. <i>IEEE Access</i> , 2022 , 10, 48031-48038	3.5	
5	Fault Prediction of Process Industry Based on Fuzzy Clustering. 2022 ,		
4	Energy-Based Prognostics for Gradual Loss of Conveyor Belt Tension in Discrete Manufacturing Systems. <i>Energies</i> , 2022 , 15, 4705	3.1	1

- 3 A novel deep learning model based on target transformer for fault diagnosis of chemical process. **2022**, 167, 480-492 0
- 2 Joint Estimation of Additive and Parametric Faults: A Model-Based Fault Diagnosis Approach towards Predictive Maintenance. **2022**, 55, 304-309 1
- 1 A Grasshopper Optimization Algorithm for Fault Diagnosis in Ultra-Dense LEO satellite networks. **2022**, 0