

CITATION REPORT

List of articles citing

The use of chloroquine and hydroxychloroquine for non-infectious conditions other than rheumatoid arthritis or lupus: a critical review

DOI: 10.1177/0961203396005001131

Lupus, 1996, 5, 59-64.

Source: <https://exaly.com/paper-pdf/26936394/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
29	Quinoline antimalarials: mechanisms of action and resistance and prospects for new agents. 1998 , 79, 55-87		413
28	The use of antimalarials in dermatology. <i>Journal of Dermatological Treatment</i> , 2000 , 11, 185-194	2.8	2
27	Ocular involvement in sarcoidosis. <i>British Journal of Ophthalmology</i> , 2000 , 84, 110-6	5.5	183
26	Scanty congenital plasmodium parasites as a possible cause for several autoimmune diseases. <i>Medical Hypotheses</i> , 2001 , 56, 335-8	3.8	4
25	Antimalarials in cutaneous lupus erythematosus: mechanisms of therapeutic benefit. <i>Lupus</i> , 2002 , 11, 71-81	2.6	53
24	Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents. <i>Biochemical Pharmacology</i> , 2003 , 66, 663-77	6	47
23	[Systemic treatment of cutaneous lupus erythematosus]. <i>JDDG - Journal of the German Society of Dermatology</i> , 2003 , 1, 694-704	1.2	15
22	Antiphospholipid syndrome. <i>Disease-a-Month</i> , 2003 , 49, 696-741	4.4	60
21	Inhibition of FMLP-stimulated neutrophil chemiluminescence by blood platelets increased in the presence of the serotonin-liberating drug chloroquine. <i>Thrombosis Research</i> , 2003 , 109, 293-8	8.2	8
20	Antimalarials. 2005 , 347-372		
19	Cutaneous Lupus Erythematosus. 2005 ,		11
18	[Antimalarials: an update in rheumatic diseases]. <i>Reumatologia Clínica</i> , 2006 , 2, 190-201	0.9	8
17	Interferon-induced sarcoidosis. <i>Journal of Clinical Rheumatology</i> , 2006 , 12, 241-8	1.1	41
16	A 1-year study of two doses of steroid in combination with methotrexate and chloroquine in the treatment of patients with mild and moderate systemic lupus erythematosus. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 392-396		
15	Skin disorders with arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 809-26	5.3	23
14	Dermatologic and allergic conditions of the eyelid. <i>Immunology and Allergy Clinics of North America</i> , 2008 , 28, 137-68, vii	3.3	20
13	Recent developments in the design and synthesis of hybrid molecules based on aminoquinoline ring and their antiplasmodial evaluation. <i>European Journal of Medicinal Chemistry</i> , 2009 , 44, 3091-113	6.8	120

12	Selective thinning of the perifoveal inner retina as an early sign of hydroxychloroquine retinal toxicity. <i>Eye</i> , 2010 , 24, 756-62; quiz 763	4.4	45
11	Cryptococcal immune reconstitution syndrome during steroid withdrawal treated with hydroxychloroquine. <i>International Journal of Infectious Diseases</i> , 2011 , 15, e70-3	10.5	19
10	Different ophthalmologic manifestations of sarcoidosis. <i>Current Opinion in Ophthalmology</i> , 2012 , 23, 477-84	5.1	10
9	Antimalarials: Reversing the autoimmunethal-area. <i>Indian Journal of Rheumatology</i> , 2012 , 7, 97-101	0.5	
8	Transient increase of interferon-stimulated genes and no clinical benefit by chloroquine treatment during acute simian immunodeficiency virus infection of macaques. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 355-62	1.6	12
7	Chloroquine-containing compounds: a patent review (2010 - 2014). <i>Expert Opinion on Therapeutic Patents</i> , 2015 , 25, 1003-24	6.8	19
6	Should very low doses of hydroxychloroquine and quinacrine be employed in combination for long-term maintenance of remission in systemic lupus to reduce the risk of ocular toxicity?. <i>Current Opinion in Rheumatology</i> , 2015 , 27, 213-5	5.3	6
5	Systemic lupus erythematosus and hydroxychloroquine-related acute intermittent porphyria. <i>Rheumatology International</i> , 2020 , 40, 777-783	3.6	3
4	COVID-19 outpatients: early risk-stratified treatment with zinc plus low-dose hydroxychloroquine and azithromycin: a retrospective case series study. <i>International Journal of Antimicrobial Agents</i> , 2020 , 56, 106214	14.3	53
3	The impact of hydroxychloroquine shortages on patients with dermatological conditions during COVID-19 pandemic. <i>Dermatologic Therapy</i> , 2020 , 33, e13524	2.2	1
2	Drug-drug interactions with candidate medications used for COVID-19 treatment: An overview. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00705	3.1	17
1	Predictors of Prolonged Euthyroidism after Radioactive Iodine Treatment for GravesDisease: A Pilot Study. 2022 ,		0