

The Inventory of Depressive Symptomatology (IDS): ps

Psychological Medicine

26, 477-486

DOI: 10.1017/s0033291700035558

Citation Report

#	ARTICLE	IF	CITATIONS
1	Declaration of Treatment Failures. , 1997, 25, 17-33.		2
2	Depression in radiation oncology patients: a preliminary evaluation. Journal of Affective Disorders, 1998, 50, 17-21.	2.0	47
3	Comparative effects of nefazodone and fluoxetine on sleep in outpatients with major depressive disorder. Biological Psychiatry, 1998, 44, 3-14.	0.7	192
4	Toward a generalizable model of symptoms in major depressive disorder. Biological Psychiatry, 1998, 44, 959-972.	0.7	78
5	Awareness, diagnosis, and treatment of depression. Journal of General Internal Medicine, 1999, 14, 569-580.	1.3	358
6	IDS-C and IDS-SR: Psychometric properties in depressed in-patients. Journal of Affective Disorders, 1999, 56, 95-101.	2.0	75
7	Effects of Fluoxetine on the Polysomnogram in Outpatients with Major Depression. Neuropsychopharmacology, 1999, 20, 447-459.	2.8	57
8	Measuring costs of guideline-driven mental health care: the Texas Medication Algorithm Project. , 1999, 2, 111-121.		23
9	The Inventory of Depressive Symptomatology (IDS): Clinician (IDS-C) and Self-Report (IDS-SR) ratings of depressive symptoms. International Journal of Methods in Psychiatric Research, 2000, 9, 45-59.	1.1	328
10	Nefazodone, Psychotherapy, and Their Combination for Chronic Depression. New England Journal of Medicine, 2000, 343, 1041-1043.	13.9	8
11	A comparison of alternative assessments of depressive symptom severity: a pilot study. Psychiatry Research, 2000, 95, 55-65.	1.7	14
12	A comparison of alternative assessments of depressive symptom severity: a pilot study. Psychiatry Research, 2000, 96, 269-279.	1.7	30
13	Methodological issues in developing new acute treatments for patients with bipolar illness. Biological Psychiatry, 2000, 48, 615-624.	0.7	23
14	Negative attributional style, hopelessness depression and endogenous depression. Behaviour Research and Therapy, 2001, 39, 139-149.	1.6	49
15	Lifetime and Novel Psychiatric Disorders After Pediatric Traumatic Brain Injury. Journal of the American Academy of Child and Adolescent Psychiatry, 2001, 40, 572-579.	0.3	175
16	Rate of switch in bipolar patients prospectively treated with second-generation antidepressants as augmentation to mood stabilizers. Bipolar Disorders, 2001, 3, 259-265.	1.1	97
17	The Stanley Foundation Bipolar Treatment Outcome Network. Journal of Affective Disorders, 2001, 67, 33-44.	2.0	162
18	The Stanley Foundation Bipolar Network. British Journal of Psychiatry, 2001, 178, s169-s176.	1.7	96

#	ARTICLE	IF	CITATIONS
19	Onset and Persistence of Postpartum Depression in an Inner-City Maternal Health Clinic System. American Journal of Psychiatry, 2001, 158, 1856-1863.	4.0	312
20	Validation of the Inventory of Depressive Symptomatology (IDS) in Cocaine Dependent Inmates. Journal of Offender Rehabilitation, 2001, 32, 15-30.	0.5	5
21	The Categorical versus Dimensional Assessment Controversy in the Sociology of Mental Illness. Journal of Health and Social Behavior, 2002, 43, 171.	2.7	201
22	“Diagnosis Threat”: The Effect of Negative Expectations on Cognitive Performance in Head Injury. Journal of Clinical and Experimental Neuropsychology, 2002, 24, 448-457.	0.8	179
23	Early physical and sexual abuse associated with an adverse course of bipolar illness. Biological Psychiatry, 2002, 51, 288-297.	0.7	350
24	A double-blind, placebo-controlled study of antidepressant augmentation with mirtazapine. Biological Psychiatry, 2002, 51, 183-188.	0.7	232
25	Conceptualization and identification of depression in adults with brain damage by clients and rehabilitation clinical staff. Brain Injury, 2002, 16, 501-507.	0.6	3
26	Implementing practice guidelines for depression: Applying a new framework to an old problem. General Hospital Psychiatry, 2002, 24, 35-42.	1.2	87
27	Do obese depressed patients respond to topiramate? a retrospective chart review. Journal of Affective Disorders, 2002, 69, 251-255.	2.0	44
28	The DOSE study. Contemporary Clinical Trials, 2002, 23, 584-603.	2.0	89
29	Presentations of depression in bipolar illness. Clinical Neuroscience Research, 2002, 2, 142-157.	0.8	12
30	Early psychosocial stressors: relationship to suicidality and course of bipolar illness. Clinical Neuroscience Research, 2002, 2, 161-170.	0.8	18
31	Enhancing the Technology of Clinical Trials and the Trials Model to Evaluate Newly Developed, Targeted Antidepressants. Neuropsychopharmacology, 2002, 27, 319-328.	2.8	22
32	Naturalistic study of the early psychiatric use of citalopram in the United States. Depression and Anxiety, 2002, 16, 121-127.	2.0	7
33	The relationship between compulsive buying and eating disorders. International Journal of Eating Disorders, 2002, 32, 107-111.	2.1	42
34	Tiagabine in treatment refractory bipolar disorder: a clinical case series. Bipolar Disorders, 2002, 4, 283-289.	1.1	62
35	Two Measures of Health-Related Quality of Life in Morbid Obesity. Obesity, 2002, 10, 1143-1151.	4.0	103
36	Marital History and Current Marital Satisfaction in Chronic Depression. Journal of Contemporary Psychotherapy, 2002, 32, 291-295.	0.7	9

#	ARTICLE	IF	CITATIONS
38	An overview of recent findings of the Stanley Foundation Bipolar Network (Part I). <i>Bipolar Disorders</i> , 2003, 5, 310-319.	1.1	128
39	A re-evaluation of the role of antidepressants in the treatment of bipolar depression: data from the Stanley Foundation Bipolar Network. <i>Bipolar Disorders</i> , 2003, 5, 396-406.	1.1	128
40	Catching Up on Health Outcomes: The Texas Medication Algorithm Project. <i>Health Services Research</i> , 2003, 38, 311-331.	1.0	26
41	Background and rationale for the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) study. <i>Psychiatric Clinics of North America</i> , 2003, 26, 457-494.	0.7	456
42	The 16-Item quick inventory of depressive symptomatology (QIDS), clinician rating (QIDS-C), and self-report (QIDS-SR): a psychometric evaluation in patients with chronic major depression. <i>Biological Psychiatry</i> , 2003, 54, 573-583.	0.7	2,981
43	A Placebo-Controlled 18-Month Trial of Lamotrigine and Lithium Maintenance Treatment in Recently Manic or Hypomanic Patients With Bipolar I Disorder. <i>Archives of General Psychiatry</i> , 2003, 60, 392.	13.8	616
44	Characteristics of morbidly obese patients before gastric bypass surgery. <i>Comprehensive Psychiatry</i> , 2003, 44, 428-434.	1.5	132
45	Research issues in the study of difficult-to-treat depression. <i>Biological Psychiatry</i> , 2003, 53, 743-753.	0.7	169
46	Diagnosis and definition of treatment-resistant depression. <i>Biological Psychiatry</i> , 2003, 53, 649-659.	0.7	1,121
47	Clinician ratings vs. global ratings of symptom severity: a comparison of symptom measures in the bipolar disorder module, phase II, Texas Medication Algorithm Project. <i>Psychiatry Research</i> , 2003, 117, 167-175.	1.7	6
48	The structure of affective symptoms in a sample of young adults. <i>Comprehensive Psychiatry</i> , 2003, 44, 110-116.	1.5	27
49	Depression With Atypical Features in the National Comorbidity Survey. <i>Archives of General Psychiatry</i> , 2003, 60, 817.	13.8	199
50	Algorithms for Optimizing the Treatment of Depression: Making the Right Decision at the Right Time. <i>Pharmacopsychiatry</i> , 2003, 36, 222-229.	1.7	33
51	Separate Personality Traits From States To Predict Depression. <i>Journal of Personality Disorders</i> , 2003, 17, 152-172.	0.8	106
52	Shared, Not Unique, Components of Personality and Psychosocial Functioning Predict Depression Severity After Acute-phase Cognitive Therapy. <i>Journal of Personality Disorders</i> , 2003, 17, 406-430.	0.8	20
53	Cognitive aspects of chronic depression.. <i>Journal of Abnormal Psychology</i> , 2003, 112, 72-80.	2.0	129
54	Psychosocial Stressors as Predisposing Factors to Affective Illness and PTSD: Potential Neurobiological Mechanisms and Theoretical Implications. , 2003, , 491-525.		5
56	Improvement in social-interpersonal functioning after cognitive therapy for recurrent depression. <i>Psychological Medicine</i> , 2004, 34, 643-658.	2.7	62

#	ARTICLE	IF	CITATIONS
57	Self-Directed Affiliation and Autonomy Across Acute and Continuation Phase Cognitive Therapy for Recurrent Depression. <i>Journal of Personality Assessment</i> , 2004, 83, 235-247.	1.3	19
58	Identifying the concepts contained in outcome measures of clinical trials on stroke using the international classification of functioning, disability and health as a reference. <i>Journal of Rehabilitation Medicine</i> , 2004, 36, 56-62.	0.8	97
59	Clinical Results for Patients With Major Depressive Disorder in the Texas Medication Algorithm Project. <i>Archives of General Psychiatry</i> , 2004, 61, 669.	13.8	284
60	Identifying the concepts contained in outcome measures of clinical trials on depressive disorders using the international classification of functioning, disability and health as a reference. <i>Journal of Rehabilitation Medicine</i> , 2004, 36, 49-55.	0.8	48
61	Methods of testing feasibility for sequenced treatment alternatives to relieve depression (STAR*D). <i>Journal of Psychiatric Research</i> , 2004, 38, 241-248.	1.5	7
62	Psychosocial treatment of bipolar disorders in adolescents: A proposed cognitive-behavioral intervention. <i>Cognitive and Behavioral Practice</i> , 2004, 11, 283-297.	0.9	32
63	Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design. <i>Contemporary Clinical Trials</i> , 2004, 25, 119-142.	2.0	898
64	Clinical features of depressed outpatients with and without co-occurring general medical conditions in STAR*D. <i>General Hospital Psychiatry</i> , 2004, 26, 421-429.	1.2	109
65	Mood Regulation Skill and the Symptoms of Endogenous and Hopelessness Depression in Spanish High School Students. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2004, 26, 233-240.	0.7	25
66	Using technology to improve longitudinal studies: self-reporting with ChronoRecord in bipolar disorder. <i>Bipolar Disorders</i> , 2004, 6, 67-74.	1.1	107
67	The Diagnostic Inventory for Depression: A self-report scale to diagnose DSM-IV major depressive disorder. <i>Journal of Clinical Psychology</i> , 2004, 60, 87-110.	1.0	103
68	The National Comorbidity Survey Replication (NCS-R): background and aims. <i>International Journal of Methods in Psychiatric Research</i> , 2004, 13, 60-68.	1.1	603
69	The World Mental Health (WMH) Survey Initiative version of the World Health Organization (WHO) Composite International Diagnostic Interview (CIDI). <i>International Journal of Methods in Psychiatric Research</i> , 2004, 13, 93-121.	1.1	3,488
70	Clinical calibration of DSM-IV diagnoses in the World Mental Health (WMH) version of the World Health Organization (WHO) Composite International Diagnostic Interview (WMH-CIDI). <i>International Journal of Methods in Psychiatric Research</i> , 2004, 13, 122-139.	1.1	425
71	One-year clinical outcomes of depressed public sector outpatients: a benchmark for subsequent studies. <i>Biological Psychiatry</i> , 2004, 56, 46-53.	0.7	93
72	Factor structure of the Zung Self-rating Depression Scale in first-year university students in Japan. <i>Psychiatry Research</i> , 2004, 128, 281-287.	1.7	53
73	Factors that differentiate early vs. later onset of major depression disorder. <i>Psychiatry Research</i> , 2004, 129, 127-140.	1.7	121
74	Cognitive factors in Postconcussion Syndrome symptom report. <i>Archives of Clinical Neuropsychology</i> , 2004, 19, 391-405.	0.3	95

#	ARTICLE	IF	CITATIONS
75	Development of the Brief Bipolar Disorder Symptom Scale for patients with bipolar disorder. <i>Psychiatry Research</i> , 2004, 127, 137-145.	1.7	19
76	Randomized, Placebo-Controlled Trial of Fluoxetine for Acute Treatment of Minor Depressive Disorder. <i>American Journal of Psychiatry</i> , 2004, 161, 1864-1871.	4.0	77
77	Who Benefits from More Structured Depression Treatment?. <i>International Journal of Psychiatry in Medicine</i> , 2004, 34, 247-258.	0.8	16
78	Clinical correlates and symptom patterns of anxious depression among patients with major depressive disorder in STAR*D. <i>Psychological Medicine</i> , 2004, 34, 1299-1308.	2.7	352
79	The Inventory of Depressive Symptomatology, Clinician Rating (IDS-C) and Self-Report (IDS-SR), and the Quick Inventory of Depressive Symptomatology, Clinician Rating (QIDS-C) and Self-Report (QIDS-SR) in public sector patients with mood disorders: a psychometric evaluation. <i>Psychological Medicine</i> , 2004, 34, 73-82.	2.7	822
80	Cognitive-Behavioral Analysis System of Psychotherapy as a Maintenance Treatment for Chronic Depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2004, 72, 681-688.	1.6	122
81	Is It Time to Replace the Hamilton Depression Rating Scale as the Primary Outcome Measure in Treatment Studies of Depression?. <i>Journal of Clinical Psychopharmacology</i> , 2005, 25, 105-110.	0.7	48
82	Self-reported premenstrual exacerbation of depressive symptoms in patients seeking treatment for major depression. <i>Psychological Medicine</i> , 2005, 35, 683-692.	2.7	73
83	Factors associated with chronic depressive episodes: a preliminary report from the STAR-D project. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 425-433.	2.2	157
84	Gender differences in depression: Findings from the STAR*D study. <i>Journal of Affective Disorders</i> , 2005, 87, 141-150.	2.0	359
85	Personality as a determinant of social functioning in depression. <i>Journal of Affective Disorders</i> , 2005, 84, 73-76.	2.0	16
86	Impaired delay and trace eyeblink conditioning performance in major depressive disorder. <i>Journal of Affective Disorders</i> , 2005, 86, 235-245.	2.0	22
87	Comorbid psychiatric disorders in depressed outpatients: Demographic and clinical features. <i>Journal of Affective Disorders</i> , 2005, 87, 43-55.	2.0	210
88	A direct comparison of presenting characteristics of depressed outpatients from primary vs. specialty care settings: preliminary findings from the STAR*D clinical trial. <i>General Hospital Psychiatry</i> , 2005, 27, 87-96.	1.2	62
89	Assessing insomnia severity in depression: comparison of depression rating scales and sleep diaries. <i>Journal of Psychiatric Research</i> , 2005, 39, 481-488.	1.5	74
90	Self-Reported Depressive Symptom Measures: Sensitivity to Detecting Change in a Randomized, Controlled Trial of Chronically Depressed, Nonpsychotic Outpatients. <i>Neuropsychopharmacology</i> , 2005, 30, 405-416.	2.8	115
91	Screening for Perinatal Depression With Limited Psychiatric Resources. <i>Journal of the American Psychiatric Nurses Association</i> , 2005, 11, 359-363.	0.4	25
92	Validity of Sudden Gains in Acute Phase Treatment of Depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 173-182.	1.6	101

#	ARTICLE	IF	CITATIONS
93	Multiple measures, methods, and moments: a factor-analytic investigation of change in depressive symptoms during acute-phase cognitive therapy for depression. <i>Psychological Medicine</i> , 2005, 35, 693-704.	2.7	58
94	The Goldman Consensus statement on depression in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2005, 11, 328-337.	1.4	290
95	Characteristics of Insured and Noninsured Outpatients With Depression in STAR*D. <i>Psychiatric Services</i> , 2005, 56, 995-1004.	1.1	26
96	Chronic Depression. <i>Archives of General Psychiatry</i> , 2005, 62, 513.	13.8	139
97	Mixed Hypomania in 908 Patients With Bipolar Disorder Evaluated Prospectively in the Stanley Foundation Bipolar Treatment Network. <i>Archives of General Psychiatry</i> , 2005, 62, 1089.	13.8	175
98	Age-Related Characteristics of Depression: A Preliminary STAR*D Report. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 852-860.	0.6	52
99	Comparison of the Internal State Scale to Clinician-Administered Assessments in Patients with Bipolar Disorder and Alcohol Abuse or Dependence. <i>Journal of Dual Diagnosis</i> , 2005, 1, 61-69.	0.7	1
100	Quality improvement methods as applied to a multicenter effectiveness trial—STAR*D. <i>Contemporary Clinical Trials</i> , 2005, 26, 95-112.	0.8	6
101	Substance use disorder comorbidity in major depressive disorder: an exploratory analysis of the Sequenced Treatment Alternatives to Relieve Depression cohort. <i>Comprehensive Psychiatry</i> , 2005, 46, 81-89.	1.5	75
102	The empirical status of melancholia: Implications for psychology. <i>Clinical Psychology Review</i> , 2005, 25, 25-44.	6.0	86
103	A Randomized Trial of Citalopram versus Placebo in Outpatients with Asthma and Major Depressive Disorder: A Proof of Concept Study. <i>Biological Psychiatry</i> , 2005, 58, 865-870.	0.7	84
104	Effects of 12 Months of Vagus Nerve Stimulation in Treatment-Resistant Depression: A Naturalistic Study. <i>Biological Psychiatry</i> , 2005, 58, 355-363.	0.7	345
105	Vagus Nerve Stimulation for Treatment-Resistant Depression: A Randomized, Controlled Acute Phase Trial. <i>Biological Psychiatry</i> , 2005, 58, 347-354.	0.7	542
106	A One-Year Comparison of Vagus Nerve Stimulation with Treatment as Usual for Treatment-Resistant Depression. <i>Biological Psychiatry</i> , 2005, 58, 364-373.	0.7	319
107	Mood switch in bipolar depression: comparison of adjunctive venlafaxine, bupropion and sertraline. <i>British Journal of Psychiatry</i> , 2006, 189, 124-131.	1.7	310
108	Bupropion-SR, Sertraline, or Venlafaxine-XR after Failure of SSRIs for Depression. <i>New England Journal of Medicine</i> , 2006, 354, 1231-1242.	13.9	934
109	An Evaluation of the Quick Inventory of Depressive Symptomatology and the Hamilton Rating Scale for Depression: A Sequenced Treatment Alternatives to Relieve Depression Trial Report. <i>Biological Psychiatry</i> , 2006, 59, 493-501.	0.7	344
110	Attrition in Randomized Controlled Clinical Trials: Methodological Issues in Psychopharmacology. <i>Biological Psychiatry</i> , 2006, 59, 1001-1005.	0.7	269

#	ARTICLE	IF	CITATIONS
111	Double-Blind, Randomized, Placebo-Controlled Trials of Ethyl-Eicosapentanoate in the Treatment of Bipolar Depression and Rapid Cycling Bipolar Disorder. <i>Biological Psychiatry</i> , 2006, 60, 1020-1022.	0.7	219
112	Algorithms and Collaborative-care Systems for Depression: Are They Effective and Why?. <i>Biological Psychiatry</i> , 2006, 59, 1029-1038.	0.7	125
113	Validity of a self-report depression symptom scale for identifying remission in depressed outpatients. <i>Comprehensive Psychiatry</i> , 2006, 47, 185-188.	1.5	21
114	Effects of ω -3 long-chain polyunsaturated fatty acids on depressed mood: systematic review of published trials. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 1308-1316.	2.2	199
115	Exercise as an Augmentation Strategy for Treatment of Major Depression. <i>Journal of Psychiatric Practice</i> , 2006, 12, 205-213.	0.3	145
116	Tranlycypromine Versus Venlafaxine Plus Mirtazapine Following Three Failed Antidepressant Medication Trials for Depression: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2006, 163, 1531-1541.	4.0	300
117	What Clinical and Symptom Features and Comorbid Disorders Characterize Outpatients with Anxious Major Depressive Disorder: A Replication and Extension. <i>Canadian Journal of Psychiatry</i> , 2006, 51, 823-835.	0.9	148
118	Escitalopram for Major Depression in Parkinson's Disease: An Open-Label, Flexible-Dosage Study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006, 18, 377-383.	0.9	35
119	Comparison of Self-Report and Clinician Ratings on Two Inventories of Depressive Symptomatology. <i>Psychiatric Services</i> , 2006, 57, 829-837.	1.1	106
120	Symptom-Onset Treatment for Women with Premenstrual Dysphoric Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 198-202.	0.7	42
121	Concomitant Use of Vagus Nerve Stimulation and Electroconvulsive Therapy for Treatment-resistant Depression. <i>Journal of ECT</i> , 2006, 22, 218-222.	0.3	29
122	Recommendations for a Standard Research Assessment of Insomnia. <i>Sleep</i> , 2006, 29, 1155-1173.	0.6	951
123	Cognitive-behavioral therapy for bipolar disorders in adolescents: a pilot study. <i>Bipolar Disorders</i> , 2006, 8, 508-515.	1.1	73
124	Substance Use Disorder Comorbidity in Major Depressive Disorder: A Confirmatory Analysis of the STAR*D Cohort. <i>American Journal on Addictions</i> , 2006, 15, 278-285.	1.3	83
125	The Long-Term Stability of Early Maladaptive Schemas. <i>Cognitive Therapy and Research</i> , 2006, 30, 515-529.	1.2	112
126	Validation of an IVRS version of the MADRS. <i>Journal of Psychiatric Research</i> , 2006, 40, 243-246.	1.5	33
127	Presenting characteristics of depressed outpatients as a function of recurrence: Preliminary findings from the STAR*D clinical trial. <i>Journal of Psychiatric Research</i> , 2006, 40, 59-69.	1.5	95
128	Temperament and hypothalamic-pituitary-adrenal axis function in healthy adults. <i>Psychoneuroendocrinology</i> , 2006, 31, 1036-1045.	1.3	65

#	ARTICLE	IF	CITATIONS
129	Concordance of the Composite International Diagnostic Interview Version 3.0 (CIDI 3.0) with standardized clinical assessments in the WHO World Mental Health Surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2006, 15, 167-180.	1.1	949
130	Remissions in Maternal Depression and Child Psychopathology. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 1389.	3.8	539
131	Report by the ACNP Task Force on Response and Remission in Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2006, 31, 1841-1853.	2.8	572
132	An Empirical Analysis of Cost Outcomes of the Texas Medication Algorithm Project. <i>Psychiatric Services</i> , 2006, 57, 648-659.	1.1	19
133	A Comparison of Lithium and T ₃ Augmentation Following Two Failed Medication Treatments for Depression: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2006, 163, 1519-1530.	4.0	526
134	Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment Steps: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2006, 163, 1905-1917.	4.0	4,241
135	TREAD: Treatment with Exercise Augmentation for Depression: study rationale and design. <i>Clinical Trials</i> , 2006, 3, 291-305.	0.7	66
136	Screening for depression in a diabetic outpatient population. <i>International Journal of Psychiatry in Clinical Practice</i> , 2007, 11, 268-272.	1.2	5
137	Association Between Treatment-Emergent Suicidal Ideation With Citalopram and Polymorphisms Near Cyclic Adenosine Monophosphate Response Element Binding Protein in the STAR*D Study. <i>Archives of General Psychiatry</i> , 2007, 64, 689.	13.8	128
138	Older Adult Psychological Assessment. <i>Clinical Gerontologist</i> , 2007, 31, 1-35.	1.2	67
139	Telephone Screening, Outreach, and Care Management for Depressed Workers and Impact on Clinical and Work Productivity Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2007, 298, 1401.	3.8	352
140	Insured and Non-insured Depressed Outpatients: How Do They Compare?. <i>Annals of Clinical Psychiatry</i> , 2007, 19, 73-82.	0.6	5
141	Acceptability of Second-Step Treatments to Depressed Outpatients: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2007, 164, 753-760.	4.0	68
142	Effect of Age at Onset on the Course of Major Depressive Disorder. <i>American Journal of Psychiatry</i> , 2007, 164, 1539-1546.	4.0	393
143	Major Depression Symptoms in Primary Care and Psychiatric Care Settings: A Cross-Sectional Analysis. <i>Annals of Family Medicine</i> , 2007, 5, 126-134.	0.9	92
144	Changes in cognitive content during and following cognitive therapy for recurrent depression: Substantial and enduring, but not predictive of change in depressive symptoms.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 432-446.	1.6	57
145	Prevalence and Distribution of Major Depressive Disorder in African Americans, Caribbean Blacks, and Non-Hispanic Whites. <i>Archives of General Psychiatry</i> , 2007, 64, 305.	13.8	1,055
146	Data Management and Design Issues in an Unmasked Randomized Trial of Electroconvulsive Therapy for Relapse Prevention of Severe Depression. <i>Journal of ECT</i> , 2007, 23, 244-250.	0.3	6

#	ARTICLE	IF	CITATIONS
147	Comparison of Quality of Life Measures in a Depressed Population. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 219-225.	0.5	27
148	A Randomized, Placebo-Controlled Trial of Citicoline Add-On Therapy in Outpatients With Bipolar Disorder and Cocaine Dependence. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 498-502.	0.7	64
149	The Patient Experience of Depression and Remission. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 647-654.	0.5	5
150	Daytime symptoms in primary insomnia: A prospective analysis using ecological momentary assessment. <i>Sleep Medicine</i> , 2007, 8, 198-208.	0.8	227
151	Constructing evidence-based treatment strategies using methods from computer science. <i>Drug and Alcohol Dependence</i> , 2007, 88, S52-S60.	1.6	37
152	Measurement-based care for refractory depression: A clinical decision support model for clinical research and practice. <i>Drug and Alcohol Dependence</i> , 2007, 88, S61-S71.	1.6	92
153	Assessing Physicians' Use of Treatment Algorithms: Project IMPACTS Study Design and Rationale. <i>Contemporary Clinical Trials</i> , 2007, 28, 192-212.	0.8	19
154	Pain in depression: STAR*D study findings. <i>Journal of Psychosomatic Research</i> , 2007, 63, 113-122.	1.2	73
155	Voice acoustic measures of depression severity and treatment response collected via interactive voice response (IVR) technology. <i>Journal of Neurolinguistics</i> , 2007, 20, 50-64.	0.5	261
156	What is the meaning of treatment resistant/refractory major depression (TRD)? A systematic review of current randomized trials. <i>European Neuropsychopharmacology</i> , 2007, 17, 696-707.	0.3	180
157	Epidemiology of major depressive disorder in elderly Nigerians in the Ibadan Study of Ageing: a community-based survey. <i>Lancet, The</i> , 2007, 370, 957-964.	6.3	140
158	Major Depressive Disorder and Comorbid Cardiac Disease: Is There a Depressive Subtype With Greater Cardiovascular Morbidity? Results From the STAR*D Study. <i>Psychosomatics</i> , 2007, 48, 418-425.	2.5	30
159	The other face of depression, reduced positive affect: the role of catecholamines in causation and cure. <i>Journal of Psychopharmacology</i> , 2007, 21, 461-471.	2.0	311
160	Psychological Stress Is Associated With Heightened Physiological Arousal During NREM Sleep in Primary Insomnia. <i>Behavioral Sleep Medicine</i> , 2007, 5, 178-193.	1.1	118
161	Decreased Adrenocorticotrophic Hormone and Cortisol Responses to Stress in Healthy Adults Reporting Significant Childhood Maltreatment. <i>Biological Psychiatry</i> , 2007, 62, 1080-1087.	0.7	458
162	Sertraline as a first-line treatment for cholestatic pruritus. <i>Hepatology</i> , 2007, 45, 666-674.	3.6	274
163	The Inventory of Depressive Symptomatology: German translation and psychometric validation. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 230-236.	1.1	40
164	Cognitive Behavioral Therapy versus Short Psychodynamic Supportive Psychotherapy in the outpatient treatment of depression: a randomized controlled trial. <i>BMC Psychiatry</i> , 2007, 7, 58.	1.1	29

#	ARTICLE	IF	CITATIONS
165	Measuring cognitive insight in schizophrenia and bipolar disorder: a comparative study. <i>BMC Psychiatry</i> , 2007, 7, 71.	1.1	70
166	Preadult onset vs. adult onset of major depressive disorder: a replication study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 196-205.	2.2	62
167	Temperament and response to the Trier Social Stress Test. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 395-402.	2.2	55
168	Sleep and circadian rhythms in mood disorders. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 104-115.	2.2	271
169	The effect of gender on emotion perception in schizophrenia and bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 263-270.	2.2	92
170	Tranlycypromine vs. lamotrigine in the treatment of refractory bipolar depression: a failed but clinically useful study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 360-365.	2.2	51
171	Neurostimulation therapies in depression: a review of new modalities. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 174-181.	2.2	93
172	Cost-effectiveness of collaborative care for chronically ill patients with comorbid depressive disorder in the general hospital setting, a randomised controlled trial. <i>BMC Health Services Research</i> , 2007, 7, 28.	0.9	27
173	Cost-effectiveness of collaborative care including PST and an antidepressant treatment algorithm for the treatment of major depressive disorder in primary care; a randomised clinical trial. <i>BMC Health Services Research</i> , 2007, 7, 34.	0.9	38
174	Clinical differences among depressed patients with and without a history of suicide attempts: Findings from the STAR*D trial. <i>Journal of Affective Disorders</i> , 2007, 97, 77-84.	2.0	71
175	Clinical features and correlates of major depressive disorder in individuals with body dysmorphic disorder. <i>Journal of Affective Disorders</i> , 2007, 97, 129-135.	2.0	59
176	Twelve-month prevalence, correlates, and treatment preference of adults with DSM-IV major depressive episode in Hong Kong. <i>Journal of Affective Disorders</i> , 2007, 98, 129-136.	2.0	66
177	Influences of hormone-based contraception on depressive symptoms in premenopausal women with major depression. <i>Psychoneuroendocrinology</i> , 2007, 32, 843-853.	1.3	70
178	Family history of mood disorder and characteristics of major depressive disorder: A STAR*D (sequenced treatment alternatives to relieve depression) study. <i>Journal of Psychiatric Research</i> , 2007, 41, 214-221.	1.5	67
179	Clinical vs. self-report versions of the quick inventory of depressive symptomatology in a public sector sample. <i>Journal of Psychiatric Research</i> , 2007, 41, 239-246.	1.5	47
180	Electronic source materials in clinical research: Acceptability and validity of symptom self-rating in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2007, 41, 737-743.	1.5	20
181	Primary Versus Specialty Care Outcomes for Depressed Outpatients Managed with Measurement-Based Care: Results from STAR*D. <i>Journal of General Internal Medicine</i> , 2008, 23, 551-560.	1.3	92
182	Treatment of chronically depressed patients: A multisite randomized controlled trial testing the effectiveness of 'Cognitive Behavioral Analysis System of Psychotherapy' (CBASP) for chronic depressions versus usual secondary care. <i>BMC Psychiatry</i> , 2008, 8, 18.	1.1	21

#	ARTICLE	IF	CITATIONS
183	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 121-140.	1.1	791
184	Symptom features of postpartum depression: are they distinct?. <i>Depression and Anxiety</i> , 2008, 25, 20-26.	2.0	96
185	Sex differences in the use of coping strategies: predictors of anxiety and depressive symptoms. <i>Depression and Anxiety</i> , 2008, 25, 839-846.	2.0	188
186	Genome-wide association of major depression: description of samples for the GAIN Major Depressive Disorder Study: NTR and NESDA biobank projects. <i>European Journal of Human Genetics</i> , 2008, 16, 335-342.	1.4	145
187	Redefining Affective Disorders: Relevance for Drug Development. <i>CNS Neuroscience & Therapeutics</i> , 2008, 14, 2-9.	4.0	13
188	Neurocognitive profiles in bipolar I and bipolar II disorder: differences in pattern and magnitude of dysfunction. <i>Bipolar Disorders</i> , 2008, 10, 245-255.	1.1	146
189	Sequential improvement of anxiety, depression and anhedonia with sertraline treatment in patients with major depression. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2000, 25, 363-371.	0.7	2
190	Multidisciplinary Collaborative Care for Depressive Disorder in the Occupational Health Setting: design of a randomised controlled trial and cost-effectiveness study. <i>BMC Health Services Research</i> , 2008, 8, 99.	0.9	31
191	Interplay between childhood maltreatment, parental bonding, and gender effects: Impact on quality of life. <i>Child Abuse and Neglect</i> , 2008, 32, 19-34.	1.3	75
192	Family history of completed suicide and characteristics of major depressive disorder: A STARÅŽD (sequenced treatment alternatives to relieve depression) study. <i>Journal of Affective Disorders</i> , 2008, 108, 129-134.	2.0	16
193	Atypical symptoms in hospitalised patients with major depressive episode: frequency, clinical characteristics, and internal validity. <i>Journal of Affective Disorders</i> , 2008, 108, 271-278.	2.0	32
194	How much cognitive therapy, for which patients, will prevent depressive relapse?. <i>Journal of Affective Disorders</i> , 2008, 111, 185-192.	2.0	30
195	Managing the Patient with Co-Morbid Depression and an Anxiety Disorder. <i>Drugs</i> , 2008, 68, 1621-1634.	4.9	40
196	Is there a role for ω -3 long-chain polyunsaturated fatty acids in the regulation of mood and behaviour? A review of the evidence to date from epidemiological studies, clinical studies and intervention trials. <i>Nutrition Research Reviews</i> , 2008, 21, 13-41.	2.1	104
197	Childhood Parental Loss and Adult Hypothalamic-Pituitary-Adrenal Function. <i>Biological Psychiatry</i> , 2008, 63, 1147-1154.	0.7	221
198	Use of Antidepressants in Late-Life Depression. <i>Drugs and Aging</i> , 2008, 25, 841-853.	1.3	38
199	Sex differences in emotional and physiological responses to the Trier Social Stress Test. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2008, 39, 87-98.	0.6	258
200	Cortisol and ACTH responses to the Dex/CRH Test: Influence of temperament. <i>Hormones and Behavior</i> , 2008, 53, 518-525.	1.0	60

#	ARTICLE	IF	CITATIONS
201	Transdiagnostic emotion regulation processes in bipolar disorder and insomnia. <i>Behaviour Research and Therapy</i> , 2008, 46, 1096-1100.	1.6	68
202	Daily process methodology for measuring earlier antidepressant response. <i>Contemporary Clinical Trials</i> , 2008, 29, 867-877.	0.8	26
203	Sex differences in depression symptoms in treatment-seeking adults: confirmatory analyses from the Sequenced Treatment Alternatives to Relieve Depression study. <i>Comprehensive Psychiatry</i> , 2008, 49, 238-246.	1.5	209
204	A clinically useful depression outcome scale. <i>Comprehensive Psychiatry</i> , 2008, 49, 131-140.	1.5	115
205	The Quick Inventory of Depressive Symptomatology-Self-report: a psychometric evaluation in patients with asthma and major depressive disorder. <i>Annals of Allergy, Asthma and Immunology</i> , 2008, 100, 433-438.	0.5	34
206	Outcomes in major depressive disorder: The evolving concept of remission and its implications for treatment. <i>World Journal of Biological Psychiatry</i> , 2008, 9, 102-114.	1.3	95
207	Antecedentes familiares de suicidio consumado y características del trastorno depresivo mayor: estudio STAR*D (sequenced treatment alternatives to relieve depression). <i>Psiquiatria Biologica</i> , 2008, 15, 195-201.	0.0	0
208	Selecting Among Second-Step Antidepressant Medication Monotherapies. <i>Archives of General Psychiatry</i> , 2008, 65, 870.	13.8	152
209	Clinical Features and Functioning of Patients with Minor Depression. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 384-389.	4.0	53
210	Difference in Treatment Outcome in Outpatients With Anxious Versus Nonanxious Depression: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2008, 165, 342-351.	4.0	741
211	Pharmacogenetic Analysis of Genes Implicated in Rodent Models of Antidepressant Response: Association of TREK1 and Treatment Resistance in the STAR*D Study. <i>Neuropsychopharmacology</i> , 2008, 33, 2810-2819.	2.8	92
212	Pharmacogenetic studies in depression: a proposal for methodologic guidelines. <i>Pharmacogenomics Journal</i> , 2008, 8, 90-100.	0.9	74
213	The Efficacy and Safety of Aripiprazole as Adjunctive Therapy in Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 156-165.	0.7	478
214	Association Between Major Depressive Disorder and Heart Rate Variability in the Netherlands Study of Depression and Anxiety (NESDA). <i>Archives of General Psychiatry</i> , 2008, 65, 1358.	13.8	306
215	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. <i>Focus (American Psychiatric Publishing)</i> , 2008, 6, 104-119.	0.4	2
216	SSRI-Induced Violent Suicide. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 476-477.	0.7	2
217	Aripiprazole in a Case Presenting With Tourette Syndrome and Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 452-454.	0.7	17
218	Response to Clozapine-Induced Microscopic Colitis. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 454-455.	0.7	17

#	ARTICLE	IF	CITATIONS
219	EEG Spectral Analysis in Primary Insomnia: NREM Period Effects and Sex Differences. <i>Sleep</i> , 2008, 31, 1673-1682.	0.6	147
220	Reversible Elevation of Triglycerides in Dual-Diagnosis Patients Taking Aripiprazole. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 464-467.	0.7	7
221	Antidepressant Use in Black and White Populations in the United States. <i>Psychiatric Services</i> , 2008, 59, 1131-1138.	1.1	47
222	Disulfiram-Induced Punding. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 473-474.	0.7	5
223	Reply to Comments by Mr Carlin and Mr Hardisty. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 477.	0.7	1
224	Toxic Interaction Between Valproate and Oxcarbazepine. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 472-473.	0.7	13
225	Is duloxetine effective treatment for depression with atypical features?. <i>International Clinical Psychopharmacology</i> , 2008, 23, 333-336.	0.9	4
226	Clinical Trials of Antidepressants. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 468-470.	0.7	3
227	Ultrahigh Frequency Repetitive Transcranial Magnetic Stimulation in Unipolar Depression. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 474-476.	0.7	9
228	Impact of Study Design on the Results of Continuation Studies of Antidepressants. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 467-468.	0.7	1
229	Authors' Reply to Dr Cohen: "Scientific Standards: Critical Comments on the Pharmacoepidemiological Study of Second-Generation Antipsychotic Exposure and Metabolic-Related Disorders in Patients With Schizophrenia". <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 462-464.	0.7	1
230	Scientific Standards. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 461-462.	0.7	2
231	Hormonal Response to Dehydroepiandrosterone Administration in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 456-459.	0.7	11
232	Clozapine-Induced Pericardial Effusion. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 455-456.	0.7	7
233	Case Report of Aripiprazole for Persistent Developmental Stuttering. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 470-472.	0.7	11
234	Neuroleptic Malignant Syndrome and the Acute Phase Response. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 459-461.	0.7	21
235	Mirtazapine-Induced Akathisia. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 467.	0.7	20
236	Making the Business Case for Enhanced Depression Care: The National Institute of Mental Health-Harvard Work Outcomes Research and Cost-Effectiveness Study. <i>Journal of Occupational and Environmental Medicine</i> , 2008, 50, 468-475.	0.9	36

#	ARTICLE	IF	CITATIONS
237	Kurz- und l�ngerfristige Wirksamkeit psychologischer Interventionen bei Depressionen im Alter. Zeitschrift f�r Klinische Psychologie Und Psychotherapie, 2008, 37, 52-60.	0.1	30
238	Factors Associated with Concomitant Psychotropic Drug Use in the Treatment of Major Depression: A STAR*D Report. CNS Spectrums, 2009, 14, 487-498.	0.7	10
240	Correlates of Treatment-Emergent Mania Associated With Antidepressant Treatment in Bipolar Depression. American Journal of Psychiatry, 2009, 166, 164-172.	4.0	161
241	Can Phase III Trial Results of Antidepressant Medications Be Generalized to Clinical Practice? A STAR*D Report. American Journal of Psychiatry, 2009, 166, 599-607.	4.0	209
242	Prednisolone suppression test in depression: prospective study of the role of HPA axis dysfunction in treatment resistance. British Journal of Psychiatry, 2009, 194, 342-349.	1.7	101
243	Atypical Depression: Useful Concept, but it's Time to Revise the DSM-IV Criteria. Neuropsychopharmacology, 2009, 34, 2633-2641.	2.8	51
244	Genetic and Clinical Predictors of Sexual Dysfunction in Citalopram-Treated Depressed Patients. Neuropsychopharmacology, 2009, 34, 1819-1828.	2.8	88
245	What predicts attrition in second step medication treatments for depression?: a STAR*D Report. International Journal of Neuropsychopharmacology, 2009, 12, 459.	1.0	69
246	Evidence Why Paroxetine Dose Escalation is Not Effective in Major Depressive Disorder: A Randomized Controlled Trial With Assessment of Serotonin Transporter Occupancy. Neuropsychopharmacology, 2009, 34, 999-1010.	2.8	73
247	Major Depressive Disorder and Hypothalamic-Pituitary-Adrenal Axis Activity. Archives of General Psychiatry, 2009, 66, 617.	13.8	641
248	STAR*D—D: Has it Taught us Anything about the Management of Depression?. Australasian Psychiatry, 2009, 17, 360-364.	0.4	5
249	Aripiprazole Augmentation in Major Depressive Disorder: A Double-Blind, Placebo-Controlled Study in Patients with Inadequate Response to Antidepressants. CNS Spectrums, 2009, 14, 197-206.	0.7	254
250	Defeasible reasoning in high-functioning adults with autism: Evidence for impaired exception-handling. Neuropsychologia, 2009, 47, 644-651.	0.7	66
251	Reward circuitry in resilience to severe trauma: An fMRI investigation of resilient special forces soldiers. Psychiatry Research - Neuroimaging, 2009, 172, 75-77.	0.9	74
252	Sex differences in response to citalopram: A STAR*D—D report. Journal of Psychiatric Research, 2009, 43, 503-511.	1.5	164
253	Dex/CRH test cortisol response in outpatients with major depression and matched healthy controls. Psychoneuroendocrinology, 2009, 34, 1208-1213.	1.3	63
254	Receiving treatment for common mental disorders. General Hospital Psychiatry, 2009, 31, 46-55.	1.2	57
255	Cognitive therapy for depressed adults with comorbid social phobia. Journal of Affective Disorders, 2009, 114, 271-278.	2.0	27

#	ARTICLE	IF	CITATIONS
256	Randomized, placebo-controlled trial of risperidone for acute treatment of bipolar anxiety. <i>Journal of Affective Disorders</i> , 2009, 115, 376-385.	2.0	59
257	Clinical correlates of the worsening or emergence of suicidal ideation during SSRI treatment of depression: An examination of citalopram in the STAR*D study. <i>Journal of Affective Disorders</i> , 2009, 117, 63-73.	2.0	88
258	Phenotypic effects of a bipolar liability gene among individuals with major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 303-309.	1.1	38
259	Income and attrition in the treatment of depression: a STAR*D report. <i>Depression and Anxiety</i> , 2009, 26, 622-633.	2.0	44
260	Diurnal mood variation in outpatients with major depressive disorder. <i>Depression and Anxiety</i> , 2009, 26, 851-863.	2.0	23
261	Sociodemographic, clinical, and treatment characteristics associated with worsened depression during treatment with citalopram: results of the NIMH STAR*D trial. <i>Depression and Anxiety</i> , 2009, 26, 612-621.	2.0	28
262	Early adversity in chronic depression: clinical correlates and response to pharmacotherapy. <i>Depression and Anxiety</i> , 2009, 26, 701-710.	2.0	136
263	A psychometric evaluation of the clinician-rated Quick Inventory of Depressive Symptomatology (QIDS-16) in patients with bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 138-146.	1.1	18
264	Release bias in accessing medical records in clinical trials: a STAR*D report. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 147-158.	1.1	1
265	A treatment for substance abusing pregnant women. <i>Archives of Women's Mental Health</i> , 2009, 12, 221-227.	1.2	15
267	Pragmatic Inferences in High-Functioning Adults with Autism and Asperger Syndrome. <i>Journal of Autism and Developmental Disorders</i> , 2009, 39, 607-618.	1.7	165
268	Genome-wide association for major depressive disorder: a possible role for the presynaptic protein piccolo. <i>Molecular Psychiatry</i> , 2009, 14, 359-375.	4.1	354
269	Depression, quality of life, and glycemic control in individuals with type 2 diabetes. <i>Journal of the American Academy of Nurse Practitioners</i> , 2009, 21, 214-224.	1.4	38
270	Irritability is associated with anxiety and greater severity, but not bipolar spectrum features, in major depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 282-289.	2.2	81
271	No altered dorsal anterior cingulate activation in bipolar II disorder patients during a Go/No-go task: an fMRI study. <i>Bipolar Disorders</i> , 2009, 11, 270-279.	1.1	24
272	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009, 11, 453-473.	1.1	401
273	A Randomized, Double-Blind, Placebo-Controlled Pilot Study of Naltrexone in Outpatients With Bipolar Disorder and Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1863-1869.	1.4	83
274	The importance of functional impairment to mental health outcomes: A case for reassessing our goals in depression treatment research. <i>Clinical Psychology Review</i> , 2009, 29, 243-259.	6.0	286

#	ARTICLE	IF	CITATIONS
275	Concurrent anxiety and substance use disorders among outpatients with major depression: Clinical features and effect on treatment outcome. <i>Drug and Alcohol Dependence</i> , 2009, 99, 248-260.	1.6	124
276	Effectiveness of a quantitative electroencephalographic biomarker for predicting differential response or remission with escitalopram and bupropion in major depressive disorder. <i>Psychiatry Research</i> , 2009, 169, 132-138.	1.7	109
277	Comparative effectiveness of biomarkers and clinical indicators for predicting outcomes of SSRI treatment in Major Depressive Disorder: Results of the BRITE-MD study. <i>Psychiatry Research</i> , 2009, 169, 124-131.	1.7	162
278	Reflective and ruminative processing of positive emotional memories in bipolar disorder and healthy controls. <i>Behaviour Research and Therapy</i> , 2009, 47, 697-704.	1.6	100
279	Effect of Childhood Emotional Abuse and Age on Cortisol Responsivity in Adulthood. <i>Biological Psychiatry</i> , 2009, 66, 69-75.	0.7	233
280	Effects of Intravenous Ketamine on Explicit and Implicit Measures of Suicidality in Treatment-Resistant Depression. <i>Biological Psychiatry</i> , 2009, 66, 522-526.	0.7	525
281	National Comorbidity Survey Replication Adolescent Supplement (NCS-A): III. Concordance of DSM-IV/CIDI Diagnoses With Clinical Reassessments. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 386-399.	0.3	252
282	GABAB Receptors, Schizophrenia and Sleep Dysfunction. <i>CNS Drugs</i> , 2009, PAP, 627-47.	2.7	220
283	Predictors of Attrition During One Year of Depression Treatment: A Roadmap to Personalized Intervention. <i>Journal of Psychiatric Practice</i> , 2009, 15, 113-124.	0.3	25
284	Identification of Postpartum Depression. <i>Clinical Obstetrics and Gynecology</i> , 2009, 52, 456-468.	0.6	139
285	Empirical Identification and Validation of Eating Disorder Phenotypes in a Multisite Clinical Sample. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 41-49.	0.5	49
286	Understanding negative outcomes following traumatic exposure: The roles of neuroticism and social support.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2009, 1, 118-129.	1.4	35
287	The effect of mood on sleep onset latency and REM sleep in interepisode bipolar disorder.. <i>Journal of Abnormal Psychology</i> , 2009, 118, 448-458.	2.0	62
288	Readability of self-report measures of depression and anxiety.. <i>Journal of Consulting and Clinical Psychology</i> , 2009, 77, 1100-1112.	1.6	31
289	Do atypical features affect outcome in depressed outpatients treated with citalopram?. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 15.	1.0	50
290	Parental history of depression or anxiety and the cortisol awakening response. <i>British Journal of Psychiatry</i> , 2010, 197, 180-185.	1.7	75
291	Disorder-specific automatic self-associations in depression and anxiety: results of The Netherlands Study of Depression and Anxiety. <i>Psychological Medicine</i> , 2010, 40, 1101-1111.	2.7	98
292	A Systematic Overview of Measurement-Based Care in the Treatment of Childhood and Adolescent Depression. <i>Journal of Psychiatric Practice</i> , 2010, 16, 217-234.	0.3	27

#	ARTICLE	IF	CITATIONS
293	Which Physician and Practice Characteristics are Associated With Adherence to Evidence-Based Guidelines for Depressive and Anxiety Disorders?. <i>Medical Care</i> , 2010, 48, 240-248.	1.1	59
294	Psychometric evaluation of the Snaithâ€“Hamilton pleasure scale in adult outpatients with major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2010, 25, 328-333.	0.9	84
295	The influence of menopause status and postmenopausal use of hormone therapy on presentation of major depression in women. <i>Menopause</i> , 2010, 17, 828-839.	0.8	47
296	Evaluation of the Effects of Severe Depression on Global Cognitive Function and Memory. <i>CNS Spectrums</i> , 2010, 15, 304-313.	0.7	29
299	Association between depression severity and neurocognitive function in major depressive disorder: A review and synthesis.. <i>Neuropsychology</i> , 2010, 24, 9-34.	1.0	292
300	Development and psychometric evaluation of the Yaleâ€“Brown Obsessive-Compulsive Scaleâ€“Second Edition.. <i>Psychological Assessment</i> , 2010, 22, 223-232.	1.2	178
301	Differential effects of treatments for chronic depression: A latent growth model reanalysis.. <i>Journal of Consulting and Clinical Psychology</i> , 2010, 78, 409-419.	1.6	41
302	Ethics and Informed Consent of Vagus Nerve Stimulation (VNS) for Patients with Treatment-Resistant Depression (TRD). <i>Neuroethics</i> , 2010, 3, 13-22.	1.7	9
303	Patient Factors Associated with Guideline-concordant Treatment of Anxiety and Depression in Primary Care. <i>Journal of General Internal Medicine</i> , 2010, 25, 648-655.	1.3	45
304	Do Automatic Self-Associations Relate to Suicidal Ideation?. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2010, 32, 428-437.	0.7	30
305	Trait and state dependent functional impairments in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010, 184, 135-142.	0.9	43
306	Low early morning plasma cortisol in posttraumatic stress disorder is associated with co-morbid depression but not with enhanced glucocorticoid feedback inhibition. <i>Psychoneuroendocrinology</i> , 2010, 35, 442-450.	1.3	41
307	Effectiveness of adjuvant occupational therapy in employees with depression: design of a randomized controlled trial. <i>BMC Public Health</i> , 2010, 10, 558.	1.2	31
308	Using the QIDS-SR16 to Identify Major Depressive Disorder in Primary Care Medical Patients. <i>Behavior Therapy</i> , 2010, 41, 423-431.	1.3	44
309	Repetitive transcranial magnetic stimulation treats postpartum depression. <i>Brain Stimulation</i> , 2010, 3, 36-41.	0.7	47
310	The impact of diabetes on depression treatment outcomes. <i>General Hospital Psychiatry</i> , 2010, 32, 33-41.	1.2	26
311	Cognitive reactivity: Investigation of a potentially treatable marker of suicide risk in depression. <i>Journal of Affective Disorders</i> , 2010, 122, 46-52.	2.0	61
312	Symptoms and signs of the initial prodrome of bipolar disorderA systematic review. <i>Journal of Affective Disorders</i> , 2010, 126, 1-13.	2.0	146

#	ARTICLE	IF	CITATIONS
313	Placebo-controlled study of quetiapine monotherapy in ambulatory bipolar spectrum disorder with moderate-to-severe hypomania or mild mania. <i>Journal of Affective Disorders</i> , 2010, 124, 157-163.	2.0	31
314	The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. <i>Journal of Affective Disorders</i> , 2010, 125, 146-154.	2.0	68
315	Work functioning in persons with depressive and anxiety disorders: The role of specific psychopathological characteristics. <i>Journal of Affective Disorders</i> , 2010, 125, 198-206.	2.0	110
316	Cardiovascular disease in persons with depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2010, 125, 241-248.	2.0	131
317	Manic symptoms in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2010, 126, 252-256.	2.0	11
318	The performance of the Alcohol Use Disorder Identification Test (AUDIT) in detecting alcohol abuse and dependence in a population of depressed or anxious persons. <i>Journal of Affective Disorders</i> , 2010, 126, 441-446.	2.0	35
319	Employer burden of mild, moderate, and severe major depressive disorder: mental health services utilization and costs, and work performance. <i>Depression and Anxiety</i> , 2010, 27, 78-89.	2.0	307
320	Reduced electrocortical response to threatening faces in major depressive disorder. <i>Depression and Anxiety</i> , 2010, 27, 813-820.	2.0	151
321	Theory of mind deficits in chronically depressed patients. <i>Depression and Anxiety</i> , 2010, 27, 821-828.	2.0	103
322	Psychometric properties of the Quick Inventory of Depressive Symptomatology in adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 185-194.	1.1	104
323	The course of untreated anxiety and depression, and determinants of poor one-year outcome: a one-year cohort study. <i>BMC Psychiatry</i> , 2010, 10, 86.	1.1	94
324	Excessive substance use in bipolar disorder is associated with impaired functioning rather than clinical characteristics, a descriptive study. <i>BMC Psychiatry</i> , 2010, 10, 9.	1.1	60
325	Diagnostic utility of the Quick Inventory of Depressive Symptomatology (QIDS-C ₁₆ and Tj ETQq0 0,0rgBT /Overlock 10	2.2	33
326	Sleep architecture as correlate and predictor of symptoms and impairment in inter-episode bipolar disorder: taking on the challenge of medication effects. <i>Journal of Sleep Research</i> , 2010, 19, 516-524.	1.7	45
327	A New Population-Enrichment Strategy to Improve Efficiency of Placebo-Controlled Clinical Trials of Antidepressant Drugs. <i>Clinical Pharmacology and Therapeutics</i> , 2010, 88, 634-642.	2.3	41
328	The importance of irritability as a symptom of major depressive disorder: results from the National Comorbidity Survey Replication. <i>Molecular Psychiatry</i> , 2010, 15, 856-867.	4.1	153
329	Cognitive Functioning in Patients with Bipolar Disorder: Association with Depressive Symptoms and Alcohol Use. <i>PLoS ONE</i> , 2010, 5, e13032.	1.1	42
330	Atomoxetine for depression and other neuropsychiatric symptoms in Parkinson disease. <i>Neurology</i> , 2010, 75, 448-455.	1.5	219

#	ARTICLE	IF	CITATIONS
331	Relationship Between Amygdala Responses to Masked Faces and Mood State and Treatment in Major Depressive Disorder. Archives of General Psychiatry, 2010, 67, 1128.	13.8	345
332	Dyadic discord at baseline is associated with lack of remission in the acute treatment of chronic depression. Psychological Medicine, 2010, 40, 415-424.	2.7	50
333	Prevalence, Impairment and Severity of 12-Month DSM-IV Major Depressive Episodes in Te Rau Hinengaro: New Zealand Mental Health Survey 2003/4. Australian and New Zealand Journal of Psychiatry, 2010, 44, 750-758.	1.3	7
334	Anticipated Benefits of Care (ABC): psychometrics and predictive value in psychiatric disorders. Psychological Medicine, 2010, 40, 955-965.	2.7	2
335	Painful physical symptoms and treatment outcome in major depressive disorder: a STAR*D (Sequenced) Tj ETQq0 0,0,rgBT /Overlock 10	2.7	81
336	Updated systematic review and meta-analysis of the effects of nã~3 long-chain polyunsaturated fatty acids on depressed mood. American Journal of Clinical Nutrition, 2010, 91, 757-770.	2.2	313
337	Reasons and Determinants for Not Receiving Treatment for Common Mental Disorders. Psychiatric Services, 2010, 61, 250-257.	1.1	110
338	Association Between Bipolar Spectrum Features and Treatment Outcomes in Outpatients With Major Depressive Disorder. Archives of General Psychiatry, 2010, 68, 351.	13.8	118
339	Social Norm Processing in Adult Social Phobia: Atypically Increased Ventromedial Frontal Cortex Responsiveness to Unintentional (Embarrassing) Transgressions. American Journal of Psychiatry, 2010, 167, 1526-1532.	4.0	56
340	Comment on: Comprehensive interview assessment of eating behavior 18â€“35 months after gastric bypass surgery for morbid obesity. Surgery for Obesity and Related Diseases, 2010, 6, 85-87.	1.0	4
341	Psychosocial function in schizophrenia and bipolar disorder: Relationship to neurocognition and clinical symptoms. Journal of the International Neuropsychological Society, 2010, 16, 771-783.	1.2	60
342	Psychometric properties of the Chinese version of Inventory for Depressive Symptomatology (IDS): Preliminary findings. Asian Journal of Psychiatry, 2010, 3, 126-129.	0.9	7
343	Nucleus Accumbens Deep Brain Stimulation Decreases Ratings of Depression and Anxiety in Treatment-Resistant Depression. Biological Psychiatry, 2010, 67, 110-116.	0.7	729
344	Cortical Thickness and Subcortical Volumes in Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2010, 68, 41-50.	0.7	406
345	Longitudinal Evidence for Unfavorable Effects of Antidepressants on Heart Rate Variability. Biological Psychiatry, 2010, 68, 861-868.	0.7	184
346	Sustained Elevation of Serum Interleukin-6 and Relative Insensitivity to Hydrocortisone Differentiates Posttraumatic Stress Disorder with and Without Depression. Biological Psychiatry, 2010, 68, 999-1006.	0.7	80
347	A Pilot Study of Quetiapine in Patients With Bipolar Disorder and Cocaine Dependence. Journal of Dual Diagnosis, 2010, 6, 16-24.	0.7	8
348	Depressive and anxiety disorders and risk of subclinical atherosclerosis. Journal of Psychosomatic Research, 2010, 69, 203-210.	1.2	36

#	ARTICLE	IF	CITATIONS
349	Psychometric analysis of the Yale-Brown Obsessive-Compulsive Scale Second Edition Symptom Checklist. <i>Journal of Anxiety Disorders</i> , 2010, 24, 650-656.	1.5	34
350	Sleep, illness course, and concurrent symptoms in inter-episode bipolar disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 145-149.	0.6	57
351	Moderators of continuation phase cognitive therapy's effects on relapse, recurrence, remission, and recovery from depression. <i>Behaviour Research and Therapy</i> , 2010, 48, 449-458.	1.6	30
352	A receiver operator characteristics analysis of treatment outcome in binge eating disorder to identify patterns of rapid response. <i>Behaviour Research and Therapy</i> , 2010, 48, 1227-1231.	1.6	18
353	Does comorbid substance use disorder impair recovery from major depression with SSRI treatment? An analysis of the STAR*D level one treatment outcomes. <i>Drug and Alcohol Dependence</i> , 2010, 107, 161-170.	1.6	71
354	Dynamics of telomerase activity in response to acute psychological stress. <i>Brain, Behavior, and Immunity</i> , 2010, 24, 531-539.	2.0	192
355	SRD5A2 is associated with increased cortisol metabolism in schizophrenia spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1500-1506.	2.5	19
356	Development and validation of a 30-item short adaptation of the Mood and Anxiety Symptoms Questionnaire (MASQ). <i>Psychiatry Research</i> , 2010, 179, 101-106.	1.7	132
357	Correlation between patient and clinician assessments of depression severity in the PREVENT study. <i>Psychiatry Research</i> , 2010, 177, 177-183.	1.7	40
358	Depression symptom severity and error-related brain activity. <i>Psychiatry Research</i> , 2010, 179, 30-37.	1.7	84
359	Deficits in Psychological Well-Being and Quality of Life in Minor Depression: Implications for DSM-V. <i>CNS Neuroscience and Therapeutics</i> , 2010, 16, 208-216.	1.9	41
360	Association between Plasma IL-6 Response to Acute Stress and Early-Life Adversity in Healthy Adults. <i>Neuropsychopharmacology</i> , 2010, 35, 2617-2623.	2.8	378
361	Comprehensive interview assessment of eating behavior 18-35 months after gastric bypass surgery for morbid obesity. <i>Surgery for Obesity and Related Diseases</i> , 2010, 6, 79-85.	1.0	231
362	Defining and Measuring Functional Recovery from Depression. <i>CNS Drugs</i> , 2010, 24, 267-284.	2.7	163
363	Behavioral Activation for the Treatment of Atypical Depression: A Pilot Open Trial. <i>Behavior Modification</i> , 2011, 35, 403-424.	1.1	21
364	Depression, Anxiety, and Arterial Stiffness. <i>Biological Psychiatry</i> , 2011, 69, 795-803.	0.7	86
365	Sex differences in neuropsychological performance and social functioning in schizophrenia and bipolar disorder.. <i>Neuropsychology</i> , 2011, 25, 499-510.	1.0	86
366	Neurocognitive functioning and suicidality in schizophrenia spectrum disorders. <i>Comprehensive Psychiatry</i> , 2011, 52, 156-163.	1.5	49

#	ARTICLE	IF	CITATIONS
367	The Perseverative Thinking Questionnaire (PTQ): Validation of a content-independent measure of repetitive negative thinking. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 225-232.	0.6	566
368	Sex-specific cortisol levels in bipolar disorder and schizophrenia during mental challenge " Relationship to clinical characteristics and medication. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1100-1107.	2.5	27
369	Review of major measuring instruments in comorbid depression and coronary heart disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 905-912.	2.5	9
370	Decreased self-reported arousal in schizophrenia during aversive picture viewing compared to bipolar disorder and healthy controls. <i>Psychiatry Research</i> , 2011, 185, 309-314.	1.7	20
371	Effectiveness of guided self-help for depression and anxiety disorders in primary care: A pragmatic randomized controlled trial. <i>Psychiatry Research</i> , 2011, 187, 113-120.	1.7	32
372	One-year severity of depressive symptoms: Results from the NESDA study. <i>Psychiatry Research</i> , 2011, 190, 226-231.	1.7	9
373	Postnatal depression and infant feeding: A review of the evidence. <i>British Journal of Midwifery</i> , 2011, 19, 614-624.	0.1	6
374	Depression in multiple sclerosis. , 0, , 696-706.		0
375	Functional Connectivity of Brain Structures Correlates with Treatment Outcome in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2011, 2, 7.	1.3	53
376	Screening tools for postpartum depression: validity and cultural dimensions. <i>African Journal of Psychiatry</i> , 2011, 13, 357-65.	0.1	43
377	The Effects of Neuroticism, Extraversion, and Positive and Negative Life Events on a One-Year Course of Depressive Symptoms in Euthymic Previously Depressed Patients Versus Healthy Controls. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 684-689.	0.5	15
378	A Primary Care Focus on the Diagnosis and Treatment of Major Depressive Disorder in Adults. <i>Journal of Psychiatric Practice</i> , 2011, 17, 340-350.	0.3	13
379	The Relationship Between Adverse Events During Selective Serotonin Reuptake Inhibitor Treatment for Major Depressive Disorder and Nonremission in the Suicide Assessment Methodology Study. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 31-38.	0.7	15
380	Psychometric considerations of depression symptom rating scales. <i>Neuropsychiatry</i> , 2011, 1, 611-623.	0.4	7
381	Clinical and Pharmacologic Perspectives on the Treatment of Major Depressive Disorder. <i>CNS Spectrums</i> , 2011, 16, 191-203.	0.7	5
382	A Primary Care Focus on the Treatment of Patients With Major Depressive Disorder. <i>American Journal of the Medical Sciences</i> , 2011, 342, 324-330.	0.4	23
383	Relationships between Menopausal and Mood Symptoms and EEG Sleep Measures in a Multi-ethnic Sample of Middle-Aged Women: The SWAN Sleep Study. <i>Sleep</i> , 2011, 34, 1221-1232.	0.6	53
384	Insight in bipolar disorder: associations with cognitive and emotional processing and illness characteristics. <i>Bipolar Disorders</i> , 2011, 13, 343-354.	1.1	36

#	ARTICLE	IF	CITATIONS
385	The costs of guideline-concordant care and of care according to patients' needs in anxiety and depression. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 537-546.	0.9	10
386	Positive and negative life events and personality traits in predicting course of depression and anxiety. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 462-473.	2.2	72
387	Serum levels of brain-derived neurotrophic factor in major depressive disorder: state-trait issues, clinical features and pharmacological treatment. <i>Molecular Psychiatry</i> , 2011, 16, 1088-1095.	4.1	375
388	Antidepressant effects of selective slow wave sleep deprivation in major depression: A high-density EEG investigation. <i>Journal of Psychiatric Research</i> , 2011, 45, 1019-1026.	1.5	106
389	Co-occurring manic symptomatology influences HPA axis alterations in depression. <i>Journal of Psychiatric Research</i> , 2011, 45, 1208-1213.	1.5	22
390	The treatment of minor depression with St. John's Wort or citalopram: Failure to show benefit over placebo. <i>Journal of Psychiatric Research</i> , 2011, 45, 931-941.	1.5	48
391	Affective symptoms are associated with markers of inflammation and immune activation in bipolar disorders but not in schizophrenia. <i>Journal of Psychiatric Research</i> , 2011, 45, 1608-1616.	1.5	146
392	Outcomes for depression and anxiety in primary care and details of treatment: a naturalistic longitudinal study. <i>BMC Psychiatry</i> , 2011, 11, 180.	1.1	23
393	Seasonality in depressive and anxiety symptoms among primary care patients and in patients with depressive and anxiety disorders; results from the Netherlands Study of Depression and Anxiety. <i>BMC Psychiatry</i> , 2011, 11, 198.	1.1	36
394	The Netherlands study of depression in older persons (NESDO); a prospective cohort study. <i>BMC Research Notes</i> , 2011, 4, 524.	0.6	130
395	Is the lack of association between cognitive complaints and objective cognitive functioning in patients with bipolar disorder moderated by depressive symptoms?. <i>Journal of Affective Disorders</i> , 2011, 130, 306-311.	2.0	55
396	Objective physical functioning in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2011, 131, 193-199.	2.0	52
397	Co-occurring manic symptomatology as a dimension which may help explaining heterogeneity of depression. <i>Journal of Affective Disorders</i> , 2011, 131, 224-232.	2.0	5
398	Comorbidity and risk indicators for alcohol use disorders among persons with anxiety and/or depressive disorders. <i>Journal of Affective Disorders</i> , 2011, 131, 233-242.	2.0	176
399	Symptoms and behaviors prior to the first major affective episode of bipolar II disorder. An exploratory study. <i>Journal of Affective Disorders</i> , 2011, 132, 333-343.	2.0	18
400	Hypersomnia in inter-episode bipolar disorder: Does it have prognostic significance?. <i>Journal of Affective Disorders</i> , 2011, 132, 438-444.	2.0	89
401	Two-year course of depressive and anxiety disorders: Results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011, 133, 76-85.	2.0	278
402	Randomized comparison of selective serotonin reuptake inhibitor (escitalopram) monotherapy and antidepressant combination pharmacotherapy for major depressive disorder with melancholic features: A CO-MED report. <i>Journal of Affective Disorders</i> , 2011, 133, 467-476.	2.0	45

#	ARTICLE	IF	CITATIONS
403	Emotional and physiological responses to normative and idiographic positive stimuli in bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 133, 437-442.	2.0	21
404	What goes up can come down? A preliminary investigation of emotion reactivity and emotion recovery in bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 133, 457-466.	2.0	72
405	Fronto-extracerebral transcranial direct current stimulation as a treatment for major depression: An open-label pilot study. <i>Journal of Affective Disorders</i> , 2011, 134, 459-463.	2.0	94
406	Clinical differences between early and late remission in depressive patients. <i>Journal of Affective Disorders</i> , 2011, 134, 235-241.	2.0	17
407	Development and validation of a patient-report measure of fatigue associated with depression. <i>Journal of Affective Disorders</i> , 2011, 134, 294-303.	2.0	19
408	The Inventory of Depressive Symptomatology (IDS-C28) is more sensitive to changes in depressive symptomatology than the Hamilton Depression Rating Scale (HAM-D17) in patients with mild major, minor or subsyndromal depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 357-367.	1.8	19
409	Challenges in Addressing Depression in HIV Research: Assessment, Cultural Context, and Methods. <i>AIDS and Behavior</i> , 2011, 15, 376-388.	1.4	99
410	The impact of childhood abuse and recent stress on serum brain-derived neurotrophic factor and the moderating role of BDNF Val66Met. <i>Psychopharmacology</i> , 2011, 214, 319-328.	1.5	110
411	Effect of childhood physical abuse on cortisol stress response. <i>Psychopharmacology</i> , 2011, 214, 367-375.	1.5	257
412	A placebo-controlled study of sertraline's effect on cortisol response to the dexamethasone/corticotropin-releasing hormone test in healthy adults. <i>Psychopharmacology</i> , 2011, 218, 371-379.	1.5	6
414	Feasibility of Dissemination of Cognitive Behavioral Therapy to Texas Community Mental Health Centers. <i>Journal of Behavioral Health Services and Research</i> , 2011, 38, 91-104.	0.6	14
415	Measurement-Based Care for Unipolar Depression. <i>Current Psychiatry Reports</i> , 2011, 13, 446-458.	2.1	30
416	Psychometric properties of the IDS-SR30 for the assessment of depressive symptoms in Spanish population. <i>BMC Medical Research Methodology</i> , 2011, 11, 131.	1.4	10
417	Disrupting the rhythm of depression using Mobile Cognitive Therapy for recurrent depression: randomized controlled trial design and protocol. <i>BMC Psychiatry</i> , 2011, 11, 12.	1.1	27
418	Effectiveness of an intercultural module added to the treatment guidelines for Moroccan and Turkish patients with depressive and anxiety disorders. <i>BMC Psychiatry</i> , 2011, 11, 13.	1.1	14
419	Comparative efficacy of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for early onset chronic depression: design and rationale of a multisite randomized controlled trial. <i>BMC Psychiatry</i> , 2011, 11, 134.	1.1	38
420	Early reduction in painful physical symptoms is associated with improvements in long-term depression outcomes in patients treated with duloxetine. <i>BMC Psychiatry</i> , 2011, 11, 150.	1.1	23
421	Peripheral blood and neuropsychological markers for the onset of action of antidepressant drugs in patients with Major Depressive Disorder. <i>BMC Psychiatry</i> , 2011, 11, 16.	1.1	34

#	ARTICLE	IF	CITATIONS
422	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011, 11, 8.	1.1	16
423	Stepped care treatment for depression and anxiety in primary care. a randomized controlled trial. <i>Trials</i> , 2011, 12, 171.	0.7	61
424	Habenula volume in post-traumatic stress disorder measured with high-resolution MRI. <i>Biology of Mood & Anxiety Disorders</i> , 2011, 1, 7.	4.7	32
425	Personality, Life Events and the Course of Anxiety and Depression. <i>European Journal of Personality</i> , 2011, 25, 443-452.	1.9	70
426	Depression comorbidity in spinocerebellar ataxia. <i>Movement Disorders</i> , 2011, 26, 870-876.	2.2	69
427	Assessing anxious features in depressed outpatients. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, e69-82.	1.1	16
428	A Review and Synthesis of Positive Emotion and Reward Disturbance in Bipolar Disorder. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 356-365.	1.4	78
429	Does the presence of accompanying symptom clusters differentiate the comparative effectiveness of second-line medication strategies for treating depression?. <i>Depression and Anxiety</i> , 2011, 28, 989-998.	2.0	12
430	The inter-rater reliability of the Japanese version of the Inventory of Depressive Symptomatology, Clinician version. <i>Human Psychopharmacology</i> , 2011, 26, n/a-n/a.	0.7	0
431	Development and Evaluation of the Social Anxiety and Depression Life Interferenceâ€²4 (SADLIâ€²4) Inventory. <i>Journal of Clinical Psychology</i> , 2011, 67, 82-98.	1.0	6
432	Self-report of illicit substance use versus urine toxicology results from at-risk pregnant women. <i>Journal of Substance Use</i> , 2011, 16, 372-380.	0.3	46
433	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 618-628.	1.6	340
434	Combining Medications to Enhance Depression Outcomes (CO-MED): Acute and Long-Term Outcomes of a Single-Blind Randomized Study. <i>American Journal of Psychiatry</i> , 2011, 168, 689-701.	4.0	329
435	Major Depressive Disorder in Persons Exposed to Trauma: Relationship Between Emotional Intelligence and Social Support. <i>Journal of the American Psychiatric Nurses Association</i> , 2011, 17, 237-245.	0.4	24
436	Effects of Race and Ethnicity on Depression Treatment Outcomes: The CO-MED Trial. <i>Psychiatric Services</i> , 2011, 62, 1167-1179.	1.1	30
437	Clinical and Physiological Correlates of Irritability in Depression: Results from the Netherlands Study of Depression and Anxiety. <i>Depression Research and Treatment</i> , 2011, 2011, 1-9.	0.7	15
438	Standardized Rater Training for the Hamilton Depression Rating Scale (HAMD<sub>17</sub>) and the Inventory of Depressive Symptoms (IDS<sub>C30</sub>). <i>Psychopathology</i> , 2011, 44, 68-70.	1.1	24
439	Predictive validity of automatic self-associations for the onset of anxiety disorders.. <i>Journal of Abnormal Psychology</i> , 2011, 120, 607-616.	2.0	22

#	ARTICLE	IF	CITATIONS
440	Neurocognitive Dysfunction in Bipolar and Schizophrenia Spectrum Disorders Depends on History of Psychosis Rather Than Diagnostic Group. <i>Schizophrenia Bulletin</i> , 2011, 37, 73-83.	2.3	253
441	Carotid atherosclerosis in depression and anxiety: Associations for age of depression onset. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 549-558.	1.3	32
442	Hooked on a feeling: Rumination about positive and negative emotion in inter-episode bipolar disorder.. <i>Journal of Abnormal Psychology</i> , 2011, 120, 956-961.	2.0	135
443	Restless pillow, ruffled mind: Sleep and affect coupling in interepisode bipolar disorder.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 863-873.	2.0	57
444	A test of the bidirectional association between sleep and mood in bipolar disorder and insomnia.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 39-50.	2.0	70
445	Personality and changes in comorbidity patterns among anxiety and depressive disorders.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 874-884.	2.0	56
446	Chronic Insomnia and Health Care Utilization in Young Adults. <i>Behavioral Sleep Medicine</i> , 2012, 10, 106-121.	1.1	28
447	Effects of Antidepressants, but not Psychopathology, on Cardiac Sympathetic Control: A Longitudinal Study. <i>Neuropsychopharmacology</i> , 2012, 37, 2487-2495.	2.8	63
448	A Randomized, Placebo-Controlled Study of Zonisamide to Prevent Olanzapine-Associated Weight Gain. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 165-172.	0.7	28
449	Change in psychosocial functioning and depressive symptoms during acute-phase cognitive therapy for depression. <i>Psychological Medicine</i> , 2012, 42, 317-326.	2.7	41
450	Depression Treatment with Duloxetine and Reduction of Inability to Work. <i>Depression Research and Treatment</i> , 2012, 2012, 1-6.	0.7	3
451	Depression symptom dimensions as predictors of antidepressant treatment outcome: replicable evidence for interest-activity symptoms. <i>Psychological Medicine</i> , 2012, 42, 967-980.	2.7	298
452	Is prior course of illness relevant to acute or longer-term outcomes in depressed out-patients? A STAR*D report. <i>Psychological Medicine</i> , 2012, 42, 1131-1149.	2.7	52
453	Stability and transitions of depressive subtypes over a 2-year follow-up. <i>Psychological Medicine</i> , 2012, 42, 2083-2093.	2.7	67
454	Course trajectories of unipolar depressive disorders identified by latent class growth analysis. <i>Psychological Medicine</i> , 2012, 42, 1383-1396.	2.7	74
455	Efficacy of mindfulness-based cognitive therapy in relation to prior history of depression: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012, 201, 320-325.	1.7	70
456	Correlates and outcomes of depressed out-patients with greater and fewer anxious symptoms: a CO-MED report. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1387-1399.	1.0	21
457	Alcohol use disorders and the course of depressive and anxiety disorders. <i>British Journal of Psychiatry</i> , 2012, 200, 476-484.	1.7	95

#	ARTICLE	IF	CITATIONS
458	Associations of the Beck Cognitive Insight Scale (BCIS) with Poor Insight, Subjective Experiences, and Depression. <i>International Journal of Cognitive Therapy</i> , 2012, 5, 197-210.	1.3	14
459	Impact of childhood life events and trauma on the course of depressive and anxiety disorders. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 198-207.	2.2	215
460	Correlates of benzodiazepine dependence in the <sc>N</sc>etherlands <sc>S</sc>tudy of <sc>D</sc>epression and <sc>A</sc>nxiety. <i>Addiction</i> , 2012, 107, 2173-2182.	1.7	36
461	Social support and social strain in inter-episode bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 628-640.	1.1	30
462	General, Specific and Unique Cognitive Factors Involved in Anxiety and Depressive Disorders. <i>Cognitive Therapy and Research</i> , 2012, 36, 621-633.	1.2	25
463	Baseline depression severity as a predictor of single and combination antidepressant treatment outcome: Results from the CO-MED trial. <i>European Neuropsychopharmacology</i> , 2012, 22, 183-199.	0.3	65
464	The subscale structure of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in older persons. <i>Journal of Psychiatric Research</i> , 2012, 46, 1383-1388.	1.5	36
465	An exploratory study of combination bupirone and melatonin SR in Major Depressive Disorder (MDD): A possible role for neurogenesis in drug discovery. <i>Journal of Psychiatric Research</i> , 2012, 46, 1553-1563.	1.5	52
466	Dimensions of the inventory of depressive symptomatology as predictors of the course of depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2012, 46, 1655-1661.	1.5	10
467	Sensitivity to detect change and the correlation of clinical factors with the Hamilton Depression Rating Scale and the Beck Depression Inventory in depressed inpatients. <i>Psychiatry Research</i> , 2012, 198, 62-67.	1.7	52
468	An association between affective lability and executive functioning in bipolar disorder. <i>Psychiatry Research</i> , 2012, 198, 58-61.	1.7	34
469	Transcranial direct current stimulation for depression: 3-week, randomised, sham-controlled trial. <i>British Journal of Psychiatry</i> , 2012, 200, 52-59.	1.7	385
470	Study design features affecting outcome in antidepressant trials. <i>Journal of Affective Disorders</i> , 2012, 141, 160-167.	2.0	8
471	Determinants of receiving mental health care for depression in older adults. <i>Journal of Affective Disorders</i> , 2012, 143, 69-74.	2.0	14
472	Association of depressive disorders, depression characteristics and antidepressant medication with inflammation. <i>Translational Psychiatry</i> , 2012, 2, e79-e79.	2.4	260
473	Major depressive disorder severity and the frequency of painful physical symptoms: a pooled analysis of observational studies. <i>Current Medical Research and Opinion</i> , 2012, 28, 1891-1897.	0.9	13
474	Escitalopram for Severe Asthma and Major Depressive Disorder: A Randomized, Double-Blind, Placebo-Controlled Proof-of-Concept Study. <i>Psychosomatics</i> , 2012, 53, 75-80.	2.5	31
475	Feasibility, reliability and validity of the Dutch translation of the Anxiety, Depression And Mood Scale in older adults with intellectual disabilities. <i>Research in Developmental Disabilities</i> , 2012, 33, 315-323.	1.2	30

#	ARTICLE	IF	CITATIONS
476	Benefits of adding fluticasone propionate/salmeterol to tiotropium in moderate to severe COPD. <i>Respiratory Medicine</i> , 2012, 106, 91-101.	1.3	72
477	Personality traits and childhood trauma as correlates of metabolic risk factors: The Netherlands Study of Depression and Anxiety (NESDA). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 36, 85-91.	2.5	51
478	Feeling stuck in the present? Mania proneness and history associated with present-oriented time perspective.. <i>Emotion</i> , 2012, 12, 13-17.	1.5	27
479	Salivary testosterone: Associations with depression, anxiety disorders, and antidepressant use in a large cohort study. <i>Journal of Psychosomatic Research</i> , 2012, 72, 205-213.	1.2	106
480	Maintenance of a positive outlook during acute stress protects against pro-inflammatory reactivity and future depressive symptoms. <i>Brain, Behavior, and Immunity</i> , 2012, 26, 346-352.	2.0	94
481	Prognostic value of implicit and explicit self-associations for the course of depressive and anxiety disorders. <i>Behaviour Research and Therapy</i> , 2012, 50, 479-486.	1.6	21
482	Sociodemographic and psychiatric determinants of attrition in the Netherlands Study of Depression and Anxiety (NESDA). <i>Comprehensive Psychiatry</i> , 2012, 53, 63-70.	1.5	150
483	The role of avoidance in the phenomenology of obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2012, 53, 187-194.	1.5	38
484	Evaluating sleep in bipolar disorder: comparison between actigraphy, polysomnography, and sleep diary. <i>Bipolar Disorders</i> , 2012, 14, 870-879.	1.1	125
485	Frequency and outcomes of painful physical symptoms in a naturalistic population with major depressive disorder: an analysis of pooled observational studies focusing on subjects aged 65 years and over. <i>International Journal of Clinical Practice</i> , 2012, 66, 1158-1167.	0.8	4
486	C-reactive protein, early life stress, and wellbeing in healthy adults. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 402-410.	2.2	41
487	When trying is not enough: Emotion regulation and the effort-success gap in bipolar disorder.. <i>Emotion</i> , 2012, 12, 997-1003.	1.5	97
488	Tiagabine for acute affective episodes in bipolar disorder. <i>The Cochrane Library</i> , 2012, 12, CD004694.	1.5	6
489	Association of smoking and nicotine dependence with severity and course of symptoms in patients with depressive or anxiety disorder. <i>Drug and Alcohol Dependence</i> , 2012, 126, 138-146.	1.6	78
490	Motivational enhancement therapy coupled with cognitive behavioral therapy versus brief advice: a randomized trial for treatment of hazardous substance use in pregnancy and after delivery. <i>General Hospital Psychiatry</i> , 2012, 34, 439-449.	1.2	93
491	A randomized, double-blind, placebo-controlled trial of citicoline for bipolar and unipolar depression and methamphetamine dependence. <i>Journal of Affective Disorders</i> , 2012, 143, 257-260.	2.0	44
492	Common mental disorders associated with 2-year diabetes incidence: The Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2012, 142, S30-S35.	2.0	39
493	Tolerability aspects in duloxetine-treated patients with depression: should one use a lower starting dose in clinical practice?. <i>Expert Opinion on Drug Safety</i> , 2012, 11, 699-711.	1.0	2

#	ARTICLE	IF	CITATIONS
494	Gender specific associations of serum levels of brain-derived neurotrophic factor in anxiety. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 535-543.	1.3	52
495	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , 2012, 12, 125.	1.1	45
496	Neural Correlates of Successful Response Inhibition in Unmedicated Patients With Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 1057-1069.	0.6	19
497	Childhood Adversity and Epigenetic Modulation of the Leukocyte Glucocorticoid Receptor: Preliminary Findings in Healthy Adults. <i>PLoS ONE</i> , 2012, 7, e30148.	1.1	416
498	The Extended Functional Neuroanatomy of Emotional Processing Biases for Masked Faces in Major Depressive Disorder. <i>PLoS ONE</i> , 2012, 7, e46439.	1.1	37
499	Serum BDNF Concentrations Show Strong Seasonal Variation and Correlations with the Amount of Ambient Sunlight. <i>PLoS ONE</i> , 2012, 7, e48046.	1.1	70
500	Clinical Patterns and Treatment Outcome in Patients with Melancholic, Atypical and Non-Melancholic Depressions. <i>PLoS ONE</i> , 2012, 7, e48200.	1.1	60
501	Medical writing for CNS indications. , 0, , 156-168.		0
502	Psychosis in Parkinson's disease without dementia: Common and comorbid with other non-motor symptoms. <i>Movement Disorders</i> , 2012, 27, 858-863.	2.2	109
503	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. <i>Arthritis Care and Research</i> , 2012, 64, 1209-1216.	1.5	23
504	Effect of <i>DISC1</i> SNPs on brain structure in healthy controls and patients with a history of psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 722-730.	1.1	14
505	EFFECT OF CONCURRENT SUBSTANCE USE DISORDER ON THE EFFECTIVENESS OF SINGLE AND COMBINATION ANTIDEPRESSANT MEDICATIONS FOR THE TREATMENT OF MAJOR DEPRESSION: AN EXPLORATORY ANALYSIS OF A SINGLE-BLIND RANDOMIZED TRIAL. <i>Depression and Anxiety</i> , 2012, 29, 111-122.	2.0	15
506	Sensitivity to changes during antidepressant treatment: a comparison of unidimensional subscales of the Inventory of Depressive Symptomatology (IDS-C) and the Hamilton Depression Rating Scale (HAMD) in patients with mild major, minor or subsyndromal depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 291-304.	1.8	26
507	Choosing Assessment Instruments for Depression Outcome Research With School-Age Youth. <i>Journal of Counseling and Development</i> , 2012, 90, 208-220.	1.3	10
508	Effects of heart disease on depression treatment: results from the COMED study. <i>General Hospital Psychiatry</i> , 2012, 34, 24-34.	1.2	4
509	Clinical relevance of comorbidity in anxiety disorders: A report from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2012, 137, 106-112.	2.0	124
510	Life events and their associations with depression and anxiety in older people with intellectual disabilities: Results of the HA-ID study. <i>Journal of Affective Disorders</i> , 2012, 138, 79-85.	2.0	35
511	Early and late onset depression in young and middle aged adults: Differential symptomatology, characteristics and risk factors?. <i>Journal of Affective Disorders</i> , 2012, 138, 259-267.	2.0	96

#	ARTICLE	IF	CITATIONS
512	Brain blood-flow change with acute vagus nerve stimulation in treatment-refractory major depressive disorder. <i>Brain Stimulation</i> , 2012, 5, 163-171.	0.7	67
513	The effectiveness of adhering to clinical practice guidelines for anxiety disorders in secondary mental health care: the results of a cohort study in the Netherlands. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 791-797.	0.9	14
514	Putative early manifestations of bipolar II disorder emerge later in the initial prodrome than manifestations hypothesized to be unrelated: an exploratory study. <i>Microbial Biotechnology</i> , 2012, 6, 460-464.	0.9	1
515	Augmenting Antidepressant Medication Treatment of Depressed Women With Emotionally Focused Therapy for Couples: A Randomized Pilot Study. <i>Journal of Marital and Family Therapy</i> , 2012, 38, 23-38.	0.6	63
516	Do depression and anxiety converge or diverge in their association with suicidality?. <i>Journal of Psychiatric Research</i> , 2012, 46, 608-615.	1.5	32
517	Predictors of the 2-year recurrence and persistence of alcohol dependence. <i>Addiction</i> , 2012, 107, 1639-1640.	1.7	62
518	Effect of running therapy on depression (EFFORT-D). Design of a randomised controlled trial in adult patients [ISRCTN 1894]. <i>BMC Public Health</i> , 2012, 12, 50.	1.2	25
519	Reference values for mental health assessment instruments: objectives and methods of the Leiden Routine Outcome Monitoring Study. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 342-350.	0.9	18
520	Towards automated detection of depression from brain structural magnetic resonance images. <i>Neuroradiology</i> , 2013, 55, 567-584.	1.1	17
521	In your eyes: Does theory of mind predict impaired life functioning in bipolar disorder?. <i>Journal of Affective Disorders</i> , 2013, 151, 1113-1119.	2.0	37
522	Hypersomnia and depressive symptoms: methodological and clinical aspects. <i>BMC Medicine</i> , 2013, 11, 78.	2.3	106
523	The relationship between cortisol and verbal memory in the early stages of Huntington's disease. <i>Journal of Neurology</i> , 2013, 260, 891-902.	1.8	19
524	Evening salivary alpha-amylase, major depressive disorder, and antidepressant use in the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychiatry Research</i> , 2013, 208, 41-46.	1.7	14
525	The self-rated Inventory of Depressive Symptomatology for screening prenatal depression. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 121, 243-246.	1.0	10
526	Characteristics of responders and non-responders to risperidone monotherapy or placebo in co-occurring bipolar disorder and anxiety disorder. <i>European Psychiatry</i> , 2013, 28, 190-196.	0.1	4
527	Predicting group cognitive-behavioral therapy outcome of binge eating disorder using empirical classification. <i>Behaviour Research and Therapy</i> , 2013, 51, 526-532.	1.6	7
528	Big Five personality and depression diagnosis, severity and age of onset in older adults. <i>Journal of Affective Disorders</i> , 2013, 151, 178-185.	2.0	84
529	The role of somatic health problems in the recognition of depressive and anxiety disorders by general practitioners. <i>Journal of Affective Disorders</i> , 2013, 151, 1025-1032.	2.0	11

#	ARTICLE	IF	CITATIONS
530	The Netherlands Epidemiology of Obesity (NEO) study: study design and data collection. <i>European Journal of Epidemiology</i> , 2013, 28, 513-523.	2.5	166
531	A Clinical Risk Stratification Tool for Predicting Treatment Resistance in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2013, 74, 7-14.	0.7	142
532	Prevalence of Sleep Deficiency in Early Gestation and its Associations with Stress and Depressive Symptoms. <i>Journal of Women's Health</i> , 2013, 22, 1028-1037.	1.5	91
533	Does exercise improve self-reported sleep quality in non-remitted major depressive disorder?. <i>Psychological Medicine</i> , 2013, 43, 699-709.	2.7	50
534	Measuring automatic associations: Validation of algorithms for the Implicit Association Test (IAT) in a laboratory setting. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 105-113.	0.6	47
535	Evidence for a differential role of HPA-axis function, inflammation and metabolic syndrome in melancholic versus atypical depression. <i>Molecular Psychiatry</i> , 2013, 18, 692-699.	4.1	551
536	Dysregulated relationship of inflammation and oxidative stress in major depression. <i>Brain, Behavior, and Immunity</i> , 2013, 31, 143-152.	2.0	199
537	Rapid and Longer-Term Antidepressant Effects of Repeated Ketamine Infusions in Treatment-Resistant Major Depression. <i>Biological Psychiatry</i> , 2013, 74, 250-256.	0.7	632
538	Childhood abuse in late-life depression. <i>Journal of Affective Disorders</i> , 2013, 147, 241-246.	2.0	89
539	Positive emotion dysregulation across mood disorders: How amplifying versus dampening predicts emotional reactivity and illness course. <i>Behaviour Research and Therapy</i> , 2013, 51, 736-741.	1.6	89
540	Prevalence of depression and anxiety in older users of formal Dutch intellectual disability services. <i>Journal of Affective Disorders</i> , 2013, 144, 94-100.	2.0	58
541	Differential association of somatic and cognitive symptoms of depression and anxiety with inflammation: Findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychoneuroendocrinology</i> , 2013, 38, 1573-1585.	1.3	213
542	Reference values for major depression questionnaires: The Leiden Routine Outcome Monitoring Study. <i>Journal of Affective Disorders</i> , 2013, 149, 342-349.	2.0	49
543	Treatment inadequacy in primary and specialized care patients with depressive and/or anxiety disorders. <i>Psychiatry Research</i> , 2013, 210, 594-600.	1.7	27
544	Cortisol and depression in pre-diagnosed and early stage Huntington's disease. <i>Psychoneuroendocrinology</i> , 2013, 38, 2439-2447.	1.3	40
545	The neural correlates of cognitive control in bipolar I disorder: An fMRI study of medial frontal cortex activation during a Go/No-go task. <i>Neuroscience Letters</i> , 2013, 549, 51-56.	1.0	15
546	Salivary cortisol levels and the 2-year course of depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2013, 38, 1494-1502.	1.3	110
547	Two-year stability and change of neuroticism and extraversion in treated and untreated persons with depression: Findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2013, 150, 201-208.	2.0	19

#	ARTICLE	IF	CITATIONS
548	Psychometrics and latent structure of the IDS and QIDS with young adult students. <i>Journal of Affective Disorders</i> , 2013, 149, 217-220.	2.0	10
549	A unique emotional processing profile of euthymic bipolar disorder? A critical review. <i>Journal of Affective Disorders</i> , 2013, 146, 295-309.	2.0	46
550	Strong effects of environmental factors on prevalence and course of major depressive disorder are not moderated by 5-HTTLPR polymorphisms in a large Dutch sample. <i>Journal of Affective Disorders</i> , 2013, 146, 91-99.	2.0	26
551	Neutrophil gelatinase-associated lipocalin: A novel inflammatory marker associated with late-life depression. <i>Journal of Psychosomatic Research</i> , 2013, 75, 444-450.	1.2	71
552	Facial cues to depressive symptoms and their associated personality attributions. <i>Psychiatry Research</i> , 2013, 208, 47-53.	1.7	22
553	Sleep disturbances and reduced work functioning in depressive or anxiety disorders. <i>Sleep Medicine</i> , 2013, 14, 1170-1177.	0.8	18
554	Exposure to secondhand smoke and depression and anxiety: A report from two studies in the Netherlands. <i>Journal of Psychosomatic Research</i> , 2013, 75, 431-436.	1.2	42
555	Cognitive vulnerability differentially predicts symptom dimensions of depression. <i>Journal of Affective Disorders</i> , 2013, 151, 92-99.	2.0	21
556	Dysregulated diurnal cortisol pattern is associated with glucocorticoid resistance in women with major depressive disorder. <i>Biological Psychology</i> , 2013, 93, 150-158.	1.1	109
557	Side effects of antidepressants during long-term use in a naturalistic setting. <i>European Neuropsychopharmacology</i> , 2013, 23, 1443-1451.	0.3	173
558	Affective information processing in pregnancy and postpartum with and without major depression. <i>Psychiatry Research</i> , 2013, 206, 206-212.	1.7	9
559	Predictors of medication adherence in patients with schizophrenia and bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 23-33.	2.2	123
560	Anxiety and Depression Are Associated With Migraine and Pain in General: An Investigation of the Interrelationships. <i>Journal of Pain</i> , 2013, 14, 363-370.	0.7	81
561	Recurrent suicide attempts in patients with depressive and anxiety disorders: The role of borderline personality traits. <i>Journal of Affective Disorders</i> , 2013, 151, 23-30.	2.0	35
562	First controlled treatment trial of bipolar II hypomania with mixed symptoms: Quetiapine versus placebo. <i>Journal of Affective Disorders</i> , 2013, 150, 37-43.	2.0	28
563	Frequency and Severity of Comorbid Mood and Anxiety Disorders in Prescription Opioid Dependence. <i>American Journal on Addictions</i> , 2013, 22, 261-265.	1.3	62
564	Neural and psychophysiological markers of delay aversion in attention-deficit hyperactivity disorder.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 566-572.	2.0	55
565	Eating disorder and obsessive-compulsive symptoms in a sample of bulimic women: Perfectionism as a mediating factor. <i>Personality and Individual Differences</i> , 2013, 54, 231-235.	1.6	12

#	ARTICLE	IF	CITATIONS
566	Internet-based treatment of major depression for patients on a waiting list for inpatient psychotherapy: protocol for a multi-centre randomised controlled trial. <i>BMC Psychiatry</i> , 2013, 13, 318.	1.1	20
567	Smaller grey matter volumes in the anterior cingulate cortex and greater cerebellar volumes in patients with long-term remission of Cushing's disease: a case-control study. <i>European Journal of Endocrinology</i> , 2013, 169, 811-819.	1.9	84
568	Do Menopausal Status and Use of Hormone Therapy Affect Antidepressant Treatment Response? Findings from the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Study. <i>Journal of Women's Health</i> , 2013, 22, 121-131.	1.5	34
569	Factors associated with depression and anxiety in older adults with intellectual disabilities: results of the healthy ageing and intellectual disabilities study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 691-699.	1.3	30
570	Behavioral Treatment of Insomnia in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2013, 170, 716-720.	4.0	93
571	Family history of alcohol dependence and gray matter abnormalities in non-alcoholic adults. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 565-573.	1.3	21
572	Changes in the neural correlates of implicit emotional face processing during antidepressant treatment in major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 2195-2208.	1.0	71
573	Personality Disorders and Outcome of Inpatient Treatment for Depression: A 1-Year Prospective Follow-Up Study. <i>Journal of Personality Disorders</i> , 2013, 27, 636-651.	0.8	17
574	Antidepressant Efficacy of Ketamine in Treatment-Resistant Major Depression: A Two-Site Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , 2013, 170, 1134-1142.	4.0	965
575	Determinants of thoughts of death or suicide in depressed older persons. <i>International Psychogeriatrics</i> , 2013, 25, 1775-1782.	0.6	17
576	Longitudinal Relationship of Depressive and Anxiety Symptoms With Dyslipidemia and Abdominal Obesity. <i>Psychosomatic Medicine</i> , 2013, 75, 83-89.	1.3	79
577	Adjuvant occupational therapy improves long-term depression recovery and return-to-work in good health in sick-listed employees with major depression: results of a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2013, 70, 252-260.	1.3	91
578	Hidden scars in depression? Implicit and explicit self-associations following recurrent depressive episodes.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 951-960.	2.0	28
579	Overt Irritability/Anger in Unipolar Major Depressive Episodes. <i>JAMA Psychiatry</i> , 2013, 70, 1171.	6.0	160
580	A Pilot Study to Compare Fluoxetine, Calcium, and Placebo in the Treatment of Premenstrual Syndrome. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 614-620.	0.7	21
581	Family history of alcohol dependence modulates functional neurophysiology in mood/anxiety disorders. <i>Psychological Medicine</i> , 2013, 43, 1487-1497.	2.7	5
582	Negative and positive life events are associated with small but lasting change in neuroticism. <i>Psychological Medicine</i> , 2013, 43, 2403-2415.	2.7	126
583	Occupational outcome in bipolar disorder is not predicted by premorbid functioning and intelligence. <i>Bipolar Disorders</i> , 2013, 15, 294-305.	1.1	16

#	ARTICLE	IF	CITATIONS
584	Neurocognitive features in subgroups of bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 272-283.	1.1	42
585	Increase in Work Productivity of Depressed Individuals With Improvement in Depressive Symptom Severity. <i>American Journal of Psychiatry</i> , 2013, 170, 633-641.	4.0	104
586	The association between immune activation and manic symptoms in patients with a depressive disorder. <i>Translational Psychiatry</i> , 2013, 3, e314-e314.	2.4	60
587	Behavioral and neuroimaging evidence for overreliance on habit learning in alcohol-dependent patients. <i>Translational Psychiatry</i> , 2013, 3, e337-e337.	2.4	251
588	Resting-state functional connectivity in adults with childhood emotional maltreatment. <i>Psychological Medicine</i> , 2013, 43, 1825-1836.	2.7	127
589	Letting go of the bad: Deficit in maintaining negative, but not positive, emotion in bipolar disorder.. <i>Emotion</i> , 2013, 13, 168-175.	1.5	14
590	Harnessing happiness? Uncontrollable positive emotion in bipolar disorder, major depression, and healthy adults.. <i>Emotion</i> , 2013, 13, 290-301.	1.5	12
591	Nomothetic and idiographic symptom change trajectories in acute-phase cognitive therapy for recurrent depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2013, 81, 615-626.	1.6	53
592	Detecting critical decision points in psychotherapy and psychotherapy + medication for chronic depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2013, 81, 783-792.	1.6	24
593	Clinical and Sociodemographic Characteristics Associated with Suicidal Ideation in Depressed Outpatients. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 113-122.	0.9	35
594	Social Cognition and Clinical Insight in Schizophrenia and Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 445-451.	0.5	11
595	Assessment of depression in medical patients: A systematic review of the utility of the Beck Depression Inventory-II. <i>Clinics</i> , 2013, 68, 1274-1287.	0.6	194
596	The efficacy and safety of bupropion sustained-release formulation for the treatment of major depressive disorder: a multi-center, randomized, double-blind, placebo-controlled study in Asian patients. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1273.	1.0	12
597	Comparing Cognitive and Somatic Symptoms of Depression in Myocardial Infarction Patients and Depressed Patients in Primary and Mental Health Care. <i>PLoS ONE</i> , 2013, 8, e53859.	1.1	14
598	Double Trouble: Does Co-Morbid Chronic Somatic Illness Increase Risk for Recurrence in Depression? A Systematic Review. <i>PLoS ONE</i> , 2013, 8, e57510.	1.1	14
599	Cognitive Reactivity, Implicit Associations, and the Incidence of Depression: A Two-Year Prospective Study. <i>PLoS ONE</i> , 2013, 8, e70245.	1.1	40
600	Group Cognitive Behavioral Analysis System of Psychotherapy (Group-CBASP): Adaptation to a Group Modality for the Treatment of Chronic Depression. , 0, , .		0
601	EEG Power During Waking and NREM Sleep in Primary Insomnia. <i>Journal of Clinical Sleep Medicine</i> , 2013, 09, 1031-1037.	1.4	37

#	ARTICLE	IF	CITATIONS
602	A Double-Blind, Randomized, Placebo-Controlled Clinical Trial of S-Adenosyl-Methionine (SAME) Versus Escitalopram in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 370-376.	1.1	129
603	Cue Reactivity Is Associated with Duration and Severity of Alcohol Dependence: An fMRI Study. <i>PLoS ONE</i> , 2014, 9, e84560.	1.1	58
604	Predictors of the Onset of Manic Symptoms and a (Hypo)Manic Episode in Patients with Major Depressive Disorder. <i>PLoS ONE</i> , 2014, 9, e106871.	1.1	15
605	Blended vs. face-to-face cognitive behavioural treatment for major depression in specialized mental health care: study protocol of a randomized controlled cost-effectiveness trial. <i>BMC Psychiatry</i> , 2014, 14, 290.	1.1	61
606	Prevalence of depression in Parkinson's disease patients in Ethiopia. <i>Journal of Clinical Movement Disorders</i> , 2014, 1, 10.	2.2	11
607	Association of Depressive Symptoms with Hippocampal Volume in 1936 Adults. <i>Neuropsychopharmacology</i> , 2014, 39, 770-779.	2.8	59
608	Antidepressants differentially related to 1,25-(OH) ₂ vitamin D ₃ and 25-(OH) vitamin D ₃ in late-life depression. <i>Translational Psychiatry</i> , 2014, 4, e383-e383.	2.4	13
609	Cross-Measure Equivalence and Communicability in the Assessment of Depression. <i>Assessment</i> , 2014, 21, 731-741.	1.9	10
610	The Dark-Side of Rule Governed Behavior. <i>Behavior Modification</i> , 2014, 38, 587-613.	1.1	39
611	Mindfulness-based cognitive therapy for seasonal affective disorder: A pilot study. <i>Journal of Affective Disorders</i> , 2014, 168, 205-209.	2.0	11
612	The Spanish version of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR16): A psychometric analysis in a clinical sample. <i>Journal of Affective Disorders</i> , 2014, 169, 189-196.	2.0	13
613	Desperately Seeking Happiness: Valuing Happiness is Associated With Symptoms and Diagnosis of Depression. <i>Journal of Social and Clinical Psychology</i> , 2014, 33, 890-905.	0.2	79
614	Childhood Trauma Questionnaire: Factor structure, measurement invariance, and validity across emotional disorders. <i>Psychological Assessment</i> , 2014, 26, 717-729.	1.2	158
615	How well do clinicians and patients agree on depression treatment outcomes? Implications for personalized medicine. <i>Human Psychopharmacology</i> , 2014, 29, 528-536.	0.7	11
616	Long-Term Neuropsychological Safety of Subgenual Cingulate Gyrus Deep Brain Stimulation for Treatment-Resistant Depression. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2014, 26, 126-133.	0.9	24
617	BREASTFEEDING, SKIN-TO-SKIN CONTACT, AND MOTHER-INFANT INTERACTIONS OVER INFANTS' FIRST THREE MONTHS. <i>Infant Mental Health Journal</i> , 2014, 35, 51-62.	0.7	40
618	Differential diagnosis of bipolar disorder and major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 169, S12-S16.	2.0	153
619	HD-CAB: A cognitive assessment battery for clinical trials in Huntington's disease ^{1,2,3} . <i>Movement Disorders</i> , 2014, 29, 1281-1288.	2.2	73

#	ARTICLE	IF	CITATIONS
620	EFFECTS OF KETAMINE ON EXPLICIT AND IMPLICIT SUICIDAL COGNITION: A RANDOMIZED CONTROLLED TRIAL IN TREATMENT-RESISTANT DEPRESSION. <i>Depression and Anxiety</i> , 2014, 31, 335-343.	2.0	275
621	Reporting suicide attempts: consistency and its determinants in a large mental health study. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 257-266.	1.1	22
622	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014, 13, 68-77.	4.8	194
623	Psychometric Properties of an Automated Telephone-Based PHQ-9. <i>Telemedicine Journal and E-Health</i> , 2014, 20, 115-121.	1.6	8
624	Bipolar polygenic loading and bipolar spectrum features in major depressive disorder. <i>Bipolar Disorders</i> , 2014, 16, 608-616.	1.1	21
625	Current landscape, unmet needs, and future directions for treatment of bipolar depression. <i>Journal of Affective Disorders</i> , 2014, 169, S17-S23.	2.0	29
626	Pain, not chronic disease, is associated with the recurrence of depressive and anxiety disorders. <i>BMC Psychiatry</i> , 2014, 14, 187.	1.1	74
627	Correlates of depression in bipolar disorder. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20132320.	1.2	12
628	The Longitudinal Prediction of Costs due to Health Care Uptake and Productivity Losses in a Cohort of Employees With and Without Depression or Anxiety. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 794-801.	0.9	8
629	Melancholia. <i>Current Opinion in Psychiatry</i> , 2014, 27, 1-6.	3.1	15
630	Clinical and Functional Outcomes of Patients Who Experience Partial Response to Citalopram. <i>Journal of Psychiatric Practice</i> , 2014, 20, 178-187.	0.3	22
631	Adherence to Antidepressant Combinations and Monotherapy for Major Depressive Disorder. <i>Journal of Psychiatric Practice</i> , 2014, 20, 118-132.	0.3	26
632	An examination of generalized anxiety disorder and dysthymic disorder by latent class analysis. <i>Psychological Medicine</i> , 2014, 44, 1701-1712.	2.7	13
633	Reciprocal effects of stable and temporary components of neuroticism and affective disorders: results of a longitudinal cohort study. <i>Psychological Medicine</i> , 2014, 44, 337-348.	2.7	23
634	Neurocognitive Decrements are Present in Intellectually Superior Schizophrenia. <i>Frontiers in Psychiatry</i> , 2014, 5, 45.	1.3	21
635	Guide to Assessment Scales in Major Depressive Disorder. , 2014, , .		2
636	Plasma Cotinine Levels in Cigarette Smokers: Impact of Mental Health and Other Correlates. <i>European Addiction Research</i> , 2014, 20, 183-191.	1.3	2
637	Depressive Symptoms in Women and the Preference and Emotional Benefits of Discussing Positive Life Events. <i>Journal of Social and Clinical Psychology</i> , 2014, 33, 767-788.	0.2	14

#	ARTICLE	IF	CITATIONS
638	Replication and Extension: Separate Personality Traits From States to Predict Depression. <i>Journal of Personality Disorders</i> , 2014, 28, 225-246.	0.8	18
639	The Effectiveness of the Cognitive Behavioral Analysis System of Psychotherapy for Chronic Depression: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 263-269.	4.0	65
640	The Four-Year Course of Major Depressive Disorder: The Role of Staging and Risk Factor Determination. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 279-288.	4.0	45
641	Physical frailty: vulnerability of patients suffering from late-life depression. <i>Aging and Mental Health</i> , 2014, 18, 570-578.	1.5	76
642	Response inhibition in alcohol-dependent patients and patients with depression/anxiety: a functional magnetic resonance imaging study. <i>Psychological Medicine</i> , 2014, 44, 1713-1725.	2.7	40
643	Sleep disturbance and cardiometabolic risk factors in early pregnancy: a preliminary study. <i>Sleep Medicine</i> , 2014, 15, 444-450.	0.8	33
644	The impact of lifestyle factors on the 2-year course of depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2014, 159, 73-79.	2.0	27
645	Altered systemic cortisol metabolism in bipolar disorder and schizophrenia spectrum disorders. <i>Journal of Psychiatric Research</i> , 2014, 52, 57-62.	1.5	36
646	S-adenosyl methionine (SAME) versus escitalopram and placebo in major depression RCT: Efficacy and effects of histamine and carnitine as moderators of response. <i>Journal of Affective Disorders</i> , 2014, 164, 76-81.	2.0	53
647	Does tryptophan degradation along the kynurenine pathway mediate the association between pro-inflammatory immune activity and depressive symptoms?. <i>Psychoneuroendocrinology</i> , 2014, 45, 202-210.	1.3	86
648	The association between changes in alternative reinforcers and short-term smoking cessation. <i>Drug and Alcohol Dependence</i> , 2014, 138, 67-74.	1.6	26
649	Waist circumference and Neutrophil Gelatinase-Associated Lipocalin in late-life depression. <i>Brain, Behavior, and Immunity</i> , 2014, 37, 231-239.	2.0	14
650	The patient health questionnaire-15 and its abbreviated version as screening tools for depression in Korean college and graduate students. <i>Comprehensive Psychiatry</i> , 2014, 55, 743-748.	1.5	11
651	Progression of major depression during pregnancy and postpartum: a preliminary study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 571-576.	0.7	3
652	Core Dimensions of Personality Broadly Account for the Link from Perceived Social Support to Symptoms of Depression and Anxiety. <i>Journal of Personality</i> , 2014, 82, 329-339.	1.8	16
653	Serum BDNF concentrations as peripheral manifestations of depression: evidence from a systematic review and meta-analyses on 179 associations (N=9484). <i>Molecular Psychiatry</i> , 2014, 19, 791-800.	4.1	542
654	Neurocognitive effects of ketamine in treatment-resistant major depression: association with antidepressant response. <i>Psychopharmacology</i> , 2014, 231, 481-488.	1.5	73
655	Emotion Regulation of Goals in Bipolar Disorder and Major Depression: A Comparison of Rumination and Mindfulness. <i>Cognitive Therapy and Research</i> , 2014, 38, 375-388.	1.2	18

#	ARTICLE	IF	CITATIONS
656	GET.ON Mood Enhancer: efficacy of Internet-based guided self-help compared to psychoeducation for depression: an investigator-blinded randomised controlled trial. <i>Trials</i> , 2014, 15, 39.	0.7	33
657	Interpersonal distress is associated with sleep and arousal in insomnia and good sleepers. <i>Journal of Psychosomatic Research</i> , 2014, 76, 242-248.	1.2	52
658	Major Depressive Disorder and Bone Mass in Adolescents and Young Adults. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 2230-2237.	3.1	41
659	Major depressive disorder and accelerated cellular aging: results from a large psychiatric cohort study. <i>Molecular Psychiatry</i> , 2014, 19, 895-901.	4.1	227
660	STRESS EXPOSURE ACROSS THE LIFE SPAN CUMULATIVELY INCREASES DEPRESSION RISK AND IS MODERATED BY NEUROTICISM. <i>Depression and Anxiety</i> , 2014, 31, 737-745.	2.0	126
661	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014, 55, 1883-1890.	1.5	61
662	A Randomized, Double-Blind, Placebo-Controlled Trial of Quetiapine in Patients with Bipolar Disorder, Mixed or Depressed Phase, and Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 2113-2118.	1.4	41
663	Depression, disability and somatic diseases among elderly. <i>Journal of Affective Disorders</i> , 2014, 167, 187-191.	2.0	62
664	Physical, lifestyle, psychological, and social determinants of pain intensity, pain disability, and the number of pain locations in depressed older adults. <i>Pain</i> , 2014, 155, 2088-2096.	2.0	34
665	Adjunctive triple chronotherapy (combined total sleep deprivation, sleep phase advance, and bright) Tj ETQq1 1 0.784314 rgBT /Overbo pilot study. <i>Journal of Psychiatric Research</i> , 2014, 59, 101-107.	1.5	56
666	How do you feel? Detection of recurrent Major Depressive Disorder using a single-item screening tool. <i>Psychiatry Research</i> , 2014, 220, 287-293.	1.7	28
667	Boiling at a different degree: An investigation of trait and state anger in remitted bipolar I disorder. <i>Journal of Affective Disorders</i> , 2014, 168, 37-43.	2.0	8
668	Low Socioeconomic Status Negatively Affects Sleep in Pregnant Women. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2014, 43, 160-167.	0.2	48
669	A longitudinal study of facets of extraversion in depression and social anxiety. <i>Personality and Individual Differences</i> , 2014, 71, 39-44.	1.6	28
670	Heterogeneity of late-life depression: relationship with cognitive functioning. <i>International Psychogeriatrics</i> , 2014, 26, 953-963.	0.6	49
671	Curcumin for the treatment of major depression: A randomised, double-blind, placebo controlled study. <i>Journal of Affective Disorders</i> , 2014, 167, 368-375.	2.0	146
672	Resting-state functional connectivity in women with Major Depressive Disorder. <i>Journal of Psychiatric Research</i> , 2014, 59, 38-44.	1.5	24
673	Modulation of induced frontocentral theta (Fm- $\hat{\imath}$) event-related (de-)synchronisation dynamics following mindfulness-based cognitive therapy in Major Depressive Disorder. <i>Cognitive Neurodynamics</i> , 2014, 8, 373-388.	2.3	21

#	ARTICLE	IF	CITATIONS
674	Adverse childhood experiences and leukocyte telomere maintenance in depressed and healthy adults. <i>Journal of Affective Disorders</i> , 2014, 169, 86-90.	2.0	51
675	Low serum BDNF levels in depressed patients cannot be attributed to individual depressive symptoms or symptom cluster. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 561-569.	1.3	18
676	Increased cortisol awakening response was associated with time to recurrence of major depressive disorder. <i>Psychoneuroendocrinology</i> , 2014, 50, 62-71.	1.3	42
677	Correlates of Alcohol Abstinence and At-Risk Alcohol Consumption in Older Adults with Depression: the NESDO Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 866-874.	0.6	48
678	Physical (in)activity and depression in older people. <i>Journal of Affective Disorders</i> , 2014, 161, 65-72.	2.0	61
679	Effectiveness and acceptability of deep brain stimulation (DBS) of the subgenual cingulate cortex for treatment-resistant depression: A systematic review and exploratory meta-analysis. <i>Journal of Affective Disorders</i> , 2014, 159, 31-38.	2.0	89
680	Widespread reductions of white matter integrity in patients with long-term remission of Cushing's disease. <i>NeuroImage: Clinical</i> , 2014, 4, 659-667.	1.4	76
681	BDNF in late-life depression: Effect of SSRI usage and interaction with childhood abuse. <i>Psychoneuroendocrinology</i> , 2014, 43, 81-89.	1.3	15
682	Pain and the onset of depressive and anxiety disorders. <i>Pain</i> , 2014, 155, 53-59.	2.0	174
683	Association between serum brain-derived neurotrophic factor and plasma interleukin-6 in major depressive disorder with melancholic features. <i>Brain, Behavior, and Immunity</i> , 2014, 36, 71-79.	2.0	71
684	Exercise training improves depressive symptoms in people with multiple sclerosis: Results of a meta-analysis. <i>Journal of Psychosomatic Research</i> , 2014, 76, 465-471.	1.2	131
685	Comorbidity of PTSD in anxiety and depressive disorders: Prevalence and shared risk factors. <i>Child Abuse and Neglect</i> , 2014, 38, 1320-1330.	1.3	176
686	Gender differences in major depressive disorder: Results from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2014, 156, 156-163.	2.0	208
687	The error processing system in major depressive disorder: Cortical phenotypal marker hypothesis. <i>Biological Psychology</i> , 2014, 99, 100-114.	1.1	43
688	Poor sleep quality potentiates stress-induced cytokine reactivity in postmenopausal women with high visceral abdominal adiposity. <i>Brain, Behavior, and Immunity</i> , 2014, 35, 155-162.	2.0	40
689	Perinatal smoking and depression in women with concurrent substance use. <i>Addictive Behaviors</i> , 2014, 39, 749-756.	1.7	14
690	Implicit and explicit self-associations in bipolar disorder: A comparison with healthy controls and unipolar depressive disorder. <i>Psychiatry Research</i> , 2014, 215, 329-334.	1.7	18
691	Insight in adults with obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 896-903.	1.5	38

#	ARTICLE	IF	CITATIONS
692	Late-life depression symptom profiles are differentially associated with immunometabolic functioning. <i>Brain, Behavior, and Immunity</i> , 2014, 41, 109-115.	2.0	28
693	Hemoglobin levels in persons with depressive and/or anxiety disorders. <i>Journal of Psychosomatic Research</i> , 2014, 76, 317-321.	1.2	38
694	Physical activity and sleep: Day-to-day associations among individuals with and without bipolar disorder. <i>Mental Health and Physical Activity</i> , 2014, 7, 183-190.	0.9	34
695	Improvement in self-reported quality of life with cognitive therapy for recurrent major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 167, 37-43.	2.0	14
696	The association between low vitamin D and depressive disorders. <i>Molecular Psychiatry</i> , 2014, 19, 444-451.	4.1	198
697	Survivors of early childhood trauma: evaluating a two-dimensional diagnostic model of the impact of trauma and neglect. <i>HÅrre Utbildning</i> , 2014, 5, .	1.4	8
698	Rethinking emotion: Cognitive reappraisal is an effective positive and negative emotion regulation strategy in bipolar disorder.. <i>Emotion</i> , 2014, 14, 388-396.	1.5	78
699	Cognitive Behavioral Therapy vs. Tai Chi for Late Life Insomnia and Inflammatory Risk: A Randomized Controlled Comparative Efficacy Trial. <i>Sleep</i> , 2014, 37, 1543-1552.	0.6	217
700	In depressed older persons higher blood pressure is associated with symptoms of apathy. The NESDO study. <i>International Psychogeriatrics</i> , 2015, 27, 1485-1493.	0.6	7
701	Depression and anxiety in patients with and without same-sex attraction: differences in clinical expression, lifestyle factors, and vulnerability indicators. <i>Brain and Behavior</i> , 2015, 5, e00363.	1.0	7
702	Diagnostic accuracy for major depression in multiple sclerosis using self-report questionnaires. <i>Brain and Behavior</i> , 2015, 5, e00365.	1.0	32
703	A new method for constructing networks from binary data. <i>Scientific Reports</i> , 2014, 4, 5918.	1.6	398
705	Memory for therapy in bipolar disorder and comorbid insomnia.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 92-102.	1.6	45
706	Choosing how to feel: Emotion regulation choice in bipolar disorder.. <i>Emotion</i> , 2015, 15, 139-145.	1.5	47
707	Valuing happiness is associated with bipolar disorder.. <i>Emotion</i> , 2015, 15, 211-222.	1.5	53
708	Predictors of longitudinal outcomes after unstable response to acute-phase cognitive therapy for major depressive disorder.. <i>Psychotherapy</i> , 2015, 52, 268-277.	0.7	18
709	Lithium treatment and hippocampal subfields and amygdala volumes in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 496-506.	1.1	57
710	A randomized controlled trial of Mindfulness-Based Cognitive Therapy (MBCT) versus treatment-as-usual (TAU) for chronic, treatment-resistant depression: study protocol. <i>BMC Psychiatry</i> , 2015, 15, 275.	1.1	13

#	ARTICLE	IF	CITATIONS
711	Inflammatory monocyte gene expression: trait or state marker in bipolar disorder?. <i>International Journal of Bipolar Disorders</i> , 2015, 3, 20.	0.8	28
712	Effectiveness of the implementation of guidelines for anxiety disorders in specialized mental health care. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 69-80.	2.2	15
713	Relationship Between Physical Frailty and Lowâ€Grade Inflammation in Lateâ€Life Depression. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1652-1657.	1.3	42
714	Sexual Coercion and Psychological Aggression Victimization: Unique Constructs and Predictors of Depression. <i>Partner Abuse</i> , 2015, 6, 367-382.	0.2	9
715	Armodafinil in binge eating disorder. <i>International Clinical Psychopharmacology</i> , 2015, 30, 209-215.	0.9	24
716	The Association Between Depressive Disorder and Cardiac Autonomic Control in Adults 60 Years and Older. <i>Psychosomatic Medicine</i> , 2015, 77, 279-291.	1.3	24
717	What does the beck depression inventory measure in myocardial infarction patients? a psychometric approach using item response theory and personâ€fit. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 130-142.	1.1	14
718	Presence and correlates of apathy in non-demented depressed and non-depressed older persons. <i>European Journal of Psychiatry</i> , 2015, 29, 119-130.	0.7	10
719	A Retrospective Examination of Sleep Disturbance across the Course of Bipolar Disorder.. , 2015, 04, .		13
720	Altered Brain Activation during Emotional Face Processing in Relation to Both Diagnosis and Polygenic Risk of Bipolar Disorder. <i>PLoS ONE</i> , 2015, 10, e0134202.	1.1	54
721	Anxious or Depressed and Still Happy?. <i>PLoS ONE</i> , 2015, 10, e0139912.	1.1	24
722	Comorbid anxiety disorders in late-life depression: results of a cohort study. <i>International Psychogeriatrics</i> , 2015, 27, 1157-1165.	0.6	38
723	Neurocognitive Effects of Ketamine and Association with Antidepressant Response in Individuals with Treatment-Resistant Depression: A Randomized Controlled Trial. <i>Neuropsychopharmacology</i> , 2015, 40, 1084-1090.	2.8	117
724	Learning cognitive behavior therapy. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 164-169.	0.6	30
725	Development and Validation of the Sleep Inertia Questionnaire (SIQ) and Assessment of Sleep Inertia in Analogue and Clinical Depression. <i>Cognitive Therapy and Research</i> , 2015, 39, 601-612.	1.2	45
726	A Comparison of Three Brief Depression Measures in an Acute Psychiatric Population: CES-D-10, QIDS-SR, and DASS-21-DEP. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2015, 37, 217-230.	0.7	28
727	Brain structure characteristics in intellectually superior schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 123-129.	0.9	9
728	Cognitive Behavioral Analysis System of Psychotherapy versus Escitalopram in Chronic Major Depression. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 227-240.	4.0	45

#	ARTICLE	IF	CITATIONS
729	Evaluation of anhedonia with the Snaithâ€“Hamilton Pleasure Scale (SHAPS) in adult outpatients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2015, 65, 124-130.	1.5	36
730	Prefrontal hypoactivation during working memory in bipolar II depression. <i>Psychological Medicine</i> , 2015, 45, 1731-1740.	2.7	25
731	Association of Symptom Network Structure With the Course of Depression. <i>JAMA Psychiatry</i> , 2015, 72, 1219.	6.0	482
732	Feasibility of investigating differential proteomic expression in depression: implications for biomarker development in mood disorders. <i>Translational Psychiatry</i> , 2015, 5, e689-e689.	2.4	60
733	Pathophysiology of major depressive disorder: mechanisms involved in etiology are not associated with clinical progression. <i>Translational Psychiatry</i> , 2015, 5, e649-e649.	2.4	78
734	A Novel Mixture Model to Estimate the Time to Drug Effect Onset and Its Association with Covariates. <i>Human Heredity</i> , 2015, 80, 90-99.	0.4	0
735	Antipsychotic use is associated with a blunted cortisol stress response: A study in euthymic bipolar disorder patients and their unaffected siblings. <i>European Neuropsychopharmacology</i> , 2015, 25, 77-84.	0.3	27
736	Differential reporting of depressive symptoms across distinct clinical subpopulations: What DIfference does it make?. <i>Journal of Psychosomatic Research</i> , 2015, 78, 130-136.	1.2	9
737	Acetylaspartate normalization in bipolar depression after lamotrigine treatment. <i>Bipolar Disorders</i> , 2015, 17, 450-457.	1.1	49
738	BDNF serum levels are not related to cognitive functioning in older depressed patients and controls. <i>International Psychogeriatrics</i> , 2015, 27, 649-656.	0.6	10
739	Mineralocorticoid receptor haplotypes sex-dependently moderate depression susceptibility following childhood maltreatment. <i>Psychoneuroendocrinology</i> , 2015, 54, 90-102.	1.3	69
740	Effect of variation in BDNF Val66Met polymorphism, smoking, and nicotine dependence on symptom severity of depressive and anxiety disorders. <i>Drug and Alcohol Dependence</i> , 2015, 148, 150-157.	1.6	14
741	Multi-dimensional modulations of δ and β cortical dynamics following mindfulness-based cognitive therapy in Major Depressive Disorder. <i>Cognitive Neurodynamics</i> , 2015, 9, 13-29.	2.3	28
742	Depression, anxiety and 6-year risk of cardiovascular disease. <i>Journal of Psychosomatic Research</i> , 2015, 78, 123-129.	1.2	107
743	Resting-State Functional Connectivity in Patients with Long-Term Remission of Cushingâ€™s Disease. <i>Neuropsychopharmacology</i> , 2015, 40, 1888-1898.	2.8	44
744	Resting-State Functional Connectivity of Antero-Medial Prefrontal Cortex Sub-Regions in Major Depression and Relationship to Emotional Intelligence. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, .	1.0	23
745	The two-year course of late-life depression; results from the Netherlands study of depression in older persons. <i>BMC Psychiatry</i> , 2015, 15, 20.	1.1	99
746	Hypersomnia subtypes, sleep and relapse in bipolar disorder. <i>Psychological Medicine</i> , 2015, 45, 1751-1763.	2.7	59

#	ARTICLE	IF	CITATIONS
747	The role of specific early trauma in adult depression: A meta-analysis of published literature. Childhood trauma and adult depression. <i>European Psychiatry</i> , 2015, 30, 665-680.	0.1	393
748	Longevity factor klotho and chronic psychological stress. <i>Translational Psychiatry</i> , 2015, 5, e585-e585.	2.4	60
749	Rating Scales in Bipolar Disorder. , 2015, , 105-136.		18
750	Rate of Nicotine Metabolism and Smoking Cessation Outcomes in a Community-based Sample of Treatment-Seeking Smokers. <i>Addictive Behaviors</i> , 2015, 51, 93-99.	1.7	45
751	Cognitive reactivity, self-depressed associations, and the recurrence of depression. <i>Journal of Affective Disorders</i> , 2015, 183, 300-309.	2.0	24
752	Hamilton depression rating subscales to predict antidepressant treatment outcome in the early course of treatment. <i>Journal of Affective Disorders</i> , 2015, 175, 199-208.	2.0	8
753	Reduced striatal activation in females with major depression during the processing of affective stimuli. <i>Journal of Psychiatric Research</i> , 2015, 68, 384-391.	1.5	11
754	Depression rating scales in Parkinson's disease: A critical review updating recent literature. <i>Journal of Affective Disorders</i> , 2015, 184, 216-224.	2.0	84
755	Connecting clinical and actuarial prediction with rule-based methods.. <i>Psychological Assessment</i> , 2015, 27, 636-644.	1.2	13
756	Efficacy and Safety of Low-field Synchronized Transcranial Magnetic Stimulation (sTMS) for Treatment of Major Depression. <i>Brain Stimulation</i> , 2015, 8, 787-794.	0.7	145
757	Common rather than unique aspects of repetitive negative thinking are related to depressive and anxiety disorders and symptoms. <i>Journal of Anxiety Disorders</i> , 2015, 33, 45-52.	1.5	77
758	Loneliness is associated with poor prognosis in late-life depression: Longitudinal analysis of the Netherlands study of depression in older persons. <i>Journal of Affective Disorders</i> , 2015, 185, 1-7.	2.0	99
759	Long-lasting effects of affective disorders and childhood trauma on dispositional optimism. <i>Journal of Affective Disorders</i> , 2015, 175, 351-358.	2.0	26
760	Trait rumination predicts onset of Post-Traumatic Stress Disorder through trauma-related cognitive appraisals: A 4-year longitudinal study. <i>Behaviour Research and Therapy</i> , 2015, 71, 101-109.	1.6	59
761	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. <i>Psychiatry Research</i> , 2015, 227, 230-237.	1.7	23
762	Understanding emotion and emotional scarring in recurrent depression. <i>Comprehensive Psychiatry</i> , 2015, 59, 54-61.	1.5	13
763	Frontal lobe hypoactivation in medication-free adults with bipolar II depression during response inhibition. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 202-209.	0.9	24
764	Dynamics of melanin-concentrating hormone (MCH) serum levels in major depressive disorder during antidepressant treatment. <i>Journal of Affective Disorders</i> , 2015, 180, 207-213.	2.0	17

#	ARTICLE	IF	CITATIONS
765	Perinatal substance use: A prospective evaluation of abstinence and relapse. <i>Drug and Alcohol Dependence</i> , 2015, 150, 147-155.	1.6	97
766	Data-driven atypical profiles of depressive symptoms: Identification and validation in a large cohort. <i>Journal of Affective Disorders</i> , 2015, 180, 36-43.	2.0	13
767	Depression Subtypes in Predicting Antidepressant Response: A Report From the iSPOT-D Trial. <i>American Journal of Psychiatry</i> , 2015, 172, 743-750.	4.0	138
768	Qualitative Research on Fatigue Associated with Depression: Content Validity of the Fatigue Associated with Depression Questionnaire (FAsD-V2). <i>Patient</i> , 2015, 8, 433-443.	1.1	8
769	Metabolic syndrome in patients with bipolar disorder: Comparison with major depressive disorder and non-psychiatric controls. <i>Journal of Psychosomatic Research</i> , 2015, 78, 391-398.	1.2	40
770	Validation of life-charts documented with the personal life-chart app "a self-monitoring tool for bipolar disorder. <i>BMC Psychiatry</i> , 2015, 15, 49.	1.1	23
771	Associations between depression subtypes, depression severity and diet quality: cross-sectional findings from the BiDirect Study. <i>BMC Psychiatry</i> , 2015, 15, 38.	1.1	49
772	The influence of life events on first and recurrent admissions in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2015, 3, 6.	0.8	19
773	Impact of Self-Help Schema Therapy on Psychological Distress and Early Maladaptive Schemas: A Randomised Controlled Trial. <i>Behaviour Change</i> , 2015, 32, 59-73.	0.6	1
774	The development of insight and its relationship with suicidality over one year follow-up in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2015, 162, 97-102.	1.1	42
775	The association between depression and emotional and social loneliness in older persons and the influence of social support, cognitive functioning and personality: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2015, 182, 26-31.	2.0	82
776	Discovery of serum biomarkers predicting development of a subsequent depressive episode in social anxiety disorder. <i>Brain, Behavior, and Immunity</i> , 2015, 48, 123-131.	2.0	14
777	Associations between life stress and subclinical cardiovascular disease are partly mediated by depressive and anxiety symptoms. <i>Journal of Psychosomatic Research</i> , 2015, 78, 332-339.	1.2	69
778	Brain Activation During Emotional Memory Processing Associated with Subsequent Course of Depression. <i>Neuropsychopharmacology</i> , 2015, 40, 2454-2463.	2.8	17
779	Serum proteomic profiling of major depressive disorder. <i>Translational Psychiatry</i> , 2015, 5, e599-e599.	2.4	100
780	Light therapy for better mood and insulin sensitivity in patients with major depression and type 2 diabetes: a randomised, double-blind, parallel-arm trial. <i>BMC Psychiatry</i> , 2015, 15, 169.	1.1	17
781	Overcoming Treatment Resistance in Chronic Depression: A Pilot Study on Outcome and Feasibility of the Cognitive Behavioral Analysis System of Psychotherapy as an Inpatient Treatment Program. <i>Psychotherapy and Psychosomatics</i> , 2015, 84, 51-56.	4.0	73
782	The American Psychiatric Association Practice Guidelines for the Psychiatric Evaluation of Adults. <i>American Journal of Psychiatry</i> , 2015, 172, 798-802.	4.0	118

#	ARTICLE	IF	CITATIONS
783	Behavioral Evidence for an Impairment of Affective Theory of Mind Capabilities in Chronic Depression. <i>Psychopathology</i> , 2015, 48, 240-250.	1.1	43
784	Associations of symptoms of anxiety and depression with diabetes and cardiovascular risk factors in older people with intellectual disability. <i>Journal of Intellectual Disability Research</i> , 2015, 59, 176-185.	1.2	27
785	Subjectiveâ€“objective sleep discrepancy among older adults: associations with insomnia diagnosis and insomnia treatment. <i>Journal of Sleep Research</i> , 2015, 24, 32-39.	1.7	93
786	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , 2015, 187, 54-61.	2.0	36
787	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015, 15, 691.	1.2	287
788	Preventive Cognitive Therapy versus Treatment as Usual in preventing recurrence of depression: protocol of a multi-centered randomized controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 139.	1.1	9
789	Regulation of neural responses to emotion perception by ketamine in individuals with treatment-resistant major depressive disorder. <i>Translational Psychiatry</i> , 2015, 5, e509-e509.	2.4	93
790	Symptom-Onset Dosing of Sertraline for the Treatment of Premenstrual Dysphoric Disorder. <i>JAMA Psychiatry</i> , 2015, 72, 1037.	6.0	53
791	Altered neural processing of emotional faces in remitted Cushing's disease. <i>Psychoneuroendocrinology</i> , 2015, 59, 134-146.	1.3	40
792	Personality and cognitive vulnerability in remitted recurrently depressed patients. <i>Journal of Affective Disorders</i> , 2015, 173, 97-104.	2.0	16
793	Longitudinal association between pain, and depression and anxiety over four years. <i>Journal of Psychosomatic Research</i> , 2015, 78, 64-70.	1.2	117
794	A systematic review of factors influencing adherence to antipsychotic medication in schizophrenia-spectrum disorders. <i>Psychiatry Research</i> , 2015, 225, 14-30.	1.7	181
795	Curcumin and major depression: A randomised, double-blind, placebo-controlled trial investigating the potential of peripheral biomarkers to predict treatment response and antidepressant mechanisms of change. <i>European Neuropsychopharmacology</i> , 2015, 25, 38-50.	0.3	68
796	Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas?. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2015, 15, 69-79.	1.0	11
797	Free, Brief, and Validated: Standardized Instruments for Low-Resource Mental Health Settings. <i>Cognitive and Behavioral Practice</i> , 2015, 22, 5-19.	0.9	143
798	Leukocyte Telomere Length and Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 423-432.	0.6	57
799	Hypothalamicâ€“pituitaryâ€“adrenal axis activity in older persons with and without a depressive disorder. <i>Psychoneuroendocrinology</i> , 2015, 51, 341-350.	1.3	46
800	Clinical characteristics of inflammation-associated depression: Monocyte gene expression is age-related in major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2015, 44, 48-56.	2.0	59

#	ARTICLE	IF	CITATIONS
801	Inter-episode affective intensity and instability: Predictors of depression and functional impairment in bipolar disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 46, 14-18.	0.6	49
802	Chronic depression is associated with a pronounced decrease in serum brain-derived neurotrophic factor over time. <i>Molecular Psychiatry</i> , 2015, 20, 602-608.	4.1	105
803	The clinical effectiveness of stepped care systems for depression in working age adults: A systematic review. <i>Journal of Affective Disorders</i> , 2015, 170, 119-130.	2.0	77
804	Vascular Burden and Cognitive Function in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 514-524.	0.6	9
805	Depression in later life: A more somatic presentation?. <i>Journal of Affective Disorders</i> , 2015, 170, 196-202.	2.0	65
807	Psychometric Evaluation of the PSQI in U.S. College Students. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 1121-1129.	1.4	122
808	Efficacy of Adjunctive Brexpiprazole in Patients with Major Depressive Disorder: A Clinical Overview. <i>Current Psychiatry Reviews</i> , 2016, 12, 291-301.	0.9	8
809	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). <i>PLoS ONE</i> , 2016, 11, e0156624.	1.1	54
810	The Treatment with Exercise Augmentation for Depression (TREAD) study. , 2016, , 96-108.		1
811	Content validity of the Sheehan Irritability Scale in patients with major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2016, 31, 110-117.	0.9	3
812	HowNutsAreTheDutch (HoeGekIsNL): A crowdsourcing study of mental symptoms and strengths. <i>International Journal of Methods in Psychiatric Research</i> , 2016, 25, 123-144.	1.1	78
813	History of psychosis and previous episodes as potential explanatory factors for neurocognitive impairment in first-treatment bipolar I disorder. <i>Bipolar Disorders</i> , 2016, 18, 136-147.	1.1	19
814	Factors associated with anxiety and depressive symptoms in colorectal cancer survivors. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 831-835.	0.8	28
815	Depressive and anxiety disorders and short leukocyte telomere length: mediating effects of metabolic stress and lifestyle factors. <i>Psychological Medicine</i> , 2016, 46, 2337-2349.	2.7	35
816	Methylation of the leukocyte glucocorticoid receptor gene promoter in adults: associations with early adversity and depressive, anxiety and substance-use disorders. <i>Translational Psychiatry</i> , 2016, 6, e848-e848.	2.4	99
817	Cognitive performance in depressed older persons: the impact of vascular burden and remission. A two-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 1029-1039.	1.3	5
818	Guided Act and Feel Indonesia (GAF-ID) – Internet-based behavioral activation intervention for depression in Indonesia: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 455.	0.7	16
819	Depressive symptoms, life satisfaction and prevalence of sleep disturbances in the general population of Germany: results from the Heinz Nixdorf Recall study. <i>BMJ Open</i> , 2016, 6, e007919.	0.8	44

#	ARTICLE	IF	CITATIONS
820	Insomnia, Sleep Duration, Depressive Symptoms, and the Onset of Chronic Multisite Musculoskeletal Pain. <i>Sleep</i> , 2017, 40, .	0.6	53
821	The network structure of major depressive disorder, generalized anxiety disorder and somatic symptomatology. <i>Psychological Medicine</i> , 2016, 46, 2989-2998.	2.7	60
822	Blended CBT versus face-to-face CBT: a randomised non-inferiority trial. <i>BMC Psychiatry</i> , 2016, 16, 432.	1.1	29
823	Prenatal Major Depressive Disorder, Placenta Glucocorticoid and Serotonergic Signaling, and Infant Cortisol Response. <i>Psychosomatic Medicine</i> , 2016, 78, 979-990.	1.3	61
824	Significant Treatment Effect of Bupropion in Patients With Bipolar Disorder but Similar Phase-Shifting Rate as Other Antidepressants. <i>Medicine (United States)</i> , 2016, 95, e3165.	0.4	8
825	Serum concentrations of mood stabilizers are associated with memory, but not other cognitive domains in psychosis spectrum disorders; explorative analyses in a naturalistic setting. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 24.	0.8	7
826	The effect of pain on presence and severity of depressive disorders in older persons: The role of perceived control as mediator. <i>Journal of Affective Disorders</i> , 2016, 197, 239-244.	2.0	9
827	A negative double-blind controlled trial of sequential bilateral rTMS in the treatment of bipolar depression. <i>Journal of Affective Disorders</i> , 2016, 198, 158-162.	2.0	50
828	The inflammatory marker GDF-15 is not independently associated with late-life depression. <i>Journal of Psychosomatic Research</i> , 2016, 83, 46-49.	1.2	9
829	Borderline personality features in depressed or anxious patients. <i>Psychiatry Research</i> , 2016, 241, 224-231.	1.7	17
830	Brexipiprazole as adjunctive treatment of major depressive disorder with anxious distress: Results from a post-hoc analysis of two randomised controlled trials. <i>Journal of Affective Disorders</i> , 2016, 201, 116-123.	2.0	27
831	A Double-Blind, Randomized, Placebo-Controlled, Dose-Frequency Study of Intravenous Ketamine in Patients With Treatment-Resistant Depression. <i>American Journal of Psychiatry</i> , 2016, 173, 816-826.	4.0	388
832	Improving outcome for mental disorders by enhancing memory for treatment. <i>Behaviour Research and Therapy</i> , 2016, 81, 35-46.	1.6	45
833	Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2016, 195, 185-190.	2.0	68
834	Is Experiential Avoidance a Mediating, Moderating, Independent, Overlapping, or Proxy Risk Factor in the Onset, Relapse and Maintenance of Depressive Disorders?. <i>Cognitive Therapy and Research</i> , 2016, 40, 150-163.	1.2	55
835	Discovery of serum protein biomarkers in drug-free patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 69, 60-68.	2.5	56
836	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: Randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016, 208, 366-373.	1.7	51
837	Apathy in Older Persons With Depression: Course and Predictors. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016, 29, 178-186.	1.2	15

#	ARTICLE	IF	CITATIONS
838	Low vitamin D is associated with negative and depressive symptoms in psychotic disorders. Schizophrenia Research, 2016, 178, 44-49.	1.1	29
839	Blood-based immune-endocrine biomarkers of treatment response in depression. Journal of Psychiatric Research, 2016, 83, 249-259.	1.5	24
840	Longitudinal changes in smoking abstinence symptoms and alternative reinforcers predict long-term smoking cessation outcomes. Drug and Alcohol Dependence, 2016, 165, 245-252.	1.6	22
841	Assessing cognitive therapy skills comprehension, acquisition, and use by means of an independent observer version of the Skills of Cognitive Therapy (SoCT-IO).. Psychological Assessment, 2016, 28, 205-213.	1.2	8
842	Physical activity as a vital sign in patients with bipolar disorder. Psychiatry Research, 2016, 246, 218-222.	1.7	17
843	Defined symptom-change trajectories during acute-phase cognitive therapy for depression predict better longitudinal outcomes. Behaviour Research and Therapy, 2016, 87, 48-57.	1.6	19
844	Group schema therapy versus group cognitive behavioral therapy for social anxiety disorder with comorbid avoidant personality disorder: study protocol for a randomized controlled trial. Trials, 2016, 17, 487.	0.7	19
845	VRK2 gene expression in schizophrenia, bipolar disorder and healthy controls. British Journal of Psychiatry, 2016, 209, 114-120.	1.7	17
846	Cytokine levels in major depression are related to childhood trauma but not to recent stressors. Psychoneuroendocrinology, 2016, 73, 24-31.	1.3	81
847	The treatment of chronic depression with cognitive behavioral analysis system of psychotherapy: a systematic review and meta-analysis of randomized controlled clinical trials. Brain and Behavior, 2016, 6, e00486.	1.0	77
848	BIDIRECTIONAL PROSPECTIVE ASSOCIATIONS OF METABOLIC SYNDROME COMPONENTS WITH DEPRESSION, ANXIETY, AND ANTIDEPRESSANT USE. Depression and Anxiety, 2016, 33, 754-764.	2.0	74
849	The association between personality traits, cognitive reactivity and body mass index is dependent on depressive and/or anxiety status. Journal of Psychosomatic Research, 2016, 89, 26-31.	1.2	16
850	Cortisol/DHEA ratio and hippocampal volume: A pilot study in major depression and healthy controls. Psychoneuroendocrinology, 2016, 72, 139-146.	1.3	29
851	Development and psychometric evaluation of the Interactive Test of Interpersonal Behavior (ITIB): a pilot study examining interpersonal deficits in chronic depression. Scandinavian Journal of Psychology, 2016, 57, 83-91.	0.8	9
852	Brain network analysis reveals affected connectome structure in bipolar I disorder. Human Brain Mapping, 2016, 37, 122-134.	1.9	93
853	Mindfulness based stress reduction adapted for depressed disadvantaged women in an urban Federally Qualified Health Center. Complementary Therapies in Clinical Practice, 2016, 25, 59-67.	0.7	37
854	Examining the role of positive and negative metacognitive beliefs in depression. Scandinavian Journal of Psychology, 2016, 57, 446-452.	0.8	29
855	The Dutch Measure for quantification of Treatment Resistance in Depression (DM-TRD): an extension of the Maudsley Staging Method. Journal of Affective Disorders, 2016, 205, 365-371.	2.0	45

#	ARTICLE	IF	CITATIONS
856	Serum proteomic profiles of depressive subtypes. <i>Translational Psychiatry</i> , 2016, 6, e851-e851.	2.4	56
857	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MoodFOOD prevention trial. <i>BMC Psychiatry</i> , 2016, 16, 192.	1.1	52
858	Sleep problems in bipolar disorders: more than just insomnia. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 368-377.	2.2	53
859	Identification of an Immune-Neuroendocrine Biomarker Panel for Detection of Depression: A Joint Effects Statistical Approach. <i>Neuroendocrinology</i> , 2016, 103, 693-710.	1.2	12
860	Investigating the (cost-) effectiveness of attention bias modification (ABM) for outpatients with major depressive disorder (MDD): a randomized controlled trial protocol. <i>BMC Psychiatry</i> , 2016, 16, 370.	1.1	9
861	Measuring depression over time . . . Or not? Lack of unidimensionality and longitudinal measurement invariance in four common rating scales of depression.. <i>Psychological Assessment</i> , 2016, 28, 1354-1367.	1.2	194
862	Tablet-based support for older adults with severe mood disorders treated in an ambulatory geriatric psychiatry setting: Protocol of a feasibility study of the eCare@Home platform. <i>Internet Interventions</i> , 2016, 6, 22-28.	1.4	3
863	Sleep-Wake Differences in Relative Regional Cerebral Metabolic Rate for Glucose among Patients with Insomnia Compared with Good Sleepers. <i>Sleep</i> , 2016, 39, 1779-1794.	0.6	74
864	The therapist's role in the implementation of internet-based cognitive behavioural therapy for patients with depression: study protocol. <i>BMC Psychiatry</i> , 2016, 16, 338.	1.1	13
865	Use of an Analog Scale in the Treatment of Patients With Major Depressive Disorder to Optimize Assessment and Clinical Outcome. <i>Journal of Psychiatric Practice</i> , 2016, 22, 463-466.	0.3	2
866	Expanded Safety and Efficacy Data for a New Method of Performing Electroconvulsive Therapy. <i>Journal of ECT</i> , 2016, 32, 197-203.	0.3	27
867	Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 19.	0.5	9
868	Cytokine production capacity in depression and anxiety. <i>Translational Psychiatry</i> , 2016, 6, e825-e825.	2.4	133
869	Late-life depression symptom dimensions and cognitive functioning in the Longitudinal Aging Study Amsterdam (LASA). <i>Journal of Affective Disorders</i> , 2016, 201, 171-178.	2.0	48
870	Longitudinal social-interpersonal functioning among higher-risk responders to acute-phase cognitive therapy for recurrent major depressive disorder. <i>Journal of Affective Disorders</i> , 2016, 199, 148-156.	2.0	13
871	Electronic self-monitoring of mood using IT platforms in adult patients with bipolar disorder: A systematic review of the validity and evidence. <i>BMC Psychiatry</i> , 2016, 16, 7.	1.1	80
872	Does refining the phenotype improve replication rates? A review and replication of candidate gene studies on Major Depressive Disorder and Chronic Major Depressive Disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 215-236.	1.1	13
873	Alterations of Mitochondrial DNA Copy Number and Telomere Length With Early Adversity and Psychopathology. <i>Biological Psychiatry</i> , 2016, 79, 78-86.	0.7	207

#	ARTICLE	IF	CITATIONS
874	Autism Characteristics in Older Adults with Depressive Disorders. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 161-169.	0.6	14
875	Feeling Without Thinking? Anger Provocation Task Predicts Impaired Cognitive Performance in Bipolar Disorder but not Major Depression or Healthy Adults. <i>Cognitive Therapy and Research</i> , 2016, 40, 139-149.	1.2	3
876	Determinants of attitudes towards professional mental health care, informal help and self-reliance in people with subclinical depression. <i>International Journal of Social Psychiatry</i> , 2016, 62, 84-93.	1.6	10
877	Daily Actigraphy Profiles Distinguish Depressive and Interepisode States in Bipolar Disorder. <i>Clinical Psychological Science</i> , 2016, 4, 641-650.	2.4	49
878	Delayed sleep phase: An important circadian subtype of sleep disturbance in bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 191, 156-163.	2.0	44
879	Serum biomarkers predictive of depressive episodes in panic disorder. <i>Journal of Psychiatric Research</i> , 2016, 73, 53-62.	1.5	12
880	Elevated Acoustic Startle Responses in Humans: Relationship to Reduced Loudness Discomfort Level, but not Self-Report of Hyperacusis. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2016, 17, 223-235.	0.9	27
881	Plasma insulin-like growth factor I levels are higher in depressive and anxiety disorders, but lower in antidepressant medication users. <i>Psychoneuroendocrinology</i> , 2016, 68, 148-155.	1.3	36
882	CHRONOTYPE ASSOCIATIONS WITH DEPRESSION AND ANXIETY DISORDERS IN A LARGE COHORT STUDY. <i>Depression and Anxiety</i> , 2016, 33, 75-83.	2.0	177
883	Patients with a preference for medication do equally well in mindfulness-based cognitive therapy for recurrent depression as those preferring mindfulness. <i>Journal of Affective Disorders</i> , 2016, 195, 32-39.	2.0	9
884	Unseen positive and negative affective information influences social perception in bipolar I disorder and healthy adults. <i>Journal of Affective Disorders</i> , 2016, 192, 191-198.	2.0	12
885	Motivational deficits in major depressive disorder: Cross-sectional and longitudinal relationships with functional impairment and subjective well-being. <i>Comprehensive Psychiatry</i> , 2016, 66, 31-38.	1.5	22
886	The predictive value of cortisol levels on 2-year course of depression in older persons. <i>Psychoneuroendocrinology</i> , 2016, 63, 320-326.	1.3	10
887	Vitamin D deficiency, depression course and mortality: Longitudinal results from the Netherlands Study on Depression in Older persons (NESDO). <i>Journal of Psychosomatic Research</i> , 2016, 83, 50-56.	1.2	19
888	Prevalence of ADHD symptoms across clinical stages of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016, 197, 29-35.	2.0	44
889	Six-year longitudinal course and outcomes of subtypes of depression. <i>British Journal of Psychiatry</i> , 2016, 208, 62-68.	1.7	71
890	Schema therapy for chronic depression: Results of a multiple single case series. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 51, 66-73.	0.6	73
891	Deficiencies of the T and natural killer cell system in major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2016, 54, 38-44.	2.0	133

#	ARTICLE	IF	CITATIONS
892	Inflammation is associated with decreased functional connectivity within corticostriatal reward circuitry in depression. <i>Molecular Psychiatry</i> , 2016, 21, 1358-1365.	4.1	446
893	Longitudinal Associations Between Biopsychosocial Factors and Sustainable Return to Work of Sick-Listed Workers with a Depressive or Anxiety Disorder. <i>Journal of Occupational Rehabilitation</i> , 2016, 26, 70-79.	1.2	33
894	The Roles of Maternal Depression, Serotonin Reuptake Inhibitor Treatment, and Concomitant Benzodiazepine Use on Infant Neurobehavioral Functioning Over the First Postnatal Month. <i>American Journal of Psychiatry</i> , 2016, 173, 147-157.	4.0	62
895	Cannabis use disorder is associated with greater illness severity in tobacco smoking patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 190, 286-293.	2.0	26
896	Personality and social support as predictors of first and recurrent episodes of depression. <i>Journal of Affective Disorders</i> , 2016, 190, 156-161.	2.0	42
897	What are 'good' depression symptoms? Comparing the 'centrality' of DSM and non-DSM symptoms of depression in a network analysis. <i>Journal of Affective Disorders</i> , 2016, 189, 314-320.	2.0	475
898	Cerebrovascular involvement and clinical presentation of late-life depression, findings from the NESDO study. <i>Aging and Mental Health</i> , 2016, 20, 1099-1106.	1.5	2
899	Questionnaires that screen for multiple sleep disorders. <i>Sleep Medicine Reviews</i> , 2017, 32, 37-44.	3.8	58
900	Leptin Dysregulation Is Specifically Associated With Major Depression With Atypical Features: Evidence for a Mechanism Connecting Obesity and Depression. <i>Biological Psychiatry</i> , 2017, 81, 807-814.	0.7	147
901	The importance of personality and life-events in anxious depression: from trait to state anxiety. <i>Aging and Mental Health</i> , 2017, 21, 1177-1183.	1.5	24
902	Is the Effect of Anhedonia on Smoking Cessation Greater for Women Versus Men?. <i>Nicotine and Tobacco Research</i> , 2017, 19, 119-123.	1.4	51
903	The 52 symptoms of major depression: Lack of content overlap among seven common depression scales. <i>Journal of Affective Disorders</i> , 2017, 208, 191-197.	2.0	355
904	Allostatic load in early pregnancy is associated with poor sleep quality. <i>Sleep Medicine</i> , 2017, 33, 85-90.	0.8	19
905	Course of neurocognitive function in first treatment bipolar I disorder: One-year follow-up study. <i>Psychiatry Research</i> , 2017, 249, 286-292.	1.7	16
906	The association between insomnia-related sleep disruptions and cognitive dysfunction during the inter-episode phase of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2017, 88, 80-88.	1.5	35
907	Sit, step, sweat: longitudinal associations between physical activity patterns, anxiety and depression. <i>Psychological Medicine</i> , 2017, 47, 1466-1477.	2.7	97
908	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression. <i>JAMA Psychiatry</i> , 2017, 74, 233.	6.0	87
909	Alterations in visual cortical activation and connectivity with prefrontal cortex during working memory updating in major depressive disorder. <i>NeuroImage: Clinical</i> , 2017, 14, 43-53.	1.4	58

#	ARTICLE	IF	CITATIONS
910	The influence of thoughts of death and suicidal ideation on the course of depression in older depressed patients. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 882-891.	1.3	6
911	Childhood Abuse and the Two-Year Course of Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 633-643.	0.6	14
912	Diagnosis of major depressive disorder by combining multimodal information from heart rate dynamics and serum proteomics using machine-learning algorithm. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 76, 65-71.	2.5	28
913	Improvement of mindfulness skills during Mindfulness-Based Cognitive Therapy predicts long-term reductions of neuroticism in persons with recurrent depression in remission. <i>Journal of Affective Disorders</i> , 2017, 213, 112-117.	2.0	40
914	Big Five personality characteristics are associated with depression subtypes and symptom dimensions of depression in older adults. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, e132-e140.	1.3	23
915	Loneliness in older adults is associated with diminished cortisol output. <i>Journal of Psychosomatic Research</i> , 2017, 95, 19-25.	1.2	25
916	Mindfulness facets and Big Five personality facets in persons with recurrent depression in remission. <i>Personality and Individual Differences</i> , 2017, 110, 109-114.	1.6	12
917	Risk Factors for Depression: Differential Across Age?. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 966-977.	0.6	92
918	Depressive symptoms during adverse economic and political circumstances: A comparative study on Greek female breast cancer patients receiving chemotherapy treatment. <i>European Journal of Cancer Care</i> , 2017, 26, e12687.	0.7	4
919	Longitudinal associations of multiple physical symptoms with recurrence of depressive and anxiety disorders. <i>Journal of Psychosomatic Research</i> , 2017, 97, 96-101.	1.2	12
920	Memory support strategies and bundles: A pathway to improving cognitive therapy for depression?. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 187-199.	1.6	29
921	Admixture analysis of age of onset in generalized anxiety disorder. <i>Journal of Anxiety Disorders</i> , 2017, 50, 47-51.	1.5	24
922	Depressive subtypes in an elderly cohort identified using latent class analysis. <i>Journal of Affective Disorders</i> , 2017, 218, 123-130.	2.0	36
923	Dextromethorphan/quinidine pharmacotherapy in patients with treatment resistant depression: A proof of concept clinical trial. <i>Journal of Affective Disorders</i> , 2017, 218, 277-283.	2.0	41
924	Defining asthma-COPD overlap syndrome: a population-based study. <i>European Respiratory Journal</i> , 2017, 49, 1602008.	3.1	56
925	Positive and Negative Affective Forecasting in Remitted Individuals with Bipolar I Disorder, and Major Depressive Disorder, and Healthy Controls. <i>Cognitive Therapy and Research</i> , 2017, 41, 673-685.	1.2	16
926	Which biopsychosocial variables contribute to more weight gain in depressed persons?. <i>Psychiatry Research</i> , 2017, 254, 96-103.	1.7	7
927	Age-related variability in the presentation of symptoms of major depressive disorder. <i>Psychological Medicine</i> , 2017, 47, 543-552.	2.7	59

#	ARTICLE	IF	CITATIONS
928	Body Composition in Adolescents During Treatment With Selective Serotonin Reuptake Inhibitors. <i>Pediatrics</i> , 2017, 140, .	1.0	16
929	The validity of <sc>DSM</sc>â€ severity specifiers for anorexia nervosa, bulimia nervosa, and bingeâ€eating disorder. <i>International Journal of Eating Disorders</i> , 2017, 50, 1109-1113.	2.1	39
930	Impairment in emotion perception from body movements in individuals with bipolar I and bipolar II disorder is associated with functional capacity. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 13.	0.8	22
931	Total sleep time as a predictor of suicidal behaviour. <i>Journal of Sleep Research</i> , 2017, 26, 732-738.	1.7	20
932	A Randomized, Double-Blind, Placebo-Controlled, Sequential Parallel Comparison Design Trial of Adjunctive Riluzole for Treatment-Resistant Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017, 42, 2567-2574.	2.8	36
933	Impact of childhood trauma on course of panic disorder: contribution of clinical and personality characteristics. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 554-563.	2.2	13
934	The impact of childhood maltreatment on the differential efficacy of CBASP versus escitalopram in patients with chronic depression: A secondary analysis. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 1155-1162.	1.4	14
935	Early Pubertal Timing and Childhood Family Adversity Interact to Predict Newlywed Womenâ€™s Anxiety Symptoms. <i>Journal of Child and Family Studies</i> , 2017, 26, 591-602.	0.7	5
936	Depression and cognitive deficits as longâ€term consequences of thrombotic thrombocytopenic purpura. <i>Transfusion</i> , 2017, 57, 1152-1162.	0.8	40
937	DSM disorders and their criteria: how should they inter-relate?. <i>Psychological Medicine</i> , 2017, 47, 2054-2060.	2.7	27
938	Teacher Competence in Mindfulness-Based Cognitive Therapy for Depression and Its Relation to Treatment Outcome. <i>Mindfulness</i> , 2017, 8, 960-972.	1.6	28
939	Initial Steps to inform selection of continuation cognitive therapy or fluoxetine for higher risk responders to cognitive therapy for recurrent major depressive disorder. <i>Psychiatry Research</i> , 2017, 253, 174-181.	1.7	9
940	Oxidative stress in major depressive and anxiety disorders, and the association with antidepressant use; results from a large adult cohort. <i>Psychological Medicine</i> , 2017, 47, 936-948.	2.7	60
941	The role of affect in predicting depressive symptomatology in remitted recurrently depressed patients. <i>Journal of Affective Disorders</i> , 2017, 210, 66-71.	2.0	13
942	Plasma Testosterone and the Course of Major Depressive Disorder in Older Men and Women. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 425-437.	0.6	36
943	Prevalence of depression and anxiety in Multiple Sclerosis: A systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , 2017, 372, 331-341.	0.3	433
944	Metabolic dysregulation and late-life depression: a prospective study. <i>Psychological Medicine</i> , 2017, 47, 1041-1052.	2.7	38
946	Disrupted corticoâ€limbic connectivity during reward processing in remitted bipolar I disorder. <i>Bipolar Disorders</i> , 2017, 19, 661-675.	1.1	53

#	ARTICLE	IF	CITATIONS
947	Improvement in the Spatial Distribution of Pain, Somatic Symptoms, and Depression After a Weight Loss Intervention. <i>Journal of Pain</i> , 2017, 18, 1542-1550.	0.7	29
948	The Effect of Depression, Generalized Anxiety, and Selective Serotonin Reuptake Inhibitors on Change in Bone Metabolism in Adolescents and Emerging Adults. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 2367-2374.	3.1	17
949	Meteorological analysis of symptom data for people with seasonal affective disorder. <i>Psychiatry Research</i> , 2017, 257, 501-505.	1.7	18
950	Concurrent Improvement in Both Binge Eating and Depressive Symptoms with Naltrexone/Bupropion Therapy in Overweight or Obese Subjects with Major Depressive Disorder in an Open-Label, Uncontrolled Study. <i>Advances in Therapy</i> , 2017, 34, 2307-2315.	1.3	37
951	Mindfulness-based interventions for the treatment of depressive rumination: Systematic review and meta-analysis. <i>International Journal of Clinical and Health Psychology</i> , 2017, 17, 282-295.	2.7	71
952	Structural brain correlates of resilience to traumatic stress in Dutch police officers. <i>Psychoneuroendocrinology</i> , 2017, 85, 172-178.	1.3	28
953	Polyunsaturated fatty acid composition and childhood adversity: Independent correlates of depressive symptom persistence. <i>Psychiatry Research</i> , 2017, 256, 305-311.	1.7	6
954	Positive and Negative Affect as Links Between Social Anxiety and Depression: Predicting Concurrent and Prospective Mood Symptoms in Unipolar and Bipolar Mood Disorders. <i>Behavior Therapy</i> , 2017, 48, 820-833.	1.3	39
955	Impact of Childhood Trauma on the Course of Panic Disorder. <i>European Psychiatry</i> , 2017, 41, S69-S69.	0.1	0
956	Apathy in early and late-life depression. <i>Journal of Affective Disorders</i> , 2017, 223, 76-81.	2.0	26
957	Social functioning in patients with depressive and anxiety disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 352-361.	2.2	109
958	Efficacy of Brexpiprazole as Adjunctive Treatment in Major Depressive Disorder With Irritability. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 276-278.	0.7	10
959	Patient recall of specific cognitive therapy contents predicts adherence and outcome in adults with major depressive disorder. <i>Behaviour Research and Therapy</i> , 2017, 97, 189-199.	1.6	19
960	The role of anxious distress in immune dysregulation in patients with major depressive disorder. <i>Translational Psychiatry</i> , 2017, 7, 1268.	2.4	47
961	Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. <i>HÅrgrre Utbildning</i> , 2017, 8, 1378052.	1.4	30
962	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. <i>Journal of Psychosomatic Research</i> , 2017, 103, 70-76.	1.2	2
963	Clinical and socio-demographic correlates of anxious distress in Asian outpatients with major depressive disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 503-508.	0.7	9
964	The association between the hypothalamic pituitary adrenal axis and tryptophan metabolism in persons with recurrent major depressive disorder and healthy controls. <i>Journal of Affective Disorders</i> , 2017, 222, 32-39.	2.0	33

#	ARTICLE	IF	CITATIONS
965	Approach and avoidance tendencies in depression and anxiety disorders. <i>Psychiatry Research</i> , 2017, 256, 475-481.	1.7	33
966	Pregnancy and postpartum antidepressant use moderates the effects of sleep on depression. <i>Archives of Women's Mental Health</i> , 2017, 20, 621-632.	1.2	3
967	Study protocol for a randomised pragmatic trial comparing the clinical and cost effectiveness of lithium and quetiapine augmentation in treatment resistant depression (the LQD study). <i>BMC Psychiatry</i> , 2017, 17, 231.	1.1	16
968	The clinical course of trauma-related disorders and personality disorders: study protocol of two-year follow-up based on structured interviews. <i>BMC Psychiatry</i> , 2017, 17, 173.	1.1	2
969	Six-year trajectory of objective physical function in persons with depressive and anxiety disorders. <i>Depression and Anxiety</i> , 2017, 34, 188-197.	2.0	29
970	Person misfit on the Inventory of Depressive Symptomatology: Low quality self-report or true atypical symptom profile?. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	2
971	Interpersonal Circumplex Profiles Of Persistent Depression: Goals, Self-efficacy, Problems, And Effects Of Group Therapy. <i>Journal of Clinical Psychology</i> , 2017, 73, 595-611.	1.0	27
972	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 208, 316-324.	2.0	21
973	Do improved patient recall and the provision of memory support enhance treatment adherence?. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017, 54, 219-228.	0.6	19
974	Evaluation of client progress in music therapy: an illustration of an N-of-1 design in individual short-term improvisational music therapy with clients with depression. <i>Nordic Journal of Music Therapy</i> , 2017, 26, 256-271.	0.7	9
975	Using Clinical Characteristics to Identify Which Patients With Major Depressive Disorder Have a Higher Genetic Load for Three Psychiatric Disorders. <i>Biological Psychiatry</i> , 2017, 81, 316-324.	0.7	31
976	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2017, 84, 41-48.	1.5	51
977	Efficacy of curcumin, and a saffron/curcumin combination for the treatment of major depression: A randomised, double-blind, placebo-controlled study. <i>Journal of Affective Disorders</i> , 2017, 207, 188-196.	2.0	112
978	Chronic stress is associated with reduced circulating hematopoietic progenitor cell number: A maternal caregiving model. <i>Brain, Behavior, and Immunity</i> , 2017, 59, 245-252.	2.0	15
979	Alcohol use is associated with thinner cerebral cortex and larger ventricles in schizophrenia, bipolar disorder and healthy controls. <i>Psychological Medicine</i> , 2017, 47, 655-668.	2.7	22
980	The difficult lives of individuals with bipolar disorder: A review of functional outcomes and their implications for treatment. <i>Journal of Affective Disorders</i> , 2017, 209, 147-154.	2.0	135
981	An exploration of metacognitive beliefs and thought control strategies in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2017, 73, 84-92.	1.5	14
982	Subjective "Objective Sleep Discrepancy Is Associated With Alterations in Regional Glucose Metabolism in Patients With Insomnia and Good Sleeper Controls. <i>Sleep</i> , 2017, 40, .	0.6	40

#	ARTICLE	IF	CITATIONS
983	Platelet-Derived Growth Factor as an Antidepressant Treatment Selection Biomarker: Higher Levels Selectively Predict Better Outcomes with Bupropion-SSRI Combination. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 919-927.	1.0	29
984	Childhood Sexual Assault, Quality of Life, and Psychiatric Comorbidity in Veterans With Military and Civilian Sexual Trauma. <i>Military Psychology</i> , 2017, 29, 307-315.	0.7	2
985	Temporal Dynamics of Health and Well-Being: A Crowdsourcing Approach to Momentary Assessments and Automated Generation of Personalized Feedback. <i>Psychosomatic Medicine</i> , 2017, 79, 213-223.	1.3	52
986	Rethinking a Negative Event: The Affective Impact of Ruminative versus Imagery-Based Processing of Aversive Autobiographical Memories. <i>Frontiers in Psychiatry</i> , 2017, 8, 82.	1.3	9
987	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. <i>BMC Medicine</i> , 2017, 15, 215.	2.3	73
988	Exercise for PTSD in Women Veterans: A Proof-of-Concept Study. <i>Military Medicine</i> , 2017, 182, e1809-e1814.	0.4	23
989	Tai Chi Chih Compared With Cognitive Behavioral Therapy for the Treatment of Insomnia in Survivors of Breast Cancer: A Randomized, Partially Blinded, Noninferiority Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 2656-2665.	0.8	139
990	A Mitochondrial Health Index Sensitive to Mood and Caregiving Stress. <i>Biological Psychiatry</i> , 2018, 84, 9-17.	0.7	82
991	Exploring the Wnt signaling pathway in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 55.	2.4	94
992	The measurement of cognitive reactivity to sad mood in patients remitted from major depressive disorder. <i>British Journal of Clinical Psychology</i> , 2018, 57, 313-327.	1.7	11
993	Theory of mind in remitted bipolar disorder: Younger patients struggle in tasks of higher ecological validity. <i>Journal of Affective Disorders</i> , 2018, 231, 32-40.	2.0	16
994	Inflammatory markers and cortisol parameters across depressive subtypes in an older cohort. <i>Journal of Affective Disorders</i> , 2018, 234, 54-58.	2.0	20
995	The reciprocal relationship between physical activity and depression: Does age matter?. <i>European Psychiatry</i> , 2018, 51, 9-15.	0.1	5
996	A Randomized, Double-Blind, Placebo-Controlled Trial of Escitalopram in Patients with Asthma and Major Depressive Disorder. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 1604-1612.	2.0	42
997	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2018, 35, 551-559.	2.0	38
998	Lifestyle factors and the course of depression in older adults: A NESDO study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1000-1008.	1.3	21
999	Cues to mental health from men's facial appearance. <i>Journal of Research in Personality</i> , 2018, 75, 26-36.	0.9	18
1000	Development and external validation of a prediction rule for an unfavorable course of late-life depression: A multicenter cohort study. <i>Journal of Affective Disorders</i> , 2018, 235, 105-113.	2.0	11

#	ARTICLE	IF	CITATIONS
1001	Epigenetic Aging in Major Depressive Disorder. <i>American Journal of Psychiatry</i> , 2018, 175, 774-782.	4.0	172
1002	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 401-410.	3.7	84
1003	5â€Hz Repetitive transcranial magnetic stimulation for posttraumatic stress disorder comorbid with major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 235, 414-420.	2.0	44
1004	Perceived Treatment Status of Fluctuations in Parkinson Disease Impacts Suicidality. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 700-710.	0.6	5
1005	Prevalence of axis I comorbidities in bipolar disorder: relationship to mood state. <i>Bipolar Disorders</i> , 2018, 20, 303-312.	1.1	18
1006	Childhood abuse and late-life depression: Mediating effects of psychosocial factors for early- and late-onset depression. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 537-545.	1.3	26
1007	The relationship between asthma and depression in a community-based sample. <i>Journal of Asthma</i> , 2018, 55, 1271-1277.	0.9	24
1008	Depression in Multiple Sclerosis: Epidemiology, Aetiology, Diagnosis and Treatment. <i>CNS Drugs</i> , 2018, 32, 117-133.	2.7	101
1009	Pre-pregnancy Body Mass Index and Third-Trimester Depressive Symptoms in a Healthy Privately Insured Sample. <i>AJP Reports</i> , 2018, 08, e13-e17.	0.4	4
1010	Efficacy and Safety of Intranasal Esketamine Adjunctive to Oral Antidepressant Therapy in Treatment-Resistant Depression. <i>JAMA Psychiatry</i> , 2018, 75, 139.	6.0	451
1011	Clinical utility of pharmacogenetics-guided treatment of depression and anxiety. <i>Personalized Medicine in Psychiatry</i> , 2018, 7-8, 7-13.	0.1	4
1012	A pilot study of the comparative efficacy of 100â€Hz magnetic seizure therapy and electroconvulsive therapy in persistent depression. <i>Depression and Anxiety</i> , 2018, 35, 393-401.	2.0	37
1013	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 229, 262-268.	2.0	15
1014	Exploration of the Associations Between Responses to Affective States and Psychopathology in Two Samples of People Confronted With the Loss of a Loved One. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 108-115.	0.5	14
1015	Major Depressive Disorder and Emotion-Related Impulsivity: Are Both Related to Cognitive Inhibition?. <i>Cognitive Therapy and Research</i> , 2018, 42, 398-407.	1.2	19
1016	Serum lipidomic analysis for the discovery of biomarkers for major depressive disorder in drug-free patients. <i>Psychiatry Research</i> , 2018, 265, 174-182.	1.7	23
1017	Bright light therapy versus physical exercise to prevent co-morbid depression and obesity in adolescents and young adults with attention-deficit / hyperactivity disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 140.	0.7	26
1018	Behavioral activation therapy during transcranial magnetic stimulation for major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 236, 101-104.	2.0	8

#	ARTICLE	IF	CITATIONS
1019	Attenuated Notch signaling in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2018, 8, 5349.	1.6	37
1020	The association between depression and eating styles in four European countries: The MoodFOOD prevention study. <i>Journal of Psychosomatic Research</i> , 2018, 108, 85-92.	1.2	46
1021	The circulating levels of CD4+ t helper cells are higher in bipolar disorder as compared to major depressive disorder. <i>Journal of Neuroimmunology</i> , 2018, 319, 28-36.	1.1	42
1022	GET.HAPPY - Acceptance of an internet-based self-management positive psychology intervention for adult primary care patients with mild and moderate depression or dysthymia: A pilot study. <i>Internet Interventions</i> , 2018, 12, 26-35.	1.4	16
1023	Kynurenine pathway and white matter microstructure in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 157-168.	1.8	34
1024	Correlates of sleep disturbances in depressed older persons: the Netherlands study of depression in older persons (NESDO). <i>Aging and Mental Health</i> , 2018, 22, 233-238.	1.5	15
1025	The influence of childhood abuse on cortisol levels and the cortisol awakening response in depressed and nondepressed older adults. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 440-449.	1.3	17
1026	Prognostic significance of social network, social support and loneliness for course of major depressive disorder in adulthood and old age. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 266-277.	1.8	67
1027	Subjective insomnia symptoms and sleep duration are not related to hypothalamic-pituitary-adrenal axis activity in older adults. <i>Journal of Sleep Research</i> , 2018, 27, 40-46.	1.7	8
1028	Depression Among Older Adults: A 20-Year Update on Five Common Myths and Misconceptions. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 107-122.	0.6	198
1029	Presence and Predictive Value of Obsessive-Compulsive Symptoms in Anxiety and Depressive Disorders. <i>Canadian Journal of Psychiatry</i> , 2018, 63, 85-93.	0.9	14
1030	Metabolic risk factors in schizophrenia and bipolar disorder: The effect of comedication with selective serotonin reuptake inhibitors and antipsychotics. <i>European Psychiatry</i> , 2018, 48, 71-78.	0.1	4
1031	You'll feel better in the morning: slow wave activity and overnight mood regulation in interepisode bipolar disorder. <i>Psychological Medicine</i> , 2018, 48, 249-260.	2.7	6
1032	Improving the Efficiency of Psychotherapy for Depression: Computer-Assisted Versus Standard CBT. <i>American Journal of Psychiatry</i> , 2018, 175, 242-250.	4.0	93
1033	Omega-3 and omega-6 fatty acid levels in depressive and anxiety disorders. <i>Psychoneuroendocrinology</i> , 2018, 87, 53-62.	1.3	81
1034	Outcome of day treatment for older adults with affective disorders: An observational pre-post design of two transdiagnostic approaches. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 510-516.	1.3	6
1035	Proinflammatory Cytokines, Mood, and Sleep in Interepisode Bipolar Disorder and Insomnia: A Pilot Study With Implications for Psychosocial Interventions. <i>Psychosomatic Medicine</i> , 2018, 80, 87-94.	1.3	14
1036	Patient learning of treatment contents in cognitive therapy. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 58, 51-59.	0.6	15

#	ARTICLE	IF	CITATIONS
1037	Are self-report scales as effective as clinician rating scales in measuring treatment response in routine clinical practice?. <i>Journal of Affective Disorders</i> , 2018, 225, 449-452.	2.0	33
1038	Subjective versus objective evening chronotypes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 342-349.	2.0	27
1039	Repetitive transcranial magnetic stimulation (rTMS) administration to heavy cannabis users. <i>American Journal of Drug and Alcohol Abuse</i> , 2018, 44, 47-55.	1.1	25
1040	Relations of Shared and Unique Components of Personality and Psychosocial Functioning to Depressive Symptoms. <i>Journal of Personality Disorders</i> , 2018, 32, 577-602.	0.8	5
1041	Uric acid in major depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2018, 225, 684-690.	2.0	75
1042	Person-fit feedback on inconsistent symptom reports in clinical depression care. <i>Psychological Medicine</i> , 2018, 48, 1844-1852.	2.7	2
1043	Change in Quantitative EEG Theta Cordance as a Potential Predictor of Repetitive Transcranial Magnetic Stimulation Clinical Outcome in Major Depressive Disorder. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 306-315.	0.9	22
1044	Social jetlag and depression status: Results obtained from the Netherlands Study of Depression and Anxiety. <i>Chronobiology International</i> , 2018, 35, 1-7.	0.9	39
1045	Eating styles in major depressive disorder: Results from a large-scale study. <i>Journal of Psychiatric Research</i> , 2018, 97, 38-46.	1.5	46
1046	Neurocognitive functioning, clinical course and functional outcome in first-treatment bipolar I disorder patients with and without clinical relapse: A 1-year follow-up study. <i>Bipolar Disorders</i> , 2018, 20, 228-237.	1.1	24
1047	The centrality of DSM and non-DSM depressive symptoms in Han Chinese women with major depression. <i>Journal of Affective Disorders</i> , 2018, 227, 739-744.	2.0	49
1048	Network Mechanisms of Clinical Response to Transcranial Magnetic Stimulation in Posttraumatic Stress Disorder and Major Depressive Disorder. <i>Biological Psychiatry</i> , 2018, 83, 263-272.	0.7	193
1049	Impact, Diagnosis, Phenomenology, and Biology. <i>Handbook of Experimental Pharmacology</i> , 2018, 250, 3-33.	0.9	0
1050	Cognitive-Behavioral Correlates of Psychological Symptoms Among Relatives of Missing Persons. <i>International Journal of Cognitive Therapy</i> , 2018, 11, 311-324.	1.3	11
1051	Lack of emotional gaze preferences using eye-tracking in remitted bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 15.	0.8	6
1052	A nationwide study on concordance with multimodal treatment guidelines in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 22.	0.8	10
1053	Pilot Testing of Peak Alpha Frequency Stability During Repetitive Transcranial Magnetic Stimulation. <i>Frontiers in Psychiatry</i> , 2018, 9, 605.	1.3	9
1054	Clinical characteristics of patients with bipolar disorder and premorbid traumatic brain injury: a cross-sectional study. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 19.	0.8	10

#	ARTICLE	IF	CITATIONS
1055	Network Functional Architecture and Aberrant Functional Connectivity in Post-Traumatic Stress Disorder: A Clinical Application of Network Convergence. <i>Brain Connectivity</i> , 2018, 8, 549-557.	0.8	16
1056	Rise and shine: A treatment experiment testing a morning routine to decrease subjective sleep inertia in insomnia and bipolar disorder. <i>Behaviour Research and Therapy</i> , 2018, 111, 106-112.	1.6	32
1057	Short-term interval aerobic exercise training does not improve memory functioning in relapsing-remitting multiple sclerosis—a randomized controlled trial. <i>PeerJ</i> , 2018, 6, e6037.	0.9	28
1058	Adjunctive brexpiprazole in patients with major depressive disorder and anxiety symptoms: post hoc analyses of three placebo-controlled studies. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 37-45.	1.0	17
1059	PRO*MDD Study Protocol: Effectiveness of Outpatient Treatment Programs for Major Depressive Disorder: Metacognitive Therapy vs. Behavioral Activation a Single-Center Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , 2018, 9, 584.	1.3	3
1060	On the Concurrent Use of Self-System Therapy and Functional Magnetic Resonance Imaging—Guided Transcranial Magnetic Stimulation as Treatment for Depression. <i>Journal of ECT</i> , 2018, 34, 266-273.	0.3	26
1061	Altered cerebral benzodiazepine receptor binding in post-traumatic stress disorder. <i>Translational Psychiatry</i> , 2018, 8, 206.	2.4	8
1062	Mechanisms of Perceived Treatment Assignment and Subsequent Expectancy Effects in a Double Blind Placebo Controlled RCT of Major Depression. <i>Frontiers in Psychiatry</i> , 2018, 9, 424.	1.3	18
1063	Self-Esteem Instability in Current, Remitted, Recovered, and Comorbid Depression and Anxiety. <i>Cognitive Therapy and Research</i> , 2018, 42, 813-822.	1.2	9
1064	The association between the number of previous episodes and modifiable vulnerability factors in remitted patients with recurrent depression. <i>PLoS ONE</i> , 2018, 13, e0206495.	1.1	11
1065	Self-monitoring and personalized feedback based on the experiencing sampling method as a tool to boost depression treatment: a protocol of a pragmatic randomized controlled trial (ZELF-i). <i>BMC Psychiatry</i> , 2018, 18, 276.	1.1	26
1066	Age and major depressive disorder: what factors should be investigated? — Authors' reply. <i>Lancet Psychiatry</i> , 2018, 5, 784-785.	3.7	0
1067	Attentional bias for negative, positive, and threat words in current and remitted depression. <i>PLoS ONE</i> , 2018, 13, e0205154.	1.1	26
1068	Changes in brain arousal (EEG-vigilance) after therapeutic sleep deprivation in depressive patients and healthy controls. <i>Scientific Reports</i> , 2018, 8, 15087.	1.6	7
1069	Diet quality in persons with and without depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2018, 106, 1-7.	1.5	92
1070	The severity of psychiatric disorders. <i>World Psychiatry</i> , 2018, 17, 258-275.	4.8	135
1071	Characteristics of patients expressing an interest in ketamine treatment: results of an online survey. <i>BJPsych Open</i> , 2018, 4, 389-392.	0.3	7
1072	Accessibility and feasibility of using technology to support mindfulness practice, reduce stress and promote long term mental health. <i>Complementary Therapies in Clinical Practice</i> , 2018, 33, 93-99.	0.7	13

#	ARTICLE	IF	CITATIONS
1073	Efficacy and Safety of Atypical Antipsychotics in Bipolar Disorder With Comorbid Substance Dependence: A Systematic Review. <i>Clinical Neuropharmacology</i> , 2018, 41, 181-191.	0.2	8
1074	A Six-Year Prospective Study of the Prognosis and Predictors in Patients With Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 985-997.	0.6	42
1075	Association of T and non-T cell cytokines with anhedonia: Role of gender differences. <i>Psychoneuroendocrinology</i> , 2018, 95, 1-7.	1.3	34
1076	White matter disruptions in patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2018, 28, 743-751.	0.3	54
1077	Axis II Personality Disorders Are Linked to an Adverse Course of Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 469-472.	0.5	9
1078	Looking into the effect of multi-item symptom domains on psychometric characteristics of the Quick Inventory of Depressive Symptomatology-Self Report (QIDS-SR16). <i>Psychiatry Research</i> , 2018, 267, 126-130.	1.7	4
1079	Acceptability of internet-based interventions for depression in Indonesia. <i>Internet Interventions</i> , 2018, 13, 8-15.	1.4	22
1080	Contributions of depression and body mass index to body image. <i>Journal of Psychiatric Research</i> , 2018, 103, 18-25.	1.5	44
1081	Adiponectin moderates antidepressant treatment outcome in the combining medications to enhance depression outcomes randomized clinical trial. <i>Personalized Medicine in Psychiatry</i> , 2018, 9-10, 1-7.	0.1	5
1082	Prevalence and predictors of violent victimization in remitted patients with recurrent depression. <i>Journal of Affective Disorders</i> , 2018, 238, 405-411.	2.0	8
1083	The user experiences and clinical outcomes of an online personal health record to support self-management of bipolar disorder: A pretest-posttest pilot study. <i>Journal of Affective Disorders</i> , 2018, 238, 261-268.	2.0	12
1084	Worsening Anxiety, Irritability, Insomnia, or Panic Predicts Poorer Antidepressant Treatment Outcomes: Clinical Utility and Validation of the Concise Associated Symptom Tracking (CAST) Scale. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 325-332.	1.0	27
1085	Problematic eating behaviours, changes in appetite, and weight gain in Major Depressive Disorder: The role of leptin. <i>Journal of Affective Disorders</i> , 2018, 240, 137-145.	2.0	22
1086	Six-year healthcare trajectories of adults with anxiety and depressive disorders: Determinants of transition to specialised mental healthcare. <i>Journal of Affective Disorders</i> , 2018, 241, 226-234.	2.0	4
1087	Association Between Depression, Anxiety, and Antidepressant Use With T-Wave Amplitude and QT-Interval. <i>Frontiers in Neuroscience</i> , 2018, 12, 375.	1.4	5
1088	Omega-3 polyunsaturated fatty acid levels and dysregulations in biological stress systems. <i>Psychoneuroendocrinology</i> , 2018, 97, 206-215.	1.3	30
1089	Glucocorticoid receptor exon 1F methylation and the cortisol stress response in health and disease. <i>Psychoneuroendocrinology</i> , 2018, 97, 182-189.	1.3	17
1090	Prevention of violent revictimization in depressed patients with an add-on internet-based emotion regulation training (iERT): study protocol for a multicenter randomized controlled trial. <i>BMC Psychiatry</i> , 2018, 18, 29.	1.1	11

#	ARTICLE	IF	CITATIONS
1091	The association between mood state and chronobiological characteristics in bipolar I disorder: a naturalistic, variable cluster analysis-based study. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 5.	0.8	9
1092	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 308-310.	4.0	19
1093	Functional connectivity of reflective and brooding rumination in depressed and healthy women. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2018, 18, 884-901.	1.0	36
1094	Differential relations of suicidality in depression to brain activation during emotional and executive processing. <i>Journal of Psychiatric Research</i> , 2018, 105, 78-85.	1.5	25
1095	Repetitive negative thinking as a predictor of depression and anxiety: A longitudinal cohort study. <i>Journal of Affective Disorders</i> , 2018, 241, 216-225.	2.0	102
1096	Daytime midpoint as a digital biomarker for chronotype in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 241, 586-591.	2.0	11
1097	Mindfulness-based cognitive therapy for patients with chronic, treatment-resistant depression: A pragmatic randomized controlled trial. <i>Depression and Anxiety</i> , 2018, 35, 914-924.	2.0	67
1098	Reliability of retrospective reports on childhood abuse and its determinants in older adults during a 6-year follow-up. <i>Journal of Psychiatric Research</i> , 2018, 105, 9-16.	1.5	10
1099	Do baseline sub-threshold hypomanic symptoms affect acute-phase antidepressant outcome in outpatients with major depressive disorder? Preliminary findings from the randomized CO-MED trial. <i>Neuropsychopharmacology</i> , 2018, 43, 2197-2203.	2.8	12
1100	Impairment in delay discounting in schizophrenia and schizoaffective disorder but not primary mood disorders. <i>NPJ Schizophrenia</i> , 2018, 4, 9.	2.0	25
1101	Childhood abuse and white matter integrity in bipolar disorder patients and healthy controls. <i>European Neuropsychopharmacology</i> , 2018, 28, 807-817.	0.3	20
1102	Couple therapy for depression. <i>The Cochrane Library</i> , 2018, 2018, CD004188.	1.5	25
1103	Depression recurrence after recovery: Prognostic value of implicit and explicit self-depressed associations. <i>Behaviour Research and Therapy</i> , 2018, 107, 76-82.	1.6	9
1104	Development and validation of a clinical prediction tool to estimate the individual risk of depressive relapse or recurrence in individuals with recurrent depression. <i>Journal of Psychiatric Research</i> , 2018, 104, 1-7.	1.5	19
1105	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. <i>Lancet Psychiatry</i> , 2018, 5, 581-590.	3.7	97
1106	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. <i>Psychological Medicine</i> , 2019, 49, 617-627.	2.7	27
1107	A 6-year longitudinal study of predictors for suicide attempts in major depressive disorder. <i>Psychological Medicine</i> , 2019, 49, 911-921.	2.7	39
1108	Body attitude, body satisfaction and body awareness in a clinical group of depressed patients: An observational study on the associations with depression severity and the influence of treatment. <i>Journal of Affective Disorders</i> , 2019, 242, 22-28.	2.0	22

#	ARTICLE	IF	CITATIONS
1109	Inflammation in older subjects with early- and late-onset depression in the NESDO study: a cross-sectional and longitudinal case-only design. <i>Psychoneuroendocrinology</i> , 2019, 99, 20-27.	1.3	19
1110	Do comorbid social and other anxiety disorders predict outcomes during and after cognitive therapy for depression?. <i>Journal of Affective Disorders</i> , 2019, 242, 150-158.	2.0	10
1111	Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 2019, 52, 117-125.	1.7	21
1112	Brexipiprazole as Adjunctive Treatment for Major Depressive Disorder Following Treatment Failure With at Least One Antidepressant in the Current Episode: a Systematic Review and Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 698-709.	1.0	165
1113	Discontinuation of antidepressant medication in primary care supported by monitoring plus mindfulness-based cognitive therapy versus monitoring alone: design and protocol of a cluster randomized controlled trial. <i>BMC Family Practice</i> , 2019, 20, 105.	2.9	9
1114	How should the severity of depression be rated on self-report depression scales?. <i>Psychiatry Research</i> , 2019, 280, 112512.	1.7	6
1115	The role of metabolic syndrome in late-life depression over 6 years: The NESDO study. <i>Journal of Affective Disorders</i> , 2019, 257, 735-740.	2.0	3
1116	Suicidal risk and executive functions in major depressive disorder: a study protocol. <i>BMC Psychiatry</i> , 2019, 19, 253.	1.1	40
1117	Involvement of inflammatory gene expression pathways in depressed patients with hyperphagia. <i>Translational Psychiatry</i> , 2019, 9, 193.	2.4	15
1118	Patient preferences for a guided self-help programme to prevent relapse in anxiety or depression: A discrete choice experiment. <i>PLoS ONE</i> , 2019, 14, e0219588.	1.1	8
1119	Reward-Related Striatal Responses Following Stress in Healthy Individuals and Patients With Bipolar Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 966-974.	1.1	4
1120	Longitudinal course of suicidal ideation and predictors of its persistence – A NESDA study. <i>Journal of Affective Disorders</i> , 2019, 257, 365-375.	2.0	26
1121	Depressive symptoms bias the prediction-error enhancement of memory towards negative events in reinforcement learning. <i>Psychopharmacology</i> , 2019, 236, 2425-2435.	1.5	29
1122	Cognitive behavioural therapy and mindfulness for relatives of missing persons: a pilot study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 93.	0.5	11
1123	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. <i>Depression and Anxiety</i> , 2019, 36, 975-986.	2.0	121
1124	Insular volume reductions in patients with major depressive disorder. <i>Neurology Psychiatry and Brain Research</i> , 2019, 33, 39-47.	2.0	5
1125	Does interpersonal dependency affect therapeutic outcome? A meta-analytic review. <i>Personality and Mental Health</i> , 2019, 13, 215-229.	0.6	2
1126	Delayed sleep-onset and biological age: late sleep-onset is associated with shorter telomere length. <i>Sleep</i> , 2019, 42, .	0.6	19

#	ARTICLE	IF	CITATIONS
1127	Ligands and receptors of the TNF superfamily are decreased in major depression and during early antidepressant therapy. <i>Journal of Psychiatric Research</i> , 2019, 119, 116-121.	1.5	16
1128	Personality traits and the risk of incident (hypo)mania among subjects initially suffering from depressive and anxiety disorders in a 9-year cohort study. <i>Journal of Affective Disorders</i> , 2019, 259, 451-457.	2.0	3
1129	Integrating proteomic, sociodemographic and clinical data to predict future depression diagnosis in subthreshold symptomatic individuals. <i>Translational Psychiatry</i> , 2019, 9, 277.	2.4	10
1130	White matter integrity and functional predictors of response to repetitive transcranial magnetic stimulation for posttraumatic stress disorder and major depression. <i>Depression and Anxiety</i> , 2019, 36, 1047-1057.	2.0	13
1131	Trait anger and anger attacks in relation to depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2019, 259, 259-265.	2.0	25
1132	A role for vitamin D and omega-3 fatty acids in major depression? An exploration using genomics. <i>Translational Psychiatry</i> , 2019, 9, 219.	2.4	33
1133	Combining mobile-health (mHealth) and artificial intelligence (AI) methods to avoid suicide attempts: the Smartcrises study protocol. <i>BMC Psychiatry</i> , 2019, 19, 277.	1.1	49
1134	The association between overall and abdominal adiposity and depressive mood: A cross-sectional analysis in 6459 participants. <i>Psychoneuroendocrinology</i> , 2019, 110, 104429.	1.3	32
1135	Longer-term open-label study of adjunctive riluzole in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2019, 258, 102-108.	2.0	16
1136	Added value of Mindfulness-Based Cognitive Therapy for Depression: A Tree-based Qualitative Interaction Analysis. <i>Behaviour Research and Therapy</i> , 2019, 122, 103467.	1.6	6
1137	Predictors for Antipsychotic Dosage Change in the First Year of Treatment in Schizophrenia Spectrum and Bipolar Disorders. <i>Frontiers in Psychiatry</i> , 2019, 10, 649.	1.3	5
1138	Propiedades psicométricas de la escala EMUN-AR determinadas mediante el análisis de Rasch. <i>Biomedica</i> , 2019, 39, 113-131.	0.3	1
1139	Development and validation of the Hypersomnia Severity Index (HSI): A measure to assess hypersomnia severity and impairment in psychiatric disorders. <i>Psychiatry Research</i> , 2019, 281, 112547.	1.7	20
1140	The effect of comorbid personality disorder on depression outcome after short-term psychotherapy in a randomised clinical trial. <i>BJPsych Open</i> , 2019, 5, e61.	0.3	5
1141	Mothers with and without bipolar disorder and their infants: group differences in mother-infant interaction patterns at three months postpartum. <i>BMC Psychiatry</i> , 2019, 19, 292.	1.1	18
1142	Predictive value of attentional bias for the recurrence of depression: A 4-year prospective study in remitted depressed individuals. <i>Behaviour Research and Therapy</i> , 2019, 114, 25-34.	1.6	11
1143	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 154-164.	4.0	26
1144	A Long-Term, Open-Label Study to Evaluate the Safety and Tolerability of Brexpiprazole as Adjunctive Therapy in Adults With Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 203-209.	0.7	15

#	ARTICLE	IF	CITATIONS
1145	Study design of the Routine Outcome Monitoring for Geriatric Psychiatry & Science (ROM-GPS) project; a cohort study of older patients with affective disorders referred for specialised geriatric mental health care. <i>BMC Psychiatry</i> , 2019, 19, 182.	1.1	8
1146	Theta-Burst Transcranial Magnetic Stimulation for Posttraumatic Stress Disorder. <i>American Journal of Psychiatry</i> , 2019, 176, 939-948.	4.0	107
1147	White matter architecture in major depression with anxious distress symptoms. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109664.	2.5	10
1148	The decision tool unipolar depression (DTUD): a new measure to facilitate the early identification of patients with major depressive disorder in need of highly specialized care. <i>BMC Psychiatry</i> , 2019, 19, 179.	1.1	4
1149	The relationship between circadian gene single nucleotide polymorphisms and clinical and behavioral assessments of sleep and rhythms and course of illness characteristics in subjects with bipolar type I disorder. <i>Personalized Medicine in Psychiatry</i> , 2019, 13-14, 11-18.	0.1	0
1150	Inflammation and decreased functional connectivity in a widely-distributed network in depression: Centralized effects in the ventral medial prefrontal cortex. <i>Brain, Behavior, and Immunity</i> , 2019, 80, 657-666.	2.0	71
1151	Maternal caregivers have confluence of altered cortisol, high reward-driven eating, and worse metabolic health. <i>PLoS ONE</i> , 2019, 14, e0216541.	1.1	9
1152	Neuroticism and chronicity as predictors of 9-year course of individual depressive symptoms. <i>Journal of Affective Disorders</i> , 2019, 252, 484-492.	2.0	15
1153	Sarcopenic obesity predicts nonremission of late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1226-1234.	1.3	17
1154	Neuroimaging Correlates of Suicidality in Decision-Making Circuits in Posttraumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2019, 10, 44.	1.3	16
1155	Diagnostic and symptom interviews for adults. , 2019, , 355-393.		2
1156	Patient constructive learning behavior in cognitive therapy: A pathway for improving patient memory for treatment?. <i>Behaviour Research and Therapy</i> , 2019, 116, 80-89.	1.6	10
1157	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 858.	3.8	88
1158	A Mindfulness-Based Intervention for Low-Income African American Women with Depressive Symptoms Delivered by an Experienced Instructor Versus a Novice Instructor. <i>Journal of Alternative and Complementary Medicine</i> , 2019, 25, 699-708.	2.1	14
1159	Genetic and environmental influences on circulating NK and T cells and their relation to bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 4.	0.8	10
1160	Sleep disturbances in schizophrenia spectrum and bipolar disorders – a transdiagnostic perspective. <i>Comprehensive Psychiatry</i> , 2019, 91, 6-12.	1.5	55
1161	Association between leptin levels and severity of suicidal behaviour in schizophrenia spectrum disorders. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 464-471.	2.2	15
1162	The GET READY relapse prevention programme for anxiety and depression: a mixed-methods study protocol. <i>BMC Psychiatry</i> , 2019, 19, 64.	1.1	7

#	ARTICLE	IF	CITATIONS
1163	Concomitant medication use and clinical outcome of repetitive Transcranial Magnetic Stimulation (rTMS) treatment of Major Depressive Disorder. <i>Brain and Behavior</i> , 2019, 9, e01275.	1.0	72
1164	Differential associations of locus of control with anxiety, depression and life-events: A five-wave, nine-year study to test stability and change. <i>Journal of Affective Disorders</i> , 2019, 253, 26-34.	2.0	51
1165	The effect of adjunctive nutraceuticals in bipolar disorder: A systematic review of randomized placebo-controlled trials. <i>Journal of Affective Disorders</i> , 2019, 252, 334-349.	2.0	19
1166	Use of machine learning in predicting clinical response to transcranial magnetic stimulation in comorbid posttraumatic stress disorder and major depression: A resting state electroencephalography study. <i>Journal of Affective Disorders</i> , 2019, 252, 47-54.	2.0	51
1167	Evaluating the evidence for biotypes of depression: Methodological replication and extension of. <i>NeuroImage: Clinical</i> , 2019, 22, 101796.	1.4	232
1168	Predicting clinical course in major depressive disorder: The association between DM–TRD score and symptom severity over time in 1115 outpatients. <i>Depression and Anxiety</i> , 2019, 36, 345-352.	2.0	16
1169	Network dynamics of positive and negative affect in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 249, 270-277.	2.0	27
1170	The predictive value of neural reward processing on exposure therapy outcome: Results from a randomized controlled trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 339-346.	2.5	8
1171	Trajectories of Response to Dorsolateral Prefrontal rTMS in Major Depression: A THREE-D Study. <i>American Journal of Psychiatry</i> , 2019, 176, 367-375.	4.0	93
1172	Effects of Mindfulness-Based Cognitive Therapy on a Behavioural Measure of Rumination in Patients with Chronic, Treatment-Resistant Depression. <i>Cognitive Therapy and Research</i> , 2019, 43, 666-678.	1.2	14
1173	Heart Rate Variability as Indicator of Clinical State in Depression. <i>Frontiers in Psychiatry</i> , 2018, 9, 735.	1.3	107
1174	Microbes and Monoamines: Potential Neuropsychiatric Consequences of Dysbiosis. <i>Trends in Neurosciences</i> , 2019, 42, 151-163.	4.2	27
1175	The Role of Dyadic Discord in Outcomes in Acute Phase Cognitive Therapy for Adults With Recurrent Major Depressive Disorder. <i>Behavior Therapy</i> , 2019, 50, 778-790.	1.3	4
1176	Poor Postpartum Sleep Quality Predicts Subsequent Postpartum Depressive Symptoms in a High-Risk Sample. <i>Journal of Clinical Sleep Medicine</i> , 2019, 15, 1303-1310.	1.4	19
1177	Prevalence of Clinical Depression Among Patients After Shoulder Stabilization. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1628-1635.	1.4	19
1178	Functional electrical stimulation of the facial muscles to improve symptoms in individuals with major depressive disorder: pilot feasibility study. <i>BioMedical Engineering OnLine</i> , 2019, 18, 109.	1.3	7
1179	The impact of depression and anxiety treatment on biological aging and metabolic stress: study protocol of the Mood treatment with antidepressants or running (MOTAR) study. <i>BMC Psychiatry</i> , 2019, 19, 425.	1.1	24
1180	Oral esketamine for treatment-resistant depression: rationale and design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 375.	1.1	21

#	ARTICLE	IF	CITATIONS
1181	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. <i>Frontiers in Psychiatry</i> , 2019, 10, 858.	1.3	11
1182	Higher S100B Levels Predict Persistently Elevated Anhedonia with Escitalopram Monotherapy Versus Antidepressant Combinations: Findings from CO-MED Trial. <i>Pharmaceuticals</i> , 2019, 12, 184.	1.7	10
1183	Neurocognitive working mechanisms of the prevention of relapse in remitted recurrent depression (NEWPRIDE): protocol of a randomized controlled neuroimaging trial of preventive cognitive therapy. <i>BMC Psychiatry</i> , 2019, 19, 409.	1.1	6
1184	Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). <i>BMC Psychiatry</i> , 2019, 19, 423.	1.1	11
1185	Comparative responsiveness of generic versus disorder-specific instruments for depression: An assessment in three longitudinal datasets. <i>Depression and Anxiety</i> , 2019, 36, 93-102.	2.0	12
1186	Feasibility of Computerized Cognitive-Behavioral Therapy Combined With Bifrontal Transcranial Direct Current Stimulation for Treatment of Major Depression. <i>Neuromodulation</i> , 2019, 22, 898-903.	0.4	25
1187	Depression and eating styles are independently associated with dietary intake. <i>Appetite</i> , 2019, 134, 103-110.	1.8	49
1188	Validity of the WHIPLASHED as a tool to identify bipolar disorder in women. <i>Journal of Affective Disorders</i> , 2019, 246, 69-73.	2.0	5
1189	Partner criticism during acute-phase cognitive therapy for recurrent major depressive disorder. <i>Behaviour Research and Therapy</i> , 2019, 113, 48-56.	1.6	3
1190	Validity of the Birchwood insight scale in patients with schizophrenia spectrum- and bipolar disorders. <i>Psychiatry Research</i> , 2019, 272, 715-722.	1.7	8
1191	Unraveling the association between depression and telomere length using genomics. <i>Psychoneuroendocrinology</i> , 2019, 102, 121-127.	1.3	15
1192	Persistent fatigue induced by interferon-alpha: a novel, inflammation-based, proxy model of chronic fatigue syndrome. <i>Psychoneuroendocrinology</i> , 2019, 100, 276-285.	1.3	62
1193	Combined sleep deprivation and light therapy: Clinical treatment outcomes in patients with complex unipolar and bipolar depression. <i>Journal of Affective Disorders</i> , 2019, 246, 727-730.	2.0	21
1194	Stress resilience: Narrative identity may buffer the longitudinal effects of chronic caregiving stress on mental health and telomere shortening. <i>Brain, Behavior, and Immunity</i> , 2019, 77, 101-109.	2.0	24
1195	Do bipolar disorder soft signs impact outcomes following Transcranial Magnetic Stimulation (TMS) therapy for depression?. <i>Journal of Affective Disorders</i> , 2019, 245, 237-240.	2.0	0
1196	Severity, course trajectory, and within-person variability of individual symptoms in patients with major depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 194-205.	2.2	35
1197	Affective variability in depression: Revisiting the inertia-instability paradox. <i>British Journal of Psychology</i> , 2019, 110, 814-827.	1.2	49
1198	Impact of acute sleep restriction on cerebral glucose metabolism during recovery non-rapid eye movement sleep among individuals with primary insomnia and good sleeper controls. <i>Sleep Medicine</i> , 2019, 55, 81-91.	0.8	9

#	ARTICLE	IF	CITATIONS
1199	Plasma and cerebrospinal fluid inflammatory cytokines in perinatal depression. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 271.e1-271.e10.	0.7	35
1200	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. <i>Biological Psychiatry</i> , 2019, 85, 829-837.	0.7	134
1201	Comparing factor structures of depressed patients with and without suicidal ideation, a measurement invariance analysis. <i>Journal of Affective Disorders</i> , 2019, 245, 180-187.	2.0	14
1202	From laboratory to life: associating brain reward processing with real-life motivated behaviour and symptoms of depression in non-help-seeking young adults. <i>Psychological Medicine</i> , 2019, 49, 2441-2451.	2.7	49
1203	Repetitive negative thinking as a mediator in prospective cross-disorder associations between anxiety and depression disorders and their symptoms. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2019, 63, 6-11.	0.6	24
1204	Not urbanization level but socioeconomic, physical and social neighbourhood characteristics are associated with presence and severity of depressive and anxiety disorders. <i>Psychological Medicine</i> , 2019, 49, 149-161.	2.7	81
1205	Apathy Is Associated With Greater Decline in Subjective, but not in Objective Measures of Physical Functioning in Older People Without Dementia. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 254-260.	1.7	11
1206	Satisficing in Mental Health Care Patients: The Effect of Cognitive Symptoms on Self-Report Data Quality. <i>Assessment</i> , 2020, 27, 178-193.	1.9	16
1207	Vitamin D deficiency and course of frailty in a depressed older population. <i>Aging and Mental Health</i> , 2020, 24, 49-55.	1.5	6
1208	Extended Nicotine Patch Treatment Among Smokers With and Without Comorbid Psychopathology. <i>Nicotine and Tobacco Research</i> , 2020, 22, 24-31.	1.4	3
1209	Associations between coping style, illness perceptions and self-reported symptoms after mild traumatic brain injury in prospectively studied pre-morbidly healthy individuals. <i>Neuropsychological Rehabilitation</i> , 2020, 30, 1115-1128.	1.0	12
1210	Do interpersonal fears mediate the association between childhood maltreatment and interpersonal skills deficits? A matched cross-sectional analysis. <i>Psychotherapy Research</i> , 2020, 30, 267-278.	1.1	15
1211	A longitudinal study of the impact of social network size and loneliness on cognitive performance in depressed older adults. <i>Aging and Mental Health</i> , 2020, 24, 889-897.	1.5	23
1212	Association of food groups with depression and anxiety disorders. <i>European Journal of Nutrition</i> , 2020, 59, 767-778.	1.8	66
1213	Metabolic dysfunctions in the kynurenine pathway, noradrenergic and purine metabolism in schizophrenia and bipolar disorders. <i>Psychological Medicine</i> , 2020, 50, 595-606.	2.7	23
1214	What does plasma CRP tell us about peripheral and central inflammation in depression?. <i>Molecular Psychiatry</i> , 2020, 25, 1301-1311.	4.1	251
1215	Do sleep disturbances contribute to cognitive impairments in schizophrenia spectrum and bipolar disorders?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 749-759.	1.8	24
1216	Long-Term Outcome of Treatment for Persistent Depressive Disorder: A Naturalistic Follow-Up Study. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 54-55.	4.0	2

#	ARTICLE	IF	CITATIONS
1217	Curcumin for depression: a meta-analysis. <i>Critical Reviews in Food Science and Nutrition</i> , 2020, 60, 2643-2653.	5.4	97
1218	Association of <i>a priori</i> dietary patterns with depressive symptoms: a harmonised meta-analysis of observational studies. <i>Psychological Medicine</i> , 2020, 50, 1872-1883.	2.7	51
1219	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. <i>Behaviour Research and Therapy</i> , 2020, 124, 103512.	1.6	9
1220	Dose increase of S-Adenosyl-Methionine and escitalopram in a randomized clinical trial for major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 262, 118-125.	2.0	8
1221	Establishing the dose of memory support to improve patient memory for treatment and treatment outcome. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2020, 68, 101526.	0.6	9
1222	Differential effects of state and trait social anhedonia on suicidal ideation at 3-months follow up. <i>Journal of Affective Disorders</i> , 2020, 262, 23-30.	2.0	15
1223	Effectiveness of intensive treatment services for obsessive compulsive disorder: outcomes from the first Canadian residential treatment program. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 59-67.	1.2	6
1224	Autism and depression are connected: A report of two complimentary network studies. <i>Autism</i> , 2020, 24, 680-692.	2.4	21
1225	Understanding the severity of depression: do nondepressive symptoms influence global ratings of depression severity?. <i>CNS Spectrums</i> , 2020, 25, 557-560.	0.7	1
1226	Using network analysis to examine links between individual depressive symptoms, inflammatory markers, and covariates. <i>Psychological Medicine</i> , 2020, 50, 2682-2690.	2.7	133
1227	Assessing life balance of European people with multiple sclerosis: A multicenter clinimetric study within the RIMS network. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 39, 101879.	0.9	2
1228	A clinical staging approach to improving diagnostics in anxiety disorders: Is it the way to go?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 173-184.	1.3	15
1229	Network outcome analysis identifies difficulty initiating sleep as a primary target for prevention of depression: a 6-year prospective study. <i>Sleep</i> , 2020, 43, .	0.6	49
1230	Do Cognitive Therapy Skills Neutralize Lifetime Stress to Improve Treatment Outcomes in Recurrent Depression?. <i>Behavior Therapy</i> , 2020, 51, 739-752.	1.3	4
1231	Group Cognitive Behavioural Analysis System of Psychotherapy (CBASP) for persistently depressed outpatients: a retrospective chart review. <i>British Journal of Clinical Psychology</i> , 2020, 59, 552-564.	1.7	3
1232	Peripheral vascular endothelial growth factor changes after transcranial magnetic stimulation in treatment-resistant depression. <i>NeuroReport</i> , 2020, 31, 1121-1127.	0.6	9
1233	Kynurenine pathway metabolites selectively associate with impaired associative memory function in depression. <i>Brain, Behavior, & Immunity - Health</i> , 2020, 8, 100126.	1.3	5
1234	Strategies for augmentation of high-frequency left-sided repetitive transcranial magnetic stimulation treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 277, 964-969.	2.0	15

#	ARTICLE	IF	CITATIONS
1235	A Secondary Analysis on Effects of Theta Burst Transcranial Magnetic Stimulation to Reduce Anger in Veterans With Posttraumatic Stress Disorder. <i>Neuromodulation</i> , 2021, 24, 870-878.	0.4	2
1236	Efficacy of emotion-regulating improvisational music therapy to reduce depressive symptoms in young adult students: A multiple-case study design. <i>Arts in Psychotherapy</i> , 2020, 71, 101720.	0.6	12
1237	Neurocognitive performance of repeated versus single intravenous subanesthetic ketamine in treatment resistant depression. <i>Journal of Affective Disorders</i> , 2020, 277, 470-477.	2.0	29
1238	Relationship of comorbid personality disorders to prospective outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 276, 147-151.	2.0	8
1239	Preoperational Thinking as a Measure of Social Cognition Is Associated With Long-Term Course of Depressive Symptoms. A Longitudinal Study Involving Patients With Depression and Healthy Controls. <i>Frontiers in Psychiatry</i> , 2020, 11, 652.	1.3	9
1240	The concept and management of acute episodes of treatment-resistant bipolar disorder: a systematic review and exploratory meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2020, 276, 970-983.	2.0	43
1241	Negative memory bias as a transdiagnostic cognitive marker for depression symptom severity. <i>Journal of Affective Disorders</i> , 2020, 274, 1165-1172.	2.0	23
1242	The association of changes in repetitive negative thinking with changes in depression and anxiety. <i>Journal of Affective Disorders</i> , 2020, 275, 157-164.	2.0	13
1243	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. <i>Translational Psychiatry</i> , 2020, 10, 235.	2.4	48
1244	The clinical effectiveness of an algorithm-guided treatment program for depression in specialized mental healthcare: A comparison with efficacy trials. <i>Journal of Affective Disorders</i> , 2020, 275, 216-223.	2.0	5
1245	Association of pro-inflammatory cytokines with clinical features in euthymic patients with Bipolar-I-Disorder. <i>Journal of Affective Disorders</i> , 2020, 277, 450-455.	2.0	5
1246	Do patients' cognitive therapy skills predict personality change during treatment of depression?. <i>Behaviour Research and Therapy</i> , 2020, 133, 103695.	1.6	3
1247	Relationship of a big five personality questionnaire to the symptoms of affective disorders. <i>Journal of Affective Disorders</i> , 2020, 277, 14-20.	2.0	12
1248	A two-site, open-label, non-randomized trial comparing Focal Electrically-Administered Seizure Therapy (FEAST) and right unilateral ultrabrief pulse electroconvulsive therapy (RUL-UBP ECT). <i>Brain Stimulation</i> , 2020, 13, 1416-1425.	0.7	18
1249	Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. <i>Translational Psychiatry</i> , 2020, 10, 259.	2.4	31
1250	Depression and suicidality: A link to premature T helper cell aging and increased Th17 cells. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 603-609.	2.0	57
1251	Effects of food-related behavioral activation therapy on eating styles, diet quality and body weight change: Results from the MoodFOOD Randomized Clinical Trial. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110206.	1.2	10
1252	Insomnia and Susceptibility to Depressive Symptoms and Fatigue in Diverse Breast Cancer Survivors. <i>Journal of Women's Health</i> , 2021, 30, 1604-1615.	1.5	16

#	ARTICLE	IF	CITATIONS
1253	Comparison of sleep-wake rhythms in elderly persons with intellectual disabilities and the general population. <i>Sleep Medicine</i> , 2020, 76, 148-154.	0.8	7
1254	Group Cognitive Behavioral Analysis System of Psychotherapy (CBASP): A Pilot Study for Bipolar Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 565681.	1.3	2
1255	Atypical social reward anticipation as a transdiagnostic characteristic of psychopathology: A meta-analytic review and critical evaluation of current evidence. <i>Clinical Psychology Review</i> , 2020, 82, 101942.	6.0	12
1256	Childhood maltreatment and impact on clinical features of major depression in adults. <i>Psychiatry Research</i> , 2020, 293, 113412.	1.7	26
1257	The clinical characterization of the adult patient with depression aimed at personalization of management. <i>World Psychiatry</i> , 2020, 19, 269-293.	4.8	174
1258	Childhood trauma, suicide risk and inflammatory phenotypes of depression: insights from monocyte gene expression. <i>Translational Psychiatry</i> , 2020, 10, 296.	2.4	37
1259	Naltrexone modulates contextual processing in depression. <i>Neuropsychopharmacology</i> , 2020, 45, 2070-2078.	2.8	3
1260	The role of borderline personality disorder symptoms on absenteeism & work performance in the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , 2020, 20, 414.	1.1	7
1261	Effectiveness of clinical decision support systems and telemedicine on outcomes of depression: a cluster randomized trial in general practice. <i>Family Practice</i> , 2020, 37, 731-737.	0.8	12
1262	Modulation of visual processing of food by transcutaneous vagus nerve stimulation (tVNS). <i>Brain Imaging and Behavior</i> , 2021, 15, 1886-1897.	1.1	10
1263	Seasonality of mood and affect in a large general population sample. <i>PLoS ONE</i> , 2020, 15, e0239033.	1.1	19
1264	Supplementation-induced increase in circulating omega-3 serum levels is not associated with a reduction in depressive symptoms: Results from the MoodFOOD depression prevention trial. <i>Depression and Anxiety</i> , 2020, 37, 1079-1088.	2.0	7
1265	The relationship between resting-state functional connectivity, antidepressant discontinuation and depression relapse. <i>Scientific Reports</i> , 2020, 10, 22346.	1.6	14
1266	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 607300.	1.3	5
1267	Exercise enhances: study protocol of a randomized controlled trial on aerobic exercise as depression treatment augmentation. <i>BMC Psychiatry</i> , 2020, 20, 585.	1.1	10
1268	Differences in course of illness between patients with bipolar II disorder with and without epileptiform discharges or other sharp activity on electroencephalograms: a cross-sectional study. <i>BMC Psychiatry</i> , 2020, 20, 582.	1.1	3
1269	Loneliness, social network size, and mortality in older adults and the role of cortisol. <i>Aging and Mental Health</i> , 2020, 25, 1-9.	1.5	8
1270	Associations of Non-Alcoholic Beverages with Major Depressive Disorder History and Depressive Symptoms Clusters in a Sample of Overweight Adults. <i>Nutrients</i> , 2020, 12, 3202.	1.7	11

#	ARTICLE	IF	CITATIONS
1271	Melatonin suppression by melanopsin-weighted light in patients with bipolar I disorder compared to healthy controls. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 79-87.	1.4	14
1272	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. <i>Journal of Affective Disorders</i> , 2020, 272, 152-157.	2.0	4
1273	Modeling the symptoms of psychopathology: A pluralistic approach. <i>New Ideas in Psychology</i> , 2020, 59, 100799.	1.2	7
1274	It is a family affair: individual experiences and sibling exposure to emotional, physical and sexual abuse and the impact on adult depressive symptoms. <i>Psychological Medicine</i> , 2021, 51, 2063-2073.	2.7	9
1275	Cognitive Heterogeneity across Schizophrenia and Bipolar Disorder: A Cluster Analysis of Intellectual Trajectories. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 860-872.	1.2	31
1276	Protocol Across study: longitudinal transdiagnostic cognitive functioning, psychiatric symptoms, and biological parameters in patients with a psychiatric disorder. <i>BMC Psychiatry</i> , 2020, 20, 212.	1.1	7
1277	Pharmacological Augmentation in Unipolar Depression: A Guide to the Guidelines. <i>International Journal of Neuropsychopharmacology</i> , 2020, 23, 587-625.	1.0	41
1278	Getting under the skin: Does biology help predict chronicity of depression?. <i>Journal of Affective Disorders</i> , 2020, 274, 1013-1021.	2.0	3
1279	Challenging the negative learning bias hypothesis of depression: reversal learning in a naturalistic psychiatric sample. <i>Psychological Medicine</i> , 2022, 52, 303-313.	2.7	14
1280	An observational study of the association between sleep disturbance, fatigue and cognition in the post-acute period after mild traumatic brain injury in prospectively studied premorbidly healthy adults. <i>Neuropsychological Rehabilitation</i> , 2021, 31, 1444-1465.	1.0	4
1281	Associations between depressive symptom profiles and immunometabolic characteristics in individuals with depression and their siblings. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 128-138.	1.3	6
1282	Vasopressin Surrogate Marker Copeptin as a Potential Novel Endocrine Biomarker for Antidepressant Treatment Response in Major Depression: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 453.	1.3	10
1283	Positive and negative valence systems in major depression have distinct clinical features, response to antidepressants, and relationships with immunomarkers. <i>Depression and Anxiety</i> , 2020, 37, 771-783.	2.0	22
1284	Cortical Thickness in Dutch Police Officers: An Examination of Factors Associated with Resilience. <i>Journal of Traumatic Stress</i> , 2020, 33, 181-189.	1.0	1
1285	Efficacy of the interpersonal and social rhythm therapy (IPSRT) in patients with bipolar disorder: results from a real-world, controlled trial. <i>Annals of General Psychiatry</i> , 2020, 19, 15.	1.2	22
1286	Prenatal antidepressant exposures and gastrointestinal complaints in childhood: A gut-brain axis connection?. <i>Developmental Psychobiology</i> , 2020, 62, 816-828.	0.9	14
1287	A randomized, double-blind, active placebo-controlled study of efficacy, safety, and durability of repeated vs single subanesthetic ketamine for treatment-resistant depression. <i>Translational Psychiatry</i> , 2020, 10, 206.	2.4	51
1288	The influence of age-of-onset of antidepressant use on the acute CBF response to a citalopram challenge; a pharmacological MRI study. <i>Psychiatry Research - Neuroimaging</i> , 2020, 303, 111126.	0.9	2

#	ARTICLE	IF	CITATIONS
1289	Affective lability across psychosis spectrum disorders. <i>European Psychiatry</i> , 2020, 63, e53.	0.1	17
1290	Familial risk for depressive and anxiety disorders: associations with genetic, clinical, and psychosocial vulnerabilities. <i>Psychological Medicine</i> , 2022, 52, 696-706.	2.7	7
1291	Subtyping late-life depression according to inflammatory and metabolic dysregulation: a prospective study. <i>Psychological Medicine</i> , 2022, 52, 515-525.	2.7	13
1292	Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). <i>Behaviour Research and Therapy</i> , 2020, 128, 103592.	1.6	32
1293	Bidirectional longitudinal associations of omega-3 polyunsaturated fatty acid plasma levels with depressive disorders. <i>Journal of Psychiatric Research</i> , 2020, 124, 1-8.	1.5	13
1294	Computational Mechanisms of Effort and Reward Decisions in Patients With Depression and Their Association With Relapse After Antidepressant Discontinuation. <i>JAMA Psychiatry</i> , 2020, 77, 513.	6.0	53
1295	A Holistic Client Functioning Profile Comparison of People With Serious Mental Illness. <i>Journal of Counseling and Development</i> , 2020, 98, 3-16.	1.3	4
1296	One-year clinical outcomes following theta burst stimulation for post-traumatic stress disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 940-946.	2.8	30
1297	Stability and transition of depression subtypes in late life. <i>Journal of Affective Disorders</i> , 2020, 265, 445-452.	2.0	8
1298	<p>Management of Treatment-Resistant Depression: Challenges and Strategies</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 221-234.	1.0	189
1299	Psychedelics and psychological flexibility â€œ Results of a prospective web-survey using the Acceptance and Action Questionnaire II. <i>Journal of Contextual Behavioral Science</i> , 2020, 16, 37-44.	1.3	28
1300	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 174-183.	2.0	85
1301	Physiological stress markers, mental health and objective physical function. <i>Journal of Psychosomatic Research</i> , 2020, 133, 109996.	1.2	13
1302	Affect fluctuations examined with ecological momentary assessment in patients with current or remitted depression and anxiety disorders. <i>Psychological Medicine</i> , 2021, 51, 1906-1915.	2.7	43
1303	Suicidal ideation and suicide attempts: associations with sleep duration, insomnia, and inflammation. <i>Psychological Medicine</i> , 2021, 51, 2094-2103.	2.7	47
1304	A cognitive behavioural group therapy for bipolar disorder using daily mood monitoring. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 515-529.	0.9	3
1305	The Hamilton Rating Scales for Depression: A Critical Review of Clinimetric Properties of Different Versions. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 133-150.	4.0	133
1306	Structured review of the use of the Arizona sexual experiences scale in clinical settings. <i>Human Psychopharmacology</i> , 2020, 35, e2730.	0.7	21

#	ARTICLE	IF	CITATIONS
1307	Sleep disturbance mediates the link between childhood trauma and clinical outcome in severe mental disorders. <i>Psychological Medicine</i> , 2021, 51, 2337-2346.	2.7	22
1308	Internet-guided cognitive, behavioral and chronobiological interventions in depression-prone insomnia subtypes: protocol of a randomized controlled prevention trial. <i>BMC Psychiatry</i> , 2020, 20, 163.	1.1	9
1309	Is twice daily LF-rTMS a viable treatment option for treatment-resistant OCD? Results from an open-label feasibility study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 211-214.	1.8	5
1310	Changes in functional connectivity after theta-burst transcranial magnetic stimulation for post-traumatic stress disorder: a machine-learning study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 29-37.	1.8	13
1311	Quality of life after response to acute-phase cognitive therapy for recurrent depression. <i>Journal of Affective Disorders</i> , 2021, 278, 218-225.	2.0	6
1312	How handling extreme C-reactive protein (CRP) values and regularization influences CRP and depression criteria associations in network analyses. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 393-403.	2.0	42
1313	Negative Learning Bias in Depression Revisited: Enhanced Neural Response to Surprising Reward Across Psychiatric Disorders. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 280-289.	1.1	4
1314	Sensitivity to change of the Beck Depression Inventory versus the Inventory of Depressive Symptoms. <i>Journal of Affective Disorders</i> , 2021, 281, 338-341.	2.0	3
1315	Why some siblings thrive whereas others struggle: A within-family study on recollections of childhood parental bonding and current adult depressive and anxiety symptoms. <i>Journal of Affective Disorders</i> , 2021, 281, 413-421.	2.0	3
1316	Anxiety in Late-Life Depression: Determinants of the Course of Anxiety and Complete Remission. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 336-347.	0.6	9
1317	Suicide ideation versus suicide attempt: Examining overlapping and differential determinants in a large cohort of patients with depression and/or anxiety. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 167-179.	1.3	33
1318	Clinical characteristics of late-life depression predicting mortality. <i>Aging and Mental Health</i> , 2021, 25, 476-483.	1.5	21
1319	Dorsal attention network centrality increases during recovery from acute stress exposure. <i>NeuroImage: Clinical</i> , 2021, 31, 102721.	1.4	6
1320	Cognitive complaint and objective cognition during the post-acute period after mild traumatic brain injury in pre-morbidly healthy adults. <i>Brain Injury</i> , 2021, 35, 103-113.	0.6	12
1321	Investigating the Effect of Fatigue and Psychological Distress on Information Processing Speed in the Postacute Period After Mild Traumatic Brain Injury in Premorbidly Healthy Adults. <i>Archives of Clinical Neuropsychology</i> , 2021, 36, 918-920.	0.3	3
1322	Is a Negative Attentional Bias in Individuals with Autism Spectrum Disorder Explained by Comorbid Depression? An Eye-Tracking Study. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 4213-4226.	1.7	4
1323	The contributions of focused attention and open monitoring in mindfulness-based cognitive therapy for affective disturbances: A 3-armed randomized dismantling trial. <i>PLoS ONE</i> , 2021, 16, e0244838.	1.1	11
1324	Childhood trauma and cardiometabolic risk in severe mental disorders: The mediating role of cognitive control. <i>European Psychiatry</i> , 2021, 64, e24.	0.1	5

#	ARTICLE	IF	CITATIONS
1325	Phenotype Network and Brain Structural Covariance Network of Major Depression. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1305, 3-18.	0.8	7
1326	Sex-Specific Moderation Effect of Age on the Associations Between Insomnia Symptoms and Various Psychological Distresses. <i>Nature and Science of Sleep</i> , 2021, Volume 13, 93-102.	1.4	3
1327	Anger and cluster B personality traits and the conversion from unipolar depression to bipolar disorder. <i>Depression and Anxiety</i> , 2021, 38, 671-681.	2.0	6
1328	An integrative study of five biological clocks in somatic and mental health. <i>ELife</i> , 2021, 10, .	2.8	52
1329	Plasma androgens and the presence and course of depression in a large cohort of women. <i>Translational Psychiatry</i> , 2021, 11, 124.	2.4	7
1330	The Effect of Alexithymia on Attentional Bias Toward Emotional Stimuli in Depression: An Eye-Tracking Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 569946.	1.3	3
1331	Construct validity and psychosocial correlates of the Italian version of the 21-item Medical Interview Satisfaction Scale in primary care. <i>BJPsych Open</i> , 2021, 7, e57.	0.3	2
1332	A prospective study into change of vitamin D levels, depression and frailty among depressed older persons. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1029-1036.	1.3	8
1333	Toxoplasma gondii seropositivity in patients with depressive and anxiety disorders. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 11, 100197.	1.3	3
1334	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e20700.	2.1	11
1335	¼ Opioid Antagonist Naltrexone Partially Abolishes the Antidepressant Placebo Effect and Reduces Orbitofrontal Cortex Encoding of Reinforcement. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 1002-1012.	1.1	4
1336	The efficacy and acceptability of curcumin for the treatment of depression or depressive symptoms: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2021, 282, 242-251.	2.0	12
1337	Personalized ESM monitoring and feedback to support psychological treatment for depression: a pragmatic randomized controlled trial (Therap-i). <i>BMC Psychiatry</i> , 2021, 21, 143.	1.1	26
1338	The long shadow of childhood trauma for depression in midlife: examining daily psychological stress processes as a persistent risk pathway. <i>Psychological Medicine</i> , 2022, 52, 4029-4038.	2.7	6
1339	Treatment Differences in Primary and Specialty Settings in Veterans with Major Depression. <i>Journal of the American Board of Family Medicine</i> , 2021, 34, 268-290.	0.8	7
1340	The Anaesthetic Biobank of Cerebrospinal fluid: a unique repository for neuroscientific biomarker research. <i>Annals of Translational Medicine</i> , 2021, 9, 455-455.	0.7	7
1341	Prevalence, course, and determinants of suicide ideation and attempts in patients with a depressive and/or anxiety disorder: A review of NESDA findings. <i>Journal of Affective Disorders</i> , 2021, 283, 267-277.	2.0	39
1342	Multimodal Elements of Suicidality Reduction After Transcranial Magnetic Stimulation. <i>Neuromodulation</i> , 2021, 24, 930-937.	0.4	7

#	ARTICLE	IF	CITATIONS
1343	An integrated approach to understand biological stress system dysregulation across depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2021, 283, 139-146.	2.0	36
1344	Stability and Change in Relations Between Personality Traits and the Interpersonal Problems Circumplex During Cognitive Therapy for Recurrent Depression. <i>Assessment</i> , 2021, , 107319112110051.	1.9	0
1345	Phosphodiesterase 8A to discriminate in blood samples depressed patients and suicide attempters from healthy controls based on A-to-I RNA editing modifications. <i>Translational Psychiatry</i> , 2021, 11, 255.	2.4	6
1346	The Role of Impulsivity in Major Depression: A Systematic Review. <i>Current Behavioral Neuroscience Reports</i> , 2021, 8, 38-50.	0.6	8
1347	The longitudinal association between loneliness and depressive symptoms in the elderly: a systematic review. <i>International Psychogeriatrics</i> , 2022, 34, 657-669.	0.6	39
1348	Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , 2021, , 1-10.	2.7	5
1349	Understanding trajectories of underlying dimensions of posttraumatic psychopathology. <i>Journal of Affective Disorders</i> , 2021, 284, 75-84.	2.0	1
1350	Effectiveness of dialectical behavior therapy skills training group for adults with borderline personality disorder. <i>Journal of Clinical Psychology</i> , 2021, 77, 1573-1590.	1.0	8
1351	Does Late-Life Depression Counteract the Beneficial Effect of Physical Activity on Cognitive Decline? Results From the NESDO Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2022, 35, 450-459.	1.2	1
1352	How childhood trauma and recent adverse events are related to hair cortisol levels in a large adult cohort. <i>Psychoneuroendocrinology</i> , 2021, 126, 105150.	1.3	9
1353	â€œGrimAge,â€•an epigenetic predictor of mortality, is accelerated in major depressive disorder. <i>Translational Psychiatry</i> , 2021, 11, 193.	2.4	46
1354	Physical activity and childhood trauma experiences in patients with schizophrenia or bipolar disorders. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 637-645.	1.3	4
1355	An Examination of the Interpersonal Theory of Suicideâ€™s Tenets among Women with Bulimic-Spectrum Pathology. <i>Psychiatry (New York)</i> , 2021, 84, 137-149.	0.3	1
1356	Depressive and anxiety disorders in concertâ€•A synthesis of findings on comorbidity in the NESDA study. <i>Journal of Affective Disorders</i> , 2021, 284, 85-97.	2.0	43
1357	Predicting the 9-year course of mood and anxiety disorders with automated machine learning: A comparison between auto-sklearn, naïve Bayes classifier, and traditional logistic regression. <i>Psychiatry Research</i> , 2021, 299, 113823.	1.7	16
1359	The D*Phase-study: study protocol for a pragmatic two-phased, randomised controlled (non-inferiority) trial that addresses treatment non-response and compares cognitive behavioural therapy and short-term psychodynamic supportive psychotherapy for major depression. <i>BMC Psychiatry</i> . 2021. 21. 233.	1.1	1
1360	Defining and Measuring Meditation-Related Adverse Effects in Mindfulness-Based Programs. <i>Clinical Psychological Science</i> , 2021, 9, 1185-1204.	2.4	71
1361	Blood cytokines differentiate bipolar disorder and major depressive disorder during a major depressive episode: Initial discovery and independent sample replication. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 13, 100232.	1.3	6

#	ARTICLE	IF	CITATIONS
1362	Transcranial Magnetic Stimulation for Posttraumatic Stress Disorder and Major Depression: Comparing Commonly Used Clinical Protocols. <i>Journal of Traumatic Stress</i> , 2022, 35, 101-108.	1.0	10
1363	Metabolomic profiles discriminating anxiety from depression. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 178-193.	2.2	21
1364	Associations between depression, lifestyle and brain structure: A longitudinal MRI study. <i>NeuroImage</i> , 2021, 231, 117834.	2.1	23
1365	Efficacy of early warning signals and spectral periodicity for predicting transitions in bipolar patients: An actigraphy study. <i>Translational Psychiatry</i> , 2021, 11, 350.	2.4	11
1366	Supersensitivity of Patients With Bipolar I Disorder to Light-Induced Phase Delay by Narrow-Bandwidth Blue Light. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 28-35.	1.0	7
1367	Metabolomics dissection of depression heterogeneity and related cardiometabolic risk. <i>Psychological Medicine</i> , 2023, 53, 248-257.	2.7	10
1368	Patterns of discordance of physical functioning in older persons; different associations for apathy and depression? Results from the NESDO-study. <i>Aging and Mental Health</i> , 2022, 26, 1580-1588.	1.5	2
1369	Cytomegalovirus infection and IQ in patients with severe mental illness and healthy individuals. <i>Psychiatry Research</i> , 2021, 300, 113929.	1.7	7
1370	Temporal relationships between happiness and psychiatric disorders and their symptom severity in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , 2021, 21, 344.	1.1	1
1371	Contributing factors to advanced brain aging in depression and anxiety disorders. <i>Translational Psychiatry</i> , 2021, 11, 402.	2.4	31
1372	The effect of esketamine in patients with treatment-resistant depression with and without comorbid anxiety symptoms or disorder. <i>Depression and Anxiety</i> , 2021, 38, 1120-1130.	2.0	11
1373	Feasibility of emotion-regulating improvisational music therapy for young adult students with depressive symptoms: A process evaluation. <i>Nordic Journal of Music Therapy</i> , 0, , 1-20.	0.7	7
1374	Individual and common patterns in the order of symptom improvement during outpatient treatment for major depression. <i>Journal of Affective Disorders</i> , 2021, 290, 81-88.	2.0	7
1375	Plasma androgens and the presence and course of depression in a large cohort of men. <i>Psychoneuroendocrinology</i> , 2021, 130, 105278.	1.3	4
1376	Does Symptom Linkage Density Predict Outcomes in Cognitive Therapy for Recurrent Depression?. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2022, 44, 469-480.	0.7	2
1377	Effects of transcranial magnetic stimulation on anhedonia in treatment resistant major depressive disorder. <i>Brain and Behavior</i> , 2021, 11, e2329.	1.0	16
1378	Cytomegalovirus infection associated with smaller dentate gyrus in men with severe mental illness. <i>Brain, Behavior, and Immunity</i> , 2021, 96, 54-62.	2.0	13
1379	A Patient with Treatment-resistant Depression Who Achieved Remission with Heated Yoga: A Case Report. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , 2021, 12, 12-17.	0.3	0

#	ARTICLE	IF	CITATIONS
1381	Kynurenines increase MRS metabolites in basal ganglia and decrease resting-state connectivity in frontostriatal reward circuitry in depression. <i>Translational Psychiatry</i> , 2021, 11, 456.	2.4	8
1382	Personality traits beyond Neuroticism predict post-concussive symptomatology in the post-acute period after mild traumatic brain injury in premorbidly healthy adults. <i>Applied Neuropsychology Adult</i> , 2021, , 1-10.	0.7	3
1383	Heart Rate Variability Features as Predictors of Intermittent Theta-Burst Stimulation Response in Posttraumatic Stress Disorder. <i>Neuromodulation</i> , 2022, 25, 588-595.	0.4	9
1384	Heterogeneity in major depression and its melancholic and atypical specifiers: a secondary analysis of STAR*D. <i>BMC Psychiatry</i> , 2021, 21, 454.	1.1	8
1385	Hair cortisol, obesity and the immune system: Results from a 3 year longitudinal study. <i>Psychoneuroendocrinology</i> , 2021, 134, 105422.	1.3	7
1386	Factors associated with physical activity among COPD patients with mild or moderate airflow obstruction. <i>Monaldi Archives for Chest Disease</i> , 2021, , .	0.3	1
1387	Insulin resistance as a marker for the immune-metabolic subtype of depression. <i>Journal of Affective Disorders</i> , 2021, 295, 1371-1376.	2.0	6
1388	Empirical Evidence of the Metacognitive Model of Rumination and Depression in Clinical and Nonclinical Samples: A Systematic Review and Meta-Analysis. <i>Cognitive Therapy and Research</i> , 2022, 46, 367-392.	1.2	14
1389	Deconstructing recovery: A prospective study on well-being, symptom severity and acceptance in patients with major depressive disorders. <i>Journal of Affective Disorders</i> , 2021, 296, 653-659.	2.0	1
1390	Gut microbiome in adolescent depression. <i>Journal of Affective Disorders</i> , 2021, 292, 500-507.	2.0	22
1391	Common and specific determinants of 9-year depression and anxiety course-trajectories: A machine-learning investigation in the Netherlands Study of Depression and Anxiety (NESDA).. <i>Journal of Affective Disorders</i> , 2021, 293, 295-304.	2.0	7
1392	Neural signatures of saliency-mapping in anhedonia: A narrative review. <i>Psychiatry Research</i> , 2021, 304, 114123.	1.7	10
1393	The association between plasma tryptophan catabolites and depression: The role of symptom profiles and inflammation. <i>Brain, Behavior, and Immunity</i> , 2021, 97, 167-175.	2.0	38
1394	Familial resemblance in mental health symptoms, social and cognitive vulnerability, and personality: A study of patients with depressive and anxiety disorders and their siblings. <i>Journal of Affective Disorders</i> , 2021, 294, 420-429.	2.0	8
1395	Oral contraceptives, depressive and insomnia symptoms in adult women with and without depression. <i>Psychoneuroendocrinology</i> , 2021, 133, 105390.	1.3	9
1396	No antidepressant effects of low intensity transcranial pulsed electromagnetic fields for treatment resistant depression. <i>Journal of Affective Disorders</i> , 2021, 294, 679-685.	2.0	2
1397	The 9-year clinical course of depressive and anxiety disorders: New NESDA findings. <i>Journal of Affective Disorders</i> , 2021, 295, 1269-1279.	2.0	20
1398	Comorbid depression and treatment of anxiety disorders, OCD, and PTSD: Diagnosis versus severity. <i>Journal of Affective Disorders</i> , 2021, 295, 1005-1011.	2.0	5

#	ARTICLE	IF	CITATIONS
1399	Monocyte mitochondrial dysfunction, inflammaging, and inflammatory pyroptosis in major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110391.	2.5	43
1400	In Vivo Amygdala Nuclei Volumes in Schizophrenia and Bipolar Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 1431-1441.	2.3	33
1401	Understanding the Neurocomputational Mechanisms of Antidepressant Placebo Effects. <i>Journal of Psychiatry and Brain Science</i> , 2021, 6, .	0.3	0
1402	The role of depressive symptoms and symptom dimensions in actigraphy-assessed sleep, circadian rhythm, and physical activity. <i>Psychological Medicine</i> , 2022, 52, 2760-2766.	2.7	9
1403	Patient and physician perspectives of a smartphone application for depression: a qualitative study. <i>BMC Psychiatry</i> , 2021, 21, 65.	1.1	25
1404	Treatment of Atypical Depression With Cognitive Therapy or Phenelzine. <i>Archives of General Psychiatry</i> , 2000, 57, 1084.	13.8	5
1406	Tiagabine in the treatment of acute affective episodes in bipolar disorder. , 2006, , CD004694.		75
1411	AlgorithmusgestÃ¼tzte Behandlung. , 2005, , 459-476.		1
1413	Stepped Care and E-Health in Behavioral Managed Care. , 2011, , 263-281.		5
1414	Rating Scales for Depression. , 2009, , 7-35.		59
1415	Quality of Life and Rating Scales of Depression. <i>Handbook of Experimental Pharmacology</i> , 2004, , 149-167.	0.9	4
1416	Phenotype Network and Brain Structural Covariance Network of Anxiety. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1191, 21-34.	0.8	4
1418	Functional Restoration. , 2011, , 1912-1935.		2
1419	Smartphone-based ecological momentary assessment (EMA) in psychiatric patients and student controls: A real-world feasibility study. <i>Journal of Affective Disorders</i> , 2020, 274, 733-741.	2.0	52
1421	Essential CNS Drug Development. , 2012, , .		3
1422	An evaluation of the efficacy of two add-on ecological momentary intervention modules for depression in a pragmatic randomized controlled trial (ZELF-i). <i>Psychological Medicine</i> , 2022, 52, 2731-2740.	2.7	17
1424	Perceived Need for Care and Health Care Utilization Among Depressed and Anxious Patients With and Without Suicidal Ideation. <i>Crisis</i> , 2013, 34, 192-199.	0.9	9
1425	Outcome measures of depression.. , 0, , 191-245.		18

#	ARTICLE	IF	CITATIONS
1426	Elevated striatal reactivity across monetary and social rewards in bipolar I disorder.. Journal of Abnormal Psychology, 2015, 124, 890-904.	2.0	57
1427	The effect of depression on the decision to join a clinical trial.. Journal of Consulting and Clinical Psychology, 2017, 85, 751-756.	1.6	16
1428	Preventive cognitive therapy versus care as usual in cognitive behavioral therapy responders: A randomized controlled trial.. Journal of Consulting and Clinical Psychology, 2019, 87, 521-529.	1.6	14
1429	Estimating outcome probabilities from early symptom changes in cognitive therapy for recurrent depression.. Journal of Consulting and Clinical Psychology, 2019, 87, 510-520.	1.6	4
1430	Risk tolerance measured by probability discounting among individuals with primary mood and psychotic disorders.. Neuropsychology, 2019, 33, 417-424.	1.0	12
1431	The association between pain type, cognition and complaint after mild traumatic brain injury in prospectively studied pre-morbidly healthy adults admitted to hospital.. Neuropsychology, 2020, 34, 53-62.	1.0	5
1432	The development and validation of the Memory Support Rating Scale.. Psychological Assessment, 2016, 28, 715-725.	1.2	17
1433	Dissociative subtype of posttraumatic stress disorder or PTSD with comorbid dissociative disorders: Comparative evaluation of clinical profiles.. Psychological Trauma: Theory, Research, Practice, and Policy, 2020, 12, 38-45.	1.4	27
1434	Sequential improvement of anxiety, depression and anhedonia with sertraline treatment in patients with major depression. Journal of Clinical Pharmacy and Therapeutics, 2000, 25, 363-371.	0.7	34
1435	Psychotherapy and psychological assessment. Current Opinion in Psychiatry, 1997, 10, 486-493.	3.1	1
1436	A Multicenter, Double-Blind Comparison of the Effects of Nefazodone and Fluoxetine on Sleep Architecture and Quality of Sleep in Depressed Outpatients. Journal of Clinical Psychopharmacology, 1997, 17, 161-168.	0.7	83
1437	Serotonin transporter gene promoter polymorphisms modify the association between paroxetine serotonin transporter occupancy and clinical response in major depressive disorder. Pharmacogenetics and Genomics, 2009, 19, 67-76.	0.7	44
1438	Predictors of Out-of-Class Mindfulness Practice Adherence During and After a Mindfulness-Based Intervention. Psychosomatic Medicine, 2021, 83, 655-664.	1.3	12
1442	Redefining Affective Disorders: Relevance for Drug Development. CNS Neuroscience and Therapeutics, 2008, 14, 2-9.	1.9	37
1443	Age-related characteristics of depression: a preliminary STAR*D report. American Journal of Geriatric Psychiatry, 2005, 13, 852-60.	0.6	43
1444	A comparison of mirtazapine and nortriptyline following two consecutive failed medication treatments for depressed outpatients: a STAR*D report. American Journal of Psychiatry, 2006, 163, 1161-72.	4.0	167
1446	Antidepressant Use in Black and White Populations in the United States. Psychiatric Services, 2008, 59, 1131-1138.	1.1	50
1447	Bipolar offspring and mothers: interactional challenges at infant age 3 and 12 months? a developmental pathway to enhanced risk?. International Journal of Bipolar Disorders, 2020, 8, 27.	0.8	6

#	ARTICLE	IF	CITATIONS
1448	The Effects of a Group Exercise Intervention in the Adjunctive Treatment of Depression. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, S99.	0.2	2
1449	Can Variation in Hypothalamic-Pituitary-Adrenal (HPA)-Axis Activity Explain the Relationship between Depression and Cognition in Bipolar Patients?. <i>PLoS ONE</i> , 2012, 7, e37119.	1.1	16
1450	CACNA1C Risk Variant and Amygdala Activity in Bipolar Disorder, Schizophrenia and Healthy Controls. <i>PLoS ONE</i> , 2013, 8, e56970.	1.1	76
1451	How Does MBCT for Depression Work? Studying Cognitive and Affective Mediation Pathways. <i>PLoS ONE</i> , 2013, 8, e72778.	1.1	73
1452	The Association of Depression and Anxiety with Pain: A Study from NESDA. <i>PLoS ONE</i> , 2014, 9, e106907.	1.1	237
1453	The Epidemiology of Major Depressive Episode in the Iraqi General Population. <i>PLoS ONE</i> , 2015, 10, e0131937.	1.1	21
1454	Early Improvement in Psychosocial Function Predicts Longer-Term Symptomatic Remission in Depressed Patients. <i>PLoS ONE</i> , 2016, 11, e0167901.	1.1	26
1455	Plasma sterols and depressive symptom severity in a population-based cohort. <i>PLoS ONE</i> , 2017, 12, e0184382.	1.1	11
1456	The Inventory of Depressive Symptomatology Self Report (IDS-SR): Psychometric properties of the Indonesian version. <i>PLoS ONE</i> , 2017, 12, e0187009.	1.1	7
1457	Valence and agency influence striatal response to feedback in patients with major depressive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 394-400.	1.4	9
1458	Dorsolateral prefrontal $\hat{3}$ -aminobutyric acid in patients with treatment-resistant depression after transcranial magnetic stimulation measured with magnetic resonance spectroscopy. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 386-394.	1.4	29
1459	Sleep in Antarctica: from the Sleep Disturbances Towards All the Challenges. <i>Problems of Cryobiology and Cryomedicine</i> , 2020, 30, 3-23.	0.3	3
1460	Assessing Treatment Response of Glioblastoma to an HDAC Inhibitor Using Whole-Brain Spectroscopic MRI. <i>Tomography</i> , 2019, 5, 53-60.	0.8	23
1461	<p>The Long and Winding Road of Vagus Nerve Stimulation: Challenges in Developing an Intervention for Difficult-to-Treat Mood Disorders</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 3081-3093.	1.0	8
1462	What moderator characteristics are associated with better prognosis for depression?. <i>Neuropsychiatric Disease and Treatment</i> , 2005, 1, 51-57.	1.0	40
1463	Item response analysis of the inventory of depressive symptomatology. <i>Neuropsychiatric Disease and Treatment</i> , 2006, 2, 557-564.	1.0	12
1464	Should Unexplained Painful Physical Symptoms be Considered within the Spectrum of Depressive Symptoms?. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2015, 11, 130-139.	0.6	4
1465	Complaint-Directed Mini-Interventions for Depressive Symptoms: A Health Economic Evaluation of Unguided Web-Based Self-Help Interventions Based on a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e10455.	2.1	5

#	ARTICLE	IF	CITATIONS
1466	Efficacy of Acceptance and Commitment Therapy in Reducing Suicidal Ideation and Deliberate Self-Harm: Systematic Review. <i>JMIR Mental Health</i> , 2018, 5, e10732.	1.7	31
1467	Cost and Effectiveness of Blended Versus Standard Cognitive Behavioral Therapy for Outpatients With Depression in Routine Specialized Mental Health Care: Pilot Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2019, 21, e14261.	2.1	60
1468	Temporal Associations of Daily Changes in Sleep and Depression Core Symptoms in Patients Suffering From Major Depressive Disorder: Idiographic Time-Series Analysis. <i>JMIR Mental Health</i> , 2020, 7, e17071.	1.7	10
1469	Screening for Depression in Daily Life: Development and External Validation of a Prediction Model Based on Actigraphy and Experience Sampling Method. <i>Journal of Medical Internet Research</i> , 2020, 22, e22634.	2.1	15
1470	Complaint-Directed Mini-Interventions for Depressive Complaints: A Randomized Controlled Trial of Unguided Web-Based Self-Help Interventions. <i>Journal of Medical Internet Research</i> , 2017, 19, e4.	2.1	24
1471	Measurement-Based Care and Outcome Measures: Implications for Practice. <i>Medical Psychiatry</i> , 2009, , 127-137.	0.2	2
1472	Challenges in the development of clinical trials for major depressive disorder: lessons learned from trials in minor depression. <i>Dialogues in Clinical Neuroscience</i> , 2002, 4, 402-407.	1.8	2
1473	Impact of Antidepressant Continuation After Acute Positive or Partial Treatment Response for Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 450-457.	1.1	65
1474	The Importance of Childhood Trauma and Childhood Life Events for Chronicity of Depression in Adults. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 983-989.	1.1	271
1475	Associations Between Serum Lipids and Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 729-736.	1.1	102
1476	Identifying Depressive Subtypes in a Large Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1582-1589.	1.1	225
1477	Analysis of Suicidality in Pooled Data From 2 Double-Blind, Placebo-Controlled Aripiprazole Adjunctive Therapy Trials in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 548-555.	1.1	13
1478	Psychological Characteristics of Chronic Depression. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 288-294.	1.1	140
1479	Exercise as an Augmentation Treatment for Nonremitted Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 677-684.	1.1	177
1480	Do Suicidal Thoughts or Behaviors Recur During a Second Antidepressant Treatment Trial?. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1439-1442.	1.1	8
1481	Sleep Duration, but Not Insomnia, Predicts the 2-Year Course of Depressive and Anxiety Disorders. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 119-126.	1.1	81
1482	Depressive and Anxiety Disorders Predicting First Incidence of Alcohol Use Disorders. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 1233-1240.	1.1	46
1483	Impact of Childhood Life Events and Childhood Trauma on the Onset and Recurrence of Depressive and Anxiety Disorders. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 931-938.	1.1	91

#	ARTICLE	IF	CITATIONS
1484	Functional Versus Syndromal Recovery in Patients With Major Depressive Disorder and Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e809-e814.	1.1	62
1485	Efficacy and Safety of Adjunctive Brexpiprazole 2 mg in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 1224-1231.	1.1	137
1486	Adjunctive Brexpiprazole 1 and 3 mg for Patients With Major Depressive Disorder Following Inadequate Response to Antidepressants. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 1232-1240.	1.1	135
1487	Major Depressive Disorder: Treat the Disability, Not the Diagnosis. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e830-e831.	1.1	3
1488	Effects of Open-Label, Adjunctive Ganaxolone on Persistent Depression Despite Adequate Antidepressant Treatment in Postmenopausal Women. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	25
1489	Factors Associated With Suicide Attempts in 648 Patients With Bipolar Disorder in the Stanley Foundation Bipolar Network. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 506-515.	1.1	294
1490	Preliminary Observations on the Effectiveness of Levetiracetam in the Open Adjunctive Treatment of Refractory Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 370-374.	1.1	53
1491	Resilience in the Aftermath of Terrorism and During Warzone Exposure. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1156.	1.1	3
1492	The Level of Cardiovascular Risk Factors in Bipolar Disorder Equals That of Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 917-923.	1.1	164
1493	The Efficacy of Acute Electroconvulsive Therapy in Atypical Depression. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 406-411.	1.1	33
1494	Pharmacologic Treatment of Postpartum Women With New-Onset Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 659-665.	1.1	81
1495	Reduced Posterior Hippocampal Volume in Posttraumatic Stress Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1087-1091.	1.1	121
1496	Response to a Selective Serotonin Reuptake Inhibitor (Citalopram) in Major Depressive Disorder With Melancholic Features. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1847-1855.	1.1	91
1497	Do Depressed Patients With Diabetes Experience More Side Effects When Treated With Citalopram Than Their Counterparts Without Diabetes?. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009, 11, 186-196.	0.6	2
1498	A Computerized Decision Support System for Depression in Primary Care. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009, 11, 140-146.	0.6	43
1499	Naltrexone/Bupropion Combination Therapy in Overweight or Obese Patients With Major Depressive Disorder. <i>primary care companion for CNS disorders, The</i> , 2013, 15, .	0.2	23
1500	A Naturalistic Study of the Effectiveness of Pharmacogenetic Testing to Guide Treatment in Psychiatric Patients With Mood and Anxiety Disorders. <i>primary care companion for CNS disorders, The</i> , 2015, 17, .	0.2	19
1501	Clinical Features of Depression in Outpatients With and Without Co-Occurring General Medical Conditions in STAR*D. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2007, 09, 7-15.	0.6	56

#	ARTICLE	IF	CITATIONS
1502	Minimal Effect of Daytime Napping Behavior on Nocturnal Sleep in Pregnant Women. <i>Journal of Clinical Sleep Medicine</i> , 2015, 11, 635-643.	1.4	19
1503	The relationship of perceived severity of tinnitus with depression, anxiety, hearing status, age and gender in individuals with tinnitus. <i>International Tinnitus Journal</i> , 2013, 18, 29-34.	0.1	30
1504	Examining the Effectiveness of Gamification in Mental Health Apps for Depression: Systematic Review and Meta-analysis. <i>JMIR Mental Health</i> , 2021, 8, e32199.	1.7	34
1505	Exploring the Effects of In-App Components on Engagement With a Symptom-Tracking Platform Among Participants With Major Depressive Disorder (RADAR-Engage): Protocol for a 2-Armed Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e32653.	0.5	3
1506	Virtual reality cognitive-behavioural therapy versus cognitive-behavioural therapy for paranoid delusions: a study protocol for a single-blind multi-Centre randomised controlled superiority trial. <i>BMC Psychiatry</i> , 2021, 21, 496.	1.1	3
1507	The clinical and cost-effectiveness of a self-management intervention for patients with persistent depressive disorder and their partners/caregivers: study protocol of a multicenter pragmatic randomized controlled trial. <i>Trials</i> , 2021, 22, 731.	0.7	1
1509	Classification of Bipolar Disordersâ€™ Implications for Clinical Research. <i>Medical Psychiatry</i> , 2007, , 1-18.	0.2	0
1510	Pharmacological Approaches to Treatment-Resistant Depression. , 2008, , 621-634.		0
1511	Diagnostic Tools for Insomnia. , 2008, , 41-53.		0
1512	Rating Scales for Bipolar Disorder. , 2009, , 73-86.		0
1513	Outcomes in the Treatment of Major Depressive Disorder. <i>Medical Psychiatry</i> , 2009, , 22-53.	0.2	0
1514	Evaluation Instruments and Methodology. <i>Medical Psychiatry</i> , 2010, , 89-97.	0.2	0
1515	Clinical Assessment of Comorbid Insomnias: Insomnia in Psychiatric Disorders. <i>Medical Psychiatry</i> , 2010, , 126-138.	0.2	0
1519	Self-rating scales. , 2014, , 23-34.		2
1520	Observer rating scales. , 2014, , 7-22.		3
1521	Balancing Value and Cost. , 2014, , 169-198.		2
1523	Stemmingsstoornissen. , 2015, , 61-78.		2
1524	Depression diagnosis in patients with Parkinsonâ€™s disease using various diagnostic tools. <i>Aktualnosci Neurologiczne</i> , 2015, 15, 210-216.	0.1	0

#	ARTICLE	IF	CITATIONS
1525	Behavioral Health and Primary Care: A Status Report. primary care companion for CNS disorders, The, 2016, 18, .	0.2	0
1526	Anhedonia inÂdepressive disorders. Psychiatria I Psychologia Kliniczna, 2017, 17, 216-224.	0.3	2
1527	METHODS OF STUDYING THE DYNAMICS OF SOME SLEEP QUALITY INDEXES IN ANTARCTIC WINTERERS. Ukrainian Antarctic Journal, 2018, , 188-200.	0.1	1
1528	The Center for Epidemiologic Studies Depression (CES-D) Scale. , 2019, , 1-5.		0
1530	Profiling psychopathology of patients reporting early childhood trauma and emotional neglect: Support for a two-dimensional model?. Psychological Trauma: Theory, Research, Practice, and Policy, 2019, 11, 525-533.	1.4	2
1532	Impact of Medical Comorbidity in Biomarker Discovery for Major Depressive Disorder. Psychiatric Annals, 2020, 50, 239-243.	0.1	0
1534	Psychometric Properties of the Dutch Dimensional Obsessive-Compulsive Scale (DOCS). European Journal of Psychological Assessment, 0, , 1-10.	1.7	2
1536	Diurnal mood variation symptoms in major depressive disorder associated with evening chronotype: Evidence from a neuroimaging study. Journal of Affective Disorders, 2022, 298, 151-159.	2.0	6
1537	Sex predicts post-concussion symptom reporting, independently of fatigue and subjective sleep disturbance, in premorbidly healthy adults after mild traumatic brain injury. Neuropsychological Rehabilitation, 2023, 33, 173-188.	1.0	6
1539	An Examination of Psychomotor Disturbance in Current and Remitted MDD: An RDoC Study. Journal of Psychiatry and Brain Science, 2020, 5, .	0.3	12
1540	Parkinsonâ€™s disease rating scales: a literature review. Annals of Movement Disorders, 2020, 3, 3.	0.3	8
1541	The Validity of Inventory of Depressive Symptomatology, Self-report and the Association of Depression with Professional Help-seeking among Individuals with Social Anxiety Disorder. Taiwanese Journal of Psychiatry, 2020, 34, 188.	0.1	0
1544	ØšÛ,,Ø®ØµØšØ Øµ ØšÛ,,Ø³ÛÆÚ©Û~Û...Ø³Ø±ÛÆØ© Û,,Û,,Û...Û,ÛÆØšØ³ ØšÛ,,Û...Ø®Ø³ØµØ± Û,,Ø±Ø¹Ø±ØšØ± ØšÛ,,ØšÛ©Ø³Ø (QIDS-C16) in Saudi Arabian Patients. , 2020, 39, 536-552.	0.6	0
1551	Do depressed patients with diabetes experience more side effects when treated with Citalopram Than their counterparts without diabetes? a STAR*D study. Primary Care Companion To the Journal of Clinical Psychiatry, 2009, 11, 186-96.	0.6	0
1555	Discontinuing antidepressant medication after mindfulness-based cognitive therapy: a mixed-methods study exploring predictors and outcomes of different discontinuation trajectories, and its facilitators and barriers. BMJ Open, 2020, 10, e039053.	0.8	1
1556	Levels of depressed mood and low interest for two years after response to cognitive therapy for recurrent depression. Behaviour Research and Therapy, 2022, 148, 103996.	1.6	1
1557	Anterior cingulate cortex in individuals with depressive symptoms: A structural MRI study. Psychiatry Research - Neuroimaging, 2022, 319, 111420.	0.9	4
1558	Deep learning for depression recognition with audiovisual cues: A review. Information Fusion, 2022, 80, 56-86.	11.7	73

#	ARTICLE	IF	CITATIONS
1559	A Patient With Electroconvulsive Therapyâ€™resistant Major Depressive Disorder With a Full Response to Heated Yoga: A Case Report. <i>Journal of Psychiatric Practice</i> , 2021, 27, 486-491.	0.3	1
1560	A Feasibility Study of the Addition of STEPPS in Outpatients With Bipolar Disorder and Comorbid Borderline Personality Features: Promises and Pitfalls. <i>Frontiers in Psychiatry</i> , 2021, 12, 725381.	1.3	2
1561	Factors associated with relapse and recurrence of major depressive disorder in patients starting mindfulnessâ€™based cognitive therapy. <i>Depression and Anxiety</i> , 2022, 39, 113-122.	2.0	7
1562	The cost-effectiveness of the Dutch clinical practice guidelines for anxiety disorders. <i>Journal of Affective Disorders Reports</i> , 2021, , 100281.	0.9	0
1563	Mania and bipolar depression: complementing not opposing polesâ€™a post-hoc analysis of mixed features in manic and hypomanic episodes. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 36.	0.8	2
1564	The Center for Epidemiologic Studies Depression (CES-D) Scale. , 2021, , 5023-5027.		0
1565	Chronobiologically-based sub-groups in bipolar I disorder: A latent profile analysis. <i>Journal of Affective Disorders</i> , 2022, 299, 691-697.	2.0	2
1566	Affective and somatic symptom clusters in depression and their relationship to treatment outcomes in the STAR*D sample. <i>Journal of Affective Disorders</i> , 2022, 300, 469-473.	2.0	2
1567	Frailty measures in immuno-metabolic subtypes of late-life depression; A two-year prospective study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 99, 104603.	1.4	1
1568	Discontinuing antidepressant medication after mindfulness-based cognitive therapy: a mixed-methods study exploring predictors and outcomes of different discontinuation trajectories, and its facilitators and barriers. <i>BMJ Open</i> , 2020, 10, e039053.	0.8	8
1569	Assessing Depressive Symptoms in Patients With Cancer Treated With Interleukin-2. <i>Cancer Nursing</i> , 2022, Publish Ahead of Print, .	0.7	0
1570	Absence of early mood improvement as a robust predictor of rTMS nonresponse in major depressive disorder. <i>Depression and Anxiety</i> , 2022, 39, 123-133.	2.0	12
1571	Dissection of depression heterogeneity using proteomic clusters. <i>Psychological Medicine</i> , 2023, 53, 2904-2912.	2.7	10
1572	How do Mindfulness-Based Programs Improve Depression Symptoms: Selflessness, Valence, or Valenced Self?. <i>Cognitive Therapy and Research</i> , 2022, 46, 668-685.	1.2	1
1573	Large-scale EEG neural network changes in response to therapeutic TMS. <i>Brain Stimulation</i> , 2022, 15, 316-325.	0.7	8
1575	Distinct predictors of short- versus long-term depression outcomes following electroconvulsive therapy. <i>Journal of Psychiatric Research</i> , 2022, 145, 159-166.	1.5	4
1576	Depressive symptoms in youth with ADHD: the role of impairments in cognitive emotion regulation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 793-806.	1.8	6
1577	Ketamine for the acute treatment of severe suicidal ideation: double blind, randomised placebo controlled trial. <i>BMJ, The</i> , 2022, 376, e067194.	3.0	47

#	ARTICLE	IF	CITATIONS
1578	Measuring Memory for Treatment Using Patient Conceptualizations of Clinical Vignettes: A Pilot Psychometric Study in the Context of Cognitive Therapy for Depression. <i>Cognitive Therapy and Research</i> , 2022, 46, 791-808.	1.2	3
1579	Evaluation of inflammatory and metabolic impairments regarding depression dimensions: a case control study. <i>Middle East Current Psychiatry</i> , 2022, 29, .	0.5	0
1580	The United States index of socioeconomic deprivation for individuals (USiDep). <i>Personalized Medicine in Psychiatry</i> , 2022, 31-32, 100091.	0.1	2
1581	Metabolomic and inflammatory signatures of symptom dimensions in major depression. <i>Brain, Behavior, and Immunity</i> , 2022, 102, 42-52.	2.0	33
1582	Comparing polysomnography, actigraphy, and sleep diary in the home environment: The Study of Women's Health Across the Nation (SWAN) Sleep Study. <i>SLEEP Advances</i> , 2022, 3, zpac001.	0.1	35
1583	Neural basis of positive and negative emotion regulation in remitted depression. <i>NeuroImage: Clinical</i> , 2022, 34, 102988.	1.4	12
1584	The Time is Ripe for a Consensus Definition of Clinical Recovery in First-episode Psychosis: Suggestions Based on a 10-Year Follow-up Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 839-849.	2.3	9
1585	Comparing impacts of meditation training in focused attention, open monitoring, and mindfulness-based cognitive therapy on emotion reactivity and regulation: Neural and subjective evidence from a dismantling study. <i>Psychophysiology</i> , 2022, 59, e14024.	1.2	9
1586	Psychometric and Clinical Evaluation of the Clinician (VQIDS-C5) and Self-Report (VQIDS-SR5) Versions of the Very Quick Inventory of Depressive Symptoms. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 289-302.	1.0	3
1587	Mindfulness-Based Stress Reduction and Mindfulness-Based Cognitive Therapy for Depression: a Systematic Review of Cognitive Outcomes. <i>Mindfulness</i> , 2022, 13, 1126-1135.	1.6	5
1588	Anhedonia as a transdiagnostic symptom across psychological disorders: a network approach. <i>Psychological Medicine</i> , 2023, 53, 3908-3919.	2.7	11
1589	At the Core of Depression: A Diagnostic Interview of the Core Features of Depression. <i>Psychopathology</i> , 2022, 55, 219-225.	1.1	1
1590	Usage Intensity of a Relapse Prevention Program and Its Relation to Symptom Severity in Remitted Patients With Anxiety and Depression: Pre-Post Study. <i>JMIR Mental Health</i> , 2022, 9, e25441.	1.7	0
1591	Psychostimulant use and clinical outcome of repetitive transcranial magnetic stimulation treatment of major depressive disorder. <i>Depression and Anxiety</i> , 2022, 39, 397-406.	2.0	4
1592	Resting-State Electroencephalography and P300 Evidence: Age-Related Vestibular Loss as a Risk Factor Contributes to Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1107-1121.	1.2	6
1593	Theory of mind performance in depression: A meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 303, 233-244.	2.0	15
1594	Are personality disorders in bipolar patients more frequent in the US than Europe?. <i>European Neuropsychopharmacology</i> , 2022, 58, 47-54.	0.3	1
1595	Home alone: Social functioning as a transdiagnostic marker of mental health in youth, exploring retrospective and daily life measurements. <i>Comprehensive Psychiatry</i> , 2022, 115, 152309.	1.5	1

#	ARTICLE	IF	CITATIONS
1596	Treating Insomnia with High Risk of Depression Using Therapist-Guided Digital Cognitive, Behavioral, and Circadian Rhythm Support Interventions to Prevent Worsening of Depressive Symptoms: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2022, 91, 168-179.	4.0	21
1597	Depressive Symptoms Account for Loss of Positive Attention Bias in ADHD Patients: An Eye-Tracking Study. <i>Journal of Attention Disorders</i> , 2021, , 108705472110636.	1.5	1
1598	Protocol of the Healthy Brain Study: An accessible resource for understanding the human brain and how it dynamically and individually operates in its bio-social context. <i>PLoS ONE</i> , 2021, 16, e0260952.	1.1	8
1599	Determinants and consequences of polypharmacy in patients with a depressive disorder in later life. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 85-97.	2.2	7
1600	Cross-disorder and disorder-specific deficits in social functioning among schizophrenia and alzheimerâ€™s disease patients. <i>PLoS ONE</i> , 2022, 17, e0263769.	1.1	3
1601	Revisiting the theoretical and methodological foundations of depression measurement. , 2022, 1, 358-368.		92
1602	Suicidal ideation in remitted major depressive disorder predicts recurrence. <i>Journal of Psychiatric Research</i> , 2022, 151, 65-72.	1.5	10
1604	Self-assessment instruments for depression. , 2009, , 46-67.		0
1617	An epigenetic association analysis of childhood trauma in psychosis reveals possible overlap with methylation changes associated with PTSD. <i>Translational Psychiatry</i> , 2022, 12, 177.	2.4	7
1618	A game changer for bipolar disorder diagnosis using RNA editing-based biomarkers. <i>Translational Psychiatry</i> , 2022, 12, 182.	2.4	7
1619	Chemokine receptor 4 expression on blood T lymphocytes predicts severity of major depressive disorder. <i>Journal of Affective Disorders</i> , 2022, 310, 343-353.	2.0	5
1620	The association of mindfulness and depression stigma among African American women participants in a mindfulness-based intervention: A pilot study. <i>Transcultural Psychiatry</i> , 2023, 60, 244-254.	0.9	2
1621	Neural correlates of anxious distress in depression: A neuroimaging study of reactivity to emotional faces and restingâ€state functional connectivity. <i>Depression and Anxiety</i> , 2022, 39, 573-585.	2.0	5
1622	Association Between Self-rating Depression Scores and Total Ghrelin and Adipokine Serum Levels in a Large Population-Based Sample. <i>Frontiers in Psychiatry</i> , 2022, 13, .	1.3	5
1623	Predictive Value of Acute Neuroplastic Response to rTMS in Treatment Outcome in Depression: A Concurrent TMS-fMRI Trial. <i>American Journal of Psychiatry</i> , 2022, 179, 500-508.	4.0	20
1624	Lithium Pharmacokinetics in the Perinatal Patient With Bipolar Disorder. <i>Journal of Clinical Pharmacology</i> , 2022, 62, 1385-1392.	1.0	5
1625	Cellular and immunometabolic mechanisms of inflammation in depression: Preliminary findings from single cell RNA sequencing and a tribute to Bruce McEwen. <i>Neurobiology of Stress</i> , 2022, 19, 100462.	1.9	4
1627	The Clinical Effectiveness of Blended Cognitive Behavioral Therapy Compared With Face-to-Face Cognitive Behavioral Therapy for Adult Depression: Randomized Controlled Noninferiority Trial. <i>Journal of Medical Internet Research</i> , 2022, 24, e36577.	2.1	6

#	ARTICLE	IF	CITATIONS
1628	Violent victimization and revictimization in patients with depressive disorders: context characteristics, disclosure rates, and gender differences. <i>BMC Psychiatry</i> , 2022, 22, .	1.1	2
1629	Mindfulness-based cognitive group therapy for treatment-refractory anxiety disorder: A pragmatic randomized controlled trial. <i>Journal of Anxiety Disorders</i> , 2022, 90, 102599.	1.5	4
1630	Exploring the digital footprint of depression: a PRISMA systematic literature review of the empirical evidence. <i>BMC Psychiatry</i> , 2022, 22, .	1.1	28
1631	Augmenting neurocognitive remediation therapy to Preventive Cognitive Therapy for partially remitted depressed patients: protocol of a pragmatic multicentre randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e063407.	0.8	0
1632	The Appalachia Mind Health Initiative (AMHI): a pragmatic randomized clinical trial of adjunctive internet-based cognitive behavior therapy for treating major depressive disorder among primary care patients. <i>Trials</i> , 2022, 23, .	0.7	5
1633	Intelligent depression detection with asynchronous federated optimization. <i>Complex & Intelligent Systems</i> , 2023, 9, 115-131.	4.0	5
1634	Montgomery-Åsberg Depression Rating Scale factors in treatment-resistant depression at onset of treatment: Derivation, replication, and change over time during treatment with esketamine. <i>International Journal of Methods in Psychiatric Research</i> , 2022, 31, .	1.1	5
1635	Childhood trauma and its impact on depressive and anxiety symptomatology in adulthood: A 6-year longitudinal study. <i>Journal of Affective Disorders</i> , 2022, 312, 322-330.	2.0	16
1636	Low predictive power of clinical features for relapse prediction after antidepressant discontinuation in a naturalistic setting. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
1638	Network structure of time-varying depressive symptoms through dynamic time warp analysis in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	3
1639	A comprehensive approach to predicting weight gain and therapy response in psychopharmacologically treated major depressed patients: A cohort study protocol. <i>PLoS ONE</i> , 2022, 17, e0271793.	1.1	1
1640	Resting-State Functional Connectivity Characteristics of Resilience to Traumatic Stress in Dutch Police Officers. <i>Frontiers in Behavioral Neuroscience</i> , 0, 16, .	1.0	0
1641	Neural correlates of repetitive negative thinking: Dimensional evidence across the psychopathological continuum. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	2
1642	Combined Working Memory Training and Transcranial Magnetic Stimulation Demonstrates Low Feasibility and Potentially Worse Outcomes on Delay to Smoking and Cognitive Tasks: A Randomized 2 Å– 2 Factorial Design Pilot and Feasibility Study. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1871-1880.	1.4	4
1643	Is it me or my child? The association between maternal depression and children's behavior problems in mothers and their children with or without autism. <i>Family Process</i> , 2023, 62, 737-753.	1.4	5
1644	The effect of mindfulness-based cognitive therapy on rumination and a task-based measure of intrusive thoughts in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2022, 10, .	0.8	0
1645	Mindfulness based cognitive therapy (MBCT) reduces depression-related self-referential processing in patients with bipolar disorder: an exploratory task-based study. <i>Cognition and Emotion</i> , 0, , 1-18.	1.2	0
1647	Serial Mediators of Memory Support Strategies Used With Cognitive Therapy for Depression: Improving Outcomes Through Patient Adherence and Treatment Skills. <i>Behavior Therapy</i> , 2023, 54, 141-155.	1.3	1

#	ARTICLE	IF	CITATIONS
1648	Quantifying and addressing the impact of measurement error in network models. <i>Behaviour Research and Therapy</i> , 2022, 157, 104163.	1.6	13
1649	Repeated intravenous esketamine treatment in patients with ECT-resistant major depressive disorder. <i>Journal of Affective Disorders Reports</i> , 2022, 10, 100400.	0.9	0
1650	Psychological and physical health behavior deviations in students amidst the COVID-19 pandemic. <i>Journal of American College Health</i> , 0, , 1-9.	0.8	3
1651	Sex-specific associations between metabolic hormones, severe mental disorders and antipsychotic treatment. <i>Psychoneuroendocrinology</i> , 2022, 146, 105927.	1.3	0
1652	Associations of depression and regional brain structure across the adult lifespan: Pooled analyses of six population-based and two clinical cohort studies in the European Lifebrain consortium. <i>NeuroImage: Clinical</i> , 2022, 36, 103180.	1.4	5
1653	Attenuation of the Heartbeat-Evoked Potential in Patients With Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2022, 8, 1219-1230.	1.3	8
1654	Self-judgment dissected: A computational modeling analysis of self-referential processing and its relationship to trait mindfulness facets and depression symptoms. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2023, 23, 171-189.	1.0	4
1655	Emulating a Target Trial of Dynamic Treatment Strategies for Major Depressive Disorder Using Data From the STAR*D Randomized Trial. <i>Biological Psychiatry</i> , 2023, 93, 1127-1136.	0.7	2
1656	Efficacy and safety of nitrous oxide for patients with treatment-resistant depression, a randomized controlled trial. <i>Psychiatry Research</i> , 2022, 317, 114867.	1.7	12
1658	Exploring life engagement from the perspective of patients with major depressive disorder: a study using patient interviews. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, .	0.9	5
1659	Gamification improves antidepressant effects of cognitive control training – A pilot trial. <i>Frontiers in Digital Health</i> , 0, 4, .	1.5	0
1660	The impulsiveness level influences the salivary cortisol response and social stress sensitivity in suicidal patients. <i>Journal of Psychiatric Research</i> , 2022, 156, 159-167.	1.5	3
1661	Klinische Erhebungsmethoden und Instrumente. , 2023, , 37-46.		0
1662	The Role of Mental Health on Workplace Productivity: A Critical Review of the Literature. <i>Applied Health Economics and Health Policy</i> , 2023, 21, 167-193.	1.0	17
1663	Structural Study of Anxiety and Mood-related Symptomatology in Psychiatric Outpatients. <i>Revista Colombiana De Psiquiatria</i> , 2022, , .	0.1	0
1666	Hinweise zur Arbeit am Symptom. , 2022, , 87-167.		0
1667	The association between adiposity and atypical energy-related symptoms of depression: A role for metabolic dysregulations. <i>Brain, Behavior, and Immunity</i> , 2023, 108, 197-203.	2.0	2
1668	Pain predict genetics: protocol for a prospective observational study of clinical and genetic factors to predict the development of postoperative pain. <i>BMJ Open</i> , 2022, 12, e066134.	0.8	2

#	ARTICLE	IF	CITATIONS
1669	Efficacy of Telemedicine Using Videoconferencing Systems in Outpatient Care for Patients With Cancer: A Systematic Review and Meta-Analysis. <i>JCO Clinical Cancer Informatics</i> , 2022, , .	1.0	2
1671	Development and preliminary validation of the treatment adherence rating scale. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2023, 79, 101832.	0.6	1
1672	The Effectiveness of Metacognitive Therapy Compared to Behavioral Activation for Severely Depressed Outpatients: A Single-Center Randomized Trial. <i>Psychotherapy and Psychosomatics</i> , 2023, 92, 38-48.	4.0	2
1673	Validation of the Longitudinal Interval Follow-Up Evaluation for the Long-Term Measurement of Mood Symptoms in Bipolar Disorder. <i>Brain Sciences</i> , 2022, 12, 1717.	1.1	2
1674	The impact of personality traits on the course of frailty. <i>Clinical Gerontologist</i> , 0, , 1-8.	1.2	0
1675	Antidepressant medications in dementia: evidence and potential mechanisms of treatment-resistance. <i>Psychological Medicine</i> , 2023, 53, 654-667.	2.7	8
1676	Clinical response to EPA supplementation in patients with major depressive disorder is associated with higher plasma concentrations of pro-resolving lipid mediators. <i>Neuropsychopharmacology</i> , 0, , .	2.8	4
1677	Design and rationale of the REStoring mood after early life trauma with psychotherapy (RESET-psychotherapy) study: a multicenter randomized controlled trial on the efficacy of adjunctive trauma-focused therapy (TFT) versus treatment as usual (TAU) for adult patients with major depressive disorder (MDD) and childhood trauma. <i>BMC Psychiatry</i> . 2023. 23, .	1.1	0
1678	Efficacy of celecoxib add-on treatment for immuno-metabolic depression: Protocol of the INFLAMED double-blind placebo-controlled randomized controlled trial. <i>Brain, Behavior, & Immunity - Health</i> , 2023, 27, 100585.	1.3	7
1679	Characterizing inflammatory profiles of suicidal behavior in adolescents: Rationale and design. <i>Journal of Affective Disorders</i> , 2023, 325, 55-61.	2.0	0
1680	Early-Onset Effectiveness of Adjunctive Aripiprazole in Patients With Depression With Inadequate Response to First-Line Antidepressants. <i>Psychiatric Annals</i> , 2022, 52, 518-526.	0.1	0
1681	Childhood Trauma Related to Tobacco Smoking Mediated by Cognitive Control and Impulsiveness in Severe Mental Disorders. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1683	Pharmacological Treatment of Bipolar Depression: A Review of Observational Studies. <i>Pharmaceuticals</i> , 2023, 16, 182.	1.7	0
1684	Assessment of patient life engagement in major depressive disorder using items from the Inventory of Depressive Symptomatology Self-Report (IDS-SR). <i>Journal of Psychiatric Research</i> , 2023, 161, 132-139.	1.5	3
1685	Antidepressants or running therapy: Comparing effects on mental and physical health in patients with depression and anxiety disorders. <i>Journal of Affective Disorders</i> , 2023, 329, 19-29.	2.0	10
1686	Transdiagnostic psychiatry: Symptom profiles and their direct and indirect relationship with well-being. <i>Journal of Psychiatric Research</i> , 2023, 161, 218-227.	1.5	2
1687	Psychometric properties of Concise Associated Symptom Tracking (CAST) scale in youths and young adults: Findings from the Texas youth depression and suicide research network (TX-YDSRN). <i>Journal of Psychiatric Research</i> , 2023, 161, 179-187.	1.5	1
1688	Impaired action-safety learning and excessive relief during avoidance in patients with anxiety disorders. <i>Journal of Anxiety Disorders</i> , 2023, 96, 102698.	1.5	6

#	ARTICLE	IF	CITATIONS
1689	Deep TMS H1 Coil treatment for depression: Results from a large post marketing data analysis. <i>Psychiatry Research</i> , 2023, 324, 115179.	1.7	8
1690	Synchronised transcranial magnetic stimulation for substance use-disordered Veterans: protocol for the pilot sham-controlled acceptability trial. <i>BMJ Open</i> , 2023, 13, e066175.	0.8	0
1691	Effect of Daily Life Reward Loop Functioning on the Course of Depression. <i>Behavior Therapy</i> , 2023, 54, 734-746.	1.3	1
1692	The relationship between sleep disturbance and cognitive impairment in mood disorders: A systematic review. <i>Journal of Affective Disorders</i> , 2023, 327, 207-216.	2.0	12
1693	Early detection of depression using a conversational AI bot: A non-clinical trial. <i>PLoS ONE</i> , 2023, 18, e0279743.	1.1	10
1694	Nicotine use and non-pathological alcohol use and their relationship to affective symptoms and sleep disturbances in bipolar disorder. <i>Journal of Affective Disorders</i> , 2023, 327, 236-243.	2.0	0
1695	The link between cardiac status and depression and anxiety in implantable cardioverter defibrillator patients: Design and first results of the PSYCHE-ICD study. <i>Journal of Psychosomatic Research</i> , 2023, 167, 111182.	1.2	3
1696	Weighing psychosocial factors in relatives for the risk of psychopathology: a study of patients with depressive and anxiety disorders and their siblings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 0, , .	1.6	2
1698	Cardiovascular risk indicators among depressed persons: A special case?. <i>Journal of Affective Disorders</i> , 2023, 329, 335-342.	2.0	0
1699	Dynamic Feedback Between Antidepressant Placebo Expectancies and Mood. <i>JAMA Psychiatry</i> , 2023, 80, 389.	6.0	2
1700	Integrating personalized experience sampling in psychotherapy: A case illustration of the Therap-i module. <i>Heliyon</i> , 2023, 9, e14507.	1.4	7
1701	Second Opinions for Patients With a Persistent Depressive Disorder: Effects on Severity of Depression and Quality of Life. <i>Journal of Psychiatric Practice</i> , 2023, 29, 104-112.	0.3	0
1704	Cognitive, Behavioral, and Circadian Rhythm Interventions for Insomnia Alter Emotional Brain Responses. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2024, 9, 60-69.	1.1	0
1705	Effects of adjunctive brexpiprazole on patient life engagement in major depressive disorder: Post hoc analysis of Inventory of Depressive Symptomatology Self-Report data. <i>Journal of Psychiatric Research</i> , 2023, 162, 71-78.	1.5	1
1706	Fronto-central resting-state 15-29ÂHz transient beta events change with therapeutic transcranial magnetic stimulation for posttraumatic stress disorder and major depressive disorder. <i>Scientific Reports</i> , 2023, 13, .	1.6	5
1707	The effect of adverse childhood experiences on chronic pain and major depression in adulthood: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2023, 130, 729-746.	1.5	9
1708	Assessment of Depression in Adults and Youth. <i>Assessment</i> , 0, , 107319112311674.	1.9	0
1756	Depressive symptoms, anxiety and cognitive impairment: emerging evidence in multiple sclerosis. <i>Translational Psychiatry</i> , 2023, 13, .	2.4	8

#	ARTICLE	IF	CITATIONS
1783	Measurement-Based Care for Depression in Youth: Practical Considerations for Selecting Measures to Assess Depression, Associated Features and Functioning. Child Psychiatry and Human Development, 0, , .	1.1	0