

Cotinine as a Biomarker of Environmental Tobacco Smoke

Epidemiologic Reviews

18, 188-204

DOI: [10.1093/oxfordjournals.epirev.a017925](https://doi.org/10.1093/oxfordjournals.epirev.a017925)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Biomonitoring exposure to environmental tobacco smoke (ETS): A critical reappraisal. Human and Experimental Toxicology, 1997, 16, 449-459.	1.1	68
2	Tobacco Smoke Habits in a Group of Adolescents: Responsibility of the Cohabitants in the Active and Passive Exposure. Environmental Research, 1997, 75, 95-99.	3.7	6
3	Air Nicotine and Saliva Cotinine as Indicators of Workplace Passive Smoking Exposure and Risk ¹ . Risk Analysis, 1998, 18, 71-83.	1.5	86
4	Urinary cotinine as a tobacco-smoke exposure index: a minireview. International Archives of Occupational and Environmental Health, 1998, 71, 162-168.	1.1	225
5	Haemoglobin adducts from aromatic amines and tobacco specific nitrosamines in pregnant smoking and non smoking women. Biomarkers, 1998, 3, 35-47.	0.9	40
6	Occurrence of the Tobacco Alkaloid Myosmine in Nuts and Nut Products of <i>Arachushypogaea</i> and <i>Corylusavellana</i> . Journal of Agricultural and Food Chemistry, 1998, 46, 2703-2706.	2.4	38
7	Racial and Ethnic Differences in Serum Cotinine Levels of Cigarette Smokers. JAMA - Journal of the American Medical Association, 1998, 280, 135.	3.8	401
8	Pharmacogenetics and Ethnoracial Differences in Smoking. JAMA - Journal of the American Medical Association, 1998, 280, 179.	3.8	57
9	Serum Cotinine Concentration and Self-reported Smoking during Pregnancy. American Journal of Epidemiology, 1998, 148, 259-262.	1.6	253
10	Nicotine concentration in the hair of nonsmoking mothers and size of offspring.. American Journal of Public Health, 1998, 88, 120-124.	1.5	34
11	Misclassification rates for current smokers misclassified as nonsmokers.. American Journal of Public Health, 1998, 88, 1503-1509.	1.5	152
12	Epidemiology and Prevention of Lung Cancer in Nonsmokers. Epidemiologic Reviews, 1998, 20, 218-236.	1.3	78
13	Biomarkers of environmental tobacco smoke exposure.. Environmental Health Perspectives, 1999, 107, 349-355.	2.8	274
14	Uses and abuses of cotinine as a marker of tobacco smoke exposure. , 1999, , 669-719.		20
15	Exposure misclassification bias in studies of environmental tobacco smoke and lung cancer.. Environmental Health Perspectives, 1999, 107, 873-877.	2.8	40
16	Environmental tobacco smoke and low birth weight: a hazard in the workplace?. Environmental Health Perspectives, 1999, 107, 897-904.	2.8	75
17	Occupational exposure to environmental tobacco smoke and health risk assessment.. Environmental Health Perspectives, 1999, 107, 829-835.	2.8	33
19	Environmental Tobacco Smoke and Low Birth Weight: A Hazard in the Workplace?. Environmental Health Perspectives, 1999, 107, 897.	2.8	16

#	ARTICLE	IF	CITATIONS
20	Cigarette Smoking. Journal of the National Cancer Institute, 1999, 91, 1365-1375.	3.0	173
21	Measuring environmental tobacco smoke exposure in infants and young children through urine cotinine and memory-based parental reports: empirical findings and discussion. Tobacco Control, 1999, 8, 282-289.	1.8	106
22	Assessment of the exposure of children to environmental tobacco smoke (ETS) by different methods. Human and Experimental Toxicology, 1999, 18, 297-301.	1.1	42
23	Determination of nicotine and its metabolites in biological fluids: in vivo studies. , 1999, , 583-643.		22
24	Use of Environmental Tobacco Smoke Constituents as Markers for Exposure. Risk Analysis, 1999, 19, 359-373.	1.5	26
25	Measures of Exposure to Environmental Tobacco Smoke: Validity, Precision, and Relevance. Annals of the New York Academy of Sciences, 1999, 895, 156-172.	1.8	28
26	Personal exposure to environmental tobacco smoke: salivary cotinine, airborne nicotine, and nonsmoker misclassification. Journal of Exposure Science and Environmental Epidemiology, 1999, 9, 352-363.	1.8	33
27	Noninvasive Validation of Tobacco Smoke Exposure in Late Pregnancy Using End-Tidal Carbon Monoxide Measurements. Journal of Perinatology, 1999, 19, 358-361.	0.9	21
28	Use of environmental tobacco smoke constituents as markers for exposure. Risk Analysis, 1999, 19, 359-373.	1.5	12
29	Urinary cotinine concentration in flight attendants, in relation to exposure to environmental tobacco smoke during intercontinental flights. International Archives of Occupational and Environmental Health, 1999, 72, 475-479.	1.1	14
30	Determination of the Nicotine Content of Various Edible Nightshades (Solanaceae) and Their Products and Estimation of the Associated Dietary Nicotine Intake. Journal of Agricultural and Food Chemistry, 1999, 47, 3113-3120.	2.4	134
31	Biomarkers of Environmental Tobacco Smoke Exposure. Environmental Health Perspectives, 1999, 107, 349.	2.8	79
32	Exposure Misclassification Bias in Studies of Environmental Tobacco Smoke and Lung Cancer. Environmental Health Perspectives, 1999, 107, 873.	2.8	34
33	THE ADVERSE HEALTH EFFECTS OF TOBACCO AND TOBACCO-RELATED PRODUCTS. Primary Care - Clinics in Office Practice, 1999, 26, 463-498.	0.7	32
34	Determination of nicotine in pharmaceutical products and dietary sources. , 1999, , 393-420.		2
35	Tobacco Smoke Carcinogens and Lung Cancer. Journal of the National Cancer Institute, 1999, 91, 1194-1210.	3.0	1,674
36	Tobacco Smoke Exposure at One Month of Age and Subsequent Risk of SIDS--A Prospective Study. American Journal of Epidemiology, 1999, 149, 593-602.	1.6	53
37	Occupational Exposure to Environmental Tobacco Smoke and Health Risk Assessment. Environmental Health Perspectives, 1999, 107, 829.	2.8	0

#	ARTICLE	IF	CITATIONS
38	Prenatal effects of maternal smoking on daughters' smoking: nicotine or testosterone exposure?. American Journal of Public Health, 1999, 89, 1377-1383.	1.5	78
39	Minor tobacco alkaloids as biomarkers for tobacco use: comparison of users of cigarettes, smokeless tobacco, cigars, and pipes.. American Journal of Public Health, 1999, 89, 731-736.	1.5	126
40	Measuring secondhand smoke exposure in babies: The reliability and validity of mother reports in a sample of low-income families.. Health Psychology, 2000, 19, 232-241.	1.3	72
41	Near-patient test for nicotine and its metabolites in saliva to assess smoking habit. Annals of Clinical Biochemistry, 2000, 37, 666-673.	0.8	15
42	Tone Abnormalities Are Associated With Maternal Cigarette Smoking During Pregnancy in In Utero Cocaine-Exposed Infants. Pediatrics, 2000, 106, 79-85.	1.0	47
43	Saliva Cotinine Levels in Smokers and Nonsmokers. American Journal of Epidemiology, 2000, 151, 251-258.	1.6	176
44	HPTLC screening assay for urinary cotinine as biomarker of environmental tobacco smoke exposure among male adolescents. Journal of Pharmaceutical and Biomedical Analysis, 2000, 24, 113-123.	1.4	13
45	Simple colorimetric test to quantify exposure to environmental tobacco smoke: occupational health study. Annals of Clinical Biochemistry, 2000, 37, 795-796.	0.8	3
46	Biomonitoring of environmental tobacco smoke (ETS)-related exposure to 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK). Biomarkers, 2000, 5, 33-45.	0.9	27
47	Modelling nicotine intake in smokers and snuff users using biological fluid nicotine metabolites. Biomarkers, 2000, 5, 341-354.	0.9	20
48	Comparison of Serum and Salivary Cotinine Measurements by a Sensitive High-Performance Liquid Chromatography-Tandem Mass Spectrometry Method as an Indicator of Exposure to Tobacco Smoke Among Smokers and Nonsmokers*. Journal of Analytical Toxicology, 2000, 24, 333-339.	1.7	167
49	Reported measures of environmental tobacco smoke exposure: trials and tribulations. Tobacco Control, 2000, 9, 22iii-28.	1.8	57
50	Passive smoking and an increased risk of acute stroke. Tobacco Control, 2000, 9, 112-113.	1.8	1
51	Clinical pharmacology of oral cotinine. Drug and Alcohol Dependence, 2000, 60, 13-18.	1.6	31
52	Restrictions on smoking at home and urinary cotinine levels among children with asthma. American Journal of Preventive Medicine, 2000, 19, 188-192.	1.6	114
53	Tobacco industry efforts subverting International Agency for Research on Cancer's second-hand smoke study. Lancet, The, 2000, 355, 1253-1259.	6.3	165
54	Intervention and Policy Issues Related to Children's Exposure to Environmental Tobacco Smoke. Preventive Medicine, 2001, 32, 321-331.	1.6	43
55	Passive Smoking in Children: Effect of Avoidance Strategies at Home as Measured by Hair Nicotine Levels. Archives of Environmental Health, 2001, 56, 117-122.	0.4	38

#	ARTICLE	IF	CITATIONS
56	Dynamic Behavior of Semivolatile Organic Compounds in Indoor Air. 2. Nicotine and Phenanthrene with Carpet and Wallboard. <i>Environmental Science & Technology</i> , 2001, 35, 560-567.	4.6	75
57	Adaptation of an Enzyme Immunoassay to Assess Urinary Cotinine in Nonsmokers Exposed to Tobacco Smoke. <i>Clinical Chemistry</i> , 2001, 47, 950-952.	1.5	9
58	IgG Autoantibodies against Tissue Transglutaminase in Relation to Antinuclear Antibodies. <i>Clinical Chemistry</i> , 2001, 47, 952-954.	1.5	10
59	Identification of Adolescent Tobacco Users in a Pediatric Practice. <i>JAMA Pediatrics</i> , 2001, 155, 32.	3.6	16
60	Effectiveness of a High School Smoking Cessation Program. <i>Pediatrics</i> , 2001, 107, e50-e50.	1.0	41
61	Health Effects Related to Environmental Tobacco Smoke Exposure in Children in the United States. <i>JAMA Pediatrics</i> , 2001, 155, 36.	3.6	177
62	Predictors of Cotinine Levels in US Children. <i>Chest</i> , 2001, 120, 718-724.	0.4	86
63	The contribution of dietary nicotine and dietary cotinine to salivary cotinine levels as a nicotine biomarker. <i>Food Chemistry</i> , 2001, 74, 259-265.	4.2	14
64	Accuracy of self-reported cigarette smoking among pregnant women in the 1990s. <i>Paediatric and Perinatal Epidemiology</i> , 2001, 15, 140-143.	0.8	145
65	Postpartum smoking behaviors and immune response in mothers of term and preterm infants. <i>Research in Nursing and Health</i> , 2001, 24, 9-17.	0.8	6
66	Infant exposure to environmental tobacco smoke: A prevalence study in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2001, 25, 132-137.	0.8	20
67	Environmental tobacco smoke and lung function in employees who never smoked: the Scottish MONICA study. <i>Occupational and Environmental Medicine</i> , 2001, 58, 563-568.	1.3	48
68	Passive smoking in the home: plasma cotinine concentrations in non-smokers with smoking partners. <i>Tobacco Control</i> , 2001, 10, 368-374.	1.8	88
69	Measurement of self reported active exposure to cigarette smoke. <i>Journal of Epidemiology and Community Health</i> , 2001, 55, 674-680.	2.0	49
70	A Randomized Trial to Reduce Passive Smoke Exposure in Low-Income Households With Young Children. <i>Pediatrics</i> , 2001, 108, 18-24.	1.0	198
71	Is the hair nicotine level a more accurate biomarker of environmental tobacco smoke exposure than urine cotinine?. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 66-71.	2.0	109
72	A molecular dosimetry approach to assess human exposure to environmental tobacco smoke in pubs. <i>Carcinogenesis</i> , 2002, 23, 1171-1176.	1.3	37
73	The Use of Birth Defect Registries for Etiological Research: A Review. <i>Public Health Genomics</i> , 2002, 5, 13-32.	1.0	15

#	ARTICLE	IF	CITATIONS
74	Involuntary Smoking and Asthma Severity in Children. <i>Chest</i> , 2002, 122, 409-415.	0.4	179
76	Human urinary carcinogen metabolites: biomarkers for investigating tobacco and cancer. <i>Carcinogenesis</i> , 2002, 23, 907-922.	1.3	359
77	Validation of self reported smoking. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 163-164.	2.0	178
78	Slower Metabolism and Reduced Intake of Nicotine From Cigarette Smoking in Chinese-Americans. <i>Journal of the National Cancer Institute</i> , 2002, 94, 108-115.	3.0	192
79	Asthma Management and Environmental Tobacco Smoke Exposure Reduction in Latino Children: A Controlled Trial. <i>Pediatrics</i> , 2002, 110, 946-956.	1.0	92
80	Total Cotinine in Plasma: A Stable Biomarker for Exposure to Tobacco Smoke. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 496-501.	0.7	42
81	Involvement of Specific Transport System of Renal Basolateral Membranes in Distribution of Nicotine in Rats. <i>Drug Metabolism and Pharmacokinetics</i> , 2002, 17, 554-560.	1.1	10
82	Qual a contribui�o da farmacoterapia na cess�o tab�gica?. <i>Revista Portuguesa De Pneumologia</i> , 2002, 8, 151-174.	0.7	2
84	Passive Smoking, Excretion of Metabolites, and Health Effects: Results of the Leipzig's Allergy Risk Study (LARS). <i>Archives of Environmental Health</i> , 2002, 57, 326-331.	0.4	21
85	New Sources of Dietary Myosmine Uptake from Cereals, Fruits, Vegetables, and Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 4909-4915.	2.4	65
86	Exposure to Environmental Tobacco Smoke in Pregnant Women: The Association between Self-Report and Serum Cotinine. <i>Environmental Research</i> , 2002, 90, 21-32.	3.7	81
87	Nutrition, Antioxidants, and Risk Factor Profile of Nonsmokers, Passive Smokers and Smokers of the Prevention Education Program (PEP) in Nuremberg, Germany. <i>Preventive Medicine</i> , 2002, 34, 600-607.	1.6	35
88	CLINICAL ASSAY OF NICOTINE AND ITS METABOLITE, COTININE, IN BODY FLUIDS BY HPLC FOLLOWING SOLID PHASE EXTRACTION. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2002, 25, 2315-2335.	0.5	10
89	Nitrosation of dietary myosmine as risk factor of human cancer. <i>Food and Chemical Toxicology</i> , 2002, 40, 1223-1228.	1.8	32
90	Cotinine excretion (tobacco smoke biomarker) of smokers and non-smokers: comparison of GC/MS and RIA results. <i>International Journal of Hygiene and Environmental Health</i> , 2002, 205, 493-499.	2.1	35
91	Lasting effects of adolescent nicotine exposure on the electroencephalogram, event related potentials, and locomotor activity in the rat. <i>Developmental Brain Research</i> , 2002, 138, 15-25.	2.1	48
92	Determination of urinary and salivary cotinine using gas and liquid chromatography and enzyme-linked immunosorbent assay. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 768, 297-303.	1.2	48
93	Sensitive and simple method for the determination of nicotine and cotinine in human urine, plasma and saliva by gas chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 769, 177-183.	1.2	108

#	ARTICLE	IF	CITATIONS
94	Estimation of environmental tobacco smoke exposure during pregnancy using a single question on household smokers versus serum cotinine. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2002, 12, 286-295.	1.8	40
95	Epidemiology of environmental tobacco smoke exposure. <i>Oncogene</i> , 2002, 21, 7341-7348.	2.6	44
96	Prenatal Smoking and Alterations in Newborn Heart Rate During Transition. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2002, 31, 680-687.	0.2	15
97	German Environmental Survey 1998 (GerES III): environmental pollutants in the urine of the German population. <i>International Journal of Hygiene and Environmental Health</i> , 2003, 206, 15-24.	2.1	223
98	Environmental tobacco smoke in the workplace: markers of exposure, polymorphic enzymes and implications for disease state. <i>Chemico-Biological Interactions</i> , 2003, 146, 211-224.	1.7	11
99	Determinants of salivary cotinine concentrations in Chinese male smokers. <i>Preventive Medicine</i> , 2003, 36, 282-290.	1.6	25
100	Association between Residential Tobacco Smoking Bans, Smoke Exposure, and Pulmonary Function: A Survey of Latino Children with Asthma. <i>Pediatric Asthma, Allergy and Immunology</i> , 2003, 16, 305-317.	0.2	9
101	Clinical considerations in study designs that use cotinine as a biomarker. <i>Biomarkers</i> , 2003, 8, 187-203.	0.9	107
102	Cotinine levels and self-reported smoking status in patients attending a bronchoscopy clinic. <i>Biomarkers</i> , 2003, 8, 218-228.	0.9	85
103	Measuring nicotine intake in population surveys: Comparability of saliva cotinine and plasma cotinine estimates. <i>Nicotine and Tobacco Research</i> , 2003, 5, 349-355.	1.4	108
104	Optimal Cutoff Level of Breath Carbon Monoxide for Assessing Smoking Status in Patients With Asthma and COPD *. <i>Chest</i> , 2003, 124, 1749-1754.	0.4	71
105	Second-hand Smoke Exposure and Blood Lead Levels in U.S. Children. <i>Epidemiology</i> , 2003, 14, 719-727.	1.2	80
106	Examining the relationship between pubertal stage, adolescent health behaviours and stress. <i>Psychological Medicine</i> , 2003, 33, 1369-1379.	2.7	41
107	Indoor particulate matter measurement as a tool in the process of the implementation of Smoke-free Hospitals. <i>Monaldi Archives for Chest Disease</i> , 2004, 61, 183-92.	0.3	17
108	Determinants of salivary cotinine levels among current smokers in Mexico. <i>Nicotine and Tobacco Research</i> , 2004, 6, 997-1008.	1.4	23
109	Mentholated Cigarette Smoking Inhibits Nicotine Metabolism. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 310, 1208-1215.	1.3	201
110	The influence of smoking on plasma homocysteine and cysteine levels in passive and active smokers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004, 42, 408-14.	1.4	39
111	Passive smoking and risk of coronary heart disease and stroke: prospective study with cotinine measurement. <i>BMJ: British Medical Journal</i> , 2004, 329, 200-205.	2.4	265

#	ARTICLE	IF	CITATIONS
112	Assessment of Sources of Second-Hand Smoke Exposure in a Putatively Unexposed Population. Archives of Environmental Health, 2004, 59, 553-557.	0.4	2
113	Real-Life Environmental Tobacco Exposure Does Not Affect Exhaled Nitric Oxide Levels in Asthmatic Children. Journal of Asthma, 2004, 42, 113-118.	0.9	1
114	Parental smoking and passive smoking in infants: fathers matter too. Health Education Research, 2004, 20, 185-194.	1.0	29
115	Smoking history and serum cotinine and thiocyanate concentrations as determinants of rheumatoid factor in non-rheumatoid subjects. British Journal of Rheumatology, 2004, 43, 1424-1428.	2.5	22
116	Environmental tobacco smoke exposure in children: parental perception of smokiness at home and other factors associated with urinary cotinine in preschool children. Journal of Exposure Science and Environmental Epidemiology, 2004, 14, 330-336.	1.8	41
117	Nicotine exposure in breastfed infants. Acta Paediatrica, International Journal of Paediatrics, 2004, 93, 810-816.	0.7	57
118	Smoking habits in patient's who have been treated for an oral cancer: validation of self-report using saliva cotinine. Oral Oncology, 2004, 40, 576-578.	0.8	20
119	Cigarette smoking: Evidence to guide measurement. Research in Nursing and Health, 2004, 27, 281-292.	0.8	50
120	Hair analysis of nicotine and cotinine for evaluating tobacco smoke exposure by liquid chromatography-mass spectrometry. Biomedical Chromatography, 2004, 18, 655-661.	0.8	39
121	Measuring tobacco smoke exposure: quantifying nicotine/cotinine concentration in biological samples by colorimetry, chromatography and immunoassay methods. Journal of Pharmaceutical and Biomedical Analysis, 2004, 35, 155-168.	1.4	116
122	Smoking prevents the intravascular remodeling of high-density lipoprotein particles: implications for reverse cholesterol transport. Metabolism: Clinical and Experimental, 2004, 53, 858-862.	1.5	28
123	Chromosome aberrations among cigarette smokers in Colombia. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2004, 562, 67-75.	0.9	17
124	Environmental Tobacco Smoke and Pregnancy Outcome. Epidemiology, 2004, 15, 660-670.	1.2	143
125	Biomarkers in Maternal and Newborn Blood Indicate Heightened Fetal Susceptibility to Procarcinogenic DNA Damage. Environmental Health Perspectives, 2004, 112, 1133-1136.	2.8	139
126	How Should Parents Protect Their Children From Environmental Tobacco-Smoke Exposure in the Home?. Pediatrics, 2004, 113, e291-e295.	1.0	106
127	Screening for Children's Exposure to Environmental Tobacco Smoke in a Pediatric Primary Care Setting. JAMA Pediatrics, 2005, 159, 450.	3.6	34
128	Sensitive and rapid method for the determination of urinary cotinine in non-smokers: an application for studies assessing exposures to second hand smoke (SHS). Analytica Chimica Acta, 2005, 545, 200-208.	2.6	17
129	Nicotine and cotinine in adults' urine: The German Environmental Survey 1998. Journal of Exposure Science and Environmental Epidemiology, 2005, 15, 74-80.	1.8	44

#	ARTICLE	IF	CITATIONS
130	Association between passive and active smoking evaluated by salivary cotinine and periodontitis. <i>Journal of Clinical Periodontology</i> , 2005, 32, 1041-1046.	2.3	59
131	Biomonitoring of inhaled complex mixtures " Ambient air, diesel exhaust and cigarette smoke. <i>Experimental and Toxicologic Pathology</i> , 2005, 57, 75-110.	2.1	60
132	Influence of cigarette smoking on melatonin levels in man. <i>European Journal of Clinical Pharmacology</i> , 2005, 61, 197-201.	0.8	46
133	Exposure to Environmental Tobacco Smoke and Cognitive Abilities among U.S. Children and Adolescents. <i>Environmental Health Perspectives</i> , 2005, 113, 98-103.	2.8	273
134	Biochemical Markers of Cardiovascular Damage from Tobacco Smoke. <i>Current Pharmaceutical Design</i> , 2005, 11, 2199-2208.	0.9	86
135	Cigarette Smoking and Effects on Hormone Function in Premenopausal Women. <i>Environmental Health Perspectives</i> , 2005, 113, 1285-1290.	2.8	104
136	Use of Cotinine Immunoassay Test Strips for Preclassifying Urine Samples from Smokers and Nonsmokers Prior to Analysis by LC-MS-MS*. <i>Journal of Analytical Toxicology</i> , 2005, 29, 814-818.	1.7	58
137	Active and passive smoking and blood lead levels in U.S. adults: Data from the Third National Health and Nutrition Examination Survey. <i>Nicotine and Tobacco Research</i> , 2005, 7, 557-564.	1.4	44
138	Japanese spousal study: a response to Professor Yano's claims. <i>Tobacco Control</i> , 2005, 14, 233-234.	1.8	5
139	4-Aminobiphenyl-Hemoglobin Adducts and Risk of Smoking-Related Disease in Never Smokers and Former Smokers in the European Prospective Investigation into Cancer and Nutrition Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2118-2124.	1.1	32
140	Impact of Prenatal Tobacco Smoke Exposure, as Measured by Midgestation Serum Cotinine Levels, on Fetal Biometry and Umbilical Flow Velocity Waveforms. <i>American Journal of Perinatology</i> , 2005, 22, 41-47.	0.6	28
141	Real-Life Environmental Tobacco Exposure Does Not Affect Exhaled Nitric Oxide Levels in Asthmatic Children. <i>Journal of Asthma</i> , 2005, 42, 113-118.	0.9	24
142	Japanese spousal smoking study revisited: how a tobacco industry funded paper reached erroneous conclusions. <i>Tobacco Control</i> , 2005, 14, 227-235.	1.8	22
143	Usefulness of Salivary trans-3'-Hydroxycotinine Concentration and trans-3'-Hydroxycotinine/Cotinine Ratio as Biomarkers of Cigarette Smoke in Pregnant Women. <i>Journal of Analytical Toxicology</i> , 2005, 29, 689-695.	1.7	15
144	Response to PN Lee. <i>Tobacco Control</i> , 2005, 14, 234-235.	1.8	0
145	Smoking cessation guidelines: evidence-based recommendations of the French Health Products Safety Agency. <i>European Psychiatry</i> , 2005, 20, 431-441.	0.1	57
147	Cardiovascular Effects of Secondhand Smoke. <i>Circulation</i> , 2005, 111, 2684-2698.	1.6	815
148	Metabolism and Disposition Kinetics of Nicotine. <i>Pharmacological Reviews</i> , 2005, 57, 79-115.	7.1	1,298

#	ARTICLE	IF	CITATIONS
149	Assessment of Smoking Behaviors in the Home and Their Influence on Children's Passive Smoking: Development of a Questionnaire. <i>Annals of Epidemiology</i> , 2005, 15, 453-459.	0.9	35
150	Differences in DNA-damage in non-smoking men and women exposed to environmental tobacco smoke (ETS). <i>Toxicology Letters</i> , 2005, 158, 10-19.	0.4	21
151	Urinary Mercapturic Acids and a Hemoglobin Adduct for the Dosimetry of Acrylamide Exposure in Smokers and Nonsmokers. <i>Inhalation Toxicology</i> , 2006, 18, 831-839.	0.8	89
152	Racial and Ethnic Differences in Predictors of Smoking Cessation. <i>Substance Use and Misuse</i> , 2006, 41, 317-339.	0.7	37
153	Urinary point-of-care test for smoking in the pre-operative assessment of patients undergoing elective plastic surgery. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2006, 59, 1156-1161.	0.5	30
154	DNA damage and repair capacity by comet assay in lymphocytes of white-collar active smokers and passive smokers (non- and ex-smokers) at workplace. <i>Toxicology Letters</i> , 2006, 167, 131-141.	0.4	57
155	Passive cigarette smoke exposure in primary school children in Liverpool. <i>Public Health</i> , 2006, 120, 65-69.	1.4	37
156	Cotinine and Spontaneous Abortion. <i>Epidemiology</i> , 2006, 17, 492-494.	1.2	13
157	Environmental Tobacco Smoke and Risk of Spontaneous Abortion. <i>Epidemiology</i> , 2006, 17, 500-505.	1.2	120
158	Enhanced cue-elicited brain activation in African American compared with Caucasian smokers: an fMRI study. <i>Addiction Biology</i> , 2006, 11, 97-106.	1.4	37
159	The effects of nicotine gum and counseling among African American light smokers: a 2x2 factorial design. <i>Addiction</i> , 2006, 101, 883-891.	1.7	161
160	Self-reported nicotine exposure and plasma levels of cotinine in early and late pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1331-1337.	1.3	158
161	Biomarkers of passive smoking among Greek preschool children. <i>European Journal of Pediatrics</i> , 2006, 165, 891-896.	1.3	21
162	Evaluation of urinarytrans-3-hydroxycotinine as a biomarker of children's environmental tobacco smoke exposure. <i>Biomarkers</i> , 2006, 11, 507-523.	0.9	15
163	Exposure to secondhand smoke air pollution assessed from bar patrons' urinary cotinine. <i>Nicotine and Tobacco Research</i> , 2006, 8, 701-711.	1.4	15
164	Trends in the Exposure of Nonsmokers in the U.S. Population to Secondhand Smoke: 1988-2002. <i>Environmental Health Perspectives</i> , 2006, 114, 853-858.	2.8	282
165	Risks for Heart Disease and Lung Cancer from Passive Smoking by Workers in the Catering Industry. <i>Toxicological Sciences</i> , 2006, 90, 539-548.	1.4	24
166	Contingency Management for Treatment of Substance Abuse. <i>Annual Review of Clinical Psychology</i> , 2006, 2, 411-434.	6.3	201

#	ARTICLE	IF	CITATIONS
167	Serum Cotinine Level as Predictor of Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1184-1188.	1.1	73
168	Biomarkers Derived from Nicotine and its Metabolites: A Review. <i>Beitrage Zur Tabakforschung International/ Contributions To Tobacco Research</i> , 2006, 22, 147-175.	0.3	12
169	CYP2A6 Genotype, Phenotype, and the Use of Nicotine Metabolites as Biomarkers during Ad libitum Smoking. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1812-1819.	1.1	57
170	Measuring Secondhand Smoke Exposure in Children: An Ecological Measurement Approach. <i>Journal of Pediatric Psychology</i> , 2007, 33, 156-175.	1.1	52
171	Identification of current smokers among renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1974-1978.	0.4	22
172	The variability of urinary cotinine levels in young children: Implications for measuring ETS exposure. <i>Nicotine and Tobacco Research</i> , 2007, 9, 83-92.	1.4	38
173	Estimation of urinary cotinine cut-off points distinguishing non-smokers, passive and active smokers. <i>Biomarkers</i> , 2007, 12, 484-496.	0.9	90
174	Changes in exposure of adult non-smokers to secondhand smoke after implementation of smoke-free legislation in Scotland: national cross sectional survey. <i>BMJ: British Medical Journal</i> , 2007, 335, 549.	2.4	186
175	Beta-Cryptoxanthin and Lung Cancer in Shanghai, China—An Examination of Potential Confounding with Cigarette Smoking Using Urinary Cotinine as a Biomarker for True Tobacco Exposure. <i>Nutrition and Cancer</i> , 2007, 57, 123-129.	0.9	7
176	Relationship of Human Toenail Nicotine, Cotinine, and 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanol to Levels of These Biomarkers in Plasma and Urine. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1382-1386.	1.1	29
177	Changes in child exposure to environmental tobacco smoke (CHETS) study after implementation of smoke-free legislation in Scotland: national cross sectional survey. <i>BMJ: British Medical Journal</i> , 2007, 335, 545.	2.4	182
178	Folding, activity and import of steroidogenic acute regulatory protein into mitochondria changed by nicotine exposure. <i>Journal of Molecular Endocrinology</i> , 2007, 39, 67-79.	1.1	22
179	Assessment of the Relation between Biomarkers for Smoking and Biomarkers for Acrylamide Exposure in Humans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2471-2478.	1.1	52
180	Biochemical verification of smoking status in pregnant and recently postpartum women.. <i>Experimental and Clinical Psychopharmacology</i> , 2007, 15, 58-66.	1.3	53
181	Baseline Characteristics and Recruitment Strategies in a Randomized Clinical Trial of African-American Light Smokers. <i>American Journal of Health Promotion</i> , 2007, 21, 183-191.	0.9	51
182	The Impact of Clean Indoor Air Exemptions and Preemption Policies on the Prevalence of a Tobacco-Specific Lung Carcinogen Among Nonsmoking Bar and Restaurant Workers. <i>American Journal of Public Health</i> , 2007, 97, 1457-1463.	1.5	34
183	Reference Values for Hair Cotinine as a Biomarker of Active and Passive Smoking in Women of Reproductive Age, Pregnant Women, Children, and Neonates: Systematic Review and Meta-Analysis. <i>Therapeutic Drug Monitoring</i> , 2007, 29, 437-446.	1.0	64
184	Nicotine activates cell-signaling pathways through muscle-type and neuronal nicotinic acetylcholine receptors in non-small cell lung cancer cells. <i>Pulmonary Pharmacology and Therapeutics</i> , 2007, 20, 629-641.	1.1	96

#	ARTICLE	IF	CITATIONS
185	Creating a Robust Public Health Infrastructure for Physical Activity Promotion. <i>American Journal of Preventive Medicine</i> , 2007, 32, 68-78.	1.6	70
186	The relationships between blood lead levels and serum follicle stimulating hormone and luteinizing hormone in the third National Health and Nutrition Examination Survey. <i>Environmental Research</i> , 2007, 104, 374-382.	3.7	20
187	Air pollution combustion emissions: Characterization of causative agents and mechanisms associated with cancer, reproductive, and cardiovascular effects. <i>Mutation Research - Reviews in Mutation Research</i> , 2007, 636, 95-133.	2.4	538
188	Environmental Tobacco Smoke: Respiratory and Other Health Effects. <i>Clinics in Chest Medicine</i> , 2007, 28, 559-573.	0.8	46
189	Oxidative Stress Associated with Indoor Air Pollution and Sick Building Syndrome-Related Symptoms among Office Workers in Taiwan. <i>Inhalation Toxicology</i> , 2007, 19, 57-65.	0.8	43
190	Determinants of salivary cotinine level: a population-based study in Brazil. <i>Revista De Saude Publica</i> , 2007, 41, 954-962.	0.7	27
191	Individual differences in salivary cortisol and alpha-amylose in mothers and their infants: Relation to tobacco smoke exposure. <i>Developmental Psychobiology</i> , 2007, 49, 692-701.	0.9	71
192	Is exposure to cocaine or cigarette smoke during pregnancy associated with infant visual abnormalities?. <i>Developmental Medicine and Child Neurology</i> , 2004, 46, 520-525.	1.1	1
193	Acute effects of cigarette smoking on multifocal electroretinogram. <i>Clinical and Experimental Ophthalmology</i> , 2007, 35, 32-37.	1.3	13
194	Relationship between machine-derived smoke yields and biomarkers in cigarette smokers in Germany. <i>Regulatory Toxicology and Pharmacology</i> , 2007, 47, 171-183.	1.3	156
195	Interpretation of Oral Fluid Tests for Drugs of Abuse. <i>Annals of the New York Academy of Sciences</i> , 2007, 1098, 51-103.	1.8	151
196	Comparative Evaluation of CE and HPLC for Determination of Cotinine in Human Urine. <i>Chromatographia</i> , 2007, 66, 357-361.	0.7	10
197	Prediction Methods for Nicotine Clearance Using Cotinine and 3-Hydroxy-Cotinine Spot Saliva Samples II. Model Application. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 2007, 34, 23-34.	0.8	39
198	Negative effects of nicotine on bone-resorbing cytokines and bone histomorphometric parameters in male rats. <i>Journal of Bone and Mineral Metabolism</i> , 2007, 25, 93-98.	1.3	58
199	The Impact of Perceived Treatment Assignment on Smoking Cessation Outcomes Among African-American Smokers. <i>Journal of General Internal Medicine</i> , 2008, 23, 1361-1366.	1.3	17
200	A randomized, controlled exposure study in adult smokers of full flavor Marlboro cigarettes switching to Marlboro Lights or Marlboro Ultra Lights cigarettes. <i>Regulatory Toxicology and Pharmacology</i> , 2008, 51, 295-305.	1.3	31
201	A longitudinal study of environmental tobacco smoke exposure in children: Parental self reports versus age dependent biomarkers. <i>BMC Public Health</i> , 2008, 8, 47.	1.2	44
202	Association of passive smoking with caries and related salivary biomarkers in young children. <i>Archives of Oral Biology</i> , 2008, 53, 969-974.	0.8	51

#	ARTICLE	IF	CITATIONS
203	The relationship between self-reported tobacco exposure and cotinines in urine and blood for pregnant women. <i>Science of the Total Environment</i> , 2008, 406, 331-336.	3.9	34
204	Association Between Involuntary Smoking and Salivary Markers Related to Periodontitis: A 2-Year Longitudinal Study. <i>Journal of Periodontology</i> , 2008, 79, 2233-2240.	1.7	41
205	CYP1A1 Ile462Val and GSTT1 modify the effect of cord blood cotinine on neurodevelopment at 2 years of age. <i>NeuroToxicology</i> , 2008, 29, 839-845.	1.4	26
206	Smoking-related weight control expectancies among African American light smokers enrolled in a smoking cessation trial. <i>Addictive Behaviors</i> , 2008, 33, 1329-1336.	1.7	5
207	Environmental tobacco smoke and canine urinary cotinine level. <i>Environmental Research</i> , 2008, 106, 361-364.	3.7	17
208	Environmental Tobacco Smoke and Behaviors of Inner-City Children With Asthma. <i>Academic Pediatrics</i> , 2008, 8, 288-293.	1.7	16
209	Risk factors for treatment failure in smokers: Relationship to alcohol use and to lifetime history of an alcohol use disorder. <i>Nicotine and Tobacco Research</i> , 2008, 10, 1793-1809.	1.4	83
210	Cardiovascular Toxicology. , 0, , .		0
211	Correlation between the Urine Profile of 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanone Metabolites and <i>N</i> -7-Methylguanine in Urothelial Carcinoma Patients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3390-3395.	1.1	19
212	Screening for Environmental Tobacco Smoke Exposure Among Inner-City Children With Asthma. <i>Pediatrics</i> , 2008, 122, 1277-1283.	1.0	40
213	Changes in air quality and second-hand smoke exposure in hospitality sector businesses after introduction of the English Smoke-free legislation. <i>Journal of Public Health</i> , 2008, 30, 421-428.	1.0	24
214	Environmental Tobacco Smoke Exposure and Child Behaviors. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2008, 29, 450-457.	0.6	33
215	Tobacco smoking cessation management: integrating varenicline in current practice. <i>Vascular Health and Risk Management</i> , 2008, Volume 4, 837-845.	1.0	29
216	Self-Reported Exposure to Second-Hand Smoke and Positive Urinary Cotinine in Pregnant Nonsmokers. <i>Yonsei Medical Journal</i> , 2009, 50, 345.	0.9	11
217	Optimal Serum Cotinine Levels for Distinguishing Cigarette Smokers and Nonsmokers Within Different Racial/Ethnic Groups in the United States Between 1999 and 2004. <i>American Journal of Epidemiology</i> , 2009, 169, 236-248.	1.6	544
218	Urine nicotine metabolite concentrations in relation to plasma cotinine during low-level nicotine exposure. <i>Nicotine and Tobacco Research</i> , 2009, 11, 954-960.	1.4	86
219	Elimination Kinetics of the Tobacco-Specific Biomarker and Lung Carcinogen 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanol. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3421-3425.	1.1	131
220	Smoke-free homes in England: prevalence, trends and validation by cotinine in children. <i>Tobacco Control</i> , 2009, 18, 491-495.	1.8	64

#	ARTICLE	IF	CITATIONS
221	Prevalence of Smoking Assessed Biochemically in an Urban Public Hospital: A Rationale for Routine Cotinine Screening. <i>American Journal of Epidemiology</i> , 2009, 170, 885-891.	1.6	78
222	Secondhand Tobacco Smoke Exposure Among Children and Adolescents: United States, 2003-2006. <i>Pediatrics</i> , 2009, 124, 1299-1305.	1.0	57
223	Interlaboratory comparability of serum cotinine measurements at smoker and nonsmoker concentration levels: A round-robin study. <i>Nicotine and Tobacco Research</i> , 2009, 11, 1458-1466.	1.4	65
224	Nicotine Chemistry, Metabolism, Kinetics and Biomarkers. <i>Handbook of Experimental Pharmacology</i> , 2009, , 29-60.	0.9	1,045
225	Evaluation of the accuracy of self-reported smoking in pregnancy when the biomarker level in an active smoker is uncertain. <i>Nicotine and Tobacco Research</i> , 2009, 11, 670-678.	1.4	36
226	Involuntary Tobacco Smoke Exposure and Urinary Levels of Polycyclic Aromatic Hydrocarbons in the United States, 1999 to 2002. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 884-893.	1.1	64
227	Secondhand smoke exposure among nonsmokers nationally and in New York City. <i>Nicotine and Tobacco Research</i> , 2009, 11, 362-370.	1.4	47
228	Low-level prenatal exposure to nicotine and infant neurobehavior. <i>Neurotoxicology and Teratology</i> , 2009, 31, 356-363.	1.2	47
229	Salivary cotinine concentrations in daily smokers in Barcelona, Spain: a cross-sectional study. <i>BMC Public Health</i> , 2009, 9, 320.	1.2	36
230	Changes in child exposure to secondhand smoke after implementation of smoke-free legislation in Wales: a repeated cross-sectional study. <i>BMC Public Health</i> , 2009, 9, 430.	1.2	64
231	Evaluation of the relationship between passive smoking and salivary electrolytes, protein, secretory IgA, sialic acid and amylase in young children. <i>Archives of Oral Biology</i> , 2009, 54, 457-463.	0.8	37
233	Method validation for measurement of hair nicotine level in nonsmokers. <i>Biomedical Chromatography</i> , 2009, 23, 273-279.	0.8	39
234	The influence of maternal smoking on maternal and newborn oxidant and antioxidant status. <i>European Journal of Pediatrics</i> , 2009, 168, 975-981.	1.3	53
235	Nicotine exposure can be detected in cerebrospinal fluid of active and passive smokers. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 129-132.	1.4	16
236	Fetal Exposure to Secondhand Tobacco Smoke Assessed by Maternal Self-reports and Cord Blood Cotinine: Prospective Cohort Study in Krakow. <i>Maternal and Child Health Journal</i> , 2009, 13, 415-423.	0.7	19
237	The importance of biological samples in longitudinal birth cohort studies. <i>Paediatric and Perinatal Epidemiology</i> , 2009, 23, 93-102.	0.8	7
238	Changes in environmental tobacco smoke (ETS) exposure over a 20-year period: cross-sectional and longitudinal analyses. <i>Addiction</i> , 2009, 104, 496-503.	1.7	15
239	Assessment of Exposure to Secondhand Smoke at Outdoor Bars and Family Restaurants in Athens, Georgia, Using Salivary Cotinine. <i>Journal of Occupational and Environmental Hygiene</i> , 2009, 6, 698-704.	0.4	19

#	ARTICLE	IF	CITATIONS
240	Prediction of Birth Weight By Cotinine Levels During Pregnancy in a Population of Black Smokers. <i>Pediatrics</i> , 2009, 124, e671-e680.	1.0	14
241	Correlation between urinary nicotine, cotinine and self-reported smoking status among educated young adults. <i>Environmental Toxicology and Pharmacology</i> , 2009, 28, 92-96.	2.0	31
242	Assessment of exposure to secondhand smoke by questionnaire and salivary cotinine in the general population of Barcelona, Spain (2004â€“2005). <i>Preventive Medicine</i> , 2009, 48, 218-223.	1.6	44
243	Environmental Tobacco Smoke Avoidance Among Pregnant African-American Nonsmokers. <i>American Journal of Preventive Medicine</i> , 2009, 36, 225-234.	1.6	21
244	Forty Years of Secondhand Smoke Research. <i>American Journal of Preventive Medicine</i> , 2009, 36, 538-548.	1.6	66
245	Race differences in factors relating to smoking initiation. <i>Addictive Behaviors</i> , 2009, 34, 1056-1059.	1.7	75
246	Thyroid Hormone Levels Associated with Active and Passive Cigarette Smoking. <i>Thyroid</i> , 2009, 19, 817-823.	2.4	64
247	Smoking cessation increases serum adiponectin levels in an apparently healthy Greek population. <i>Atherosclerosis</i> , 2009, 205, 632-636.	0.4	38
248	Methods for Quantification of Exposure to Cigarette Smoking and Environmental Tobacco Smoke: Focus on Developmental Toxicology. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 14-30.	1.0	271
249	Comparison between Plasma and Urine Thiocyanates and Urinary Cotinine Determinations as Indicators of Cigarette Smoking. <i>Journal of Health Science</i> , 2009, 55, 895-900.	0.9	0
250	Smoking State Determined by Cotinine and Arterial Stiffness. <i>Circulation Journal</i> , 2009, 73, 1537-1542.	0.7	6
251	Exposure to secondhand smoke and cognitive impairment in non-smokers: national cross sectional study with cotinine measurement. <i>BMJ: British Medical Journal</i> , 2009, 338, b462-b462.	2.4	82
252	Blood Lead Level and Kidney Function in US Adolescents. <i>Archives of Internal Medicine</i> , 2010, 170, 75.	4.3	126
253	Cigarette smoking during early pregnancy reduces the number of embryonic germ and somatic cells. <i>Human Reproduction</i> , 2010, 25, 2755-2761.	0.4	63
254	What is Tobacco Smoke? Sociocultural Dimensions of the Association with Cardiovascular Risk. <i>Current Pharmaceutical Design</i> , 2010, 16, 2510-2517.	0.9	37
256	Environmental Tobacco Smoke and Children's Health. <i>Eastern Economic Journal</i> , 2010, 36, 423-449.	0.5	4
257	Contribution of microextraction in packed sorbent for the analysis of cotinine in human urine by GCâ€“MS. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 937-941.	1.9	36
258	A novel validated procedure for the determination of nicotine, eight nicotine metabolites and two minor tobacco alkaloids in human plasma or urine by solid-phase extraction coupled with liquid chromatographyâ€“electrospray ionizationâ€“tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 725-737.	1.2	113

#	ARTICLE	IF	CITATIONS
259	The study protocol for a randomized controlled trial of a family-centred tobacco control program about environmental tobacco smoke (ETS) to reduce respiratory illness in Indigenous infants. <i>BMC Public Health</i> , 2010, 10, 114.	1.2	15
260	A descriptive analysis of relations between parents' self-reported smoking behavior and infants' daily exposure to environmental tobacco smoke. <i>BMC Public Health</i> , 2010, 10, 424.	1.2	6
261	Second-hand smoke and chronic bronchitis in Taiwanese women: a health-care based study. <i>BMC Public Health</i> , 2010, 10, 44.	1.2	26
262	Sensitivity and specificity of a self-administered questionnaire of tobacco use; including the Fagerstr�m test. <i>International Journal of Nursing Studies</i> , 2010, 47, 181-189.	2.5	16
263	The Long-Term Effects of Prenatal Nicotine Exposure on Neurologic Development. <i>Journal of Midwifery and Women's Health</i> , 2010, 55, 143-152.	0.7	92
264	Simultaneous determination of four tobacco-specific N-nitrosamines in mainstream smoke for Chinese Virginia cigarettes by liquid chromatography-tandem mass spectrometry and validation under ISO and Canadian intense-machine smoking regimes. <i>Analytica Chimica Acta</i> , 2010, 674, 71-78.	2.6	44
265	Determination of nicotine and nicotine metabolites in urine by hydrophilic interaction chromatography-tandem mass spectrometry: Potential use of smokeless tobacco products by ice hockey players. <i>Journal of Chromatography A</i> , 2010, 1217, 7528-7538.	1.8	66
266	Periodontal health in children exposed to passive smoking. <i>Journal of Clinical Periodontology</i> , 2010, 37, 160-164.	2.3	25
267	Prenatal environmental tobacco smoke exposure and early childhood body mass index. <i>Paediatric and Perinatal Epidemiology</i> , 2010, 24, 524-534.	0.8	48
268	Passive smoking alters circulating naive/memory lymphocyte T cell subpopulations in children. <i>Pediatric Allergy and Immunology</i> , 2010, 21, 1171-1178.	1.1	32
269	Passive Smoking in Never-Smokers Is Associated With Increased Plasma Homocysteine Levels Analysis of NHANES III Data. <i>International Heart Journal</i> , 2010, 51, 183-187.	0.5	26
270	Single gas chromatography method with nitrogen phosphorus detector for urinary cotinine determination in passive and active smokers. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2010, 46, 769-776.	1.2	5
271	Nicotine and its metabolites in amniotic fluid at birth - Assessment of prenatal tobacco smoke exposure. <i>Human and Experimental Toxicology</i> , 2010, 29, 385-391.	1.1	14
272	Estimation of Nicotine Dose after Low-level Exposure Using Plasma and Urine Nicotine Metabolites. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1160-1166.	1.1	46
273	Urine Cotinine Underestimates Exposure to the Tobacco-Derived Lung Carcinogen 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanone in Passive Compared with Active Smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2795-2800.	1.1	37
274	Biomarker evaluation of Greek adolescents' exposure to secondhand smoke. <i>Human and Experimental Toxicology</i> , 2010, 29, 459-466.	1.1	11
275	Predictors of smoking reduction among Blacks. <i>Nicotine and Tobacco Research</i> , 2010, 12, 423-431.	1.4	23
276	Associations Between Secondhand Smoke Exposure and Sleep Patterns in Children. <i>Pediatrics</i> , 2010, 125, e261-e268.	1.0	73

#	ARTICLE	IF	CITATIONS
277	Tobacco or Health?. , 2010, , .		8
278	Identification and Quantification of Nicotine Biomarkers in Human Oral Fluid from Individuals Receiving Low-Dose Transdermal Nicotine: A Preliminary Study. <i>Journal of Analytical Toxicology</i> , 2010, 34, 357-366.	1.7	16
279	Cotinine-assessed second-hand smoke exposure and risk of cardiovascular disease in older adults. <i>Heart</i> , 2010, 96, 854-859.	1.2	54
280	Smoking by Frequency and Type of Social Contact. <i>American Journal of Health Behavior</i> , 2010, 34, 322-327.	0.6	3
281	UGT2B10 Genotype Influences Nicotine Glucuronidation, Oxidation, and Consumption. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1423-1431.	1.1	28
282	German Environmental Survey IV: Children's exposure to environmental tobacco smoke. <i>Toxicology Letters</i> , 2010, 192, 79-83.	0.4	27
283	Benzene exposure in childhood: Role of living environments and assessment of available tools. <i>Environment International</i> , 2010, 36, 779-787.	4.8	44
284	A review and assessment of menthol employed as a cigarette flavoring ingredient. <i>Food and Chemical Toxicology</i> , 2010, 48, S1-S38.	1.8	54
285	Secondhand smoke avoidance by preteens living with smokers: To leave or stay?. <i>Addictive Behaviors</i> , 2010, 35, 989-994.	1.7	13
286	Secondhand smoke (SHS) exposure is associated with circulating markers of inflammation and endothelial function in adult men and women. <i>Atherosclerosis</i> , 2010, 208, 550-556.	0.4	72
287	Secondhand smoke exposure and the risk of hearing loss. <i>Tobacco Control</i> , 2011, 20, 82-85.	1.8	40
288	Comparison of Urine Cotinine and the Tobacco-Specific Nitrosamine Metabolite 4-(Methylnitrosamino)-1-(3-Pyridyl)-1-Butanol (NNAL) and Their Ratio to Discriminate Active From Passive Smoking. <i>Nicotine and Tobacco Research</i> , 2011, 13, 202-208.	1.4	129
289	A Second Reporter Matters. <i>American Journal of Preventive Medicine</i> , 2011, 40, 572-575.	1.6	6
290	Seafood intake and urine concentrations of total arsenic, dimethylarsinate and arsenobetaine in the US population. <i>Environmental Research</i> , 2011, 111, 110-118.	3.7	200
291	Stages of change, smoking characteristics, and cotinine concentrations in smokers: Setting priorities for smoking cessation. <i>Preventive Medicine</i> , 2011, 52, 139-145.	1.6	16
292	Validation of smoking cessation self-reported by patients with chronic obstructive pulmonary disease. <i>International Journal of General Medicine</i> , 2011, 4, 85.	0.8	32
293	Recent Contributions of Air- and Biomarkers to the Control of Secondhand Smoke (SHS): A Review. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 648-682.	1.2	15
295	Assessing Recent Smoking Status by Measuring Exhaled Carbon Monoxide Levels. <i>PLoS ONE</i> , 2011, 6, e28864.	1.1	106

#	ARTICLE	IF	CITATIONS
296	The Effect of Secondhand Smoke Exposure on Markers of Elastin Degradation. <i>Chest</i> , 2011, 140, 946-953.	0.4	28
297	Smoking and Hypertension: Independent or Additive Effects to Determining Vascular Damage?. <i>Current Vascular Pharmacology</i> , 2011, 9, 585-593.	0.8	42
298	A Randomized Trial of Parental Behavioral Counseling and Cotinine Feedback for Lowering Environmental Tobacco Smoke Exposure in Children With Asthma. <i>Chest</i> , 2011, 139, 581-590.	0.4	50
299	How to Measure Secondhand Smoke Exposure in a Pediatric Clinic Setting. <i>JAMA Pediatrics</i> , 2011, 165, 670.	3.6	1
300	Effects of nicotine and Gelam honey on testis parameters and sperm qualities of juvenile rats. <i>Scientific Research and Essays</i> , 2011, 6, .	0.1	9
301	Relative performance of common biochemical indicators in detecting cigarette smoking. <i>Addiction</i> , 2011, 106, 1325-1334.	1.7	40
302	Exposure to polycyclic aromatic hydrocarbons, arsenic and environmental tobacco smoke, nutrient intake, and oxidative stress in Japanese preschool children. <i>Science of the Total Environment</i> , 2011, 409, 2881-2887.	3.9	32
303	Self-reported tobacco smoke exposure and plasma cotinine levels during pregnancy – A validation study in Northern Japan. <i>Science of the Total Environment</i> , 2011, 412-413, 114-118.	3.9	57
304	Estimation and correlation of cigarette smoke exposure in Canadian smokers as determined by filter analysis and biomarkers of exposure. <i>Regulatory Toxicology and Pharmacology</i> , 2011, 61, S3-S12.	1.3	34
305	A one-year monitoring of nicotine use in sport: Frontier between potential performance enhancement and addiction issues. <i>Forensic Science International</i> , 2011, 213, 73-84.	1.3	39
306	Neurobiology of nAChRs and cognition: A mini review of Dr. Jerry J. Buccafusco's contributions over a 25 year career. <i>Biochemical Pharmacology</i> , 2011, 82, 883-890.	2.0	7
307	Household Smoking Behavior: Effects on Indoor Air Quality and Health of Urban Children with Asthma. <i>Maternal and Child Health Journal</i> , 2011, 15, 460-468.	0.7	59
308	Design and study protocol of the maternal smoking cessation during pregnancy study, (M-SCOPE). <i>BMC Public Health</i> , 2011, 11, 903.	1.2	5
310	Development and validation of a hydrophilic interaction chromatography–tandem mass spectrometry for quantification of nicotine and its metabolites in human maternal and cord sera. <i>Biomedical Chromatography</i> , 2011, 25, 503-510.	0.8	16
311	Determination of the nicotine metabolites cotinine and trans-3- β -hydroxycotinine in biologic fluids of smokers and non-smokers using liquid chromatography–tandem mass spectrometry: Biomarkers for tobacco smoke exposure and for phenotyping cytochrome P450 2A6 activity. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 267-276.	1.2	185
312	Serum cotinine predicts bronchial obstruction regardless of self-reported smoking history. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 547-552.	1.2	11
313	The Relationship between Venue Indoor Air Quality and Urinary Cotinine Levels among Semiopen-Air Caf� Employees: What Factors Determine the Level of Exposure?. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2011, 24, 35-41.	0.7	7
314	Circulating biomarkers of hazard effects from cigarette smoking. <i>Toxicology and Industrial Health</i> , 2011, 27, 531-535.	0.6	5

#	ARTICLE	IF	CITATIONS
315	Lung function and exposure to workplace second-hand smoke during exemptions from smoking ban legislation: an exposure-response relationship based on indoor PM2.5 and urinary cotinine levels. <i>Thorax</i> , 2011, 66, 615-623.	2.7	20
316	Acceptability of Testing Children for Tobacco-Smoke Exposure: A National Parent Survey. <i>Pediatrics</i> , 2011, 127, 628-634.	1.0	15
317	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 869-875.	1.1	30
318	Time Course of Nicotine and Cotinine Incorporation into Samples of Nonsmokers' Beard Hair Following a Single Dose of Nicotine Polacrilex*. <i>Journal of Analytical Toxicology</i> , 2011, 35, 1-7.	1.7	14
319	Relationships of Cotinine and Self-Reported Cigarette Smoking With Hemoglobin A1c in the U.S.. <i>Diabetes Care</i> , 2011, 34, 2250-2255.	4.3	52
320	Effects of HEPA Air Cleaners on Unscheduled Asthma Visits and Asthma Symptoms for Children Exposed to Secondhand Tobacco Smoke. <i>Pediatrics</i> , 2011, 127, 93-101.	1.0	91
321	Tobacco-Smoke Exposure in Children Who Live in Multiunit Housing. <i>Pediatrics</i> , 2011, 127, 85-92.	1.0	144
322	Providing Coaching and Cotinine Results to Preteens to Reduce Their Secondhand Smoke Exposure. <i>Chest</i> , 2011, 140, 681-689.	0.4	26
323	Association Between Time to First Cigarette After Waking Up and Salivary Cotinine Concentration. <i>Nicotine and Tobacco Research</i> , 2011, 13, 168-172.	1.4	10
324	Smoking and Asthma. <i>Journal of the American Board of Family Medicine</i> , 2011, 24, 313-322.	0.8	124
325	Reduction of Secondhand Smoke Exposure Among Healthy Infants in Iran: Randomized Controlled Trial. <i>Nicotine and Tobacco Research</i> , 2011, 13, 840-847.	1.4	20
326	Secondhand Smoke Exposure and Inflammatory Markers in Nonsmokers in the Trucking Industry. <i>Environmental Health Perspectives</i> , 2011, 119, 1294-1300.	2.8	22
327	Validity of self-reported smoking among women hospital staff in Tunisia. <i>Tobacco Control</i> , 2011, 20, 86-86.	1.8	4
328	Secondhand Smoke Exposure and Mental Health Among Children and Adolescents. <i>JAMA Pediatrics</i> , 2011, 165, 332-8.	3.6	143
329	GSTM1 Modifies the Effect of Maternal Exposure to Environmental Tobacco Smoke on Neonatal Primitive Reflexes. <i>Nicotine and Tobacco Research</i> , 2011, 13, 1114-1122.	1.4	5
330	Impact of smoke-free legislation on children's exposure to secondhand smoke: cotinine data from the Health Survey for England. <i>Tobacco Control</i> , 2012, 21, 18-23.	1.8	77
331	Exposure to Secondhand Smoke Outside of a Bar and a Restaurant and Tobacco Exposure Biomarkers in Nonsmokers. <i>Environmental Health Perspectives</i> , 2012, 120, 1010-1016.	2.8	38
332	Did Smokefree Legislation in England Reduce Exposure to Secondhand Smoke among Nonsmoking Adults? Cotinine Analysis from the Health Survey for England. <i>Environmental Health Perspectives</i> , 2012, 120, 425-430.	2.8	48

#	ARTICLE	IF	CITATIONS
333	Evaluation of glucuronide metabolite stability in dried blood spots. <i>Bioanalysis</i> , 2012, 4, 2823-2832.	0.6	28
334	Secondhand Smoke Exposure and Hair Nicotine in Children: Age-Dependent Differences. <i>Nicotine and Tobacco Research</i> , 2012, 14, 1105-1109.	1.4	14
335	Factors Influencing Exposure to Secondhand Smoke in Preschool Children Living With Smoking Mothers. <i>Nicotine and Tobacco Research</i> , 2012, 14, 1435-1444.	1.4	31
336	Hidden female smokers in Asia: a comparison of self-reported with cotinine-verified smoking prevalence rates in representative national data from an Asian population. <i>Tobacco Control</i> , 2012, 21, 536-542.	1.8	210
337	Admission Screening for Secondhand Tobacco Smoke Exposure. <i>Hospital Pediatrics</i> , 2012, 2, 26-33.	0.6	23
338	Determination of Tobacco Smoke Exposure by Plasma Cotinine Levels in Infants and Children Attending Urban Public Hospital Clinics. <i>JAMA Pediatrics</i> , 2012, 166, 851.	3.6	48
339	Self-reported smoking status and plasma cotinine concentrations among pregnant women in the Norwegian Mother and Child Cohort Study. <i>Pediatric Research</i> , 2012, 72, 101-107.	1.1	113
340	Persistent Snoring in Preschool Children: Predictors and Behavioral and Developmental Correlates. <i>Pediatrics</i> , 2012, 130, 382-389.	1.0	52
341	Exposure to Nicotine and Carcinogens among Southwestern Alaskan Native Cigarette Smokers and Smokeless Tobacco Users. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 934-942.	1.1	32
342	Correlates of NNAL levels among nondaily and daily smokers in the college student population. <i>Current Biomarker Findings</i> , 2012, 2012, 87.	0.4	9
343	Nicotine dependence and salivary cotinine concentration in daily smokers. <i>European Journal of Cancer Prevention</i> , 2012, 21, 96-102.	0.6	14
344	Influence of Additives on Cigarette Related Health Risks. <i>Beitrage Zur Tabakforschung International/ Contributions To Tobacco Research</i> , 2012, 25, 412-493.	0.3	5
345	Smoking cessation is followed by a sharp but transient rise in the incidence of overt autoimmune hypothyroidism – A population-based, case-control study. <i>Clinical Endocrinology</i> , 2012, 77, 764-772.	1.2	66
346	Hair nicotine/cotinine concentrations as a method of monitoring exposure to tobacco smoke among infants and adults. <i>Human and Experimental Toxicology</i> , 2012, 31, 258-265.	1.1	40
347	How home-smoking habits affect children: a cross-sectional study using urinary cotinine measurement in Italy. <i>International Journal of Public Health</i> , 2012, 57, 885-892.	1.0	41
348	Intra- and inter-individual variability in urinary nicotine excretion and plasma cotinine in adult cigarette smokers. <i>Regulatory Toxicology and Pharmacology</i> , 2012, 64, 388-393.	1.3	4
349	Cigarette Smoke Inhibits Dynamic Ciliary Beat Frequency in Pediatric Adenoid Explants. <i>Otolaryngology - Head and Neck Surgery</i> , 2012, 146, 659-663.	1.1	28
350	The relationship among IL-13, GSTP1, and CYP1A1 polymorphisms and environmental tobacco smoke in a population of children with asthma in Northern Mexico. <i>Environmental Toxicology and Pharmacology</i> , 2012, 33, 226-232.	2.0	17

#	ARTICLE	IF	CITATIONS
351	Concentration and determination of cotinine in serum by cation-selective exhaustive injection and sweeping micellar electrokinetic chromatography. <i>Electrophoresis</i> , 2012, 33, 2570-2576.	1.3	16
353	Korea National Survey for Environmental Pollutants in the human body 2008: 1-hydroxypyrene, 2-naphthol, and cotinine in urine of the Korean population. <i>Environmental Research</i> , 2012, 118, 25-30.	3.7	40
354	Tobacco toxicity ignored as a cause of death. Why?. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2012, 19, 239.	0.5	2
355	The use of financial incentives in promoting smoking cessation. <i>Preventive Medicine</i> , 2012, 55, S24-S32.	1.6	113
356	Environmental tobacco smoke and stress as risk factors for miscarriage and preterm births. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 1187-1191.	0.8	19
357	Relationship between Exhaled Nitric Oxide and Exposure to Low-Level Environmental Tobacco Smoke in Children with Asthma on Inhaled Corticosteroids. <i>Journal of Asthma</i> , 2012, 49, 673-678.	0.9	18
362	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	2.3	10
363	What proportion of lung cancer in never-smokers can be attributed to known risk factors?. <i>International Journal of Cancer</i> , 2012, 131, 265-275.	2.3	56
364	Use of partition coefficients in flow-limited physiologically-based pharmacokinetic modeling. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 2012, 39, 313-327.	0.8	13
365	The nicotine metabolite, cotinine, attenuates glutamate (NMDA) antagonist-related effects on the performance of the five choice serial reaction time task (5C-SRTT) in rats. <i>Biochemical Pharmacology</i> , 2012, 83, 941-951.	2.0	47
366	Proteomic analysis of <i>Porphyromonas gingivalis</i> exposed to nicotine and cotinine. <i>Journal of Periodontal Research</i> , 2012, 47, 766-775.	1.4	14
367	National prevalence of oral HPV infection and related risk factors in the U.S. adult population. <i>Oral Diseases</i> , 2012, 18, 430-441.	1.5	70
368	4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone is correlated with 8-hydroxy-2-deoxyguanosine in humans after exposure to environmental tobacco smoke. <i>Science of the Total Environment</i> , 2012, 414, 134-139.	3.9	17
369	Menthol smoking in relation to time to first cigarette and cotinine: Results from a community-based study. <i>Regulatory Toxicology and Pharmacology</i> , 2012, 63, 166-170.	1.3	19
370	England's legislation on smoking in indoor public places and workplaces: impact on the most exposed children. <i>Addiction</i> , 2012, 107, 2009-2016.	1.7	22
371	Simultaneous quantitation of urinary cotinine and acrylonitrile-derived mercapturic acids with ultraperformance liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2113-2120.	1.9	19
372	High human exposure to pyrene (polycyclic aromatic hydrocarbon) in Kinshasa, a capital of the Democratic Republic of Congo. <i>Archives of Public Health</i> , 2013, 71, 14.	1.0	14
373	On-line solid-phase extraction with ultra performance liquid chromatography and tandem mass spectrometry for the detection of nicotine, cotinine and trans-3-hydroxycotinine in urine to strengthen human biomonitoring and smoking cessation studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 76, 126-133.	1.4	23

#	ARTICLE	IF	CITATIONS
374	How to minimize children's environmental tobacco smoke exposure: an intervention in a clinical setting in high risk areas. <i>BMC Pediatrics</i> , 2013, 13, 76.	0.7	11
375	Impact of a smoking ban in hospitality venues on second hand smoke exposure: a comparison of exposure assessment methods. <i>BMC Public Health</i> , 2013, 13, 536.	1.2	12
376	Association of time-location patterns with urinary cotinine among asthmatic children under household environmental tobacco smoke exposure. <i>Environmental Research</i> , 2013, 124, 7-12.	3.7	8
377	Laminated Paper-Based Analytical Devices (LPAD) with Origami-Enabled Chemiluminescence Immunoassay for Cotinine Detection in Mouse Serum. <i>Analytical Chemistry</i> , 2013, 85, 10270-10276.	3.2	126
378	S-phenylmercapturic acid (S-PMA) levels in urine as an indicator of exposure to benzene in the Kinshasa population. <i>International Journal of Hygiene and Environmental Health</i> , 2013, 216, 494-498.	2.1	12
379	Impact of Environmental Tobacco Smoke on Children With Asthma, United States, 2003-2010. <i>Academic Pediatrics</i> , 2013, 13, 508-516.	1.0	47
380	Exposure to tobacco smoke based on urinary cotinine levels among Israeli smoking and nonsmoking adults: a cross-sectional analysis of the first Israeli human biomonitoring study. <i>BMC Public Health</i> , 2013, 13, 1241.	1.2	23
381	Tobacco Smoke and Pregnancy: Segmental Analysis of Nicotine in Maternal Hair. <i>Archives of Environmental and Occupational Health</i> , 2013, 68, 117-122.	0.7	5
382	Secondhand smoke exposure levels in outdoor hospitality venues: a qualitative and quantitative review of the research literature. <i>Tobacco Control</i> , 2013, 22, 172-179.	1.8	24
383	Assessment of serum cotinine in patients with chronic heart failure: self-reported versus objective smoking behaviour. <i>Clinical Research in Cardiology</i> , 2013, 102, 95-101.	1.5	9
384	Smoking exacerbates amyloid pathology in a mouse model of Alzheimer's disease. <i>Nature Communications</i> , 2013, 4, 1495.	5.8	95
385	Polycyclic aromatic hydrocarbon biomarkers and serum markers of inflammation. A positive association that is more evident in men. <i>Environmental Research</i> , 2013, 126, 98-104.	3.7	105
386	Atherogenesis in youth - Early consequence of adolescent smoking. <i>Atherosclerosis</i> , 2013, 230, 304-309.	0.4	27
387	Biomarkers of Tobacco Smoke Exposure and Asthma Severity in Adults. <i>American Journal of Preventive Medicine</i> , 2013, 45, 703-709.	1.6	11
388	Association of secondhand smoke exposure with mental health in men and women: Cross-sectional and prospective analyses using the UK Health and Lifestyle Survey. <i>European Psychiatry</i> , 2013, 28, 276-281.	0.1	28
389	Exposure to secondhand smoke and depression and anxiety: A report from two studies in the Netherlands. <i>Journal of Psychosomatic Research</i> , 2013, 75, 431-436.	1.2	42
390	Dose-independent kinetics with low level exposure to nicotine and cotinine. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 277-279.	1.1	3
391	Nicotine facilitates memory consolidation in perceptual learning. <i>Neuropharmacology</i> , 2013, 64, 443-451.	2.0	27

#	ARTICLE	IF	CITATIONS
392	Determinants of self-reported smoking and misclassification during pregnancy, and analysis of optimal cut-off points for urinary cotinine: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002034.	0.8	58
393	Kidney Function and Tobacco Smoke Exposure in US Adolescents. <i>Pediatrics</i> , 2013, 131, e1415-e1423.	1.0	52
394	Estimation of Cutoff Values of Cotinine in Urine and Saliva for Pregnant Women in Poland. <i>BioMed Research International</i> , 2013, 2013, 1-11.	0.9	51
395	A receiver operated curve-based evaluation of change in sensitivity and specificity of cotinine urinalysis for detecting active tobacco use. <i>Journal of Cancer Research and Therapeutics</i> , 2013, 9, 84.	0.3	22
396	Serum Cotinine Levels and Prehypertension in Never Smokers. <i>International Journal of Hypertension</i> , 2013, 2013, 1-8.	0.5	5
397	Workplace Exposure to Secondhand Smoke Among Non-smoking Hospitality Employees. <i>Nicotine and Tobacco Research</i> , 2013, 15, 413-418.	1.4	7
398	Environmental tobacco smoke and asthma exacerbations and severity: the difference between measured and reported exposure. <i>Archives of Disease in Childhood</i> , 2013, 98, 510-514.	1.0	48
399	Assessing secondhand smoke using biological markers. <i>Tobacco Control</i> , 2013, 22, 164-171.	1.8	200
400	Optimum Cutoff Value of Urinary Cotinine Distinguishing South Korean Adult Smokers From Nonsmokers Using Data From the KNHANES (2008-2010). <i>Nicotine and Tobacco Research</i> , 2013, 15, 1608-1616.	1.4	34
401	Levels of Cotinine in Dried Blood Specimens from Newborns as a Biomarker of Maternal Smoking Close to the Time of Delivery. <i>American Journal of Epidemiology</i> , 2013, 178, 1648-1654.	1.6	21
402	Association of Serum Cotinine Levels and Hypertension in Never Smokers. <i>Hypertension</i> , 2013, 61, 304-308.	1.3	31
403	Mortality Risks Associated With Environmental Tobacco Smoke Exposure in the United States. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1722-1728.	1.4	14
404	Association of Maternal Smoking With Child Cotinine Levels. <i>Nicotine and Tobacco Research</i> , 2013, 15, 2029-2036.	1.4	14
405	Bisphenol A and Chronic Disease Risk Factors in US Children. <i>Pediatrics</i> , 2013, 132, e637-e645.	1.0	92
406	The Accuracy of Urinary Cotinine Immunoassay Test Strip as an Add-on Test to Self-Reported Smoking Before Major Elective Surgery. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1690-1695.	1.4	16
407	Time to First Cigarette and Serum Cotinine Levels in Adolescent Smokers: National Health and Nutrition Examination Survey, 2007-2010. <i>Nicotine and Tobacco Research</i> , 2013, 15, 701-707.	1.4	33
408	Evaluating the effectiveness of the US Navy and Marine Corps Tobacco Policy: an assessment of secondhand smoke exposure in US Navy submariners. <i>Tobacco Control</i> , 2013, 22, e66-e72.	1.8	4
409	Implementation of a community-based secondhand smoke reduction intervention for caregivers of urban children with asthma: process evaluation, successes and challenges. <i>Health Education Research</i> , 2013, 28, 141-152.	1.0	16

#	ARTICLE	IF	CITATIONS
410	Air quality, mortality, and economic benefits of a smoke - free workplace law for non-smoking Ontario bar workers. <i>Indoor Air</i> , 2013, 23, 93-104.	2.0	9
411	The Ability of Plasma Cotinine to Predict Nicotine and Carcinogen Exposure is Altered by Differences in CYP2A6: the Influence of Genetics, Race, and Sex. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 708-718.	1.1	77
412	Menthol Cigarettes, Race/Ethnicity, and Biomarkers of Tobacco Use in U.S. Adults: The 1999-2010 National Health and Nutrition Examination Survey (NHANES). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 224-232.	1.1	49
413	Cotinine and trans 3-hydroxycotinine in dried blood spots as biomarkers of tobacco exposure and nicotine metabolism. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2013, 23, 513-518.	1.8	53
414	CYP2A6 Genotype but not Age Determines Cotinine Half-Life in Infants and Children. <i>Clinical Pharmacology and Therapeutics</i> , 2013, 94, 400-406.	2.3	29
415	Sexual Orientation-Related Differences in Tobacco Use and Secondhand Smoke Exposure Among US Adults Aged 20 to 59 Years: 2003-2010 National Health and Nutrition Examination Surveys. <i>American Journal of Public Health</i> , 2013, 103, 1837-1844.	1.5	80
416	Role of biomarkers in understanding and treating children with asthma: towards personalized care. <i>Pharmacogenomics and Personalized Medicine</i> , 2013, 6, 73.	0.4	5
417	Explaining Human Recreational Use of $\tilde{\text{pesticides}}^{\text{TM}}$: The Neurotoxin Regulation Model of Substance Use vs. the Hijack Model and Implications for Age and Sex Differences in Drug Consumption. <i>Frontiers in Psychiatry</i> , 2013, 4, 142.	1.3	51
418	The Association between Active and Passive Smoking and Latent Tuberculosis Infection in Adults and Children in the United States: Results from NHANES. <i>PLoS ONE</i> , 2014, 9, e93137.	1.1	29
419	Relationship between Caregivers' Smoking at Home and Urinary Levels of Cotinine in Children. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 12499-12513.	1.2	12
420	Oxidative Stress of Office Workers Relevant to Tobacco Smoking and Inner Air Quality. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 5586-5597.	1.2	16
421	Utility and Cutoff Value of Hair Nicotine as a Biomarker of Long-Term Tobacco Smoke Exposure, Compared to Salivary Cotinine. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 8368-8382.	1.2	30
422	Influence of CYP2A6*4 Genotypes on Maternal Serum Cotinine Among Chinese Nonsmoking Pregnant Women. <i>Nicotine and Tobacco Research</i> , 2014, 16, 406-412.	1.4	8
423	Association between cigarette smoking and the vaginal microbiota: a pilot study. <i>BMC Infectious Diseases</i> , 2014, 14, 471.	1.3	107
424	Sleep disturbances associated with cigarette smoking. <i>Psychology, Health and Medicine</i> , 2014, 19, 410-419.	1.3	95
425	Acrylonitrile exposure assessment in the emergency responders of a major train accident in Belgium: A human biomonitoring study. <i>Toxicology Letters</i> , 2014, 231, 352-359.	0.4	9
426	Acrylonitrile exposure in the general population following a major train accident in Belgium: A human biomonitoring study. <i>Toxicology Letters</i> , 2014, 231, 344-351.	0.4	21
427	Association Between Urine Cotinine Levels and Bone Mineral Density in Lumbar Spine and Femoral Neck Among Adult Males. <i>Spine</i> , 2014, 39, 311-317.	1.0	9

#	ARTICLE	IF	CITATIONS
428	Passive smoking assessed by salivary cotinine and self-report in relation to cause-specific mortality: 17-year follow-up of study participants in the UK Health and Lifestyle Survey. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 1200-1203.	2.0	7
429	Genetic Influences on Smoking and Clinical Disease. Understanding Behavioral and Biological Pathways with Mediation Analysis. <i>Annals of the American Thoracic Society</i> , 2014, 11, 1082-1083.	1.5	12
430	Simultaneous determination of cotinine and trans-3-hydroxycotinine in urine by automated solid-phase extraction using gas chromatography-mass spectrometry. <i>Biomedical Chromatography</i> , 2014, 28, 453-458.	0.8	10
431	The DNA Methylation Signature of Smoking: An Archetype for the Identification of Biomarkers for Behavioral Illness. <i>Nebraska Symposium on Motivation</i> , 2014, 61, 109-127.	0.9	26
432	Low-level environmental tobacco smoke exposure and inflammatory biomarkers in children with asthma. <i>Journal of Asthma</i> , 2014, 51, 355-359.	0.9	16
433	Thirdhand smoke and exposure in California hotels: non-smoking rooms fail to protect non-smoking hotel guests from tobacco smoke exposure. <i>Tobacco Control</i> , 2014, 23, 264-272.	1.8	71
434	Biomarkers of secondhand smoke exposure in automobiles. <i>Tobacco Control</i> , 2014, 23, 51-57.	1.8	33
435	Effects of Cigarette Smoking on Metabolism and Effectiveness of Systemic Therapy for Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2014, 9, 917-926.	0.5	99
436	Recent advances in MS methods for nicotine and metabolite analysis in human matrices: clinical perspectives. <i>Bioanalysis</i> , 2014, 6, 2171-2183.	0.6	4
437	Cigarette Rod Length and Its Impact on Serum Cotinine and Urinary Total NNAL Levels, NHANES 2007-2010. <i>Nicotine and Tobacco Research</i> , 2014, 16, 100-107.	1.4	9
438	Does passive smoking induce sensorineural hearing loss in children?. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014, 78, 46-49.	0.4	20
439	The Relationship Between Maternal Fetal Attachment and Cigarette Smoking Over Pregnancy. <i>Maternal and Child Health Journal</i> , 2014, 18, 1017-1022.	0.7	54
440	Factors associated with second-hand smoke exposure in non-smoking pregnant women in Spain: Self-reported exposure and urinary cotinine levels. <i>Science of the Total Environment</i> , 2014, 470-471, 1189-1196.	3.9	34
441	Adverse circulatory effects of passive smoking during infancy: surprisingly strong, manifest early, easily avoided. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 386-392.	0.7	3
442	Simple, fast and sensitive LC-MS/MS analysis for the simultaneous quantification of nicotine and 10 of its major metabolites. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 951-952, 7-15.	1.2	65
443	Untargeted Metabolomic Profiling in Saliva of Smokers and Nonsmokers by a Validated GC-TOF-MS Method. <i>Journal of Proteome Research</i> , 2014, 13, 1602-1613.	1.8	35
444	The effects of low-level environmental tobacco smoke exposure on pulmonary function tests in preschool children with asthma. <i>Journal of Asthma</i> , 2014, 51, 685-690.	0.9	15
445	Development and comparison of two competitive ELISAs for estimation of cotinine in human exposed to environmental tobacco smoke. <i>Drug Testing and Analysis</i> , 2014, 6, 1020-1027.	1.6	13

#	ARTICLE	IF	CITATIONS
446	Synergistic interaction between polycyclic aromatic hydrocarbons and environmental tobacco smoke on the risk of obesity in children and adolescents: The U.S. National Health and Nutrition Examination Survey 2003-2008. <i>Environmental Research</i> , 2014, 135, 354-360.	3.7	49
447	Reducing tobacco smoke exposure in children aged below 4years - A randomized controlled trial. <i>Preventive Medicine</i> , 2014, 69, 208-213.	1.6	2
448	Tolerance for and potential indicators of second-hand smoke exposure among nonsmokers: A comparison of self-reported and cotinine verified second-hand smoke exposure based on nationally representative data. <i>Preventive Medicine</i> , 2014, 67, 280-287.	1.6	19
449	Assessment of urinary concentration of cotinine in Chinese pregnant women exposed to environmental tobacco smoke. <i>Science Bulletin</i> , 2014, 59, 1386-1391.	1.7	5
450	Cotinine in Children Admitted for Asthma and Readmission. <i>Pediatrics</i> , 2014, 133, e355-e362.	1.0	71
452	Blood 2,5-dimethylfuran as a sensitive and specific biomarker for cigarette smoking. <i>Biomarkers</i> , 2014, 19, 457-462.	0.9	7
453	Elevated Burden for Caregivers of Children with Persistent Asthma and a Developmental Disability. <i>Maternal and Child Health Journal</i> , 2014, 18, 2080-2088.	0.7	23
454	The Role of Smoking and Gingival Crevicular Fluid Markers on Coronally Advanced Flap Outcomes. <i>Journal of Periodontology</i> , 2014, 85, 395-405.	1.7	19
455	Parents' experiences of participating in an intervention on tobacco prevention in Child Health Care. <i>BMC Pediatrics</i> , 2014, 14, 69.	0.7	1
456	Testing for Drugs of Abuse in Children and Adolescents. <i>Pediatrics</i> , 2014, 133, e1798-1807.	1.0	51
457	Pulmonary function responses to ozone in smokers with a limited smoking history. <i>Toxicology and Applied Pharmacology</i> , 2014, 278, 85-90.	1.3	2
458	Prenatal Tobacco Exposure and Cotinine in Newborn Dried Blood Spots. <i>Pediatrics</i> , 2014, 133, e1632-e1638.	1.0	31
459	Smoking and inflammation: evidence for a synergistic role in chronic disease. <i>Periodontology 2000</i> , 2014, 64, 111-126.	6.3	149
460	Reference Interval Determination for Anabasine: A Biomarker of Active Tobacco Use. <i>Journal of Analytical Toxicology</i> , 2014, 38, 416-420.	1.7	19
461	Tobacco use vs. helminths in Congo basin hunter-gatherers: self-medication in humans?. <i>Evolution and Human Behavior</i> , 2014, 35, 397-407.	1.4	56
462	How Genetic and Other Biological Factors Interact with Smoking Decisions. <i>Big Data</i> , 2015, 3, 198-202.	2.1	4
463	Assessment of Cotinine Reveals a Dose-Dependent Effect of Smoking Exposure on Long-term Outcomes After Renal Transplantation. <i>Transplantation</i> , 2015, 99, 1926-1932.	0.5	11
464	Recent trends in children's exposure to second-hand smoke in England: cotinine evidence from the Health Survey for England. <i>Addiction</i> , 2015, 110, 1484-1492.	1.7	60

#	ARTICLE	IF	CITATIONS
465	Self-reported Tobacco use does not correlate with carcinogen exposure in smokers with head and neck cancer. <i>Laryngoscope</i> , 2015, 125, 1844-1848.	1.1	13
466	Validity of subjective smoking status in orthopedic patients. <i>Therapeutics and Clinical Risk Management</i> , 2015, 11, 1297.	0.9	18
467	Agreement Between Exhaled Breath Carbon Monoxide Threshold Levels and Self-Reported Cigarette Smoking in a Sample of Male Adolescents in Jordan. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 841-854.	1.2	22
468	Allergic Sensitization, Rhinitis and Tobacco Smoke Exposure in US Adults. <i>PLoS ONE</i> , 2015, 10, e0131957.	1.1	31
469	Acute Effect of Cigarette Smoking on Pupil Size and Ocular Aberrations: A Pre- and Postsmoking Study. <i>Journal of Ophthalmology</i> , 2015, 2015, 1-5.	0.6	23
470	Mediation analysis in genome-wide association studies: current perspectives. <i>Open Access Bioinformatics</i> , 0, , 1.	0.9	6
471	Effects of cigarette smoking and nicotine metabolite ratio on leukocyte telomere length.. <i>Environmental Research</i> , 2015, 140, 488-494.	3.7	38
472	Secondhand Tobacco Smoke Exposure Among Hospitalized Nonsmokers With Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2015, 175, 133.	2.6	11
473	The natural history of adult pulmonary Langerhans cell histiocytosis: a prospective multicentre study. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 30.	1.2	86
474	Socioeconomic disparities in secondhand smoke exposure among US never-smoking adults: the National Health and Nutrition Examination Survey 1988-2010. <i>Tobacco Control</i> , 2015, 24, 568-573.	1.8	56
475	Abrupt nicotine reduction as an endgame policy: a randomised trial. <i>Tobacco Control</i> , 2015, 24, e251-e257.	1.8	20
476	Environmental Tobacco Smoke Exposure in Pregnancy is Associated With Earlier Delivery and Reduced Birth Weight. <i>Reproductive Sciences</i> , 2015, 22, 1603-1611.	1.1	41
477	(+)- and (-)- Isomers of Cotinine Augment Cholinergic Responses In Vitro and In Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 352, 405-418.	1.3	32
478	Medico-social aspects of patients with bronchial asthma. <i>Kontakt</i> , 2015, 17, e103-e115.	0.1	0
479	Smoking and Preterm Birth. <i>Reproductive Sciences</i> , 2015, 22, 918-926.	1.1	148
480	N-acetyltransferase 1 polymorphism increases cotinine levels in Caucasian children exposed to secondhand smoke: the CCAAPS birth cohort. <i>Pharmacogenomics Journal</i> , 2015, 15, 189-195.	0.9	8
481	Validity of self-reported adult secondhand smoke exposure. <i>Tobacco Control</i> , 2015, 24, 48-53.	1.8	40
482	Association of arsenic with kidney function in adolescents and young adults: Results from the National Health and Nutrition Examination Survey 2009-2012. <i>Environmental Research</i> , 2015, 140, 317-324.	3.7	35

#	ARTICLE	IF	CITATIONS
483	Cotinine as a marker for risk prediction in the Ludwigshafen Risk and Cardiovascular Health Study. <i>Respiratory Physiology and Neurobiology</i> , 2015, 209, 17-22.	0.7	4
484	Contributions of $\alpha 2$ subunit-containing nAChRs to chronic nicotine-induced alterations in cognitive flexibility in mice. <i>Psychopharmacology</i> , 2015, 232, 1207-1217.	1.5	22
485	Exposure to secondhand tobacco smoke and the frailty syndrome in US older adults. <i>Age</i> , 2015, 37, 26.	3.0	16
486	Biomarkers of Response to Smoking Cessation Pharmacotherapies: Progress to Date. <i>CNS Drugs</i> , 2015, 29, 359-369.	2.7	20
487	Cotinine Concentration in Serum Correlates with Tobacco Smoke-Induced Emphysema in Mice. <i>Scientific Reports</i> , 2014, 4, 3864.	1.6	16
488	Urinary cotinine levels and environmental tobacco smoke in mothers and children of Romania, Portugal and Poland within the European human biomonitoring pilot study. <i>Environmental Research</i> , 2015, 141, 106-117.	3.7	30
489	Screening for secondhand smoke in schoolchildren in Japan. <i>Pediatrics International</i> , 2015, 57, 961-967.	0.2	2
490	Circulating level of microRNA-126 may be a potential biomarker for recovery from smoking-related vascular damage in middle-aged habitual smokers. <i>IJC Heart and Vasculature</i> , 2015, 7, 83-87.	0.6	7
491	High-throughput wide dynamic range procedure for the simultaneous quantification of nicotine and cotinine in multiple biological matrices using hydrophilic interaction liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 8463-8473.	1.9	28
492	Pilot study testing a European human biomonitoring framework for biomarkers of chemical exposure in children and their mothers: experiences in the UK. <i>Environmental Science and Pollution Research</i> , 2015, 22, 15821-15834.	2.7	18
493	Acute Mucociliary Clearance Response to Aerobic Exercise in Smokers. <i>Respiratory Care</i> , 2015, 60, 1575-1584.	0.8	8
494	Serum cotinine levels and diabetes mellitus in never smokers. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 1032-1036.	1.2	11
495	Reducing Underserved Children's Exposure to Tobacco Smoke. <i>American Journal of Preventive Medicine</i> , 2015, 49, 534-544.	1.6	26
496	Saliva as a matrix for human biomonitoring in occupational and environmental medicine. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 1-44.	1.1	62
497	Population-Based Comparison of Biomarker Concentrations for Chemicals of Concern Among Latino-American and Non-Hispanic White Children. <i>Journal of Immigrant and Minority Health</i> , 2015, 17, 802-819.	0.8	8
498	Need for validation of Fagerstrom Test for Nicotine Dependence in Indian context: Implications for Nicotine Replacement Therapy. <i>Indian Journal of Psychological Medicine</i> , 2016, 38, 105-108.	0.6	5
500	A Role for Epigenetics in Broadening the Scope of Pediatric Care in the Prevention of Adolescent Smoking. <i>Epigenetic Diagnosis & Therapy</i> , 2016, 1, 91-97.	0.1	7
501	Estimation of Saliva Cotinine Cut-Off Points for Active and Passive Smoking during Pregnancy—Polish Mother and Child Cohort (REPRO_PL). <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1216.	1.2	22

#	ARTICLE	IF	CITATIONS
502	Overview of Cotinine Cutoff Values for Smoking Status Classification. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1236.	1.2	218
503	Validity of Self-Reported Tobacco Smoke Exposure among Non-Smoking Adult Public Housing Residents. <i>PLoS ONE</i> , 2016, 11, e0155024.	1.1	19
504	Cue Reactivity in Nicotine and Alcohol Addiction: A Cross-Cultural View. <i>Frontiers in Psychology</i> , 2016, 7, 1335.	1.1	50
505	The effect of cotinine concentrations in seminal plasma and follicular fluid on the pregnancy outcomes of couples undergoing assisted reproductive techniques. <i>Turkish Journal of Medical Sciences</i> , 2016, 46, 1495-1501.	0.4	1
506	Environmental tobacco smoke exposure and its health impacts: a review. <i>International Journal of Biological and Chemical Sciences</i> , 2016, 10, 1371.	0.1	3
507	Self-reported and laboratory evaluation of late pregnancy nicotine exposure and drugs of abuse. <i>Journal of Perinatology</i> , 2016, 36, 814-818.	0.9	20
508	Developmental nicotine exposure enhances inhibitory synaptic transmission in motor neurons and interneurons critical for normal breathing. <i>Developmental Neurobiology</i> , 2016, 76, 337-354.	1.5	22
509	Association between direct and indirect smoking and osteoarthritis prevalence in Koreans: a cross-sectional study. <i>BMJ Open</i> , 2016, 6, e010062.	0.8	22
510	Nicotine drives neutrophil extracellular traps formation and accelerates collagen-induced arthritis. <i>Rheumatology</i> , 2016, 56, kew449.	0.9	41
511	A population-based study of smoking, serum cotinine and exhaled nitric oxide among asthmatics and a healthy population in the USA. <i>Inhalation Toxicology</i> , 2016, 28, 724-730.	0.8	17
512	Serum Cotinine Does Not Predict Neutralizing Antibodies Against Interferon Beta in an Austrian MS Cohort. <i>Journal of Interferon and Cytokine Research</i> , 2016, 36, 667-670.	0.5	5
513	Intravenous and oral suicidal e-liquid poisonings with confirmed nicotine and cotinine concentrations. <i>Forensic Science International</i> , 2016, 262, e15-e20.	1.3	15
514	Short-term health effects in the general population following a major train accident with acrylonitrile in Belgium. <i>Environmental Research</i> , 2016, 148, 256-263.	3.7	6
515	The Influence of Puff Characteristics, Nicotine Dependence, and Rate of Nicotine Metabolism on Daily Nicotine Exposure in African American Smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 936-943.	1.1	23
516	A Biocultural Investigation of Gender Differences in Tobacco Use in an Egalitarian Hunter-Gatherer Population. <i>Human Nature</i> , 2016, 27, 105-129.	0.8	12
517	Metabolomics reveals effects of maternal smoking on endogenous metabolites from lipid metabolism in cord blood of newborns. <i>Metabolomics</i> , 2016, 12, 76.	1.4	18
518	Determinants of active and environmental exposure to tobacco smoke and upper reference value of urinary cotinine in not exposed individuals. <i>Environmental Research</i> , 2016, 148, 154-163.	3.7	30
519	Association of serum cotinine levels and lung cancer mortality in non-smokers. <i>Carcinogenesis</i> , 2016, 37, 1062-1069.	1.3	11

#	ARTICLE	IF	CITATIONS
520	Tobacco smoke exposure and multiplexed immunoglobulin E sensitization in children: a population-based study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 90-98.	2.7	21
521	Cardiovascular Consequences of Childhood Secondhand Tobacco Smoke Exposure: Prevailing Evidence, Burden, and Racial and Socioeconomic Disparities: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2016, 134, e336-e359.	1.6	135
522	Impairment of contextual fear extinction by chronic nicotine and withdrawal from chronic nicotine is associated with hippocampal nAChR upregulation. <i>Neuropharmacology</i> , 2016, 109, 341-348.	2.0	12
523	Secondhand Smoke is Associated with Hearing Threshold Shifts in Obese Adults. <i>Scientific Reports</i> , 2016, 6, 33071.	1.6	6
525	Urinary cotinine levels of electronic cigarette (e-cigarette) users. <i>Toxicology Mechanisms and Methods</i> , 2016, 26, 441-445.	1.3	27
526	Systematic Review and Meta-analysis of the Association Between Exposure to Environmental Tobacco Smoke and Periodontitis Endpoints Among Nonsmokers. <i>Nicotine and Tobacco Research</i> , 2016, 18, 2047-2056.	1.4	25
527	Resolving the etiology of atopic disorders by using genetic analysis of racial ancestry. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 676-699.	1.5	48
528	Variable selection in semi-parametric models. <i>Statistical Methods in Medical Research</i> , 2016, 25, 1736-1752.	0.7	4
529	Optimal Carbon Monoxide Criteria to Confirm Smoking Status Among Postpartum Women. <i>Nicotine and Tobacco Research</i> , 2016, 18, 966-970.	1.4	8
530	High prevalence of cannabis use among Aka foragers of the Congo Basin and its possible relationship to helminthiasis. <i>American Journal of Human Biology</i> , 2016, 28, 5-15.	0.8	29
531	Assessment of Residents' Attitudes and Satisfaction Before and After Implementation of a Smoke-Free Policy in Boston Multiunit Housing. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1282-1289.	1.4	22
532	Second-hand smoke exposure in 4-year-old children in Spain: Sources, associated factors and urinary cotinine. <i>Environmental Research</i> , 2016, 145, 116-125.	3.7	29
533	Passive and Active Tobacco Exposure and Children's Lipid Profiles. <i>Nicotine and Tobacco Research</i> , 2016, 18, 982-987.	1.4	15
534	The Effects of Passive Smoking on Laryngeal and Tracheal Mucosa in Male Wistar Rats During Growth: An Experimental Study. <i>Journal of Voice</i> , 2017, 31, 126.e19-126.e24.	0.6	9
535	Implications of Misclassification Errors in Empirical Studies of Adolescent Smoking Behaviours. <i>Health Economics (United Kingdom)</i> , 2017, 26, 486-499.	0.8	4
536	Indoor Air Quality. <i>American Journal of Lifestyle Medicine</i> , 2017, 11, 284-295.	0.8	88
537	The effect of tobacco smoke on oxytocin concentrations and selected oxidative stress parameters in plasma during pregnancy and post-partum – an experimental model. <i>Human and Experimental Toxicology</i> , 2017, 36, 135-145.	1.1	17
538	Using nicotine in scalp hair to assess maternal passive exposure to tobacco smoke. <i>Environmental Pollution</i> , 2017, 222, 276-282.	3.7	12

#	ARTICLE	IF	CITATIONS
539	When smokers quit: exposure to nicotine and carcinogens persists from thirdhand smoke pollution. <i>Tobacco Control</i> , 2017, 26, 548-556.	1.8	68
540	Environmental Tobacco Smoke and Periodontitis in United States Non-smokers, 2009 to 2012. <i>Journal of Periodontology</i> , 2017, 88, 565-574.	1.7	29
541	Factors associated with poor controller medication use in children with high asthma emergency department use. <i>Annals of Allergy, Asthma and Immunology</i> , 2017, 118, 419-426.	0.5	17
542	Association Between Environmental Tobacco Smoke Exposure and the Occurrence of EGFR Mutations and ALK Rearrangements in Never-smokers With Non-small-cell Lung Cancer: Analyses From a Prospective Multinational ETS Registry. <i>Clinical Lung Cancer</i> , 2017, 18, 535-542.	1.1	8
543	Smoking-Induced Changes in the Maternal Immune, Endocrine, and Metabolic Pathways and Their Impact on Fetal Growth: A Topical Review. <i>Fetal Diagnosis and Therapy</i> , 2017, 41, 241-250.	0.6	30
544	Provider Perspectives on Adding Biomarker Screening for Tobacco Smoke Exposure to Lead Screening at Well-Child Visits. <i>Journal of Pediatric Health Care</i> , 2017, 31, 342-349.	0.6	1
545	Thirdhand Smoke: New Evidence, Challenges, and Future Directions. <i>Chemical Research in Toxicology</i> , 2017, 30, 270-294.	1.7	178
546	Secondhand Smoke Exposure and Pediatric Healthcare Visits and Hospitalizations. <i>American Journal of Preventive Medicine</i> , 2017, 53, 441-448.	1.6	28
547	Forecasting Chronic Diseases Using Data Fusion. <i>Journal of Proteome Research</i> , 2017, 16, 2435-2444.	1.8	12
548	Relation between secondhand smoke exposure and cardiovascular risk factors in never smokers. <i>Journal of Hypertension</i> , 2017, 35, 1976-1982.	0.3	8
549	Characteristics of Pediatric Emergency Revisits After an Asthma-Related Hospitalization. <i>Annals of Emergency Medicine</i> , 2017, 70, 277-287.	0.3	16
550	Nicotine disrupts safety learning by enhancing fear associated with a safety cue via the dorsal hippocampus. <i>Journal of Psychopharmacology</i> , 2017, 31, 934-944.	2.0	7
551	Effect of passive smoking on auditory temporal resolution in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 97, 18-23.	0.4	4
552	Salivary cotinine levels in children with otolaryngological disorders. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 102, 103-107.	0.4	2
553	Transesophageal echocardiographic thromboembolic risk is associated with smoking status in patients with atrial fibrillation. <i>Journal of Arrhythmia</i> , 2017, 33, 613-618.	0.5	3
554	Environmental tobacco smoke and peripheral arterial disease: A review. <i>Atherosclerosis</i> , 2017, 266, 113-120.	0.4	11
555	Increased HPA Axis Activity and Serum Tryptophan in Naswar (Dipping Tobacco) Users: A Case-control Study. <i>Applied Psychophysiology Biofeedback</i> , 2017, 42, 169-178.	1.0	3
556	Nicotine cut-off value in human hair as a tool to distinguish active from passive smokers: A cross-sectional study in Japanese men. <i>Cancer Biomarkers</i> , 2017, 20, 41-48.	0.8	8

#	ARTICLE	IF	CITATIONS
557	A Cluster Randomised Controlled Trial of a Brief Child Health Nurse Intervention to Reduce Infant Secondhand Smoke Exposure. <i>Maternal and Child Health Journal</i> , 2017, 21, 108-117.	0.7	3
558	Prevalence and associated demographic characteristics of exposure to multiple metals and their species in human populations: The United States NHANES, 2007-2012. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017, 80, 502-512.	1.1	50
559	A path analysis of multiple neurotoxic chemicals and cognitive functioning in older US adults (NHANES 1999-2002). <i>Environmental Health</i> , 2017, 16, 19.	1.7	22
560	Low cadmium exposure in males and lactating females-estimation of biomarkers. <i>Environmental Research</i> , 2017, 152, 109-119.	3.7	12
561	Endophenotype best practices. <i>International Journal of Psychophysiology</i> , 2017, 111, 115-144.	0.5	62
562	The Impact of Tobacco Control Policies on Adolescent Smoking: Comparing Self-Reports and Biomarkers. <i>American Journal of Health Economics</i> , 2017, 3, 507-527.	1.4	9
563	Do Parental Smoking Habits Differ in Children with Asthma/Wheezing Disorders?. <i>Health Science Journal</i> , 2017, 11, .	0.8	0
564	Environmental Tobacco Smoke Exposure during Pregnancy and Child Neurodevelopment. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 796.	1.2	45
565	Accuracy of cotinine serum test to detect the smoking habit and its association with periodontal disease in a multicenter study. <i>Medicina Oral, Patología Oral Y Cirugía Bucal</i> , 2017, 22, 0-0.	0.7	18
566	DNA Methylation Score as a Biomarker in Newborns for Sustained Maternal Smoking during Pregnancy. <i>Environmental Health Perspectives</i> , 2017, 125, 760-766.	2.8	86
567	Association Between Chronic Exposure to Tobacco Smoke and Accumulation of Toxic Metals in Hair Among Pregnant Women. <i>Biological Trace Element Research</i> , 2018, 185, 302-310.	1.9	12
568	The association between self-reported versus nicotine metabolite-confirmed smoking status and coronary artery calcification. <i>Coronary Artery Disease</i> , 2018, 29, 254-261.	0.3	9
569	Biomarkers of exposure in environment-wide association studies - Opportunities to decode the exposome using human biomonitoring data. <i>Environmental Research</i> , 2018, 164, 597-624.	3.7	60
570	A cross sectional study of urinary phthalates, phenols and perchlorate on thyroid hormones in US adults using structural equation models (NHANES 2007-2008). <i>Environmental Research</i> , 2018, 163, 26-35.	3.7	29
571	Association between cotinine-verified smoking status and risk of nonalcoholic fatty liver disease. <i>Liver International</i> , 2018, 38, 1487-1494.	1.9	27
572	Cigarette smoking is associated with an altered vaginal tract metabolomic profile. <i>Scientific Reports</i> , 2018, 8, 852.	1.6	84
573	Passive smoking as a risk factor for dementia and cognitive impairment: systematic review of observational studies. <i>International Psychogeriatrics</i> , 2018, 30, 1177-1187.	0.6	17
574	Airborne Nicotine, Secondhand Smoke, and Precursors to Adolescent Smoking. <i>Pediatrics</i> , 2018, 141, S63-S74.	1.0	19

#	ARTICLE	IF	CITATIONS
575	Associations of Urinary Cotinine-Verified Active and Passive Smoking with Thyroid Function: Analysis of Population-Based Nationally Representative Data. <i>Thyroid</i> , 2018, 28, 583-592.	2.4	9
576	Positive parenting behaviors in women who spontaneously quit smoking during pregnancy: Clues to putative targets for preventive interventions. <i>Neurotoxicology and Teratology</i> , 2018, 67, 18-24.	1.2	4
577	Nicotine exposure leads to deficits in differential cued fear conditioning in mice and humans: A potential role of the anterior cingulate cortex. <i>Neuroscience Letters</i> , 2018, 673, 142-149.	1.0	5
578	A randomised controlled trial of a complex intervention to reduce children's exposure to secondhand smoke in the home. <i>Tobacco Control</i> , 2018, 27, 155-162.	1.8	31
579	Preliminary evidence that high levels of nicotine on children's hands may contribute to overall tobacco smoke exposure. <i>Tobacco Control</i> , 2018, 27, 217-219.	1.8	45
580	Tobacco Smoke Exposure and Health-Care Utilization Among Children in the United States. <i>American Journal of Health Promotion</i> , 2018, 32, 123-130.	0.9	11
581	Serum Cotinine and Hemoglobin A1c Among a National Sample of Adolescents Without Known Diabetes. <i>Nicotine and Tobacco Research</i> , 2018, 20, 474-481.	1.4	7
582	Green Tobacco Sickness Among Tobacco Harvesters in a Korean Village. <i>Safety and Health at Work</i> , 2018, 9, 71-74.	0.3	12
583	Smoking, plasma cotinine and risk of atrial fibrillation: the Hordaland Health Study. <i>Journal of Internal Medicine</i> , 2018, 283, 73-82.	2.7	19
584	Tobacco Smoke Exposure Association With Lipid Profiles and Adiposity Among U.S. Adolescents. <i>Journal of Adolescent Health</i> , 2018, 62, 463-470.	1.2	28
585	Dual- and Polytabacco/Nicotine Product Use Trends in a National Sample of High School Students. <i>American Journal of Health Promotion</i> , 2018, 32, 1280-1290.	0.9	14
586	Examining the Validity of Self-reported Primary and Secondary Exposure to Cigarette Smoke in Adolescent Girls: The Utility of Salivary Cotinine as a Biomarker. <i>Substance Use and Misuse</i> , 2018, 53, 792-799.	0.7	1
587	Laparoscopic and Robotic Incisional Hernia Repair. , 2018, , .		1
588	Genetic Polymorphism of CYP2A6 and Its Relationship with Nicotine Metabolism in Male Batakese Smokers Suffered from Lung Cancer in Indonesia. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2018, 6, 1199-1205.	0.1	13
589	Self-Reported Environmental Tobacco Smoke Exposure and Avoidance Compared with Cotinine Confirmed Tobacco Smoke Exposure among Pregnant Women and Their Infants. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 871.	1.2	6
590	Urinary Cotinine Concentration and Self-Reported Smoking Status in 1075 Subjects Living in Central Italy. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 804.	1.2	27
591	Management of Adverse Events During Laparoscopic and Robotic Hernia Repair. , 2018, , 169-182.		0
592	Self-reported smoking status and urinary cotinine levels in patients with asthma. <i>Jornal Brasileiro De Pneumologia</i> , 2018, 44, 477-485.	0.4	9

#	ARTICLE	IF	CITATIONS
593	The Effect of Hidden Female Smoking on the Association between Smoking and Asthma. <i>International Archives of Allergy and Immunology</i> , 2018, 176, 239-248.	0.9	1
594	Influence of nicotine on orthodontic tooth movement: A systematic review of experimental studies in rats. <i>Archives of Oral Biology</i> , 2018, 93, 66-73.	0.8	20
595	Behavior of Lung Health Parameters among Smokers and Secondhand Smokers. <i>Journal of Environmental and Public Health</i> , 2018, 2018, 1-6.	0.4	3
596	Exposure to environmental tobacco smoke in non - smoking adults in Israel: results of the second Israel biomonitoring survey. <i>Israel Journal of Health Policy Research</i> , 2018, 7, 33.	1.4	6
597	Impact of Tobacco Versus Electronic Cigarette Smoking on Platelet Function. <i>American Journal of Cardiology</i> , 2018, 122, 1477-1481.	0.7	65
598	Smoke exposure and cardio-metabolic profile in youth with type 1 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 53.	1.2	10
599	Female non-smokers's™ environmental tobacco smoking exposure by public transportation mode. <i>Annals of Occupational and Environmental Medicine</i> , 2018, 30, 24.	0.3	1
600	Relationship Between Cotinine-Verified Smoking Status and Incidence of Hypertension in 74,743 Korean Adults. <i>Circulation Journal</i> , 2018, 82, 1659-1665.	0.7	23
601	The contribution of health behaviors to socioeconomic inequalities in health: A systematic review. <i>Preventive Medicine</i> , 2018, 113, 15-31.	1.6	271
602	Self-Reported Smoking, Urine Cotinine, and Risk of Cardiovascular Disease: Findings From the PREVENT (Prevention of Renal and Vascular End-Stage Disease) Prospective Cohort Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	23
603	Molecular basis of vascular damage caused by cigarette smoke exposure and a new approach to the treatment: Alpha-linolenic acid. <i>Biomedicine and Pharmacotherapy</i> , 2018, 102, 458-463.	2.5	9
604	Adolescent Tobacco Smoke Exposure, Respiratory Symptoms, and Emergency Department Use. <i>Pediatrics</i> , 2018, 142, .	1.0	15
605	Decreasing trend in passive tobacco smoke exposure and association with asthma in U.S. children. <i>Environmental Research</i> , 2018, 166, 35-41.	3.7	13
606	Risk Factors for Asthma Exacerbation and Treatment Failure in Adults and Adolescents with Well-controlled Asthma during Continuation and Step-Down Therapy. <i>Annals of the American Thoracic Society</i> , 2018, 15, 955-961.	1.5	31
607	Tobacco Use and Prevalence of Human Papillomavirus in Self-Collected Cervicovaginal Swabs Between 2009 and 2014. <i>Obstetrics and Gynecology</i> , 2018, 132, 45-51.	1.2	7
608	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , 2018, 47, 1760-1771.	0.9	15
609	Innovative approach to destination marketing. , 2018, , 456-466.		0
610	Cigarette consumption and biomarkers of nicotine exposure during pregnancy and postpartum. <i>Addiction</i> , 2018, 113, 2087-2096.	1.7	17

#	ARTICLE	IF	CITATIONS
611	Maternal snuff use and cotinine in late pregnancyâ€”A validation study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1373-1380.	1.3	9
612	The association of smoking and hypertension according to cotinine-verified smoking status in 25,150 Korean adults. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 401-408.	0.5	9
613	Salivary cotinine concentration and carbon monoxide levels in young adults smoking midwakh in comparison with cigarette smokers. <i>Tobacco Control</i> , 2019, 28, 141-145.	1.8	8
614	The effects of amniotic fluid and foetal cord blood cotinine concentrations on pregnancy complications and the anthropometric measurements of newborns. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 952-958.	0.4	0
615	Plasma Metabolites Associated with Frequent Red Wine Consumption: A Metabolomics Approach within the PREDIMED Study. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900140.	1.5	20
616	Positive plasma cotinine during platinum-based chemotherapy is associated with poor response rate in advanced non-small cell lung cancer patients. <i>PLoS ONE</i> , 2019, 14, e0219080.	1.1	1
617	Validated inference of smoking habits from blood with a finite DNA methylation marker set. <i>European Journal of Epidemiology</i> , 2019, 34, 1055-1074.	2.5	31
618	A fractionated analysis of hot and cool self-regulation in cigarette smokers from different socioeconomic backgrounds. <i>PLoS ONE</i> , 2019, 14, e0220222.	1.1	3
619	DNA Methylation Signatures as Biomarkers of Prior Environmental Exposures. <i>Current Epidemiology Reports</i> , 2019, 6, 1-13.	1.1	24
620	A Direct Comparison of the Relationship of Epigenetic Aging and Epigenetic Substance Consumption Markers to Mortality in the Framingham Heart Study. <i>Genes</i> , 2019, 10, 51.	1.0	16
621	Burden of disease at the same limit of exposure to airborne polycyclic aromatic hydrocarbons varies significantly across countries depending on the gap in longevity. <i>Ecotoxicology and Environmental Safety</i> , 2019, 180, 420-429.	2.9	7
622	Associations of smoking indicators and cotinine levels with telomere length: National Health and Nutrition Examination Survey. <i>Preventive Medicine Reports</i> , 2019, 15, 100895.	0.8	16
623	A protocol for measuring the impact of a smoke-free housing policy on indoor tobacco smoke exposure. <i>BMC Public Health</i> , 2019, 19, 666.	1.2	11
624	Detoxification effects of aloe polysaccharide and propolis on the urinary excretion of metabolites in smokers. <i>Food and Chemical Toxicology</i> , 2019, 130, 99-108.	1.8	16
625	Acute Effects of Heatâ€”Notâ€”Burn, Electronic Vaping, and Traditional Tobacco Combustion Cigarettes: The Sapienza University of Romeâ€”Vascular Assessment of Proatherosclerotic Effects of Smoking (SURâ€”VAPES) 2 Randomized Trial. <i>Journal of the American Heart Association</i> , 2019, 8, e010455.	1.6	112
626	Environmental Contaminants Exposure and Preterm Birth: A Systematic Review. <i>Toxics</i> , 2019, 7, 11.	1.6	36
627	Overview of Cotinine Cutoff Values for Smoking Status Classification. , 2019, , 419-431.		1
628	Influence of body weight and UGT2B7 polymorphism on varenicline exposure in a cohort of smokers from the general population. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 939-949.	0.8	2

#	ARTICLE	IF	CITATIONS
629	Secondhand Smoke Exposure in Primary School Children: A Survey in Dhaka, Bangladesh. <i>Nicotine and Tobacco Research</i> , 2019, 21, 416-423.	1.4	17
630	Nicotine levels in silicone wristband samplers worn by children exposed to secondhand smoke and electronic cigarette vapor are highly correlated with child's urinary cotinine. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019, 29, 733-741.	1.8	47
631	Electrochemical cotinine sensing with a molecularly imprinted polymer on a graphene-platinum nanoparticle modified carbon electrode towards cigarette smoke exposure monitoring. <i>Sensors and Actuators B: Chemical</i> , 2019, 287, 165-172.	4.0	32
632	Differentiating between smokers and nonsmokers using serum cotinine. <i>Biomarkers in Medicine</i> , 2019, 13, 1025-1033.	0.6	7
633	Accounting for study participants who are ineligible for linkage: a multiple imputation approach to analyzing the linked National Health and Nutrition Examination Survey and Centers for Medicare and Medicaid Services' Medicaid data. <i>Health Services and Outcomes Research Methodology</i> , 2019, 19, 87-105.	0.8	0
634	Assessing tobacco use in an African population: Serum and urine cotinine cut-offs from South Africa. <i>Drug and Alcohol Dependence</i> , 2019, 195, 82-89.	1.6	14
635	Tobacco Use Classification by Inexpensive Urinary Cotinine Immunoassay Test Strips. <i>Journal of Analytical Toxicology</i> , 2019, 43, 149-153.	1.7	14
636	Cotinine Testing Improves Smoking Cessation Before Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, S148-S151.	1.5	19
637	Epigenome-wide association study of serum cotinine in current smokers reveals novel genetically driven loci. <i>Clinical Epigenetics</i> , 2019, 11, 1.	1.8	116
638	Association between second hand smoke (SHS) exposure and caregiver stress in children with poorly controlled asthma. <i>Journal of Asthma</i> , 2019, 56, 915-926.	0.9	5
639	Association Between Cotinine-verified Smoking Status and Risk of Colorectal Neoplasia. <i>Journal of Clinical Gastroenterology</i> , 2019, 53, e107-e112.	1.1	2
640	The contribution of secondhand tobacco smoke exposure to pediatric multiple sclerosis risk. <i>Multiple Sclerosis Journal</i> , 2019, 25, 515-522.	1.4	32
641	Association of secondhand smoke exposure with asthma symptoms, medication use, and healthcare utilization among asthmatic adolescents. <i>Journal of Asthma</i> , 2019, 56, 369-379.	0.9	16
642	The Effects of Firsthand and Secondhand Cigarette Smoking on Immune System Cells and Antibodies in Saudi Arabian Males. <i>Indian Journal of Clinical Biochemistry</i> , 2019, 34, 143-154.	0.9	5
643	Urine Metabolites for Estimating Daily Intake of Nicotine From Cigarette Smoking. <i>Nicotine and Tobacco Research</i> , 2020, 22, 288-292.	1.4	33
644	Self-Reported Smoking Compared to Serum Cotinine in Bariatric Surgery Patients: Smoking Is Underreported Before the Operation. <i>Obesity Surgery</i> , 2020, 30, 23-37.	1.1	17
645	Effect of Cotinine-Verified Change in Smoking Status on Risk of Metachronous Colorectal Neoplasia After Polypectomy. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 163-170.	2.4	5
646	Reducing Tobacco Smoke Exposure in High-Risk Infants: A Randomized, Controlled Trial. <i>Journal of Pediatrics</i> , 2020, 218, 35-41.e1.	0.9	9

#	ARTICLE	IF	CITATIONS
647	Changes in urinary cotinine concentrations in non-smoking adults from the Korean National Environmental Health Survey (KoNEHS) II (2012–2014) after implementation of partial smoke-free regulations. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 224, 113419.	2.1	10
648	Long-term Results From the FRESH RCT: Sustained Reduction of Children's Tobacco Smoke Exposure. <i>American Journal of Preventive Medicine</i> , 2020, 58, 21-30.	1.6	10
649	Computation of Cigarette Smoke Exposure Metrics From Breathing. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 2309-2316.	2.5	7
650	Characteristics of Non-Smokers' Exposure Using Indirect Smoking Indicators and Time Activity Patterns. <i>Sustainability</i> , 2020, 12, 9099.	1.6	3
651	DNA methylation signature of passive smoke exposure is less pronounced than active smoking: The Understanding Society study. <i>Environmental Research</i> , 2020, 190, 109971.	3.7	6
652	Determination of Urinary Cotinine Cut-Off Concentrations for Pregnant Women in the Japan Environment and Children's Study (JECS). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5537.	1.2	28
653	The Effects of E-Cigarette Vapor Components on the Morphology and Function of the Male and Female Reproductive Systems: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6152.	1.2	18
654	Association between secondhand smoke exposure and hypertension: nearly as large as smoking. <i>Journal of Hypertension</i> , 2020, 38, 1899-1908.	0.3	17
655	Cigarette Smoke Exposure Computation using Bioimpedance Sensor. , 2020, , .		0
656	Serum cotinine verification of self-reported smoking status among adults eligible for lung cancer screening in the 1999-2018 National Health and Nutrition Examination Survey. <i>Lung Cancer</i> , 2020, 144, 49-56.	0.9	7
658	Prevalence and risk factors for <i>Trichomonas vaginalis</i> infection among adults in the U.S., 2013–2014. <i>PLoS ONE</i> , 2020, 15, e0234704.	1.1	14
659	Anabasine-based measurement of cigarette consumption using wastewater analysis. <i>Drug Testing and Analysis</i> , 2020, 12, 1393-1398.	1.6	11
660	Urinary biomonitoring of subjects with different smoking habits. Part I: Profiling mercapturic acids. <i>Toxicology Letters</i> , 2020, 327, 48-57.	0.4	27
661	Living with parents who smoke predicts levels of toxicant exposure in children. <i>Scientific Reports</i> , 2020, 10, 11173.	1.6	19
662	Passive Smoking Exposure in Living Environments Reduces Cognitive Function: A Prospective Cohort Study in Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1402.	1.2	16
663	Comparison of Liquid Chromatography Mass Spectrometry and Enzyme-Linked Immunosorbent Assay Methods to Measure Salivary Cotinine Levels in Ill Children. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1157.	1.2	6
664	Serum cotinine levels and nicotine addiction potential of e-cigarettes: an NHANES analysis. <i>Carcinogenesis</i> , 2020, 41, 1454-1459.	1.3	24
665	Associations Between Early Low-Level Tobacco Smoke Exposure and Executive Function at Age 8 Years. <i>Journal of Pediatrics</i> , 2020, 221, 174-180.e1.	0.9	14

#	ARTICLE	IF	CITATIONS
666	Association Between Serum Cotinine and Severe Abdominal Aortic Calcification in US Adults. <i>Angiology</i> , 2020, 71, 333-339.	0.8	3
667	Environmental Tobacco Smoke Exposure Estimated Using the SHSES Scale and Epicardial Adipose Tissue Thickness in Hypertensive Patients. <i>Cardiovascular Toxicology</i> , 2021, 21, 79-87.	1.1	2
668	Serum Cotinine, Serum F2-isoprostane and Risk of Metabolic Syndrome in Adult Male Tobacco Users. <i>European Journal of Medical and Health Sciences</i> , 2021, 3, 62-67.	0.1	1
669	Association between Second-hand Smoke Exposure and Urinary NNAL Level in Korean Adolescents. <i>Journal of Korean Medical Science</i> , 2021, 36, e82.	1.1	3
670	Expression of VEGF in Peripheral Serum Is a Possible Prognostic Factor in Bone-Regeneration via Masquelet-Technique—A Pilot Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 776.	1.0	0
671	Estimation of cotinine level among the tobacco users and nonusers: A cross-sectional study among the Indian population. <i>Journal of Addiction Therapy and Research</i> , 2021, 5, 003-008.	0.0	1
672	Biomarker-assessed passive smoking in relation to cause-specific mortality: pooled data from 12 prospective cohort studies comprising 36 584 individuals. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 794-799.	2.0	2
673	Regional comparison of self-reported late pregnancy cigarette smoking to mass spectrometry analysis. <i>Journal of Perinatology</i> , 2021, 41, 2417-2423.	0.9	3
674	Prenatal Exposure to Cigarette Smoke and Anogenital Distance at 4 Years in the INMA-Asturias Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4774.	1.2	7
675	Biomarkers of Low-Level Environmental Exposure to Benzene and Oxidative DNA Damage in Primary School Children in Sardinia, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4644.	1.2	4
676	Self-reported and cotinine-verified smoking and increased risk of incident hearing loss. <i>Scientific Reports</i> , 2021, 11, 8103.	1.6	8
677	Exposure to 1,3-Butadiene in the U.S. Population: National Health and Nutrition Examination Survey 2011–2016. <i>Biomarkers</i> , 2021, 26, 371-383.	0.9	8
678	Prevalence and Quantification of Secondhand Smoke Exposure Among Hospitalized Children <6 Years of Age. <i>Hospital Pediatrics</i> , 2021, 11, 622-626.	0.6	0
679	Effect of smoking on periodontal health and validation of self-reported smoking status with serum cotinine levels. <i>Acta Odontologica Scandinavica</i> , 2021, 79, 573-581.	0.9	5
680	Hand Nicotine and Cotinine In Children Exposed to Cigars: A Pilot Study. <i>Tobacco Regulatory Science (discontinued)</i> , 2021, 7, 170-176.	0.2	7
681	Secondhand tobacco smoke exposure among children under 5 years old: questionnaires versus cotinine biomarkers: a cohort study. <i>BMJ Open</i> , 2021, 11, e044829.	0.8	8
682	Exposure to secondhand smoke is associated with increased left ventricular mass. <i>Tobacco Induced Diseases</i> , 2021, 19, 1-7.	0.3	4
683	The association of in utero tobacco smoke exposure, quantified by serum cotinine, and Autism Spectrum Disorder. <i>Autism Research</i> , 2021, 14, 2017-2026.	2.1	11

#	ARTICLE	IF	CITATIONS
684	Associations between Biomarkers of Exposure and Lung Cancer Risk among Exclusive Cigarette Smokers in the Golestan Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7349.	1.2	5
685	Home Smoking Bans and Urinary NNAL Levels to Measure Tobacco Smoke Exposure in Chinese American Household Pairs. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7682.	1.2	0
686	Characterization of urinary cotinine concentrations among non-smoking adults in smoking and smoke-free homes in the Korean national environmental health survey (KoNEHS) cycle 3 (2015â€“2017). <i>BMC Public Health</i> , 2021, 21, 1324.	1.2	0
687	Cotinine Effects on Peripheral Nerve Injuries: An Experimental Study. <i>Duzce Universitesi Tip FakÃ¼ltesi Dergisi</i> , 0, , .	0.3	0
688	Secondhand Smoke Exposure is Associated with Prevalent Heart Failure: Longitudinal Examination of the National Health and Nutrition Examination Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1512-1517.	1.4	9
689	Smart biosensors and intelligent devices for salivary biomarker detection. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 140, 116281.	5.8	57
690	Association between dual use of e-cigarette and cigarette and chronic obstructive pulmonary disease: an analysis of a nationwide representative sample from 2013 to 2018. <i>BMC Pulmonary Medicine</i> , 2021, 21, 231.	0.8	18
691	Trends in Secondhand Smoke Exposure, 2011âˆ“2018: Impact and Implications of Expanding Serum Cotinine Range. <i>American Journal of Preventive Medicine</i> , 2021, 61, e109-e117.	1.6	12
692	Estimating the equity impacts of the smoking ban in England on cotinine levels: a regression discontinuity design. <i>BMJ Open</i> , 2021, 11, e049547.	0.8	0
693	Smoking habit in parents and exposure to environmental tobacco smoke in elementary school children of Milan. <i>Science of the Total Environment</i> , 2021, 796, 148891.	3.9	6
694	Perfluoroalkyl substances (PFASs) exposure and kidney damage: Causal interpretation using the US 2003â€“2018 National Health and Nutrition Examination Survey (NHANES) datasets. <i>Environmental Pollution</i> , 2021, 288, 117707.	3.7	20
695	Evaluation of Secondhand Smoke Exposure in New York City Public Housing After Implementation of the 2018 Federal Smoke-Free Housing Policy. <i>JAMA Network Open</i> , 2020, 3, e2024385.	2.8	24
696	Secondhand Smoke. , 0, , 703-755.		9
697	Cigarette Smoking Among Youth: A Regional Health Problem. , 2016, , 93-107.		4
698	Identifying the metabolomic fingerprint of high and low flavonoid consumers. <i>Journal of Nutritional Science</i> , 2017, 6, e34.	0.7	6
699	Measuring secondhand smoke exposure in babies: the reliability and validity of mother reports in a sample of low-income families. <i>Health Psychology</i> , 2000, 19, 232-41.	1.3	58
701	The Relation between Infant Indoor Environment and Subsequent Asthma. <i>Epidemiology</i> , 2000, 11, 128-135.	1.2	63
702	Chronic Exposure and Susceptibility to Oxidant Air Pollutants. , 2005, , 287-330.		1

#	ARTICLE	IF	CITATIONS
703	Serum Cotinine versus Parent Reported Measures of Secondhand Smoke Exposure in Rural Appalachian Children. <i>Journal of Appalachian Health</i> , 2019, 1, 15-26.	0.2	3
704	N-Acetylcysteine Increases the Frequency of Bone Marrow Pro-B/Pre-B Cells, but Does Not Reverse Cigarette Smoking-Induced Loss of This Subset. <i>PLoS ONE</i> , 2011, 6, e24804.	1.1	7
705	Instruments to Assess Secondhand Smoke Exposure in Large Cohorts of Never Smokers: The Smoke Scales. <i>PLoS ONE</i> , 2014, 9, e85809.	1.1	11
706	Cotinine and Polycyclic Aromatic Hydrocarbons Levels in the Amniotic Fluid and Fetal Cord at Birth and in the Urine from Pregnant Smokers. <i>PLoS ONE</i> , 2014, 9, e116293.	1.1	21
707	Changes in Tobacco Smoke Exposure following the Institution of a Smoke-Free Policy in the Boston Housing Authority. <i>PLoS ONE</i> , 2015, 10, e0137740.	1.1	14
708	The association between various smoking behaviors, cotinine biomarkers and skin autofluorescence, a marker for advanced glycation end product accumulation. <i>PLoS ONE</i> , 2017, 12, e0179330.	1.1	30
709	Isotope dilution-LC-MS/MS method for quantification of the urinary cotinine-to-creatinine ratio. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1469-1476.	1.4	2
711	The Reduction of Maternal Milk Proteins in Mothers Exposed to Passive Smoking: A Prospective Cohort Study. <i>Women's Health Bulletin</i> , 2015, 2, .	0.7	2
712	The Importance of Filter Collection for Accurate Measurement of Cigarette Smoking. <i>Tobacco Regulatory Science (discontinued)</i> , 2017, 3, 248-257.	0.2	6
713	Effect of tobacco on periodontal disease and oral cancer. <i>Tobacco Induced Diseases</i> , 2019, 17, 40.	0.3	74
714	Nonverbal Reasoning in Preschool Children: Investigating the Putative Risk of Secondhand Smoke Exposure and Attention-Deficit/Hyperactivity Disorder as a Mediator. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2015, 3, 115-125.	0.3	2
715	The Biomarkers of Active and Passive Smoke Exposure. <i>Journal of the Korean Society for Research on Nicotine and Tobacco</i> , 2011, 2, 79-88.	0.5	4
716	Comparison of knowledge about smoking and passive smoking and urinary cotinine levels in pregnant women and their partners in Mongolia: A cross-sectional study. <i>Asian Pacific Island Nursing Journal</i> , 2019, 4, 47-56.	0.3	2
717	The impact of the point-of-sale tobacco display ban on young people in Scotland: before-and-after study. <i>Public Health Research</i> , 2020, 8, 1-118.	0.5	16
718	Environmental tobacco smoke and children's health. <i>Korean Journal of Pediatrics</i> , 2012, 55, 35.	1.9	48
719	Association of Self-Reported and Cotinine-Verified Smoking Status with Atrial Arrhythmia. <i>Journal of Korean Medical Science</i> , 2020, 35, e296.	1.1	4
720	The exposure level of environmental harmful substances related to the secondhand smoke in Korean non-smoker adults: data from the second Korean National Environmental Health Survey (KoNEHS) Tj ETQq0 0 0 rgBT.# Overlock 10 Tf 50		
721	Validity assessment of self-reported smoking status in firefighters using the urine cotinine test. <i>Annals of Occupational and Environmental Medicine</i> , 2020, 32, e2.	0.3	4

#	ARTICLE	IF	CITATIONS
722	Urinary Cotinine Concentrations of Cases with Green Tobacco Sickness. Korean Journal of Occupational and Environmental Medicine, 2004, 16, 413.	0.4	2
723	The Role of CYP2A6 Genetic Polymorphism in Nicotine Dependence and Tobacco Consumption among Batakese Male Smokers. Open Access Macedonian Journal of Medical Sciences, 2018, 6, 864-866.	0.1	9
724	Airborne Nicotine Concentrations in the Workplaces of Tobacco Farmers. Journal of Preventive Medicine and Public Health, 2014, 47, 144-149.	0.7	17
725	Chairside quantitative immunochromatographic evaluation of salivary cotinine and its correlation with chronic periodontitis. Journal of Indian Society of Periodontology, 2012, 16, 508.	0.3	6
726	Urinary cotinine level in Indonesian children exposed to domestic cigarette smoke. Journal of Natural Science, Biology and Medicine, 2018, 9, 77.	1.0	4
727	Assessment of cotinine in urine and saliva of smokers, passive smokers, and nonsmokers: Method validation using liquid chromatography and mass spectrometry. Indian Journal of Psychiatry, 2019, 61, 270.	0.4	20
728	Residential smoking restrictions are not associated with reduced child SHS exposure in a baseline sample of low-income, urban African Americans. Health, 2010, 02, 1264-1271.	0.1	8
729	Development of simple HPLC/UV with a column-switching method for the determination of nicotine and cotinine in hair samples. Health, 2013, 05, 687-694.	0.1	6
730	The Routledge Handbook of Destination Marketing. , 0, , .		4
731	Levels of Urine Cotinine from Hookah Smoking and Exposure to Hookah Tobacco Secondhand Smoke in Hookah Lounges and Homes. International Journal of High Risk Behaviors & Addiction, 2018, 7, .	0.1	12
732	Smoking and vascular dysfunction in Africans and Caucasians from South Africa. Cardiovascular Journal of Africa, 2011, 22, 18-24.	0.2	8
733	Urinary Nicotine Metabolites and Self-Reported Tobacco Use Among Adults in the Population Assessment of Tobacco and Health (PATH) Study, 2013-2014. Nicotine and Tobacco Research, 2022, 24, 768-777.	1.4	10
734	Simultaneous analysis of urinary total 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol, N-ε-nitrosornicotine, and cotinine by liquid chromatography-tandem mass-spectrometry. Scientific Reports, 2021, 11, 20007.	1.6	1
735	Environmental Tobacco Smoke in Restaurants. , 2000, , 279-287.		2
736	Passive Smoking. , 2003, , 248-284.		0
737	Comparison of Simulated High Altitude Pilot Effective Performance Time Between Habitual Smokers and Non-Smokers. Human Performance in Extreme Environments, 2003, 7, .	0.4	0
738	Is exposure to cocaine or cigarette smoke during pregnancy associated with infant visual abnormalities?. Developmental Medicine and Child Neurology, 2004, 46, 520-5.	1.1	10
739	Directrices para dejar de fumar: recomendaciones científico-estadísticas de la Agencia Francesa de Seguridad de los Productos Sanitarios. European Psychiatry (Ed España), 2006, 13, 111-122.	0.0	1

#	ARTICLE	IF	CITATIONS
740	Passive Smoking. , 2010, , 247-288.		1
741	Passive Smoking and Infectious Disease: A Serious Hazard for Cardiovascular System. International Journal of Clinical Medicine, 2011, 02, 550-555.	0.1	1
742	THE ASSOCIATION BETWEEN ENVIRONMENTAL TOBACCO SMOKE AND INFLAMMATORY MARKERS AMONG NON-SMOKER NURSES IN SHEBIN AL-KOM TEACHING HOSPITAL. Egyptian Journal of Occupational Medicine, 2012, 36, 83-95.	0.2	0
743	Asthma bronchiale and smoking. Kontakt, 2012, 14, 218-230.	0.1	0
744	An Evaluation of Cotinine as an Index of Exposure to Tobacco Smoke in Children with Recurrent Respiratory Tract Infections Using HPLC Method. American Journal of Analytical Chemistry, 2013, 04, 54-62.	0.3	1
745	Secondhand Smoke Exposure and Severity of Attention-Deficit/Hyperactivity Disorder in Preschoolers: A Pilot Investigation. Scandinavian Journal of Child and Adolescent Psychiatry and Psychology, 2013, 2, 37-40.	0.3	6
746	Association of Second Hand Smoking with Mental Disorders in Children- An Egyptian Study. Journal of Psychological Abnormalities in Children, 2015, 04, .	0.3	2
747	Do Adolescent Smokers Compensate for Higher Cigarette Taxes?. SSRN Electronic Journal, 0, , .	0.4	0
749	Biomarcadores de tabagismo. Revista De Ciências MÃ©dicas E BiolÃ³gicas, 2016, 15, 110.	0.0	0
750	Nicotine Addiction and Hearing Loss in Young Subjects From Beirut, Lebanon. International Journal of High Risk Behaviors & Addiction, 2016, 5, .	0.1	1
751	Cardiorespiratory response to exercise of nonsmokers occupationally exposed to second hand smoke (SHS). Tobacco Prevention and Cessation, 2017, 3, 1.	0.2	4
752	DETECTION OF COTININE IN PASSIVE SMOKERS EXPOSED TO ENVIRONMENTAL TOBACCO SMOKE. , 0, , .		0
753	12. Environmental causes of cardiovascular disease. Human Health Handbooks, 2017, , 249-263.	0.1	0
754	Targeted Based Drug Designing of Pimarane Diterpenes as Potential Inhibitors of New Delhi-Beta-Lactamase. Pakistan Journal of Zoology, 2018, 50, .	0.1	0
755	Chronic smokeless tobacco consumption contributes to the development of renal diseases in the human male volunteers. Journal of Analytical & Pharmaceutical Research, 2018, 7, 652-662.	0.3	1
757	High-resolution metabolomics of exposure to tobacco smoke during pregnancy and adverse birth outcomes in the Atlanta African American maternal-child cohort. Environmental Pollution, 2022, 292, 118361.	3.7	20
758	Evaluation of hair cotinine and toxic metal levels in children who were exposed to tobacco smoke. Pediatric Pulmonology, 2020, 55, 1012-1019.	1.0	5
759	Association of Urinary Bisphenols Concentration with Asthma in Korean Adolescents: Data from the Third Korean National Environmental Health Survey. Toxics, 2021, 9, 291.	1.6	5

#	ARTICLE	IF	CITATIONS
760	Arbeitsplatz und Rauchen. , 2008, , 457-483.		0
761	Validation of Self-Reported Smoking Status Among Orthopedic Hip Surgery Patients. Cureus, 2020, 12, e10753.	0.2	2
762	Identifying the Best Questions for Rapid Screening of Secondhand Smoke Exposure Among Children. Nicotine and Tobacco Research, 2021, 23, 1217-1223.	1.4	4
763	Is There any Association Between Passive Smoking and Esophagitis in Pediatrics?. Iranian Journal of Pediatrics, 2013, 23, 194-8.	0.1	2
767	Comparative assessment of salivary cotinine level and psychological dependence among tobacco users. Dental Research Journal, 2017, 14, 125-130.	0.2	3
768	Gender and Racial/Ethnic Disparities: Cumulative Screening of Health Risk Indicators in 20-50 Year Olds in the United States. Journal of Health Disparities Research and Practice, 2017, 10, 1.	1.1	9
769	Association of passive smoking with dental caries and salivary biomarkers among 5-10 years old children of Muradnagar, Ghaziabad. Journal of Family Medicine and Primary Care, 2019, 8, 2633-2639.	0.3	2
770	Serum Concentrations of Cotinine and <i>trans</i> -3-Hydroxycotinine in US Adults: Results From Wave 1 (2013-2014) of the Population Assessment of Tobacco and Health Study. Nicotine and Tobacco Research, 2022, 24, 736-744.	1.4	6
771	Secondhand smoke exposure in school children in Malta assessed through urinary biomarkers. Environmental Research, 2021, 204, 112405.	3.7	0
772	Comparison of Levels of Three Tobacco Smoke Exposure Biomarkers in Children of Smokers. International Journal of Environmental Research and Public Health, 2021, 18, 11803.	1.2	8
773	Gender differences in the associations between tobacco smoke exposure and depressive symptoms among U.S. adults: NHANES 2007-2018. Journal of Psychiatric Research, 2022, 146, 249-257.	1.5	8
774	Dose-response relationships between maternal urinary cotinine and placental weight and ratio of placental weight to birth weight: The Japan Environment and Children's Study. Environmental Research, 2022, 205, 112470.	3.7	3
775	Joint effect of particulate matter and cigarette smoke on women's sex hormones. BMC Women's Health, 2022, 22, 3.	0.8	3
776	Cross-Sectional Association of Urinary Bisphenol A and Vaccine-Induced Immunity against Hepatitis B Virus: Data from the 2003-2014 National Health and Nutrition Examination Survey. International Journal of Environmental Research and Public Health, 2022, 19, 1103.	1.2	2
777	The association between tobacco smoke exposure and vitamin D levels among US general population, 2001-2014: temporal variation and inequalities in population susceptibility. Environmental Science and Pollution Research, 2022, 29, 32773-32787.	2.7	8
779	Application of HPLC-QQQ-MS/MS and New RP-HPLC-DAD System Utilizing the Chaotropic Effect for Determination of Nicotine and Its Major Metabolites Cotinine, and <i>trans</i> -3-Hydroxycotinine in Human Plasma Samples. Molecules, 2022, 27, 682.	1.7	5
780	Clinical Implication of Smoking-Related Aryl-Hydrocarbon Receptor Repressor (<i>AHR</i>) Hypomethylation in Japanese Adults. Circulation Journal, 2022, 86, 986-992.	0.7	12
781	Personal exposure to benzene, toluene, ethylbenzene, and xylenes (BTEXs) mixture and telomere length: a cross-sectional study of the general US adult population. Environmental Research, 2022, 209, 112810.	3.7	5

#	ARTICLE	IF	CITATIONS
782	Children's exposure to second-hand smoke 10 years on from smoke-free legislation in England: Cotinine data from the Health Survey for England 1998-2018. <i>Lancet Regional Health - Europe</i> , The, 2022, 15, 100315.	3.0	12
783	Association of passive smoking with dental caries and salivary biomarkers among 5-10 years old children of Muradnagar, Ghaziabad. <i>Journal of Family Medicine and Primary Care</i> , 2019, 8, 2633.	0.3	10
784	Antibody response of smokers to the COVID-19 vaccination: Evaluation based on cigarette dependence. <i>Drug Discoveries and Therapeutics</i> , 2022, 16, 78-84.	0.6	5
785	Cigarette and E-cigarettes smoking and reproductive and developmental toxicity. , 2022, , 395-420.		2
786	Lung cancer screening use and implications of varying eligibility criteria by race and ethnicity: 2019 Behavioral Risk Factor Surveillance System data. <i>Cancer</i> , 2022, 128, 1812-1819.	2.0	22
787	Predictive Patient Factors for Poor Outcomes Following Stapedotomy for Otosclerosis. <i>Otology and Neurotology</i> , 2022, 43, 619-624.	0.7	0
788	Secondhand smoke exposure is associated with abnormal P-wave axis. <i>Public Health</i> , 2022, 205, 79-82.	1.4	0
789	Unlocking the potential of forensic traces: Analytical approaches to generate investigative leads. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2022, 62, 310-326.	1.3	6
790	Smoking cessation reduces systemic inflammation and circulating endothelin-1. <i>Scientific Reports</i> , 2021, 11, 24122.	1.6	7
791	Prevalence of Hepatic Steatosis and Fibrosis in the United States. <i>Metabolic Syndrome and Related Disorders</i> , 2022, 20, 141-147.	0.5	3
792	Attention deficit hyperactivity disorder medications and bone mineral density of adults in the United States. <i>Bone Reports</i> , 2022, 16, 101570.	0.2	2
795	Geometric Mean Serum Cotinine Concentrations Confirm a Continued Decline in Secondhand Smoke Exposure among U.S. Nonsmokers—NHANES 2003 to 2018. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5862.	1.2	2
796	Serum cotinine cut-points for secondhand smoke exposure assessment in children under 5 years: A systemic review. <i>PLoS ONE</i> , 2022, 17, e0267319.	1.1	7
797	Simple HPLC method for simultaneous quantification of nicotine and cotinine levels in rat plasma after exposure to two different tobacco products. <i>Acta Chromatographica</i> , 2023, 35, 106-114.	0.7	5
798	The Association Between Smoking and Renal Function in People Over 20 Years Old. <i>Frontiers in Medicine</i> , 2022, 9, .	1.2	3
799	Predictors of Adherence Among Vulnerable Populations of Adults Assigned to Smoke Very Low Nicotine Content Cigarettes. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1959-1967.	1.4	3
800	A Pilot Study of Exposure to Nicotine in Human Pregnancy and Maternal and Fetal Testosterone Levels at Birth. <i>Reproductive Sciences</i> , 0, , .	1.1	0
801	Mortality and morbidity risk prediction for older former smokers based on a score of smoking history: evidence from UK Biobank and ESTHER cohorts. <i>Age and Ageing</i> , 2022, 51, .	0.7	2

#	ARTICLE	IF	CITATIONS
802	Quantitative Analysis of Exhaled Breath Collected on Filter Substrates via Low-Temperature Plasma Desorption/Ionization Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2022, 33, 1518-1529.	1.2	4
803	Contingency management and cognitive behavior therapy for smoking cessation among veterans with posttraumatic stress disorder: Design and methodology of a randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2022, 119, 106839.	0.8	1
804	Pre- and postnatal exposure to secondhand tobacco smoke and body composition at 12 years: periods of susceptibility. <i>Obesity</i> , 2022, 30, 1659-1669.	1.5	2
805	Association between secondhand smoke and cancers in adults in the US population. <i>Journal of Cancer Research and Clinical Oncology</i> , 2023, 149, 3447-3455.	1.2	6
806	A Comparison of Measured Airborne and Self-Reported Secondhand Smoke Exposure in the Madres Pregnancy Cohort Study. <i>SSRN Electronic Journal</i> , 0, .	0.4	0
807	Urinary cotinine and exposure to passive smoke in children and adolescents in Germany – Human biomonitoring results of the German Environmental Survey 2014–2017 (GerES V). <i>Environmental Research</i> , 2023, 216, 114320.	3.7	3
808	Smoking and Radiation-induced Skin Injury: Analysis of a Multiracial, Multiethnic Prospective Clinical Trial. <i>Clinical Breast Cancer</i> , 2022, 22, 762-770.	1.1	0
809	Prenatal exposure to tobacco and adverse birth outcomes: effect modification by folate intake during pregnancy. <i>Maternal Health, Neonatology and Perinatology</i> , 2022, 8, .	1.0	2
810	Understanding the construction of “behavior” in smartphone addiction: A scoping review. <i>Addictive Behaviors</i> , 2023, 137, 107503.	1.7	11
811	Determination of soluble angiotensin-converting enzyme 2 in saliva samples and its association with nicotine. <i>Environmental Research</i> , 2022, , 114443.	3.7	0
812	Evaluating association of smoking status during pregnancy with adverse birth outcomes using urinary cotinine concentration: The Japan environment and Children's study (JECS). <i>Environmental Research</i> , 2022, 215, 114302.	3.7	0
813	Passive smoking and urinary oxidative biomarkers: A pilot study of healthy travelers from Los Angeles to Beijing. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 246, 114048.	2.1	1
814	Secondhand tobacco smoke exposure, urine cotinine, and risk of incident atrial fibrillation: The multi-ethnic study of atherosclerosis. <i>Progress in Cardiovascular Diseases</i> , 2022, 74, 38-44.	1.6	5
815	Time trend of exposure to secondhand tobacco smoke and polycyclic aromatic hydrocarbons between 1995 and 2019 in Germany – Showcases for successful European legislation. <i>Environmental Research</i> , 2023, 216, 114638.	3.7	4
816	Study of Urinary Mercapturic Acids as Biomarkers of Human Acrylonitrile Exposure. <i>Toxicology Letters</i> , 2022, , .	0.4	0
817	Maternal vitamin D status modifies the effects of early life tobacco exposure on child lung function. <i>Journal of Allergy and Clinical Immunology</i> , 2023, 151, 556-564.	1.5	6
818	Host, technical, and environmental factors affecting QuantiFERON-TB Gold In-Tube performance in children below 5 years of age. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
819	Environmental tobacco smoke at home and in public places prior to smoking ban enforcement: assessment by hair analysis in a population of young adult students. <i>Drug Testing and Analysis</i> , 0, , .	1.6	1

#	ARTICLE	IF	CITATIONS
820	Specific biomarker comparison in current smokers, e-cigarette users, and non-smokers. <i>Addictive Behaviors</i> , 2023, , 107616.	1.7	0
821	Differences between Self-Report and Biomarkers in Smoking Indicators: The Necessity of Biomonitoring in Global Surveillance. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 1801.	1.2	0
822	Cigarettes, heated tobacco products and dual use: exhaled carbon monoxide, saliva cotinine and total tobacco consumed by Hong Kong tobacco users. <i>Tobacco Control</i> , 0, , tc-2022-057598.	1.8	3
823	Reducing Risks of Graft Failure for Composite Skinâ€œCartilage Grafts. <i>Facial Plastic Surgery Clinics of North America</i> , 2023, 31, 289-296.	0.9	1
824	Associations between smoke exposure and osteoporosis or osteopenia in a US NHANES population of elderly individuals. <i>Frontiers in Endocrinology</i> , 0, 14, .	1.5	8
825	Cotinine as a Sentinel of Canine Exposure to Tobacco Smoke. <i>Animals</i> , 2023, 13, 693.	1.0	4
826	Untargeted metabolomics unravel serum metabolic alterations in smokers with hypertension. <i>Frontiers in Physiology</i> , 0, 14, .	1.3	1
828	Targeted DNA methylation analysis and prediction of smoking habits in blood based on massively parallel sequencing. <i>Forensic Science International: Genetics</i> , 2023, 65, 102878.	1.6	2
854	DeepPuff: Utilizing Deep Learning for Smoking Behavior Identification in Free-living Environment. , 2023, , .		0
858	Challenges involved in the creation of scientific evidence for tobacco control. <i>Studies in Natural Products Chemistry</i> , 2024, , 379-406.	0.8	0