CITATION REPORT List of articles citing

Assessing drinkersl motivation for change: The Stages of Change Readiness and Treatment Eagerness Scale (SOCRA

DOI: 10.1037/0893-164x.10.2.81 Psychology of Addictive Behaviors, 1996, 10, 81-89.

Source: https://exaly.com/paper-pdf/27137837/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
627	Issues in the development of reliable measures in addictions research: Introduction to Project MATCH assessment strategies <i>Psychology of Addictive Behaviors</i> , 1996 , 10, 67-74	3.4	14
626	Twelve-step and cognitive-behavioral treatment for substance abuse: A comparison of treatment effectiveness 1997 , 65, 230-240		213
625	Motivation and glycemic control in diabetes mellitus. 1997 , 43, 307-15		34
624	. 1998 , 19, 81-91		2
623	Matching alcoholism treatments to client heterogeneity: Project MATCH three-year drinking outcomes. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1300-11	3.7	471
622	Relationship between readiness for and processes of change in a sample of alcohol dependent males. 1998 , 10, 175-84		8
621	Severe mental illness and addictions: assessment considerations. <i>Addictive Behaviors</i> , 1998 , 23, 735-48	4.2	57
620	Stage of Change as a Predictor of Abstinence Among Alcohol-Dependent Subjects in Pharmacotherapy Trials. 1998 , 19, 81-91		18
619	Alcohol abusers in primary care: readiness to change behavior. 1998 , 105, 302-6		23
618	Evaluating substance abuse treatment process models: I. Changes on proximal outcome variables during 12-step and cognitive-behavioral treatment. 1998 , 59, 371-80		73
617	Methodological and clinical challenges in evaluating treatment outcome of substance-related disorders and comorbidity. 1999 , 44, 264-70		7
616	Evaluating and improving VA substance abuse patients' care. 1999 , 14, 45-54		9
615	Dyadic Case Management as a Strategy for Prevention of Homelessness Among Chronically Debilitated Men and Women with Alcohol and Drug Dependence. 1999 , 17, 53-71		8
614	A brief measure for the assessment of coping self-efficacy among alcohol and other drug users. 1999 , 94, 723-9		75
613	A Comparative Evaluation of Substance Abuse Treatment: V. Substance Abuse Treatment Can Enhance the Effectiveness of Self-Help Groups. <i>Alcoholism: Clinical and Experimental Research</i> , 1999 , 23, 558-563	3.7	42
612	Assessing readiness to change substance abuse: A critical review of instruments 1999 , 6, 245-266		147
611	Using measures of readiness to change in individuals with schizophrenia. 1999 , 25, 151-61		15

(2001-1999)

610	dependence. 1999 , 17, 15-23		44	
609	Factor structure of the SOCRATES in a sample of primary care patients. <i>Addictive Behaviors</i> , 1999 , 24, 879-92	4.2	52	
608	Editorial. Addictive Behaviors, 1999, 24, 737-740	4.2	1	
607	Engaging the unmotivated in treatment for alcohol problems: A comparison of three strategies for intervention through family members 1999 , 67, 688-697		193	
606	Should patients' religiosity influence clinicians' referral to 12-step self-help groups? Evidence from a study of 3,018 male substance abuse patients 1999 , 67, 790-794		64	
605	Readiness to change drinking among heavy-drinking college students. 2000 , 61, 674-80		69	
604	"I already stopped": abstinence prior to treatment. 2000 , 95, 65-76		15	
603	Relationship between follow-up rates and treatment outcomes in substance abuse research: more is better but when is "enough" enough?. 2000 , 95, 1403-16		63	
602	Does race make a difference among primary care patients with alcohol problems who agree to enroll in a study of brief interventions?. 2000 , 9, 321-30		5	
601	A randomized controlled trial of auricular acupuncture for cocaine dependence. 2000 , 160, 2305-12		117	
600	The motivation-readiness factor in drug treatment implications for research and policy. 103-129		30	
599	To thine own self be true: self-concept and motivation for abstinence among substance abusers. <i>Addictive Behaviors</i> , 2000 , 25, 743-57	4.2	25	
598	Motivation to change substance use among offenders of domestic violence. 2000 , 19, 1-5		42	
597	Principles and practice for the screening, diagnosis, and assessment of persons with co-occurring mental illness and substance abuse. 2001 , 5, 29-51			
596	Stages of Change Assessments in Alcohol Problems: Agreement Across Self- and Clinician-Reports. 2001 , 22, 87-96		20	
595	Measuring readiness for change among crack cocaine users: a descriptive analysis. 2001 , 36, 687-700		18	
594	Engaging Young Probation-Referred Marijuana-Abusing Individuals in Treatment. 2001 , 297-312			
593	Effects of two types of brief intervention and readiness to change on alcohol use in hazardous drinkers. 2001 , 62, 605-14		78	

592	Multidimensional assessment of perceived treatment-entry pressures among substance abusers <i>Psychology of Addictive Behaviors</i> , 2001 , 15, 97-108	3.4	80
591	Back to the drawing board? A review of applications of the transtheoretical model to substance use. 2001 , 96, 175-86		277
590	Attrition prevention with individuals awaiting publicly funded drug treatment. 2001 , 96, 1149-60		72
589	The relationship between eligibility criteria for participation in alcohol brief intervention trials and other alcohol and health-related variables. 2001 , 10, 218-31		8
588	Improving Alcoholism Treatment Across the Spectrum of Services. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 128-135	3.7	26
587	Internet Screening and Interventions for Problem Drinking. 2001 , 19, 23-44		35
586	The Development of a Measure of Motivation to Change in Adolescent Substance Users: Preliminary Findings. 2001 , 11, 19-39		2
585	Interpreting conflicting findings from clinical trials of auricular acupuncture for cocaine addiction: does treatment context influence outcome?. 2002 , 8, 111-21		34
584	A Meta-Analytic Review of the MaCandrew Alcoholism Scale. 2002 , 62, 818-829		5
583	Acupuncture for the treatment of cocaine addiction: a randomized controlled trial. 2002 , 287, 55-63		145
582	Stages of change. A critique. 2002 , 26, 223-73		224
581	The readiness to change questionnaire in subjects with hazardous alcohol consumption, alcohol misuse and dependence in a general population survey. 2002 , 37, 362-9		28
580	The feasibility of enhancing psychiatric outpatients' readiness to change their substance use. 2002 , 53, 602-8		47
579	A Brief Telephone Intervention Targeting Treatment Engagement from a Substance Abuse Program Wait List. 2002 , 29, 288???303		1
578	Evaluation of full vs. partial continuum of care in the treatment of publicly funded substance abusers in Washington State. 2002 , 28, 307-38		32
577	Correlates of stages of change for substance abuse among psychiatric outpatients <i>Psychology of Addictive Behaviors</i> , 2002 , 16, 283-289	3.4	22
576	Impacts of Perceived Legal Pressure on Retention in Drug Treatment. 2002, 29, 27-55		55
575	Evidence-Based and Best Practice Addiction Treatment Resources. 2002 , 21, 59-72		2

574	Drinking Levels, Related Problems and Readiness to Change in a College Sample. 2002 , 20, 1-15	34
573	Treating cocaine-using methadone patients: predictors of outcomes in a psychosocial clinical trial. 2002 , 37, 1927-55	24
572	Adolescent substance abuse. Assessment in the office. 2002 , 49, 269-300	10
571	Predictive validity of a measure of treatment readiness for out-of-treatment drug users: enhancing prediction beyond demographic and drug history variables. 2002 , 28, 147-69	22
570	On beyond urine: clinically useful assessment instruments in the treatment of drug dependence. 2002 , 40, 1329-44	17
569	Clinically useful assessments: substance use and comorbid psychiatric disorders. 2002, 40, 1345-61	36
568	Clinically useful, research validated assessment of persons with alcohol problems. 2002, 40, 1425-41	5
567	Prognosis of older patients in mixed-age alcoholism treatment programs. 2002 , 22, 33-43	37
566	Gender differences in predictors of initiation, retention, and completion in an HMO-based substance abuse treatment program. 2002 , 23, 285-95	151
565	Does motivation to change mediate the effect of DSM-IV substance use disorders on treatment utilization and substance use?. <i>Addictive Behaviors</i> , 2002 , 27, 207-25	41
564	College student heavy drinking in social contexts versus alone. <i>Addictive Behaviors</i> , 2002 , 27, 393-404 4.2	116
563	A brief telephone intervention targeting treatment engagement from a substance abuse program wait list. 2002 , 29, 288-303	10
562	Decreased alcohol consumption in outpatient drinkers is associated with improved quality of life and fewer alcohol-related consequences. 2002 , 17, 382-386	52
561	Automating Standard Alcohol Use Assessment Instruments Via Interactive Voice Response Technology. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 207-211	23
560	The relative impact of waiting time and treatment entry on drug and alcohol use. 2002, 7, 67-74	23
559	A pilot study comparing motivational interviewing and an educational intervention in patients with schizophrenia and alcohol use disorders. 2003 , 39, 189-202	71
558	Engaging Young Probation-referred Marijuana-abusing Individuals in Treatment: A Pilot Trial. 2003 , 12, 314-323	52
557	PTSD treatment and 5-year remission among patients with substance use and posttraumatic stress disorders. 2003 , 71, 410-4	115

556	Treatment process components and heroin use outcome among methadone patients. 2003, 71, 93-102	24
555	Natural reduction of binge drinking among college students. <i>Addictive Behaviors</i> , 2003 , 28, 643-55 4.2	44
554	Primary heroin users + drug-free treatment: an equation for success?. Addictive Behaviors, 2003, 28, 339-46.	8
553	The role of relevancy in normative feedback for university students' drinking patterns. <i>Addictive Behaviors</i> , 2003 , 28, 1523-8	13
552	Outcomes at 1 and 5 years for older patients with alcohol use disorders. 2003 , 24, 43-50	63
551	Dropout from 12-step self-help groups: prevalence, predictors, and counteracting treatment influences. 2003 , 24, 241-50	116
550	Factors that predict adolescent motivation for substance abuse treatment. 2003, 24, 221-32	84
549	Slowing the revolving door: stabilization programs reduce homeless persons' substance use after detoxification. 2003 , 24, 197-207	53
548	Gender, waitlists, and outcomes for public-sector drug treatment. 2003 , 25, 19-28	23
547	Methamphetamine use among incarcerated women. 2003 , 8, 69-77	7
547 546	Methamphetamine use among incarcerated women. 2003 , 8, 69-77 Substance abuse treatment characteristics of probation-referred young adults in a community-based outpatient program. 2003 , 29, 585-97	7
	Substance abuse treatment characteristics of probation-referred young adults in a	
546	Substance abuse treatment characteristics of probation-referred young adults in a community-based outpatient program. 2003 , 29, 585-97 Measuring Readiness to Change Among Individuals in Residential Therapeutic Community	42
546 545	Substance abuse treatment characteristics of probation-referred young adults in a community-based outpatient program. 2003, 29, 585-97 Measuring Readiness to Change Among Individuals in Residential Therapeutic Community Programs for Treatment of Substance Abuse. 2003, 47, 34-45 Engaging Young Probation-referred Marijuana-abusing Individuals in Treatment: A Pilot Trial. 2003,	4 ²
546 545 544	Substance abuse treatment characteristics of probation-referred young adults in a community-based outpatient program. 2003, 29, 585-97 Measuring Readiness to Change Among Individuals in Residential Therapeutic Community Programs for Treatment of Substance Abuse. 2003, 47, 34-45 Engaging Young Probation-referred Marijuana-abusing Individuals in Treatment: A Pilot Trial. 2003, 12, 314-323	4 ² 7 26
546545544543	Substance abuse treatment characteristics of probation-referred young adults in a community-based outpatient program. 2003, 29, 585-97 Measuring Readiness to Change Among Individuals in Residential Therapeutic Community Programs for Treatment of Substance Abuse. 2003, 47, 34-45 Engaging Young Probation-referred Marijuana-abusing Individuals in Treatment: A Pilot Trial. 2003, 12, 314-323 Determinants of satisfaction with an automated alcohol evaluation program. 2003, 6, 677-82 Addressing the service linkage problem. Increasing substance abuse treatment engagement using personalized feedback interventions in heavy-using female domestic violence shelter residents.	4 ² 7 26
546545544543542	Substance abuse treatment characteristics of probation-referred young adults in a community-based outpatient program. 2003, 29, 585-97 Measuring Readiness to Change Among Individuals in Residential Therapeutic Community Programs for Treatment of Substance Abuse. 2003, 47, 34-45 Engaging Young Probation-referred Marijuana-abusing Individuals in Treatment: A Pilot Trial. 2003, 12, 314-323 Determinants of satisfaction with an automated alcohol evaluation program. 2003, 6, 677-82 Addressing the service linkage problem. Increasing substance abuse treatment engagement using personalized feedback interventions in heavy-using female domestic violence shelter residents. 2003, 18, 1311-24 Stadien der Verfiderung: Modell, Anwendungsbewfirung und Perspektiven im Suchtbereich. 2003	42 7 26 11

(2004-2003)

538	Addressing group dynamics in a brief motivational intervention for college student drinkers. 2003 , 33, 289-306	2
537	Alcoholics anonymous involvement and positive alcohol-related outcomes: cause, consequence, or just a correlate? A prospective 2-year study of 2,319 alcohol-dependent men. 2003 , 71, 302-8	122
536	Client commitment language during motivational interviewing predicts drug use outcomes. 2003 , 71, 862-78	538
535	Use of the University of Rhode Island Change Assessment to measure motivational readiness to change in psychiatric and dually diagnosed individuals. <i>Psychology of Addictive Behaviors</i> , 2003 , 17, 91-7 $^{3.4}$	56
534	Factor structure of the SOCRATES in a clinical sample of adolescents. <i>Psychology of Addictive Behaviors</i> , 2003 , 17, 98-107	41
533	Who seeks treatment for cannabis-related problems?. 2003 , 94, 351-4	20
532	Assessment of motivation for treatment in alcohol dependent patients who sought treatment at a specialized medical service. 2003 , 25, 5-10	4
531	Stadien der Verfiderung in der stationfen Alkoholentwfinungstherapie. 2003 , 13, 31-38	5
530	Addressing cannabis abuse in people with psychosis. 2004 , 186-197	2
529	[Factor structure of the Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) in alcohol dependent outpatients]. 2004 , 26, 91-9	13
528	[Case management applied to the treatment of alcohol dependence]. 2004, 26 Suppl 1, S63-7	4
527	Impacts of motivation for change on the severity of alcohol use by patients with severe and persistent mental illness. 2004 , 65, 392-7	17
526	Applications of Q Methodology to In-Class Advertising Research Projects. 2004 , 8, 17-28	3
525	Single-item vs multiple-item measures of stage of change in compliance with prescribed medications. 2004 , 94, 115-24	16
524	The Emerging Evidence Base for Motivational Interviewing: A Meta-Analytic and Qualitative Inquiry. 2004 , 18, 309-322	76
523	Beliefs About AA and the Use of Medications. 2004 , 22, 67-78	16
522	Readiness to change in a clinical sample of problem drinkers: relation to alcohol use, self-efficacy, and treatment outcome. 2004 , 10, 133-8	59
521	The Impact of Supervisor Influence Strategy and Relational Context on Readiness to Change for the Alcohol Abusing Employee. 2004 , 19, 1-17	1

520	Comparison of three models of alcohol craving in young adults: a cross-validation. 2004 , 99, 482-97		106
519	Readiness and stages of change in addiction treatment. 2004 , 13, 103-19		347
518	[Short-term effects of acute inpatient treatment of alcoholics. A prospective, multicenter evaluation study]. 2004 , 75, 234-41		4
517	Addictions Counselors' Credibility: The Impact of Interactional Style, Recovery Status, and Nonverbal Behavior. 2004 , 25, 43-57		10
516	Gender differences in outcomes in an HMO-based substance abuse treatment program. 2004 , 23, 47-70		32
515	Self-hypnosis relapse prevention training with chronic drug/alcohol users: effects on self-esteem, affect, and relapse. 2004 , 46, 281-97		15
514	Treatment motivation: An attempt for clarification of an ambiguous concept. 2004 , 23, 1115-37		147
513	The transtheoretical model and motivational interviewing in the treatment of eating and weight disorders. 2004 , 24, 361-78		125
512	Alcohol problem recognition as a function of own and others' perceived drinking. <i>Addictive Behaviors</i> , 2004 , 29, 143-57	.2	14
511	Child and Adolescent Alcohol Use and Abuse. 2004 , 1, 81-99		2
510	Integrated treatment of co-occurring mental illness and addiction: clinical intervention, program, and system perspectives. 2004 , 9, 892-904, 925		52
509	Stages of Change Among Chinese People With Mental Illness: A Preliminary Study 2004 , 49, 39-47		8
508	Adolescents' alcohol and drug use trajectories in the year following treatment. 2004, 65, 105-14		47
507	Readiness to change versus readiness to seek help for alcohol problems: the development of the Treatment Readiness Tool (TReaT). 2004 , 65, 801-9		25
506	Patients' readiness to start highly active antiretroviral treatment for HIV. 2005, 331, 772-5		35
505	Stages of Change. 2005 , 16, 91		
504	Assessing Stages of Change in DUI Offenders. 2005 , 16, 57-67		9
503	Performance of alcohol and safer sex change rulers compared with readiness to change questionnaires. <i>Psychology of Addictive Behaviors</i> , 2005 , 19, 112-5	·4	91

(2005-2005)

502	Distress tolerance as a predictor of early treatment dropout in a residential substance abuse treatment facility. 2005 , 114, 729-34	246
501	Minimal intervention as a preparation for the treatment of alcohol dependency. 2005 , 44, 289-94	5
500	Application of the Transtheoretical Model to substance abuse: historical development and future directions. 2005 , 24, 437-48	52
499	Clinical characteristics of individuals using an online alcohol evaluation program. 2005 , 14, 155-65	5
498	Primary medical care and reductions in addiction severity: a prospective cohort study. 2005 , 100, 70-8	73
497	Caregivers' readiness for change: predictive validity in a child welfare sample. 2005 , 29, 59-80	23
496	A peer-based substance abuse intervention for HIV+ rural women: a pilot study. 2005, 19, 10-7	29
495	Pathological gambling, comorbidities and treatment outcome: is the bronze standard good enough? A case study. 2005 , 21, 41-9	2
494	Specialized 12-step programs and 12-step facilitation for the dually diagnosed. 2005 , 41, 7-20	22
493	The psychometric properties of the Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) in a clinical sample of active duty military service members. 2005 , 170, 960-3	7
492	Anlise da prontido para o tratamento em alcoolistas em um centro de tratamento. 2005 , 32, 211-217	2
491	[Motivational interviewing for patients with comorbid schizophrenia and substance abuse disorders: a review]. 2005 , 73, 728-35	8
490	Die Mößlichkeiten der Pflege in der AlkoholprWention - Pflege ist die ungenutzte Ressource in der Gesundheitsföderung. 2005 , 11, 220-227	
489	Health rhythms: A preliminary inquiry into group-drumming as experienced by participants on a structured day services programme for substance-misusers. 2005 , 12, 477-491	17
488	Matching therapeutic interventions to drug and alcohol abusersâßtage of motivation: The clientsâl perspective. 2005 , 18, 171-182	7
487	Substance use disorder patients who are mandated to treatment: characteristics, treatment process, and 1- and 5-year outcomes. 2005 , 28, 213-23	91
486	The Drinker's Check-up: 12-month outcomes of a controlled clinical trial of a stand-alone software program for problem drinkers. 2005 , 28, 159-69	165
485	Identification of subgroups of persons with chronic pain based on profiles on the pain stages of change questionnaire. 2005 , 116, 302-310	19

484	Motivation for change in alcohol dependent outpatients from Brazil. <i>Addictive Behaviors</i> , 2005 , 30, 159-652	19
483	La entrevista motivacional: llave del proceso de cambio en la dependencia nicotin-tabquica. 2005 , 7, 153-165	3
482	Adapting Motivational Interviewing Strategies to Increase Posttreatment 12-Step Meeting Attendance. 2006 , 24, 31-53	14
481	Pretreatment and during treatment risk factors for dropout among patients with substance use disorders. <i>Addictive Behaviors</i> , 2006 , 31, 450-60	88
480	The Marijuana Ladder: measuring motivation to change marijuana use in incarcerated adolescents. 2006 , 83, 42-8	52
479	Predictors of engagement in continuing care following residential substance use disorder treatment. 2006 , 84, 93-101	26
478	Motivation and readiness for therapeutic community treatment: psychometric evaluation of the Dutch translation of the Circumstances, Motivation, Readiness, and Suitability scales. 2006 , 30, 297-308	12
477	End-of-treatment outcomes in cognitive-behavioral treatment and 12-step substance use treatment programs: do they differ and do they predict 1-year outcomes?. 2006 , 31, 41-50	31
476	Assessing the validity of the Stages of Change Readiness and Treatment Eagerness Scale with treatment-seeking military service members. 2006 , 171, 900-4	14
475	Overlap of clusters of psychiatric symptoms among clients of a comprehensive addiction treatment service. <i>Psychology of Addictive Behaviors</i> , 2006 , 20, 28-35	49
474	Inspiring Hope, Envisioning Alternatives: The Importance of Peer Role Models in a Mandated Treatment Program for Women. 2006 , 6, 55-70	24
473	Need and non-need factors associated with addiction treatment utilization in a cohort of homeless and housed urban poor. 2006 , 44, 225-33	34
472	Psychosocial Predictors of Treatment Outcome, Dropout, and Change Processes in a Pharmacological Clinical Trial for Alcohol Dependence. 2006 , 5, 179-190	16
471	What do we mean by adherence to treatment and advice for living with diabetes? A review of the literature on definitions and measurements. 2006 , 23, 720-8	58
470	Effectiveness of drug and alcohol counselling during methadone treatment: content, frequency, and duration of counselling and association with substance use outcomes. 2006 , 101, 404-12	25
469	Naltrexone versus acamprosate in the treatment of alcohol dependence: A multi-centre, randomized, double-blind, placebo-controlled trial. 2006 , 101, 1451-62	122
468	Correlates of problem recognition and intentions to change among caregivers of abused and neglected children. 2006 , 30, 1381-99	4
467	Assessing motivation for change in subjects with alcohol problems: the MAC2-A questionnaire. 2006 , 41, 616-23	12

466	Enhancing Client Motivation to Change. 2006 , 11-36	2
465	The effect of olanzapine on craving and alcohol consumption. 2006 , 31, 1310-7	99
464	The long-term relationships between the motivation for change and alcohol use severity among patients with severe and persistent mental illness. 2006 , 25, 121-8	5
463	Predictors of starting and remaining in treatment at a specialist alcohol clinic. 2006 , 11, 89-100	19
462	Does Adolescents' Readiness to Change Substance Use Behavior Differ Depending on Profile of Psychiatric Comorbidity?. 2006 , 2, 73-88	3
461	Help seeking for alcohol problems in a college population. 2006 , 133, 421-33	48
460	Psychometric properties of a French-language version of the stage of change readiness and treatment eagerness scale (SOCRATES). 2007 , 15, 153-160	8
459	Assessing Readiness to Change among Clients Seeking Help for Hypersexual Behavior. 2007 , 14, 167-186	94
458	An exploration of readiness to change processes in a clinical sample of military service members. 2007 , 26, 53-60	7
457	Prescription procedures in medication for relapse prevention after inpatient treatment for alcohol use disorders in Switzerland. 2007 , 42, 333-9	10
456	Understanding treatment readiness in recently assessed, pre-treatment substance abusers. 2007 , 28, 11-23	17
455	Interest in pharmacotherapy and primary care alcoholism treatment among medically hospitalized, alcohol dependent patients. 2007 , 26, 63-9	3
454	The Transtheoretical Model and Study Skills. 2007 , 24, 99-113	14
453	Development and psychometric validation of the Task-Specific Self-Efficacy Scale for Chinese people with mental illness. 2007 , 30, 261-71	4
452	Readiness to change in adults waiting for publicly funded substance abuse treatment. <i>Addictive Behaviors</i> , 2007 , 32, 199-204	18
451	Do individuals with a severe mental illness experience greater alcohol and drug-related problems? A test of the supersensitivity hypothesis. <i>Addictive Behaviors</i> , 2007 , 32, 477-90	20
450	Substance use disorder treatment programs in Switzerland and the USA: Program characteristics and 1-year outcomes. 2007 , 86, 75-83	16
449	Association of baseline characteristics and motivation to change among patients seeking treatment for substance dependence. 2007 , 91, 77-84	25

448	How does dialectical behavior therapy facilitate treatment retention among individuals with comorbid borderline personality disorder and substance use disorders?. 2007 , 27, 923-43		40	
447	The self-report Drug Use Disorders Identification Test: Extended (DUDIT-E): reliability, validity, and motivational index. 2007 , 32, 357-69		71	
446	Assessment of motivation to change substance use in dually-diagnosed schizophrenia patients. <i>Addictive Behaviors</i> , 2007 , 32, 1798-813	4.2	11	
445	Co-Occurring Disorders Among Female Jail Detainees: Implications for Service Delivery. 2007 , 7, 51-67		20	
444	Perceived costs and benefits of behavioral change: reconsidering the value of ambivalence for psychotherapy outcomes. 2007 , 63, 1217-29		16	
443	Perceived health status, alcohol-related problems, and readiness to change among medically hospitalized, alcohol-dependent patients. 2007 , 2, 372-7		11	
442	Readiness for change and drug use outcomes after treatment. 2007, 102, 301-8		28	
441	A complex relationship between co-occurring social anxiety and alcohol use disorders: what effect does treating social anxiety have on drinking?. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 77-84	3.7	52	
440	A Psychometric Evaluation of the Approach and Avoidance of Alcohol Questionnaire (AAAQ) in Alcohol Dependent Outpatients. 2007 , 29, 231-240		29	
439	Enhanced case management to prevent fetal alcohol spectrum disorders in Northern Plains communities. 2008 , 12, 747-59		47	
438	Brief Overview of Screening and Assessment for Co-occurring Disorders. 2008, 6, 7-19		11	
437	Measuring readiness to change and locus of control belief among male alcohol-dependent patients in Taiwan: comparison of the different degrees of alcohol dependence. 2008 , 62, 533-9		10	
436	Pathways to change: the effect of a Web application on treatment interest. 2008, 17, 265-70		6	
435	Questions and reflections: the use of motivational interviewing microskills in a peer-led brief alcohol intervention for college students. 2008 , 39, 183-94		64	
434	A Cognitive-Behavioral Mindfulness Group Therapy Intervention for the Treatment of Binge Eating in Bariatric Surgery Patients. 2008 , 15, 364-375		81	
433	Recent Developments in Alcoholism. 2008,		4	
432	Motivation and the stages of change among individuals with severe mental illness and substance abuse disorders. 2008 , 34, 25-35		102	
431	Web-based norms for the Drinker Inventory of Consequences from the Drinker's Checkup. 2008 , 35, 32	2-7	10	

430	Treatment entry barriers among California's Proposition 36 offenders. 2008, 35, 410-8	16
429	Application of the Transtheoretical Model of change: psychometric properties of leading measures in patients with co-occurring drug abuse and severe mental illness. <i>Addictive Behaviors</i> , 2008 , 33, 1021-30.2	34
428	A natural language screening measure for motivation to change. Addictive Behaviors, 2008 , 33, 1177-82 $_{4.2}$	74
427	Music therapy: a novel motivational approach for dually diagnosed patients. 2008 , 27, 41-53	20
426	Persistence in Turning to Faith as a Predictor of Drug Use and Criminality among Drug Court Clients. 2008 , 38, 911-928	6
425	Persistence in Turning to Faith as a Predictor of Drug Use and Criminality among Drug Court Clients. 2008 , 38, 1207-1224	2
424	Development of the pretreatment readiness scale for substance abusers: modification of an existing motivation assessment. 2008 , 29, 39-50	5
423	Assessing the validity of a single-item HIV risk stage-of-change measure. 2008 , 38, 27-37	1
422	The Treatment Motivation Scales for forensic outpatient treatment (TMS-F): construction and psychometric evaluation. 2008 , 15, 224-41	27
421	Predictors of Retention in an Alternative-To-Prison Substance Abuse Treatment Program. 2008 , 35, 99-119	41
420	Convergent and discriminant validity of three measures of stage of change. <i>Psychology of Addictive Behaviors</i> , 2008 , 22, 362-71	25
419	Is intimate partner violence associated with the use of alcohol treatment services? Results from the National Survey on Drug Use and Health. 2008 , 69, 30-8	15
418	A technological approach to reaching a hidden population of problem drinkers. 2008 , 59, 297-303	20
417	Psychotherapy of personality disorders and concomitant substance dependence. 2008 , 21, 619-24	9
416	Cannabis use by people with severe mental illness âlls it important?. 2008 , 14, 423-431	10
415	Predictors of initial AA-related helping: findings from project MATCH. 2009 , 70, 117-25	27
414	The transtheoretical model and substance dependence: theoretical and practical aspects. 2009 , 31, 362-8	11
413	Jogo patolĝico e motiva b para mudan l de comportamento. 2009 , 21, 345-361	1

412	Some medical inpatients with unhealthy alcohol use may benefit from brief intervention. 2009 , 70, 426-35	36
411	Implementing Substance Abuse Screening and Brief Motivational Intervention With Women in Jail. 2009 , 9, 113-131	7
410	Self-esteem and Its Relationship to Serenity and Anger/Impulsivity in an Alcohol and Other Drug-Dependent Population: Implications for Treatment. 2009 , 27, 94-112	9
409	Cultural practices and spiritual development for women in a Native American alcohol and drug treatment program. 2009 , 8, 261-82	5
408	Alcohol Consumption Decisions among Nonabusing Drinkers Diagnosed with Hepatitis C: An Exploratory Sequential Mixed Methods Study. 2009 , 3, 65-86	20
407	Client and program factors associated with dropout from court mandated drug treatment. 2009 , 32, 204-12	85
406	Influence of perceived coercion and motivation on treatment completion and re-arrest among substance-abusing offenders. 2009 , 36, 159-76	35
405	EU DRUID project: results of a questionnaire survey amongst participants of driver rehabilitation programmes in Europe. 2009 , 1, 185-198	2
404	Progressive stage transition does mean getting better: a further test of the Transtheoretical Model in recovery from alcohol problems. 2009 , 104, 949-58	63
403	A psychometric evaluation of the Chinese version of the stage of change-readiness and treatment-eagerness scale. 2009 , 18, 2494-502	3
402	Development and psychometric testing of the Clinician Readiness for Measuring Outcomes Scale. 2009 , 15, 76-84	8
401	Do genetic and individual risk factors moderate the efficacy of motivational enhancement therapy? Drinking outcomes with an emerging adult sample. 2009 , 14, 356-65	45
400	Sample bias from different recruitment strategies in a randomised controlled trial for alcohol dependence. 2009 , 28, 222-9	7
399	Predicting treatment seekers' readiness to change their drinking behavior in the COMBINE Study. Alcoholism: Clinical and Experimental Research, 2009, 33, 879-92	49
398	Motivational interviewing with offenders: A systematic review. 2009 , 14, 83-100	179
397	Readiness to Manage Arthritis: A Pilot Study Using a Stages-of-Change Measure for Arthritis Rehabilitation. 2009 , 34, 61-68	7
396	Mediating mechanisms of a military Web-based alcohol intervention. 2009 , 100, 248-57	42
395	Time to contemplate change? A framework for assessing readiness to change with offenders. 2009 , 14, 39-49	48

394	A web application for moderation training: initial results of a randomized clinical trial. 2009 , 37, 266-76		39
393	Assessing multidimensional cognitions of drinking among alcohol-dependent patients: development and validation of a drinking-related cognitions scale (DRCS). <i>Addictive Behaviors</i> , 2009 , 34, 82-5	4.2	2
392	Factor structure of the SOCRATES questionnaire in hospitalized medical patients. <i>Addictive Behaviors</i> , 2009 , 34, 568-72	4.2	21
391	Does readiness to change predict subsequent alcohol consumption in medical inpatients with unhealthy alcohol use?. <i>Addictive Behaviors</i> , 2009 , 34, 636-40	4.2	38
390	Troubled parents, motivated adolescents: predicting motivation to change substance use among runaways. <i>Addictive Behaviors</i> , 2009 , 34, 675-84	4.2	23
389	Motivational readiness to change in lifestyle modification programs. 2009 , 14, e158-62		7
388	Assessing comorbid substance use in detained psychiatric patients: issues and instruments for evaluating treatment outcome. 2009 , 44, 1602-41		13
387	The Effect of Task-Specific Self-Efficacy on Stages of Change of People With Substance Abuse Problems. 2009 , 15, 63-73		3
386	Structure of the SOC-13 in Alcohol and Other Drug Abuse Clients: A Confirmatory Factor Analysis. 2009 , 15, 28-39		2
385	Adolescents' thoughts about abstinence curb the return of marijuana use during and after treatment. 2009 , 77, 554-65		38
384	What makes group MET work? A randomized controlled trial of college student drinkers in mandated alcohol diversion. <i>Psychology of Addictive Behaviors</i> , 2009 , 23, 598-612	3.4	56
383	Developing a therapeutic group programme to address dual diagnosis needs in a medium secure unit. 2009 , 2, 19-23		3
382	Indirect effect of social support for drinking on drinking outcomes: the role of motivation. 2010 , 71, 930)-7	41
381	Is it beneficial to have an alcoholics anonymous sponsor?. <i>Psychology of Addictive Behaviors</i> , 2010 , 24, 397-403	3.4	59
380	Rasch-modeling the Portuguese SOCRATES in a clinical sample. <i>Psychology of Addictive Behaviors</i> , 2010 , 24, 355-9	3.4	3
379	Factor structure of a Korean-language version of the Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) in a clinical sample of clients with alcohol dependence. <i>Psychology of Addictive Behaviors</i> , 2010 , 24, 555-62	3.4	7
378	Predictors of HAV/HBV vaccination completion among methadone maintenance clients. 2010 , 33, 120-3	32	13
377	Inequitable access to substance abuse treatment services in Cape Town, South Africa. 2010 , 5, 28		51

376	Physical health and drinking among medical inpatients with unhealthy alcohol use: a prospective study. <i>Alcoholism: Clinical and Experimental Research</i> , 2010 , 34, 1257-65	9
375	Which came first: the readiness or the change? Longitudinal relationships between readiness to change and drinking among college drinkers. 2010 , 105, 1899-909	30
374	Incorporating the Stages of Change Model in Solution Focused Brief Therapy With Non-Substance Abusing Families: A Novel and Integrative Approach. 2010 , 18, 184-188	2
373	Willingness of facial injury patients to change causal substance using behaviors. 2010 , 31, 35-42	5
372	The assessment of offending-related stage of change in offenders: psychometric validation of the URICA with male prisoners. 2010 , 16, 305-325	23
371	Perceived coercion in substance abuse treatment: The eye of the beholder?. 2010 , 15, 24-30	2
370	Rehabilitation readiness: A construct validity study of the University of Rhode Island Change Assessment for Vocational Counseling (URICA-VC) scale for persons with mental illness. 2010 , 33, 133-142	2
369	Motivation in substance misuse treatment. 2010 , 18, 494-510	15
368	Single-session motivational interviewing for drug detoxification inpatients: effects on self-efficacy, stages of change and substance use. 2010 , 45, 384-402	27
367	Clinical predictors of outcome from an Australian pharmacological relapse prevention trial. 2010 , 45, 520-6	9
366	Patients with substance use and personality disorders: a comparison of patient characteristics, treatment process, and outcomes in Swiss and U.S. substance use disorder programs. 2010 , 36, 66-72	8
365	Assessing trauma, substance abuse, and mental health in a sample of homeless men. 2010 , 35, 39-48	58
364	Urine testing during treatment predicts cocaine abstinence. 2010 , 42, 347-52	3
363	A randomized pilot study of the Engaging Moms Program for family drug court. 2010 , 38, 263-74	69
362	Barriers and facilitators for alcohol treatment for women: are there more or less for rural women?. 2010 , 39, 1-13	37
361	College students' readiness to reduce binge drinking: criterion validity of a brief measure. 2010 , 109, 236-8	10
360	Changes in ambivalence mediate the relation between entering treatment and change in alcohol use and problems. <i>Addictive Behaviors</i> , 2010 , 35, 367-9	59
359	Individual Adjustment, Readiness for Relationship Change, and Dyadic Adjustment. 2010 , 9, 293-311	2

358	The use of the RCQ-D in patients with poly drug abuse. 2010 , 18, 409-420	5
357	Predictors of relapse in Filipino male methamphetamine users: a mixed methods approach. 2011 , 10, 162-79	13
356	Factors Associated with Motivation to Change HIV Risk and Substance Use Behaviors among Homeless Youth. 2011 , 11, 163-180	9
355	The influence of client behavior during motivational interviewing on marijuana treatment outcome. Addictive Behaviors, 2011 , 36, 669-673	36
354	Why do patients with psychosis use cannabis and are they ready to change their use?. 2011 , 29, 335-46	42
353	Gender differences in barriers to alcohol and other drug treatment in Cape Town, South Africa. 2011 , 14, 146-53	22
352	Comparison of the concurrent and predictive validity of three measures of readiness to change marijuana use in a clinical sample of adolescents. 2011 , 72, 592-601	19
351	ModerateDrinking.Com and moderation management: outcomes of a randomized clinical trial with non-dependent problem drinkers. 2011 , 79, 215-24	35
350	What do women want? Alcohol treatment choices, treatment entry and retention. <i>Psychology of Addictive Behaviors</i> , 2011 , 25, 521-9	36
349	Twelve-step program attendance and polysubstance use: interplay of alcohol and illicit drug use. 2011 , 72, 864-71	20
348	Attachment avoidance and anxiety as predictors of 12-step group engagement. 2011 , 72, 854-63	15
347	Psychosocial correlates of alcohol use and reduction for individuals with hepatitis C. 2011 , 72, 787-98	7
346	Possible effectiveness of intervention using a self-teaching workbook in adolescent drug abusers detained in a juvenile classification home. 2011 , 65, 576-83	7
345	Does readiness to change predict in-session motivational language? Correspondence between two conceptualizations of client motivation. 2011 , 106, 1261-9	10
344	Subdiagnostic alcohol use by depressed men and women seeking outpatient psychiatric services: consumption patterns and motivation to reduce drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 695-702	22
343	Randomized controlled trial of personalized motivational interventions in substance using patients with facial injuries. 2011 , 69, 2396-411	19
342	Patterns of substance abuse treatment seeking following cocaine-related emergency department visits. 2011 , 38, 221-33	11
341	High-risk offenders participating in court-supervised substance abuse treatment: characteristics, treatment received, and factors associated with recidivism. 2011 , 38, 510-25	18

340	A randomized, controlled study of treatment for alcohol dependence in patients awaiting liver transplantation. 2011 , 17, 539-47		84
339	Stages of change. 2011 , 67, 143-54		443
338	Mediating role of illness representation among social support, therapeutic alliance, experience of medication side effects, and medication adherence in persons with schizophrenia. 2011 , 25, 269-83		14
337	Intervening with Women in Jail around Alcohol and Substance Abuse During Preparation for Community Reentry. 2011 , 29, 453-478		21
336	High and low trait anger, and the recognition of anger problems. 2011 , 14, 851-8		3
335	Incapacitated sexual violence involving alcohol among college women: the impact of a brief drinking intervention. 2011 , 17, 135-54		43
334	Predictors of Adopting Motivational Enhancement Therapy. 2011 , 21, 65-76		8
333	Reliability and confirmatory factor analysis of the arabic version of the University of Rhode Island Change Assessment (URICA). 2011 , 46, 138-42		1
332	A randomized trial of two behavioral interventions to improve outcomes following inpatient detoxification for alcohol dependence. 2011 , 30, 136-48		21
331	What predicts retention on an in-prison drug treatment program?. 2012 , 15, 1349-60		
330	Analysis of the stages of change model of drug and alcohol treatment readiness among prisoners. 2012 , 56, 265-80		3
329	Effects of group songwriting on motivation and readiness for treatment on patients in detoxification: a randomized wait-list effectiveness study. 2012 , 49, 414-29		25
328	A comparison of computer-assisted and self-management programs for reducing alcohol use among students in first year experience courses. 2012 , 42, 119-35		7
327	Motivation to change as a mediator for the longitudinal relationships of gender and alcohol severity with one-year drinking outcome. 2012 , 73, 504-13		7
326	Psychosocial predictors of relapse in cocaine-dependent patients in treatment. 2012 , 15, 748-55		8
325	Motivation and maltreatment history among youth entering substance abuse treatment. <i>Psychology of Addictive Behaviors</i> , 2012 , 26, 171-7	3.4	11
324	LâNaluation des stades de changement dans les addictions. 2012 , 77, 331-341		3
323	Positive drinking consequences among hazardous drinking college students. <i>Addictive Behaviors</i> , 2012 , 37, 663-7	4.2	13

322	Relationship between approach and avoidance inclinations to use alcohol and treatment outcomes. <i>Addictive Behaviors</i> , 2012 , 37, 824-30	19
321	Motivation to change and treatment attendance as predictors of alcohol-use outcomes among project-based Housing First residents. <i>Addictive Behaviors</i> , 2012 , 37, 931-9	46
320	Assessing candidacy for acute hepatitis C treatment among active young injection drug users: a case-series report. 2012 , 23, 16-29	2
319	Brief intervention for drug-abusing adolescents in a school setting: outcomes and mediating factors. 2012 , 42, 279-88	82
318	The effect of social desirability on reported motivation, substance use severity, and treatment attendance. 2012 , 42, 400-12	49
317	The predictive validity of the Drinking-Related Cognitions Scale in alcohol-dependent patients under abstinence-oriented treatment. 2012 , 7, 17	8
316	Factors affecting substance abuse treatment in Greece and their course during therapy. <i>Addictive Behaviors</i> , 2012 , 37, 1358-64	12
315	Cost-effectiveness analysis of motivational interviewing with feedback to reduce drinking among a sample of college students. 2012 , 73, 226-37	18
314	Psychometric Properties of the Iranian Version of the Stages of Change Readiness and Treatment Eagerness Scale. 2012 , 4,	3
313	Patient attitudes towards change in adapted motivational interviewing for substance abuse: a systematic review. 2012 , 3, 61-72	4
312	Selection and utilization of assessment instruments in substance abuse treatment trials: the National Drug Abuse Treatment Clinical Trials Network experience. 2012 , 3, 81-89	8
311	Severity of acute illness is associated with baseline readiness to change in medical intensive care unit patients with unhealthy alcohol use. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 544-513-7	9
310	Emerging adults' treatment outcomes in relation to 12-step mutual-help attendance and active involvement. 2013 , 129, 151-7	64
309	Barriers to alcohol and other drug treatment use among Black African and Coloured South Africans. 2013 , 13, 177	11
308	Enhancing screening, brief intervention, and referral to treatment among socioeconomically disadvantaged patients: study protocol for a knowledge exchange intervention involving patients and physicians. 2013 , 13, 108	7
307	Women Inmate Substance Abusers' Reactivity to Visual Alcohol, Cigarette, Marijuana, and Crack-Cocaine Cues: Approach and Avoidance as Separate Dimensions of Reactivity. 2013 , 35, 45-56	15
306	Integrated care for comorbid alcohol dependence and anxiety and/or depressive disorder: study protocol for an assessor-blind, randomized controlled trial. 2013 , 8, 19	10
305	The Impact of Acculturation, Motivation and the Therapeutic Alliance on Treatment Retention and Outcomes for Hispanic Drug Involved Probationers. 2013 , 11, 150-180	6

304	Barriers and Supports to Substance Abuse Service Use Among Homeless Adults. 2013 , 34, 81-98	9
303	Clinical characteristics as a function of referral status among substance users in residential treatment. <i>Addictive Behaviors</i> , 2013 , 38, 1924-30	4
302	The efficacy and biobehavioural basis of baclofen in the treatment of alcoholic liver disease (BacALD): study protocol for a randomised controlled trial. <i>Contemporary Clinical Trials</i> , 2013 , 36, 348-55 ^{2.3}	25
301	Women's motivators for seeking treatment for alcohol use disorders. <i>Addictive Behaviors</i> , 2013 , 38, 2236 _‡ 45	25
300	Predictors of retention in a drug-free unit/substance abuse treatment in prison. 2013, 36, 264-72	4
299	Does mandating offenders to treatment improve completion rates?. 2013 , 44, 417-25	20
298	Post-treatment stage of change predicts 12-month outcome of treatment for alcohol problems. 2013 , 48, 329-36	22
297	Test-retest reliability of self-report measures in a dually diagnosed sample. 2013 , 48, 99-105	2
296	Impact of Physical Health on Treatment for Co-occurring Depression and Substance Dependence. 2013 , 9,	5
295	Social Work Practice in the Addictions. 2013,	1
295 294	Social Work Practice in the Addictions. 2013, Alcohol-related biases in selective attention and action tendency make distinct contributions to dysregulated drinking behaviour. 2013, 108, 1758-66	24
	Alcohol-related biases in selective attention and action tendency make distinct contributions to	
294	Alcohol-related biases in selective attention and action tendency make distinct contributions to dysregulated drinking behaviour. 2013 , 108, 1758-66 Self-efficacy as a predictor of outcome after residential treatment programs for alcohol dependence: simply ask the patient one question!. <i>Alcoholism: Clinical and Experimental Research</i> , 3.7	24
² 94	Alcohol-related biases in selective attention and action tendency make distinct contributions to dysregulated drinking behaviour. 2013, 108, 1758-66 Self-efficacy as a predictor of outcome after residential treatment programs for alcohol dependence: simply ask the patient one question!. Alcoholism: Clinical and Experimental Research, 2013, 37, 663-7 Adding integrative meditation with ear acupressure to outpatient treatment of cocaine addiction: a	24
294 293 292	Alcohol-related biases in selective attention and action tendency make distinct contributions to dysregulated drinking behaviour. 2013, 108, 1758-66 Self-efficacy as a predictor of outcome after residential treatment programs for alcohol dependence: simply ask the patient one question!. Alcoholism: Clinical and Experimental Research, 2013, 37, 663-7 Adding integrative meditation with ear acupressure to outpatient treatment of cocaine addiction: a randomized controlled pilot study. 2013, 19, 204-10 Through a glass darkly: some insights on change talk via magnetoencephalography. Psychology of	24269
294 293 292 291	Alcohol-related biases in selective attention and action tendency make distinct contributions to dysregulated drinking behaviour. 2013, 108, 1758-66 Self-efficacy as a predictor of outcome after residential treatment programs for alcohol dependence: simply ask the patient one question!. Alcoholism: Clinical and Experimental Research, 2013, 37, 663-7 Adding integrative meditation with ear acupressure to outpatient treatment of cocaine addiction: a randomized controlled pilot study. 2013, 19, 204-10 Through a glass darkly: some insights on change talk via magnetoencephalography. Psychology of Addictive Behaviors, 2013, 27, 489-500 3-4 The interaction of approach-alcohol action tendencies, working memory capacity, and current task goals predicts the inability to regulate drinking behavior. Psychology of Addictive Behaviors, 2013, 3-4	2426923
294 293 292 291 290	Alcohol-related biases in selective attention and action tendency make distinct contributions to dysregulated drinking behaviour. 2013, 108, 1758-66 Self-efficacy as a predictor of outcome after residential treatment programs for alcohol dependence: simply ask the patient one question!. Alcoholism: Clinical and Experimental Research, 2013, 37, 663-7 Adding integrative meditation with ear acupressure to outpatient treatment of cocaine addiction: a randomized controlled pilot study. 2013, 19, 204-10 Through a glass darkly: some insights on change talk via magnetoencephalography. Psychology of Addictive Behaviors, 2013, 27, 489-500 3-4 The interaction of approach-alcohol action tendencies, working memory capacity, and current task goals predicts the inability to regulate drinking behavior. Psychology of Addictive Behaviors, 2013, 27, 649-61 Pretreatment changes in drinking: relationship to treatment outcomes. Psychology of Addictive	242692328

286 Readiness to Change and the Transtheoretical Model as Applied to Addictive Disorders. **2013**,

285	Modeling alcohol use disorder severity: an integrative structural equation modeling approach. <i>Frontiers in Psychiatry</i> , 2013 , 4, 75	5	8
284	Young adults, social networks, and addiction recovery: post treatment changes in social ties and their role as a mediator of 12-step participation. 2014 , 9, e100121		30
283	Association between drinking goal and alcohol use one year after residential treatment: a multicenter study. 2014 , 33, 234-42		18
282	Effectiveness of nurse-practitioner-delivered brief motivational intervention for young adult alcohol and drug use in primary care in South Africa: a randomized clinical trial. 2014 , 49, 430-8		31
281	Importance of alcohol-related expectations and emotional expressivity for prediction of motivation to refuse alcohol in alcohol-dependent patients. 2014 , 50, 169-74		1
280	Ziprasidone versus clozapine in the treatment of dually diagnosed (DD) patients with schizophrenia and cannabis use disorders: a randomized study. 2014 , 23, 308-12		28
279	Revisiting Baby Boomers and Alcohol Use: Emerging Treatment Trends. 2014 , 24, 597-611		9
278	The Survey of Treatment Entry Pressures (STEP): identifying client's reasons for entering substance abuse treatment. 2014 , 70, 956-66		6
277	Evaluation of a relapse-prevention program for methamphetamine-dependent inmates using a self-teaching workbook and group therapy. 2014 , 68, 61-9		4
276	Alcohol use following an alcohol challenge and a brief intervention among alcohol-dependent individuals. 2014 , 23, 96-101		9
275	The Predictive Validity of the URICA in a Sample of Patients in Substance Use Treatment. 2014 , 13, 170	-178	1
274	Motivation as a predictor of drinking outcomes after residential treatment programs for alcohol dependence. 2014 , 8, 137-42		8
273	Predictors of Outcome During a 6-Month Follow-Up Among Heroin Dependent Patients Receiving Buprenorphine/Naloxone Maintenance Treatment. 2014 , 24, 311-322		13
272	Reduced fMRI activity predicts relapse in patients recovering from stimulant dependence. 2014 , 35, 41	4-28	43
271	Psychiatric comorbidity and 12-step participation: a longitudinal investigation of treated young adults. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 501-10	3.7	13
270	Text messaging to increase readiness to change alcohol use in college students. 2014 , 35, 47-52		53
269	Waking self-hypnosis efficacy in cognitive-behavioral treatment for pathological gambling: an effectiveness clinical assay. 2014 , 62, 50-69		11

268	A critique of models and measures of treatment readiness in offenders. 2014 , 19, 383-389		14
267	Is level of exposure to a 12-step facilitation therapy associated with treatment outcome?. 2014 , 47, 265	5-74	5
266	A pilot study to assess the feasibility and impact of a brief motivational intervention on problem drug and alcohol use in adult mental health inpatient units: study protocol for a randomized controlled trial. 2014 , 15, 308		6
265	12-step facilitation for the dually diagnosed: a randomized clinical trial. 2014 , 46, 403-11		18
264	Young adults with co-occurring disorders: substance use disorder treatment response and outcomes. 2014 , 46, 420-8		11
263	Web-based screening and brief intervention for student marijuana use in a university health center: pilot study to examine the implementation of eCHECKUP TO GO in different contexts. <i>Addictive Behaviors</i> , 2014 , 39, 1346-52	4.2	42
262	Beyond motivation: Initial validation of the commitment to sobriety scale. 2014 , 46, 257-63		32
261	MAPIT: development of a web-based intervention targeting substance abuse treatment in the criminal justice system. 2014 , 46, 60-5		41
260	Predicting substance abuse treatment completion using a new scale based on the theory of planned behavior. 2014 , 46, 174-82		45
259	Brain activation to cocaine cues and motivation/treatment status. 2014 , 19, 240-9		48
258	Longitudinal trajectories of readiness to change: alcohol use and help-seeking behavior. 2014 , 75, 486-	95	16
257	Behavioral Health and Childhood Obesity. 2014 , 892-912		
256	Identifying the factor structure of the SOCRATES in a sample of Latino adolescents. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 276-81	3.4	3
255	Modeling motivation three ways: effects of MI metrics on treatment outcomes among adolescents. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 307-12	3.4	12
254	One-year outcomes and mediators of a brief intervention for drug abusing adolescents. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 464-474	3.4	41
253	Applying an ensemble classification tree approach to the prediction of completion of a 12-step facilitation intervention with stimulant abusers. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 1127-43	3.4	6
252	Dialogues in partner abusive clients' group treatment: conversational tools used by counselors with differently motivated clients. 2014 , 29, 195-216		2
251	Can outcome expectancies be measured across substances? Development and validation of a questionnaire for populations in treatment. 2014 , 14, 172-186		8

(2015-2015)

An evaluation of a group-based motivational intervention for substance misusers in an Irish forensic setting. **2015**, 32, 313-318

249	Substance use in individuals at clinical high risk of psychosis. 2015 , 45, 2275-84	31
248	Posttreatment motivation and alcohol treatment outcome 9 months later: findings from structural equation modeling. 2015 , 83, 232-237	13
247	Informed consent in probation and parole settings. 2015 , 5, 279-286	
246	Preliminary evaluation of a forensic dual diagnosis intervention. 2015 , 8, 42-56	2
245	Trans-Sector Integrated Treatment in Psychosis and Addiction. 2015 , 112, 683-91	13
244	Motivation to maintain sobriety among residents of sober living recovery homes. 2015 , 6, 103-11	11
243	Treatment readiness, attitudes toward, and experiences with methadone and buprenorphine maintenance therapy among people who inject drugs in Malaysia. 2015 , 54, 29-36	16
242	Participant report of therapist-delivered active ingredients in a telephone-delivered brief motivational intervention predicts taking steps towards change. 2015 , 23, 421-428	6
241	Harm Reduction Agencies as a Potential Site for Buprenorphine Treatment. 2015 , 36, 155-60	21
240	Real-time patterns of smoking and alcohol use: an observational study protocol of risky-drinking smokers. 2015 , 5, e007046	7
239	Neuroimaging and Psychosocial Addiction Treatment. 2015,	2
238	Predictors of outcome from computer-based treatment for substance use disorders: Results from a randomized clinical trial. 2015 , 157, 174-8	11
237	Emotion regulation promotes persistence in a residential substance abuse treatment. 2015 , 50, 251-6	28
236	Psilocybin-assisted treatment for alcohol dependence: a proof-of-concept study. 2015 , 29, 289-99	464
235	The effects of continuing care on emerging adult outcomes following residential addiction treatment. 2015 , 153, 207-14	20
234	How do offenders move through the stages of change?. 2015 , 21, 375-397	7
233	Perceptions of twelve-step mutual-help groups and their associations with motivation, treatment attendance and alcohol outcomes among chronically homeless individuals with alcohol problems. 5.5 International Journal of Drug Policy, 2015 , 26, 468-74	9

232	Effects of a brief intervention for substance use on tobacco smoking and family relationship functioning in schizophrenia and related psychoses: a randomised controlled trial. 2015 , 51, 30-7		9
231	The relationship between psychosocial features of emerging adulthood and substance use change motivation in youth. 2015 , 52, 58-66		13
230	Alcohol brief intervention for hospitalized veterans with hazardous drinking: protocol for a 3-arm randomized controlled efficacy trial. 2015 , 10, 13		0
229	Rewriting the valuation and salience of alcohol-related stimuli via memory reconsolidation. 2015 , 5, e645	5	62
228	Assessing Change Readiness and Treatment Eagerness among Psychoactive Substance Users in Northern Nigeria. 2015 , 58, 72-7		4
227	Effectiveness of Motivational Incentives for Adolescent Marijuana Users in a School-Based Intervention. 2015 , 58, 43-50		18
226	Illicit buprenorphine use, interest in and access to buprenorphine treatment among syringe exchange participants. 2015 , 48, 112-6		33
225	A field investigation of the effects of drinking consequences on young adults' readiness to change. Addictive Behaviors, 2015 , 41, 162-8	1.2	9
224	Factors Influencing Recognition of Motivation for Change in Pathological Gamblers. 2016 , 25, 227		2
223	Substance misuse brief interventions during psychiatric hospital admissions. 2016 , 9,		
223	Substance misuse brief interventions during psychiatric hospital admissions. 2016 , 9, Do Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) Scores Predict Readmission to an Inpatient Substance Abuse Treatment Program for Adolescents?. 2016 , 25, 516-521		2
	Do Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) Scores Predict		2 38
222	Do Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) Scores Predict Readmission to an Inpatient Substance Abuse Treatment Program for Adolescents?. 2016 , 25, 516-521 The Effectiveness and Cost of Clinical Supervision for Motivational Interviewing: A Randomized		
222	Do Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) Scores Predict Readmission to an Inpatient Substance Abuse Treatment Program for Adolescents?. 2016 , 25, 516-521 The Effectiveness and Cost of Clinical Supervision for Motivational Interviewing: A Randomized Controlled Trial. 2016 , 68, 11-23 Creating Change Through Connections: A Group for College Women Experiencing Alcohol-Related		38
222	Do Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) Scores Predict Readmission to an Inpatient Substance Abuse Treatment Program for Adolescents?. 2016, 25, 516-521 The Effectiveness and Cost of Clinical Supervision for Motivational Interviewing: A Randomized Controlled Trial. 2016, 68, 11-23 Creating Change Through Connections: A Group for College Women Experiencing Alcohol-Related Consequences. 2016, 11, 90-104 La percepcifi del apoyo social en jugadores patoligicos y su relacifi con el xito del tratamiento. 2016, 27, 15-22 The relationship between general causality orientation and treatment outcome among	1.2	38
222 221 220 219	Do Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) Scores Predict Readmission to an Inpatient Substance Abuse Treatment Program for Adolescents?. 2016, 25, 516-521 The Effectiveness and Cost of Clinical Supervision for Motivational Interviewing: A Randomized Controlled Trial. 2016, 68, 11-23 Creating Change Through Connections: A Group for College Women Experiencing Alcohol-Related Consequences. 2016, 11, 90-104 La percepcifi del apoyo social en jugadores patoligicos y su relacifi con el xito del tratamiento. 2016, 27, 15-22 The relationship between general causality orientation and treatment outcome among marijuana-dependent adults. Addictive Behaviors, 2016, 53, 196-200 Gender differences in cannabis use disorder treatment: Change readiness and taking steps predict	1.2 1.2	38
222 221 220 219 218	Do Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) Scores Predict Readmission to an Inpatient Substance Abuse Treatment Program for Adolescents?. 2016, 25, 516-521 The Effectiveness and Cost of Clinical Supervision for Motivational Interviewing: A Randomized Controlled Trial. 2016, 68, 11-23 Creating Change Through Connections: A Group for College Women Experiencing Alcohol-Related Consequences. 2016, 11, 90-104 La percepciñ del apoyo social en jugadores patoligicos y su relaciñ con el xito del tratamiento. 2016, 27, 15-22 The relationship between general causality orientation and treatment outcome among marijuana-dependent adults. Addictive Behaviors, 2016, 53, 196-200 Gender differences in cannabis use disorder treatment: Change readiness and taking steps predict	<i>-</i>	38 1

214	Family systems therapy for substance-using mothers and their 8- to 16-year-old children. <i>Psychology of Addictive Behaviors</i> , 2016 , 30, 619-29	3.4	26
213	Pilot randomised trial of a brief intervention for comorbid substance misuse in psychiatric in-patient settings. 2016 , 133, 298-309		15
212	Neural substrates of cue reactivity: association with treatment outcomes and relapse. 2016 , 21, 3-22		125
211	Asking Numbers to Speak: Verbal Markers and Stages of Change. 2016 , 26, 1761-1773		
210	Implementation of Motivational Interviewing in Substance Use Disorder Treatment: Research Network Participation and Organizational Compatibility. 2016 , 10, 402-407		2
209	Web-based cognitive behavioral relapse prevention program with tailored feedback for people with methamphetamine and other drug use problems: protocol for a multicenter randomized controlled trial in Japan. 2016 , 16, 87		5
208	Introspective responses to cues and motivation to reduce cigarette smoking influence state and behavioral responses to cue exposure. <i>Addictive Behaviors</i> , 2016 , 60, 103-8	4.2	5
207	Individual motivation and threat indicators of collaboration readiness in scientific knowledge producing teams: a scoping review and domain analysis. 2016 , 2,		16
206	Facilitating Treatment Access and Engagement for Justice-Involved Veterans With Substance Use Disorders. 2016 , 27, 138-163		10
205	Readiness to change is a predictor of reduced substance use involvement: findings from a randomized controlled trial of patients attending South African emergency departments. 2016 , 16, 35		25
204	Predictive models for suicidal thoughts and behaviors among Spanish University students: rationale and methods of the UNIVERSAL (University & mental health) project. 2016 , 16, 122		15
203	Design of a randomized controlled trial of extended-release naltrexone versus daily buprenorphine-naloxone for opioid dependence in Norway (NTX-SBX). 2016 , 17, 18		16
202	The effects of cognitive reappraisal following retrieval-procedures designed to destabilize alcohol memories in high-risk drinkers. 2016 , 233, 851-61		33
201	"The Age of Feeling in-Between": Addressing Challenges in the Treatment of Emerging Adults With Substance Use Disorders. 2016 , 23, 270-288		22
200	A culturally-tailored behavioral intervention trial for alcohol use disorders in three American Indian communities: Rationale, design, and methods. <i>Contemporary Clinical Trials</i> , 2016 , 47, 93-100	2.3	13
199	Alcohol Consumption, Craving, and Craving Control Efforts Assessed Daily in the Context of Readiness to Change Among Individuals with Alcohol Dependence and PTSD. 2016 , 61, 34-41		11
198	Enhancing adolescents' motivation for treatment in compulsory residential care: A clinical review. 2016 , 61, 117-125		10
197	Motivation and substance use outcomes among adolescents in a school-based intervention. <i>Addictive Behaviors</i> , 2016 , 53, 74-9	4.2	13

196	Marijuana consequences in a motivational context: Goal congruence reduces likelihood of taking steps toward change. <i>Addictive Behaviors</i> , 2016 , 52, 83-90	4.2	6
195	Treatment with the Self-Discovery Camp (SDiC) improves Internet gaming disorder. <i>Addictive Behaviors</i> , 2017 , 64, 357-362	4.2	56
194	Beyond methamphetamine: Documenting the implementation of the Matrix model of substance use treatment for opioid users in a South African setting. <i>Addictive Behaviors</i> , 2017 , 66, 132-137	4.2	18
193	Heterogeneity in pathways to abstinence among women in treatment for alcohol use disorder. 2017 , 75, 1-9		4
192	Testing a Matching Hypothesis for Emerging Adults in Project MATCH: During-Treatment and One-Year Outcomes. 2017 , 78, 140-145		4
191	Predicting drinking outcomes: Evidence from the United Kingdom Alcohol Treatment Trial (UKATT). <i>Addictive Behaviors</i> , 2017 , 71, 61-67	4.2	5
190	People's reasons for wanting to complete probation: Use and predictive validity in an e-health intervention. 2017 , 61, 144-149		2
189	Effectiveness of a psychoeducational programme in enhancing motivation to change alcohol-addictive behaviour. 2017 , 26, 3724-3733		3
188	Does Age Moderate the Effect of Spirituality/Religiousness in Accounting for Alcoholics Anonymous Benefit?. 2017 , 35, 96-112		5
187	Differences between treatment-seeking and non-treatment-seeking participants in medication studies for alcoholism: do they matter?. 2017 , 43, 703-710		43
186	Outcomes of a family-based HIV prevention intervention for substance using juvenile offenders. 2017 , 77, 115-125		18
185	Distress tolerance interacts with circumstances, motivation, and readiness to predict substance abuse treatment retention. <i>Addictive Behaviors</i> , 2017 , 73, 99-104	4.2	14
184	Examining motor vehicle crash involvement and readiness to change on drinking and driving behaviors among injured emergency department patients. 2017 , 18, 463-469		1
183	Relapse to opioid use in opioid-dependent individuals released from compulsory drug detention centres compared with those from voluntary methadone treatment centres in Malaysia: a two-arm, prospective observational study. 2017 , 5, e198-e207		41
182	Motivation Precedes Goal Setting in Prediction of Cannabis Treatment Outcomes in Adolescents. 2017 , 26, 132-140		11
181	Acceptability of an Opioid Relapse Prevention Text-message Intervention for Emergency Department Patients. 2017 , 11, 475-482		7
180	Associations between alcohol consumption patterns and attitudes towards alcohol interlocks. 2017 , 108, 83-90		2
179	The role of consumer perspectives in estimating population need for substance use services: a scoping review. 2017 , 17, 217		1

(2018-2017)

178	Development and evaluation of a community-based buprenorphine treatment intervention. 2017 , 14, 23	7
177	ASAP-ID: substance abuse programme for a forensic ID population. 2017 , 8, 157-165	4
176	Developing Substance Use Programming for Person-Oriented Recovery and Treatment (SUPPORT): protocol for a pilot randomized controlled trial. 2017 , 3, 73	2
175	PROTOCOL: Effects of clinical supervision of mental health professionals on supervisee knowledge, skills, attitudes and behaviour, and client outcomes: protocol for a systematic review. 2017 , 13, 1-44	2
174	Clinical Outcomes From a 10-Week Follow-Up Psychoeducational Program for Dual Diagnosis. 2018 , 14, 102-110	4
173	A Prediction Error-driven Retrieval Procedure for Destabilizing and Rewriting Maladaptive Reward Memories in Hazardous Drinkers. 2018 ,	8
172	Outpatient Addiction Treatment for Problematic Alcohol Use: What Makes Patients Who Dropped Out Different from Those Who Did Not?. 2018 , 53, 1893-1906	4
171	The effectiveness of cognitiveâBehavioral stress-management training on the readiness for substance use treatment in Iran. 2018 , 23, 371-376	2
170	Substance use treatment programs in the active duty US military: A narrative review. 2018 , 30, 1-9	3
169	A multi-site proof-of-concept investigation of computerized approach-avoidance training in adolescent cannabis users. 2018 , 187, 195-204	19
168	Understanding the role of emotion-oriented coping in women's motivation for change. 2018 , 86, 1-8	6
167	Effects of Ecologically-Based Family Therapy with substance-using, prostituting mothers. 2018 , 40, 557-583	9
166	A systematic review of group work interventions in UK high secure hospitals. 2018 , 38, 53-75	7
165	Treatment Seeking among College Students with Comorbid Hazardous Drinking and Elevated Mood/Anxiety Symptoms. 2018 , 53, 1041-1050	17
165 164		17 2
	Mood/Anxiety Symptoms. 2018, 53, 1041-1050 Cognitive Functions among Recently Detoxified Patients with Alcohol Dependence and Their	
164	Mood/Anxiety Symptoms. 2018, 53, 1041-1050 Cognitive Functions among Recently Detoxified Patients with Alcohol Dependence and Their Association with Motivational State to Quit. 2018, 40, 310-314	2

160	Factors related to methamphetamine relapse risk among clients in the substance rehabilitation center of National Narcotics Board in West Java, Indonesia. 2018 , 32, 279-287		O
159	Stages of change and psychotherapy outcomes: A review and meta-analysis. 2018 , 74, 1964-1979		94
158	Self-efficacy, sensation seeking, right attitude, and readiness to change among alcohol drinkers in a Thai vocational school. 2018 , 8, 107-112		2
157	Mediation of time perspectives on inclinations to use alcohol and motivation to change relationship. 2018 , 74, 1854-1866		3
156	Using a randomized controlled trial to test whether modifications to contingency management improve outcomes for heavy drinkers with serious mental illness. <i>Contemporary Clinical Trials</i> , 2018 , 69, 92-98	2.3	2
155	The Hepatitis C-Alcohol Reduction Treatment (Hep ART) intervention: Study protocol of a multi-center randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2018 , 72, 73-85	2.3	6
154	Eagerness and Optimistically Biased Metaperception: The More Eager to Learn Others' Evaluations, the Higher the Estimation of Others' Evaluations. 2018 , 9, 715		2
153	High drug related mortality rates following prison release: Assessing the acceptance likelihood of a naltrexone injection and related concerns. 2018 , 92, 91-98		2
152	Appalachian Women's Use of Substance Abuse Treatment: Examining the Behavioral Model for Vulnerable Populations. 2018 , 18, 192-213		6
151	Topiramate versus naltrexone for alcohol use disorder: study protocol for a genotype-stratified, double-blind randomised controlled trial (TOP study). 2018 , 19, 443		4
150	Nitrous oxide may interfere with the reconsolidation of drinking memories in hazardous drinkers in a prediction-error-dependent manner. 2018 , 28, 828-840		13
149	Content comparison of guideline-recommended instruments used in treatment for alcohol use disorders. 2019 , 41, 1682-1689		2
148	Learning to resist the urge: a double-blind, randomized controlled trial investigating alcohol-specific inhibition training in abstinent patients with alcohol use disorder. 2019 , 20, 402		4
147	The effectiveness of a brief motivational nursing intervention to reduce psychoactive substance consumption in entertainment-sector workers: A transversal, observation, and semi-experimental study. 2019 , 28, 1090-1098		2
146	How Are Self-Efficacy and Motivation Related to Drinking Five Years after Residential Treatment? A Longitudinal Multicenter Study. 2019 , 25, 213-223		9
145	Design of a randomized controlled trial examining the efficacy of oxytocin to enhance alcohol behavioral couple therapy. <i>Contemporary Clinical Trials</i> , 2019 , 82, 1-8	2.3	2
144	Integrated substance use rehabilitation in a secure forensic facility. 2019 , 21, 50-60		6
143	Substance Use Disorders. 2019 , 325-347		1

142	Current diagnostic procedures and interventions for Gaming Disorders: A Systematic Review. 2019 , 10, 578		20
141	Diagnostic Interviewing. 2019,		O
140	The Identification of Pretreatment Trajectories of Alcohol Use and Their Relationship to Treatment Outcome in Men and Women With Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 2637-2648	3.7	6
139	A Standard Form of Cardiac Rehabilitation Can Improve Self-Reported Positive Behavior Changes in the Short- to Medium-Term. 2019 , 39, 175-180		2
138	Assessment of Substance Use Disorders. 2019 , 385-397		
137	Brief group-delivered motivational interviewing is equally effective as brief group-delivered cognitive-behavioral therapy at reducing alcohol use in risky college drinkers. 2019 , 14, e0226271		3
136	Increasing intentions to use mental health services among university students. Results of a pilot randomized controlled trial within the World Health Organization's World Mental Health International College Student Initiative. 2019 , 28, e1754		55
135	Exploring Personality and Readiness to Change in Patients With Substance Use Disorders With and Without ADHD. 2020 , 24, 1255-1265		2
134	Personality deviance, distress tolerance, and readiness to change in treatment-seeking substance users. 2020 , 25, 211-216		О
133	Comparing alcohol cue-reactivity in treatment-seekers versus non-treatment-seekers with alcohol use disorder. 2020 , 46, 131-138		6
132	Stages of Change Readiness and Treatment Eagerness Scale in Overweight and Obesity's Psychometric Properties (SOCRATES-OO). 2020 , 27, 805-817		1
131	Effect of a web-based relapse prevention program on abstinence among Japanese drug users: A pilot randomized controlled trial. 2020 , 111, 37-46		4
130	Pilot Study of an Integrated Smartphone and Breathalyzer Contingency Management Intervention for Alcohol Use. 2020 , 14, 193-198		8
129	Microdosing psychedelics: Subjective benefits and challenges, substance testing behavior, and the relevance of intention. 2020 , 269881120953994		5
128	Effect of holistic relapse prevention intervention among individuals with alcohol dependence: a prospective study at a mental health care setting in India. 2020 , 1-21		4
127	Alcohol dependence and the psychological factors leading to a relapse: a hospital-based study in Vietnam. 2020 , 35, 118-131		
126	Factor, Concurrent and Predictive Validity of the Readiness to Change Questionnaire [Treatment Version] Among Non-Treatment-Seeking Individuals. 2020 , 55, 409-415		3
125	Relapse in involuntary substance treatment: a transversal study. 2020 , 49, 255-261		

124	Brief motivational therapy versus enhanced usual care for alcohol use disorders in primary care in Chile: study protocol for an exploratory randomized trial. 2020 , 21, 692		
123	The effects of pre-intervention mindset induction on a brief intervention to increase risk perception and reduce alcohol use among university students: A pilot randomized controlled trial. 2020 , 15, e0238833		1
122	Relapse in involuntary substance treatment: a transversal study. 2020 , 49, 255-261		
121	Differences in Sociodemographic and Alcohol-Related Clinical Characteristics Between Treatment Seekers and Nontreatment Seekers and Their Role in Predicting Outcomes in the COMBINE Study for Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 2097-2108	3.7	4
120	Interpersonal Consequences Predicting Adolescent Substance Use: Examining the Role of Temptation Coping, Motivation, and Impulsivity. 2020 , 55, 1640-1649		
119	A behavioral approach to the treatment of substance use disorders. 2020 , 293-313		
118	Long-term behavioural rewriting of maladaptive drinking memories reconsolidation-update mechanisms. 2020 , 1-11		3
117	The relationship between readiness for treatment of substance use and self-efficacy based on life skills. 2020 , 1-13		O
116	Benefits of temporary alcohol restriction: a feasibility randomized trial. 2020 , 6, 9		4
115	Continuum beliefs are associated with higher problem recognition than binary beliefs among harmful drinkers without addiction experience. <i>Addictive Behaviors</i> , 2020 , 105, 106292	4.2	17
115		4.2	17
	harmful drinkers without addiction experience. <i>Addictive Behaviors</i> , 2020 , 105, 106292 The neural interface between negative emotion regulation and motivation for change in cocaine	4.2 5	
114	harmful drinkers without addiction experience. <i>Addictive Behaviors</i> , 2020 , 105, 106292 The neural interface between negative emotion regulation and motivation for change in cocaine dependent individuals under treatment. 2020 , 208, 107854 Dark Times: The Role of Negative Reinforcement in Methamphetamine Addiction. <i>Frontiers in</i>		2
114	harmful drinkers without addiction experience. <i>Addictive Behaviors</i> , 2020 , 105, 106292 The neural interface between negative emotion regulation and motivation for change in cocaine dependent individuals under treatment. 2020 , 208, 107854 Dark Times: The Role of Negative Reinforcement in Methamphetamine Addiction. <i>Frontiers in Psychiatry</i> , 2020 , 11, 114 Professional Attitudes in Health Professions' Education: The Effects of an Anatomy Near-Peer		16
114 113 112	harmful drinkers without addiction experience. <i>Addictive Behaviors</i> , 2020 , 105, 106292 The neural interface between negative emotion regulation and motivation for change in cocaine dependent individuals under treatment. 2020 , 208, 107854 Dark Times: The Role of Negative Reinforcement in Methamphetamine Addiction. <i>Frontiers in Psychiatry</i> , 2020 , 11, 114 Professional Attitudes in Health Professions' Education: The Effects of an Anatomy Near-Peer Learning Activity. 2021 , 14, 32-42 Methadone-Assisted Opiate Withdrawal and Subsequent Heroin Abstinence: The Importance of		2 16 3
114 113 112	harmful drinkers without addiction experience. <i>Addictive Behaviors</i> , 2020 , 105, 106292 The neural interface between negative emotion regulation and motivation for change in cocaine dependent individuals under treatment. 2020 , 208, 107854 Dark Times: The Role of Negative Reinforcement in Methamphetamine Addiction. <i>Frontiers in Psychiatry</i> , 2020 , 11, 114 Professional Attitudes in Health Professions' Education: The Effects of an Anatomy Near-Peer Learning Activity. 2021 , 14, 32-42 Methadone-Assisted Opiate Withdrawal and Subsequent Heroin Abstinence: The Importance of Psychological Preparedness. 2021 , 30, 11-20 Factors influencing readiness to change in patients with alcoholic liver disease: A cross-sectional		2 16 3
114 113 112 111	harmful drinkers without addiction experience. <i>Addictive Behaviors</i> , 2020 , 105, 106292 The neural interface between negative emotion regulation and motivation for change in cocaine dependent individuals under treatment. 2020 , 208, 107854 Dark Times: The Role of Negative Reinforcement in Methamphetamine Addiction. <i>Frontiers in Psychiatry</i> , 2020 , 11, 114 Professional Attitudes in Health Professions' Education: The Effects of an Anatomy Near-Peer Learning Activity. 2021 , 14, 32-42 Methadone-Assisted Opiate Withdrawal and Subsequent Heroin Abstinence: The Importance of Psychological Preparedness. 2021 , 30, 11-20 Factors influencing readiness to change in patients with alcoholic liver disease: A cross-sectional study. 2021 , 28, 344-355 Expectancy Theory of Motivation and Substance Use Treatment: Implications for Music Therapy.		2 16 3 1

106	Heterogeneity in DSM-5 Symptom Criteria: Phenotypes of Alcohol Use Disorder in a Sample Seeking Alcohol Treatment. 2021 , 56, 660-668		Ο
105	Brief psychotherapy administered by non-specialised health workers to address risky substance use in patients with multidrug-resistant tuberculosis: a feasibility and acceptability study. 2021 , 7, 28		1
104	A randomized study of lyric analysis on recognition, taking steps, and commitment to sobriety in adults on a detoxification unit. 1-7		2
103	What is the clinical evidence on psilocybin for the treatment of psychiatric disorders? A systematic review. 2021 , 6, e128		5
102	Patient experiences of alcohol specialist nurse interventions in a general hospital, and onwards care pathways. 2021 , 77, 1945-1955		1
101	Correlates of motivation for treatment among alcohol service users in Uganda. 2021 , 42, 4-15		
100	A Theory-Based mHealth Intervention (Getting Off) for Methamphetamine-Using Men Who Have Sex With Men: Protocol for a Randomized Controlled Trial. 2021 , 10, e22572		2
99	Effectiveness of transactional analysis intervention on treatment acceptance, primary maladaptive schema, and interpersonal problems in patients under methadone maintenance treatment. 1-5		
98	Effects of family functioning on relapse among individuals with drug addiction in compulsory isolation: a chained mediation model. 1		1
97	The Double Mediating Effect of Social Isolation and Emotional Support on Feelings of Entrapment and Motivation for Recovery among Korean Alcoholic Inpatients. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	Ο
96	Motivational Stage at Continuous Glucose Monitoring (CGM) Initiation in Pediatric Type 1 Diabetes Is Associated With Current Glycemic Control but Does Not Predict Future CGM Adherence or Glycemic Control. 2021 , 45, 466-472.e4		0
95	Improvement in psychological wellbeing among adolescents with a substance use disorder attending an outpatient treatment programme. 2021 , 1-8		Ο
94	Personalizing Child Protection: The Value of Responsivity Factors. 2021 , 10, 205		Ο
93	The Drinkers' Intervention to Prevent Tuberculosis (DIPT) trial among heavy drinkers living with HIV in Uganda: study protocol of a 2½ factorial trial. 2021 , 22, 355		1
92	The Association between Maladaptive Coping and Treatment Motivation in Individuals who are Sexually Attracted to Children Living in the Community. 2021 , 47, 558-570		2
91	Mixed-methods trial of a phosphatidylethanol-based contingency management intervention to initiate and maintain alcohol abstinence in formerly homeless adults with alcohol use disorders. 2021 , 22, 100757		Ο
90	Peer recovery services for persons returning from prison: Pilot randomized clinical trial investigation of SUPPORT. 2021 , 126, 108339		4
89	Variation in brief treatment for substance use disorder: a qualitative investigation of four federally qualified health centers with SBIRT services. 2021 , 16, 58		O

88	Measurement Invariance of the Readiness to Change Questionnaire Among Injured Patients Who Received a Brief Intervention for Alcohol Use. 2021 , 10731911211040106		O
87	Khat Use Patterns, Associated Features, and Psychological Problems in a Khat-Treatment-Seeking Student Sample of Jimma University, Southwestern Ethiopia. 2021 , 9, 645980		O
86	A measure of illness awareness in alcohol use disorder-Alcohol Use Awareness and Insight Scale (AAS). 2021 , 226, 108813		1
85	Electrophysiological predictors and indicators of contingency management treatment response: Rationale and design for the ways of rewarding abstinence project (WRAP). 2021 , 23, 100796		O
84	The "alcoholic other": Harmful drinkers resist problem recognition to manage identity threat. <i>Addictive Behaviors</i> , 2022 , 124, 107093	4.2	1
83	Executive Function Moderates Functional Outcomes of Engagement Strategies During Rehabilitation in Older Adults. 2021 , 100, 635-642		
82	Access to substance abuse services in rural areas. 2001 , 15, 177-97		32
81	Individual and contextual factors that influence AA affiliation and outcomes. 2008, 18, 413-33		14
80	Alcohol Problems. 2003 , 203-222		1
79	Toward a Comprehensive, Transtheoretical Model of Change. 1998 , 3-24		251
79 78	Toward a Comprehensive, Transtheoretical Model of Change. 1998 , 3-24 Mutual-Help Groups. 1998 , 285-298		251
78	Mutual-Help Groups. 1998 , 285-298		4
78 77	Mutual-Help Groups. 1998, 285-298 What Predicts Success?. 1998, 301-315 Assessing Sexual Violence Risk and Evaluating Change with the Violence Risk Scale-Sexual Offender		5
78 77 76	Mutual-Help Groups. 1998, 285-298 What Predicts Success?. 1998, 301-315 Assessing Sexual Violence Risk and Evaluating Change with the Violence Risk Scale-Sexual Offender Version. 2016, 547-569		4 5 1
78 77 76 75	Mutual-Help Groups. 1998, 285-298 What Predicts Success?. 1998, 301-315 Assessing Sexual Violence Risk and Evaluating Change with the Violence Risk Scale-Sexual Offender Version. 2016, 547-569 Substance Use Disorders in Correctional Populations. 2018, 39-69		4 5 1 2
78 77 76 75 74	Mutual-Help Groups. 1998, 285-298 What Predicts Success?. 1998, 301-315 Assessing Sexual Violence Risk and Evaluating Change with the Violence Risk Scale-Sexual Offender Version. 2016, 547-569 Substance Use Disorders in Correctional Populations. 2018, 39-69 Assessment of Addictions in Clinical and Research Settings. 2007, 285-300		4 5 1 2

(2001-2002)

70	Decreased alcohol consumption in outpatient drinkers is associated with improved quality of life and fewer alcohol-related consequences. 2002 , 17, 382-6	27
69	Assessing the Predictive Validity of the Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES) in Alaska Native and American Indian People. 2020 , 14, e241-e246	2
68	Implementation of Cognitive-Behavioral Substance Abuse Treatment in Sub-Saharan Africa: Treatment Engagement and Abstinence at Treatment Exit. 2016 , 11, e0147900	19
67	The Influences the Level of Lifestyle has on the Rehabilitation of the Addiction of the Alcoholics who are in a Therapeutic Community Using the DAYTOP Model. 2012 , 13, 311-324	3
66	The Development and Effectiveness of MI Group Counseling Program for Adolescents Internet-addiction. 2015 , 16, 89-109	9
65	Mediating Effects of Social Support on the Relationship Between Motivation to Change and Quality of Life among Alcoholics. 2015 , 35, 110-135	6
64	Motiva® para mudan® de comportamento em amostra de jogadores patol®icos. 2011 , 60, 73-79	2
63	A entrevista motivacional em tabagistas: uma revis® tefica. 2008 , 30,	1
62	Adaptaß brasileira da University of Rhode Island Change Assessment (URICA) para usußos de substficias illitas. 2008 , 13, 31-39	10
61	A Conceptual Framework for Studying the Sources of Variation in Program Effects.	13
		J
60	A Cognitive Behavioral Therapy-Based Text Messaging Intervention Versus Medical Management for HIV-Infected Substance Users: Study Protocol for a Pilot Randomized Trial. 2016 , 5, e131	7
60 59		
	for HIV-Infected Substance Users: Study Protocol for a Pilot Randomized Trial. 2016 , 5, e131	7
59	for HIV-Infected Substance Users: Study Protocol for a Pilot Randomized Trial. 2016 , 5, e131 Treatment Outcomes in Inpatient and Substance Abuse Programs. 1997 , 27, 113-118 Validation Study of Kim's Smoking Cessation Motivation Scale and Its Predictive Implications for	7
59 58	for HIV-Infected Substance Users: Study Protocol for a Pilot Randomized Trial. 2016, 5, e131 Treatment Outcomes in Inpatient and Substance Abuse Programs. 1997, 27, 113-118 Validation Study of Kim's Smoking Cessation Motivation Scale and Its Predictive Implications for Smoking Cessation. 2009, 6, 272-7 Standardization Study of the Korean Version of the Stages of Change Readiness and Treatment	7 3 6
59 58 57	for HIV-Infected Substance Users: Study Protocol for a Pilot Randomized Trial. 2016, 5, e131 Treatment Outcomes in Inpatient and Substance Abuse Programs. 1997, 27, 113-118 Validation Study of Kim's Smoking Cessation Motivation Scale and Its Predictive Implications for Smoking Cessation. 2009, 6, 272-7 Standardization Study of the Korean Version of the Stages of Change Readiness and Treatment Eagerness Scale for Smoking Cessation (K-SOCRATES-S) and Its Predictive Validity. 2012, 9, 223-8	7 3 6
59 58 57 56	for HIV-Infected Substance Users: Study Protocol for a Pilot Randomized Trial. 2016, 5, e131 Treatment Outcomes in Inpatient and Substance Abuse Programs. 1997, 27, 113-118 Validation Study of Kim's Smoking Cessation Motivation Scale and Its Predictive Implications for Smoking Cessation. 2009, 6, 272-7 Standardization Study of the Korean Version of the Stages of Change Readiness and Treatment Eagerness Scale for Smoking Cessation (K-SOCRATES-S) and Its Predictive Validity. 2012, 9, 223-8 Standardization study of internet addiction improvement motivation scale. 2012, 9, 373-8 Cultural Adaptation and Psychometric Properties of the Persian Version of the Circumstances,	7 3 6 4

52	Alcohol and Drug Abuse. 2006 , 279-295
51	Psychotherapie bei Alkoholismus. 2008 , 501-522
50	Individualized Problem Assessment. 2009 , 119-137
49	Factor Structure of the Korean Version of SOCRATES in a Sample of Binge-Drinking College Students. 2009 , 28, 877-892
48	Alcohol Problems. 2010 , 227-249
47	The Relationships Between Psychiatric Symptoms and Motivational Change in Alcohol Dependence. 2010, 11, 943-955
46	The Drinker's Check-Up: A Brief Motivational Intervention for Early-Stage Problem Drinkers. 505-530
45	A Study on Effectiveness of Therapeutic Community Program for Homeless Alcoholics: Focused on Psycho-Social Changes of Clients Who Maintained Treatment for 3 Months. 2011 , 35, 145-179
44	Assessment Strategies for Substance Use Disorders. 2012 , 49-71
43	'Sobering Thoughts': An Examination of Tasmania's Sober Driver Program.
42	A Study on the Effectiveness of Self-Love Program with Cognitive-Behavioral Therapy(CBT) on Alcohol Dependence. 2012 , 31, 289-304
41	The effect of ambivalence and metacognition on drinking behaviors in college students. 2012 , 31, 1077-1093
40	Assessment of Unhealthy Alcohol Use in Primary Care. 2013 , 29-40
39	Zindywidualizowana ocena problemu I. Ocena czynnik poznawczych i behawioralnych. 2013,
38	The Study on Predictors of Motivation to Change in People with an Alcohol Dependence. 2013, 14, 5762-5770
37	Literatur. 1997 , 165-182
36	Motivational Interviewing als Instrument der klinischen Alkoholismusdiagnostik. 1999 , 92-97
35	Clinical Assessment of Alcohol Use Disorders. 2015 , 225-238

Using Clinical Neuroscience to Understand Addiction Treatment. **2015**, 29-47

33	Motivational Interviewing and Masculine-Sensitive Therapy. 325-346		
32	A Development Study on the Internet version of the Stages of Change Readiness and Treatment Eagerness Scale(SOCRATES-I) for Korean Adolescents with Internet Addiction. <i>Hanguk Simni Hakhoe Chi Kongang = the Korean Journal of Health Psychology</i> , 2015 , 20, 803-819	0.2	2
31	Role of Motivation for Behavior Change in Treatment Retention Amongst a Group of Illicit Drug Users: A Study From Iran. 2016 , In Press,		
30	Role of Motivation for Behavior Change in Treatment Retention Amongst a Group of Illicit Drug Users: A Study From Iran. 2016 , In Press,		
29	Effects of a Motivational Interviewing Group Program for SNS Addiction-Prone Middle School Girls on Their Motivation for Change and Healthy Smartphone. 2017 , 25, 253-271		Ο
28	Psychometric Properties and Factor Structure of the Russian Version of the Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES). 2018 , 26, 80-104		
27	Development and Validation of the Short Version of the Gambling Abstinence Self-Efficacy Scale(GASS-9). <i>Hanguk Simni Hakhoe Chi Kongang = the Korean Journal of Health Psychology</i> , 2018 , 23, 939-962	0.2	
26	Profils et volutions ^six mois des patients dâun centre de soins ambulatoires en addictologie. Comprendre le changement : une histoire de trajectoire(s) et de temps. <i>Bulletin De Psychologie</i> , 2020 , Numro567-568, 209	0.3	
25	A Theory-Based mHealth Intervention (Getting Off) for Methamphetamine-Using Men Who Have Sex With Men: Protocol for a Randomized Controlled Trial (Preprint).		
24	The Effects of a Brief Motivational Intervention for Alcohol Use through Stages of Change among Nontreatment Seeking Injured Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 2361	-2 3 72	1
23	Clinical Assessment of Alcohol Use Disorders. 2021 , 585-594		
22	A measure of illness awareness in individuals with nicotine dependence - Nicotine Use Awareness and Insight Scale (NAS). <i>Nicotine and Tobacco Research</i> , 2021 ,	4.9	1
21	Assessment of Substance Use Disorders. <i>Psychiatry Update</i> , 2022 , 1-10		
20	Psychometric evaluation of the treatment entry questionnaire to assess extrinsic motivation for inpatient addiction treatment. 2022 , 2, 100014		О
19	Tracking Study on the Relapse and Aftercare Effect of Drug Patients Released From a Compulsory Isolated Detoxification Center <i>Frontiers in Psychiatry</i> , 2021 , 12, 699074	5	O
18	Onsite buprenorphine inductions at harm reduction agencies to increase treatment engagement and reduce HIV risk: Design and rationale <i>Contemporary Clinical Trials</i> , 2022 , 114, 106674	2.3	О
17	A service evaluation of the Behavioural Treatment for Substance Abuse (BTSA) programme for forensic dual diagnosis populations. <i>Journal of Forensic Psychology Research and Practice</i> , 1-26	0.7	

16	Does Treatment Readiness Shape Service-Design Preferences of Gay, Bisexual, and Other Men Who Have Sex with Men Who Use Crystal Methamphetamine? A Cross Sectional Study <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	0
15	Table_1.pdf. 2019 ,		
14	Table_2.pdf. 2019 ,		
13	Effectiveness of a psychological growth camp without Internet in the treatment of adolescents at risk of Internet addiction: a pilot study <i>Current Medical Research and Opinion</i> , 2022 , 1-13	2.5	Ο
12	Music therapy for people with substance use disorders The Cochrane Library, 2022, 5, CD012576	5.2	2
11	Behavior change after fentanyl testing at a safe consumption space for women in Northern Mexico: A pilot study. <i>International Journal of Drug Policy</i> , 2022 , 106, 103745	5.5	O
10	The clientafounselor encounter: Assessing relational depth and motivation to change in substance use disorder treatment. <i>Journal of Humanistic Counseling</i> ,	0.7	
9	The effect of alcohol use disorder symptom and recovery narratives on problem-recognition: A randomized online trial. <i>Addictive Behaviors</i> , 2022 , 107426	4.2	2
8	Readiness to change cannabis use: contributions of dispositional mindfulness and spirituality in a Nigerian sample. 2022 , 25, 479-491		
7	A randomized controlled trial of customized adherence enhancement (CAE-E): study protocol for a hybrid effectiveness-implementation project. 2022 , 23,		
6	Alcohol-Specific Inhibition Training in Patients with Alcohol Use Disorder: A Multicenter, Double-Blind, Randomized Clinical Trial Examining Drinking Outcome and Working Mechanisms.		0
5	COPE and oxytocin for the treatment of co-occurring PTSD and alcohol use disorder: Design and methodology of a randomized controlled trial in U.S. military veterans. 2023 , 107084		O
4	Predictive impact of different acute cannabis intoxication effects with regard to abstinence motivation and cessation of use. 2023 , 13,		0
3	Feasibility, acceptability and preliminary efficacy of a cognitive behavior therapy text-message intervention among individuals with opioid use disorder in Kenya: a randomized feasibility trial. 2023 , 1,		O
2	Pretreatment changes in drinking: A test of a tailored treatment approach. 2023, 47, 549-565		0
1	A multicomponent psychosocial intervention to reduce substance use by adolescents involved in the criminal justice system: the RISKIT-CJS RCT. 2023 , 11, 1-77		O