

The dielectric properties of biological tissues: I. Literature

Physics in Medicine and Biology

41, 2231-2249

DOI: 10.1088/0031-9155/41/11/001

Citation Report

#	ARTICLE	IF	CITATIONS
1	PROJECTIONS OF ALGEBRAIC VARIETIES. Sbornik: Mathematics, 1983, 44, 535-544.	0.2	24
2	A Monolithic 1 to 50 MHz CMOS Clock Recovery and Retiming. , 1986, , .		1
3	Penning plasma laser utilizing new transitions in the helium atom resulting in the emission of visible light. Soviet Journal of Quantum Electronics, 1987, 17, 1400-1402.	0.1	3
4	Microstructure of a Superconducting Compound La-Sr-Cu-O at Liquid Helium Temperature. Japanese Journal of Applied Physics, 1987, 26, L1635-L1637.	0.8	5
5	Photoinduced Tellurium Precipitation in CdTe. Japanese Journal of Applied Physics, 1991, 30, L1083-L1085.	0.8	11
6	The dielectric properties of biological tissues: III. Parametric models for the dielectric spectrum of tissues. Physics in Medicine and Biology, 1996, 41, 2271-2293.	1.6	3,391
7	The dielectric properties of biological tissues: II. Measurements in the frequency range 10 Hz to 20 GHz. Physics in Medicine and Biology, 1996, 41, 2251-2269.	1.6	3,577
8	Remote Sensing and Geographic Information Systems. Measurement Science and Technology, 1996, 7, .	1.4	0
9	Design of applicators for a 27 MHz multielectrode current source interstitial hyperthermia system; impedance matching and effective power. Physics in Medicine and Biology, 1997, 42, 1087-1108.	1.6	11
10	LETTERS TO THE EDITOR. Physics in Medicine and Biology, 1997, 42, 1671-1674.	1.6	21
11	The Calculation of Localised SAR in a 2 mm Resolution Anatomically Realistic Model of the Lower Leg. Radiation Protection Dosimetry, 1997, 72, 321-326.	0.4	8
12	FDTD analysis of a pulsed microwave confocal system for breast cancer detection. , 0, , .		12
13	Dielectric properties of the skin. Physics in Medicine and Biology, 1997, 42, 1471-1472.	1.6	58
14	FDTD calculations of the whole-body averaged SAR in an anatomically realistic voxel model of the human body from 1 MHz to 1 GHz. Physics in Medicine and Biology, 1997, 42, 479-490.	1.6	270
15	In vivo electrical impedance spectroscopy of irradiated muscle tissue. , 0, , .		2
16	Dielectric parameters relevant to microwave dielectric heating. Chemical Society Reviews, 1998, 27, 213.	18.7	1,206
17	Two-dimensional FDTD analysis of a pulsed microwave confocal system for breast cancer detection: fixed-focus and antenna-array sensors. IEEE Transactions on Biomedical Engineering, 1998, 45, 1470-1479.	2.5	472
18	Generalized Reciprocity. Journal of Magnetic Resonance, 1998, 131, 111-117.	1.2	37

#	ARTICLE	IF	CITATIONS
19	Dielectric properties of rat liver in vivo: a noninvasive approach using an open-ended coaxial probe at audio/radio frequencies. <i>Bioelectrochemistry</i> , 1998, 47, 325-332.	1.0	52
20	2-D FDTD study of fixed-focus elliptical reflector system for breast cancer detection: frequency window for optimum operation. , 0, , .		1
21	A dielectric method for measuring early and late reactions in irradiated human skin. <i>Radiotherapy and Oncology</i> , 1998, 47, 249-254.	0.3	77
22	FDTD modeling of a coherent-addition antenna array for early-stage detection of breast cancer. , 0, , .		5
23	Volume recombination parameter in ionization chambers. <i>Physics in Medicine and Biology</i> , 1998, 43, 2061-2072.	1.6	74
24	An electrical model of biological tissues undergoing hyperaemia. <i>Physics in Medicine and Biology</i> , 1998, 43, 3405-3418.	1.6	2
25	Solid materials with high dielectric constants for hyperthermia applications. <i>International Journal of Hyperthermia</i> , 1998, 14, 183-193.	1.1	11
26	Induced current densities from low-frequency magnetic fields in a 2 mm resolution, anatomically realistic model of the body. <i>Physics in Medicine and Biology</i> , 1998, 43, 221-230.	1.6	136
27	Biological Effects of RF and Microwaves. <i>Measurement and Control</i> , 1998, 31, 166-169.	0.9	0
28	Modelling the anisotropic electrical properties of skeletal muscle. <i>Physics in Medicine and Biology</i> , 1999, 44, 413-421.	1.6	25
29	The dielectric properties of neutron irradiated snake venom and its pathological impact. <i>Physics in Medicine and Biology</i> , 1999, 44, 2343-2364.	1.6	4
30	Sensitive detection method of dielectric dispersions in aqueous-based, surface-bound macromolecular structures using microwave spectroscopy. <i>Applied Physics Letters</i> , 1999, 75, 1802-1804.	1.5	36
31	In Vivo and In Situ Ischemic Tissue Characterization Using Electrical Impedance Spectroscopy. <i>Annals of the New York Academy of Sciences</i> , 1999, 873, 51-58.	1.8	86
32	Electrical impedance properties of normal and chronically infarcted left ventricular myocardium. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1999, 3, 213-224.	0.6	63
33	In Vivo Electrical Impedance Spectroscopic Monitoring of the Progression of Radiation-Induced Tissue Injury. <i>Radiation Research</i> , 1999, 152, 41.	0.7	17
34	Simulation of induced current densities in the human body at industrial induction heating frequencies. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 1999, 41, 480-486.	1.4	17
35	Comments on "Human magnetic resonance imaging at 8 T". <i>NMR in Biomedicine</i> , 1999, 12, 315-317.	1.6	13
36	Dielectric behaviour of frozen DNA in solution. <i>Bioelectromagnetics</i> , 1999, 20, 40-45.	0.9	3

#	ARTICLE	IF	CITATIONS
37	Thermal models for microwave hazards and their role in standards development. <i>Bioelectromagnetics</i> , 1999, 20, 52-63.	0.9	13
38	Three-dimensional FDTD analysis of a pulsed microwave confocal system for breast cancer detection: design of an antenna-array element. <i>IEEE Transactions on Antennas and Propagation</i> , 1999, 47, 783-791.	3.1	267
39	Influence of patient models and numerical methods on predicted power deposition patterns. <i>International Journal of Hyperthermia</i> , 1999, 15, 519-540.	1.1	44
40	Microwave-induced acoustic imaging of biological tissues. <i>Review of Scientific Instruments</i> , 1999, 70, 3744-3748.	0.6	178
41	Localized specific absorption rate calculations in a realistic phantom leg at 1-30 MHz using a finite element method. <i>Physics in Medicine and Biology</i> , 1999, 44, 1041-1052.	1.6	6
42	The electric resistivity of human tissues (100 Hz-10 MHz): a meta-analysis of review studies. <i>Physiological Measurement</i> , 1999, 20, R1-R10.	1.2	321
43	DC-ELF characterization of random mixtures of piecewise nonlinear media. <i>Bioelectromagnetics</i> , 2000, 21, 145-149.	0.9	5
44	Heating Around Intravascular Guidewires by Resonating RF Waves. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 12, 79-85.	1.9	267
45	Forensic GPR: finite-difference simulations of responses from buried human remains. <i>Journal of Applied Geophysics</i> , 2000, 45, 171-186.	0.9	124
46	Clinical evaluation and verification of the hyperthermia treatment planning system hyperplan. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000, 47, 1145-1156.	0.4	98
47	Development of a human body model for numerical calculation of electrical fields. <i>Computerized Medical Imaging and Graphics</i> , 2000, 24, 165-171.	3.5	30
48	Dependence of apparent resistance of four-electrode probes on insertion depth. <i>IEEE Transactions on Biomedical Engineering</i> , 2000, 47, 41-48.	2.5	47
49	A multichannel continuously selectable multifrequency electrical impedance spectroscopy measurement system. <i>IEEE Transactions on Biomedical Engineering</i> , 2000, 47, 49-58.	2.5	87
50	Electrical impedance imaging at multiple frequencies in phantoms. <i>Physiological Measurement</i> , 2000, 21, 67-77.	1.2	20
51	Current densities in a 2 mm resolution anatomically realistic model of the body induced by low frequency electric fields. <i>Physics in Medicine and Biology</i> , 2000, 45, 1013-1022.	1.6	72
52	Scanning thermoacoustic tomography in biological tissue. <i>Medical Physics</i> , 2000, 27, 1195-1202.	1.6	123
53	Characterization of biological tissues up to millimeter wave: test fixture design. , 0, , .		5
54	Complex permittivity of human skin in vivo in the frequency band 26.5-60 GHz. , 0, , .		19

#	ARTICLE	IF	CITATIONS
55	Skin heating effects of millimeter-wave irradiation-thermal modeling results. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 2111-2120.	2.9	74
56	Determination of electromagnetic phased-array driving signals for hyperthermia based on a steady-state temperature criterion. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 1864-1873.	2.9	11
57	Three-dimensional microwave tomography. Theory and computer experiments in scalar approximation. Inverse Problems, 2000, 16, 863-875.	1.0	56
58	Effects of frequency, permittivity, and voxel size on predicted specific absorption rate values in biological tissue during electromagnetic-field exposure. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 2050-2058.	2.9	87
59	Multifrequency electrical impedance imaging: preliminary in vivo experience in breast. Physiological Measurement, 2000, 21, 99-109.	1.2	52
60	Hyperthermia treatment planning. Physics in Medicine and Biology, 2000, 45, R61-R76.	1.6	138
61	An improved data acquisition method for electrical impedance tomography. Physiological Measurement, 2001, 22, 31-38.	1.2	7
62	Scanning microwave-induced thermoacoustic tomography: Signal, resolution, and contrast. Medical Physics, 2001, 28, 4-10.	1.6	138
63	Changes in the dielectric properties of rat tissue as a function of age at microwave frequencies. Physics in Medicine and Biology, 2001, 46, 1617-1629.	1.6	321
64	The significance of accurate dielectric tissue data for hyperthermia treatment planning. International Journal of Hyperthermia, 2001, 17, 123-142.	1.1	54
65	Finite element modeling of electromagnetic signal propagation in a phantom arm. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2001, 9, 346-354.	2.7	23
66	RF hyperthermia array modelling; validation by means of measured EM-field distributions. International Journal of Hyperthermia, 2001, 17, 63-81.	1.1	0
67	A finite element analysis of muscle tissue capacitive effects and dispersion in EMG. , 0, , .		2
68	The Relationship between Localised SAR in the Arm and Wrist Current. Radiation Protection Dosimetry, 2001, 95, 177-179.	0.4	3
69	L'uomo elettromagnetico e la tomografia a RM. The Neuroradiology Journal, 2001, 14, 63-82.	0.1	2
70	Dielectric response of some biological tissues. Bioelectromagnetics, 2001, 22, 272-279.	0.9	11
71	Predicted SAR in sprague-dawley rat as a function of permittivity values. Bioelectromagnetics, 2001, 22, 384-400.	0.9	20
72	Currents induced in anatomic models of the human for uniform and nonuniform power frequency magnetic fields. Bioelectromagnetics, 2001, 22, 112-121.	0.9	51

#	ARTICLE	IF	CITATIONS
73	Calculation of induced current densities for humans by magnetic fields from electronic article surveillance devices. <i>Physics in Medicine and Biology</i> , 2001, 46, 2759-2771.	1.6	41
74	Dielectrical Model of Cellular Structures in Radio Frequency and Microwave Spectrum. Electrically Interacting Versus Noninteracting Cells. <i>Annals of Biomedical Engineering</i> , 2001, 29, 427-435.	1.3	3
75	Computational modeling of three-dimensional microwave tomography of breast cancer. <i>IEEE Transactions on Biomedical Engineering</i> , 2001, 48, 1053-1056.	2.5	114
76	Parametric dependence of SAR on permittivity values in a man model. <i>IEEE Transactions on Biomedical Engineering</i> , 2001, 48, 1169-1177.	2.5	57
77	Development of a regional hyperthermia treatment planning system. <i>International Journal of Hyperthermia</i> , 2001, 17, 207-220.	1.1	0
78	The conductivity of brain tissues: comparison of results in vivo and in vitro measurements. , 0, , .		9
79	Monitoring of deep brain temperature in infants using multi-frequency microwave radiometry and thermal modelling. <i>Physics in Medicine and Biology</i> , 2001, 46, 1885-1903.	1.6	111
80	RF hyperthermia array modelling; validation by means of measured EM-field distributions. <i>International Journal of Hyperthermia</i> , 2001, 17, 63-81.	1.1	19
81	Development of a regional hyperthermia treatment planning system. <i>International Journal of Hyperthermia</i> , 2001, 17, 207-220.	1.1	55
82	High-resolution SAR modelling for regional hyperthermia: testing quasistatic zooming at 10 MHz. <i>Physics in Medicine and Biology</i> , 2001, 46, 183-196.	1.6	16
83	Noninvasive recovery of skin thickness and its dielectric properties in the microwave range: a two-dimensional time-domain inverse-scattering algorithm. , 0, , .		0
84	Regional hyperthermia applicator design using FDTD modelling. <i>Physics in Medicine and Biology</i> , 2001, 46, 1919-1935.	1.6	47
85	Dielectric spectroscopy of chemically stabilized pericardium tissue at sub-zero temperatures. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2001, 8, 527-530.	1.8	2
86	Using multiple-electrode impedance measurements to monitor cryosurgery. <i>Medical Physics</i> , 2002, 29, 2806-2814.	1.6	24
87	Simulation of electrode impedance and current densities near an atherosclerotic lesion. , 0, , .		2
88	A parallel FDTD tool for the solution of large dosimetric problems: an application to the interaction between humans and radiobase antennas. , 0, , .		5
89	Imaging the breast with EIS: an initial study of exam consistency. <i>Physiological Measurement</i> , 2002, 23, 221-236.	1.2	10
90	SIMULATION OF NON-CONTACT MEASUREMENT OF THE ELECTRICAL IMPEDANCE USING AN ANATOMICAL MODELL. <i>Biomedizinische Technik</i> , 2002, 47, 257-260.	0.9	0

#	ARTICLE	IF	CITATIONS
91	CALCULATION OF THE DIELECTRIC PROPERTIES OF BIOLOGICAL TISSUE USING SIMPLE MODELS OF CELL PATCHES. Biomedizinische Technik, 2002, 47, 253-256.	0.9	9
92	Pre-scaled two-parameter Gauss-Newton image reconstruction to reduce property recovery imbalance. Physics in Medicine and Biology, 2002, 47, 1101-1119.	1.6	36
93	Microwave dielectric measurements and tissue characteristics of the human brain: potential in localizing intracranial tissues. Physics in Medicine and Biology, 2002, 47, 1793-1803.	1.6	3
94	Computation of high-resolution SAR distributions in a head due to a radiating dipole antenna representing a hand-held mobile phone. Physics in Medicine and Biology, 2002, 47, 1827-1835.	1.6	18
95	Measurement of the electrical properties of human skin and the variation among subjects with certain skin conditions. Physics in Medicine and Biology, 2002, 47, N11-N15.	1.6	30
96	Close-range millimeter-wave imaging. , 2002, , .		6
97	A TRANSMISSION UTILITY-MS EXPERIENCE OF APPLYING EMF EXPOSURE STANDARDS. Health Physics, 2002, 83, 417-425.	0.3	5
98	Method for Reducing Pump Induced ECG Artifact. Journal of Clinical Engineering, 2002, 27, 28-39.	0.1	1
99	ASSESSMENT OF GUIDELINES FOR LIMITING EXPOSURES TO EMF USING METHODS OF PROBABILISTIC RISK ANALYSIS. Health Physics, 2002, 82, 484-490.	0.3	2
100	Fine resolution calculations of SAR in the human body for frequencies up to 3 GHz. Physics in Medicine and Biology, 2002, 47, 2835-2846.	1.6	143
101	Enhancing breast tumor detection with near-field imaging. IEEE Microwave Magazine, 2002, 3, 48-56.	0.7	491
102	Dielectrical spectroscopy of canine myocardium during acute ischemia and hypoxia at frequency spectrum from 100 kHz to 6 GHz. IEEE Transactions on Medical Imaging, 2002, 21, 703-707.	5.4	43
103	Dielectric spectroscopy of erythrocyte cell suspensions. A comparison between Looyenga and Maxwell-Wagner-Hanai effective medium theory formulations. Journal of Non-Crystalline Solids, 2002, 305, 278-284.	1.5	58
104	Time domain dielectric spectroscopy of crayfish tail muscle, measured in vivo. Journal of Non-Crystalline Solids, 2002, 305, 311-316.	1.5	0
105	Characterization of the complex permittivity of brain tissues up to 50 GHz utilizing a two-port microstrip test fixture. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 2217-2225.	2.9	15
106	W-band investigation of material parameters, SAR distribution, and thermal response in human tissue. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 2393-2400.	2.9	36
107	A multiple-layer finite-element model of the surface EMG signal. IEEE Transactions on Biomedical Engineering, 2002, 49, 446-454.	2.5	123
108	Frequency- and time-domain FEM models of EMG: capacitive effects and aspects of dispersion. IEEE Transactions on Biomedical Engineering, 2002, 49, 763-772.	2.5	34

#	ARTICLE	IF	CITATIONS
109	Current density threshold for the stimulation of neurons in the motor cortex area. Bioelectromagnetics, 2002, 23, 421-428.	0.9	58
110	In vivo impedance measurements on nerves and surrounding skeletal muscles in rats and human body. Medical and Biological Engineering and Computing, 2002, 40, 323-326.	1.6	7
111	Changes in electrical resistivity of swine liver after occlusion and postmortem. Medical and Biological Engineering and Computing, 2002, 40, 29-33.	1.6	97
112	Precision test apparatus for evaluating the heating pattern of radiofrequency ablation devices. Medical Engineering and Physics, 2002, 24, 633-640.	0.8	10
113	Conductivities of three-layer live human skull. Brain Topography, 2002, 14, 151-167.	0.8	212
114	A model for frequency dependence of conductivities of the live human skull. Brain Topography, 2003, 16, 39-55.	0.8	18
115	Improvement of patient return electrodes in electrosurgery by experimental investigations and numerical field calculations. Medical and Biological Engineering and Computing, 2003, 41, 519-528.	1.6	2
116	Human exposure to the near field of radiobase antennas - a full-wave solution using parallel FDTD. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 935-940.	2.9	35
117	Simulated characterization of atherosclerotic lesions in the coronary arteries by measurement of bioimpedance. IEEE Transactions on Biomedical Engineering, 2003, 50, 916-921.	2.5	21
118	Computation of electric and magnetic stimulation in human head using the 3-D impedance method. IEEE Transactions on Biomedical Engineering, 2003, 50, 900-907.	2.5	113
119	Finite-element time-domain algorithms for modeling linear debye and lorentz dielectric dispersions at low frequencies. IEEE Transactions on Biomedical Engineering, 2003, 50, 1100-1107.	2.5	28
120	Model-order reduction of nonlinear models of electromagnetic phased-array hyperthermia. IEEE Transactions on Biomedical Engineering, 2003, 50, 1243-1254.	2.5	33
121	Complex permittivity measurements of chicken blood. Microwave and Optical Technology Letters, 2003, 39, 54-56.	0.9	10
122	Dielectric properties of human brain tissue measured less than 10 h postmortem at frequencies from 800 to 2450 MHz. Bioelectromagnetics, 2003, 24, 423-430.	0.9	62
123	Changes in abdominal subcutaneous fat water content with rapid weight loss and long-term weight maintenance in abdominally obese men and women. International Journal of Obesity, 2003, 27, 677-683.	1.6	38
124	Optical properties of tissue measured using terahertz-pulsed imaging. , 2003, , .		60
125	A temperature-based feedback control system for electromagnetic phased-array hyperthermia: theory and simulation. Physics in Medicine and Biology, 2003, 48, 633-651.	1.6	32
126	Finite Element Analysis of Hepatic Radiofrequency Ablation Probes using Temperature-Dependent Electrical Conductivity. BioMedical Engineering OnLine, 2003, 2, 12.	1.3	105

#	ARTICLE	IF	CITATIONS
128	Microwaves for breast cancer detection?. IEEE Potentials, 2003, 22, 12-18.	0.2	323
129	Simulation analysis of the ability of different types of multi-electrodes to increase selectivity of detection and to reduce cross-talk. Journal of Electromyography and Kinesiology, 2003, 13, 125-138.	0.7	57
130	Simulation analysis of the ability to estimate motor unit propagation velocity non-invasively by different two-channel methods and types of multi-electrodes. Journal of Electromyography and Kinesiology, 2003, 13, 403-415.	0.7	21
131	Phantom and animal tissues for modelling the electrical properties of human liver. International Journal of Hyperthermia, 2003, 19, 89-101.	1.1	153
132	Electrical impedance tomography spectroscopy (EITS) for human head imaging. Physiological Measurement, 2003, 24, 477-489.	1.2	69
133	Comparisons of three alternative breast modalities in a common phantom imaging experiment. Medical Physics, 2003, 30, 2194-2205.	1.6	18
134	Improvement of absorbing structures used in regional hyperthermia. International Journal of Hyperthermia, 2003, 19, 598-616.	1.1	5
135	Wireless vital signal detection systems and its applications at 1.9GHz and 10GHz [biomedical applications]. , 0, , .		0
136	Mathematical Modeling of EMF Energy Absorption in Biological Systems. , 2003, , 114-341.		1
137	Modeling FDTD wave propagation in dispersive biological tissue using a single pole Z-transform function. , 0, , .		2
138	Computed SAR and thermal elevation in a 0.25-mm 2-D model of the human eye and head in response to an implanted retinal stimulator. I. Models and methods. IEEE Transactions on Antennas and Propagation, 2003, 51, 2274-2285.	3.1	81
139	Treatment planning for capacitive regional hyperthermia. International Journal of Hyperthermia, 2003, 19, 58-73.	1.1	37
140	Two-dimensional FDTD inverse-scattering scheme for determination of near-surface material properties. , 0, , .		2
141	Calculation of induced current densities and specific absorption rates (SAR) for pregnant women exposed to hand-held metal detectors. Physics in Medicine and Biology, 2003, 48, 2551-2560.	1.6	29
142	Comparison of various safety guidelines for electronic article surveillance devices with pulsed magnetic fields. IEEE Transactions on Biomedical Engineering, 2003, 50, 107-113.	2.5	17
143	Assessment of specific energy absorption rate (SAR) in the head from a TETRA handset. Physics in Medicine and Biology, 2003, 48, 3911-3926.	1.6	16
144	3D finite element complex domain numerical models of electric fields in blood and myocardium. , 0, , .		3
145	A novel method of studying total body water content using a resonant cavity: experiments and numerical simulation. Physics in Medicine and Biology, 2003, 48, 113-125.	1.6	21

#	ARTICLE	IF	CITATIONS
146	Electrical and dielectric properties of bovine trabecular bone—relationships with mechanical properties and mineral density. <i>Physics in Medicine and Biology</i> , 2003, 48, 775-786.	1.6	48
147	3D finite element model of RF heating: novel nonablative cutaneous therapy. , 2003, 4949, 22.		1
148	Electromagnetic field exposure assessment for low frequency field emitting products. , 2003, , .		0
149	Application of AC Impedance Spectroscopy Analysis for Solid Foods. , 2003, , .		0
151	Numerical modelling of thermal effects in rats due to high-field magnetic resonance imaging (0.5â€“1) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.6	26
152	A probe for immittance spectroscopy based on the parallel electrode technique. <i>Physiological Measurement</i> , 2004, 25, 1249-1260.	1.2	6
153	Development of realistic high-resolution whole-body voxel models of Japanese adult males and females of average height and weight, and application of models to radio-frequency electromagnetic-field dosimetry. <i>Physics in Medicine and Biology</i> , 2004, 49, 1-15.	1.6	715
154	Total body water measurements using resonant cavity perturbation techniques. <i>Physics in Medicine and Biology</i> , 2004, 49, 1773-1788.	1.6	13
155	Computation of the Induced Current Density Into the Human Body Due to Relative LF Magnetic Field Generated by Realistic Devices. <i>IEEE Transactions on Magnetics</i> , 2004, 40, 643-646.	1.2	11
156	Computational Cardiology. <i>Lecture Notes in Computer Science</i> , 2004, , .	1.0	98
157	Impact of dispersion in breast tissue on high-resolution microwave imaging for early breast tumor detection. , 2004, , .		1
158	Electric Field Prediction for a Human Body-Electric Machine System. <i>International Journal of Occupational Safety and Ergonomics</i> , 2004, 10, 87-100.	1.1	0
159	The computation of electrical fields on a heart model with a microwave catheter. , 0, , .		1
160	Optimization of the sources in local hyperthermia using a combined finite element-genetic algorithm method. <i>International Journal of Hyperthermia</i> , 2004, 20, 815-833.	1.1	29
161	Cardiac tissue ablation with catheter-based microwave heating. <i>International Journal of Hyperthermia</i> , 2004, 20, 769-780.	1.1	20
162	Resonant Spectra of Malignant Breast Cancer Tumors Using the Three-Dimensional ElectromagneticFast Multipole Model. <i>IEEE Transactions on Biomedical Engineering</i> , 2004, 51, 35-44.	2.5	19
163	Volume Conduction in an Anatomically Based Surface EMG Model. <i>IEEE Transactions on Biomedical Engineering</i> , 2004, 51, 2138-2147.	2.5	60
164	Ionic diffusion and space charge polarization in structural characterization of biological tissues. <i>European Physical Journal E</i> , 2004, 14, 137-142.	0.7	10

#	ARTICLE	IF	CITATIONS
165	A passive 3D imaging thermograph using microwave radiometry. IRBM News, 2004, 25, 227-239.	0.1	16
166	Metallic electrodes and leads in simultaneous EEG-MRI: Specific absorption rate (SAR) simulation studies. Bioelectromagnetics, 2004, 25, 285-295.	0.9	74
167	The dielectric properties of cancerous tissues in a nude mouse xenograft model. Bioelectromagnetics, 2004, 25, 492-497.	0.9	41
168	Tissue-equivalent phantoms for high frequencies. Concepts in Magnetic Resonance, 2004, 20B, 30-33.	1.3	38
169	Dielectric properties of human urine at microwave frequencies. Microwave and Optical Technology Letters, 2004, 42, 500-503.	0.9	12
170	Observation of significant signal voids in images of large biological samples at 11.1 T. Magnetic Resonance in Medicine, 2004, 51, 1103-1107.	1.9	26
171	Evidence of Time-Varying Myocardial Contribution by In Vivo Magnitude and Phase Measurement in Mice. , 2004, 2004, 3674-7.		4
172	Microwave Image Reconstruction From 3-D Fields Coupled to 2-D Parameter Estimation. IEEE Transactions on Medical Imaging, 2004, 23, 475-484.	5.4	88
173	Two-Dimensional FDTD Inverse-Scattering Scheme for Determination of Near-Surface Material Properties at Microwave Frequencies. IEEE Transactions on Antennas and Propagation, 2004, 52, 2366-2373.	3.1	15
174	UWB radar transceiver and measurement for medical imaging. , 0, , .		13
175	Nerves location using impedance measurements. , 0, , .		1
176	RF dosimetry: a comparison between power absorption of female and male numerical models from 0.1 to 4 GHz. Physics in Medicine and Biology, 2004, 49, 5185-5201.	1.6	40
177	In Vitro Exposure of Human Lymphocytes to 900 MHz CW and GSM Modulated Radiofrequency: Studies of Proliferation, Apoptosis and Mitochondrial Membrane Potential. Radiation Research, 2004, 162, 211-218.	0.7	76
178	The cross-correlation and phase-difference methods are not equivalent under noninvasive estimation of the motor unit propagation velocity. Journal of Electromyography and Kinesiology, 2004, 14, 295-305.	0.7	6
179	Electrical stunning of fish: the relationship between the electric field strength and water conductivity. Aquaculture, 2004, 241, 219-234.	1.7	32
180	Modeling With the FDTD Method for Microwave Breast Cancer Detection. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 1890-1897.	2.9	64
181	Use of the FDTD method for time reversal: application to microwave breast cancer detection. , 2004, , .		5
182	Brief introduction to bioimpedance. Series in Medical Physics and Biomedical Engineering, 2004, , .	0.1	7

#	ARTICLE	IF	CITATIONS
183	Simulation of the quasi-static electric field by an electric current vector potential approximated by edge elements. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2005, 24, 581-590.	0.5	0
184	Reconstruction of the anisotropic complex conductivity distribution in 3D. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2005, 24, 558-565.	0.5	1
185	Simulation of terahertz radiation in stratified media. , 2005, , .		3
186	Choosing electrodes for deep brain stimulation experiments—electrochemical considerations. Journal of Neuroscience Methods, 2005, 142, 251-265.	1.3	116
187	Calculation of magnetic field-induced current densities for humans from EAS countertop activation/deactivation devices that use ferromagnetic cores. Physics in Medicine and Biology, 2005, 50, 373-385.	1.6	2
188	Composition of MRI phantom equivalent to human tissues. Medical Physics, 2005, 32, 3199-3208.	1.6	77
189	Modeling of induced current into the human body by low-frequency magnetic field from experimental data. IEEE Transactions on Magnetics, 2005, 41, 1992-1995.	1.2	17
190	Time reversal with the FDTD method for microwave breast cancer detection. IEEE Transactions on Microwave Theory and Techniques, 2005, 53, 2317-2323.	2.9	202
191	In vitro and in vivo measurement for biological applications using micromachined probe. IEEE Transactions on Microwave Theory and Techniques, 2005, 53, 3415-3421.	2.9	15
192	Temperature Dependence of Tissue Impedivity in Electrical Impedance Tomography of Cryosurgery. IEEE Transactions on Biomedical Engineering, 2005, 52, 695-701.	2.5	32
193	Fat and Hydration Monitoring by Abdominal Bioimpedance Analysis: Data Interpretation by Hierarchical Electrical Modeling. IEEE Transactions on Biomedical Engineering, 2005, 52, 975-982.	2.5	25
194	The Course of Tissue Permeabilization Studied on a Mathematical Model of a Subcutaneous Tumor in Small Animals. IEEE Transactions on Biomedical Engineering, 2005, 52, 1373-1381.	2.5	131
195	Four-point electrode measurement of impedance in the vicinity of bovine aorta for quasi-static frequencies. Bioelectromagnetics, 2005, 26, 54-58.	0.9	6
196	A numerical and experimental comparison of human head phantoms for compliance testing of mobile telephone equipment. Bioelectromagnetics, 2005, 26, 125-137.	0.9	127
197	Use of the z-transform to investigate nanopulse penetration of biological matter. Bioelectromagnetics, 2005, 26, 389-397.	0.9	27
198	Magnetic field influence on electrical properties of human blood measured by impedance spectroscopy. Bioelectromagnetics, 2005, 26, 564-570.	0.9	10
199	Differences in RF energy absorption in the heads of adults and children. Bioelectromagnetics, 2005, 26, S31-S44.	0.9	192
200	Effect of the shape of human erythrocytes on the evaluation of the passive electrical properties of the cell membrane. Bioelectrochemistry, 2005, 65, 163-169.	2.4	37

#	ARTICLE	IF	CITATIONS
201	A Theoretical Model for the Margination of Particles within Blood Vessels. <i>Annals of Biomedical Engineering</i> , 2005, 33, 179-190.	1.3	229
202	Intravascular electric impedance spectroscopy of atherosclerotic lesions using a new impedance catheter system. <i>Basic Research in Cardiology</i> , 2005, 100, 446-452.	2.5	24
203	Comparative Assessment of Power Absorption in Heads of Adults and Children Exposed to the Radiation of Cellular Phones at 1800 MHz. <i>The Environmentalist</i> , 2005, 25, 223-232.	0.7	2
204	Numerical Calculation of Eddy Currents in Transcranial Magnetic Stimulation and Optimization of Stimulus Parameters for Psychiatric Treatment. <i>Journal of the Magnetics Society of Japan</i> , 2005, 29, 589-593.	0.4	5
205	The dielectric properties of the cranial skin of five young captive Steller sea lions (<i>Eumetopias</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 587 and 10 GHz. <i>Physiological Measurement</i> , 2005, 26, 627-637.	1.2	11
206	Assessment of the local SAR distortion by major anatomical structures in a cylindrical neck phantom. <i>International Journal of Hyperthermia</i> , 2005, 21, 125-140.	1.1	28
207	Age dependence of dielectric properties of bovine brain and ocular tissues in the frequency range of 400 MHz to 18 GHz. <i>Physics in Medicine and Biology</i> , 2005, 50, 4711-4720.	1.6	36
208	Structural and algorithmic problems in T-spaces over a field of characteristic $\rho > 0$. <i>Russian Mathematical Surveys</i> , 2005, 60, 568-569.	0.2	1
209	Effect of esophagus status and catheter configuration on multiple intraluminal impedance measurements. <i>Physiological Measurement</i> , 2005, 26, 229-238.	1.2	12
210	Impact of the displacement current on low-frequency electromagnetic fields computed using high-resolution anatomy models. <i>Physics in Medicine and Biology</i> , 2005, 50, N243-N249.	1.6	33
211	Analytical solutions of electric potential and impedance for a multilayered spherical volume conductor excited by time-harmonic electric current source: application in brain EIT. <i>Physics in Medicine and Biology</i> , 2005, 50, 2663-2674.	1.6	5
212	A cooled intraesophageal balloon to prevent thermal injury during endocardial surgical radiofrequency ablation of the left atrium: a finite element study. <i>Physics in Medicine and Biology</i> , 2005, 50, N269-N279.	1.6	52
213	Design of electrode array for impedance measurement of lesions in arteries. <i>Physiological Measurement</i> , 2005, 26, S19-S26.	1.2	10
214	What affects esophageal injury during radiofrequency ablation of the left atrium? An engineering study based on finite-element analysis. <i>Physiological Measurement</i> , 2005, 26, 837-848.	1.2	50
215	The Influence of Stochastic Organ Conductivity in 2D ECG Forward Modeling: A Stochastic Finite Element Study. , 2005, 2005, 5528-31.		3
216	Finite element method-based calculation of the theoretical limit of sensitivity for detecting weak magnetic fields in the human brain using magnetic-resonance imaging. <i>Journal of Applied Physics</i> , 2005, 97, 10E109.	1.1	19
217	High-resolution temperature-based optimization for hyperthermia treatment planning. <i>Physics in Medicine and Biology</i> , 2005, 50, 3127-3141.	1.6	69
218	Prediction of mechanical properties of human trabecular bone by electrical measurements. <i>Physiological Measurement</i> , 2005, 26, S119-S131.	1.2	48

#	ARTICLE	IF	CITATIONS
219	Microwave Imaging of the Breast. <i>Technology in Cancer Research and Treatment</i> , 2005, 4, 69-82.	0.8	83
220	Development of a new hybrid gel phantom using carrageenan and gellan gum for visualizing three-dimensional temperature distribution during hyperthermia and radiofrequency ablation. <i>International Journal of Oncology</i> , 2005, 27, 175.	1.4	3
222	Resonance behaviour of whole-body averaged specific energy absorption rate (SAR) in the female voxel model, NAOMI. <i>Physics in Medicine and Biology</i> , 2005, 50, 4053-4063.	1.6	46
223	Role of water content in dielectric properties and delayed luminescence of bovine Achillesâ€™ tendon. <i>FEBS Letters</i> , 2005, 579, 6101-6104.	1.3	23
224	Dielectric behavior of pulmonary edema induced in the rat lung. <i>Respiratory Physiology and Neurobiology</i> , 2005, 145, 91-100.	0.7	2
225	Realistic modelling of interference in pacemakers by ELF magnetic fields. , 2005, , .		0
226	Development of the female voxel phantom, NAOMI, and its application to calculations of induced current densities and electric fields from applied low frequency magnetic and electric fields. <i>Physics in Medicine and Biology</i> , 2005, 50, 1047-1070.	1.6	227
227	Effects of posture on FDTD calculations of specific absorption rate in a voxel model of the human body. <i>Physics in Medicine and Biology</i> , 2005, 50, 3825-3835.	1.6	66
228	Permittivity measurements up to 30 GHz using micromachined probe. <i>Journal of Micromechanics and Microengineering</i> , 2005, 15, 543-550.	1.5	29
229	Multi-frequency electrical impedance tomography (EIT) of the adult human head: initial findings in brain tumours, arteriovenous malformations and chronic stroke, development of an analysis method and calibration. <i>Physiological Measurement</i> , 2006, 27, S147-S161.	1.2	113
230	Imaging pathologic pulmonary air and fluid accumulation by functional and absolute EIT. <i>Physiological Measurement</i> , 2006, 27, S187-S198.	1.2	80
232	Prospective treatment planning to improve locoregional hyperthermia for oesophageal cancer. <i>International Journal of Hyperthermia</i> , 2006, 22, 375-389.	1.1	36
233	FDTD calculations of specific energy absorption rate in a seated voxel model of the human body from 10 MHz to 3 GHz. <i>Physics in Medicine and Biology</i> , 2006, 51, 2339-2352.	1.6	30
234	Multi-depth Probe Transcranial Electrical Stimulation Modeling in 2-D using Finite Element Method Analysis. , 0, , .		0
235	FDTD Study of an UWB Radar Technique for Breast Tumor Detection. , 2006, , .		1
236	Theoretical modeling for radiofrequency ablation: state-of-the-art and challenges for the future. <i>BioMedical Engineering OnLine</i> , 2006, 5, 24.	1.3	268
237	Wideband Antennas for Biomedical Imaging. , 2006, , 437-450.		3
238	Development of pregnant female, hybrid voxel-mathematical models and their application to the dosimetry of applied magnetic and electric fields at 50 Hz. <i>Physics in Medicine and Biology</i> , 2006, 51, 2383-2394.	1.6	97

#	ARTICLE	IF	CITATIONS
240	A New FDTD Formulation for Wave Propagation in Biological Media With Cole's Cole Model. IEEE Microwave and Wireless Components Letters, 2006, 16, 633-635.	2.0	56
241	Electromagnetic inverse problems involving distributions of dielectric mechanisms and parameters. Quarterly of Applied Mathematics, 2006, 64, 749-795.	0.5	26
243	FDTD Investigations into UWB Radar Technique of Breast Tumor Detection and Location. African Journal of Information and Communication Technology, 2006, 2, 81.	0.5	2
244	ANALYSIS OF HUMAN SEMEN USING MICROWAVES. Progress in Electromagnetics Research, 2006, 57, 277-284.	1.6	13
246	Fluorescence of Sunscreens Adsorbed to Dielectric Nanospheres: Parallels to Optical Behavior on HaCat Cells and Skin. Photochemistry and Photobiology, 2006, 82, 1557.	1.3	1
247	Fluorescence of Sunscreens Adsorbed to Dielectric Nanospheres: Parallels to Optical Behavior on HaCat Cells and Skin. Photochemistry and Photobiology, 2006, 82, 1557-1565.	1.3	2
248	A simulation model of the surface EMG signal for analysis of muscle activity during the gait cycle. Computers in Biology and Medicine, 2006, 36, 601-618.	3.9	34
249	On the effect of resistive EEG electrodes and leads during 7 T MRI: simulation and temperature measurement studies. Magnetic Resonance Imaging, 2006, 24, 801-812.	1.0	51
250	Efficient calculation of current densities in the human body induced by arbitrarily shaped, low-frequency magnetic field sources. Journal of Computational Physics, 2006, 214, 81-95.	1.9	17
251	Electrical Conductivities of the Freshly Excised Cerebral Cortex in Epilepsy Surgery Patients; Correlation with Pathology, Seizure Duration, and Diffusion Tensor Imaging. Brain Topography, 2006, 18, 281-290.	0.8	45
252	Simulation of Intramuscular EMG Signals Detected Using Implantable Myoelectric Sensors (IMES). IEEE Transactions on Biomedical Engineering, 2006, 53, 1926-1933.	2.5	39
253	Influence of Electrode Position on the Characterization of Artery Stenotic Plaques by Using Impedance Catheter. IEEE Transactions on Biomedical Engineering, 2006, 53, 2401-2404.	2.5	3
254	Immunity Tests of Implantable Cardiac Pacemaker Against CW and Pulsed ELF Fields: Experimental and Numerical Results. IEEE Transactions on Electromagnetic Compatibility, 2006, 48, 502-515.	1.4	23
255	Reconstruction of the anisotropic complex conductivity distribution of a human thigh in three dimensions. IEEE Transactions on Magnetics, 2006, 42, 1171-1174.	1.2	6
256	Intensity and Localization of Eddy Currents in Transcranial Magnetic Stimulation to the Cerebellum. IEEE Transactions on Magnetics, 2006, 42, 3575-3577.	1.2	18
257	In-vivo measurements of the dielectric properties of breast carcinoma xenografted on nude mice. International Journal of Cancer, 2006, 119, 593-598.	2.3	28
258	Achieving plane-wise uniform B1 amplitude in a 3D volume for high-field MRI: A computer simulation study. Journal of Magnetic Resonance Imaging, 2006, 24, 218-225.	1.9	6
259	Imaging artifacts at 3.0T. Journal of Magnetic Resonance Imaging, 2006, 24, 735-746.	1.9	233

#	ARTICLE	IF	CITATIONS
260	Quasi-Static Electromagnetic Dosimetry: From Basic Principles to Examples of Applications. International Journal of Occupational Safety and Ergonomics, 2006, 12, 201-215.	1.1	26
261	Interrelationships between electrical properties and microstructure of human trabecular bone. Physics in Medicine and Biology, 2006, 51, 5289-5303.	1.6	34
262	In vitromeasurement using a MEMS probe array with five-strip lines for permittivity measurement. Journal of Micromechanics and Microengineering, 2006, 16, 173-179.	1.5	7
263	Design and calibration of a compact multi-frequency EIT system for acute stroke imaging. Physiological Measurement, 2006, 27, S199-S210.	1.2	102
264	The calculation of SAR from limb current in the female voxel phantom, NAOMI. Radiation Protection Dosimetry, 2006, 121, 236-239.	0.4	2
265	Incubation Temperature and Hemoglobin Dielectric of Chicken Embryos Incubated Under the Influence of Electric Field. Electromagnetic Biology and Medicine, 2006, 25, 87-96.	0.7	1
266	Super Resolution Imaging of Material Properties Using MEMS Near-Field Microwave Spatial Modulator Arrays. , 2006, , .		1
267	An RCL sensor for measuring dielectrically lossy materials in the MHz frequency range - 1. Comparison of hydrogel model simulation with actual hydrogel impedance measurements. IEEE Transactions on Dielectrics and Electrical Insulation, 2006, 13, 247-256.	1.8	15
268	Towards patient specific thermal modelling of the prostate. Physics in Medicine and Biology, 2006, 51, 809-825.	1.6	48
269	An anatomically realistic voxel model of the pregnant woman and numerical dosimetry for a whole-body exposure to RF electromagnetic fields. , 2006, 2006, 5463-7.		7
270	Theoretical comparison of intraluminal heating techniques. International Journal of Hyperthermia, 2007, 23, 395-411.	1.1	10
271	An Improved Quasi-static Finite-difference Scheme for Induced Field Evaluation in MRI based on the Biconjugate Gradient Method. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 487-90.	0.5	2
272	Possible overexposure of pregnant women to emissions from a walk through metal detector. Physics in Medicine and Biology, 2007, 52, 5735-5748.	1.6	8
273	Lens Design for a Prolate-Spheroidal IRA. , 2007, , .		1
274	Irreversible Electroporation: A New Ablation Modality " Clinical Implications. Technology in Cancer Research and Treatment, 2007, 6, 37-48.	0.8	644
275	On verification of hyperthermia treatment planning for cervical carcinoma patients. International Journal of Hyperthermia, 2007, 23, 303-314.	1.1	31
276	Dielectric properties of porcine cerebrospinal tissues at microwave frequencies:in vivo,in vitroand systematic variation with age. Physics in Medicine and Biology, 2007, 52, 2229-2245.	1.6	94
277	Sequential activation of multiple grounding pads reduces skin heating during radiofrequency tumor ablation. International Journal of Hyperthermia, 2007, 23, 555-566.	1.1	16

#	ARTICLE	IF	CITATIONS
278	Low-complexity Cole-Cole expression for modelling human biological tissues in (FD)2TD method. Electronics Letters, 2007, 43, 143.	0.5	14
279	Electromagnetic modelling of current flow in the heart from TASER devices and the risk of cardiac dysrhythmias. Physics in Medicine and Biology, 2007, 52, 7193-7209.	1.6	29
280	Conductivity imaging of canine brain using a 3 T MREIT system: postmortem experiments. Physiological Measurement, 2007, 28, 1341-1353.	1.2	38
281	Artefacts in intracavitary temperature measurements during regional hyperthermia. Physics in Medicine and Biology, 2007, 52, 5157-5171.	1.6	4
282	Analysis of Specific Absorption Rate and Current Density in an Energy Transmission System for a Wireless Capsule Endoscope. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 6052-5.	0.5	10
283	Fundamental Electrical Quantities in Deep Brain Stimulation: Influence of Domain Dimensions and Boundary Conditions. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 6669-72.	0.5	16
284	FDTD Study of the Focusing Properties of a Hybrid Hyperthermia and Radiometry Imaging System using a Realistic Human Head Model. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 3552-5.	0.5	7
285	Reduced deposition and improved system performance of radiating system in presence of human head. , 2007, , .		1
286	A Study of White Matter Anisotropic Conductivity on BEG Forward Solutions. , 2007, , .		5
287	Log transformation benefits parameter estimation in microwave tomographic imaging. Medical Physics, 2007, 34, 2014-2023.	1.6	46
288	An electroholographic colour reconstruction by time division switching of reference lights. Journal of Optics, 2007, 9, 757-760.	1.5	42
289	Strange diquark stars within the framework of an effective ϕ^4 theory. Journal of Physics G: Nuclear and Particle Physics, 2007, 34, 929-947.	1.4	6
290	Whole-body-averaged SAR from 50 MHz to 4 GHz in the University of Florida child voxel phantoms. Physics in Medicine and Biology, 2007, 52, 6639-6649.	1.6	71
291	SAR distribution in human beings when using body-worn RF transmitters. Radiation Protection Dosimetry, 2007, 124, 6-14.	0.4	9
292	SAR in the mother and foetus for RF plane wave irradiation. Physics in Medicine and Biology, 2007, 52, 3791-3802.	1.6	55
293	Double Negative Metamaterials for Subsurface Detection. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 3485-8.	0.5	8
294	Application of Microwaves for On-Line Quality Assessment. , 0, , 49-79.		1
295	High-Field-Strength Magnetic Resonance. Topics in Magnetic Resonance Imaging, 2007, 18, 139-152.	0.7	100

#	ARTICLE	IF	CITATIONS
296	EXPOSURE OF BIOLOGICAL MATERIAL TO ULTRA-WIDEBAND ELECTROMAGNETIC PULSES: DOSIMETRIC IMPLICATIONS. Health Physics, 2007, 92, 574-583.	0.3	6
297	Frequency-Division Multiplexing for Electrical Impedance Tomography in Biomedical Applications. International Journal of Biomedical Imaging, 2007, 2007, 1-9.	3.0	21
298	T-Ray Sensing and Imaging. Proceedings of the IEEE, 2007, 95, 1528-1558.	16.4	154
299	Performance of convolutional PML absorbing boundary conditions in finite-difference time-domain SAR calculations. Physics in Medicine and Biology, 2007, 52, 7183-7192.	1.6	34
300	A comparison of Multi-Frequency EIT systems intended for acute stroke imaging. , 2007, , 3918-3920.		4
301	Induced currents in the human body resulting from the proximity to surfaces at fixed potentials. , 2007, , .		1
302	Modeling the effective complex permittivity of heterogeneous breast tissue and comparison with relaxation models at millimeters wave frequencies. , 2007, , .		3
303	Electrical Bioimpedance Cerebral Monitoring. A Study of the Current Density Distribution and Impedance Sensitivity Maps on a 3D Realistic Head Model. , 2007, , .		4
304	Development of Lightweight Solid Phantom Composed of Silicone Rubber and Carbon Nanotubes. , 2007, , .		15
305	Diagnosis of Diabetes Mellitus using Microwaves. Journal of Electromagnetic Waves and Applications, 2007, 21, 1393-1401.	1.0	31
306	Body Surface Backed Flexible Antennas for 17 GHz Wireless Body Area Networks Sensor Applications. , 2007, , .		2
307	MR Imaging of Gynecologic Diseases at 3T. Magnetic Resonance Imaging Clinics of North America, 2007, 15, 403-431.	0.6	3
309	RFID Antennas for the UHF Remote Monitoring of Human Subjects. IEEE Transactions on Antennas and Propagation, 2007, 55, 1862-1870.	3.1	173
310	INTERACTION OF DUAL BAND HELICAL AND PIFA HANDSET ANTENNAS WITH HUMAN HEAD AND HAND. Progress in Electromagnetics Research, 2007, 77, 225-242.	1.6	66
311	Investigation of radiofrequency ablation process in liver tissue by finite element modeling and experiment. Medicina (Lithuania), 2007, 43, 310.	0.8	24
312	Human skin permittivity determined by millimeter wave reflection measurements. Bioelectromagnetics, 2007, 28, 331-339.	0.9	153
313	Determination of pregnancy using microwaves. Microwave and Optical Technology Letters, 2007, 49, 786-788.	0.9	8
314	Numerically simulated induced electric field and current density within a human model located close to a $\nabla \times \nabla \times$ gradient coil. Journal of Magnetic Resonance Imaging, 2007, 26, 1286-1295.	1.9	21

#	ARTICLE	IF	CITATIONS
315	Numerical study of currents in workers induced by body-motion around high-ultrahigh field MRI magnets. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1261-1277.	1.9	44
316	Exposure of workers to pulsed gradients in MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1236-1254.	1.9	35
317	An inductive power link for a wireless endoscope. <i>Biosensors and Bioelectronics</i> , 2007, 22, 1390-1395.	5.3	179
318	Effect of shape on the dielectric properties of biological cell suspensions. <i>Bioelectrochemistry</i> , 2007, 71, 149-156.	2.4	31
319	A portable bio-impedance system for monitoring lung resistivity. <i>Medical Engineering and Physics</i> , 2007, 29, 93-100.	0.8	54
320	Volume Catheter Parallel Conductance Varies Between End-Systole and End-Diastole. <i>IEEE Transactions on Biomedical Engineering</i> , 2007, 54, 1480-1489.	2.5	46
321	Electrical Impedance Spectroscopy of the Human Prostate. <i>IEEE Transactions on Biomedical Engineering</i> , 2007, 54, 1321-1327.	2.5	106
322	Detection of Depth Changes of a Metallic Target Buried in a Frequency-Dependent Lossy Halfspace Using the E-Pulse Technique. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2007, 49, 868-875.	1.4	11
323	A four spiral slots microstrip patch antenna for radiotelemetry capsules based on FDTD. <i>Journal of Zhejiang University: Science A</i> , 2007, 8, 1560-1567.	1.3	3
324	A Numerical Model of Skin Electroporabilization Based on In Vivo Experiments. <i>Annals of Biomedical Engineering</i> , 2007, 35, 2138-2144.	1.3	62
325	A new method for spatially selective, non-invasive activation of neurons: concept and computer simulation. <i>Medical and Biological Engineering and Computing</i> , 2007, 45, 7-24.	1.6	5
326	Design of electrodes and current limits for low frequency electrical impedance tomography of the brain. <i>Medical and Biological Engineering and Computing</i> , 2007, 45, 621-633.	1.6	51
327	Effects of T-tubules on dielectric spectra of skeletal muscle simulated by boundary element method with two-dimensional models. <i>Bioelectrochemistry</i> , 2007, 70, 532-541.	2.4	7
328	Effect of human trabecular bone composition on its electrical properties. <i>Medical Engineering and Physics</i> , 2007, 29, 845-852.	0.8	40
329	A level set evolution strategy in microwave imaging for early breast cancer detection. <i>Computers and Mathematics With Applications</i> , 2008, 56, 607-618.	1.4	23
330	MRI-based anatomical model of the human head for specific absorption rate mapping. <i>Medical and Biological Engineering and Computing</i> , 2008, 46, 1239-1251.	1.6	69
331	A DSP Based Multi-Frequency 3D Electrical Impedance Tomography System. <i>Annals of Biomedical Engineering</i> , 2008, 36, 1594-1603.	1.3	30
332	Reliability and validity of a bioimpedance measurement device in the assessment of UVR damage to the skin. <i>Archives of Dermatological Research</i> , 2008, 300, 253-261.	1.1	4

#	ARTICLE	IF	CITATIONS
333	Improvement in B1 α inhomogeneity artifacts in the abdomen at 3T MR imaging using a radiofrequency cushion. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 1443-1447.	1.9	57
334	Field Distribution and DNA Transport in Solid Tumors During Electric Field-Mediated Gene Delivery. <i>Journal of Pharmaceutical Sciences</i> , 2008, 97, 691-711.	1.6	28
335	CPW α FED shorted monopole antenna for broadband application. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 787-789.	0.9	8
336	Impact of multiple tissue layers on an implantable LC sensor. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 783-787.	0.9	3
337	Numerical field evaluation of healthcare workers when bending towards high α field MRI magnets. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 410-422.	1.9	19
338	Minimizing the induced fields in MRI occupational workers by lowering the imager. <i>Concepts in Magnetic Resonance Part B</i> , 2008, 33B, 39-54.	0.3	7
339	Millimeter wave dosimetry of human skin. <i>Bioelectromagnetics</i> , 2008, 29, 65-70.	0.9	87
340	Setup and dosimetry for exposure of human skin in vivo to RF α EMF at 900 α %MHz. <i>Bioelectromagnetics</i> , 2008, 29, 207-212.	0.9	3
341	Reflection and penetration depth of millimeter waves in murine skin. <i>Bioelectromagnetics</i> , 2008, 29, 340-344.	0.9	26
342	Setup and dosimetry for exposing anaesthetised pigs in vivo to 900 MHz GSM mobile phone fields. <i>Bioelectromagnetics</i> , 2008, 29, 363-370.	0.9	6
343	3D low frequency electromagnetic modelling of the human eye with boundary elements: Application to conductive keratoplasty. <i>Engineering Analysis With Boundary Elements</i> , 2008, 32, 726-735.	2.0	19
344	Finite element modeling of cooled-tip probe radiofrequency ablation processes in liver tissue. <i>Computers in Biology and Medicine</i> , 2008, 38, 694-708.	3.9	38
345	The influence of an electric field on the growth of soy seedlings. <i>Journal of Electrostatics</i> , 2008, 66, 417-420.	1.0	33
346	Effects of mobile phone electromagnetic fields at nonthermal SAR values on melatonin and body weight of Djungarian hamsters (<i>Phodopus sungorus</i>). <i>Journal of Pineal Research</i> , 2008, 44, 267-272.	3.4	37
347	Self α regulating hyperthermia induced using thermosensitive ferromagnetic material with a low Curie temperature. <i>Cancer Science</i> , 2008, 99, 805-809.	1.7	43
348	Analysis of Current Density and Specific Absorption Rate in Biological Tissue Surrounding Transcutaneous Transformer for an Artificial Heart. <i>IEEE Transactions on Biomedical Engineering</i> , 2008, 55, 205-213.	2.5	37
349	Application of Stochastic Finite Element Methods to Study the Sensitivity of ECG Forward Modeling to Organ Conductivity. <i>IEEE Transactions on Biomedical Engineering</i> , 2008, 55, 31-40.	2.5	51
350	Simulation of Surface EMC Signals for a Multilayer Volume Conductor With a Superficial Bone or Blood Vessel. <i>IEEE Transactions on Biomedical Engineering</i> , 2008, 55, 1647-1657.	2.5	21

#	ARTICLE	IF	CITATIONS
351	Energy Transmission Transformer for a Wireless Capsule Endoscope: Analysis of Specific Absorption Rate and Current Density in Biological Tissue. IEEE Transactions on Biomedical Engineering, 2008, 55, 1864-1871.	2.5	31
352	Sequential Activation of a Segmented Ground Pad Reduces Skin Heating During Radiofrequency Tumor Ablation: Optimization via Computational Models. IEEE Transactions on Biomedical Engineering, 2008, 55, 1881-1889.	2.5	12
353	An Improved Quasi-Static Finite-Difference Scheme for Induced Field Evaluation Based on the Biconjugate Gradient Method. IEEE Transactions on Biomedical Engineering, 2008, 55, 1800-1808.	2.5	5
354	A New Method to Derive White Matter Conductivity From Diffusion Tensor MRI. IEEE Transactions on Biomedical Engineering, 2008, 55, 2481-2486.	2.5	37
355	Correlation Between Structure and Resistivity Variations of the Live Human Skull. IEEE Transactions on Biomedical Engineering, 2008, 55, 2286-2292.	2.5	79
356	Design of a Dual-Band Implantable Antenna and Development of Skin Mimicking Gels for Continuous Glucose Monitoring. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 1001-1008.	2.9	507
357	FDTD computation of human eye exposure to ultra-wideband electromagnetic pulses. Physics in Medicine and Biology, 2008, 53, 1795-1809.	1.6	13
358	Quandaries in the application of the ICNIRP low frequency basic restriction on current density. Physics in Medicine and Biology, 2008, 53, 133-145.	1.6	24
359	The effect of finite-difference time-domain resolution and power-loss computation method on SAR values in plane-wave exposure of Zubal phantom. Physics in Medicine and Biology, 2008, 53, 445-452.	1.6	8
360	Dosimetric implication of exposure of human eye to ultra-wideband electromagnetic pulses. , 2008, , .		4
361	Short Review on the Used Recipes to Simulate the Bio-Tissue at Microwave Frequencies. IFMBE Proceedings, 2008, , 234-237.	0.2	6
362	Magnetic resonance electrical impedance tomography (MREIT) for high-resolution conductivity imaging. Physiological Measurement, 2008, 29, R1-R26.	1.2	191
363	A Broadband High-Frequency Electrical Impedance Tomography System for Breast Imaging. IEEE Transactions on Biomedical Engineering, 2008, 55, 650-659.	2.5	159
364	Distribution of Electrical Stimulation Current in a Planar Multilayer Anisotropic Tissue. IEEE Transactions on Biomedical Engineering, 2008, 55, 660-670.	2.5	25
365	Numerical modeling in electroporation-based biomedical applications. Radiology and Oncology, 2008, 42, .	0.6	53
366	Subthalamic local field potential oscillations during ongoing deep brain stimulation in Parkinson's disease. Brain Research Bulletin, 2008, 76, 512-521.	1.4	84
367	Evaluation of the potential genotoxic effects of rTMS on the rat brain and current density mapping. Clinical Neurophysiology, 2008, 119, 482-491.	0.7	9
368	Numerical Models of Skin Electroporation Taking Into Account Conductivity Changes and the Presence of Local Transport Regions. IEEE Transactions on Plasma Science, 2008, 36, 1650-1658.	0.6	45

#	ARTICLE	IF	CITATIONS
369	Simulation of human microDopplers using computer animation data. , 2008, , .		25
370	Analysis of the quasi-static approximation for calculating potentials generated by neural stimulation. Journal of Neural Engineering, 2008, 5, 44-53.	1.8	207
371	Modelling the interaction of electromagnetic fields (10 MHzâ€“10 GHz) with the human body: methods and applications. Physics in Medicine and Biology, 2008, 53, R243-R286.	1.6	115
372	Effect of heart motion on the solutions of forward and inverse electrocardiographic problem - a simulation study. , 2008, , .		2
373	Thermal-Electric Finite Element Analysis and Experimental Validation of Bipolar Electrosurgical Cautery. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2008, 130, .	1.3	40
374	A polyacrylamide gel phantom for radiofrequency ablation. International Journal of Hyperthermia, 2008, 24, 568-576.	1.1	51
375	Characterization and Testing of a Skin Mimicking Material for Implantable Antennas Operating at ISM Band (2.4 GHz-2.48 GHz). IEEE Antennas and Wireless Propagation Letters, 2008, 7, 418-420.	2.4	81
376	Determination of tissue type surrounding a needle tip by electrical bioimpedance. , 2008, 2008, 2285-6.		9
377	Fast temperature optimization of multi-source hyperthermia applicators with reduced-order modeling of â€“virtual sourcesâ€™. Physics in Medicine and Biology, 2008, 53, 1619-1635.	1.6	42
378	AlfvÃ©n waves: a journey between space and fusion plasmas. Plasma Physics and Controlled Fusion, 2008, 50, 124001.	0.9	39
379	Time dependence of electrical bioimpedance on porcine liver and kidney under a 50 Hz ac current. Physics in Medicine and Biology, 2008, 53, 1701-1713.	1.6	11
380	Calculated SAR distributions in a human voxel phantom due to the reflection of electromagnetic fields from a ground plane between 65 MHz and 2 GHz. Physics in Medicine and Biology, 2008, 53, 2277-2289.	1.6	17
381	Video rate electrical impedance tomography of vascular changes: preclinical development. Physiological Measurement, 2008, 29, 349-364.	1.2	8
382	Intercomparison of whole-body averaged SAR in European and Japanese voxel phantoms. Physics in Medicine and Biology, 2008, 53, 5883-5897.	1.6	55
383	<i>In vivo</i> electrical conductivity imaging of a canine brain using a 3 T MREIT system. Physiological Measurement, 2008, 29, 1145-1155.	1.2	74
384	A magnetic induction tomography system for samples with conductivities below 10 S m^{-1} . Measurement Science and Technology, 2008, 19, 045501.	1.4	95
385	Wideband electrical impedance tomography. Measurement Science and Technology, 2008, 19, 094011.	1.4	28
386	An efficient impedance method for induced field evaluation based on a stabilized Bi-conjugate gradient algorithm. Physics in Medicine and Biology, 2008, 53, 6363-6375.	1.6	10

#	ARTICLE	IF	CITATIONS
387	A RC network model for electromagnetic moisture sensing of materials. , 2008, , .		0
388	Finite-difference time-domain simulations of radio frequency electromagnetic fields and signal inhomogeneities in ultrahigh-field magnetic resonance imaging systems. Journal of Applied Physics, 2008, 103, 07A318.	1.1	3
389	An efficient BiCGstab solved impedance method for induced field evaluation with a hyperthermia applicator. , 2008, 2008, 5636-9.		0
390	Relation between body size and temperatures during locoregional hyperthermia of oesophageal cancer patients. International Journal of Hyperthermia, 2008, 24, 663-674.	1.1	11
391	Modeled Current Distribution Inside the Normal and Malignant Human Urothelium Using Finite Element Analysis. IEEE Transactions on Biomedical Engineering, 2008, 55, 733-738.	2.5	7
392	Probabilistic methods applied to 2D electromagnetic numerical dosimetry. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2008, 27, 651-667.	0.5	13
393	Wireless acoustic communications for in-vivo biomedical device monitoring. Proceedings of SPIE, 2008, , .	0.8	0
394	The Effect of Injectate Conductivity on the Electric Field with the Nerve Stimulator Needle: A Computer Simulation. Anesthesia and Analgesia, 2008, 107, 1427-1432.	1.1	13
395	STUDY OF WATER BOLUS EFFECT ON SAR PENETRATION DEPTH AND EFFECTIVE FIELD SIZE FOR LOCAL HYPERTHERMIA. Progress in Electromagnetics Research B, 2008, 4, 273-283.	0.7	25
396	Experimental and Finite Element Analysis of the Thermal-Electric Process in Monopolar Electrosurgical Thermal Management. , 2008, , .		1
397	Parallel Solvers for Finite-Difference Modeling of Large-Scale, High-Resolution Electromagnetic Problems in MRI. International Journal of Antennas and Propagation, 2008, 2008, 1-12.	0.7	5
398	Calculation of the Electromagnetic Field Around a Microtubule. Acta Polytechnica, 2009, 49, .	0.3	13
399	PARAMETRIC STUDY OF POWER ABSORPTION PATTERNS INDUCED IN ADULT AND CHILD HEAD MODELS BY SMALL HELICAL ANTENNAS. Progress in Electromagnetics Research, 2009, 94, 49-67.	1.6	16
400	EFFECTS OF FIBROGLANDULAR TISSUE DISTRIBUTION ON DATA-INDEPENDENT BEAMFORMING ALGORITHMS. Progress in Electromagnetics Research, 2009, 97, 141-158.	1.6	22
401	Acceleration of high resolution temperature based optimization for hyperthermia treatment planning using element grouping. Medical Physics, 2009, 36, 3795-3805.	1.6	4
402	ELECTROMAGNETIC ANALYSIS OF A NON INVASIVE MICROWAVE RADIOMETRY IMAGING SYSTEM EMPHASIZING ON THE FOCUSING SENSITIVITY OPTIMIZATION. Progress in Electromagnetics Research, 2009, 90, 385-407.	1.6	8
403	Cellular Phone Enabled Non-Invasive Tissue Classifier. PLoS ONE, 2009, 4, e5178.	1.1	11
404	Microwave imaging of the knee: Application to ligaments and tendons. , 2009, , .		8

#	ARTICLE	IF	CITATIONS
405	Optimal tissue types in the thoracic electrical impedance model for thoracic electrical bioimpedance (TEB) studies. , 2009, 2009, 3913-6.		2
406	A Magnetic Induction Tomography System Using Fully Synchronous Phase Detection. , 2009, , .		0
407	Electrical conductivity imaging using magnetic resonance tomography. , 2009, 2009, 3162-4.		9
408	Dielectric spectroscopy of normal and malignant human lung cells at ultra-high frequencies. Physics in Medicine and Biology, 2009, 54, 2341-2357.	1.6	31
409	Real-time MRI-guided hyperthermia treatment using a fast adaptive algorithm. Physics in Medicine and Biology, 2009, 54, 2131-2145.	1.6	55
410	Three-dimensional finite element modeling of Cochlear implant induced electrical current flows. , 2009, , .		1
411	High frequency transcutaneous transmission using stents configured as a dipole radiator for cardiovascular implantable devices. , 2009, , .		14
412	The performance of a reduced-order adaptive controller when used in multi-antenna hyperthermia treatments with nonlinear temperature-dependent perfusion. Physics in Medicine and Biology, 2009, 54, 1979-1995.	1.6	21
413	Computational estimation of magnetically induced electric fields in a rotating head. Physics in Medicine and Biology, 2009, 54, 341-351.	1.6	24
414	EEG/MEG Source Imaging: Methods, Challenges, and Open Issues. Computational Intelligence and Neuroscience, 2009, 2009, 1-12.	1.1	91
415	Dielectric volume measurements for biomedical applications. , 2009, , .		1
416	Forward problem solution for contactless electrical conductivity imaging with realistic head model. , 2009, , .		0
417	Control time reduction using virtual source projection for treating a leg sarcoma with nonlinear perfusion. Proceedings of SPIE, 2009, 7181, .	0.8	3
418	Tissue permittivity: A monitor for progressive tissue fibrosis as observed in bystander tissues following experimental high dose rate irradiation. Cancer Biology and Therapy, 2009, 8, 2221-2227.	1.5	10
419	Local complex permittivity measurements of porcine skin tissue in the frequency range from 1 GHz to 15 GHz by evanescent microscopy. Physics in Medicine and Biology, 2009, 54, 699-713.	1.6	10
420	Spatial averaging of fields from half-wave dipole antennas and corresponding SAR calculations in the NORMAN human voxel model between 65 MHz and 2 GHz. Physics in Medicine and Biology, 2009, 54, 2437-2447.	1.6	8
421	A comparison of foetal SAR in three sets of pregnant female models. Physics in Medicine and Biology, 2009, 54, 2755-2767.	1.6	26
422	Electrical characteristics of rat skeletal muscle in immaturity, adulthood and after sciatic nerve injury, and their relation to muscle fiber size. Physiological Measurement, 2009, 30, 1415-1427.	1.2	41

#	ARTICLE	IF	CITATIONS
423	A modelling study to inform specification and optimal electrode placement for imaging of neuronal depolarization during visual evoked responses by electrical and magnetic detection impedance tomography. <i>Physiological Measurement</i> , 2009, 30, S201-S224.	1.2	12
424	Optical property of human skin. , 2009, , .		0
425	Non-Contact Respiratory Monitoring with a Bioelectric Impedance Technique to Detect Abnormal Respiration during Bathing. <i>Japanese Journal of Applied Physics</i> , 2009, 48, 107001.	0.8	2
426	FDTD calculations of SAR for child voxel models in different postures between 10 MHz and 3 GHz. <i>Radiation Protection Dosimetry</i> , 2009, 135, 226-231.	0.4	18
427	Impedance-based tissue discrimination for needle guidance. <i>Physiological Measurement</i> , 2009, 30, 129-140.	1.2	83
428	A comparison of ionizing radiation damage in CMOS devices from ⁶⁰ Co gamma rays, electrons and protons. <i>Chinese Physics C</i> , 2009, 33, 436-439.	1.5	3
429	Design and Implementation of Quench Protection in the EAST Cryogenic Control System. <i>Plasma Science and Technology</i> , 2009, 11, 347-351.	0.7	4
430	Real-Time DSP-Based Conductance Catheter Measurement System for Estimating Ventricular Volumes. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2009, 58, 3583-3591.	2.4	10
431	<i>In Vivo</i> Blood Characterization From Bioimpedance Spectroscopy of Blood Pooling. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2009, 58, 3831-3838.	2.4	49
432	Noninvasive Biosignal Detection Radar System Using Circular Polarization. <i>IEEE Transactions on Information Technology in Biomedicine</i> , 2009, 13, 400-404.	3.6	14
433	Effective Exploitation of Prior Information in Electrical Impedance Tomography for Thermal Monitoring of Hyperthermia Treatments. <i>IEEE Transactions on Magnetics</i> , 2009, 45, 1554-1557.	1.2	17
434	Effects of Coil Parameters on the Stimulated Area by Transcranial Magnetic Stimulation. <i>IEEE Transactions on Magnetics</i> , 2009, 45, 4845-4848.	1.2	8
435	Determination of Electric Conductivity and Local SAR Via B1 Mapping. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 1365-1374.	5.4	269
436	<i>In Vivo</i> High-Resolution Conductivity Imaging of the Human Leg Using MREIT: The First Human Experiment. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 1681-1687.	5.4	84
437	A Global Sensitivity Analysis of Three- and Four-Layer EEG Conductivity Models. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 988-995.	2.5	43
438	Microwave Imaging for Early Breast Cancer Detection Using a Shape-based Strategy. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 1143-1153.	2.5	47
439	Calibration Capacity of the Conductance-to-Volume Conversion Equations for the Mouse Conductance Catheter Measurement System. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 1627-1634.	2.5	12
440	Cyri-precise head model of transcranial direct current stimulation: Improved spatial focality using a ring electrode versus conventional rectangular pad. <i>Brain Stimulation</i> , 2009, 2, 201-207.e1.	0.7	1,038

#	ARTICLE	IF	CITATIONS
441	Reverse engineering of gradient coil designs based on experimentally measured magnetic fields and approximate knowledge of coil geometry application in exposure evaluations. Concepts in Magnetic Resonance Part B, 2009, 35B, 32-43.	0.3	8
442	Bandwidth enhancement of planar inverted antenna for implantable biotelemetry. Microwave and Optical Technology Letters, 2009, 51, 749-752.	0.9	77
443	Quantitative cardiac ³¹ P spectroscopy at 3 Tesla using adiabatic pulses. Magnetic Resonance in Medicine, 2009, 61, 785-795.	1.9	46
444	Electrical impedance myography: Background, current state, and future directions. Muscle and Nerve, 2009, 40, 936-946.	1.0	243
445	Current density in a model of a human body with a conductive implant exposed to ELF electric and magnetic fields. Bioelectromagnetics, 2009, 30, 591-599.	0.9	6
446	Improving SNR of RF coils using composite coil elements. NMR in Biomedicine, 2009, 22, 952-959.	1.6	11
447	Evidence of Potential Averaging over the Finite Surface of a Bioelectric Surface Electrode. Annals of Biomedical Engineering, 2009, 37, 1141-1151.	1.3	35
448	Toward an Implantable Wireless Cardiac Monitoring Platform Integrated with an FDA Approved Cardiovascular Stent. Journal of Interventional Cardiology, 2009, 22, 479-487.	0.5	31
449	Quantifying induced electric field strengths during gene transfer to the intact rat vasculature. Journal of Electrostatics, 2009, 67, 652-662.	1.0	1
450	SAR numerical analysis of the whole human body exposed to a random field. , 2009, , .		1
451	Galvanic apparent internal impedance: An intrinsic tissue property. Biochemical and Biophysical Research Communications, 2009, 389, 168-171.	1.0	19
452	Effects of the electrical double layer and dispersive tissue properties in a volume conduction model of deep brain stimulation. , 2009, 2009, 6497-500.		5
453	Macroscopic Models of Local Field Potentials and the Apparent 1/f Noise in Brain Activity. Biophysical Journal, 2009, 96, 2589-2603.	0.2	184
454	Electrical Properties of Rat Skin and Design of Implantable Antennas for Medical Wireless Telemetry. IEEE Transactions on Antennas and Propagation, 2009, 57, 2806-2812.	3.1	115
455	Electrical impedance spectroscopy as a potential tool for recovering bone porosity. Physics in Medicine and Biology, 2009, 54, 3063-3082.	1.6	29
456	Role of collagen in terahertz absorption in skin. Proceedings of SPIE, 2009, , .	0.8	6
457	Finite difference time domain (FDTD) modeling of implanted deep brain stimulation electrodes and brain tissue. , 2009, 2009, 6485-8.		2
458	Electrical conductivity of tissue at frequencies below 1 MHz. Physics in Medicine and Biology, 2009, 54, 4863-4878.	1.6	621

#	ARTICLE	IF	CITATIONS
459	Wireless ultra-wide-band data link for biomedical implants. , 2009, , .		8
460	The optical properties of biological tissues in the terahertz wavelength range. , 2009, , .		2
461	Specific Absorption Rates of Anatomically Realistic Human Models Exposed to RF Electromagnetic Fields From Mobile Phones Used in Elevators. IEEE Transactions on Microwave Theory and Techniques, 2009, 57, 1250-1259.	2.9	25
462	Evaluation of Cardiovascular Stents as Antennas for Implantable Wireless Applications. IEEE Transactions on Microwave Theory and Techniques, 2009, 57, 2523-2532.	2.9	91
463	Design and Experiments of Transmitter for Transcutaneous Energy Transmission. , 2009, , .		1
464	A Feasibility Study of Tissue Characterization Using LC Sensors. IEEE Transactions on Antennas and Propagation, 2009, 57, 885-893.	3.1	29
465	Microwave imaging: From soft towards hard tissue monitoring. , 2009, , .		3
466	An asymmetric RF tagging IC for ingestible medication compliance capsules. , 2009, , .		16
467	Finite element analysis of electrical impedance myography in the rat hind limb. , 2009, 2009, 630-3.		8
468	T-matched dipole antenna integrated in electrically small body-worn wireless sensor node. IET Microwaves, Antennas and Propagation, 2009, 3, 774.	0.7	4
469	A comparison of data-independent microwave beamforming algorithms for the early detection of breast cancer. , 2009, 2009, 2731-4.		6
470	Computational modeling of peripheral nerve stimulation. , 2009, 2009, 6777-80.		0
471	Auto-Tuned Induction Coil Conductivity Sensor for In-Vivo Human Tissue Measurements. Measurement Science Review, 2009, 9, .	0.6	4
472	Electrodes for the Neural Interface. , 2009, , 181-213.		8
473	An Experimental Model on the Activity of Forearm Muscles Using Surface Electromyography. Journal of Biomechanical Science and Engineering, 2009, 4, 212-220.	0.1	2
475	Electrical properties of rat muscle after sciatic nerve injury: Impact on surface impedance measurements assessed via finite element analysis. Journal of Physics: Conference Series, 2010, 224, 012101.	0.3	3
476	Online bioimpedance feedback for <i>in vivo</i> electroporated tissues. Journal of Physics: Conference Series, 2010, 224, 012114.	0.3	0
477	Mathematical formulation and analysis of the nonlinear system reconstruction of the online image-guided adaptive control of hyperthermia. Medical Physics, 2010, 37, 980-994.	1.6	5

#	ARTICLE	IF	CITATIONS
478	Fundamentals of Dielectric Properties Measurements and Agricultural Applications. Journal of Microwave Power and Electromagnetic Energy, 2010, 44, 98-113.	0.4	60
479	Regularized antenna profile adaptation in online hyperthermia treatment. Medical Physics, 2010, 37, 5382-5394.	1.6	9
480	Optimization in hyperthermia treatment planning: The impact of tissue perfusion uncertainty. Medical Physics, 2010, 37, 4540-4550.	1.6	58
481	Medical applications of the Ultra Wideband technology. , 2010, , .		25
482	Optimization and Numerical Modeling in Irreversible Electroporation Treatment Planning. Series in Biomedical Engineering, 2010, , 203-222.	0.5	12
483	The feasibility of computational modelling technique to detect the bladder cancer. Physica Medica, 2010, 26, 34-37.	0.4	2
484	A new approach to the solution of electromagnetic problems with the impedance method. Mathematics and Computers in Simulation, 2010, 81, 860-874.	2.4	4
485	Incorporating Histology into a 3D Microscopic Computer Model of Myocardium to Study Propagation at a Cellular Level. Annals of Biomedical Engineering, 2010, 38, 1399-1414.	1.3	34
486	Thermal Conduction Tensor Imaging and Energy Flow Analysis of Brain: A Feasibility Study using MRI. Annals of Biomedical Engineering, 2010, 38, 3070-3083.	1.3	2
488	Bioimpedance: A Review for Food Processing. Food Engineering Reviews, 2010, 2, 74-94.	3.1	97
489	Variable Anisotropic Brain Electrical Conductivities in Epileptogenic Foci. Brain Topography, 2010, 23, 292-300.	0.8	31
490	Comparative power spectral analysis of simultaneous electroencephalographic and magnetoencephalographic recordings in humans suggests non-resistive extracellular media. Journal of Computational Neuroscience, 2010, 29, 405-421.	0.6	114
491	Comparative studies of infrared laser and radio-frequency action on in vitro biotissues by the method of polarization sensitive optical coherence tomography. Radiophysics and Quantum Electronics, 2010, 53, 37-44.	0.1	1
492	Fully Wireless Implantable Cardiovascular Pressure Monitor Integrated with a Medical Stent. IEEE Transactions on Biomedical Engineering, 2010, 57, 1487-1496.	2.5	185
493	Quantitative Permittivity Measurements of Nanoliter Liquid Volumes in Microfluidic Channels to 40 GHz. IEEE Transactions on Instrumentation and Measurement, 2010, 59, 3279-3288.	2.4	140
494	Adaptive Ablation Treatment Based on Impedance Imaging. IEEE Transactions on Magnetics, 2010, 46, 3329-3332.	1.2	3
495	Imaging Electric Properties of Biological Tissues by RF Field Mapping in MRI. IEEE Transactions on Medical Imaging, 2010, 29, 474-481.	5.4	79
496	Analysis of the Role of Lead Resistivity in Specific Absorption Rate for Deep Brain Stimulator Leads at 3T MRI. IEEE Transactions on Medical Imaging, 2010, 29, 1029-1038.	5.4	46

#	ARTICLE	IF	CITATIONS
497	Exploring Joint Tissues With Microwave Imaging. IEEE Transactions on Microwave Theory and Techniques, 2010, 58, 2307-2313.	2.9	43
498	¹³ C MRS of occipital and frontal lobes at 3 T using a volume coil for stochastic proton decoupling. NMR in Biomedicine, 2010, 23, 977-985.	1.6	27
499	An efficient method for electrical conductivity measurement in the RF range. Concepts in Magnetic Resonance Part B, 2010, 37B, 160-166.	0.3	6
500	Absence of nonlinear responses in cells and tissues exposed to RF energy at mobile phone frequencies using a doubly resonant cavity. Bioelectromagnetics, 2010, 31, 556-565.	0.9	23
501	Effect of the extracranial deep brain stimulation lead on radiofrequency heating at 9.4 Tesla (400.2 Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.9	31
502	Development of an inductively coupled MR coil system for imaging and spectroscopic analysis of an implantable bioartificial construct at 11.1 T. Magnetic Resonance in Medicine, 2010, 63, 998-1006.	1.9	12
503	Ultra sensitive biosensor based on impedance spectroscopy at microwave frequencies for cell scale analysis. Sensors and Actuators A: Physical, 2010, 162, 189-197.	2.0	50
504	Non-invasive assessment of corneal endothelial permeability by means of electrical impedance measurements. Medical Engineering and Physics, 2010, 32, 1107-1115.	0.8	16
505	Gain of the human dura in vivo and its effects on invasive brain signal feature detection. Journal of Neuroscience Methods, 2010, 187, 270-279.	1.3	33
506	Estimation of abdominal fat compartments by bioelectrical impedance: the validity of the ViScan measurement system in comparison with MRI. European Journal of Clinical Nutrition, 2010, 64, 525-533.	1.3	58
507	Biophysics of Radiofrequency Ablation. Critical Reviews in Biomedical Engineering, 2010, 38, 53-63.	0.5	74
508	Broadband Complex Permittivity Determination for Biomedical Applications. , 2010, , .		4
509	CHANNEL-RANKED BEAMFORMER FOR THE EARLY DETECTION OF BREAST CANCER. Progress in Electromagnetics Research, 2010, 103, 153-168.	1.6	20
511	TRANSMITTER-GROUPING ROBUST CAPON BEAMFORMING FOR BREAST CANCER DETECTION. Progress in Electromagnetics Research, 2010, 108, 401-416.	1.6	24
512	PERFORMANCE AND ROBUSTNESS OF A MULTISTATIC MIST BEAMFORMING ALGORITHM FOR BREAST CANCER DETECTION. Progress in Electromagnetics Research, 2010, 105, 403-424.	1.6	11
513	Fetal MRI at Higher Field Strength. Medical Radiology, 2010, , 33-47.	0.0	0
514	DATA INDEPENDENT RADAR BEAMFORMING ALGORITHMS FOR BREAST CANCER DETECTION. Progress in Electromagnetics Research, 2010, 107, 331-348.	1.6	61
515	Bioelectrical Impedance May Predict Cell Viability During Ischemia and Reperfusion in Rat Liver. Journal of Korean Medical Science, 2010, 25, 577.	1.1	11

#	ARTICLE	IF	CITATIONS
516	THE ESSENTIAL ENVIRONMENTAL CAUSE OF MULTIPLE SCLEROSIS DISEASE. Progress in Electromagnetics Research, 2010, 101, 375-391.	1.6	6
517	Rare decays $B_{s,d}^0 \rightarrow \mu^+ \nu_\mu \nu_\tau$ in a top quark two-Higgs-doublet model. Chinese Physics C, 2010, 34, 165-170.	1.5	0
519	Computational modelling of blood-flow-induced changes in blood electrical conductivity and its contribution to the impedance cardiogram. Physiological Measurement, 2010, 31, 13-33.	1.2	16
520	Simulation and Analysis of Human Micro-Dopplers in Through-Wall Environments. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 2015-2023.	2.7	121
521	SAR in a child voxel phantom from exposure to wireless computer networks (Wi-Fi). Physics in Medicine and Biology, 2010, 55, N405-N411.	1.6	24
522	Electromagnetic Propagation From the Intestine-Ingested Source in the Human Body Model. IEEE Transactions on Antennas and Propagation, 2010, 58, 1683-1688.	3.1	11
523	Simplified analysis of near electromagnetic fields from a dipole in lossy dielectric. IEEE Transactions on Dielectrics and Electrical Insulation, 2010, 17, 1943-1949.	1.8	1
524	Integration of the denoising, inpainting and local harmonic B_z algorithm for MREIT imaging of intact animals. Physics in Medicine and Biology, 2010, 55, 7541-7556.	1.6	17
525	Photoacoustics, thermoacoustics, and acousto-optics for biomedical imaging. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2010, 224, 291-306.	1.0	14
526	Electrical impedance characterization of normal and cancerous human hepatic tissue. Physiological Measurement, 2010, 31, 995-1009.	1.2	166
527	From impedance theory to needle electrode guidance in tissue. Journal of Physics: Conference Series, 2010, 224, 012072.	0.3	4
528	The impact of the waveguide aperture size of the 3D 70 MHz AMC-8 locoregional hyperthermia system on tumour coverage. Physics in Medicine and Biology, 2010, 55, 4899-4916.	1.6	10
529	The reflection of electromagnetic field by body tissue in the UWB frequency range. , 2010, , .		5
530	Simulation of induced electric field distribution based on five-sphere model used in rTMS. Journal of X-Ray Science and Technology, 2010, 18, 57-67.	0.7	3
531	Comparison of two different 70 MHz applicators for large extremity lesions: Simulation and application. International Journal of Hyperthermia, 2010, 26, 376-388.	1.1	12
532	Ultra-Wideband Sensors for Improved Magnetic Resonance Imaging, Cardiovascular Monitoring and Tumour Diagnostics. Sensors, 2010, 10, 10778-10802.	2.1	23
533	Estimating the probability that the Taser [®] directly causes human ventricular fibrillation. Journal of Medical Engineering and Technology, 2010, 34, 178-191.	0.8	16
534	Effective learning strategies for real-time image-guided adaptive control of multiple-source hyperthermia applicators. Medical Physics, 2010, 37, 1285-1297.	1.6	14

#	ARTICLE	IF	CITATIONS
535	Filament turnover stabilizes contractile cytoskeletal structures. <i>Europhysics Letters</i> , 2010, 91, 68003.	0.7	11
536	SAR calculations from 20 MHz to 6 GHz in the University of Florida newborn voxel phantom and their implications for dosimetry. <i>Physics in Medicine and Biology</i> , 2010, 55, 1519-1530.	1.6	32
537	The Influence of Age and Skull Conductivity on Surface and Subdermal Bipolar EEG Leads. <i>Computational Intelligence and Neuroscience</i> , 2010, 2010, 1-7.	1.1	56
538	Dual-Source Parallel Radiofrequency Excitation Body MR Imaging Compared with Standard MR Imaging at 3.0 T: Initial Clinical Experience. <i>Radiology</i> , 2010, 256, 966-975.	3.6	128
539	Electrical impedance spectroscopy and diagnosis of tendinitis. <i>Physiological Measurement</i> , 2010, 31, 171-182.	1.2	9
540	Microwave sensors for stem cell identification and discrimination. , 2010, , .		2
541	Intrabody Communication in Biotelemetry. <i>Lecture Notes in Electrical Engineering</i> , 2010, , 351-368.	0.3	19
542	Measurement of the optical properties of skin using terahertz time-domain spectroscopic techniques. , 2010, , .		3
543	Dielectric Properties in Fresh Trabecular Bone Tissue from 1MHz to 1000MHz: A Fast and Non Destructive Quality Evaluation Technique. <i>Materials Science Forum</i> , 2010, 638-642, 730-735.	0.3	2
544	Transcranial direct current stimulation (tDCS) in a realistic head model. <i>NeuroImage</i> , 2010, 51, 1310-1318.	2.1	224
545	Structural level set inversion for microwave breast screening. <i>Inverse Problems</i> , 2010, 26, 035015.	1.0	32
546	Assessment of induced SAR in children exposed to electromagnetic plane waves between 10 MHz and 5.6 GHz. <i>Physics in Medicine and Biology</i> , 2010, 55, 3115-3130.	1.6	77
547	Voltage Controlled Current Source (VCCS) for Electrical Impedance Tomography (EIT) Measurements in the alpha and beta Dispersion Frequency Ranges. , 2010, , .		3
548	Analytical solution for contactless electrical impedance measurement. , 2010, , .		0
549	Tissue Electroporation as a Bioelectric Phenomenon: Basic Concepts. <i>Series in Biomedical Engineering</i> , 2010, , 23-61.	0.5	37
550	Measurement of breast - tumor phantom dielectric properties for microwave breast cancer treatment evaluation. , 2010, , .		14
551	Techniques for measuring the microwave dielectric properties of materials. <i>Metrologia</i> , 2010, 47, S91-S113.	0.6	140
552	A global optimization technique for microwave imaging of the inhomogeneous and dispersive breast. <i>Canadian Journal of Electrical and Computer Engineering</i> , 2010, 35, 15-24.	1.5	9

#	ARTICLE	IF	CITATIONS
554	Comparative power spectral analysis of simultaneous electroencephalographic and magnetoencephalographic recordings in humans suggests non-resistive extracellular media. Journal of Computational Neuroscience, 2010, , 1.	0.6	3
555	Wireless acoustic communications and power supply for in vivo biomedical devices. , 2010, , .		1
556	A capacitive discrimination of slaughtered and slaughtered sheep and goat meat. , 2010, , .		1
557	Computational Electromagnetic Analysis in a Human Head Model with EEG Electrodes and Leads Exposed to RF-Field Sources at 915 MHz and 1748 MHz. Radiation Research, 2010, 174, 91-100.	0.7	15
558	Fidelity criterion for UWB medical diagnostic. , 2010, , .		1
559	Exploitation of electromagnetic radiation properties for medical diagnostic. , 2011, , .		1
560	Truncated multigrid versus pre-corrected FFT/AIM for bioelectromagnetics: When is $O(N)$ better than $O(N\log N)$?. , 2011, , .		15
561	Thermal thresholds for teratogenicity, reproduction, and development. International Journal of Hyperthermia, 2011, 27, 374-387.	1.1	63
562	Performance of a novel miniature antenna implanted in the human head for wireless biotelemetry. , 2011, , .		67
563	Quantitative modeling of electric field in deep brain stimulation: Study of medium brain tissue and stimulation pulse parameters. , 2011, , .		1
564	Sensing of dielectric property alterations in biological tissues at microwave frequencies. , 2011, , .		6
565	Electromagnetic modeling and design optimization of intra-cortical micro-electrodes. , 2011, , .		0
566	A capacitive discrimination of slaughtered and non-slaughtered goat meat. , 2011, , .		0
567	Support Vector Machine-Based Ultrawideband Breast Cancer Detection System. Journal of Electromagnetic Waves and Applications, 2011, 25, 1807-1816.	1.0	20
568	Feasibility of dual-frequency conductivity imaging using MREIT and MREPT. , 2011, , .		1
569	Microwave signatures of alive B-lymphoma cells suspensions. , 2011, , .		16
570	The electrical conductivity of in vivo human uterine fibroids. International Journal of Hyperthermia, 2011, 27, 255-265.	1.1	12
571	The effect of blood content on the optical and dielectric skin properties. Physiological Measurement, 2011, 32, 131-149.	1.2	21

#	ARTICLE	IF	CITATIONS
572	Wireless Mobile Communication and Healthcare. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2011, , .	0.2	5
573	Characterization of slaughtered and non-slaughtered goat meat using low frequency. , 2011, , .		0
574	Modelling millimetre wave propagation and absorption in a high resolution skin model: the effect of sweat glands. Physics in Medicine and Biology, 2011, 56, 1329-1339.	1.6	36
575	Optimizing deep hyperthermia treatments: are locations of patient pain complaints correlated with modelled SAR peak locations?. Physics in Medicine and Biology, 2011, 56, 439-451.	1.6	28
576	Spherical polar co-ordinate calculations of induced fields in the retina and head for applied magnetic fields at 50 Hz. Physics in Medicine and Biology, 2011, 56, 4597-4611.	1.6	4
577	Phantom models for in-vitro measurements of blood glucose. , 2011, , .		1
578	A fully parallel multi-frequency EIT system with flexible electrode configuration: KHU Mark2. Physiological Measurement, 2011, 32, 835-849.	1.2	86
579	Temporary On-Skin Passive UHF RFID Transfer Tag. IEEE Transactions on Antennas and Propagation, 2011, 59, 3565-3571.	3.1	87
580	Children and adults exposed to electromagnetic fields at the ICNIRP reference levels: theoretical assessment of the induced peak temperature increase. Physics in Medicine and Biology, 2011, 56, 4967-4989.	1.6	46
581	Preliminary thermal characterization of a fully-passive wireless backscattering neuro-recording microsystem. , 2011, , .		1
582	Rectenna Application of Miniaturized Implantable Antenna Design for Triple-Band Biotelemetry Communication. IEEE Transactions on Antennas and Propagation, 2011, 59, 2646-2653.	3.1	213
583	Design and simulation of printed spiral coil used in wireless power transmission systems for implant medical devices. , 2011, 2011, 4018-21.		23
585	Physics-based propagation characterisations of UWB signals for the urine detection in human bladder. International Journal of Ultra Wideband Communications and Systems, 2011, 2, 94.	0.0	3
586	Design of an Implantable Slot Dipole Conformal Flexible Antenna for Biomedical Applications. IEEE Transactions on Antennas and Propagation, 2011, 59, 3556-3564.	3.1	166
587	Irreversible Electroporation Near the Heart: Ventricular Arrhythmias Can Be Prevented With ECG Synchronization. American Journal of Roentgenology, 2011, 196, W330-W335.	1.0	166
588	Dielectric properties of natural and demineralized collagen bone matrix. IEEE Transactions on Dielectrics and Electrical Insulation, 2011, 18, 320-328.	1.8	6
589	Performance analysis of various UWB radar approaches for medical diagnostics. , 2011, , .		1
590	BREAST CANCER DETECTION BASED ON DIFFERENTIAL ULTRAWIDEBAND MICROWAVE RADAR. Progress in Electromagnetics Research M, 2011, 20, 231-242.	0.5	22

#	ARTICLE	IF	CITATIONS
591	FIELD SYNTHESIS IN INHOMOGENEOUS MEDIA: JOINT CONTROL OF POLARIZATION, UNIFORMITY AND SAR IN MRI B<sub>1</sub>-FIELD. Progress in Electromagnetics Research, 2011, 118, 355-377.	1.6	13
592	Determination of Cardiac Ejection Fraction by Electrical Impedance Tomography. , 0, , .		1
593	MODELING OF THE HUMAN EXPOSURE INSIDE A RANDOM PLANE WAVE FIELD. Progress in Electromagnetics Research B, 2011, 29, 251-267.	0.7	16
594	CONTRAST ENHANCED BEAMFORMING FOR BREAST CANCER DETECTION. Progress in Electromagnetics Research B, 2011, 28, 219-234.	0.7	7
595	Live tissue electromagnetic properties characterization. International Journal of Applied Electromagnetics and Mechanics, 2011, 37, 181-187.	0.3	3
596	Wireless Telemetry for Implantable Biomedical Microsystems. , 0, , .		19
597	Improve burnishing formation yield applying Design for Six Sigma. , 2011, , .		0
598	A Contrast Source Inversion Algorithm Formulated Using the Log-Phase Formulation. International Journal of Antennas and Propagation, 2011, 2011, 1-10.	0.7	7
599	Computer Modelling and Simulation of the Current Density Distribution in the Human Body. TM Technisches Messen, 2011, 78, 365-369.	0.3	0
600	Consideration about Novel Proximity Sensing Technique Applying Quasi Electric Field Generated by Multipole Electrodes Structure. Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2011, 77, 2310-2322.	0.2	0
601	On the UWB medical radars working principles. International Journal of Ultra Wideband Communications and Systems, 2011, 2, 83.	0.0	25
602	Computed effects of sweat gland ducts on the propagation of 94 GHz waves in skin. Proceedings of SPIE, 2011, , .	0.8	0
603	Anatomical markers of sleep slow wave activity derived from structural magnetic resonance images. Journal of Sleep Research, 2011, 20, 506-513.	1.7	46
604	<i>In vivo</i> skin measurements with a novel probe head for simultaneous skin impedance and nearâ€infrared spectroscopy. Skin Research and Technology, 2011, 17, 494-504.	0.8	9
605	A nanostructured-nickel based interdigitated capacitive transducer for biosensor applications. Sensors and Actuators B: Chemical, 2011, 160, 891-898.	4.0	30
606	Dielectric properties of tissues; variation with age and their relevance in exposure of children to electromagnetic fields; state of knowledge. Progress in Biophysics and Molecular Biology, 2011, 107, 434-438.	1.4	40
607	Compact coplanar waveguide filter for integration in ultra wideband medical sensors. IET Microwaves, Antennas and Propagation, 2011, 5, 877.	0.7	3
608	Ultrawideband microwave imaging of cylindrical objects with inclusions. IET Microwaves, Antennas and Propagation, 2011, 5, 1440.	0.7	17

#	ARTICLE	IF	CITATIONS
609	A Realistic Model for the Analysis of Heart Magnetic Stimulation. IEEE Transactions on Biomedical Engineering, 2011, 58, 291-300.	2.5	5
610	Assessment of Alterations in the Electrical Impedance of Muscle After Experimental Nerve Injury via Finite-Element Analysis. IEEE Transactions on Biomedical Engineering, 2011, 58, 1585-1591.	2.5	37
611	Ex Vivo Thermoacoustic Imaging Over Large Fields of View With 108 MHz Irradiation. IEEE Transactions on Biomedical Engineering, 2011, 58, 2238-2246.	2.5	35
612	Vesicoureteral Reflux in Children: A Phantom Study of Microwave Heating and Radiometric Thermometry of Pediatric Bladder. IEEE Transactions on Biomedical Engineering, 2011, 58, 3269-3278.	2.5	19
613	Experimental Investigation of the Accuracy of an Ultrawideband Time-Domain Microwave-Tomographic System. IEEE Transactions on Instrumentation and Measurement, 2011, 60, 3939-3949.	2.4	38
614	Domain Decomposition for Computing Extremely Low Frequency Induced Current in the Human Body. IEEE Transactions on Magnetics, 2011, 47, 886-889.	1.2	1
615	Electrochemical Prevention of Needle-Tract Seeding. Annals of Biomedical Engineering, 2011, 39, 2080-2089.	1.3	4
616	In vivo magnetic resonance electrical impedance tomography of canine brain: Disease model study of ischemia and abscess. Biomedical Engineering Letters, 2011, 1, 56-61.	2.1	4
617	Estimating nerve excitation thresholds to cutaneous electrical stimulation by finite element modeling combined with a stochastic branching nerve fiber model. Medical and Biological Engineering and Computing, 2011, 49, 385-395.	1.6	56
618	Numerical modeling of magnetic induction tomography using the impedance method. Medical and Biological Engineering and Computing, 2011, 49, 233-240.	1.6	3
619	Radiofrequency heating in porcine models with a $\phi=32$ cm internal diameter, 7 T (296 MHz) head coil. Magnetic Resonance in Medicine, 2011, 66, 255-263.	1.9	32
620	Dielectric materials in magnetic resonance. Concepts in Magnetic Resonance Part A: Bridging Education and Research, 2011, 38A, 148-184.	0.2	141
621	Use of tailored higher modes of a birdcage to design a simple double-tuned proton/phosphorus coil for human calf muscle studies at 7 T. Concepts in Magnetic Resonance Part B, 2011, 39B, 89-97.	0.3	5
622	Development of a dielectric spectroscopy technique for the determination of key biochemical markers of meat quality. Food Chemistry, 2011, 127, 228-233.	4.2	18
623	Resistive heating and electroporation of skin tissue during in vivo electroporation: A coupled nonlinear finite element model. International Journal of Heat and Mass Transfer, 2011, 54, 2294-2302.	2.5	29
624	Complex permittivity of blood cells and E. coli suspensions. Journal of Molecular Liquids, 2011, 160, 130-135.	2.3	12
625	Spectral analysis and connectivity of porous microstructures in bone. Journal of Biomechanics, 2011, 44, 337-344.	0.9	13
626	Characterization of structure and properties of bone by spectral measure method. Journal of Biomechanics, 2011, 44, 345-351.	0.9	9

#	ARTICLE	IF	CITATIONS
627	<i>In vivo</i> non-thermal irreversible electroporation impact on rat liver galvanic apparent internal resistance. <i>Physics in Medicine and Biology</i> , 2011, 56, 951-963.	1.6	24
628	Numerical sensitivity modeling for the detection of skin tumors by using tetrapolar probe. <i>Electromagnetic Biology and Medicine</i> , 2011, 30, 235-245.	0.7	5
629	Improved power steering with double and triple ring waveguide systems: The impact of the operating frequency. <i>International Journal of Hyperthermia</i> , 2011, 27, 224-239.	1.1	24
630	Dielectric properties of slaughtered and non-slaughtered goat meat. , 2011, , .		2
631	In-vivo signal transmission using an intra-corporal RF transmitter. , 2011, 2011, 7662-5.		0
632	Microwave tomography for bone imaging. , 2011, , .		25
633	Blood volume dependence of meat permittivity using dielectric mixing rules. , 2011, , .		0
634	Design and realization of ultra wide-band implant antenna for biotelemetry systems. , 2011, , .		4
635	Effect of white matter anisotropy in modeling electroconvulsive therapy. , 2011, 2011, 5492-5.		3
636	Design of a microscopic electrical impedance tomography system using two current injections. <i>Physiological Measurement</i> , 2011, 32, 1505-1516.	1.2	11
637	Electroconvulsive therapy simulations using an anatomically-realistic head model. , 2011, 2011, 5484-7.		1
638	Multislice ex vivo thermoacoustic imaging of porcine kidneys. , 2011, , .		0
639	Feasibility of non-invasive blood glucose monitoring: In-vitro measurements and phantom models. , 2011, , .		33
640	A Shape-Based Inversion Algorithm Applied to Microwave Imaging of Breast Tumors. <i>IEEE Transactions on Antennas and Propagation</i> , 2011, 59, 3719-3729.	3.1	5
641	Whole-body average SARs in Korean male models. , 2011, , .		0
642	Quantitative determination of arterial pulse wave velocity by non-interfering bioimpedance sensing. , 2011, 2011, 6442-5.		0
643	Focal Liver Lesions at 3.0 T: Lesion Detectability and Image Quality with T2-weighted Imaging by Using Conventional and Dual-Source Parallel Radiofrequency Transmission. <i>Radiology</i> , 2011, 259, 421-428.	3.6	45
644	Computationally efficient bioelectric field modeling and effects of frequency-dependent tissue capacitance. <i>Journal of Neural Engineering</i> , 2011, 8, 036017.	1.8	20

#	ARTICLE	IF	CITATIONS
645	Front end with offset-free symmetrical current source optimized for time domain impedance spectroscopy. <i>Physiological Measurement</i> , 2011, 32, 927-944.	1.2	11
646	Electrode biasing experiment in the Large Helical Device. <i>Nuclear Fusion</i> , 2011, 51, 083029.	1.6	6
647	Accelerating thermal deposition modeling at terahertz frequencies using GPUs. , 2011, , .		0
648	Effect of fat and muscle tissue conductivity on cortical currents - a tDCS study. , 2011, , .		6
649	Design of a Novel Miniaturized Implantable PIFA for Biomedical Telemetry. <i>Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering</i> , 2011, , 127-134.	0.2	10
650	Wireless communication with implanted medical devices using the conductive properties of the body. <i>Expert Review of Medical Devices</i> , 2011, 8, 427-433.	1.4	91
651	3D versus 2D steering in patient anatomies: A comparison using hyperthermia treatment planning. <i>International Journal of Hyperthermia</i> , 2011, 27, 74-85.	1.1	26
652	Magnetic Resonance Electrical Impedance Tomography (MREIT). <i>SIAM Review</i> , 2011, 53, 40-68.	4.2	136
653	Assessing electrical impedance alterations in spinal muscular atrophy via the finite element method. , 2011, 2011, 1871-4.		6
654	Subject Specific Modelling of Electrical Conduction in the Body: A Case Study. <i>Journal of Biomimetics, Biomaterials, and Tissue Engineering</i> , 2011, 10, 43-53.	0.7	3
655	Advancements in Transmitters and Sensors for Biological Tissue Imaging in Magnetic Induction Tomography. <i>Sensors</i> , 2012, 12, 7126-7156.	2.1	60
656	Radiometric temperature reading of a hot ellipsoidal object inside the oral cavity by a shielded microwave antenna put flush to the cheek. <i>Physics in Medicine and Biology</i> , 2012, 57, 2633-2652.	1.6	5
657	Cross-over of the Plasticity Mechanism in Nanocrystalline Cu. <i>Chinese Physics Letters</i> , 2012, 29, 066201.	1.3	11
658	Electromagnetic characteristics of eccentric figure-eight coils for transcranial magnetic stimulation: A numerical study. <i>Journal of Applied Physics</i> , 2012, 111, .	1.1	7
659	The Cole relaxation frequency as a parameter to identify cancer in breast tissue. <i>Medical Physics</i> , 2012, 39, 4167-4174.	1.6	33
660	Guest Editorial: Special Cluster on Microwave Medical Imaging. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2012, 11, 1592-1597.	2.4	41
661	Microwave-acoustic phasoscopy for tissue characterization. <i>Applied Physics Letters</i> , 2012, 101, 043702.	1.5	25
662	Assessment of magnetic field exposure of humans based on calculation of the resulting electric field parameters in body tissues. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
663	Dual-Band Implantable Antenna With Open-End Slots on Ground. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1564-1567.	2.4	81
664	Investigation of the mutual effect between power link and data link for biomedical applications. , 2012, , .		0
665	Wireless RF Vital Signal Sensor Using Autoregressive Spectral Estimation Method. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 535-538.	2.4	7
666	A novel method for medical implant in-body localization. , 2012, 2012, 5757-60.		28
667	Accelerated Design of Optimized Implantable Antennas for Medical Telemetry. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1655-1658.	2.4	27
668	Investigation of numerical methods and dosimetry for a wireless power transfer system using electromagnetic resonance. , 2012, , .		1
669	Comparative study of voltage controlled current sources for bioimpedance measurements. , 2012, , .		7
670	Detuning issues and performance of a novel implantable antenna for telemetry applications. , 2012, , .		10
671	Contribution of dielectric dispersions to voltage waveforms arising from electrical stimulation. , 2012, 2012, 4148-51.		0
672	Analytically-based approach for the analysis of MRI volume coil loaded with multilayered cylinder. , 2012, , .		0
673	Clinical Microwave Tomographic Imaging of the Calcaneus: A First-in-Human Case Study of Two Subjects. IEEE Transactions on Biomedical Engineering, 2012, 59, 3304-3313.	2.5	98
674	Low-frequency dielectric dispersion of brain tissue due to electrically long neurites. Physical Review E, 2012, 86, 061911.	0.8	10
675	Heating induced near deep brain stimulation lead electrodes during magnetic resonance imaging with a 3 T transceive volume head coil. Physics in Medicine and Biology, 2012, 57, 5651-5665.	1.6	39
676	Tissue characterization using electrical impedance spectroscopy data: a linear algebra approach. Physiological Measurement, 2012, 33, 997-1013.	1.2	16
677	Electrical tissue property imaging using MRI at dc and Larmor frequency. Inverse Problems, 2012, 28, 084002.	1.0	26
678	An investigation into the effectiveness of ELF protective clothing when exposed to RF fields between 65 MHz and 3 GHz. Physics in Medicine and Biology, 2012, 57, 2775-2785.	1.6	0
679	Implementation of treatment planning in the routine clinical procedure of regional hyperthermia treatment of cervical cancer: An overview and the Rotterdam experience. International Journal of Hyperthermia, 2012, 28, 570-581.	1.1	38
680	Simulation of the temperature elevation in children exposed to plane wave electromagnetic fields (10) Tj ETQq1 1 0,784314 rgBT /Overl	0,9	

#	ARTICLE	IF	CITATIONS
681	Modelling of an Oesophageal Electrode for Cardiac Function Tomography. Computational and Mathematical Methods in Medicine, 2012, 2012, 1-10.	0.7	10
682	Three dimensional optimal current patterns for radiofrequency ablation treatments. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2012, 31, 985-995.	0.5	2
683	Swallowable Wireless Capsule Endoscopy: Progress and Technical Challenges. Gastroenterology Research and Practice, 2012, 2012, 1-9.	0.7	112
684	Effects of model complexity and tissue anisotropic conductivity on cortical modulation during transcranial direct current stimulation. IET Science, Measurement and Technology, 2012, 6, 464.	0.9	9
685	Conductivity dispersion of meat obtained from properly and non-properly slaughtered goats. , 2012, , .		1
686	Characterization of real objects by an active electrolocation sensor. Proceedings of SPIE, 2012, , .	0.8	1
687	An E-field probe based near-field measurement system for on- and in-body antennas. , 2012, , .		7
688	Enhanced locomotor adaptation aftereffect in the "broken escalator" phenomenon using anodal tDCS. Journal of Neurophysiology, 2012, 107, 2493-2505.	0.9	63
689	Local field potentials. , 0, , 136-191.		23
690	Utility of treatment planning for thermochemotherapy treatment of nonmuscle invasive bladder carcinoma. Medical Physics, 2012, 39, 1170-1181.	1.6	33
691	Non-Debye relaxation in the dielectric response of nematic liquid crystals: Surface and memory effects in the adsorption-desorption process of ionic impurities. Physical Review E, 2012, 86, 051705.	0.8	27
692	Influence of body parameters on gastric bioelectric and biomagnetic fields in a realistic volume conductor. Physiological Measurement, 2012, 33, 545-556.	1.2	17
693	Guideline for the clinical application, documentation and analysis of clinical studies for regional deep hyperthermia. Strahlentherapie Und Onkologie, 2012, 188, 198-211.	1.0	92
694	Computational Models of Neuromodulation. International Review of Neurobiology, 2012, 107, 5-22.	0.9	8
695	Measurement and hemodialysis effect of complex relative permittivity for blood of kidney patients using open-ended coaxial measurement probe. Electronics and Communications in Japan, 2012, 95, 56-61.	0.3	3
696	Epidermal Differential Impedance Sensor for Conformal Skin Hydration Monitoring. Biointerphases, 2012, 7, 52.	0.6	123
697	Evaluation of local electric fields generated by transcranial direct current stimulation with an extracephalic reference electrode based on realistic 3D body modeling. Physics in Medicine and Biology, 2012, 57, 2137-2150.	1.6	85
698	A planar near-field measurement system of UWB antennas for medical diagnostics. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
699	Simulation study on size and location identification of tumors in liver tissue through eddy current distribution analysis. , 2012, , .		4
700	Electrode contact impedance sensitivity to variations in geometry. Physiological Measurement, 2012, 33, 817-830.	1.2	38
701	Wireless power link design using silicon-embedded inductors for brain-machine interface. , 2012, , .		4
702	Miniaturization vs gain and safety considerations of implantable antennas for wireless biotelemetry. , 2012, , .		8
703	A simulation study: Effect of the inter-electrode distance, electrode size and shape in Transcutaneous Electrical Stimulation. , 2012, 2012, 3576-9.		28
704	Study on transfer function of intra-body communication based on quasi-static electric field modeling. , 2012, , .		4
705	Bone Dielectric Property Variation as a Function of Mineralization at Microwave Frequencies. International Journal of Biomedical Imaging, 2012, 2012, 1-9.	3.0	61
706	Eccentric figure-eight magnetic stimulator coils. , 2012, , .		1
707	Broadband microwave biosensing based on interdigitated capacitor for Lab-on-Chip applications. , 2012, , .		3
708	Electrical impedance spectral measurements of muscular tissue in different physiological condition. , 2012, , .		7
710	Accurate Nanoliter Liquid Characterization Up to 40 GHz for Biomedical Applications: Toward Noninvasive Living Cells Monitoring. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 4171-4177.	2.9	81
711	Breast EIT using a new projected image reconstruction method with multi-frequency measurements. Physiological Measurement, 2012, 33, 751-765.	1.2	24
712	Numerical Study of deposition of energy of Active Denial Weapon in human skin. , 2012, , .		1
713	Validity and interobserver agreement of lower extremity local tissue water measurements in healthy women using tissue dielectric constant. Clinical Physiology and Functional Imaging, 2012, 32, 317-322.	0.5	25
714	Role of erythrocytes and leucocytes in charge transfer through human blood. Journal of Molecular Liquids, 2012, 173, 144-152.	2.3	4
715	Induction of an adaptive response in human blood lymphocytes exposed to radiofrequency fields: Influence of the universal mobile telecommunication system (UMTS) signal and the specific absorption rate. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2012, 747, 29-35.	0.9	41
716	Numerical test concerning bone mass apposition under electrical and mechanical stimulus. Theoretical Biology and Medical Modelling, 2012, 9, 14.	2.1	9
717	Earthing the Human Organism Influences Bioelectrical Processes. Journal of Alternative and Complementary Medicine, 2012, 18, 229-234.	2.1	8

#	ARTICLE	IF	CITATIONS
718	Physics of Electrical Injury. , 2012, , 25-45.		11
719	UWB body area network channel modeling: An analytical approach. AEU - International Journal of Electronics and Communications, 2012, 66, 913-919.	1.7	6
720	Evaluation of different stimulation and measurement patterns based on internal electrode: Application in cardiac impedance tomography. Computers in Biology and Medicine, 2012, 42, 1122-1132.	3.9	16
721	Analysis of Tissue Bioimpedance as a Measurement of Liver Steatosis: Experimental Model in Large Animals. Transplantation Proceedings, 2012, 44, 1579-1583.	0.3	4
722	Feasibility of an intracranial EEGâ€“fMRI protocol at 3T: Risk assessment and image quality. NeuroImage, 2012, 63, 1237-1248.	2.1	34
723	Implanted, inductively-coupled, radiofrequency coils fabricated on flexible polymeric material: Application to in vivo rat brain MRI at 7T. Journal of Magnetic Resonance, 2012, 224, 61-70.	1.2	24
724	A Wideband Implantable Antenna for Continuous Health Monitoring in the MedRadio and ISM Bands. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1642-1645.	2.4	30
725	Performance evaluation of wideband bio-impedance spectroscopy using constant voltage source and constant current source. Measurement Science and Technology, 2012, 23, 105703.	1.4	31
726	Finite Element study of skin and fat delineation in an obese subject for transcranial Direct Current Stimulation. , 2012, 2012, 6587-90.		13
727	A size-reduced wearable antenna for Zigbee indoor localization. , 2012, , .		4
728	Dielectric evolution of mammalian cell membranes after exposure to pulsed electric fields. IEEE Transactions on Dielectrics and Electrical Insulation, 2012, 19, 609-622.	1.8	26
729	A Small Implantable Antenna for MedRadio and ISM Bands. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1683-1685.	2.4	21
730	Miniature Scalp-Implantable Antennas for Telemetry in the MICS and ISM Bands: Design, Safety Considerations and Link Budget Analysis. IEEE Transactions on Antennas and Propagation, 2012, 60, 3568-3575.	3.1	262
731	Dielectric Properties of Porcine Skin Tissue and In Vivo Testing of Implantable Antennas Using Pigs as Model Animals. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1686-1689.	2.4	53
732	Compliance boundaries for LTE base station antennas at 2600 MHz. , 2012, , .		2
733	Miniature Implantable Antennas for Biomedical Telemetry: From Simulation to Realization. IEEE Transactions on Biomedical Engineering, 2012, 59, 3140-3147.	2.5	64
734	Target Optimization in Transcranial Direct Current Stimulation. Frontiers in Psychiatry, 2012, 3, 90.	1.3	80
735	Design of Novel S-Shaped Quad-Band Antenna for MedRadio/WMTS/ISM Implantable Biotelemetry Applications. International Journal of Antennas and Propagation, 2012, 2012, 1-12.	0.7	20

#	ARTICLE	IF	CITATIONS
736	Relevance of Dielectric Properties in Microwave Assisted Processes. , 0, , .		10
737	High-Gain Textile Antenna Array System for Off-Body Communication. International Journal of Antennas and Propagation, 2012, 2012, 1-12.	0.7	10
738	EXPERIMENTAL CHARACTERIZATION OF A 434 MHZ WIRELESS ENERGY LINK FOR MEDICAL APPLICATIONS. Progress in Electromagnetics Research C, 2012, 30, 53-64.	0.6	27
739	DESIGNING ASIAN-SIZED HAND MODEL FOR SAR DETERMINATION AT GSM900/1800: SIMULATION PART. Progress in Electromagnetics Research, 2012, 129, 439-467.	1.6	9
740	Microwave Tomography for Biomedical Quantitative Imaging. Journal of Electrical & Electronics, 2012, 01, .	0.1	8
741	THREE-DIMENSIONAL FDTD ANALYSIS OF THE DUAL-BAND IMPLANTABLE ANTENNA FOR CONTINUOUS GLUCOSE MONITORING. Progress in Electromagnetics Research Letters, 2012, 28, 9-21.	0.4	18
742	Giant dielectric permittivity of detonation-produced nanodiamond is caused by water. Journal of Materials Chemistry, 2012, 22, 11166.	6.7	52
743	Modelling and validation of dielectric properties of human skin in the MHz region focusing on skin layer morphology and material composition. Journal Physics D: Applied Physics, 2012, 45, 025301.	1.3	46
744	Spectroscopic thermoacoustic imaging of water and fat composition. Applied Physics Letters, 2012, 101, .	1.5	55
745	Coaxial waveguide MRI. Magnetic Resonance in Medicine, 2012, 67, 1173-1182.	1.9	16
746	Resolution adapted finite element modeling of radio frequency interactions on conductive resonant structures in MRI. Magnetic Resonance in Medicine, 2012, 67, 1444-1452.	1.9	6
747	A specific absorption rate prediction concept for parallel transmission MR. Magnetic Resonance in Medicine, 2012, 68, 1664-1674.	1.9	113
748	A Single Component Conducting Polymer Hydrogel as a Scaffold for Tissue Engineering. Advanced Functional Materials, 2012, 22, 2692-2699.	7.8	254
749	In vivo measurements of electrical conductivity of porcine organs at low frequency: New method of measurement. Bioelectromagnetics, 2012, 33, 612-619.	0.9	4
750	Advances in bioelectromagnetics for implantable systems. , 2012, , .		0
751	Improved conductivity image of human lower extremity using MREIT with chemical shift artifact correction. Biomedical Engineering Letters, 2012, 2, 62-68.	2.1	8
752	Cellular phone hazard for children. The Environmentalist, 2012, 32, 201-209.	0.7	2
753	Microwave Tomography Analysis System for Breast Tumor Detection. Journal of Medical Systems, 2012, 36, 1757-1767.	2.2	17

#	ARTICLE	IF	CITATIONS
754	Where does transcranial magnetic stimulation (TMS) stimulate? Modelling of induced field maps for some common cortical and cerebellar targets. <i>Medical and Biological Engineering and Computing</i> , 2012, 50, 671-681.	1.6	95
755	Usefulness of Lung Impedance-Guided Pre-Emptive Therapy to Prevent Pulmonary Edema During ST-Elevation Myocardial Infarction and to Improve Long-Term Outcomes. <i>American Journal of Cardiology</i> , 2012, 110, 190-196.	0.7	16
756	L1 regularization method in electrical impedance tomography by using the L1-curve (Pareto frontier) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.2	70
757	Measurement of corneal endothelial impedance with non-invasive external electrodes â€“ A theoretical study. <i>Medical Engineering and Physics</i> , 2012, 34, 195-201.	0.8	7
758	A Low-Power Programmable Neural Spike Detection Channel With Embedded Calibration and Data Compression. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2012, 6, 87-100.	2.7	94
759	Monopolar Electrosurgical Thermal Management for Minimizing Tissue Damage. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 167-173.	2.5	38
760	Improved Radiometric Performance Attained by an Elliptical Microwave Antenna With Suction. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 263-271.	2.5	20
761	A Four-Shell Diffusion Phantom of the Head for Electrical Impedance Tomography. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 383-389.	2.5	22
762	EIT Forward Problem Parallel Simulation Environment with Anisotropic Tissue and Realistic Electrode Models. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 1229-1239.	2.5	9
763	Bioimpedance Analysis for the Characterization of Breast Cancer Cells in Suspension. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 2321-2329.	2.5	95
764	Development of Liquid-Type Human-Body Equivalent Antennas for Induced Ankle Current Measurements at VHF Band. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2012, 54, 565-573.	1.4	4
765	Stochastic Uncertainty Quantification of Eddy Currents in the Human Body by Polynomial Chaos Decomposition. <i>IEEE Transactions on Magnetics</i> , 2012, 48, 451-454.	1.2	15
766	A Stochastic Collocation Method Combined With a Reduced Basis Method to Compute Uncertainties in Numerical Dosimetry. <i>IEEE Transactions on Magnetics</i> , 2012, 48, 563-566.	1.2	17
767	Error Analysis of Nonconstant Admittivity for MR-Based Electric Property Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2012, 31, 430-437.	5.4	83
768	Compact Vital Signal Sensor Using Oscillation Frequency Deviation. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2012, 60, 393-400.	2.9	30
769	Microwave thermolysis of sweat glands. <i>Lasers in Surgery and Medicine</i> , 2012, 44, 20-25.	1.1	59
770	Application of an induced field sensor for assessment of electromagnetic exposure from compact fluorescent lamps. <i>Bioelectromagnetics</i> , 2012, 33, 166-175.	0.9	10
771	Influence of heterogeneous and anisotropic tissue conductivity on electric field distribution in deep brain stimulation. <i>Medical and Biological Engineering and Computing</i> , 2012, 50, 23-32.	1.6	54

#	ARTICLE	IF	CITATIONS
772	Method for in situ characterization of radiofrequency heating in parallel transmit MRI. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1457-1465.	1.9	22
773	Transcranial Current Brain Stimulation (tCS): Models and Technologies. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2013, 21, 333-345.	2.7	152
774	A New Open-Source Toolbox for Estimating the Electrical Properties of Biological Tissues in the Terahertz Frequency band. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2013, 34, 529-538.	1.2	10
775	High spatial and temporal resolution 4D FEM simulation of the thoracic bioimpedance using MRI scans. <i>Journal of Physics: Conference Series</i> , 2013, 434, 012074.	0.3	1
776	Generalized cable theory for neurons in complex and heterogeneous media. <i>Physical Review E</i> , 2013, 88, 022709.	0.8	39
777	Numerical analysis of specific absorption rate in the human head due to a 13.56 MHz RFID-based intra-ocular pressure measurement system. <i>Physics in Medicine and Biology</i> , 2013, 58, N267-N277.	1.6	6
779	Microwave dielectric spectroscopy: An emerging analyzing technique for biological investigations at the cellular level. , 2013, , .		6
780	Lorentz force electrical impedance tomography. <i>Irbm</i> , 2013, 34, 357-360.	3.7	59
781	Physics of effects of transcranial brain stimulation. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2013, 116, 353-366.	1.0	37
782	Epidermal Impedance Sensing Sheets for Precision Hydration Assessment and Spatial Mapping. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 2848-2857.	2.5	95
783	Theoretical Estimations of Safety Thresholds for Terahertz Exposure of Surface Tissues. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2013, 3, 635-640.	2.0	11
784	A methodology for extracting the electrical properties of human skin. <i>Physiological Measurement</i> , 2013, 34, 723-736.	1.2	23
785	The role of skin conductivity in a low frequency exposure assessment for peripheral nerve tissue according to the ICNIRP 2010 guidelines. <i>Physics in Medicine and Biology</i> , 2013, 58, 4703-4716.	1.6	46
786	Transmission eigenvalues for Maxwell's equations in isotropic absorbing media with frequency-dependent electrical parameters. <i>Inverse Problems</i> , 2013, 29, 104005.	1.0	4
787	A Simulation-Experiment Method to Characterize the Heat Transfer in Ex-Vivo Porcine Hepatic Tissue with a Realistic Microwave Ablation System. <i>Numerical Heat Transfer; Part A: Applications</i> , 2013, 64, 729-743.	1.2	12
788	An FDTD based numerical analysis of microwave propagation properties in a skin-fat tissue layers. <i>Optik</i> , 2013, 124, 5218-5224.	1.4	9
789	Computational modeling of transcranial direct current stimulation (tDCS) in obesity: Impact of head fat and dose guidelines. <i>NeuroImage: Clinical</i> , 2013, 2, 759-766.	1.4	160
790	Far-field UHF remotely powered front-end for patient monitoring with wearable antenna. , 2013, , .		3

#	ARTICLE	IF	CITATIONS
791	Investigating the role of capacitive coupling between the operating table and the return electrode of an electrosurgery unit in the modification of the current density distribution within the patientsâ€™ body. BioMedical Engineering OnLine, 2013, 12, 80.	1.3	3
792	Wireless transmission method for VGA capsule endoscopy using Manchester encoding. Biomedical Engineering Letters, 2013, 3, 250-257.	2.1	2
793	Multi-modality gellan gum-based tissue-mimicking phantom with targeted mechanical, electrical, and thermal properties. Physics in Medicine and Biology, 2013, 58, 5511-5525.	1.6	43
794	Modelling and Control of Dialysis Systems. Studies in Computational Intelligence, 2013, , .	0.7	6
795	Modeling Cell Electroporation and Its Measurable Effects in Tissue. , 2013, , 493-520.		5
796	Personal distributed exposimeter for radio frequency exposure assessment in real environments. Bioelectromagnetics, 2013, 34, 563-567.	0.9	36
797	Fast thermal simulations and temperature optimization for hyperthermia treatment planning, including realistic 3D vessel networks. Medical Physics, 2013, 40, 103303.	1.6	32
798	Post-implantation impedance spectroscopy of subretinal micro-electrode arrays, OCT imaging and numerical simulation: towards a more precise neuroprosthesis monitoring tool. Journal of Neural Engineering, 2013, 10, 046002.	1.8	22
799	2D visualisation of electric field distribution in human head with nasopharynx cancer: Using MATLAB and COMSOL multiphysics. , 2013, , .		0
800	Detecting changes in the human heartbeat with on-body radar. , 2013, , .		17
801	Model of human body for electrostatic discharge analysis based on method of moments and frequency-dependent surface resistance. , 2013, , .		0
802	Ultrawideband speech sensing: Flat-face circular waveguide model. , 2013, , .		0
803	A compact dual-band meander-line antenna for biomedical applications. , 2013, , .		9
804	Electromagnetic energy harvesting in a head-mountable DBS device using a circular PIFA. , 2013, , .		2
805	A new inductive proximity sensor as a guiding tool for removing metal shrapnel during surgery. , 2013, , .		5
806	3D model and simulation of electroporation application on healthy and tumoral breast tissue. , 2013, , .		6
807	In Vivo Tests of Implantable Antennas in Rats: Antenna Size and Intersubject Considerations. IEEE Antennas and Wireless Propagation Letters, 2013, 12, 1396-1399.	2.4	18
808	Influence of fat thickness and femur location on nerve activity computation during electrical stimulation. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
809	An Amplitude-to-Time Conversion Technique Suitable for Multichannel Data Acquisition and Bioimpedance Imaging. IEEE Transactions on Biomedical Circuits and Systems, 2013, 7, 349-354.	2.7	9
810	Thermoacoustic resonance effect and circuit modelling of biological tissue. Applied Physics Letters, 2013, 102, .	1.5	62
811	COMSOL Multiphysics Simulation in Biomedical Engineering. Advanced Materials Research, 0, 832, 511-516.	0.3	8
812	Numerical investigation of white matter anisotropic conductivity in defining current distribution under tDCS. Computer Methods and Programs in Biomedicine, 2013, 109, 48-64.	2.6	52
813	Electromagnetic characterization of an MR volume coil with multilayered cylindrical load using a 2-D analytical approach. Journal of Magnetic Resonance, 2013, 230, 186-197.	1.2	6
814	Forward and inverse electroencephalographic modeling in health and in acute traumatic brain injury. Clinical Neurophysiology, 2013, 124, 2129-2145.	0.7	29
815	Quantitative localization of premature ventricular contractions using myocardial activation ECGI from the standard 12-lead electrocardiogram. Journal of Electrocardiology, 2013, 46, 574-579.	0.4	45
816	Physical Working Principles of Medical Radar. IEEE Transactions on Biomedical Engineering, 2013, 60, 1142-1149.	2.5	74
818	The Role of Extracellular Conductivity Profiles in Compartmental Models for Neurons: Particulars for Layer 5 Pyramidal Cells. Neural Computation, 2013, 25, 1807-1852.	1.3	3
819	SAR, SA, and Temperature Variation in the Human Head Caused by IR-UWB Implants Operating at 4 GHz. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 2161-2169.	2.9	37
820	Assessing Human Exposure to Electromagnetic Fields From Wireless Power Transmission Systems. Proceedings of the IEEE, 2013, 101, 1482-1493.	16.4	131
821	Simulation techniques in hyperthermia treatment planning. International Journal of Hyperthermia, 2013, 29, 346-357.	1.1	160
822	Implantable RF telemetry for cardiac monitoring in the murine heart: a tutorial review. Eurasip Journal on Embedded Systems, 2013, 2013, .	1.2	14
823	Simulations and phantom evaluations of magnetic resonance electrical impedance tomography (MREIT) for breast cancer detection. Journal of Magnetic Resonance, 2013, 230, 40-49.	1.2	15
824	Implantable RF Medical Devices: The Benefits of High-Speed Communication and Much Greater Communication Distances in Biomedical Applications. IEEE Microwave Magazine, 2013, 14, 64-73.	0.7	80
825	Recent Advances in Microwave-Based Dielectric Spectroscopy at the Cellular Level for Cancer Investigations. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 2023-2030.	2.9	156
826	Electrical resistivity of cortical bone: Micromechanical modeling and experimental verification. International Journal of Engineering Science, 2013, 62, 106-112.	2.7	8
827	Cranial electrotherapy stimulation and transcranial pulsed current stimulation: A computer based high-resolution modeling study. NeuroImage, 2013, 65, 280-287.	2.1	90

#	ARTICLE	IF	CITATIONS
828	Implantable SiC based RF antenna biosensor for continuous glucose monitoring. , 2013, , .		21
829	Telemetry capsule for measuring contractile motion in the small intestine. Biomedical Microdevices, 2013, 15, 63-72.	1.4	7
830	A high accuracy voltage controlled current source for handheld bioimpedance measurement. , 2013, , .		6
831	Comparison of cephalic and extracephalic montages for Transcranial Direct Current Stimulation - A numerical study. , 2013, , .		1
832	Substrate conductivity dependent modulation of cell proliferation and differentiation in vitro. Biomaterials, 2013, 34, 7073-7085.	5.7	77
833	Dualband MICS/WIFI small antenna for portable applications in telemedicine. , 2013, , .		2
834	CSI-EPT: A novel contrast source approach to MRI based electric properties tomography and patient-specific SAR. , 2013, , .		4
835	Microwave-based biosensor for on-chip biological cell analysis. Analog Integrated Circuits and Signal Processing, 2013, 77, 135-142.	0.9	14
836	A Simulation Study on the Dominance of the Tissues' Conductivity in the Muscle Recruitment. Journal of Medical Imaging and Health Informatics, 2013, 3, 72-78.	0.2	11
837	Predicting the Biological Effects of Mobile Phone Radiation Absorbed Energy Linked to the MRI-obtained Structure. Arhiv Za Higijenu Rada I Toksikologiju, 2013, 64, 159-168.	0.4	3
838	Stroke Damage Detection Using Classification Trees on Electrical Bioimpedance Cerebral Spectroscopy Measurements. Sensors, 2013, 13, 10074-10086.	2.1	17
839	A battery-based constant current source (Bb-CCS) for biomedical applications. , 2013, , .		11
840	Local Exposure of Brain Central Areas to a Pulsed ELF Magnetic Field for a Purposeful Change in EEG. Clinical EEG and Neuroscience, 2013, 44, 44-52.	0.9	10
841	Development of MRI phantom equivalent to human tissues for 3.0T MRI. Medical Physics, 2013, 40, 032303.	1.6	60
842	Determining electrical properties based on B_1 fields measured in an MR scanner using a multi-channel transmit/receive coil: a general approach. Physics in Medicine and Biology, 2013, 58, 4395-4408.	1.6	44
843	Can root electrical capacitance be used to predict root mass in soil?. Annals of Botany, 2013, 112, 457-464.	1.4	49
844	Uniform background assumption produces misleading lung EIT images. Physiological Measurement, 2013, 34, 579-593.	1.2	28
845	Converging Clinical and Engineering Research on Neurorehabilitation. Biosystems and Biorobotics, 2013, , .	0.2	9

#	ARTICLE	IF	CITATIONS
846	Atomic rearrangements at the TiO ₂ -terminated (001)SrTiO ₃ surface and growth of thin LaMnO ₃ films. <i>Europhysics Letters</i> , 2013, 102, 56003.	0.7	8
847	Boundary driven Kawasaki process with long-range interaction: dynamical large deviations and steady states. <i>Nonlinearity</i> , 2013, 26, 141-175.	0.6	1
848	Improved circuit model of open-ended coaxial probe for measurement of the biological tissue dielectric properties between megahertz and gigahertz. <i>Physiological Measurement</i> , 2013, 34, N83-N96.	1.2	10
849	Mechanisms of Local Planarization Improvement Using Solo Pad in Chemical Mechanical Polishing. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 126501.	0.8	0
850	Effective Admittivity of Biological Tissues as a Coefficient of Elliptic PDE. <i>Computational and Mathematical Methods in Medicine</i> , 2013, 2013, 1-10.	0.7	19
851	Noninvasive Measurement of Conductivity Anisotropy at Larmor Frequency Using MRI. <i>Computational and Mathematical Methods in Medicine</i> , 2013, 2013, 1-12.	0.7	5
852	A GMR sensor based guiding tool for location of metal shrapnel during surgery. , 2013, , .		3
853	Design and analysis of an antenna for wireless energy harvesting in a head-mountable DBS device. , 2013, 2013, 3078-81.		8
854	Compliance boundaries for multiple-frequency base station antennas in three directions. <i>Bioelectromagnetics</i> , 2013, 34, 465-478.	0.9	13
855	Design and analysis of an antenna for batteryless transcranial direct current stimulation devices. , 2013, , .		2
856	Conductivity and Permittivity Image Reconstruction at the Larmor Frequency Using MRI. <i>SIAM Journal on Applied Mathematics</i> , 2013, 73, 2262-2280.	0.8	12
857	An embedded on-body planar antenna using a low profile EBG structure. , 2013, , .		0
858	Validation of admittance computed left ventricular volumes against real-time three-dimensional echocardiography in the porcine heart. <i>Experimental Physiology</i> , 2013, 98, 1092-1101.	0.9	13
859	Using spatial summation of multi-site stimulation electrodes to improve the capability of a sensory neural interface. , 2013, , .		1
860	On-chip antenna for implantable applications. , 2013, , .		0
861	A suggested approach for microwave treatment of cancerous tumor injected by ricinoleic acid oil. , 2013, , .		1
862	A Novel Approach to Monitoring Pulmonary Congestion in Heart Failure: Initial Animal and Clinical Experiences Using Remote Dielectric Sensing Technology. <i>Congestive Heart Failure</i> , 2013, 19, 149-155.	2.0	64
863	Biological tissues dispersivity and power loss density in transcranial magnetic stimulation. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
864	Design requirements of microwave sensor for pneumothorax diagnosis. , 2013, , .		2
865	Exposure of high resolution fetuses in advanced pregnant woman models at different stages of pregnancy to uniform magnetic fields at the frequency of 50 Hz. , 2013, 2013, 4525-8.		2
866	Optimal frequency range for medical radar measurements of human heartbeats using body-contact radar. , 2013, 2013, 1752-5.		10
867	Review of the mathematical functions used to model the temperature dependence of electrical and thermal conductivities of biological tissue in radiofrequency ablation. International Journal of Hyperthermia, 2013, 29, 590-597.	1.1	109
868	Prediction of body water compartments in preterm infants by bioelectrical impedance spectroscopy. European Journal of Clinical Nutrition, 2013, 67, S47-S53.	1.3	37
869	Comparison of scattering from 2-D and 3-D structures with frequency-dependent materials in time and frequency domains. , 2013, , .		2
870	<i>In vitro</i> electrical conductivity of seizing and non-seizing mouse brain slices at 10 kHz. Physics in Medicine and Biology, 2013, 58, 3599-3613.	1.6	13
871	Reduction of anisotropy influence and contacting effects in in-vitro bioimpedance measurements. Journal of Physics: Conference Series, 2013, 434, 012058.	0.3	9
872	Investigation of the significance of the 'body effect' on sensitivity to metallic objects in a walk-through metal detector. Journal of Physics: Conference Series, 2013, 450, 012037.	0.3	1
873	DUAL-BAND IMPLANTABLE ANTENNAS FOR MEDICAL TELEMETRY: A FAST DESIGN METHODOLOGY AND VALIDATION FOR INTRA-CRANIAL PRESSURE MONITORING. Progress in Electromagnetics Research, 2013, 141, 161-183.	1.6	23
874	DESIGN OF SPIRAL CIRCULAR COILS IN WET AND DRY TISSUE FOR BIO-IMPLANTED MICRO-SYSTEM APPLICATIONS. Progress in Electromagnetics Research M, 2013, 32, 181-200.	0.5	14
875	A THEORETICAL MODEL FOR THE FREQUENCY-DEPENDENT DIELECTRIC PROPERTIES OF CORNEAL TISSUE AT MICROWAVE FREQUENCIES. Progress in Electromagnetics Research, 2013, 137, 389-406.	1.6	9
876	Changes of the Electric Field Distribution in the Femoral Head Due to Position and Design of an Electro-Stimulating Implant. Biomedizinische Technik, 2013, 58 Suppl 1, .	0.9	1
877	THE USE OF A HUMAN BODY MODEL TO DETERMINE THE VARIATION OF PATH LOSSES IN THE HUMAN BODY CHANNEL IN WIRELESS CAPSULE ENDOSCOPY. Progress in Electromagnetics Research, 2013, 133, 495-513.	1.6	36
878	Analysis of the Distribution of Magnetic Fluid inside Tumors by a Giant Magnetoresistance Probe. PLoS ONE, 2013, 8, e81227.	1.1	15
879	Implantable Devices: Issues and Challenges. Electronics (Switzerland), 2013, 2, 1-34.	1.8	239
880	Numerical Simulations of MREIT Conductivity Imaging for Brain Tumor Detection. Computational and Mathematical Methods in Medicine, 2013, 2013, 1-10.	0.7	10
881	MRI-Based Multiscale Model for Electromagnetic Analysis in the Human Head with Implanted DBS. Computational and Mathematical Methods in Medicine, 2013, 2013, 1-12.	0.7	22

#	ARTICLE	IF	CITATIONS
882	Study of the Effects of Changing Physiological Conditions on Dielectric Properties of Breast Tissues. <i>ISRN Biomedical Imaging</i> , 2013, 2013, 1-5.	0.9	13
883	HIGH-SPEED, SIMPLIFIED DESIGN OF AN IMAGE RECEIVER FOR WIRELESS CAPSULE ENDOSCOPY. <i>Progress in Electromagnetics Research B</i> , 2013, 53, 223-239.	0.7	0
885	Review of Temperature Dependence of Thermal Properties, Dielectric Properties, and Perfusion of Biological Tissues at Hyperthermic and Ablation Temperatures. <i>Critical Reviews in Biomedical Engineering</i> , 2014, 42, 467-492.	0.5	255
886	AUTO RECONFIGURABLE PATCH ANTENNA FOR BIOMEDICAL SINGLE CHANNEL MULTI-FREQUENCY MICROWAVE RADIOMETRY APPLICATIONS. <i>Progress in Electromagnetics Research C</i> , 2014, 49, 19-29.	0.6	6
887	Changes in scalp potentials and spatial smoothing effects of inclusion of dura layer in human head models for EEG simulations. <i>Frontiers in Neuroengineering</i> , 2014, 7, 32.	4.8	34
888	Wireless Sensor and Communication Nodes with Energy Harvesting. <i>Journal of Communication Navigation Sensing and Services (CONASense)</i> , 2014, 1, 47-66.	0.2	5
889	Implemented a wireless communication system for VGA capsule endoscope. <i>Bio-Medical Materials and Engineering</i> , 2014, 24, 3539-3547.	0.4	1
890	A method for in vivo detection of abnormal subepidermal tissues based on dielectric properties. <i>Bio-Medical Materials and Engineering</i> , 2014, 24, 3455-3462.	0.4	2
891	THREE-DIMENSIONAL FAR-FIELD HOLOGRAPHIC MICROWAVE IMAGING: AN EXPERIMENTAL INVESTIGATION OF DIELECTRIC OBJECT. <i>Progress in Electromagnetics Research B</i> , 2014, 61, 169-184.	0.7	6
892	Tissue Impedance Spectroscopy and Impedance Imaging. , 2014, , 73-90.		2
893	HUYGENS PRINCIPLE BASED IMAGING OF MULTILAYERED OBJECTS WITH INCLUSIONS. <i>Progress in Electromagnetics Research B</i> , 2014, 58, 139-149.	0.7	5
894	10. Virtuelle Patienten zur Beherrschung elektro-magnetischer Risiken in der Medizin. , 0, , .		0
895	Understanding tDCS effects in schizophrenia: a systematic review of clinical data and an integrated computation modeling analysis. <i>Expert Review of Medical Devices</i> , 2014, 11, 383-394.	1.4	61
896	Effect of Anatomical Brain Development on Induced Electric Fields During Transcranial Magnetic Stimulation. <i>IEEE Transactions on Magnetics</i> , 2014, 50, 1-4.	1.2	25
897	Effects of frequency, irradiation geometry and polarisation on computation of SAR in human brain. <i>Radiation Protection Dosimetry</i> , 2014, 162, 463-468.	0.4	2
898	Influence of pregnancy stage and fetus position on the whole-body and local exposure of the fetus to RF-EMF. <i>Physics in Medicine and Biology</i> , 2014, 59, 4913-4926.	1.6	15
899	Incontinence management for the elderly: Development of a radar-based bladder volume monitor. , 2014, , .		2
900	Circularly Polarized Helical Antenna for ISM-Band Ingestible Capsule Endoscope Systems. <i>IEEE Transactions on Antennas and Propagation</i> , 2014, 62, 6027-6039.	3.1	154

#	ARTICLE	IF	CITATIONS
901	Dosimetry for biological tissues exposed to ultra-wideband microwave signals. , 2014, , .		0
902	The value and cost of complexity in predictive modelling: role of tissue anisotropic conductivity and fibre tracts in neuromodulation. Journal of Neural Engineering, 2014, 11, 036002.	1.8	52
903	Computational modeling of an endovascular approach to deep brain stimulation. Journal of Neural Engineering, 2014, 11, 026011.	1.8	31
904	Evaluation of a multi-electrode bioimpedance spectroscopy tensor probe to detect the anisotropic conductivity spectra of biological tissues. Measurement Science and Technology, 2014, 25, 075702.	1.4	19
905	Dielectric properties of tissues and their applications; state of knowledge. , 2014, , .		2
906	Improvements and artifact analysis in conductivity images using multiple internal electrodes. Physiological Measurement, 2014, 35, 1125-1135.	1.2	6
907	A microstrip antenna at UWB frequencies for body wearable wireless devices. , 2014, , .		2
908	Electrical impedance of mouse brain cortex<i>in vitro</i>from 4.7 kHz to 2.0 MHz. Physiological Measurement, 2014, 35, 267-281.	1.2	11
909	Electrical Tissue Property Imaging at Low Frequency Using MREIT. IEEE Transactions on Biomedical Engineering, 2014, 61, 1390-1399.	2.5	55
910	Dielectric properties of RF heated<i>ex vivo</i>porcine liver tissue at 480â€‰kHz: measurements and simulations. Journal Physics D: Applied Physics, 2014, 47, 485401.	1.3	14
911	Temperature- and frequency-dependent dielectric properties of biological tissues within the temperature and frequency ranges typically used for magnetic resonance imaging-guided focused ultrasound surgery. International Journal of Hyperthermia, 2014, 30, 56-65.	1.1	33
912	The MAIN Shirt: A Textile-Integrated Magnetic Induction Sensor Array. Sensors, 2014, 14, 1039-1056.	2.1	72
913	Full-body visible human project^{#x00AE} female computational phantom and its applications for biomedical electromagnetic modeling. , 2014, , .		1
914	Induced electric fields in the MAXWEL surface-based human model from exposure to external low frequency electric fields. Radiation Protection Dosimetry, 2014, 162, 244-253.	0.4	12
915	Influence of Different Geometric Representations of the Volume Conductor on Nerve Activation during Electrical Stimulation. Computational and Mathematical Methods in Medicine, 2014, 2014, 1-10.	0.7	11
916	Radiofrequency inductive probe for nonâ€œcontact dielectric characterisations of organic medium. Electronics Letters, 2014, 50, 496-497.	0.5	10
917	Imaging the electro-kinetic response of biological tissues with phase-resolved optical coherence tomography. Photonics & Lasers in Medicine, 2014, 3, .	0.3	0
918	UWB microwave imaging of the lungs: A review. , 2014, , .		9

#	ARTICLE	IF	CITATIONS
919	Possible levels on the harm at tops of brains owing to the maximum pulse energy density within brains induced by exposure of standing upright persons on the flat ground to the largest vertical extremely neighbouring electric fields around large vertical lightning return strokes to the flat ground 10/350 µs and 1/200 µs. , 2014, , .		0
920	Dielectric measurements of recinoleic acid oil for microwave cancerous treatment. , 2014, , .		0
921	Realization of Magnetic Resonance Current Density Imaging at 3 Tesla. , 2014, 2014, 1115-8.		2
923	In vivo radiofrequency heating in swine in a 3T (123.2-MHz) birdcage whole body coil. Magnetic Resonance in Medicine, 2014, 72, 1141-1150.	1.9	23
924	Assessment of electric field distribution in anisotropic cortical and subcortical regions under the influence of tDCS. Bioelectromagnetics, 2014, 35, 41-57.	0.9	36
925	Development of a Compact Rectenna for Wireless Powering of a Head-Mountable Deep Brain Stimulation Device. IEEE Journal of Translational Engineering in Health and Medicine, 2014, 2, 1-13.	2.2	38
926	A multi-pair electrode based impedance sensing biopsy needle for tissue discrimination during biopsy process. , 2014, 2014, 1695-8.		3
927	Generalized cable formalism to calculate the magnetic field of single neurons and neuronal populations. Physical Review E, 2014, 90, 042723.	0.8	12
928	Analysis of bone placements and effects of skin-fat thickness of obese in the measurement of electrical impedance myography (EIM) through finite element analysis. , 2014, , .		1
929	Modelling extracellular electrical stimulation: III. Derivation and interpretation of neural tissue equations. Journal of Neural Engineering, 2014, 11, 065004.	1.8	27
930	Electrical circuit modeling and analysis of microwave acoustic interaction with biological tissues. Medical Physics, 2014, 41, 053302.	1.6	25
931	Transcranial magnetic stimulation of mouse brain using high-resolution anatomical models. Journal of Applied Physics, 2014, 115, .	1.1	23
932	The Forward Problem of Electroarthrography: Modeling Load-Induced Electrical Potentials at the Surface of the Knee. IEEE Transactions on Biomedical Engineering, 2014, 61, 2020-2027.	2.5	6
933	Feature-space assessment of electrical impedance tomography coregistered with computed tomography in detecting multiple contrast targets. Medical Physics, 2014, 41, 061903.	1.6	7
934	Magnetic-Resonance-Based Electrical Properties Tomography: A Review. IEEE Reviews in Biomedical Engineering, 2014, 7, 87-96.	13.1	75
935	MRI of thieléembalmed human cadavers. Journal of Magnetic Resonance Imaging, 2014, 39, 576-583.	1.9	16
936	Noninvasive electrical impedance sensor for in vivo tissue discrimination at radio frequencies. Bioelectromagnetics, 2014, 35, 385-395.	0.9	9
937	Experimental validations of in vivo human musculoskeletal tissue conductivity images using MRébased electrical impedance tomography. Bioelectromagnetics, 2014, 35, 363-372.	0.9	6

#	ARTICLE	IF	CITATIONS
938	Analytical model for real time, noninvasive estimation of blood glucose level. , 2014, 2014, 5020-3.		13
939	Measurement of high-resolution mechanical contraction of cardiac muscle by induced eddy current. , 2014, 2014, 6286-9.		0
940	Microwave dielectric spectroscopy of cell membrane permeabilization with saponin on human B lymphoma cells. , 2014, , .		12
941	Dual patch antenna sensor for pneumothorax diagnosis: Sensitivity and performance study. , 2014, 2014, 4827-30.		2
942	Thermal effect of dielectrophoresis manipulation on cerebrospinal fluid. , 2014, 2014, 6187-90.		0
943	Convection-Reaction Equation Based Magnetic Resonance Electrical Properties Tomography (cr-MREPT). IEEE Transactions on Medical Imaging, 2014, 33, 777-793.	5.4	87
944	GHOSTS I: A NEW FAINT VERY ISOLATED DWARF GALAXY AT $D = 12 \pm 2$ Mpc. Astrophysical Journal, 2014, 780, 179.	1.6	8
945	Replace, Repair, Restore, Relieve – Bridging Clinical and Engineering Solutions in Neurorehabilitation. Biosystems and Biorobotics, 2014, , .	0.2	8
947	Choice of reconstructed tissue properties affects interpretation of lung EIT images. Physiological Measurement, 2014, 35, 1035-1050.	1.2	11
948	Three-dimensional radiometric aperture synthesis microscopy for security screening. , 2014, , .		1
949	Approach on simulating and measuring the SAR. , 2014, , .		0
950	A Multiple Ring Slots Ultra Wide-Band antenna (MRS-UWB) for biomedical applications. , 2014, , .		1
951	Interaction of electromagnetic fields and biological tissues. Journal of Physics: Conference Series, 2014, 534, 012062.	0.3	4
952	A comprehensive tool for image-based generation of fetus and pregnant women mesh models for numerical dosimetry studies. Physics in Medicine and Biology, 2014, 59, 4583-4602.	1.6	12
953	Electroporation in cancer therapy without insertion of electrodes. Physics in Medicine and Biology, 2014, 59, 6031-6042.	1.6	10
954	Computational Modeling Assisted Design of Optimized and Individualized Transcranial Direct Current Stimulation Protocols. , 2014, , 85-115.		4
955	Highly cited articles in Physics in Medicine and Biology. Physics in Medicine and Biology, 2014, 59, 4461-4463.	1.6	1
956	Effect of Facial Material Softness and Applied Force on Face Mask Dead Volume, Face Mask Seal, and Inhaled Corticosteroid Delivery Through an Idealized Infant Replica. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2014, 27, 290-298.	0.7	9

#	ARTICLE	IF	CITATIONS
957	Specific absorption rate study for wireless power links in brain-machine interface applications. , 2014, , .		0
958	Dielectric response of shelled toroidal particles carrying localized surface charge distributions. The effect of concentric and confocal shells. Bioelectrochemistry, 2014, 98, 76-86.	2.4	1
959	A Broadband Implantable and a Dual-Band On-Body Repeater Antenna: Design and Transmission Performance. IEEE Transactions on Antennas and Propagation, 2014, 62, 2899-2908.	3.1	83
960	Drilling Electrode for Real-Time Measurement of Electrical Impedance in Bone Tissues. Annals of Biomedical Engineering, 2014, 42, 579-588.	1.3	21
961	High-Performance Biodegradable/Transient Electronics on Biodegradable Polymers. Advanced Materials, 2014, 26, 3905-3911.	11.1	359
962	Materials and Designs for Wireless Epidermal Sensors of Hydration and Strain. Advanced Functional Materials, 2014, 24, 3846-3854.	7.8	263
963	Impact of brain tissue filtering on neurostimulation fields: A modeling study. NeuroImage, 2014, 85, 1048-1057.	2.1	68
964	Electrosurgery. Journal of the American Academy of Dermatology, 2014, 70, 591.e1-591.e14.	0.6	88
965	Ultra Wideband Wireless Body Area Networks. , 2014, , .		18
966	Influence of circular patched EBG substrate on SAR and far-field pattern of dipole phase-array antenna. , 2014, , .		2
967	An analysis of the gradient-induced electric fields and current densities in human models when situated in a hybrid MRI-LINAC system. Physics in Medicine and Biology, 2014, 59, 233-245.	1.6	20
968	Cardiac Changes Due to Electronic Control Devices? A Computer-Based Analysis of Electrical Effects at the Human Heart Caused by an <scp>ECD</scp> Pulse Applied to the Body's Exterior. Journal of Forensic Sciences, 2014, 59, 659-664.	0.9	6
969	Modeling of the dielectric properties of trabecular bone samples at microwave frequency. Medical and Biological Engineering and Computing, 2014, 52, 439-447.	1.6	20
970	Broadband Tissue Mimicking Phantoms and a Patch Resonator for Evaluating Noninvasive Monitoring of Blood Glucose Levels. IEEE Transactions on Antennas and Propagation, 2014, 62, 3064-3075.	3.1	118
971	A computational modelling study of transcranial direct current stimulation montages used in depression. NeuroImage, 2014, 87, 332-344.	2.1	138
972	Miniaturized Dual-Band Antenna for Implantable Wireless Communications. IEEE Antennas and Wireless Propagation Letters, 2014, 13, 1160-1163.	2.4	68
973	Inovative possibility of small metal biomarker detection implanted into a human bone. , 2014, , .		0
974	Sensitivity of <scp>TATP</scp> to a <scp>TASER</scp> Electrical Output. Journal of Forensic Sciences, 2014, 59, 1638-1641.	0.9	6

#	ARTICLE	IF	CITATIONS
975	Tissue impedance measurement techniques for cancer and malignant tissue detection. , 2014, , .		0
976	Modeling of human bodies for analysis of wireless body area networks in crowds. , 2014, , .		2
977	Can tissue dielectric constant measurement aid in differentiating lymphoedema from lipoedema in women with swollen legs?. British Journal of Dermatology, 2014, 170, 96-102.	1.4	44
978	Small antenna embedded in a wrist-watch for application in telemedicine. , 2014, , .		13
979	In-vitro RF characterization of implantable telemetry system. Analog Integrated Circuits and Signal Processing, 2014, 81, 635-644.	0.9	3
980	A novel algorithm for implantable antenna design: Size and radiation performance considerations. , 2014, , .		1
981	Electrical impedance myography for the <i>in vivo</i> and <i>ex vivo</i> assessment of muscular dystrophy (<i>mdx</i>) mouse muscle. Muscle and Nerve, 2014, 49, 829-835.	1.0	44
982	Comparison of Cephalic and Extracranial Montages for Transcranial Direct Current Stimulationâ€™A Numerical Study. IEEE Transactions on Biomedical Engineering, 2014, 61, 2488-2498.	2.5	56
983	Dielectric characterisation of human tissue samples. , 2014, , .		1
984	Validation of Higher-Order Approximations and Boundary Conditions for Lossy Conducting Bodies. IEEE Transactions on Antennas and Propagation, 2014, 62, 4656-4663.	3.1	5
985	Magneto-Plethysmographic Sensor for Peripheral Blood Flow Velocity. IEEE Sensors Journal, 2014, 14, 1341-1342.	2.4	19
986	A New Head Phantom With Realistic Shape and Spatially Varying Skull Resistivity Distribution. IEEE Transactions on Biomedical Engineering, 2014, 61, 254-263.	2.5	25
987	Murine Heart Volume: Numerical Comparison and Calibration of Conductance Catheter Models. IEEE Transactions on Biomedical Engineering, 2014, 61, 2396-2405.	2.5	3
988	Electromagnetic Energy Harvesting and Wireless Power Transmission: A Unified Approach. Proceedings of the IEEE, 2014, 102, 1692-1711.	16.4	177
989	Toward Online Adaptive Hyperthermia Treatment Planning: Correlation Between Measured and Simulated Specific Absorption Rate Changes Caused by Phase Steering in Patients. International Journal of Radiation Oncology Biology Physics, 2014, 90, 438-445.	0.4	39
990	Influence of physiological sources on the impedance cardiogram analyzed using 4D FEM simulations. Physiological Measurement, 2014, 35, 1451-1468.	1.2	15
991	An FFT-Accelerated Integral-Equation Solver for Analyzing Scattering in Rectangular Cavities. IEEE Transactions on Microwave Theory and Techniques, 2014, 62, 1930-1942.	2.9	15
992	A Self-Tuning Adaptive Controller for 3-D Image-Guided Ultrasound Cancer Therapy. IEEE Transactions on Biomedical Engineering, 2014, 61, 911-919.	2.5	2

#	ARTICLE	IF	CITATIONS
993	Dielectric property measurements of biological tissues: Recent activities for development of a novel database. , 2014, , .		0
994	Hyperthermia Therapy for Cancer. , 2014, , 115-151.		7
995	Evaluation of single cell electrical parameters from bioimpedance of a cell suspension. RSC Advances, 2014, 4, 18178-18185.	1.7	35
996	Numerical Safety Study of Currents Induced in the Patient During Rotations in the Static Field Produced by a Hybrid MRI-LINAC System. IEEE Transactions on Biomedical Engineering, 2014, 61, 784-793.	2.5	10
997	Enhanced polarization of hydroxyapatite using the design concept of functionally graded materials with sodium potassium niobate. RSC Advances, 2014, 4, 24601-24611.	1.7	32
998	Biodegradable electroactive polymers for electrochemically-triggered drug delivery. Journal of Materials Chemistry B, 2014, 2, 6809-6822.	2.9	68
999	A proposal to monitor muscle contraction through the change of electrical impedance inside a muscle. , 2014, , .		3
1000	Coil Design for Neuromuscular Magnetic Stimulation Based on a Detailed 3-D Thigh Model. IEEE Transactions on Magnetics, 2014, 50, 1-10.	1.2	6
1002	Simulating Transcranial Direct Current Stimulation With a Detailed Anisotropic Human Head Model. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2014, 22, 441-452.	2.7	172
1003	Sensing Depth of Microwave Radiation for Internal Body Temperature Measurement. IEEE Transactions on Antennas and Propagation, 2014, 62, 1293-1303.	3.1	24
1004	Parametric analysis of transient skin heating induced by terahertz radiation. Bioelectromagnetics, 2014, 35, 314-323.	0.9	9
1005	A review of radio channel models for body centric communications. Radio Science, 2014, 49, 371-388.	0.8	80
1006	Tissue-Mimicking Gel Phantoms for Thermal Therapy Studies. Ultrasonic Imaging, 2014, 36, 291-316.	1.4	76
1007	Measurement of the dielectric properties of the epidermis and dermis at frequencies from 0.5 GHz to 110 GHz. Physics in Medicine and Biology, 2014, 59, 4739-4747.	1.6	61
1008	Development of best fit Cole-Cole parameters for measurement data from biological tissues and organs between 1 MHz and 20 GHz. Radio Science, 2014, 49, 459-472.	0.8	36
1009	High electrical permittivity of ultrapure water at the waterâ€“platinum interface. Chemical Physics Letters, 2014, 613, 19-23.	1.2	5
1010	Microwave open-ended coaxial dielectric probe: interpretation of the sensing volume re-visited. BMC Medical Physics, 2014, 14, 3.	2.4	63
1011	Development of a High SAR Conformal Antenna for Hyperthermia Tumors Treatment. IEEE Transactions on Antennas and Propagation, 2014, 62, 5830-5840.	3.1	23

#	ARTICLE	IF	CITATIONS
1012	The Correlation Between Dielectric Properties and Microstructure of Femoral Bone in Rats with Different Bone Qualities. <i>Annals of Biomedical Engineering</i> , 2014, 42, 1238-1249.	1.3	10
1013	Electromagnetic Effects of IR-UWB Implant Communication. , 2014, , 145-169.		0
1014	Implantable Antennas: A Tutorial on Design, Fabrication, and In Vitro/In Vivo Testing. <i>IEEE Microwave Magazine</i> , 2014, 15, 77-91.	0.7	57
1015	Accurate Localization of In-Body Medical Implants Based on Spatial Sparsity. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 590-597.	2.5	49
1016	Azadirachta indica Modulates Electrical Properties and Type of Cell Death in NDEA-Induced Hepatic Tumors. <i>Cell Biochemistry and Biophysics</i> , 2014, 70, 383-390.	0.9	6
1018	Thermoelectrical Modeling of Bipolar Coagulation on Posterior Spinal Artery in a Porcine Spinal Surgery Model. <i>IEEE Transactions on Biomedical Engineering</i> , 2014, 61, 182-188.	2.5	9
1019	Gold nanoparticle modified capacitive sensor platform for multiple marker detection. <i>Talanta</i> , 2014, 118, 270-276.	2.9	55
1020	Dual-source parallel radiofrequency transmission for magnetic resonance breast imaging at 3T: Any added clinical value?. <i>Magnetic Resonance Imaging</i> , 2014, 32, 523-528.	1.0	6
1021	Quantifying the Combined Effect of Radiation Therapy and Hyperthermia in Terms of Equivalent Dose Distributions. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 88, 739-745.	0.4	60
1022	Multi-Frequency Electrical Impedance Tomography System With Automatic Self-Calibration for Long-Term Monitoring. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2014, 8, 119-128.	2.7	101
1023	A Compact Double-Layer On-Body Matched Bowtie Antenna for Medical Diagnosis. <i>IEEE Transactions on Antennas and Propagation</i> , 2014, 62, 1808-1816.	3.1	116
1024	Accurate tumor localization and tracking in radiation therapy using wireless body sensor networks. <i>Computers in Biology and Medicine</i> , 2014, 50, 41-48.	3.9	2
1025	Design and Characterization of Wireless Power Links for Brain-Machine Interface Applications. <i>IEEE Transactions on Power Electronics</i> , 2014, 29, 5462-5471.	5.4	105
1026	Exogenous contrast agents for thermoacoustic imaging: An investigation into the underlying sources of contrast. <i>Medical Physics</i> , 2015, 42, 170-181.	1.6	26
1027	Imaging of electro-kinetic properties of tissue using the amplitude and the phase of optical coherence tomography. <i>Proceedings of SPIE</i> , 2014, , .	0.8	0
1028	Guidelines for Limiting Exposure to Electric Fields Induced by Movement of the Human Body in a Static Magnetic Field and by Time-Varying Magnetic Fields below 1 Hz. <i>Health Physics</i> , 2014, 106, 418-425.	0.3	121
1029	Dosimetric study of fetal exposure to uniform magnetic fields at 50%Hz. <i>Bioelectromagnetics</i> , 2014, 35, 580-597.	0.9	23
1030	Magnetic Resonance Electrical Impedance Tomography. <i>Modelling and Simulation in Medical Imaging</i> , 2014, , 77-190.	0.0	0

#	ARTICLE	IF	CITATIONS
1031	Medical radar considerations for detecting and monitoring Crohn's disease. , 2014, , .		1
1032	Reference system for basic-restrictions related evaluation of magnetic field exposure an approach by the example of resistance welding equipment. , 2014, , .		0
1033	Numerical studies for Hall Effect Imaging using linear phased array transducer. , 2014, , .		0
1034	Transmission lines effects on charging system for on-line electric vehicle sharing the same corridor. , 2015, , .		0
1035	Sub-1 GHz far-field powering of implantable medical devices: Design and safety considerations. , 2015, , .		8
1036	Gradient-based electrical properties tomography (gEPT): A robust method for mapping electrical properties of biological tissues in vivo using magnetic resonance imaging. Magnetic Resonance in Medicine, 2015, 74, 634-646.	1.9	80
1037	Specific absorption rate in neonates undergoing magnetic resonance procedures at 1.5T and 3T. NMR in Biomedicine, 2015, 28, 344-352.	1.6	23
1038	Mathematical Modeling of Mechanical Vibration-Assisted Conductivity Imaging. SIAM Journal on Applied Mathematics, 2015, 75, 1031-1046.	0.8	2
1039	Miniaturized differentially fed dual-band implantable antenna: Design, realization, and in vitro test. Radio Science, 2015, 50, 959-967.	0.8	11
1040	Modeling the positioning of single needle electrodes for the treatment of breast cancer in a clinical case. BioMedical Engineering OnLine, 2015, 14, S1.	1.3	26
1041	A Polynomial Chaos Method for Dispersive Electromagnetics. Communications in Computational Physics, 2015, 18, 1234-1263.	0.7	9
1042	Bone mineral density analysis using ultra wideband microwave measurements. , 2015, , .		7
1043	Developing realistic 3D numerical conductivity and permittivity phantom of the human forearm from 10 Hz to 0.1 THz. , 2015, , .		0
1044	Regional hyperthermia of the abdomen, a pilot study towards the treatment of peritoneal carcinomatosis. Radiation Oncology, 2015, 10, 157.	1.2	12
1045	On the thermal effect induced in tissue samples exposed to extremely low-frequency electromagnetic field. Journal of Environmental Health Science & Engineering, 2015, 13, 85.	1.4	7
1046	Conducting polymer-based multilayer films for instructive biomaterial coatings. Future Science OA, 2015, 1, FSO79.	0.9	12
1047	Determination of loss tangent of human tear film at 9.8GHz. AIP Conference Proceedings, 2015, , .	0.3	0
1048	Brain modeling of individual subjects and eddy current analyses using the scalar-potential finite-difference methods for transcranial magnetic stimulation. Nihon AEM Gakkaishi, 2015, 23, 374-379.	0.0	0

#	ARTICLE	IF	CITATIONS
1049	Theoretical presentation of permeability of biological tissues. , 2015, , .		2
1050	Response of personal exposimeters for exposure assessment in the GSM900 downlink band. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2015, 34, 1076-1084.	0.5	1
1051	Instructive Conductive 3D Silk Foamâ€Based Bone Tissue Scaffolds Enable Electrical Stimulation of Stem Cells for Enhanced Osteogenic Differentiation. Macromolecular Bioscience, 2015, 15, 1490-1496.	2.1	46
1052	Transient interaction model of electromagnetic field generated by lightning current pulses and human body. Journal of Physics: Conference Series, 2015, 646, 012004.	0.3	1
1053	Fifty Years of Technological Innovation. Investigative Radiology, 2015, 50, 584-593.	3.5	24
1054	Numerical Model of Dog Mast Cell Tumor Treated by Electrochemotherapy. Artificial Organs, 2015, 39, 192-197.	1.0	23
1055	Determination of the Thickness of a Resistive Material Layer in a Finite Volume Conductor using Focused Impedance Method (FIM) Â– a simulation study. Bangladesh Journal of Medical Physics, 2015, 7, 8-23.	0.2	2
1056	Jaundice Assesment of Newborn Baby: A Short Review on Kramelâ€™s Rule and Magnetic Induction Spectroscopy. Jurnal Teknologi (Sciences and Engineering), 2015, 73, .	0.3	1
1057	INTER-SUBJECT VARIABILITY EVALUATION TOWARDS A ROBUST MICROWAVE SENSOR FOR PNEUMOTHORAX DIAGNOSIS. Progress in Electromagnetics Research M, 2015, 42, 61-70.	0.5	5
1058	New derivation method and simulation of skin effect in biological tissue. Bio-Medical Materials and Engineering, 2015, 26, S429-S437.	0.4	1
1059	DESIGN OF WIDEBAND MONOPOLE ANTENNA LOADED WITH SMALL SPIRAL FOR USING IN WIRELESS CAPSULE ENDOSCOPY SYSTEMS. Progress in Electromagnetics Research C, 2015, 59, 71-78.	0.6	6
1060	Change in Temperature of Skin, Blood, Muscle and Bone Tissues Due to Mobile Phone Radiations at Frequencies 800, 900, 1800 and 2450 MHz. American Journal of Engineering and Applied Sciences, 2015, 8, 390-398.	0.3	0
1061	Assessment of Foetal Exposure to the Homogeneous Magnetic Field Harmonic Spectrum Generated by Electricity Transmission and Distribution Networks. International Journal of Environmental Research and Public Health, 2015, 12, 3667-3690.	1.2	13
1062	Study of the Influence of the Orientation of a 50-Hz Magnetic Field on Fetal Exposure Using Polynomial Chaos Decomposition. International Journal of Environmental Research and Public Health, 2015, 12, 5934-5953.	1.2	17
1063	Single Cell Electrical Characterization Techniques. International Journal of Molecular Sciences, 2015, 16, 12686-12712.	1.8	70
1064	A Study of Dielectric Properties of Proteinuria between 0.2 GHz and 50 GHz. PLoS ONE, 2015, 10, e0130011.	1.1	11
1065	A Computational Model for Real-Time Calculation of Electric Field due to Transcranial Magnetic Stimulation in Clinics. International Journal of Antennas and Propagation, 2015, 2015, 1-11.	0.7	27
1066	Magnetic Induction Tomography: A Brief Review. Jurnal Teknologi (Sciences and Engineering), 2015, 73, .	0.3	8

#	ARTICLE	IF	CITATIONS
1067	Dielectric analysis of heterogeneous biological tissues based on mixing rule. <i>Bio-Medical Materials and Engineering</i> , 2015, 26, S439-S445.	0.4	1
1068	FULL WAVE MODELING OF BRAIN WAVES AS ELECTROMAGNETIC WAVES (Invited Paper). <i>Progress in Electromagnetics Research</i> , 2015, 151, 95-107.	1.6	5
1069	Dont Sweat It: Treating Hyperhidrosis with Microwaves. <i>IEEE Microwave Magazine</i> , 2015, 16, 31-38.	0.7	1
1070	On the Opportunities and Challenges in Microwave Medical Sensing and Imaging. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 1667-1682.	2.5	275
1071	Microwaving Biological Cells: Intracellular Analysis with Microwave Dielectric Spectroscopy. <i>IEEE Microwave Magazine</i> , 2015, 16, 87-96.	0.7	79
1072	Electric Field Model of Transcranial Electric Stimulation in Nonhuman Primates: Correspondence to Individual Motor Threshold. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2095-2105.	2.5	42
1073	Design and characterization of a conductive nanostructured polypyrrole- ϵ -polycaprolactone coated magnesium/PLGA composite for tissue engineering scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 2966-2973.	2.1	25
1074	Additively Manufactured Nanotechnology and Origami-Enabled Flexible Microwave Electronics. <i>Proceedings of the IEEE</i> , 2015, 103, 583-606.	16.4	79
1075	Label free sensing of creatinine using a 6 GHz CMOS near-field dielectric immunosensor. <i>Analyst, The</i> , 2015, 140, 3019-3027.	1.7	13
1076	Bioelectromagnetic effects measurements of SAR and induced current. <i>Bio-Medical Materials and Engineering</i> , 2015, 25, 1-7.	0.4	1
1077	A mixed frequency approach to optimize locoregional RF hyperthermia. , 2015, , .		0
1078	Electric field in the presence of humans. , 2015, , .		2
1079	Reactive near field electromagnetic axonal communication channels and their role in neurodegenerative diseases. , 2015, 2015, 2307-10.		2
1080	3-D Radiometric Aperture Synthesis Imaging. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015, 63, 3579-3587.	2.9	27
1081	Current state of the art of regional hyperthermia treatment planning: a review. <i>Radiation Oncology</i> , 2015, 10, 196.	1.2	122
1082	Full-wave simulation of propagation in human crowds. , 2015, , .		1
1083	Comparison of Therapeutic Magnetic Stimulation With Electric Stimulation of Spinal Column Vertebrae. <i>IEEE Transactions on Magnetics</i> , 2015, 51, 1-9.	1.2	10
1084	Single-coil magnetic induction tomographic three-dimensional imaging. <i>Journal of Medical Imaging</i> , 2015, 2, 013502.	0.8	16

#	ARTICLE	IF	CITATIONS
1085	Screening vehicles for stowaways using aperture synthesis passive millimetre wave imaging. Proceedings of SPIE, 2015, , .	0.8	0
1086	Rapid non-contact relative permittivity measurement of fruits and vegetables using magnetic induction spectroscopy. , 2015, , .		4
1087	Use of electric field orientation as an index for estimating the contribution of model complexity in transcranial direct current stimulation forward head model development. IET Science, Measurement and Technology, 2015, 9, 596-605.	0.9	3
1088	Measurement of the dielectric properties of the skin at frequencies from 0.5 GHz to 1 THz using several measurement systems. , 2015, , .		8
1089	Uncertainty Analysis in Transcranial Magnetic Stimulation Using Nonintrusive Polynomial Chaos Expansion. IEEE Transactions on Magnetics, 2015, 51, 1-8.	1.2	21
1090	K-Band BiCMOS based near-field biomedical dielectric sensor for Detection of fat and calcium in blood. , 2015, , .		6
1091	A regularised boundary element formulation for contactless SAR evaluations within homogeneous and inhomogeneous head phantoms. Comptes Rendus Physique, 2015, 16, 776-788.	0.3	18
1092	Optimization of tissue physical parameters for accurate temperature estimation from finite-element simulation of radiofrequency ablation. Physics in Medicine and Biology, 2015, 60, N345-N355.	1.6	4
1093	Design of Bioimpedance Spectroscopy Instrument With Compensation Techniques for Soft Tissue Characterization. Journal of Medical Devices, Transactions of the ASME, 2015, 9, 0210011-210018.	0.4	11
1094	Miniaturized scalp-implantable antenna for wireless biotelemetry. , 2015, , .		3
1095	Impact of head morphology on local brain specific absorption rate from exposure to mobile phone radiation. Bioelectromagnetics, 2015, 36, 66-76.	0.9	18
1096	The effects of long-term exposure to a 2450â€‰MHz electromagnetic field on growth and pubertal development in female Wistar rats. Electromagnetic Biology and Medicine, 2015, 34, 63-71.	0.7	20
1097	<i>Ex vivo</i> electrical impedance measurements on excised hepatic tissue from human patients with metastatic colorectal cancer. Physiological Measurement, 2015, 36, 315-328.	1.2	41
1098	Theoretical Analysis of the Effect of Temperature on Current Delivery to the Brain During tDCS. Brain Stimulation, 2015, 8, 509-514.	0.7	9
1099	Determinants of the electric field during transcranial direct current stimulation. NeuroImage, 2015, 109, 140-150.	2.1	529
1100	A Dielectric Model of Human Breast Tissue in Terahertz Regime. IEEE Transactions on Biomedical Engineering, 2015, 62, 699-707.	2.5	59
1101	Too Much Pressure: Wireless Intracranial Pressure Monitoring and Its Application in Traumatic Brain Injuries. IEEE Microwave Magazine, 2015, 16, 39-53.	0.7	27
1102	Non-contact multi-frequency magnetic induction spectroscopy system for industrial-scale bio-impedance measurement. Measurement Science and Technology, 2015, 26, 035102.	1.4	41

#	ARTICLE	IF	CITATIONS
1103	Derivation of baseline lung impedance in chronic heart failure patients: use for monitoring pulmonary congestion and predicting admissions for decompensation. <i>Journal of Clinical Monitoring and Computing</i> , 2015, 29, 341-349.	0.7	20
1104	AC Electrokinetics of Physiological Fluids for Biomedical Applications. <i>Journal of the Association for Laboratory Automation</i> , 2015, 20, 611-620.	2.8	40
1105	CSI-EPT: A Contrast Source Inversion Approach for Improved MRI-Based Electric Properties Tomography. <i>IEEE Transactions on Medical Imaging</i> , 2015, 34, 1788-1796.	5.4	86
1106	Safe for Generations to Come: Considerations of Safety for Millimeter Waves in Wireless Communications. <i>IEEE Microwave Magazine</i> , 2015, 16, 65-84.	0.7	180
1107	Effect of dielectric interface on charge aggregation in the voltage-gated K ⁺ ion channel. <i>Journal of Natural Science, Biology and Medicine</i> , 2015, 6, 188.	1.0	1
1108	Dielectric relaxation in non-polar nematic liquid crystal devices. <i>European Physical Journal Plus</i> , 2015, 130, 1.	1.2	6
1109	Determination of burn depth in the ablation of atrial fibrillation using an open-ended coaxial probe. <i>Sensors and Actuators B: Chemical</i> , 2015, 209, 1097-1101.	4.0	4
1110	Millimeter-Wave Tissue Diagnosis: The Most Promising Fields for Medical Applications. <i>IEEE Microwave Magazine</i> , 2015, 16, 97-113.	0.7	81
1111	Performance assessment of wireless power transfer links for implantable microsystems. , 2015, , .		1
1112	Identifying least affected parameters in analyzing Electrical Impedance Myography with alteration in subcutaneous fat thickness via finite element model. , 2015, , .		4
1113	Study of the application of dielectric spectroscopy to predict the water activity of meat during drying process. <i>Journal of Food Engineering</i> , 2015, 166, 285-290.	2.7	27
1114	Dielectric Properties Data. , 2015, , 211-246.		12
1115	Electromagnetic induction tomography. , 2015, , 61-107.		9
1116	Peptide-directed assembly of functional supramolecular polymers for biomedical applications: electroactive molecular tongue-twisters (oligoalanineâ€œoligoanilineâ€œoligoalanine) for electrochemically enhanced drug delivery. <i>Journal of Materials Chemistry B</i> , 2015, 3, 5005-5009.	2.9	31
1117	Correlation between alveolar ventilation and electrical properties of lung parenchyma. <i>Physiological Measurement</i> , 2015, 36, 1211-1226.	1.2	23
1118	Peripheral Nerve Interfaces. , 2015, , 1033-1054.		3
1119	A compact ultraminiature coaxial fed antenna for WMTS biotelemetry applications. <i>Microwave and Optical Technology Letters</i> , 2015, 57, 987-992.	0.9	5
1120	A human-phantom coupling experiment and a dispersive simulation model for investigating the variation of dielectric properties of biological tissues. <i>Computers in Biology and Medicine</i> , 2015, 61, 144-149.	3.9	9

#	ARTICLE	IF	CITATIONS
1121	In silico validation procedure for cell volume fraction estimation through dielectric spectroscopy. Journal of Biological Physics, 2015, 41, 223-234.	0.7	14
1122	Propagation of electromagnetic waves in biological media: Refraction at interfaces. Technical Physics Letters, 2015, 41, 270-272.	0.2	6
1123	Multiple-antenna microwave ablation: analysis of non-parallel antenna implants. Proceedings of SPIE, 2015, , .	0.8	5
1124	Electromagnetic Radiation “ Environmental Indicators in Our Surroundings. , 2015, , 1011-1024.		1
1125	Study about the damaged mechanism of the patterned perpendicular magnetic tunnel junctions by hydrogen ion treatments. Japanese Journal of Applied Physics, 2015, 54, 04DM07.	0.8	2
1126	3D Microendoscopic Electrical Impedance Tomography for Margin Assessment During Robot-Assisted Laparoscopic Prostatectomy. IEEE Transactions on Medical Imaging, 2015, 34, 1590-1601.	5.4	21
1127	On-Body Calibration and Measurements Using a Personal, Distributed Exposimeter for Wireless Fidelity. Health Physics, 2015, 108, 407-418.	0.3	16
1128	A Feasibility Study on the Adoption of Human Body Communication for Medical Service. IEEE Transactions on Circuits and Systems II: Express Briefs, 2015, 62, 169-173.	2.2	16
1129	Analysis of Transcranial Magnetic Stimulation Based on the Surface Integral Equation Formulation. IEEE Transactions on Biomedical Engineering, 2015, 62, 1535-1545.	2.5	34
1130	A depthwise averaging solution for cross-stream diffusion in a Y-micromixer by considering thick electrical double layers and nonlinear rheology. Microfluidics and Nanofluidics, 2015, 19, 1297-1308.	1.0	13
1131	Resistivity coefficients for body composition analysis using bioimpedance spectroscopy: effects of body dominance and mixture theory algorithm. Physiological Measurement, 2015, 36, 1529-1549.	1.2	38
1132	The human body and millimeter-wave wireless communication systems: Interactions and implications. , 2015, , .		120
1133	Assessment of computational tools for MRI RF dosimetry by comparison with measurements on a laboratory phantom. Physics in Medicine and Biology, 2015, 60, 5655-5680.	1.6	18
1134	Effects of frequency-dependent membrane capacitance on neural excitability. Journal of Neural Engineering, 2015, 12, 056015.	1.8	27
1135	An Efficient Approach to Estimate MRI RF Field Induced <i>In Vivo</i> Heating for Small Medical Implants. IEEE Transactions on Electromagnetic Compatibility, 2015, 57, 643-650.	1.4	17
1136	Analyzing temperature dependence of Electrical Impedance Myography parameters using finite element model. , 2015, , .		1
1137	Characteristics of bowl-shaped coils for transcranial magnetic stimulation. Journal of Applied Physics, 2015, 117, 17A318.	1.1	6
1138	Study of the exposure of 1 year-old infant to 3G tablet and femtocell using Polynomial Chaos theory. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
1139	Experimental and Analytical Comparisons of Tissue Dielectric Constant (TDC) and Bioimpedance Spectroscopy (BIS) in Assessment of Early Arm Lymphedema in Breast Cancer Patients after Axillary Surgery and Radiotherapy. <i>Lymphatic Research and Biology</i> , 2015, 13, 176-185.	0.5	76
1140	Design of a Quad Band Microstrip Antenna for Wearable Wireless Devices and investigations on substrate types and performance at various body sites. , 2015, , .		7
1141	Influence of Temperature and Solvent Content on Electrical Properties of Sunflower Seed Cake. <i>Journal of Food Processing and Preservation</i> , 2015, 39, 3092-3097.	0.9	8
1142	Electrical impedance spectroscopy for biotissue differentiation using bipolar electrodes positioned at the end of a hypodermic needle. , 2015, , .		3
1143	An Evidence-Based Review of Alternating Electric Fields Therapy for Malignant Gliomas. <i>Current Treatment Options in Oncology</i> , 2015, 16, 40.	1.3	24
1144	Design of implantable patch antenna for biomedical application. , 2015, , .		1
1145	Dielectric properties of glycosuria at 0.2-50 GHz using microwave spectroscopy. <i>Journal of Electromagnetic Waves and Applications</i> , 2015, 29, 2278-2292.	1.0	7
1146	Evaluation of a high sensitivity radiofrequency inductive probe for the non-contact sensing of dielectric properties of organic media. , 2015, , .		0
1147	Dielectric Properties of Urine for Diabetes Mellitus and Chronic Kidney Disease between 0.2 GHz and 50 GHz. <i>IFMBE Proceedings</i> , 2015, , 1257-1260.	0.2	3
1148	SAR distribution for a strongly coupled resonant wireless power transfer system. , 2015, , .		2
1149	Non-iterative beamforming based on Huygens principle for multistatic ultrawide band radar: application to breast imaging. <i>IET Microwaves, Antennas and Propagation</i> , 2015, 9, 1233-1240.	0.7	22
1150	mmWave Phased Array in Mobile Terminal for 5G Mobile System with Consideration of Hand Effect. , 2015, , .		22
1151	Computational Study Toward Deep Transcranial Magnetic Stimulation Using Coaxial Circular Coils. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2911-2919.	2.5	21
1152	Multi-GPU Accelerated Admittance Method for High-Resolution Human Exposure Evaluation. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2920-2930.	2.5	5
1153	Impact of Gas Hydrate Formation/Dissociation on Water-in-Crude Oil Emulsion Properties Studied by Dielectric Measurements. <i>Energy & Fuels</i> , 2015, 29, 43-51.	2.5	8
1154	Bandwidth Enhancement of an Implantable Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015, 14, 1510-1513.	2.4	60
1155	Direct metal micropatterning on needle-type structures towards bioimpedance and chemical sensing applications. <i>Journal of Micromechanics and Microengineering</i> , 2015, 25, 015002.	1.5	9
1156	Optimizing electrical impedance myography measurements by using a multifrequency ratio: A study in Duchenne muscular dystrophy. <i>Clinical Neurophysiology</i> , 2015, 126, 202-208.	0.7	39

#	ARTICLE	IF	CITATIONS
1157	Wireless Energy Transfer: Touch/Proximity/Hover Sensing for Large Contoured Displays and Industrial Applications. IEEE Sensors Journal, 2015, 15, 2062-2068.	2.4	8
1159	Active Electrode IC for EEG and Electrical Impedance Tomography With Continuous Monitoring of Contact Impedance. IEEE Transactions on Biomedical Circuits and Systems, 2015, 9, 21-33.	2.7	75
1160	A SIMULATION STUDY OF SINGLE CELL INSIDE AN INTEGRATED DUAL NANONEEDLE-MICROFLUIDIC SYSTEM. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	1
1162	Parametric Electrical Modelling of Human Forearm Simulation Response Using Multi-Frequency Electrical Bioimpedance. Journal of Biosensors & Bioelectronics, 2016, 7, .	0.4	3
1163	A DUAL-BAND MEANDERED DIPOLE ANTENNA FOR MEDICAL TELEMETRY APPLICATIONS. Progress in Electromagnetics Research C, 2016, 63, 85-94.	0.6	3
1164	AN INVESTIGATION INTO ELECTROMAGNETIC BASED IMPEDANCE TOMOGRAPHY USING REALISTIC HUMAN HEAD MODEL. International Journal of Pharmacy and Pharmaceutical Sciences, 2016, 8, 35.	0.3	8
1165	THERMAL DISTRIBUTION BASED INVESTIGATIONS ON ELECTROMAGNETIC INTERACTIONS WITH THE HUMAN BODY FOR WEARABLE WIRELESS DEVICES. Progress in Electromagnetics Research M, 2016, 50, 141-150.	0.5	3
1166	ANALYSIS OF MICROWAVE SCATTERING FROM A REALISTIC HUMAN HEAD MODEL FOR BRAIN STROKE DETECTION USING ELECTROMAGNETIC IMPEDANCE TOMOGRAPHY. Progress in Electromagnetics Research M, 2016, 52, 45-56.	0.5	10
1167	SiC RF Antennas for In Vivo Glucose Monitoring and WiFi Applications. , 2016, , 179-205.		0
1168	Assessment of Optimized Electrode Configuration for Electrical Impedance Myography Using Genetic Algorithm via Finite Element Model. Journal of Medical Engineering, 2016, 2016, 1-7.	1.1	8
1169	Model-Based Comparison of Deep Brain Stimulation Array Functionality with Varying Number of Radial Electrodes and Machine Learning Feature Sets. Frontiers in Computational Neuroscience, 2016, 10, 58.	1.2	33
1170	Patient-Specific Electric Field Simulations and Acceleration Measurements for Objective Analysis of Intraoperative Stimulation Tests in the Thalamus. Frontiers in Human Neuroscience, 2016, 10, 577.	1.0	17
1171	A Personal, Distributed Exposimeter: Procedure for Design, Calibration, Validation, and Application. Sensors, 2016, 16, 180.	2.1	10
1172	Adaptive Transcutaneous Power Transfer to Implantable Devices: A State of the Art Review. Sensors, 2016, 16, 393.	2.1	97
1173	Wearable Multi-Frequency and Multi-Segment Bioelectrical Impedance Spectroscopy for Unobtrusively Tracking Body Fluid Shifts during Physical Activity in Real-Field Applications: A Preliminary Study. Sensors, 2016, 16, 673.	2.1	23
1174	Review of the Dielectric Properties of Animal and Human Tumors Determined from In Vivo Measurements. Critical Reviews in Biomedical Engineering, 2016, 44, 293-318.	0.5	2
1175	Plasma-Tissue Interactions in Argon Plasma Coagulation: Effects of Power and Tissue Resistance. Plasma Medicine, 2016, 6, 125-134.	0.2	2
1176	Dielectric polarization transients in biological tissue moving in a static magnetic field. Bioelectromagnetics, 2016, 37, 409-422.	0.9	1

#	ARTICLE	IF	CITATIONS
1177	A cortical bone phantom with accurate permittivity at 100 kHz. Biomedical Physics and Engineering Express, 2016, 2, 015004.	0.6	0
1178	Analysis of radio frequency power transmission between in/on-body beam-reconfigurable antennas in the medradio band. Microwave and Optical Technology Letters, 2016, 58, 1163-1169.	0.9	0
1179	Conductivities of epidermis, dermis, and subcutaneous tissue at intermediate frequencies. Physics in Medicine and Biology, 2016, 61, 4376-4389.	1.6	65
1180	Dielectric properties measurements of brown and white adipose tissue in rats from 0.5 to 10 GHz. Biomedical Physics and Engineering Express, 2016, 2, 025005.	0.6	3
1181	VHF-induced thermoacoustic imaging of fresh human prostates using a clinical ultrasound transducer array. , 2016, , .		4
1182	Real-time and on-line monitoring of morphological cell parameters using electrical impedance spectroscopy measurements. Journal of Chemical Technology and Biotechnology, 2016, 91, 1755-1762.	1.6	17
1183	MR-based conductivity imaging using multiple receiver coils. Magnetic Resonance in Medicine, 2016, 76, 530-539.	1.9	41
1184	Exposure assessment of one-year-old child to 3G tablet in uplink mode and to 3G femtocell in downlink mode using polynomial chaos decomposition. Physics in Medicine and Biology, 2016, 61, 3237-3257.	1.6	11
1185	Micro Electrical Impedance Spectroscopy ($\frac{1}{4}$ EIS) Fabricated on the Curved Surface of a Fine Needle for Biotissue Discrimination. Electroanalysis, 2016, 28, 733-741.	1.5	6
1186	Alternating steady state free precession for estimation of current-induced magnetic flux density: A feasibility study. Magnetic Resonance in Medicine, 2016, 75, 2009-2019.	1.9	10
1187	Quantitative analysis of the reconstruction errors of the currently popular algorithm of magnetic resonance electrical property tomography at the interfaces of adjacent tissues. NMR in Biomedicine, 2016, 29, 744-750.	1.6	26
1188	<i>In vivo</i> bioimpedance changes during haemorrhagic and ischaemic stroke in rats: towards 3D stroke imaging using electrical impedance tomography. Physiological Measurement, 2016, 37, 765-784.	1.2	31
1189	Detection of small bleeds in the brain with electrical impedance tomography. Physiological Measurement, 2016, 37, 727-750.	1.2	23
1190	A 3D reconstruction algorithm for magneto-acoustic tomography with magnetic induction based on ultrasound transducer characteristics. Physics in Medicine and Biology, 2016, 61, 8762-8778.	1.6	8
1191	Design and measurement of a flexible implantable stripline-fed slot antenna for biomedical applications. , 2016, , .		8
1192	Investigation of electrochemical characterization of agarose gel for model of human head correlated to lightning currents. , 2016, , .		0
1193	Development of magnetic induction spectroscopy system in biomedical application to detect jaundice. AIP Conference Proceedings, 2016, , .	0.3	1
1194	An empirical model of UWB large-scale signal fading in neocortical research. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
1195	Biocompatibility analysis of a battery less back-mountable DBS device. , 2016, , .		0
1196	3D model simulation on magnetic induction spectroscopy for fetal acidosis detection using COMSOL multiphysics. AIP Conference Proceedings, 2016, , .	0.3	2
1197	Electrolysis-induced bubbling in soft solids for elastic-wave generation. Applied Physics Letters, 2016, 108, .	1.5	5
1198	Tailor-Made Tissue Phantoms Based on Acetonitrile Solutions for Microwave Applications up to 18 GHz. IEEE Transactions on Microwave Theory and Techniques, 2016, 64, 3987-3994.	2.9	26
1199	Modelling of the electric field distribution in the brain during tDCS. Russian Journal of Numerical Analysis and Mathematical Modelling, 2016, 31, .	0.2	4
1200	Transmission mechanisms with variable tissue properties in a paired electrode system for transcutaneous power. , 2016, , .		1
1201	Do mathematical model studies settle the controversy on the origin of cardiac synchronous trans-thoracic electrical impedance variations? A systematic review. Physiological Measurement, 2016, 37, R88-R108.	1.2	13
1202	Effect of dispersive and high precision age-dependent dielectric properties on SAR assessments. , 2016, , .		1
1203	Dielectric characterization of healthy and malignant colon tissues in the 0.5â€“18 GHz frequency band. Physics in Medicine and Biology, 2016, 61, 7334-7346.	1.6	31
1204	Use of novel thermobrachytherapy seeds for realistic prostate seed implant treatments. Medical Physics, 2016, 43, 6033-6048.	1.6	3
1205	A large-scale detailed neuronal model of electrical stimulation of the dentate gyrus and perforant path as a platform for electrode design and optimization. , 2016, 2016, 2794-2797.		5
1206	Design of microstrip antennas for glucometer application. , 2016, , .		0
1207	Coaxial antenna for microwave ablation. , 2016, , .		3
1208	Improving hyperthermia treatment planning for the pelvis by accurate fluid modeling. Medical Physics, 2016, 43, 5442-5452.	1.6	17
1209	Intracranial hemorrhage alters scalp potential distribution in bioimpedance cerebral monitoring: Preliminary results from FEM simulation on a realistic head model and human subjects. Medical Physics, 2016, 43, 675-686.	1.6	6
1210	Body coupled wideband monopole antenna. , 2016, , .		10
1211	Micro electrical impedance spectroscopy on a needle for <i>ex vivo</i> discrimination between human normal and cancer renal tissues. Biomicrofluidics, 2016, 10, 034109.	1.2	14
1212	Source separation and localization of individual superficial forearm extensor muscles using high-density surface electromyography. , 2016, , .		3

#	ARTICLE	IF	CITATIONS
1213	Lorentz force electrical impedance tomography using magnetic field measurements. <i>Physics in Medicine and Biology</i> , 2016, 61, 5887-5905.	1.6	26
1214	<i>In vivo</i> setup characterization for pulsed electromagnetic field exposure at 3 GHz. <i>Physics in Medicine and Biology</i> , 2016, 61, 5925-5941.	1.6	5
1215	A multi-layered head phantom for microwave investigations of brain hemorrhages. , 2016, , .		7
1216	Breast cancer imaging at mm-waves: Feasibility study on the safety exposure limits. , 2016, , .		4
1217	CSRR-based microwave sensor for noninvasive, continuous monitoring of renal function. , 2016, , .		5
1219	On the importance of body posture and skin modelling with respect to <i>in situ</i> electric field strengths in magnetic field exposure scenarios. <i>Physics in Medicine and Biology</i> , 2016, 61, 4412-4437.	1.6	16
1220	Analyzing the tradeoff between electrical complexity and accuracy in patient-specific computational models of deep brain stimulation. <i>Journal of Neural Engineering</i> , 2016, 13, 036023.	1.8	56
1221	<i>In-vivo</i> intravascular intervention with parylene micro-electrode to diagnose rupture-prone atherosclerotic plaque using electrical impedance spectroscopy. , 2016, , .		0
1222	Movement Quantification in Neurological Diseases: Methods and Applications. <i>IEEE Reviews in Biomedical Engineering</i> , 2016, 9, 15-31.	13.1	31
1223	Design of a Circularly Polarized Ground Radiation Antenna for Biomedical Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2016, 64, 2535-2540.	3.1	47
1224	Biomechanics of cell membrane under low-frequency time-varying magnetic field: a shell model. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 1871-1881.	1.6	9
1225	Implantable ferrite antenna for biomedical applications. <i>Microwave and Optical Technology Letters</i> , 2016, 58, 2745-2749.	0.9	5
1226	Analysis of critical current field distribution in tissues during electrosurgical procedures. , 2016, , .		1
1227	Highly conductive and hydrated PEG-based hydrogels for the potential application of a tissue engineering scaffold. <i>Reactive and Functional Polymers</i> , 2016, 109, 15-22.	2.0	48
1228	Fibroblasts cell number density based human skin characterization at THz for in-body nanonetworks. <i>Nano Communication Networks</i> , 2016, 10, 60-67.	1.6	15
1229	Electrical Stimulation of the Human Cerebral Cortex by Extracranial Muscle Activity: Effect Quantification With Intracranial EEG and FEM Simulations. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 2552-2563.	2.5	10
1230	Development of a Navigation Tool for Revision Total Hip Surgery Based on Electrical Impedance Tomography. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2016, 65, 2748-2757.	2.4	23
1231	Microwave-heating-coupled photoacoustic radar for tissue diagnostic imaging. <i>Journal of Biomedical Optics</i> , 2016, 21, 066018.	1.4	4

#	ARTICLE	IF	CITATIONS
1232	Huygens principle based UWB microwave imaging method for skin cancer detection. , 2016, , .		13
1233	SkinTrack. , 2016, , .		98
1234	Dielectrics in Allied Disciplines. , 2016, , 347-406.		0
1235	Effects of anatomical differences on electromagnetic fields, <scp>SAR</scp>, and temperature change. Concepts in Magnetic Resonance Part B, 2016, 46, 8-18.	0.3	26
1236	A review of radiofrequency ablation: Large target tissue necrosis and mathematical modelling. Physica Medica, 2016, 32, 961-971.	0.4	75
1237	Alcohols and alcohols mixtures as liquid biofuels: A review of dielectric properties. Renewable and Sustainable Energy Reviews, 2016, 66, 556-571.	8.2	36
1239	Inter-Technology Backscatter. , 2016, , .		243
1240	Direct current stimulation over the anterior temporal areas boosts semantic processing in primary progressive aphasia. Annals of Neurology, 2016, 80, 693-707.	2.8	47
1241	1D Current Source Density (CSD) Estimation in Inverse Theory: A Unified Framework for Higher-Order Spectral Regularization of Quadrature and Expansion-Type CSD Methods. Neural Computation, 2016, 28, 1305-1355.	1.3	6
1242	Electrochemical impedance spectroscopy with interdigitated electrodes at the end of hypodermic needle for depth profiling of biotissues. Sensors and Actuators B: Chemical, 2016, 237, 984-991.	4.0	34
1243	Measurement of electrical impedance in different ex-vivo tissues. , 2016, 2016, 2311-2314.		10
1244	Modeling Electromagnetic Radiation Induced From a Piezoelectric Shear-Mode Resonator. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2016, 1, 129-138.	1.4	10
1245	An innovative therapy for peri-implantitis based on radio frequency electric current: Numerical simulation results and clinical evidence. , 2016, 2016, 5652-5655.		4
1246	THz Time-Domain Spectroscopy of Human Skin Tissue for In-Body Nanonetworks. IEEE Transactions on Terahertz Science and Technology, 2016, 6, 803-809.	2.0	30
1247	Validation of remote dielectric sensing (ReDSâ„¢) technology for quantification of lung fluid status: Comparison to high resolution chest computed tomography in patients with and without acute heart failure. International Journal of Cardiology, 2016, 221, 841-846.	0.8	74
1248	<i>In vivo</i> electric conductivity of cervical cancer patients based on B_{1}^{+} maps at 3T MRI. Physics in Medicine and Biology, 2016, 61, 1596-1607.	1.6	46
1250	Effects of tissue heterogeneity on single-coil, scanning MIT imaging. Proceedings of SPIE, 2016, , .	0.8	4
1251	Modeling of the thorax of human body at 433 MHz. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
1252	A single-fed miniaturized circularly polarized implantable antenna for ISM band biomedical application. , 2016, , .		2
1253	Implanted Antennas in Biomedical Telemetry. , 2016, , 2613-2652.		2
1255	Analytic Modeling of Neural Tissue: I. A Spherical Bidomain. Journal of Mathematical Neuroscience, 2016, 6, 9.	2.4	3
1256	MARIA M4: clinical evaluation of a prototype ultrawideband radar scanner for breast cancer detection. Journal of Medical Imaging, 2016, 3, 033502.	0.8	145
1257	Energy harvesting from electromagnetic interference induced in the human body. Electronics Letters, 2016, 52, 1881-1883.	0.5	6
1258	Spatiotemporal structure of intracranial electric fields induced by transcranial electric stimulation in humans and nonhuman primates. Scientific Reports, 2016, 6, 31236.	1.6	256
1259	Numerical examinations of simplified spondylodesis models concerning energy absorption in magnetic resonance imaging. Current Directions in Biomedical Engineering, 2016, 2, 653-658.	0.2	2
1260	Multiband Automatic Tunable Antenna System Based on the Received Power of a Probe. IEICE Transactions on Communications, 2016, E99.B, 2390-2398.	0.4	0
1261	Non-ionizing radiofrequency electromagnetic waves traversing the head can be used to detect cerebrovascular autoregulation responses. Scientific Reports, 2016, 6, 21667.	1.6	15
1262	Effect of Anatomically Realistic Full-Head Model on Activation of Cortical Neurons in Subdural Cortical Stimulationâ€”A Computational Study. Scientific Reports, 2016, 6, 27353.	1.6	25
1263	Magnetoacoustic tomography with magnetic induction (MAT-MI) for imaging electrical conductivity of biological tissue: a tutorial review. Physics in Medicine and Biology, 2016, 61, R249-R270.	1.6	37
1264	Onâ€”body calibration and measurements using personal radiofrequency exposimeters in indoor diffuse and specular environments. Bioelectromagnetics, 2016, 37, 298-309.	0.9	31
1265	Miniaturised dualâ€”band implantable antenna for wireless biotelemetry. Electronics Letters, 2016, 52, 1005-1007.	0.5	45
1266	COMPUTATIONAL ASSESSMENT OF PREGNANT WOMAN MODELS EXPOSED TO UNIFORM ELF-MAGNETIC FIELDS: COMPLIANCE WITH THE EUROPEAN CURRENT EXPOSURE REGULATIONS FOR THE GENERAL PUBLIC AND OCCUPATIONAL EXPOSURES AT 50 Hz. Radiation Protection Dosimetry, 2016, 172, 382-392.	0.4	1
1267	Wireless monitoring of the biological object state at microwave frequencies: A review. Technical Physics, 2016, 61, 1-22.	0.2	12
1268	Comparison of electric field strength and spatial distribution of electroconvulsive therapy and magnetic seizure therapy in a realistic human head model. European Psychiatry, 2016, 36, 55-64.	0.1	65
1269	Dielectric Behavior of Terrestrial Materials. Remote Sensing and Digital Image Processing, 2016, , 31-71.	0.7	0
1270	Practical phantom study of low cost portable EIT based cancer screening device. , 2016, , .		4

#	ARTICLE	IF	CITATIONS
1271	Dual band PIFA design for biomedical applications. , 2016, , .		8
1272	Studying the Variations of Complex Electrical Bio-Impedance of Plant Tissues During Boiling. Procedia Technology, 2016, 23, 248-255.	1.1	9
1273	Personal radio-frequency exposimeters in indoor diffuse environments: Measurement and simulation. , 2016, , .		0
1274	Microwave bone imaging: a preliminary scanning system for proof-of-concept. Healthcare Technology Letters, 2016, 3, 218-221.	1.9	39
1275	Charge Relaxation in Biological Tissues with Extremely High Permittivity. IEEE Magnetics Letters, 2016, 7, 1-5.	0.6	0
1276	A 24 GHz dielectric sensor based on distributed architecture. , 2016, , .		3
1277	Bi-component conformal electrode for radiofrequency sequential ablation and circumferential separation of large tumours in solid organs: development and in-vitro evaluation. IEEE Transactions on Biomedical Engineering, 2016, 64, 1-1.	2.5	23
1278	Detection of intraneural needle-placement with multiple frequency bioimpedance monitoring: a novel method. Journal of Clinical Monitoring and Computing, 2016, 30, 185-192.	0.7	20
1279	Toward Quantitative Whole Organ Thermoacoustics With a Clinical Array Plus One Very Low-Frequency Channel Applied to Prostate Cancer Imaging. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2016, 63, 245-255.	1.7	38
1280	Design and simulation of superconducting Lorentz Force Electrical Impedance Tomography (LFEIT). Physica C: Superconductivity and Its Applications, 2016, 524, 5-12.	0.6	34
1281	An automatic approach for calibrating dielectric bone properties by combining finite-element and optimization software tools. Computer Methods in Biomechanics and Biomedical Engineering, 2016, 19, 1306-1313.	0.9	3
1282	Hyperthermia treatment planning for cervical cancer patients based on electrical conductivity tissue properties acquired in vivo with EPT at 3 T MRI. International Journal of Hyperthermia, 2016, 32, 558-568.	1.1	44
1283	Connection between elastic and electrical properties of cortical bone. Journal of Biomechanics, 2016, 49, 765-772.	0.9	14
1284	High accurate and wideband current excitation for bioimpedance health monitoring systems. Measurement: Journal of the International Measurement Confederation, 2016, 79, 339-348.	2.5	30
1285	A Dual-Band On-Body Repeater Antenna for Body Sensor Network. IEEE Antennas and Wireless Propagation Letters, 2016, 15, 1649-1652.	2.4	28
1286	A Novel GMR-Based Eddy Current Sensing Probe With Extended Sensing Range. IEEE Transactions on Magnetics, 2016, 52, 1-12.	1.2	12
1287	Minimizing Stimulus Current in a Wearable Pudendal Nerve Stimulator Using Computational Models. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 506-515.	2.7	12
1288	Open-Ended Coaxial Dielectric Probe Effective Penetration Depth Determination. IEEE Transactions on Microwave Theory and Techniques, 2016, 64, 1-9.	2.9	90

#	ARTICLE	IF	CITATIONS
1289	Effects of long-term pre- and post-natal exposure to 2.45GHz wireless devices on developing male rat kidney. <i>Renal Failure</i> , 2016, 38, 571-580.	0.8	20
1290	On-body measurements of SS-UWB patch antenna for WBAN applications. <i>AEU - International Journal of Electronics and Communications</i> , 2016, 70, 668-675.	1.7	34
1291	Accuracy enhancement of wideband complex permittivity measured by an open-ended coaxial probe. <i>Measurement Science and Technology</i> , 2016, 27, 015011.	1.4	13
1292	A Portable Dual-Parameter Tester for Assessing Electrical Properties of Human Skin Surface. <i>IEEE Sensors Journal</i> , 2016, 16, 426-435.	2.4	5
1293	Repetitive magnetic stimulation induces plasticity of inhibitory synapses. <i>Nature Communications</i> , 2016, 7, 10020.	5.8	151
1294	Design of a Superconducting Magnet for Lorentz Force Electrical Impedance Tomography. <i>IEEE Transactions on Applied Superconductivity</i> , 2016, 26, 1-6.	1.1	32
1295	Design and In Vivo Test of a Batteryless and Fully Wireless Implantable Asynchronous Pacing System. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 1070-1081.	2.5	41
1296	Combined magnetic fields provide robust coverage for interbody and posterolateral lumbar spinal fusion sites. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 113-122.	1.6	5
1297	Electrical resistance of human soft tissue sarcomas: an ex vivo study on surgical specimens. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 773-787.	1.6	29
1298	Numeric Investigation of Brain Tumor Influence on the Current Distributions During Transcranial Direct Current Stimulation. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 176-187.	2.5	18
1299	Multi-Path Model and Sensitivity Analysis for Galvanic Coupled Intra-Body Communication Through Layered Tissue. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2016, 10, 339-351.	2.7	52
1300	Cleaner quality control system using bioimpedance methods: a review for fruits and vegetables. <i>Journal of Cleaner Production</i> , 2017, 140, 1749-1762.	4.6	58
1301	Experimental study on the detection of rabbit intracranial hemorrhage using four coil structures based on magnetic induction phase shift. <i>Biomedizinische Technik</i> , 2017, 62, 23-36.	0.9	4
1302	A Computational Model of the Electric Field Distribution due to Regional Personalized or Nonpersonalized Electrodes to Select Transcranial Electric Stimulation Target. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 184-195.	2.5	30
1303	Feasibility of using linearly polarized rotating birdcage transmitters and close-fitting receive arrays in MRI to reduce SAR in the vicinity of deep brain simulation implants. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1701-1712.	1.9	70
1304	Polymer thick film technology for improved simultaneous dEEG/MRI recording: Safety and MRI data quality. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 895-903.	1.9	16
1305	Estimation of Penetrated Bone Layers During Craniotomy via Bioimpedance Measurement. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 765-774.	2.5	7
1306	Continuous Wavelet Transform-Based Frequency Dispersion Compensation Method for Electromagnetic Time-Reversal Imaging. <i>IEEE Transactions on Antennas and Propagation</i> , 2017, 65, 1321-1329.	3.1	17

#	ARTICLE	IF	CITATIONS
1307	Sensitivity distribution simulations of surface electrode configurations for electrical impedance myography. <i>Muscle and Nerve</i> , 2017, 56, 887-895.	1.0	26
1308	Electrical impedance myography for assessment of Duchenne muscular dystrophy. <i>Annals of Neurology</i> , 2017, 81, 622-632.	2.8	52
1309	Reduced size elliptic UWB antenna with inscribed third iteration sierpinski triangle for on-body applications. <i>Microwave and Optical Technology Letters</i> , 2017, 59, 635-641.	0.9	9
1310	Bioimpedance measurements in dentistry to detect inflammation: numerical modelling and experimental results. <i>Physiological Measurement</i> , 2017, 38, 1145-1157.	1.2	7
1311	A generalized Ewald decomposition for screened Coulomb interactions. <i>Journal of Chemical Physics</i> , 2017, 146, 024112.	1.2	14
1312	Determinants of Subcutaneous Implantable Cardiac Resynchronisation Therapy Efficacy. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 405-414.	1.3	69
1313	Detection of spine structures with Bioimpedance Probe (BIP) Needle in clinical lumbar punctures. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 1065-1072.	0.7	15
1314	An active electrolocation catheter system for imaging and analysis of coronary plaques. <i>Bioinspiration and Biomimetics</i> , 2017, 12, 015002.	1.5	4
1315	Flexible multi-modal micro-biosensor towards accurate cancer tissue targeting during biopsy process., 2017, , .		2
1316	Bioimpedance measurement based evaluation of wound healing. <i>Physiological Measurement</i> , 2017, 38, 1373-1383.	1.2	28
1317	Miniaturized implantable antenna integrated with split resonate rings for wireless power transfer and data telemetry. <i>Microwave and Optical Technology Letters</i> , 2017, 59, 710-714.	0.9	20
1318	Clinical Evaluation of a Microwave-Based Device for Detection of Traumatic Intracranial Hemorrhage. <i>Journal of Neurotrauma</i> , 2017, 34, 2176-2182.	1.7	44
1319	Hydrate Formation in Water-in-Crude Oil Emulsions Studied by Broad-Band Permittivity Measurements. <i>Energy & Fuels</i> , 2017, 31, 3793-3803.	2.5	14
1320	Planning, optimisation and evaluation of hyperthermia treatments. <i>International Journal of Hyperthermia</i> , 2017, 33, 593-607.	1.1	77
1321	Investigations on SAR and Thermal Effects of a Body Wearable Microstrip Antenna. <i>Wireless Personal Communications</i> , 2017, 96, 3385-3401.	1.8	21
1322	Optimised analytical models of the dielectric properties of biological tissue. <i>Medical Engineering and Physics</i> , 2017, 43, 103-111.	0.8	35
1323	A contactless sensor for human body identification using RF absorption signatures. , 2017, , .		10
1324	Imaging of current flow in the human head during transcranial electrical therapy. <i>Brain Stimulation</i> , 2017, 10, 764-772.	0.7	42

#	ARTICLE	IF	CITATIONS
1325	Collagen Analysis at Terahertz Band Using Double-Debye Parameter Extraction and Particle Swarm Optimisation. IEEE Access, 2017, 5, 27850-27856.	2.6	11
1326	Electrical impedance spectroscopy on a needle for safer Veress needle insertion during laparoscopic surgery. Sensors and Actuators B: Chemical, 2017, 250, 453-460.	4.0	7
1327	Characterization of human cancellous and subchondral bone with respect to electro physical properties and bone mineral density by means of impedance spectroscopy. Medical Engineering and Physics, 2017, 45, 34-41.	0.8	11
1328	Limitations of ex vivo measurements for in vivo neuroscience. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 5243-5246.	3.3	59
1329	Dielectric properties of the normal and malignant breast tissues in xenograft mice at low frequencies (100 Hz-1 MHz). Measurement: Journal of the International Measurement Confederation, 2017, 105, 56-65.	2.5	15
1330	Temperature measurements in a capacitive system of deep loco-regional hyperthermia. Electromagnetic Biology and Medicine, 2017, 36, 248-258.	0.7	13
1331	Enhanced electrical conductivity of collagen films through long-range aligned iron oxide nanoparticles. Journal of Colloid and Interface Science, 2017, 501, 185-191.	5.0	40
1332	Evaluation of a tumor detection microwave system with a realistic breast phantom. Microwave and Optical Technology Letters, 2017, 59, 6-10.	0.9	18
1333	Orientation Insensitive Antenna With Polarization Diversity for Wireless Capsule Endoscope System. IEEE Transactions on Antennas and Propagation, 2017, 65, 3738-3743.	3.1	49
1334	Magnetic induction spectroscopy (MIS) probe design for cervical tissue measurements. Physiological Measurement, 2017, 38, 729-744.	1.2	9
1335	Development of a portable setup suitable for in vivo measurement of the dielectric properties of biological tissues. , 2017, , .		5
1336	In-bed vital signs monitoring system based on unobtrusive magnetic induction method with a concentric planar gradiometer. Physiological Measurement, 2017, 38, 1226-1241.	1.2	14
1337	Analysis of a Generalized Dispersive Model Coupled to a DGTD Method with Application to Nanophotonics. SIAM Journal of Scientific Computing, 2017, 39, A831-A859.	1.3	13
1338	Electric properties tomography: Biochemical, physical and technical background, evaluation and clinical applications. NMR in Biomedicine, 2017, 30, e3729.	1.6	69
1339	The excess attenuation of propagating wave in the presence of human crowds. , 2017, , .		0
1340	Microwave dielectric spectroscopy study of water dynamics in normal and contaminated raw bovine milk. Colloids and Surfaces B: Biointerfaces, 2017, 154, 391-396.	2.5	14
1341	In-Vivo Electrical Impedance Measurement in Mastoid Bone. Annals of Biomedical Engineering, 2017, 45, 1122-1132.	1.3	14
1342	Coupling of EIT with computational lung modeling for predicting patient-specific ventilatory responses. Journal of Applied Physiology, 2017, 122, 855-867.	1.2	15

#	ARTICLE	IF	CITATIONS
1343	A Planar Switchable 3-D-Coverage Phased Array Antenna and Its User Effects for 28-GHz Mobile Terminal Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2017, 65, 6413-6421.	3.1	112
1344	On the Feasibility of Breast Cancer Imaging Systems at Millimeter-Waves Frequencies. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017, 65, 1795-1806.	2.9	84
1345	Ischemic small intestineâ€™s <i>in vivo</i> versus <i>ex vivo</i> bioimpedance measurements. <i>Physiological Measurement</i> , 2017, 38, 715-728.	1.2	11
1346	Electrical impedance myography for discriminating traumatic peripheral nerve injury in the upper extremity. <i>Clinical Neurophysiology</i> , 2017, 128, 384-390.	0.7	8
1347	Contactless Radio Frequency Monitoring of Dielectric Properties of Egg White During Gelation. <i>IEEE Transactions on Magnetics</i> , 2017, 53, 1-7.	1.2	7
1348	The cutting mechanism of the electrosurgical scalpel. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 025401.	1.3	13
1349	Characterization of In-Body Radio Channels for Wireless Implants. <i>IEEE Sensors Journal</i> , 2017, 17, 1528-1537.	2.4	34
1350	Microwave technology for detecting traumatic intracranial bleedings: tests on phantom of subdural hematoma and numerical simulations. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1177-1188.	1.6	54
1351	Systematic Numerical Analysis of Magnetic Field Partial Body Exposure and Comparison With Occupational Exposure Limit Values According to European Directive 2013/35/EU. <i>Health Physics</i> , 2017, 113, 404-410.	0.3	1
1352	Applications for Electrical Impedance Tomography (EIT) and Electrical Properties of the Human Body. <i>Advances in Experimental Medicine and Biology</i> , 2017, 989, 109-117.	0.8	11
1353	A bioimpedance sensing system for in-vivo cancer tissue identification: Design and preliminary evaluation. , 2017, 2017, 4235-4238.		3
1354	Temperature-activated ion channels in neural crest cells confer maternal feverâ€™s associated birth defects. <i>Science Signaling</i> , 2017, 10, .	1.6	51
1355	Numerical resolution of an electromagnetic inverse medium problem at fixed frequency. <i>Computers and Mathematics With Applications</i> , 2017, 74, 3111-3128.	1.4	13
1356	New electrical impedance methods for the <i>in situ</i> measurement of the complex permittivity of anisotropic biological tissues. <i>Physics in Medicine and Biology</i> , 2017, 62, 8616-8633.	1.6	28
1357	Variation in the dielectric properties of freshly excised colorectal cancerous tissues at different tumor stages. <i>Bioelectromagnetics</i> , 2017, 38, 522-532.	0.9	18
1358	Recording characteristics of electrical impedance myography needle electrodes. <i>Physiological Measurement</i> , 2017, 38, 1748-1765.	1.2	20
1359	Realistic human head voxel model for brain microwave imaging. , 2017, , .		16
1360	Evaluation of Electrical Impedance Spectroscopy-on-a-Needle as a Novel Tool to Determine Optimal Surgical Margin in Partial Nephrectomy. <i>Advanced Healthcare Materials</i> , 2017, 6, 1700356.	3.9	7

#	ARTICLE	IF	CITATIONS
1361	3-D MRI-Based Electrical Properties Tomography Using the Volume Integral Equation Method. IEEE Transactions on Microwave Theory and Techniques, 2017, 65, 4802-4811.	2.9	27
1362	A flexible UWB inverted- ϵ antenna for wearable application. Microwave and Optical Technology Letters, 2017, 59, 2514-2518.	0.9	10
1363	Online Adaptive Hyperthermia Treatment Planning During Locoregional Heating to Suppress Treatment-Limiting Hot Spots. International Journal of Radiation Oncology Biology Physics, 2017, 99, 1039-1047.	0.4	51
1364	A Circularly Polarized Implantable Antenna for 2.4-GHz ISM Band Biomedical Applications. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 2554-2557.	2.4	70
1365	<sc>A</sc>n ingestible capsule system for in- ϵ body core temperature monitoring. Microwave and Optical Technology Letters, 2017, 59, 2670-2675.	0.9	7
1366	Hearables: Multimodal physiological in-ear sensing. Scientific Reports, 2017, 7, 6948.	1.6	107
1367	A Miniaturized Circularly Polarized Implantable Annular-Ring Antenna. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 2566-2569.	2.4	58
1368	Assessment of Fetal Exposure to 4G LTE Tablet in Realistic Scenarios: Effect of Position, Gestational Age, and Frequency. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2017, 1, 26-33.	2.3	25
1369	RWG- ϵ integrated SIW splitter for large scale SATCOM phased array applications. Microwave and Optical Technology Letters, 2017, 59, 2675-2680.	0.9	0
1370	Metal frame repeater antenna with partial slotted ground for bandwidth enhancement of wristband devices. IET Microwaves, Antennas and Propagation, 2017, 11, 1438-1444.	0.7	18
1371	Electric model of liver tissue for investigation of electrosurgical impacts. Electrical Engineering, 2017, 99, 1185-1194.	1.2	18
1372	Tissue Variability and Antennas for Power Transfer to Wireless Implantable Medical Devices. IEEE Journal of Translational Engineering in Health and Medicine, 2017, 5, 1-11.	2.2	26
1373	Design Aspects of Body-Worn UWB Antenna for Body-Centric Communication: A Review. Wireless Personal Communications, 2017, 97, 5865-5895.	1.8	9
1374	MR Coagulation: A Novel Minimally Invasive Approach to Aneurysm Repair. Journal of Vascular and Interventional Radiology, 2017, 28, 1592-1598.	0.2	4
1375	Influence of electrodes on the 448 kHz electric currents created by radiofrequency: A finite element study. Electromagnetic Biology and Medicine, 2017, 36, 306-314.	0.7	4
1376	Imaging of Lung Structure Using Holographic Electromagnetic Induction. IEEE Access, 2017, 5, 20313-20318.	2.6	13
1377	The interaction between electromagnetic fields at megahertz, gigahertz and terahertz frequencies with cells, tissues and organisms: risks and potential. Journal of the Royal Society Interface, 2017, 14, 20170585.	1.5	99
1378	Thermal model of spiked electrode in Transcutaneous Electrical Nerve Stimulation (TENS)., 2017, , .		1

#	ARTICLE	IF	CITATIONS
1379	The microwave imaging method for express diagnostic of cancer. , 2017, , .		4
1380	Dual frequency electrical impedance tomography to obtain functional image. Journal of Physics: Conference Series, 2017, 853, 012002.	0.3	2
1381	A dual-band on-body printed monopole antenna for body area network. , 2017, , .		3
1382	A novel differential inverse scattering methodology in biomedical imaging. , 2017, , .		3
1383	Optically tracked, single-coil, scanning magnetic induction tomography. , 2017, , .		1
1384	Investigation of inductive and radiating energy harvesting for an implanted biotelemetry antenna. , 2017, , .		3
1385	Exposure limits and dielectric contrast for breast cancer tissues: Experimental results up to 50 GHz. , 2017, , .		5
1386	MRI-based electric properties tomography with a quasi-Newton approach. Inverse Problems, 2017, 33, 105004.	1.0	14
1387	Monitoring of the skull healing within layered head model based on transmission line theory. , 2017, , .		2
1388	Design of open ended circular waveguide for non-invasive monitoring of cranial healing in pediatric craniosynostosis. , 2017, , .		9
1389	Development of electrical properties tomography for hyperthermia treatment planning. , 2017, , .		2
1390	A Planar Respiration Sensor Based on a Capaciflector Structure. , 2017, 1, 1-4.		7
1391	Parametric Detection and Classification of Compact Conductivity Contrasts With Electrical Impedance Tomography. IEEE Transactions on Instrumentation and Measurement, 2017, 66, 2666-2679.	2.4	19
1392	Virtual Human Models for Electromagnetic Studies and Their Applications. IEEE Reviews in Biomedical Engineering, 2017, 10, 95-121.	13.1	89
1393	Modeling Intracochlear Magnetic Stimulation: A Finite-Element Analysis. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 1353-1362.	2.7	8
1394	Sensors for Everyday Life. Smart Sensors, Measurement and Instrumentation, 2017, , .	0.4	0
1395	Anisotropic Conductivity Tensor Imaging of <i>In Vivo</i> Canine Brain Using DT-MREIT. IEEE Transactions on Medical Imaging, 2017, 36, 124-131.	5.4	37
1396	Current-induced alternating reversed dual steady-state for joint estimation of tissue relaxation and electrical properties. Magnetic Resonance in Medicine, 2017, 78, 107-120.	1.9	4

#	ARTICLE	IF	CITATIONS
1397	Treatment planning in microwave thermal ablation: clinical gaps and recent research advances. International Journal of Hyperthermia, 2017, 33, 83-100.	1.1	82
1398	Microscopic histological characteristics of soft tissue sarcomas: analysis of tissue features and electrical resistance. Medical and Biological Engineering and Computing, 2017, 55, 1097-1108.	1.6	13
1399	Boundary integral formulation and semi-implicit scheme coupling for modeling cells under electrical stimulation. Numerische Mathematik, 2017, 136, 101-145.	0.9	6
1400	Microwave reflectivity analysis of bone mineral density using ultra wide band antenna. Microwave and Optical Technology Letters, 2017, 59, 21-26.	0.9	11
1401	Feasibility of conductivity imaging using subject eddy currents induced by switching of MRI gradients. Magnetic Resonance in Medicine, 2017, 77, 1926-1937.	1.9	4
1402	Determination of EM parameters in human head phantom by transcranial magnetic stimulation. , 2017, , .		0
1403	Multi-Disciplinary Challenges in Tissue Modeling for Wireless Electromagnetic Powering: A Review. IEEE Sensors Journal, 2017, 17, 6498-6509.	2.4	29
1404	Building a Real Time Plantar Force Measurement Sensor With LC Resonator. , 2017, , .		0
1405	A simple triple-band antenna for implantable biomedical application. , 2017, , .		3
1406	Concepts and developments of an wearable system - an IoT approach. , 2017, , .		5
1407	Effect of Material Properties on a Subdermal UHF RFID Antenna. IEEE Journal of Radio Frequency Identification, 2017, 1, 260-266.	1.5	17
1408	Microwave Biosensors for Noninvasive Molecular and Cellular Investigations. , 0, , 124-153.		0
1409	Electrical Properties Tomography Based on $B_{1\rho}$ Maps in MRI: Principles, Applications, and Challenges. IEEE Transactions on Biomedical Engineering, 2017, 64, 2515-2530.	2.5	57
1411	Effect of model complexity on fiber activation estimates in a wearable neuromodulator for migraine. , 2017, , .		4
1412	Modeling of electrical impedance tomography to detect breast cancer by finite volume methods. Journal of Physics: Conference Series, 2017, 853, 012001.	0.3	3
1413	Coverage and Capacity Impact of Mobility and Human Body Blocking at Millimeter Waves. , 2017, , .		5
1414	Development of a prototype of applicator based on 16 antennas for hyperthermia treatments in the head and neck region. , 2017, , .		0
1415	Effect of nerve variations on the stimulus current level in a wearable neuromodulator for migraine: A modeling study. , 2017, , .		4

#	ARTICLE	IF	CITATIONS
1416	Near-field interference microwave diagnostics. Journal of Physics: Conference Series, 2017, 881, 012014.	0.3	1
1417	Comparison of in-vivo and ex-vivo dielectric properties of biological tissues. , 2017, , .		6
1418	Multi-Frequency Constrained SAR Focusing for Patient Specific Hyperthermia Treatment. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2017, 1, 74-80.	2.3	22
1419	Efficient microstrip ring resonator antennas for glucose measurement. , 2017, , .		3
1420	Modeling of the dielectric properties of biological tissues within the histology region. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 3290-3301.	1.8	21
1421	Stochastic dosimetry for the assessment of the fetal exposure to 4G LTE tablet in realistic scenarios. , 2017, , .		1
1422	Levels of detail analysis of microwave scattering from human head models for brain stroke detection. PeerJ, 2017, 5, e4061.	0.9	12
1423	Using ground-penetrating radar to investigate the internal structure of Puente del Inca, Mendoza, Argentina. Near Surface Geophysics, 2017, 15, 175-186.	0.6	1
1424	Comparative Analysis of Three Different Microstrip Patch Antennas on the Rat Model. , 2017, , .		0
1425	A Review on Passive and Integrated Near-Field Microwave Biosensors. Biosensors, 2017, 7, 42.	2.3	24
1426	Permittivity Study of Bloods, Saliva, Tissue Cells, and Their Applications in Medical Instrumentations in the Detection of Oral Cancer. , 2017, , 429-439.		4
1427	Advances in Single Cell Impedance Cytometry for Biomedical Applications. Micromachines, 2017, 8, 87.	1.4	82
1428	An NFC on Two-Coil WPT Link for Implantable Biomedical Sensors under Ultra-Weak Coupling. Sensors, 2017, 17, 1358.	2.1	17
1429	A Magnetic-Balanced Inductive Link for the Simultaneous Uplink Data and Power Telemetry. Sensors, 2017, 17, 1768.	2.1	17
1430	Evaluation of Propagation Characteristics Using the Human Body as an Antenna. Sensors, 2017, 17, 2878.	2.1	12
1431	Computation of Pacemakers Immunity to 50 Hz Electric Field: Induced Voltages 10 Times Greater in Unipolar Than in Bipolar Detection Mode. Bioengineering, 2017, 4, 19.	1.6	8
1432	Fractional Calculus Based FDTD Modeling of Layered Biological Media Exposure to Wideband Electromagnetic Pulses. Electronics (Switzerland), 2017, 6, 106.	1.8	10
1433	Applying Broadband Dielectric Spectroscopy (BDS) for the Biophysical Characterization of Mammalian Tissues under a Variety of Cellular Stresses. International Journal of Molecular Sciences, 2017, 18, 838.	1.8	4

#	ARTICLE	IF	CITATIONS
1434	A Sub-millimeter, Inductively Powered Neural Stimulator. <i>Frontiers in Neuroscience</i> , 2017, 11, 659.	1.4	62
1435	Electrical Stimulation for Wound-Healing: Simulation on the Effect of Electrode Configurations. <i>BioMed Research International</i> , 2017, 2017, 1-9.	0.9	24
1436	Measurements and models of electric fields in the in vivo human brain during transcranial electric stimulation. <i>ELife</i> , 2017, 6, .	2.8	412
1437	Microstrip folded ring resonator for glucose measurement. , 2017, , .		4
1438	A Review on Human Body Communication: Signal Propagation Model, Communication Performance, and Experimental Issues. <i>Wireless Communications and Mobile Computing</i> , 2017, 2017, 1-15.	0.8	44
1439	Stochastic Dosimetry for the Assessment of Children Exposure to Uniform 50â€‰%Hz Magnetic Field with Uncertain Orientation. <i>BioMed Research International</i> , 2017, 2017, 1-14.	0.9	10
1440	Interaction between electromagnetic waves and biological materials. , 2017, , 53-101.		2
1441	Parameter Search Algorithms for Microwave Radar-Based Breast Imaging: Focal Quality Metrics as Fitness Functions. <i>Sensors</i> , 2017, 17, 2823.	2.1	24
1442	Comparison of the induced fields using different coil configurations during deep transcranial magnetic stimulation. <i>PLoS ONE</i> , 2017, 12, e0178422.	1.1	95
1443	Comparison of two forward models for electric field of microwave imaging systems. , 2017, , .		0
1444	Direct electromagnetic source tomographic imaging neurotechnology (DESTIN). , 2017, , .		0
1445	INVERSION OF AN INDUCTIVE LOSS CONVOLUTION INTEGRAL FOR CONDUCTIVITY IMAGING. <i>Progress in Electromagnetics Research B</i> , 2017, 74, 93-107.	0.7	5
1446	ESTIMATION OF SPECIFIC ABSORPTION RATE USING INFRARED THERMOGRAPHY FOR THE BIOCOMPATIBILITY OF WEARABLE WIRELESS DEVICES. <i>Progress in Electromagnetics Research M</i> , 2017, 56, 101-109.	0.5	7
1447	A Fractional Complex Permittivity Model of Media with Dielectric Relaxation. <i>Fractal and Fractional</i> , 2017, 1, 4.	1.6	5
1448	A Boundary-Value-Free Reconstruction Method for Magnetic Resonance Electrical Properties Tomography Based on the Neumann-Type Integral Formula over a Circular Region. <i>SICE Journal of Control Measurement and System Integration</i> , 2017, 10, 571-578.	0.4	4
1449	Microwave Imaging for Early Breast Cancer Detection. , 0, , .		22
1450	ANATOMICALLY AND DIELECTRICALLY REALISTIC MICROWAVE HEAD PHANTOM WITH CIRCULATION AND RECONFIGURABLE LESIONS. <i>Progress in Electromagnetics Research B</i> , 2017, 78, 47-60.	0.7	16
1451	Thermometry system development for thermoradiotherapy of deep-seated tumours. <i>Journal of Physics: Conference Series</i> , 2017, 941, 012086.	0.3	1

#	ARTICLE	IF	CITATIONS
1452	The cole-cole model of porcine activity tissues in radio frequency. , 2017, , .		1
1453	A Tightly Integrated Multilayer Battery Antenna for RFID Epidermal Applications. IEEE Transactions on Antennas and Propagation, 2018, 66, 609-617.	3.1	6
1454	Ex vivo identification of thyroid cancer tissue using electrical impedance spectroscopy on a needle. Sensors and Actuators B: Chemical, 2018, 261, 537-544.	4.0	22
1455	FUSE certification enhances performance on a virtual computer based simulator for dispersive electrode placement. Surgical Endoscopy and Other Interventional Techniques, 2018, 32, 3640-3645.	1.3	2
1456	A Planar One-Port Microwave Microfluidic Sensor for Microliter Liquids Characterization. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2018, 2, 10-17.	2.3	46
1457	Measurement of the 100â€”MHz EMF radiation in vivo effects on zebrafish D. rerio embryonic development: A multidisciplinary study. Ecotoxicology and Environmental Safety, 2018, 154, 268-279.	2.9	13
1458	A Review on Tumor-Treating Fields (TTFields): Clinical Implications Inferred From Computational Modeling. IEEE Reviews in Biomedical Engineering, 2018, 11, 195-207.	13.1	69
1459	Electromagnetic Radiation Efficiency of Body-Implanted Devices. Physical Review Applied, 2018, 9, .	1.5	45
1460	A Conformal Circularly Polarized Antenna for Wireless Capsule Endoscope Systems. IEEE Transactions on Antennas and Propagation, 2018, 66, 2119-2124.	3.1	46
1461	Microwave Breast Imaging: Clinical Advances and Remaining Challenges. IEEE Transactions on Biomedical Engineering, 2018, 65, 2580-2590.	2.5	198
1462	Atechnical study on wireless body area network with its application. , 2018, , .		0
1463	A parametric model for the changes in the complex valued conductivity of a lung during tidal breathing. Journal Physics D: Applied Physics, 2018, 51, 205401.	1.3	5
1464	The Development of a Four-Electrode Bio-Impedance Sensor for Identification and Localization of Deep Pulmonary Nodules. Annals of Biomedical Engineering, 2018, 46, 1079-1090.	1.3	11
1465	Estimating $\langle i \rangle_B \langle i \rangle_{\langle sub \rangle 1 \langle /sub \rangle \langle sup \rangle + \langle /sup \rangle}$ in the breast at 7â€”T using a generic template. NMR in Biomedicine, 2018, 31, e3911.	1.6	3
1466	Development of bioimpedance sensing device for wearable monitoring of the aortic blood pressure curve. TM Technisches Messen, 2018, 85, 366-377.	0.3	6
1467	Microwave Diagnostics Ahead: Saving Time and the Lives of Trauma and Stroke Patients. IEEE Microwave Magazine, 2018, 19, 78-90.	0.7	83
1468	Overview of Recent Development on Wireless Sensing Circuits and Systems for Healthcare and Biomedical Applications. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2018, 8, 165-177.	2.7	42
1469	Simulating, Modeling, and Sensing Variable Tissues for Wireless Implantable Medical Devices. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 3547-3556.	2.9	11

#	ARTICLE	IF	CITATIONS
1470	Effect of conductivity on subdermal antennas. <i>Microwave and Optical Technology Letters</i> , 2018, 60, 1154-1160.	0.9	9
1471	Differentially Fed Metal Frame Antenna With Common Mode Suppression for Biomedical Smartband Applications. <i>Radio Science</i> , 2018, 53, 485-495.	0.8	3
1472	Frequencyâ€dependent anisotropic modeling and analysis using <scp>mfEIT</scp>: A computer simulation study. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2018, 34, e2980.	1.0	1
1473	Novel method for the detection of the facial nerve using electrical impedance spectroscopy during otologic surgery. <i>Sensors and Actuators B: Chemical</i> , 2018, 261, 467-473.	4.0	5
1474	Model-Based Analysis of Electrode Placement and Pulse Amplitude for Hippocampal Stimulation. <i>IEEE Transactions on Biomedical Engineering</i> , 2018, 65, 2278-2289.	2.5	26
1475	Capacitive Sensor for Tagless Remote Human Identification Using Body Frequency Absorption Signatures. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2018, 67, 789-797.	2.4	10
1476	A Conformal Differentially Fed Antenna for Ingestible Capsule System. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 1695-1703.	3.1	60
1477	Skull Modeling Effects in Conductivity Estimates Using Parametric Electrical Impedance Tomography. <i>IEEE Transactions on Biomedical Engineering</i> , 2018, 65, 1785-1797.	2.5	34
1478	A 40-nm CMOS Complex Permittivity Sensing Pixel for Material Characterization at Microwave Frequencies. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018, 66, 1619-1634.	2.9	8
1479	A 10 MHz Read-Out Chain for Electrical Impedance Tomography. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2018, 12, 222-230.	2.7	20
1480	User Impact on Phased and Switch Diversity Arrays in 5G Mobile Terminals. <i>IEEE Access</i> , 2018, 6, 1616-1623.	2.6	24
1481	Biopsy Needle Integrated with Electrical Impedance Sensing Microelectrode Array towards Real-time Needle Guidance and Tissue Discrimination. <i>Scientific Reports</i> , 2018, 8, 264.	1.6	32
1482	Addition of internal electrodes is beneficial for focused bioimpedance measurements in the lung. <i>Physiological Measurement</i> , 2018, 39, 035009.	1.2	3
1483	Design and Interdisciplinary Simulations of a Hand-Held Device for Internal-Body Temperature Sensing Using Microwave Radiometry. <i>IEEE Sensors Journal</i> , 2018, 18, 2421-2433.	2.4	27
1484	Numerical implementation of magneto-acousto-electrical tomography (MAET) using a linear phased array transducer. <i>Physics in Medicine and Biology</i> , 2018, 63, 035012.	1.6	11
1485	Optimization of cochlear implant stimulation resolution using an intracochlear electric potential model. <i>Computers in Biology and Medicine</i> , 2018, 94, 99-105.	3.9	1
1486	Efficient energy localization for hybrid wideband hyperthermia treatment system. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2018, 28, e21238.	0.8	4
1487	Approaching ultimate intrinsic specific absorption rate in radiofrequency shimming using highâ€permittivity materials at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 391-399.	1.9	11

#	ARTICLE	IF	CITATIONS
1488	Analysis of <scp>SAR</scp> distribution in a heterogeneous and homogenous head model at 2.4 <scp>GH</scp>z using the <scp>FDTD</scp> method. Microwave and Optical Technology Letters, 2018, 60, 1323-1331.	0.9	2
1489	Stochastic Dosimetry Based on Low Rank Tensor Approximations for the Assessment of Children Exposure to WLAN Source. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2018, 2, 131-137.	2.3	19
1490	Multi-frequency difference method for intracranial hemorrhage detection by magnetic induction tomography. Physiological Measurement, 2018, 39, 055006.	1.2	19
1491	Image Reconstruction in Electrical Impedance Tomography Based on Structure-Aware Sparse Bayesian Learning. IEEE Transactions on Medical Imaging, 2018, 37, 2090-2102.	5.4	158
1492	Effect of tumor properties on energy absorption, temperature mapping, and thermal dose in 13.56-MHz radiofrequency hyperthermia. Journal of Thermal Biology, 2018, 74, 281-289.	1.1	39
1493	Electrodeless conductivity tensor imaging (CTI) using MRI: basic theory and animal experiments. Biomedical Engineering Letters, 2018, 8, 273-282.	2.1	25
1494	Magnetic Field Changes Macrophage Phenotype. Biophysical Journal, 2018, 114, 2001-2013.	0.2	47
1495	Three-Dimensional Model of Electroretinogram Field Potentials in the Rat Eye. IEEE Transactions on Biomedical Engineering, 2018, 65, 2781-2789.	2.5	9
1496	Low-Frequency Conductivity Tensor Imaging of the Human Head <i>In Vivo</i> Using DT-MREIT: First Study. IEEE Transactions on Medical Imaging, 2018, 37, 966-976.	5.4	43
1497	An Electromagnetic Model of Human Vital Signs Detection and Its Experimental Validation. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2018, 8, 338-349.	2.7	35
1498	Electrical and Physical Sensors for Biomedical Implants. , 2018, , 99-195.		7
1499	Microwave diagnostics of osteoporosis. , 2018, , .		3
1500	An anatomically accurate dielectric profile of the porcine kidney. Biomedical Physics and Engineering Express, 2018, 4, 025042.	0.6	6
1501	Automatic skull segmentation from MR images for realistic volume conductor models of the head: Assessment of the state-of-the-art. NeuroImage, 2018, 174, 587-598.	2.1	198
1502	Stacked arrangement of meandered patches for biomedical applications. International Journal of Systems Assurance Engineering and Management, 2018, 9, 139-146.	1.5	8
1503	The <i>in vivo</i> performance of a novel thermal accelerant agent used for augmentation of microwave energy delivery within biologic tissues during image-guided thermal ablation: a porcine study. International Journal of Hyperthermia, 2018, 34, 11-18.	1.1	9
1504	Numerical study of holographic electromagnetic induction technique for imaging arbitrarily shaped biological objects. Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization, 2018, 6, 353-359.	1.3	0
1505	Passive Wearable Skin Patch Sensor Measures Limb Hemodynamics Based on Electromagnetic Resonance. IEEE Transactions on Biomedical Engineering, 2018, 65, 847-856.	2.5	26

#	ARTICLE	IF	CITATIONS
1506	Carbon nanotubes based biosensor for detection of cancer antigens (CA-125) under shear flow condition. Nano Structures Nano Objects, 2018, 15, 180-185.	1.9	30
1507	Modification of population based arterial input function to incorporate individual variation. Magnetic Resonance Imaging, 2018, 45, 66-71.	1.0	8
1508	Stable tissue-mimicking materials and an anatomically realistic, adjustable head phantom for electrical impedance tomography. Biomedical Physics and Engineering Express, 2018, 4, 015003.	0.6	10
1509	The effect of using a dielectric matching medium in focused microwave radiometry: an anatomically detailed head model study. Medical and Biological Engineering and Computing, 2018, 56, 809-816.	1.6	5
1510	Efficient Wireless Power Transfer System Integrating With Metasurface for Biological Applications. IEEE Transactions on Industrial Electronics, 2018, 65, 3230-3239.	5.2	119
1511	Microwave sensor technologies for food evaluation and analysis: Methods, challenges and solutions. Transactions of the Institute of Measurement and Control, 2018, 40, 3433-3448.	1.1	28
1512	Bioelectromagnetic Dosimetry: Simulating Electromagnetic Fields in the Human Body. , 2018, , 351-368.		0
1513	Wearable slot antenna at 2.45 GHz for off-body radiation: Analysis of efficiency, frequency shift, and body absorption. Bioelectromagnetics, 2018, 39, 25-34.	0.9	19
1514	Comparison of different methods for dielectric properties measurements in liquid sample media. International Journal of RF and Microwave Computer-Aided Engineering, 2018, 28, e21215.	0.8	24
1515	tDCS changes in motor excitability are specific to orientation of current flow. Brain Stimulation, 2018, 11, 289-298.	0.7	120
1516	Assessment of exposure to radio frequency electromagnetic fields from smart utility meters in GB; 200-216.	0.9	8
1517	Feasibility of on-line temperature-based hyperthermia treatment planning to improve tumour temperatures during locoregional hyperthermia. International Journal of Hyperthermia, 2018, 34, 1082-1091.	1.1	24
1518	Bioelectrical Impedance as a Technique for Estimating Postmortem Interval,, Journal of Forensic Sciences, 2018, 63, 1186-1190.	0.9	8
1519	In Vivo Characterization of a Wireless Telemetry Module for a Capsule Endoscopy System Utilizing a Conformal Antenna. IEEE Transactions on Biomedical Circuits and Systems, 2018, 12, 95-105.	2.7	64
1520	Novel Methods of Transcranial Stimulation. , 2018, , 1619-1625.		4
1521	Bioimpedance analysis in detecting vascular diseases using blood pooling method. Journal of Medical Engineering and Technology, 2018, 42, 578-587.	0.8	2
1522	Detection of pregnancy using dielectric properties of urine. Journal of Microwave Power and Electromagnetic Energy, 2018, 52, 182-197.	0.4	2
1523	Dual-Band Conformal Antenna for Wireless Capsule Endoscopy Applications. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
1524	Research coaxial needle electrode characteristics for the automated vein puncture control system. , 2018, , .		9
1525	Design of a Compact Low Loss Multi-slotted Antenna for WBAN Applications and Performance Analysis at ISM Band. , 2018, , .		3
1526	Monitoring the Effect of Contact Pressure on Bioimpedance Measurements. , 2018, 2018, 4949-4952.		4
1527	Study on Conductivity Distribution of Human Lung*. , 2018, , .		0
1528	Comparison of Induced Fields in Virtual Human and Rat Heads by Transcranial Magnetic Stimulation. BioMed Research International, 2018, 2018, 1-8.	0.9	14
1529	Anisotropicity. , 2018, , 93-105.		0
1530	Research on an Anthropomorphic Phantom for Evaluation of the Medical Device Electromagnetic Field Exposure SAR. Applied Sciences (Switzerland), 2018, 8, 1929.	1.3	1
1531	Human Body Communication Channel Characterization for Leadless Cardiac Pacemakers. , 2018, , .		0
1532	Comparison of UWB Radar Backscattering by the Human Torso and a Phantom. , 2018, , .		1
1533	Preliminary Numerical Analysis of Monitoring Bone Density Using Microwave Tomography. , 2018, , .		5
1534	Two-parameter expansions and ray representation of the fields diffracted at thin-to-thick curved dielectric layers and conducting bodies. , 2018, , .		0
1535	The Primary Role of the Electric Near-Field in Brain Function. , 2018, , .		3
1536	Perturbing Effect of Stroke on Electric and Magnetic Fields Generated by Transcranial Magnetic Stimulation. , 2018, , .		0
1537	Analysis of the Movement of ICD Leads During Cardiac Contraction as Determinant of Intracardiac Impedance. , 2018, 2018, 3449-3452.		0
1538	A fractional order impedance individualised model of nociceptor stimulation. IFAC-PapersOnLine, 2018, 51, 416-421.	0.5	2
1539	Towards Optimization of Open Ended Contact Probes for Breast Cancer Diagnosis. , 2018, , .		3
1540	SAR CALCULATION & TEMPERATURE RESPONSE OF HUMAN BODY EXPOSURE TO ELECTROMAGNETIC RADIATIONS AT 28, 40 AND 60 GHZ MMWAVE FREQUENCIES. Progress in Electromagnetics Research M, 2018, 73, 47-59.	0.5	27
1541	Graph-Based Models of Cortical Axons for the Prediction of Neuronal Response to Extracellular Electrical Stimulation. , 2018, 2018, 1380-1383.		3

#	ARTICLE	IF	CITATIONS
1542	Performance Studies of UWB Microstrip Antenna for Multipurpose Biotelemetry Applications. , 2018, , .		4
1543	Verification of the effect of the axon fluid as a highly dielectric medium in the high-speed conduction of action potentials using a novel axon equivalent circuit. Biophysics and Physicobiology, 2018, 15, 214-228.	0.5	4
1544	Clinical validation of a novel thermophysical bladder model designed to improve the accuracy of hyperthermia treatment planning in the pelvic region. International Journal of Hyperthermia, 2018, 35, 383-397.	1.1	11
1545	Lorentz Force Electrical Impedance Detection Using Step Frequency Technique. Chinese Physics Letters, 2018, 35, 014301.	1.3	4
1546	Electrical Characterization of Human Biological Tissue for Irreversible Electroporation Treatments. , 2018, 2018, 4170-4173.		12
1547	Fractional Derivatives modeling dielectric properties of biological tissue. , 2018, , .		4
1548	RF Heating of Pancreatic Tumours Guided by Hyperthermia Treatment Planning and Limited Thermometry. , 2018, , .		2
1549	In-vivo Measurements of Tissue Impedivity by Electrical Impedance Spectroscopy. , 2018, 2018, 1-4.		1
1550	A Single Simulation Platform for Hybrid Photoacoustic and RF-Acoustic Computed Tomography. Applied Sciences (Switzerland), 2018, 8, 1568.	1.3	14
1551	VK-phantom male with 583 structures and female with 459 structures, based on the sectioned images of a male and a female, for computational dosimetry. Journal of Radiation Research, 2018, 59, 338-380.	0.8	13
1552	Characterization of the dielectric properties of biological tissues and their correlation to tissue hydration. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 2191-2197.	1.8	39
1553	Development of a Method for Improving the Electric Field Distribution in Patients Undergoing Tumor-Treating Fields Therapy. Journal of the Korean Physical Society, 2018, 73, 1577-1583.	0.3	3
1554	Skin Cancer Detection through Microwaves: Validation on Phantom Measurements. , 2018, , .		5
1555	Dielectric Property Measurement of Breastâ€™Tumor Phantom Model Under Pulsed Electric Field Treatment. IEEE Transactions on Radiation and Plasma Medical Sciences, 2018, 2, 608-617.	2.7	12
1556	The effect of air pockets in the urinary bladder on the temperature distribution during loco-regional hyperthermia treatment of bladder cancer patients. International Journal of Hyperthermia, 2018, 35, 441-449.	1.1	3
1557	Bioimpedance Spectroscopy for Characterization of Healthy and Cancerous Tissues. , 2018, , .		6
1558	A Neuronal Model of the 3D Head Position Based on a Wearable System. , 2018, , .		3
1559	Performance improvement of magneto-acousto-electrical tomography for biological tissues with sinusoid-Barker coded excitation. Chinese Physics B, 2018, 27, 094302.	0.7	12

#	ARTICLE	IF	CITATIONS
1560	A Modeling Procedure of the Broadband Dielectric Spectroscopy for Ionic Liquids. IEEE Transactions on Nanobioscience, 2018, 17, 387-393.	2.2	19
1561	A multi-scale computational approach based on TMS experiments for the assessment of electro-stimulation thresholds of the brain at intermediate frequencies. Physics in Medicine and Biology, 2018, 63, 225006.	1.6	17
1562	Intraoperative direct subcortical stimulation: comparison of monopolar and bipolar stimulation. Physics in Medicine and Biology, 2018, 63, 225013.	1.6	23
1563	Effect of Baseline Impedance on Ablation Lesion Dimensions. Circulation: Arrhythmia and Electrophysiology, 2018, 11, e006690.	2.1	59
1564	Predictive value of simulated SAR and temperature for changes in measured temperature after phase-amplitude steering during locoregional hyperthermia treatments. International Journal of Hyperthermia, 2018, 35, 330-339.	1.1	19
1565	Passive Self Resonant Skin Patch Sensor to Monitor Cardiac Intraventricular Stroke Volume Using Electromagnetic Properties of Blood. IEEE Journal of Translational Engineering in Health and Medicine, 2018, 6, 1-9.	2.2	17
1566	Stochastic Exposure Assessment to 4G LTE Femtocell in Indoor Environments. , 2018, , .		2
1567	Advances in Target Conformal SAR Deposition for Hyperthermia Treatment Planning. , 2018, , .		0
1568	Influence of cellular structures of skin on fiber activation thresholds and computation cost. Biomedical Physics and Engineering Express, 2018, 5, 015015.	0.6	4
1569	Concentric Ring Probe for Bioimpedance Spectroscopic Measurements: Design and Ex Vivo Feasibility Testing on Pork Oral Tissues. Sensors, 2018, 18, 3378.	2.1	9
1570	In Vivo Rat Spinal Cord and Striated Muscle Monitoring Using the Current Interruption Method and Bioimpedance Measurements. Journal of the Electrochemical Society, 2018, 165, G3099-G3103.	1.3	7
1571	Realistic modeling of transcranial current stimulation: The electric field in the brain. Current Opinion in Biomedical Engineering, 2018, 8, 20-27.	1.8	31
1572	Theoretical assessment of single-frequency electrical sensors for continuous monitoring of cell lysis in dilute suspensions. Sensing and Bio-Sensing Research, 2018, 21, 7-16.	2.2	1
1573	Single-shot large field of view imaging with scattering media by spatial demultiplexing. Applied Optics, 2018, 57, 7533.	0.9	49
1574	Design and characterization of an electromagnetic probe for distinguishing morphological differences in soft tissues. Review of Scientific Instruments, 2018, 89, 084302.	0.6	2
1575	Finite-element analysis of microwave scattering from a three-dimensional human head model for brain stroke detection. Royal Society Open Science, 2018, 5, 180319.	1.1	14
1576	Imaging of Metallic Foreign Body in Organism by Microwave. , 2018, , .		0
1577	RFID Antennas for Body-Area Applications: From Wearables to Implants. IEEE Antennas and Propagation Magazine, 2018, 60, 14-25.	1.2	64

#	ARTICLE	IF	CITATIONS
1578	The Role of Drones in Linking Industry 4.0 and ITS Ecosystems. , 2018, , .		7
1579	A Graph Similarity Relation Defined by Graph Transformation. , 2018, , .		1
1580	Improvement of Contact Condition between Bridge and Aerial Manipulator by Applying Compliance Mechanism. , 2018, , .		1
1581	Smart Irrigation System using Zigbee Technology and Machine Learning Techniques. , 2018, , .		7
1582	Fabrication of Plasmon Filters for Highly Sensitive Observation of Magnetic Domains by Magneto-Optical Kerr Effect. , 2018, , .		0
1583	Construction and Application of Knowledge Graph System in Computer Science. , 2018, , .		7
1584	NMF Hyperspectral Unmixing Of The Sea Bottom: Influence Of The Adjacency Effects, Model and Method. , 2018, , .		2
1585	Delineation techniques of tumor hypoxia volume with 18F-FMISO PET imaging. , 2018, , .		0
1586	Toward in vivo quantification of induced RF currents on long thin conductors. Magnetic Resonance in Medicine, 2018, 80, 1922-1934.	1.9	9
1587	Electrochemotherapy of Spinal Metastases Using Transpedicular Approachâ€”A Numerical Feasibility Study. Technology in Cancer Research and Treatment, 2018, 17, 153303461877025.	0.8	13
1588	Understanding physical mechanism of low-level microwave radiation effect. International Journal of Radiation Biology, 2018, 94, 877-882.	1.0	21
1589	Integrated Design of Wideband Omnidirectional Antenna and Electronic Components for Wireless Capsule Endoscopy Systems. IEEE Access, 2018, 6, 29626-29636.	2.6	37
1590	Innovative photonic system in radiofrequency and microwave range to determine chicken meat quality. Journal of Food Engineering, 2018, 239, 1-7.	2.7	10
1591	Development of a statistical model for cervical cancer cell death with irreversible electroporation in vitro. PLoS ONE, 2018, 13, e0195561.	1.1	17
1592	Deep Transcranial Magnetic Stimulation: Improved Coil Design and Assessment of the Induced Fields Using MIDA Model. BioMed Research International, 2018, 2018, 1-9.	0.9	19
1593	Past Results, Present Trends, and Future Challenges in Intrabody Communication. Wireless Communications and Mobile Computing, 2018, 2018, 1-39.	0.8	41
1594	Extremely High Frequency Electromagnetic Fields Facilitate Electrical Signal Propagation by Increasing Transmembrane Potassium Efflux in an Artificial Axon Model. Scientific Reports, 2018, 8, 9299.	1.6	12
1595	User Effects on the Circular Polarization of 5G Mobile Terminal Antennas. IEEE Transactions on Antennas and Propagation, 2018, 66, 4906-4911.	3.1	29

#	ARTICLE	IF	CITATIONS
1596	A Wideband Circularly Polarized Implantable Antenna for 915 MHz ISM-Band Biotelemetry Devices. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 1473-1477.	2.4	68
1597	Design of a Dual-Polarized Wideband Conformal Loop Antenna for Capsule Endoscopy Systems. IEEE Transactions on Antennas and Propagation, 2018, 66, 5706-5715.	3.1	37
1598	Investigation of histology radius for dielectric characterisation of heterogeneous materials. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 1064-1079.	1.8	20
1599	On the importance of precise electrode placement for targeted transcranial electric stimulation. NeuroImage, 2018, 181, 560-567.	2.1	87
1600	TMS Motor Thresholds Correlate With TDCS Electric Field Strengths in Hand Motor Area. Frontiers in Neuroscience, 2018, 12, 426.	1.4	40
1601	Open-Ended Coaxial Probe Technique for Dielectric Measurement of Biological Tissues: Challenges and Common Practices. Diagnostics, 2018, 8, 40.	1.3	181
1602	Review on Biomedical Techniques for Imaging Electrical Impedance. Irbm, 2018, 39, 243-250.	3.7	17
1603	Design of a microwave biosensor using a defected CSRR for cancer cells characterization. , 2018, , .		2
1604	Electromagnetic Nanoparticles for Sensing and Medical Diagnostic Applications. Materials, 2018, 11, 603.	1.3	96
1605	Imaging of metallic foreign body in organism by microwave. , 2018, , .		0
1606	A Rapid Medical Microwave Tomography Based on Partial Differential Equations. IEEE Transactions on Antennas and Propagation, 2018, 66, 5521-5535.	3.1	21
1607	Microwave Sensors for Breast Cancer Detection. Sensors, 2018, 18, 655.	2.1	94
1608	High-Q Implantable Resonator for Wireless Power Delivery. , 2018, , .		1
1609	Split-Ring Resonator Sensor Penetration Depth Assessment Using In Vivo Microwave Reflectivity and Ultrasound Measurements for Lower Extremity Trauma Rehabilitation. Sensors, 2018, 18, 636.	2.1	16
1610	A Measurement-Based Model of BMI Impact on UWB Multi-Antenna PAN and B2B Channels. IEEE Transactions on Communications, 2018, 66, 6494-6510.	4.9	18
1611	An Approach for Noninvasive Blood Glucose Monitoring Based on Bioimpedance Difference Considering Blood Volume Pulsation. IEEE Access, 2018, 6, 51119-51129.	2.6	39
1612	Electrochemotherapy Effectiveness Loss due to Electric Field Indentation between Needle Electrodes: A Numerical Study. Journal of Healthcare Engineering, 2018, 2018, 1-8.	1.1	7
1613	A Comparison of Solid, Mesh, and Segmented Strip Dipoles in a Subdermal Environment. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2018, 2, 218-225.	2.3	2

#	ARTICLE	IF	CITATIONS
1614	A review of anisotropic conductivity models of brain white matter based on diffusion tensor imaging. Medical and Biological Engineering and Computing, 2018, 56, 1325-1332.	1.6	16
1615	Coaxial sensor design for measuring dielectric properties of Cole-type liquids at frequencies between 1â€‰kHz and 2 MHz. Measurement Science and Technology, 2018, 29, 085101.	1.4	2
1616	SAR investigations on the exposure compliance of wearable wireless devices using infrared thermography. Bioelectromagnetics, 2018, 39, 451-459.	0.9	9
1617	The brachial artery localization for blood pressure monitoring using electrical impedance measurement. , 2018, , .		3
1618	Dielectric Properties of Biological Tissues; Variation With Age. , 2018, , 939-952.		17
1619	Influence of tissue conductivity on foetal exposure to extremely low frequency magnetic fields at 50 Hz using stochastic dosimetry. PLoS ONE, 2018, 13, e0192131.	1.1	14
1620	Design Guideline for Developing Safe Systems that Apply Electricity to the Human Body. ACM Transactions on Computer-Human Interaction, 2018, 25, 1-36.	4.6	33
1621	Electrodes for the Neural Interface. , 2018, , 239-274.		2
1622	MR-based electrical property tomography using a modified finite difference scheme. Physics in Medicine and Biology, 2018, 63, 145013.	1.6	12
1623	Towards Accurate and Wideband <i>In Vivo</i> Measurement of Skin Dielectric Properties. IEEE Transactions on Instrumentation and Measurement, 2019, 68, 512-524.	2.4	23
1624	Recent trends and advances in solving the inverse problem for EEG source localization. Inverse Problems in Science and Engineering, 2019, 27, 1521-1536.	1.2	32
1625	Models for Nociception Stimulation and Memory Effects in Awake and Aware Healthy Individuals. IEEE Transactions on Biomedical Engineering, 2019, 66, 718-726.	2.5	28
1626	A Precursor to Multiloculated Hydrocephalus: Case Report and Review of Literature. World Neurosurgery, 2019, 130, 216-221.	0.7	4
1627	Auxiliary Surgical System Development. , 2019, , .		0
1628	Design and Analysis of a Flexible, Low Cost Softwear Antenna Sensing Various Temperatures in Detection of Lung Water Accumulation and Congestive Heart Failure. Wireless Personal Communications, 2019, 108, 1209-1225.	1.8	2
1629	Formation of Electric Biosignals. Biological and Medical Physics Series, 2019, , 9-398.	0.3	0
1630	Approximate complex electrical potential distribution in the monodomain model with unequal conductivity and relative permittivity anisotropy ratios. Physiological Measurement, 2019, 40, 085008.	1.2	7
1631	SAR Analysis of Antenna Implanted Inside Homogeneous Human Tissue Phantom. , 2019, , .		3

#	ARTICLE	IF	CITATIONS
1632	A 20.1-1/4W 1.8 -GHz Near-Field Dielectric Plethysmography (NF-DPG) Heart-Rate Sensor with Time-based Edge Sampling. , 2019, , .		1
1633	Computer simulation and physical phantom models for estimating the dielectric properties of rhinoceros tissue. PLoS ONE, 2019, 14, e0216595.	1.1	1
1634	Fundamentals, Recent Advances, and Future Challenges in Bioimpedance Devices for Healthcare Applications. Journal of Sensors, 2019, 2019, 1-42.	0.6	91
1635	Dielectric spectroscopy technique for detection of human respiratory syncytial virus. Microwave and Optical Technology Letters, 2019, 61, 2565-2571.	0.9	3
1636	The dielectric properties of skin and their influence on the delivery of tumor treating fields to the torso: a study combining in vivo measurements with numerical simulations. Physics in Medicine and Biology, 2019, 64, 185014.	1.6	19
1637	Detection of rabbit intracranial hemorrhage based on permittivity. Measurement Science and Technology, 2019, 30, 115701.	1.4	3
1638	A Dual-Band Implantable Rectenna for Wireless Data and Power Support at Sub-GHz Region. IEEE Transactions on Antennas and Propagation, 2019, 67, 6800-6810.	3.1	51
1639	Self-weighted NOSER-prior electrical impedance tomography using internal electrodes in cardiac radiofrequency ablation. Physiological Measurement, 2019, 40, 065006.	1.2	6
1640	An Implantable Antenna With Broadside Radiation for a Brainâ€“Machine Interface. IEEE Sensors Journal, 2019, 19, 9200-9205.	2.4	28
1641	Multi Frequency Assessment of the Electrical Impedance Myography Parameters on 3D Malignant Breast. MRS Advances, 2019, 4, 1285-1291.	0.5	3
1642	Numerical simulation of magnetic fluid hyperthermia based on multiphysics coupling and recommendation on preferable treatment conditions. Current Applied Physics, 2019, 19, 1031-1039.	1.1	11
1643	Assessment of Children Exposure Variability to Near-Field Sources using Stochastic Dosimetry. , 2019, 2019, 6910-6913.		1
1644	RFID Double-Loop Tags with Novel Meandering Lines Design for Health Monitoring Application. International Journal of Antennas and Propagation, 2019, 2019, 1-12.	0.7	9
1645	Bioimpedance and bone fracture detection: A state of the art. Journal of Physics: Conference Series, 2019, 1272, 012010.	0.3	1
1646	Tissue coefficient of bioimpedance spectrometry as an index to discriminate different tissues in vivo. Biocybernetics and Biomedical Engineering, 2019, 39, 923-936.	3.3	6
1647	Modeling and Characterization of Capacitive Coupling Intrabody Communication in an In-Vehicle Scenario. Sensors, 2019, 19, 4305.	2.1	9
1648	An Ultrawideband Capsule Antenna for Biomedical Applications. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 2548-2551.	2.4	33
1649	3-D Microwave Tomography Using the Soft Prior Regularization Technique: Evaluation in Anatomically Realistic MRI-Derived Numerical Breast Phantoms. IEEE Transactions on Biomedical Engineering, 2019, 66, 2566-2575.	2.5	30

#	ARTICLE	IF	CITATIONS
1650	Dielectric Measurements of Brain Tissues with Alzheimer's Disease Pathology in the Microwave Region. , 2019, , .		8
1651	Role of Simulations in the Treatment Planning of Radiofrequency Hyperthermia Therapy in Clinics. Journal of Oncology, 2019, 2019, 1-12.	0.6	14
1652	Characterization of Temperature Rise in Alternating Current Electrothermal Flow Using Thermoreflectance Method. Analytical Chemistry, 2019, 91, 12492-12500.	3.2	15
1653	Integrated 3D Microfluidic Device for Impedance Spectroscopy in Lab-on-Chip Systems. , 2019, , .		6
1654	Feasibility and relevance of discrete vasculature modeling in routine hyperthermia treatment planning. International Journal of Hyperthermia, 2019, 36, 800-810.	1.1	14
1655	Lung Metastases in Patients with Stage IV Pancreatic Cancer: Prevalence, Risk Factors, and Survival Impact. Journal of Clinical Medicine, 2019, 8, 1402.	1.0	14
1656	LOW-POWER MICROWAVE INDUCED THERMOACOUSTIC IMAGING: EXPERIMENTAL STUDY AND HYBRID FEM MODELING. Progress in Electromagnetics Research C, 2019, 91, 265-277.	0.6	1
1657	An MR technique for simultaneous quantitative imaging of water content, conductivity and susceptibility, with application to brain tumours using a 3T hybrid MR-PET scanner. Scientific Reports, 2019, 9, 88.	1.6	13
1658	Compact dual-band antenna with slotted ground for implantable applications. Microwave and Optical Technology Letters, 2019, 61, 1314-1319.	0.9	19
1659	Simplified parametric models of the dielectric properties of brain and muscle tissue during electrical stimulation. Medical Engineering and Physics, 2019, 65, 61-67.	0.8	1
1660	Principles of Transcranial Direct Current Stimulation (tDCS): Introduction to the Biophysics of tDCS. , 2019, , 45-80.		12
1661	Feasibility of water content-based dielectric characterisation of biological tissues using mixture models. IEEE Transactions on Dielectrics and Electrical Insulation, 2019, 26, 187-193.	1.8	10
1662	Radio-Frequency and Microwave Techniques for Non-Invasive Measurement of Blood Glucose Levels. Diagnostics, 2019, 9, 6.	1.3	99
1663	The Resistivity of Human Brain Tumours In Vivo. Annals of Biomedical Engineering, 2019, 47, 706-713.	1.3	21
1664	Effects of posture on electric fields of non-invasive brain stimulation. Physics in Medicine and Biology, 2019, 64, 065019.	1.6	16
1665	Magnetic Induction Spectroscopy for Biomass Measurement: A Feasibility Study. Sensors, 2019, 19, 2765.	2.1	7
1666	Approximation of complex organic tissue for investigation of the electromagnetic impact. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2019, 38, 1334-1346.	0.5	0
1667	Magnetic Nanoparticle-Guided Blind Focusing in Microwave Hyperthermia of Neck Tumors. IEEE Access, 2019, 7, 64063-64076.	2.6	7

#	ARTICLE	IF	CITATIONS
1668	Correlation of quantitative conductivity mapping and total tissue sodium concentration at 3T/4T. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1518-1526.	1.9	15
1669	Establishment of a Numerical Model to Design an Electro-Stimulating System for a Porcine Mandibular Critical Size Defect. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2160.	1.3	18
1670	Optimization of Miniaturized Wireless Power Transfer System to Maximize Efficiency for Implantable Biomedical Devices. , 2019, , .		8
1671	Statistical Blockage Modeling and Robustness of Beamforming in Millimeter-Wave Systems. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019, 67, 3010-3024.	2.9	81
1673	Variation in Reported Human Head Tissue Electrical Conductivity Values. <i>Brain Topography</i> , 2019, 32, 825-858.	0.8	175
1674	Ultra-Wideband Temperature Dependent Dielectric Spectroscopy of Porcine Tissue and Blood in the Microwave Frequency Range. <i>Sensors</i> , 2019, 19, 1707.	2.1	43
1675	Numerical Simulation of Conductivity Changes in the Human Thorax Caused by Aortic Dissection. <i>IEEE Transactions on Magnetics</i> , 2019, 55, 1-4.	1.2	8
1676	Design and <i>in vivo</i> testing of a low-cost miniaturized capsule system for body temperature monitoring. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019, 29, e21793.	0.8	7
1677	Biochemical and biophysical study of chemopreventive and chemotherapeutic anti-tumor potential of some Egyptian plant extracts. <i>Biochemistry and Biophysics Reports</i> , 2019, 18, 100637.	0.7	9
1678	A 4-channel, vector network analyzer microwave imaging prototype based on software defined radio technology. <i>Review of Scientific Instruments</i> , 2019, 90, 044708.	0.6	17
1679	Antenna-in-Package Design and Robust Test for the Link Between Wireless Ingestible Capsule and Smart Phone. <i>IEEE Access</i> , 2019, 7, 35231-35241.	2.6	19
1680	In-Vitro Test of Miniaturized CPW-Fed Implantable Conformal Patch Antenna at ISM Band for Biomedical Applications. <i>IEEE Access</i> , 2019, 7, 43547-43554.	2.6	59
1681	A 200-Mb/s Energy Efficient Transcranial Transmitter Using Inductive Coupling. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2019, 13, 435-443.	2.7	13
1682	Investigation of Nanomaterial Dipoles for SAR Reduction in Human Head. <i>Frequenz</i> , 2019, 73, 189-201.	0.6	0
1683	Towards mm-wave spectroscopy for dielectric characterization of breast surgical margins. <i>Breast</i> , 2019, 45, 64-69.	0.9	28
1684	A microwave biosensor based on spoof surface plasmon polaritons for <i>in vivo</i> measurement of the water content of human skin tissues. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 205401.	1.3	18
1685	Regional deep hyperthermia: quantitative evaluation of predicted and direct measured temperature distributions in patients with high-risk extremity soft-tissue sarcoma. <i>International Journal of Hyperthermia</i> , 2019, 36, 169-184.	1.1	15
1686	New electrical impedance methods for the in situ measurement of the complex permittivity of anisotropic skeletal muscle using multipolar needles. <i>Scientific Reports</i> , 2019, 9, 3145.	1.6	21

#	ARTICLE	IF	CITATIONS
1687	3D spaceâ€dependent models for stochastic dosimetry applied to exposure to low frequency magnetic fields. <i>Bioelectromagnetics</i> , 2019, 40, 170-179.	0.9	3
1688	Enhancement of atmospheric plasma jetâ€target interaction with an external ring electrode. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 295201.	1.3	27
1689	Magnetic Manipulation of Blood Conductivity with Superparamagnetic Iron Oxide-Loaded Erythrocytes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 11194-11201.	4.0	7
1690	Analysis of measurement electrode location in bladder urine monitoring using electrical impedance. <i>BioMedical Engineering OnLine</i> , 2019, 18, 34.	1.3	13
1691	Technical Note: Antiâ€phase microwave illuminationâ€based thermoacoustic tomography of inÂvivo human finger joints. <i>Medical Physics</i> , 2019, 46, 2363-2369.	1.6	18
1692	A Layered Pork Model for Subdermal Antenna Tests at 433 MHz. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2019, 3, 171-176.	2.3	11
1693	Optimal Frequency for Wireless Power Transmission Into the Body: Efficiency Versus Received Power. <i>IEEE Transactions on Antennas and Propagation</i> , 2019, 67, 4073-4083.	3.1	18
1694	A B-Scan Imaging Method of Conductivity Variation Detection for Magnetoâ€Acoustoâ€ Electrical Tomography. <i>IEEE Access</i> , 2019, 7, 26881-26891.	2.6	14
1695	Impedance Spectroscopy Based on Linear System Identification. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2019, 13, 396-402.	2.7	8
1696	Flexible antenna design on PDMS substrate for implantable bioelectronics applications. <i>Electrophoresis</i> , 2019, 40, 1186-1194.	1.3	12
1697	Numerical evaluation of human exposure to 3.5-GHz electromagnetic field by considering the 3GPP-like channel features. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 2019, 74, 25-33.	1.6	7
1698	Uncertainties and temperature correction in molecular dynamic simulations of dielectric properties of condensed polar systems. <i>Journal of Molecular Liquids</i> , 2019, 278, 546-552.	2.3	2
1699	An Off-Diagonal Feed Elliptical Patch Antenna With Ring Shaped Slot in Ground Plane for Microwave Imaging of Breast. , 2019, , .		3
1700	A review on antennas for biomedical implants used for IoT based health care. <i>Sensor Review</i> , 2019, 40, 273-280.	1.0	12
1701	Research on low frequency electromagnetic environment of electric vehicle and human health. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 657, 012060.	0.3	0
1702	Sensing Depth Analysis of Open-Ended Coaxial Probe for Skin Cancer Detection. , 2019, , .		0
1703	Smallâ€sized probe for local measuring electrical properties of the tissues inside of human body: design, modelling and simulation. <i>IET Nanobiotechnology</i> , 2019, 13, 946-951.	1.9	2
1705	Sequence Generative Adversarial Network for Chinese Social Media Text Summarization. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
1706	Novel Four-dimensional Chaotic Oscillator for Sub-1GHz Chaos-Based Communication Systems. , 2019, , .		1
1708	Experimental Characterization of a Micro-Turbine Generator for Energy Recovery Applications. , 2019, , .		0
1709	Modeling and Analysis of Spiral Antenna Properties for Research the Brain Radiation in the Microwave Range. , 2019, , .		0
1710	Electromagnetic Waves Propagation for Hyperthermia Application. , 2019, , .		2
1711	Development of Novel 70 GHz Band Exposure Equipment System for Studies on Thermal Perception Thresholds of Biological Effects Exposed to Millimeter-Wave. , 2019, , .		3
1712	Mathematical Modeling of the Security Management Process of an Information System in Conditions of Unauthorized External Influences. , 2019, , .		6
1713	CPW-fed Ultra-wideband Flexible Disc Monopole Antenna Design for Early Detection of Brain Stroke. , 2019, , .		4
1714	Guidelines Towards a Wearable Microwave Tomography System. , 2019, , .		1
1715	A New FlexibleAntenna Array Design for Hyperthermia Treatment of Bone Cancer. , 2019, , .		2
1716	Privacy Concerns on Mobile Applications for Google Play Store Market. , 2019, , .		1
1717	Securing IoT RF Fingerprinting Systems with Generative Adversarial Networks. , 2019, , .		9
1718	An Improved Pose Matching Method Based on Deep Learning. , 2019, , .		1
1719	Electric Field Array Detector for Millimeter Wave Assistance on Brain Tumor Resection. , 2019, , .		2
1720	Low-power Bandgap Reference with Soft Startup for Energy Scavenging Applications. , 2019, , .		0
1721	The Feature Extraction Method based on Hilbert Marginal Spectral Envelope Energy Applied in Gearbox Fault Diagnosis. , 2019, , .		0
1722	Titlepage. , 2019, , .		0
1723	Research on Adaptive Algorithm for Weight Partial Update of ANC. , 2019, , .		1
1724	ICIT 2019 Organizing Committees. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
1725	Reliability Analysis of Information Systems Based on the Concept of Service Profiles. , 2019, , .		1
1726	4G coverage mapping with an ultra-micro drone. , 2019, , .		2
1727	Diagnostics of osteoporosis based on analysis of electromagnetic wave propagation in biological objects. , 2019, , .		2
1728	Probing the Origins and Applications of Atypical Capacitive Cell Phenomena in Microfluidic Impedance Sensors. , 2019, , .		0
1729	Lab-on-a-chip Sensor for In Situ Nutrient Monitoring. , 2019, , .		1
1730	One-Shot Composition of Vision-Based Skills from Demonstration. , 2019, , .		3
1731	Peripheral Nerve Stimulation to Augment Human Analyst Performance. , 2019, , .		3
1732	On the Diagnosis of Aortic Dissection with Impedance Cardiography: A Bayesian Feasibility Study Framework with Multi-Fidelity Simulation Data. Proceedings (mdpi), 2019, 33, .	0.2	5
1733	Convergence of Parameter Estimates for Regularized Mixed Linear Regression Models*. , 2019, , .		1
1734	A Dynamic Controller for PDE-Based Systems. , 2019, , .		1
1735	A 64×64 -way Two-dimensional Beam-switching Butler Matrix for Multi-beam Massive MIMO. , 2019, , .		0
1736	CAAVI-RICS Model for Analyzing the Security of Fog Computing Systems: Authentication. , 2019, , .		0
1737	Electro-thermal Model of Approximated Organic Tissue for Investigation of Harmful Electrosurgical Impacts. , 2019, , .		1
1738	Discussion on "Data-Driven Stochastic Unit Commitment For Integrating Wind Generation". IEEE Transactions on Power Systems, 2019, 34, 3983-3983.	4.6	3
1739	Design of linear voice coil motor with semi-closed structure. IET Electric Power Applications, 2019, 13, 1574-1579.	1.1	9
1740	Efficacy of Cupping in the Treatment of Hypertension Disease Using Graph Colouring. Journal of Physics: Conference Series, 2019, 1366, 012044.	0.3	2
1741	Evaluate the shielding effectiveness of driver's cab for metro and its influence on electromagnetic exposure safety. IOP Conference Series: Earth and Environmental Science, 2019, 354, 012033.	0.2	0
1742	Three-Phase AC-DC Converter with Asymmetrical Vienna Rectifier. , 2019, , .		3

#	ARTICLE	IF	CITATIONS
1743	Algorithms and a Tool for Automatic Decryption of Clinical Notes. , 2019, , .		0
1745	FPGA Implementation of Cryptosystems Based on Linear Feedback Shift Registers for Educational Purposes. , 2019, , .		6
1746	State-of-the-art TCAD: 25 years ago and today. , 2019, , .		5
1747	A Phantom Investigation to Quantify Huygens Principle Based Microwave Imaging for Bone Lesion Detection. Electronics (Switzerland), 2019, 8, 1505.	1.8	11
1748	Nanophotonics contributions to state-of-the-art CMOS Image Sensors. , 2019, , .		5
1749	ESIR: End-To-End Scene Text Recognition via Iterative Image Rectification. , 2019, , .		165
1750	Transformer Coupled Voltage Controlled Oscillator Using 180nm Technology in Cadence Tool. , 2019, , .		1
1751	A Study on Detection and Segmentation of Ischemic Stroke in MRI and CT Images. , 2019, , .		2
1752	Multimodal Lamb Wave Identification Using Combination of Instantaneous Frequency with EMD. , 2019, , .		1
1753	Corpus Usage for Sentiment Analysis of a Hashtag Twitter. , 2019, , .		2
1754	Proposal to Diagnose the Factors That Affect Academic Desertion of the Politic@cnico Empresarial Colombiano through the Lean Six Sigma Methodology. , 2019, , .		1
1755	Speaker's Voice Recognition Methods in High-Level Interference Conditions. , 2019, , .		13
1756	Explainability Methods for Graph Convolutional Neural Networks. , 2019, , .		198
1757	Influence of Anatomical Model and Skin Conductivity on the Electric Field Induced in the Head by Transcranial Magnetic Stimulation. , 2019, 2019, 2917-2920.		4
1758	A Low-powered Capacitive Device for Detection of Heart Beat and Cardiovascular Parameters. , 2019, , .		0
1759	Integrated Flexible Hybrid Silicone-Textile Dual-Resonant Sensors and Switching Circuit for Wearable Neurodegeneration Monitoring Systems. IEEE Transactions on Biomedical Circuits and Systems, 2019, 13, 1304-1312.	2.7	24
1760	Microwave Imaging for Early Breast Cancer Detection using CMI. , 2019, , .		1
1761	Comparison of temperature elevation between in physical phantom skin and in human skin during local exposure to a 28 GHz millimeter-wave. , 2019, , .		2

#	ARTICLE	IF	CITATIONS
1762	Biomedical Antenna Characterization in-front of Homogeneous and Frequency Dependent Inhomogeneous Human Head. , 2019, , .		0
1763	Continuous noninvasive glucose monitoring; water as a relevant marker of glucose uptake in vivo. Biophysical Reviews, 2019, 11, 1017-1035.	1.5	16
1764	A Novel Conductive and Micropatterned PEG-Based Hydrogel Enabling the Topographical and Electrical Stimulation of Myoblasts. ACS Applied Materials & Interfaces, 2019, 11, 47695-47706.	4.0	44
1765	Novel Flexible and Wearable 2.4 GHz Antenna for Body-Centric Applications. , 2019, , .		3
1766	Tissue phantom to mimic the dielectric properties of human muscle within 20 Hz and 100 kHz for biopotential sensing applications. , 2019, 2019, 6490-6493.		5
1767	Wideband Modelling of the Dielectric Properties of Muscle as a Function of Hydration. , 2019, , .		0
1768	Micromotors for drug delivery in vivo: The road ahead. Advanced Drug Delivery Reviews, 2019, 138, 41-55.	6.6	99
1769	Gauging electrical properties of bone with a bioimpedance-sensing drill. Physiological Measurement, 2019, 40, 01NT01.	1.2	11
1770	Modulation of resting state brain functional connectivity by exposure to acute fourth generation long term evolution electromagnetic field: An fMRI study. Bioelectromagnetics, 2019, 40, 42-51.	0.9	12
1771	Sensitivity analysis of neurodynamic and electromagnetic simulation parameters for robust prediction of peripheral nerve stimulation. Physics in Medicine and Biology, 2019, 64, 015005.	1.6	9
1772	A principled approach to conductivity uncertainty analysis in electric field calculations. NeuroImage, 2019, 188, 821-834.	2.1	96
1773	A Dual-Mode RF Power Harvesting System With an On-Chip Coil in 180-nm SOI CMOS for Millimeter-Sized Biomedical Implants. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 414-428.	2.9	39
1774	Children exposure to femtocell in indoor environments estimated by sparse low-rank tensor approximations. Annales Des Telecommunications/Annals of Telecommunications, 2019, 74, 113-121.	1.6	9
1775	Capacitively coupled electrical stimulation of rat chondroepiphysis explants: A histomorphometric analysis. Bioelectrochemistry, 2019, 126, 1-11.	2.4	11
1776	Modified Born Iterative Method in Medical Electromagnetic Tomography Using Magnetic Field Fluctuation Contrast Source Operator. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 454-463.	2.9	32
1777	Neural network modelling of soft tissue deformation for surgical simulation. Artificial Intelligence in Medicine, 2019, 97, 61-70.	3.8	25
1778	Application of Two-Dimensional Discrete Dipole Approximation in Simulating Electric Field of a Microwave Breast Imaging System. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2019, 3, 80-87.	2.3	11
1779	Experimental Verifications of Low Frequency Path Gain (\$PG\$) Channel Modeling for Implantable Medical Device (IMD). IEEE Access, 2019, 7, 11934-11945.	2.6	9

#	ARTICLE	IF	CITATIONS
1780	Benchmarking transcranial electrical stimulation finite element models: a comparison study. <i>Journal of Neural Engineering</i> , 2019, 16, 026019.	1.8	13
1781	On the Development of a Novel Mixed Embroidered-Woven Slot Antenna for Wireless Applications. <i>IEEE Access</i> , 2019, 7, 9476-9489.	2.6	11
1782	The ADAM-pelvis phantom—an anthropomorphic, deformable and multimodal phantom for MRgRT. <i>Physics in Medicine and Biology</i> , 2019, 64, 04NT05.	1.6	41
1783	Thermoacoustic Tomography of <i>In Vivo</i> Human Finger Joints. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 1598-1608.	2.5	46
1784	Electrical properties tomography: Available contrast and reconstruction capabilities. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 803-810.	1.9	20
1785	PyPNS: Multiscale Simulation of a Peripheral Nerve in Python. <i>Neuroinformatics</i> , 2019, 17, 63-81.	1.5	23
1786	Advances in Computational Human Phantoms and Their Applications in Biomedical Engineering—A Topical Review. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2019, 3, 1-23.	2.7	58
1787	Noncontact Human Gait Analysis and Limb Joint Tracking Using Doppler Radar. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2019, 3, 61-70.	2.3	11
1788	Conductivity Tensor Imaging of <i>In Vivo</i> Human Brain and Experimental Validation Using Giant Vesicle Suspension. <i>IEEE Transactions on Medical Imaging</i> , 2019, 38, 1569-1577.	5.4	25
1789	Tissue phantoms to mimic the dielectric properties of human forearm section for multi-frequency bioimpedance analysis at low frequencies. <i>Materials Science and Engineering C</i> , 2019, 96, 496-508.	3.8	18
1790	RF-induced heating in tissue near bilateral DBS implants during MRI at 1.5T and 3T: The role of surgical lead management. <i>NeuroImage</i> , 2019, 184, 566-576.	2.1	92
1791	Dictionary-based electric properties tomography. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 342-349.	1.9	17
1792	Bioimpedance Spectroscopy Processing and Applications. , 2019, , 265-279.		4
1793	Can transcranial electric stimulation with multiple electrodes reach deep targets?. <i>Brain Stimulation</i> , 2019, 12, 30-40.	0.7	93
1794	Identification of Pulmonary Nodules by Sweeping the Surface of the Lung with an Electrical Bioimpedance Probe: A Feasibility Study. <i>Journal of Investigative Surgery</i> , 2019, 32, 614-623.	0.6	3
1795	Identifying and Localizing of the In-depth Pulmonary Nodules Using Electrical Bio-Impedance. <i>Journal of Investigative Surgery</i> , 2019, 32, 208-217.	0.6	6
1796	Numerical Experiments on the Contrast Capability of Magnetic Resonance Electrical Property Tomography. <i>Magnetic Resonance in Medical Sciences</i> , 2020, 19, 77-85.	1.1	1
1797	Clutter Reduction and Target Tracking in Through-the-Wall Radar. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2020, 58, 486-499.	2.7	15

#	ARTICLE	IF	CITATIONS
1798	Cost of focality in TDCS: Interindividual variability in electric fields. <i>Brain Stimulation</i> , 2020, 13, 117-124.	0.7	80
1799	Broadband Conformal Monopole Antenna Loaded with Meandered Arms for Wireless Capsule Endoscopy. <i>Wireless Personal Communications</i> , 2020, 110, 1679-1691.	1.8	8
1801	Electricity for Fluidics and Bio-Devices. <i>Microtechnology and MEMS</i> , 2020, , 235-308.	0.2	1
1802	Noninvasive Estimation of Plasma Sodium Concentration During Hemodialysis via Capacitively Coupled Electrical Impedance Spectroscopy. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020, 69, 1673-1681.	2.4	11
1803	Determining the Position and Orientation of In-Body Medical Instruments Using Near-Field Magnetic Field Mapping. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2020, 4, 10-16.	2.3	10
1804	Wireless Interrogation of Implantable SAW Sensors. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 1409-1417.	2.5	16
1805	Near-Field Wireless Power Transfer to Deep-Tissue Implants for Biomedical Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2020, 68, 1098-1106.	3.1	34
1806	Enhanced tES and tDCS computational models by meninges emulation. <i>Journal of Neural Engineering</i> , 2020, 17, 016027.	1.8	37
1807	Biopsy needle integrated with multi-modal physical/chemical sensor array. <i>Biosensors and Bioelectronics</i> , 2020, 148, 111822.	5.3	19
1808	Path loss modeling and verification of implantable human-body communication based on a point source field. <i>Technology and Health Care</i> , 2020, 28, 283-292.	0.5	0
1809	A Wideband Circularly Polarized Implantable Patch Antenna for ISM Band Biomedical Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2020, 68, 2399-2404.	3.1	58
1810	Oceanographic habitat suitability is positively correlated with the body condition of a coastal pelagic fish. <i>Fisheries Oceanography</i> , 2020, 29, 100-110.	0.9	17
1811	A Non-Invasive Method for Hydration Status Measurement With a Microwave Sensor Using Skin Phantoms. <i>IEEE Sensors Journal</i> , 2020, 20, 1095-1104.	2.4	10
1812	Compact dual-band implantable planar inverted F antenna with bandwidth enhancement. <i>Microwave and Optical Technology Letters</i> , 2020, 62, 322-328.	0.9	10
1813	Modelling Dynamically Re-Sizeable Electrodes (DRE) for Targeted Transcutaneous Measurements in Impedance Plethysmography. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2020, 14, 104-112.	2.7	3
1814	A miniaturized circularly polarized implantable RFID antenna for biomedical applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020, 30, e22105.	0.8	14
1815	Driver Authentication for Smart Car Using Wireless Sensing. <i>IEEE Internet of Things Journal</i> , 2020, 7, 2235-2246.	5.5	22
1816	Impact of neuroanatomical variations and electrode orientation on stimulus current in a device for migraine: a computational study. <i>Journal of Neural Engineering</i> , 2020, 17, 016006.	1.8	9

#	ARTICLE	IF	CITATIONS
1817	A 1.8-GHz Near-Field Dielectric Plethysmography Heart-Rate Sensor With Time-Based Edge Sampling. IEEE Journal of Solid-State Circuits, 2020, 55, 615-628.	3.5	5
1818	Compact implantable antenna design for MICS and ISM band biotelemetry applications. Microwave and Optical Technology Letters, 2020, 62, 1581-1587.	0.9	25
1819	SAR Enhancement of Slot Microstrip Antenna by Using Silicon Layer in Hyperthermia Applications. Wireless Personal Communications, 2020, 111, 1761-1774.	1.8	10
1820	Study on the Reading of Energy-Harvested Implanted NFC Tags Using Mobile Phones. IEEE Access, 2020, 8, 2200-2221.	2.6	28
1821	Effect of Dehydration on Dielectric Measurements of Biological Tissue as Function of Time. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2020, 4, 200-207.	2.3	17
1822	Transcutaneous innervation zone imaging from high-density surface electromyography recordings. Journal of Neural Engineering, 2020, 17, 016070.	1.8	8
1823	An Analysis of Open-Ended Coaxial Probe Sensitivity to Heterogeneous Media. Sensors, 2020, 20, 5372.	2.1	9
1824	Research on the detection of the brain tumor with the ultrawideband microwave signal based on the high-precision symplectic finite-difference time-domain electromagnetic algorithm and beam forming imaging algorithm. International Journal of RF and Microwave Computer-Aided Engineering, 2020, 30, e22463.	0.8	5
1825	Experimental Study of Electrical Properties of Pharmaceutical Materials by Electrical Impedance Spectroscopy. Applied Sciences (Switzerland), 2020, 10, 6576.	1.3	7
1826	Double-peak signal features in microfluidic impedance flow cytometry enable sensitive measurement of cell membrane capacitance. Lab on A Chip, 2020, 20, 4296-4309.	3.1	19
1827	Inter-Subject Variability of Skull Conductivity and Thickness in Calibrated Realistic Head Models. NeuroImage, 2020, 223, 117353.	2.1	53
1828	On the dielectric/thermal characterization and calibration of solutions and materials for biomedical applications. , 2020, , .		4
1829	Bladder Boundary Estimation by Gravitational Search Algorithm Using Electrical Impedance Tomography. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 9657-9667.	2.4	13
1830	Determining the Concentration of Red Blood Cells using Dielectric Properties. , 2020, , .		1
1831	Bladder Volume Monitoring Using Electrical Impedance Tomography With Simultaneous Multi-Tone Tissue Stimulation and DFT-Based Impedance Calculation Inside an FPGA. IEEE Transactions on Biomedical Circuits and Systems, 2020, 14, 775-786.	2.7	30
1832	Proposal of a Lab Bench for the Unobtrusive Monitoring of the Bladder Fullness with Bioimpedance Measurements. Sensors, 2020, 20, 3980.	2.1	8
1833	An Anatomical Model for the Simulation and Development of Subcutaneous Implantable Wireless Devices. IEEE Transactions on Antennas and Propagation, 2020, 68, 7170-7178.	3.1	15
1834	Noninvasive, simultaneous, and continuous measurements of stroke volume and tidal volume using EIT: feasibility study of animal experiments. Scientific Reports, 2020, 10, 11242.	1.6	11

#	ARTICLE	IF	CITATIONS
1835	Nanomesh pressure sensor for monitoring finger manipulation without sensory interference. <i>Science</i> , 2020, 370, 966-970.	6.0	361
1836	Theoretical Simulation of the Near-Field Probe for Non-Invasive Measurements on Planar Layers with Biological Characteristics. <i>Bioengineering</i> , 2020, 7, 149.	1.6	7
1837	Modulation of Neuronal Cell Affinity on PEDOTâ€“PSS Nonwoven Silk Scaffolds for Neural Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 6906-6916.	2.6	36
1838	MR-Based Electrical Conductivity Imaging Using Second-Order Total Generalized Variation Regularization. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7910.	1.3	1
1839	Development of a Novel Medical Device for Mucositis and Peri-Implantitis Treatment. <i>Bioengineering</i> , 2020, 7, 87.	1.6	3
1840	Determining a correction coefficient for dielectric properties between in vivo and ex vivo tumor. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020, 27, 1076-1079.	1.8	4
1841	Exploiting Tissue Dielectric Properties to Shape Microwave Thermal Ablation Zones. <i>Sensors</i> , 2020, 20, 3960.	2.1	16
1842	Stochastic Dosimetry applied on a low frequency Near-Field Source Scenario. , 2020, , .		0
1843	Numerical Sensitivity Analysis for Dielectric Characterization of Biological Samples by Open-Ended Probe Technique. <i>Sensors</i> , 2020, 20, 3756.	2.1	14
1844	A preliminary in vivo study of a method for measuring magneto-acoustic sonic source under electrical stimulation. <i>Technology and Health Care</i> , 2020, 28, 421-432.	0.5	2
1845	Non-Invasive RF Technique for Detecting Different Stages of Alzheimerâ€™s Disease and Imaging Beta-Amyloid Plaques and Tau Tangles in the Brain. <i>IEEE Transactions on Medical Imaging</i> , 2020, 39, 4060-4070.	5.4	20
1846	Pulsed Microwave Energy Transduction of Acoustic Phonon Related Brain Injury. <i>Frontiers in Neurology</i> , 2020, 11, 753.	1.1	2
1847	Electromagnetic analysis and simulation aspects of wireless power transfer in the domain of inductive power transmission technology. <i>Journal of Electromagnetic Waves and Applications</i> , 2020, 34, 1719-1755.	1.0	8
1848	Influence of Low Frequency Near-Field Sources Position on the Assessment of Children Exposure Variability Using Stochastic Dosimetry. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2020, 4, 179-186.	2.3	9
1849	Miniaturized CPW-fed bowtie slot antenna for wearable biomedical applications. , 2020, , .		5
1850	Indoor Full-Body Security Screening: Radiometric Microwave Imaging Phenomenology and Polarimetric Scene Simulation. <i>IEEE Access</i> , 2020, 8, 144621-144637.	2.6	22
1851	Use of Multi-frequency Electrical Impedance Tomography as Tactile Sensor for Material Discrimination. , 2020, , .		2
1852	Impact of Number of Segmented Tissues on SAR Prediction Accuracy in Deep Pelvic Hyperthermia Treatment Planning. <i>Cancers</i> , 2020, 12, 2646.	1.7	9

#	ARTICLE	IF	CITATIONS
1853	Loco-regional Hyperthermia Delivery: Patient-specific set-up Procedures for Treatment Optimisation. , 2020, , .		4
1854	Diffusion Limited Cryopreservation of Tissue with Radiofrequency Heated Metal Forms. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000796.	3.9	21
1855	A Comprehensive Survey on Hybrid Communication in Context of Molecular Communication and Terahertz Communication for Body-Centric Nanonetworks. <i>IEEE Transactions on Molecular, Biological, and Multi-Scale Communications</i> , 2020, 6, 107-133.	1.4	44
1856	Detection and differentiation of bacteria by electrical bioimpedance spectroscopy. <i>BioTechniques</i> , 2020, 69, 26-36.	0.8	5
1857	Effect of Electrical Conductivity Uncertainty in the Assessment of the Electric Fields Induced in the Brain by Exposure to Uniform Magnetic Fields at 50 Hz. <i>IEEE Access</i> , 2020, 8, 222297-222309.	2.6	11
1858	A Non-Invasive Bone Fracture Monitoring Analysis using an UHF Antenna. , 2020, , .		2
1859	Single User EMF Exposure Assessment in a Case of Incoming 5G Indoor Scenario. , 2020, , .		3
1860	Interdigitated Sensor Optimization for Blood Sample Analysis. <i>Biosensors</i> , 2020, 10, 208.	2.3	10
1861	Biostable conductive nanocomposite for implantable subdermal antenna. <i>APL Materials</i> , 2020, 8, .	2.2	9
1862	Oxygenation state of hemoglobin defines dynamics of water molecules in its vicinity. <i>Journal of Chemical Physics</i> , 2020, 153, 135101.	1.2	10
1863	Model-based Calibration of a Magnetic Induction Spectroscopy System for Absolute Conductivity Measurement. , 2020, , .		2
1864	Metasurface aided Biophysical Differentiation of Radiated Cancer Cells: C band to THz perspective. , 2020, , .		1
1865	Analog Realization of Fractional-Order Skin-Electrode Model for Tetrapolar Bio-Impedance Measurements. <i>Technologies</i> , 2020, 8, 61.	3.0	18
1866	Concurrent Imaging of Markers of Current Flow and Neurophysiological Changes During tDCS. <i>Frontiers in Neuroscience</i> , 2020, 14, 374.	1.4	11
1867	Novel reconstruction algorithm of magnetoacoustic tomography based on ring transducer array for acoustic speed inhomogeneous tissues. <i>Medical Physics</i> , 2020, 47, 3533-3544.	1.6	8
1868	Characterisation of Ex Vivo Liver Thermal Properties for Electromagnetic-Based Hyperthermic Therapies. <i>Sensors</i> , 2020, 20, 3004.	2.1	23
1869	Realization of Circular Polarization and Gain Enhancement for Implantable Antenna. <i>IEEE Access</i> , 2020, 8, 16857-16864.	2.6	13
1870	Contact-Free Biosignal Acquisition via Capacitive and Ultrasonic Sensors. <i>IEEE Access</i> , 2020, 8, 95629-95641.	2.6	6

#	ARTICLE	IF	CITATIONS
1871	Wireless Power Transfer for Implanted Medical Application: A Review. <i>Energies</i> , 2020, 13, 2837.	1.6	69
1872	Modeling radio-frequency energy-induced heating due to the presence of transcranial electric stimulation setup at 3T. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 793-807.	1.1	5
1873	Renal Blood Monitoring System Using Bio-impedance Measurement:Pilot Study. , 2020, , .		1
1874	Safety Assessment of Electromagnetic Exposure in High-Speed Train Carriage with Full Passengers. <i>Annals of Work Exposures and Health</i> , 2020, 64, 838-851.	0.6	6
1875	Three-dimensional model of conductivity imaging for magneto-acousto-electrical tomography. <i>Journal of Applied Physics</i> , 2020, 127, .	1.1	10
1876	Wide Frequency Characterization of Intra-Body Communication for Leadless Pacemakers. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 3223-3233.	2.5	14
1877	About the Interstitial Microwave Cancer Ablation: Principles, Advantages and Challenges. <i>IEEE Access</i> , 2020, 8, 49685-49694.	2.6	18
1878	A robust electrical conductivity imaging method with total variation and wavelet regularization. <i>Magnetic Resonance Imaging</i> , 2020, 69, 28-39.	1.0	4
1879	Temperature dependent dielectric spectroscopy of muscle tissue phantom. <i>International Journal of Microwave and Wireless Technologies</i> , 2020, 12, 885-891.	1.5	2
1880	Comparison of Detection Error in Depth-Profiling Between Selective-Passivation and Incremental Compensation for Electrical Impedance Spectroscopy on a Needle. <i>IEEE Sensors Journal</i> , 2020, 20, 5750-5758.	2.4	1
1881	Mechanistic view of skin electroporation “ models and dosimetry for successful applications: an expert review. <i>Expert Opinion on Drug Delivery</i> , 2020, 17, 689-704.	2.4	30
1882	Wearable Antennas for Cross-Body Communication and Human Activity Recognition. <i>IEEE Access</i> , 2020, 8, 58575-58584.	2.6	24
1883	iMED-Tour: An IoT-based Privacy-assured framework for Medical Services in Smart Tourism. , 2020, , .		9
1884	In-vivo pilot study at 3 Tesla: Feasibility of Electric Properties Tomography in a rat model of stroke. <i>Physics in Medicine</i> , 2020, 9, 100024.	0.6	8
1885	A Novel High-Performance Consequent Pole Dual Rotor Permanent Magnet Vernier Machine. <i>IEEE Transactions on Energy Conversion</i> , 2020, 35, 1238-1246.	3.7	29
1886	Modelling Curved Contact Flexible Microstrip Applicators for Patient-Specific Superficial Hyperthermia Treatment Planning. <i>Cancers</i> , 2020, 12, 656.	1.7	7
1887	Bayesian Uncertainty Quantification with Multi-Fidelity Data and Gaussian Processes for Impedance Cardiography of Aortic Dissection. <i>Entropy</i> , 2020, 22, 58.	1.1	10
1888	Enhancing the bone healing on electrical stimuli through the dental implant. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2020, 23, 1041-1051.	0.9	2

#	ARTICLE	IF	CITATIONS
1889	A New Label-Free and Contactless Bio-Tomographic Imaging with Miniaturized Capacitively-Coupled Spectroscopy Measurements. <i>Sensors</i> , 2020, 20, 3327.	2.1	2
1890	Capacitive monitoring system for real-time respiratory motion monitoring during radiation therapy. <i>Journal of Applied Clinical Medical Physics</i> , 2020, 21, 16-24.	0.8	4
1891	Evaluation of Inflammation by Cytokine Production Following Combined Exposure to Ultraviolet and Radiofrequency Radiation of Mobile Phones on 3D Reconstructed Human Skin In Vitro. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4401.	1.2	6
1892	Electric field distribution based on radial nonuniform conductivity in HVDC XLPE cable insulation. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020, 27, 121-127.	1.8	24
1893	A 200-240 GHz Sub-Harmonic Mixer Based on Half-Subdivision and Half-Global Design Method. <i>IEEE Access</i> , 2020, 8, 33461-33470.	2.6	12
1894	Handling Irregularly Sampled Longitudinal Data and Prognostic Modeling of Diabetes Using Machine Learning Technique. <i>IEEE Access</i> , 2020, 8, 21875-21885.	2.6	33
1895	Microscale Biosensor Array Based on Flexible Polymeric Platform toward Lab-on-a-Needle: Real-Time Multiparameter Biomedical Assays on Curved Needle Surfaces. <i>ACS Sensors</i> , 2020, 5, 1363-1373.	4.0	37
1896	Effect of sternal electrode gap and belt rotation on the robustness of pulmonary electrical impedance tomography parameters. <i>Physiological Measurement</i> , 2020, 41, 035003.	1.2	9
1897	Performance optimization of capacitive motion sensing (CMS) system for intra-fraction motion detection during stereotactic radiosurgery. <i>Biomedical Physics and Engineering Express</i> , 2020, 6, 015013.	0.6	4
1898	Revealing Plasma-Surface Interaction at Atmospheric Pressure: Imaging of Electric Field and Temperature inside the Targeted Material. <i>Scientific Reports</i> , 2020, 10, 2712.	1.6	16
1899	Implantable Sensor for Detecting Changes in the Loss Tangent of Cerebrospinal Fluid. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2020, 14, 452-462.	2.7	11
1900	Temperature-Insensitive Magnetic Field Sensor Based on an Optoelectronic Oscillator Merging a Mach-Zehnder Interferometer. <i>IEEE Sensors Journal</i> , 2020, 20, 7053-7059.	2.4	25
1901	Dielectric Constant and Conductivity of Blood Plasma: Possible Novel Biomarkers for Alzheimer's Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-7.	1.9	8
1902	Biosensor Using a One-Port Interdigital Capacitor: A Resonance-Based Investigation of the Permittivity Sensitivity for Microfluidic Broadband Bioelectronics Applications. <i>Electronics (Switzerland)</i> , 2020, 9, 340.	1.8	10
1903	A simple and accurate FDTD based technique to determine equivalent complex permittivity of the multi-layered human tissue in MICS band. <i>Journal of Science: Advanced Materials and Devices</i> , 2020, 5, 134-141.	1.5	5
1904	Statistical analysis of the accuracy of water content-based electrical properties tomography. <i>NMR in Biomedicine</i> , 2020, 33, e4273.	1.6	5
1905	Stimulation maps: visualization of results of quantitative intraoperative testing for deep brain stimulation surgery. <i>Medical and Biological Engineering and Computing</i> , 2020, 58, 771-784.	1.6	6
1906	Impedance in the Diagnosis of Lead Malfunction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008092.	2.1	29

#	ARTICLE	IF	CITATIONS
1907	Hardware Implementation of an Improved Stochastic Computing Based Deep Neural Network Using Short Sequence Length. IEEE Transactions on Circuits and Systems II: Express Briefs, 2020, 67, 2667-2671.	2.2	11
1909	Portable Impedance Analyzer as a Rapid Screening Tool for Malaria: An Experimental Study With Culture and Blood Infected Samples by Early Forms of <i>Plasmodium Falciparum</i> . IEEE Transactions on Biomedical Engineering, 2020, 67, 3531-3541.	2.5	7
1910	Analyzing the advantages of subcutaneous over transcutaneous electrical stimulation for activating brainwaves. Scientific Reports, 2020, 10, 7360.	1.6	7
1911	Scattering of SH waves in compact bone and cancellous bone. Biomedical Signal Processing and Control, 2020, 59, 101936.	3.5	1
1912	Numerical modelling challenges for clinical electroporation ablation technique of liver tumors. Mathematical Modelling of Natural Phenomena, 2020, 15, 11.	0.9	9
1913	Ultra-Miniature Circularly Polarized CPW-Fed Implantable Antenna Design and its Validation for Biotelemetry Applications. Scientific Reports, 2020, 10, 6795.	1.6	38
1914	Real-time Dynamic Imaging Method for Flexible Boundary Sensor in Wearable Electrical Impedance Tomography. IEEE Sensors Journal, 2020, , 1-1.	2.4	22
1915	Tissue coefficient as a novel index in bioelectric impedance analysis researches and applications. Biocybernetics and Biomedical Engineering, 2020, 40, 950-964.	3.3	1
1916	Comparison of existing electrode designs for preferential activation of cutaneous nociceptors. Journal of Neural Engineering, 2020, 17, 036026.	1.8	36
1917	Three-dimensional Electrodynamic Model of the Human Chest. , 2020, , .		1
1918	Thermoacoustic tomography of germinal matrix hemorrhage in neonatal mouse cerebrum. Journal of X-Ray Science and Technology, 2020, 28, 83-93.	0.7	11
1919	Effect of Open-Ended Coaxial Probe-to-Tissue Contact Pressure on Dielectric Measurements. Sensors, 2020, 20, 2060.	2.1	22
1920	Wireless <i>In Vivo</i> Biofuel Cell Monitoring. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2021, 5, 25-34.	2.3	7
1921	Divergence-Based Magnetic Resonance Electrical Properties Tomography. IEEE Transactions on Biomedical Engineering, 2021, 68, 192-203.	2.5	6
1922	Safety Standard Compliance of Human Exposure From Vehicle Cables Using Coupling Factors in the Frequency Range of 0.3â€“400 kHz. IEEE Transactions on Electromagnetic Compatibility, 2021, 63, 313-318.	1.4	7
1923	Multi-Time Scale Coordinated Control and Scheduling of Inverter-Based TCLs With Variable Wind Generation. IEEE Transactions on Sustainable Energy, 2021, 12, 46-57.	5.9	22
1924	A Circularly Polarized Omnidirectional Antenna for Wireless Capsule Endoscope System. IEEE Transactions on Antennas and Propagation, 2021, 69, 1896-1907.	3.1	18
1925	Graphene oxide and electroactive reduced graphene oxide-based composite fibrous scaffolds for engineering excitable nerve tissue. Materials Science and Engineering C, 2021, 119, 111632.	3.8	65

#	ARTICLE	IF	CITATIONS
1926	Smart needle to diagnose metastatic lymph node using electrical impedance spectroscopy. <i>Auris Nasus Larynx</i> , 2021, 48, 281-287.	0.5	3
1927	Brain Tissue Conductivity Measurements with MR-Electrical Properties Tomography: An In Vivo Study. <i>Brain Topography</i> , 2021, 34, 56-63.	0.8	14
1928	Computational models for contact current dosimetry at frequencies below 1MHz. <i>Medical and Biological Engineering and Computing</i> , 2021, 59, 107-119.	1.6	3
1929	Differences in the dielectric properties of various benign and malignant thyroid nodules. <i>Medical Physics</i> , 2021, 48, 760-769.	1.6	8
1930	Robust Method for Mid-Activity Tracking and Evaluation of Ankle Health Post-Injury. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 1341-1350.	2.5	14
1931	Anthropomorphic Durable Realistic Knee Phantom for Testing Electromagnetic Imaging Systems. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2021, 5, 132-138.	2.3	11
1932	Hyperthermia Treatment Planning: Clinical Application and Ongoing Developments. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2021, 5, 214-222.	2.3	17
1933	Design and Analysis of Dual-Band Implantable Antennas Based on Effective Relative Permittivity Calculation. <i>IEEE Transactions on Antennas and Propagation</i> , 2021, 69, 2463-2472.	3.1	11
1934	Towards the Robust and Effective Design of Hyperthermic Devices: Improvement of a Patch Antenna for the Case Study of Abdominal Rhabdomyosarcoma With 3D Perfusion. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2021, 5, 197-205.	2.3	12
1935	Global and peak local specific absorption rate control on parallel transmit systems using k means SAR compression model. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1093-1103.	1.9	1
1936	Tissue-Emulating Phantoms for In Vitro Experimentation at Radio Frequencies: Exploring characteristics, fabrication, and testing methods. <i>IEEE Antennas and Propagation Magazine</i> , 2021, 63, 29-39.	1.2	8
1937	Numerical modeling of two microwave sensors for biomedical applications. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2021, 34, .	1.2	15
1938	Mapping the local dielectric constant of a biological nanostructured system. <i>Beilstein Journal of Nanotechnology</i> , 2021, 12, 139-150.	1.5	1
1939	Radioplasmonics: Plasmonic Transducers in the Radiofrequency Regime for Resonant Thermo-acoustic Imaging in Deep Tissues. <i>ACS Photonics</i> , 2021, 8, 238-246.	3.2	5
1940	Nonresonant powering of injectable nanoelectrodes enables wireless deep brain stimulation in freely moving mice. <i>Science Advances</i> , 2021, 7, .	4.7	76
1941	Minimally Invasive Sensors for Transurethral Impedance Spectroscopy. <i>IEEE Sensors Journal</i> , 2021, 21, 22858-22867.	2.4	8
1942	Coupling and electrodes. , 2021, , 3-50.		1
1943	A Wireless Power Transfer System for Spinal Cord Stimulation Based on Generalized Parity-Time Symmetry Condition. <i>IEEE Transactions on Industry Applications</i> , 2022, 58, 1330-1339.	3.3	7

#	ARTICLE	IF	CITATIONS
1944	Physical, mathematical, and numerical modeling. , 2021, , 1-41.		0
1945	Design and Development of Software and Hardware Modules of Bioimpedance System Using LTSpice. Lecture Notes in Electrical Engineering, 2021, , 187-199.	0.3	0
1946	Analysis of Interaction Scattering Cross Sections and Their Physical Bounds for Multiple-Dipole Stimulation of a Three-Dimensional Layered Medium. IEEE Open Journal of Antennas and Propagation, 2021, 2, 506-520.	2.5	6
1947	Structural, Mechanical, and Dielectric Properties of Polydimethylsiloxane and Silicone Elastomer for the Fabrication of Clinical-Grade Kidney Phantom. Applied Sciences (Switzerland), 2021, 11, 1172.	1.3	21
1948	Urinary Bladder Volume Monitoring Using Magnetic Induction Tomography: A Rotational Simulation Model for Anatomical Slices Within the Pelvic Region. IEEE Transactions on Biomedical Engineering, 2022, 69, 547-557.	2.5	1
1949	Design, Measurements, and Analysis of Enhanced Bandwidth UWB. International Journal of Ambient Computing and Intelligence, 2021, 12, 140-158.	0.8	0
1950	Meandering Pattern 433 MHz Antennas for Ingestible Capsules. IEEE Access, 2021, 9, 91874-91882.	2.6	12
1951	Electrical impedance to easily discover undeclared freeze-thaw cycles in slaughtered bovine meat. Journal of Electrical Bioimpedance, 2021, 12, 3-10.	0.5	5
1952	Electrode Design for Reproducible Study of Tissues Impedance in Medical Applications. Smart Sensors, Measurement and Instrumentation, 2021, , 25-37.	0.4	0
1954	Three-channel electrical impedance spectroscopy for field-scale root phenotyping. The Plant Phenome Journal, 2021, 4, e20021.	1.0	10
1955	AC measurements and simulations of hepatic radiofrequency ablation. International Journal of Hyperthermia, 2021, 38, 1322-1332.	1.1	1
1957	Modeling and Analysis of Fractal Antenna Using Minkowski Island Technique for Wireless Body-Centric Communication. Lecture Notes in Networks and Systems, 2021, , 141-151.	0.5	0
1958	Noninvasive real-time assessment of intracranial pressure after traumatic brain injury based on electromagnetic coupling phase sensing technology. BMC Neurology, 2021, 21, 26.	0.8	9
1959	Resolution Enhancement of UWB Time-Reversal Microwave Imaging in Dispersive Environments. IEEE Transactions on Computational Imaging, 2021, 7, 925-934.	2.6	6
1960	Regional admittivity reconstruction with multi-frequency complex admittance data using contactless capacitive electrical tomography. IEEE Sensors Journal, 2021, , 1-1.	2.4	1
1961	A Rapid Electrochemical Impedance Spectroscopy and Sensor-Based Method for Monitoring Freeze-Damage in Tangerines. IEEE Sensors Journal, 2021, 21, 12009-12018.	2.4	6
1962	Path Loss Models for Wireless Cardiac RF Communication. IEEE Antennas and Wireless Propagation Letters, 2021, 20, 893-897.	2.4	9
1963	Glucose Concentration Detection in Biological Solutions with Microwave Sensors. Springer Theses, 2021, , 133-153.	0.0	0

#	ARTICLE	IF	CITATIONS
1964	Precise Temporal Control of Interferential Neural Stimulation via Phase Modulation. IEEE Transactions on Biomedical Engineering, 2022, 69, 220-228.	2.5	3
1965	Monitoring wound healing. , 2021, , 221-270.		1
1966	Impedimetric Analysis of Trabecular Bone Based on Cole and Linear Discriminant Analysis. Frontiers in Physics, 2021, 8, .	1.0	2
1967	Electromagnetic simulation of a 16-channel head transceiver at 7 T using circuit-spatial optimization. Magnetic Resonance in Medicine, 2021, 85, 3463-3478.	1.9	3
1968	High-frequency electrical properties tomography at 9.4T as a novel contrast mechanism for brain tumors. Magnetic Resonance in Medicine, 2021, 86, 382-392.	1.9	11
1969	Simple Smart Implants: Simultaneous Monitoring of Loosening and Temperature in Orthopaedics With an Embedded Ultrasound Transducer. IEEE Transactions on Biomedical Circuits and Systems, 2021, 15, 102-110.	2.7	7
1970	In-vivo imaging of targeting and modulation of depression-relevant circuitry by transcranial direct current stimulation: a randomized clinical trial. Translational Psychiatry, 2021, 11, 138.	2.4	12
1971	Influence of different materials of electric vehicle body on low frequency electromagnetic exposure for driver. Journal of Physics: Conference Series, 2021, 1777, 012058.	0.3	1
1972	Analysis of the validity of the mathematical assumptions of electrical impedance tomography for human head tissues. Biomedical Physics and Engineering Express, 2021, 7, 025011.	0.6	2
1974	Stochastic Dosimetry Assessment of the Human RF-EMF Exposure to 3D Beamforming Antennas in indoor 5G Networks. Applied Sciences (Switzerland), 2021, 11, 1751.	1.3	14
1975	Theoretical Analysis and Design of an Innovative Coil Structure for Transcranial Magnetic Stimulation. Applied Sciences (Switzerland), 2021, 11, 1960.	1.3	1
1976	Increased preferential activation of small cutaneous nerve fibers by optimization of electrode design parameters. Journal of Neural Engineering, 2021, 18, 016020.	1.8	4
1977	A comprehensive analysis of the impact of head model extent on electric field predictions in transcranial current stimulation. Journal of Neural Engineering, 2021, 18, 046024.	1.8	2
1978	Dual-turn electrically coupled loop antenna for gastrointestinal capsules. Wireless Networks, 2021, 27, 2485-2495.	2.0	1
1980	SAFE: A Novel Microwave Imaging System Design for Breast Cancer Screening and Early Detection-Clinical Evaluation. Diagnostics, 2021, 11, 533.	1.3	27
1981	Dielectric Properties of Ovine Heart at Microwave Frequencies. Diagnostics, 2021, 11, 531.	1.3	10
1982	Interference of cardiovascular implantable electronic devices by static electric and magnetic fields. Expert Review of Medical Devices, 2021, 18, 395-405.	1.4	5
1984	Fabrication And Evaluation Of Simple Tissue-Mimicking Phantoms For Electrical Impedance Sensing. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
1985	Study of Two Constraints Impacting Measurements of Human Glycemia Using a Microwave Sensor. <i>Biosensors</i> , 2021, 11, 83.	2.3	4
1986	Double Slot Antenna for Microwave Thermal Ablation to Treat Bone Tumors: Modeling and Experimental Evaluation. <i>Electronics (Switzerland)</i> , 2021, 10, 761.	1.8	15
1987	A Conformal UWB Dual-Polarized Antenna for Wireless Capsule Endoscope Systems. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021, 20, 483-487.	2.4	21
1988	Rapid rotational magneto-acousto-electrical tomography with filtered back-projection algorithm based on plane waves. <i>Physics in Medicine and Biology</i> , 2021, 66, 095002.	1.6	15
1989	Microwave Imaging for Breast Cancer Detection. , 0, , .		0
1990	Analysis of glucose-dependent dielectric properties of aqueous-based solution: A proof of concept. <i>IET Science, Measurement and Technology</i> , 2021, 15, 562-568.	0.9	0
1991	STUDY OF ACOUSTIC SOURCE EXCITED BY PULSED MAGNETIC FIELD. <i>Journal of Mechanics in Medicine and Biology</i> , 2021, 21, 2140008.	0.3	4
1992	Micro-electrodes for in situ temperature and bio-impedance measurement. <i>Nano Select</i> , 2021, 2, 1986.	1.9	3
1993	Wireless Monitoring of Biological Objects at Microwaves. <i>Electronics (Switzerland)</i> , 2021, 10, 1288.	1.8	3
1994	Ultra-Wideband Localization of Pulmonary Nodules during Thoracoscopic Surgery. <i>Engineering Proceedings</i> , 2021, 6, .	0.4	1
1995	Potential Utility of Electrical Impedance Myography in Evaluating Age-Related Skeletal Muscle Function Deficits. <i>Frontiers in Physiology</i> , 2021, 12, 666964.	1.3	10
1996	Modeling of the Effect of Skin Temperature on Hydration Assessment. , 2021, , .		1
1997	Stand for Determining the Forearm Tissues Resistivity in-Vivo. , 2021, , .		1
1998	Advances in tissue state recognition in spinal surgery: a review. <i>Frontiers of Medicine</i> , 2021, 15, 575-584.	1.5	3
1999	Effect of skull thickness and conductivity on current propagation for noninvasively injected currents. <i>Journal of Neural Engineering</i> , 2021, 18, 046042.	1.8	5
2000	A Microwave Biosensor for Aqueous Glucose Solution with Improved-Sensitivity. , 2021, , .		0
2001	Implantable Antenna Design Based on Gosper Curve Fractal Geometry. <i>IETE Journal of Research</i> , 2023, 69, 3583-3593.	1.8	1
2002	Numerical Analysis of the Localization of Pulmonary Nodules during Thoracoscopic Surgery by Ultra-Wideband Radio Technology. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4282.	1.3	1

#	ARTICLE	IF	CITATIONS
2003	Discrete Dipole Approximation-Based Microwave Tomography for Fast Breast Cancer Imaging. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 2741-2752.	2.9	13
2004	Posture-Transformed Monkey Phantoms Developed from a Visible Monkey. Applied Sciences (Switzerland), 2021, 11, 4430.	1.3	2
2005	Differential Heating of Metal Nanostructures at Radio Frequencies. Physical Review Applied, 2021, 15, .	1.5	13
2006	Minimum Representative Human Body Model Size Determination for Link Budget Calculation in Implanted Medical Devices. Applied Sciences (Switzerland), 2021, 11, 6032.	1.3	2
2007	Somatic inhibition by microscopic magnetic stimulation. Scientific Reports, 2021, 11, 13591.	1.6	8
2008	Radioplasmonics: Design of Metamaterial Milli-particles in Air and Absorbing Media for Antenna Communication and Human-Body In Vivo Applications. Plasmonics, 0, , 1.	1.8	1
2010	Discrimination of Bulk and Surface Refractive Index Change in Plasmonic Sensors with Narrow Bandwidth Resonance Combs. ACS Sensors, 2021, 6, 3013-3023.	4.0	46
2011	Theoretical basis for the hypothesis of white-matter resonance as a background of spike-wave discharges. Physics in Medicine, 2021, 11, 100031.	0.6	0
2012	Anatomical 3D Modeling of Upper Limb for Bio-impedance based Hand Motion Interpretation. , 2021, , .		1
2013	SAR Evaluation Towards Breast Cancer in Hyperthermia Treatment. , 2021, , .		0
2014	Flexible, Segmented Tubular Design With Embedded Complementary Split-Ring Resonators for Tissue Identification. IEEE Sensors Journal, 2021, 21, 16024-16032.	2.4	3
2015	A Compact Flexible UWB Antenna for Biomedical Applications: Especially for Breast Cancer Detection. Lecture Notes in Electrical Engineering, 2022, , 1061-1072.	0.3	0
2016	On the feasibility of wireless radio frequency ablation using nanowire antennas. APL Materials, 2021, 9, 071103.	2.2	5
2017	Mathematical and deep learning analysis based on tissue dielectric properties at low frequencies predict outcome in human breast cancer. Technology and Health Care, 2022, 30, 633-645.	0.5	5
2019	A bioimpedance-based monitor for real-time detection and identification of secondary brain injury. Scientific Reports, 2021, 11, 15454.	1.6	8
2020	Split Ring Inspired Tri/Dual Band PIFA Antenna for Implantable Biomedical Devices. Wireless Personal Communications, 2021, 121, 687-706.	1.8	2
2021	Finite Element Analysis of the Microwave Ablation Method for Enhanced Lung Cancer Treatment. Cancers, 2021, 13, 3500.	1.7	19
2022	Chipless RFID Label with Identification and Touch-Sensing Capabilities. Sensors, 2021, 21, 4862.	2.1	6

#	ARTICLE	IF	CITATIONS
2023	Conductivity Tensor Imaging of the Human Brain Using Water Mapping Techniques. <i>Frontiers in Neuroscience</i> , 2021, 15, 694645.	1.4	11
2024	Ambiguity in the interpretation of the low-frequency dielectric properties of biological tissues. <i>Bioelectrochemistry</i> , 2021, 140, 107773.	2.4	15
2025	Quarter-Wave Plates to Improve Rotational Misalignment Robustness in Medical Telemetry. <i>Bioelectromagnetics</i> , 2021, 42, 583-592.	0.9	0
2026	Influence of layered skull modeling on the frequency sensitivity and target accuracy in simulations of transcranial current stimulation. <i>Human Brain Mapping</i> , 2021, 42, 5345-5356.	1.9	7
2027	Physics of Absorption and generation of Electromagnetic Radiation. , 0, , .		3
2028	Coaxial Probe-based Measurements of Biological Tissues: Inaccuracies in Sensing Volume when Calculated from Sensing Radius and Sensing Depth. , 2021, , .		1
2029	Gel models to assess distribution and diffusion of reactive species from cold atmospheric plasma: an overview for plasma medicine applications. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 463001.	1.3	8
2030	Evaluation of Thoracic Equivalent Multiport Circuits Using an Electrical Impedance Tomography Hardware Simulation Interface. <i>Technologies</i> , 2021, 9, 58.	3.0	4
2031	Numerical simulation and analysis of effects of individual differences on the field distribution in the human brain with electromagnetic pulses. <i>Scientific Reports</i> , 2021, 11, 16504.	1.6	5
2032	Analysis, Simulation, and Development of a Low-Cost Fully Active-Electrode Bioimpedance Measurement Module. <i>Technologies</i> , 2021, 9, 59.	3.0	0
2033	Threshold of radiofrequency electromagnetic field effect on human brain. <i>International Journal of Radiation Biology</i> , 2021, 97, 1-11.	1.0	8
2034	Influence of Intrinsic Impedance on the Phase of Propagation Pulse Through Biologic Tissue. <i>IETE Journal of Research</i> , 0, , 1-9.	1.8	0
2035	Finite element analysis of a capacitive array for 6D intrafraction motion detection during stereotactic radiosurgery. <i>Physics in Medicine and Biology</i> , 2021, 66, 175021.	1.6	1
2036	Dielectric Characterization of <i>Ex Vivo</i> Ovine and Human Adrenal Glands for Microwave Thermal Ablation Applications. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2021, 5, 254-261.	2.3	12
2037	Dielectrics for Non-Contact ECG Bioelectrodes: A Review. <i>IEEE Sensors Journal</i> , 2021, 21, 18353-18367.	2.4	9
2038	Detecting a Stroke-Affected Region in the Brain by Scanning with Low-Intensity Electromagnetic Waves in the Radio Frequency/Microwave Band. <i>Healthcare (Switzerland)</i> , 2021, 9, 1170.	1.0	1
2039	Inductive Power Transfer Link at 13.56 MHz for Leadless Cardiac Pacemakers. <i>Energies</i> , 2021, 14, 5436.	1.6	6
2040	Comparison of Five Conductivity Tensor Models and Image Reconstruction Methods Using MRI. <i>Molecules</i> , 2021, 26, 5499.	1.7	4

#	ARTICLE	IF	CITATIONS
2041	Electromagnetic Exposure Dosimetry Study on Two Free Rats at 1.8 GHz via Numerical Simulation. <i>Frontiers in Public Health</i> , 2021, 9, 721166.	1.3	2
2042	Human RF-EMF Exposure Assessment Due to Access Point in Incoming 5G Indoor Scenario. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2021, 5, 269-276.	2.3	6
2043	One-time Electromagnetic Irradiation Modifies Stress-sensitive Gene Expressions in Rice Plant. <i>Bioelectromagnetics</i> , 2021, 42, 649-658.	0.9	3
2044	An impedance matched interdigital capacitor at 1.5 GHz for microfluidic sensing applications. <i>Sensors and Actuators A: Physical</i> , 2021, 330, 112867.	2.0	4
2045	Dielectric Properties of Human Active Liver, Kidney and Spleen Compared to Those of Respective Inactive Tissues, Porcine Tissues and the Data Provided by a Database in the Frequency Range of 10 Hz to 100 MHz. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 3098-3109.	2.5	7
2046	Determination of sensitive frequency margin for aggregated protein concentration quantification by fd-electrical impedance tomography. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021, 186, 110135.	2.5	5
2047	Optimization of Interdigitated Sensor Characteristics. <i>Smart Sensors, Measurement and Instrumentation</i> , 2021, , 91-122.	0.4	2
2048	Stable and Lifelong Head Phantoms Using Polymer Composition Mimicking Materials to Test Electromagnetic Medical Imaging Systems. <i>IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology</i> , 2021, 5, 322-328.	2.3	11
2049	Characterization of Atherosclerotic Lesions by Inversion of Eddy-Current Impedance Data. <i>Scientific Computation</i> , 2021, , 249-279.	0.2	0
2050	High-Speed and Accurate Meat Composition Imaging by Mechanically-Flexible Electrical Impedance Tomography With k -Nearest Neighbor and Fuzzy k -Means Machine Learning Approaches. <i>IEEE Access</i> , 2021, 9, 38792-38801.	2.6	20
2051	Study of Freezing and Defrosting Effects on Complex Permittivity of Biological Tissues. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021, 20, 2210-2214.	2.4	4
2052	Hepatic Steatosis Detection Using Differential Effective Permittivity. <i>IEEE Transactions on Antennas and Propagation</i> , 2021, 69, 8842-8853.	3.1	3
2053	A Finite Element Analysis and Circuit Modelling Methodology for Studying Electrical Impedance Myography of Human Limbs. <i>IEEE Transactions on Biomedical Engineering</i> , 2022, 69, 244-255.	2.5	7
2054	Electromagnetic Irradiation Evokes Physiological and Molecular Alterations in Rice. <i>Bioelectromagnetics</i> , 2021, 42, 173-185.	0.9	10
2055	Three Configurations of Compact Planar Multistub Microstrip Antennas for mmW Mobile Applications. <i>International Journal of Antennas and Propagation</i> , 2021, 2021, 1-10.	0.7	2
2056	Electrically Conductive Micropatterned Polyaniline-Poly(ethylene glycol) Composite Hydrogel. <i>Materials</i> , 2021, 14, 308.	1.3	10
2057	Microwave Imaging in Security – Two Decades of Innovation. <i>IEEE Journal of Microwaves</i> , 2021, 1, 191-201.	4.9	52
2058	Bioimpedance Sensors: A Tutorial. <i>IEEE Sensors Journal</i> , 2021, 21, 22190-22219.	2.4	24

#	ARTICLE	IF	CITATIONS
2059	Power and data communication in wearable and implantable devices. , 2021, , 279-309.		2
2060	Thermal models for microwave hazards and their role in standards development. Bioelectromagnetics, 1999, 20, 52-63.	0.9	11
2061	Local Field Potential Interaction with the Extracellular Medium. , 2014, , 1-10.		1
2062	Stochastic Dosimetry for Radio-Frequency Exposure Assessment in Realistic Scenarios. PoliTO Springer Series, 2019, , 89-102.	0.3	12
2063	Water-Content Electrical Property Tomography (wEPT) for Mapping Brain Tissue Conductivity in the 200â€“1000 kHz Range: Results of an Animal Study. , 2019, , 367-393.		6
2064	Increasing Voltage Transients Using Implanted Titanium Nitride Neural Stimulation Electrodes. Biosystems and Biorobotics, 2014, , 543-551.	0.2	2
2065	Tattoo Antenna Temporary Transfers Operating On-Skin (TATTOOS). Lecture Notes in Computer Science, 2015, , 685-695.	1.0	8
2066	Lard Detection in Edible Oil Using Dielectric Spectroscopy. Smart Sensors, Measurement and Instrumentation, 2017, , 245-271.	0.4	2
2067	Crossed Viewpoints on Microwave-Based Imaging for Medical Diagnosis: From Genesis to Earliest Clinical Outcomes. , 2018, , 369-414.		15
2068	Role of Computational Modeling for Dose Determination. , 2019, , 233-262.		4
2069	An excitation in differential EIT â€“ selection of measurement frequencies. , 2007, , 396-399.		3
2070	Low-frequency dielectric properties of the oral mucosa. , 2007, , 154-157.		15
2071	Determination of Cardiac Ejection Fraction by Electrical Impedance Tomography - Numerical Experiments and Viability Analysis. Lecture Notes in Computer Science, 2009, , 819-828.	1.0	9
2072	Finite Element Modeling of in Vivo Electroporation. Series in Biomedical Engineering, 2010, , 183-202.	0.5	3
2073	Meandered versus Spiral Novel Miniature PIFAs Implanted in the Human Head: Tuning and Performance. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2012, , 80-87.	0.2	15
2074	Parametric Study and Design of Implantable PIFAs for Wireless Biotelemetry. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2012, , 96-102.	0.2	10
2075	Forward Modeling and Tissue Conductivities. , 2014, , 107-127.		1
2077	On the Electrodynamics of Neural Networks. , 2014, , 269-296.		3

#	ARTICLE	IF	CITATIONS
2078	Electromagnetic Field Calculations in an Anatomically Realistic Voxel Model of the Human Body. , 2000, , 123-131.		2
2079	Recent Advancements in Dosimetry Measurements and Modeling. , 2000, , 141-155.		23
2080	Miniaturized, Meandered, and Stacked MSA Using Accelerated Design Strategy for Biomedical Applications. Advances in Intelligent Systems and Computing, 2016, , 721-728.	0.5	4
2081	The Venous Occlusion Effect To Increase The Accuracy Of Electrical Impedance Peripheral Veins Detection. IFMBE Proceedings, 2018, , 538-541.	0.2	12
2082	The Study of Needle Electrode Characteristics for Venipuncture Electrical impedance Controlling System. IFMBE Proceedings, 2018, , 350-353.	0.2	13
2083	High Versus Low Static Magnetic Fields in MRI. , 2014, , 55-68.		5
2084	Biological Effects of Radio-Frequency Fields. , 2002, , 508-527.		1
2085	Antennas for ingestible capsule telemetry. , 2016, , 143-186.		23
2086	<i>In vivo</i> magnetic nanoparticle hyperthermia: a review on preclinical studies, low-field nano-heaters, noninvasive thermometry and computer simulations for treatment planning. International Journal of Hyperthermia, 2020, 37, 76-99.	1.1	59
2087	Two high-resolution thermal monitoring sheets for clinical superficial hyperthermia. Physics in Medicine and Biology, 2020, 65, 175021.	1.6	8
2088	The effect of simulation strategies on prediction of power deposition in the tissue around electronic implants during magnetic resonance imaging. Physics in Medicine and Biology, 2020, 65, 185007.	1.6	15
2089	Dielectric Resonance Phenomena in Ultra High Field MRI. Journal of Computer Assisted Tomography, 1999, 23, 821-831.	0.5	96
2093	Simulation of Single Channel Magnetic Induction Spectroscopy for Fetal Hypoxia Detection. Jurnal Teknologi (Sciences and Engineering), 2015, 73, .	0.3	3
2094	Treatment Planning Optimization in Irreversible Electroporation for Complete Ablation of Variously Sized Cervical Tumors: A Numerical Study. Journal of Biomechanical Engineering, 2021, 143, .	0.6	12
2095	Electromagnetic methods for thermal therapy monitoring and assessment. Proceedings of SPIE, 2000, , .	0.8	1
2096	Sensitivity of microwave ablation models to tissue biophysical properties: A first step toward probabilistic modeling and treatment planning. Medical Physics, 2016, 43, 2649-2661.	1.6	53
2097	Measurement Techniques for the Electromagnetic Characterization of Biological Materials. , 2006, , 235-275.		1
2100	SPECTROSCOPIC ADMITTIVITY IMAGING OF BIOLOGICAL TISSUES: CHALLENGES AND FUTURE DIRECTIONS. Journal of the Korean Society for Industrial and Applied Mathematics, 2014, 18, 77-105.	0.0	1

#	ARTICLE	IF	CITATIONS
2101	Remote Electrical Stimulation by Means of Implanted Rectifiers. PLoS ONE, 2011, 6, e23456.	1.1	20
2102	Design and construction of an optimized transmit/receive hybrid birdcage resonator to improve full body images of medium-sized animals in 7T scanner. PLoS ONE, 2018, 13, e0192035.	1.1	7
2103	A Coaxial Dielectric Probe Technique for Distinguishing Tooth Enamel from Dental Resin. Advances in Biomedical Engineering Research, 2015, 3, 8.	0.2	10
2104	Feasibility of Imaging Tissue Electrical Conductivity by Switching Field Gradients with MRI. Tomography, 2015, 1, 125-135.	0.8	9
2105	An MR-Based Viscosity-Type Regularization Method for Electrical Property Tomography. Tomography, 2017, 3, 50-59.	0.8	19
2106	AN ELECTRICAL MODEL OPTIMIZATION FOR SINGLE CELL FLOW IMPEDANCE SPECTROSCOPY. International Journal on Smart Sensing and Intelligent Systems, 2016, 9, 526-536.	0.4	9
2107	Electromagnetic Tissue Fusion Using Superparamagnetic Iron Oxide Nanoparticles: First Experience with Rabbit Aorta. The Open Surgery Journal, 2008, 2, 3-9.	0.7	11
2108	Coaxial Slot Antenna Design for Microwave Hyperthermia using Finite- Difference Time-Domain and Finite Element Method. The Open Nanomedicine Journal, 2011, 3, 2-9.	1.6	40
2109	Using UncertainSCI to Quantify Uncertainty in Cardiac Simulations. , 0, , .		3
2110	Stochastic Thermal Dosimetry for the Three Compartment Head Model. , 2018, , .		2
2111	Conformal antennas for miniature in-body devices: The quest to improve radiation performance. URSI Radio Science Bulletin, 2017, 2017, 52-64.	0.2	18
2112	Applications of bioimpedance measurement techniques in tissue engineering. Journal of Electrical Bioimpedance, 2018, 9, 142-158.	0.5	49
2113	Measuring Exposed Magnetic Fields of Welders in Working Time. Industrial Health, 2011, 49, 274-279.	0.4	8
2114	MICROWAVE TOMOGRAPHY EMPLOYING AN ADJOINT NETWORK BASED SENSITIVITY MATRIX. Progress in Electromagnetics Research, 2009, 94, 213-242.	1.6	9
2115	Comparison of a Capacitive and a Cavity Slot Radiative Applicator for Regional Hyperthermia.. Thermal Medicine(Japanese Journal of Hyperthermic Oncology), 2002, 18, 75-91.	0.4	11
2116	Dawn of the Visible Monkey: Segmentation of the Rhesus Monkey for 2D and 3D Applications. Journal of Korean Medical Science, 2020, 35, e100.	1.1	4
2117	Optimization of multi-angle Magneto-Acousto-Electrical Tomography (MAET) based on a numerical method. Mathematical Biosciences and Engineering, 2020, 17, 2864-2880.	1.0	10
2119	Tissue type determination by impedance measurement: A bipolar and monopolar comparison. Saudi Journal of Anaesthesia, 2017, 11, 15.	0.2	6

#	ARTICLE	IF	CITATIONS
2120	Technical Considerations in Medical Radar. , 2013, , .		2
2121	Holographic microwave imaging for medical applications. Journal of Biomedical Science and Engineering, 2013, 06, 823-833.	0.2	19
2122	The Ultra Wide Band Radar System Parameters in Medical Application. Journal of Electromagnetic Analysis and Applications, 2011, 03, 147-154.	0.1	4
2123	Optimization of the UWB Radar System in Medical Imaging. Journal of Signal and Information Processing, 2011, 02, 227-231.	0.8	13
2124	Development and Prospect of Implantable Intra-Body Communication Technology. Journal of Computers, 2014, 9, .	0.4	5
2125	Investigation of RF transmission properties of human tissues. Advances in Radio Science, 0, 4, 357-360.	0.7	68
2126	A novel non-invasive, non-conductive method for measuring respiration. Journal of Sensors and Sensor Systems, 2020, 9, 27-32.	0.6	2
2127	Application of a Textile-based Inductive Sensor for the Vital Sign Monitoring. Journal of Electrical Engineering and Technology, 2015, 10, 364-371.	1.2	9
2128	Development of an Adult Image Classifier using Skin Color. The Journal of the Korea Contents Association, 2009, 9, 1-11.	0.0	5
2129	Title is missing!. Journal of Medical and Biological Engineering, 2014, , .	1.0	12
2130	Simulation of impedance measurements at human forearm within 1 kHz to 2 MHz. Journal of Electrical Bioimpedance, 2019, 7, 20-27.	0.5	18
2131	A LabVIEW-based electrical bioimpedance spectroscopic data interpreter (LEBISDI) for biological tissue impedance analysis and equivalent circuit modelling. Journal of Electrical Bioimpedance, 2019, 7, 35-54.	0.5	19
2132	Peripheral vein detection using electrical impedance method. Journal of Electrical Bioimpedance, 2019, 8, 79-83.	0.5	29
2133	Biomass measurement of living Lumbriculus variegatus with impedance spectroscopy. Journal of Electrical Bioimpedance, 2014, 5, 92-98.	0.5	8
2134	Wireless Communications and Power Supply for In Vivo Biomedical Devices Using Acoustic Transmissions. , 0, , .		2
2135	Innovative Energy Standard of Curative Cupping/Hijama. Journal of Basic & Applied Sciences, 0, 11, 445-453.	0.8	3
2136	A Bioimpedance-Based Device to Assess the Volume Conduction Properties of the Tongue in Neurological Disorders Affecting Bulbar function. IEEE Open Journal of Engineering in Medicine and Biology, 2021, 2, 278-285.	1.7	3
2137	Human RF-EMF Exposure Assessment for an indoor 5G Access Point with Beamforming Capability using Stochastic Dosimetry. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
2138	Anatomical atlas of the upper part of the human head for electroencephalography and bioimpedance applications. <i>Physiological Measurement</i> , 2021, 42, 105015.	1.2	5
2139	Feasibility Evaluation of Metamaterial Microwave Sensors for Non-Invasive Blood Glucose Monitoring. <i>Sensors</i> , 2021, 21, 6871.	2.1	10
2140	Evaluation of the Treatment Planning of Interstitial Hyperthermia of Glioblastomas. , 2000, , 486-488.		0
2141	Focusing Properties of Pulsed Signals Inside Biological Tissue Media. , 2000, , 409-418.		0
2142	Electromagnetic Compatibility of Transcutaneous Energy Transmission System for Totally Implantable Artificial Heart. <i>IEEJ Transactions on Electronics, Information and Systems</i> , 2003, 123, 1219-1227.	0.1	3
2143	Measurement Techniques for the Electromagnetic Characterization of Biological Materials. , 2004, , 631-676.		1
2144	FEM Based Brain RF Electromagnetic Field Distribution in Magnetic Resonance Imaging. <i>Journal of the Magnetics Society of Japan</i> , 2005, 29, 364-367.	0.4	0
2145	Medical Imaging with Microwave: Thermoacoustic Tomography. , 0, , .		0
2146	Qualitative Analysis of Human Semen Using Microwaves. <i>Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium</i> , 2006, 2, 110-114.	0.4	2
2147	Simulation of a proton exchange membrane fuel cell stack using an electronic equivalent circuit model. <i>SAIEE Africa Research Journal</i> , 2007, 98, 2-7.	1.1	0
2148	Protective Effect of Ascorbic Acid on Molecular Behavior Changes of Hemoglobin Induced by Magnetic Field Induced by Magnetic Field. <i>Journal of Applied Sciences</i> , 2007, 7, 1279-1285.	0.1	0
2149	Human body exposure to fixed potentials surfaces in power substations. <i>WIT Transactions on Biomedicine and Health</i> , 2007, , .	0.0	0
2150	A Search Algorithm for Determination of Economic Order Quantity in a Two-Level Supply Chain System with Transportation Cost. <i>Journal of Applied Sciences</i> , 2007, 8, 163-167.	0.1	1
2151	New Frontiers for RF/Microwaves in Therapeutic Medicine. <i>The Electrical Engineering Handbook</i> , 2007, , 18-1-18-26.	0.2	0
2152	Iterative Microwave Inversion for Breast Cancer Detection Using Level Sets. <i>Mathematics in Industry</i> , 2008, , 592-596.	0.1	1
2153	æœœæ–°MRIæŠ€èj“. <i>Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers</i> , 2008, 62, 494-499.	0.0	0
2154	Numerical Models of Skin Conductivity Changes during Electroporation. <i>IFMBE Proceedings</i> , 2008, , 307-310.	0.2	1
2155	Iterative Microwave Inversion Algorithm Based on the Adjoint-Field Method for Breast Cancer Application. <i>Mathematics in Industry</i> , 2008, , 587-591.	0.1	2

#	ARTICLE	IF	CITATIONS
2156	Physical Sensors and Techniques. , 2008, , 7-34.		0
2157	UHF Tags for Sensing Applications. , 0, , .		0
2158	Specific Issues Related to EEG-fMRI at B 0 > 3 T. , 2009, , 201-220.		0
2159	How Do Tissue Conductivities Impact on Forward-calculated ECGs? An Efficient Prediction Based on Principal Component Analysis. IFMBE Proceedings, 2009, , 641-644.	0.2	0
2160	Identification of the electrohysterographic volume conductor by high-density electrodes. IFMBE Proceedings, 2009, , 235-238.	0.2	0
2161	Microwave Tomography Analysis System for Breast Cancer Detection. The Journal of the Korea Contents Association, 2009, 9, 19-26.	0.0	0
2162	Introductory Physics and Mathematics. , 2010, , 49-101.		0
2163	Temperature Compensation of Complex Permittivities of Biological Tissues and Organs in Quasi-Millimeter-Wave and Millimeter-Wave Bands. Journal of the Korean Institute of Electromagnetic Engineering and Science, 2010, 10, 231-236.	2.9	1
2165	Measurement and Hemodialysis Effect of Complex Relative Permittivity for Blood of Kidney Patients Using Open-Ended Coaxial Measurement Probe. IEEJ Transactions on Electronics, Information and Systems, 2011, 131, 2046-2050.	0.1	2
2166	Modeling and Simulation of Rat Head Exposed to Mobile Phone Electromagnetic Field. Communications in Computer and Information Science, 2011, , 422-428.	0.4	2
2167	Unobtrusive Measurement of Heart Rate on a Single Hand by Impedance Plethysmography. IFMBE Proceedings, 2011, , 1221-1224.	0.2	1
2169	Introductory Physics and Mathematics. , 2012, , 49-101.		0
2170	High to Microwave Frequencies Imaging Techniques. , 0, , .		0
2171	Study of the Effect of Magnetic Microspheres on Some Biophysical Parameters of Human Blood (In) Tj ETQq1 1 0.784314 rgBT /Overl	0.3	0
2172	Energetics and Dynamics of Biological Systems. , 2012, , 95-243.		0
2173	Gated Conductivity Imaging using KHU Mark2 EIT System with Nano-web Fabric Electrode Interface. Journal of Biomedical Engineering Research, 2012, 33, 39-46.	0.1	0
2174	Specific Absorption Rate Analysis of Heterogeneous Head Models with EEG Electrodes/Leads at 7T MRI. , 0, , .		1
2175	Wireless RF Sensor Structure for Non-Contact Vital Sign Monitoring. Journal of the Korean Institute of Electromagnetic Engineering and Science, 2012, 12, 37-44.	2.9	8

#	ARTICLE	IF	CITATIONS
2176	Comparison of the Measured Electrical Properties of Pig Internal Organs with the Given Values for Human Organs. Journal of the Korean Institute of Electromagnetic Engineering and Science, 2012, 12, 161-165.	2.9	2
2178	The Impact of Thermal Modeling on Limiting RF-EMF. Journal of Electromagnetic Analysis and Applications, 2013, 05, 137-144.	0.1	1
2179	A Scalable Human Body Channel Modeling Technique for Networked Body Implants. , 2013, , .		1
2180	MRI-Induced Tissue Heating at Metallic Sutures (Cerclages). Journal of Electromagnetic Analysis and Applications, 2013, 05, 354-358.	0.1	0
2181	Performance of Miniature Implantable Antennas for Medical Telemetry at 402, 433, 868 and 915 MHz. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2013, , 122-129.	0.2	6
2182	Applications of Bioimpedance to End Stage Renal Disease (ESRD). Studies in Computational Intelligence, 2013, , 689-769.	0.7	8
2183	A Source-Discrimination Approach for Detection of ASD Using EEG Data. International Journal of Bioscience, Biochemistry, Bioinformatics (IJBBB), 2013, , 492-496.	0.2	0
2184	Electrical conductance as the predictor of fracture healing. Hard Tissue, 2013, 2, .	0.2	0
2186	Sensing of Biological Cells. Springer Theses, 2014, , 77-98.	0.0	0
2187	Characterization and dielectric properties of magnetic nanoparticles (Ferrofluid) conjugated with chemotherapy drug for medical application. IOSR Journal of Applied Physics, 2014, 6, 38-46.	0.1	3
2188	Development of Coaxial Needle Applicator Made of Shape Memory Alloy. Thermal Medicine, 2014, 30, 27-40.	0.0	1
2189	Heating Properties of Resonant Cavity Applicator for Treatment of Osteoarthritis. Thermal Medicine, 2014, 30, 1-12.	0.0	7
2190	A New Heating Control Method for Effective Hyperthermia Treatment of a Brain Tumor Using the Resonant Cavity Applicator with a Segmented Dielectric Bolus. Thermal Medicine, 2014, 30, 41-53.	0.0	1
2191	Resistivity/Conductivity of Extracellular Medium. , 2014, , 1-5.		0
2192	Heating Properties of Resonant Cavity Applicator for Treatment of Osteoarthritis. Thermal Medicine, 2014, 30, 13-25.	0.0	6
2193	Determination of Cardiac Ejection Fraction by Electrical Impedance Tomography using a Hybrid Heuristic Approach, a Simulation Study. , 0, , .		0
2194	Dielectric Properties of Foods. , 2014, , 523-588.		4
2196	Implanted Antennas in Biomedical Telemetry. , 2015, , 1-33.		1

#	ARTICLE	IF	CITATIONS
2197	Optimal design for parameter estimation in EEG problems in a 3D multilayered domain. <i>Mathematical Biosciences and Engineering</i> , 2015, 12, 739-760.	1.0	3
2198	Local Field Potential Interaction with the Extracellular Medium. , 2015, , 1540-1547.		0
2200	Capacitive Links for Power and Data Telemetry to Implantable Biomedical Microsystems. , 2015, , 1-23.		1
2201	The comparison of measured impedance of the bladder tissue with the computational modeling results. <i>Journal of Analytical Research in Clinical Medicine</i> , 2015, 3, 225-230.	0.1	0
2203	Performance of Wideband Falcate Implantable Patch Antenna for Biomedical Telemetry. <i>Advances in Intelligent Systems and Computing</i> , 2016, , 753-761.	0.5	0
2204	Anatomy and Dielectric Properties of the Breast and Breast Cancer. <i>Biological and Medical Physics Series</i> , 2016, , 5-16.	0.3	1
2205	Generalized Cable Models of Neurons and Dendrites. , 2016, , 3037-3047.		0
2206	A Scalp-Implantable Antenna for Wireless Biotelemetry. <i>Transactions of the Korean Institute of Electrical Engineers</i> , 2016, 65, 112-115.	0.1	0
2208	SINGLE CHANNEL MAGNETIC INDUCTION SPECTROSCOPY TECHNIQUE FOR FETAL ACIDOSIS DETECTION. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.3	0
2209	Digital Body. <i>Modeling and Optimization in Science and Technologies</i> , 2017, , 579-592.	0.7	0
2212	Mikrodalgalarla Meme Kanseri Tespitinde KireÅstaÅÿÄ±nÄ±n Etkisi. Åžukurova Åœniversitesi MÅ¼hendislik-MimarlÅ±k FakÅ¼ltesi Dergisi, 2017, 32, 37-44.	0.1	0
2213	Bioimpedance Measurement in Dentistry: Detection of Inflamed Tissues. <i>Lecture Notes in Electrical Engineering</i> , 2018, , 286-293.	0.3	0
2216	Electric Field Distribution Study of Pancreatic Tumors. <i>Journal of Cancer Prevention & Current Research</i> , 2017, 8, .	0.1	1
2217	Measurement and Evaluation of the Bioelectrical Impedance of a Rubber Humanoid Phantom Wrapped with Gel Sheets. <i>International Journal of Bioscience, Biochemistry, Bioinformatics (IJBBB)</i> , 2018, 8, 155-163.	0.2	1
2218	Propagation of Currents on a Humanoid Phantom with Skin-Imitating Sheets Mixed with a Normal Saline Solution to Determine the Effect of Embedded Modules. <i>International Journal of Bioscience, Biochemistry, Bioinformatics (IJBBB)</i> , 2018, 8, 42-52.	0.2	0
2219	AN EFFICIENT METHOD FOR COMPUTING THE INTERACTION OF OPEN ENDED CIRCULAR WAVEGUIDE WITH A LAYERED MEDIA. <i>Progress in Electromagnetics Research Letters</i> , 2018, 76, 55-61.	0.4	3
2220	Bioheat transfer model of transcutaneous spinal cord stimulation-induced temperature changes. <i>PeerJ</i> , 2018, 6, e4921.	0.9	1
2221	Measuring heart-rate using wireless power charging receiver coil. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
2223	Forward Modeling and Tissue Conductivities. , 2019, , 1-22.		0
2224	INVESTIGATION OF THE THORACIC FLUID CONTENT IN PATIENTS WITH Pcritation_listYTRAUMA IN THE PRESENCE OF PULMONARY CONTUSION. Bulletin of Problems Biology and Medicine, 2019, 2.1, 99.	0.0	1
2227	Forward Modeling and Tissue Conductivities. , 2019, , 145-165.		0
2228	A confocal microwave imaging implementation for breast cancer detection. Indonesian Journal of Electrical Engineering and Informatics, 2019, 7, .	0.3	1
2229	Exploiting polarization of very low frequency scattered fields to localize objects. , 2019, , .		1
2230	Tissue-Mimicking Materials for Cardiac Imaging Phantomâ€”SectionÂ2: From Fabrication to Optimization. Series in Bioengineering, 2020, , 35-63.	0.3	0
2231	Enhancing Performance of Antenna in Capsule using Parasitic Element for Wireless Capsule Endoscopies. , 2019, , .		0
2232	Experimental Application of Lightning Currents to a Human Head Phantom. Lecture Notes in Electrical Engineering, 2020, , 763-772.	0.3	1
2233	Source Consistency Frequency Difference Electrical Impedance Tomography (sc-fdEIT). IFMBE Proceedings, 2020, , 169-172.	0.2	0
2234	Magnet Design for LFEIT. Springer Theses, 2020, , 49-69.	0.0	0
2235	On the UWB in-Body Propagation Measurements Using Pork Meat. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2020, , 18-33.	0.2	2
2236	Electrode positioning to investigate the changes of the thoracic bioimpedance caused by aortic dissection â€” a simulation study. Journal of Electrical Bioimpedance, 2020, 11, 38-48.	0.5	11
2237	Avoiding the Alveolar Nerve Via a Real-Time Impedance Analysis: A Novel Method to Improve Implant Surgery Safety. Journal of Medical Devices, Transactions of the ASME, 2020, 14, .	0.4	0
2238	Bio Phantoms Mimicking the Dielectric and Mechanical Properties of Human Skin Tissue at Low-Frequency Ranges. Modern Applied Science, 2020, 14, 1.	0.4	2
2239	Influence of Transducer Aperture on Magnetoacoustic Tomography Resolution. , 2020, , .		0
2240	Applied current thermoacoustic imaging for biological tissues. Technology and Health Care, 2020, 28, 57-65.	0.5	2
2241	Inverse Problem for Electromagnetic Propagation in Human Muscle Tissues: Frequency Dependent Approach. Proceedings of the ISCIE International Symposium on Stochastic Systems Theory and Its Applications, 2020, 2020, 28-33.	0.1	0
2242	Stochastic Dosimetry and Machine Learning: Innovative Approaches for Facing Challenges in Exposure Assessment in Realistic Scenarios. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
2243	Exposure Assessment of a 5G indoor planar array antenna using Computational Dosimetry. , 2020, , .		0
2244	Effects of Blood Stream on Non-Invasive Dielectric Spectroscopy Measurements for Biological Tissues. Transactions of the Materials Research Society of Japan, 2020, 45, 149-152.	0.2	1
2245	Relationships between in vivo surface and ex vivo electrical impedance myography measurements in three different neuromuscular disorder mouse models. PLoS ONE, 2021, 16, e0259071.	1.1	3
2246	Monitoring Bone Density Using Microwave Tomography of Human Legs: A Numerical Feasibility Study. Sensors, 2021, 21, 7078.	2.1	5
2247	Temperature Dynamics in Rat Brains Exposed to Near-Field Waveguide Outputs at 2.8GHz. Bioelectromagnetics, 2022, 43, 14-24.	0.9	2
2248	Free-Space Operating Microwave Imaging Device for Bone Lesion Detection: A Phantom Investigation. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 2393-2397.	2.4	17
2249	Estimation of Scattering and Transfer Parameters in Stratified Dispersive Tissues of the Human Torso. , 2020, , .		2
2250	Intensificaci3n de Campos Electromagn3ticos de Microondas para Tratamientos por Hipertermia. , 2020, , .		0
2251	Model of electromagnetic field effect on biological tissues.. Doklady BGUIR, 2020, 18, 46-52.	0.1	2
2252	UWB-based WBANs in Industry 4.0. , 2019, , .		0
2254	Finite element simulation of the impedance response of a vascular segment as a function of changes in electrode configuration. Journal of Electrical Bioimpedance, 2020, 11, 112-131.	0.5	3
2255	LFEIT System Design. Springer Theses, 2020, , 81-92.	0.0	0
2256	Providing Connectivity to Implanted Electronics Devices: Experimental Results on Optical Communications Over Biological Tissues with Comparisons Against UWB. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2020, , 3-17.	0.2	1
2257	Gel Phantoms for MRI Quality Assurance and Testing. New Developments in NMR, 2020, , 358-378.	0.1	0
2258	A Review on the RF Coil Designs and Trends for Ultra High Field Magnetic Resonance Imaging. Investigative Magnetic Resonance Imaging, 2020, 24, 95.	0.2	20
2259	Thermoacoustic Applications. Springer Proceedings in Mathematics and Statistics, 2020, , 1-14.	0.1	0
2260	Microfluidic biosensor for single cell high speed flow impedance spectroscopy. International Journal on Smart Sensing and Intelligent Systems, 2014, 7, 1-5.	0.4	0
2261	Design a Tri-Band Hexagonal Patch Antenna for Wireless Applications. Lecture Notes in Electrical Engineering, 2020, , 659-667.	0.3	4

#	ARTICLE	IF	CITATIONS
2262	Local Field Potentials: Interaction with the Extracellular Medium. , 2020, , 1-9.		0
2264	Parametric Study of Malignant Female Breast Tumor Size, Position and Orientation on EIM Parameters. , 2020, , .		3
2265	Performance Investigations of a Quad-band Microstrip Antenna for Body Wearable Wireless Devices. Applied Computational Electromagnetics Society Journal, 2021, 36, 980-988.	0.4	1
2266	Dielectric Lens Designs for Antenna Beam Shaping in a Subdermal Tumor Treatment Device. , 2021, , .		0
2267	Effect of High Voltage Electrical Pulses on the Oil Yield of Sunflower Meal. Food Processing: Techniques and Technology, 2020, 50, 106-114.	0.3	0
2268	Meme Kanseri Taramalarının Radar Tabanlı Mikrodalga Tekniği ile Geliştirilmesinde Bant Genişliğinin Etkisinin İncelenmesi. DCEMF Mühendislik Dergisi, 2020, 11, 151-160.	0.2	0
2271	Electrical Impedance Spectroscopy: Translation to Clinic. , 2005, , 107-126.		0
2272	Microwave Imaging: A Model-Based Approach. , 2005, , 127-153.		0
2273	Computational Modeling of Electromagnetic and Thermal Effects for a Dual-Unit Retinal Prosthesis: Inductive Telemetry, Temperature Increase, and Current Densities in the Retina. , 2007, , 279-305.		4
2274	A numerical model of skin electroporation as a method to enhance gene transfection in skin. , 2007, , 597-601.		2
2275	Bioimpedance spectroscopy of human blood at low frequency using coplanar microelectrodes. , 2007, , 186-189.		0
2278	In vivo determination of electric conductivity and permittivity using a standard MR system. , 2007, , 508-511.		8
2279	Needle position determined by tissue impedance. , 2007, , 205-208.		0
2280	Intra-Cardiac Bioimpedance Field Variability with Breathing. , 2007, , 20-23.		0
2281	Energetics and Dynamics of Biological Systems. , 2012, , 95-243.		0
2282	Inter-individual variations in electric fields induced in the brain by exposure to uniform magnetic fields at 50 Hz. Physics in Medicine and Biology, 2020, 65, 215006.	1.6	4
2283	Discrimination between normal and malignant colorectal tissues based on discrepancies in their dielectric properties using machine learning methods. IET Science, Measurement and Technology, 2020, 14, 770-775.	0.9	0
2284	A modified technique of the finite-difference method calculations to mimic the four-terminal method measurements of electrical impedance and admittance of skeletal muscles. Journal Physics D: Applied Physics, 2020, 53, 475401.	1.3	3

#	ARTICLE	IF	CITATIONS
2285	Compact coplanar waveguide fed wideband directional antenna for medical diagnosis. Journal Physics D: Applied Physics, 2020, 53, 505401.	1.3	1
2286	T 1-mapping and dielectric properties evaluation of a 3D printable rubber-elastomeric polymer as tissue mimicking materials for MRI phantoms. Materials Research Express, 2020, 7, 115306.	0.8	4
2287	Ultra-wideband Localization of Pulmonary Nodules During Thoracoscopic Surgery. IFMBE Proceedings, 2021, , 1146-1155.	0.2	1
2290	On the Measurement of Electrical Impedance Spectroscopy (EIS) of the Human Head. International Journal of Bioelectromagnetism, 2010, 12, 32-46.	0.0	17
2291	Physical parameters of blood as a non - newtonian fluid. International Journal of Biomedical Science, 2008, 4, 323-9.	0.5	9
2292	Evaluation of ginkgo biloba extract on hematological changes affected with hazards of electromagnetic field exposure. International Journal of Biomedical Science, 2009, 5, 229-36.	0.5	2
2293	A Virtual Patient Simulator Based on Human Connectome and 7 T MRI for Deep Brain Stimulation. International Journal on Advances in Life Sciences, 2014, 6, 364-372.	1.0	6
2294	Simulation of the Electrical Field in Equine Larynx to Optimize Functional Electrical Stimulation in Denervated Musculus Cricoarythenoideus Dorsalis. European Journal of Translational Myology, 2014, 24, 3320.	0.8	1
2297	Variability in Quantitative DCE-MRI: Sources and Solutions. Journal of Nature and Science, 2018, 4, .	1.1	18
2299	Radiofrequency and microwave hyperthermia in cancer treatment. , 2022, , 281-311.		3
2300	Treating solid tumors using tumor treating fields. , 2022, , 169-233.		2
2301	Non- invasive Serum Glucose Sensing Using a Double U-slot Antenna. , 2021, , .		2
2302	Super High-speed Cross-sectional Imaging of Fat, Muscle, and Bone by Machine Learning and EIT. , 2021, , .		0
2303	On the Sensitivity of Implantable Antenna Performance to Variations in the Electrical Properties of Body Tissues. , 2021, , .		2
2304	Controlled Measurement Setup for Ultra-Wideband Dielectric Modeling of Muscle Tissue in 20â€“45 Â°C Temperature Range. Sensors, 2021, 21, 7644.	2.1	3
2305	Numerical simulation of changes in the electric properties of biological tissues under local heating by laser radiation. Journal of Physics: Conference Series, 2021, 2090, 012049.	0.3	1
2306	A Point-Matching Method of Moment with Sparse Bayesian Learning Applied and Evaluated in Dynamic Lung Electrical Impedance Tomography. Bioengineering, 2021, 8, 191.	1.6	4
2307	Use of a Set of Wearable Dielectric Scatterers to Improve Electromagnetic Transmission for a Body Power Transfer System. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2022, 6, 280-286.	2.3	3

#	ARTICLE	IF	CITATIONS
2308	<i>In-Vivo</i> Detection of the Facial Nerve From Adjacent Tissues Using Microelectrodes With Selective Passivation During Parotidectomy. IEEE Sensors Journal, 2022, 22, 1890-1897.	2.4	0
2309	Improved estimation of left ventricular volume from electric field modeling. Journal of Electrical Bioimpedance, 2021, 12, 125-134.	0.5	0
2310	Multi-Channel Trans-Impedance Leadforming for Cardiopulmonary Monitoring: Algorithm Development and Feasibility Assessment Using <i>In Vivo</i> Animal Data. IEEE Transactions on Biomedical Engineering, 2022, 69, 1964-1974.	2.5	3
2311	Development of a Theoretical Microwave Model to Predict the Dielectric Properties of Articular Cartilage Tissues. IEEE Access, 2021, 9, 161030-161037.	2.6	0
2312	Possible health effects on the human brain by various generations of mobile telecommunication: a review based estimation of 5G impact. International Journal of Radiation Biology, 2022, 98, 1210-1221.	1.0	4
2313	Flexible FDTD Simulation for the Wireless Earphone Exposure Evaluation. , 2020, , .		1
2314	Novel Conformal Dipole Antenna with Polarization Diversity for Biomedical Applications. , 2020, , .		1
2315	Ultra-low power system for atrioventricular synchronization using leadless pacemakers. URSI Radio Science Bulletin, 2021, 2021, 9-23.	0.2	2
2316	Correlation between Conductivity of Human Normal Active Renal Tissue and Measurement Frequency Range from 10 Hz to 100 MHz. , 2021, , .		0
2317	A personalized FEM model for reproducible measurement of anti-inflammatory drugs in transdermal administration to knee. Scientific Reports, 2022, 12, 673.	1.6	1
2318	Magneto- and electrophosphene thresholds in the retina: a dosimetry modeling study. Physics in Medicine and Biology, 2022, 67, 015001.	1.6	2
2319	Capacitive Links for Power and Data Telemetry to Implantable Biomedical Microsystems. , 2022, , 763-784.		2
2320	Fitting the determined impedance in the guinea pig inner ear to Randles circuit using square error minimization in the range of 100 Hz to 50 kHz. Biomedical Physics and Engineering Express, 2022, 8, 025005.	0.6	2
2321	Microwave Antennas Suggested for Biomedical Implantation. , 0, , .		2
2322	Exposure of Infants to Gradient Fields in a Baby MRI Scanner. Bioelectromagnetics, 2022, 43, 69-80.	0.9	1
2323	DEH Scheme DGTD-Based Transient Modeling Approach for the Coleâ€“Cole Dispersive Media Using Tustinâ€™s Method. IEEE Transactions on Microwave Theory and Techniques, 2022, 70, 2031-2039.	2.9	2
2324	Assessment of Human Exposure Levels Due to Mobile Phone Antennas in 5G Networks. International Journal of Environmental Research and Public Health, 2022, 19, 1546.	1.2	6
2325	Patient Specific Numerical Modeling for Renal Blood Monitoring Using Electrical Bio-Impedance. Sensors, 2022, 22, 606.	2.1	3

#	ARTICLE	IF	CITATIONS
2326	Improved Sensing Volume Estimates for Coaxial Probes to Measure the Dielectric Properties of Inhomogeneous Tissues. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2022, 6, 253-259.	2.3	7
2327	Characterization of Open-Ended Coaxial Probe Sensing Depth with Respect to Aperture Size for Dielectric Property Measurement of Heterogeneous Tissues. Sensors, 2022, 22, 760.	2.1	14
2328	Mini Review: Impedance Measurement in Neuroscience and Its Prospective Application in the Field of Surgical Neurooncology. Frontiers in Neurology, 2021, 12, 825012.	1.1	3
2329	Using prior information to enhance microwave tomography images in bone health assessment. BioMedical Engineering OnLine, 2022, 21, 8.	1.3	1
2330	Biological tissue detection based on electrical impedance spectroscopic tomography. Wuli Xuebao/Acta Physica Sinica, 2022, 71, 048706.	0.2	1
2331	A Dual-Modal Imaging Method Combining Ultrasound and Electromagnetism for Simultaneous Measurement of Tissue Elasticity and Electrical Conductivity. IEEE Transactions on Biomedical Engineering, 2022, 69, 2499-2511.	2.5	10
2332	SNR-Enhanced, Rapid Electrical Conductivity Mapping Using Echo-Shifted MRI. Tomography, 2022, 8, 376-388.	0.8	0
2333	Microwave-Based Detection of the Bladder State as a Support Tool for Urinary Incontinence [Bioelectromagnetics]. IEEE Antennas and Propagation Magazine, 2022, 64, 112-122.	1.2	11
2334	A Review on Magnetic Induction Spectroscopy Potential for Fetal Acidosis Examination. Sensors, 2022, 22, 1334.	2.1	3
2335	Fast Adaptive Temperature-Based Re-Optimization Strategies for On-Line Hot Spot Suppression during Locoregional Hyperthermia. Cancers, 2022, 14, 133.	1.7	2
2336	Next-Generation Healthcare: Enabling Technologies for Emerging Bioelectromagnetics Applications. IEEE Open Journal of Antennas and Propagation, 2022, 3, 363-390.	2.5	24
2337	Development of a Coherent Model for Radiometric Core Body Temperature Sensing. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2022, 6, 355-363.	2.3	8
2338	Progress in Understanding Radiofrequency Heating and Burn Injuries for Safer MR Imaging. Magnetic Resonance in Medical Sciences, 2023, 22, 7-25.	1.1	2
2339	Green's functions of layered structures in the sensor selection problem for microwave radiometry of the brain. AIP Conference Proceedings, 2022, , .	0.3	0
2340	Adjunctive Diagnostic Methods for Skin Cancer Detection: A Review of Electrical Impedance-Based Techniques. Bioelectromagnetics, 2022, 43, 193-210.	0.9	7
2341	Electrical Impedance Tomography Technical Contributions for Detection and 3D Geometric Localization of Breast Tumors: A Systematic Review. Micromachines, 2022, 13, 496.	1.4	7
2342	Silver, Copper, Magnesium and Zinc Contained Electroactive Mesoporous Bioactive S53P4 Glass-Ceramics Nanoparticle for Bone Regeneration: Bioactivity, Biocompatibility and Antibacterial Activity. Journal of Inorganic and Organometallic Polymers and Materials, 2022, 32, 2309-2321.	1.9	3
2343	Experimental and computational evaluation of capacitive hyperthermia. International Journal of Hyperthermia, 2022, 39, 504-516.	1.1	2

#	ARTICLE	IF	CITATIONS
2344	Assessment of Twin Fetal Exposure to Environmental Magnetic and Electromagnetic Fields. Bioelectromagnetics, 2022, 43, 160-173.	0.9	2
2345	Shamo: A Tool for Electromagnetic Modeling, Simulation and Sensitivity Analysis of the Head. Neuroinformatics, 2022, , 1.	1.5	3
2346	Joint cardiac tissue conductivity and activation time estimation using confirmatory factor analysis. Computers in Biology and Medicine, 2022, 144, 105393.	3.9	3
2347	Simulation of the electrical stimulation of the rat brain using sleep frequencies: A finite element modeling approach. Journal of Theoretical Biology, 2022, 542, 111093.	0.8	0
2348	Multi-Physical Tissue Modeling of a Human Urinary Bladder. , 2021, 2021, 4297-4302.		0
2349	Application of Stochastic Dosimetry for assessing the Human RFEMF Exposure in a 5G indoor Scenario. , 2021, 2021, 595-599.		1
2350	A Compact Circularly Polarized Implantable Antenna at ISM Band for Healthcare Applications. , 2021, , .		1
2351	Safety of MRI in patients with retained cardiac leads. Magnetic Resonance in Medicine, 2022, 87, 2464-2480.	1.9	11
2352	Bayesian inference of multi-sensors impedance cardiography for detection of aortic dissection. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2022, 41, 824-839.	0.5	2
2353	A stroke detection and discrimination framework using broadband microwave scattering on stochastic models with deep learning. Scientific Reports, 2021, 11, 24222.	1.6	13
2354	Enhanced head phantom for wearable microwave tomography devices evaluation. International Journal of RF and Microwave Computer-Aided Engineering, 2022, 32, .	0.8	0
2355	CPW-Fed Miniaturized Implantable Patch Antenna with Circular Polarization for Bio-Medical Applications. , 2021, , .		1
2356	Improved resolution of Dâ€bar images of ventilation using a Schur complement property and an anatomical atlas. Medical Physics, 2022, , .	1.6	2
2357	Optocapacitance: physical basis and its application. Biophysical Reviews, 2022, 14, 569-577.	1.5	13
2358	Simulation of cochlea implant stimulation considering dispersive properties of the environment. Journal of Applied Physics, 2022, 131, 144701.	1.1	0
2359	Estimation of RF and ELF dose by anatomical location in the brain from wireless phones in the MOBI-Kids study. Environment International, 2022, 163, 107189.	4.8	8
2366	Simulation of the electrical field in equine larynx to optimize functional electrical stimulation in denervated musculus cricoarythenoideus dorsalis. European Journal of Translational Myology, 2014, 24, 3320.	0.8	1
2368	A Model for Assessing the Electromagnetic Safety of an Inductively Coupled, Modular Brain-Machine Interface. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 1267-1276.	2.7	2

#	ARTICLE	IF	CITATIONS
2369	Lateral Cerebellothalamic Tract Activation Underlies DBS Therapy for Essential Tremor. SSRN Electronic Journal, 0, , .	0.4	0
2370	Microwave Imaging for Early Breast Cancer Detection: Current State, Challenges, and Future Directions. Journal of Imaging, 2022, 8, 123.	1.7	41
2371	Human Exposure Assessment to Wearable Antennas: Effect of Position and Interindividual Anatomical Variability. International Journal of Environmental Research and Public Health, 2022, 19, 5877.	1.2	6
2372	Wearable sectorial electrical impedance tomography and k-means clustering for measurement of gastric processes. Measurement Science and Technology, 2022, 33, 094002.	1.4	5
2373	Inductive and capacitive loaded miniaturized implantable patch antenna with circular polarization for bioâ€œmedical applications. International Journal of RF and Microwave Computer-Aided Engineering, 2022, 32, .	0.8	1
2374	Electromagnetic induction tomography. , 2022, , 77-125.		0
2375	New Approach to Metal Biomarker Detection Using Nonionizing Electromagnetic Field. Communications - Scientific Letters of the University of Zilina, 2015, 17, 51-57.	0.3	2
2376	A Deionized Water-Infilled Dual-Layer Insulator-Applied Brain-Implanted UWB Antenna for Wireless Biotelemetry Applications. IEEE Transactions on Antennas and Propagation, 2022, 70, 6469-6478.	3.1	9
2377	On the measurement of skeletal muscle anisotropic permittivity property with a single cross-shaped needle insertion. Scientific Reports, 2022, 12, 8494.	1.6	2
2378	Radiative Wireless Power Transfer System using Circularly Polarised Transmitter-Receiver Antenna Module to Improve Power-Transfer-Efficiency. , 2022, , .		1
2379	A Practical Solution to Enhance Electromagnetic Transmission to an Implantable/Wearable Antenna. , 2022, , .		0
2380	Influence of Silver Nanoparticles on Dielectric Properties of Human Blood. ECS Journal of Solid State Science and Technology, 0, , .	0.9	0
2381	Natural Convection Effects on Heat Transfer in a Porous Tissue in 3-D Radiofrequency Cardiac Ablation. SSRN Electronic Journal, 0, , .	0.4	0
2382	Near-Field Microwave Tomography of Biological Tissues: Future Perspectives. Critical Reviews in Biomedical Engineering, 2022, 50, 1-12.	0.5	1
2383	Design of a Miniature Smart Pill Antenna. , 2022, , .		0
2384	Microwave Antenna System for Muscle Rupture Imaging with a Lossy Gel to Reduce Multipath Interference. Sensors, 2022, 22, 4121.	2.1	3
2385	Development of Novel 60 GHz Band Spatial Synthetic Exposure Set-up for Studies on Thermal Thresholds of Biological Effects. IEEJ Transactions on Fundamentals and Materials, 2022, 142, 250-256.	0.2	0
2386	Wideband frequency-dependent dielectric properties of rat tissues exposed to low-intensity focused ultrasound in the microwave frequency range. Chinese Physics B, 0, , .	0.7	0

#	ARTICLE	IF	CITATIONS
2387	Multifrequency RF sensor for the non-contact monitoring of tissues. , 2022, , .		0
2388	Towards Estimating Arterial Diameter Using Bioimpedance Spectroscopy: A Computational Simulation and Tissue Phantom Analysis. <i>Sensors</i> , 2022, 22, 4736.	2.1	7
2389	Measurement and image-based estimation of dielectric properties of biological tissues “past, present, and future”. <i>Physics in Medicine and Biology</i> , 2022, 67, 14TR01.	1.6	32
2390	Insertion Guidance Based on Impedance Measurements of a Cochlear Electrode Array. <i>Frontiers in Computational Neuroscience</i> , 0, 16, .	1.2	4
2391	Impedance Imaging of Cells and Tissues: Design and Applications. <i>BME Frontiers</i> , 2022, 2022, .	2.2	16
2392	EMvelop stimulation: minimally invasive deep brain stimulation using temporally interfering electromagnetic waves. <i>Journal of Neural Engineering</i> , 2022, 19, 046005.	1.8	2
2393	Near-Field Microwave Scattering Formulation by a Deep Learning Method. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022, , 1-8.	2.9	0
2394	Resistivity/Conductivity of Extracellular Medium. , 2022, , 3027-3031.		0
2395	Local Field Potentials: Interaction with the Extracellular Medium. , 2022, , 1895-1903.		0
2398	Minimally Invasive Microwave Ablation Antenna Designs at 915 MHz and 2.45 GHz. , 2022, , .		1
2400	Electrical Impedance Tomography for Hand Gesture Recognition for HMI Interaction Applications. <i>Journal of Low Power Electronics and Applications</i> , 2022, 12, 41.	1.3	2
2401	A Microwave Imaging Procedure for Lung Lesion Detection: Preliminary Results on Multilayer Phantoms. <i>Electronics (Switzerland)</i> , 2022, 11, 2105.	1.8	5
2402	Magneto-acoustic-electrical tomography combining maximum length sequence“ coded excitation and liquid metal image contrast agent. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 1941-1956.	0.7	2
2403	Localization of an ultra wide band wireless endoscopy capsule inside the human body using received signal strength and centroid algorithm. <i>International Journal of Optimization and Control: Theories and Applications</i> , 2022, 12, 151-159.	0.8	2
2404	Effects of Electromagnetic Fields Generated from Transcutaneous Transformer:. <i>Nihon AEM Gakkaishi</i> , 2022, 30, 222-229.	0.0	0
2405	Enhancing Tissue Impedance Measurements Through Modeling of Fluid Flow During Viscoelastic Relaxation. <i>IEEE Transactions on Biomedical Engineering</i> , 2023, 70, 650-658.	2.5	2
2406	Computational Assessment of RF Exposure Levels due to 5G Mobile Phones. , 2022, , .		1
2407	Computational techniques in bio-electromagnetics: theory and perspectives. , 2022, , .		0

#	ARTICLE	IF	CITATIONS
2408	A computer-assisted EMF emission assessment workflow for capacitive-based wireless power transfer systems. , 2022, , .		1
2409	Non-contact inductive radiofrequency monitoring of a beef muscle tissue decomposition. , 2022, , .		0
2410	Strong correlation between specific heat capacity and water content in human tissues suggests preferred heat deposition in malignant tumors upon electromagnetic irradiation. International Journal of Hyperthermia, 2022, 39, 987-997.	1.1	7
2411	Modulation of Tumor-Treating Fields by Cerebral Edema from Brain Tumors. Advances in Radiation Oncology, 2023, 8, 101046.	0.6	1
2412	Self-Sustainable Biomedical Devices Powered by RF Energy: A Review. Sensors, 2022, 22, 6371.	2.1	9
2414	Hydration Assessment Using the Bio-Impedance Analysis Method. Sensors, 2022, 22, 6350.	2.1	6
2415	Dielectric Permittivity Measurement Using Open-Ended Coaxial Probe Modeling and Simulation Based on the Simple Capacitive-Load Model. Sensors, 2022, 22, 6024.	2.1	9
2416	Effect of gas flow on a helium/oxygen endoscopic plasma jet. Journal Physics D: Applied Physics, 2022, 55, 415202.	1.3	7
2417	A Conformal Four-Antenna Module for Capsule Endoscope MIMO Operation. IEEE Transactions on Antennas and Propagation, 2022, 70, 10270-10285.	3.1	4
2418	Electrically-Small Antenna With Low SAR for Scalp and Deep Tissue Biomedical Devices. IEEE Access, 2022, 10, 90971-90981.	2.6	7
2419	Derivation of Bioimpedance Model Data Utilizing a Compact Analyzer and Two Capacitive Electrodes: A Forearm Example. IEEE Transactions on Biomedical Circuits and Systems, 2022, 16, 891-901.	2.7	3
2420	Forward Models. , 2022, , 135-228.		0
2421	A Novel Wideband and Multi-band Implantable Antenna Design for Biomedical Telemetry. Applied Computational Electromagnetics Society Journal, 0, , .	0.4	0
2422	ATTENTIV: Instrumented Peripheral Catheter for the Detection of Catheter Dislodgement in IV Infiltration. , 2022, , .		0
2423	Perfusion Change of Hepatocellular Carcinoma During Atezolizumab plus Bevacizumab Treatment: A Pilot Study. Journal of Gastrointestinal Cancer, 0, , .	0.6	2
2424	Assessment of SAR in Road-Users from 5G-V2X Vehicular Connectivity Based on Computational Simulations. Sensors, 2022, 22, 6564.	2.1	4
2425	Rapid Characterization of Solid Tumors Using Resonant Sensors. ACS Omega, 2022, 7, 32690-32700.	1.6	1
2426	Correlation analysis between the complex electrical permittivity and relaxation time of tissue mimicking phantoms in 7T MRI. Scientific Reports, 2022, 12, .	1.6	1

#	ARTICLE	IF	CITATIONS
2427	Probe Contact Force Monitoring during Conductivity Measurements of the Left Atrial Appendage to Support the Design of Novel Diagnostic and Therapeutic Procedures. <i>Sensors</i> , 2022, 22, 7171.	2.1	1
2428	Electric Fields Induced in the Brain by Transcranial Electric Stimulation: A Review of In Vivo Recordings. <i>Biomedicines</i> , 2022, 10, 2333.	1.4	13
2429	Non-contact fruit ripening monitoring using a radiofrequency passive resonator. <i>Sensors and Actuators A: Physical</i> , 2022, 347, 113902.	2.0	1
2430	Response of Muscle Tissue to Pulsed Electromagnetic Fields: An Asymptotic Description. , 2022, , .		1
2431	Generalized Cable Models of Neurons and Dendrites. , 2022, , 3411-3420.		0
2432	Magnetic Resonance Electrical Properties Tomography (MREPT). <i>Advances in Experimental Medicine and Biology</i> , 2022, , 185-202.	0.8	1
2433	Electromagnetic Properties and the Basis for CDI, MREIT, and EPT. <i>Advances in Experimental Medicine and Biology</i> , 2022, , 1-16.	0.8	0
2434	Wireless Powering and Propagation of Radio Frequencies through Tissue. , 2022, , 301-335.		1
2436	Study on the Effect of Non-Symmetrical Current Distribution Controlled by Capacitor Placement in Radio-Frequency Coils for 7T MRI. <i>Biosensors</i> , 2022, 12, 867.	2.3	2
2437	Monitoring of Drug Release via Intra Body Communication with an Edible Pill. <i>Advanced Materials Technologies</i> , 2023, 8, .	3.0	9
2438	Estimation method for the anisotropic electrical conductivity of in vivo human muscles and fat between 10 kHz and 1 MHz. <i>Physics in Medicine and Biology</i> , 2022, 67, 225002.	1.6	4
2439	Body-Mediated Bioelectronics for Zero-Powered Ion Release and Electrical Stimulation. <i>ACS Energy Letters</i> , 2022, 7, 3997-4004.	8.8	3
2440	Design of electrical impedance spectroscopy sensing surgical drill using computational modelling and experimental validation. <i>Biomedical Physics and Engineering Express</i> , 0, , .	0.6	0
2441	Improved Magneto-Acousto-Electrical Computed Tomography (MAE-CT) With Multi-Angle Plane Wave Excitation. <i>IEEE Transactions on Biomedical Engineering</i> , 2023, 70, 1493-1503.	2.5	1
2442	A portable band-shaped bioimpedance system to monitor the body fat and fasting glucose level. <i>Journal of Electrical Bioimpedance</i> , 2022, 13, 54-65.	0.5	0
2443	A closed-loop automated craniotomy system with real-time bio-impedance feedback. <i>IEEE Sensors Journal</i> , 2022, , 1-1.	2.4	0
2444	Design of a Tetrapolar Probe for Electrical Characterization of the Left Atrial Appendage from 0.1 Hz to 100 kHz. <i>IEEE Sensors Journal</i> , 2022, , 1-1.	2.4	0
2445	Design and Experimental Validation of a Noninvasive Glucose Monitoring System Using RF Antenna-Based Biosensor. <i>IEEE Sensors Journal</i> , 2023, 23, 2856-2864.	2.4	3

#	ARTICLE	IF	CITATIONS
2446	Dynamic quantification of the overall effect of dielectric polarization. Nano Energy, 2023, 105, 108029.	8.2	1
2447	An Investigation on Conductive Intracardiac Communication Dynamic Channel Gain During the Cardiac Cycle for Leadless Pacemakers. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2023, 7, 82-89.	2.3	1
2448	Applications of Microwaves in Medicine. IEEE Journal of Microwaves, 2023, 3, 134-169.	4.9	11
2449	A Split-Ring Resonator with Interdigitated Electrodes Aimed at the Dielectric Characterization of Liquid Mixtures (Invited Paper). , 2022, , .		1
2450	Dielectric Characterisation Of Body Phantoms Using Microstrip Line Coupled Complementary Split Ring Resonators. , 2022, , .		0
2451	Effect of Coupling Medium on Penetration Depth in Microwave Medical Imaging. Diagnostics, 2022, 12, 2906.	1.3	0
2452	Feasibility Study on the Bioelectrical Impedance Analysis down to Low Frequencies using an Electrochemical Instrument. IEEE Transactions on Electronics, Information and Systems, 2022, 142, 1295-1299.	0.1	0
2454	Gradient-Boosting Algorithm for Microwave Breast Lesion Classificationâ€”SAFE Clinical Investigation. Diagnostics, 2022, 12, 3151.	1.3	4
2455	Assessment of EMF Human Exposure Levels Due to Wearable Antennas at 5G Frequency Band. Sensors, 2023, 23, 104.	2.1	3
2456	A Wireless Data Transfer by Using a Patch Antenna for Biomedical Applications. Electronics (Switzerland), 2022, 11, 4197.	1.8	1
2457	Bio-inspired conductive adhesive based on calcium-free alginate hydrogels for bioelectronic interfaces. Biomedical Materials (Bristol), 2023, 18, 015020.	1.7	2
2458	Exploring the field-of-view of scattering imaging system in the presence of a moving object. , 2022, , .		0
2459	Limiting exposure to radiofrequency radiation: the principles and possible criteria for health protection. International Journal of Radiation Biology, 2023, 99, 1167-1177.	1.0	2
2460	Machine Learning-Based Classification of Abnormal Liver Tissues Using Relative Permittivity. Sensors, 2022, 22, 9919.	2.1	3
2461	Early-Stage Lung Tumor Detection Based on Super-Wideband Microwave Reflectometry. Electronics (Switzerland), 2023, 12, 36.	1.8	3
2462	Microwave Breast Lesion Classification â€” Results from Clinical Investigation of the SAFE Microwave Breast Cancer System. Academic Radiology, 2023, 30, S1-S8.	1.3	4
2463	EVALUATION OF ELECTROMAGNETIC FIELDS IN HUMAN BODY EXPOSED TO INVERTER OF PURE ELECTRIC VEHICLE. Radiation Protection Dosimetry, 2023, 199, 216-229.	0.4	3
2464	A review of bio-impedance devices. Medical and Biological Engineering and Computing, 2023, 61, 927-950.	1.6	6

#	ARTICLE	IF	CITATIONS
2465	Determination of a stray voltage threshold in Holstein heifers, influence of predictability and past experience on behavioural and physiological responses. <i>Animal Welfare</i> , 2011, 20, 385-395.	0.3	1
2466	Magnetic Induction Tomography: Separation of the Ill-Posed and Non-Linear Inverse Problem into a Series of Isolated and Less Demanding Subproblems. <i>Sensors</i> , 2023, 23, 1059.	2.1	1
2467	Evaluation of Chinese populational exposure to environmental electromagnetic field based on stochastic dosimetry and parametric human modelling. <i>Environmental Science and Pollution Research</i> , 2023, 30, 40445-40460.	2.7	4
2468	Design of Ultra-Wideband Phased Array Applicator for Breast Cancer Hyperthermia Therapy. <i>Sensors</i> , 2023, 23, 1051.	2.1	4
2469	Neuromodulation model based on multi-electrode combined electrical stimulation and analysis of signal conduction mechanism. <i>Journal of Mechanics in Medicine and Biology</i> , 0, , .	0.3	0
2470	A Fast Magnetic Flux Density Measurement Method With Skip-Echo Acquired Turbo Spin Echo (SATE). <i>IEEE Transactions on Biomedical Engineering</i> , 2023, , 1-10.	2.5	0
2471	Compact and Broadband Circularly Polarized Implantable Antenna for Wireless Implantable Medical Devices. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2023, 22, 1236-1240.	2.4	4
2472	A coupled thermal-electrical-structural model for balloon-based thermoplasty treatment of atherosclerosis. <i>International Journal of Hyperthermia</i> , 2023, 40, .	1.1	0
2473	On the Use of Impedance Detuning for Gastrointestinal Segment Tracking of Ingestible Capsules. <i>IEEE Transactions on Antennas and Propagation</i> , 2023, 71, 1977-1981.	3.1	3
2474	Natural convection effects on heat transfer in a porous tissue in 3-D radiofrequency cardiac ablation. <i>International Journal of Heat and Mass Transfer</i> , 2023, 204, 123832.	2.5	3
2475	Multiclass Classification of Nonalcoholic Steatohepatitis Mouse Models Using Dielectric Properties as Disease Biomarker. , 2022, , .		2
2476	Machine Learning Models to Classify Normal and Fibrotic Mouse Liver Model using Dielectric Properties. , 2022, , .		2
2477	A Multiscale Computational Model of Skeletal Muscle Electroporation Validated Using <i>In Situ</i> Porcine Experiments. <i>IEEE Transactions on Biomedical Engineering</i> , 2023, 70, 1826-1837.	2.5	2
2478	Microwave Reflectometry Sensing System for Low-Cost in-vivo Skin Cancer Diagnostics. <i>IEEE Access</i> , 2023, 11, 13918-13928.	2.6	2
2479	Electrical Impedance Tomography: From the Traditional Design to the Novel Frontier of Wearables. <i>Sensors</i> , 2023, 23, 1182.	2.1	12
2480	Design of LoRa Antenna for Wearable Medical Applications. <i>IEEE Access</i> , 2023, 11, 23886-23895.	2.6	5
2481	A review of methods for solving the optical molecular tomography. <i>Journal of Applied Physics</i> , 2023, 133, .	1.1	6
2482	Deterministic stochastic modeling of transcranial magnetic stimulation featuring the use of method of moments and stochastic collocation. <i>Engineering Analysis With Boundary Elements</i> , 2023, 150, 662-671.	2.0	3

#	ARTICLE	IF	CITATIONS
2483	Three-dimensional magneto-acousto-electrical tomography (3D MAET) with single-element ultrasound transducer and coded excitation: A phantom validation study. <i>Neurocomputing</i> , 2023, 536, 80-89.	3.5	4
2484	In-vivo measurement of radio frequency electric fields in mice brain. <i>Biosensors and Bioelectronics: X</i> , 2023, 14, 100328.	0.9	0
2485	Lateral cerebellothalamic tract activation underlies DBS therapy for Essential Tremor. <i>Brain Stimulation</i> , 2023, 16, 445-455.	0.7	3
2486	Estimating the Electrical Conductivity of Human Tissue in Radiofrequency Hyperthermia Therapy. <i>Ingenieria E Investigacion</i> , 2022, 43, e92288.	0.2	0
2487	First <i>in vivo</i> fluorine-19 magnetic resonance imaging of the multiple sclerosis drug siponimod. <i>Theranostics</i> , 2023, 13, 1217-1234.	4.6	3
2488	Magneto-Acousto-Electrical Tomography With Nonuniform Static Magnetic Field. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2023, 72, 1-12.	2.4	3
2489	Powering implanted sensors that monitor human activity using spiderweb coil wireless power transfer. <i>IET Power Electronics</i> , 2023, 16, 1339-1354.	1.5	1
2490	Novel Sensing Technique for Stem Cells Differentiation Using Dielectric Spectroscopy of Their Proteins. <i>Sensors</i> , 2023, 23, 2397.	2.1	0
2491	Bioresorbable, wireless, and battery-free system for electrotherapy and impedance sensing at wound sites. <i>Science Advances</i> , 2023, 9, .	4.7	36
2492	Ultrasensitive capacitive sensing system for smart medical devices with ability to monitor fracture healing stages. <i>Journal of the Royal Society Interface</i> , 2023, 20, .	1.5	2
2493	3D printable phantom for mimicking electrical properties of dermal tissue. <i>Journal of Biomedical Materials Research - Part A</i> , 2023, 111, 884-895.	2.1	0
2494	Applications of Microwaves in Medicine Leveraging Artificial Intelligence: Future Perspectives. <i>Electronics (Switzerland)</i> , 2023, 12, 1101.	1.8	6
2495	Phase angle in localized bioimpedance measurements to assess and monitor muscle injury. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2023, 24, 415-428.	2.6	5
2496	Noninvasive Monitoring to Detect Dehydration: Are We There Yet?. <i>Annual Review of Biomedical Engineering</i> , 2023, 25, .	5.7	0
2497	4 MHz Electrosurgical Generator System for Wide Load Impedance Range With SiC-Based Full-Bridge Inverter. <i>IEEE Transactions on Industrial Electronics</i> , 2024, 71, 338-347.	5.2	3
2498	Dielectric Properties of Blood Cells as Biomarkers for Stroke Diagnostics. <i>Springer Proceedings in Physics</i> , 2023, , 17-38.	0.1	0
2499	Pathophysiologie der Haut bei thermischen Läsionen. , 2022, , 31-49.		0
2500	Contact-Free, Passive, Electromagnetic Resonant Sensors for Enclosed Biomedical Applications: A Perspective on Opportunities and Challenges. <i>ACS Sensors</i> , 2023, 8, 943-955.	4.0	3

#	ARTICLE	IF	CITATIONS
2501	Microwave-Based Technique for Measuring Glucose Levels in Aqueous Solutions. , 2023, , .		1
2502	Chinese Digital Arm (CDA): A High-Precision Digital Arm for Electrical Stimulation Simulation. Bioengineering, 2023, 10, 374.	1.6	2
2503	A Portable Non-Invasive Electromagnetic Lesion-Optimized Sensing Device for the Diagnosis of Skin Cancer (SkanMD). IEEE Transactions on Biomedical Circuits and Systems, 2023, 17, 558-573.	2.7	2
2504	Optimizing Cardiac Wireless Implant Communication: A Feasibility Study on Selecting the Frequency and Matching Medium. Sensors, 2023, 23, 3411.	2.1	0
2505	A Reduced Order PCE based Time Domain Method for Large Uncertainties. IEEE Transactions on Antennas and Propagation, 2023, , 1-1.	3.1	2
2506	Bivariate polynomial for time-dependent dielectric properties of ex-vivo porcine and human liver tissue at frequencies below 100 MHz. Measurement Science and Technology, 2023, 34, 074003.	1.4	0
2507	On the Sensitivity of Bevelled and Conical Coaxial Needle Probes for Dielectric Spectroscopy. IEEE Transactions on Instrumentation and Measurement, 2023, 72, 1-9.	2.4	0
2508	Development of mr-based procedures for the implementation of patient-specific dielectric models for clinical use. Journal of Mechanics in Medicine and Biology, 0, , .	0.3	0
2509	AkciÄŸer tÃ¼mÃ¼r tespiti iÃ§in mikrodalga sistem tasarÄ±mÄ± ve analizler. Journal of the Faculty of Engineering and Architecture of Gazi University, 0, , .	0.3	0
2510	Radio wave/microwave-involved methods for cancer diagnosis. , 2023, , 1-64.		0
2511	Electrical properties of tissues from a microscopic model of confined electrolytes. Physics in Medicine and Biology, 0, , .	1.6	0
2512	Design of a Low Profile Dielectric Resonator Antenna Beyond 6ÂGHz for Next Generation Bio-medical Sensing Application. , 2023, , 143-155.		0
2513	An Efficient Non-invasive Blood Glucose Measurement Using Microwave Antennas. , 2023, , 213-221.		0
2520	Muscle Rupture Microwave Imaging with a Lossy Gel to Reduce Multipath Interference. , 2023, , .		0
2521	A Preliminary Study of a Conformal Electromagnetic Metasurface for Brain Tumor Detection. , 2023, , .		0
2522	Simulations Predict Increased Brain Antenna Performance Robustness by Adding Biocompatibility Layer. , 2023, , .		0
2525	Electrical Impedance Imaging. Mathematics in Industry, 2023, , 283-317.	0.1	0
2528	SAFEâ€™ Microwave Imaging Device for Breast Cancer Early Screening and Diagnostics. Lecture Notes in Bioengineering, 2023, , 273-292.	0.3	1

#	ARTICLE	IF	CITATIONS
2535	A novel Approach for Patient Treatment Planning of Localized Cancer. , 2023, , .		0
2537	Demonstrating RF Exposure Compliance in the Body Using SAR Modelling Methods. , 2023, , .		0
2541	Investigating the Impact of Mechanical Deformation on Non-Invasive Serum Glucose Sensing Using a Double U-slot Antenna. , 2023, , .		0
2544	Effect of Age on in Vivo Human Brain Tissue Electrical Conductivity. IFMBE Proceedings, 2023, , 145-152.	0.2	0
2545	NeuroBus â€“ Architecture and Communication Bus for an Ultra-Flexible Neural Interface. , 2023, , .		1
2548	On the Diagnosis of Nonalcoholic Steatohepatitis Using Dielectric Properties: Feasibility in Mouse Model. , 2023, , .		0
2554	Modeling of Dielectric Properties of Ex Vivo Human Normal Active Liver Tissue in the Frequency Range of 10ÂMHz to 100ÂMHz. Lecture Notes in Electrical Engineering, 2023, , 699-714.	0.3	0
2582	Non-Contact Monitoring of Kiwifruit Ripening Using a High-Sensitivity Multi-Frequency Inductive Sensor. , 2023, , .		0
2585	A Three-dimensional Simulation Based on Radiofrequency Electrothermal Coupling fields for Skin Rejuvenation[*]. , 2023, , .		0
2587	Support Vector Machine Algorithm for Clinical Microwave Breast Cancer Screening and Early Detection. , 2023, , .		0
2588	Active Electric Perception-Based Haptic Modality with Applications to Robotics. , 2023, , .		0
2589	Microwaves for medical diagnostic radiology: from proofs-of-concept to real world needs. , 2023, , .		0
2591	On physical processes controlling nerve signalling. European Physical Journal: Special Topics, 2023, 232, 3561-3576.	1.2	1
2600	MAET with Magnetic Field Measurements Using Circular and Figure-of-Eight Coils. , 2023, , .		0
2610	3D Simulation Model for Urine Detection in Human Bladder by UWB Technology. IFMBE Proceedings, 2024, , 291-298.	0.2	0