

CITATION REPORT

List of articles citing

**The dielectric properties of biological tissues: II.
Measurements in the frequency range 10 Hz to 20 GHz**

DOI: 10.1088/0031-9155/41/11/002

Physics in Medicine and Biology, 1996, 41, 2251-69.

Source: <https://exaly.com/paper-pdf/27175991/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2249	A study of uncertainties in modeling the handset antenna and human head interaction using the FDTD method.		1
2248	Two-coordinate deflection of light by an ultrasonic Bragg cell. 1971 , 1, 113-114		
2247	Research in Astrophysics and the Physics of the Upper Atmosphere in the Turkmenian SSR. 1972 , 14, 800-800		1
2246	Transit width of a nonlinear power resonance in low-pressure gases. 1975 , 5, 1374-1375		10
2245	GEODESIC FLOWS ON CLOSED RIEMANNIAN MANIFOLDS WITHOUT FOCAL POINTS. 1977 , 11, 1195-1228		30
2244	STRUCTURES OF TOPOLOGICAL TYPE. 1979 , 34, 49-56		
2243	PROJECTIONS OF ALGEBRAIC VARIETIES. 1983 , 44, 535-544		14
2242	A New On-Chip Voltage Converter for Submicron High-Density DRAMs. 1986 ,		
2241	Penning plasma laser utilizing new transitions in the helium atom resulting in the emission of visible light. 1987 , 17, 1400-1402		
2240	Microstructure of a Superconducting Compound La-Sr-Cu-O at Liquid Helium Temperature. 1987 , 26, L1635-L1637		5
2239	The formation, structure, and properties of network polyurethanes. 1989 , 58, 312-323		2
2238	Photoinduced Tellurium Precipitation in CdTe. 1991 , 30, L1083-L1085		8
2237	Theory of compression of optical pulses in a nonlinear fibre waveguide. 1994 , 24, 333-337		5
2236	The dielectric properties of biological tissues: III. Parametric models for the dielectric spectrum of tissues. <i>Physics in Medicine and Biology</i> , 1996 , 41, 2271-93	3.8	2567
2235	The dielectric properties of biological tissues: I. Literature survey. <i>Physics in Medicine and Biology</i> , 1996 , 41, 2231-49	3.8	2059
2234	Comments on 'dielectric properties of the skin'. <i>Physics in Medicine and Biology</i> , 1997 , 42, 1671-3	3.8	18
2233	The Calculation of Localised SAR in a 2 mm Resolution Anatomically Realistic Model of the Lower Leg. 1997 , 72, 321-326		8

2232	FDTD analysis of a pulsed microwave confocal system for breast cancer detection.		8
2231	A comparison of 60 Hz uniform magnetic and electric induction in the human body. <i>Physics in Medicine and Biology</i> , 1997 , 42, 2319-29	3.8	43
2230	Dielectric properties of the skin. <i>Physics in Medicine and Biology</i> , 1997 , 42, 1471-2	3.8	48
2229	FDTD calculations of the whole-body averaged SAR in an anatomically realistic voxel model of the human body from 1 MHz to 1 GHz. <i>Physics in Medicine and Biology</i> , 1997 , 42, 479-90	3.8	230
2228	Influence of human model resolution on computed currents induced in organs by 60-Hz magnetic fields. 1997 , 18, 478-490		58
2227	Hybrid Finite-Difference Method For High-Resolution Modelling of Low-Frequency Electric Induction in Humans. 1997 , 136, 640-653		17
2226	Two-dimensional FDTD analysis of a pulsed microwave confocal system for breast cancer detection: fixed-focus and antenna-array sensors. 1998 , 45, 1470-9		347
2225	High-resolution organ dosimetry for human exposure to low-frequency magnetic fields. 1998 , 34, 708-718		101
2224	Application of microwaves and millimeter waves for the characterization of teeth for dental diagnosis and treatment. 1998 , 46, 834-838		32
2223	Generalized reciprocity. 1998 , 131, 111-7		31
2222	The volume conductor may act as a temporal filter on the ECG and EEG. 1998 , 36, 711-6		65
2221	Dielectric properties of rat liver in vivo: a noninvasive approach using an open-ended coaxial probe at audio/radio frequencies. 1998 , 47, 325-332		47
2220	Impedance ratio in bioelectrical impedance measurements for body fluid shift determination.		2
2219	[Combined video radiography and manometry for evaluating transport function of the esophageal sphincter]. 1998 , 43 Suppl, 130-1		
2218	Effects of skeletal muscle anisotropy on human organ dosimetry under 60 Hz uniform magnetic field exposure. <i>Physics in Medicine and Biology</i> , 1998 , 43, 1059-74	3.8	21
2217	. 1998 , 13, 366-373		39
2216	Induced current densities from low-frequency magnetic fields in a 2 mm resolution, anatomically realistic model of the body. <i>Physics in Medicine and Biology</i> , 1998 , 43, 221-30	3.8	116
2215	Study on diagnosis for tooth using millimeter-waves.		1

2214	Biological Effects of RF and Microwaves. 1998 , 31, 166-169		
2213	Workshop on Teaching Photonics at Egyptian Engineering Faculties & Institutes (Cat. No. 99EX285). 1999 ,		
2212	Penetration of electromagnetic fields of an open-ended coaxial probe between 1 MHz and 1 GHz in dielectric skin measurements. <i>Physics in Medicine and Biology</i> , 1999 , 44, N169-76	3.8	54
2211	Modelling the anisotropic electrical properties of skeletal muscle. <i>Physics in Medicine and Biology</i> , 1999 , 44, 413-21	3.8	22
2210	Numerical evaluation of 60 Hz magnetic induction in the human body in complex occupational environments. <i>Physics in Medicine and Biology</i> , 1999 , 44, 1025-40	3.8	40
2209	Dielectric dispersion of biological matter: model combining Debye-type and "universal" responses. 1999 , 60, 4677-80		40
2208	In Vivo Electrical Impedance Spectroscopic Monitoring of the Progression of Radiation-Induced Tissue Injury. 1999 , 152, 41		13
2207	Dielectric behaviour of frozen DNA in solution. 1999 , Suppl 4, 40-5		3
2206	Magnetic induction at 60 Hz in the human heart: a comparison between the in situ and isolated scenarios. 1999 , 20, 233-243		13
2205	Three-dimensional FDTD analysis of a pulsed microwave confocal system for breast cancer detection: design of an antenna-array element. 1999 , 47, 783-791		196
2204	Novel microwave and millimeter-wave biomedical applications.		1
2203	Microwave-induced acoustic imaging of biological tissues. 1999 , 70, 3744-3748		135
2202	Localized specific absorption rate calculations in a realistic phantom leg at 1-30 MHz using a finite element method. <i>Physics in Medicine and Biology</i> , 1999 , 44, 1041-52	3.8	5
2201	The electric resistivity of human tissues (100 Hz-10 MHz): a meta-analysis of review studies. 1999 , 20, R1-10		257
2200	Preliminary RF exposure estimates for universal mobile radio system terrestrial radio access terminals. 2000 , 36, 2101		
2199	Inter-laboratory comparison of numerical dosimetry for human exposure to 60 Hz electric and magnetic fields. 2000 , 21, 167-74		36
2198	Dielectric properties of epoxy-dielectrics-carbon black composite for phantom materials at radio frequencies. 2000 , 77, 1294-1302		66
2197	MR imaging of RF heating using a paramagnetic doped agarose phantom. 2000 , 10, 114-121		

2196	Forensic GPR: finite-difference simulations of responses from buried human remains. 2000 , 45, 171-186	81
2195	Development of a human body model for numerical calculation of electrical fields. 2000 , 24, 165-71	24
2194	Non-invasive measurements of post-mortem changes in dielectric properties of haddock muscle \square pilot study. 2000 , 43, 189-192	39
2193	A multichannel continuously selectable multifrequency electrical impedance spectroscopy measurement system. 2000 , 47, 49-58	70
2192	A conductive plastic for simulating biological tissue at microwave frequencies. 2000 , 42, 76-81	26
2191	Analysis of focusing of pulsed baseband signals inside a layered tissue medium. 2000 , 48, 30-39	3
2190	A study of uncertainties in modeling antenna performance and power absorption in the head of a cellular phone user. 2000 , 48, 2676-2685	27
2189	. 2000 , 28, 15-23	138
2188	MR imaging of RF heating using a paramagnetic doped agarose phantom. 2000 , 10, 114-21	16
2187	Bioimpedance and Bioelectricity Basics - Pages 335-345. 2000 , 335-345	
2186	Multifrequency method for dielectric monitoring of cold-preserved organs. <i>Physics in Medicine and Biology</i> , 2000 , 45, 1397-407	3.8 17
2185	A quantitative approach to the dielectric properties of the skin. <i>Physics in Medicine and Biology</i> , 2000 , 45, L1-4	3.8 50
2184	Current densities in a 2 mm resolution anatomically realistic model of the body induced by low frequency electric fields. <i>Physics in Medicine and Biology</i> , 2000 , 45, 1013-22	3.8 68
2183	Scanning thermoacoustic tomography in biological tissue. 2000 , 27, 1195-202	94
2182	Electromagnetic and heat transfer computations for non-ionizing radiation dosimetry. <i>Physics in Medicine and Biology</i> , 2000 , 45, 2233-46	3.8 29
2181	Changes in chest electrode impedance. 2000 , 18, 381-4	6
2180	. 2000 , 48, 1854-1863	184
2179	Skin heating effects of millimeter-wave irradiation-thermal modeling results. 2000 , 48, 2111-2120	62

2178	Two-dimensional dielectric profile reconstruction based on spectral-domain moment method and nonlinear optimization. 2000 , 48, 1831-1840		13
2177	Feasibility of noninvasive measurement of deep brain temperature in newborn infants by multifrequency microwave radiometry. 2000 , 48, 2141-2147		61
2176	Analysis of the interaction between a layered spherical human head model and a finite-length dipole. 2000 , 48, 2003-2013		39
2175	Effects of frequency, permittivity, and voxel size on predicted specific absorption rate values in biological tissue during electromagnetic-field exposure. 2000 , 48, 2050-2058		49
2174	Scanning microwave-induced thermoacoustic tomography: signal, resolution, and contrast. 2001 , 28, 4-10		103
2173	Changes in the dielectric properties of rat tissue as a function of age at microwave frequencies. <i>Physics in Medicine and Biology</i> , 2001 , 46, 1617-29	3.8	232
2172	Monitoring of cell and tissue responses to photodynamic therapy by electrical impedance spectroscopy. <i>Physics in Medicine and Biology</i> , 2001 , 46, 983-1002	3.8	20
2171	Estimation of the Electrical Conductivity of Human Tissue. 2001 , 21, 545-557		44
2170	Conductivity of living intracranial tissues. <i>Physics in Medicine and Biology</i> , 2001 , 46, 1611-6	3.8	103
2169	Finite element modeling of electromagnetic signal propagation in a phantom arm. 2001 , 9, 346-54		15
2168	RF hyperthermia array modelling; validation by means of measured EM-field distributions. 2001 , 17, 63-81		
2167	Safety standards for exposure to RF electromagnetic fields. 2001 , 2, 57-69		26
2166	A finite element analysis of muscle tissue capacitive effects and dispersion in EMG.		2
2165	The relationship between localised SAR in the arm and wrist current. 2001 , 95, 177-9		3
2164	Analysis of magnetically induced ELF current in biological spherical model with biomembrane. 2001 , 135, 17-25		1
2163	Dielectric response of some biological tissues. 2001 , 22, 272-9		9
2162	Investigation of ELF magnetically induced current inside the human body: Development of estimation tools and effect of organ conductivity. 2001 , 134, 1-10		6
2161	High-temperature superconducting surface coil for in vivo microimaging of the human skin. 2001 , 45, 376-82		58

2160	Currents induced in anatomic models of the human for uniform and nonuniform power frequency magnetic fields. 2001 , 22, 112-121		48
2159	Energy deposition processes in biological tissue: nonthermal biohazards seem unlikely in the ultra-high frequency range. 2001 , 22, 97-105		20
2158	Calculation of induced current densities for humans by magnetic fields from electronic article surveillance devices. <i>Physics in Medicine and Biology</i> , 2001 , 46, 2759-71	3.8	37
2157	Dielectrical model of cellular structures in radio frequency and microwave spectrum. Electrically interacting versus noninteracting cells. 2001 , 29, 427-35		3
2156	A comparison of monopolar electrosurgery to a new multipolar electrosurgical system in a rat model. 2001 , 111, 213-7		75
2155	Dosimetry in models of child and adult for low-frequency electric field. 2001 , 48, 1007-12		49
2154	Electric fields in the human body resulting from 60-Hz contact currents. 2001 , 48, 1020-6		45
2153	The conductivity of brain tissues: comparison of results in vivo and in vitro measurements.		8
2152	Monitoring of deep brain temperature in infants using multi-frequency microwave radiometry and thermal modelling. <i>Physics in Medicine and Biology</i> , 2001 , 46, 1885-903	3.8	93
2151	Numerical evaluation of shaped surface coil sensitivity at 63 MHz. <i>Physics in Medicine and Biology</i> , 2001 , 46, 1753-65	3.8	9
2150	A model of the electrical volume conductor in the region of the eye in the ELF range. <i>Physics in Medicine and Biology</i> , 2001 , 46, 3051-9	3.8	30
2149	Dielectric spectroscopy of chemically stabilized pericardium tissue at sub-zero temperatures. 2001 , 8, 527-530		2
2148	Non-Debye dielectric relaxation in biological structures arises from their fractal nature. 2001 , 64, 021916		13
2147	Using multiple-electrode impedance measurements to monitor cryosurgery. 2002 , 29, 2806-14		23
2146	High-resolution human anatomy models for advanced electromagnetic field computations. 2002 , 38, 357-360		38
2145	Numerical model study of dual frequency conductance measurement of left ventricular volume in the mouse.		1
2144	Pre-scaled two-parameter Gauss-Newton image reconstruction to reduce property recovery imbalance. <i>Physics in Medicine and Biology</i> , 2002 , 47, 1101-19	3.8	32
2143	Modelling fields induced in humans by 50/60 Hz magnetic fields: reliability of the results and effects of model variations. <i>Physics in Medicine and Biology</i> , 2002 , 47, 1391-8	3.8	32

2142	Microwave dielectric measurements and tissue characteristics of the human brain: potential in localizing intracranial tissues. <i>Physics in Medicine and Biology</i> , 2002 , 47, 1793-803	3.8	2
2141	Modelled current distribution in cervical squamous tissue. 2002 , 23, 159-68		39
2140	Numerische Feldsimulation mit der Methode der Finiten Integration [Möglichkeiten und Grenzen (Numerical Field Simulation Using the Finite Integration Method [Possibilities and Limits). 2002 , 69, 90		
2139	Weak electric field interactions in the central nervous system. 2002 , 83, 366-75		21
2138	Assessment of guidelines for limiting exposures to emf using methods of probabilistic risk analysis. 2002 , 82, 484-90		1
2137	Fine resolution calculations of SAR in the human body for frequencies up to 3 GHz. <i>Physics in Medicine and Biology</i> , 2002 , 47, 2835-46	3.8	119
2136	Ultrashort pulse electroporation: applications of high pulsed electric fields to induced caspase activation of human lymphocytes.		8
2135	Temperature measurement on neurological pulse generators during MR scans. 2002 , 1, 2		36
2134	Enhancing breast tumor detection with near-field imaging. 2002 , 3, 48-56		357
2133	Dielectrical spectroscopy of canine myocardium during acute ischemia and hypoxia at frequency spectrum from 100 kHz to 6 GHz. 2002 , 21, 703-7		33
2132	W-band investigation of material parameters, SAR distribution, and thermal response in human tissue. 2002 , 50, 2393-2400		31
2131	Three-dimensional microwave tomography: initial experimental imaging of animals. 2002 , 49, 55-63		65
2130	A multiple-layer finite-element model of the surface EMG signal. 2002 , 49, 446-54		100
2129	Biological effects of radiofrequency/microwave radiation. 2002 , 50, 953-962		58
2128	Frequency- and time-domain FEM models of EMG: capacitive effects and aspects of dispersion. 2002 , 49, 763-72		28
2127	. 2002 , 51, 1170-1176		8
2126	Fast MRI of RF heating via phase difference mapping. 2002 , 47, 492-8		22
2125	Health and safety implications of exposure to electromagnetic fields in the frequency range 300 Hz to 10 MHz. 2002 , 23, 68-82		74

2124	Validating the boundary element method for forward and inverse EEG computations in the presence of a hole in the skull. 2002 , 17, 179-92	236
2123	In vivo impedance measurements on nerves and surrounding skeletal muscles in rats and human body. 2002 , 40, 323-6	6
2122	The complex dielectric spectrum of heart tissue during ischemia. 2002 , 58, 171-80	56
2121	Preliminary study of a new type of energy transmission system for artificial hearts. 2003 , 6, 14-9	2
2120	Computation of electric and magnetic stimulation in human head using the 3-D impedance method. 2003 , 50, 900-7	100
2119	Finite-element time-domain algorithms for modeling linear Debye and Lorentz dielectric dispersions at low frequencies. 2003 , 50, 1100-7	25
2118	Three-dimensional T1rho-weighted MRI at 1.5 Tesla. 2003 , 17, 730-6	57
2117	Dielectric properties of porcine brain tissue in the transition from life to death at frequencies from 800 to 1900 MHz. 2003 , 24, 413-22	38
2116	Dielectric properties of human brain tissue measured less than 10 h postmortem at frequencies from 800 to 2450 MHz. 2003 , 24, 423-30	50
2115	Measuring device for neutral electrodes in electrosurgery. 2003 , 33, 197-203	0
2114	Electromagnetic interference of GSM mobile phones with the implantable deep brain stimulator, ITREL-III. 2003 , 2, 11	9
2113	Conformal microwave imaging for breast cancer detection. 2003 , 51, 1179-1186	64
2112	Perspectives with cryogenic RF probes in biomedical MRI. 2003 , 85, 915-37	140
2111	Microwaves for breast cancer detection?. 2003 , 22, 12-18	213
2110	A method for determination of RF exposure compliance for pico cell base stations by SAR measurements in a flat phantom.	1
2109	Phantom and animal tissues for modelling the electrical properties of human liver. 2003 , 19, 89-101	121
2108	Evanescent-field microscope to detect skin cancer.	
2107	Edge-element based finite element analysis of microwave hyperthermia treatments for superficial tumours on the chest wall. 2003 , 19, 414-30	9

2106	Mathematical Modeling of EMF Energy Absorption in Biological Systems. 2003 , 114-341		0
2105	Computed SAR and thermal elevation in a 0.25-mm 2-D model of the human eye and head in response to an implanted retinal stimulator - part I: models and methods. 2003 , 51, 2274-2285		72
2104	Calculation of induced current densities and specific absorption rates (SAR) for pregnant women exposed to hand-held metal detectors. <i>Physics in Medicine and Biology</i> , 2003 , 48, 2551-60	3.8	23
2103	Electromagnetic fields and human body: a new challenge for the electromagnetic field computation. 2003 , 22, 457-469		35
2102	Comparison of various safety guidelines for electronic article surveillance devices with pulsed magnetic fields. 2003 , 50, 107-13		15
2101	Assessment of specific energy absorption rate (SAR) in the head from a TETRA handset. <i>Physics in Medicine and Biology</i> , 2003 , 48, 3911-26	3.8	13
2100	A semi-automatic method for developing an anthropomorphic numerical model of dielectric anatomy by MRI. <i>Physics in Medicine and Biology</i> , 2003 , 48, 3157-70	3.8	30
2099	3D finite element complex domain numerical models of electric fields in blood and myocardium.		
2098	Transcatheter measurement of myocardium electrical impedance: 2 versus 3 electrode method.		
2097	An anatomically based surface EMG model.		1
2096	Changes in dielectric properties at 460 kHz of kidney and fat during heating: importance for radio-frequency thermal therapy. <i>Physics in Medicine and Biology</i> , 2003 , 48, 2509-25	3.8	52
2095	Magnetic induction tomography: phase versus vector-voltmeter measurement techniques. 2003 , 24, 555-64		31
2094	A comparison of headnet electrode arrays for electrical impedance tomography of the human head. 2003 , 24, 527-44		23
2093	Coupling medium for microwave medical imaging applications. 2003 , 39, 1498		3
2092	3D finite element model of RF heating: novel nonablative cutaneous therapy. 2003 , 4949, 22		
2091	Interaction of low frequency electric fields with the nervous system: the retina as a model system. 2003 , 106, 341-8		40
2090	Thermal modeling of millimeter wave damage to the primate cornea at 35 GHz and 94 GHz. 2003 , 84, 764-9		17
2089	Mechanisms of interaction of extremely low frequency electric fields and biological systems. 2003 , 106, 301-10		24

2088	Application of near-field microwave sounding for subsurface thermometry of biological media. 2003,		
2087	3D modelling of electromagnetic fields in local hyperthermia. 2003, 21, 243-250		5
2086	Numerical Analysis of Induced Current in Human Head Exposed to Nonuniform Magnetic Field Including Harmonics. 2003, 123, 1100-1107		9
2085	References. 2004, 299-322		
2084	ELECTROMAGNETIC ANALYSIS OF A NON-INVASIVE 3D PASSIVE MICROWAVE IMAGING SYSTEM. 2004, 44, 287-308		17
2083	Effect of electrode locations and respiration in the characterization of myocardial tissue using a transcatheter impedance method. 2004, 25, 1095-103		6
2082	A probe for immittance spectroscopy based on the parallel electrode technique. 2004, 25, 1249-60		3
2081	Evaluation of nonuniform 60-hertz magnetic-field exposures for compliance with guidelines. 2004, 1, 629-38		8
2080	Biomedical applications of sodium meta silicate gel as coupling medium for microwave medical imaging. 2004,		
2079	Development of realistic high-resolution whole-body voxel models of Japanese adult males and females of average height and weight, and application of models to radio-frequency electromagnetic-field dosimetry. <i>Physics in Medicine and Biology</i> , 2004, 49, 1-15	3.8	548
2078	Computation of the induced current density into the human body due to relative LF magnetic field generated by realistic devices. 2004, 40, 643-646		8
2077	Towards functional noninvasive imaging of excitable tissues inside the human body using focused microwave radiometry. 2004, 52, 1898-1908		42
2076	Development of numerical phantoms by MRI for RF electromagnetic dosimetry: a female model. 2004, 111, 445-51		2
2075	Computational Cardiology. 2004,		95
2074	The Electrical Conductivity of Living Tissue: A Parameter in the Bioelectrical Inverse Problem. 2004, 281-319		3
2073	Electric field prediction for a human body-electric machine system. 2004, 10, 87-100		
2072	Optimization of the sources in local hyperthermia using a combined finite element-genetic algorithm method. 2004, 20, 815-33		21
2071	Near-field microwave tomography of biological objects. 2004, 49, 485-493		12

2070	Resonant spectra of malignant breast cancer tumors using the three-dimensional electromagnetic fast multipole model. 2004 , 51, 35-44	16
2069	Electric fields in the human body due to electrostatic discharges. 2004 , 51, 1460-8	17
2068	Volume conduction in an anatomically based surface EMG model. 2004 , 51, 2138-47	45
2067	Study of the coupling between human head and cellular phone helical antennas. 2004 , 46, 62-70	44
2066	Microwave detection of metastasized breast cancer cells in the lymph node; potential application for sentinel lymphadenectomy. 2004 , 86, 107-15	47
2065	Ionic diffusion and space charge polarization in structural characterization of biological tissues. 2004 , 14, 137-42	9
2064	Induced current density in the foetus of pregnant workers in high magnetic field environments. 2004 , 27, 199-206	3
2063	A passive 3D imaging thermograph using microwave radiometry. 2004 , 25, 227-239	15
2062	Metallic electrodes and leads in simultaneous EEG-MRI: specific absorption rate (SAR) simulation studies. 2004 , 25, 285-95	61
2061	Theoretical evaluation of dielectric absorption of microwave energy at the scale of nucleic acids. 2004 , 25, 380-9	8
2060	The dielectric properties of cancerous tissues in a nude mouse xenograft model. 2004 , 25, 492-7	35
2059	Tissue-equivalent phantoms for high frequencies. 2004 , 20B, 30-33	29
2058	Dielectric properties of human urine at microwave frequencies. 2004 , 42, 500-503	6
2057	Microwave characterization of breast-phantom materials. 2004 , 43, 506-508	12
2056	Evidence of time-varying myocardial contribution by in vivo magnitude and phase measurement in mice. 2004 , 2004, 3674-7	
2055	Two-dimensional FDTD inverse-scattering scheme for determination of near-surface material properties at microwave frequencies. 2004 , 52, 2366-2373	12
2054	Nerves location using impedance measurements.	
2053	Using models of the passive cardiac conductivity and full heart anisotropic bidomain to study the epicardial potentials in ischemia. 2004 , 2004, 3555-8	7

2052	RF dosimetry: a comparison between power absorption of female and male numerical models from 0.1 to 4 ghz. <i>Physics in Medicine and Biology</i> , 2004 , 49, 5185-201	3.8	30
2051	Some Basic Techniques in Bioimpedance Research. 2004 ,		
2050	Modeling thermal responses in human subjects following extended exposure to radiofrequency energy. 2004 , 3, 4		31
2049	. 2004 , 52, 1866-1875		54
2048	Electrical stunning of fish: the relationship between the electric field strength and water conductivity. 2004 , 241, 219-234		23
2047	. 2004 , 52, 1890-1897		48
2046	Use of the FDTD method for time reversal: application to microwave breast cancer detection. 2004 ,		5
2045	Brief introduction to bioimpedance. 2004 ,		3
2044	Simulation of the quasi-static electric field by an electric current vector potential approximated by edge elements. 2005 , 24, 581-590		
2043	Effects of tissue impedance on heat generation during RF delivery with the Thermage system. 2005 , 5698, 109		
2042	Fetal Magnetocardiography. 2005 , 1-40		8
2041	Calculation of magnetic field-induced current densities for humans from EAS countertop activation/deactivation devices that use ferromagnetic cores. <i>Physics in Medicine and Biology</i> , 2005 , 50, 373-85	3.8	2
2040	Composition of MRI phantom equivalent to human tissues. 2005 , 32, 3199-208		66
2039	Large systems of equations in a discrete electromagnetism: formulations and numerical algorithms. 2005 , 152, 50-72		18
2038	Thermal effects of bioimplants. 2005 , 24, 75-81		113
2037	Effect of stray capacitances on bio-impedances in quasi-static electric field. 2005 , 41, 1940-1943		2
2036	Modeling of induced current into the human body by low-frequency magnetic field from experimental data. 2005 , 41, 1992-1995		13
2035	Time reversal with the FDTD method for microwave breast cancer detection. 2005 , 53, 2317-2323		158

2034	In vitro and in vivo measurement for biological applications using micromachined probe. 2005 , 53, 3415-3421	13
2033	Temperature dependence of tissue impedivity in electrical impedance tomography of cryosurgery. 2005 , 52, 695-701	24
2032	Electric fields in bone marrow substructures at power-line frequencies. 2005 , 52, 1103-9	6
2031	Fat and hydration monitoring by abdominal bioimpedance analysis: data interpretation by hierarchical electrical modeling. 2005 , 52, 975-82	18
2030	Induced current bio-impedance technique for monitoring cryosurgery procedure in a two-dimensional head model using generalized coordinate systems. 2005 , 52, 1361-5	1
2029	The course of tissue permeabilization studied on a mathematical model of a subcutaneous tumor in small animals. 2005 , 52, 1373-81	107
2028	Electrode polarization impedance in weak NaCl aqueous solutions. 2005 , 52, 2093-9	81
2027	Use of the z-transform to investigate nanopulse penetration of biological matter. 2005 , 26, 389-97	22
2026	Differences in RF energy absorption in the heads of adults and children. 2005 , Suppl 7, S31-44	115
2025	Effects of reduced contrast coupling medium in microwave breast imaging. 2005 , 47, 443-446	1
2024	Dielectric properties of a protein-water system in selected animal tissues. 2005 , 65, 89-94	29
2023	On the passive cardiac conductivity. 2005 , 33, 1743-51	62
2022	A theoretical model for the margination of particles within blood vessels. 2005 , 33, 179-90	203
2021	Measurement of specific absorption rate for clinical EPR at 1200 MHz. 2005 , 29, 287-291	5
2020	A Parallel Study of SAR Levels in Head Tissues for Three Antennas Used in Cellular Telephones: Monopole, Helix and Patch. 2005 , 25, 233-240	2
2019	Numerical Simulation of Nanopulse Penetration of Biological Matter Using the z-Transform. 2005 , 4, 99-110	4
2018	Numerical Calculation of Eddy Currents in Transcranial Magnetic Stimulation and Optimization of Stimulus Parameters for Psychiatric Treatment. 2005 , 29, 589-593	4
2017	Radiofrequency Ablation on Heart-equivalent Phantom. Functionality Testing of Percutaneous Single-use Catheter.. 2005 , 229-233	

2016	Using domain decomposition techniques for the calculation of low-frequency electric current densities in high-resolution 3D human anatomy models. 2005 , 24, 458-467		5
2015	The dielectric properties of the cranial skin of five young captive Steller sea lions (<i>Eumetopias jubatus</i>), and a similar number of young domestic pigs (<i>Sus scrofa</i>) and sheep (<i>Ovis aries</i>) between 0.1 and 10 GHz. 2005 , 26, 627-37		7
2014	Assessment of the local SAR distortion by major anatomical structures in a cylindrical neck phantom. 2005 , 21, 125-40		24
2013	Age dependence of dielectric properties of bovine brain and ocular tissues in the frequency range of 400 MHz to 18 GHz. <i>Physics in Medicine and Biology</i> , 2005 , 50, 4711-20	3.8	30
2012	Three-dimensional FDTD simulation of biomaterial exposure to electromagnetic nanopulses. <i>Physics in Medicine and Biology</i> , 2005 , 50, 5041-53	3.8	9
2011	Advances in Electromagnetic Fields in Living Systems. 2005 ,		8
2010	Structural and algorithmic problems in T-spaces over a field of characteristic $p > 0$. 2005 , 60, 568-569		1
2009	Effect of esophagus status and catheter configuration on multiple intraluminal impedance measurements. 2005 , 26, 229-38		12
2008	FDTD simulation of exposure of biological material to electromagnetic nanopulses. <i>Physics in Medicine and Biology</i> , 2005 , 50, 347-60	3.8	22
2007	Monitoring lung edema using the pacemaker pulse and skin electrodes. 2005 , 26, S153-63		7
2006	Impact of the displacement current on low-frequency electromagnetic fields computed using high-resolution anatomy models. <i>Physics in Medicine and Biology</i> , 2005 , 50, N243-9	3.8	23
2005	Analytical solutions of electric potential and impedance for a multilayered spherical volume conductor excited by time-harmonic electric current source: application in brain EIT. <i>Physics in Medicine and Biology</i> , 2005 , 50, 2663-74	3.8	2
2004	Steps to microwave probing of complex dielectric bodies. 2005 ,		
2003	Simulation study of detecting conductivity of brain tissues with magnetic induction based on FDTD. 2005 , 2005, 4369-72		1
2002	A novel MEMS probe array for the biological measurement. 2005 ,		
2001	Modeling and simulation of electric fields generated by brain stimulation electrodes: the effect of cystic cavities in the basal ganglia.		
2000	Determining the influence of population variation on compliance with radiofrequency exposure limits: proposed study. 2005 , 2005, 2962-5		1
1999	Imaging of bioelectric sources in the heart using a cellular automaton model. 2005 , 2005, 1067-70		6

1998	Interaction of mobile phones with superficial passive metallic implants. <i>Physics in Medicine and Biology</i> , 2005 , 50, 2689-700	3.8	37
1997	Microwave Thermoelastic Tomography and Imaging. 2005 , 41-76		12
1996	Microwave imaging of the breast. 2005 , 4, 69-82		60
1995	Development of a new hybrid gel phantom using carrageenan and gellan gum for visualizing three-dimensional temperature distribution during hyperthermia and radiofrequency ablation. 2005 , 27, 175		1
1994	Low-Invasive Diagnosis of Prosthesis Osseointegration by Electrical Impedance Spectroscopy.		0
1993	Alternative Breast Imaging. 2005 ,		39
1992	Multi-Static Adaptive Microwave Imaging for Early Breast Cancer Detection.		1
1991	Application of the multiplicative regularized contrast source inversion method to real biological data. 2005 ,		1
1990	Simulation of Intramuscular EMG Signal Detection using Implantable MyoElectric Sensors.		1
1989	Recording intramuscular EMG signals using surface electrodes.		4
1988	Resonance behaviour of whole-body averaged specific energy absorption rate (SAR) in the female voxel model, NAOMI. <i>Physics in Medicine and Biology</i> , 2005 , 50, 4053-63	3.8	35
1987	Transmission line resonators for breast tumor detection.		1
1986	Role of water content in dielectric properties and delayed luminescence of bovine Achilles' tendon. 2005 , 579, 6101-4		21
1985	Dielectric behavior of pulmonary edema induced in the rat lung. 2005 , 145, 91-100		2
1984	Development of the female voxel phantom, NAOMI, and its application to calculations of induced current densities and electric fields from applied low frequency magnetic and electric fields. <i>Physics in Medicine and Biology</i> , 2005 , 50, 1047-70	3.8	187
1983	Simplified circuit modeling and fabrication of intrabody communication devices.		8
1982	Effects of posture on FDTD calculations of specific absorption rate in a voxel model of the human body. <i>Physics in Medicine and Biology</i> , 2005 , 50, 3825-35	3.8	58
1981	Free water content and monitoring of healing processes of skin burns studied by microwave dielectric spectroscopy in vivo. <i>Physics in Medicine and Biology</i> , 2005 , 50, 599-612	3.8	31

1980	Permittivity measurements up to 30 GHz using micromachined probe. 2005 , 15, 543-550		26
1979	Numerical Formulations to Compute Induced Electromagnetic in the Human Body.		
1978	Multi-frequency electrical impedance tomography (EIT) of the adult human head: initial findings in brain tumours, arteriovenous malformations and chronic stroke, development of an analysis method and calibration. 2006 , 27, S147-61		93
1977	Electromagnetics in Biology. 2006 ,		14
1976	FDTD calculations of specific energy absorption rate in a seated voxel model of the human body from 10 MHz to 3 GHz. <i>Physics in Medicine and Biology</i> , 2006 , 51, 2339-52	3.8	24
1975	The Importance of the Composite Skin Model in Numerical Investigations of the Thermal Response Associated with In Vivo Skin Electroporation. 2006 ,		
1974	Analysis of Human Cerebro Spinal Fluid at the ISM Band of Frequencies. 2006 , 20, 773-779		19
1973	Multi-depth Probe Transcranial Electrical Stimulation Modeling in 2-D using Finite Element Method Analysis.		
1972	Microwave Characterization of Female Human Breast Tissues. 2006 ,		1
1971	FDTD Study of an UWB Radar Technique for Breast Tumor Detection. 2006 ,		0
1970	Defining the Main Factors of Quality of Service in Mobile Telephony. 2006 ,		1
1969	A matched-filter FDTD-based time reversal approach for microwave breast cancer detection. 2006 , 54, 1257-1264		67
1968	Simulation of intra-cardiac catheter complex impedance signals with variable stroke volume. 2006 , 2006, 2892-5		1
1967	Theoretical modeling for radiofrequency ablation: state-of-the-art and challenges for the future. 2006 , 5, 24		198
1966	Development of pregnant female, hybrid voxel-mathematical models and their application to the dosimetry of applied magnetic and electric fields at 50 Hz. <i>Physics in Medicine and Biology</i> , 2006 , 51, 2383-94	3.8	79
1965	Time Domain Analysis of UWB Breast Cancer Detection.		4
1964	Electric Properties of Tissues. 2006 ,		101
1963	ANALYSIS OF HUMAN BREAST MILK AT MICROWAVE FREQUENCIES. 2006 , 60, 179-185		5

1962	ACTIVE MICROWAVE IMAGING FOR BREAST CANCER DETECTION. 2006 , 58, 149-169		66
1961	Electromagnetic inverse problems involving distributions of dielectric mechanisms and parameters. 2006 , 64, 749-795		16
1960	Radiofrequency Energy, Biological Effects of. 2006 ,		
1959	DIELECTRIC STUDIES OF CORN SYRUP FOR APPLICATIONS IN MICROWAVE BREAST IMAGING. 2006 , 59, 175-186		34
1958	FDTD Investigations into UWB Radar Technique of Breast Tumor Detection and Location. 2006 , 2, 81		
1957	ANALYSIS OF HUMAN SEMEN USING MICROWAVES. 2006 , 57, 277-284		13
1956	Electrical Impedance Plethysmography. 2006 ,		1
1955	Novel Multistatic Adaptive Microwave Imaging Methods for Early Breast Cancer Detection. 2006 , 2006, 1		15
1954	Study of a brain hyperthermia system providing also passive brain temperature monitoring. 2006 , 2006, 5017-20		7
1953	Platform technologies to support brain-computer interfaces. 2006 , 20, E5		39
1952	New frequency-dependent parametric modeling of dielectric materials. 2006 , 60, 320-327		3
1951	Bioelectrodynamics in living organisms. 2006 , 44, 67-92		26
1950	Efficient calculation of current densities in the human body induced by arbitrarily shaped, low-frequency magnetic field sources. 2006 , 214, 81-95		11
1949	Electromagnetic Fields, Biophysical Processes, and Proposed Biophysical Mechanisms. 2006 , 193-220		
1948	Ultrawideband temperature-dependent dielectric properties of animal liver tissue in the microwave frequency range. <i>Physics in Medicine and Biology</i> , 2006 , 51, 1941-55	3.8	131
1947	Detection of contrast objects inside biological media by near-field microwave diagnostics. 2006 , 51, 86-99		7
1946	Dielectric studies of polyvinyl-acetate-based phantom for applications in microwave medical imaging. 2006 , 41, 7419-7424		5
1945	Study on fish embryo responses to the treatment of cryoprotective chemicals using impedance spectroscopy. 2006 , 35, 224-30		18

1944	Finite difference and lead field methods in designing implantable ECG monitor. 2006 , 44, 857-64	5
1943	Understanding electrosurgical unit perturbations in order to address hospital operating room electromagnetic compatibility. 2006 , 53, 1206-9	3
1942	Multistatic adaptive microwave imaging for early breast cancer detection. 2006 , 53, 1647-57	150
1941	Simulation of intramuscular EMG signals detected using implantable myoelectric sensors (IMES). 2006 , 53, 1926-33	34
1940	Simulation of slowly varying electromagnetic fields in the human body considering the anisotropy of muscle tissues. 2006 , 42, 747-750	5
1939	Intensity and Localization of Eddy Currents in Transcranial Magnetic Stimulation to the Cerebellum. 2006 , 42, 3575-3577	14
1938	In-vivo measurements of the dielectric properties of breast carcinoma xenografted on nude mice. 2006 , 119, 593-8	24
1937	Microwave studies of a poly vinyl acetate (PVA)-based phantom for applications in medical imaging. 2006 , 48, 180-183	
1936	On Multi-Static Adaptive Microwave Imaging Methods for Early Breast Cancer Detection.	1
1935	Enhancing the focusing properties of an ellipsoidal beamformer based imaging system: a simulation study. 2006 , 2006, 5097-100	2
1934	Ethanol Macrocluster Formation on Gold Substrate Modified with Mercapto Alcohol. 2006 , 45, 502-504	3
1933	Optimization of multi-element transverse field radio frequency surface coils. 2006 , 17, N53-N59	4
1932	In vitromeasurement using a MEMS probe array with five-strip lines for permittivity measurement. 2006 , 16, 173-179	6
1931	Design and calibration of a compact multi-frequency EIT system for acute stroke imaging. 2006 , 27, S199-210	88
1930	The detection of brain oedema with frequency-dependent phase shift electromagnetic induction. 2006 , 27, 539-52	38
1929	The calculation of SAR from limb current in the female voxel phantom, NAOMI. 2006 , 121, 236-9	2
1928	The effect of cystic cavities on deep brain stimulation in the basal ganglia: a simulation-based study. 2006 , 3, 132-8	41
1927	Super Resolution Imaging of Material Properties Using MEMS Near-Field Microwave Spatial Modulator Arrays. 2006 ,	0

1926	Development of ultra wideband electromagnetic phantoms for antennas and propagation studies. 2006,		2
1925	SIE Method of Analysing Microwave Fields of a 3D Heart Model. 2006, 20, 193-206		1
1924	Finite Element Analysis of Planar Micromachined Silicon Electrodes for Cortical Stimulation. 2006,		
1923	Broadband dielectric spectrometry of liquids and biosystems. 2006, 17, R17-R35		127
1922	Simulation of Intra-Cardiac Complex Impedance Signals for Developing Simple Bio-impedance Models for Cardio-Dynamics. 2006,		0
1921	Ultrawideband radar imaging system for biomedical applications. 2006, 24, 752-757		6
1920	An anatomically realistic voxel model of the pregnant woman and numerical dosimetry for a whole-body exposure to RF electromagnetic fields. 2006, 2006, 5463-7		5
1919	Spatially Selective Filter Design for High-Resolution EMG Arrays. 2007,		
1918	Notice of Retraction: Study of MIT Phase Sensitivity for Detecting a Brain Edema Based on FDTD Method. 2007,		5
1917	Possible overexposure of pregnant women to emissions from a walk through metal detector. <i>Physics in Medicine and Biology</i> , 2007, 52, 5735-48	3.8	8
1916	Computational Modeling Analysis of Radar Scattering by Metallic Body-Worn Explosive Devices Covered with Wrinkled Clothing. 2007,		7
1915	Irreversible electroporation: a new ablation modality--clinical implications. 2007, 6, 37-48		515
1914	Dielectric properties of porcine cerebrospinal tissues at microwave frequencies: in vivo, in vitro and systematic variation with age. <i>Physics in Medicine and Biology</i> , 2007, 52, 2229-45	3.8	75
1913	Multimode near-field microwave monitoring of free water content of skin and imaging of tissue. <i>Physics in Medicine and Biology</i> , 2007, 52, 1295-301	3.8	3
1912	In vivo EIS characterization of tumour tissue properties is dominated by excess extracellular fluid. <i>Physics in Medicine and Biology</i> , 2007, 52, 347-63	3.8	15
1911	The contribution of the lungs to thoracic impedance measurements: a simulation study based on a high resolution finite difference model. 2007, 28, S153-61		23
1910	Correction of electrode polarization contributions to the dielectric properties of normal and cancerous breast tissues at audio/radiofrequencies. <i>Physics in Medicine and Biology</i> , 2007, 52, 6589-604	3.8	53
1909	Quantitative validation of the 3D SAR profile of hyperthermia applicators using the gamma method. <i>Physics in Medicine and Biology</i> , 2007, 52, 3075-88	3.8	24

1908	Electromagnetic modelling of current flow in the heart from TASER devices and the risk of cardiac dysrhythmias. <i>Physics in Medicine and Biology</i> , 2007 , 52, 7193-209	3.8	25
1907	Conductivity imaging of canine brain using a 3 T MREIT system: postmortem experiments. 2007 , 28, 1341-53		37
1906	Modelling the electrical properties of tissue as a porous medium. <i>Physics in Medicine and Biology</i> , 2007 , 52, 7007-22	3.8	12
1905	Modeling the influence of body position in bioimpedance measurements. 2007 , 2007, 3934-7		7
1904	Modeling and Computation of Electric Potential Field Distribution Generated in Cochlear Tissues by Cochlear Implant Stimulations. 2007 ,		1
1903	Analysis of specific absorption rate and current density in an energy transmission system for a wireless capsule endoscope. 2007 , 2007, 6052-5		7
1902	Recent Development of Magnetic Resonance Electrical Impedance Tomography toward High-Resolution Conductivity Imaging. 2007 ,		
1901	Investigation on Coupling Strategies for Wireless Implant Communications. 2007 ,		5
1900	Dielectric properties of human normal, malignant and cirrhotic liver tissue: in vivo and ex vivo measurements from 0.5 to 20 GHz using a precision open-ended coaxial probe. <i>Physics in Medicine and Biology</i> , 2007 , 52, 4707-19	3.8	184
1899	Monolithic RF MEMS Probe Array System using RF MEMS SP3T Switches for Permittivity Measurement. 2007 ,		
1898	FDTD study of the focusing properties of a hybrid hyperthermia and radiometry imaging system using a realistic human head model. 2007 , 2007, 3552-5		7
1897	Enhancement of the Focusing Properties of a Passive Radiometry Imaging System: A Theoretical Electromagnetic Study. 2007 ,		1
1896	Optimal electrode placement and frequency range selection for the detection of lung water using bioimpedance spectroscopy. 2007 , 2007, 2685-8		26
1895	Computer based modeling of the congenital long-QT 2 syndrome in the Visible Man torso: from genes to ECG. 2007 , 2007, 1410-3		5
1894	High data-rate 6.7 GHz wireless ASIC transmitter for neural prostheses. 2007 , 2007, 6581-4		4
1893	An electroholographic colour reconstruction by time division switching of reference lights. 2007 , 9, 757-760		30
1892	Impact of cysts during radiofrequency lesioning in deep brain structures--a simulation and in vitro study. 2007 , 4, 87-95		6
1891	Strange diquark stars within the framework of an effective phi ⁴ theory. 2007 , 34, 929-947		5

1890	Whole-body-averaged SAR from 50 MHz to 4 GHz in the University of Florida child voxel phantoms. <i>Physics in Medicine and Biology</i> , 2007 , 52, 6639-49	3.8	58
1889	Optimierung der automatisierten Beatmung bei akutem Lungenversagen mit Hilfe der elektrischen Impedanztomographie (Enhancement of Automated Protective Ventilation Strategies in Respiratory Failure using Electrical Impedance Tomography). 2007 , 55, 522-530		1
1888	Collisionless residual zonal flow level of toroidally axisymmetric plasmas with arbitrary aspect ratio and elongation. 2007 , 49, 2019-2025		13
1887	SAR in the mother and foetus for RF plane wave irradiation. <i>Physics in Medicine and Biology</i> , 2007 , 52, 3791-802	3.8	46
1886	Microwave tomography for functional imaging of extremity soft tissues: feasibility assessment. <i>Physics in Medicine and Biology</i> , 2007 , 52, 5705-19	3.8	34
1885	Double negative metamaterials for subsurface detection. 2007 , 2007, 3485-8		7
1884	Ultra-small volume interdigital sensors for the measurement of human breast milk. 2007 ,		
1883	Numerical dosimetry ELF: accuracy of the method, variability of models and parameters, and the implication for quantifying guidelines. 2007 , 92, 521-30		28
1882	Exposure of biological material to ultra-wideband electromagnetic pulses: dosimetric implications. 2007 , 92, 574-83		5
1881	A neurobiological basis for ELF guidelines. 2007 , 92, 596-603		46
1880	Thermal mechanisms of interaction of radiofrequency energy with biological systems with relevance to exposure guidelines. 2007 , 92, 609-20		69
1879	The peri-electrode space is a significant element of the electrode-brain interface in deep brain stimulation: a computational study. 2007 , 74, 361-8		35
1878	Performance of convolutional PML absorbing boundary conditions in finite-difference time-domain SAR calculations. <i>Physics in Medicine and Biology</i> , 2007 , 52, 7183-92	3.8	25
1877	A comparison of Multi-Frequency EIT systems intended for acute stroke imaging. 2007 , 3918-3920		3
1876	High-permeability core coils for transcranial magnetic stimulation of deep brain regions. 2007 , 2007, 6653-6		14
1875	Adaptive Tuning Amplitude and Phase Estimation Method for Early Breast Cancer Detection. 2007 ,		
1874	Analysing effects of implant dimensions on electrocardiograph: A modeling approach. 2007 ,		
1873	Effect of Wave Polarization on Breast Cancer Detection. 2007 ,		

1872	In-vivo Test Procedure and Instrument Characterization for EIS-Based Diagnosis of Prosthesis Osseointegration. 2007 ,	3
1871	Induced currents in the human body resulting from the proximity to surfaces at fixed potentials. 2007 ,	0
1870	Modeling the effective complex permittivity of heterogeneous breast tissue and comparison with relaxation models at millimeters wave frequencies. 2007 ,	2
1869	Model-based approach to the localization of infarction. 2007 ,	14
1868	Enhancing the focusing properties of a prototype non-invasive brain hyperthermia system: a simulation study. 2007 , 2007, 218-21	8
1867	Improvement of artificial neural network detection of breast cancer using broadband dual polarized antenna. 2007 ,	
1866	Diagnosis of Diabetes Mellitus using Microwaves. 2007 , 21, 1393-1401	21
1865	Body Surface Backed Flexible Antennas for 17 GHz Wireless Body Area Networks Sensor Applications. 2007 ,	2
1864	Improving Noninvasive Monitoring in Medical Care. 2007 ,	0
1863	Catheter motion during atrial ablation due to the beating heart and respiration: impact on accuracy and spatial referencing in three-dimensional mapping. 2007 , 4, 587-92	38
1862	Contributions of the 12 Segments of Left Ventricular Myocardium to the Body Surface Potentials. 2007 , 300-309	
1861	Fetal exposure to low frequency electric and magnetic fields. <i>Physics in Medicine and Biology</i> , 2007 , 52, 879-88	3.8 43
1860	References. 2007 , 435-459	1
1859	COMPUTATIONAL MODELING ANALYSIS OF RADAR SCATTERING BY CLOTHING COVERED ARRAYS OF METALLIC BODY-WORN EXPLOSIVE DEVICES. 2007 , 76, 285-298	10
1858	Optimization of a probe for the spectroscopic electrical characterization of biological tissues. 2007 , 39, 171-174	
1857	Human skin permittivity determined by millimeter wave reflection measurements. 2007 , 28, 331-9	119
1856	Characteristics of biological tissue equivalent phantoms applied to UWB communications. 2007 , 90, 48-55	18
1855	Determination of pregnancy using microwaves. 2007 , 49, 786-788	4

1854	QUASI-static solutions of elliptical, cylindrical-coupled parallel coplanar waveguide, and coupled parallel coplanar waveguide with finite ground planes. 2007 , 49, 1702-1708	0
1853	Synovial fluid at microwave frequencies. 2007 , 49, 1700-1702	1
1852	Characterization of benign and malignant breast tissues using 2-D microwave tomographic imaging. 2007 , 49, 2341-2345	13
1851	Novel left-handed transmission lines based on grounded spirals. 2007 , 49, 2561-2567	2
1850	Non surgical life saving diagnostic procedure using microwaves. 2007 , 49, 2364-2368	
1849	Nonsurgical method of detection of cancer using microwaves. 2007 , 49, 2559-2561	1
1848	New method of detecting lymphatic disease using microwaves. 2007 , 49, 3166-3169	2
1847	Numerically-simulated induced electric field and current density within a human model located close to a z-gradient coil. 2007 , 26, 1286-95	18
1846	An inductive power link for a wireless endoscope. 2007 , 22, 1390-5	148
1845	Thermal damage reduction associated with in vivo skin electroporation: A numerical investigation justifying aggressive pre-cooling. 2007 , 50, 105-116	38
1844	Calculated signal-to-noise ratio of MRI detected with SQUIDs and Faraday detectors in fields from 10 microT to 1.5 T. 2007 , 186, 182-92	62
1843	Numerical Modeling and Experimental Measurements of the Electric Potential Generated by Cochlear Implants in Physiological Tissues. 2007 , 56, 187-193	11
1842	. 2007 , 43, 4023-4029	8
1841	. 2007 , 55, 1080-1086	218
1840	Volume catheter parallel conductance varies between end-systole and end-diastole. 2007 , 54, 1480-9	41
1839	Electrical impedance spectroscopy of the human prostate. 2007 , 54, 1321-7	79
1838	Detection of Depth Changes of a Metallic Target Buried in a Frequency-Dependent Lossy Halfspace Using the E-Pulse Technique. 2007 , 49, 868-875	6
1837	Alteration of brain electrical activity by electromagnetic field. 2007 , 27, 417-422	7

1836	A numerical model of skin electropermeabilization based on in vivo experiments. 2007 , 35, 2138-44	43
1835	MRI-based anatomical model of the human head for specific absorption rate mapping. 2008 , 46, 1239-51	57
1834	A simulation study on the effect of thoracic conductivity inhomogeneities on sensitivity distributions. 2008 , 36, 762-8	27
1833	A DSP based multi-frequency 3D electrical impedance tomography system. 2008 , 36, 1594-603	28
1832	Optimal transvenous coil position on active-can single-coil ICD defibrillation efficacy: a simulation study. 2008 , 36, 1659-67	9
1831	Field distribution and DNA transport in solid tumors during electric field-mediated gene delivery. 2008 , 97, 691-711	26
1830	A novel method of detecting HIV/AIDS using microwaves. 2008 , 50, 557-561	4
1829	Analysis of female human breast tissues at microwave frequencies. 2008 , 50, 614-616	0
1828	CPW-FED shorted monopole antenna for broadband application. 2008 , 50, 787-789	6
1827	Impact of multiple tissue layers on an implantable LC sensor. 2008 , 50, 783-787	2
1826	A novel method of detecting cervical cancer using microwaves. 2008 , 50, 1552-1554	2
1825	Biocompatibility study of hydroxyapatite-chitosan composite for medical applications at microwave frequencies. 2008 , 50, 2931-2934	7
1824	Numerical field evaluation of healthcare workers when bending towards high-field MRI magnets. 2008 , 59, 410-22	14
1823	Setup and dosimetry for exposure of human skin in vivo to RF-EMF at 900 MHz. 2008 , 29, 207-12	3
1822	Setup and dosimetry for exposing anaesthetised pigs in vivo to 900 MHz GSM mobile phone fields. 2008 , 29, 363-70	6
1821	A reconstruction of the conductive phenomena elicited by transcranial magnetic stimulation in heterogeneous brain tissue. 2008 , 24, 80-6	33
1820	3D low frequency electromagnetic modelling of the human eye with boundary elements: Application to conductive keratoplasty. 2008 , 32, 726-735	15
1819	Reply to comment on experimental methods and conclusions of impedance spectroscopy of solutions at physiological glucose concentrations by A. Caduff, M. S. Talary, Y. Feldman. 2008 , 132, 167-168	3

1818	Electromagnetic interference in the permeability of saquinavir across the blood-brain barrier using nanoparticulate carriers. 2008 , 351, 271-81		74
1817	Vascular disrupting action of electroporation and electrochemotherapy with bleomycin in murine sarcoma. 2008 , 98, 388-98		154
1816	Analysis of current density and specific absorption rate in biological tissue surrounding transcutaneous transformer for an artificial heart. 2008 , 55, 205-13		32
1815	3-D-microwave breast tumor detection: study of system performance. 2008 , 55, 2772-7		4
1814	Adaptive and robust methods of reconstruction (ARMOR) for thermoacoustic tomography. 2008 , 55, 2741-52		25
1813	Energy transmission transformer for a wireless capsule endoscope: analysis of specific absorption rate and current density in biological tissue. 2008 , 55, 1864-71		29
1812	Correlation between structure and resistivity variations of the live human skull. 2008 , 55, 2286-92		58
1811	Calculating the Activating Function in the Human Brain by Transcranial Magnetic Stimulation. 2008 , 44, 1438-1441		12
1810	Development and Laboratory Testing of a Noninvasive Intracranial Focused Hyperthermia System. 2008 , 56, 2160-2171		27
1809	Design of a Dual-Band Implantable Antenna and Development of Skin Mimicking Gels for Continuous Glucose Monitoring. 2008 , 56, 1001-1008		375
1808	FDTD computation of human eye exposure to ultra-wideband electromagnetic pulses. <i>Physics in Medicine and Biology</i> , 2008 , 53, 1795-809	3.8	11
1807	Quandaries in the application of the ICNIRP low frequency basic restriction on current density. <i>Physics in Medicine and Biology</i> , 2008 , 53, 133-45	3.8	23
1806	Pregnant woman exposed to extremely low frequency electromagnetic fields. 2008 ,		
1805	The effect of finite-difference time-domain resolution and power-loss computation method on SAR values in plane-wave exposure of Zubal phantom. <i>Physics in Medicine and Biology</i> , 2008 , 53, 445-52	3.8	7
1804	Elucidating the mechanisms and loci of neuronal excitation by transcranial magnetic stimulation using a finite element model of a cortical sulcus. 2008 , 119, 2405-13		87
1803	Implanted Planar Inverted F-Antenna for Cardiac Pacemaker System. 2008 ,		11
1802	RF Energy Transmission for Sensor Transponders Deeply Implanted in Human Bodies. 2008 ,		6
1801	Frequency-difference electrical impedance tomography (fdEIT): algorithm development and feasibility study. 2008 , 29, 929-44		79

1800	Dosimetric implication of exposure of human eye to ultra-wideband electromagnetic pulses. 2008,	4
1799	Magnetic resonance electrical impedance tomography (MREIT) for high-resolution conductivity imaging. 2008, 29, R1-26	169
1798	A broadband high-frequency electrical impedance tomography system for breast imaging. 2008, 55, 650-9	120
1797	Sensors. 2008,	14
1796	High frequency wideband permittivity measurements of biological substances using coplanar waveguides and application to cell suspensions. 2008,	3
1795	Distribution of electrical stimulation current in a planar multilayer anisotropic tissue. 2008, 55, 660-70	19
1794	Numerical modeling in electroporation-based biomedical applications. 2008, 42,	39
1793	Electrical impedance spectroscopy of benign and malignant prostatic tissues. 2008, 179, 1580-6	65
1792	Temperature-dependent dielectric properties of liver tissue measured during thermal ablation: toward an improved numerical model. 2008, 2008, 230-3	30
1791	A Cavity-Backed Slot Antenna for On-Body BAN Devices. 2008,	8
1790	Numerical Models of Skin Electroporabilization Taking Into Account Conductivity Changes and the Presence of Local Transport Regions. 2008, 36, 1650-1658	33
1789	Computer-simulation of impedance vector dynamic of intra-cardiac 4-electrode bio-impedance measurement. 2008,	
1788	Body channel communication for low energy BSN/BAN. 2008,	6
1787	Analysis of the quasi-static approximation for calculating potentials generated by neural stimulation. 2008, 5, 44-53	131
1786	Modelling the interaction of electromagnetic fields (10 MHz-10 GHz) with the human body: methods and applications. <i>Physics in Medicine and Biology,</i> 2008, 53, R243-86	3.8 95
1785	Physically small and adjustable double-ridged horn antenna for biomedical UWB radar applications. 2008,	12
1784	Inhomogeneous human torso model of magnetohydrodynamic blood flow potentials generated in the MR environment. 2008,	1
1783	Validation of a multi-frequency electrical impedance tomography (mFEIT) system KHU Mark1: impedance spectroscopy and time-difference imaging. 2008, 29, 295-307	70

1782	Two frequency radar sensor for non-contact vital signal monitor. 2008,			3
1781	Doppler radar sensing system of respiration and heart rate. 2008,			
1780	Characterization and Testing of a Skin Mimicking Material for Implantable Antennas Operating at ISM Band (2.4 GHz-2.48 GHz). 2008, 7, 418-420			58
1779	Surgical Cardiac Ablation devices: numerical model study. 2008, 2008, 246-9			
1778	Microwave Medical Imaging and Diagnostics. 2008,			1
1777	Intravascular irreversible electroporation: theoretical and experimental feasibility study. 2008, 2008, 2051-4			7
1776	Fast temperature optimization of multi-source hyperthermia applicators with reduced-order modeling of 'virtual sources'. <i>Physics in Medicine and Biology</i> , 2008, 53, 1619-35	3.8		39
1775	Impedance changes produced by passage of emboli through carotid artery. 2008, 44, 397			1
1774	Increasing human brain excitability by transcranial high-frequency random noise stimulation. 2008, 28, 14147-55			406
1773	Assessment of inhomogeneous ELF magnetic field exposures. 2008, 131, 251-8			4
1772	Alfvén waves: a journey between space and fusion plasmas. 2008, 50, 124001			33
1771	The use of electric fields in tissue engineering: A review. 2008, 4, 11-7			53
1770	Complaint-adaptive power density optimization as a tool for HTP-guided steering in deep hyperthermia treatment of pelvic tumors. <i>Physics in Medicine and Biology</i> , 2008, 53, 6799-820	3.8		35
1769	Time dependence of electrical bioimpedance on porcine liver and kidney under a 50 Hz ac current. <i>Physics in Medicine and Biology</i> , 2008, 53, 1701-13	3.8		10
1768	Calculated SAR distributions in a human voxel phantom due to the reflection of electromagnetic fields from a ground plane between 65 MHz and 2 GHz. <i>Physics in Medicine and Biology</i> , 2008, 53, 2277-89	3.8		14
1767	Current densities in a pregnant woman model induced by simultaneous ELF electric and magnetic field exposure. <i>Physics in Medicine and Biology</i> , 2008, 53, 177-86	3.8		9
1766	Video rate electrical impedance tomography of vascular changes: preclinical development. 2008, 29, 349-64			6
1765	Microwave ablation with triaxial antennas tuned for lung: results in an in vivo porcine model. 2008, 247, 80-7			52

1764	RF-EMF exposure of fetus and mother during magnetic resonance imaging. <i>Physics in Medicine and Biology</i> , 2008 , 53, 7187-95	3.8	22
1763	Intercomparison of whole-body averaged SAR in European and Japanese voxel phantoms. <i>Physics in Medicine and Biology</i> , 2008 , 53, 5883-97	3.8	50
1762	A hybrid RF MEMS probe array system with a SP3T RF MEMS silicon switch for permittivity measurement. 2008 , 18, 085006		12
1761	In vivo electrical conductivity imaging of a canine brain using a 3 T MREIT system. 2008 , 29, 1145-55		68
1760	Wideband electrical impedance tomography. 2008 , 19, 094011		24
1759	Imaging cryosurgery with EIT: tracking the ice front and post-thaw tissue viability. 2008 , 29, 899-912		13
1758	The effect of subcutaneous fat thickness on the efficacy of transcutaneous electrical stimulation. 2008 , 2008, 5684-7		17
1757	Finite-difference time-domain simulations of radio frequency electromagnetic fields and signal inhomogeneities in ultrahigh-field magnetic resonance imaging systems. 2008 , 103, 07A318		2
1756	Optimal spatial resolution of epidural and subdural electrode arrays for brain-machine interface applications. 2008 , 2008, 3771-4		3
1755	Human skin as arrays of helical antennas in the millimeter and submillimeter wave range. 2008 ,		4
1754	Modeled current distribution inside the normal and malignant human urothelium using finite element analysis. 2008 , 55, 733-8		5
1753	Antennas for Mobile Systems. 2008 , 1229-1254		
1752	Wireless acoustic communications for in-vivo biomedical device monitoring. 2008 ,		
1751	Microwave Tomography for Brain Imaging: Feasibility Assessment for Stroke Detection. 2008 , 2008, 1-8		118
1750	Determination of Bolus Dielectric Constant for Optimum Coupling of Microwaves through Skin for Breast Cancer Imaging. 2008 , 2008, 1-5		13
1749	Potential brain imaging using near field radiometry. 2009 , 4, P05017-P05017		4
1748	EFFECTS OF FIBROGLANDULAR TISSUE DISTRIBUTION ON DATA-INDEPENDENT BEAMFORMING ALGORITHMS. 2009 , 97, 141-158		14
1747	Focused microwave radiometry from a possible functional imaging perspective: theoretical optimization of the properties of a microwave radiometry system. 2009 , 4, P05011-P05011		

1746	ELECTROMAGNETIC ANALYSIS OF A NON INVASIVE MICROWAVE RADIOMETRY IMAGING SYSTEM EMPHASIZING ON THE FOCUSING SENSITIVITY OPTIMIZATION. 2009 , 90, 385-407		7
1745	Non-invasive model-based localization of ventricular ectopic centers from multichannel ECG. 2009 , 30, 289-297		3
1744	Non-contact detection of myocardium's mechanical activity by ultrawideband RF-radar and interpretation applying electrocardiography. 2009 , 80, 114302		11
1743	Combining magnetic resonance imaging and ultrawideband radar: a new concept for multimodal biomedical imaging. 2009 , 80, 014302		17
1742	Optimal tissue types in the thoracic electrical impedance model for thoracic electrical bioimpedance (TEB) studies. 2009 , 2009, 3913-6		2
1741	Microwave tomography: review of the progress towards clinical applications. 2009 , 367, 3021-42		97
1740	Monitoring change of body fluids during physical exercise using bioimpedance spectroscopy. 2009 , 2009, 4465-8		5
1739	Focus on Iron-Based Superconductors. 2009 , 11, 025003		15
1738	A S _K S _S -Band Planar Active Integrated Bi-Directional Switching Heat Applicator With Uniform Heating Profile. 2009 , 57, 2581-2587		9
1737	Modeling and optimization of printed spiral coils in air and muscle tissue environments. 2009 , 2009, 6387-90		1
1736	Transcranial magnetic stimulation of small animals: a modeling study of the influence of coil geometry, size and orientation. 2009 , 2009, 674-7		18
1735	Skin-electrode circuit model for use in optimizing energy transfer in volume conduction systems. 2009 , 2009, 4508-11		1
1734	Electrical conductivity imaging using magnetic resonance tomography. 2009 , 2009, 3162-4		9
1733	Noninvasive probing of the human body with electromagnetic pulses: Modeling of the signal path. 2009 , 105, 044904		8
1732	Dielectric spectroscopy of normal and malignant human lung cells at ultra-high frequencies. <i>Physics in Medicine and Biology</i> , 2009 , 54, 2341-57	3.8	23
1731	Real-time MRI-guided hyperthermia treatment using a fast adaptive algorithm. <i>Physics in Medicine and Biology</i> , 2009 , 54, 2131-45	3.8	50
1730	Three-dimensional Finite-element Analysis of Joule Heating in Electrochemotherapy and in vivo Gene Electrotransfer. 2009 , 16, 1338-1347		60
1729	High frequency transcutaneous transmission using stents configured as a dipole radiator for cardiovascular implantable devices. 2009 ,		10

1728	The performance of a reduced-order adaptive controller when used in multi-antenna hyperthermia treatments with nonlinear temperature-dependent perfusion. <i>Physics in Medicine and Biology</i> , 2009 , 54, 1979-95	3.8	20
1727	Computational estimation of magnetically induced electric fields in a rotating head. <i>Physics in Medicine and Biology</i> , 2009 , 54, 341-51	3.8	21
1726	Forward problem solution for contactless electrical conductivity imaging with realistic head model. 2009 ,		
1725	Label-free RF biosensors for human cell dielectric spectroscopy. 2009 , 1, 497-504		13
1724	Calculating the electric field in real human head by transcranial magnetic stimulation with shield plate. 2009 , 105, 07B322		14
1723	Modeling of cardiac ischemia in human myocytes and tissue including spatiotemporal electrophysiological variations. 2009 , 54, 107-25		22
1722	Control time reduction using virtual source projection for treating a leg sarcoma with nonlinear perfusion. 2009 , 7181,		3
1721	Tissue permittivity: a monitor for progressive tissue fibrosis as observed in bystander tissues following experimental high dose rate irradiation. 2009 , 8, 2223-9		8
1720	Introduction of a muscular bidirectional electrical anisotropy index to quantify the structural modifications during aging in raw meat. 2009 , 20, 075702		9
1719	Frequency-difference EIT (fdEIT) using weighted difference and equivalent homogeneous admittivity: validation by simulation and tank experiment. 2009 , 30, 1087-99		49
1718	The electromagnetic response of human skin in the millimetre and submillimetre wave range. <i>Physics in Medicine and Biology</i> , 2009 , 54, 3341-63	3.8	56
1717	Local complex permittivity measurements of porcine skin tissue in the frequency range from 1 GHz to 15 GHz by evanescent microscopy. <i>Physics in Medicine and Biology</i> , 2009 , 54, 699-713	3.8	8
1716	High permeability cores to optimize the stimulation of deeply located brain regions using transcranial magnetic stimulation. <i>Physics in Medicine and Biology</i> , 2009 , 54, 3113-28	3.8	14
1715	Spatial averaging of fields from half-wave dipole antennas and corresponding SAR calculations in the NORMAN human voxel model between 65 MHz and 2 GHz. <i>Physics in Medicine and Biology</i> , 2009 , 54, 2437-47	3.8	6
1714	A comparison of foetal SAR in three sets of pregnant female models. <i>Physics in Medicine and Biology</i> , 2009 , 54, 2755-67	3.8	22
1713	Probabilistic finite element analysis of radiofrequency liver ablation using the unscented transform. <i>Physics in Medicine and Biology</i> , 2009 , 54, 627-40	3.8	44
1712	Pulmonary thermal ablation: comparison of radiofrequency and microwave devices by using gross pathologic and CT findings in a swine model. 2009 , 251, 705-11		149
1711	Optical property of human skin. 2009 ,		

1710	Electrical conductivity measurement of excised human metastatic liver tumours before and after thermal ablation. 2009 , 30, 459-66	81
1709	FDTD calculations of SAR for child voxel models in different postures between 10 MHz and 3 GHz. 2009 , 135, 226-31	15
1708	Impedance-based tissue discrimination for needle guidance. 2009 , 30, 129-40	66
1707	A comparison of ionizing radiation damage in CMOS devices from 60 Co gamma rays, electrons and protons. 2009 , 33, 436-439	1
1706	Design and Implementation of Quench Protection in the EAST Cryogenic Control System. 2009 , 11, 347-351	3
1705	Influence of lateral size on dielectric properties of ferroelectric thin films with structure transition zones. 2009 , 18, 3054-3060	
1704	Galvanic Coupling Enabling Wireless Implant Communications. 2009 , 58, 2618-2625	53
1703	. 2009 , 58, 3583-3591	8
1702	. 2009 , 58, 3831-3838	33
1701	Noninvasive biosignal detection radar system using circular polarization. 2009 , 13, 400-4	11
1700	Calculating the Current Density and Electric Field in Human Head by Multichannel Transcranial Magnetic Stimulation. 2009 , 45, 1662-1665	24
1699	Effects of Coil Parameters on the Stimulated Area by Transcranial Magnetic Stimulation. 2009 , 45, 4845-4848	4
1698	Determination of electric conductivity and local SAR via B1 mapping. 2009 , 28, 1365-74	215
1697	In vivo high-resolution conductivity imaging of the human leg using MREIT: the first human experiment. 2009 , 28, 1681-7	78
1696	A global sensitivity analysis of three- and four-layer EEG conductivity models. 2009 , 56, 988-95	33
1695	Electrical conductivity and permittivity of murine myocardium. 2009 , 56, 2044-53	38
1694	Calibration capacity of the conductance-to-volume conversion equations for the mouse conductance catheter measurement system. 2009 , 56, 1627-34	10
1693	Visible Human Utilization to Render Induced Electric Field and Current Density Images Inside the Human. 2009 , 97, 2053-2059	1

1692	Effects of averaging procedures for electrical properties at the interface of dissimilar tissues in the human head with finite-difference time-domain modelling. 2009 , 3, 51-58	1
1691	Fast template matching for spike sorting. 2009 , 92, 57-63	1
1690	A compact quasi-elliptic bandpass filter using coupled dual quasi-lumped LC resonators. 2009 , 51, 158-160	1
1689	Human pericardial fluid at microwave frequencies. 2009 , 51, 155-158	
1688	Detection of biliary functional problems using microwaves. 2009 , 51, 101-103	
1687	Bandwidth enhancement of planar inverted-F antenna for implantable biotelemetry. 2009 , 51, 749-752	57
1686	A compact CPW-Fed UWB BPF using combined microstrip SIR. 2009 , 51, 918-921	1
1685	A novel method of detecting malaria using microwaves. 2009 , 51, 915-918	6
1684	Microwave properties of arrowroot and its medical applications. 2009 , 51, 1267-1270	1
1683	Polymeric ferrite-loaded antennas for on-body communications. 2009 , 51, 2530-2533	10
1682	Electrical impedance myography: Background, current state, and future directions. 2009 , 40, 936-46	190
1681	A predictive model of minimally invasive bipolar fractional radiofrequency skin treatment. 2009 , 41, 473-8	26
1680	FDTD assessment of human exposure to electromagnetic fields from WiFi and bluetooth devices in some operating situations. 2009 , 30, 142-51	22
1679	Current density in a model of a human body with a conductive implant exposed to ELF electric and magnetic fields. 2009 , 30, 591-9	4
1678	Exposure of non-target tissues in medical diathermy. 2010 , 31, 12-9	9
1677	Region of interest sensitivity ratio in analyzing sensitivity distributions of electrocardiographic measurements. 2009 , 37, 692-701	
1676	A system for parallel measurement of glottis opening and larynx position. 2009 , 4, 221-228	5
1675	Acceleration of FEM-based transfer matrix computation for forward and inverse problems of electrocardiography. 2009 , 47, 1229-36	4

1674	Novel electrode-skin interface for breast electrical impedance scanning. 2009 , 47, 1045-52		7
1673	Toward an implantable wireless cardiac monitoring platform integrated with an FDA-approved cardiovascular stent. 2009 , 22, 479-87		22
1672	Is ocular voltage propagation to the electroencephalogram frequency dependent?. 2009 , 46, 949-56		1
1671	Quantifying induced electric field strengths during gene transfer to the intact rat vasculature. 2009 , 67, 652-662		1
1670	Narrow focus ultra-wideband antenna for breast cancer detection. 2009 ,		2
1669	Dipole source reconstruction of brain signals by using particle swarm optimization. 2009 ,		1
1668	ERP source reconstruction by using Particle Swarm Optimization. 2009 ,		1
1667	Effects of the electrical double layer and dispersive tissue properties in a volume conduction model of deep brain stimulation. 2009 , 2009, 6497-500		2
1666	Frequency dependence of on-body channels with top-loaded monopole antennas in the range of HF to UHF. 2009 ,		3
1665	Modeling and optimization of printed spiral coils in air, saline, and muscle tissue environments. 2009 , 3, 339-47		182
1664	Macroscopic models of local field potentials and the apparent 1/f noise in brain activity. 2009 , 96, 2589-603		131
1663	Electrical Properties of Rat Skin and Design of Implantable Antennas for Medical Wireless Telemetry. 2009 , 57, 2806-2812		90
1662	Electrical impedance spectroscopy as a potential tool for recovering bone porosity. <i>Physics in Medicine and Biology</i> , 2009 , 54, 3063-82	3.8	24
1661	Finite difference time domain (FDTD) modeling of implanted deep brain stimulation electrodes and brain tissue. 2009 , 2009, 6485-8		
1660	Electrical conductivity of tissue at frequencies below 1 MHz. <i>Physics in Medicine and Biology</i> , 2009 , 54, 4863-78	3.8	473
1659	Wireless ultra-wide-band data link for biomedical implants. 2009 ,		6
1658	The optical properties of biological tissues in the terahertz wavelength range. 2009 ,		1
1657	Specific Absorption Rates of Anatomically Realistic Human Models Exposed to RF Electromagnetic Fields From Mobile Phones Used in Elevators. 2009 , 57, 1250-1259		14

1656	Evaluation of Cardiovascular Stents as Antennas for Implantable Wireless Applications. 2009 , 57, 2523-2532	70
1655	Fast Electrical Impedance Spectroscopy for Moving Tissue Characterization Using Bilateral QuasiLogarithmic Multisine Bursts Signals. 2009 , 1084-1087	3
1654	NanoART, neuroAIDS and CNS drug delivery. 2009 , 4, 557-74	91
1653	A Feasibility Study of Tissue Characterization Using LC Sensors. 2009 , 57, 885-893	24
1652	Comparison of SARs induced in a heterogeneous human brain model. 2009 ,	
1651	Couplet numerical Experimental method for frequency and temperature dependences of biological materials dielectric properties investigation at microwave frequencies. 2009 ,	
1650	A Planar MICS Band Antenna Combined With a Body Channel Communication Electrode for Body Sensor Network. 2009 , 57, 2515-2522	39
1649	Transmission Mechanism of Wearable Device for On-Body Wireless Communications. 2009 , 57, 936-942	16
1648	. 2009 ,	2
1647	. 2009 ,	2
1646	A literature survey on indicators for characterisation and optimisation of SAR distributions in deep hyperthermia, a plea for standardisation. 2009 , 25, 593-608	69
1645	. 2009 , 57, 837-843	85
1644	Shorted Waveguide Method for Biological Tissues Dielectric Properties Investigation. 2009 , 643-646	
1643	Simultaneous MEG and intracranial EEG recordings during attentive reading. 2009 , 45, 1289-304	96
1642	Mechanism of voltage production and frequency dependence of the ultrasonic vibration potential. 2009 , 105, 102003	2
1641	. 2009 , 44, 708-717	91
1640	T-matched dipole antenna integrated in electrically small body-worn wireless sensor node. 2009 , 3, 774	4
1639	Electrical properties of prostatic tissues: I. Single frequency admittivity properties. 2009 , 182, 1600-7	58

1638	In vitro Assessment of Electromagnetic Interference due to Low-Band RFID reader/writers on Active Implantable Medical Devices. 2009 , 25, 142-152	5
1637	Transference of electromagnetic energy to superficial human skin tissue. 2009 , 7, 170-175	0
1636	Experimental detection of subcutaneous contrast extravasation using radio frequency permittivity sensing. 2009 , 33, 824-7	3
1635	Electrodes for the Neural Interface. 2009 , 181-213	2
1634	Biological Effects of Electromagnetic and Particle Radiation. 2009 , 743-808	
1633	Electric fish as natural models for technical sensor systems. 2009 ,	4
1632	A numerical evaluation of electromagnetic fields exposure on real human body models until 100 kHz. 2010 , 29, 1552-1561	6
1631	Visualizing transplanted muscle flaps using minimally invasive multi-electrode bioimpedance spectroscopy. 2010 , 224, 012103	
1630	Wideband bio-impedance spectroscopy using voltage source and tetra-polar electrode configuration. 2010 , 224, 012160	2
1629	Thermal response of tissues to millimeter waves: implications for setting exposure guidelines. 2010 , 99, 806-10	7
1628	Assessing the feasibility of detecting a hemorrhagic type stroke using a 16 channel magnetic induction system. 2010 , 224, 012047	3
1627	Mathematical formulation and analysis of the nonlinear system reconstruction of the online image-guided adaptive control of hyperthermia. 2010 , 37, 980-94	5
1626	Three-dimensional multiexcitation magnetoacoustic tomography with magnetic induction. 2010 , 108, 124702	14
1625	Regularized antenna profile adaptation in online hyperthermia treatment. 2010 , 37, 5382-94	8
1624	Diagnostic value of microwaves in neurological disorders. 2010 , 44, 139-43	1
1623	Experiences on bio-medical sensing using ultra wideband communications and radar technology. 2010 , 1, 248	2
1622	Optimization and Numerical Modeling in Irreversible Electroporation Treatment Planning. 2010 , 203-222	10
1621	Wireless Implants. 2010 , 11, S14-S23	116

1620	Robustness of treatment planning for electrochemotherapy of deep-seated tumors. 2010 , 236, 147-53	65
1619	Recycling Krylov subspaces for efficient large-scale electrical impedance tomography. 2010 , 199, 3101-3110	19
1618	Mappings between a macroscopic neural-mass model and a reduced conductance-based model. 2010 , 102, 361-71	12
1617	Physikalische und technische Grundlagen der regionalen Tiefenhyperthermie. 2010 , 16, 1052-1062	
1616	Bioimpedance: A Review for Food Processing. 2010 , 2, 74-94	78
1615	Evidence for frequency-dependent extracellular impedance from the transfer function between extracellular and intracellular potentials: intracellular-LFP transfer function. 2010 , 29, 389-403	50
1614	Comparative power spectral analysis of simultaneous electroencephalographic and magnetoencephalographic recordings in humans suggests non-resistive extracellular media. 2010 , 29, 405-21	80
1613	Comparative studies of infrared laser and radio-frequency action on in vitro biotissues by the method of polarization sensitive optical coherence tomography. 2010 , 53, 37-44	1
1612	Dual-band microstrip patch antenna based on short-circuited ring and spiral resonators for implantable medical devices. 2010 , 4, 1048	57
1611	Multiobjective optimization of an electrostimulative acetabular revision system. 2010 , 57, 460-8	10
1610	Dynamic imaging in electrical impedance tomography of the human chest with online transition matrix identification. 2010 , 57, 422-31	30
1609	Modeling and identification of the electrohysterographic volume conductor by high-density electrodes. 2010 , 57, 519-27	24
1608	A 3-D hybrid finite element model to characterize the electrical behavior of cutaneous tissues. 2010 , 57, 780-9	10
1607	A method to solve the forward problem in magnetic induction tomography based on the weakly coupled field approximation. 2010 , 57, 914-21	21
1606	Fully wireless implantable cardiovascular pressure monitor integrated with a medical stent. 2010 , 57, 1487-96	139
1605	Ranking the influence of tissue conductivities on forward-calculated ECGs. 2010 , 57, 1568-76	84
1604	Magnetic Field Synthesis in the Design of Inductors for Magnetic Fluid Hyperthermia. 2010 , 46, 2931-2934	41
1603	Imaging electric properties of biological tissues by RF field mapping in MRI. 2010 , 29, 474-81	70

1602	Factorization method and its physical justification in frequency-difference electrical impedance tomography. 2010 , 29, 1918-26	32
1601	Irradiation of a Six-Layered Spherical Model of Human Head in the Near Field of a Half-Wave Dipole Antenna. 2010 , 58, 680-690	13
1600	¹³ C MRS of occipital and frontal lobes at 3 T using a volume coil for stochastic proton decoupling. 2010 , 23, 977-85	25
1599	An efficient method for electrical conductivity measurement in the RF range. 2010 , 37B, 160-166	5
1598	Contactless passive diagnosis for brain intracranial applications: A study using dielectric matching materials. 2010 , 31, 335-49	14
1597	Local SAR reduction in parallel excitation based on channel-dependent Tikhonov parameters. 2010 , 32, 1209-16	32
1596	Development of an inductively coupled MR coil system for imaging and spectroscopic analysis of an implantable bioartificial construct at 11.1 T. 2010 , 63, 998-1006	10
1595	Hyperthermic injury to adipocyte cells by selective heating of subcutaneous fat with a novel radiofrequency device: feasibility studies. 2010 , 42, 361-70	91
1594	Effect of subcutaneous fat thickness and surface electrode configuration during neuromuscular electrical stimulation. 2010 , 32, 468-74	33
1593	High contrast microwave tomography using topology optimization techniques. 2010 , 234, 1773-1780	4
1592	Male-female differences in forearm skin tissue dielectric constant. 2010 , 30, 328-332	25
1591	Boosting brain excitability by transcranial high frequency stimulation in the ripple range. 2010 , 588, 4891-904	120
1590	Considerations for thermal injury analysis for RF ablation devices. 2010 , 4, 3-12	25
1589	CHANNEL-RANKED BEAMFORMER FOR THE EARLY DETECTION OF BREAST CANCER. 2010 , 103, 153-168	12
1588	Microwave tissue ablation: biophysics, technology, and applications. 2010 , 38, 65-78	195
1587	QUANTITATIVE ESTIMATION OF SCATTERING WAVES IN CYLINDER-BODY MODEL FOR BODY AREA NETWORKS: COMPARISON OF ANALYSES WITH UNIFORM CYLINDER- AND SLAB-BODY MODELS. 2010 , 22, 145-170	1
1586	PERFORMANCE AND ROBUSTNESS OF A MULTISTATIC MIST BEAMFORMING ALGORITHM FOR BREAST CANCER DETECTION. 2010 , 105, 403-424	7
1585	Fetal MRI at Higher Field Strength. 2010 , 33-47	

1584	PHASED-ARRAY NEAR FIELD RADIOMETRY FOR BRAIN INTRACRANIAL APPLICATIONS. 2010 , 109, 345-360	18
1583	THE ESSENTIAL ENVIRONMENTAL CAUSE OF MULTIPLE SCLEROSIS DISEASE. 2010 , 101, 375-391	3
1582	Rare decays $B_s, d \rightarrow l + l \bar{l}$ in a top quark two-Higgs-doublet model. 2010 , 34, 165-170	
1581	From the Editorial Board. 2010 , 53, 1079-1079	
1580	Simultaneous identification of electric permittivity and magnetic permeability. 2010 , 26, 095009	6
1579	Development of Experimental Superconducting Magnet for the Collector Ring of FAIR Project. 2010 , 12, 248-252	2
1578	Analytical Solutions of Electromagnetic Fields from Current Dipole Moment on Spherical Conductor in a Low-Frequency Approximation. 2010 , 53, 149-155	
1577	Specific absorption rates induced in a heterogeneous model of the human female urinary and reproductive systems. 2010 ,	
1576	SAR in a child voxel phantom from exposure to wireless computer networks (Wi-Fi). <i>Physics in Medicine and Biology</i> , 2010 , 55, N405-11	3.8 22
1575	Full human body exposure assessment in low frequency electromagnetic fields. 2010 ,	
1574	Electromagnetic Propagation From the Intestine-Ingested Source in the Human Body Model. 2010 , 58, 1683-1688	10
1573	Simplified analysis of near electromagnetic fields from a dipole in lossy dielectric. 2010 , 17, 1943-1949	1
1572	Imaging biological tissues with electrical conductivity contrast below 1 S/m by means of magnetoacoustic tomography with magnetic induction. 2010 , 97,	31
1571	Low frequency electromagnetic field exposure study with possible human body model. 2010 ,	4
1570	Three decades of active microwave imaging achievements, difficulties and future challenges. 2010 ,	11
1569	Age-dependent tissue-specific exposure of cell phone users. <i>Physics in Medicine and Biology</i> , 2010 , 55, 1767-83	3.8 189
1568	Photoacoustics, thermoacoustics, and acousto-optics for biomedical imaging. 2010 , 224, 291-306	13
1567	Electrical impedance characterization of normal and cancerous human hepatic tissue. 2010 , 31, 995-1009	128

1566	Polar decomposition radio-frequency current density imaging. 2010 , 2010, 5006-9		
1565	The reflection of electromagnetic field by body tissue in the UWB frequency range. 2010 ,		1
1564	Security-related active imaging of dielectric objects attached to human bodies. 2010 ,		
1563	Simulation of induced electric field distribution based on five-sphere model used in rTMS. 2010 , 18, 57-67		2
1562	Two-dimensional dielectric spectroscopy: implementation and validation of a scanning open-ended coaxial probe. 2010 , 81, 075108		11
1561	An evaluation of the conductivity profile in the somatosensory barrel cortex of Wistar rats. 2010 , 104, 3388-412		67
1560	Dosimetry of typical transcranial magnetic stimulation devices. 2010 , 107, 09B316		10
1559	Effective learning strategies for real-time image-guided adaptive control of multiple-source hyperthermia applicators. 2010 , 37, 1285-97		13
1558	Endovascular nonthermal irreversible electroporation: a finite element analysis. 2010 , 132, 031008		19
1557	Hemispherical dielectric resonator with concentric hemispherical hollow for liquid dielectrics investigations. 2010 ,		
1556	Comparison of SAR and induced current densities in adults and children exposed to electromagnetic fields from electronic article surveillance devices. <i>Physics in Medicine and Biology</i> , 2010 , 55, 1041-55	3.8	14
1555	Filament turnover stabilizes contractile cytoskeletal structures. 2010 , 91, 68003		10
1554	Modelling and simulation of a multi-commodity pipeline network. 2010 ,		1
1553	Numerically simulated cardiac exposure to electric current densities induced by TASER X-26 pulses in adult men. <i>Physics in Medicine and Biology</i> , 2010 , 55, 6187-95	3.8	6
1552	SAR calculations from 20 MHz to 6 GHz in the University of Florida newborn voxel phantom and their implications for dosimetry. <i>Physics in Medicine and Biology</i> , 2010 , 55, 1519-30	3.8	22
1551	The influence of age and skull conductivity on surface and subdermal bipolar EEG leads. 2010 , 2010, 397272		43
1550	Electrical impedance spectroscopy and diagnosis of tendinitis. 2010 , 31, 171-82		8
1549	Characterization of textile electrodes and conductors using standardized measurement setups. 2010 , 31, 233-47		174

1548	Intrabody Communication in Biotelemetry. 2010 , 351-368		9
1547	The Equivalent Double Layer: Source Models for Repolarization. 2010 , 227-246		1
1546	Measurement of the optical properties of skin using terahertz time-domain spectroscopic techniques. 2010 ,		2
1545	SAR Calculations in Human Head Model Extracted from Thermal Infrared Images. 2010 ,		
1544	Cutaneous blood perfusion as a perturbing factor for noninvasive glucose monitoring. 2010 , 12, 1-9		30
1543	The Feasibility of using microwave-induced thermoacoustic tomography for detection and evaluation of renal calculi. <i>Physics in Medicine and Biology</i> , 2010 , 55, 5203-12	3.8	21
1542	Assessment of induced SAR in children exposed to electromagnetic plane waves between 10 MHz and 5.6 GHz. <i>Physics in Medicine and Biology</i> , 2010 , 55, 3115-30	3.8	60
1541	Optimization of data coils in a multiband wireless link for neuroprosthetic implantable devices. 2010 , 4, 301-10		81
1540	. 2010 ,		1
1539	Low-frequency dielectric spectrum to determine pork meat quality. 2010 , 11, 376-386		41
1538	Diagnostic performance of a novel device for real-time margin assessment in lumpectomy specimens. 2010 , 160, 277-81		51
1537	Investigation of motor unit recruitment during stimulated contractions of tibialis anterior muscle. 2010 , 20, 580-9		38
1536	Analytical solution for contactless electrical impedance measurement. 2010 ,		
1535	Tissue Electroporation as a Bioelectric Phenomenon: Basic Concepts. 2010 , 23-61		27
1534	Techniques for measuring the microwave dielectric properties of materials. 2010 , 47, S91-S113		112
1533	A global optimization technique for microwave imaging of the inhomogeneous and dispersive breast. 2010 , 35, 15-24		5
1532	Improvement of the on-body performance of a dual-band textile antenna using an EBG structure. 2010 ,		9
1531	Oncothermia A New Kind of Oncologic Hyperthermia. 2010 , 173-392		3

1530	Vascular smooth muscle cells ablation with endovascular nonthermal irreversible electroporation. 2010 , 21, 1708-15	44
1529	. 2010 ,	8
1528	Comparative power spectral analysis of simultaneous electroencephalographic and magnetoencephalographic recordings in humans suggests non-resistive extracellular media : EEG and MEG power spectra. 2010 , 1	2
1527	Wireless acoustic communications and power supply for in vivo biomedical devices. 2010 ,	1
1526	Evaluation of a Fuzzy-Based CAC Scheme for Different Priorities in Wireless Cellular Networks. 2010 ,	1
1525	Structure of cylindrical tissue-equivalent phantom for medical applications. 2010 ,	8
1524	Basic characteristics of wearable antennas for body-centric wireless communications. 2010 ,	0
1523	Vulnerabilities and Improvements of Du-Xiao-Chen-Wu's Secure Cell Relay Routing Protocol for Sensor Networks. 2010 ,	
1522	A capacitive discrimination of slaughtered and slaughtered sheep and goat meat. 2010 ,	
1521	Simulation on 2D microwave imaging of finger joint with a Newton iterative method. 2010 ,	
1520	Challenges in bio-electromagnetic modeling. 2010 ,	0
1519	Exploitation of electromagnetic radiation properties for medical diagnostic. 2011 ,	0
1518	Accuracy Evaluation of Ultrawideband Time Domain Systems for Microwave Imaging. 2011 , 59, 4279-4285	25
1517	Numerical simulation of frequency-difference EIT using multi-shell concentric spherical head model. 2011 ,	
1516	Closed loop wireless power transmission for implantable medical devices. 2011 ,	2
1515	Quantitative modeling of electric field in deep brain stimulation: Study of medium brain tissue and stimulation pulse parameters. 2011 ,	1
1514	Sensing of dielectric property alterations in biological tissues at microwave frequencies. 2011 ,	3
1513	Passive monitoring using a combination of focused and phased array radiometry: a simulation study. 2011 , 2011, 501-4	1

1512	Modeling Accuracy and Features of Body-Area Networks with Out-of-Body Antennas at 402 MHz. 2011 , 53, 118-143		5
1511	Effects of a Reflecting Background on the Results of Active MMW SAR Imaging of Concealed Objects. 2011 , 49, 3745-3752		8
1510	Electromagnetic modeling and design optimization of intra-cortical micro-electrodes. 2011 ,		
1509	Toward a multiscale model of the uterine electrical activity. 2011 , 58, 3487-90		27
1508	A capacitive discrimination of slaughtered and non-slaughtered goat meat. 2011 ,		
1507	The experimental results of tissue thickness estimation with UWB signals for the purpose of detecting water accumulations in the human body. 2011 ,		1
1506	Synthetic aperture-based UWB imaging system for detection of urine accumulation in human bladder. 2011 ,		1
1505	Secure wireless powering and interrogation of an implantable microvalve. 2011 ,		2
1504	Feasibility of dual-frequency conductivity imaging using MREIT and MREPT. 2011 ,		1
1503	A microwave measurement system for stroke detection. 2011 ,		4
1502	The electrical conductivity of in vivo human uterine fibroids. 2011 , 27, 255-65		10
1501	Electrical-thermal-structural coupling simulation for electrosurgery simulators. 2011 , 2011, 322-5		4
1500	Non-invasive bioimpedance of intact skin: mathematical modeling and experiments. 2011 , 32, 1-18		60
1499	3-layer implantable microstrip antenna optimised for retinal prosthesis system in MICS band. 2011 ,		5
1498	Characterization of slaughtered and non-slaughtered goat meat using low frequency. 2011 ,		
1497	Modelling millimetre wave propagation and absorption in a high resolution skin model: the effect of sweat glands. <i>Physics in Medicine and Biology</i> , 2011 , 56, 1329-39	3.8	29
1496	Carbon nanotube-mediated wireless cell permeabilization: drug and gene uptake. 2011 , 6, 1709-18		27
1495	Optimizing deep hyperthermia treatments: are locations of patient pain complaints correlated with modelled SAR peak locations?. <i>Physics in Medicine and Biology</i> , 2011 , 56, 439-51	3.8	22

1494	Cell Electroporation in Bone Tissue. 2011 , 115-127		8
1493	Novel estimation of the electrical bioimpedance using the local polynomial method. Application to in vivo real-time myocardium tissue impedance characterization during the cardiac cycle. 2011 , 58, 3376-85		44
1492	Spherical polar co-ordinate calculations of induced fields in the retina and head for applied magnetic fields at 50 Hz. <i>Physics in Medicine and Biology</i> , 2011 , 56, 4597-611	3.8	3
1491	Inductive Power Link for a Wireless Cortical Implant With Two-Body Packaging. 2011 , 11, 2825-2833		42
1490	Bioimpedance for pain monitoring during cutaneous photodynamic therapy: Preliminary study. 2011 , 8, 307-13		6
1489	Blast-induced electromagnetic fields in the brain from bone piezoelectricity. 2011 , 54 Suppl 1, S30-6		9
1488	Phantom models for in-vitro measurements of blood glucose. 2011 ,		1
1487	A fully parallel multi-frequency EIT system with flexible electrode configuration: KHU Mark2. 2011 , 32, 835-49		72
1486	Functional brain imaging using MREIT and EIT: Requirements and feasibility. 2011 ,		2
1485	Near-field thermoacoustic tomography of small animals. <i>Physics in Medicine and Biology</i> , 2011 , 56, 3433-48		43
1484	Thermal ablation of lung tumors. 2011 , 20, 369-87, ix		39
1483	Children and adults exposed to electromagnetic fields at the ICNIRP reference levels: theoretical assessment of the induced peak temperature increase. <i>Physics in Medicine and Biology</i> , 2011 , 56, 4967-89 ^{3.8}		43
1482	Rectenna Application of Miniaturized Implantable Antenna Design for Triple-Band Biotelemetry Communication. 2011 , 59, 2646-2653		156
1481	Design and simulation of printed spiral coil used in wireless power transmission systems for implant medical devices. 2011 , 2011, 4018-21		14
1480	A Compact UWB Antenna for On-Body Applications. 2011 , 59, 1123-1131		155
1479	Pre- and post-natal exposure of children to EMF generated by domestic induction cookers. <i>Physics in Medicine and Biology</i> , 2011 , 56, 6149-60	3.8	34
1478	Reflection and transmission of pulsed electromagnetic fields through multilayered biological media. 2011 ,		2
1477	Radiofrequency Fields and SAR for Transverse Electromagnetic (TEM) Surface Coils. 2011 ,		

1476	Physics-based propagation characterisations of UWB signals for the urine detection in human bladder. 2011 , 2, 94	3
1475	Broadband dielectric spectroscopy on human blood. 2011 , 1810, 727-40	100
1474	Intermediate alternating electric fields device for enhancing chemotherapy of cancer: Device development and the biological effects. 2011 ,	0
1473	Reassessment of the electromagnetic reflection response of human skin at W-band. 2011 , 36, 4203-5	8
1472	Design of an Implantable Slot Dipole Conformal Flexible Antenna for Biomedical Applications. 2011 , 59, 3556-3564	126
1471	Millimeter-wave interactions with the human body: state of knowledge and recent advances. 2011 , 3, 237-247	137
1470	Metamaterial biosensor for cancer detection. 2011 ,	17
1469	Dielectric properties of natural and demineralized collagen bone matrix. 2011 , 18, 320-328	5
1468	Phenomenological scattering analysis of an RF Area Secure Perimeter. 2011 ,	
1467	High-resolution MREIT using low imaging currents. 2011 , 2011, 7025-8	1
1466	Low frequency dielectric properties of human blood. 2011 , 10, 113-20	20
1465	Modelling of an inductive sensor of the Foucault cardiogram. 2011 , 17, 252	5
1464	NON-INVASIVE MICROWAVE RADIOMETRIC SYSTEM FOR INTRACRANIAL APPLICATIONS: A STUDY USING THE CONFORMAL L-NOTCH MICROSTRIP PATCH ANTENNA. 2011 , 117, 83-101	17
1463	FIELD SYNTHESIS IN INHOMOGENEOUS MEDIA: JOINT CONTROL OF POLARIZATION, UNIFORMITY AND SAR IN MRI B1-FIELD. 2011 , 118, 355-377	7
1462	EXTERNAL AND INTERNAL ELECTROMAGNETIC EXPOSURES OF WORKERS NEAR HIGH VOLTAGE POWER LINES. 2011 , 19, 191-205	6
1461	Live tissue electromagnetic properties characterization. 2011 , 37, 181-187	3
1460	Wireless Telemetry for Implantable Biomedical Microsystems. 2011 ,	13
1459	Computer Modelling and Simulation of the Current Density Distribution in the Human Body. 2011 , 78, 365-369	

- 1458 High resolution imaging with impulse based thermoacoustic tomography. **2011**,
- 1457 Consideration about Novel Proximity Sensing Technique Applying Quasi Electric Field Generated by Multipole Electrodes Structure. **2011**, 77, 2310-2322
- 1456 On the UWB medical radars working principles. **2011**, 2, 83 21
- 1455 Computed effects of sweat gland ducts on the propagation of 94 GHz waves in skin. **2011**,
- 1454 Magnetic field distribution of birdcage coil for 4 T MRI system with no lumped circuit elements. **2011**,
- 1453 Effect of erythrocytes oscillations on dielectric properties of human diabetic-blood. **2011**, 1, 012104 12
- 1452 In vivo skin measurements with a novel probe head for simultaneous skin impedance and near-infrared spectroscopy. **2011**, 17, 494-504 7
- 1451 The use of hydrogel as an electrode-skin interface for electrode array FES applications. **2011**, 33, 967-72 19
- 1450 Conductivity imaging of canine body using 3T magnetic resonance electrical impedance tomography (MREIT) system. **2011**, 18, 1505-1510 3
- 1449 Dielectric properties of tissues; variation with age and their relevance in exposure of children to electromagnetic fields; state of knowledge. **2011**, 107, 434-8 29
- 1448 RFID system for newborn identity reconfirmation in hospital: exposure assessment of a realistic newborn model and effects of the change of the dielectric properties with age. **2011**, 107, 443-8 6
- 1447 Synthesis, characterization, and anomalous dielectric and conductivity performance of one-dimensional (bdaH)InSe₂ (bda=1,4-butanediamine). **2011**, 46, 1969-1974 3
- 1446 Duodenum identification mechanism for capsule endoscopy. **2011**, 58, 905-12 4
- 1445 Theoretical considerations of tissue electroporation with high-frequency bipolar pulses. **2011**, 58, 1474-82 81
- 1444 Modeling cellular lysis in skeletal muscle due to electric shock. **2011**, 58, 1286-93 13
- 1443 Transcranial direct current stimulation: estimation of the electric field and of the current density in an anatomical human head model. **2011**, 58, 1773-80 96
- 1442 A radio-frequency coupling network for heating of citrate-coated gold nanoparticles for cancer therapy: design and analysis. **2011**, 58, 2002-12 66
- 1441 Ex vivo thermoacoustic imaging over large fields of view with 108 MHz irradiation. **2011**, 58, 23

1440	Murine cardiac catheterizations and hemodynamics: on the issue of parallel conductance. 2011 , 58, 3260-8	5
1439	Vesicoureteral reflux in children: a phantom study of microwave heating and radiometric thermometry of pediatric bladder. 2011 , 58, 3269-78	17
1438	Experimental Investigation of the Accuracy of an Ultrawideband Time-Domain Microwave-Tomographic System. 2011 , 60, 3939-3949	32
1437	Domain Decomposition for Computing Extremely Low Frequency Induced Current in the Human Body. 2011 , 47, 886-889	0
1436	Dosimetry of Exposure of Patients to Pulsed Gradient Magnetic Fields in MRI. 2011 , 47, 3841-3844	10
1435	Magnetic resonance electrical impedance tomography for monitoring electric field distribution during tissue electroporation. 2011 , 30, 1771-8	40
1434	The bioscope system: Testing and validating a novel sensor for aqueous solutions. 2011 , 33, 369-376	
1433	Electrically mediated neuronal guidance with applied alternating current electric fields. 2011 , 39, 1759-67	23
1432	In vivo magnetic resonance electrical impedance tomography of canine brain: Disease model study of ischemia and abscess. 2011 , 1, 56-61	4
1431	Antenna design and channel modeling in the BAN context: Part I: antennas. 2011 , 66, 139-155	30
1430	Estimating nerve excitation thresholds to cutaneous electrical stimulation by finite element modeling combined with a stochastic branching nerve fiber model. 2011 , 49, 385-95	47
1429	A novel method for recording neuronal depolarization with recording at 125-825 Hz: implications for imaging fast neural activity in the brain with electrical impedance tomography. 2011 , 49, 593-604	38
1428	Boundary integral formulations for the forward problem in magnetic induction tomography. 2011 , 34, 1144-1156	6
1427	Radiofrequency heating in porcine models with a "large" 32 cm internal diameter, 7 T (296 MHz) head coil. 2011 , 66, 255-63	20
1426	Analytic expressions for the ultimate intrinsic signal-to-noise ratio and ultimate intrinsic specific absorption rate in MRI. 2011 , 66, 846-58	13
1425	Dielectric materials in magnetic resonance. 2011 , 38A, 148-184	93
1424	Use of tailored higher modes of a birdcage to design a simple double-tuned proton/phosphorus coil for human calf muscle studies at 7 T. 2011 , 39B, 89-97	5
1423	Exposure assessment in front of a multi-band base station antenna. 2011 , 32, 234-42	9

1422	Computational exposure assessment of electromagnetic fields generated by an RFID system for mother–newborn identity reconfirmation. 2011 , 32, 408-16		8
1421	Development of a dielectric spectroscopy technique for the determination of key biochemical markers of meat quality. 2011 , 127, 228-233		17
1420	Resistive heating and electropermeabilization of skin tissue during in vivo electroporation: A coupled nonlinear finite element model. 2011 , 54, 2294-2302		24
1419	Electrical characterization of single cell in microfluidic device. 2011 , 51, 781-789		8
1418	Complex permittivity of blood cells and E. coli suspensions. 2011 , 160, 130-135		11
1417	Spectral analysis and connectivity of porous microstructures in bone. 2011 , 44, 337-44		10
1416	Characterization of structure and properties of bone by spectral measure method. 2011 , 44, 345-51		4
1415	Ablation for the management of pulmonary malignancies. 2011 , 197, W581-9		22
1414	Microwave tomography of extremities: 2. Functional fused imaging of flow reduction and simulated compartment syndrome. <i>Physics in Medicine and Biology</i> , 2011 , 56, 2019-30	3.8	15
1413	Dual-slot antennas for microwave tissue heating: parametric design analysis and experimental validation. 2011 , 38, 4232-40		52
1412	A multi-slot surface coil for MRI of dual-rat imaging at 4 T. <i>Physics in Medicine and Biology</i> , 2011 , 56, 3551-61	3.8	9
1411	Generalized theory for current-source-density analysis in brain tissue. 2011 , 84, 041909		39
1410	Microwave tomography for bone imaging. 2011 ,		18
1409	Magnetic stimulation for fracture consolidation–clinical study. 2011 , 2011, 1141-4		3
1408	A comparison of induced electric fields in child and adult head models by transcranial magnetic stimulation. 2011 ,		1
1407	Channel characterization for galvanic coupled in vivo biomedical devices. 2011 ,		6
1406	Effects of noise on tomographic breast imaging. 2011 ,		3
1405	Compact Resonators for Permittivity Reconstruction of Biological Tissues. 2011 ,		5

1404	Design of a microscopic electrical impedance tomography system using two current injections. 2011 , 32, 1505-16		11
1403	Multislice ex vivo thermoacoustic imaging of porcine kidneys. 2011 ,		
1402	Feasibility of non-invasive blood glucose monitoring: In-vitro measurements and phantom models. 2011 ,		20
1401	A Shape-Based Inversion Algorithm Applied to Microwave Imaging of Breast Tumors. 2011 , 59, 3719-3729		5
1400	Design and implementation of a novel superfusion system for ex vivo characterization of neural tissue by dielectric spectroscopy (DS). 2011 , 32, 195-205		3
1399	A micromachined inline type microwave power sensor with working state transfer switches. 2011 , 32, 055003		
1398	Analysis of shower particle pseudorapidity spectra in interactions of relativistic Au and Pb ions with emulsion nuclei. 2011 , 35, 1095-1099		2
1397	Validation of weighted frequency-difference EIT using a three-dimensional hemisphere model and phantom. 2011 , 32, 1663-80		26
1396	Front end with offset-free symmetrical current source optimized for time domain impedance spectroscopy. 2011 , 32, 927-44		9
1395	Electrode biasing experiment in the Large Helical Device. 2011 , 51, 083029		6
1394	Electromagnetic energy absorption patterns in subjects with common visual disorders. 2011 , 30, 136-45		1
1393	Expanded modeling of temperature-dependent dielectric properties for microwave thermal ablation. <i>Physics in Medicine and Biology</i> , 2011 , 56, 5249-64	3.8	107
1392	Accelerating thermal deposition modeling at terahertz frequencies using GPUs. 2011 ,		
1391	Electric crosstalk impairs spatial resolution of multi-electrode arrays in retinal implants. 2011 , 8, 046016		56
1390	A dielectric inverse problem applied to human skin measurements during glucose excursions. 2011 , 32, 1285-300		2
1389	Secure wireless actuation of an implanted microvalve for drug delivery applications. 2011 , 20, 105011		9
1388	On the equivalence of some spectral sequences for Serre fibrations. 2011 , 202, 547-570		1
1387	Special issue containing contributions from the Sixth Biennial Research Congress of The Eye and the Chip. 2011 , 8, 030201		

1386	Plasma effects in electromagnetic field interaction with biological tissue. 2011 , 77, 117-132	3
1385	Principles of Tissue Engineering With Nonthermal Irreversible Electroporation. 2011 , 133,	20
1384	Dosimetric evaluation for exposure of patient to a z-gradient coil in magnetic resonance imaging. 2011 , 109, 07B301	
1383	Electric field strength and focality in electroconvulsive therapy and magnetic seizure therapy: a finite element simulation study. 2011 , 8, 016007	119
1382	Wireless communication with implanted medical devices using the conductive properties of the body. 2011 , 8, 427-33	69
1381	Magnetic Resonance Electrical Impedance Tomography (MREIT). 2011 , 53, 40-68	100
1380	A miniature power-efficient bidirectional telemetric platform for in-vivo acquisition of electrophysiological signals. 2011 ,	
1379	Planar saline bath phantom of the Rush head model. 2011 , 2011, 7266-9	
1378	Electrical energy from foods. 2011 , 3, 063106	2
1377	New head models extracted from thermal infrared (IR) images for dosimetry computations. 2011 , 14, 665-71	1
1376	Subject Specific Modelling of Electrical Conduction in the Body: A Case Study. 2011 , 10, 43-53	1
1375	Occupational exposure in MRI. 2012 , 85, 293-312	57
1374	Bioimpedance spectroscopy tensor probe for anisotropic measurements. 2012 , 48, 1253	8
1373	Application of Reproducible Measurements of Complex Permittivities to Crystalline Lens From 500 MHz to 50 GHz. 2012 , 54, 1298-1301	
1372	Study of channel characteristics for galvanic-type intra-body communication based on a transfer function from a quasi-static field model. 2012 , 12, 16433-50	27
1371	On the calculation of the D-optimal multisine excitation power spectrum for broadband impedance spectroscopy measurements. 2012 , 23, 085702	19
1370	Anatomically accurate hard priors for transrectal electrical impedance tomography (TREIT) of the prostate. 2012 , 33, 719-38	16
1369	Cross-over of the Plasticity Mechanism in Nanocrystalline Cu. 2012 , 29, 066201	11

1368	Electromagnetic characteristics of eccentric figure-eight coils for transcranial magnetic stimulation: A numerical study. 2012 , 111, 07B322	6
1367	Comparison of specific absorption rate induced in brain tissues of a child and an adult using mobile phone. 2012 , 111, 07B311	9
1366	Microwave-acoustic phasoscopy for tissue characterization. 2012 , 101, 043702	22
1365	Circular antenna array for brain imaging systems. 2012 ,	6
1364	Assessment of magnetic field exposure of humans based on calculation of the resulting electric field parameters in body tissues. 2012 ,	0
1363	Method of locating ultrasound-powered nerve stimulators. 2012 , 2012, 887-90	2
1362	Multilayered cylindrical human arm model for impedance analysis in human body communication. 2012 ,	2
1361	Identification of widely applicable configurations for the electrostimulative total hip revision system. 2012 , 2012, 3048-51	2
1360	Enhancement of waveguide sensor for biological tissues dielectric properties investigation with metamaterials. 2012 ,	2
1359	A Biomimetic Active Electrolocation Sensor for Detection of Atherosclerotic Lesions in Blood Vessels. 2012 , 12, 325-331	14
1358	Investigation of numerical methods and dosimetry for a wireless power transfer system using electromagnetic resonance. 2012 ,	1
1357	Detuning issues and performance of a novel implantable antenna for telemetry applications. 2012 ,	8
1356	Impact of the skin conductivity and displacement currents on LF numerical dosimetry. 2012 ,	1
1355	A simple wristband based on capacitive sensors for recognition of complex hand motions. 2012 ,	4
1354	A millimeter-wave integrated sensor for the dielectric constant characterization of pico-liter volumes of liquids. 2012 ,	
1353	Contribution of dielectric dispersions to voltage waveforms arising from electrical stimulation. 2012 , 2012, 4148-51	
1352	Phantoms for antenna measurements at 2.4 GHz. 2012 ,	1
1351	Stroke detection and diagnosis with a microwave helmet. 2012 ,	10

1350	Clinical microwave tomographic imaging of the calcaneus: a first-in-human case study of two subjects. 2012 , 59, 3304-13	71
1349	Low-frequency dielectric dispersion of brain tissue due to electrically long neurites. 2012 , 86, 061911	8
1348	Asymptotic analysis of the membrane structure to sensitivity of frequency-difference electrical impedance tomography. 2012 , 28, 075004	12
1347	Electrical tissue property imaging using MRI at dc and Larmor frequency. 2012 , 28, 084002	17
1346	An investigation into the effectiveness of ELF protective clothing when exposed to RF fields between 65 MHz and 3 GHz. <i>Physics in Medicine and Biology</i> , 2012 , 57, 2775-85	3.8
1345	Evaluation of a microwave tomography system for animal tissue imaging. 2012 ,	0
1344	A linear, time-invariant model for cancerous and normal breast tissue. 2012 , 2012, 4899-902	
1343	Directive wideband antenna for microwave imaging system for brain stroke detection. 2012 ,	7
1342	Time of arrival based localization of UWB transmitters buried in lossy dielectric media. 2012 ,	3
1341	Electrical impedance spectroscopy for prostate cancer diagnosis. 2012 , 2012, 3258-61	5
1340	Implementation of treatment planning in the routine clinical procedure of regional hyperthermia treatment of cervical cancer: an overview and the Rotterdam experience. 2012 , 28, 570-81	30
1339	Microwave biosensors for identifying cancer cell aggressiveness grade. 2012 ,	
1338	Intraoperative microwave ablation of pulmonary malignancies with tumor permittivity feedback control: ablation and resection study in 10 consecutive patients. 2012 , 262, 353-60	25
1337	Interference of implanted cardiac pacemakers with TASER X26 dart mode application. 2012 , 57, 201-6	4
1336	Basic Characteristics of RFID Antenna for Urination Detection. 2012 , 85, 59-64	
1335	Simulation of the temperature elevation in children exposed to plane wave electromagnetic fields (10 MHz-1 GHz) at the ICNIRP reference level. 2012 , 57, 193-200	1
1334	Bladder cancer detection using electrical impedance technique (tabriz mark 1). 2012 , 2012, 470101	23
1333	A 3D visualization method for bladder filling examination based on EIT. 2012 , 2012, 528096	15

1332	Modelling of an oesophageal electrode for cardiac function tomography. 2012 , 2012, 585786	8
1331	An efficient wireless power link for neural implant. 2012 ,	3
1330	Some calculations on the internal electromagnetic fluxes of cylinders. 2012 , 14, 065702	6
1329	Occupational exposure assessment on an FM mast: electric field and SAR values. 2012 , 18, 149-59	1
1328	Microwave radiometric signatures of temperature anomalies in tissue. 2012 ,	2
1327	The use of FDTD in establishing in vitro experimentation conditions representative of lifelike cell phone radiation on the spermatozoa. 2012 , 102, 54-62	6
1326	Local field potentials. 136-191	14
1325	Numerical Simulation of Nanopulse Penetration of Biological Matters Using the ADI-FDTD Method. 2012 ,	
1324	Utility of treatment planning for thermochemotherapy treatment of nonmuscle invasive bladder carcinoma. 2012 , 39, 1170-81	30
1323	Simultaneous occupational exposure to FM and UHF transmitters. 2012 , 18, 161-70	1
1322	Galvanic Intrabody Communication for Affective Acquiring and Computing. 2012 , 3, 145-151	5
1321	Maximum achievable efficiency in near-field coupled power-transfer systems. 2012 , 6, 228-45	256
1320	B17. Planar inverted-F antenna array performance for smart handsets including the interaction with a human hand-head. 2012 ,	1
1319	Use of Bioelectrical Impedance: General Principles and Overview. 2012 , 49-90	15
1318	Guideline for the clinical application, documentation and analysis of clinical studies for regional deep hyperthermia: quality management in regional deep hyperthermia. 2012 , 188 Suppl 2, 198-211	68
1317	Design of a miniature UHF PIFA for DBS implants. 2012 ,	4
1316	Computational models of neuromodulation. 2012 , 107, 5-22	6
1315	. 2012 , 100, 2356-2363	14

1314	Specific absorption rates and signal-to-noise ratio limitations for MRI in very-low magnetic fields. 2012 , 40A, 281-294		13
1313	Evaluation of local electric fields generated by transcranial direct current stimulation with an extracephalic reference electrode based on realistic 3D body modeling. <i>Physics in Medicine and Biology</i> , 2012 , 57, 2137-50	3.8	63
1312	Potential of MREIT conductivity imaging to detect breast cancer: experimental and numerical simulation studies. 2012 , 2012, 440-3		
1311	. 2012 , 60, 1066-1074		17
1310	Cole-Cole vs Debye models for the assessment of electromagnetic fields inside biological tissues produced by wideband EMF sources. 2012 ,		8
1309	An empirical investigation of the capacitive Body Coupled Communications channel for Body Area Networks. 2012 ,		6
1308	Design and near-field characterization of a planar on-body UWB slot-antenna for stroke detection. 2012 ,		4
1307	Microwave imaging at resolution and super-resolution with ultra-wide band sensors. 2012 ,		2
1306	Dielectric spectroscopy reveals nanoholes in erythrocyte ghosts. 2012 , 8, 3250		17
1305	A real-time electrical impedance sensing biopsy needle. 2012 , 59, 3327-36		20
1304	Compact stacked planar inverted-F antenna for passive deep brain stimulation implants. 2012 , 2012, 851-4		6
1303	A multiband slotted Bowtie antenna for stroke detection. 2012 ,		
1302	Wireless body area communication using electromagnetic resonance coupling. 2012 ,		6
1301	Bone dielectric property variation as a function of mineralization at microwave frequencies. 2012 , 2012, 649612		42
1300	Microwave tomography for security applications. 2012 ,		0
1299	Eccentric figure-eight magnetic stimulator coils. 2012 ,		1
1298	Transmission characteristics between wearable and embedded transceivers based on near-field coupling: Body-channel communication system for human-area networking. 2012 ,		1
1297	Input impedance characteristics of wearable transmitter electrodes for intra-body communication. 2012 ,		1

1296	Characterization of MHz-band near-field coupling communication using finite element electromagnetic simulation: Body-channel communication system for human-area networking. 2012,	2
1295	A compact double-elliptical slot-antenna for medical applications. 2012,	2
1294	Implantable multilayer microstrip antenna for retinal prosthesis: antenna testing. 2012, 2012, 1679-82	1
1293	Electrical Impedance Tomography. 2012, 195-249	4
1292	On-Body Channel Measurement Using Wireless Sensors. 2012, 60, 3397-3406	10
1291	Numerical Study of deposition of energy of Active Denial Weapon in human skin. 2012,	1
1290	A tripolar current-steering stimulator ASIC for field shaping in deep brain stimulation. 2012, 6, 197-207	25
1289	Role of erythrocytes and leucocytes in charge transfer through human blood. 2012, 173, 144-152	2
1288	Pitfalls in the dipolar model for the neocortical EEG sources. 2012, 108, 956-75	65
1287	Using the best linear approximation as a first step to a new non-invasive glucose measurement. 2012,	3
1286	Comments on "In vivo measurements of electrical conductivity of porcine organs at low frequency: new method of measurement" by J. Spottorno, M. Multigner, G. Rivero, L. Álvarez, J. de la Venta, and M. Santos. 2012, 33, 620; discussion 620-1	
1285	FDTD analysis of a noninvasive hyperthermia system for brain tumors. 2012, 11, 47	20
1284	Role of human variability on the estimation of the electric field and of the current density during transcranial direct current stimulation. 2012,	1
1283	Advanced System Level Simulation Platform for Three-Dimensional UWB Through-Wall Imaging SAR Using Time-Domain Approach. 2012, 50, 1986-2000	45
1282	Physics of Electrical Injury. 2012, 25-45	7
1281	Dipole relaxation in erythrocyte membrane: involvement of spectrin skeleton. 2012, 88, 148-55	3
1280	Evaluation of different stimulation and measurement patterns based on internal electrode: application in cardiac impedance tomography. 2012, 42, 1122-32	15
1279	Modelling the influence of thermal effects induced by radio frequency electric field on the dynamics of the ATPase nano-biomolecular motors. 2012, 28, 221-9	11

1278	Feasibility of an intracranial EEG-fMRI protocol at 3T: risk assessment and image quality. 2012 , 63, 1237-48	28
1277	Risk assessment of electromagnetic fields exposure with metallic orthopedic implants: a cadaveric study. 2012 , 98, 90-6	6
1276	Implanted, inductively-coupled, radiofrequency coils fabricated on flexible polymeric material: application to in vivo rat brain MRI at 7 T. 2012 , 224, 61-70	19
1275	Construction, in vitro and in vivo evaluation of an in-house conductance meter for measurement of skin hydration. 2012 , 34, 1471-6	5
1274	Comparison of electrical conductivities of various brain phantom gels: Developing a 'Brain Gel Model'. 2012 , 32, 2664-2667	57
1273	Hybrid tomography for conductivity imaging. 2012 , 28, 084008	37
1272	A Wideband Implantable Antenna for Continuous Health Monitoring in the MedRadio and ISM Bands. 2012 , 11, 1642-1645	23
1271	Performance evaluation of wideband bio-impedance spectroscopy using constant voltage source and constant current source. 2012 , 23, 105703	23
1270	A wireless magnetoresistive sensing system for an intraoral tongue-computer interface. 2012 , 6, 571-85	51
1269	Determining the Relative Permittivity of Deep Embedded Biological Tissues. 2012 , 11, 1694-1697	17
1268	3-D Microwave Magnitude Combined Tomography for Breast Cancer Detection Using Realistic Breast Models. 2012 , 11, 1622-1625	19
1267	A Small Implantable Antenna for MedRadio and ISM Bands. 2012 , 11, 1683-1685	16
1266	Miniature Scalp-Implantable Antennas for Telemetry in the MICS and ISM Bands: Design, Safety Considerations and Link Budget Analysis. 2012 , 60, 3568-3575	185
1265	Dielectric Properties of Porcine Skin Tissue and In Vivo Testing of Implantable Antennas Using Pigs as Model Animals. 2012 , 11, 1686-1689	40
1264	Determining the relative permittivity of masses in the human body. 2012 ,	1
1263	Compliance boundaries for LTE base station antennas at 2600 MHz. 2012 ,	0
1262	Signal distortion from microelectrodes in clinical EEG acquisition systems. 2012 , 9, 056007	11
1261	Multislot Antenna with a Screening Backplane for UWB WBAN Applications. 2012 , 2012, 1-12	3

1260	Design of Novel S-Shaped Quad-Band Antenna for MedRadio/WMTS/ISM Implantable Biotelemetry Applications. 2012 , 2012, 1-12	13
1259	A comparison of microelectrodes for a visual cortical prosthesis using finite element analysis. 2012 , 5, 23	16
1258	MICROWAVE CONTRAST IMAGING OF BREAST TISSUE FROM LOCAL VELOCITY ESTIMATION. 2012 , 42, 381-403	9
1257	High-Gain Textile Antenna Array System for Off-Body Communication. 2012 , 2012, 1-12	7
1256	AN INTERACTION STUDY BETWEEN PIFAS HANDSET ANTENNA AND A HUMAN HAND-HEAD IN PERSONAL COMMUNICATIONS. 2012 , 37, 21-42	11
1255	EXPERIMENTAL CHARACTERIZATION OF A 434 MHZ WIRELESS ENERGY LINK FOR MEDICAL APPLICATIONS. 2012 , 30, 53-64	21
1254	DESIGNING ASIAN-SIZED HAND MODEL FOR SAR DETERMINATION AT GSM900/1800: SIMULATION PART. 2012 , 129, 439-467	3
1253	Microwave Tomography for Biomedical Quantitative Imaging. 2012 , 01,	7
1252	THREE-DIMENSIONAL FDTD ANALYSIS OF THE DUAL-BAND IMPLANTABLE ANTENNA FOR CONTINUOUS GLUCOSE MONITORING. 2012 , 28, 9-21	15
1251	COMPACT WIDEBAND ANTENNA FOR MICROWAVE IMAGING OF BRAIN. 2012 , 27, 27-39	30
1250	High-performance and site-directed in utero electroporation by a triple-electrode probe. 2012 , 3, 960	85
1249	Spectroscopic thermoacoustic imaging of water and fat composition. 2012 , 101, 033705	38
1248	Irreversible electroporation on the small intestine. 2012 , 106, 490-5	57
1247	Thermal, dynamic mechanical, and dielectric analyses of some polyurethane biocomposites. 2012 , 27, 119-29	12
1246	Novel method of detecting cholesterol using microwaves. 2012 , 54, 1212-1215	2
1245	Coaxial waveguide MRI. 2012 , 67, 1173-82	13
1244	A 4-h hyperglycaemic excursion induces rapid and slow changes in major electrolytes in blood in healthy human subjects. 2012 , 49, 333-9	1
1243	Detection and localization of tissue malignancy using contrast-enhanced microwave imaging: exploring information theoretic criteria. 2012 , 59, 766-76	32

1242	Electric field and current density distribution in an anatomical head model during transcranial direct current stimulation for tinnitus treatment. 2012 , 33, 476-87	41
1241	In vivo measurements of electrical conductivity of porcine organs at low frequency: new method of measurement. 2012 , 33, 612-9	4
1240	Underestimation of Murine Cardiac Hemodynamics Using Invasive Catheters: Errors, Limitations, and Remedies. 2012 , 3, 179-193	1
1239	Improved conductivity image of human lower extremity using MREIT with chemical shift artifact correction. 2012 , 2, 62-68	6
1238	Microwave tomography analysis system for breast tumor detection. 2012 , 36, 1757-67	14
1237	Where does transcranial magnetic stimulation (TMS) stimulate? Modelling of induced field maps for some common cortical and cerebellar targets. 2012 , 50, 671-81	76
1236	Two-dimensional dielectric imaging for dermatologic screening: a feasibility study. 2012 , 18, 324-31	3
1235	Gender differences in facial skin dielectric constant measured at 300 MHz. 2012 , 18, 504-10	20
1234	Image reconstruction in microwave tomography using a dielectric Debye model. 2012 , 59, 156-66	26
1233	A four-shell diffusion phantom of the head for electrical impedance tomography. 2012 , 59, 383-9	20
1232	Online tissue discrimination for transcutaneous needle guidance applications using broadband impedance spectroscopy. 2012 , 59, 494-503	15
1231	EIT forward problem parallel simulation environment with anisotropic tissue and realistic electrode models. 2012 , 59, 1229-39	8
1230	Development of Liquid-Type Human-Body Equivalent Antennas for Induced Ankle Current Measurements at VHF Band. 2012 , 54, 565-573	3
1229	Stochastic Uncertainty Quantification of Eddy Currents in the Human Body by Polynomial Chaos Decomposition. 2012 , 48, 451-454	13
1228	RF field visualization of RF ablation at the Larmor frequency. 2012 , 31, 938-47	6
1227	Error analysis of nonconstant admittivity for MR-based electric property imaging. 2012 , 31, 430-7	72
1226	A Self-Sustained Microwave System for Dielectric-Constant Measurement of Lossy Organic Liquids. 2012 , 60, 1444-1455	44
1225	Microwave thermolysis of sweat glands. 2012 , 44, 20-5	48

1224	Influence of heterogeneous and anisotropic tissue conductivity on electric field distribution in deep brain stimulation. 2012 , 50, 23-32		44
1223	Dipole characterization of single neurons from their extracellular action potentials. 2012 , 32, 73-100		31
1222	Complex B1 mapping and electrical properties imaging of the human brain using a 16-channel transceiver coil at 7T. 2013 , 69, 1285-96		58
1221	Planning of electroporation-based treatments using Web-based treatment-planning software. 2013 , 246, 833-42		29
1220	Physiological and modeling evidence for focal transcranial electrical brain stimulation in humans: a basis for high-definition tDCS. 2013 , 74, 266-75		283
1219	Incidence of micronuclei in human peripheral blood lymphocytes exposed to modulated and unmodulated 2450 MHz radiofrequency fields. 2013 , 34, 542-8		11
1218	Review of current thermal ablation treatment for lung cancer and the potential of electrochemotherapy as a means for treatment of lung tumours. 2013 , 39, 862-71		48
1217	Transcranial current brain stimulation (tCS): models and technologies. 2013 , 21, 333-45		116
1216	Ultra-high field MRI for primate imaging using the travelling-wave concept. 2013 , 26, 389-400		5
1215	Antenna design and tissue parameters considerations for an improved modelling of microwave ablation in the liver. <i>Physics in Medicine and Biology</i> , 2013 , 58, 3191-206	3.8	14
1214	Generalized cable theory for neurons in complex and heterogeneous media. 2013 , 88, 022709		30
1213	Analysis of the spatial sensitivity of conductance/admittance catheter ventricular volume estimation. 2013 , 60, 2316-24		3
1212	Experimental and model-based analysis of differences in perception of cutaneous electrical stimulation across the sole of the foot. 2013 , 51, 999-1009		11
1211	Numerical analysis of specific absorption rate in the human head due to a 13.56 MHz RFID-based intra-ocular pressure measurement system. <i>Physics in Medicine and Biology</i> , 2013 , 58, N267-77	3.8	5
1210	Wearable wireless sensors for healthcare applications. 2013 ,		4
1209	P 224. Cerebellar transcranial direct current stimulation: A computer-based modeling study. 2013 , 124, e172-e173		
1208	A 0.13µm CMOS integrated wireless power receiver for biomedical applications. 2013 ,		6
1207	Enhancement of Gauss-Newton Inversion Method for Biological Tissue Imaging. 2013 , 61, 3424-3434		37

1206	Physics of effects of transcranial brain stimulation. 2013 , 116, 353-66		33
1205	Radiofrequency ablation lesion detection using MR-based electrical conductivity imaging: a feasibility study of ex vivo liver experiments. 2013 , 29, 643-52		10
1204	Modelling and analysis of local field potentials for studying the function of cortical circuits. 2013 , 14, 770-85		471
1203	Theoretical Estimations of Safety Thresholds for Terahertz Exposure of Surface Tissues. 2013 , 3, 635-640		9
1202	A methodology for extracting the electrical properties of human skin. 2013 , 34, 723-36		15
1201	The role of skin conductivity in a low frequency exposure assessment for peripheral nerve tissue according to the ICNIRP 2010 guidelines. <i>Physics in Medicine and Biology</i> , 2013 , 58, 4703-16	3.8	38
1200	Transmission eigenvalues for Maxwell's equations in isotropic absorbing media with frequency-dependent electrical parameters. 2013 , 29, 104005		2
1199	Optimal Needle Positioning for Electrochemotherapy: A Constrained Multiobjective Strategy. 2013 , 49, 2141-2144		14
1198	In vivo electrical bioimpedance characterization of human lung tissue during the bronchoscopy procedure. A feasibility study. 2013 , 35, 949-57		29
1197	Activation of peripheral nerve fibers by electrical stimulation in the sole of the foot. 2013 , 14, 116		21
1196	Low-SAR, Miniaturized Printed Antenna for Mobile, ISM, and WLAN Services. 2013 , 12, 1106-1109		33
1195	Feasibility of magnetic resonance electrical impedance tomography (MREIT) conductivity imaging to evaluate brain abscess lesion: in vivo canine model. 2013 , 38, 189-97		19
1194	The effects of metallic implants on electroporation therapies: feasibility of irreversible electroporation for brachytherapy salvage. 2013 , 36, 1638-1645		23
1193	Investigating the role of capacitive coupling between the operating table and the return electrode of an electrosurgery unit in the modification of the current density distribution within the patients' body. 2013 , 12, 80		3
1192	Wireless transmission method for VGA capsule endoscopy using Manchester encoding. 2013 , 3, 250-257		2
1191	Induced-charge electroosmotic flow around dielectric particles in uniform electric field. 2013 , 410, 102-10		18
1190	A microstrip antenna designed for implantable body sensor network. 2013 ,		2
1189	Modeling Cell Electroporation and Its Measurable Effects in Tissue. 2013 , 493-520		2

1188	. 2013, 61, 2807-2816	19
1187	2D visualisation of electric field distribution in human head with nasopharynx cancer: Using MATLAB and COMSOL multiphysics. 2013,	
1186	Antennas for medical implant applications operating in the MICS band. 2013,	1
1185	Source-temporal-features for detection EEG behavior of autism spectrum disorder. 2013,	2
1184	Detecting changes in the human heartbeat with on-body radar. 2013,	13
1183	Electric near-field coupling for wireless power transfer in biomedical applications. 2013,	16
1182	A compact dual-band meander-line antenna for biomedical applications. 2013,	0
1181	A numerical dosimetry study for pediatric transcranial magnetic stimulation. 2013,	1
1180	Vital sign detection for handheld communication device using antenna mismatching effect. 2013,	10
1179	Propagation characteristics of MHz-band RF signals for intra-body communication. 2013,	0
1178	Transmission characteristics between in-body and on-body transceivers using mhz-band near-field coupling technology. 2013,	
1177	Electromagnetic energy harvesting in a head-mountable DBS device using a circular PIFA. 2013,	1
1176	Detection and localization of brain strokes in realistic 3-D human head phantom. 2013,	11
1175	A Closed-Loop Remote Powering Link for Wireless Cortical Implants. 2013, 13, 3226-3235	27
1174	Signal measurement system using electrically isolated probe for MHz-band near-field coupling communication. 2013,	1
1173	Computational model of cerebellar transcranial direct current stimulation. 2013, 2013, 237-40	6
1172	Designing Sensitive Wearable Capacitive Sensors for Activity Recognition. 2013, 13, 3935-3947	46
1171	Operation of ingestible antennas along the gastrointestinal tract: Detuning and performance. 2013	3

1170	TE Scattering From Concaved Wedges With Longitudinal Corrugations. 2013 , 61, 2355-2359	4
1169	An amplitude-to-time conversion technique suitable for multichannel data acquisition and bioimpedance imaging. 2013 , 7, 349-54	5
1168	Imaging skeletal remains with ground-penetrating radar: comparative results over two graves from Viking Age and Medieval churchyards on the StEa-Seyla farm, northern Iceland. 2013 , 40, 268-278	23
1167	Benefit of replacing the Sigma-60 by the Sigma-Eye applicator. A Monte Carlo-based uncertainty analysis. 2013 , 189, 74-80	36
1166	A miniaturized UWB stepped-slot antenna for medical diagnostic imaging. 2013 , 55, 105-109	5
1165	A prototype device for non-invasive continuous monitoring of intracerebral hemorrhage. 2013 , 213, 132-7	12
1164	P 225. Computational models of current densities in transcutaneous spinal direct current stimulation (tsDCS). 2013 , 124, e173	0
1163	Modeling Human Head at Microwave Frequencies Using Optimized Debye Models and FDTD Method. 2013 , 61, 2352-2355	48
1162	An Implantable Stripline-Fed Slot Antenna for Biomedical Applications. 2013 ,	0
1161	A four-electrode low frequency impedance spectroscopy measurement system using the AD5933 measurement chip. 2013 , 34, 391-405	49
1160	COMSOL Multiphysics Simulation in Biomedical Engineering. 2013 , 832, 511-516	3
1159	Forward and inverse electroencephalographic modeling in health and in acute traumatic brain injury. 2013 , 124, 2129-45	24
1158	Electroarthrography: a novel method to assess articular cartilage and diagnose osteoarthritis by non-invasive measurement of load-induced electrical potentials at the surface of the knee. 2013 , 21, 1731-7	11
1157	Improved multi-scale modeling of uterine electrical activity. 2013 , 34, 38-42	5
1156	Volume conductor models in surface electromyography: computational techniques. 2013 , 43, 942-52	18
1155	P 226. Robot guided positioning of a magnetic coil for rTMS over the cortex in patients with cerebral lesions. 2013 , 124, e173-e174	1
1154	RF-related heating assessment of extracranial neurosurgical implants at 7T. 2013 , 31, 1029-34	30
1153	VHF Collar Integrated Antenna for Ground Link of GPS Based Location System. 2013 , 61, 26-32	2

1152	Physical working principles of medical radar. 2013 , 60, 1142-9	55
1151	Development of the complex permittivity measurement system for high-loss biological samples using the free space method in quasi-millimeter and millimeter wave bands. <i>Physics in Medicine and Biology</i> , 2013 , 58, 1625-33	3.8 11
1150	The role of extracellular conductivity profiles in compartmental models for neurons: particulars for layer 5 pyramidal cells. 2013 , 25, 1807-52	1
1149	. 2013 , 101, 1482-1493	100
1148	Simulation techniques in hyperthermia treatment planning. 2013 , 29, 346-57	133
1147	A low-frequency versatile wireless power transfer technology for biomedical implants. 2013 , 7, 526-35	72
1146	Quantifying and predicting meat and meat products quality attributes using electromagnetic waves: an overview. 2013 , 95, 879-96	81
1145	Simulations and phantom evaluations of magnetic resonance electrical impedance tomography (MREIT) for breast cancer detection. 2013 , 230, 40-9	11
1144	Implantable RF Medical Devices: The Benefits of High-Speed Communication and Much Greater Communication Distances in Biomedical Applications. 2013 , 14, 64-73	63
1143	Balanced implantable slot-dipole composite antenna for multiband biomedical applications. 2013 ,	
1142	Conventional and reciprocal approaches to the inverse dipole localization problem for N(20)-P (20) somatosensory evoked potentials. 2013 , 26, 24-34	4
1141	Comparison of cephalic and extracephalic montages for Transcranial Direct Current Stimulation - A numerical study. 2013 ,	1
1140	A non-invasive lung monitoring sensor with integrated body-area network. 2013 ,	0
1139	A Miniaturized Broadband Multi-State Reflectometer Integrated on a Silicon MEMS Probe for Complex Permittivity Measurement of Biological Material. 2013 , 61, 2205-2214	25
1138	Wireless telemetry system for implantable cardiac monitoring in small animal subjects using pressure-volume sensors. 2013 ,	8
1137	Capacitive-data links, energy-efficient and high-voltage compliant visual intracortical microstimulation system. 2013 ,	10
1136	Determination of burn depth on biological tissues by dielectric measurement at microwave frequencies. 2013 ,	2
1135	Electroporation-mediated gene transfer directly to the swine heart. 2013 , 20, 151-7	39

1134	Performance characteristics of a conformal ultra-wideband multilayer applicator (CUMLA) for hyperthermia in veterinary patients: a pilot evaluation of its use in the adjuvant treatment of non-resectable tumours. 2013 , 11, 14-29	3
1133	Comparative numerical analysis of magnetic and optical radiation propagation in adult human head. 2013 ,	
1132	Non-invasive estimation of blood glucose a feasibility study. 2013 ,	3
1131	Predicting the biological effects of mobile phone radiation absorbed energy linked to the MRI-obtained structure. 2013 , 64, 159-68	3
1130	Comparative Study on the Dielectric Properties between Living and Nonliving from Human and Animal Livers. 2013 , 632-635	1
1129	Microwave imaging of human forearms: pilot study and image enhancement. 2013 , 2013, 673027	30
1128	Stroke damage detection using classification trees on electrical bioimpedance cerebral spectroscopy measurements. 2013 , 13, 10074-86	15
1127	Dielectric sensor for in vivo tissue characterisation. 2013 , 49, 174-176	3
1126	Effect of Electrode Size on Signal Attenuation in Intra-Body Communication. 2013 , 427-429, 2029-2032	
1125	Percutaneous Ablation for Lung Tumors. 2013 , 20, 97-107	
1124	Controlling Stimulation Strength and Focality in Electroconvulsive Therapy via Current Amplitude and Electrode Size and Spacing. 2013 , 29, 325-335	6
1123	Development of MRI phantom equivalent to human tissues for 3.0-T MRI. 2013 , 40, 032303	39
1122	Uniform background assumption produces misleading lung EIT images. 2013 , 34, 579-93	24
1121	High-resolution simulations of the thermophysiological effects of human exposure to 100 MHz RF energy. <i>Physics in Medicine and Biology</i> , 2013 , 58, 1947-68	3.8 10
1120	Atomic rearrangements at the TiO ₂ -terminated (001)SrTiO ₃ surface and growth of thin LaMnO ₃ films. 2013 , 102, 56003	8
1119	Boundary driven Kawasaki process with long-range interaction: dynamical large deviations and steady states. 2013 , 26, 141-175	1
1118	Photoacoustic tomography in a rectangular reflecting cavity. 2013 , 29, 125010	18
1117	FIXING THE U-BAND PHOTOMETRY OF TYPE Ia SUPERNOVAE. 2013 , 145, 11	4

1116	Improved circuit model of open-ended coaxial probe for measurement of the biological tissue dielectric properties between megahertz and gigahertz. 2013 , 34, N83-96	8
1115	Mechanisms of Local Planarization Improvement Using Solo Pad in Chemical Mechanical Polishing. 2013 , 52, 126501	
1114	Asymmetry Dependence of the Nuclear Caloric Curve. 2013 , 420, 012085	
1113	UWB pulse propagation into human tissues. <i>Physics in Medicine and Biology</i> , 2013 , 58, 8689-707	3.8 21
1112	Evaluation of specific absorption rate as a dosimetric quantity for electromagnetic fields bioeffects. 2013 , 8, e62663	32
1111	Development of electromagnetic phantom at low-frequency band. 2013 , 2013, 1887-90	7
1110	Novel electrode configuration for highly linear impedance pneumography. 2013 , 58, 35-8	27
1109	Effective admittivity of biological tissues as a coefficient of elliptic PDE. 2013 , 2013, 353849	14
1108	Noninvasive measurement of conductivity anisotropy at larmor frequency using MRI. 2013 , 2013, 421619	3
1107	Design and analysis of an antenna for wireless energy harvesting in a head-mountable DBS device. 2013 , 2013, 3078-81	7
1106	Design and analysis of an antenna for batteryless transcranial direct current stimulation devices. 2013 ,	1
1105	A new approach to the comparison of microwave methods used at dielectric constant assessment. 2013 ,	
1104	A realistic model for approaching the activation question of neuromuscular magnetic stimulation. 2013 ,	0
1103	In vivo experimental study of thermal problems for rechargeable neurostimulators. 2013 , 16, 436-41; discussion 441-2	6
1102	Conductivity and Permittivity Image Reconstruction at the Larmor Frequency Using MRI. 2013 , 73, 2262-2280	8
1101	Calculating the induced electromagnetic fields in real human head by deep transcranial magnetic stimulation. 2013 , 2013, 795-8	5
1100	A high-speed bioelectrical impedance spectroscopy system based on the digital auto-balancing bridge method. 2013 , 24, 065701	15
1099	Green and Secure Office Space Using Near Field Coupling Communication System. 2013 ,	

1098	Homogenous arm model in impedance analysis of electrodes for Human Body Communication. 2013,		
1097	Fish flesh dielectric performance for toxicity detection. 2013,		
1096	Changes in the electrical properties at an early stage of mouse liver carcinogenesis. 2013, 34, 429-36		10
1095	Radiofrequency field enhancement with high dielectric constant (HDC) pads in a receive array coil at 3.0T. 2013, 38, 435-40		34
1094	Validation of admittance computed left ventricular volumes against real-time three-dimensional echocardiography in the porcine heart. 2013, 98, 1092-101		12
1093	Second harmonic acoustic responses induced in matter by quasi continuous radiofrequency fields. 2013, 103, 153706		10
1092	Measuring the complex permittivity of poultry meat with a planar transmission-line sensor. 2013,		
1091	Electromagnetic characteristics of body area communication using electromagnetic resonance coupling. 2013,		1
1090	Circuit and volume conductor models of transcutaneous electrical stimulation. 2013,		
1089	A novel approach to monitoring pulmonary congestion in heart failure: initial animal and clinical experiences using remote dielectric sensing technology. 2013, 19, 149-55		41
1088	Assessment of cardiac stroke volume in patients with implanted cardiac pacemaker using parametric electrical impedance tomography: a theoretical 2D study. 2013, 29, 630-40		6
1087	B10. Design of A Compact Tri-band Antenna for RFID Handheld Applications using Optimization Techniques. 2013,		0
1086	An in-vivo wrap-around permittivity sensor for deep biological tissue monitoring. 2013,		
1085	Optimal frequency range for medical radar measurements of human heartbeats using body-contact radar. 2013, 2013, 1752-5		8
1084	Computational dosimetry for grounded and ungrounded human models due to contact current. <i>Physics in Medicine and Biology</i> , 2013, 58, 5153-72	3.8	15
1083	Experimental and numerical assessment of low-frequency current distributions from UMTS and GSM mobile phones. <i>Physics in Medicine and Biology</i> , 2013, 58, 8339-57	3.8	9
1082	Prediction of body water compartments in preterm infants by bioelectrical impedance spectroscopy. 2013, 67 Suppl 1, S47-53		28
1081	In vitro electrical conductivity of seizing and non-seizing mouse brain slices at 10kHz. <i>Physics in Medicine and Biology</i> , 2013, 58, 3599-613	3.8	12

1080	Simple urination detection system using RFID. 2013 , 2, 98-103	3
1079	Biophysics of Extracellular Spikes. 2013 , 15-36	5
1078	Reduction of anisotropy influence and contacting effects in in-vitro bioimpedance measurements. 2013 , 434, 012058	5
1077	Controlling stimulation strength and focality in electroconvulsive therapy via current amplitude and electrode size and spacing: comparison with magnetic seizure therapy. 2013 , 29, 325-35	26
1076	Wi-Fi and health: review of current status of research. 2013 , 105, 561-75	50
1075	Numerical study of the influence of water evaporation on radiofrequency ablation. 2013 , 12, 127	21
1074	DUAL-BAND IMPLANTABLE ANTENNAS FOR MEDICAL TELEMETRY: A FAST DESIGN METHODOLOGY AND VALIDATION FOR INTRA-CRANIAL PRESSURE MONITORING. 2013 , 141, 161-183	16
1073	DEVELOPMENT OF ACCURATE MULTI-POLE DEBYE FUNCTIONS FOR ELECTROMAGNETIC TISSUE MODELLING USING A GENETIC ALGORITHM. 2013 , 43, 137-147	7
1072	A THEORETICAL MODEL FOR THE FREQUENCY-DEPENDENT DIELECTRIC PROPERTIES OF CORNEAL TISSUE AT MICROWAVE FREQUENCIES. 2013 , 137, 389-406	9
1071	Changes of the Electric Field Distribution in the Femoral Head Due to Position and Design of an Electro-Stimulating Implant. 2013 , 58 Suppl 1,	1
1070	Reply to Gratiy et al. 2013 , 109, 1684-5	4
1069	Analysis of the distribution of magnetic fluid inside tumors by a giant magnetoresistance probe. 2013 , 8, e81227	14
1068	Implantable Devices: Issues and Challenges. 2013 , 2, 1-34	171
1067	Recent progress and future challenges in MR electric properties tomography. 2013 , 2013, 546562	58
1066	A simplified 3D model of whole heart electrical activity and 12-lead ECG generation. 2013 , 2013, 134208	30
1065	Electroimpedance Spectroscopy for the Measurement of the Dielectric Properties of Sodium Chloride Solutions at Different Glucose Concentrations. 2013 , 2013, 1-6	10
1064	MRI-based multiscale model for electromagnetic analysis in the human head with implanted DBS. 2013 , 2013, 694171	18
1063	Study of the Effects of Changing Physiological Conditions on Dielectric Properties of Breast Tissues. 2013 , 2013, 1-5	8

1062	In Vivo Validation of Irreversible Electroporation Electric Field Threshold for Prostate Tissue. 2013 ,	
1061	References. 171-182	
1060	Review of temperature dependence of thermal properties, dielectric properties, and perfusion of biological tissues at hyperthermic and ablation temperatures. 2014 , 42, 467-92	177
1059	Medical applications of microwave imaging. 2014 , 2014, 147016	14
1058	Low SAR, Simple Printed Compact Multiband Antenna for Mobile and Wireless Communication Applications. 2014 , 2014, 1-8	8
1057	Improvement in the Electrical Characteristics of a High-hydrous Gel Phantom by the Addition of Inductive Materials at a Low-frequency Band. 2014 , 22, 144-149	1
1056	Changes in scalp potentials and spatial smoothing effects of inclusion of dura layer in human head models for EEG simulations. 2014 , 7, 32	26
1055	Development and Study of Electrical Property on Phantom for Human Body Communication Considering Tissue Structure of Human Arm. 2014 , 17, 63-68	1
1054	Quantitative Conductivity Estimation Error due to Statistical Noise in Complex B1+Map. 2014 , 18, 303	4
1053	MULTIBAND COMPACT LOW SAR MOBILE HAND HELD ANTENNA. 2014 , 49, 65-71	7
1052	THREE-DIMENSIONAL FAR-FIELD HOLOGRAPHIC MICROWAVE IMAGING: AN EXPERIMENTAL INVESTIGATION OF DIELECTRIC OBJECT. 2014 , 61, 169-184	6
1051	Tissue Impedance Spectroscopy and Impedance Imaging. 2014 , 73-90	1
1050	A mathematical framework for minimally invasive tumor ablation therapies. 2014 , 42, 383-417	30
1049	12. Impedanztomographie. 2014 , 441-454	
1048	10. Virtuelle Patienten zur Beherrschung elektro-magnetischer Risiken in der Medizin.	
1047	Wrist Pulse Detection System Based on Changes in the Near-Field Reflection Coefficient of a Resonator. 2014 , 24, 719-721	17
1046	A compact wideband dielectric resonator antenna for on-body applications. 2014 ,	0
1045	Intersubject local SAR variation for 7T prostate MR imaging with an eight-channel single-side adapted dipole antenna array. 2014 , 71, 1559-67	33

1044	Effect of Anatomical Brain Development on Induced Electric Fields During Transcranial Magnetic Stimulation. 2014 , 50, 1-4		16
1043	Development of High Frequency Microfluidic Biosensors for Intracellular Analysis. 2014 , 87, 54-57		5
1042	Computational modeling of transcranial direct current stimulation in the child brain: implications for the treatment of refractory childhood focal epilepsy. 2014 , 24, 1430006		22
1041	Influence of pregnancy stage and fetus position on the whole-body and local exposure of the fetus to RF-EMF. <i>Physics in Medicine and Biology</i> , 2014 , 59, 4913-26	3.8	11
1040	. 2014 ,		2
1039	Biocompatibility of implantable antennas: Design and performance considerations. 2014 ,		3
1038	Acousto-electrical speckle pattern in Electrical Impedance Tomography. 2014 ,		0
1037	A compact wideband dielectric resonator antenna for on-body applications. 2014 ,		
1036	The value and cost of complexity in predictive modelling: role of tissue anisotropic conductivity and fibre tracts in neuromodulation. 2014 , 11, 036002		40
1035	Evaluation of a multi-electrode bioimpedance spectroscopy tensor probe to detect the anisotropic conductivity spectra of biological tissues. 2014 , 25, 075702		13
1034	Electromagnetic sensing and imaging for medical applications. 2014 ,		0
1033	. 2014 ,		2
1032	Volume conductor model of transcutaneous electrical stimulation with kilohertz signals. 2014 , 11, 066012		12
1031	Local temperature assessment produced by an implantable antenna for intracranial pressure monitoring. 2014 ,		
1030	Electrical impedance of mouse brain cortex in vitro from 4.7 kHz to 2.0 MHz. 2014 , 35, 267-81		6
1029	Electrical tissue property imaging at low frequency using MREIT. 2014 , 61, 1390-9		44
1028	A patch resonator for sensing blood glucose changes. 2014 ,		1
1027	Dielectric properties of RF heatedex vivoporcine liver tissue at 480 kHz: measurements and simulations. 2014 , 47, 485401		10

1026	Temperature- and frequency-dependent dielectric properties of biological tissues within the temperature and frequency ranges typically used for magnetic resonance imaging-guided focused ultrasound surgery. 2014 , 30, 56-65	19
1025	Electromagnetic tomography for brain imaging: From virtual to human brain. 2014 ,	21
1024	A microwave resonator for limiting depth sensitivity for electron paramagnetic resonance spectroscopy of surfaces. 2014 , 85, 104707	13
1023	Are Children More Exposed to Radio Frequency Energy From Mobile Phones Than Adults?. 2014 , 2, 1497-1509	106
1022	Multi-scale simulations predict responses to non-invasive nerve root stimulation. 2014 , 11, 056013	21
1021	Electromagnetic field analysis of human body communication between wearable and stationary devices including the earth ground. 2014 ,	3
1020	A Biosafety Comparison Between Capacitive and Inductive Coupling in Biomedical Implants. 2014 , 13, 1168-1171	35
1019	The MAIN Shirt: a textile-integrated magnetic induction sensor array. 2014 , 14, 1039-56	52
1018	Full-body visible human project – female computational phantom and its applications for biomedical electromagnetic modeling. 2014 ,	
1017	Induced electric fields in the MAXWEL surface-based human model from exposure to external low frequency electric fields. 2014 , 162, 244-53	8
1016	An arch-shaped intraoral tongue drive system with built-in tongue-computer interfacing SoC. 2014 , 14, 21565-87	16
1015	UWB microwave imaging of the lungs: A review. 2014 ,	4
1014	Dependence of electromagnetic fields in human brain on coil bending angle in transcranial magnetic stimulation. 2014 ,	0
1013	Toward deep transcranial magnetic stimulation. 2014 ,	
1012	Mechanical stability analysis of carrageenan-based polymer gel for magnetic resonance imaging liver phantom with lesion particles. 2014 , 1, 035502	11
1011	Understanding and characterizing nanonetworks for healthcare monitoring applications. 2014 ,	4
1010	Three dimensional Mode Matching for inhomogeneously loaded spheroidal cavity. 2014 ,	0
1009	Evaluation of monitoring system for removing IV needles using RFID. 2014 ,	

1008	Clarification of transmission mechanism in Human body communication between head-mounted wearable devices with detailed model. 2014,	4
1007	Assessment of electric field distribution in anisotropic cortical and subcortical regions under the influence of tDCS. 2014, 35, 41-57	27
1006	MHz-band RF signal propagation characteristics on human body for intra-body communication. 2014,	0
1005	Complex permittivities of breast tumor tissues obtained from cancer surgeries. 2014, 104, 253702	99
1004	Gradient-based magnetic resonance electrical properties imaging of brain tissues. 2014, 2014, 6056-9	
1003	Mannequin development for pedestrian pre-Collision System evaluation. 2014,	5
1002	Generalized cable formalism to calculate the magnetic field of single neurons and neuronal populations. 2014, 90, 042723	9
1001	Evolution of the complex permittivity of biological tissue at microwaves ranges: correlation study with burn depth. 2014, 2014, 4054-7	1
1000	Characterization of a dielectric phantom for high-field magnetic resonance imaging applications. 2014, 41, 102303	52
999	Transcranial magnetic stimulation of mouse brain using high-resolution anatomical models. 2014, 115, 17B303	17
998	The forward problem of electroarthrography: modeling load-induced electrical potentials at the surface of the knee. 2014, 61, 2020-7	5
997	Microwaves in Medical Diagnostics and Treatment. 2014,	1
996	MHz-Band RF signal propagation characteristics on human-equivalent phantom for intra-body communication. 2014,	0
995	A wideband differential directional antenna for head implants. 2014,	1
994	Development of axilla phantoms to aid breast cancer staging via sentinel lymph node detection. 2014,	
993	In vivo characterization and numerical simulation of prostate properties for non-thermal irreversible electroporation ablation. 2014, 74, 458-68	82
992	Active integrated probes for tumor detection and ablation. 2014,	
991	Magnetic-resonance-based electrical properties tomography: a review. 2014, 7, 87-96	59

990	Modelling of deep transcranial magnetic stimulation: different coil configurations. 2014 , 2014, 4306-9	4
989	Wireless Communication of Intraoral Devices and Its Optimal Frequency Selection. 2014 , 62, 3205-3215	15
988	Quadrature transmit coil for breast imaging at 7 tesla using forced current excitation for improved homogeneity. 2014 , 40, 1165-73	20
987	MRI of Thiel-embalmed human cadavers. 2014 , 39, 576-83	11
986	Noninvasive electrical impedance sensor for in vivo tissue discrimination at radio frequencies. 2014 , 35, 385-95	8
985	Experimental validations of in vivo human musculoskeletal tissue conductivity images using MR-based electrical impedance tomography. 2014 , 35, 363-72	6
984	Analytical model for real time, noninvasive estimation of blood glucose level. 2014 , 2014, 5020-3	4
983	Physiological constraints for an intraocular inductive distance sensor. 2014 , 2014, 646-9	1
982	Mathematical model of nerve fiber activation during low back peripheral nerve field stimulation: analysis of electrode implant depth. 2014 , 17, 218-25; discussion 225	19
981	Denosing of B_{\parallel} field maps for noise-robust image reconstruction in electrical properties tomography. 2014 , 41, 102304	13
980	Convection-reaction equation based magnetic resonance electrical properties tomography (cr-MREPT). 2014 , 33, 777-93	67
979	Theoretical assessment of the maximum obtainable power in wireless power transfer constrained by human body exposure limits in a typical room scenario. <i>Physics in Medicine and Biology</i> , 2014 , 59, 3453-3464	8
978	GHOSTS I: A NEW FAINT VERY ISOLATED DWARF GALAXY ATD= 12 ± 2 Mpc. 2014 , 780, 179	6
977	Replace, Repair, Restore, Relieve [Bridging Clinical and Engineering Solutions in Neurorehabilitation. 2014 ,	5
976	RF communication with implantable wireless device: effects of beating heart on performance of miniature antenna. 2014 , 1, 51-5	4
975	Choice of reconstructed tissue properties affects interpretation of lung EIT images. 2014 , 35, 1035-50	10
974	Astrometric calibration of the Xuyi Schmidt Telescope Photometric Survey of the Galactic Anti-center (XSTPS-GAC). 2014 , 14, 456-470	18
973	Reconstruction of dual-frequency conductivity by optimization of phase map in MREIT and MREPT. 2014 , 13, 24	10

972	Numerical simulation of Wireless Power Transfer system to recharge the battery of an implanted cardiac pacemaker. 2014,		17
971	A Multiple Ring Slots Ultra Wide-Band antenna (MRS-UWB) for biomedical applications. 2014,		
970	Interaction of electromagnetic fields and biological tissues. 2014, 534, 012062		3
969	Dosimetric evaluation of specific absorption rate in realistic head models with different sizes in mobile phone usage. 2014,		
968	Thermal tissue damage model analyzed for different whole-body SAR and scan durations for standard MR body coils. 2014, 71, 421-31		61
967	Simulation and measurement of on-body wave propagation. 2014,		0
966	A comprehensive tool for image-based generation of fetus and pregnant women mesh models for numerical dosimetry studies. <i>Physics in Medicine and Biology</i> , 2014, 59, 4583-602	3.8	9
965	Changes in the electrical properties of the electrode-skin-underlying tissue composite during a week-long programme of neuromuscular electrical stimulation. 2014, 35, 231-52		19
964	Highly cited articles in Physics in Medicine and Biology. <i>Physics in Medicine and Biology</i> , 2014, 59, 4461-3	3.8	1
963	Development of portable standalone impedance measuring device for in vitro applications. 2014,		1
962	Dielectric response of shelled toroidal particles carrying localized surface charge distributions. The effect of concentric and confocal shells. 2014, 98, 76-86		1
961	Modeling the current density generated by transcutaneous spinal direct current stimulation (tsDCS). 2014, 125, 2260-2270		59
960	Accurate resistivity mouse brain mapping using microelectrode arrays. 2014, 60, 143-53		6
959	Drilling electrode for real-time measurement of electrical impedance in bone tissues. 2014, 42, 579-88		12
958	In vitro and numerical support for combinatorial irreversible electroporation and electrochemotherapy glioma treatment. 2014, 42, 475-87		30
957	Characterization of path loss and absorption for a wireless radio frequency link between an in-body endoscopy capsule and a receiver outside the body. 2014, 2014,		20
956	Impact of brain tissue filtering on neurostimulation fields: a modeling study. 2014, 85 Pt 3, 1048-57		54
955	Simultaneous imaging of in vivo conductivity and susceptibility. 2014, 71, 1144-50		32

954	An Automatic Pareto Classifier for the Multiobjective Optimization of an Electrostimulative Acetabular Revision System. 2014 , 50, 741-744		29
953	Evaluation of Electromagnetic Fields in Human Body Exposed to Wireless Inductive Charging System. 2014 , 50, 1037-1040		44
952	. 2014 ,		0
951	. 2014 , 56, 1027-1034		60
950	. 2014 , 62, 2787-2794		38
949	An analysis of the gradient-induced electric fields and current densities in human models when situated in a hybrid MRI-LINAC system. <i>Physics in Medicine and Biology</i> , 2014 , 59, 233-45	3.8	14
948	Differentiation of the intracellular structure of slow- versus fast-twitch muscle fibers through evaluation of the dielectric properties of tissue. <i>Physics in Medicine and Biology</i> , 2014 , 59, 2369-80	3.8	21
947	Modeling of the dielectric properties of trabecular bone samples at microwave frequency. 2014 , 52, 439-47		14
946	Broadband Tissue Mimicking Phantoms and a Patch Resonator for Evaluating Noninvasive Monitoring of Blood Glucose Levels. 2014 , 62, 3064-3075		71
945	Inovative possibility of small metal biomarker detection implanted into a human bone. 2014 ,		
944	Input impedance analysis of wearable antenna and its experimental study with real human body. 2014 ,		5
943	Evaluation of electric field distribution in electromagnetic stimulation of human femoral head. 2014 , 35, 547-58		8
942	In-vitro RF characterization of implantable telemetry system. 2014 , 81, 635-644		3
941	Electrical impedance myography for the in vivo and ex vivo assessment of muscular dystrophy (mdx) mouse muscle. 2014 , 49, 829-35		38
940	Comparison of cephalic and extracephalic montages for transcranial direct current stimulation--a numerical study. 2014 , 61, 2488-98		42
939	Dielectric characterisation of human tissue samples. 2014 ,		
938	Stepped impedance resonators for high-field magnetic resonance imaging. 2014 , 61, 327-33		13
937	Temperature elevation produced by miniature implantable antennas for Intracranial Pressure Monitoring. 2014 ,		0

936	Toward microendoscopic electrical impedance tomography for intraoperative surgical margin assessment. 2014 , 61, 2779-86	10
935	Wireless power transfer system applied to an active implantable medical device. 2014 ,	14
934	A new head phantom with realistic shape and spatially varying skull resistivity distribution. 2014 , 61, 254-63	16
933	. 2014 , 102, 1692-1711	132
932	Circular polarization induced by the three-dimensional chiral structure of human sweat ducts. 2014 , 89, 042715	13
931	Dielectric property measurements of biological tissues: Recent activities for development of a novel database. 2014 ,	
930	A model to evaluate dielectric properties of human tissues based on water content. 2014 ,	1
929	Hyperthermia Therapy for Cancer. 2014 , 115-151	4
928	Numerical safety study of currents induced in the patient during rotations in the static field produced by a hybrid MRI-LINAC system. 2014 , 61, 784-93	9
927	Biodegradable electroactive polymers for electrochemically-triggered drug delivery. 2014 , 2, 6809-6822	56
926	Coil Design for Neuromuscular Magnetic Stimulation Based on a Detailed 3-D Thigh Model. 2014 , 50, 1-10	2
925	Near-Field Focused Array Microstrip Planar Antenna for Medical Applications. 2014 , 13, 951-954	52
924	Simulating transcranial direct current stimulation with a detailed anisotropic human head model. 2014 , 22, 441-52	126
923	Sensing Depth of Microwave Radiation for Internal Body Temperature Measurement. 2014 , 62, 1293-1303	16
922	Design Considerations of Biomedical Telemetry Devices. 2014 , 27-55	1
921	Parametric analysis of transient skin heating induced by terahertz radiation. 2014 , 35, 314-23	8
920	A novel particle separation method based on induced-charge electro-osmotic flow and polarizability of dielectric particles. 2014 , 35, 2922-9	10
919	Measurement of the dielectric properties of the epidermis and dermis at frequencies from 0.5 GHz to 110 GHz. <i>Physics in Medicine and Biology</i> , 2014 , 59, 4739-47	3.8 46

918	Development of best fit Cole-Cole parameters for measurement data from biological tissues and organs between 1 MHz and 20 GHz. 2014 , 49, 459-472	24
917	Pacemaker Exposure to High-Power Microwave Ultrawideband Radiation. 2014 , 56, 964-969	4
916	An EMG-CT method using multiple surface electrodes in the forearm. 2014 , 24, 875-80	6
915	High electrical permittivity of ultrapure water at the water-platinum interface. 2014 , 613, 19-23	4
914	Microwave open-ended coaxial dielectric probe: interpretation of the sensing volume re-visited. 2014 , 14, 3	44
913	Development of a High SAR Conformal Antenna for Hyperthermia Tumors Treatment. 2014 , 62, 5830-5840	13
912	Implantable Health Care System Paradigm. 2014 , 549-571	2
911	The correlation between dielectric properties and microstructure of femoral bone in rats with different bone qualities. 2014 , 42, 1238-49	9
910	Microwave-based stroke diagnosis making global prehospital thrombolytic treatment possible. 2014 , 61, 2806-17	172
909	Towards an Automated MEMS-based Characterization of Benign and Cancerous Breast Tissue using Bioimpedance Measurements. 2014 , 199, 259-268	12
908	Human body communication in vehicle - Transmission characteristics between the forearm and the steering wheel. 2014 ,	1
907	Modelling the electric field and the current density generated by cerebellar transcranial DC stimulation in humans. 2014 , 125, 577-84	99
906	A Wearable Wrap-Around Sensor for Monitoring Deep Tissue Electric Properties. 2014 , 14, 2447-2451	8
905	Multi-frequency electrical impedance tomography system with automatic self-calibration for long-term monitoring. 2014 , 8, 119-28	74
904	A sub-nW 2.4 GHz Transmitter for Low Data-Rate Sensing Applications. 2014 , 49, 1463-1474	59
903	A Compact Double-Layer On-Body Matched Bowtie Antenna for Medical Diagnosis. 2014 , 62, 1808-1816	79
902	Comparison of the effects of the repetition rate between microsecond and nanosecond pulses: electropermeabilization-induced electro-desensitization?. 2014 , 1840, 2139-51	70
901	The method of fundamental solutions for complex electrical impedance tomography. 2014 , 46, 126-139	4

900	CT-based patient modeling for head and neck hyperthermia treatment planning: manual versus automatic normal-tissue-segmentation. 2014 , 111, 158-63	31
899	An Implantable Sacral Nerve Root Recording and Stimulation System for Micturition Function Restoration. 2014 , E97.D, 2790-2801	1
898	Guidelines for limiting exposure to electric fields induced by movement of the human body in a static magnetic field and by time-varying magnetic fields below 1 Hz. 2014 , 106, 418-25	90
897	Comparative study of ultra-miniature RF coupling structures for intrabody networking applications. 2014 ,	
896	Electrical properties tomography in the human brain at 1.5, 3, and 7T: a comparison study. 2014 , 71, 354-63	72
895	Dosimetric study of fetal exposure to uniform magnetic fields at 50 Hz. 2014 , 35, 580-97	18
894	Automatic composition design software for human body-equivalent phantoms. 2014 ,	0
893	Magnetic Resonance Electrical Impedance Tomography. 2014 , 77-190	
892	Assessment of Burn Depths on Organs by Microwave. 2014 , 87, 308-311	4
891	Simultaneous imaging of dual-frequency electrical conductivity using a combination of MREIT and MREPT. 2014 , 71, 200-8	15
890	Whole-body and local RF absorption in human models as a function of anatomy and position within 1.5T MR body coil. 2014 , 71, 839-45	43
889	CMOS equivalent time sampling of Gaussian monocycle pulse for confocal imaging. 2014 ,	7
888	Reference system for basic-restrictions related evaluation of magnetic field exposure an approach by the example of resistance welding equipment. 2014 ,	
887	Numerical studies for Hall Effect Imaging using linear phased array transducer. 2014 ,	
886	Occupational exposure of personnel operating military radio equipment: measurements and simulation. 2015 , 34, 221-7	3
885	Gradient-based electrical properties tomography (gEPT): A robust method for mapping electrical properties of biological tissues in vivo using magnetic resonance imaging. 2015 , 74, 634-46	67
884	Specific absorption rate in neonates undergoing magnetic resonance procedures at 1.5 T and 3 T. 2015 , 28, 344-52	15
883	Biological Effects of Radiofrequency Energy as Related to Health and Safety. 2015 , 1-15	

882	. 2015,	1
881	Design of a miniaturized UWB ingestible antenna for Wireless Capsule Endoscopy. 2015,	0
880	Modeling of electrodes and implantable pulse generator cases for the analysis of implant tip heating under MR imaging. 2015, 42, 3922-31	11
879	Resonantly loaded apertures for high-resolution near-field surface imaging. 2015, 9, 783-791	7
878	18 GHz electromagnetic field induces permeability of Gram-positive cocci. 2015, 5, 10980	18
877	Sub-millimeter resolution electrical conductivity images of brain tissues using magnetic resonance-based electrical impedance tomography. 2015, 107, 023701	5
876	A contactless approach for respiratory gating in PET using continuous-wave radar. 2015, 42, 4911-9	5
875	A Polynomial Chaos Method for Dispersive Electromagnetics. 2015, 18, 1234-1263	8
874	Bioimpedance Measurements. 2015, 2-1-2-32	
873	High-resolution microwave stroke detection system based on signal similarity algorithm. 2015,	1
872	Single acquisition electrical property mapping based on relative coil sensitivities: A proof-of-concept demonstration. 2015, 74, 185-195	27
871	Developing realistic 3D numerical conductivity and permittivity phantom of the human forearm from 10 Hz to 0.1 THz. 2015,	
870	Determination of loss tangent of human tear film at 9.8 GHz. 2015,	
869	Brain modeling of individual subjects and eddy current analyses using the scalar-potential finite-difference methods for transcranial magnetic stimulation. 2015, 23, 374-379	
868	Proposal and Investigation of Utilizing Wearable Electrodes for Human Body Communications at a MHz-band as an Antenna for Wireless Personal Area Networks at a GHz-band. 2015, 23, 288-293	
867	Transmission Characteristics and Electromagnetic Field Distribution around the Bent Arm Wearing Magnetically-Coupled Coils for Body Area Communication. 2015, 23, 294-301	1
866	Water response to intense electric fields: A molecular dynamics study. 2015, 36, 377-85	23
865	Instructive Conductive 3D Silk Foam-Based Bone Tissue Scaffolds Enable Electrical Stimulation of Stem Cells for Enhanced Osteogenic Differentiation. 2015, 15, 1490-6	41

864	Variation in dielectric properties due to pathological changes in human liver. 2015 , 36, 603-12	56
863	A mathematical framework for predicting thermal damage during bone electrostimulation. 2015 , 34, 1085-1100	
862	A 7T spine array based on electric dipole transmitters. 2015 , 74, 1189-97	22
861	NOVEL WEARABLE EAGLE SHAPE MICROSTRIP ANTENNA ARRAY WITH MUTUAL COUPLING REDUCTION. 2015 , 62, 87-103	6
860	Assessment of foetal exposure to the homogeneous magnetic field harmonic spectrum generated by electricity transmission and distribution networks. 2015 , 12, 3667-90	9
859	Stimulating the Comfort of Textile Electrodes in Wearable Neuromuscular Electrical Stimulation. 2015 , 15, 17241-57	27
858	Revealing neuronal function through microelectrode array recordings. 2014 , 8, 423	322
857	MIDA: A Multimodal Imaging-Based Detailed Anatomical Model of the Human Head and Neck. 2015 , 10, e0124126	127
856	A Study of Dielectric Properties of Proteinuria between 0.2 GHz and 50 GHz. 2015 , 10, e0130011	5
855	In Vivo Demonstration of Addressable Microstimulators Powered by Rectification of Epidermically Applied Currents for Miniaturized Neuroprostheses. 2015 , 10, e0131666	8
854	Detailed Anatomical and Electrophysiological Models of Human Atria and Torso for the Simulation of Atrial Activation. 2015 , 10, e0141573	33
853	A Subspace Preconditioned LSQR Gauss-Newton Method with a Constrained Line Search Path Applied to 3D Biomedical Microwave Imaging. 2015 , 2015, 1-21	
852	ECG-Based Detection of Early Myocardial Ischemia in a Computational Model: Impact of Additional Electrodes, Optimal Placement, and a New Feature for ST Deviation. 2015 , 2015, 530352	12
851	Effect of the Interindividual Variability on Computational Modeling of Transcranial Direct Current Stimulation. 2015 , 2015, 963293	14
850	FULL WAVE MODELING OF BRAIN WAVES AS ELECTROMAGNETIC WAVES (Invited Paper). 2015 , 151, 95-107	1
849	Dont Sweat It: Treating Hyperhidrosis with Microwaves. 2015 , 16, 31-38	0
848	Frequency-dependent conductivity contrast for tissue characterization using a dual-frequency range conductivity mapping magnetic resonance method. 2015 , 34, 507-13	12
847	A mm-Sized Implantable Medical Device (IMD) With Ultrasonic Power Transfer and a Hybrid Bi-Directional Data Link. 2015 , 50, 1741-1753	142

846	In vivo bioimpedance measurement of healthy and ischaemic rat brain: implications for stroke imaging using electrical impedance tomography. 2015 , 36, 1273-82	44
845	Tumor growth delay by adjuvant alternating electric fields which appears non-thermally mediated. 2015 , 105, 16-24	5
844	Design and characterization of a conductive nanostructured polypyrrole-polycaprolactone coated magnesium/PLGA composite for tissue engineering scaffolds. 2015 , 103, 2966-73	21
843	Flexible 16 Antenna Array for Microwave Breast Cancer Detection. 2015 , 62, 2516-25	152
842	The coil orientation dependency of the electric field induced by TMS for M1 and other brain areas. 2015 , 12, 47	69
841	Magnetic Resonance Current Density Imaging: Applications to Electrochemotherapy and Irreversible Electroporation. 2015 , 846-849	
840	Cell death, perfusion and electrical parameters are critical in models of hepatic radiofrequency ablation. 2015 , 31, 538-50	74
839	Coil optimization for low-field MRI: a dedicated process for small animal preclinical studies. 2015 , 49, 153-67	2
838	Intra-body communication model based on variable biological parameters. 2015 ,	6
837	Deep transcranial magnetic stimulation using figure-of-eight and Halo coils. 2015 ,	3
836	Transmission characteristics through the bent arm wearing magnetically-coupled coils for body area communication. 2015 ,	1
835	Impedance spectroscopy to monitor fracture healing. 2015 , 2015, 5138-41	4
834	Strategies for the implementation of a simple, implantable sensor across different in vivo applications. 2015 ,	
833	Patterns of temporal changes in tissue dielectric constant as indices of localized skin water changes in women treated for breast cancer: a pilot study. 2015 , 13, 20-32	27
832	Radar-based time-domain head imaging using database of effective dielectric constant. 2015 , 51, 1574-1576	10
831	Antennas for biomedical applications. 2015 , 5, 203-212	18
830	Interferogram-based breast tumor classification using microwave-induced thermoacoustic imaging. 2015 , 2015, 2717-20	1
829	Deep Transcranial Magnetic Stimulation Using Figure-of-Eight and Halo Coils. 2015 , 51, 1-4	12

828	Comparison of Therapeutic Magnetic Stimulation With Electric Stimulation of Spinal Column Vertebrae. 2015 , 51, 1-9		9
827	Electromagnetic tomography for brain imaging: Initial assessment for stroke detection. 2015 ,		12
826	Reduction of detuning effects using robust parameter design for implantable antennas. 2015 , 51, 1971-1973		3
825	Wireless body area network using magnetically-coupled wearable coils. 2015 ,		2
824	In vivo and in situ measurement and modelling of intra-body effective complex permittivity. 2015 , 2, 135-40		6
823	Heating and Safety Concerns of the Radio-Frequency Field in MRI. 2015 , 3, 1		18
822	Use of electric field orientation as an index for estimating the contribution of model complexity in transcranial direct current stimulation forward head model development. 2015 , 9, 596-605		1
821	The Travelling-Wave Primate System: A New Solution for Magnetic Resonance Imaging of Macaque Monkeys at 7 Tesla Ultra-High Field. 2015 , 10, e0129371		10
820	Dielectric property measurement of ocular tissues up to 110 GHz using 1 mm coaxial sensor. <i>Physics in Medicine and Biology</i> , 2015 , 60, 6273-88	3.8	15
819	Intersubject assessment of implantable antenna performance for intracranial pressure monitoring. 2015 , 2015, 7196-9		
818	A regularised boundary element formulation for contactless SAR evaluations within homogeneous and inhomogeneous head phantoms. 2015 , 16, 776-788		8
817	Towards a smart phone-based cardiac monitoring device using electrical impedance tomography. 2015 ,		6
816	Numerical analysis of EMF safety and thermal aspects in a pacemaker with a Wireless Power Transfer system. 2015 ,		11
815	Foam Embedded Wideband Antenna Array for Early Congestive Heart Failure Detection With Tests Using Artificial Phantom With Animal Organs. 2015 , 63, 5138-5143		11
814	Impact of head morphology on local brain specific absorption rate from exposure to mobile phone radiation. 2015 , 36, 66-76		15
813	A Power-Efficient Switched-Capacitor Stimulating System for Electrical/Optical Deep Brain Stimulation. 2015 , 50, 360-374		92
812	Theoretical Analysis of the Effect of Temperature on Current Delivery to the Brain During tDCS. 2015 , 8, 509-14		8
811	Eccentric figure-eight coils for transcranial magnetic stimulation. 2015 , 36, 55-65		11

810	Frequency and temperature dependence of skin bioimpedance during a contralateral cold test. 2015 , 36, 561-77	5
809	Uncertainty quantification in transcranial magnetic stimulation via high-dimensional model representation. 2015 , 62, 361-72	29
808	Personalizing the Electrode to Neuromodulate an Extended Cortical Region. 2015 , 8, 555-60	23
807	Noninvasive imaging of 3-dimensional myocardial infarction from the inverse solution of equivalent current density in pathological hearts. 2015 , 62, 468-76	8
806	Non-contact multi-frequency magnetic induction spectroscopy system for industrial-scale bio-impedance measurement. 2015 , 26, 035102	33
805	The Effects of Electrode Configuration on Body Channel Communication Based on Analysis of Vertical and Horizontal Electric Dipoles. 2015 , 63, 1409-1420	31
804	Safe for Generations to Come. 2015 , 16, 65-84	117
803	Effect of user's posture and device's position on human body communication with multiple devices. 2015 ,	3
802	Heart Rate Detection During Sleep Using a Flexible RF Resonator and Injection-Locked PLL Sensor. 2015 , 62, 2568-75	19
801	Millimeter-Wave Tissue Diagnosis: The Most Promising Fields for Medical Applications. 2015 , 16, 97-113	55
800	Detection of admittivity anomaly on high-contrast heterogeneous backgrounds using frequency difference EIT. 2015 , 36, 1179-92	18
799	. 2015 , 16, 42-62	57
798	Acousto-electrical speckle pattern in Lorentz force electrical impedance tomography. <i>Physics in Medicine and Biology</i> , 2015 , 60, 3747-57	3.8 23
797	The effect of the resistive properties of bone on neural excitation and electric fields in cochlear implant models. 2015 , 327, 126-35	17
796	Performance assessment of wireless power transfer links for implantable microsystems. 2015 ,	1
795	Cell type- and activity-dependent extracellular correlates of intracellular spiking. 2015 , 114, 608-23	43
794	Biological effect of SAR on the human head due to variation of dielectric properties at 1800 and 2450 MHz with different antenna substrate materials. 2015 , 22,	
793	Dielectric Properties Data. 2015 , 211-246	7

792	Peptide-directed assembly of functional supramolecular polymers for biomedical applications: electroactive molecular tongue-twisters (oligoalanine-oligoaniline-oligoalanine) for electrochemically enhanced drug delivery. 2015 , 3, 5005-5009	26
791	Pre-study to detect cancer with RF coil: brain and breast. 2015 , 51, 209-211	0
790	Correlation between alveolar ventilation and electrical properties of lung parenchyma. 2015 , 36, 1211-26	18
789	Electromagnetic fields in body by wireless inductive system. 2015 , 34, 590-595	3
788	Analysis of signal propagation loss on the human body in intrabody communication. 2015 ,	
787	Low-Frequency Stable Internally Combined Volume-Surface Integral Equation for High-Contrast Scatterers. 2015 , 14, 1423-1426	6
786	Peripheral Nerve Interfaces. 2015 , 1033-1054	3
785	A compact ultraminiature coaxial fed antenna for WMTS biotelemetry applications. 2015 , 57, 987-992	3
784	Multi-class biological tissue classification based on a multi-classifier: Preliminary study of an automatic output power control for ultrasonic surgical units. 2015 , 61, 92-100	6
783	Microfluidic biosensors for microwave dielectric spectroscopy. 2015 , 229, 172-181	36
782	In silico validation procedure for cell volume fraction estimation through dielectric spectroscopy. 2015 , 41, 223-34	12
781	Electrical Resistance of Tumor Tissue during Electroporation: An Ex-Vivo Study on Human Lipomatous Tumors. 2015 , 569-572	3
780	Multiple-antenna microwave ablation: analysis of non-parallel antenna implants. 2015 ,	2
779	Study about the damaged mechanism of the patterned perpendicular magnetic tunnel junctions by hydrogen ion treatments. 2015 , 54, 04DM07	2
778	Highly stable organic fluorescent nanorods for living-cell imaging. 2015 , 8, 2380-2389	48
777	. 2015 , 63, 2060-2068	38
776	Predicting electromyographic signals under realistic conditions using a multiscale chemo-electro-mechanical finite element model. 2015 , 5, 20140076	26
775	Optimization of dual slot antenna using floating metallic sleeve for microwave ablation. 2015 , 37, 384-91	20

774	Analysis of Transcranial Magnetic Stimulation Based on the Surface Integral Equation Formulation. 2015 , 62, 1535-45		24
773	The human body and millimeter-wave wireless communication systems: Interactions and implications. 2015 ,		78
772	Assessment of computational tools for MRI RF dosimetry by comparison with measurements on a laboratory phantom. <i>Physics in Medicine and Biology</i> , 2015 , 60, 5655-80	3.8	17
771	Numerical Computation of Temperature Elevation in Human Skin Due to Electromagnetic Exposure in the THz Frequency Range. 2015 , 5, 978-989		5
770	Diagnosis of edema and inflammation in human intestines using ultrawideband radar. 2015 ,		
769	Toward the development of an image quality tool for active millimeter wave imaging systems. 2015 ,		1
768	Effects of frequency-dependent membrane capacitance on neural excitability. 2015 , 12, 056015-56015		19
767	How to prepare head tissue-equivalent liquids for SAR calculations, dosimetry and hyperthermia researches at 900 and 1800 MHz GSM frequencies. 2016 , 168, 365-73		0
766	High frequency microfluidic biosensors for intracellular dielectric spectroscopy. 2015 ,		4
765	Propagation, Power Absorption, and Temperature Analysis of UWB Wireless Capsule Endoscopy Devices Operating in the Human Body. 2015 , 63, 3823-3833		49
764	Phantom model of transcutaneous electrical stimulation with kilohertz signals. 2015 ,		2
763	On the importance of electrode parameters for shaping electric field patterns generated by tDCS. 2015 , 120, 25-35		140
762	Unidirectional wireless power transfer using near-field plates. 2015 , 117, 184903		18
761	Deep transcranial magnetic stimulation for the treatment of neuropsychiatric disorders in elderly people: Electric field assessment. 2015 ,		4
760	Design and Interference Test of Microwave Noninvasive Blood Glucose Monitoring Sensor. 2015 , 63, 3016-3025		144
759	Millimeter-wave electromagnetic field exposure from mobile terminals. 2015 ,		4
758	Development of a noninvasive electrical impedance probe for minimally invasive tumor localization. 2015 , 36, 1785-99		13
757	Dielectric properties of glycosuria at 0.2-50 GHz using microwave spectroscopy. 2015 , 29, 2278-2292		5

756	Towards noninvasive bioimpedance sensor design based on wide bandwidth ring resonator. 2015,	1
755	A 4.84mW 30fps dual frequency division multiplexing electrical impedance tomography SoC for lung ventilation monitoring system. 2015,	4
754	Dosimetric Analysis of Patient to a Z-Gradient Coil in Head Magnetic Resonance Imaging. 2015, 695-698	
753	Dielectric Properties of Urine for Diabetes Mellitus and Chronic Kidney Disease between 0.2 GHz and 50 GHz. 2015, 1257-1260	1
752	Electromagnetic high-hydrous gel phantom at a low-frequency band -Improvement in the electrical characteristics by using a carbon microcoil and investigation of its mechanism-. 2015, 1383-1386	
751	Computational Study Toward Deep Transcranial Magnetic Stimulation Using Coaxial Circular Coils. 2015, 62, 2911-9	11
750	Multi-GPU Accelerated Admittance Method for High-Resolution Human Exposure Evaluation. 2015, 62, 2920-30	4
749	Influence of Capacitive Coupling on High-Fidelity Non-Contact ECG Measurement. 2020, 20, 9265-9273	12
748	Analysis of the Singular Values for Conductivity Reconstruction in Magneto-Acoustic Tomography With Magnetic Induction. 2020, 8, 51753-51760	4
747	Effects of a Wireless Charging System Built for An Electric Kick Scooter on Human Biological Tissue. 2020, 17,	1
746	Chipless RFID Sensors for the Internet of Things: Challenges and Opportunities. 2020, 20,	35
745	Ultra-Miniature Circularly Polarized CPW-Fed Implantable Antenna Design and its Validation for Biotelemetry Applications. 2020, 10, 6795	13
744	Miniaturized Ultra-Wideband Antenna Design for Human Implants. 2020,	6
743	MICROWAVE DIATHERMY FOR DEEP HEATING THERAPY OF KNEE JOINT. 2020, 99, 15-33	4
742	On the Safety of Human Body Communication. 2020, 67, 3392-3402	14
741	Detecting Code Clones with Graph Neural Network and Flow-Augmented Abstract Syntax Tree. 2020,	19
740	Safety Study of Combination Treatment: Deep Brain Stimulation and Transcranial Magnetic Stimulation. 2020, 14, 123	5
739	Comparison of existing electrode designs for preferential activation of cutaneous nociceptors. 2020, 17, 036026	18

738	Three-dimensional Electrodynamic Model of the Human Chest. 2020 ,	0
737	Extracellular electrical conductivity property imaging by decomposition of high-frequency conductivity at Larmor-frequency using multi-b-value diffusion-weighted imaging. 2020 , 15, e0230903	3
736	Thermoacoustic tomography of germinal matrix hemorrhage in neonatal mouse cerebrum. 2020 , 28, 83-93	5
735	Magnetic-Resonance-Based Electrical Property Mapping Using Global Maxwell Tomography With an 8-Channel Head Coil at 7 Tesla: A Simulation Study. 2021 , 68, 236-246	7
734	Broadband Dielectric Properties of Ex Vivo Bovine Liver Tissue Characterized at Ablative Temperatures. 2021 , 68, 90-98	10
733	MRI-Related Heating of Implants and Devices: A Review. 2021 , 53, 1646-1665	26
732	Modelling of the Temperature Changes Induced by Transcutaneous Spinal Direct Current Stimulation (tsDCS). 2021 , 5, 9-16	0
731	Wearable Magnetoinductive Waveguide for Low-Loss Wireless Body Area Networks. 2021 , 69, 2864-2876	3
730	. 2021 , 5, 100-107	1
729	A concise overview of non-invasive intra-abdominal pressure measurement techniques: from bench to bedside. 2021 , 35, 51-70	6
728	Improving the Computational Cost of Image Reconstruction in Biomedical Magnetic Induction Tomography Using a Volume Integral Equation Approach. 2021 , 69, 366-378	1
727	Ultra-Compact Implantable Antenna With Enhanced Performance for Leadless Cardiac Pacemaker System. 2021 , 69, 1152-1157	20
726	Smart needle to diagnose metastatic lymph node using electrical impedance spectroscopy. 2021 , 48, 281-287	2
725	Possible effects of different doses of 2.1 GHz electromagnetic radiation on learning, and hippocampal levels of cholinergic biomarkers in Wistar rats. 2021 , 40, 179-190	4
724	Brain Tissue Conductivity Measurements with MR-Electrical Properties Tomography: An In Vivo Study. 2021 , 34, 56-63	3
723	Conductive Impulse for Wireless Communication in Dual-Chamber Leadless Pacemakers. 2021 , 69, 443-451	4
722	Computational models for contact current dosimetry at frequencies below 1 MHz. 2021 , 59, 107-119	1
721	Differences in the dielectric properties of various benign and malignant thyroid nodules. 2021 , 48, 760-769	2

720	Low-frequency dominant electrical conductivity imaging of in vivo human brain using high-frequency conductivity at Larmor-frequency and spherical mean diffusivity without external injection current. 2021 , 225, 117466	2
719	Implantable Antennas for Bio-Medical Applications. 2021 , 5, 84-96	15
718	Anthropomorphic Durable Realistic Knee Phantom for Testing Electromagnetic Imaging Systems. 2021 , 5, 132-138	5
717	A Wireless Power Method for Deeply Implanted Biomedical Devices via Capacitively Coupled Conductive Power Transfer. 2021 , 36, 1870-1882	25
716	Single-Coil Magnetic Induction Tomography Using the LDC-1101 Chip. 2021 , 21, 633-641	3
715	Tissue-Emulating Phantoms for In Vitro Experimentation at Radio Frequencies: Exploring Characteristics, Fabrication, and Testing Methods. 2021 , 0-0	2
714	Design and Experimental Verification of 434 MHz Phased Array Applicator for Hyperthermia Treatment of Locally Advanced Breast Cancer. 2021 , 69, 1706-1715	5
713	Wearable Microwave Imaging Sensor for Deep Tissue Real-Time Monitoring Using a New Loss-Compensated Backpropagation Technique. 2021 , 21, 3324-3334	0
712	Research on the measurement of intracranial hemorrhage in rabbits by a parallel-plate capacitor. 2021 , 9, e10583	0
711	Repeated electromagnetic field stimulation lowers amyloid- β peptide levels in primary human mixed brain tissue cultures. 2021 , 11, 621	3
710	Modeling and simulation of needle electrical impedance myography in nonhomogeneous isotropic skeletal muscle.. 2022 , 6, 103-110	1
709	Computer simulations of an irrigated radiofrequency cardiac ablation catheter and experimental validation by infrared imaging. 2021 , 38, 1149-1163	3
708	Simulation and Measurement Data-Based Study on Fat as Propagation Medium in WBAN Abdominal Implant Communication Systems. 2021 , 9, 46240-46259	4
707	. 2021 , 1-1	0
706	Minimally Invasive Sensors for Transurethral Impedance Spectroscopy. 2021 , 1-1	0
705	Multifrequency electrical impedance tomography in biological applications: A multimodal perspective. 2021 , 157-189	1
704	Coupling and electrodes. 2021 , 3-50	
703	Physical, mathematical, and numerical modeling. 2021 , 1-41	

702	Design and Development of Software and Hardware Modules of Bioimpedance System Using LTSpice. 2021 , 187-199	
701	Non-invasive brain stimulation: from field modeling to neuronal activation. 2021 ,	
700	Effects of Frequency on the Induced Fields of Deep Transcranial Magnetic Stimulation Systems: A Numerical Case Study. 2021 , 1-1	1
699	The Internet of Bodies: A Systematic Survey on Propagation Characterization and Channel Modeling. 2021 , 1-1	9
698	UWB Radar Technology for Imaging Applications. 2021 , 253-286	
697	. 2021 , 9, 48429-48445	0
696	Meandering Pattern 433 MHz Antennas for Ingestible Capsules. 2021 , 9, 91874-91882	5
695	Design and Analysis of Brain-Implantable Antenna for Neural Signal Transmission. 2021 , 495-504	
694	Electrical Impedance to Easily Discover Undeclared Freeze-thaw Cycles in Slaughtered Bovine Meat. 2021 , 12, 3-10	1
693	Electrode Design for Reproducible Study of Tissues Impedance in Medical Applications. 2021 , 25-37	
692	Introduction. 2021 , xvii-xlvi	
691	. 2021 , 1-1	2
690	Generalized Signal Models and Direct FID-Based Dielectric Parameter Retrieval in MRI. 2021 , 1-1	
689	State of the Art. 2021 , 17-67	
688	Advanced Biophysical Model to Capture Channel Variability for EQS Capacitive HBC. 2021 , 68, 3435-3446	4
687	Channel Characterization of Magnetic Human Body Communication. 2021 , PP,	1
686	Design and Optimization of the Low-Frequency Metasurface Shield for Wireless Power Transfer System. 2021 , 1-1	2
685	Galvanic Impulse Wireless Communication for Biomedical Implants. 2021 , 9, 38602-38610	4

684	Resolution Enhancement of UWB Time-Reversal Microwave Imaging in Dispersive Environments. 2021 , 7, 925-934	0
683	. 2021 , 1-1	1
682	Regional Admittivity Reconstruction With Multi-Frequency Complex Admittance Data Using Contactless Capacitive Electrical Tomography. 2021 , 1-1	1
681	Microwave Resonator for NIBGM: Proof of Concept. 2021 , 155-187	
680	Glucose Concentration Detection in Biological Solutions with Microwave Sensors. 2021 , 133-153	
679	Monitoring wound healing. 2021 , 221-270	1
678	Impedimetric Analysis of Trabecular Bone Based on Cole and Linear Discriminant Analysis. 8,	1
677	High-frequency electrical properties tomography at 9.4T as a novel contrast mechanism for brain tumors. 2021 , 86, 382-392	2
676	Source localization of epileptic spikes using Multiple Sparse Priors. 2021 , 132, 586-597	2
675	Inter-body coupling in electro-quasistatic human body communication: theory and analysis of security and interference properties. 2021 , 11, 4378	9
674	An Approach Toward Assessing Head-and-Neck Lymphedema Using Tissue Dielectric Constant Ratios: Method and Normal Reference Values. 2021 ,	0
673	Electromagnetic Signal of a Proton Beam in Biological Tissues for a Potential Range-Verification Approach in Proton Therapy. 2021 , 15,	0
672	Simulation Design of Incremental Leg Tapered Birdcage Coil for Head Imaging at 4.7T MRI. 2021 , 11, 2064	2
671	Portable Knee Health Monitoring System by Impedance Spectroscopy Based on Audio-Board. 2021 , 10, 460	1
670	Analysis of the validity of the mathematical assumptions of electrical impedance tomography for human head tissues. 2021 ,	0
669	Towards Accurate Microwave Characterization of Tissues: Sensing Depth Analysis of Open-Ended Coaxial Probes with Ex Vivo Rat Breast and Skin Tissues. 2021 , 11,	3
668	Towards Non-Invasive Diagnosis of Skin Cancer: Sensing Depth Investigation of Open-Ended Coaxial Probes. 2021 , 21,	3
667	Stochastic Dosimetry Assessment of the Human RF-EMF Exposure to 3D Beamforming Antennas in indoor 5G Networks. 2021 , 11, 1751	5

666	Model of microwave radiation absorption by biological tissues. 2021 , 19, 52-60		1
665	Increased preferential activation of small cutaneous nerve fibers by optimization of electrode design parameters. 2020 ,		3
664	Feasibility Study of Detection of Coronavirus Disease 2019 with Microwave Medical Imaging. 2021 ,		0
663	Non-invasive determination of blood glucose level using narrowband microwave sensor. 1		2
662	Electrical Properties of Biological Tissues and Measurement Technology. 2021 , 141, 159-162		
661	Uncertainty Estimation of Achievable Radiation Efficiency of Implantable Antennas. 2021 ,		
660	Percutaneous microwave ablation applications for liver tumors: recommendations for COVID-19 patients. 2021 , 7, e06454		3
659	A microwave method to remotely assess the abdominal fat thickness. 2021 , 11, 035111		1
658	Influence of segmentation accuracy in structural MR head scans on electric field computation for TMS and tES. <i>Physics in Medicine and Biology</i> , 2021 , 66, 064002	3.8	2
657	In Vitro and In Vivo Testing of Implantable Antennas. 2021 , 145-189		2
656	SAFE: A Novel Microwave Imaging System Design for Breast Cancer Screening and Early Detection-Clinical Evaluation. 2021 , 11,		7
655	Numerical Assessment of Microwave Imaging for Axillary Lymph Nodes Screening Using Anthropomorphic Phantom. 2021 ,		0
654	Capacitively Coupled Electrode Antenna: A Practical Solution for Biomedical Implants. 2021 ,		0
653	Dielectric Properties of Ovine Heart at Microwave Frequencies. 2021 , 11,		1
652	Study on Channel Characteristics and Performance of Liver-Implanted Wireless Communications. 2021 , 235-275		
651	Antennas and Wireless Power Transfer for Brain-Implantable Sensors. 2021 , 91-143		1
650	Decomposition of high-frequency electrical conductivity into extracellular and intracellular compartments based on two-compartment model using low-to-high multi-b diffusion MRI. 2021 , 20, 29		0
649	Impact of rotational artefact removal on microwave breast images. 2021 ,		1

648 Theory of cell membrane interaction with glass. **2021**, 103, 032401

647 Breast Tissue Dielectric Constant as a Potential Breast Edema Assessment Parameter. **2021**, 2

646 . **2021**, 56, 788-802 5

645 Interference of cardiovascular implantable electronic devices by static electric and magnetic fields. **2021**, 18, 395-405 3

644 Differential heating of metal nanostructures by radio frequencies: a theoretical study.

643 High-Efficiency Multicoil Wireless Power and Data Transfer for Biomedical Implants and Neuroprosthetics. **2021**, 277-318 1

642 Fabrication And Evaluation Of Simple Tissue-Mimicking Phantoms For Electrical Impedance Sensing. **2021**, 0

641 Double Slot Antenna for Microwave Thermal Ablation to Treat Bone Tumors: Modeling and Experimental Evaluation. **2021**, 10, 761 3

640 Electrocardiographic Imaging for Atrial Fibrillation: A Perspective From Computer Models and Animal Experiments to Clinical Value. **2021**, 12, 653013 2

639 Gel-Like Human Mimicking Phantoms: Realization Procedure, Dielectric Characterization and Experimental Validations on Microwave Wearable Body Sensors. **2021**, 11, 5

638 Electrical Shock Hazard Severity Estimation During Extravehicular Activity for the International Space Station. **2021**, 92, 231-239

637 Detection of Onset and Progression of Osteoporosis Using Machine Learning. **2021**, 137-149 1

636 A wideband, compact, high gain, low-profile, monopole antenna using wideband artificial magnetic conductor for off-body communications. 1-10

635 Distributed Power Controller of Massive Wireless Body Area Networks based on Deep Reinforcement Learning. **2021**, 26, 1347-1358 0

634 Hybrid Microwave Medical Imaging Approach Combining Quantitative and Qualitative Algorithms. **2021**, 20, 438-442 1

633 Analysis of glucose-dependent dielectric properties of aqueous-based solution: A proof of concept. **2021**, 15, 562-568

632 Review of Contactless Energy Transfer Concept Applied to Inductive Power Transfer Systems in Electric Vehicles. **2021**, 11, 3221 2

631 Evaluation of the Electrowetting Effect on the Interfacial Mechanics between Human Corneocytes and Nanoasperities. **2021**, 37, 4056-4063 0

630	Tough and flexible conductive triple network hydrogels based on agarose/polyacrylamide/polyvinyl alcohol and poly(3,4-ethylenedioxythiophene):polystyrene sulfonate. 2021 , 70, 1523-1533	2
629	Microwave intracavitary applicator using 434 MHz conformal patch antennas for hyperthermia treatment of gynaecological cancers. 2021 , 15, 1117	1
628	The identification of predominant auditory steady-state response brain sources in electroencephalography using denoising source separation. 2021 , 53, 3688-3709	1
627	Micro-electrodes for in situ temperature and bio-impedance measurement. 2021 , 2, 1986	0
626	Wearable Bioimpedance Monitoring: Viewpoint for Application in Chronic Conditions. 2021 , 6, e22911	3
625	Wireless Monitoring of Biological Objects at Microwaves. 2021 , 10, 1288	1
624	Input Impedance Analysis of Wearable Antenna and Experimental Study with Real Human Subjects: Differences between Individual Users. 2021 , 10, 1152	1
623	High-frequency conductivity at Larmor-frequency in human brain using moving local window multilayer perceptron neural network. 2021 , 16, e0251417	
622	Potential Utility of Electrical Impedance Myography in Evaluating Age-Related Skeletal Muscle Function Deficits. 2021 , 12, 666964	4
621	Modeling of the Effect of Skin Temperature on Hydration Assessment. 2021 ,	0
620	Multi-channel transorbital electrical stimulation for effective stimulation of posterior retina. 2021 , 11, 9745	3
619	Novel Method to Improve the Uniformity of 7T Body MR Images. 2021 , 2021, 1-9	
618	Review on Medical Implantable Antenna Technology and Imminent Research Challenges. 2021 , 21,	7
617	Effect of radiofrequency inhomogeneity on water-content based electrical properties tomography and its correction by flip angle maps. 2021 , 78, 25-34	1
616	Model-Based Optimization of Spinal Cord Stimulation for Inspiratory Muscle Activation. 2021 ,	
615	Free Myocutaneous Flap Assessment in a Rat Model: Verification of a Wireless Bioelectrical Impedance Assessment (BIA) System for Vascular Compromise Following Microsurgery. 2021 , 11,	1
614	Basic study to verify possibility for detection of human cardiopulmonary activity in sediment using current-induced magnetic modulation spectroscopy. 2021 , 104, e12315	
613	Simultaneous Imaging of Bio- and Non-Conductive Targets by Combining Frequency and Time Difference Imaging Methods in Electrical Impedance Tomography. 2021 , 11,	1

612	Amelioration of bone fragility by pulsed electromagnetic fields in type 2 diabetic KK-Ay mice involving Wnt/ β -catenin signaling. 2021 , 320, E951-E966	4
611	Implantable Antenna Design Based on Gosper Curve Fractal Geometry. 1-11	0
610	Cerebral Abscess: A Delayed Complication of Electrical Burns. 2021 , 58, 497-497	
609	Transmission Analysis in Human Body Communication for Head-Mounted Wearable Devices. 2021 , 10, 1213	2
608	SAR and temperature distributions in a database of realistic human models for 7 T cardiac imaging. 2021 , 34, e4525	1
607	Numerical Analysis of the Localization of Pulmonary Nodules during Thoracoscopic Surgery by Ultra-Wideband Radio Technology. 2021 , 11, 4282	1
606	Bioimpedance-based plethysmogram detection using MHz band. 2021 , 16, 1038-1040	1
605	Evaluation of the Forearm Electroimpedance Myography Formation Mechanisms Based on Physical Modeling. 2021 ,	
604	Differential Heating of Metal Nanostructures at Radio Frequencies. 2021 , 15,	1
603	Transcervical microwave ablation in type 2 uterine fibroids via a hysteroscopic approach: analysis of ablation profiles. 2021 , 7,	0
602	Minimum Representative Human Body Model Size Determination for Link Budget Calculation in Implanted Medical Devices. 2021 , 11, 6032	1
601	Design and Mathematical Simulation of Portable Radiofrequency Heating Device by Long-Term Mild-Hyperthermia. 2021 , 1952, 032078	
600	Textile Electromagnetic Brace for Knee Imaging. 2021 , 15, 522-536	6
599	Fully implantable and bioresorbable cardiac pacemakers without leads or batteries. 2021 , 39, 1228-1238	38
598	Discrimination of Bulk and Surface Refractive Index Change in Plasmonic Sensors with Narrow Bandwidth Resonance Combs. 2021 , 6, 3013-3023	12
597	Theoretical basis for the hypothesis of white-matter resonance as a background of spike-wave discharges. 2021 , 11, 100031	
596	Gellan gum gel tissue phantoms and gel dosimeters with tunable electrical, mechanical and dosimetric properties. 2021 , 180, 332-338	2
595	Electrochemical safety limits for clinical stimulation investigated using depth and strip electrodes in the pig brain. 2021 , 18,	2

594	Electroacupuncture and Transcutaneous Electrical Nerve Stimulation Induced Sensations in Bell's Palsy Patients: A Quantitative Current Intensity Analysis. 2021 , 15, 692088	0
593	On the feasibility of wireless radio frequency ablation using nanowire antennas. 2021 , 9, 071103	1
592	Medical Application of Ultra-Wideband Technology.	0
591	Mathematical and deep learning analysis based on tissue dielectric properties at low frequencies predict outcome in human breast cancer. 2021 ,	2
590	Safety and imaging performance of two-channel RF shimming for fetal MRI at 3T. 2021 , 86, 2810-2821	0
589	differentiation of human cardiac fibroblasts into myofibroblasts: characterization using electrical impedance. 2021 ,	0
588	Split Ring Inspired Tri/Dual Band PIFA Antenna for Implantable Biomedical Devices. 1	0
587	Single-Frequency Imaging and Material Characterization Using Reconfigurable Reflectarrays. 2021 , 69, 3360-3371	2
586	Chipless RFID Label with Identification and Touch-Sensing Capabilities. 2021 , 21,	3
585	Deep Brain Stimulation of Caudal Zona Incerta for Parkinson's Disease: One-Year Follow-Up and Electric Field Simulations. 2021 ,	2
584	Sensitivity and Adjustment Model of Electrocardiographic Signal Distortion Based on the Electrodes' Location and Motion Artifacts Reduction for Wearable Monitoring Applications. 2021 , 21,	0
583	Numerical Simulation of Electric Field Distribution around an Instrumented Total Hip Stem. 2021 , 11, 6677	2
582	Propagation-Loss Characterization for Livestock Implantables at (433, 868, 1400) MHz. 2021 , 69, 5166-5170	2
581	Ambiguity in the interpretation of the low-frequency dielectric properties of biological tissues. 2021 , 140, 107773	1
580	Multiband antenna design based on Gosper fractal for implantable biomedical devices. 1-11	0
579	Performance Evaluation of Multiple Electrodes Based Electrical Impedance Spectroscopic Probe for Screening of Cervical Intraepithelial Neoplasia. 2021 , 10, 1933	1
578	NaCl-based blood phantom analysis for in vitro bioimpedance measurement. 2021 , 11, 085301	2
577	Effect of electrical hybrid-frequency waterbath stunning on the spontaneous electroencephalogram (EEG) and electrocardiogram (ECG) of broilers.	0

576	Simulation-Based Clarification of Appropriate Factors for Presenting Phosphene in Two Directions Avoiding Electrical Interference. 2021 , 8,	1
575	Embroidered Bow-Tie Wearable Antenna for the 868 and 915 MHz ISM Bands. 2021 , 10, 1983	3
574	Long Range Electromagnetic Field Nature of Nerve Signal Propagation in Myelinated Axons.	0
573	A probabilistic transcranial magnetic stimulation localization method. 2021 , 18,	1
572	Physics of Absorption and generation of Electromagnetic Radiation.	1
571	Gel models to assess distribution and diffusion of reactive species from cold atmospheric plasma: an overview for plasma medicine applications. 2021 , 54, 463001	2
570	Evaluation of Thoracic Equivalent Multiport Circuits Using an Electrical Impedance Tomography Hardware Simulation Interface. 2021 , 9, 58	1
569	Extracellular and intracellular components of the impedance of neural tissue.	
568	Numerical simulation and analysis of effects of individual differences on the field distribution in the human brain with electromagnetic pulses. 2021 , 11, 16504	2
567	The variability of dielectric permittivity of biological tissues with water content. 1-21	2
566	Analysis, Simulation, and Development of a Low-Cost Fully Active-Electrode Bioimpedance Measurement Module. 2021 , 9, 59	
565	Low-profile dual-band implantable antenna for compact implantable biomedical devices. 2021 , 138, 153896	3
564	Threshold of radiofrequency electromagnetic field effect on human brain. 2021 , 97, 1505-1515	4
563	Altered sleep intensity upon DBS to hypothalamic sleep-wake centers in rats.	
562	Role of smart technology to increase date productivity and water efficiency in MENA countries: a review of innovative sustainable solutions. 2021 , 6, 1	
561	Study of flow effects on temperature-controlled radiofrequency ablation using phantom experiments and forward simulations. 2021 , 48, 4754-4768	
560	Feasibility study of fiducial marker localization using microwave radar. 2021 , 48, 7271-7282	2
559	Mimicking and mitigating the cutaneous response to transcranial electrical stimulation using interferential and combinatorial techniques.	0

558	Retrieval of the conductivity spectrum of tissues with novel multimodal tomography. <i>Physics in Medicine and Biology</i> , 2021 , 66,	3.8	1
557	Low-Pass Filter Based Integrated 5G Smartphone Antenna for Sub-6-GHz and mm-Wave Bands. 2021 , 69, 5424-5436		13
556	Wireless Power Transfer Strategies for Medical Implants: Focus on Robustness and EM Compatibility. 2021 , 22, 28-41		2
555	Detecting a Stroke-Affected Region in the Brain by Scanning with Low-Intensity Electromagnetic Waves in the Radio Frequency/Microwave Band. 2021 , 9,		0
554	Preconditioning with Near-Infrared Irradiation to Enhance the Irreversible Electroporation Efficiency in HeLa Cells. 2021 , 11, 8504		
553	Focal limbic sources create the large slow oscillations of the EEG in human deep sleep. 2021 , 85, 291-302		1
552	Portable and Highly Versatile Impedance Meter for Very Low Frequency Measurements. 2021 , 11, 8234		1
551	On the Optimal Matching Medium and the Working Frequency in Deep Pelvic Hyperthermia. 2021 , 5, 223-230		0
550	Temperature-dependent dielectric properties of human uterine fibroids over microwave frequencies. 2021 , 7,		0
549	Electromagnetic Exposure Dosimetry Study on Two Free Rats at 1.8 GHz via Numerical Simulation. 2021 , 9, 721166		0
548	Neural Recruitment During Conventional, Burst, and 10-kHz Spinal Cord Stimulation for Pain. 2021 ,		1
547	Human RF-EMF Exposure Assessment Due to Access Point in Incoming 5G Indoor Scenario. 2021 , 5, 269-276		3
546	Electrodeformation of White Blood Cells Enriched with Gold Nanoparticles.		
545	One-time Electromagnetic Irradiation Modifies Stress-sensitive Gene Expressions in Rice Plant. 2021 , 42, 649-658		0
544	Modeling and Reproducibility of Twin Concentric Electrical Impedance Myography. 2021 , 68, 3068-3077		6
543	Carbon nanotubes for cardiac tissue regeneration: State of the art and perspectives. 2021 , 184, 641-650		4
542	Dielectric Properties of Human Active Liver, Kidney and Spleen Compared to Those of Respective Inactive Tissues, Porcine Tissues and the Data Provided by a Database in the Frequency Range of 10 Hz to 100 MHz. 2021 , 68, 3098-3109		1
541	Augmented Transcutaneous Stimulation Using an Injectable Electrode.		

540	Study of optical properties of gold nanoparticles embedded in normal, benign, and malignant breast tissues. 2021 , 1244, 130979		0
539	Neural networks for classification of strokes in electrical impedance tomography on a 3D head model. 2022 , 4, 1-22		0
538	Treatment planning facilitates clinical decision making for hyperthermia treatments. 2021 , 38, 532-551		5
537	Potential of Impedance Spectroscopy as a Manifold Non-invasive Method for Medical Applications. 2021 , 1-23		
536	Wearable Planar Magnetoinductive Waveguide: A Low-Loss Approach to WBANs. 2021 , 1-1		2
535	. 2021 , 1-1		1
534	. 2021 , 1-1		1
533	. 2021 , 1-1		2
532	A Finite Element Analysis and Circuit Modelling Methodology for Studying Electrical Impedance Myography of Human Limbs. 2021 , PP,		0
531	Electromagnetic Irradiation Evokes Physiological and Molecular Alterations in Rice. 2021 , 42, 173-185		2
530	Electrode Placement Strategies for the Measurement of Radial Artery Bioimpedance: Simulations and Experiments. 2021 , 70, 1-10		8
529	Investigating Gelatine Based Head Phantoms for Electroencephalography Compared to Electrical and Ex Vivo Porcine Skin Models. 2021 , 9, 96722-96738		2
528	A Novel Method to Predict the Maximum Electric Fields in Different Body Parts Exposed to Uniform Low-Frequency Magnetic Field. 2021 , 1-9		0
527	Effect of skin conductivity on the electric field induced by transcranial stimulation techniques in different head models. <i>Physics in Medicine and Biology</i> , 2021 , 66, 035010	3.8	1
526	Power and data communication in wearable and implantable devices. 2021 , 279-309		2
525	Lean regional muscle volume estimates using explanatory bioelectrical models in healthy subjects and patients with muscle wasting. 2021 , 12, 39-51		5
524	The Equivalent Double Layer: Source Models for Repolarization. 2012 , 227-246		1
523	Encyclopedia of Computational Neuroscience. 2014 , 1-10		1

522	Mechanisms of Electromagnetic Field Coupling into Biological Systems at ELF and RF Frequencies. 2000 , 1-38	3
521	Application of Data Mining and Machine Learning in Microwave Radiometry (MWR). 2020 , 265-288	6
520	Increasing Voltage Transients Using Implanted Titanium Nitride Neural Stimulation Electrodes. 2014 , 543-551	2
519	Psyche, Signals and Systems. 2016 , 107-156	6
518	Electromagnetic Tomography for Brain Imaging and Stroke Diagnostics: Progress Towards Clinical Application. 2018 , 59-86	2
517	Computational Analysis of Induced Voltage on Implanted Cardiac Pacemaker Lead by Mobile Phones. 2019 , 325-336	3
516	Dielectric Characterization of Biological Tissues: Constraints Related to Ex Vivo Measurements. 2008 , 75-90	2
515	Evaluation of the performance of the Multifrequency Electrical Impedance Tomography (MFEIT) intended for imaging acute stroke. 2007 , 543-547	3
514	Low-frequency dielectric properties of the oral mucosa. 2007 , 154-157	10
513	A feasibility study on the detectability of Edema using Magnetic Induction Tomography using an Analytical Model. 2009 , 736-739	1
512	A Magnetic Induction Tomography system with sub-millidegree phase noise and high long-term phase stability. 2009 , 744-747	11
511	Finite Element Modeling of in Vivo Electroporation. 2010 , 183-202	1
510	On the Electrodynamics of Neural Networks. 2014 , 269-296	2
509	Electromagnetic Field Calculations in an Anatomically Realistic Voxel Model of the Human Body. 2000 , 123-131	2
508	Recent Advancements in Dosimetry Measurements and Modeling. 2000 , 141-155	16
507	Anatomically Real Microwave Tissue Phantoms. 2019 , 43-63	1
506	Monitoring Wound Health through Bandages with Passive LC Resonant Sensors. 2021 , 6, 111-122	4
505	Computer simulation study of the penetration of pulsed 30, 60 and 90 GHz radiation into the human ear. 2020 , 10, 1479	3

504	magnetic nanoparticle hyperthermia: a review on preclinical studies, low-field nano-heaters, noninvasive thermometry and computer simulations for treatment planning. 2020 , 37, 76-99	23
503	Magnetic flux density measurement in magnetic resonance electrical impedance tomography using a low-noise current source. 2011 , 22, 105803	12
502	The effect of simulation strategies on prediction of power deposition in the tissue around electronic implants during magnetic resonance imaging. <i>Physics in Medicine and Biology</i> , 2020 , 65, 185007 ^{3,8}	7
501	Electrical properties, accuracy, and multi-day performance of gelatine phantoms for electrophysiology.	4
500	Advanced Biophysical Model to Capture Channel Variability for EQS Capacitive HBC.	1
499	Bio-Physical Modeling of Galvanic Human Body Communication in Electro-Quasistatic Regime.	2
498	Universal theory of brain waves: from linear loops to nonlinear synchronized spiking and collective brain rhythms. 2020 , 2,	2
497	A Feasibility Study on Bioimpedance-based Plethysmogram Detection Focusing on Measurement Frequency and Electrodes Size. 2020 ,	1
496	An Awareness Study of Smart Meters Radiation on Human Head. 2020 ,	1
495	A Low Profile Antenna for Millimeter-Wave Body-Centric Applications. 2017 , 65, 6329-6337	33
494	Sensitivity of microwave ablation models to tissue biophysical properties: A first step toward probabilistic modeling and treatment planning. 2016 , 43, 2649	42
493	Measurement Techniques for the Electromagnetic Characterization of Biological Materials. 2006 , 235-275	1
492	Dielectric Properties of Tissues. 1999 ,	1
491	SPECTROSCOPIC ADMITTIVITY IMAGING OF BIOLOGICAL TISSUES: CHALLENGES AND FUTURE DIRECTIONS. 2014 , 18, 77-105	1
490	Effect of Ionic Diffusion on Extracellular Potentials in Neural Tissue. 2016 , 12, e1005193	35
489	Effect of blood vessel segmentation on the outcome of electroporation-based treatments of liver tumors. 2015 , 10, e0125591	17
488	A Coaxial Dielectric Probe Technique for Distinguishing Tooth Enamel from Dental Resin. 2015 , 3, 8-17	10
487	Impedance Spectrum in Cortical Tissue: Implications for Propagation of LFP Signals on the Microscopic Level. 2017 , 4,	32

486	In-vivo Measurement of Complex Relative Permittivity for Human Skin Tissues Using Open-Ended Coaxial Probe. 2011 , 131, 2040-2045	1
485	In-Vivo Time Domain Measurement of Dielectric Properties of Human Body Tissue. 2010 , 130, 1087-1091	3
484	Capsule Antenna Design Based on Transmission Factor through the Human Body. 2018 , E101.B, 357-363	5
483	Development of RFID Antenna for Detection of Urination. 2013 , E96.B, 2244-2250	3
482	DEVELOPMENT AND OPTIMIZATION OF AN ULTRA WIDEBAND MINIATURE MEDICAL ANTENNA FOR RADIOMETRIC MULTI-CHANNEL MULTI-FREQUENCY THERMAL MONITORING. 2020 , 71-81	1
481	PASSIVE UHF RFID STRAIN SENSOR TAG FOR DETECTING LIMB MOVEMENT. 2012 , 5, 315-328	10
480	Attributes, Performance, and Gaps in Current & Emerging Breast Cancer Screening Technologies. 2019 , 15, 122-131	1
479	Considerations for Thermal Injury Analysis for RF Ablation Devices. 2010 , 4, 3-12	57
478	New method for separation of electrode polarization impedance from measured tissue impedance. 2011 , 5, 8-13	22
477	Imaging of Conductivity Changes of Excitable Tissues Based on Focused Passive Microwave. 2015 , 9, 138-45	2
476	Early Indication of Decompensated Heart Failure in Patients on Home-Telemonitoring: A Comparison of Prediction Algorithms Based on Daily Weight and Noninvasive Transthoracic Bio-impedance. 2016 , 4, e3	21
475	Possible applications of normative lower to upper limb ratios of tissue dielectric constant to lower extremity edema. 2019 , 38, 70-75	1
474	Conformal antennas for miniature in-body devices: The quest to improve radiation performance. 2017 , 2017, 52-64	9
473	Measuring exposed magnetic fields of welders in working time. 2011 , 49, 274-9	3
472	ENHANCEMENT OF A MICROWAVE RADIOMETRY IMAGING SYSTEM'S PERFORMANCE USING LEFT HANDED MATERIALS. 2011 , 117, 253-265	2
471	Transcranial Focused Ultrasound Modulates Electrical Behavior of the Neurons: Design and Implementation of a Model. 2020 , 10, 65-74	0
470	Multiclass Classification of Hepatic Anomalies with Dielectric Properties: From Phantom Materials to Rat Hepatic Tissues. 2020 , 20,	7
469	Two-dimensional Microwave Tomographic Imaging of Breast Tissues. 2005 , 2, 57-68	3

468	Optimization of multi-angle Magneto-Acousto-Electrical Tomography (MAET) based on a numerical method. 2020 , 17, 2864-2880	7
467	[Differences in dielectric properties between mucosal and serosal surface of malignant colorectal tissues, adjacent tissues at 1 cm and 3 cm and normal colorectal tissues]. 2018 , 38, 434-442	1
466	Bioelectromagnetism. 152-197	1
465	Brain hemorrhage after electrical burn injury: Case report and probable mechanism. 2016 , 7, S759-S762	2
464	Holographic microwave imaging for medical applications. 2013 , 06, 823-833	16
463	Risk of Pacemaker Patients by TASER X26 Contact Mode Application. 2012 , 04, 96-100	3
462	Novel Method of Detecting Pregnancy Using Microwaves. 2012 , 04, 340-343	1
461	Mean-Field Formulation of Maxwell Equations to Model Electrically Inhomogeneous and Isotropic Media. 2014 , 06, 296-302	4
460	Analysis of Behaviour Pattern in Sprague-Dawley Rats Using Microwave Techniques. 2017 , 09, 155-166	2
459	Kramers-Kronig Relations and the Properties of Conductivity and Permittivity in Heterogeneous Media. 2018 , 10, 34-51	5
458	Optimization of the UWB Radar System in Medical Imaging. 2011 , 02, 227-231	12
457	Holographic Microwave Imaging Array for Brain Stroke Detection. 2013 , 04, 96-101	9
456	Input Impedance Analysis of a Human Body Communication Transmitter Using a Realistic Human Model and a Simplified Layered Model. 2013 , 16, 528-534	4
455	Bioimpedance Changes in Rats with CCl ₄ -Induced Liver Fibrosis. 2011 , 20, 71-76	1
454	Development of an Adult Image Classifier using Skin Color. 2009 , 9, 1-11	4
453	Testing miniaturized electrodes for impedance measurements within the ϵ dispersion Γ practical approach. 2010 , 1, 41-55	20
452	Monitoring Change of Body Fluid during Physical Exercise using Bioimpedance Spectroscopy and Finite Element Simulations. 2011 , 2, 79-85	11
451	Simulation of impedance measurements at human forearm within 1 kHz to 2 MHz. 2019 , 7, 20-27	11

450	Impedance detection of the electrical resistivity of the wound tissue around deep brain stimulation electrodes permits registration of the encapsulation process in a rat model. 2019 , 8, 11-24	8
449	Detection and estimating the blood accumulation volume of brain hemorrhage in a human anatomical skull using a RF single coil. 2020 , 8, e10416	2
448	Investigation of the mechanisms of action behind Electromotive Drug Administration (EMDA). 2016 , 4, e2309	9
447	Microwave Dielectric Property Based Stage Detection of Skin Cancer. 2021 ,	1
446	Nonconstrained Wrist Pulse Detection System Based on RF Resonator and PLL. 2021 ,	
445	Human RF-EMF Exposure Assessment for an indoor 5G Access Point with Beamforming Capability using Stochastic Dosimetry. 2021 ,	
444	Increase of exposure levels due to antenna/body coupling in the 60-GHz band. 2021 ,	
443	Assessment of Human Exposure to Electromagnetic Fields: Review and Future Directions. 2021 , 63, 1619-1630 ₁₇	
442	A Novel Method of Transmission Enhancement and Misalignment Mitigation between Implant and External Antennas for Efficient Biopotential Sensing. 2021 , 21,	
441	Wearable Textile Antenna with a Graphene Sheet or Conductive Fabric Patch for the 2.45 GHz Band. 2021 , 10, 2571	3
440	Application of Machine Learning to Predict Dielectric Properties of In Vivo Biological Tissue. 2021 , 21,	2
439	Non-uniform excitation of the pectoralis major muscle during flat and inclined bench press exercises. 2021 ,	1
438	Microwave Hydration Monitoring: System Assessment Using Fasting Volunteers. 2021 , 21,	4
437	Anatomical atlas of the upper part of the human head for electroencephalography and bioimpedance applications. 2021 , 42,	0
436	In-vivo estimation of tissue electrical conductivities of a rabbit eye for precise simulation of electric field distributions during ocular iontophoresis. 2021 , e3540	0
435	Bibliography. 2002 , 424-467	
434	Electromagnetic Compatibility of Transcutaneous Energy Transmission System for Totally Implantable Artificial Heart. 2003 , 123, 1219-1227	2
433	Measurement Techniques for the Electromagnetic Characterization of Biological Materials. 2004 , 631-676	1

432 Biological Effects of Radiofrequency Energy as Related to Health and Safety.

431 Fast Template Matching for Spike Sorting. **2007**, 127, 1680-1685

430 Numerical Models of Skin Conductivity Changes during Electroporation. **2008**, 307-310

429 Physical Sensors and Techniques. **2008**, 7-34

428 Simulation and Experimental Study of an Ellipsoidal Cavity Reflector as part of a Focused Passive Brain Imaging System. **2009**, 1565-1569

427 Specific Issues Related to EEG-fMRI at $B_0 > 3$ T. **2009**, 201-220

426 Model-Based Method of Non-Invasive Reconstruction of Ectopic Focus Locations in the Left Ventricle. **2009**, 2560-2563

425 Identification of the electrohysterographic volume conductor by high-density electrodes. **2009**, 235-238

424 Hydration Effects on Photophysical Properties of Collagen. **2009**, 359-383

1

423 Microwave Tomography Analysis System for Breast Cancer Detection. **2009**, 9, 19-26

422 Theoretical Estimation of Scattering Waves in Transverse Section of Upper Body for On-Body Wireless Communications. **2010**, E93-B, 2601-2610

421 Temperature Compensation of Complex Permittivities of Biological Tissues and Organs in Quasi-Millimeter-Wave and Millimeter-Wave Bands. **2010**, 10, 231-236

1

420 Bibliography. **2010**, 321-337

419 Retinal Cell Excitation Modeling. **2011**, 159-172

418 Comparative Risk Assessment with Ionizing and Nonionizing Radiations. 289-309

417 Impact of a Radio Frequency Electronic Article Surveillance (EAS) System on Active Implants. **2012**, 04, 353-357

1

416 Small Wearable Antenna with Folded Ground for Body-Centric Wireless Communications. **2012**, E95-B, 109-112

2

415 Gated Conductivity Imaging using KHU Mark2 EIT System with Nano-web Fabric Electrode Interface. **2012**, 33, 39-46

- 414 Mathematical Models Based on Transfer Functions to Estimate Tissue Temperature During RF Cardiac Ablation in Real Time. **2012**, 6, 16-22 1
- 413 Mathematical models based on transfer functions to estimate tissue temperature during RF cardiac ablation in real time. **2012**, 6, 16-22 0
- 412 Comparison of the Measured Electrical Properties of Pig Internal Organs with the Given Values for Human Organs. **2012**, 12, 161-165
- 411 Wireless Body Area Network Channels. 247-267 1
- 410 A NEW ALTERNATIVE ELLIPTIC PDE IN EIT IMAGING. **2012**, 49, 1291-1302
- 409 Anomaly Estimation and Layer Potential Techniques. 251-294
- 408 The Impact of Thermal Modeling on Limiting RF-EMF. **2013**, 05, 137-144 1
- 407 MRI-Induced Tissue Heating at Metallic Sutures (Cerclages). **2013**, 05, 354-358
- 406 Impact of EAS Systems on Implanted Cardiac Pacemakers and Defibrillators. **2013**, 05, 67-73 3
- 405 Heartbeat Detection based on Signal Reflected from Antenna in Mobile Device. **2013**, 38C, 643-649 1
- 404 Tx/Rx Isolation enhancement of the Planar Patch Antenna at 5.8GHz ISM band. **2013**, 17, 385-392 4
- 403 Impedance spectroscopy study of healthy and atelectatic lung segments of mini pigs. **2013**, 45-49
- 402 Design of Electrodes for Human Body Communication Using Electromagnetic Simulation Technology and Its Application to Automotive System. **2014**, 17, 516-522
- 401 Modeling and Electrodes Design for Human Body Communication in Head-Mounted Wearable Devices. **2014**, 22, 156-162
- 400 Encyclopedia of Computational Neuroscience. **2014**, 1-11
- 399 Magnetic Field Homogeneity of Birdcage Coil for 4T MRI System with No Lumped Circuit Elements. **2014**, E97.B, 791-797
- 398 Encyclopedia of Computational Neuroscience. **2014**, 1-5
- 397 Sensitivity of the Electrocardiography Inverse Solution to the Torso Conductivity Uncertainties. **2015**, 475-483

- 396 Generalized Cable Models of Neurons and Dendrites. **2015**, 1-11
- 395 Implanted Antennas in Biomedical Telemetry. **2015**, 1-33 0
- 394 Optimal design for parameter estimation in EEG problems in a 3D multilayered domain. **2015**, 12, 739-60 1
- 393 Performance of Wideband Falcate Implantable Patch Antenna for Biomedical Telemetry. **2016**, 753-761
- 392 Anatomy and Dielectric Properties of the Breast and Breast Cancer. **2016**, 5-16 1
- 391 Abbildung mit Mikrowellen und THz-Wellen. **2016**, 497-502
- 390 Impedanztomographie. **2016**, 399-418
- 389 Short-Range Remote Powering of Implantable Sensor System. **2016**, 25-76
- 388 Generalized Cable Models of Neurons and Dendrites. **2016**, 3037-3047
- 387 Electromagnetic Field Interfaces for Vehicle System— Antennas, Wireless Power Transfer, and Human Body Communication in Motor Vehicle System. **2016**, 19, 344-350
- 386 Vital Sign Sensor Based on Second Harmonic Frequency Drift of Oscillator. **2016**, 27, 299-306 1
- 385 Spatiotemporal structure of intracranial electric fields induced by transcranial electric stimulation in human and nonhuman primates. 1
- 384 Wireless Power Transfer, Recovery, and Data Telemetry for Biomedical Applications. **2017**, 1-21
- 383 Treatment Planning for Electrochemotherapy and Irreversible Electroporation of Deep-Seated Tumors. **2017**, 1-17
- 382 Multi-wave EM-Acoustic Methods. **2017**, 9-93
- 381 Global microwave endometrial ablation for menorrhagia treatment. **2017**,
- 380 A Study on Slot Coupled Capacitor Resonator for Non-Invasive Glucose Monitoring in Earlobe. **2017**, 28, 279-285 3
- 379 Modeling of ocular and eyelid pulse blood filling in diagnosing using transpalpebral rheophthalmography. **2018**, 1000-1003 5

- 378 Mikrodalgalarla Meme Kanseri Tespitinde Kireflerin Etkisi. **2017**, 32, 37-44
- 377 Bioimpedance Measurement in Dentistry: Detection of Inflamed Tissues. **2018**, 286-293
- 376 Measurement and Evaluation of the Bioelectrical Impedance of a Rubber Humanoid Phantom Wrapped with Gel Sheets. **2018**, 8, 155-163 1
- 375 A Single-Pair Antenna Microwave Medical Detection System Based on Unsupervised Feature Learning. **2018**, 404-414 0
- 374 Propagation of Currents on a Humanoid Phantom with Skin-Imitating Sheets Mixed with a Normal Saline Solution to Determine the Effect of Embedded Modules. **2018**, 8, 42-52
- 373 Detection of the breast cancer based on the electrical impedance myography parameters using finite element method. **2018**, 0
- 372 Smart bone plates can monitor fracture healing.
- 371 Short-Range Wireless Communication Using Magnetic Resonance Coupling. **2018**, 21, 425-427
- 370 ? Introduction. **2018**, 22-43
- 369 Sensing and Coupling of Electric Biosignals. **2019**, 399-550 1
- 368 Sensitivity of Galvanic Intra-Body Communication Channel to System Parameters. **2019**, 150-160
- 367 Hyperthermia Study in Breast Cancer Treatment Using a New Applicator. **2019**, 215-229 2
- 366 Computational simulations of the penetration of 0.30 THz radiation into the human ear. **2019**, 10, 1462-1468 1
- 365 Unification of optimal targeting methods in Transcranial Electrical Stimulation. 0
- 364 Tissue-Mimicking Materials for Cardiac Imaging Phantom Section 2: From Fabrication to Optimization. **2020**, 35-63
- 363 Modelling the Influence of the Electromagnetic Field on a User of a Bone Conduction Hearing Medical Implant. **2020**, 245-255 0
- 362 Metal-Assisted and Microwave-Accelerated Germination.
- 361 Comparaci3n entre la funci3n de cole-cole y la funci3n de Debye para modelar el tejido biol3gico. 1-5

360	Experimental Application of Lightning Currents to a Human Head Phantom. 2020 , 763-772	
359	Analysis of Silicone Additives to Model the Dielectric Properties of Heart Tissue. 2020 , 60-66	1
358	Dielectric Spectroscopy Characterization within a Microfluidic Device based on Open-Ended Coplanar Waveguide. 2020 ,	1
357	Radiofrequency Monitoring of Intracranial Hemorrhage in the Neurological Intensive Care Unit: A Pilot Trial of the SENSE Device.	
356	Influence of Transducer Aperture on Magnetoacoustic Tomography Resolution. 2020 ,	
355	Applied current thermoacoustic imaging for biological tissues. 2020 , 28, 57-65	0
354	Miniaturized Implantable Rectenna for Far-Field Wireless Power Transfer. 2020 ,	0
353	Exposure Assessment of a 5G indoor planar array antenna using Computational Dosimetry. 2020 ,	
352	Smart Mobility Communication and Human Exposure to RF Fields: a Numerical Dosimetry Approach. 2020 ,	1
351	Effects of Blood Stream on Non-Invasive Dielectric Spectroscopy Measurements for Biological Tissues. 2020 , 45, 149-152	
350	Spatial Prior for Quantitative Breast Cancer Microwave Imaging: a Comparison Between Non-Iterative Eigenfunction-Based Inversion and Sampling Methods. 2020 ,	
349	Image-Based Evaluation of Irradiation Effects in Brain Tissues by Measuring Absolute Electrical Conductivity Using MRI. 2021 , 13,	0
348	Temperature Dynamics in Rat Brains Exposed to Near-Field Waveguide Outputs at 2.8 GHz. 2021 ,	1
347	Approximation error method for imaging the human head by electrical impedance tomography.	0
346	Study on Two Types of Sensor Antennas for an Intelligent Health Monitoring System. 2020 , 415-421	
345	Encyclopedia of Computational Neuroscience. 2020 , 1-12	
344	Non-invasive detection and discrimination of breast tumors at early stage using spiral antenna. 2021 , 75, 135-142	
343	Estimation of Scattering and Transfer Parameters in Stratified Dispersive Tissues of the Human Torso. 2020 ,	0

- 342 Application of Fundamental In-Body Radiation Limitations to Practical Design of Antennas for Implantable Bioelectronics. **2020**,
- 341 Comparison of two global optimization techniques for hyperthermia treatment planning of breast cancer: Coupled electromagnetic and thermal simulation study. **2020**,
- 340 Intensificaci3n de Campos Electromagn3ticos de Microondas para Tratamientos por Hipertermia. **2020**,
- 339 Analogue Realization of Fractional-Order Healthy and Cancerous Lung Cell Models for Electrical Impedance Spectroscopy. **2020**,
- 338 Wave propagation in waveguides with graded plasmonic obstacles. **2021**, 38, 104 0
- 337 Analytical and Experimental Investigation of Temporal Interference for Selective Neuromuscular Activation. **2020**, 28, 3100-3112 1
- 336 Hemoglobin glycation increases the electric charges on red blood cells: Effects of dielectric polarization. **2022**, 276, 125348 0
- 335 TE-wave propagation in graded waveguide structures. **2020**, 3, 67 2
- 334 Effect of Depth-Dependent Nociceptor Density on the Heat-Induced Withdrawal Reflex. **2020**, 11, 788-824
- 333 Signal Transmission with Intra-Body and Inter-Body Communications: Simulation-Based Models. **2020**, 171-184
- 332 Thermoacoustic Applications. **2020**, 1-14
- 331 Epidermal EIT Electrode Arrays for Cardiopulmonary Application and Fatty Liver Infiltration. **2020**, 163-184
- 330 Encyclopedia of Computational Neuroscience. **2020**, 1-9
- 329 Channel Modeling for Physically Secure Electro-Quasistatic In-Body to Out-of-Body Communication with Galvanic Tx and Multimodal Rx. **2021**, 2
- 328 Temperature Dependent Dielectric Properties of Tissue Mimicking Phantom Material in the Microwave Frequency Range. **2020**,
- 327 RF-resonator for clinical MR imaging in urology and andrology. **2020**, 1461, 012069 0
- 326 Simulational Study on the Effect of Surface Water in Microwave Imaging of Human Trapped Under Rubbles. **2021**,
- 325 Atypical processing in neural source analysis of speech envelope modulations in adolescents with dyslexia. **2021**, 54, 7839 0

- 324 Mapping electric bulk conductivity in the human heart. **2021**, 1
- 323 Induced Current as the Candidate Mechanism for Explanation of Biological Effects. **2006**, 179-191
- 322 Microwave Imaging: A Model-Based Approach. **2005**, 127-153
- 321 Computational Modeling of Electromagnetic and Thermal Effects for a Dual-Unit Retinal Prosthesis: Inductive Telemetry, Temperature Increase, and Current Densities in the Retina. **2007**, 279-305 2
- 320 Organ Dosimetry for a Worker Standing Under a 132 kV Power Line. **2007**, 2660-2663 1
- 319 A numerical model of skin electroporation as a method to enhance gene transfection in skin. **2007**, 597-601 1
- 318 Conducting Implant in Low Frequency Electromagnetic Field. **2007**, 218-221
- 317 Numerical Assessment of Induced Current Densities for Pregnant Women Exposed to 50 Hz Electromagnetic Field. **2007**, 226-229
- 316 Coregistration of Electrical Impedance Tomography and Magnetic Resonance Imaging. **2007**, 416-419
- 315 In vivo determination of electric conductivity and permittivity using a standard MR system. **2007**, 508-511 7
- 314 Sensitivity of the Tetrapolar Lead Configurations on the Impedance Changes of the Lungs. **2007**, 48-51
- 313 Implantable bioimpedance system for measuring the impedance of kidney. **2007**, 256-259 1
- 312 Intra-Cardiac Bioimpedance Field Variability with Breathing. **2007**, 20-23
- 311 Discrimination between normal and malignant colorectal tissues based on discrepancies in their dielectric properties using machine learning methods. **2020**, 14, 770-775
- 310 Assessment of SAR using Simplified Body Representation due to RFID Field Exposure. **2020**,
- 309 Compact coplanar waveguide fed wideband directional antenna for medical diagnosis. **2020**, 53, 505401 0
- 308 Magnetically mediated thermoacoustic imaging with single coil based on non-uniform magnetic field excitation. **2020**, 128, 174901
- 307 Ultra-wideband Localization of Pulmonary Nodules During Thoracoscopic Surgery. **2021**, 1146-1155 1

- 306 On the Measurement of Electrical Impedance Spectroscopy (EIS) of the Human Head. **2010**, 12, 32-46 16
- 305 A Virtual Patient Simulator Based on Human Connectome and 7 T MRI for Deep Brain Stimulation. **2014**, 6, 364-372 5
- 304 [Support vector machine?assisted diagnosis of human malignant gastric tissues based on dielectric properties]. **2017**, 37, 1637-1642
- 303 A 1.01 NEF Low-Noise Amplifier Using Complementary Parametric Amplification. **2021**, 1-12 0
- 302 Microwave Property of Biological Materials. **2021**, 73-96
- 301 Microwave ablation. **2022**, 139-167 0
- 300 Radiofrequency and microwave hyperthermia in cancer treatment. **2022**, 281-311 0
- 299 Non-invasive blood pressure as an application of electrical impedance: a short review. **2021**, 2008, 012013
- 298 Radio Propagation Analysis for Multiuser WBAN Using 920 MHz ISM-Band. **2021**,
- 297 On the Sensitivity of Implantable Antenna Performance to Variations in the Electrical Properties of Body Tissues. **2021**, 0
- 296 Design of Electrode Placement for Presenting Phosphenes in the Lower Visual Field Based on Electric Field Simulation. **2021**, 11, 10972 0
- 295 Controlled Measurement Setup for Ultra-Wideband Dielectric Modeling of Muscle Tissue in 20-45 °C Temperature Range. **2021**, 21, 0
- 294 Nonhomogeneous volume conduction effects affecting needle electromyography: an analytical and simulation study. **2021**, 1
- 293 Compact Dual-Band Antenna with Paired L-Shape Slots for On- and Off-Body Wireless Communication. **2021**, 21, 3
- 292 Displacement Patterns in Magnetomotive Ultrasound Explored by Finite Element Analysis. **2021**,
- 291 Complex B mapping with Carr-Purcell spin echoes and its application to electrical properties tomography. **2021**,
- 290 A Point-Matching Method of Moment with Sparse Bayesian Learning Applied and Evaluated in Dynamic Lung Electrical Impedance Tomography.. **2021**, 8, 2
- 289 Use of a Set of Wearable Dielectric Scatterers to Improve Electromagnetic Transmission for a Body Power Transfer System. **2021**, 1-7 1

- 288 Feasibility of Electromagnetic Knee Imaging Verified on ex-vivo Pig Knees. **2021**, PP, 1
- 287 Electrodes and Electric Field Distribution in Clinical Practice. **2021**, 21-59 0
- 286 Dosimetry and Microwave Absorption. **2021**, 97-126
- 285 Analysis of the mechanism of synaptic integration focusing on the charge held in the spine.. **2021**, 18, 290-304
- 284 Pulse Delivery and Exposure Systems. **2021**, 373-384
- 283 Development of a Theoretical Microwave Model to Predict the Dielectric Properties of Articular Cartilage Tissues. **2021**, 9, 161030-161037
- 282 Classification of rat mammary carcinoma with large scale in vivo microwave measurements.. **2022**, 12, 349 0
- 281 Possible health effects on the human brain by various generations of mobile telecommunication: a review based estimation of 5G impact.. **2022**, 1-48 1
- 280 Commercial and Scientific Solutions for Blood Glucose Monitoring-A Review.. **2022**, 22, 6
- 279 Electrodeformation of White Blood Cells Enriched with Gold Nanoparticles. **2022**, 10, 134
- 278 Sub-voxel refinement method for tissue boundary conductivities in volume conductor models. **2017**, 2017, 13-18
- 277 Flexible FDTD Simulation for the Wireless Earphone Exposure Evaluation. **2020**, 0
- 276 Safety of Subjects During Radiofrequency Exposure in Ultra-High-Field Magnetic Resonance Imaging. **2020**, 2, 85-91 2
- 275 A highly tunable dynamic thoracic model for Electrical Impedance Tomography. **2020**, 0
- 274 Analysis of Nerve Excitation for TENS under Point Current Source. **2020**,
- 273 Dual Band Implantable Antenna for Biomedical Telemetry Applications. **2020**, 0
- 272 Reconfigurable Dual-Band Capsule-Conformal Antenna Array for In-Body Bioelectronics. **2021**, 1-1 1
- 271 Altered sleep intensity upon DBS to hypothalamic sleep-wake centers in rats.. **2021**, 12, 611-625

- 270 Correlation between Conductivity of Human Normal Active Renal Tissue and Measurement Frequency Range from 10 Hz to 100 MHz. **2021**,
- 269 A personalized FEM model for reproducible measurement of anti-inflammatory drugs in transdermal administration to knee.. **2022**, 12, 673
- 268 Smart Bio-Impedance-Based Sensor for Guiding Standard Needle Insertion.. **2022**, 22, 0
- 267 EMF Problems and Evaluation. **2022**, 207-225
- 266 Local Electrical Impedance Mapping of the Atria: Conclusions on Substrate Properties and Confounding Factors.. **2021**, 12, 788885 1
- 265 Fitting the determined impedance in the guinea pig inner ear to randles circuit using square error minimization in the range of 100 Hz to 50 kHz.. **2022**, 0
- 264 Exposure of Infants to Gradient Fields in a Baby MRI Scanner.. **2022**, 0
- 263 Wireless Power Transfer, Recovery, and Data Telemetry for Biomedical Applications. **2022**, 1107-1127
- 262 Electrical impedance tomography: a potential tool for intraoperative imaging of the tongue base.. **2022**,
- 261 Acute and Chronic Exposure to 900 MHz Radio Frequency Radiation Activates p38/JNK-mediated MAPK Pathway in Rat Testis.. **2022**, 1 0
- 260 In vivo electrical conductivity measurement of muscle, cartilage, and peripheral nerve around knee joint using MR-electrical properties tomography.. **2022**, 12, 73 2
- 259 Assessment of Human Exposure Levels Due to Mobile Phone Antennas in 5G Networks.. **2022**, 19, 0
- 258 Improved Sensing Volume Estimates for Coaxial Probes to Measure the Dielectric Properties of Inhomogeneous Tissues. **2022**, 1-7 1
- 257 Analysis of Coil Configurations for a Contactless Thermal Tumor Ablation with Implanted Devices.. **2022**, PP, 0
- 256 A Circularly Polarized Implantable Rectenna for Microwave Wireless Power Transfer.. **2022**, 13, 0
- 255 The Phenomenon of Electroporation. **2022**, 107-141 1
- 254 A Study on Application of Dielectric Resonator Antenna in Implantable Medical Devices. **2022**, 10, 11846-11857 2
- 253 Fat Quantification Imaging and Biophysical Modeling for Patient-Specific Forecasting of Microwave Ablation Therapy.. **2021**, 12, 820251

252	Experimental Validation of the DBIM-TwIST Algorithm for Brain Stroke Detection and Differentiation Using a Multi-Layered Anatomically Complex Head Phantom. 2022 , 1-1	2
251	Advancements and artificial intelligence approaches in antennas for environmental sensing. 2022 , 19-38	7
250	A Dual-modal Imaging Method Combining Ultrasound and Electromagnetism for Simultaneous Measurement of Tissue Elasticity and Electrical Conductivity.. 2022 , PP,	3
249	SNR-Enhanced, Rapid Electrical Conductivity Mapping Using Echo-Shifted MRI.. 2022 , 8, 376-388	
248	Microwave-Based Detection of the Bladder State as a Support Tool for Urinary Incontinence [Bioelectromagnetics]. 2022 , 64, 112-122	2
247	Tissue Dielectric Constant Differentials between Malignant and Benign Breast Tumors.. 2022 ,	
246	A Biomimetic Skin Phantom for Characterizing Wearable Electrodes in the Low-Frequency Regime.	
245	QRS Morphology-Based EDR Signal Factors Determining its Properties. 2022 , 10, 34665-34676	0
244	Coupler Design and Analysis of Capacitive Wireless Power Charging for Implantable Medical Devices. 2022 ,	0
243	Next-Generation Healthcare: Enabling Technologies for Emerging Bioelectromagnetics Applications. 2022 , 3, 363-390	5
242	Development of a Coherent Model for Radiometric Core Body Temperature Sensing. 2022 , 1-9	3
241	Prediction of Force Recruitment of Neuromuscular Magnetic Stimulation From 3D Field Model of the Thigh.. 2022 , PP,	
240	Development and Clinical Validation of a Finite Element Method Model Mapping Focal Intracranial Cooling.. 2022 , PP,	0
239	Person Re-Identification Through Wi-Fi Extracted Radio Biometric Signatures. 2022 , 17, 1145-1158	2
238	Optimization of the Van Der Pauw Method for Measuring the Electrical Properties Spectrum of Biological Solutions. 2022 , 71, 1-7	
237	Three Quarters of a Century of Research on RF Exposure Assessment and Dosimetry-What Have We Learned?. 2022 , 19,	0
236	Measuring Breast Cancer-Related Lymphedema.	0
235	Assessment of Twin Fetal Exposure to Environmental Magnetic and Electromagnetic Fields.. 2022 ,	

234	A biomimetic skin phantom for characterizing wearable electrodes in the low-frequency regime.. 2022 , 340,	1
233	A Broad Dual-Band Implantable Antenna for RF Energy Harvesting and Data Transmitting.. 2022 , 13,	1
232	Three-Dimensional Microwave Head Imaging with GPU-Based FDTD and the DBIM Method.. 2022 , 22,	1
231	Extracellular and intracellular components of the impedance of neural tissue.. 2022 ,	1
230	Shamo: A Tool for Electromagnetic Modeling, Simulation and Sensitivity Analysis of the Head.. 2022 , 1	1
229	Conductive Backscatter Communication for Dual-Chamber Leadless Pacemakers. 2022 , 70, 2442-2450	1
228	Data Transmission Enhancement Using Optimal Coding Technique Over Channel for Interbody Communication.. 2022 ,	2
227	Robot assisted electrical impedance scanning for tissue bioimpedance spectroscopy measurement. 2022 , 111112	
226	Simulation of the Electrical Stimulation of the Rat Brain Using Sleep Frequencies: A Finite Element Modeling Approach.. 2022 , 111093	
225	A low-profile flexible planar monopole antenna for biomedical applications. 2022 , 35, 101112	2
224	In-body to Out-of-body Communication Channel Modeling for Ruminant Animals for Smart Animal Agriculture. 2021 , 2021, 7570-7573	1
223	Contrast Capability of the NRI Lens. 2021 ,	0
222	Towards the detection of in-traitestinal gas by microwave reflectometry in critical patients. 2021 ,	0
221	Wireless Implantable Medical Device : In-body EM losses for a multilayer body model. 2021 ,	
220	Multi-Physical Tissue Modeling of a Human Urinary Bladder. 2021 , 2021, 4297-4302	
219	Application of Stochastic Dosimetry for assessing the Human RFEMF Exposure in a 5G indoor Scenario. 2021 , 2021, 595-599	
218	Prototype and Evaluation of High-Hydrous Gel Phantom for 100 kHz to 1 MHz Using ATO/TiO. 2021 , 2021, 6814-6817	0
217	Retro-Modelling Technique for Permittivity Measurements in the Range from 2.2 to 2.6 GHz for Medical Applications. 2021 ,	

216	Force Recruitment of Neuromuscular Magnetic Stimulation Predicted Through High-Resolution Anatomical 3D Models.	
215	A Graphene-based Microstrip Antenna Array for Neurodegenerative Disease Monitoring. 2021 ,	
214	Application of Dielectric Resonator Antenna in Implantable Medical Devices. 2021 ,	1
213	A Multi-Frequency Focused Impedance Measurement System Based on Analogue Synchronous Peak Detection. 2021 , 2,	2
212	A stroke detection and discrimination framework using broadband microwave scattering on stochastic models with deep learning.. 2021 , 11, 24222	2
211	Tissue Characterization Using an Electrical Bioimpedance Spectroscopy-Based Multi-Electrode Probe to Screen for Cervical Intraepithelial Neoplasia.. 2021 , 11,	1
210	Augmented Transcutaneous Stimulation Using an Injectable Electrode: A Computational Study.. 2021 , 9, 796042	0
209	An Investigation for Large Volume, Focal Blood-Brain Barrier Disruption with High-Frequency Pulsed Electric Fields.. 2021 , 14,	0
208	Wearable Planar Magnetoinductive Waveguide WBANs: Bending Around Anatomical Curvatures. 2021 ,	
207	Performance and safety assessment of an integrated transmit array for body imaging at 7 T under consideration of specific absorption rate, tissue temperature, and thermal dose.. 2021 , e4656	2
206	Determination of Current Flow Induced by Transcutaneous Electrical Nerve Stimulation for the Treatment of Migraine: Potential for Optimization.. 2021 , 2, 753454	0
205	Development of a Controllably Homogenous Conductive Ballistic Gelatin as a Realistic Spinal Cord Phantom. 2021 ,	
204	Optocapacitance: physical basis and its application.. 2022 , 14, 569-577	0
203	Deep Brain Stimulation: Emerging Tools for Simulation, Data Analysis, and Visualization.. 2022 , 16, 834026	0
202	mm-Wave Radar-Based Vital Signs Monitoring and Arrhythmia Detection Using Machine Learning.. 2022 , 22,	0
201	Estimation of RF and ELF dose by anatomical location in the brain from wireless phones in the MOBI-Kids study.. 2022 , 163, 107189	0
200	Data_Sheet_1.pdf. 2019 ,	
199	Video_1.MP4. 2019 ,	

198	Video_2.MP4. 2019,	
197	Video_3.MP4. 2019,	
196	Video_4.MP4. 2019,	
195	Video_5.MP4. 2019,	
194	Video_6.MP4. 2019,	
193	Computing Extracellular Electric Potentials from Neuronal Simulations.. 2022, 1359, 179-199	1
192	A Wideband Dual-Polarized Ring-Loaded Cross Bowtie Antenna for Wireless Capsule Endoscopes: Design and Link Analysis. 2022, 1-1	0
191	A Breast Cancer Detection System Using Metasurfaces With a Convolution Neural Network: A Feasibility Study. 2022, 1-1	0
190	Lateral Cerebellothalamic Tract Activation Underlies DBS Therapy for Essential Tremor.	
189	Microwave Imaging for Early Breast Cancer Detection: Current State, Challenges, and Future Directions. 2022, 8, 123	3
188	A Microwave-Based Microfluidic Cell Detecting Biosensor for Biological Quantification Using the Metallic Nanowire-Filled Membrane Technology.. 2022, 22,	
187	Human Exposure Assessment to Wearable Antennas: Effect of Position and Interindividual Anatomical Variability. 2022, 19, 5877	1
186	Pristine carbon nanotubes are efficient absorbers at radio frequencies.. 2022,	0
185	The inhibition of glucose uptake to erythrocytes: microwave dielectric response.. 2022, 1	
184	Microwave Characterization and Modelling of PA6/GNPs Composites. 2022, 27, 41	
183	A novel convolutional neural network for EEG source localization with FEM forward model. 2021,	
182	Understanding The Role of Magnetic and Magneto-Quasistatic Fields in Human Body Communication.. 2022, PP,	
181	Experimental investigation of microwave holographic reflectometry for lung tumor detection. 2022 , 197, 111336	0

- 180 New Approach to Metal Biomarker Detection Using Nonionizing Electromagnetic Field. **2015**, 17, 51-57 1
- 179 A Deionized Water Infilled Dual-Layer Insulator Applied Brain-implanted UWB Antenna for Wireless Biotelemetry Applications. **2022**, 1-1 0
- 178 Bio-Physical Modeling of Galvanic Human Body Communication in Electro-Quasistatic Regime.. **2022**, PP, 1
- 177 Resting state EEG power spectrum and functional connectivity in autism: a cross-sectional analysis.. **2022**, 13, 22 0
- 176 Feasibility Study of Plaque Detection using Electrical Impedance Techniques. **2022**,
- 175 Examination of Impedance Response of Capsule- Integrated Antennas Through Gastrointestinal Tract. **2022**,
- 174 Long-Range LoRaWan backscatter based sensors for medical and wearable applications. **2022**, 1
- 173 A modeling study of the effect of an alternating magnetic field on magnetite nanoparticles in proximity of the neuronal microtubules: A proposed mechanism for detachment of tau proteins. **2022**, 106913
- 172 Free radical scavenging and antimicrobial activities of MW assisted sol-gel synthesized honey mediated zirconia.
- 171 Microwaves as Diagnostic Tool for Pituitary Tumors: Preliminary Investigations. **2022**, 11, 1608
- 170 Miniature Circular Implantable antenna for Wireless Biomedical Applications. **2022**, 0
- 169 Gut Microbiome Redox Sensors With Ultrasonic Wake-Up and Galvanic Coupling Wireless Links. **2022**, 1-12 1
- 168 Computer Simulation of Magnetoelectric Antenna and Performance Comparison With Micro-Loop. **2022**, 10, 64473-64482 1
- 167 Gastric Electrical Impedance Tomography (gEIT) Based on a 3D Jacobian Matrix and Dual-Step Fuzzy Clustering Post-processing. **2022**, 1-1 0
- 166 Wideband frequency-dependent dielectric properties of rat tissues exposed to low-intensity focused ultrasound in the microwave frequency range.
- 165 An Investigation on the Influence of Blood Volume in the Cardiac Cycle on Channel Gain of Intracardiac Communication Channels. **2022**, 1
- 164 Towards Estimating Arterial Diameter Using Bioimpedance Spectroscopy: A Computational Simulation and Tissue Phantom Analysis. **2022**, 22, 4736 0
- 163 Brain Implantable End-Fire Antenna with Enhanced Gain and Bandwidth. **2022**, 22, 4328 0

162	Biological and Medical Disturbances Due to Exposure to Fields Emitted by Electromagnetic Energy Devices: A Review. 2022 , 15, 4455		1
161	Measurement and image-based estimation of dielectric properties of biological tissues: Past, present, and future. <i>Physics in Medicine and Biology</i> ,	3.8	3
160	Development of Atypical Reading at Ages 5 to 9 Years and Processing of Speech Envelope Modulations in the Brain. 16,		0
159	Fabrication and characterization of electro-conductive/osteoconductive hydrogel nanocomposite based on poly(dopamine-co-aniline) containing calcium phosphate nanoparticles. 2022 , 119701		0
158	A Variable-Volume Heart Model for Galvanic Coupling-Based Conductive Intracardiac Communication. 2022 , 22, 4455		
157	Implantable Direct Current Neural Modulation. 2022 , 1-37		
156	Resistivity/Conductivity of Extracellular Medium. 2022 , 3027-3031		
155	Local Field Potentials: Interaction with the Extracellular Medium. 2022 , 1895-1903		
154	Generalized Cable Models of Neurons and Dendrites. 2022 , 1-11		
153	Local Field Potentials: LFP. 2022 , 1903-1914		
152	Ex-vivo Dielectric Properties of Tissues in Athymic Nude Mice. 2022 ,		
151	Multi-Utility Wearable Sensors for Motion Capture and Tissue Imaging. 2022 ,		1
150	Breast tumor classification by age and size based on analysis of dielectric properties performed on in vivo and ex vivo measurements. 2022 ,		1
149	Minimally Invasive Microwave Ablation Antenna Designs at 915 MHz and 2.45 GHz. 2022 ,		0
148	Wi-Fi technology and human health impact: a brief review of current knowledge. 2022 , 73, 94-106		1
147	Electric-Field-Based Guidance for Percutaneous Catheter Vessel Crossing. 2022 , 22, 4928		
146	Analytical and Numerical Models for TE-Wave Absorption in a Graded-Index GNP-Treated Cell Substrate Inserted in a Waveguide. 2022 , 12, 7097		0
145	Utilization of dielectric properties for assessment of liver ischemia-reperfusion injury in vivo and during machine perfusion. 2022 , 12,		0

- 144 Neuronal activity under transcranial radio-frequency stimulation in metal-free rodent brains in-vivo. **2022**, 1, 1
- 143 Tissue Dielectric Constant of the Lower Leg as an Index of Skin Water: Temporal Variations. **2022**, 0
- 142 Validation and practical use of Plan2Heat hyperthermia treatment planning for capacitive heating. **2022**, 39, 952-966
- 141 Radiofrequency impedance spectroscopy of biological tissues under heating by homogeneous laser radiation. **2022**, 8, 055013
- 140 Flexible ultra-wideband cartoon-shaped antenna based on a composite with customizable dielectric properties. **2022**, 31, 095016
- 139 Effects of Electromagnetic Fields Generated from Transcutaneous Transformer:. **2022**, 30, 222-229
- 138 Development of a Muscle-Equivalent Phantom for Electrical Impedance Tomography. **2022**, 30, 144-149
- 137 Computational Assessment of RF Exposure Levels due to 5G Mobile Phones. **2022**,
- 136 Human RF-EMF Exposure Assessment for a Wearable Device by Stochastic Dosimetry. **2022**,
- 135 Compact system for measuring the dielectric properties of biological tissues at extremely-low and ultra-low frequencies. **2022**,
- 134 On Anatomical Human Models for Evaluation of Exposure to Electromagnetic Fields. **2022**,
- 133 Benchmarking Electrical Stun Devices by Considering Electroporation.
- 132 Wireless power transfer system for deep-implanted biomedical devices. **2022**, 12, 1
- 131 Antennas for IoT and AI Systems and Electromagnetic Biosafety. **2022**, 25, 394-398
- 130 Single-slice microwave imaging of breast cancer by reverse time migration.
- 129 Computational Modelling for Electrical Impedance Spectroscopy-Based Diagnosis of Oral Potential Malignant Disorders (OPMD). **2022**, 22, 5913
- 128 Circumferential and Depth Variations in Tissue Dielectric Constant Values as Indices of Lower Leg Localized Skin Water. **2022**, 0
- 127 Bioheat Model of Spinal Column Heating During High-Density Spinal Cord Stimulation. **2022**,

126	Hydration Assessment Using the Bio-Impedance Analysis Method. 2022 , 22, 6350	0
125	Wireless Measurements Using Electrical Impedance Spectroscopy to Monitor Fracture Healing. 2022 , 22, 6233	0
124	Dielectric Permittivity Measurement Using Open-Ended Coaxial Probe Modeling and Simulation Based on the Simple Capacitive-Load Model. 2022 , 22, 6024	1
123	Sub-MHz bursts of nanosecond pulses excite neurons at paradoxically low electric field thresholds without membrane damage. 2022 , 1864, 184034	0
122	In Silico Study of Local Electrical Impedance Measurements in the Atria - Towards Understanding and Quantifying Dependencies in Human. 2022 , 1-10	0
121	Bioimpedance Measurement of Knee Injuries Using Bipolar Electrode Configuration. 2022 , 1-11	2
120	A Guideline for Complex Permittivity Retrieval of TissueMimicking Phantoms From OpenEnded Coaxial Probe Response With Deep Learning. 2022 , 1-11	0
119	Electro-Mechanical Coupling in Impedance-Based Tissue Differentiation Under Compression*. 2022 , 55, 564-569	0
118	Influence of Water Coupling Medium on Wearable Microwave Neurodegenerative Monitoring Device. 2022 ,	0
117	Design and comparison of semi-ellipsoidal and conical phased array applicators operating at 434 MHz for hyperthermia treatment of locally advanced breast cancer. 2022 ,	0
116	DBSim and ELMA - Freeware for Simulations of Deep Brain Stimulation. 2022 ,	0
115	Assessment of SAR in Road-Users from 5G-V2X Vehicular Connectivity Based on Computational Simulations. 2022 , 22, 6564	0
114	Early Detection of Skin Disorders and Diseases Using Radiometry. 2022 , 12, 2117	0
113	Rapid Characterization of Solid Tumors Using Resonant Sensors. 2022 , 7, 32690-32700	0
112	Real-Time Temperature Rise Estimation during Irreversible Electroporation Treatment through State-Space Modeling. 2022 , 9, 499	0
111	Textile-Based Wearable Sensor for Skin Hydration Monitoring. 2022 , 22, 6985	1
110	Road User Exposure from ITS-5.9 GHz Vehicular Connectivity. 2022 , 22, 6986	0
109	Introduction to Planar Microwave Sensors. 2022 , 1-64	0

108	Super-resolution wearable electrotactile rendering system. 2022 , 8,	2
107	Response of Muscle Tissue to Pulsed Electromagnetic Fields: An Asymptotic Description. 2022 ,	0
106	Phantom Construction and Equipment Configurations for Characterizing Electrical Properties Using MRI. 2022 , 83-110	0
105	Generalized Cable Models of Neurons and Dendrites. 2022 , 3411-3420	0
104	Sub-GHz In-Body to Out-of-Body Communication Channel Modeling for Ruminant Animals for Smart Animal Agriculture. 2022 , 1-10	0
103	Design of OCSRR-Based Differential Microwave Sensor for Microfluidic Applications. 2022 , 1-1	0
102	Electromagnetic Properties and the Basis for CDI, MREIT, and EPT. 2022 , 1-16	0
101	The relevance of high temperatures and short time intervals between radiotherapy and hyperthermia: insights in terms of predicted equivalent enhanced radiation dose. 2022 ,	0
100	The possibility of anesthesia stimulated by a train of current pulses.	0
99	Scientific evidence invalidates health assumptions underlying the FCC and ICNIRP exposure limit determinations for radiofrequency radiation: implications for 5G. 2022 , 21,	3
98	Label-free single-cell counting and characterization in the GHz-range. 2022 , 76, 719-728	0
97	Estimation method for the anisotropic electrical conductivity of in vivo human muscles and fat between 10 kHz and 1 MHz.	0
96	Design of electrical impedance spectroscopy sensing surgical drill using computational modelling and experimental validation.	0
95	A reformulation of the brain's magneto-quasistatic approximation and a formalism for the long-distance magnetic field generated by populations of neurons. 2022 , 132, 174701	0
94	Compact On-Body Antenna with Modified Ground for WiMAX and X-band Applications. 2022 , 67, 1379-1387	0
93	A Packaged Multiplexed Fluorescent Bio-molecular Sensor Array and Ultra-Low-Power Wireless Interface in CMOS for Ingestible Electronic Applications. 2022 , 1-1	0
92	Radiation Characteristic Analysis of Antenna Deeply Implanted in Human Body and Localization Sensor Array. 2022 , 71, 1-12	0
91	Improved Magneto-acousto-electrical Computed Tomography (MAE-CT) with Multi-angle Plane Wave Excitation. 2022 , 1-11	0

90	A closed-loop automated craniotomy system with real-time bio-impedance feedback. 2022 , 1-1	0
89	An Energy-Efficient and High-Data-Rate IR-UWB Transmitter for Intracortical Neural Sensing Interfaces. 2022 , 1-13	1
88	Design of a Tetrapolar Probe for Electrical Characterization of the Left Atrial Appendage from 0.1 Hz to 100 kHz. 2022 , 1-1	0
87	Parasitic Capacitance Associated With Inductive Sensors Used in MIT Imaging. 2022 , 1-1	0
86	Design and Analysis of a Flexible Smart Apparel MIMO Antenna for Bio-Healthcare Applications. 2022 , 13, 1919	4
85	Real-Time Detection and 3D Localization of Coronary Atherosclerosis Using a Microwave Imaging Technique: A Simulation Study. 2022 , 22, 8822	0
84	Design and Experimental Validation of a Non-invasive Glucose Monitoring System using RF Antenna-based Biosensor. 2022 , 1-1	0
83	Output Power Computation and Adaptation Strategy of an Electrosurgery Inverter for Reduced Collateral Tissue Damage. 2022 , 1-12	0
82	Integrated silicon microfluidic chip for picoliter-scale analyte segmentation and microscale printing for mass spectrometry imaging. 2022 , 23, 72-80	0
81	BIMMS: A versatile and portable system for biological tissue and electrode-tissue interface electrical characterization. 2023 , 13, e00387	0
80	A Multi-Frequency 3D Printed Hand Phantom for Electromagnetic Measurements. 2022 , 11, 49-54	0
79	WiLD: Precise WiFi-based Person Identification via Bio-electromagnetic Information. 2022 ,	0
78	Using tissue-specific numerical models to estimate the dielectric properties of cartilage. 2022 ,	0
77	Aggregation of polymeric polysaccharide-based nanoparticles as a challenge in microwave tomography targetting breast cancer. 2022 ,	0
76	Reflective-Mode Submersible Microwave Sensor. 2022 ,	0
75	Can 900 MHz and 2100 MHz radiofrequency radiation exposure induce endoplasmic reticulum stress and apoptosis in rat thymus?. 1-10	0
74	Computational modeling of endovascular peripheral nerve stimulation using a stent-mounted electrode array.	0
73	FPGA Implementation of ECG Signal Processing for Use in a Neonatal Heart Rate Monitoring System.	0

72	Sampling effects and measurement overlap can bias the inference of neuronal avalanches. 2022 , 18, e1010678	0
71	Age Dependent Exposure Estimation Using Numerical Methods. 2022 , 77-114	0
70	Gradient-Boosting Algorithm for Microwave Breast Lesion ClassificationSAFE Clinical Investigation. 2022 , 12, 3151	0
69	Assessment of EMF Human Exposure Levels Due to Wearable Antennas at 5G Frequency Band. 2023 , 23, 104	0
68	Motor Unit properties do not correlate between MUNIX and needle EMG in remote polio in the biceps brachii muscle. 2022 ,	0
67	Simulation-Based Designing of Suitable Stimulation Factors for Presenting Two Phosphenes Simultaneously to Lower Side of Field of View. 2022 , 9, 752	0
66	Cervical Tissue Hydration Level Monitoring by a Resonant Microwave Coaxial Probe. 2022 , 22, 9527	0
65	Design and Analysis of UWB MIMO Antenna for Smart Fabric Communications. 2022 , 2022, 1-14	0
64	Limiting exposure to radiofrequency radiation: the principles and possible criteria for health protection. 1-26	0
63	Machine Learning-Based Classification of Abnormal Liver Tissues Using Relative Permittivity. 2022 , 22, 9919	1
62	Microwave Breast Lesion Classification IResults from Clinical Investigation of the SAFE Microwave Breast Cancer System. 2022 ,	0
61	Evaluation of electromagnetic fields in human body exposed to inverter of pure electric vehicle.	0
60	A self-biased, low-frequency, miniaturized magnetoelectric antenna for implantable medical device applications. 2023 , 122, 014102	1
59	Quasi-static approximation error of electric field analysis for transcranial current stimulation.	1
58	A high accuracy voltage approximation model based on object-oriented sensitivity matrix estimation (OO-SME model) in electrical impedance tomography. 2023 , 13, 106-115	0
57	Magnetic Induction Tomography: Separation of the Ill-Posed and Non-Linear Inverse Problem into a Series of Isolated and Less Demanding Subproblems. 2023 , 23, 1059	0
56	Evaluation of Chinese populational exposure to environmental electromagnetic field based on stochastic dosimetry and parametric human modelling.	0
55	Design of Ultra-Wideband Phased Array Applicator for Breast Cancer Hyperthermia Therapy. 2023 , 23, 1051	1

- 54 Neuromodulation model based on multi-electrode combined electrical stimulation and analysis of signal conduction mechanism. ○
- 53 Gastric functional monitoring by gastric electrical impedance tomography (gEIT) suit with dual-step fuzzy clustering. **2023**, 13, ○
- 52 Layered, tunable graphene oxide-nylon composite heterostructures for wearable electrocardiogram sensors. **2023**, 122, 013701 ○
- 51 On the Use of Impedance Detuning for Gastrointestinal Segment Tracking of Ingestible Capsules. **2023**, 1-1 ○
- 50 Measuring the effects of diethyl phthalate microplastics on marine algae growth using dielectric spectroscopy. **2023**, 865, 161221 ○
- 49 Opto-electromechanical quantification of epithelial barrier function in injured and healthy airway tissues. **2023**, 7, 016104 ○
- 48 Characterization of Dielectric Properties of 3D printing Materials for Solid Biomedical Phantoms. **2022**, ○
- 47 Role of the lipid bilayer at the dielectric relaxations in human erythrocytes. ○
- 46 A multiscale computational model of skeletal muscle electroporation validated using in situ porcine experiments. **2023**, 1-12 ○
- 45 Implantable Direct Current Neural Modulation. **2023**, 787-823 ○
- 44 A linearized integral equation reconstruction method of admittivity distributions using Electrical Impedance Tomography. **2023**, 150, 103-110 ○
- 43 Effect of Human Brain Tissue Electrical Conductivity on Performance of Head Microwave Imaging. **2022**, ○
- 42 Performance Analysis of a Compact Dual-band UWB Patch Antenna for Biomedical Applications. **2022**, ○
- 41 Microwave-induced thermoacoustic imaging for biomedical applications. **2023**, 98, 032001 ○
- 40 Field and Temperature Shaping for Microwave Hyperthermia: Recent Treatment Planning Tools to Enhance SAR-Based Procedures. **2023**, 15, 1560 ○
- 39 Three-dimensional magneto-acousto-electrical tomography (3D MAET) with single-element ultrasound transducer and coded excitation: A phantom validation study. **2023**, 536, 80-89 ○
- 38 Robust morris screening method (RMSM) for complex physiological models. **2023**, 231, 107368 ○
- 37 Lateral cerebellothalamic tract activation underlies DBS therapy for Essential Tremor. **2023**, 16, 445-455 ○

- 36 Design and Modeling of Ultra-Compact Wideband Implantable Antenna for Wireless ISM Band. **2023**, 10, 216
- 35 A Flexible 8.5 MHz litz wire receive array for field-cycling imaging. **2023**, 68, 055016
- 34 Ultra-wide band radar for prospective respiratory motion correction in the liver. **2023**, 68, 055021
- 33 Measurement of extracellular volume fraction using magnetic resonance-based conductivity tensor imaging. 14,
- 32 An Ingestible Pill With CMOS Fluorescence Sensor Array, Bi-Directional Wireless Interface and Packaged Optics for In-Vivo Bio-Molecular Sensing. **2023**, 1-17
- 31 Repeatability and Reproducibility Uncertainty in Magnetic Resonance-Based Electric Properties Tomography of a Homogeneous Phantom. **2023**, 9, 420-435
- 30 Measurement of extracellular volume fraction using magnetic resonance-based conductivity tensor imaging. 14,
- 29 Novel Sensing Technique for Stem Cells Differentiation Using Dielectric Spectroscopy of Their Proteins. **2023**, 23, 2397
- 28 Bioresorbable, wireless, and battery-free system for electrotherapy and impedance sensing at wound sites. **2023**, 9,
- 27 3D printable phantom for mimicking electrical properties of dermal tissue.
- 26 Applications of Microwaves in Medicine Leveraging Artificial Intelligence: Future Perspectives. **2023**, 12, 1101
- 25 High frequency conductivity decomposition by solving physically constraint underdetermined inverse problem in human brain. **2023**, 13,
- 24 Dielectric Properties of Blood Cells as Biomarkers for Stroke Diagnostics. **2023**, 17-38
- 23 Sensing Technologies for Extravasation Detection: A Review. **2023**, 8, 1017-1032
- 22 Contact-Free, Passive, Electromagnetic Resonant Sensors for Enclosed Biomedical Applications: A Perspective on Opportunities and Challenges. **2023**, 8, 943-955
- 21 A Tuned Microwave Resonant System for Subcutaneous Imaging. **2023**, 23, 3090
- 20 Electromagnetic Wave Absorption in the Human Head: A Virtual Sensor Based on a Deep-Learning Model. **2023**, 23, 3131
- 19 Discrimination between human normal renal tissue and renal cell carcinoma by dielectric properties using in-vitro BIA. 14,

- 18 Specific absorption rate (SAR) simulations for low-field (0.1 T) MRI systems. ○
- 17 Understanding the neural mechanisms of emotion-cognition interaction via high resolution mapping in space, time, frequency, and information transfer. ○
- 16 DUAL-BAND HALF-CIRCULAR RING IMPLANTABLE ANTENNA WITH METAMATERIAL SRR FOR BIOMEDICAL APPLICATIONS. **2023**, 82, 69-86 ○
- 15 Microwave-Based Technique for Measuring Glucose Levels in Aqueous Solutions. **2023**, ○
- 14 Chinese Digital Arm (CDA): A High-Precision Digital Arm for Electrical Stimulation Simulation. **2023**, 10, 374 ○
- 13 Finite velocity of ECG signal propagation: preliminary theory, results of a pilot experiment and consequences for medical diagnosis. **2023**, 13, ○
- 12 A pilot study on intracerebral hemorrhage imaging based on electrical capacitance tomography. 11, ○
- 11 Dielectric and Biological Characterization of Liver Tissue in a High-Fat Diet Mouse Model. **2023**, 23, 3434 ○
- 10 Bivariate polynomial for time-dependent dielectric properties of ex-vivo porcine and human liver tissue at frequencies below 100 MHz. **2023**, 34, 074003 ○
- 9 Repeatability of brain phase-based magnetic resonance electric properties tomography methods and effect of compressed SENSE and RF shimming. ○
- 8 Ultra-wideband wearable antenna based on composite materials. **2023**, 34, ○
- 7 On the Sensitivity of Bevelled and Conical Coaxial Needle Probes for Dielectric Spectroscopy. **2023**, 72, 1-9 ○
- 6 Neuronal cable equations derived from the hydrodynamic motion of charged particles. **2023**, 74, ○
- 5 Akciār tññ tespiti iñ mikroalga sistem tasarım ve analizler. ○
- 4 Z-Ring: Single-Point Bio-Impedance Sensing for Gesture, Touch, Object and User Recognition. **2023**, ○
- 3 Radio wave/microwave-involved methods for cancer diagnosis. **2023**, 1-64 ○
- 2 Modeling Electric Fields in Transcutaneous Spinal Direct Current Stimulation: A Clinical Perspective. **2023**, 11, 1283 ○
- 1 An Efficient Non-invasive Blood Glucose Measurement Using Microwave Antennas. **2023**, 213-221 ○

