

A review of the validity and variability of the Elevated Plus anxiety

Pharmacology Biochemistry and Behavior

54, 21-30

DOI: [10.1016/0091-3057\(95\)02126-4](https://doi.org/10.1016/0091-3057(95)02126-4)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Anxiogenic-like effect of the neuropeptide Y Y1 receptor antagonist BIBP3226: antagonism with diazepam. <i>European Journal of Pharmacology</i> , 1996, 317, R3-R4.	1.7	88
3	The influence of open arm ledges and maze experience in the elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , 1996, 54, 31-40.	1.3	273
4	Recent developments in anxiety, stress, and depression. <i>Pharmacology Biochemistry and Behavior</i> , 1996, 54, 3-12.	1.3	98
5	Effects of the putative dopamine D3 receptor antagonist PNU 99194A on motor behavior and emotional reactivity in C57BL/6J mice. <i>European Journal of Pharmacology</i> , 1997, 337, 147-155.	1.7	23
6	Mapping Quantitative Trait Loci for Fear-like Behaviors in Mice. <i>Genomics</i> , 1997, 46, 1-8.	1.3	110
7	A Comparative Study of the Effects of Selective and Non-Selective 5-HT ₂ Receptor Subtype Antagonists in Rat and Mouse Models of Anxiety. <i>Neuropharmacology</i> , 1997, 36, 793-802.	2.0	122
8	Comparative behavioural profiles of buspirone and its metabolite 1-(2-pyrimidinyl)-piperazine (1-PP) in the murine elevated plus-maze. <i>Neuropharmacology</i> , 1997, 36, 1089-1097.	2.0	36
9	Resistance of experientially-induced changes in murine plus-maze behaviour to altered retest conditions. <i>Behavioural Brain Research</i> , 1997, 86, 71-77.	1.2	51
10	Animal models of anxiety: an ethological perspective. <i>Brazilian Journal of Medical and Biological Research</i> , 1997, 30, 289-304.	0.7	508
11	Stress and emotionality: a multidimensional and genetic approach. <i>Neuroscience and Biobehavioral Reviews</i> , 1997, 22, 33-57.	2.9	428
12	Relationship of negative contrast to animal models of fear and anxiety. <i>Learning and Behavior</i> , 1998, 26, 397-407.	3.4	38
13	Biological bases of anxiety. <i>Neuroscience and Biobehavioral Reviews</i> , 1998, 22, 623-633.	2.9	123
14	Anxiolytic-like effect of neuropeptide Y (NPY) and NPY13â€³6 microinjected into vicinity of locus coeruleus in rats. <i>Brain Research</i> , 1998, 788, 345-348.	1.1	93
15	Responses of Swissâ€³Webster Mice to Repeated Plus-Maze Experience Further Evidence for a Qualitative Shift in Emotional State?. <i>Pharmacology Biochemistry and Behavior</i> , 1998, 60, 473-488.	1.3	154
16	Anxiolytic activity of a standardized extract of <i>Bacopa monniera</i> : an experimental study. <i>Phytomedicine</i> , 1998, 5, 77-82.	2.3	97
17	Comparative effects of novel 5-HT _{1A} receptor ligands, LY293284, LY315712 and LY297996, on plus-maze anxiety in mice. <i>Psychopharmacology</i> , 1998, 139, 185-194.	1.5	27
18	Anxiogenic-like effect of the NPY Y1 receptor antagonist BIBP3226 administered into the dorsal periaqueductal gray matter in rats. <i>Regulatory Peptides</i> , 1998, 75-76, 255-262.	1.9	56
19	Effects of Cholecystinin-Receptor Agonists on Cortical 5-HT Release in Guinea Pigs on the X-Maze. <i>Peptides</i> , 1998, 19, 519-526.	1.2	16

#	ARTICLE	IF	CITATIONS
20	Naloxone-induced changes in tachykinin NK3 receptor modulation of experimental anxiety in mice. <i>Neuroscience Letters</i> , 1998, 258, 155-158.	1.0	35
21	The H1- and H2-histamine blockers chlorpheniramine and ranitidine applied to the nucleus basalis magnocellularis region modulate anxiety and reinforcement related processes. <i>Neuropharmacology</i> , 1998, 37, 1019-1032.	2.0	72
22	Interindividual Variability in Swiss Male Mice: Relationship between Social Factors, Aggression, and Anxiety. <i>Physiology and Behavior</i> , 1998, 63, 821-827.	1.0	108
23	Â-HYDROXYBUTYRIC ACID REDUCING EFFECT ON ETHANOL INTAKE: EVIDENCE IN FAVOUR OF A SUBSTITUTION MECHANISM. <i>Alcohol and Alcoholism</i> , 1998, 33, 465-474.	0.9	83
24	Relationship between anxiety and serotonin in the ventral striatum. <i>NeuroReport</i> , 1998, 9, 1025-1029.	0.6	69
25	Behavioral profiles displayed by rats in an elevated asymmetric plus-maze: effects of diazepam. <i>Brazilian Journal of Medical and Biological Research</i> , 1999, 32, 99-106.	0.7	17
26	Fear-Potentiation in the Elevated Plus-Maze Test Depends on Stressor Controllability and Fear Conditioning. <i>Stress</i> , 1999, 3, 27-40.	0.8	42
27	Effects of centrally administered anxiolytic compounds in animal models of anxiety. <i>Neuroscience and Biobehavioral Reviews</i> , 1999, 23, 591-613.	2.9	252
28	Influence of spatial and temporal manipulations on the anxiolytic efficacy of chlordiazepoxide in mice previously exposed to the elevated plus-maze. <i>Neuroscience and Biobehavioral Reviews</i> , 1999, 23, 971-980.	2.9	108
29	Hyper-reactive Hypothalamo-Pituitary-Adrenocortical Axis in Rats Bred for High Anxiety-Related Behaviour. <i>Journal of Neuroendocrinology</i> , 1999, 11, 405-407.	1.2	178
30	Social behaviour in rats lesioned with ibotenic acid in the hippocampus: quantitative and qualitative analysis. <i>Psychopharmacology</i> , 1999, 144, 333-338.	1.5	179
31	Corticotropin-releasing factor antagonist attenuates the "anxiogenic-like" effect in the defensive burying paradigm but not in the elevated plus-maze following chronic cocaine in rats. <i>Psychopharmacology</i> , 1999, 145, 21-30.	1.5	178
32	Naltrexone potentiates the anxiolytic effects of chlordiazepoxide in rats exposed to novel environments. <i>Psychopharmacology</i> , 1999, 147, 168-173.	1.5	37
33	Is There a Future for Neuropeptide Receptor Ligands in the Treatment of Anxiety Disorders?. , 1999, 82, 1-61.		153
34	Behavioral and neurochemical consequences of lipopolysaccharide in mice: anxiogenic-like effects. <i>Brain Research</i> , 1999, 818, 291-303.	1.1	137
35	Antiaggressive and Anxiolytic Effects of Gepirone in Mice, and Their Attenuation by WAY 100635. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 62, 499-509.	1.3	30
36	Ethopharmacological Analysis of 5-HT Ligands on the Rat Elevated Plus-Maze. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 62, 515-521.	1.3	86
37	Perinatal Exposure to the Estrogenic Pollutant Bisphenol A Affects Behavior in Male and Female Rats. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 64, 687-694.	1.3	171

#	ARTICLE	IF	CITATIONS
38	Sedative actions of <i>Ternstroemia sylvatica</i> in the male rat. <i>Phytomedicine</i> , 1999, 6, 115-118.	2.3	12
39	<i>Mimosa pudica</i> may possess antidepressant actions in the rat. <i>Phytomedicine</i> , 1999, 6, 319-323.	2.3	44
40	SINGLE-GENE INFLUENCES ON BRAIN AND BEHAVIOR. <i>Annual Review of Psychology</i> , 1999, 50, 599-624.	9.9	75
41	Brain oxytocin: differential inhibition of neuroendocrine stress responses and anxiety-related behaviour in virgin, pregnant and lactating rats. <i>Neuroscience</i> , 1999, 95, 567-575.	1.1	332
42	Behavioral effects of essential oils from <i>Lippia alba</i> (Mill.) N.E. Brown chemotypes. <i>Journal of Ethnopharmacology</i> , 1999, 67, 127-133.	2.0	68
43	Effect of Predatory Stress on Sucrose Intake and Behavior on the Plus-Maze in Male Mice. <i>Physiology and Behavior</i> , 1999, 67, 189-196.	1.0	72
44	Response to Novelty After i.c.v. Injection of Melanin-Concentrating Hormone (MCH) in Rats. <i>Physiology and Behavior</i> , 1999, 67, 813-817.	1.0	73
45	Corticosterone response to the plus-maze: High correlation with risk assessment in rats and mice. <i>Physiology and Behavior</i> , 1999, 68, 47-53.	1.0	214
46	The "Anxiety State" and Its Relation with Rat Models of Memory and Habituation. <i>Neurobiology of Learning and Memory</i> , 1999, 72, 78-94.	1.0	43
47	Chapter 1.4 Experimental design and statistical inference. <i>Handbook of Behavioral Neuroscience</i> , 1999, 13, 40-57.	0.0	5
48	Effect of Nonsedative Doses of Propofol on an Innate Anxiogenic Situation in Rats. <i>Anesthesiology</i> , 1999, 90, 191-196.	1.3	18
49	Housing conditions and the anxiolytic efficacy of buspirone: the relationship between main and side effects. <i>Behavioural Pharmacology</i> , 2000, 11, 403-412.	0.8	29
50	Anxiolytic effects of repeated victory in male Wistar rats. <i>Aggressive Behavior</i> , 2000, 26, 257-261.	1.5	13
51	Mice deficient for corticotropin-releasing hormone receptor-2 display anxiety-like behaviour and are hypersensitive to stress. <i>Nature Genetics</i> , 2000, 24, 410-414.	9.4	792
52	<i>Agastache mexicana</i> may produce anxiogenic-like actions in the male rat. <i>Phytomedicine</i> , 2000, 7, 199-203.	2.3	18
53	<i>Croton zehntneri</i> essential oil: effects on behavioral models related to depression and anxiety. <i>Phytomedicine</i> , 2000, 7, 477-481.	2.3	26
54	Temporal analysis of the rat's behavior in the plus-maze: effect of midazolam. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 67, 177-182.	1.3	26
55	Differences in anxiety-related behavior and response to diazepam in BALB/cByJ and C57BL/6J strains of mice. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 67, 739-748.	1.3	126

#	ARTICLE	IF	CITATIONS
56	Lesion of the Median Raphe Nucleus. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 65, 15-21.	1.3	30
57	Acute and Chronic Effects of Gepirone and Fluoxetine in Rats Tested in the Elevated Plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 65, 209-216.	1.3	159
58	Effects of diazepam on the behaviour of weaned pigs in three putative models of anxiety. <i>Applied Animal Behaviour Science</i> , 2000, 68, 121-130.	0.8	42
59	No effect of variation in handling on behaviour in a porcine elevated plus-maze "a brief report. <i>Applied Animal Behaviour Science</i> , 2000, 69, 169-173.	0.8	8
60	Strain differences to the effects of aversive frequency ultrasound on behaviour and brain topography of c-fos expression in the rat. <i>Brain Research</i> , 2000, 854, 158-164.	1.1	36
61	Involvement of adrenergic and cholinergic systems in nicotine-induced anxiogenesis in mice. <i>European Journal of Pharmacology</i> , 2000, 407, 145-158.	1.7	51
62	Mice lacking PKC gamma exhibit decreased anxiety. <i>Behavior Genetics</i> , 2000, 30, 111-121.	1.4	59
63	The neurosteroid pregnanolone prevents the anxiogenic-like effect of inescapable shock in the rat. <i>Psychopharmacology</i> , 2000, 151, 31-37.	1.5	31
64	Effects of two acute stressors on the anxiolytic efficacy of chlordiazepoxide. <i>Psychopharmacology</i> , 2000, 151, 1-6.	1.5	12
65	Behavior and mutagenesis screens: the importance of baseline analysis of inbred strains. <i>Mammalian Genome</i> , 2000, 11, 555-564.	1.0	151
66	Anxiolytic-like effects of 4-phenyl-2-trichloromethyl-3H-1,5-benzodiazepine hydrogen sulfate in mice. <i>Brazilian Journal of Medical and Biological Research</i> , 2000, 33, 1069-1073.	0.7	20
67	New directions in the treatment of anxiety disorders. <i>Expert Opinion on Therapeutic Patents</i> , 2000, 10, 389-402.	2.4	5
68	Differential role of the medial and lateral prefrontal cortices in fear and anxiety.. <i>Behavioral Neuroscience</i> , 2000, 114, 1119-1130.	0.6	161
69	Unconditioned anxiety and social behaviour in two rat lines selectively bred for high and low anxiety-related behaviour. <i>Behavioural Brain Research</i> , 2000, 111, 153-163.	1.2	125
70	Ethological confirmatory factor analysis of anxiety-like behaviour in the murine elevated plus-maze. <i>Behavioural Brain Research</i> , 2000, 114, 199-212.	1.2	77
71	The effects of compounds varying in selectivity as 5-HT1A receptor antagonists in three rat models of anxiety. <i>Neuropharmacology</i> , 2000, 39, 1848-1857.	2.0	72
72	Behavioral profile of wild mice in the elevated plus-maze test for anxiety. <i>Physiology and Behavior</i> , 2000, 71, 509-516.	1.0	122
73	Previous maze experience required to increase open arms avoidance in rats submitted to the elevated plus-maze model of anxiety. <i>Behavioural Brain Research</i> , 2000, 108, 197-203.	1.2	138

#	ARTICLE	IF	CITATIONS
74	Anxiolytic and anticonvulsant properties of doramectin in rats: behavioral and neurochemistic evaluations. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 2000, 127, 359-366.	0.5	5
75	Comparison of neurokinin SP with diazepam in effects on memory and fear parameters in the elevated T-maze free exploration paradigm. <i>Peptides</i> , 2001, 22, 1031-1036.	1.2	10
76	The mouse lighth-dark paradigm: A review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2001, 25, 141-166.	2.5	187
77	Vibrissal sense is not the main sensory modality in rat exploratory behavior in the elevated plus-maze. <i>Behavioural Brain Research</i> , 2001, 122, 169-174.	1.2	43
78	Prior test experience compromises the anxiolytic efficacy of chlordiazepoxide in the mouse light/dark exploration test. <i>Behavioural Brain Research</i> , 2001, 122, 159-167.	1.2	92
79	Behavioural testing of standard inbred and 5HT1B knockout mice: implications of absent corpus callosum. <i>Behavioural Brain Research</i> , 2001, 125, 23-32.	1.2	30
80	Measuring normal and pathological anxiety-like behaviour in mice: a review. <i>Behavioural Brain Research</i> , 2001, 125, 141-149.	1.2	753
81	Unexpected absence of correlation between the genetic mechanisms regulating \hat{I}^2 -carboline-induced seizures and anxiety manifested in an elevated plus-maze test. <i>Behavioural Brain Research</i> , 2001, 125, 159-165.	1.2	6
82	Influence of circadian phase and test illumination on pre-clinical models of anxiety. <i>Physiology and Behavior</i> , 2001, 72, 99-106.	1.0	75
83	Standardizing tests of mouse behavior: Reasons, recommendations, and reality. <i>Physiology and Behavior</i> , 2001, 73, 695-704.	1.0	144
84	PBI creams. <i>Physiology and Behavior</i> , 2001, 74, 621-628.	1.0	7
85	Effects of chlorpyrifos in the plus-maze model of anxiety. <i>Behavioural Pharmacology</i> , 2001, 12, 285-292.	0.8	53
86	Is this mouse anxious? The difficulties of interpreting the effects of genetic action. Commentary on Belzung \hat{a}^{c} The genetic basis of the pharmacological effects of anxiolytics \hat{a}^{c} ™ and Olivier et al. \hat{a}^{c} The 5-HT 1A receptor knockout mouse and anxiety \hat{a}^{c} ™. <i>Behavioural Pharmacology</i> , 2001, 12, 461-465.	0.8	5
87	Anxious genes, emerging themes. Commentary on Belzung \hat{a}^{c} The genetic basis of the pharmacological effects of anxiolytics \hat{a}^{c} ™ and Olivier et al. \hat{a}^{c} The 5-HT 1A receptor knockout mouse and anxiety \hat{a}^{c} ™. <i>Behavioural Pharmacology</i> , 2001, 12, 471-476.	0.8	10
88	Dimensions of emotionality in a rat model of innate anxiety.. <i>Behavioral Neuroscience</i> , 2001, 115, 429-436.	0.6	114
89	Anxiety-related behaviors in the elevated zero-maze are affected by genetic factors and retinal degeneration.. <i>Behavioral Neuroscience</i> , 2001, 115, 468-476.	0.6	82
90	Nicotine as an Addictive Substance: A Critical Examination of the Basic Concepts and Empirical Evidence. <i>Journal of Drug Issues</i> , 2001, 31, 325-394.	0.6	26
92	Corticosteroids in relation to fear, anxiety and psychopathology. <i>Neuroscience and Biobehavioral Reviews</i> , 2001, 25, 117-142.	2.9	496

#	ARTICLE	IF	CITATIONS
93	Targeted gene mutation approaches to the study of anxiety-like behavior in mice. <i>Neuroscience and Biobehavioral Reviews</i> , 2001, 25, 261-273.	2.9	191
94	Methodological and conceptual issues in the use of the elevated plus-maze as a psychological measurement instrument of animal anxiety-like behavior. <i>Neuroscience and Biobehavioral Reviews</i> , 2001, 25, 275-286.	2.9	207
95	Robust tracking and posture description for laboratory rodents using active shape models. <i>Behavior Research Methods</i> , 2001, 33, 381-391.	1.3	21
96	Chronic Daily Ethanol and Withdrawal: 2. Behavioral Changes During Prolonged Abstinence. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 999-1005.	1.4	85
97	A cautionary note regarding the use of nutritional l-tryptophan to alter aversion-related behaviour in mice. <i>Applied Animal Behaviour Science</i> , 2001, 72, 365-373.	0.8	3
98	Differential sensitivity to the anxiolytic effects of ethanol and flunitrazepam in PKC β^3 null mutant mice. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 69, 99-110.	1.3	24
99	Anxiolytic-like effects of DAIZAC, a selective high-affinity 5-HT $_3$ receptor antagonist, in the mouse elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 69, 571-578.	1.3	26
100	Diazepam, but not buspirone, induces similar anxiolytic-like actions in lactating and ovariectomized Wistar rats. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 70, 85-93.	1.3	48
101	Different effects of diazepam in Fischer rats and two stocks of Wistar rats in tests of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 70, 411-420.	1.3	65
102	Stereotaxic delivery of corticosterone to the amygdala modulates colonic sensitivity in rats. <i>Brain Research</i> , 2001, 893, 135-142.	1.1	116
103	QTL analysis identifies multiple behavioral dimensions in ethological tests of anxiety in laboratory mice. <i>Current Biology</i> , 2001, 11, 725-734.	1.8	156
104	Behavioral genetics: Anxiety under interrogation. <i>Current Biology</i> , 2001, 11, R473-R476.	1.8	8
105	Psychogenic, neurogenic, and systemic stressor effects on plasma corticosterone and behavior: Mouse strain-dependent outcomes. <i>Behavioral Neuroscience</i> , 2001, 115, 443-454.	0.6	173
106	Characterization of Î±-caseozepine, a tryptic peptide from bovine Î±s1-casein with benzodiazepine-like activity. <i>FASEB Journal</i> , 2001, 15, 1780-1782.	0.2	73
107	Assessing the behavioral and cognitive effects of seizures on the developing brain. <i>Progress in Brain Research</i> , 2002, 135, 377-390.	0.9	76
108	A Quantitative Trait Locus Influencing Anxiety in the Laboratory Rat. <i>Genome Research</i> , 2002, 12, 618-626.	2.4	133
109	Brain Neuropeptide Î³ (NPY) in Stress and Alcohol Dependence. <i>Reviews in the Neurosciences</i> , 2002, 13, 85-94.	1.4	106
110	Cocaine-induced anxiety: alleviation by diazepam, but not buspirone, dimenhydrinate or diphenhydramine. <i>Behavioural Pharmacology</i> , 2002, 13, 511-523.	0.8	101

#	ARTICLE	IF	CITATIONS
111	Anxiolytic effects of cytotoxic hippocampal lesions in rats.. Behavioral Neuroscience, 2002, 116, 494-497.	0.6	100
112	Dietary L-Lysine Deficiency Increases Stress-Induced Anxiety and Fecal Excretion in Rats. Journal of Nutrition, 2002, 132, 3744-3746.	1.3	66
113	Infantile spasms: Criteria for an animal model. International Review of Neurobiology, 2002, 49, 391-411.	0.9	42
114	Elevated Plus Maze Behavior, Auditory Startle Response, and Shock Sensitivity in Predisease and in Early Stage Autoimmune Disease MRL/lpr Mice. Brain, Behavior, and Immunity, 2002, 16, 46-61.	2.0	10
115	Double dissociation of function within the hippocampus: Spatial memory and hyponeophagia.. Behavioral Neuroscience, 2002, 116, 884-901.	0.6	274
116	Genetic effects on an animal model of anxiety. FEBS Letters, 2002, 529, 131-134.	1.3	19
117	Validation of a behavioral recording automated system in the elevated plus-maze test. Life Sciences, 2002, 70, 1751-1762.	2.0	15
118	Increased anxiety-related behavior in mice deficient for metabotropic glutamate 8 (mGlu8) receptor. Neuropharmacology, 2002, 43, 251-259.	2.0	93
119	Not all "predator odours" are equal: cat odour but not 2,4,5 trimethylthiazoline (TMT; fox odour) elicits specific defensive behaviours in rats. Behavioural Brain Research, 2002, 129, 1-16.	1.2	219
120	Behavioral profile of rats submitted to session 1-session 2 in the elevated plus-maze during diurnal/nocturnal phases and under different illumination conditions. Behavioural Brain Research, 2002, 132, 135-143.	1.2	92
121	Individual response profiles of male Wistar rats in animal models for anxiety and depression. Behavioural Brain Research, 2002, 136, 1-12.	1.2	166
122	Reliability of high and low anxiety-related behaviour:. Behavioural Brain Research, 2002, 136, 227-237.	1.2	54
123	The role of vision and proprioception in the aversion of rats to the open arms of an elevated plus-maze. Behavioural Processes, 2002, 60, 15-26.	0.5	39
124	Anxiolytic-like effects of Kava-Kava in the elevated plus maze test—a comparison with diazepam. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2002, 26, 855-860.	2.5	62
125	Overexpression of 5-HT1B Receptor in Dorsal Raphe Nucleus Using Herpes Simplex Virus Gene Transfer Increases Anxiety Behavior after Inescapable Stress. Journal of Neuroscience, 2002, 22, 4550-4562.	1.7	115
126	Envolvimento dos receptores 5-HT2 da amígdala nos níveis de ansiedade induzidos pela exposição de ratos ao labirinto em cruz elevado. Psicologia: Teoria E Pesquisa, 2002, 18, 329-335.	0.1	0
127	Influências do ciclo estral sobre o desempenho de ratos no labirinto em cruz elevado. Interacao Em Psicologia, 2002, 6, .	0.1	3
128	Anxiogenic-like effect of serotonin1B receptor stimulation in the rat elevated plus-maze. Pharmacology Biochemistry and Behavior, 2002, 71, 581-587.	1.3	69

#	ARTICLE	IF	CITATIONS
129	Prior maze experience required to alter midazolam effects in rats submitted to the elevated plus-maze. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 72, 449-455.	1.3	59
130	Anxiolytic effects of ethanol and phenobarbital are abolished in test-experienced rats submitted to the elevated plus maze. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 73, 963-969.	1.3	61
131	Factor analysis of behaviour in the porcine and murine elevated plus-maze models of anxiety. <i>Applied Animal Behaviour Science</i> , 2002, 77, 155-166.	0.8	17
132	Alterations in the auditory startle response in Fmr1 targeted mutant mouse models of fragile X syndrome. <i>Brain Research</i> , 2002, 927, 8-17.	1.1	146
133	Behavioral effects of excitotoxic lesions of ventral medial prefrontal cortex in the rat are hemisphere-dependent. <i>Brain Research</i> , 2002, 927, 69-79.	1.1	134
134	Effects of antalarmin, a CRF type 1 receptor antagonist, on anxiety-like behavior and motor activation in the rat. <i>Brain Research</i> , 2002, 952, 188-199.	1.1	146
135	Ethological methods to study the effects of maternal exposure to estrogenic endocrine disrupters. <i>Neurotoxicology and Teratology</i> , 2002, 24, 55-69.	1.2	66
136	The Gerbil Elevated Plus-Maze I Behavioral Characterization and Pharmacological Validation. <i>Neuropsychopharmacology</i> , 2002, 27, 357-370.	2.8	71
137	A 3D spatial navigation task for assessing memory in rodents. <i>Neuroscience Research Communications</i> , 2002, 31, 19-28.	0.2	4
138	Effects of amphetamine on the plus-maze discriminative avoidance task in mice. <i>Psychopharmacology</i> , 2002, 160, 9-18.	1.5	40
139	On the anxiogenic and anxiolytic nature of long-term cerebral 5-HT depletion following MDMA. <i>Psychopharmacology</i> , 2002, 162, 448-450.	1.5	39
140	Anxiolytic-like effects of acute and chronic GABA transporter inhibition in rats. <i>Journal of Neural Transmission</i> , 2002, 109, 871-880.	1.4	36
141	The effects of genetic and pharmacological blockade of the CB1 cannabinoid receptor on anxiety. <i>European Journal of Neuroscience</i> , 2002, 16, 1395-1398.	1.2	305
142	The neurocircuitry and receptor subtypes mediating anxiolytic-like effects of neuropeptide Y. <i>Neuroscience and Biobehavioral Reviews</i> , 2002, 26, 259-283.	2.9	316
143	Anxiety in the elevated zero-maze is augmented in mice after repeated daily exposure. <i>Behavior Genetics</i> , 2002, 32, 113-118.	1.4	32
144	Possible anxiolytic effects of ivermectin in rats. <i>Veterinary Research Communications</i> , 2002, 26, 309-321.	0.6	28
145	High vs low anxiety-related behavior rats: an animal model of extremes in trait anxiety. <i>Behavior Genetics</i> , 2002, 32, 301-314.	1.4	218
146	Evaluation of an Anxiety-Related Phenotype in Galanin Overexpressing Transgenic Mice. <i>Journal of Molecular Neuroscience</i> , 2002, 18, 151-166.	1.1	123

#	ARTICLE	IF	CITATIONS
147	Effects of high- $\hat{1}^3$ -linolenic acid canola oil compared with borage oil on reproduction, growth, and brain and behavioral development in mice. <i>Lipids</i> , 2003, 38, 171-178.	0.7	22
148	Animal models of anxiety disorders. <i>Current Psychiatry Reports</i> , 2003, 5, 274-281.	2.1	55
149	Evaluation of the anxiolytic-like effect of NKP608, a NK1-receptor antagonist, in two rat strains that differ in anxiety-related behaviors. <i>Psychopharmacology</i> , 2003, 170, 287-293.	1.5	42
150	Behavioral phenotyping of mice in pharmacological and toxicological research. <i>Experimental and Toxicologic Pathology</i> , 2003, 55, 69-83.	2.1	280
151	Behavioural screening in mutagenised miceâ€™ in search for novel animal models of psychiatric disorders. <i>European Journal of Pharmacology</i> , 2003, 480, 219-228.	1.7	22
152	Excitotoxic lesions of the medial prefrontal cortex attenuate fear responses in the elevated-plus maze, social interaction and shock probe burying tests. <i>Brain Research</i> , 2003, 969, 183-194.	1.1	174
153	The 5-HT1A receptor agonist MKC-242 increases the exploratory activity of mice in the elevated plus-maze. <i>European Journal of Pharmacology</i> , 2003, 458, 141-144.	1.7	13
154	Prior exposure to the elevated plus-maze sensitizes mice to the acute behavioral effects of fluoxetine and phenzine. <i>European Journal of Pharmacology</i> , 2003, 459, 221-230.	1.7	62
155	The mouse light/dark box test. <i>European Journal of Pharmacology</i> , 2003, 463, 55-65.	1.7	1,037
156	A robust animal model of state anxiety: fear-potentiated behaviour in the elevated plus-maze. <i>European Journal of Pharmacology</i> , 2003, 463, 163-175.	1.7	230
157	5-HT1A receptor knockout mice and mice overexpressing corticotropin-releasing hormone in models of anxiety. <i>European Journal of Pharmacology</i> , 2003, 463, 185-197.	1.7	83
158	Lack of midazolam-induced anxiolysis in the plus-maze Trial 2 is dependent on the length of Trial 1. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 74, 395-400.	1.3	40
159	Behavioural and microdialysis study after neurotoxic lesion of the dorsal raphe nucleus in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 74, 587-593.	1.3	16
160	Anxiogenic effects during withdrawal from acute ethanol in adolescent and adult rats. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 75, 411-418.	1.3	179
161	5-HT1B receptor mRNA levels in dorsal raphe nucleus: inverse association with anxiety behavior in the elevated plus maze. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 75, 769-776.	1.3	17
162	Behavioral effects of neuropeptide Y in F344 rat substrains with a reduced dipeptidyl-peptidase IV activity. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 75, 869-879.	1.3	45
163	Behavioural differences in sub-adult female mice exposed to a murine elevated plus-maze: correlated effects of selection for high litter size. <i>Applied Animal Behaviour Science</i> , 2003, 80, 347-354.	0.8	1
164	Analysis of quantitative trait loci that influence animal behavior. <i>Journal of Neurobiology</i> , 2003, 54, 46-77.	3.7	198

#	ARTICLE	IF	CITATIONS
165	Different data from different labs: Lessons from studies of gene-environment interaction. <i>Journal of Neurobiology</i> , 2003, 54, 283-311.	3.7	450
166	Anxiolytic effects of <i>Stachys lavandulifolia</i> Vahl on the elevated plus-maze model of anxiety in mice. <i>Journal of Ethnopharmacology</i> , 2003, 89, 271-276.	2.0	114
167	The effect of social factors on the anxiolytic efficacy of buspirone in male rats, male mice, and men. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 1187-1199.	2.5	28
168	The phenomenon of one-trial tolerance to the anxiolytic effect of chlordiazepoxide in the elevated plus-maze test is abolished by previous administration of chlordiazepoxide or buspirone. <i>Life Sciences</i> , 2003, 73, 1063-1074.	2.0	12
169	Lactation and weaning effects on physiological and behavioral response to stressors. <i>Physiology and Behavior</i> , 2003, 78, 1-9.	1.0	35
170	Longitudinal study of daily variation of rats' behavior in the elevated plus-maze. <i>Physiology and Behavior</i> , 2003, 78, 125-133.	1.0	55
171	Effect of the serotonin agonist buspirone on behaviour and hypothalamic-pituitary-adrenal axis in confident and fearful mink. <i>Physiology and Behavior</i> , 2003, 78, 229-240.	1.0	28
172	Profile of wild Neotropical spiny rats (<i>Trinomys</i> , Echimyidae) in two behavioral tests. <i>Physiology and Behavior</i> , 2003, 79, 129-133.	1.0	15
173	Extreme reduction of dipeptidyl peptidase IV activity in F344 rat substrains is associated with various behavioral differences. <i>Physiology and Behavior</i> , 2003, 80, 123-134.	1.0	55
174	Methylphenidate treatment during pre- and periadolescence alters behavioral responses to emotional stimuli at adulthood. <i>Biological Psychiatry</i> , 2003, 54, 1317-1329.	0.7	234
175	Prenatal cocaine and/or nicotine exposure produces depression and anxiety in aging rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 501-518.	2.5	82
176	Relationship between striatal levels of interleukin-2 mRNA and plus-maze behaviour in the rat. <i>Neuroscience Letters</i> , 2003, 341, 205-208.	1.0	39
177	Conflict as a determinant of rat behavior in three types of elevated plus-maze. <i>Behavioural Processes</i> , 2003, 63, 87-93.	0.5	25
178	Increased c-Fos expression in the centromedial nucleus of the thalamus in metabotropic glutamate 8 receptor knockout mice following the elevated plus maze test. <i>Neuroscience</i> , 2003, 121, 167-178.	1.1	25
179	Effects of pedunculopontine tegmental nucleus lesions on emotional reactivity and locomotion in rats. <i>Brain Research Bulletin</i> , 2003, 59, 495-503.	1.4	13
180	Gender-specific effect of maternal deprivation on anxiety and corticotropin-releasing hormone mRNA expression in rats. <i>Brain Research Bulletin</i> , 2003, 62, 85-91.	1.4	69
181	Effects of electrical stimulation or lesion in nucleus accumbens on the behaviour of rats in a T-maze after administration of 8-OH-DPAT or vehicle. <i>Behavioural Brain Research</i> , 2003, 140, 165-173.	1.2	50
182	Agmatine induces anxiolysis in the elevated plus maze task in adult rats. <i>Behavioural Brain Research</i> , 2003, 141, 19-24.	1.2	74

#	ARTICLE	IF	CITATIONS
183	Improvement of shuttle-box performance by anterodorsal medial septal lesions in rats. <i>Behavioural Brain Research</i> , 2003, 141, 147-158.	1.2	22
184	Antipanic procedures reduce the strychnine-facilitated wild running of rats. <i>Behavioural Brain Research</i> , 2003, 147, 157-162.	1.2	6
185	Evidence for a 5-HT _{2A} receptor mode of action in the anxiolytic-like properties of DOI in mice. <i>Behavioural Brain Research</i> , 2003, 147, 175-184.	1.2	49
186	Animal models of anxiety and their molecular dissection. <i>Seminars in Cell and Developmental Biology</i> , 2003, 14, 37-42.	2.3	36
187	Anxiolytic Effects of Acute Morphine Can Be Modulated by Nitric Oxide Systems. <i>Pharmacology</i> , 2003, 68, 183-189.	0.9	42
188	Prolonged Treatment with L-Lysine and L-Arginine Reduces Stress-induced Anxiety in an Elevated Plus Maze. <i>Nutritional Neuroscience</i> , 2003, 6, 125-128.	1.5	21
189	Variability in the Benzodiazepine Response of Serotonin 5-HT _{1A} Receptor Null Mice Displaying Anxiety-Like Phenotype: Evidence for Genetic Modifiers in the 5-HT-Mediated Regulation of GABA _A Receptors. <i>Journal of Neuroscience</i> , 2004, 24, 6343-6351.	1.7	42
190	Improved Behavior and Neuropathology in the Mouse Model of Sanfilippo Type IIIB Disease after Adeno-Associated Virus-Mediated Gene Transfer in the Striatum. <i>Journal of Neuroscience</i> , 2004, 24, 10229-10239.	1.7	121
191	Context-dependent effects of CB ₁ cannabinoid gene disruption on anxiety-like and social behaviour in mice. <i>European Journal of Neuroscience</i> , 2004, 19, 1906-1912.	1.2	259
192	CREB α phadelta- deficient mice show inhibition and low activity in novel environments without changes in stress reactivity. <i>European Journal of Neuroscience</i> , 2004, 20, 503-513.	1.2	20
193	Environmental enrichment in mice decreases anxiety, attenuates stress responses and enhances natural killer cell activity. <i>European Journal of Neuroscience</i> , 2004, 20, 1341-1347.	1.2	358
194	17beta-Oestradiol Modulates Glucocorticoid, Neural and Behavioural Adaptations to Repeated Restraint Stress in Female Rats. <i>Journal of Neuroendocrinology</i> , 2004, 16, 776-785.	1.2	80
195	Anxiety-Like Behavior in Mice in Two Apparatuses During Withdrawal From Chronic Ethanol Vapor Inhalation. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 1012-1019.	1.4	75
196	Effects of nicotine on elevated plus maze and locomotor activity in male and female adolescent and adult rats. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 77, 21-28.	1.3	123
197	Bidirectional effects of benzodiazepine binding site ligands in the elevated plus-maze: differential antagonism by flumazenil and β -CCt. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 79, 279-290.	1.3	43
198	Anxiolytic effects of <i>Echium amoenum</i> on the elevated plus-maze model of anxiety in mice. <i>FÄ-toterapÄ-Äç</i> , 2004, 75, 457-464.	1.1	69
199	QTL Analysis of Multiple Behavioral Measures of Anxiety in Mice. <i>Behavior Genetics</i> , 2004, 34, 267-293.	1.4	169
200	Maternal Separation in Rats Leads to Anxiety-Like Behavior and a Blunted ACTH Response and Altered Neurotransmitter Levels in Response to a Subsequent Stressor. <i>Metabolic Brain Disease</i> , 2004, 19, 3-14.	1.4	274

#	ARTICLE	IF	CITATIONS
201	Anxiogenic effect of sleep deprivation in the elevated plus-maze test in mice. <i>Psychopharmacology</i> , 2004, 176, 115-122.	1.5	96
202	Anxiolytic-like profile in Wistar, but not Sprague-Dawley rats in the social interaction test. <i>Psychopharmacology</i> , 2004, 177, 23-34.	1.5	70
203	Behavioral alterations induced by repeated testing in C57BL/6J and 129S2/Sv mice: implications for phenotyping screens. <i>Genes, Brain and Behavior</i> , 2004, 3, 27-38.	1.1	169
204	Differential roles for neuropeptide Y Y1 and Y5 receptors in anxiety and sedation. <i>Journal of Neuroscience Research</i> , 2004, 77, 723-729.	1.3	101
205	Neuropeptide Y and Related Peptides. <i>Handbook of Experimental Pharmacology</i> , 2004, , .	0.9	17
206	Ethological validation and the assessment of anxiety-like behaviours: methodological comparison of classical analyses and structural approaches. <i>Behavioural Processes</i> , 2004, 67, 195-206.	0.5	35
207	Endotoxin exposure in early life alters the development of anxiety-like behaviour in the Fischer 344 rat. <i>Behavioural Brain Research</i> , 2004, 154, 63-69.	1.2	88
208	The NK1 receptor antagonist NKP608 lacks anxiolytic-like activity in Swiss-Webster mice exposed to the elevated plus-maze. <i>Behavioural Brain Research</i> , 2004, 154, 183-192.	1.2	14
209	Anxiety as a predictor of alcohol preference in rats?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 961-968.	2.5	26
210	Intranasal administration of NAP, a neuroprotective peptide, decreases anxiety-like behavior in aging mice in the elevated plus maze. <i>Neuroscience Letters</i> , 2004, 361, 128-131.	1.0	77
211	Anxiolytic-like actions of leaves of <i>Casimiroa edulis</i> (Rutaceae) in male Wistar rats. <i>Journal of Ethnopharmacology</i> , 2004, 93, 93-98.	2.0	34
212	Effects of bacterial superantigens on behavior of mice in the elevated plus maze and light-dark box. <i>Brain, Behavior, and Immunity</i> , 2004, 18, 46-54.	2.0	18
213	CB1 cannabinoid receptors mediate anxiolytic effects: convergent genetic and pharmacological evidence with CB1-specific agents. <i>Behavioural Pharmacology</i> , 2004, 15, 299-304.	0.8	215
214	Pharmacological Characterization of FR194921, a New Potent, Selective, and Orally Active Antagonist for Central Adenosine A1 Receptors. <i>Journal of Pharmacological Sciences</i> , 2004, 96, 42-52.	1.1	68
215	Potential Anxiolytic and Antidepressant-Like Activities of SNC80, a Selective μ -Opioid Agonist, in Behavioral Models in Rodents. <i>Journal of Pharmacological Sciences</i> , 2004, 95, 374-380.	1.1	166
217	Effect of intraperitoneal acetyl-L-carnitine (ALCAR) on anxiety-like behaviours in rats. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 65-74.	1.0	14
218	Dietary Soy Supplements Produce Opposite Effects on Anxiety in Intact Male and Female Rats in the Elevated Plus-Maze. <i>Behavioral Neuroscience</i> , 2005, 119, 587-594.	0.6	29
220	Anxiolytic-Like Effects of Ginsenosides on the Elevated Plus-Maze Model in Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2005, 28, 1621-1625.	0.6	48

#	ARTICLE	IF	CITATIONS
221	Anxiety-like behaviors following chronic ethanol exposure. <i>Neuroscience and Biobehavioral Reviews</i> , 2005, 28, 837-850.	2.9	171
222	TMT-induced autonomic and behavioral changes and the neural basis of its processing. <i>Neuroscience and Biobehavioral Reviews</i> , 2005, 29, 1145-1156.	2.9	141
223	Measuring emotional processes in animals: the utility of a cognitive approach. <i>Neuroscience and Biobehavioral Reviews</i> , 2005, 29, 469-491.	2.9	592
224	Sub-neurotoxic neonatal anoxia induces subtle behavioural changes and specific abnormalities in brain group-I metabotropic glutamate receptors in rats. <i>Journal of Neurochemistry</i> , 2005, 95, 137-145.	2.1	29
225	Behavioural profiles of inbred mouse strains used as transgenic backgrounds. II: cognitive tests. <i>Genes, Brain and Behavior</i> , 2005, 4, 307-317.	1.1	139
226	Common variations in the pretest environment influence genotypic comparisons in models of anxiety. <i>Genes, Brain and Behavior</i> , 2005, 4, 412-419.	1.1	72
227	Effects of prenatal stress on anxiety and social interactions in adult rats. <i>Developmental Brain Research</i> , 2005, 160, 265-274.	2.1	91
228	Increased CRF-like and NPY-like immunoreactivity in adult rats exposed to nicotine during adolescence: Relation to anxiety-like and depressive-like behavior. <i>Neuropeptides</i> , 2005, 39, 369-377.	0.9	58
229	Behavioral effects of toluene in rats selectively bred for infantile vocalization rate. <i>Neurotoxicology and Teratology</i> , 2005, 27, 883-890.	1.2	8
230	Anxiolytic-like effect of paeonol in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 81, 683-687.	1.3	65
231	Can CRF1 receptor antagonists become antidepressant and/or anxiolytic agents?. <i>Drug Development Research</i> , 2005, 65, 191-204.	1.4	14
232	Listening to mutant mice: a spotlight on the role of CRF/CRF receptor systems in affective disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2005, 29, 867-889.	2.9	62
233	Ethological and temporal analyses of anxiety-like behavior: The elevated plus-maze model 20 years on. <i>Neuroscience and Biobehavioral Reviews</i> , 2005, 29, 1193-1205.	2.9	788
234	Central nervous system activity of yangambin from <i>Ocotea duckei</i> Vattimo (Lauraceae) in mice. <i>Phytotherapy Research</i> , 2005, 19, 282-286.	2.8	26
235	Hydroalcohol extract and fractions of <i>Stachys lavandulifolia</i> vahl: effects on spontaneous motor activity and elevated plus-maze behaviour. <i>Phytotherapy Research</i> , 2005, 19, 854-858.	2.8	35
236	Papel da luminosidade do biotÓrio no comportamento do rato no labirinto em cruz elevado. <i>Estudos De Psicologia (Natal)</i> , 2005, 10, 239-245.	0.0	5
237	<i>Coriandrum sativum</i> : evaluation of its anxiolytic effect in the elevated plus-maze. <i>Journal of Ethnopharmacology</i> , 2005, 96, 365-370.	2.0	173
238	Cytokine mRNA levels in brain and peripheral tissues of the rat: relationships with plus-maze behavior. <i>Molecular Brain Research</i> , 2005, 137, 159-165.	2.5	32

#	ARTICLE	IF	CITATIONS
239	Behavioral effects of sinomenine in murine models of anxiety. <i>Life Sciences</i> , 2005, 78, 232-238.	2.0	24
240	Detailed analysis of the behavior of Lister and Wistar rats in anxiety, object recognition and object location tasks. <i>Behavioural Brain Research</i> , 2005, 159, 247-266.	1.2	175
241	Effects of pre-training pedunculo-pontine tegmental nucleus lesions on delayed matching- and non-matching-to-position in a T-maze in rats. <i>Behavioural Brain Research</i> , 2005, 160, 115-124.	1.2	7
242	Age-related qualitative shift in emotional behaviour: Paradoxical findings after re-exposure of rats in the elevated-plus maze. <i>Behavioural Brain Research</i> , 2005, 162, 135-142.	1.2	36
243	Prenatal stress produces more behavioral alterations than maternal separation in the elevated plus-maze and in the elevated T-maze. <i>Behavioural Brain Research</i> , 2005, 163, 70-77.	1.2	104
244	Age-dependent effects of gestational and lactational iron deficiency on anxiety behavior in rats. <i>Behavioural Brain Research</i> , 2005, 164, 214-221.	1.2	31
245	Sex-specific modulation of anxiety and locomotion after neonatal exposure to pregnenolone sulfate. <i>Physiology and Behavior</i> , 2005, 83, 779-786.	1.0	12
246	The role of nitric oxide in the emotional learning of rats in the plus-maze. <i>Physiology and Behavior</i> , 2005, 84, 351-358.	1.0	29
247	Effect of different illumination levels on rat behavior in the elevated plus-maze. <i>Physiology and Behavior</i> , 2005, 85, 265-270.	1.0	103
248	Anxiolytic-like effects of ginseng in the elevated plus-maze model: Comparison of red ginseng and sun ginseng. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 895-900.	2.5	83
249	Chronic repetitive transcranial magnetic stimulation is antidepressant but not anxiolytic in rat models of anxiety and depression. <i>Psychiatry Research</i> , 2005, 137, 113-121.	1.7	21
250	Effects of the cannabinoid CB1 receptor antagonist rimonabant in models of emotional reactivity in rodents. <i>Biological Psychiatry</i> , 2005, 57, 261-267.	0.7	238
251	Animal Models of Anxiety. , 2005, , 35-69.		61
252	Animal Models of Autism. <i>Contemporary Clinical Neuroscience</i> , 2006, , 151-174.	0.3	7
253	Effects of chronic treatment with fluvoxamine and paroxetine during adolescence on serotonin-related behavior in adult male rats. <i>European Neuropsychopharmacology</i> , 2006, 16, 39-48.	0.3	64
254	Light/dark cycle manipulation influences mice behaviour in the elevated plus maze. <i>Behavioural Brain Research</i> , 2006, 166, 140-149.	1.2	31
255	Rat ultrasonic vocalization in aversively motivated situations and the role of individual differences in anxiety-related behavior. <i>Behavioural Brain Research</i> , 2006, 166, 271-280.	1.2	154
256	Effect of Y1 receptor deficiency on motor activity, exploration, and anxiety. <i>Behavioural Brain Research</i> , 2006, 167, 87-93.	1.2	83

#	ARTICLE	IF	CITATIONS
257	Anxiety-like behaviors in pre-pubertal rats of the Flinders Sensitive Line (FSL) and Wistar-Kyoto (WKY) animal models of depression. <i>Behavioural Brain Research</i> , 2006, 167, 261-269.	1.2	45
258	The Concentric Square Field: A multivariate test arena for analysis of explorative strategies. <i>Behavioural Brain Research</i> , 2006, 168, 100-113.	1.2	84
259	Single, intense prenatal stress decreases emotionality and enhances learning performance in the adolescent rat offspring: Interaction with a brief, daily maternal separation. <i>Behavioural Brain Research</i> , 2006, 169, 128-136.	1.2	73
260	Models of anxiety: Responses of rats to novelty in an open space and an enclosed space. <i>Behavioural Brain Research</i> , 2006, 171, 26-49.	1.2	102
261	Behavioural effects of chronic haloperidol and risperidone treatment in rats. <i>Behavioural Brain Research</i> , 2006, 171, 286-294.	1.2	57
262	Retrosplenial cortex lesions impair acquisition of active avoidance while sparing fear-based emotional memory. <i>Behavioural Brain Research</i> , 2006, 173, 229-236.	1.2	41
263	Mismatch between anxiety status and morphometric parameters in the amygdala and bed nucleus of the stria terminalis. <i>Behavioural Brain Research</i> , 2006, 173, 320-325.	1.2	10
264	Models of anxiety: Responses of mice to novelty and open spaces in a 3D maze. <i>Behavioural Brain Research</i> , 2006, 174, 9-38.	1.2	45
265	The anxiolytic-like effects of <i>Aloysia polystachya</i> (Griseb.) Moldenke (Verbenaceae) in mice. <i>Journal of Ethnopharmacology</i> , 2006, 105, 400-408.	2.0	60
266	Neurosedative and muscle-relaxant activities of ethyl acetate extract of <i>Baphia nitida</i> AFZEL. <i>Journal of Ethnopharmacology</i> , 2006, 106, 312-316.	2.0	67
267	Modulation of elevated plus maze behavior after chronic exposure to the anabolic steroid 17 β -methyltestosterone in adult mice. <i>Hormones and Behavior</i> , 2006, 49, 123-128.	1.0	23
268	Increased anxiety-like behavior during the post-stress period in mice exposed to repeated restraint stress. <i>Hormones and Behavior</i> , 2006, 50, 489-495.	1.0	49
269	Behavioral profiles and stress-induced corticosteroid secretion in male Wistar rats subjected to short and prolonged periods of maternal separation. <i>Hormones and Behavior</i> , 2006, 50, 736-747.	1.0	97
270	Anxiety-like behavior induced by IL-1 β is modulated by δ -MSH through central melanocortin-4 receptors. <i>Peptides</i> , 2006, 27, 1451-1456.	1.2	33
271	Estrus variation in anxiolytic-like effects of intra-lateral septal infusions of the neuropeptide Y in Wistar rats in two animal models of anxiety-like behavior. <i>Peptides</i> , 2006, 27, 2722-2730.	1.2	12
272	Antidepressant-like and anxiolytic-like actions of the mGlu5 receptor antagonist MTEP, microinjected into lateral septal nuclei of male Wistar rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1129-1135.	2.5	36
273	Use of the elevated plus-maze test with opaque or transparent walls in the detection of mouse strain differences and the anxiolytic effects of diazepam. <i>Behavioural Pharmacology</i> , 2006, 17, 31-41.	0.8	45
274	Phenotypic characterization of genetically selected Sardinian alcohol-preferring (sP) and -non-preferring (sNP) rats. <i>Addiction Biology</i> , 2006, 11, 324-338.	1.4	159

#	ARTICLE	IF	CITATIONS
275	Evidence for a female-specific effect of a chromosome 4 locus on anxiety-related behaviors and ethanol drinking in rats. <i>Genes, Brain and Behavior</i> , 2006, 5, 441-450.	1.1	50
276	Anxiogenic and aversive effects of corticotropin-releasing factor (CRF) in the bed nucleus of the stria terminalis in the rat: role of CRF receptor subtypes. <i>Psychopharmacology</i> , 2006, 186, 122-132.	1.5	168
277	A hitchhiker's guide to behavioral analysis in laboratory rodents. <i>Genes, Brain and Behavior</i> , 2006, 5, 5-24.	1.1	234
278	Aggression and anxiety in pregnant mice are modulated by offspring characteristics. <i>Animal Behaviour</i> , 2006, 72, 773-780.	0.8	4
279	Animal models of behavioral dysfunctions: Basic concepts and classifications, and an evaluation strategy. <i>Brain Research Reviews</i> , 2006, 52, 131-159.	9.1	188
280	Diphenyl diselenide changes behavior in female pups. <i>Neurotoxicology and Teratology</i> , 2006, 28, 607-616.	1.2	13
281	Factor analysis of elevated plus-maze behavior in adolescent and adult rats. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 83, 570-577.	1.3	66
282	Adolescent rats are protected from the conditioned aversive properties of cocaine and lithium chloride. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 84, 344-352.	1.3	67
283	Artificial rearing alters the response of rats to natural and drug-mediated rewards. <i>Developmental Psychobiology</i> , 2006, 48, 301-314.	0.9	28
284	Animal Models of Fear and Anxiety. , 2006, , 293-336.		4
285	Behavioral and Cognitive Testing Procedures in Animal Models of Epilepsy. , 2006, , 613-628.		18
286	Modeling Human Anxiety and Depression in Mutant Mice. <i>Contemporary Clinical Neuroscience</i> , 2006, , 237-263.	0.3	8
287	Transgenic and Knockout Models of Neuropsychiatric Disorders. <i>Contemporary Clinical Neuroscience</i> , 2006, , .	0.3	2
288	Ablation of hippocampal neurogenesis impairs contextual fear conditioning and synaptic plasticity in the dentate gyrus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 17501-17506.	3.3	915
289	Stability of inbred mouse strain differences in behavior and brain size between laboratories and across decades. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16364-16369.	3.3	267
290	Peripheral Inflammation Exacerbates Damage After Global Ischemia Independently of Temperature and Acute Brain Inflammation. <i>Stroke</i> , 2007, 38, 1570-1577.	1.0	55
291	Endocrinological and Behavioural Effects of Chronic Fluxilan Administration in Rats. <i>Journal of Medical Biochemistry</i> , 2007, 26, 274-279.	0.7	1
292	Behavioral Testing. , 2007, , 513-534.		1

#	ARTICLE	IF	CITATIONS
293	More haste, considerably less speed. <i>Journal of Psychopharmacology</i> , 2007, 21, 141-143.	2.0	15
294	Reduced Anxiety, Conditioned Fear, and Hippocampal Long-Term Potentiation in Transient Receptor Potential Vanilloid Type 1 Receptor-Deficient Mice. <i>Journal of Neuroscience</i> , 2007, 27, 832-839.	1.7	310
295	Anti-anxiety Effect of Ovary Lipid Extracted from Skipjack Tuna (<i>Katsuwonus pelamis</i>) in Rats. <i>Journal of Veterinary Medical Science</i> , 2007, 69, 633-636.	0.3	2
296	Experimental Neuropathy in Mice Is Associated with Delayed Behavioral Changes Related to Anxiety and Depression. <i>Anesthesia and Analgesia</i> , 2007, 104, 1570-1577.	1.1	116
297	The anxiolytic-like effects of allopregnanolone vary as a function of intracerebral microinfusion site: the amygdala, medial prefrontal cortex, or hippocampus. <i>Behavioural Pharmacology</i> , 2007, 18, 461-470.	0.8	69
298	Effects of adult-onset calorie restriction on anxiety-like behavior in rats. <i>Physiology and Behavior</i> , 2007, 92, 889-896.	1.0	70
299	Lesions of the nucleus accumbens shell can reduce activity in the elevated plus-maze. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 906-914.	2.5	9
300	Anxiolytic-like effect of 5-HT ₂ ligands and benzodiazepines co-administration: Comparison of two animal models of anxiety (the four-plate test and the elevated plus maze). <i>Behavioural Brain Research</i> , 2007, 177, 214-226.	1.2	19
301	Decreased sensitivity to thermal pain in rats bred for high anxiety-related behaviour is attenuated by citalopram or diazepam treatment. <i>Behavioural Brain Research</i> , 2007, 183, 18-24.	1.2	25
302	The multivariate concentric square field test reveals different behavioural profiles in male AA and ANA rats with regard to risk taking and environmental reactivity. <i>Behavioural Brain Research</i> , 2007, 183, 195-205.	1.2	51
303	GABAA and GABAB agonist microinjections into medial accumbens shell increase feeding and induce anxiolysis in an animal model of anxiety. <i>Behavioural Brain Research</i> , 2007, 184, 142-149.	1.2	34
304	Genetic Deletion of <i>Lsmp</i> Causes Exaggerated Behavioral Activation in Novel Environments. <i>Behavioural Brain Research</i> , 2007, 188, 380-90.	1.2	45
305	Effects of under- and overcrowding on exploratory behavior in the elevated plus-maze. <i>Behavioural Processes</i> , 2007, 74, 357-362.	0.5	24
306	Anxiolytic effects of <i>Lavandula angustifolia</i> odour on the Mongolian gerbil elevated plus maze. <i>Journal of Ethnopharmacology</i> , 2007, 111, 517-525.	2.0	106
307	Cellular Mechanisms Underlying the Anxiolytic Effect of Low Doses of Peripheral δ^9 -Tetrahydrocannabinol in Rats. <i>Neuropsychopharmacology</i> , 2007, 32, 2036-2045.	2.8	115
309	The use of the elevated plus maze as an assay of anxiety-related behavior in rodents. <i>Nature Protocols</i> , 2007, 2, 322-328.	5.5	2,116
310	Developmental Differences in Acute Ethanol Withdrawal in Adolescent and Adult Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1516-1527.	1.4	43
311	Topiramate Moderately Reduces the Motivation to Consume Alcohol and Has a Marked Antidepressant Effect in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1900-1907.	1.4	47

#	ARTICLE	IF	CITATIONS
312	Altered motor activity, exploration and anxiety in heterozygous neuregulin 1 mutant mice: implications for understanding schizophrenia. <i>Genes, Brain and Behavior</i> , 2007, 6, 677-687.	1.1	157
313	The relationship between anxiety and sleep-wake behavior after stressor exposure in the rat. <i>Brain Research</i> , 2007, 1164, 72-80.	1.1	15
314	5-HT1A receptors are involved in the anxiolytic effect of δ^9 -tetrahydrocannabinol and AM 404, the anandamide transport inhibitor, in Sprague-Dawley rats. <i>European Journal of Pharmacology</i> , 2007, 555, 156-163.	1.7	100
315	HPA activity and neotic and anxiety-like behavior vary among <i>Peromyscus</i> species. <i>General and Comparative Endocrinology</i> , 2007, 151, 342-350.	0.8	12
316	Temperamental traits in mice (I): Factor structure. <i>Personality and Individual Differences</i> , 2007, 43, 255-265.	1.6	7
317	Cognitive impairment associated to HPA axis hyperactivity after maternal separation in rats. <i>Psychoneuroendocrinology</i> , 2007, 32, 256-266.	1.3	445
318	Adolescent fluoxetine exposure produces enduring, sex-specific alterations of visual discrimination and attention in rats. <i>Neurotoxicology and Teratology</i> , 2007, 29, 96-107.	1.2	24
319	Heterozygous neuregulin 1 mice are more sensitive to the behavioural effects of δ^9 -tetrahydrocannabinol. <i>Psychopharmacology</i> , 2007, 192, 325-336.	1.5	161
320	Elevated plus-maze performance of Fischer-344 rats as a function of age and of exposure to ^{56}Fe particles. <i>Advances in Space Research</i> , 2007, 39, 981-986.	1.2	22
321	The role of anxiety in the development of levodopa-induced dyskinesias in an animal model of Parkinson's disease, and the effect of chronic treatment with the selective serotonin reuptake inhibitor citalopram. <i>Psychopharmacology</i> , 2008, 197, 279-293.	1.5	40
322	Antagonism of AMPA receptors produces anxiolytic-like behavior in rodents: Effects of GYKI 52466 and its novel analogues. <i>Psychopharmacology</i> , 2008, 198, 231-241.	1.5	32
323	An endocannabinoid signaling system modulates anxiety-like behavior in male Syrian hamsters. <i>Psychopharmacology</i> , 2008, 200, 333-346.	1.5	52
324	Endocrine and gene expression changes following forced swim stress exposure during cocaine abstinence in mice. <i>Psychopharmacology</i> , 2008, 201, 15-28.	1.5	42
325	Exploratory behavior in mice selectively bred for developmental differences in aggressive behavior. <i>Developmental Psychobiology</i> , 2008, 50, 32-47.	0.9	5
326	Marked for life? Effects of early cage-cleaning frequency, delivery batch, and identification tail-marking on rat anxiety profiles. <i>Developmental Psychobiology</i> , 2008, 50, 266-277.	0.9	36
327	Three murine anxiety models: results from multiple inbred strain comparisons. <i>Genes, Brain and Behavior</i> , 2008, 7, 496-505.	1.1	106
328	Increased fear- and stress-related anxiety-like behavior in mice lacking tuberoinfundibular peptide of 39 residues. <i>Genes, Brain and Behavior</i> , 2008, 7, 933-942.	1.1	38
329	Evaluation of chalcones - a flavonoid subclass, for, their anxiolytic effects in rats using elevated plus maze and open field behaviour tests. <i>Fundamental and Clinical Pharmacology</i> , 2008, 22, 673-681.	1.0	31

#	ARTICLE	IF	CITATIONS
330	Dissociation of the morphological correlates of stress-induced anxiety and fear. <i>European Journal of Neuroscience</i> , 2008, 27, 1503-1516.	1.2	125
331	A review of the behavioral and neurochemical consequences of early weaning in rodents. <i>Applied Animal Behaviour Science</i> , 2008, 110, 73-83.	0.8	14
332	Intra-periaqueductal gray matter injections of midazolam fail to alter anxiety in plus-maze experienced mice. <i>Brain Research</i> , 2008, 1231, 93-102.	1.1	13
333	Maternal profiling of corticotropin-releasing factor receptor 2 deficient mice in association with restraint stress. <i>Brain Research</i> , 2008, 1241, 110-121.	1.1	8
334	Assessment of anxiety-like behaviors in female rats bred for differences in kindling susceptibility and amygdala excitability. <i>Brain Research</i> , 2008, 1240, 143-152.	1.1	6
335	Correlation of cellular changes and spatial memory during aging in rats. <i>Experimental Gerontology</i> , 2008, 43, 929-938.	1.2	31
336	Acute anxiolytic effects of cocaine: The role of test latency and activity phase. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 89, 218-226.	1.3	22
337	5-HT _{1A} receptors of the lateral septum regulate inhibitory avoidance but not escape behavior in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 89, 360-366.	1.3	18
338	Isotretinoin (13-cis-retinoic acid) alters learning and memory, but not anxiety-like behavior, in the adult rat. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 91, 243-251.	1.3	17
339	Dissociation of the anxiolytic-like effects of Avpr1a and Avpr1b receptor antagonists in the dorsal and ventral hippocampus. <i>Neuropeptides</i> , 2008, 42, 411-421.	0.9	25
340	Determining normal variability in a developmental neurotoxicity test A report from the ILSI Research Foundation/Risk Science Institute expert working group on neurodevelopmental endpoints. <i>Neurotoxicology and Teratology</i> , 2008, 30, 288-325.	1.2	23
341	The Aqueous Extracts of <i>Passiflora alata</i> and <i>Passiflora edulis</i> Reduce Anxiety-Related Behaviors Without Affecting Memory Process in Rats. <i>Journal of Medicinal Food</i> , 2008, 11, 282-288.	0.8	67
342	Chapter 2.5 Unconditioned models of fear and anxiety. <i>Handbook of Behavioral Neuroscience</i> , 2008, 17, 81-99.	0.7	11
343	An Assessment of Anxiolytic Drug Screening Tests: Hormetic Dose Responses Predominate. <i>Critical Reviews in Toxicology</i> , 2008, 38, 489-542.	1.9	116
344	Anxiogenic effect of chronic exposure to extremely low frequency magnetic field in adult rats. <i>Neuroscience Letters</i> , 2008, 434, 12-17.	1.0	37
345	Involvement of median raphe nucleus 5-HT _{1A} receptors in the regulation of generalized anxiety-related defensive behaviours in rats. <i>Neuroscience Letters</i> , 2008, 445, 204-208.	1.0	23
346	Cognition-enhancing and anxiolytic effects of memantine. <i>Neuropharmacology</i> , 2008, 54, 1079-1085.	2.0	50
347	A study in male and female 5-HT transporter knockout rats: An animal model for anxiety and depression disorders. <i>Neuroscience</i> , 2008, 152, 573-584.	1.1	206

#	ARTICLE	IF	CITATIONS
348	Effects of maternal separation on hypothalamicâ€“pituitaryâ€“adrenal responses, cognition and vulnerability to stress in adult female rats. <i>Neuroscience</i> , 2008, 154, 1218-1226.	1.1	164
349	Estradiol and neuropeptide Y (intra-lateral septal) reduce anxiety-like behavior in two animal models of anxiety. <i>Peptides</i> , 2008, 29, 1396-1403.	1.2	20
350	The effects of intra-cerebral drug infusions on animals' unconditioned fear reactions: A systematic review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1399-1419.	2.5	52
351	Neonatal exposure to endocrine active compounds or an ER β agonist increases adult anxiety and aggression in gonadally intact male rats. <i>Hormones and Behavior</i> , 2008, 53, 580-588.	1.0	135
352	Elevated anxiety and depressive-like behavior in a rat model of genetic generalized epilepsy suggesting common causation. <i>Experimental Neurology</i> , 2008, 209, 254-260.	2.0	171
353	Perinatal exposure to 5-metoxytryptamine, behavioural-stress reactivity and functional response of 5-HT1A receptors in the adolescent rat. <i>Behavioural Brain Research</i> , 2008, 186, 98-106.	1.2	26
354	Effects of d-cycloserine on the behavior and ERK activity in the amygdala: Role of individual anxiety levels. <i>Behavioural Brain Research</i> , 2008, 187, 246-253.	1.2	24
355	Spatial memory alterations in three models of hepatic encephalopathy. <i>Behavioural Brain Research</i> , 2008, 188, 32-40.	1.2	50
356	The microinjection of AMPA receptor antagonist into the accumbens shell, but not into the accumbens core, induces anxiolysis in an animal model of anxiety. <i>Behavioural Brain Research</i> , 2008, 188, 91-99.	1.2	27
357	Anxiety-like behaviour in adult rats perinatally exposed to maternal calorie restriction. <i>Behavioural Brain Research</i> , 2008, 191, 164-172.	1.2	52
358	Different housing conditions alter the behavioural phenotype of CCK2 receptor-deficient mice. <i>Behavioural Brain Research</i> , 2008, 193, 108-116.	1.2	27
359	Anxiety-like behavior during nicotine withdrawal predict subsequent nicotine consumption in adolescent C57BL/6 mice. <i>Behavioural Brain Research</i> , 2008, 193, 216-224.	1.2	44
360	5 Untranslated Region (5 UTR). , 2008, , 1-1.		0
361	Combined Exposure to Nicotine and Ethanol in Adolescent Mice Differentially Affects Anxiety Levels during Exposure, Short-Term, and Long-Term Withdrawal. <i>Neuropsychopharmacology</i> , 2008, 33, 599-610.	2.8	51
362	Persistent alterations in heart rate variability, baroreflex sensitivity, and anxiety-like behaviors during development of heart failure in the rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H29-H38.	1.5	34
363	Evaluation of the Anxiolytic Effect of <i>Nepeta persica</i> Boiss. in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2008, 5, 181-186.	0.5	40
364	Effect of Buspirone on the Behavioral Regulation of Rats in Low versus High Anxiety Conditions. <i>Arzneimittelforschung</i> , 2008, 58, 269-276.	0.5	24
365	Anxiety-Related Behaviors in Mice. <i>Frontiers in Neuroscience</i> , 2008, , 77-101.	0.0	76

#	ARTICLE	IF	CITATIONS
366	Elevated Plus Maze for Mice. <i>Journal of Visualized Experiments</i> , 2008, , .	0.2	289
367	Thigmotactic responses in an open-field. <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 135-140.	0.7	100
368	Prenatal Restraint Stress Generates Two Distinct Behavioral and Neurochemical Profiles in Male and Female Rats. <i>PLoS ONE</i> , 2008, 3, e2170.	1.1	296
369	Ãvaluation de lâ™activitÃ© anxiolytique de la 4-phenyl-1,5-benzodiazepin-2-one. <i>International Journal of Biological and Chemical Sciences</i> , 2009, 3, .	0.1	1
370	CRF1-R Activation of the Dynorphin/Kappa Opioid System in the Mouse Basolateral Amygdala Mediates Anxiety-Like Behavior. <i>PLoS ONE</i> , 2009, 4, e8528.	1.1	165
371	Living in a dangerous world: the shaping of behavioral profile by early environment and 5-HTT genotype. <i>Frontiers in Behavioral Neuroscience</i> , 2009, 3, 26.	1.0	63
372	Long-term Cognitive Impairments in Adult Rats Treated Neonatally with Î²-N-Methylamino-L-Alanine. <i>Toxicological Sciences</i> , 2009, 112, 185-195.	1.4	81
373	Selective Brain Uptake and Behavioral Effects of the Cyanobacterial Toxin BMAA (Î²-N-Methylamino-L-alanine) following Neonatal Administration to Rodents. <i>Toxicological Sciences</i> , 2009, 109, 286-295.	1.4	83
374	Effects of pretest manipulation on elevated plus-maze behavior in adolescent and adult male and female Spragueâ€Dawley rats. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 92, 413-423.	1.3	43
375	Similar anxiolytic-like effects following intra-amygdala infusions of benzodiazepine receptor agonist and antagonist: Evidence for the release of an endogenous benzodiazepine inverse agonist in mice exposed to elevated plus-maze test. <i>Brain Research</i> , 2009, 1267, 65-76.	1.1	33
376	Role of Central Calcitonin Gene-Related Peptide (CGRP) in Locomotor and Anxiety- and Depression-Like Behaviors in Two Mouse Strains Exhibiting a CGRP-Dependent Difference in Thermal Pain Sensitivity. <i>Journal of Molecular Neuroscience</i> , 2009, 39, 125-136.	1.1	28
377	Sedative and anticonvulsant effects of an alcoholic extract of <i>Capparis decidua</i> . <i>Journal of Natural Medicines</i> , 2009, 63, 375-379.	1.1	39
378	Free versus forced exposure to an elevated plus-maze: evidence for new behavioral interpretations during test and retest. <i>Psychopharmacology</i> , 2009, 203, 131-141.	1.5	42
379	Anxiolytic and antidepressant actions of somatostatin: the role of sst2 and sst3 receptors. <i>Psychopharmacology</i> , 2009, 206, 281-289.	1.5	67
380	Selective effects of benzodiazepines on the acquisition of conditioned taste aversion compared to attenuation of neophobia in C57BL/6 mice. <i>Psychopharmacology</i> , 2009, 206, 389-401.	1.5	4
381	Potential anxiolyticâ€and antidepressantâ€like effects of salvinin A, the main active ingredient of <i>Salvia divinorum</i> , in rodents. <i>British Journal of Pharmacology</i> , 2009, 157, 844-853.	2.7	113
382	Characterization of rat behavior in the elevated plus-maze using a directed graph. <i>Journal of Neuroscience Methods</i> , 2009, 184, 251-255.	1.3	10
383	Animal Models of Anxiety and Anxiolytic Drug Action. <i>Current Topics in Behavioral Neurosciences</i> , 2009, 2, 121-160.	0.8	45

#	ARTICLE	IF	CITATIONS
384	Behavioural phenotyping reveals anxiety-like features of SV2A deficient mice. Behavioural Brain Research, 2009, 198, 329-333.	1.2	11
385	Decreased anxiety-like behavior and locomotor/exploratory activity, and modulation in hypothalamus, hippocampus, and frontal cortex redox profile in sexually receptive female rats after short-term exposure to male chemical cues. Behavioural Brain Research, 2009, 199, 263-270.	1.2	9
386	The effects of calorie restriction olfactory cues on conspecific anxiety-like behaviour. Behavioural Brain Research, 2009, 201, 305-310.	1.2	6
387	Effects of morphine on rat behaviour in the elevated plus maze: The role of central amygdala dopamine receptors. Behavioural Brain Research, 2009, 202, 171-178.	1.2	56
388	Depression-like and anxiety-like behavioural aftermaths of impact accelerated traumatic brain injury in rats: A model of comorbid depression and anxiety?. Behavioural Brain Research, 2009, 205, 436-442.	1.2	87
389	The anterior cingulate cortex is a target structure for the anxiolytic-like effects of benzodiazepines assessed by repeated exposure to the elevated plus maze and Fos immunoreactivity. Neuroscience, 2009, 164, 387-397.	1.1	30
390	Mouse plasmacytoma-expressed transcript 1 knock out induced 5-HT disruption results in a lack of cognitive deficits and an anxiety phenotype complicated by hypoactivity and defensiveness. Neuroscience, 2009, 164, 1431-1443.	1.1	51
391	Effects of repeated electroconvulsive shock seizures and pilocarpine-induced status epilepticus on emotional behavior in the rat. Epilepsy and Behavior, 2009, 14, 293-299.	0.9	32
392	Cortical kindling induces elevated levels of AMPA and GABA receptor subunit mRNA within the amygdala/piriform region and is associated with behavioral changes in the rat. Epilepsy and Behavior, 2009, 16, 404-410.	0.9	5
393	Neonatal hyperleptinaemia programmes anxiety-like and novelty seeking behaviours but not memory/learning in adult rats. Hormones and Behavior, 2009, 55, 272-279.	1.0	27
394	Interleukin-1 receptor null mutant mice show decreased anxiety-like behavior and enhanced fear memory. Neuroscience Letters, 2009, 456, 39-43.	1.0	109
395	Acute high dose of chlorpyrifos alters performance of rats in the elevated plus-maze and the elevated T-maze. NeuroToxicology, 2009, 30, 1025-1029.	1.4	15
396	Some Guidelines for Defining Personality Differences in Rats. , 2009, , 281-300.		16
397	Emotional reactivity and cognitive performance in aversively motivated tasks: a comparison between four rat strains. Behavioral and Brain Functions, 2009, 5, 50.	1.4	52
398	Bilirubin. , 2008, , 382-382.		0
399	Brain Evolution. , 2008, , 462-472.		0
400	Brainstem. , 2008, , 492-493.		0
401	Mood and Anxiety Related Phenotypes in Mice. Neuromethods, 2009, , .	0.2	126

#	ARTICLE	IF	CITATIONS
402	Binocular Rivalry. , 2008, , 391-394.		0
403	Impact of rat P450 genetic polymorphism on diazepam metabolism. Expert Opinion on Drug Metabolism and Toxicology, 2009, 5, 1421-1433.	1.5	14
404	Anxiolytic-like effects of the neurokinin 1 receptor antagonist GR-205171 in the elevated plus maze and contextual fear-potentiated startle model of anxiety in gerbils. Behavioural Pharmacology, 2009, 20, 584-595.	0.8	17
405	Interactions between the anxiogenic effects of CB1 gene disruption and 5-HT3 neurotransmission. Behavioural Pharmacology, 2009, 20, 265-272.	0.8	36
406	A potential gastrointestinal link between enhanced postnatal maternal care and reduced anxiety-like behavior in adolescent rats.. Behavioral Neuroscience, 2009, 123, 1178-1184.	0.6	13
407	Construct validity of behavioral models of anxiety: Where experimental psychopathology meets ecology and evolution.. Psychology and Neuroscience, 2010, 3, 117-123.	0.5	12
409	Confirmation of the anxiolytic-like effect of dihydrohonokiol following behavioural and biochemical assessments. Journal of Pharmacy and Pharmacology, 2010, 53, 721-725.	1.2	10
410	Age influences the effects of nicotine and monoamine oxidase inhibition on mood-related behaviors in rats. Psychopharmacology, 2010, 208, 593-601.	1.5	27
411	A follow-up study: acute behavioural effects of δ^9 -THC in female heterozygous Neuregulin 1 transmembrane domain mutant mice. Psychopharmacology, 2010, 211, 277-289.	1.5	62
412	Orexins in the paraventricular nucleus of the thalamus mediate anxiety-like responses in rats. Psychopharmacology, 2010, 212, 251-265.	1.5	153
413	Increased expression of β^2 amyloid precursor gene in the hippocampus of streptozotocin-induced diabetic mice with memory deficit and anxiety induction. Journal of Neural Transmission, 2010, 117, 1411-1418.	1.4	14
414	Behavioral profile of mice with impaired cognition in the elevated plus-maze due to a deficiency in neural cell adhesion molecule. Pharmacology Biochemistry and Behavior, 2010, 96, 461-468.	1.3	19
415	Inter-individual differences in neurobiology as vulnerability factors for affective disorders: Implications for psychopharmacology. , 2010, 125, 402-422.		47
416	Impaired neurogenesis, learning and memory and low seizure threshold associated with loss of neural precursor cell survivin. BMC Neuroscience, 2010, 11, 2.	0.8	20
417	Lithium ameliorates altered glycogen synthase kinase-3 and behavior in a mouse model of Fragile X syndrome. Biochemical Pharmacology, 2010, 79, 632-646.	2.0	163
418	Selection for intrinsic endurance modifies endocrine stress responsiveness. Brain Research, 2010, 1357, 53-61.	1.1	11
419	The ontogeny of anxiety-like behavior in rats from adolescence to adulthood. Developmental Psychobiology, 2010, 52, 731-739.	0.9	63
420	Characterization of the rat exploratory behavior in the elevated plus-maze with Markov chains. Journal of Neuroscience Methods, 2010, 193, 288-295.	1.3	15

#	ARTICLE	IF	CITATIONS
422	The serotonin transporter knock-out rat: a review. , 2010, , 170-213.		6
423	Amygdala-Specific Reduction of $\hat{A}1$ -GABAA Receptors Disrupts the Anticonvulsant, Locomotor, and Sedative, But Not Anxiolytic, Effects of Benzodiazepines in Mice. Journal of Neuroscience, 2010, 30, 7139-7151.	1.7	34
424	Genetic Deletion of Fatty Acid Amide Hydrolase Alters Emotional Behavior and Serotonergic Transmission in the Dorsal Raphe, Prefrontal Cortex, and Hippocampus. Neuropsychopharmacology, 2010, 35, 2083-2100.	2.8	113
425	Effects of \hat{I}^9 -tetrahydrocannabinol on reward and anxiety in rats exposed to chronic unpredictable stress. Journal of Psychopharmacology, 2010, 24, 767-777.	2.0	50
426	Anxiolytic Effect of Flowers of <i>Salix aegyptiaca</i> L. in Mouse Model of Anxiety. Journal of Complementary and Integrative Medicine, 2010, 7, .	0.4	7
427	Antianxiety activity of <i>Gelsemium sempervirens</i> . Pharmaceutical Biology, 2010, 48, 1091-1096.	1.3	47
428	Neuropharmacological activity of hydroalcoholic extract of leaves of <i>Colocasia esculenta</i> . Pharmaceutical Biology, 2010, 48, 1207-1212.	1.3	26
429	Evaluation of antianxiety and sedative effects of essential oil of <i>Ducrosia anethifolia</i> in mice. Clinics, 2010, 65, 1037-1042.	0.6	41
430	Prenatal Interaction of Mutant DISC1 and Immune Activation Produces Adult Psychopathology. Biological Psychiatry, 2010, 68, 1172-1181.	0.7	243
431	Over-expression of \hat{I}^C -DCLK-short in mouse brain results in a more anxious behavioral phenotype. Physiology and Behavior, 2010, 101, 541-548.	1.0	8
432	How Many Ways Can Mouse Behavioral Experiments Go Wrong? Confounding Variables in Mouse Models of Neurodegenerative Diseases and How to Control Them. Advances in the Study of Behavior, 2010, , 255-366.	1.0	60
433	Anxiolytic and sedative-hypnotic activities of polygalasaponins from <i>Polygala tenuifolia</i> in mice. Pharmaceutical Biology, 2010, 48, 801-807.	1.3	60
434	2-Phenylethylamine, a constituent of chocolate and wine, causes mitochondrial complex-I inhibition, generation of hydroxyl radicals and depletion of striatal biogenic amines leading to psycho-motor dysfunctions in Balb/c mice. Neurochemistry International, 2010, 57, 637-646.	1.9	28
435	Anxiety-like effects of SR141716-precipitated delta9-tetrahydrocannabinol withdrawal in mice in the elevated plus-maze. Neuroscience Letters, 2010, 475, 165-168.	1.0	18
436	Behavioral evaluation of transgenic mice with CNS expression of IFN- \hat{I}^z by elevated plus-maze and Porsolt swim test. Neuroscience Letters, 2010, 479, 287-291.	1.0	1
437	Anticonvulsant, anxiolytic and sedative activities of the aqueous root extract of <i>Securidaca longepedunculata</i> Fresen.. Journal of Ethnopharmacology, 2010, 130, 191-195.	2.0	62
438	A combined study of behavior and Fos expression in limbic structures after re-testing Wistar rats in the elevated plus-maze. Brain Research Bulletin, 2010, 81, 595-599.	1.4	24
439	Enriched environment and the recovery from inflammatory pain: Social versus physical aspects and their interaction. Behavioural Brain Research, 2010, 208, 90-95.	1.2	51

#	ARTICLE	IF	CITATIONS
440	Lateralized and sex-dependent behavioral and morphological effects of unilateral neonatal cerebral hypoxia-ischemia in the rat. <i>Behavioural Brain Research</i> , 2010, 210, 92-98.	1.2	85
441	Effects of eszopiclone and zolpidem on sleep-wake behavior, anxiety-like behavior and contextual memory in rats. <i>Behavioural Brain Research</i> , 2010, 210, 54-66.	1.2	26
442	Acute and repeated stress differentially regulates behavioral, endocrine, neural parameters relevant to emotional and stress response in young and aged rats. <i>Behavioural Brain Research</i> , 2010, 211, 169-177.	1.2	60
443	Exercise effects on motor and affective behavior and catecholamine neurochemistry in the MPTP-lesioned mouse. <i>Behavioural Brain Research</i> , 2010, 213, 253-262.	1.2	101
444	Social isolation and chronic handling alter endocannabinoid signaling and behavioral reactivity to context in adult rats. <i>Neuroscience</i> , 2010, 168, 371-386.	1.1	71
445	Potential anxiogenic effects of cannabinoid CB1 receptor antagonists/inverse agonists in rats: Comparisons between AM4113, AM251, and the benzodiazepine inverse agonist FG-7142. <i>European Neuropsychopharmacology</i> , 2010, 20, 112-122.	0.3	69
446	A behavioural comparison of acute and chronic δ^9 -tetrahydrocannabinol and cannabidiol in C57BL/6JArc mice. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 861-876.	1.0	167
447	The effects of repeated restraint stress on energy balance and behavior of mice with selective deletion of CRF receptors. <i>Stress</i> , 2010, 13, 203-213.	0.8	21
448	Synthesis, Characterization, and Biological Evaluation of Benzimidazole Derivatives as Potential Anxiolytics. <i>Journal of Young Pharmacists</i> , 2010, 2, 273-279.	0.1	25
449	Use of Evolutionary Robots as an Auxiliary Tool for Developing Behavioral Models of Rats in an Elevated Plus-Maze. , 2010, , .		5
450	Evaluation of ethanol leaf extract of <i>Ocimum sanctum</i> in experimental models of anxiety and depression. <i>Pharmaceutical Biology</i> , 2011, 49, 477-483.	1.3	32
451	Coexisting mechanical hypersensitivity and anxiety in a rat model of spinal cord injury and the effect of pregabalin, morphine, and midazolam treatment. <i>Scandinavian Journal of Pain</i> , 2011, 2, 139-145.	0.5	9
452	<i>In Vitro</i> Digestibility of β -Caseozepine, a Benzodiazepine-like Peptide from Bovine Casein, and Biological Activity of Its Main Proteolytic Fragment. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 4464-4472.	2.4	28
453	Cognitive repercussions of hereditary cerebellar disorders. <i>Cortex</i> , 2011, 47, 81-100.	1.1	29
454	Individual differences in the elevated plus-maze and the forced swim test. <i>Behavioural Processes</i> , 2011, 86, 46-51.	0.5	30
455	The effects of pentylentetrazol, chlordiazepoxide and caffeine in rats tested in the elevated plus-maze depend on the experimental illumination. <i>Behavioural Brain Research</i> , 2011, 217, 171-177.	1.2	32
456	Gene-environment interaction influences anxiety-like behavior in ethologically based mouse models. <i>Behavioural Brain Research</i> , 2011, 218, 99-105.	1.2	44
457	Sex differences and phase of light cycle modify chronic stress effects on anxiety and depressive-like behavior. <i>Behavioural Brain Research</i> , 2011, 222, 212-222.	1.2	100

#	ARTICLE	IF	CITATIONS
458	The impact of environmental enrichment in laboratory rats—Behavioural and neurochemical aspects. <i>Behavioural Brain Research</i> , 2011, 222, 246-264.	1.2	357
459	A single mild fluid percussion injury induces short-term behavioral and neuropathological changes in the Long—Evans rat: Support for an animal model of concussion. <i>Behavioural Brain Research</i> , 2011, 224, 326-335.	1.2	88
460	Predatory threat induces huddling in adolescent rats and residual changes in early adulthood suggestive of increased resilience. <i>Behavioural Brain Research</i> , 2011, 225, 405-414.	1.2	47
461	Living in a dangerous world decreases maternal care: A study in serotonin transporter knockout mice. <i>Hormones and Behavior</i> , 2011, 60, 397-407.	1.0	31
462	Single Units in the Medial Prefrontal Cortex with Anxiety-Related Firing Patterns Are Preferentially Influenced by Ventral Hippocampal Activity. <i>Neuron</i> , 2011, 71, 898-910.	3.8	227
463	GPR26-deficient mice display increased anxiety- and depression-like behaviors accompanied by reduced phosphorylated cyclic AMP responsive element-binding protein level in central amygdala. <i>Neuroscience</i> , 2011, 196, 203-214.	1.1	49
464	D-cycloserine enhances memory consolidation in the plus-maze retest paradigm.. <i>Behavioral Neuroscience</i> , 2011, 125, 106-116.	0.6	15
465	Pharmacological enhancement of fear reduction: preclinical models. <i>British Journal of Pharmacology</i> , 2011, 164, 1230-1247.	2.7	47
466	The age of anxiety: role of animal models of anxiolytic action in drug discovery. <i>British Journal of Pharmacology</i> , 2011, 164, 1129-1161.	2.7	220
467	A high-fat diet exacerbates depressive-like behavior in the Flinders Sensitive Line (FSL) rat, a genetic model of depression. <i>Psychoneuroendocrinology</i> , 2011, 36, 623-633.	1.3	77
468	Comparison of the elevated plus and elevated zero mazes in treated and untreated male Sprague—Dawley rats: Effects of anxiolytic and anxiogenic agents. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 97, 406-415.	1.3	146
469	Zolpidem-induced changes in activity, metabolism, and anxiety in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 81-86.	1.3	12
470	Anxiety-like behaviors and expression of SERT and TPH in the dorsal raphe of estrogen- and fluoxetine-treated ovariectomized rats. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 503-510.	1.3	37
471	Chronic cocaine self-administration attenuates the anxiogenic-like and stress potentiating effects of the benzodiazepine inverse agonist, FG 7142. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 99, 408-413.	1.3	6
472	Use of the light—dark box to compare the anxiety-related behavior of virgin and postpartum female rats. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 100, 130-137.	1.3	59
473	Marked strain and substrain differences in induction of status epilepticus and subsequent development of neurodegeneration, epilepsy, and behavioral alterations in rats. <i>Epilepsy Research</i> , 2011, 96, 207-224.	0.8	52
474	Modulation of Sphingosine 1-Phosphate and Tyrosine Hydroxylase in the Stress-Induced Anxiety. <i>Neurochemical Research</i> , 2011, 36, 258-267.	1.6	22
475	Increased Levels of Anxiety-related Behaviors in a Tsc2 Dominant Negative Transgenic Mouse Model of Tuberous Sclerosis. <i>Behavior Genetics</i> , 2011, 41, 357-363.	1.4	45

#	ARTICLE	IF	CITATIONS
476	Cellular correlates of anxiety in CA1 hippocampal pyramidal cells of 5-HT1A receptor knockout mice. <i>Psychopharmacology</i> , 2011, 213, 453-463.	1.5	15
477	The intriguing effects of ecstasy (MDMA) on cognitive function in mice subjected to a minimal traumatic brain injury (mTBI). <i>Psychopharmacology</i> , 2011, 214, 877-889.	1.5	36
478	Anxiolytic-like effects of somatostatin isoforms SST 14 and SST 28 in two animal models (Rattus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 557-567.	1.5	28
479	Prenatal exposure to lps leads to long-lasting physiological consequences in male offspring. <i>Developmental Psychobiology</i> , 2011, 53, 828-838.	0.9	25
480	Female Wistar rats obtained from different breeders vary in anxiety-like behavior and epileptogenesis. <i>Epilepsy Research</i> , 2011, 94, 26-38.	0.8	25
481	Calcitonin Gene-Related Peptide in the Bed Nucleus of the Stria Terminalis Produces an Anxiety-Like Pattern of Behavior and Increases Neural Activation in Anxiety-Related Structures. <i>Journal of Neuroscience</i> , 2011, 31, 1802-1810.	1.7	81
482	The MRL/lpr Mouse Strain as a Model for Neuropsychiatric Systemic Lupus Erythematosus. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-15.	3.0	77
483	Effect of magnesium chloride on psychomotor activity, emotional status, and acute behavioural responses to clonidine, amphetamine, arecoline, nicotine, apomorphine, and L-5-hydroxytryptophan. <i>Nutritional Neuroscience</i> , 2011, 14, 10-24.	1.5	24
484	Stress conditioning in mice: Alterations in immunity and tumor growth. <i>Stress</i> , 2011, 14, 301-311.	0.8	5
485	Behavioral, Pharmacological, and Immunological Abnormalities after Streptococcal Exposure: A Novel Rat Model of Sydenham Chorea and Related Neuropsychiatric Disorders. <i>Neuropsychopharmacology</i> , 2012, 37, 2076-2087.	2.8	164
486	Phenanthrenes from <i>Juncus effusus</i> with anxiolytic and sedative activities. <i>Natural Product Research</i> , 2012, 26, 1234-1239.	1.0	46
487	In vivo knockdown of GAD67 in the amygdala disrupts fear extinction and the anxiolytic-like effect of diazepam in mice. <i>Translational Psychiatry</i> , 2012, 2, e181-e181.	2.4	59
488	Stress-Induced Activation of the Dynorphin μ -Opioid Receptor System in the Amygdala Potentiates Nicotine Conditioned Place Preference. <i>Journal of Neuroscience</i> , 2012, 32, 1488-1495.	1.7	87
489	Graded loss of tuberin in an allelic series of brain models of TSC correlates with survival, and biochemical, histological and behavioral features. <i>Human Molecular Genetics</i> , 2012, 21, 4286-4300.	1.4	43
490	Hesperidin Ameliorates Immobilization-Stress-Induced Behavioral and Biochemical Alterations and Mitochondrial Dysfunction in Mice by Modulating Nitroergic Pathway. <i>ISRN Pharmacology</i> , 2012, 2012, 1-8.	1.6	31
491	Effects of <i>Coriandrum sativum</i> extract on exploratory behaviour pattern and locomotor activity in mice: An experimental study. <i>International Journal of Green Pharmacy</i> , 2012, 6, 157.	0.1	1
492	Anti-anxiety Activity of Methanolic Extracts of Different Parts of <i>Angelica archangelica</i> Linn.. <i>Journal of Traditional and Complementary Medicine</i> , 2012, 2, 235-241.	1.5	18
493	Anxiolytic-like effect of losartan injected into amygdala of the acutely stressed rats. <i>Pharmacological Reports</i> , 2012, 64, 54-63.	1.5	38

#	ARTICLE	IF	CITATIONS
494	Reports of the death of CB1 antagonists have been greatly exaggerated. <i>Behavioural Pharmacology</i> , 2012, 23, 537-550.	0.8	23
495	A critical test of the hippocampal theta model of anxiolytic drug action. <i>Neuropharmacology</i> , 2012, 62, 155-160.	2.0	36
496	Investigating anxiety and depressive-like phenotypes in genetic mouse models of serotonin depletion. <i>Neuropharmacology</i> , 2012, 62, 144-154.	2.0	81
497	L-DOPA-induced dysregulation of extrastriatal dopamine and serotonin and affective symptoms in a bilateral rat model of Parkinson's disease. <i>Neuroscience</i> , 2012, 218, 243-256.	1.1	56
498	Treadmill running frequency on anxiety and hippocampal adenosine receptors density in adult and middle-aged rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 36, 198-204.	2.5	21
499	Juvenile social subjugation induces a sex-specific pattern of anxiety and depression-like behaviors in adult rats. <i>Hormones and Behavior</i> , 2012, 61, 91-99.	1.0	39
500	Central depressant activity of butanol fraction of <i>Securinega virosa</i> root bark in mice. <i>Journal of Ethnopharmacology</i> , 2012, 141, 128-133.	2.0	17
501	Central pharmacological activity of a new piperazine derivative: 4-(1-Phenyl-1h-pyrazol-4-ylmethyl)-piperazine-1-carboxylic acid ethyl ester. <i>Life Sciences</i> , 2012, 90, 910-916.	2.0	16
502	Sub-concussive brain injury in the Long-Evans rat induces acute neuroinflammation in the absence of behavioral impairments. <i>Behavioural Brain Research</i> , 2012, 229, 145-152.	1.2	97
503	Isolation-induced behavioural changes in a genetic animal model of depression. <i>Behavioural Brain Research</i> , 2012, 230, 85-91.	1.2	24
504	The effects of calorie restriction on operant-responding for alcohol in the alcohol preferring (iP) rat. <i>Behavioural Brain Research</i> , 2012, 230, 281-287.	1.2	6
505	Effects of the protein synthesis inhibitor cycloheximide on anxiety-like extinction behavior in an animal model of post-traumatic stress. <i>Behavioural Brain Research</i> , 2012, 231, 208-212.	1.2	6
506	Fear-like behavioral responses in mice in different odorant environments: Trigeminal versus olfactory mediation under low doses. <i>Behavioural Processes</i> , 2012, 90, 161-166.	0.5	36
507	Evaluation of anxiolytic activity of compound <i>Valeriana jatamansi</i> Jones in mice. <i>BMC Complementary and Alternative Medicine</i> , 2012, 12, 223.	3.7	31
508	A Practical Guide to Evaluating Anxiety-Related Behavior in Rodents. <i>Methods in Pharmacology and Toxicology</i> , 2012, , 167-185.	0.1	4
509	3Î±5Î²-Pregnanolone glutamate, a use-dependent NMDA antagonist, reversed spatial learning deficit in an animal model of schizophrenia. <i>Behavioural Brain Research</i> , 2012, 235, 82-88.	1.2	14
510	The nuclear factor erythroid 2-like 2 activator, tert-butylhydroquinone, improves cognitive performance in mice after mild traumatic brain injury. <i>Neuroscience</i> , 2012, 223, 305-314.	1.1	62
511	Tolerance liability of diazepam is dependent on the dose used for protracted treatment. <i>Pharmacological Reports</i> , 2012, 64, 1116-1125.	1.5	9

#	ARTICLE	IF	CITATIONS
512	Repeated Mild Lateral Fluid Percussion Brain Injury in the Rat Causes Cumulative Long-Term Behavioral Impairments, Neuroinflammation, and Cortical Loss in an Animal Model of Repeated Concussion. <i>Journal of Neurotrauma</i> , 2012, 29, 281-294.	1.7	155
513	Anti-Alcohol and Anxiolytic Properties of a New Chemical Entity, GET73. <i>Frontiers in Psychiatry</i> , 2012, 3, 8.	1.3	25
514	Evaluation of central nervous system depressant activity of <i>Cleome rutidosperma</i> . <i>Alternative Medicine Studies</i> , 2012, 2, 8.	0.2	0
515	Anxiolytic-like and sedative effects of <i>Kyllinga brevifolia</i> in mice. <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 1323-1329.	0.6	6
516	Chemical composition and anxiolytic-like effects of the <i>Bauhinia platypetala</i> . <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 507-516.	0.6	8
517	The Neurobiology of Preferences. , 2012, , 3-31.		6
518	The Elevated Plus-Maze Test: Differential Psychopharmacology of Anxiety-Related Behavior. <i>Emotion Review</i> , 2012, 4, 98-115.	2.1	39
519	The pharmacological importance of agmatine in the brain. <i>Neuroscience and Biobehavioral Reviews</i> , 2012, 36, 502-519.	2.9	96
520	The anxiolytic effects of somatostatin following intra-septal and intra-amygdalar microinfusions are reversed by the selective sst2 antagonist PRL2903. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 88-92.	1.3	34
521	Comparative Analysis of the Behavioral and Biomolecular Parameters of Four Mouse Strains. <i>Journal of Molecular Neuroscience</i> , 2012, 46, 276-284.	1.1	22
522	Anti-anxiety activity of <i>Stachys tibetica</i> Vatke. <i>Chinese Journal of Natural Medicines</i> , 2013, 11, 240-244.	0.7	7
523	Central depressant activity of ethanol extract of <i>Nymphaea alba</i> rhizome in mice. <i>Oriental Pharmacy and Experimental Medicine</i> , 2013, 13, 159-164.	1.2	3
524	Alteration in plasma corticosterone levels following long term oral administration of lead produces depression like symptoms in rats. <i>Metabolic Brain Disease</i> , 2013, 28, 85-92.	1.4	25
525	The effects of anandamide signaling enhanced by the FAAH inhibitor URB597 on coping styles in rats. <i>Psychopharmacology</i> , 2013, 230, 353-362.	1.5	32
526	Prenatal Stress Produces Social Behavior Deficits and Alters the Number of Oxytocin and Vasopressin Neurons in Adult Rats. <i>Neurochemical Research</i> , 2013, 38, 1479-1489.	1.6	76
527	Simulation of behavioral profiles in the plus-maze: A Classification and Regression Tree approach. <i>BioSystems</i> , 2013, 114, 69-77.	0.9	1
528	Sex differences in anxiety and emotional behavior. <i>Pflugers Archiv European Journal of Physiology</i> , 2013, 465, 601-626.	1.3	263
529	To attack, or not to attack? The role of serotonin transporter genotype in the display of maternal aggression. <i>Behavioural Brain Research</i> , 2013, 242, 135-141.	1.2	21

#	ARTICLE	IF	CITATIONS
530	Anxiolytic-like effect of the extract from <i>Bowdichia virgilioides</i> in mice. <i>Revista Brasileira De Farmacognosia</i> , 2013, 23, 680-686.	0.6	15
531	2-(4-substituted piperazin-1-yl)-1,8-naphthyridine-3-carboxylic acids: Novel 5-HT ₃ receptor antagonists with anxiolytic-like activity in rodent behavioral models. <i>Canadian Journal of Physiology and Pharmacology</i> , 2013, 91, 848-854.	0.7	9
532	Calorie restriction inhibits relapse behaviour and preference for alcohol within a two-bottle free choice paradigm in the alcohol preferring (iP) rat. <i>Physiology and Behavior</i> , 2013, 110-111, 34-41.	1.0	6
533	Differential effects of subchronic Phencyclidine on anxiety in the light-enhanced startle-, light/dark exploration- and open field tests. <i>Behavioural Brain Research</i> , 2013, 243, 61-65.	1.2	10
534	Etazolate rescues behavioral deficits in chronic unpredictable mild stress model: Modulation of hypothalamic-pituitary-adrenal axis activity and brain-derived neurotrophic factor level. <i>Neurochemistry International</i> , 2013, 63, 465-475.	1.9	38
535	Evaluation of cage leaving behaviour in rats as a free choice paradigm. <i>Journal of Pharmacological and Toxicological Methods</i> , 2013, 68, 240-249.	0.3	10
536	Modeling mouse, human, and discipline: Epistemic scaffolds in animal behavior genetics. <i>Social Studies of Science</i> , 2013, 43, 3-29.	1.5	44
537	<i>Toxoplasma gondii</i> infection, from predation to schizophrenia: can animal behaviour help us understand human behaviour?. <i>Journal of Experimental Biology</i> , 2013, 216, 99-112.	0.8	140
538	Impaired cognitive function and reduced anxiety-related behavior in a promyelocytic leukemia (PML) tumor suppressor protein-deficient mouse. <i>Genes, Brain and Behavior</i> , 2013, 12, 189-202.	1.1	9
539	Genetic diversity contributes to abnormalities in pain behaviors between young and old rats. <i>Age</i> , 2013, 35, 1-10.	3.0	7
540	Anxiolytic and sedative properties of hydroethanolic extract of <i>Telfairia occidentalis</i> leaves in mice. <i>Revista Brasileira De Farmacognosia</i> , 2013, 23, 301-309.	0.6	10
541	Comparison of the effects of the GABAB receptor positive modulator BHF177 and the GABAB receptor agonist baclofen on anxiety-like behavior, learning, and memory in mice. <i>Neuropharmacology</i> , 2013, 70, 156-167.	2.0	46
542	Anxiogenic effects of CGRP within the BNST may be mediated by CRF acting at BNST CRFR1 receptors. <i>Behavioural Brain Research</i> , 2013, 243, 286-293.	1.2	33
543	Behavioral evidence for photophobia and stress-related ipsilateral head pain in transgenic <i>Cacna1a</i> mutant mice. <i>Pain</i> , 2013, 154, 1254-1262.	2.0	76
544	FG7142, yohimbine, and β^2 CCE produce anxiogenic-like effects in the elevated plus-maze but do not affect brainstem activated hippocampal theta. <i>Neuropharmacology</i> , 2013, 75, 47-52.	2.0	21
545	Estrous cycle variation in anxiolytic-like effects of topiramate in Wistar rats in two animal models of anxiety-like behavior. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 103, 631-636.	1.3	17
546	Behavioral effects of combined environmental enrichment and chronic nicotine administration in male NMRI mice. <i>Physiology and Behavior</i> , 2013, 114-115, 65-76.	1.0	22
547	Anxiolytic effects of <i>Plumeria rubra</i> var. <i>acutifolia</i> (Poiret) L. flower extracts in the elevated plus-maze model of anxiety in mice. <i>Asian Journal of Psychiatry</i> , 2013, 6, 113-118.	0.9	19

#	ARTICLE	IF	CITATIONS
548	Treatment with an anti-CD11d integrin antibody reduces neuroinflammation and improves outcome in a rat model of repeated concussion. <i>Journal of Neuroinflammation</i> , 2013, 10, 26.	3.1	66
549	Antidepressant, anxiolytic and adaptogenic activity of torvanol A: an isoflavonoid from seeds of <i>Solanum torvum</i> . <i>Natural Product Research</i> , 2013, 27, 2140-2143.	1.0	20
550	AAV-based gene therapy prevents neuropathology and results in normal cognitive development in the hyperargininemic mouse. <i>Gene Therapy</i> , 2013, 20, 785-796.	2.3	31
551	Maternal deprivation effects on brain plasticity and recognition memory in adolescent male and female rats. <i>Neuropharmacology</i> , 2013, 68, 223-231.	2.0	103
552	Mathematical methods to model rodent behavior in the elevated plus-maze. <i>Journal of Neuroscience Methods</i> , 2013, 220, 141-148.	1.3	16
553	Insights into functional pharmacology of $\hat{I}\pm 1$ GABAA receptors: how much does partial activation at the benzodiazepine site matter?. <i>Psychopharmacology</i> , 2013, 230, 113-123.	1.5	4
554	Anxiolytic-induced attenuation of thigmotaxis in the Elevated Minus Maze. <i>Behavioural Processes</i> , 2013, 97, 76-79.	0.5	4
555	Knockout of c-Jun N-terminal kinases 1, 2 or 3 isoforms induces behavioural changes. <i>Behavioural Brain Research</i> , 2013, 245, 88-95.	1.2	27
556	Effects of circadian phase and melatonin injection on anxiety-like behavior in nocturnal and diurnal rodents. <i>Chronobiology International</i> , 2013, 30, 828-836.	0.9	36
557	Evaluation of Anxiolytic-Like Effect of Aqueous Extract of <i>Asparagus</i> Stem in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-10.	0.5	8
558	Anxiolytic Action of Pterostilbene: Involvement of Hippocampal ERK Phosphorylation. <i>Planta Medica</i> , 2013, 79, 723-730.	0.7	19
559	Role of Hypothalamic-pituitary-adrenal-axis in Affective Disorders: Anti-depressant and Anxiolytic Activity of Partial 5-HT1A Agonist in Adrenalectomised Rats. <i>Indian Journal of Psychological Medicine</i> , 2013, 35, 290-298.	0.6	8
560	Diet-Regulated Anxiety. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-9.	0.6	24
561	Antidepressant-like and anxiolytic-like effects of hydrogen sulfide in behavioral models of depression and anxiety. <i>Behavioural Pharmacology</i> , 2013, 24, 590-597.	0.8	44
562	Intrahippocampal infusion of the h blocker ZD7288 slows evoked theta rhythm and produces anxiolytic-like effects in the elevated plus maze. <i>Hippocampus</i> , 2013, 23, 278-286.	0.9	17
563	Yohimbine anxiogenesis in the elevated plus maze requires hindbrain noradrenergic neurons that target the anterior ventrolateral bed nucleus of the stria terminalis. <i>European Journal of Neuroscience</i> , 2013, 37, 1340-1349.	1.2	23
564	Accumulation and Endocrine Disrupting Effects of the Flame Retardant Mixture Firemaster [®] 550 in Rats: An Exploratory Assessment. <i>Journal of Biochemical and Molecular Toxicology</i> , 2013, 27, 124-136.	1.4	222
565	QCM-4 a novel 5-HT3 antagonist attenuates the behavioral and biochemical alterations on chronic unpredictable mild stress model of depression in Swiss albino mice. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 66, 122-132.	1.2	21

#	ARTICLE	IF	CITATIONS
566	Daily Acclimation Handling Does Not Affect Hippocampal Long-Term Potentiation or Cause Chronic Sleep Deprivation in Mice. <i>Sleep</i> , 2013, 36, 601-607.	0.6	30
567	The Successive Alleys Test of Anxiety in Mice and Rats. <i>Journal of Visualized Experiments</i> , 2013, , .	0.2	25
568	Postnatal Transplantation of Interneuron Precursor Cells Decreases Anxiety-Like Behavior in Adult Mice. <i>Cell Transplantation</i> , 2013, 22, 1237-1247.	1.2	13
569	The absence of P2X7 receptors (P2rx7) on non-haematopoietic cells leads to selective alteration in mood-related behaviour with dysregulated gene expression and stress reactivity in mice. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 213-233.	1.0	83
570	Protective Effects of Curcumin and Sertraline on the Behavioral Changes in Chronic Variable Stress-Induced Rats. <i>Experimental Neurobiology</i> , 2013, 22, 96-106.	0.7	20
571	Anxiolytic- and antidepressant-like effects of the ethanolic extract from Citrus limon plant widely used in Northeastern Brazil. <i>African Journal of Pharmacy and Pharmacology</i> , 2013, 7, 2173-2179.	0.2	2
572	Evaluation of hydro-alcoholic extract of leaves of Boerhaavia diffusa for anxiolytic activity in rats. <i>African Journal of Pharmacy and Pharmacology</i> , 2013, 7, 1071-1074.	0.2	7
573	Preclinical Evidence of Rapid-Onset Antidepressant-Like Effect in Radix Polygalae Extract. <i>PLoS ONE</i> , 2014, 9, e88617.	1.1	49
574	Not all effort is equal: the role of the anterior cingulate cortex in different forms of effort-reward decisions. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 12.	1.0	38
575	Post-operative environmental enrichment improves spatial and motor deficits but may not ameliorate anxiety- or depression-like symptoms in rats following traumatic brain injury. <i>Restorative Neurology and Neuroscience</i> , 2014, 32, 701-716.	0.4	5
576	QCM-4, a serotonergic type 3 receptor modulator attenuates depression co-morbid with obesity in mice: An approach based on behavioral and biochemical investigations. <i>European Journal of Pharmacology</i> , 2014, 740, 611-618.	1.7	18
577	Plurality of anxiety and depression alteration mechanism by oleanolic acid. <i>Journal of Psychopharmacology</i> , 2014, 28, 923-934.	2.0	28
578	Hippocampal corticosterone impairs memory consolidation during sleep but improves consolidation in the wake state. <i>Hippocampus</i> , 2014, 24, 510-515.	0.9	37
579	Toxic Effects of Mercury. , 2014, , .		13
580	Chronic light deprivation inhibits appetitive associative learning induced by ethanol and its respective c-Fos and pCREB expression. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1815-1830.	1.0	8
581	Apport des modèles animaux comportementaux en psychiatrie : exemples des modèles d'anxiété. , 2014, , 81-105.		0
582	Elevated Plus Maze. , 2014, , 1-5.		1
583	Effects of NB001 and gabapentin on irritable bowel syndrome-induced behavioral anxiety and spontaneous pain. <i>Molecular Brain</i> , 2014, 7, 47.	1.3	69

#	ARTICLE	IF	CITATIONS
584	Influence of trait anxiety on the effects of acute stress on learning and retention of the passive avoidance task in male and female mice. <i>Behavioural Processes</i> , 2014, 105, 6-14.	0.5	16
585	Pharmacological evaluation of <i>Chlorophytum borivilianum</i> Sant. & Fern. for anxiolytic activity and effect on brain GABA level. <i>Oriental Pharmacy and Experimental Medicine</i> , 2014, 14, 169-180.	1.2	3
586	Temporary inhibition of dorsal or ventral hippocampus by muscimol: Distinct effects on measures of innate anxiety on the elevated plus maze, but similar disruption of contextual fear conditioning. <i>Behavioural Brain Research</i> , 2014, 262, 47-56.	1.2	67
588	Effect of a Selective Cyclooxygenase Type 2 Inhibitor Celecoxib on Depression Associated with Obesity in Mice: An Approach Using Behavioral Tests. <i>Neurochemical Research</i> , 2014, 39, 1395-1402.	1.6	16
589	Preclinical research on pain comorbidity with affective disorders and cognitive deficits: Challenges and perspectives. <i>Progress in Neurobiology</i> , 2014, 116, 13-32.	2.8	83
590	Assessment of mouse anxiety-like behavior in the light-dark box and open-field arena: Role of equipment and procedure. <i>Physiology and Behavior</i> , 2014, 133, 30-38.	1.0	177
591	Developmental alterations in locomotor and anxiety-like behavior as a function of D1 and D2 mRNA expression. <i>Behavioural Brain Research</i> , 2014, 260, 25-33.	1.2	14
592	CNS depressant and anticonvulsant activities of the alcoholic extract of leaves of <i>Zizyphus nummularia</i> . <i>Journal of Ethnopharmacology</i> , 2014, 151, 536-542.	2.0	16
593	Chronic morphine and tramadol re-exposure induced an anti-anxiety effect in prepubertal rats exposed neonatally to the same drugs. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014, 41, 838-843.	0.9	11
594	Neuroprotective effect of <i>Prunus avium</i> on streptozotocin induced neurotoxicity in mice. <i>Biomedicine and Preventive Nutrition</i> , 2014, 4, 519-525.	0.9	13
595	A computational model for exploratory activity of rats with different anxiety levels in elevated plus-maze. <i>Journal of Neuroscience Methods</i> , 2014, 236, 44-50.	1.3	20
596	Effects of dorsal periaqueductal gray CRF1- and CRF2-receptor stimulation in animal models of panic. <i>Psychoneuroendocrinology</i> , 2014, 49, 321-330.	1.3	16
597	A review of behavioural methods to study emotion and mood in pigs, <i>Sus scrofa</i> . <i>Applied Animal Behaviour Science</i> , 2014, 159, 9-28.	0.8	90
598	Anxiolytic and antidepressant like effects of natural food flavour (E)-methyl isoeugenol. <i>Food and Function</i> , 2014, 5, 1819-1828.	2.1	26
599	Non-linear dose effect relationship in anxiolytic and nootropic activity of lithium carbonate and <i>Nardostachys jatamansi</i> in rats. <i>Oriental Pharmacy and Experimental Medicine</i> , 2014, 14, 357-362.	1.2	1
600	Influence of procedural variables on rat inhibitory avoidance and escape behaviors generated by the elevated T-maze. <i>Behavioural Brain Research</i> , 2014, 273, 45-51.	1.2	7
601	Aversion in the elevated plus-maze: Role of visual and tactile cues. <i>Behavioural Processes</i> , 2014, 107, 106-111.	0.5	19
602	Ondansetron attenuates depression co-morbid with obesity in obese mice subjected to chronic unpredictable mild stress; an approach using behavioral battery tests. <i>Metabolic Brain Disease</i> , 2014, 29, 701-710.	1.4	25

#	ARTICLE	IF	CITATIONS
603	U-shaped relationship between ageing and risk-taking behaviour in a wild-type rodent. <i>Animal Behaviour</i> , 2014, 97, 45-52.	0.8	8
604	Modulation of GABAA Receptor Signaling Increases Neurogenesis and Suppresses Anxiety through NFATc4. <i>Journal of Neuroscience</i> , 2014, 34, 8630-8645.	1.7	39
605	Fluoride exposure during development affects both cognition and emotion in mice. <i>Physiology and Behavior</i> , 2014, 124, 1-7.	1.0	57
606	Discovery of novel anxiolytic agents – The trials and tribulations of pre-clinical models of anxiety. <i>Neurobiology of Disease</i> , 2014, 61, 72-78.	2.1	9
607	Juvenile stress affects anxiety-like behavior and limbic monoamines in adult rats. <i>Physiology and Behavior</i> , 2014, 135, 7-16.	1.0	34
608	Tests of unconditioned anxiety – Pitfalls and disappointments. <i>Physiology and Behavior</i> , 2014, 135, 55-71.	1.0	192
609	Positive effects of the traditional Chinese medicine MLC 901 in cognitive tasks. <i>Journal of Neuroscience Research</i> , 2015, 93, 1648-1663.	1.3	22
610	Lipopolysaccharide exacerbates infarct size and results in worsened post-stroke behavioral outcomes. <i>Behavioral and Brain Functions</i> , 2015, 11, 32.	1.4	36
611	Behavior in the elevated plus maze is differentially affected by testing conditions in rats under and over three weeks of age. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 31.	1.0	28
612	AMPA Receptor–mTOR Activation is Required for the Antidepressant-Like Effects of Sarcosine during the Forced Swim Test in Rats: Insertion of AMPA Receptor may Play a Role. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 162.	1.0	35
613	Long-Term Supplementation with Beta Serum Concentrate (BSC), a Complex of Milk Lipids, during Post-Natal Brain Development Improves Memory in Rats. <i>Nutrients</i> , 2015, 7, 4526-4541.	1.7	33
614	Potential Therapeutic Value of a Novel FAAH Inhibitor for the Treatment of Anxiety. <i>PLoS ONE</i> , 2015, 10, e0137034.	1.1	39
615	Evaluation of the Anxiolytic and Antidepressant Activities of the Aqueous Extract from <i>Camellia euphlebia</i> Merr. ex Sealy in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-8.	0.5	15
616	Effects of chronic cerebral hypoperfusion and low-dose progesterone treatment on apoptotic processes, expression and subcellular localization of key elements within Akt and Erk signaling pathways in rat hippocampus. <i>Neuroscience</i> , 2015, 311, 308-321.	1.1	11
617	Behavioral studies on anxiety and depression in a drug discovery environment: Keys to a successful future. <i>European Journal of Pharmacology</i> , 2015, 753, 158-176.	1.7	17
618	Behavioral effects of citrus limon in rats. <i>Metabolic Brain Disease</i> , 2015, 30, 589-596.	1.4	18
619	Alterations in the Nrf2–Keap1 signaling pathway and its downstream target genes in rat brain under stress. <i>Brain Research</i> , 2015, 1602, 20-31.	1.1	66
620	Effects of chronic administration of fenproporex on cognitive and non-cognitive behaviors. <i>Metabolic Brain Disease</i> , 2015, 30, 583-588.	1.4	1

#	ARTICLE	IF	CITATIONS
621	Head Rotational Acceleration Characteristics Influence Behavioral and Diffusion Tensor Imaging Outcomes Following Concussion. <i>Annals of Biomedical Engineering</i> , 2015, 43, 1071-1088.	1.3	53
622	Effects of Valerianae Radix et Rhizoma extract on psychological stress in mice. <i>Pharmacognosy Magazine</i> , 2015, 11, 381.	0.3	3
623	Behavioural and neurotoxic effects of ayahuasca infusion (<i>Banisteriopsis caapi</i> and <i>Psychotria viridis</i>) in female Wistar rat. <i>Behavioural Processes</i> , 2015, 118, 102-110.	0.5	81
624	Do the effects of prenatal exposure and acute treatment of methamphetamine on anxiety vary depending on the animal model used?. <i>Behavioural Brain Research</i> , 2015, 292, 361-369.	1.2	22
625	Heterozygous L1-deficient mice express an autism-like phenotype. <i>Behavioural Brain Research</i> , 2015, 292, 432-442.	1.2	15
626	Part II: Strain- and sex-specific effects of adolescent exposure to THC on adult brain and behaviour: Variants of learning, anxiety and volumetric estimates. <i>Behavioural Brain Research</i> , 2015, 288, 132-152.	1.2	27
627	The effects of extrinsic stress on somatic markers and behavior are dependent on animal housing conditions. <i>Physiology and Behavior</i> , 2015, 151, 238-245.	1.0	16
628	Anxiety as a neurodevelopmental disorder in a neuronal subpopulation: Evidence from gene expression data. <i>Psychiatry Research</i> , 2015, 228, 729-740.	1.7	15
629	Different physiological and behavioural effects of e-cigarette vapour and cigarette smoke in mice. <i>European Neuropsychopharmacology</i> , 2015, 25, 1775-1786.	0.3	76
630	Pharmacological evaluation of novel 5-HT ₃ receptor antagonist, QCM-13 (N-cyclohexyl-3-methoxyquinoxalin-2-carboxamide) as anti-anxiety agent in behavioral test battery. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2015, 7, 103.	0.2	9
631	Effect of (4a) a novel 5-HT ₃ receptor antagonist on chronic unpredictable mild stress induced depressive-like behavior in mice: an approach using behavioral tests battery. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2015, 26, 25-33.	0.7	9
632	Prenatal stress alters sensitivity to benzodiazepines in adult rats. <i>Neuroscience Letters</i> , 2015, 591, 187-191.	1.0	10
633	Docosahexaenoic acid partially ameliorates deficits in social behavior and ultrasonic vocalizations caused by prenatal ethanol exposure. <i>Behavioural Brain Research</i> , 2015, 286, 201-211.	1.2	43
634	Anxiolytic-like effects of ursolic acid in mice. <i>European Journal of Pharmacology</i> , 2015, 758, 171-176.	1.7	49
635	Transiently lowering tumor necrosis factor- α synthesis ameliorates neuronal cell loss and cognitive impairments induced by minimal traumatic brain injury in mice. <i>Journal of Neuroinflammation</i> , 2015, 12, 45.	3.1	107
636	Impact of Low-Dose Oral Exposure to Bisphenol A (BPA) on Juvenile and Adult Rat Exploratory and Anxiety Behavior: A CLARITY-BPA Consortium Study. <i>Toxicological Sciences</i> , 2015, 148, 341-354.	1.4	59
637	Antidepressant and Anxiolytic Effects of the Methanol Root Extract of <i>Capparis thoningii</i> : Involvement of Monoaminergic, Cholinergic and GABAergic Systems. <i>Drug Research</i> , 2015, 65, 205-213.	0.7	5
638	Maternal Immune Activation Induces Changes in Myelin and Metabolic Proteins, Some of Which Can Be Prevented with Risperidone in Adolescence. <i>Developmental Neuroscience</i> , 2015, 37, 43-55.	1.0	30

#	ARTICLE	IF	CITATIONS
639	Effect of a Hydroalcoholic Extract of Rosa Canina Flowers on Anxiety in Rats. <i>Neurophysiology</i> , 2015, 47, 133-137.	0.2	11
640	Higher detection sensitivity of anxiolytic effects of diazepam by ledge-free open arm with opaque walled closed arm elevated plus maze in male rats. <i>Behavioural Brain Research</i> , 2015, 294, 131-140.	1.2	12
641	Environmental manipulation affects depressive-like behaviours in female Wistar-Kyoto rats. <i>Behavioural Brain Research</i> , 2015, 293, 208-216.	1.2	30
642	Evaluation of neuropharmacological effects of aqueous leaf extract of <i>Albizia glaberrima</i> (Leguminosae) in mice. <i>Journal of Ethnopharmacology</i> , 2015, 160, 101-108.	2.0	26
643	Behavior and Brain Gene Expression Changes in Mice Exposed to Preimplantation and Prenatal Stress. <i>Reproductive Sciences</i> , 2015, 22, 23-30.	1.1	21
644	Behavioral assessment of NIH Swiss mice acutely intoxicated with tetramethylenedisulfotetramine. <i>Neurotoxicology and Teratology</i> , 2015, 47, 36-45.	1.2	38
645	High maternal choline consumption during pregnancy and nursing alleviates deficits in social interaction and improves anxiety-like behaviors in the BTBR T+Itpr3tf/J mouse model of autism. <i>Behavioural Brain Research</i> , 2015, 278, 210-220.	1.2	53
646	A convenient one-pot synthesis and anxietic activity of 3-cyano-2(1H)-iminopyridines and halogen derivatives of benzo[h]chromenes. <i>Arabian Journal of Chemistry</i> , 2016, 9, S901-S906.	2.3	13
647	Behavioral Characterization of the Effects of Cannabis Smoke and Anandamide in Rats. <i>PLoS ONE</i> , 2016, 11, e0153327.	1.1	71
648	Young-Adult Male Rats™ Vulnerability to Chronic Mild Stress Is Reflected by Anxious-Like instead of Depressive-Like Behaviors. <i>Neuroscience Journal</i> , 2016, 2016, 1-12.	2.3	15
649	Concurrence of High Fat Diet and APOE Gene Induces Allele Specific Metabolic and Mental Stress Changes in a Mouse Model of Alzheimer™s Disease. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 170.	1.0	17
650	GluN2B-Containing NMDA Receptors on Adult-Born Granule Cells Contribute to the Antidepressant Action of Fluoxetine. <i>Frontiers in Neuroscience</i> , 2016, 10, 242.	1.4	13
651	Food Deprivation, Body Weight Loss and Anxiety-Related Behavior in Rats. <i>Animals</i> , 2016, 6, 4.	1.0	30
652	Estradiol does not affect spasms in the betamethasone- α -NMDA rat model of infantile spasms. <i>Epilepsia</i> , 2016, 57, 1326-1336.	2.6	15
653	The Effects of 4-Methylethcathinone on Conditioned Place Preference, Locomotor Sensitization, and Anxiety-Like Behavior: A Comparison with Methamphetamine. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv120.	1.0	28
654	Anxiolytic-like effects of leptin on fixed interval responding. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 148, 15-20.	1.3	7
655	Maternal exposure to environmental enrichment before and during gestation influences behaviour of rat offspring in a sex-specific manner. <i>Physiology and Behavior</i> , 2016, 163, 274-287.	1.0	27
656	Potential antidepressant-like properties of the TC G-1008, a GPR39 (zinc receptor) agonist. <i>Journal of Affective Disorders</i> , 2016, 201, 179-184.	2.0	27

#	ARTICLE	IF	CITATIONS
657	Rapamycin blocks the antidepressant effect of ketamine in task-dependent manner. <i>Psychopharmacology</i> , 2016, 233, 2077-2097.	1.5	35
658	Protective effect of <i>Ficus religiosa</i> (L.) against 3-nitropropionic acid induced Huntington disease. <i>Oriental Pharmacy and Experimental Medicine</i> , 2016, 16, 165-174.	1.2	20
659	Evaluation of neuroprotective, anticonvulsant, sedative and anxiolytic activity of citicoline in rats. <i>European Journal of Pharmacology</i> , 2016, 789, 275-279.	1.7	20
660	Preclinical animal anxiety research – flaws and prejudices. <i>Pharmacology Research and Perspectives</i> , 2016, 4, e00223.	1.1	94
661	The genetic absence epilepsy rats from Strasbourg model of absence epilepsy exhibits alterations in fear conditioning and latent inhibition consistent with psychiatric comorbidities in humans. <i>European Journal of Neuroscience</i> , 2016, 43, 25-40.	1.2	31
662	Panic-modulating effects of alprazolam, moclobemide and sumatriptan in the rat elevated T-maze. <i>Behavioural Brain Research</i> , 2016, 315, 115-122.	1.2	4
663	Therapeutic effects of 10-Hz Pulsed wave lasers in rat depression model: A comparison between near-infrared and red wavelengths. <i>Lasers in Surgery and Medicine</i> , 2016, 48, 695-705.	1.1	42
664	Prediction of Post-Concussive Behavioral Changes in a Rodent Model Based on Head Rotational Acceleration Characteristics. <i>Annals of Biomedical Engineering</i> , 2016, 44, 3252-3265.	1.3	8
665	Prenatal SSRI alters the hormonal and behavioral responses to stress in female mice: Possible role for glucocorticoid resistance. <i>Hormones and Behavior</i> , 2016, 84, 41-49.	1.0	24
666	Individual differences in saccharin acceptance predict rats' food intake. <i>Physiology and Behavior</i> , 2016, 164, 151-156.	1.0	7
667	Investigation of rat exploratory behavior via evolving artificial neural networks. <i>Journal of Neuroscience Methods</i> , 2016, 270, 102-110.	1.3	0
668	Alcohol consumption increases locomotion in an open field and induces Fos-immunoreactivity in reward and approach/withdrawal-related neurocircuitries. <i>Alcohol</i> , 2016, 50, 73-82.	0.8	18
669	μ Opioid receptor activation in different brain regions differentially modulates anxiety-related behaviors in mice. <i>Neuropharmacology</i> , 2016, 110, 92-101.	2.0	18
670	Pioglitazone, a PPAR γ agonist rescues depression associated with obesity using chronic unpredictable mild stress model in experimental mice. <i>Neurobiology of Stress</i> , 2016, 3, 114-121.	1.9	28
671	The pilocarpine model of temporal lobe epilepsy: Marked intrasrain differences in female Sprague-Dawley rats and the effect of estrous cycle. <i>Epilepsy and Behavior</i> , 2016, 61, 141-152.	0.9	23
672	Two short-acting kappa opioid receptor antagonists (zyklophin and LY2444296) exhibited different behavioral effects from the long-acting antagonist norbinaltorphimine in mouse anxiety tests. <i>Neuroscience Letters</i> , 2016, 615, 15-20.	1.0	12
673	Assessment of anxiety in open field and elevated plus maze using infrared thermography. <i>Physiology and Behavior</i> , 2016, 157, 209-216.	1.0	52
674	Modulatory effects of the basolateral amygdala α 2-adrenoceptors on nicotine-induced anxiogenic-like behaviours of rats in the elevated plus maze. <i>Neuropharmacology</i> , 2016, 105, 478-486.	2.0	23

#	ARTICLE	IF	CITATIONS
675	Toll-Like Receptor 4 Deficiency Causes Reduced Exploratory Behavior in Mice Under Approach-Avoidance Conflict. <i>Neuroscience Bulletin</i> , 2016, 32, 127-136.	1.5	26
676	Behavioral effects of citrus paradisi in rats. <i>Metabolic Brain Disease</i> , 2016, 31, 329-335.	1.4	5
677	A modified beam-walking apparatus for assessment of anxiety in a rodent model of blast traumatic brain injury. <i>Behavioural Brain Research</i> , 2016, 296, 149-156.	1.2	19
678	Involvement of nitric oxide in anticomulsive-like effect of agmatine on marble-burying behaviour in mice. <i>European Journal of Pharmacology</i> , 2016, 770, 165-171.	1.7	20
679	Ventral hippocampal histamine increases the frequency of evoked theta rhythm but produces anxiolytic-like effects in the elevated plus maze. <i>Neuropharmacology</i> , 2016, 106, 146-155.	2.0	8
680	Hippocampal-dependent neurocognitive impairment following cranial irradiation observed in pre-clinical models: current knowledge and possible future directions. <i>British Journal of Radiology</i> , 2016, 89, 20150762.	1.0	21
681	Medial Septal NMDA Glutamate Receptors are Involved in Modulation of Blood Natural Killer Cell Activity in Rats. <i>Journal of NeuroImmune Pharmacology</i> , 2016, 11, 121-132.	2.1	8
682	Transcranial direct current stimulation (tDCS) reverts behavioral alterations and brainstem BDNF level increase induced by neuropathic pain model: Long-lasting effect. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 64, 44-51.	2.5	39
683	Neurobehavioral toxicity of carbon nanotubes in mice. <i>Toxicology and Industrial Health</i> , 2017, 33, 340-350.	0.6	35
684	Individual and sex differences in high and low responder phenotypes. <i>Behavioural Processes</i> , 2017, 136, 20-27.	0.5	18
685	Novel 5-HT3 receptor antagonist QCM-4 attenuates depressive-like phenotype associated with obesity in high-fat-diet-fed mice. <i>Psychopharmacology</i> , 2017, 234, 1165-1179.	1.5	12
686	Individual differences in fear extinction and anxiety-like behavior. <i>Learning and Memory</i> , 2017, 24, 182-190.	0.5	17
687	Prenatal fluoxetine modifies the behavioral and hormonal responses to stress in male mice: role for glucocorticoid insensitivity. <i>Behavioural Pharmacology</i> , 2017, 28, 345-355.	0.8	9
688	Behavioural outcomes of adult female offspring following maternal stress and perinatal fluoxetine exposure. <i>Behavioural Brain Research</i> , 2017, 331, 84-91.	1.2	24
689	Behaviour, stress and welfare of Sprague Dawley rats (<i>Rattus norvegicus</i>) on diet board feeding for 24 months. <i>Applied Animal Behaviour Science</i> , 2017, 194, 86-94.	0.8	3
690	Evaluation of the neutrophil:lymphocyte ratio as an indicator of chronic distress in the laboratory mouse. <i>Lab Animal</i> , 2017, 46, 303-307.	0.2	36
691	Neuroanatomical pathways underlying the effects of hypothalamo-hypophysial-adrenal hormones on exploratory activity. <i>Reviews in the Neurosciences</i> , 2017, 28, 617-648.	1.4	1
692	Neonatal reflexes and behavior in hypertensive rats of ISIAH strain. <i>Physiology and Behavior</i> , 2017, 175, 22-30.	1.0	6

#	ARTICLE	IF	CITATIONS
693	New insights into early-life stress and behavioral outcomes. <i>Current Opinion in Behavioral Sciences</i> , 2017, 14, 133-139.	2.0	89
694	Effect of prenatal restraint stress and morphine co-administration on plasma vasopressin concentration and anxiety behaviors in adult rat offspring. <i>Stress</i> , 2017, 20, 205-211.	0.8	19
695	Peri-adolescent asthma symptoms cause adult anxiety-related behavior and neurobiological processes in mice. <i>Behavioural Brain Research</i> , 2017, 326, 244-255.	1.2	14
696	Validation of a Portable Low-Power Deep Brain Stimulation Device Through Anxiolytic Effects in a Laboratory Rat Model. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2017, 25, 1365-1374.	2.7	16
697	Chronic Adolescent δ^9 -Tetrahydrocannabinol Treatment of Male Mice Leads to Long-Term Cognitive and Behavioral Dysfunction, Which Are Prevented by Concurrent Cannabidiol Treatment. <i>Cannabis and Cannabinoid Research</i> , 2017, 2, 235-246.	1.5	99
698	Re-exposure to nicotine-associated context from adolescence enhances alcohol intake in adulthood. <i>Scientific Reports</i> , 2017, 7, 2479.	1.6	18
699	Acute Amino Acid α -Serine Administration, Similar to Ketamine, Produces Antidepressant-like Effects through Identical Mechanisms. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 10792-10803.	2.4	27
700	Immediate and delayed hyperbaric oxygen therapy as a neuroprotective treatment for traumatic brain injury in mice. <i>Molecular and Cellular Neurosciences</i> , 2017, 83, 74-82.	1.0	40
701	The relevance of inter- and intrasrain differences in mice and rats and their implications for models of seizures and epilepsy. <i>Epilepsy and Behavior</i> , 2017, 73, 214-235.	0.9	54
702	Antidepressant-like effects of long-term sarcosine treatment in rats with or without chronic unpredictable stress. <i>Behavioural Brain Research</i> , 2017, 316, 1-10.	1.2	24
703	Neuropharmacological and neurochemical evaluation of N-propyl-3-ethoxyquinoxaline-2-carboxamide (6n): a novel serotonergic 5-HT ₃ receptor antagonist for co-morbid antidepressant- and anxiolytic-like potential using traumatic brain injury model in rats. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2017, 28, 93-100.	0.7	11
704	Prenatal stressors in rodents: Effects on behavior. <i>Neurobiology of Stress</i> , 2017, 6, 3-13.	1.9	203
705	Chronic ghrelin treatment reduced photophobia and anxiety-like behaviors in nitroglycerin-induced migraine: role of pituitary adenylate cyclase-activating polypeptide. <i>European Journal of Neuroscience</i> , 2017, 45, 763-772.	1.2	43
706	High Resolution UHPLC-MS Metabolomics and Sedative-Anxiolytic Effects of <i>Latua pubiflora</i> : A Mystic Plant used by Mapuche Amerindians. <i>Frontiers in Pharmacology</i> , 2017, 8, 494.	1.6	5
707	A link between thrifty phenotype and maternal care across two generations of intercrossed mice. <i>PLoS ONE</i> , 2017, 12, e0177954.	1.1	5
708	An elevated plus-maze in mixed reality for studying human anxiety-related behavior. <i>BMC Biology</i> , 2017, 15, 125.	1.7	93
709	Strain Effects on Expression of Seizures and Epilepsy. , 2017, , 21-38.		3
710	Support for Natural Small-Molecule Phenols as Anxiolytics. <i>Molecules</i> , 2017, 22, 2138.	1.7	21

#	ARTICLE	IF	CITATIONS
711	What can kinematics tell us about the affective states of animals?. <i>Animal Welfare</i> , 2017, 26, 383-397.	0.3	18
712	Long-Term Neuroinflammation Induced by Influenza A Virus Infection and the Impact on Hippocampal Neuron Morphology and Function. <i>Journal of Neuroscience</i> , 2018, 38, 3060-3080.	1.7	143
713	Strengthened functional connectivity among LFPs in rat medial prefrontal cortex during anxiety. <i>Behavioural Brain Research</i> , 2018, 349, 130-136.	1.2	2
714	Diazepam fails to alter anxiety-like responses but affects motor function in a white-black test paradigm in larval zebrafish (<i>Danio rerio</i>). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 83, 127-136.	2.5	14
715	Ethological and multi-behavioral analysis of learning and memory performance in laboratory rodent models. <i>Neuroscience Research</i> , 2018, 135, 1-12.	1.0	31
716	Anxiolytic effect of an extract of <i>Salvia miltiorrhiza</i> roots in rats. <i>Journal of the Chinese Medical Association</i> , 2018, 81, 390-397.	0.6	7
717	Low doses of methylmercury intoxication solely or associated to ethanol binge drinking induce psychiatric-like disorders in adolescent female rats. <i>Environmental Toxicology and Pharmacology</i> , 2018, 60, 184-194.	2.0	22
718	Behavioral Animal Model of the Emotional Response to Tinnitus and Hearing Loss. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2018, 19, 67-81.	0.9	17
719	Increased fear learning, spatial learning as well as neophobia in <i>Rgs2</i> mice. <i>Genes, Brain and Behavior</i> , 2018, 17, e12420.	1.1	17
720	Studies into the anxiolytic actions of agomelatine in social isolation reared rats: Role of corticosterone and sex. <i>Journal of Psychopharmacology</i> , 2018, 32, 134-145.	2.0	26
721	Ketogenic Diet Suppresses Alcohol Withdrawal Syndrome in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 270-277.	1.4	29
722	Postnatal separation prevents the development of prenatal stress-induced anxiety in association with changes in oestrogen receptor and oxytocin immunoreactivity in female mandarin vole (<i>Microtus</i>). <i>Open Access Journal of Psychology</i> , 2018, 10, 1-10.	0.7	1
723	The microbial metabolite indole-3-propionic acid improves glucose metabolism in rats, but does not affect behaviour. <i>Archives of Physiology and Biochemistry</i> , 2018, 124, 306-312.	1.0	67
724	In search of stress odours across species: Behavioural responses of rats to faeces from chickens and rats subjected to various types of stressful events. <i>Applied Animal Behaviour Science</i> , 2018, 205, 216-226.	0.8	8
725	Kainate receptor mediated presynaptic LTP in agranular insular cortex contributes to fear and anxiety in mice. <i>Neuropharmacology</i> , 2018, 128, 388-400.	2.0	9
726	Seizure vulnerability and anxiety responses following chronic co-administration and acute withdrawal of caffeine and ethanol in a rat model. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2018, 29, 1-10.	0.7	7
727	Potentiation of Glutamatergic Synaptic Transmission Onto Dorsal Raphe Serotonergic Neurons in the Valproic Acid Model of Autism. <i>Frontiers in Pharmacology</i> , 2018, 9, 1185.	1.6	19
728	Imepitoin Shows Benzodiazepine-Like Effects in Models of Anxiety. <i>Frontiers in Pharmacology</i> , 2018, 9, 1225.	1.6	10

#	ARTICLE	IF	CITATIONS
729	Gastrodin Rescues Autistic-Like Phenotypes in Valproic Acid-Induced Animal Model. <i>Frontiers in Neurology</i> , 2018, 9, 1052.	1.1	16
730	The Acute Post-Traumatic Period in Rats Is Accompanied by an Anxiety State and a Decrease in the Proportion of REM Sleep. <i>Neuroscience and Behavioral Physiology</i> , 2018, 48, 785-795.	0.2	2
731	New Insights on Emotional Contributions to Human Postural Control. <i>Frontiers in Neurology</i> , 2018, 9, 789.	1.1	77
732	Activity Dependent Mammalian Target of Rapamycin Pathway and Brain Derived Neurotrophic Factor Release is Required for the Rapid Antidepressant Effects of Puerarin. <i>The American Journal of Chinese Medicine</i> , 2018, 46, 1519-1534.	1.5	6
733	Continuous Exposure to Inorganic Mercury Affects Neurobehavioral and Physiological Parameters in Mice. <i>Journal of Molecular Neuroscience</i> , 2018, 66, 291-305.	1.1	14
734	Asthma Induction During Development and Adult Lung Function, Behavior and Brain Gene Expression. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 188.	1.0	12
735	Behavioral Effects of Acute Systemic Low-Dose Clozapine in Wild-Type Rats: Implications for the Use of DREADDs in Behavioral Neuroscience. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 173.	1.0	59
736	Predictors of social instability stress effects on social interaction and anxiety in adolescent male rats. <i>Developmental Psychobiology</i> , 2018, 60, 651-663.	0.9	18
737	Testing Animal Anxiety in Rats: Effects of Open Arm Ledges and Closed Arm Wall Transparency in Elevated Plus Maze Test. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	8
738	Î²2-microglobulin induces depressive- and anxiety-like behaviors in rat. <i>PLoS ONE</i> , 2018, 13, e0198027.	1.1	7
739	Genetically Epilepsy-Prone Rats Display Anxiety-Like Behaviors and Neuropsychiatric Comorbidities of Epilepsy. <i>Frontiers in Neurology</i> , 2018, 9, 476.	1.1	38
740	The Histamine H3 Receptor Antagonist DL77 Ameliorates MK801-Induced Memory Deficits in Rats. <i>Frontiers in Neuroscience</i> , 2018, 12, 42.	1.4	25
741	Cognitive Bias in Zoo Animals: An Optimistic Outlook for Welfare Assessment. <i>Animals</i> , 2018, 8, 104.	1.0	31
742	The adhesion molecule cadherin 11 is essential for acquisition of normal hearing ability through middle ear development in the mouse. <i>Laboratory Investigation</i> , 2018, 98, 1364-1374.	1.7	9
743	Novel behavioral assays of spontaneous and precipitated THC withdrawal in mice. <i>Drug and Alcohol Dependence</i> , 2018, 191, 14-24.	1.6	26
744	Effect of repeated juvenile exposure to Î”9-tetrahydrocannabinol on anxiety-related behavior and social interactions in adolescent rats. <i>Neurotoxicology and Teratology</i> , 2018, 69, 11-20.	1.2	8
745	Maternal High-fat Diet Programs Offspring Emotional Behavior in Adulthood. <i>Neuroscience</i> , 2018, 388, 87-101.	1.1	63
746	Neonatal immune activation by lipopolysaccharide causes inadequate emotional responses to novel situations but no changes in anxiety or cognitive behavior in Wistar rats. <i>Behavioural Brain Research</i> , 2018, 349, 42-53.	1.2	8

#	ARTICLE	IF	CITATIONS
747	Behavioral Outcome as a Primary Organizing Principle for Mechanistic Data in Developmental Neurotoxicity. , 2018, , 337-347.		1
748	Social approach, anxiety, and altered tryptophan hydroxylase 2 activity in juvenile BALB/c and C57BL/6J mice. Behavioural Brain Research, 2019, 359, 918-926.	1.2	11
749	Relationship between behavioral measures of anxiety and latent inhibition in mature rats. Learning and Behavior, 2019, 47, 59-65.	0.5	0
750	Animal Models of Neurotrauma. Neuromethods, 2019, , .	0.2	1
751	Clinically Relevant Outcome Measures for Experimental Traumatic Brain Injury (TBI) Studies. Neuromethods, 2019, , 263-294.	0.2	0
752	Fasudil or genetic depletion of ROCK1 or ROCK2 induces anxiety-like behaviors. Behavioural Brain Research, 2019, 373, 112083.	1.2	15
753	Sex differences in reward- and punishment-guided actions. Cognitive, Affective and Behavioral Neuroscience, 2019, 19, 1404-1417.	1.0	44
754	Postweaning Iron Deficiency in Male Rats Leads to Long-Term Hyperactivity and Decreased Reelin Gene Expression in the Nucleus Accumbens. Journal of Nutrition, 2019, 150, 212-221.	1.3	3
755	Insect Defoliators in Recovering Industrial Landscapes: Effects of Landscape Degradation and Remediation Near an Abandoned Metal Smelter on Gypsy Moth (Lepidoptera: Lymantriidae) Feeding, Frass Production, and Frass Properties. Environmental Entomology, 2019, 48, 1187-1196.	0.7	5
756	Minimum Information in In Vivo Research. Handbook of Experimental Pharmacology, 2019, 257, 197-222.	0.9	2
757	Sex-specific behavioral effects following developmental exposure to tetrabromobisphenol A (TBBPA) in Wistar rats. NeuroToxicology, 2019, 75, 136-147.	1.4	19
758	Sexually Dimorphic Vasopressin Cells Modulate Social Investigation and Communication in Sex-Specific Ways. ENeuro, 2019, 6, ENEURO.0415-18.2019.	0.9	41
759	Activation and blockade of dorsal hippocampal Serotonin₆ receptors regulate anxiety-like behaviors in a unilateral 6-hydroxydopamine rat model of Parkinsonâ€™s disease. Neurological Research, 2019, 41, 791-801.	0.6	15
760	Short-term, low-dose fluoxetine prevents oestrous cycle-linked increase in anxiety-like behaviour in female rats. Journal of Psychopharmacology, 2019, 33, 548-557.	2.0	19
761	<p>Histamine H3 receptor antagonist E177 attenuates amnesia induced by dizocilpine without modulation of anxiety-like behaviors in rats</p>. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 531-542.	1.0	14
762	Gabapentin increases expression of Î³ subunit-containing GABAA receptors. EBioMedicine, 2019, 42, 203-213.	2.7	33
763	Social isolation rearing-induced anxiety and response to agomelatine in male and female rats: Role of corticosterone, oxytocin, and vasopressin. Journal of Psychopharmacology, 2019, 33, 640-646.	2.0	33
764	FTO affects hippocampal function by regulation of BDNF processing. PLoS ONE, 2019, 14, e0211937.	1.1	38

#	ARTICLE	IF	CITATIONS
765	Effects of N-ethylpentylone on locomotor activity and anxiety-like behavior in rats. <i>Behavioural Pharmacology</i> , 2019, 30, 500-505.	0.8	12
766	Anxiolytic activity of paraoxon is associated with alterations in rat brain glutamatergic system. <i>Neurotoxicology and Teratology</i> , 2019, 71, 32-40.	1.2	8
767	The T-type calcium channel antagonist, Z944, alters social behavior in Genetic Absence Epilepsy Rats from Strasbourg. <i>Behavioural Brain Research</i> , 2019, 361, 54-64.	1.2	18
768	Intraischemic Modest Hypothermia Does Not Prevent Onset of Locomotor Inactivity After Transient Forebrain Ischemia in Rats. <i>Therapeutic Hypothermia and Temperature Management</i> , 2019, 9, 197-203.	0.3	0
769	Grandmaternal high-fat diet primed anxiety-like behaviour in the second-generation female offspring. <i>Behavioural Brain Research</i> , 2019, 359, 47-55.	1.2	44
770	Role of corticosterone in anxiety- and depressive-like behavior and HPA regulation following prenatal alcohol exposure. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 90, 1-15.	2.5	12
771	Aphrodisiac effect of <i>Hunteria umbellata</i> seed extract: Modulation of nitric oxide level and arginase activity in vivo. <i>Pathophysiology</i> , 2019, 26, 39-47.	1.0	14
772	Social behavior effects of diphenyl dimethyl bicarboxylate (DDB) in the sensory contact model. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 313-326.	1.4	2
773	Early life stress leads to sex differences in development of depressive-like outcomes in a mouse model. <i>Neuropsychopharmacology</i> , 2019, 44, 711-720.	2.8	164
774	Gephyrin Palmitoylation in Basolateral Amygdala Mediates the Anxiolytic Action of Benzodiazepine. <i>Biological Psychiatry</i> , 2019, 85, 202-213.	0.7	17
775	Protective action of <i>Grewia asiatica</i> (phalsa) berries against scopolamine-induced deficit in learning and memory using behavior paradigms in rats. <i>Advances in Traditional Medicine</i> , 2020, 20, 243-253.	1.0	6
776	Blockade of the cholecystokinin CCK-2 receptor prevents the normalization of anxiety levels in the rat. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 96, 109761.	2.5	12
777	Effects of chronic intermittent ethanol exposure during early and late adolescence on anxiety-like behaviors and behavioral flexibility in adulthood. <i>Behavioural Brain Research</i> , 2020, 378, 112292.	1.2	61
778	Transgenic Mouse. <i>Methods in Molecular Biology</i> , 2020, , .	0.4	2
779	Finding intestinal fortitude: Integrating the microbiome into a holistic view of depression mechanisms, treatment, and resilience. <i>Neurobiology of Disease</i> , 2020, 135, 104578.	2.1	38
780	Deleterious effects of chronic mercury exposure on in vitro LTP, memory process, and oxidative stress. <i>Environmental Science and Pollution Research</i> , 2020, 27, 7559-7569.	2.7	10
781	Role of endocannabinoid signaling in a septohabenular pathway in the regulation of anxiety- and depressive-like behavior. <i>Molecular Psychiatry</i> , 2021, 26, 3178-3191.	4.1	26
782	Dietary supplementation with <i>Lactobacillus rhamnosus</i> JB-1 restores brain neurochemical balance and mitigates the progression of mood disorder in a rat model of chronic unpredictable mild stress. <i>Nutrition Research</i> , 2020, 82, 44-57.	1.3	27

#	ARTICLE	IF	CITATIONS
783	Corticotropin-releasing factor infusion in the bed nucleus of the stria terminalis of lactating mice alters maternal care and induces behavioural phenotypes in offspring. <i>Scientific Reports</i> , 2020, 10, 19985.	1.6	4
784	Deep learning-based behavioral analysis reaches human accuracy and is capable of outperforming commercial solutions. <i>Neuropsychopharmacology</i> , 2020, 45, 1942-1952.	2.8	107
785	Vendor differences in anxiety-like behaviors in female and male Sprague Dawley rats. <i>Physiology and Behavior</i> , 2020, 227, 113131.	1.0	14
786	The anxiolytic effect of perampanel and possible mechanisms mediating its anxiolytic effect in mice. <i>Life Sciences</i> , 2020, 261, 118359.	2.0	10
787	Langkat virus infection affects hippocampal neuron morphology and function in mice without disease signs. <i>Journal of Neuroinflammation</i> , 2020, 17, 278.	3.1	14
788	Benefits of tunnel handling persist after repeated restraint, injection and anaesthesia. <i>Scientific Reports</i> , 2020, 10, 14562.	1.6	26
789	Selenium Restores Synaptic Deficits by Modulating NMDA Receptors and Selenoprotein K in an Alzheimer's Disease Model. <i>Antioxidants and Redox Signaling</i> , 2021, 35, 863-884.	2.5	28
790	Persistent cognitive and affective alterations at late withdrawal stages after long-term intermittent exposure to tobacco smoke or electronic cigarette vapour: Behavioural changes and their neurochemical correlates. <i>Pharmacological Research</i> , 2020, 158, 104941.	3.1	12
791	Blockade of the endovanilloid receptor, TRPV1, and of the endocannabinoid enzyme, FAAH, within the nucleus accumbens shell elicits anxiolytic-like effects in male rats. <i>Neuroscience Letters</i> , 2020, 732, 135023.	1.0	1
792	Red-hot chili receptors: A systematic review of TRPV1 antagonism in animal models of psychiatric disorders and addiction. <i>Behavioural Brain Research</i> , 2020, 393, 112734.	1.2	5
793	Control of landing under conditions of height-induced threat. <i>European Journal of Applied Physiology</i> , 2020, 120, 1827-1839.	1.2	3
794	Chronic mild stress alters synaptic plasticity in the nucleus accumbens through GSK3 β -dependent modulation of Kv4.2 channels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8143-8153.	3.3	30
795	Intracerebroventricular administration of N-type calcium channel blocker ziconotide displays anticonvulsant, anxiolytic, and sedative effects in rats: A preclinical and pilot study. <i>Epilepsy and Behavior</i> , 2020, 111, 107251.	0.9	10
796	Lineage- and Sex-Dependent Behavioral and Biochemical Transgenerational Consequences of Developmental Exposure to Lead, Prenatal Stress, and Combined Lead and Prenatal Stress in Mice. <i>Environmental Health Perspectives</i> , 2020, 128, 27001.	2.8	27
797	Roles of Akt and ERK in mTOR-Dependent Antidepressant Effects of Vanillic Acid. <i>ACS Omega</i> , 2020, 5, 3709-3716.	1.6	22
798	Involvement of the gabaergic, serotonergic and glucocorticoid mechanism in the anxiolytic-like effect of mastoparan-L. <i>Neuropeptides</i> , 2020, 81, 102027.	0.9	4
799	Inhibition of fatty acid amide hydrolase by chlorpyrifos in juvenile rats results in altered exploratory and social behavior as adolescents. <i>NeuroToxicology</i> , 2020, 77, 127-136.	1.4	23
800	Podoplanin Gene Disruption in Mice Promotes in vivo Neural Progenitor Cells Proliferation, Selectively Impairs Dentate Gyrus Synaptic Depression and Induces Anxiety-Like Behaviors. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 561.	1.8	7

#	ARTICLE	IF	CITATIONS
801	Acute administration of perampanel, an AMPA receptor antagonist, reduces cognitive impairments after traumatic brain injury in rats. <i>Experimental Neurology</i> , 2020, 327, 113222.	2.0	6
802	Adolescent Ethanol Exposure: Anxiety-Like Behavioral Alterations, Ethanol Intake, and Sensitivity. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 45.	1.0	21
803	Repetitive Mild Traumatic Brain Injury and Transcription Factor Modulation. <i>Journal of Neurotrauma</i> , 2020, 37, 1910-1917.	1.7	9
804	Inhaled corticosteroids as treatment for adolescent asthma: effects on adult anxiety-related outcomes in a murine model. <i>Psychopharmacology</i> , 2021, 238, 165-179.	1.5	3
805	Familiarization effects on the behavioral disinhibition of the cerebellar Lurcher mutant mice: use of the innovative Dual Maze. <i>Behavioural Brain Research</i> , 2021, 398, 112972.	1.2	8
806	Removal of vasopressin cells from the paraventricular nucleus of the hypothalamus enhances lipopolysaccharide-induced sickness behaviour in mice. <i>Journal of Neuroendocrinology</i> , 2021, 33, e12915.	1.2	4
807	Effects of test experience, closed-arm wall color, and illumination level on behavior and plasma corticosterone response in an elevated plus maze in male C57BL/6J mice: a challenge against conventional interpretation of the test. <i>Molecular Brain</i> , 2021, 14, 34.	1.3	35
808	The brain 3 β -HSD up-regulation in response to deteriorating effects of background emotional stress: an animal model of multiple sclerosis. <i>Metabolic Brain Disease</i> , 2021, 36, 1253-1258.	1.4	2
809	Behavioral Alterations and Decreased Number of Parvalbumin-Positive Interneurons in Wistar Rats after Maternal Immune Activation by Lipopolysaccharide: Sex Matters. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3274.	1.8	20
810	Behavioral characteristics as potential biomarkers of the development and phenotype of epilepsy in a rat model of temporal lobe epilepsy. <i>Scientific Reports</i> , 2021, 11, 8665.	1.6	14
811	Effects of Acrophobic Fear and Trait Anxiety on Human Behavior in a Virtual Elevated Plus-Maze. <i>Frontiers in Virtual Reality</i> , 2021, 2, .	2.5	4
812	Effects of sub-chronic caffeine ingestion on memory and the hippocampal Akt, GSK-3 β and ERK signaling in mice. <i>Brain Research Bulletin</i> , 2021, 170, 137-145.	1.4	8
813	Sex differences in the elevated plus-maze test and large open field test in adult Wistar rats. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 204, 173168.	1.3	99
814	Ceftriaxone Reduces Waterpipe Tobacco Smoke Withdrawal-induced Anxiety in rats via Modulating the Expression of TNF- α /NF- κ B, Nrf2, and GLT-1. <i>Neuroscience</i> , 2021, 463, 128-142.	1.1	18
815	Involvement of GABA $_A$ Receptors in the Anxiolytic-Like Effect of Hydroxycitronellal. <i>BioMed Research International</i> , 2021, 2021, 1-17.	0.9	9
816	Antidepressant-Like Properties of Intrastratial Botulinum Neurotoxin-A Injection in a Unilateral 6-OHDA Rat Model of Parkinson's Disease. <i>Toxins</i> , 2021, 13, 505.	1.5	9
817	Behavioral alterations, brain oxidative stress, and elevated levels of corticosterone associated with a pressure injury model in male mice. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2021, .	0.7	2
818	Arhgap22 Disruption Leads to RAC1 Hyperactivity Affecting Hippocampal Glutamatergic Synapses and Cognition in Mice. <i>Molecular Neurobiology</i> , 2021, 58, 6092-6110.	1.9	4

#	ARTICLE	IF	CITATIONS
819	Effects of Heavy Metal Toxicity on Anxiety Disorder. Journal of Biomedical Research & Environmental Sciences, 2021, 2, 660-668.	0.1	0
820	Quantification of brainstem norepinephrine relative to vocal impairment and anxiety in the Pink1 ^{-/-} rat model of Parkinson disease. Behavioural Brain Research, 2021, 414, 113514.	1.2	19
821	Saturation transfer MRI is sensitive to neurochemical changes in the rat brain due to chronic unpredictable mild stress. Scientific Reports, 2021, 11, 19040.	1.6	0
822	Role of the reuniens and rhomboid thalamic nuclei in anxiety-like avoidance behavior in the rat. Hippocampus, 2021, 31, 756-769.	0.9	15
823	Tests for Anxiety-Related Behavior in Mice. Current Protocols in Mouse Biology, 2015, 5, 291-309.	1.2	38
824	The Septal Complex as Seen Through the Context of Fear. , 2000, , 234-269.		6
825	The Septum and Anxiety. , 2000, , 210-233.		8
826	Strategies for Behaviorally Phenotyping the Transgenic Mouse. Methods in Molecular Biology, 2020, 2066, 171-194.	0.4	2
827	The Mouse Light-Dark Box Test. Neuromethods, 2009, , 197-223.	0.2	16
828	Using the Elevated Plus Maze as a Bioassay to Assess the Effects of Naturally Occurring and Exogenously Administered Compounds to Influence Anxiety-Related Behaviors of Mice. Neuromethods, 2009, , 225-246.	0.2	5
829	Neuropeptide Y and Its Receptor Subtypes in the Central Nervous System: Emphasis on Their Role in Animal Models of Psychiatric Disorders. Handbook of Experimental Pharmacology, 2004, , 101-136.	0.9	9
830	Behavioral Effects of Neuropeptide Y. Handbook of Experimental Pharmacology, 2004, , 251-282.	0.9	1
831	Parent-of-origin effects on schizophrenia-relevant behaviours of type III neuregulin 1 mutant mice. Behavioural Brain Research, 2017, 332, 250-258.	1.2	5
832	Differential role of the medial and lateral prefrontal cortices in fear and anxiety. Behavioral Neuroscience, 2000, 114, 1119-30.	0.6	64
833	Anxiolytic effects of cytotoxic hippocampal lesions in rats. Behavioral Neuroscience, 2002, 116, 494-7.	0.6	58
834	Double dissociation of function within the hippocampus: spatial memory and hyponeophagia. Behavioral Neuroscience, 2002, 116, 884-901.	0.6	141
835	Animal models of anxiety.. , 2003, , 425-441.		8
836	A new anxiety test for zebrafish: Plus maze with ramp.. Psychology and Neuroscience, 2016, 9, 457-464.	0.5	7

#	ARTICLE	IF	CITATIONS
837	5-HT1A receptor and 5-HT1B receptor knockout mice in stress and anxiety paradigms. <i>Behavioural Pharmacology</i> , 2003, 14, 369-83.	0.8	56
840	Assessing the Neurobehavioral Effects of Early Toxicant Exposure. , 2006, , 415-445.		2
841	Enriched Environment Experience Overcomes Learning Deficits and Depressive-Like Behavior Induced by Juvenile Stress. <i>PLoS ONE</i> , 2009, 4, e4329.	1.1	91
842	High-Anxious Individuals Show Increased Chronic Stress Burden, Decreased Protective Immunity, and Increased Cancer Progression in a Mouse Model of Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2012, 7, e33069.	1.1	57
843	Loop Diuretics Have Anxiolytic Effects in Rat Models of Conditioned Anxiety. <i>PLoS ONE</i> , 2012, 7, e35417.	1.1	24
844	Gut Microbiota Composition Is Correlated to Grid Floor Induced Stress and Behavior in the BALB/c Mouse. <i>PLoS ONE</i> , 2012, 7, e46231.	1.1	254
845	Short and Long Term Measures of Anxiety Exhibit Opposite Results. <i>PLoS ONE</i> , 2012, 7, e48414.	1.1	35
846	Genetic Deficiency in Neprilysin or Its Pharmacological Inhibition Initiate Excessive Stress-Induced Alcohol Consumption in Mice. <i>PLoS ONE</i> , 2012, 7, e50187.	1.1	4
847	An Exploration Based Cognitive Bias Test for Mice: Effects of Handling Method and Stereotypic Behaviour. <i>PLoS ONE</i> , 2015, 10, e0130718.	1.1	33
848	Anxiogenic Effect of Low-dose Methamphetamine in the Test of Elevated Plus-maze. <i>Prague Medical Report</i> , 2012, 113, 223-230.	0.4	21
849	Dose dependent effects of serotonergic agents on anxiety. <i>Acta Physiologica Hungarica</i> , 2014, 101, 479-487.	0.9	7
850	O papel da visÃ£o na aversÃ£o aos espaÃ§os abertos no labirinto em cruz elevado. <i>Psicologia USP</i> , 2006, 17, 159-174.	0.1	2
851	Anxiolytic Effect of <i>Ocimum basilicum</i> Extract in Rats Tested by Elevated Plus-Maze Task. <i>Avicenna Journal of Neuro Psycho Physiology</i> , 2015, 2, .	0.1	1
852	Different behavioral effects of maprotiline and fluxilan in rats. <i>Archives of Biological Sciences</i> , 2008, 60, 33-39.	0.2	6
853	Experimental animal models for the simulation of depression and anxiety. <i>Dialogues in Clinical Neuroscience</i> , 2006, 8, 323-333.	1.8	56
854	Amelioration of immobilization stress-induced biochemical and behavioral alterations and mitochondrial dysfunction by naringin in mice: possible mechanism of nitric oxide modulation. <i>Zhong Xi Yi Jie He Xue Bao</i> , 2011, 9, 1254-1263.	0.7	7
855	Efficacy of Curcumin in the Modulation of Anxiety Provoked by Sulfite, a Food Preservative, in Rats. <i>Preventive Nutrition and Food Science</i> , 2017, 22, 144-148.	0.7	7
856	Preference for the light compartment of a light/dark cage does not affect rat exploratory behavior in the elevated plus-maze.. <i>Psychology and Neuroscience</i> , 2008, 1, 73-80.	0.5	2

#	ARTICLE	IF	CITATIONS
857	Antidepressant-like effects of an apolar extract and chow enriched with <i>Nepeta cataria</i> (catnip) in mice.. <i>Psychology and Neuroscience</i> , 2010, 3, 251-258.	0.5	9
858	Neonatal lipopolysaccharide exposure induces sexually dimorphic sickness behavior in adult rats.. <i>Psychology and Neuroscience</i> , 2014, 7, 113-123.	0.5	12
859	Enhancement of Anxiety and Modulation of TH and pERK Expressions in Amygdala by Repeated Injections of Corticosterone. <i>Biomolecules and Therapeutics</i> , 2012, 20, 418-424.	1.1	16
860	Predator stress-induced depression is associated with inhibition of hippocampal neurogenesis in adult male mice. <i>Neural Regeneration Research</i> , 2019, 14, 298.	1.6	22
861	Argan Oil Supplementation Reverses Anxiety and Depressive-Like Behaviors, Neurodegeneration and Oxidative Stress in Amygdala Induced by Chronic Mild Stress in Rats. <i>Journal of Depression & Anxiety</i> , 2018, 07, .	0.1	3
862	Anxiolytic activity of <i>Tribulus terrestris</i> on elevated plus maze. <i>Journal of Applied Pharmaceutical Science</i> , 0, , 126-128.	0.7	2
863	A Review of Behavioral Tests to Evaluate Different Types of Anxiety and Anti-anxiety Effects. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 341-351.	0.9	81
864	Elevated Plus Maze and Y-Maze Behavioral Effects of Subchronic, Oral Low Dose Monosodium Glutamate in Swiss Albino Mice. <i>IOSR Journal of Pharmacy and Biological Sciences</i> , 2012, 3, 21-27.	0.1	21
865	Lack of neuropeptide FF signalling in mice leads to reduced repetitive behavior, altered drinking behavior, and fuel type selection. <i>FASEB Journal</i> , 2021, 35, e21980.	0.2	14
866	Social Instability Stress in Adolescence and Social Interaction in Female Rats. <i>Neuroscience</i> , 2021, 477, 1-13.	1.1	10
867	Laboratory models of anxiety. , 2002, , 249-286.		0
869	The Endocannabinoid System in the Liver. , 2008, , 187-192.		0
871	Modeling Mouse Anxiety and Sensorimotor Integration: Neurobehavioral Phenotypes in the Suok Test. <i>Neuromethods</i> , 2011, , 61-81.	0.2	0
872	Tiermodelle für Angststörungen. , 2012, , 259-264.		0
873	Animal Models in Addiction Research. , 2012, , 73-93.		2
874	A Model Based on Genetic Algorithm for Investigation of the Behavior of Rats in the Elevated Plus-Maze. <i>Lecture Notes in Computer Science</i> , 2012, , 151-158.	1.0	4
876	The Effect of Samul-tanggahyangbujja on Anti-Depressive Behavior and Immunity. <i>The Journal of Korean Obstetrics and Gynecology</i> , 2013, 26, 14-29.	0.4	1
877	TESTE DE CONSTRIÇÃO ABDOMINAL NÃO APRESENTA EFEITO SOBRE O COMPORTAMENTO EXPLORATÓRIO DE CAMUNDONGOS ALBINOS (<i>Mus musculus</i>) NO LABIRINTO EM CRUZ ELEVADO. <i>Revista Da Universidade Vale Do Rio Verde</i> , 2014, , .	0.1	1

#	ARTICLE	IF	CITATIONS
878	Neurobehavioral Assessment Models. , 2014, , 85-91.		0
879	Effects of N-stearoylethanolamine on the emotionality and learning ability of rats. Fiziologichnyi Zhurnal (Kiev, Ukraine: 1994), 2014, 60, 52-61.	0.1	0
880	Modelos animales de miedo y ansiedad: descripciones neuro-conductuales. Actualidades En Psicología: AP, 2014, 28, 1-12.	0.5	1
881	Maternal deprivation of rat pups reduces body weight and alters behavior in adulthood in a gender-specific manner. Archives of Biological Sciences, 2015, 67, 131-138.	0.2	1
882	Differential Effect of Unilateral Amygdalar GABA<sub>A</sub> Receptor Agonist Injection on Low- and High-Anxiety Rats. Journal of Behavioral and Brain Science, 2016, 06, 9-18.	0.2	0
883	Tests for Anxiolytic Activity. , 2017, , 1-173.		0
885	Behavioral Methods to Study the Impact of Receptor"Receptor Interactions in Fear and Anxiety. Neuromethods, 2018, , 109-131.	0.2	0
887	Pomegranate juice attenuates neurotoxicity and histopathological changes of the nervous system induced by aluminum in mice. Phytotherapie, 2018, 16, 133-141.	0.1	5
888	MODERN METHODS OF ANXIETY ASSESSMENT of RODENTS BY TESTS BASED ON UNCONDITIONal BEHAVIOR MODELS. Kuban Scientific Medical Bulletin, 2018, 25, 171-176.	0.1	4
889	EFEITOS DA RESTRI˜O H˜DRICA E ALIMENTAR SOBRE A CORTICOSTERONA S˜RICA E A ANSIEDADE DE RATOS WISTAR. Colloquium Vitae, 2019, 11, 12-21.	0.1	0
890	Effects of particulate matter under behavioral, hematological and biochemical parameters in Wistar rats. Anales De Biolog&aa, 2020, , 95-104.	0.2	0
891	Manipulation of vocal communication and anxiety through pharmacologic modulation of norepinephrine in the Pink1-/- rat model of Parkinson disease. Behavioural Brain Research, 2022, 418, 113642.	1.2	13
892	The Effect of Memantine Administration on Anxiety Maintenance in Stressed Male Wistar Rats. Iranian Journal of Psychiatry and Behavioral Sciences, 2020, 13, .	0.1	0
893	Chemical composition and anxiolytic evaluation of Achillea Wilhelmsii C. Koch essential oil in rat. Research in Pharmaceutical Sciences, 2013, 8, 269-75.	0.6	16
894	Synthesis and evaluation of the anxiolytic activity of some phthalimide derivatives in mice model of anxiety. Iranian Journal of Pharmaceutical Research, 2012, 11, 109-15.	0.3	5
895	Anxiolytic-like effect of ethanolic extract of Argemone mexicana and its alkaloids in Wistar rats. Avicenna Journal of Phytomedicine, 2016, 6, 476-88.	0.1	4
896	Anxiolytic-Like and Sedative Effects of (Boiss.) Alef. Flower Extract in the Laboratory Rat. Iranian Journal of Pharmaceutical Research, 2017, 16, 1495-1508.	0.3	4
897	Evaluation of Anxiolytic and Antidepressant-like Activity of Aqueous Leaf Extract of ÄLinn. in Mice. Iranian Journal of Pharmaceutical Research, 2018, 17, 613-626.	0.3	13

#	ARTICLE	IF	CITATIONS
898	Neurobehavioral responses in swiss albino mice induced by an aqueous leaf extract from a medicinal plant named <i>Heliotropium incanum</i> Ruiz & Pav. <i>Bioinformation</i> , 2020, 16, 679-687.	0.2	0
899	Conditional deletion of ROCK2 induces anxiety-like behaviors and alters dendritic spine density and morphology on CA1 pyramidal neurons. <i>Molecular Brain</i> , 2021, 14, 169.	1.3	4
901	Long-term Effects of Maternal Separation on Anxiety-Like Behavior and Neuroendocrine Parameters in Adult Balb/c Mice. <i>Chronic Stress</i> , 2021, 5, 247054702110671.	1.7	14
902	Neurobehavioral responses in swiss albino mice induced by an aqueous leaf extract from a medicinal plant named <i>Heliotropium incanum</i> ruiz & pav.. <i>Bioinformation</i> , 2020, 16, 679.	0.2	3
903	Exogenous polyserine and polyleucine are toxic to recipient cells. <i>Scientific Reports</i> , 2022, 12, 1685.	1.6	6
904	Lateral hypothalamic galanin neurons are activated by stress and blunt anxiety-like behavior in mice. <i>Behavioural Brain Research</i> , 2022, 423, 113773.	1.2	4
905	Dietary Conjugated Linoleic Acid Reduces Body Weight and Fat in Snord116m+/p+ and Snord116m-/p+ Mouse Models of Prader-Willi Syndrome. <i>Nutrients</i> , 2022, 14, 860.	1.7	1
906	Behavioral tests for evaluating the characteristics of brain diseases in rodent models: Optimal choices for improved outcomes (Review). <i>Molecular Medicine Reports</i> , 2022, 25, .	1.1	3
907	Commonly-used rodent tests of anxiety-like behavior lack predictive validity for human sex differences. <i>Psychoneuroendocrinology</i> , 2022, 141, 105733.	1.3	19
912	<i>Behavioral Neuropharmacology</i> . , 2008, , 369-372.		0
915	<i>Experimental Research</i> . , 0, , 923-949.		0
916	Social Deficits and Cerebellar Degeneration in Purkinje Cell Scn8a Knockout Mice. <i>Frontiers in Molecular Neuroscience</i> , 2022, 15, 822129.	1.4	2
917	Early Life Exposure to a Diet With a Supramolecular Lipid Structure Close to That of Mammalian Milk Improves Early Life Growth, Skeletal Development, and Later Life Neurocognitive Function in Individually and Socially Housed Male C57BL/6J Mice. <i>Frontiers in Neuroscience</i> , 2022, 16, 838711.	1.4	4
918	Spinal Cord Injury Causes Prominent Tau Pathology Associated with Brain Post-Injury Sequela. <i>Molecular Neurobiology</i> , 2022, 59, 4197-4208.	1.9	2
919	Sex-specific role of sensory neuron LKB1 on metabolic stress-induced mechanical hypersensitivity and mitochondrial respiration. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2022, 323, R227-R243.	0.9	2
920	Continuous Ingestion of <i>Lactobacillus rhamnosus</i> JB-1 during Chronic Stress Ensures Neurometabolic and Behavioural Stability in Rats. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5173.	1.8	7
921	Maturational and gender differences in rodent escape strategies: Possible implications for preclinical models of anxiety. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1999, 27, 513-520.	1.2	5
922	Behavioral effects and inflammatory markers in the brain and periphery after repeated social defeat stress burdened by <i>Opisthorchis felinus</i> infection in mice. <i>Physiology and Behavior</i> , 2022, , 113846.	1.0	1

#	ARTICLE	IF	CITATIONS
923	Blockade of the mineralocorticoid receptors in the medial prefrontal cortex prevents the acquisition of one-trial tolerance in mice. <i>Behavioural Brain Research</i> , 2022, , 113938.	1.2	0
924	Dual pH and Temperature-Sensitive Nanogels Loaded with Eugenol for Regulating Central Nervous System. <i>Journal of Biomedical Nanotechnology</i> , 2022, 18, 860-867.	0.5	1
925	Abnormal sensory perception masks behavioral performance of Grin1 knockdown mice. <i>Genes, Brain and Behavior</i> , 2022, 21, .	1.1	2
926	Sex Differences In Avoidance Extinction After Contextual Fear Conditioning: Anxioescapic Behavior In Female Rats. <i>Neuroscience</i> , 2022, 497, 146-156.	1.1	17
928	Levetiracetam Attenuates Adolescent Stress-induced Behavioral and Electrophysiological Changes Associated With Schizophrenia in Adult Rats. <i>Schizophrenia Bulletin</i> , 2023, 49, 68-77.	2.3	7
929	The central nucleus of the amygdala and the construction of defensive modes across the threat-imminence continuum. <i>Nature Neuroscience</i> , 2022, 25, 999-1008.	7.1	37
930	Oxycodone decreases anxiety-like behavior in the elevated plus-maze test in male and female rats. <i>Behavioural Pharmacology</i> , 2022, 33, 418-426.	0.8	14
931	Stress during puberty exerts sex-specific effects on depressive-like behavior and monoamine neurotransmitters in adolescence and adulthood. <i>Neurobiology of Stress</i> , 2022, 21, 100494.	1.9	8
932	Acute and long-term sex-dependent effects of social instability stress on anxiety-like and social behaviours in Wistar rats. <i>Behavioural Brain Research</i> , 2023, 438, 114180.	1.2	3
933	Beyond the three-chamber test: toward a multimodal and objective assessment of social behavior in rodents. <i>Molecular Autism</i> , 2022, 13, .	2.6	28
935	Effects of social isolation on 50-kHz ultrasonic vocalizations, affective state, cognition, and neurotransmitter concentrations in the ventral tegmental and locus coeruleus of adult rats. <i>Behavioural Brain Research</i> , 2023, 437, 114157.	1.2	1
936	Methamphetamine-induced locomotor sensitization in mice is not associated with deficits in a range of cognitive, affective and social behaviours: interaction with brain-derived neurotrophic factor Val66Met genotype. <i>Behavioural Pharmacology</i> , 2023, 34, 20-36.	0.8	5
937	Divergent neurocircuitry dissociates two components of the stress response: glucose mobilization and anxiety-like behavior. <i>Cell Reports</i> , 2022, 41, 111586.	2.9	5
938	Enhanced social reward response and anxiety-like behavior with downregulation of nucleus accumbens glucocorticoid receptor in BALB/c mice. <i>Journal of Veterinary Medical Science</i> , 2023, 85, 30-39.	0.3	2
939	Acute restraint stress impairs histamine type 2 receptor ability to increase the excitability of medium spiny neurons in the nucleus accumbens. <i>Neurobiology of Disease</i> , 2022, 175, 105932.	2.1	1
940	Animal models of anxiety: a review. <i>International Journal of Basic and Clinical Pharmacology</i> , 2022, 12, 134.	0.0	1
941	Pomegranate and Cognitive Performance: A Systematic Review. <i>Current Pharmaceutical Design</i> , 2023, 29, 928-939.	0.9	0
942	Determination of D-serine and D-alanine Tissue Levels in the Prefrontal Cortex and Hippocampus of Rats After a Single Dose of Sodium Benzoate, a D-Amino Acid Oxidase Inhibitor, with Potential Antipsychotic and Antidepressant Properties. <i>Neurochemical Research</i> , 2023, 48, 2066-2076.	1.6	3

#	ARTICLE	IF	CITATIONS
943	Developmental stage-specific exposure and neurotoxicity evaluation of low-dose clothianidin during neuronal circuit formation. <i>Journal of Veterinary Medical Science</i> , 2023, 85, 486-496.	0.3	3
944	Long-term artificial/natural daytime light affects mood, melatonin, corticosterone, and gut microbiota in rats. <i>Applied Microbiology and Biotechnology</i> , 2023, 107, 2689-2705.	1.7	1
945	BNST PKC δ neurons are activated by specific aversive conditions to promote anxiety-like behavior. <i>Neuropsychopharmacology</i> , 2023, 48, 1031-1041.	2.8	7
948	Ameliorative Effects of Zinc and Vitamin E on Physiological Changes after Exposure to Heavy Metal. , 0, , .		0