

# Progressive ratio schedules in drug self-administration evaluate reinforcing efficacy

Journal of Neuroscience Methods

66, 1-11

DOI: [10.1016/0165-0270\(95\)00153-0](https://doi.org/10.1016/0165-0270(95)00153-0)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Endogenous Opiates: 1996. Peptides, 1997, 18, 1651-1688.	1.2	66
2	A Critique of Fixed and Progressive Ratio Schedules Used to Examine the Neural Substrates of Drug Reinforcement. Pharmacology Biochemistry and Behavior, 1997, 57, 441-447.	1.3	356
3	A comparison of progressive ratio schedules versus behavioral economic measures: effect of an alternative reinforcer on the reinforcing efficacy of phencyclidine. Psychopharmacology, 1997, 132, 95-103.	1.5	39
4	Chronic stressors and depression: distinguishing characteristics and individual profiles. Psychopharmacology, 1997, 134, 330-332.	1.5	11
5	The chronic mild stress procedure as an animal model of depression: valid, reasonably reliable, and useful. Psychopharmacology, 1997, 134, 371-377.	1.5	67
6	A Comparison of the Effects of Risperidone, Raclopride, and Ritanserin on Intravenous Self-Administration of d-Amphetamine. Pharmacology Biochemistry and Behavior, 1998, 60, 55-60.	1.3	19
7	Reinforcing Effects of Caffeine, Ephedrine, and Their Binary Combination in Rats. Pharmacology Biochemistry and Behavior, 1998, 60, 685-693.	1.3	23
8	"Depression" increases "craving" for sweet rewards in animal and human models of depression and craving. Psychopharmacology, 1998, 136, 272-283.	1.5	162
9	Progressive-ratio schedules of drug delivery in the analysis of drug self-administration: a review. Psychopharmacology, 1998, 139, 169-184.	1.5	402
10	Alterations in the reinforcing efficacy of cocaine in adult rats following prenatal exposure to cocaine.. Behavioral Neuroscience, 1998, 112, 410-418.	0.6	39
11	Serotonin1BReceptor Stimulation Enhances Cocaine Reinforcement. Journal of Neuroscience, 1998, 18, 10078-10089.	1.7	166
12	Beer Consumption in Rats. Alcohol, 1999, 17, 47-56.	0.8	32
13	Operant Ethanol Reward in C57BL/6 Mice. Alcohol, 1999, 17, 185-194.	0.8	65
14	The effect of naloxone on food-motivated behavior in the obese Zucker rat. Psychopharmacology, 1999, 141, 378-384.	1.5	41
15	The motivation for beer in rats: effects of ritanserin, naloxone and SR 141716. Psychopharmacology, 1999, 142, 302-308.	1.5	187
16	Self-administration of cocaine analogs by rats. Psychopharmacology, 1999, 144, 389-397.	1.5	89
17	Long-lasting increase in the set point for cocaine self-administration after escalation in rats. Psychopharmacology, 1999, 146, 303-312.	1.5	272
18	Nicotine self-administration in rats on a progressive ratio schedule of reinforcement. Psychopharmacology, 1999, 147, 135-142.	1.5	146

#	ARTICLE	IF	CITATIONS
19	Increased motivation for beer in rats following administration of a cannabinoid CB1 receptor agonist. <i>European Journal of Pharmacology</i> , 1999, 370, 233-240.	1.7	216
20	Site-specific NMDA receptor antagonists produce differential effects on cocaine self-administration in rats. <i>European Journal of Pharmacology</i> , 1999, 378, 9-16.	1.7	51
21	Reinforcement Value of Gustatory Stimuli Determined by Progressive Ratio Performance. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 63, 301-311.	1.3	87
22	Changes in progressive ratio responding for intravenous cocaine throughout the reproductive process in female rats. <i>Developmental Psychobiology</i> , 1999, 35, 136-145.	0.9	80
23	Cytokines, Stress, and Depression. <i>Advances in Experimental Medicine and Biology</i> , 1999, , .	0.8	17
24	Effects of abused drugs on thresholds and breaking points of intracranial self-stimulation in rats. <i>European Neuropsychopharmacology</i> , 1999, 9, 377-383.	0.3	44
25	The GABAB agonist CGP 44532 decreases cocaine self-administration in rats: demonstration using a progressive ratio and a discrete trials procedure. <i>Neuropharmacology</i> , 1999, 38, 1797-1804.	2.0	85
26	The role of serotonin in craving: from basic research to human studies.. <i>Alcohol and Alcoholism</i> , 1999, 34, 244-253.	0.9	60
27	Anhedonic and Anxiogenic Effects of Cytokine Exposure. <i>Advances in Experimental Medicine and Biology</i> , 1999, 461, 199-233.	0.8	152
28	Effects of abstinence on cigarette smoking among outpatients with schizophrenia.. <i>Experimental and Clinical Psychopharmacology</i> , 1999, 7, 347-353.	1.3	11
29	PROGRESSIVE-RATIO SCHEDULES: EFFECTS OF LATER SCHEDULE REQUIREMENTS ON EARLIER PERFORMANCES. <i>Journal of the Experimental Analysis of Behavior</i> , 2000, 73, 291-304.	0.8	32
30	Intra-VTA Baclofen Attenuates Cocaine Self-Administration on a Progressive Ratio Schedule of Reinforcement. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 66, 857-862.	1.3	86
31	What We Have Learned about Addiction from Animal Models of Drug Self-Administration. <i>American Journal on Addictions</i> , 2000, 9, 285-313.	1.3	114
32	Sucrose intake predicts rate of acquisition of cocaine self-administration. <i>Psychopharmacology</i> , 2000, 149, 286-292.	1.5	73
33	Self-administration of remifentanyl, an ultra-short acting opioid, under continuous and progressive-ratio schedules of reinforcement in rats. <i>Psychopharmacology</i> , 2000, 150, 61-66.	1.5	68
34	Heroin self-administration under a second-order schedule of reinforcement: acquisition and maintenance of heroin-seeking behaviour in rats. <i>Psychopharmacology</i> , 2000, 153, 120-133.	1.5	44
35	On the relationship between the dopamine transporter and the reinforcing effects of local anesthetics in rhesus monkeys: practical and theoretical concerns. <i>Psychopharmacology</i> , 2000, 153, 139-147.	1.5	64
36	Nicotine self-administration in rats: estrous cycle effects, sex differences and nicotinic receptor binding. <i>Psychopharmacology</i> , 2000, 151, 392-405.	1.5	242

#	ARTICLE	IF	CITATIONS
37	Deconstructing relative reinforcing efficacy and situating the measures of pharmacological reinforcement with behavioral economics: a theoretical proposal. <i>Psychopharmacology</i> , 2000, 153, 44-56.	1.5	259
38	Reinforcing and discriminative stimulus effects of RTI 111, a 3-phenyltropane analog, in rhesus monkeys: interaction with methamphetamine. <i>Psychopharmacology</i> , 2000, 153, 103-110.	1.5	13
39	Acute opioid but not benzodiazepine dependence in rats responding for intracranial self-stimulation. <i>Psychopharmacology</i> , 2000, 148, 263-271.	1.5	21
40	Effect of baclofen on cocaine self-administration in rats reinforced under fixed-ratio 1 and progressive-ratio schedules. <i>Psychopharmacology</i> , 2000, 148, 314-321.	1.5	144
41	The medial prefrontal cortex as a part of the brain reward system. <i>Amino Acids</i> , 2000, 19, 211-219.	1.2	164
42	Firing Rate of Nucleus Accumbens Neurons Is Dopamine-Dependent and Reflects the Timing of Cocaine-Seeking Behavior in Rats on a Progressive Ratio Schedule of Reinforcement. <i>Journal of Neuroscience</i> , 2000, 20, 5526-5537.	1.7	89
43	Behavioural Pharmacology and Neurobiology of Nicotine Reward and Dependence. <i>Handbook of Experimental Pharmacology</i> , 2000, , 603-750.	0.9	23
44	Previous exposure to amphetamine increases incentive to obtain the drug: long-lasting effects revealed by the progressive ratio schedule. <i>Behavioural Brain Research</i> , 2000, 107, 9-19.	1.2	148
45	The effect of naloxone on operant behavior for food reinforcers in DBA/2 mice. <i>Brain Research Bulletin</i> , 2001, 56, 537-543.	1.4	28
46	Pharmacology and behavioral pharmacology of the mesocortical dopamine system. <i>Progress in Neurobiology</i> , 2001, 63, 241-320.	2.8	406
47	Blockade of D1 Dopamine Receptors in the Ventral Tegmental Area Decreases Cocaine Reward: Possible Role for Dendritically Released Dopamine. <i>Journal of Neuroscience</i> , 2001, 21, 5841-5846.	1.7	85
48	Cocaine and Amphetamine Increase Extracellular Dopamine in the Nucleus Accumbens of Mice Lacking the Dopamine Transporter Gene. <i>Journal of Neuroscience</i> , 2001, 21, RC141-RC141.	1.7	187
49	Drug-induced reinstatement to heroin and cocaine seeking: A rodent model of relapse in polydrug use.. <i>Experimental and Clinical Psychopharmacology</i> , 2001, 9, 297-306.	1.3	48
50	Reinforcing and Subject-Rated Effects of Methylphenidate and d-Amphetamine in Non-Drug-Abusing Humans. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 273-286.	0.7	100
51	Further studies of the reinforcing effects of benzotropine analogs in rhesus monkeys. <i>Psychopharmacology</i> , 2001, 154, 375-382.	1.5	58
52	Environmental enrichment decreases intravenous self-administration of amphetamine in female and male rats. <i>Psychopharmacology</i> , 2001, 155, 278-284.	1.5	245
53	Locomotor response to novelty predicts a rat's propensity to self-administer nicotine. <i>Psychopharmacology</i> , 2001, 158, 175-180.	1.5	107
54	A dopamine partial agonist and antagonist block amphetamine self-administration in a progressive ratio schedule. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 68, 701-708.	1.3	41

#	ARTICLE	IF	CITATIONS
55	Reinforcing Strength of a Novel Dopamine Transporter Ligand: Pharmacodynamic and Pharmacokinetic Mechanisms. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 303, 211-217.	1.3	36
56	Increases in the reinforcing efficacy of cocaine after particular histories of reinforcement. <i>Behavioural Pharmacology</i> , 2002, 13, 389-396.	0.8	80
57	Baclofen decreases methamphetamine self-administration in rats. <i>NeuroReport</i> , 2002, 13, 1107-1110.	0.6	74
58	Effects of cocaine on responding for ethanol or sucrose under a progressive ratio schedule. <i>Behavioural Pharmacology</i> , 2002, 13, 157-162.	0.8	13
59	Being partial to psychostimulant addiction therapy. <i>Trends in Pharmacological Sciences</i> , 2002, 23, 151-153.	4.0	28
60	Patterns of cocaine self-administration in rats produced by various access conditions under a discrete trials procedure. <i>Drug and Alcohol Dependence</i> , 2002, 67, 291-299.	1.6	138
61	Effects of oral THC maintenance on smoked marijuana self-administration. <i>Drug and Alcohol Dependence</i> , 2002, 67, 301-309.	1.6	68
62	Sensitization of Midbrain Dopamine Neuron Reactivity Promotes the Pursuit of Amphetamine. <i>Journal of Neuroscience</i> , 2002, 22, 4654-4662.	1.7	186
63	Activation of 5-HT1B receptors in the nucleus accumbens reduces self-administration of amphetamine on a progressive ratio schedule. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 71, 717-725.	1.3	49
64	BTCP is a potent reinforcer in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 72, 343-353.	1.3	8
65	Effects of agmatine on the escalation of intravenous cocaine and fentanyl self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 72, 873-880.	1.3	82
66	Neurobiology of relapse to alcohol in rats. , 2002, 94, 137-156.		219
67	Ondansetron Given in the Acute Withdrawal from a Repeated Cocaine Sensitization Dosing Regimen Reverses the Expression of Sensitization and Inhibits Self-administration. <i>Neuropsychopharmacology</i> , 2002, 27, 542-53.	2.8	46
68	Previous Exposure to VTA Amphetamine Enhances Cocaine Self-administration under a Progressive Ratio Schedule in a D1 Dopamine Receptor Dependent Manner. <i>Neuropsychopharmacology</i> , 2002, 27, 970-979.	2.8	69
69	The GABA B antagonist CGP56433A attenuates the effect of baclofen on cocaine but not heroin self-administration in the rat. <i>Psychopharmacology</i> , 2002, 160, 49-55.	1.5	27
70	Study of the addictive potential of modafinil in naive and cocaine-experienced rats. <i>Psychopharmacology</i> , 2002, 161, 387-395.	1.5	123
71	Cholecystokinin Modulation of Mesolimbic Dopamine Function: Regulation of Motivated Behaviour. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002, 91, 404-413.	0.0	28
72	Enhanced motivation to self-administer cocaine is predicted by self-grooming behaviour and relates to dopamine release in the rat medial prefrontal cortex and amygdala. <i>European Journal of Neuroscience</i> , 2002, 15, 1542-1550.	1.2	85

#	ARTICLE	IF	CITATIONS
73	Sigma1 ( $\sigma_1$ ) receptor antagonists represent a new strategy against cocaine addiction and toxicity. <i>Neuroscience and Biobehavioral Reviews</i> , 2002, 26, 499-527.	2.9	149
74	Addictive potential of cannabinoids: the underlying neurobiology. <i>Chemistry and Physics of Lipids</i> , 2002, 121, 267-290.	1.5	130
75	The Reinforcing Efficacy of the Dopamine Reuptake Inhibitor 2 $\beta$ -Propanoyl-3 $\beta$ -(4-tolyl)-tropane (PTT) as Measured by a Progressive-Ratio Schedule and a Choice Procedure in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 303, 640-648.	1.3	38
76	Acute effects of d-amphetamine on progressive-ratio performance maintained by cigarette smoking and money. <i>Psychopharmacology</i> , 2003, 167, 393-402.	1.5	37
77	Cannabinoid modulation of the reinforcing and motivational properties of heroin and heroin-associated cues in rats. <i>Psychopharmacology</i> , 2003, 168, 164-169.	1.5	174
78	Effect of HD-23, a potent long acting cocaine-analog, on cocaine self-administration in rats. <i>Psychopharmacology</i> , 2003, 167, 386-392.	1.5	9
79	The Response of Experimental Rocky Shore Communities to Nutrient Additions. <i>Ecosystems</i> , 2003, 6, 577-594.	1.6	58
80	Beta-funaltrexamine affects cocaine self-administration in rats responding on a progressive ratio schedule of reinforcement. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 75, 301-307.	1.3	29
81	Attenuation of sucrose reinforcement in dopamine D1 receptor deficient mice. <i>European Journal of Neuroscience</i> , 2003, 17, 851-862.	1.2	61
82	Effects of deprivation on hedonics and reinforcing value of food. <i>Physiology and Behavior</i> , 2003, 78, 221-227.	1.0	222
83	Reinforcement value of sucrose measured by progressive ratio operant licking in the rat. <i>Physiology and Behavior</i> , 2003, 79, 663-670.	1.0	108
84	Principles of drug abuse liability assessment in laboratory animals. <i>Drug and Alcohol Dependence</i> , 2003, 70, S55-S72.	1.6	221
85	The Reinforcing Efficacy of Psychostimulants in Rhesus Monkeys: The Role of Pharmacokinetics and Pharmacodynamics. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 307, 356-366.	1.3	68
86	Previous Exposure to VTA Amphetamine Enhances Cocaine Self-Administration under a Progressive Ratio Schedule in an NMDA, AMPA/Kainate, and Metabotropic Glutamate Receptor-Dependent Manner. <i>Neuropsychopharmacology</i> , 2003, 28, 629-639.	2.8	56
87	Behavioral measures of alcohol self-administration and intake control: Rodent models. <i>International Review of Neurobiology</i> , 2003, 54, 107-143.	0.9	84
88	The effects of acutely administered cocaine on responding maintained by a progressive-ratio schedule of food presentation. <i>Behavioural Pharmacology</i> , 2003, 14, 33-40.	0.8	8
89	Increased motivation for self-administered cocaine after escalated cocaine intake. <i>NeuroReport</i> , 2003, 14, 2229-2232.	0.6	199
90	Differences in morphine and cocaine reinforcement under fixed and progressive ratio schedules; effects of extinction, reacquisition and schedule design. <i>Behavioural Pharmacology</i> , 2003, 14, 619-630.	0.8	25

#	ARTICLE	IF	CITATIONS
91	The Glucocorticoid Receptor as a Potential Target to Reduce Cocaine Abuse. <i>Journal of Neuroscience</i> , 2003, 23, 4785-4790.	1.7	159
92	Striatal Cell Type-Specific Overexpression of $\hat{\imath}$ FosB Enhances Incentive for Cocaine. <i>Journal of Neuroscience</i> , 2003, 23, 2488-2493.	1.7	196
93	Previous Exposure to Psychostimulants Enhances the Reinstatement of Cocaine Seeking by Nucleus Accumbens AMPA. <i>Neuropsychopharmacology</i> , 2004, 29, 2149-2159.	2.8	100
94	Injection of the 5-HT <sub>2C</sub> Receptor Agonist Ro60-0175 into the Ventral Tegmental Area Reduces Cocaine-Induced Locomotor Activity and Cocaine Self-Administration. <i>Neuropsychopharmacology</i> , 2004, 29, 308-318.	2.8	122
95	Reinforcing, subject-rated, performance and physiological effects of methylphenidate and d-amphetamine in stimulant abusing humans. <i>Journal of Psychopharmacology</i> , 2004, 18, 534-543.	2.0	58
96	Activation of group II mGlu receptors blocks the enhanced drug taking induced by previous exposure to amphetamine. <i>European Journal of Neuroscience</i> , 2004, 21, 295-300.	1.2	73
97	Performance of the marmoset monkey on computerized tasks of attention and working memory. <i>Cognitive Brain Research</i> , 2004, 19, 123-137.	3.3	111
98	Infant rats with chronic neonatal isolation experience show decreased extracellular serotonin levels in ventral striatum at baseline and in response to cocaine. <i>Developmental Brain Research</i> , 2004, 152, 19-24.	2.1	22
99	Effects of positive allosteric modulators of the GABA B receptor on cocaine self-administration in rats. <i>Psychopharmacology</i> , 2004, 173, 105-111.	1.5	93
100	Self-administration of heroin in rats: effects of low-level lead exposure during gestation and lactation. <i>Psychopharmacology</i> , 2004, 174, 203-10.	1.5	21
101	Using growth models to relate acquisition of nicotine self-administration to break point and nicotinic receptor binding. <i>Drug and Alcohol Dependence</i> , 2004, 75, 23-35.	1.6	14
102	Food hedonics and reinforcement as determinants of laboratory food intake in smokers. <i>Physiology and Behavior</i> , 2004, 81, 511-517.	1.0	106
103	Individual differences in the effects of serotonergic anxiolytic drugs on the motivation to self-administer cocaine. <i>Neuroscience</i> , 2004, 128, 121-130.	1.1	35
104	Evidence for Addiction-like Behavior in the Rat. <i>Science</i> , 2004, 305, 1014-1017.	6.0	1,005
105	Reinforcing, subject-rated, performance and physiological effects of methylphenidate and d-amphetamine in stimulant abusing humans. <i>Journal of Psychopharmacology</i> , 2004, 18, 534-543.	2.0	68
106	Early-life environmental manipulations in rodents and primates: Potential animal models in depression research. <i>Handbook of Behavioral Neuroscience</i> , 2005, , 23-50.	0.0	2
107	The role of CB1 receptors in sweet versus fat reinforcement: effect of CB1 receptor deletion, CB1 receptor antagonism (SR141716A) and CB1 receptor agonism (CP-55940). <i>Behavioural Pharmacology</i> , 2005, 16, 381-388.	0.8	107
108	Long-term effects of early-life environmental manipulations in rodents and primates: Potential animal models in depression research. <i>Neuroscience and Biobehavioral Reviews</i> , 2005, 29, 649-674.	2.9	355

#	ARTICLE	IF	CITATIONS
109	Selective dopamine D3receptor antagonism by SB-277011A attenuates cocaine reinforcement as assessed by progressive-ratio and variable-cost-variable-payoff fixed-ratio cocaine self-administration in rats. <i>European Journal of Neuroscience</i> , 2005, 21, 3427-3438.	1.2	133
110	Sensitization of the reinforcing effects of self-administered cocaine in rats: effects of dose and intravenous injection speed. <i>European Journal of Neuroscience</i> , 2005, 22, 195-200.	1.2	86
111	Persistent changes in motivation to self-administer cocaine following modulation of cyclic AMP-dependent protein kinase A (PKA) activity in the nucleus accumbens. <i>European Journal of Neuroscience</i> , 2005, 22, 1214-1220.	1.2	48
112	The serotonin/noradrenaline reuptake inhibitor venlafaxine attenuates acquisition, but not maintenance, of intravenous self-administration of heroin in rats. <i>European Journal of Pharmacology</i> , 2005, 528, 103-109.	1.7	21
113	Endocannabinoid signaling system and brain reward: Emphasis on dopamine. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 81, 263-284.	1.3	350
114	Ultra-low-dose naltrexone reduces the rewarding potency of oxycodone and relapse vulnerability in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 82, 252-262.	1.3	56
115	Effects of gender and menstrual cycle phase on food-maintained responding under a progressive-ratio schedule in cynomolgus monkeys. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 82, 735-743.	1.3	8
116	Critical assessment of how to study addiction and its treatment: Human and non-human animal models. , 2005, 108, 18-58.		205
117	Neonatal isolation enhances maintenance but not reinstatement of cocaine self-administration in adult male rats. <i>Psychopharmacology</i> , 2005, 177, 391-399.	1.5	52
118	Attenuation of d-amphetamine self-administration by baclofen in the rat: behavioral and neurochemical correlates. <i>Psychopharmacology</i> , 2005, 177, 409-417.	1.5	70
119	Escalation of intravenous cocaine self-administration, progressive-ratio performance, and reinstatement in rats selectively bred for high (HiS) and low (LoS) saccharin intake. <i>Psychopharmacology</i> , 2005, 178, 41-51.	1.5	12
120	Binge self-administration and deprivation produces sensitization to the reinforcing effects of cocaine in rats. <i>Psychopharmacology</i> , 2005, 178, 309-316.	1.5	48
121	Effects of extended-access self-administration and deprivation on breakpoints maintained by cocaine in rats. <i>Psychopharmacology</i> , 2005, 179, 644-651.	1.5	65
122	Centrally administered orexin A increases motivation for sweet pellets in rats. <i>Psychopharmacology</i> , 2005, 182, 75-83.	1.5	86
123	Intense cocaine self-administration after episodic social defeat stress, but not after aggressive behavior: dissociation from corticosterone activation. <i>Psychopharmacology</i> , 2005, 183, 331-340.	1.5	154
124	Comparison of the Reinforcing Effects of Cocaine and Cocaine/Heroin Combinations under Progressive Ratio and Choice Schedules in Rats. <i>Neuropsychopharmacology</i> , 2005, 30, 286-295.	2.8	57
125	Subthalamic Nucleus Lesions Enhance the Psychomotor-Activating, Incentive Motivational, and Neurobiological Effects of Cocaine. <i>Journal of Neuroscience</i> , 2005, 25, 8407-8415.	1.7	32
126	Nucleus Accumbens Long-Term Depression and the Expression of Behavioral Sensitization. <i>Science</i> , 2005, 310, 1340-1343.	6.0	261



#	ARTICLE	IF	CITATIONS
127	Decreased Motivation Following Cocaine Self-Administration Under Extended Access Conditions: Effects of Sex and Ovarian Hormones. <i>Neuropsychopharmacology</i> , 2005, 30, 927-935.	2.8	61
128	Effects of the Competitive N-Methyl-d-aspartate Receptor Antagonist, LY235959 [(-)-6-Phosphonomethyl-deca-hydroisoquinoline-3-carboxylic Acid], on Responding for Cocaine under Both Fixed and Progressive Ratio Schedules of Reinforcement. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 315, 449-457.	1.3	21
129	The Dopamine Hypothesis of Drug Addiction: Hypodopaminergic State. <i>International Review of Neurobiology</i> , 2005, 63, 101-154.	0.9	228
130	Early deprivation under specific conditions leads to reduced interest in reward in adulthood in Wistar rats. <i>Behavioural Brain Research</i> , 2005, 156, 297-310.	1.2	87
131	Extradural compression of the sensorimotor cortex delays the acquisition but not the recalling of a lever-pressing task in Wistar rats. <i>Behavioural Brain Research</i> , 2005, 164, 250-265.	1.2	10
132	A comparison of the reinforcing efficacy of 3,4-methylenedioxymethamphetamine (MDMA, "ecstasy") with cocaine in rhesus monkeys. <i>Drug and Alcohol Dependence</i> , 2005, 78, 135-140.	1.6	57
133	D1-like and D2 dopamine receptor antagonists administered into the shell subregion of the rat nucleus accumbens decrease cocaine, but not food, reinforcement. <i>Neuroscience</i> , 2005, 135, 959-968.	1.1	106
136	Cocaine self-administration and locomotor sensitization are not altered in CART knockout mice. <i>Behavioural Brain Research</i> , 2006, 171, 56-62.	1.2	14
137	Influence of abstinence and conditions of cocaine access on the reinforcing strength of cocaine in nonhuman primates. <i>Drug and Alcohol Dependence</i> , 2006, 85, 213-220.	1.6	21
138	Food motivated behavior of melanocortin-4 receptor knockout mice under a progressive ratio schedule. <i>Peptides</i> , 2006, 27, 2829-2835.	1.2	29
139	Sucrose motivation in sweet "sensitive"(C57BL/6J) and "subsensitive"(129P3/J) mice measured by progressive ratio licking. <i>Physiology and Behavior</i> , 2006, 87, 734-744.	1.0	57
140	Nutrient-conditioned flavor preference and incentive value measured by progressive ratio licking in rats. <i>Physiology and Behavior</i> , 2006, 88, 88-94.	1.0	26
141	"Tasting and wasting" behavior in non-human primates: Aberrant behavior or normal behavior in "times of plenty". <i>Physiology and Behavior</i> , 2006, 89, 587-597.	1.0	10
142	Intraventricular insulin and leptin decrease sucrose self-administration in rats. <i>Physiology and Behavior</i> , 2006, 89, 611-616.	1.0	150
143	Pharmacological determinants of the reinforcing effects of psychostimulants: Relation to agonist substitution treatment.. <i>Experimental and Clinical Psychopharmacology</i> , 2006, 14, 20-33.	1.3	39
144	REPLACING RELATIVE REINFORCING EFFICACY WITH BEHAVIORAL ECONOMIC DEMAND CURVES. <i>Journal of the Experimental Analysis of Behavior</i> , 2006, 85, 73-93.	0.8	153
145	Delayed Access to Alcohol Accelerates Self-Administration of Alcohol on a Progressive Ratio Schedule. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 100, 061214140717005-???	1.2	2
146	GABA Modulation of Cocaine Self-Administration. <i>Annals of the New York Academy of Sciences</i> , 2000, 909, 145-158.	1.8	47

#	ARTICLE	IF	CITATIONS
147	Rapid and Persistent Sensitization to the Reinforcing Effects of Cocaine. <i>Neuropsychopharmacology</i> , 2006, 31, 121-128.	2.8	63
148	Heightened Cocaine and Food Self-Administration in Female Rats with Neonatal Isolation Experience. <i>Neuropsychopharmacology</i> , 2006, 31, 70-76.	2.8	55
149	Discrete-trials heroin self-administration produces sensitization to the reinforcing effects of cocaine in rats. <i>Psychopharmacology</i> , 2006, 185, 150-159.	1.5	24
150	Cocaine self-administration in rats with histories of cocaine exposure and discrimination. <i>Psychopharmacology</i> , 2006, 186, 168-176.	1.5	11
151	A method for single-session cocaine self-administration in the mouse. <i>Psychopharmacology</i> , 2006, 187, 13-21.	1.5	12
152	Do different levels of moderate feed deprivation in dairy cows affect feeding motivation?. <i>Applied Animal Behaviour Science</i> , 2006, 101, 253-263.	0.8	39
153	Prefrontal cortex D1 modulation of the reinforcing properties of cocaine. <i>Brain Research</i> , 2006, 1075, 229-235.	1.1	19
154	Effects of terguride, ropinirole, and acetyl-L-carnitine on methamphetamine withdrawal in the rat. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 83, 403-409.	1.3	30
155	Effects of baclofen on operant performance for food pellets and vegetable shortening after a history of binge-type behavior in non-food deprived rats. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 84, 197-206.	1.3	55
156	The Novel Dopamine D3 Receptor Antagonist NGB 2904 Inhibits Cocaine's Rewarding Effects and Cocaine-Induced Reinstatement of Drug-Seeking Behavior in Rats. <i>Neuropsychopharmacology</i> , 2006, 31, 1393-1405.	2.8	140
157	Inhibition of Cdk5 in the nucleus accumbens enhances the locomotor-activating and incentive-motivational effects of cocaine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 4147-4152.	3.3	77
158	Previous Exposure to Cocaine Enhances Cocaine Self-Administration in an Alpha 1-Adrenergic Receptor Dependent Manner. <i>Neuropsychopharmacology</i> , 2007, 32, 638-645.	2.8	42
159	High-Dose Methadone Maintenance in Rats: Effects on Cocaine Self-Administration and Behavioral Side Effects. <i>Neuropsychopharmacology</i> , 2007, 32, 2290-2300.	2.8	22
160	Effect of Aripiprazole, a Partial Dopamine D2 Receptor Agonist, on Increased Rate of Methamphetamine Self-Administration in Rats with Prolonged Session Duration. <i>Neuropsychopharmacology</i> , 2007, 32, 2238-2247.	2.8	87
161	Explaining the Escalation of Drug Use in Substance Dependence: Models and Appropriate Animal Laboratory Tests. <i>Pharmacology</i> , 2007, 80, 65-119.	0.9	127
162	Negative Allosteric Modulation of Nicotinic Acetylcholine Receptors Blocks Nicotine Self-Administration in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 323, 907-915.	1.3	41
163	Preclinical Development and Clinical Implementation of Treatments for Substance Abuse Disorders. <i>Focus (American Psychiatric Publishing)</i> , 2007, 5, 151-162.	0.4	1
164	Food reinforcement and eating: A multilevel analysis.. <i>Psychological Bulletin</i> , 2007, 133, 884-906.	5.5	311

#	ARTICLE	IF	CITATIONS
165	Strain differences in maintenance of cocaine self-administration and their relationship to novelty activity responses.. Behavioral Neuroscience, 2007, 121, 380-388.	0.6	43
166	Serotonin and psychostimulant addiction: Focus on 5-HT1A-receptors. Progress in Neurobiology, 2007, 81, 133-178.	2.8	297
167	How to make a rat addicted to cocaine. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1614-1624.	2.5	119
168	Diabetic Goto-Kakizaki rats display pronounced hyperglycemia and longer-lasting cognitive impairments following ischemia induced by cortical compression. Neuroscience, 2007, 144, 1169-1185.	1.1	29
169	The reinforcement enhancing effects of nicotine depend on the incentive value of non-drug reinforcers and increase with repeated drug injections. Drug and Alcohol Dependence, 2007, 89, 52-59.	1.6	86
170	Diabetic type II Goto-Kakizaki rats show progressively decreasing exploratory activity and learning impairments in fixed and progressive ratios of a lever-press task. Behavioural Brain Research, 2007, 180, 28-41.	1.2	27
171	Antagonism of nucleus accumbens M2 muscarinic receptors disrupts operant responding for sucrose under a progressive ratio reinforcement schedule. Behavioural Brain Research, 2007, 181, 127-135.	1.2	4
172	Maternal separation alters ICSS responding in adult male and female rats, but morphine and naltrexone have little affect on that behavior. Brain Research Bulletin, 2007, 73, 310-318.	1.4	16
173	EFFECTS OF DIFFERING RESPONSE-REQUIREMENTS ON FOOD-MAINTAINED RESPONDING IN CD-1 MICE. Journal of the Experimental Analysis of Behavior, 2007, 88, 381-393.	0.8	11
174	A reciprocal interaction between food-motivated behavior and diet-induced obesity. International Journal of Obesity, 2007, 31, 1286-1294.	1.6	147
175	Morphine withdrawal decreases responding reinforced by sucrose self-administration in progressive ratio. Addiction Biology, 2007, 12, 152-157.	1.4	39
176	Pharmacological Actions of NGB 2904, a Selective Dopamine D 3 Receptor Antagonist, in Animal Models of Drug Addiction. CNS Neuroscience & Therapeutics, 2007, 13, 240-259.	4.0	96
177	Effects of early methylphenidate exposure on morphine- and sucrose-reinforced behaviors in adult rats: Relationship to dopamine D2 receptors. Brain Research, 2007, 1139, 245-253.	1.1	30
178	Individual differences in novelty- and cocaine-induced locomotor activity as predictors of food-reinforced operant behavior in two outbred rat strains. Pharmacology Biochemistry and Behavior, 2007, 86, 749-757.	1.3	8
179	Black agouti (ACI) rats show greater drug- and cue-induced reinstatement of methamphetamine-seeking behavior than Fischer 344 and Lewis rats. Pharmacology Biochemistry and Behavior, 2007, 87, 90-97.	1.3	4
180	Intravenous cocaine self-administration: individual differences in male and female C57BL/6J mice. Pharmacology Biochemistry and Behavior, 2007, 87, 267-279.	1.3	25
181	Social stimuli enhance phencyclidine (PCP) self-administration in rhesus monkeys. Pharmacology Biochemistry and Behavior, 2007, 87, 280-288.	1.3	24
182	Continuous intracerebroventricular infusion of the competitive NMDA receptor antagonist, LY235959, facilitates escalation of cocaine self-administration and increases break point for cocaine in Sprague-Dawley rats. Pharmacology Biochemistry and Behavior, 2007, 88, 82-88.	1.3	22

#	ARTICLE	IF	CITATIONS
183	Social defeat stress, sensitization, and intravenous cocaine self-administration in mice. <i>Psychopharmacology</i> , 2007, 192, 261-273.	1.5	50
184	Individual differences in elevated plus-maze exploration predicted progressive-ratio cocaine self-administration break points in Wistar rats. <i>Psychopharmacology</i> , 2007, 194, 211-219.	1.5	34
185	Cross-sensitization of the reinforcing effects of cocaine and amphetamine in rats. <i>Psychopharmacology</i> , 2007, 195, 369-375.	1.5	32
186	Increased breakpoints on a progressive ratio schedule reinforced by IV cocaine are associated with reduced locomotor activation and reduced dopamine efflux in nucleus accumbens shell in rats. <i>Psychopharmacology</i> , 2007, 195, 517-525.	1.5	32
187	L'analyse comparative avec patience: vers une meilleure compréhension des comportements d'auto-administration des analgésiques. <i>Canadian Journal of Anaesthesia</i> , 2008, 55, 75-81.	0.7	3
188	NMDA receptors in the rat VTA: a critical site for social stress to intensify cocaine taking. <i>Psychopharmacology</i> , 2008, 197, 203-216.	1.5	61
189	Level of operant training rather than cocaine intake predicts level of reinstatement. <i>Psychopharmacology</i> , 2008, 197, 247-261.	1.5	14
190	Controversies in translational research: drug self-administration. <i>Psychopharmacology</i> , 2008, 199, 403-419.	1.5	242
191	Characterization of methylphenidate self-administration and reinstatement in the rat. <i>Psychopharmacology</i> , 2008, 199, 55-66.	1.5	39
192	Effects of early postnatal sibling deprivation on anxiety and vulnerability to cocaine in offspring rats. <i>Psychopharmacology</i> , 2008, 199, 245-253.	1.5	16
193	Effects of chemotherapeutic agents 5-fluorouracil and methotrexate alone and combined in a mouse model of learning and memory. <i>Psychopharmacology</i> , 2008, 199, 527-538.	1.5	65
194	Enhanced methamphetamine self-administration in a neurodevelopmental rat model of schizophrenia. <i>Psychopharmacology</i> , 2008, 200, 205-215.	1.5	40
195	Adaptations in pre- and postsynaptic 5-HT1A receptor function and cocaine supersensitivity in serotonin transporter knockout rats. <i>Psychopharmacology</i> , 2008, 200, 367-380.	1.5	117
196	Cocaine self-administration reinforced on a progressive ratio schedule decreases with continuous d-amphetamine treatment in rats. <i>Psychopharmacology</i> , 2008, 200, 465-473.	1.5	53
197	Individual differences in cocaine-induced locomotor activity in male Sprague-Dawley rats and their acquisition of and motivation to self-administer cocaine. <i>Psychopharmacology</i> , 2008, 201, 195-202.	1.5	36
198	Maternal separation stress in male mice: long-term increases in alcohol intake. <i>Psychopharmacology</i> , 2008, 201, 459-468.	1.5	95
199	Use of animal models to develop antiaddiction medications. <i>Current Psychiatry Reports</i> , 2008, 10, 377-384.	2.1	12
200	<sup>3</sup> H-Hydroxybutyric acid (GHB) suppresses alcohol's motivational properties in alcohol-preferring rats. <i>Alcohol</i> , 2008, 42, 107-113.	0.8	15

#	ARTICLE	IF	CITATIONS
201	Behavioral characterization of mice lacking GIRK/Kir3 channel subunits. <i>Genes, Brain and Behavior</i> , 2008, 7, 523-531.	1.1	80
202	Neuroplasticity in the mesolimbic dopamine system and cocaine addiction. <i>British Journal of Pharmacology</i> , 2008, 154, 327-342.	2.7	434
203	Regulation of Motivation to Self-Administer Ethanol by mGluR5 in Alcohol-Preferring (P) Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 209-221.	1.4	92
204	Specific Reduction of Alcohol's Motivational Properties by the Positive Allosteric Modulator of the GABA <sub>B</sub> Receptor, GS39783: Comparison With the Effect of the GABA <sub>B</sub> Receptor Direct Agonist, Baclofen. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1558-1564.	1.4	65
205	Prenatal nicotine exposure changes natural and drug-induced reinforcement in adolescent male rats. <i>European Journal of Neuroscience</i> , 2008, 27, 2952-2961.	1.2	68
206	Lesions of the dorsomedial frontal cortex block sensitization to the positive-reinforcing effects of cocaine. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 88, 238-246.	1.3	5
207	Relationship between ethanol and sucrose self-administration and schedule-induced polydipsia. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 90, 586-589.	1.3	7
208	The rate of intravenous cocaine or amphetamine delivery does not influence drug-taking and drug-seeking behavior in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 90, 797-804.	1.3	32
209	Stress and rodent models of drug addiction: role of VTA-accumbens-PFC-amygdala circuit. <i>Drug Discovery Today: Disease Models</i> , 2008, 5, 259-270.	1.2	45
210	Parsing the addiction phenomenon: Self-administration procedures modeling enhanced motivation for drug and escalation of drug intake. <i>Drug Discovery Today: Disease Models</i> , 2008, 5, 217-226.	1.2	12
211	Khat Chewing from the Pharmacological Point of View: An Update. <i>Substance Use and Misuse</i> , 2008, 43, 762-783.	0.7	39
212	Inhibition of CaMKII in the nucleus accumbens shell decreases enhanced amphetamine intake in sensitized rats. <i>Neuroscience Letters</i> , 2008, 444, 157-160.	1.0	39
213	Deconstructing the vanilla milkshake: The dominant effect of sucrose on self-administration of nutrient-flavor mixtures. <i>Appetite</i> , 2008, 50, 128-138.	1.8	21
214	Cocaine but Not Natural Reward Self-Administration nor Passive Cocaine Infusion Produces Persistent LTP in the VTA. <i>Neuron</i> , 2008, 59, 288-297.	3.8	552
215	The motivation to obtain nicotine-conditioned reinforcers depends on nicotine dose. <i>Neuropharmacology</i> , 2008, 55, 1425-1430.	2.0	23
216	Postnatal manganese exposure alters dopamine transporter function in adult rats: Potential impact on nonassociative and associative processes. <i>Neuroscience</i> , 2008, 154, 848-860.	1.1	69
217	Behavioral controls of food intake. <i>Peptides</i> , 2008, 29, 139-147.	1.2	16
218	Aerobic exercise decreases the positive-reinforcing effects of cocaine. <i>Drug and Alcohol Dependence</i> , 2008, 98, 129-135.	1.6	130

#	ARTICLE	IF	CITATIONS
219	Î±1-Noradrenergic system role in increased motivation for cocaine intake in rats with prolonged access. <i>European Neuropsychopharmacology</i> , 2008, 18, 303-311.	0.3	129
220	Histone Deacetylase Inhibitors Decrease Cocaine But Not Sucrose Self-Administration in Rats. <i>Journal of Neuroscience</i> , 2008, 28, 9342-9348.	1.7	147
221	Nucleus accumbens AGS3 expression drives ethanol seeking through GÎ²Î³. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 12533-12538.	3.3	73
222	Effects of Cocaine and MDMA Self-Administration on Serotonin Transporter Availability in Monkeys. <i>Neuropsychopharmacology</i> , 2008, 33, 219-225.	2.8	48
223	Nicotine Self-Administration, Extinction Responding and Reinstatement in Adolescent and Adult Male Rats: Evidence Against a Biological Vulnerability to Nicotine Addiction during Adolescence. <i>Neuropsychopharmacology</i> , 2008, 33, 739-748.	2.8	95
224	Cannabinoid CB1 Receptor Antagonists Attenuate Cocaine's Rewarding Effects: Experiments with Self-Administration and Brain-Stimulation Reward in Rats. <i>Neuropsychopharmacology</i> , 2008, 33, 1735-1745.	2.8	100
225	Methylphenidate Enhances the Abuse-Related Behavioral Effects of Nicotine in Rats: Intravenous Self-Administration, Drug Discrimination, and Locomotor Cross-Sensitization. <i>Neuropsychopharmacology</i> , 2008, 33, 1137-1148.	2.8	41
226	Impulse and Reward Deficit Disorders: Drug Discovery and Development. , 2008, , 1-22.		1
227	Issues in Designing and Conducting Clinical Trials for Reward Disorders: A Clinical View. , 2008, , 41-57.		0
228	Insulin acts at different CNS sites to decrease acute sucrose intake and sucrose self-administration in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R388-R394.	0.9	94
229	Positive Modulation of GABA <sub>B</sub> Receptors Decreased Nicotine Self-Administration and Counteracted Nicotine-Induced Enhancement of Brain Reward Function in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 326, 306-314.	1.3	84
230	The 5-HT <sub>2C</sub> Receptor Agonist Ro60-0175 Reduces Cocaine Self-Administration and Reinstatement Induced by the Stressor Yohimbine, and Contextual Cues. <i>Neuropsychopharmacology</i> , 2008, 33, 1402-1412.	2.8	107
231	Development of Medications for Heroin and Cocaine Addiction and Regulatory Aspects of Abuse Liability Testing. , 2008, , 221-270.		2
232	Further validation of a cigarette purchase task for assessing the relative reinforcing efficacy of nicotine in college smokers.. <i>Experimental and Clinical Psychopharmacology</i> , 2008, 16, 57-65.	1.3	278
233	Reinforcing effects of stimulants in humans: Sensitivity of progressive-ratio schedules.. <i>Experimental and Clinical Psychopharmacology</i> , 2008, 16, 503-512.	1.3	45
234	Suppression by the cannabinoid CB1 receptor antagonist, rimonabant, of the reinforcing and motivational properties of a chocolate-flavoured beverage in rats. <i>Behavioural Pharmacology</i> , 2008, 19, 197-209.	0.8	63
235	Selective breeding for differential saccharin intake as an animal model of drug abuse. <i>Behavioural Pharmacology</i> , 2008, 19, 435-460.	0.8	106
236	Effect of time-out duration on the reinforcing strength of cocaine assessed under a progressive-ratio schedule in rhesus monkeys. <i>Behavioural Pharmacology</i> , 2008, 19, 743-746.	0.8	10

#	ARTICLE	IF	CITATIONS
237	Dopamine, Behavioral Economics, and Effort. <i>Frontiers in Behavioral Neuroscience</i> , 2009, 3, 13.	1.0	231
238	Choice reveals that rats are majoritarily resilient to cocaine addiction. <i>Nature Precedings</i> , 2009, , .	0.1	1
239	Orexin A/Hypocretin-1 Selectively Promotes Motivation for Positive Reinforcers. <i>Journal of Neuroscience</i> , 2009, 29, 11215-11225.	1.7	322
240	The melanin-concentrating hormone system modulates cocaine reward. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6772-6777.	3.3	125
241	Dissociation of the Effects of MTEP [3-[(2-Methyl-1,3-thiazol-4-yl)ethynyl]piperidine] on Conditioned Reinstatement and Reinforcement: Comparison between Cocaine and a Conventional Reinforcer. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 329, 1084-1090.	1.3	87
242	Metabotropic Glutamate Receptor 7 Modulates the Rewarding Effects of Cocaine in Rats: Involvement of a Ventral Pallidal GABAergic Mechanism. <i>Neuropsychopharmacology</i> , 2009, 34, 1783-1796.	2.8	65
243	Opiate Receptors and Antagonists. , 2009, , .		6
244	A Role for the Endocannabinoid System in the Increased Motivation for Cocaine in Extended-Access Conditions. <i>Journal of Neuroscience</i> , 2009, 29, 4846-4857.	1.7	97
245	mGluR5 Antagonism Attenuates Methamphetamine Reinforcement and Prevents Reinstatement of Methamphetamine-Seeking Behavior in Rats. <i>Neuropsychopharmacology</i> , 2009, 34, 820-833.	2.8	111
246	Behavioral Economic Assessment of Price and Cocaine Consumption Following Self-Administration Histories that Produce Escalation of Either Final Ratios or Intake. <i>Neuropsychopharmacology</i> , 2009, 34, 796-804.	2.8	92
247	Rats Self-Administer Intravenous Nicotine Delivered in a Novel Smoking-Relevant Procedure: Effects of Dopamine Antagonists. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 330, 633-640.	1.3	60
248	Gestational treatment with methylazoxymethanol (MAM) that disrupts hippocampal-dependent memory does not alter behavioural response to cocaine. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 93, 382-390.	1.3	13
249	A within-subject assessment of the discriminative stimulus and reinforcing effects of self-administered cocaine in rhesus monkeys. <i>Psychopharmacology</i> , 2009, 203, 343-353.	1.5	9
250	Latent structure of facets of alcohol reinforcement from a behavioral economic demand curve. <i>Psychopharmacology</i> , 2009, 203, 33-40.	1.5	156
251	Increased operant responding for ethanol in male C57BL/6j mice: specific regulation by the ERK1/2, but not JNK, MAP kinase pathway. <i>Psychopharmacology</i> , 2009, 204, 135-147.	1.5	60
252	Withdrawal from free-choice high-fat high-sugar diet induces craving only in obesity-prone animals. <i>Psychopharmacology</i> , 2009, 204, 431-443.	1.5	69
253	Inhibition of kappa opioid receptors attenuated increased cocaine intake in rats with extended access to cocaine. <i>Psychopharmacology</i> , 2009, 205, 565-575.	1.5	104
254	Two modes of intense cocaine bingeing: increased persistence after social defeat stress and increased rate of intake due to extended access conditions in rats. <i>Psychopharmacology</i> , 2009, 206, 109-120.	1.5	72

#	ARTICLE	IF	CITATIONS
255	Decreased reinforcing effects of cocaine following 2 weeks of continuous d-amphetamine treatment in rats. <i>Psychopharmacology</i> , 2009, 206, 447-456.	1.5	29
256	Self-administration of cocaine and nicotine mixtures by rhesus monkeys. <i>Psychopharmacology</i> , 2009, 207, 99-106.	1.5	24
257	A dopamine transport inhibitor with markedly low abuse liability suppresses cocaine self-administration in the rat. <i>Psychopharmacology</i> , 2009, 207, 281-289.	1.5	31
258	Mechanism-based medication development for the treatment of nicotine dependence. <i>Acta Pharmacologica Sinica</i> , 2009, 30, 723-739.	2.8	35
259	Stress and addiction: glucocorticoid receptor in dopaminergic neurons facilitates cocaine seeking. <i>Nature Neuroscience</i> , 2009, 12, 247-249.	7.1	156
260	Reduction of Alcohol's Reinforcing and Motivational Properties by the Positive Allosteric Modulator of the GABA <sub>B</sub> Receptor, BHF177, in Alcohol-Preferring Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1749-1756.	1.4	62
261	Effects of food deprivation on goal-directed behavior, spontaneous locomotion, and c-Fos immunoreactivity in the amygdala. <i>Behavioural Brain Research</i> , 2009, 197, 9-15.	1.2	29
262	A single high dose of methamphetamine increases cocaine self-administration by depletion of striatal dopamine in rats. <i>Neuroscience</i> , 2009, 161, 392-402.	1.1	33
263	Effect of moderate intake of sweeteners on metabolic health in the rat. <i>Physiology and Behavior</i> , 2009, 98, 618-624.	1.0	39
264	Motivation for sucrose in sated rats is predicted by low anxiety-like behavior. <i>Neuroscience Letters</i> , 2009, 454, 193-197.	1.0	9
265	Lack of effect of habenula lesion on heroin self-administration in rats. <i>Neuroscience Letters</i> , 2009, 461, 167-171.	1.0	10
266	Antidepressants alleviate the impact of reinforcer downshift. <i>European Neuropsychopharmacology</i> , 2009, 19, 41-48.	0.3	12
267	Progressive ratio schedules of reinforcement.. <i>Journal of Experimental Psychology</i> , 2009, 35, 35-50.	1.9	61
268	Strain differences in patterns of drug-intake during prolonged access to cocaine self-administration.. <i>Behavioral Neuroscience</i> , 2009, 123, 156-164.	0.6	24
269	Sex and cannabinoid CB1 genotype differentiate palatable food and cocaine self-administration behaviors in mice. <i>Behavioural Pharmacology</i> , 2009, 20, 605-613.	0.8	22
270	Varenicline effects on cocaine self administration and reinstatement behavior. <i>Behavioural Pharmacology</i> , 2010, 21, 96-103.	0.8	16
271	Reinforcing effects of d-amphetamine. <i>Behavioural Pharmacology</i> , 2010, 21, 745-753.	0.8	14
272	Activators of G-protein signaling 3: a drug addiction molecular gateway. <i>Behavioural Pharmacology</i> , 2010, 21, 500-513.	0.8	12



#	ARTICLE	IF	CITATIONS
273	Cocaine and amphetamine related transcript (CART) inhibits context induced reinstatement of reward seeking.. Behavioral Neuroscience, 2010, 124, 423-427.	0.6	18
274	Methylphenidate as a reinforcer for rats: Contingent delivery and intake escalation.. Experimental and Clinical Psychopharmacology, 2010, 18, 257-266.	1.3	36
275	Effects of chronic d-amphetamine administration on the reinforcing strength of cocaine in rhesus monkeys. Psychopharmacology, 2010, 209, 375-382.	1.5	39
276	Role of BDNF and GDNF in drug reward and relapse: A review. Neuroscience and Biobehavioral Reviews, 2010, 35, 157-171.	2.9	187
277	Self-administration of (+)-methamphetamine and (+)-pseudoephedrine, alone and combined, by rhesus monkeys. Pharmacology Biochemistry and Behavior, 2010, 95, 198-202.	1.3	8
278	AM 251 differentially effects food-maintained responding depending on food palatability. Pharmacology Biochemistry and Behavior, 2010, 95, 443-448.	1.3	18
279	Lower reinforcing strength of the phenyltropane cocaine analogs RTI-336 and RTI-177 compared to cocaine in nonhuman primates. Pharmacology Biochemistry and Behavior, 2010, 96, 274-278.	1.3	11
280	Tramadol acts as a weak reinforcer in the rat self-administration model, consistent with its low abuse liability in humans. Pharmacology Biochemistry and Behavior, 2010, 96, 279-286.	1.3	34
281	Levo-tetrahydropalmatine attenuates cocaine self-administration under a progressive-ratio schedule and cocaine discrimination in rats. Pharmacology Biochemistry and Behavior, 2010, 97, 310-316.	1.3	39
282	Intranasal cocaine functions as reinforcer on a progressive ratio schedule in humans. European Journal of Pharmacology, 2010, 644, 101-105.	1.7	23
283	Behavioral effects of withdrawal from sweetened vegetable shortening in rats. Brain Research, 2010, 1350, 103-111.	1.1	11
284	Motivation for Alcohol Becomes Resistant to Quinine Adulteration After 3 to 4 Months of Intermittent Alcohol Self-Administration. Alcoholism: Clinical and Experimental Research, 2010, 34, 1565-1573.	1.4	159
285	The hypocretin/orexin system regulates cocaine self-administration via actions on the mesolimbic dopamine system. European Journal of Neuroscience, 2010, 31, 336-348.	1.2	228
286	REVIEW: Reward sensitivity: issues of measurement, and achieving consilience between human and animal phenotypes. Addiction Biology, 2010, 15, 145-168.	1.4	82
287	PRECLINICAL STUDY: FULL ARTICLE: The dopamine D3 receptor partial agonist CJB090 and antagonist PG01037 decrease progressive ratio responding for methamphetamine in rats with extended access. Addiction Biology, 2010, 15, 312-323.	1.4	46
288	Basolateral Amygdala Cdk5 Activity Mediates Consolidation and Reconsolidation of Memories for Cocaine Cues. Journal of Neuroscience, 2010, 30, 10351-10359.	1.7	68
289	Transient Overexpression of $\text{Ca}^{2+}$ /Calmodulin-Dependent Protein Kinase II in the Nucleus Accumbens Shell Enhances Behavioral Responding to Amphetamine. Journal of Neuroscience, 2010, 30, 939-949.	1.7	61
290	Reduction of Adult Hippocampal Neurogenesis Confers Vulnerability in an Animal Model of Cocaine Addiction. Journal of Neuroscience, 2010, 30, 304-315.	1.7	195

#	ARTICLE	IF	CITATIONS
291	Behavioral Neuroscience of Drug Addiction. <i>Current Topics in Behavioral Neurosciences</i> , 2010, , .	0.8	6
292	Cocaine Is Low on the Value Ladder of Rats: Possible Evidence for Resilience to Addiction. <i>PLoS ONE</i> , 2010, 5, e11592.	1.1	154
293	Progressive and Lasting Amplification of Accumbal Nicotine-Seeking Neural Signals. <i>Journal of Neuroscience</i> , 2010, 30, 276-286.	1.7	7
294	Cocaine-Induced Chromatin Remodeling Increases Brain-Derived Neurotrophic Factor Transcription in the Rat Medial Prefrontal Cortex, Which Alters the Reinforcing Efficacy of Cocaine. <i>Journal of Neuroscience</i> , 2010, 30, 11735-11744.	1.7	157
295	Chronic Cocaine-Induced H3 Acetylation and Transcriptional Activation of CaMKII $\beta$ in the Nucleus Accumbens Is Critical for Motivation for Drug Reinforcement. <i>Neuropsychopharmacology</i> , 2010, 35, 913-928.	2.8	160
296	Neural Substrates of Psychostimulant Withdrawal-Induced Anhedonia. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 3, 119-178.	0.8	91
297	Behavioral and Functional Evidence of Metabotropic Glutamate Receptor 2/3 and Metabotropic Glutamate Receptor 5 Dysregulation in Cocaine-Escalated Rats: Factor in the Transition to Dependence. <i>Biological Psychiatry</i> , 2010, 68, 240-248.	0.7	117
298	Operant responding for sucrose by rats bred for high or low saccharin consumption. <i>Physiology and Behavior</i> , 2010, 99, 529-533.	1.0	31
299	Reinforcing efficacy of fat, as assessed by progressive ratio responding, depends upon availability not amount consumed. <i>Physiology and Behavior</i> , 2010, 100, 316-321.	1.0	34
300	Food reinforcement, delay discounting and obesity. <i>Physiology and Behavior</i> , 2010, 100, 438-445.	1.0	257
301	Long-term physiological and behavioral effects of exposure to a highly palatable diet during the perinatal and post-weaning periods. <i>Physiology and Behavior</i> , 2010, 101, 494-502.	1.0	26
302	Using a novel alternative to drug choice in a human laboratory model of a cocaine binge: A game of chance. <i>Drug and Alcohol Dependence</i> , 2010, 110, 144-150.	1.6	32
303	A questionnaire approach to measuring the relative reinforcing efficacy of snack foods. <i>Eating Behaviors</i> , 2010, 11, 67-73.	1.1	90
304	Inhibition of glycine transporter 1 attenuates nicotine- but not food-induced cue-potentiated reinstatement for a response previously paired with sucrose. <i>Behavioural Brain Research</i> , 2010, 207, 37-43.	1.2	10
305	N-acetylaspartylglutamate (NAAG) inhibits intravenous cocaine self-administration and cocaine-enhanced brain-stimulation reward in rats. <i>Neuropharmacology</i> , 2010, 58, 304-313.	2.0	45
306	Orexin receptor antagonism prevents transcriptional and behavioral plasticity resulting from stimulant exposure. <i>Neuropharmacology</i> , 2010, 58, 185-194.	2.0	68
307	Progressive ratio responding in an obese mouse model: Effects of fenfluramine. <i>Neuropharmacology</i> , 2010, 59, 619-626.	2.0	15
308	External incentives and internal states guide goal-directed behavior via the differential recruitment of the nucleus accumbens and the medial prefrontal cortex. <i>Neuroscience</i> , 2010, 170, 468-477.	1.1	17

#	ARTICLE	IF	CITATIONS
309	Muscarinic type 2 receptors in the lateral dorsal tegmental area modulate cocaine and food seeking behavior in rats. <i>Neuroscience</i> , 2010, 170, 559-569.	1.1	16
310	The Role of Serotonin in Drug Addiction. <i>Handbook of Behavioral Neuroscience</i> , 2010, , 507-545.	0.7	10
311	Chemo Fog. <i>Advances in Experimental Medicine and Biology</i> , 2010, , .	0.8	9
312	Cocaine-Insensitive Dopamine Transporters with Intact Substrate Transport Produced by Self-Administration. <i>Biological Psychiatry</i> , 2011, 69, 201-207.	0.7	60
313	Evaluating the rewarding nature of social interactions in laboratory animals. <i>Developmental Cognitive Neuroscience</i> , 2011, 1, 444-458.	1.9	203
314	Brain cannabinoid CB2 receptors modulate cocaine's actions in mice. <i>Nature Neuroscience</i> , 2011, 14, 1160-1166.	7.1	358
315	Advances in Animal Models of Drug Addiction. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 7, 213-250.	0.8	12
316	Molecular and Functional Models in Neuropsychiatry. <i>Current Topics in Behavioral Neurosciences</i> , 2011, , .	0.8	3
317	Effect of opioid receptor blockade on acetaldehyde self-administration and ERK phosphorylation in the rat nucleus accumbens. <i>Alcohol</i> , 2011, 45, 773-783.	0.8	28
318	Assessing motivation in children using a progressive ratio task. <i>Behavioural Processes</i> , 2011, 87, 203-209.	0.5	36
319	A role for hypocretin/orexin in motivation. <i>Behavioural Brain Research</i> , 2011, 217, 446-453.	1.2	98
320	High fat feeding promotes simultaneous decline in insulin sensitivity and cognitive performance in a delayed matching and non-matching to position task. <i>Behavioural Brain Research</i> , 2011, 217, 134-141.	1.2	79
321	Bromocriptine increased operant responding for high fat food but decreased chow intake in both obesity-prone and resistant rats. <i>Behavioural Brain Research</i> , 2011, 217, 165-170.	1.2	22
322	Dorsal as well as ventral striatal lesions affect levels of intravenous cocaine and morphine self-administration in rats. <i>Neuroscience Letters</i> , 2011, 493, 29-32.	1.0	30
323	Motivation to obtain preferred foods is enhanced by ghrelin in the ventral tegmental area. <i>Hormones and Behavior</i> , 2011, 60, 572-580.	1.0	83
324	Effects of maternal l-tryptophan depletion and corticosterone administration on neurobehavioral adjustments in mouse dams and their adolescent and adult daughters. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1479-1492.	2.5	21
325	The monoamine oxidase (MAO) inhibitor tranlycypromine enhances nicotine self-administration in rats through a mechanism independent of MAO inhibition. <i>Neuropharmacology</i> , 2011, 61, 95-104.	2.0	19
326	Maternal high-fat intake alters presynaptic regulation of dopamine in the nucleus accumbens and increases motivation for fat rewards in the offspring. <i>Neuroscience</i> , 2011, 176, 225-236.	1.1	101

#	ARTICLE	IF	CITATIONS
327	Beta-lactam antibiotic decreases acquisition of and motivation to respond for cocaine, but not sweet food, in C57Bl/6 mice. <i>Behavioural Pharmacology</i> , 2011, 22, 370-373.	0.8	39
328	Effect of methylphenidate on motivation in children with attention-deficit/hyperactivity disorder.. <i>Experimental and Clinical Psychopharmacology</i> , 2011, 19, 145-153.	1.3	28
329	A decrease in gamma-synuclein expression within the nucleus accumbens increases cocaine intravenous self-administration in the rat. <i>Addiction Biology</i> , 2011, 16, 120-123.	1.4	3
330	Analysis of opioid efficacy, tolerance, addiction and dependence from cell culture to human. <i>British Journal of Pharmacology</i> , 2011, 164, 1322-1334.	2.7	197
331	Pharmacologically targeting the P2rx4 gene on maintenance and reinstatement of alcohol self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 533-538.	1.3	21
332	Dopamine D3 receptor antagonist SB-277011A inhibits methamphetamine self-administration and methamphetamine-induced reinstatement of drug-seeking in rats. <i>European Journal of Pharmacology</i> , 2011, 659, 187-192.	1.7	57
333	The orexin1 receptor antagonist SB-334867 dissociates the motivational properties of alcohol and sucrose in rats. <i>Brain Research</i> , 2011, 1391, 54-59.	1.1	125
334	Hypocretin 1/orexin A in the ventral tegmental area enhances dopamine responses to cocaine and promotes cocaine self-administration. <i>Psychopharmacology</i> , 2011, 214, 415-426.	1.5	161
335	Social defeat stress in rats: escalation of cocaine and "speedball" binge self-administration, but not heroin. <i>Psychopharmacology</i> , 2011, 215, 165-175.	1.5	93
336	Prevention of social stress-escalated cocaine self-administration by CRF-R1 antagonist in the rat VTA. <i>Psychopharmacology</i> , 2011, 218, 257-269.	1.5	76
337	Effects of a selectively bred novelty-seeking phenotype on the motivation to take cocaine in male and female rats. <i>Biology of Sex Differences</i> , 2011, 2, 3.	1.8	76
338	The predictive validity of the rat self-administration model for abuse liability. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 912-938.	2.9	157
339	Previous Exposure to $\delta^9$ -Tetrahydrocannabinol Enhances Locomotor Responding to but Not Self-Administration of Amphetamine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 337, 724-733.	1.3	18
340	Drugs as instruments: A new framework for non-addictive psychoactive drug use. <i>Behavioral and Brain Sciences</i> , 2011, 34, 293-310.	0.4	266
341	Sacramental and spiritual use of hallucinogenic drugs. <i>Behavioral and Brain Sciences</i> , 2011, 34, 319-320.	0.4	8
342	To use or not to use: Expanding the view on non-addictive psychoactive drug consumption and its implications. <i>Behavioral and Brain Sciences</i> , 2011, 34, 328-347.	0.4	43
343	Effects of Varenicline on the Reinforcing and Discriminative Stimulus Effects of Cocaine in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 339, 678-686.	1.3	34
344	Accumbens shell AMPA receptors mediate expression of extinguished reward seeking through interactions with basolateral amygdala. <i>Learning and Memory</i> , 2011, 18, 414-421.	0.5	43

#	ARTICLE	IF	CITATIONS
345	A Switch in the Neuromodulatory Effects of Dopamine in the Oval Bed Nucleus of the Stria Terminalis Associated with Cocaine Self-Administration in Rats. <i>Journal of Neuroscience</i> , 2011, 31, 8928-8935.	1.7	40
346	Cracking the Molecular Code of Cocaine Addiction. <i>ILAR Journal</i> , 2011, 52, 309-320.	1.8	12
347	Aspects of nicotine utilization. <i>Behavioral and Brain Sciences</i> , 2011, 34, 326-327.	0.4	1
348	Toward an evolutionary basis for resilience to drug addiction. <i>Behavioral and Brain Sciences</i> , 2011, 34, 310-311.	0.4	11
349	Drug use as consumer behavior. <i>Behavioral and Brain Sciences</i> , 2011, 34, 313-314.	0.4	10
350	Nonaddictive instrumental drug use: Theoretical strengths and weaknesses. <i>Behavioral and Brain Sciences</i> , 2011, 34, 314-315.	0.4	3
351	Optimal drug use and rational drug policy. <i>Behavioral and Brain Sciences</i> , 2011, 34, 318-319.	0.4	4
352	The instrumental rationality of addiction. <i>Behavioral and Brain Sciences</i> , 2011, 34, 320-321.	0.4	8
353	Psychoactive drug use: Expand the scope of outcome assessment. <i>Behavioral and Brain Sciences</i> , 2011, 34, 324-325.	0.4	4
354	Governing drug use through neurobiological subject construction: The sad loss of the sociocultural. <i>Behavioral and Brain Sciences</i> , 2011, 34, 327-328.	0.4	40
355	Flaws of drug instrumentalization. <i>Behavioral and Brain Sciences</i> , 2011, 34, 323-324.	0.4	2
356	Why do we take drugs? From the drug-reinforcement theory to a novel concept of drug instrumentalization. <i>Behavioral and Brain Sciences</i> , 2011, 34, 322-322.	0.4	1
357	Drug addiction finds its own niche. <i>Behavioral and Brain Sciences</i> , 2011, 34, 321-322.	0.4	0
358	But is it evolution? <i>Behavioral and Brain Sciences</i> , 2011, 34, 322-323.	0.4	0
359	Drugs as instruments from a developmental child and adolescent psychiatric perspective. <i>Behavioral and Brain Sciences</i> , 2011, 34, 312-313.	0.4	2
360	Drugs' rapid payoffs distort evaluation of their instrumental uses. <i>Behavioral and Brain Sciences</i> , 2011, 34, 311-312.	0.4	0
361	Non-addictive psychoactive drug use: Implications for behavioral addiction. <i>Behavioral and Brain Sciences</i> , 2011, 34, 315-316.	0.4	3
362	Drug instrumentalization and evolution: Going even further. <i>Behavioral and Brain Sciences</i> , 2011, 34, 317-318.	0.4	2

#	ARTICLE	IF	CITATIONS
363	Drugs, mental instruments, and self-control. Behavioral and Brain Sciences, 2011, 34, 325-326.	0.4	1
364	Does drug mis-instrumentalization lead to drug abuse?. Behavioral and Brain Sciences, 2011, 34, 316-317.	0.4	5
365	Overexpression of CREB in the Nucleus Accumbens Shell Increases Cocaine Reinforcement in Self-Administering Rats. Journal of Neuroscience, 2011, 31, 16447-16457.	1.7	107
366	Escalated or Suppressed Cocaine Reward, Tegmental BDNF, and Accumbal Dopamine Caused by Episodic versus Continuous Social Stress in Rats. Journal of Neuroscience, 2011, 31, 9848-9857.	1.7	150
367	Enhanced Sucrose and Cocaine Self-Administration and Cue-Induced Drug Seeking after Loss of VGLUT2 in Midbrain Dopamine Neurons in Mice. Journal of Neuroscience, 2011, 31, 12593-12603.	1.7	92
368	Sucrose self-administration and CNS activation in the rat. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2011, 300, R876-R884.	0.9	28
369	Differential rearing conditions and alcohol-preferring rats: Consumption of and operant responding for ethanol.. Behavioral Neuroscience, 2011, 125, 184-193.	0.6	38
370	Prolonged Attenuation of the Reinforcing Strength of Cocaine by Chronic d-Amphetamine in Rhesus Monkeys. Neuropsychopharmacology, 2011, 36, 539-547.	2.8	49
371	PG01037, a novel dopamine D <sub>3</sub> receptor antagonist, inhibits the effects of methamphetamine in rats. Journal of Psychopharmacology, 2011, 25, 263-273.	2.0	57
372	The role of context in re-acquisition of extinguished alcoholic beer-seeking.. Behavioral Neuroscience, 2011, 125, 541-550.	0.6	27
373	Robust Escalation of Nicotine Intake with Extended Access to Nicotine Self-Administration and Intermittent Periods of Abstinence. Neuropsychopharmacology, 2012, 37, 2153-2160.	2.8	78
374	Previous Exposure to Nicotine Enhances the Incentive Motivational Effects of Amphetamine via Nicotine-Associated Contextual Stimuli. Neuropsychopharmacology, 2012, 37, 2277-2284.	2.8	25
375	Distinct Contributions of Dopamine in the Dorsolateral Striatum and Nucleus Accumbens Shell to the Reinforcing Properties of Cocaine. Neuropsychopharmacology, 2012, 37, 487-498.	2.8	55
376	Environmental enrichment during development decreases intravenous self-administration of methylphenidate at low unit doses in rats. Behavioural Pharmacology, 2012, 23, 650-657.	0.8	36
377	Multiple roles for orexin/hypocretin in addiction. Progress in Brain Research, 2012, 198, 79-121.	0.9	181
378	Towards an Animal Model of Food Addiction. Obesity Facts, 2012, 5, 180-195.	1.6	29
379	Gastric bypass surgery for obesity decreases the reward value of a sweet-fat stimulus as assessed in a progressive ratio task. American Journal of Clinical Nutrition, 2012, 96, 467-473.	2.2	146
380	Chrelin increases the motivation to eat, but does not alter food palatability. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2012, 303, R259-R269.	0.9	74

#	ARTICLE	IF	CITATIONS
381	IMMEDIATE POSTSESSION FEEDING REDUCES OPERANT RESPONDING IN RATS. Journal of the Experimental Analysis of Behavior, 2012, 97, 203-214.	0.8	5
382	Increased vulnerability to cocaine in mice lacking dopamine D <sub>3</sub> receptors. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 17675-17680.	3.3	69
383	Novel Cocaine Vaccine Linked to a Disrupted Adenovirus Gene Transfer Vector Blocks Cocaine Psychostimulant and Reinforcing Effects. Neuropsychopharmacology, 2012, 37, 1083-1091.	2.8	68
384	Effect of orexin-B-saporin-induced lesions of the lateral hypothalamus on performance on a progressive ratio schedule. Journal of Psychopharmacology, 2012, 26, 871-886.	2.0	8
385	Cocaine Self-Administration Produces Pharmacodynamic Tolerance: Differential Effects on the Potency of Dopamine Transporter Blockers, Releasers, and Methylphenidate. Neuropsychopharmacology, 2012, 37, 1708-1716.	2.8	68
386	Cocaine Dose and Self-Administration History, but Not Initial Cocaine Locomotor Responsiveness, Affects Sensitization to the Motivational Effects of Cocaine in Rats. Journal of Pharmacology and Experimental Therapeutics, 2012, 342, 214-221.	1.3	10
387	Responses to Novelty and Vulnerability to Cocaine Addiction: Contribution of a Multi-Symptomatic Animal Model. Cold Spring Harbor Perspectives in Medicine, 2012, 2, a011940-a011940.	2.9	113
388	Progressive-ratio Responding for Palatable High-fat and High-sugar Food in Mice. Journal of Visualized Experiments, 2012, , e3754.	0.2	43
389	Olanzapine and sibutramine have opposing effects on the motivation for palatable food. Behavioural Pharmacology, 2012, 23, 198-204.	0.8	11
390	Comparison of the Effect of the $\gamma$ -GABA <sub>B</sub> Receptor Agonist, Baclofen, and the Positive Allosteric Modulator of the $\gamma$ -GABA <sub>B</sub> Receptor, $\gamma$ -GS39783, on Alcohol Self-Administration in 3 Different Lines of Alcohol-Preferring Rats. Alcoholism: Clinical and Experimental Research, 2012, 36, 1748-1766.	1.4	67
391	Agonist replacement therapy for cocaine dependence: a translational review. Future Medicinal Chemistry, 2012, 4, 245-265.	1.1	44
392	Eating behavior dimensions. Associations with energy intake and body weight. A review. Appetite, 2012, 59, 541-549.	1.8	268
393	The rewarding and locomotor-sensitizing effects of repeated cocaine administration are distinct and separable in mice. Neuropharmacology, 2012, 62, 1858-1866.	2.0	24
394	Effects of the 5-HT <sub>2C</sub> receptor agonist Ro60-0175 and the 5-HT <sub>2A</sub> receptor antagonist M100907 on nicotine self-administration and reinstatement. Neuropharmacology, 2012, 62, 2288-2298.	2.0	65
395	The science of making drug-addicted animals. Neuroscience, 2012, 211, 107-125.	1.1	162
396	Chronic treatment with curcumin enhances methamphetamine locomotor sensitization and cue-induced reinstatement of methamphetamine self-administration. Pharmacology Biochemistry and Behavior, 2012, 102, 555-561.	1.3	6
397	Effect of l-cysteine on acetaldehyde self-administration. Alcohol, 2012, 46, 489-497.	0.8	18
398	<i>l</i> -tetrahydropalaminine: a potential new medication for the treatment of cocaine addiction. Future Medicinal Chemistry, 2012, 4, 177-186.	1.1	86

#	ARTICLE	IF	CITATIONS
399	Orexin and natural reward. <i>Progress in Brain Research</i> , 2012, 198, 65-77.	0.9	15
400	Usual Energy Intake Mediates the Relationship Between Food Reinforcement and BMI. <i>Obesity</i> , 2012, 20, 1815-1819.	1.5	39
401	Protracted Withdrawal from Cocaine Self-Administration Flips the Switch on 5-HT1B Receptor Modulation of Cocaine Abuse-Related Behaviors. <i>Biological Psychiatry</i> , 2012, 72, 396-404.	0.7	40
402	Caffeine increases the motivation to obtain non-drug reinforcers in rats. <i>Drug and Alcohol Dependence</i> , 2012, 124, 216-222.	1.6	28
403	The effects of rearing condition on methamphetamine self-administration and cue-induced drug seeking. <i>Drug and Alcohol Dependence</i> , 2012, 124, 288-298.	1.6	17
404	Intravenous gestational nicotine exposure results in increased motivation for sucrose reward in adult rat offspring. <i>Drug and Alcohol Dependence</i> , 2012, 124, 299-306.	1.6	21
405	Operant psychostimulant self-administration in a rat model of depression. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 103, 380-385.	1.3	13
406	Hypocretin modulation of drug-induced synaptic plasticity. <i>Progress in Brain Research</i> , 2012, 198, 123-131.	0.9	34
407	Peer influences on drug self-administration: Social facilitation and social inhibition of cocaine intake in male rats. <i>Psychopharmacology</i> , 2012, 224, 81-90.	1.5	67
408	Cocaine self-administration behaviors in Clock <sup>0/19</sup> mice. <i>Psychopharmacology</i> , 2012, 223, 169-177.	1.5	76
409	Deep Brain Stimulation Reveals a Dissociation of Consummatory and Motivated Behaviour in the Medial and Lateral Nucleus Accumbens Shell of the Rat. <i>PLoS ONE</i> , 2012, 7, e33455.	1.1	72
410	Offspring of Prenatal IV Nicotine Exposure Exhibit Increased Sensitivity to the Reinforcing Effects of Methamphetamine. <i>Frontiers in Pharmacology</i> , 2012, 3, 116.	1.6	15
411	Hypocretin/orexin regulation of dopamine signaling: implications for reward and reinforcement mechanisms. <i>Frontiers in Behavioral Neuroscience</i> , 2012, 6, 54.	1.0	60
412	Seeking and taking chain schedules of cocaine and sucrose self-administration: effects of reward size, reward omission, and $\pm$ -flupenthixol. <i>Psychopharmacology</i> , 2012, 220, 771-785.	1.5	20
413	Methylphenidate treatment in the spontaneously hypertensive rat: influence on methylphenidate self-administration and reinstatement in comparison with Wistar rats. <i>Psychopharmacology</i> , 2012, 221, 217-226.	1.5	17
414	Between-session progressive ratio performance in rats responding for cocaine and water reinforcers. <i>Psychopharmacology</i> , 2012, 222, 215-223.	1.5	22
415	A theory of behaviour on progressive ratio schedules, with applications in behavioural pharmacology. <i>Psychopharmacology</i> , 2012, 222, 549-564.	1.5	108
416	Orexin and hypocretin 1 receptor antagonist reduces heroin self-administration and cue-induced heroin seeking. <i>European Journal of Neuroscience</i> , 2012, 35, 798-804.	1.2	110



#	ARTICLE	IF	CITATIONS
417	YQA14: a novel dopamine D <sub>3</sub> receptor antagonist that inhibits cocaine self-administration in rats and mice, but not in D <sub>3</sub> receptor knockout mice. <i>Addiction Biology</i> , 2012, 17, 259-273.	1.4	85
418	Characterization of an alcohol addiction-prone phenotype in mice. <i>Addiction Biology</i> , 2012, 17, 601-612.	1.4	64
419	A limited role for ghrelin in heroin self-administration and food deprivation-induced reinstatement of heroin seeking in rats. <i>Addiction Biology</i> , 2012, 17, 613-622.	1.4	40
420	Orexin-1 receptor antagonism does not reduce the rewarding potency of cocaine in Swiss-Webster mice. <i>Brain Research</i> , 2012, 1431, 53-61.	1.1	15
421	Responding in a Test of Decision-Making Under Risk is Under Moderate Genetic Control in the Rat. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 941-949.	1.4	15
422	Stress induces behavioral sensitization, increases nicotine-seeking behavior and leads to a decrease of CREB in the nucleus accumbens. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 434-442.	1.3	19
423	Rimonabant abolishes sensitivity to workload changes in a progressive ratio procedure. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 575-580.	1.3	3
424	Pontine and thalamic influences on fluid rewards: I. Operant responding for sucrose and corn oil. <i>Physiology and Behavior</i> , 2012, 105, 576-588.	1.0	8
425	Effects of pramipexole on the reinforcing effectiveness of stimuli that were previously paired with cocaine reinforcement in rats. <i>Psychopharmacology</i> , 2012, 219, 123-135.	1.5	23
426	A single episode of maternal deprivation impairs the motivation for cocaine in adolescent mice. <i>Psychopharmacology</i> , 2012, 219, 149-158.	1.5	37
427	The role of conditioning history and reinforcer strength in the reinforcement enhancing effects of nicotine in rats. <i>Psychopharmacology</i> , 2012, 219, 1119-1131.	1.5	31
428	Diet-induced obesity blunts the behavioural effects of ghrelin: studies in a mouse-progressive ratio task. <i>Psychopharmacology</i> , 2012, 220, 173-181.	1.5	54
429	Co-sensitivity to the incentive properties of palatable food and cocaine in rats; implications for co-morbid addictions. <i>Addiction Biology</i> , 2013, 18, 763-773.	1.4	7
430	Stimulation of nicotine reward and central cholinergic activity in Sprague-Dawley rats exposed perinatally to a fat-rich diet. <i>Psychopharmacology</i> , 2013, 230, 509-524.	1.5	23
431	Effects of SKF-83566 and haloperidol on performance on progressive ratio schedules maintained by sucrose and corn oil reinforcement: quantitative analysis using a new model derived from the Mathematical Principles of Reinforcement (MPR). <i>Psychopharmacology</i> , 2013, 230, 617-630.	1.5	19
432	Exaggerated cue-induced reinstatement of cocaine seeking but not incubation of cocaine craving in a developmental rat model of schizophrenia. <i>Psychopharmacology</i> , 2013, 226, 45-51.	1.5	26
433	Role of orexin/hypocretin in conditioned sucrose-seeking in rats. <i>Psychopharmacology</i> , 2013, 226, 155-165.	1.5	88
434	The novel recreational drug 3,4-methylenedioxypyrovalerone (MDPV) is a potent psychomotor stimulant: Self-administration and locomotor activity in rats. <i>Neuropharmacology</i> , 2013, 71, 130-140.	2.0	179

#	ARTICLE	IF	CITATIONS
435	Diet-induced obesity: dopamine transporter function, impulsivity and motivation. <i>International Journal of Obesity</i> , 2013, 37, 1095-1103.	1.6	82
436	Moderate high fat diet increases sucrose self-administration in young rats. <i>Appetite</i> , 2013, 61, 19-29.	1.8	39
437	Reinforcing properties of Pramipexole in normal and parkinsonian rats. <i>Neurobiology of Disease</i> , 2013, 49, 79-86.	2.1	30
438	High levels of intravenous mephedrone (4-methylmethcathinone) self-administration in rats: Neural consequences and comparison with methamphetamine. <i>Journal of Psychopharmacology</i> , 2013, 27, 823-836.	2.0	82
439	Memory retrieval, extinction, and reinstatement of alcohol seeking. <i>Neurobiology of Learning and Memory</i> , 2013, 101, 26-32.	1.0	67
440	Cannabinoid Receptors and Cholecystokinin in Feeding Inhibition. <i>Vitamins and Hormones</i> , 2013, 92, 165-196.	0.7	13
441	Animal Models of Reward Behavior. , 2013, , 709-726.		0
442	Impact of pubertal and adult estradiol treatments on cocaine self-administration. <i>Hormones and Behavior</i> , 2013, 64, 573-578.	1.0	51
443	Adaptations in brain reward circuitry underlie palatable food cravings and anxiety induced by high-fat diet withdrawal. <i>International Journal of Obesity</i> , 2013, 37, 1183-1191.	1.6	169
444	The Speed of Cocaine Delivery Determines the Subsequent Motivation to Self-Administer the Drug. <i>Neuropsychopharmacology</i> , 2013, 38, 2644-2656.	2.8	27
445	Mephedrone (4-methylmethcathinone) supports intravenous self-administration in Sprague-Dawley and Wistar rats. <i>Addiction Biology</i> , 2013, 18, 786-799.	1.4	95
446	Differential roles of the prefrontal cortical subregions and basolateral amygdala in compulsive cocaine seeking and relapse after voluntary abstinence in rats. <i>European Journal of Neuroscience</i> , 2013, 38, 3018-3026.	1.2	90
447	Enhanced nicotine-seeking behavior following pre-exposure to repeated cocaine is accompanied by changes in BDNF in the nucleus accumbens of rats. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 104, 169-176.	1.3	10
448	Conflation of cocaine seeking and cocaine taking responses in IV self-administration experiments in rats: Methodological and interpretational considerations. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2026-2036.	2.9	40
449	A quantitative analysis of the effects of qualitatively different reinforcers on fixed ratio responding in inbred strains of mice. <i>Neurobiology of Learning and Memory</i> , 2013, 101, 85-93.	1.0	20
450	Metabotropic glutamate 7 (mGlu7) receptor: A target for medication development for the treatment of cocaine dependence. <i>Neuropharmacology</i> , 2013, 66, 12-23.	2.0	18
451	Sex differences in methamphetamine seeking in rats: Impact of oxytocin. <i>Psychoneuroendocrinology</i> , 2013, 38, 2343-2353.	1.3	136
452	Pair housing differentially affects motivation to self-administer cocaine in male and female rats. <i>Behavioural Brain Research</i> , 2013, 252, 68-71.	1.2	48

#	ARTICLE	IF	CITATIONS
453	Environments predicting intermittent shortening access reduce operant performance but not home cage binge size in rats. <i>Physiology and Behavior</i> , 2013, 116-117, 35-43.	1.0	4
454	Rats classified as low or high cocaine locomotor responders: A unique model involving striatal dopamine transporters that predicts cocaine addiction-like behaviors. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 1738-1753.	2.9	34
455	The group II metabotropic glutamate receptor agonist, LY379268, decreases methamphetamine self-administration in rats. <i>Drug and Alcohol Dependence</i> , 2013, 132, 414-419.	1.6	37
456	Flavor-Independent Maintenance, Extinction, and Reinstatement of Fat Self-Administration in Mice. <i>Biological Psychiatry</i> , 2013, 73, 851-859.	0.7	28
457	Use of intracranial self-stimulation to evaluate abuse-related and abuse-limiting effects of monoamine releasers in rats. <i>British Journal of Pharmacology</i> , 2013, 168, 850-862.	2.7	102
458	Extended Heroin Access Increases Heroin Choices Over a Potent Nondrug Alternative. <i>Neuropsychopharmacology</i> , 2013, 38, 1209-1220.	2.8	98
459	Insulin induces long-term depression of ventral tegmental area dopamine neurons via endocannabinoids. <i>Nature Neuroscience</i> , 2013, 16, 300-308.	7.1	203
460	Strengthening the accumbal indirect pathway promotes resilience to compulsive cocaine use. <i>Nature Neuroscience</i> , 2013, 16, 632-638.	7.1	261
461	Genetic models of schizophrenia and related psychotic disorders: progress and pitfalls across the methodological minefield. <i>Cell and Tissue Research</i> , 2013, 354, 247-257.	1.5	10
462	The dopamine $\hat{2}$ -hydroxylase inhibitor, nepicastat, suppresses chocolate self-administration and reinstatement of chocolate seeking in rats. <i>British Journal of Nutrition</i> , 2013, 110, 1524-1533.	1.2	7
463	Evidence for a role of a dopamine/5-HT <sub>6</sub> receptor interaction in cocaine reinforcement. <i>Neuropharmacology</i> , 2013, 65, 58-64.	2.0	23
464	Cocaine self-administration by rats is inhibited by cyclic GMP-elevating agents: involvement of epigenetic markers. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1587-1597.	1.0	13
465	Hypothalamic proteoglycan syndecan-3 is a novel cocaine addiction resilience factor. <i>Nature Communications</i> , 2013, 4, 1955.	5.8	26
466	The Selective Dopamine $\hat{2}$ -Hydroxylase Inhibitor Nepicastat Attenuates Multiple Aspects of Cocaine-Seeking Behavior. <i>Neuropsychopharmacology</i> , 2013, 38, 1032-1038.	2.8	68
467	Animal Studies of Addictive Behavior. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2013, 3, a011932-a011932.	2.9	58
468	The relative reinforcing strength of methamphetamine and D-amphetamine in monkeys self-administering cocaine. <i>Behavioural Pharmacology</i> , 2013, 24, 482-485.	0.8	10
469	Exposure to histone deacetylase inhibitors during Pavlovian conditioning enhances subsequent cue-induced reinstatement of operant behavior. <i>Behavioural Pharmacology</i> , 2013, 24, 164-171.	0.8	10
470	D1 Dopamine Receptor-Mediated LTP at GABA Synapses Encodes Motivation to Self-Administer Cocaine in Rats. <i>Journal of Neuroscience</i> , 2013, 33, 11960-11971.	1.7	43

#	ARTICLE	IF	CITATIONS
471	The Selective Serotonin Reuptake Inhibitor Paroxetine Decreases Breakpoint of Rats Engaging in a Progressive Ratio Licking Task for Sucrose and Quinine Solutions. <i>Chemical Senses</i> , 2013, 38, 211-220.	1.1	23
472	Effects of Chronic Methylphenidate on Cocaine Self-Administration under a Progressive-Ratio Schedule of Reinforcement in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 345, 374-382.	1.3	15
473	Abuse liability of novel "legal high"™ designer stimulants. <i>Behavioural Pharmacology</i> , 2013, 24, 341-355.	0.8	16
474	Alpha-Lipoic Acid Reduces Ethanol Self-Administration in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1816-1822.	1.4	15
475	Animal models of alcohol and drug dependence. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, S140-S146.	0.9	23
476	Paradoxical tolerance to cocaine after initial supersensitivity in drug-use-prone animals. <i>European Journal of Neuroscience</i> , 2013, 38, 2628-2636.	1.2	24
477	Predicting extinction and reinstatement of alcohol and sucrose self-administration in outbred rats.. <i>Experimental and Clinical Psychopharmacology</i> , 2013, 21, 245-251.	1.3	6
478	Low Control over Palatable Food Intake in Rats Is Associated with Habitual Behavior and Relapse Vulnerability: Individual Differences. <i>PLoS ONE</i> , 2013, 8, e74645.	1.1	24
479	The Development of a Preference for Cocaine over Food Identifies Individual Rats with Addiction-Like Behaviors. <i>PLoS ONE</i> , 2013, 8, e79465.	1.1	81
480	Episodic Memories and Their Relevance for Psychoactive Drug Use and Addiction. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 34.	1.0	33
481	Complex motivated behaviors for natural rewards following a binge-like regimen of morphine administration: mixed phenotypes of anhedonia and craving after short-term withdrawal. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 23.	1.0	19
482	Lesions of the posterior paraventricular nucleus of the thalamus attenuate fear expression. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 94.	1.0	69
483	Orexin-1 and orexin-2 receptor antagonists reduce ethanol self-administration in high-drinking rodent models. <i>Frontiers in Neuroscience</i> , 2014, 8, 33.	1.4	75
484	Role of cues and contexts on drug-seeking behaviour. <i>British Journal of Pharmacology</i> , 2014, 171, 4636-4672.	2.7	98
485	A novel dopamine D3 receptor antagonist YQA14 inhibits methamphetamine self-administration and relapse to drug-seeking behaviour in rats. <i>European Journal of Pharmacology</i> , 2014, 743, 126-132.	1.7	31
486	Optogenetic Excitation of Central Amygdala Amplifies and Narrows Incentive Motivation to Pursue One Reward Above Another. <i>Journal of Neuroscience</i> , 2014, 34, 16567-16580.	1.7	170
487	Differential role of N-methyl-D-aspartate receptor-mediated glutamate transmission in the nucleus accumbens shell and core in nicotine seeking in rats. <i>European Journal of Neuroscience</i> , 2014, 39, 1314-1322.	1.2	20
488	Deficits in Discrimination after Experimental Frontal Brain Injury Are Mediated by Motivation and Can Be Improved by Nicotinamide Administration. <i>Journal of Neurotrauma</i> , 2014, 31, 1711-1720.	1.7	28

#	ARTICLE	IF	CITATIONS
489	Beyond Small-Molecule SAR. <i>Advances in Pharmacology</i> , 2014, 69, 267-300.	1.2	41
490	Blockade of hypocretin receptor-1 preferentially prevents cocaine seeking. <i>NeuroReport</i> , 2014, 25, 485-488.	0.6	63
491	Dopamine D3 receptors as a therapeutic target for methamphetamine dependence. <i>American Journal of Drug and Alcohol Abuse</i> , 2014, 40, 1-9.	1.1	16
492	Effects of <i>Withania somnifera</i> on oral ethanol self-administration in rats. <i>Behavioural Pharmacology</i> , 2014, 25, 618-628.	0.8	16
493	Sex differences in yohimbine-induced increases in the reinforcing efficacy of nicotine in adolescent rats. <i>Addiction Biology</i> , 2014, 19, 156-164.	1.4	41
494	Potent rewarding and reinforcing effects of the synthetic cathinone 3,4-methylenedioxypyrovalerone (<scp>MDPV</scp>). <i>Addiction Biology</i> , 2014, 19, 165-174.	1.4	156
495	Exposure to nicotine enhances its subsequent self-administration: Contribution of nicotine-associated contextual stimuli. <i>Behavioural Brain Research</i> , 2014, 260, 155-161.	1.2	11
496	Continuous exposure to dizocilpine facilitates escalation of cocaine consumption in male Sprague-Dawley rats. <i>Drug and Alcohol Dependence</i> , 2014, 134, 38-43.	1.6	4
497	Effects of dopamine D2-like receptor agonists in mice trained to discriminate cocaine from saline: Influence of feeding condition. <i>European Journal of Pharmacology</i> , 2014, 729, 123-131.	1.7	10
498	Modulation of methamphetamine's locomotor stimulation and self-administration by JHW 007, an atypical dopamine reuptake blocker. <i>European Journal of Pharmacology</i> , 2014, 731, 73-79.	1.7	20
499	The effects of the novel DA D3 receptor antagonist SR 21502 on cocaine reward, cocaine seeking and cocaine-induced locomotor activity in rats. <i>Psychopharmacology</i> , 2014, 231, 501-510.	1.5	39
500	Viral over-expression of D1 dopamine receptors in the prefrontal cortex increase high-risk behaviors in adults: Comparison with adolescents. <i>Psychopharmacology</i> , 2014, 231, 1615-1626.	1.5	55
501	Effect of streptozotocin-induced diabetes on performance on a progressive ratio schedule. <i>Psychopharmacology</i> , 2014, 231, 2375-2384.	1.5	11
502	Assessment of the effects of contingent histamine injections on the reinforcing effectiveness of cocaine using behavioral economic and progressive-ratio designs. <i>Psychopharmacology</i> , 2014, 231, 2395-2403.	1.5	7
503	Hindbrain orexin 1 receptors influence palatable food intake, operant responding for food, and food-conditioned place preference in rats. <i>Psychopharmacology</i> , 2014, 231, 419-427.	1.5	48
504	The Effect Of Heroin Dependence On Resumption Of Heroin Self-Administration In Rats. <i>Drug and Alcohol Dependence</i> , 2014, 138, 24-31.	1.6	7
505	Amplified reacquisition of nicotine self-administration in rats by repeated stress during abstinence. <i>Psychopharmacology</i> , 2014, 231, 3189-3195.	1.5	13
506	Reduction of the reinforcing effectiveness of cocaine by continuous d-amphetamine treatment in rats: importance of active self-administration during treatment period. <i>Psychopharmacology</i> , 2014, 231, 949-954.	1.5	15

#	ARTICLE	IF	CITATIONS
507	Chronic Alcohol Disrupts Dopamine Receptor Activity and the Cognitive Function of the Medial Prefrontal Cortex. <i>Journal of Neuroscience</i> , 2014, 34, 3706-3718.	1.7	104
508	Dopamine decreases NMDA currents in the oval bed nucleus of the stria terminalis of cocaine self-administering rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 51, 83-88.	2.5	8
509	Predicting abuse potential of stimulants and other dopaminergic drugs: Overview and recommendations. <i>Neuropharmacology</i> , 2014, 87, 66-80.	2.0	28
510	Psychobiology of cocaine addiction: Contribution of a multi-symptomatic animal model of loss of control. <i>Neuropharmacology</i> , 2014, 76, 437-449.	2.0	64
511	Pharmacological Evidence for an Abstinence-Induced Switch in 5-HT <sub>1B</sub> Receptor Modulation of Cocaine Self-Administration and Cocaine-Seeking Behavior. <i>ACS Chemical Neuroscience</i> , 2014, 5, 168-176.	1.7	21
512	Intracranial Self-Stimulation to Evaluate Abuse Potential of Drugs. <i>Pharmacological Reviews</i> , 2014, 66, 869-917.	7.1	185
513	Activation of the Trace Amine-Associated Receptor 1 Prevents Relapse to Cocaine Seeking. <i>Neuropsychopharmacology</i> , 2014, 39, 2299-2308.	2.8	75
514	Amphetamine potency varies with dopamine uptake rate across striatal subregions. <i>Journal of Neurochemistry</i> , 2014, 131, 348-355.	2.1	32
515	Social Stress and CRF-Dopamine Interactions in the VTA: Role in Long-Term Escalation of Cocaine Self-Administration. <i>Journal of Neuroscience</i> , 2014, 34, 6659-6667.	1.7	85
516	Rat Nucleus Accumbens Core Astrocytes Modulate Reward and the Motivation to Self-Administer Ethanol after Abstinence. <i>Neuropsychopharmacology</i> , 2014, 39, 2835-2845.	2.8	115
517	Adrenaline Rush: The Role of Adrenergic Receptors in Stimulant-Induced Behaviors. <i>Molecular Pharmacology</i> , 2014, 85, 640-650.	1.0	71
518	Cocaine self-administration in social dyads using custom-built operant conditioning chambers. <i>Journal of Neuroscience Methods</i> , 2014, 236, 11-18.	1.3	13
519	Concurrent progressive-ratio schedules: Built-in controls in the study of delayed reward efficacy. <i>Journal of Neuroscience Methods</i> , 2014, 233, 172-176.	1.3	4
520	Decreased motivation during chronic pain requires long-term depression in the nucleus accumbens. <i>Science</i> , 2014, 345, 535-542.	6.0	233
521	Whole tobacco smoke extracts to model tobacco dependence in animals. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 47, 53-69.	2.9	27
522	Role of orexin/hypocretin in conditioned sucrose-seeking in female rats. <i>Neuropharmacology</i> , 2014, 86, 97-102.	2.0	38
523	Amphetamine Self-Administration Attenuates Dopamine D2 Autoreceptor Function. <i>Neuropsychopharmacology</i> , 2014, 39, 1833-1842.	2.8	40
524	Adolescent Alcohol Exposure Reduces Behavioral Flexibility, Promotes Disinhibition, and Increases Resistance to Extinction of Ethanol Self-Administration in Adulthood. <i>Neuropsychopharmacology</i> , 2014, 39, 2570-2583.	2.8	175

#	ARTICLE	IF	CITATIONS
525	Disrupted social development enhances the motivation for cocaine in rats. <i>Psychopharmacology</i> , 2014, 231, 1695-1704.	1.5	75
526	Estrous cycle and sex affect cocaine-induced behavioural changes in CD1 mice. <i>Psychopharmacology</i> , 2014, 231, 2647-2659.	1.5	13
527	The self-administration of rapidly delivered cocaine promotes increased motivation to take the drug: contributions of prior levels of operant responding and cocaine intake. <i>Psychopharmacology</i> , 2014, 231, 4241-4252.	1.5	18
528	Wistar rats acquire and maintain self-administration of 20% ethanol without water deprivation, saccharin/sucrose fading, or extended access training. <i>Psychopharmacology</i> , 2014, 231, 4561-4568.	1.5	39
529	Rewarding, reinforcing and incentive salient events involve orexigenic hypothalamic neuropeptides regulating mesolimbic dopaminergic neurotransmission. <i>European Journal of Pharmaceutical Sciences</i> , 2014, 57, 2-10.	1.9	32
530	Genetically modified mice related to schizophrenia and other psychoses: Seeking phenotypic insights into the pathobiology and treatment of negative symptoms. <i>European Neuropsychopharmacology</i> , 2014, 24, 800-821.	0.3	13
531	Anhedonia, avolition, and anticipatory deficits: Assessments in animals with relevance to the negative symptoms of schizophrenia. <i>European Neuropsychopharmacology</i> , 2014, 24, 744-758.	0.3	51
532	The attribution of incentive salience to an appetitive conditioned cue is not affected by knockout of the serotonin transporter in rats. <i>Behavioural Brain Research</i> , 2014, 259, 268-273.	1.2	6
533	Comparison of the Reinforcing Properties of Nicotine and Cigarette Smoke Extract in Rats. <i>Neuropsychopharmacology</i> , 2014, 39, 1843-1851.	2.8	64
534	Reinforcing and neural activating effects of norharmane, a non-nicotine tobacco constituent, alone and in combination with nicotine. <i>Neuropharmacology</i> , 2014, 85, 293-304.	2.0	31
535	IV prenatal nicotine exposure increases the reinforcing efficacy of methamphetamine in adult rat offspring. <i>Drug and Alcohol Dependence</i> , 2014, 141, 92-98.	1.6	11
536	Reducing effect of the Chinese medicinal herb, <i>Salvia miltiorrhiza</i> , on alcohol self-administration in Sardinian alcohol-preferring rats. <i>Alcohol</i> , 2014, 48, 587-593.	0.8	12
537	Increased behavioral output but intact goal-directed and habitual responding for food reward following early-life social deprivation in rats. <i>Behavioural Brain Research</i> , 2014, 271, 94-105.	1.2	7
538	Chronic wheel running reduces maladaptive patterns of methamphetamine intake: regulation by attenuation of methamphetamine-induced neuronal nitric oxide synthase. <i>Brain Structure and Function</i> , 2014, 219, 657-672.	1.2	50
539	Loss of dopaminergic nigrostriatal neurons accounts for the motivational and affective deficits in Parkinson's disease. <i>Molecular Psychiatry</i> , 2014, 19, 358-367.	4.1	166
540	Methylphenidate and cocaine self-administration produce distinct dopamine terminal alterations. <i>Addiction Biology</i> , 2014, 19, 145-155.	1.4	60
541	Galanin-3 Receptor Antagonism by SNAP 37889 Reduces Motivation to Self-administer Alcohol and Attenuates Cue-Induced Reinstatement of Alcohol-Seeking in iP Rats. <i>Journal of Pharmacological Sciences</i> , 2014, 125, 211-216.	1.1	13
542	Acute and chronic administration of a low-dose combination of topiramate and ondansetron reduces ethanol's reinforcing effects in male alcohol preferring (P) rats. <i>Experimental and Clinical Psychopharmacology</i> , 2014, 22, 35-42.	1.3	14

#	ARTICLE	IF	CITATIONS
543	Pre-existing differences in motivation for food and sensitivity to cocaine-induced locomotion in obesity-prone rats. <i>Physiology and Behavior</i> , 2015, 152, 151-160.	1.0	42
544	Rodent Brain Microinjection to Study Molecular Substrates of Motivated Behavior. <i>Journal of Visualized Experiments</i> , 2015, , .	0.2	4
545	Impact of adolescent ethanol exposure and adult amphetamine self-administration on evoked striatal dopamine release in male rats. <i>Psychopharmacology</i> , 2015, 232, 4421-4431.	1.5	6
546	Determinants of conditioned reinforcing effectiveness: Dopamine D2-like receptor agonist-stimulated responding for cocaine-associated stimuli. <i>European Journal of Pharmacology</i> , 2015, 769, 242-249.	1.7	6
547	Evaluation of a Postoperative Painâ€Like State on Motivated Behavior in Rats: Effects of Plantar Incision on Progressiveâ€Ratio Foodâ€Maintained Responding. <i>Drug Development Research</i> , 2015, 76, 432-441.	1.4	7
548	Early social isolation augments alcohol consumption in rats. <i>Behavioural Pharmacology</i> , 2015, 26, 673-680.	0.8	44
549	Modulation of Food Reward by Endocrine and Environmental Factors. <i>Psychosomatic Medicine</i> , 2015, 77, 664-670.	1.3	21
550	Fructose:Glucose Ratiosâ€A Study of Sugar Self-Administration and Associated Neural and Physiological Responses in the Rat. <i>Nutrients</i> , 2015, 7, 3869-3890.	1.7	25
551	Pre-stress performance in an instrumental training predicts post-stress behavioral alterations in chronically stressed rats. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 119.	1.0	2
552	Social defeat-induced anhedonia: effects on operant sucrose-seeking behavior. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 195.	1.0	38
553	Mechanisms of Individual Differences in Impulsive and Risky Choice in Rats. <i>Comparative Cognition and Behavior Reviews</i> , 2015, 10, 45-72.	2.0	22
554	Sufficiency of Mesolimbic Dopamine Neuron Stimulation for the Progression to Addiction. <i>Neuron</i> , 2015, 88, 1054-1066.	3.8	257
555	Persistent palatable food preference in rats with a history of limited and extended access to methamphetamine selfâ€administration. <i>Addiction Biology</i> , 2015, 20, 913-926.	1.4	61
556	Quantitative analysis of performance on a progressive-ratio schedule: effects of reinforcer type, food deprivation and acute treatment with $^9$ -tetrahydrocannabinol (THC). <i>Behavioural Processes</i> , 2015, 113, 122-131.	0.5	33
557	Characterization of attenuated food motivation in high-fat diet-induced obesity: Critical roles for time on diet and reinforcer familiarity. <i>Physiology and Behavior</i> , 2015, 141, 69-77.	1.0	42
558	The effects of GSK-3 $\beta$ blockade on ketamine self-administration and relapse to drug-seeking behavior in rats. <i>Drug and Alcohol Dependence</i> , 2015, 147, 257-265.	1.6	21
559	<sc>AT</sc>â€1001: a highâ€affinity $\beta$ 2 <sc>nAChR</sc> ligand with novel nicotineâ€suppressive pharmacology. <i>British Journal of Pharmacology</i> , 2015, 172, 1834-1845.	2.7	31
560	Optogenetic Stimulation of Accumbens Shell or Shell Projections to Lateral Hypothalamus Produce Differential Effects on the Motivation for Cocaine. <i>Journal of Neuroscience</i> , 2015, 35, 3537-3543.	1.7	37



#	ARTICLE	IF	CITATIONS
561	Effects of the dopamine/norepinephrine releaser phenmetrazine on cocaine self-administration and cocaine-primed reinstatement in rats. <i>Psychopharmacology</i> , 2015, 232, 2405-2414.	1.5	10
562	Social stress and escalated drug self-administration in mice I. Alcohol and corticosterone. <i>Psychopharmacology</i> , 2015, 232, 991-1001.	1.5	69
563	A Single Amphetamine Infusion Reverses Deficits in Dopamine Nerve-Terminal Function Caused by a History of Cocaine Self-Administration. <i>Neuropsychopharmacology</i> , 2015, 40, 1826-1836.	2.8	19
564	Association of novelty-related behaviors and intravenous cocaine self-administration in Diversity Outbred mice. <i>Psychopharmacology</i> , 2015, 232, 1011-1024.	1.5	39
565	On the role of adenosine (A)2A receptors in cocaine-induced reward: a pharmacological and neurochemical analysis in rats. <i>Psychopharmacology</i> , 2015, 232, 421-435.	1.5	33
566	Reinforcer devaluation as a consequence of acute nicotine exposure and withdrawal. <i>Psychopharmacology</i> , 2015, 232, 1583-1594.	1.5	11
567	Reducing Ventral Tegmental Dopamine D2 Receptor Expression Selectively Boosts Incentive Motivation. <i>Neuropsychopharmacology</i> , 2015, 40, 2085-2095.	2.8	64
568	Hypocretin receptor 1 blockade preferentially reduces high effort responding for cocaine without promoting sleep. <i>Behavioural Brain Research</i> , 2015, 291, 377-384.	1.2	41
569	Enhancing glutamatergic transmission during adolescence reverses early-life stress-induced deficits in the rewarding effects of cocaine in rats. <i>Neuropharmacology</i> , 2015, 99, 168-176.	2.0	33
570	A novel UCS memory retrieval-extinction procedure to inhibit relapse to drug seeking. <i>Nature Communications</i> , 2015, 6, 7675.	5.8	96
571	Loss of Feedback Inhibition via D2 Autoreceptors Enhances Acquisition of Cocaine Taking and Reactivity to Drug-Paired Cues. <i>Neuropsychopharmacology</i> , 2015, 40, 1495-1509.	2.8	46
572	Elevated reinforcing and motivational properties of alcohol at the end of the nocturnal period in sP rats. <i>Psychopharmacology</i> , 2015, 232, 3585-3595.	1.5	7
573	How fast and how often: The pharmacokinetics of drug use are decisive in addiction. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 56, 166-179.	2.9	160
574	Nonhuman Primate Self-Administration in Assessments of Abuse Potential. , 2015, , 81-99.		0
575	Clinical Evaluation of Abuse Potential for New Pharmaceuticals. , 2015, , 215-243.		0
576	Î <sup>q</sup> Opioid Receptors in the Nucleus Accumbens Shell Mediate Escalation of Methamphetamine Intake. <i>Journal of Neuroscience</i> , 2015, 35, 4296-4305.	1.7	59
577	Differential effects of ghrelin antagonists on alcohol drinking and reinforcement in mouse and rat models of alcohol dependence. <i>Neuropharmacology</i> , 2015, 97, 182-193.	2.0	62
578	In vivo potency and efficacy of the novel cathinone Î±-pyrrolidinopentiophenone and 3,4-methylenedioxypyrovalerone: self-administration and locomotor stimulation in male rats. <i>Psychopharmacology</i> , 2015, 232, 3045-3055.	1.5	92

#	ARTICLE	IF	CITATIONS
579	Evidence for a role of 5-HT <sub>2C</sub> receptors in the motor aspects of performance, but not the efficacy of food reinforcers, in a progressive ratio schedule. <i>Psychopharmacology</i> , 2015, 232, 699-711.	1.5	14
580	Individual differences in anhedonic and accumbal dopamine responses to chronic social stress and their link to cocaine self-administration in female rats. <i>Psychopharmacology</i> , 2015, 232, 825-834.	1.5	52
581	Differentiating the primary reinforcing and reinforcement-enhancing effects of varenicline. <i>Psychopharmacology</i> , 2015, 232, 975-983.	1.5	20
582	Social defeat stress-induced sensitization and escalated cocaine self-administration: the role of ERK signaling in the rat ventral tegmental area. <i>Psychopharmacology</i> , 2015, 232, 1555-1569.	1.5	47
583	The Roles of Dopamine and $\hat{1}$ -Adrenergic Receptors in Cocaine Preferences in Female and Male Rats. <i>Neuropsychopharmacology</i> , 2015, 40, 2696-2704.	2.8	45
584	Escalation of cocaine self-administration in adulthood after social defeat of adolescent rats: role of social experience and adaptive coping behavior. <i>Psychopharmacology</i> , 2015, 232, 3067-3079.	1.5	58
585	Sex differences in the long-lasting consequences of adolescent ethanol exposure for the rewarding effects of cocaine in mice. <i>Psychopharmacology</i> , 2015, 232, 2995-3007.	1.5	18
586	Intravenous self-administration of mephedrone, methylone and MDMA in female rats. <i>Neuropharmacology</i> , 2015, 92, 90-97.	2.0	81
587	Identifying Medication Targets for Psychostimulant Addiction: Unraveling the Dopamine D <sub>3</sub> Receptor Hypothesis. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 5361-5380.	2.9	86
588	Role for the M <sub>1</sub> Muscarinic Acetylcholine Receptor in Top-Down Cognitive Processing Using a Touchscreen Visual Discrimination Task in Mice. <i>ACS Chemical Neuroscience</i> , 2015, 6, 1683-1695.	1.7	48
589	The brain gene expression profile of dopamine D <sub>2</sub> /D <sub>3</sub> receptors and associated signaling proteins following amphetamine self-administration. <i>Neuroscience</i> , 2015, 307, 253-261.	1.1	11
590	Environmental condition alters amphetamine self-administration: role of the mGluR5 receptor and schedule of reinforcement. <i>Psychopharmacology</i> , 2015, 232, 3741-3752.	1.5	12
591	Transient inactivation of the posterior paraventricular nucleus of the thalamus blocks cocaine-seeking behavior. <i>Neuroscience Letters</i> , 2015, 608, 34-39.	1.0	59
592	Developmental emergence of an obsessive-compulsive phenotype and binge behavior in rats. <i>Psychopharmacology</i> , 2015, 232, 3173-3181.	1.5	23
593	Adolescent nicotine exposure fails to impact cocaine reward, aversion and self-administration in adult male rats. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 137, 30-37.	1.3	32
594	Tobacco particulate matter self-administration in rats: differential effects of tobacco type. <i>Addiction Biology</i> , 2015, 20, 227-235.	1.4	35
595	Methods for Dissecting Motivation and Related Psychological Processes in Rodents. <i>Current Topics in Behavioral Neurosciences</i> , 2015, 27, 451-470.	0.8	9
596	Acupuncture Suppresses Morphine Craving in Progressive Ratio Through the GABA System. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2015, 8, 175-182.	0.3	9

#	ARTICLE	IF	CITATIONS
597	Oxytocin Reduces Cocaine Seeking and Reverses Chronic Cocaine-Induced Changes in Glutamate Receptor Function. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu009-pyu009.	1.0	33
598	Rodent models of impulsive/compulsive behaviors in Parkinson's disease: How far have we reached?. <i>Neurobiology of Disease</i> , 2015, 82, 561-573.	2.1	23
599	Effects of fendiline on cocaine-seeking behavior in the rat. <i>Psychopharmacology</i> , 2015, 232, 4401-4410.	1.5	4
600	Intravenous self-administration of entactogen-class stimulants in male rats. <i>Neuropharmacology</i> , 2015, 99, 538-545.	2.0	56
601	Attenuation of social interaction-associated ultrasonic vocalizations and spatial working memory performance in rats exposed to chronic unpredictable stress. <i>Physiology and Behavior</i> , 2015, 152, 128-134.	1.0	36
602	Adaptations of Presynaptic Dopamine Terminals Induced by Psychostimulant Self-Administration. <i>ACS Chemical Neuroscience</i> , 2015, 6, 27-36.	1.7	50
603	Hypocretin/Orexin Regulation of Dopamine Signaling and Cocaine Self-Administration Is Mediated Predominantly by Hypocretin Receptor 1. <i>ACS Chemical Neuroscience</i> , 2015, 6, 138-146.	1.7	74
604	Extended access to nicotine leads to a CRF <sub>1</sub> receptor dependent increase in anxiety-like behavior and hyperalgesia in rats. <i>Addiction Biology</i> , 2015, 20, 56-68.	1.4	65
605	The role of serotonin in drug use and addiction. <i>Behavioural Brain Research</i> , 2015, 277, 146-192.	1.2	291
606	Excitatory Synaptic Function and Plasticity is Persistently Altered in Ventral Tegmental Area Dopamine Neurons after Prenatal Ethanol Exposure. <i>Neuropsychopharmacology</i> , 2015, 40, 893-905.	2.8	33
607	GluN2B-Containing NMDA Receptors Blockade Rescues Bidirectional Synaptic Plasticity in the Bed Nucleus of the Stria Terminalis of Cocaine Self-Administering Rats. <i>Neuropsychopharmacology</i> , 2015, 40, 394-405.	2.8	17
608	Sex Differences and Addiction. , 2016, , 129-147.		6
609	Involvement of opioid signaling in food preference and motivation. <i>Progress in Brain Research</i> , 2016, 229, 159-187.	0.9	10
610	Adolescent Maturation Transitions in the Prefrontal Cortex and Dopamine Signaling as a Risk Factor for the Development of Obesity and High Fat/High Sugar Diet Induced Cognitive Deficits. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 189.	1.0	63
612	Adolescent pre-treatment with oxytocin protects against adult methamphetamine-seeking behavior in female rats. <i>Addiction Biology</i> , 2016, 21, 304-315.	1.4	43
613	Adolescent-onset of cocaine use is associated with heightened stress-induced reinstatement of cocaine seeking. <i>Addiction Biology</i> , 2016, 21, 634-645.	1.4	20
614	The effects of sex, estrous cycle, and social contact on cocaine and heroin self-administration in rats. <i>Psychopharmacology</i> , 2016, 233, 3201-3210.	1.5	72
616	Predicting the Abuse Liability of Entactogen-Class, New and Emerging Psychoactive Substances via Preclinical Models of Drug Self-administration. <i>Current Topics in Behavioral Neurosciences</i> , 2016, 32, 145-164.	0.8	30

#	ARTICLE	IF	CITATIONS
617	Attenuation of cocaine self-administration by chronic oral phendimetrazine in rhesus monkeys. <i>Neuroscience</i> , 2016, 324, 367-376.	1.1	13
618	Disulfiram inhibits chocolate self-administration and reinstatement to chocolate seeking in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 148, 119-127.	1.3	2
619	Evaluation of the "Pipeline" for Development of Medications for Cocaine Use Disorder: A Review of Translational Preclinical, Human Laboratory, and Clinical Trial Research. <i>Pharmacological Reviews</i> , 2016, 68, 533-562.	7.1	114
620	Episodic Social Stress-Escalated Cocaine Self-Administration: Role of Phasic and Tonic Corticotropin Releasing Factor in the Anterior and Posterior Ventral Tegmental Area. <i>Journal of Neuroscience</i> , 2016, 36, 4093-4105.	1.7	65
621	The GLP-1 agonist exendin-4 attenuates self-administration of sweetened fat on fixed and progressive ratio schedules of reinforcement in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 142, 48-55.	1.3	11
622	Striatal 5-HT6 Receptors Regulate Cocaine Reinforcement in a Pathway-Selective Manner. <i>Neuropsychopharmacology</i> , 2016, 41, 2377-2387.	2.8	15
623	Future Research Directions in the Positive Valence Systems: Measurement, Development, and Implications for Youth Unipolar Depression. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2016, 45, 681-705.	2.2	38
624	Reducing effect of saikosaponin A, an active ingredient of <i>Bupleurum falcatum</i> , on alcohol self-administration in rats: Possible involvement of the GABAB receptor. <i>Neuroscience Letters</i> , 2016, 621, 62-67.	1.0	11
625	Unaltered cocaine self-administration in the prenatal LPS rat model of schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 69, 38-48.	2.5	14
626	Hedonic Changes in Food Choices Following Roux-en-Y Gastric Bypass. <i>Obesity Surgery</i> , 2016, 26, 1946-1955.	1.1	27
627	Adolescent d-amphetamine treatment in a rodent model of attention deficit/hyperactivity disorder: impact on cocaine abuse vulnerability in adulthood. <i>Psychopharmacology</i> , 2016, 233, 3891-3903.	1.5	16
628	The neurobiology of social play and its rewarding value in rats. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 70, 86-105.	2.9	222
629	Role of lateral septum glucagon-like peptide 1 receptors in food intake. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R124-R132.	0.9	51
630	The individual and combined effects of phendimetrazine and mgluR2/3 agonist LY379268 on the motivation to self-administer cocaine. <i>Drug and Alcohol Dependence</i> , 2016, 166, 51-60.	1.6	13
631	Nicotine enhancement and reinforcer devaluation: Interaction with opioid receptors. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 150-151, 1-7.	1.3	11
632	Systemic Delivery of a Brain-Penetrant TrkB Antagonist Reduces Cocaine Self-Administration and Normalizes TrkB Signaling in the Nucleus Accumbens and Prefrontal Cortex. <i>Journal of Neuroscience</i> , 2016, 36, 8149-8159.	1.7	36
633	Cocaine Self-Administration Produces Long-Lasting Alterations in Dopamine Transporter Responses to Cocaine. <i>Journal of Neuroscience</i> , 2016, 36, 7807-7816.	1.7	28
634	A novel orvinol analog, BU08028, as a safe opioid analgesic without abuse liability in primates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5511-8.	3.3	87

#	ARTICLE	IF	CITATIONS
635	Effects of drugs of abuse on hippocampal plasticity and hippocampus-dependent learning and memory: contributions to development and maintenance of addiction. <i>Learning and Memory</i> , 2016, 23, 515-533.	0.5	213
636	HPA Axis Interactions with Behavioral Systems. , 2016, 6, 1897-1934.		59
637	Prewaning iron deficiency increases non-contingent responding during cocaine self-administration in rats. <i>Physiology and Behavior</i> , 2016, 167, 282-288.	1.0	3
638	Food reinforcement during infancy. <i>Preventive Medicine</i> , 2016, 92, 100-105.	1.6	11
639	Ventral Pallidum Output Pathways in Context-Induced Reinstatement of Alcohol Seeking. <i>Journal of Neuroscience</i> , 2016, 36, 11716-11726.	1.7	58
640	Effects of Lorcaserin on Cocaine and Methamphetamine Self-Administration and Reinstatement of Responding Previously Maintained by Cocaine in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 359, 383-391.	1.3	42
641	Ventral tegmental area orexin 1 receptors promote palatable food intake and oppose postingestive negative feedback. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R592-R599.	0.9	43
642	Quantifying motivation with effort-based decision-making paradigms in health and disease. <i>Progress in Brain Research</i> , 2016, 229, 71-100.	0.9	79
643	Responses to drugs of abuse and non-drug rewards in leptin deficient ob/ob mice. <i>Psychopharmacology</i> , 2016, 233, 2799-2811.	1.5	25
644	Glucose-responsive neurons of the paraventricular thalamus control sucrose-seeking behavior. <i>Nature Neuroscience</i> , 2016, 19, 999-1002.	7.1	108
645	Interactions between Early Life Stress, Nucleus Accumbens MeCP2 Expression, and Methamphetamine Self-Administration in Male Rats. <i>Neuropsychopharmacology</i> , 2016, 41, 2851-2861.	2.8	21
646	Effects of sex and remifentanyl dose on rats' acquisition of responding for a remifentanyl-conditioned reinforcer. <i>Behavioural Pharmacology</i> , 2016, 27, 137-147.	0.8	7
647	Systems genetics of intravenous cocaine self-administration in the BXD recombinant inbred mouse panel. <i>Psychopharmacology</i> , 2016, 233, 701-714.	1.5	70
648	Melanocortin-3 receptors in the limbic system mediate feeding-related motivational responses during weight loss. <i>Molecular Metabolism</i> , 2016, 5, 566-579.	3.0	21
649	Overexpression of BDNF in the ventral tegmental area enhances binge cocaine self-administration in rats exposed to repeated social defeat. <i>Neuropharmacology</i> , 2016, 109, 121-130.	2.0	14
650	Caffeine, a common active adulterant of cocaine, enhances the reinforcing effect of cocaine and its motivational value. <i>Psychopharmacology</i> , 2016, 233, 2879-2889.	1.5	30
651	Levo-tetrahydropalmatine, a natural, mixed dopamine receptor antagonist, inhibits methamphetamine self-administration and methamphetamine-induced reinstatement. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 144, 67-72.	1.3	28
652	The 5-HT 2C receptor agonist lorcaserin reduces cocaine self-administration, reinstatement of cocaine-seeking and cocaine induced locomotor activity. <i>Neuropharmacology</i> , 2016, 101, 237-245.	2.0	59

#	ARTICLE	IF	CITATIONS
653	In search of predictive endophenotypes in addiction: insights from preclinical research. <i>Genes, Brain and Behavior</i> , 2016, 15, 74-88.	1.1	121
654	Modern "junk food" and minimally-processed "natural food" cafeteria diets alter the response to sweet taste but do not impair flavor-nutrient learning in rats. <i>Physiology and Behavior</i> , 2016, 157, 146-157.	1.0	14
655	Delayed extinction and stronger drug-primed reinstatement of methamphetamine seeking in rats prenatally exposed to morphine. <i>Neurobiology of Learning and Memory</i> , 2016, 128, 56-64.	1.0	22
656	Differential motivational profiles following adolescent sucrose access in male and female rats. <i>Physiology and Behavior</i> , 2016, 157, 13-19.	1.0	45
657	Melanocortin 3 Receptor Signaling in Midbrain Dopamine Neurons Increases the Motivation for Food Reward. <i>Neuropsychopharmacology</i> , 2016, 41, 2241-2251.	2.8	52
658	Clavulanic acid enhances glutamate transporter subtype 1 (GLT-1) expression and decreases reinforcing efficacy of cocaine in mice. <i>Amino Acids</i> , 2016, 48, 689-696.	1.2	41
659	Glucagon-Like Peptide-1 Receptor Activation in the Ventral Tegmental Area Decreases the Reinforcing Efficacy of Cocaine. <i>Neuropsychopharmacology</i> , 2016, 41, 1917-1928.	2.8	97
660	ROBucket: A low cost operant chamber based on the Arduino microcontroller. <i>Behavior Research Methods</i> , 2016, 48, 503-509.	2.3	38
661	Corticostriatal Afferents Modulate Responsiveness to Psychostimulant Drugs and Drug-Associated Stimuli. <i>Neuropsychopharmacology</i> , 2016, 41, 1128-1137.	2.8	39
662	5-HT1A Autoreceptors in the Dorsal Raphe Nucleus Convey Vulnerability to Compulsive Cocaine Seeking. <i>Neuropsychopharmacology</i> , 2016, 41, 1210-1222.	2.8	38
663	Contrasting Roles of Dopamine and Noradrenaline in the Motivational Properties of Social Play Behavior in Rats. <i>Neuropsychopharmacology</i> , 2016, 41, 858-868.	2.8	81
664	Distinct alterations in motor & reward seeking behavior are dependent on the gestational age of exposure to LPS-induced maternal immune activation. <i>Brain, Behavior, and Immunity</i> , 2017, 63, 21-34.	2.0	49
665	Expression of functional cannabinoid CB <sub>2</sub> receptor in VTA dopamine neurons in rats. <i>Addiction Biology</i> , 2017, 22, 752-765.	1.4	117
666	A partial trace amine-associated receptor 1 agonist exhibits properties consistent with a methamphetamine substitution treatment. <i>Addiction Biology</i> , 2017, 22, 1246-1256.	1.4	40
667	Escalation of intravenous self-administration of methylone and mephedrone under extended access conditions. <i>Addiction Biology</i> , 2017, 22, 1160-1168.	1.4	38
668	Behavioral evidence for the abuse potential of the novel synthetic cathinone alpha-pyrrolidinopentiothiophenone (PVT) in rodents. <i>Psychopharmacology</i> , 2017, 234, 857-867.	1.5	29
669	Intermittent intake of rapid cocaine injections promotes robust psychomotor sensitization, increased incentive motivation for the drug and mGlu2/3 receptor dysregulation. <i>Neuropharmacology</i> , 2017, 117, 227-237.	2.0	53
670	Dysfunction of ventrolateral striatal dopamine receptor type 2-expressing medium spiny neurons impairs instrumental motivation. <i>Nature Communications</i> , 2017, 8, 14304.	5.8	46

#	ARTICLE	IF	CITATIONS
671	Cocaine Potency at the Dopamine Transporter Tracks Discrete Motivational States During Cocaine Self-Administration. <i>Neuropsychopharmacology</i> , 2017, 42, 1893-1904.	2.8	29
672	Exposure of adolescent mice to 3,4-methylenedioxypyrovalerone increases the psychostimulant, rewarding and reinforcing effects of cocaine in adulthood. <i>British Journal of Pharmacology</i> , 2017, 174, 1161-1173.	2.7	24
673	Individual Differences in the Relative Reinforcing Effects of 3,4-Methylenedioxypyrovalerone under Fixed and Progressive Ratio Schedules of Reinforcement in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017, 361, 181-189.	1.3	48
674	Altered sucrose self-administration following injection of melanocortin receptor agonists and antagonists into the ventral tegmental area. <i>Psychopharmacology</i> , 2017, 234, 1683-1692.	1.5	17
675	Ventrolateral Striatal Medium Spiny Neurons Positively Regulate Food-Incentive, Goal-Directed Behavior Independently of D1 and D2 Selectivity. <i>Journal of Neuroscience</i> , 2017, 37, 2723-2733.	1.7	99
676	High-sucrose diets in male rats disrupt aspects of decision making tasks, motivation and spatial memory, but not impulsivity measured by operant delay-discounting. <i>Behavioural Brain Research</i> , 2017, 327, 144-154.	1.2	24
677	Neuropharmacology of New Psychoactive Substances (NPS). <i>Current Topics in Behavioral Neurosciences</i> , 2017, .	0.8	17
678	<i>Cdh13</i> and <i>AdipoQ</i> gene knockout alter instrumental and Pavlovian drug conditioning. <i>Genes, Brain and Behavior</i> , 2017, 16, 686-698.	1.1	13
679	Prenatal Ethanol Exposure Persistently Alters Endocannabinoid Signaling and Endocannabinoid-Mediated Excitatory Synaptic Plasticity in Ventral Tegmental Area Dopamine Neurons. <i>Journal of Neuroscience</i> , 2017, 37, 5798-5808.	1.7	24
680	Attenuation of nicotine taking and seeking in rats by the stoichiometry-selective alpha4beta2 nicotinic acetylcholine receptor positive allosteric modulator NS9283. <i>Psychopharmacology</i> , 2017, 234, 475-484.	1.5	17
681	Preclinical Evidence That 5-HT1B Receptor Agonists Show Promise as Medications for Psychostimulant Use Disorders. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 644-653.	1.0	14
682	Generalization of serotonin and dopamine ligands to the discriminative stimulus effects of different doses of $\Delta^1$ -3,4-methylenedioxymethamphetamine. <i>Behavioural Pharmacology</i> , 2017, 28, 245-254.	0.8	11
683	Galanin-Expressing GABA Neurons in the Lateral Hypothalamus Modulate Food Reward and Noncompulsive Locomotion. <i>Journal of Neuroscience</i> , 2017, 37, 6053-6065.	1.7	80
684	Suppressing effect of COR659 on alcohol, sucrose, and chocolate self-administration in rats: involvement of the GABAB and cannabinoid CB1 receptors. <i>Psychopharmacology</i> , 2017, 234, 2525-2543.	1.5	18
685	KK-92A, a novel GABAB receptor positive allosteric modulator, attenuates nicotine self-administration and cue-induced nicotine seeking in rats. <i>Psychopharmacology</i> , 2017, 234, 1633-1644.	1.5	15
686	GABABreceptor allosteric modulators exhibit pathway-dependent and species-selective activity. <i>Pharmacology Research and Perspectives</i> , 2017, 5, e00288.	1.1	11
687	Behind binge eating: A review of food-specific adaptations of neurocognitive and neuroimaging tasks. <i>Physiology and Behavior</i> , 2017, 176, 59-70.	1.0	33
688	Lateral Habenula Involvement in Impulsive Cocaine Seeking. <i>Neuropsychopharmacology</i> , 2017, 42, 1103-1112.	2.8	35

#	ARTICLE	IF	CITATIONS
689	From adolescent to elder rats: Motivation for palatable food and cannabinoids receptors. <i>Developmental Neurobiology</i> , 2017, 77, 917-927.	1.5	17
690	Reinforcing Doses of Intravenous Cocaine Produce Only Modest Dopamine Uptake Inhibition. <i>ACS Chemical Neuroscience</i> , 2017, 8, 281-289.	1.7	14
691	Prior alcohol use enhances vulnerability to compulsive cocaine self-administration by promoting degradation of HDAC4 and HDAC5. <i>Science Advances</i> , 2017, 3, e1701682.	4.7	45
692	Behavioral and Psychological Phenotyping of Physical Activity and Sedentary Behavior: Implications for Weight Management. <i>Obesity</i> , 2017, 25, 1653-1659.	1.5	28
693	A preclinical model for identifying rats at risk of alcohol use disorder. <i>Scientific Reports</i> , 2017, 7, 9454.	1.6	29
694	Choice between delayed food and immediate opioids in rats: treatment effects and individual differences. <i>Psychopharmacology</i> , 2017, 234, 3361-3373.	1.5	31
695	Female Sprague-Dawley rats display greater appetitive and consummatory responses to alcohol. <i>Behavioural Brain Research</i> , 2017, 327, 155-161.	1.2	21
696	Optogenetic Central Amygdala Stimulation Intensifies and Narrows Motivation for Cocaine. <i>Journal of Neuroscience</i> , 2017, 37, 8330-8348.	1.7	106
697	Persistent cognitive and morphological alterations induced by repeated exposure of adolescent rats to the abused inhalant toluene. <i>Neurobiology of Learning and Memory</i> , 2017, 144, 136-146.	1.0	13
698	Blockade of $\beta$ -2-adrenergic receptors in prelimbic cortex: impact on cocaine self-administration in adult spontaneously hypertensive rats following adolescent atomoxetine treatment. <i>Psychopharmacology</i> , 2017, 234, 2897-2909.	1.5	4
699	Further delineation between typical and atypical dopamine uptake inhibitors: effects on food-maintained behavior and food consumption. <i>Behavioural Pharmacology</i> , 2017, 28, 74-82.	0.8	1
700	Development of an opioid self-administration assay to study drug seeking in zebrafish. <i>Behavioural Brain Research</i> , 2017, 335, 158-166.	1.2	47
701	Similarities and Differences in Diagnostic Criterion. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1010, 105-132.	0.8	1
702	The consummatory and motivational behaviors for natural rewards following long-term withdrawal from morphine: no anhedonia but persistent maladaptive behaviors for high-value rewards. <i>Psychopharmacology</i> , 2017, 234, 1277-1292.	1.5	7
703	Deletion of Type 2 Metabotropic Glutamate Receptor Decreases Sensitivity to Cocaine Reward in Rats. <i>Cell Reports</i> , 2017, 20, 319-332.	2.9	28
704	Hypocretin receptor 1 blockade produces bimodal modulation of cocaine-associated mesolimbic dopamine signaling. <i>Psychopharmacology</i> , 2017, 234, 2761-2776.	1.5	26
705	Impairment of opiate-mediated behaviors by the selective TRPV1 antagonist SB366791. <i>Addiction Biology</i> , 2017, 22, 1817-1828.	1.4	17
706	Obesity: Current and potential pharmacotherapeutics and targets. , 2017, 170, 116-147.		145



#	ARTICLE	IF	CITATIONS
707	Learning From One's Mistakes: A Dual Role for the Rostromedial Tegmental Nucleus in the Encoding and Expression of Punished Reward Seeking. <i>Biological Psychiatry</i> , 2017, 81, 1041-1049.	0.7	31
708	Genetic Deletion of the Nociceptin/Orphanin FQ Receptor in the Rat Confers Resilience to the Development of Drug Addiction. <i>Neuropsychopharmacology</i> , 2017, 42, 695-706.	2.8	49
709	CTDP-32476: A Promising Agonist Therapy for Treatment of Cocaine Addiction. <i>Neuropsychopharmacology</i> , 2017, 42, 682-694.	2.8	11
710	Dopaminergic neurotransmission in ventral and dorsal striatum differentially modulates alcohol reinforcement. <i>European Journal of Neuroscience</i> , 2017, 45, 147-158.	1.2	10
711	Dissociative role for dorsal hippocampus in mediating heroin self-administration and relapse through CDK5 and RhoB signaling revealed by proteomic analysis. <i>Addiction Biology</i> , 2017, 22, 1731-1742.	1.4	21
712	Punishment models of addictive behavior. <i>Current Opinion in Behavioral Sciences</i> , 2017, 13, 77-84.	2.0	41
713	Activation of Ventral Tegmental Area 5-HT <sub>2C</sub> Receptors Reduces Incentive Motivation. <i>Neuropsychopharmacology</i> , 2017, 42, 1511-1521.	2.8	48
714	Effects of an acute cannabidiol treatment on cocaine self-administration and cue-induced cocaine seeking in male rats. <i>Journal of Psychopharmacology</i> , 2017, 31, 96-104.	2.0	37
715	In Vitro and In Vivo Profile of PPL-101 and PPL-103: Mixed Opioid Partial Agonist Analgesics with Low Abuse Potential. <i>Frontiers in Psychiatry</i> , 2017, 8, 52.	1.3	14
716	Cannabinoid Receptor 1 and Fatty Acid Amide Hydrolase Contribute to Operant Sensation Seeking in Mice. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1635.	1.8	3
717	Deep brain stimulation of the nucleus accumbens core but not shell reduces motivational components of heroin taking and seeking in rats. <i>Brain and Neuroscience Advances</i> , 2017, 1, 239821281771108.	1.8	5
718	Cocaine-Seeking Behavior. , 2017, , 407-415.		0
719	Binge-Like Sucrose Self-Administration Experience Inhibits Cocaine and Sucrose Seeking Behavior in Offspring. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 184.	1.0	7
720	Hypocretin/orexin deficiency decreases cocaine abuse liability. <i>Neuropharmacology</i> , 2018, 133, 395-403.	2.0	33
721	A neuronal mechanism underlying decision-making deficits during hyperdopaminergic states. <i>Nature Communications</i> , 2018, 9, 731.	5.8	56
722	Choice for Drug or Natural Reward Engages Largely Overlapping Neuronal Ensembles in the Infralimbic Prefrontal Cortex. <i>Journal of Neuroscience</i> , 2018, 38, 3507-3519.	1.7	42
723	mGluR5 antagonism inhibits cocaine reinforcement and relapse by elevation of extracellular glutamate in the nucleus accumbens via a CB1 receptor mechanism. <i>Scientific Reports</i> , 2018, 8, 3686.	1.6	32
724	Adult neurogenesis affects motivation to obtain weak, but not strong, reward in operant tasks. <i>Hippocampus</i> , 2018, 28, 512-522.	0.9	13

#	ARTICLE	IF	CITATIONS
725	Distinct Accumbens Shell Output Pathways Promote versus Prevent Relapse to Alcohol Seeking. <i>Neuron</i> , 2018, 98, 512-520.e6.	3.8	59
726	“Ecstasy” to addiction: Mechanisms and reinforcing effects of three synthetic cathinone analogs of MDMA. <i>Neuropharmacology</i> , 2018, 133, 171-180.	2.0	31
727	Early Detection of Apathetic Phenotypes in Huntington’s Disease Knock-in Mice Using Open Source Tools. <i>Scientific Reports</i> , 2018, 8, 2304.	1.6	6
728	Role of trace amine-associated receptor 1 in nicotine’s behavioral and neurochemical effects. <i>Neuropsychopharmacology</i> , 2018, 43, 2435-2444.	2.8	39
729	Housing and testing in mixed-sex rooms increases motivation and accuracy during operant testing in both male and female mice. <i>Neurobiology of Learning and Memory</i> , 2018, 150, 20-24.	1.0	4
730	Neuropsychiatric Phenotypes Produced by GABA Reduction in Mouse Cortex and Hippocampus. <i>Neuropsychopharmacology</i> , 2018, 43, 1445-1456.	2.8	40
731	Median and Dorsal Raphe Serotonergic Neurons Control Moderate Versus Compulsive Cocaine Intake. <i>Biological Psychiatry</i> , 2018, 83, 1024-1035.	0.7	33
732	Reduced sensitivity to reinforcement in adolescent compared to adult Sprague-Dawley rats of both sexes. <i>Psychopharmacology</i> , 2018, 235, 861-871.	1.5	16
733	Developmental exposure to low level ambient ultrafine particle air pollution and cognitive dysfunction. <i>NeuroToxicology</i> , 2018, 69, 217-231.	1.4	48
734	Antagonism of Neurotensin Receptors in the Ventral Tegmental Area Decreases Methamphetamine Self-Administration and Methamphetamine Seeking in Mice. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 361-370.	1.0	13
735	Cross-species molecular dissection across alcohol behavioral domains. <i>Alcohol</i> , 2018, 72, 19-31.	0.8	12
736	Role of Striatal Direct Pathway 2-Arachidonoylglycerol Signaling in Sociability and Repetitive Behavior. <i>Biological Psychiatry</i> , 2018, 84, 304-315.	0.7	36
737	Attenuated cocaine-seeking after oxytocin administration in male and female rats. <i>Psychopharmacology</i> , 2018, 235, 2051-2063.	1.5	22
738	Attentional capacities prior to drug exposure predict motivation to self-administer nicotine. <i>Psychopharmacology</i> , 2018, 235, 2041-2050.	1.5	6
739	Dopamine D1 and D3 receptor polypharmacology as a potential treatment approach for substance use disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 89, 13-28.	2.9	37
740	Junk-food enhances conditioned food cup approach to a previously established food cue, but does not alter cue potentiated feeding; implications for the effects of palatable diets on incentive motivation. <i>Physiology and Behavior</i> , 2018, 192, 145-157.	1.0	18
741	Differential role of hypothalamic orexin/hypocretin neurons in reward seeking motivated by cocaine versus palatable food. <i>Addiction Biology</i> , 2018, 23, 6-15.	1.4	45
742	Levodopa prevents the reinstatement of cocaine self-administration in rats via potentiation of dopamine release in the medial prefrontal cortex. <i>Addiction Biology</i> , 2018, 23, 556-568.	1.4	10

#	ARTICLE	IF	CITATIONS
743	Nicotine self-administration reverses cognitive deficits in a rat model for schizophrenia. <i>Addiction Biology</i> , 2018, 23, 620-630.	1.4	21
744	Acquisition of nicotine self-administration in amphetamine and phencyclidine models of schizophrenia: A role for stress?. <i>Schizophrenia Research</i> , 2018, 194, 98-106.	1.1	6
745	Deficits in temporal processing in mice prenatally exposed to Valproic Acid. <i>European Journal of Neuroscience</i> , 2018, 47, 619-630.	1.2	10
746	Pharmacotherapies for decreasing maladaptive choice in drug addiction: Targeting the behavior and the drug. <i>Pharmacology Biochemistry and Behavior</i> , 2018, 164, 40-49.	1.3	14
747	Palatable food self-administration and reinstatement are not affected by dual orexin receptor antagonism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 87, 147-157.	2.5	11
748	Selective inhibition of M <sub>5</sub> muscarinic acetylcholine receptors attenuates cocaine self-administration in rats. <i>Addiction Biology</i> , 2018, 23, 1106-1116.	1.4	29
749	High and escalating levels of cocaine intake are dissociable from subsequent incentive motivation for the drug in rats. <i>Psychopharmacology</i> , 2018, 235, 317-328.	1.5	51
750	Quantitative trait loci for sensitivity to acute ethanol and ethanol consummatory behaviors in rats. <i>Alcohol</i> , 2018, 66, 55-67.	0.8	5
751	Alcohol operant self-administration: Investigating how alcohol-seeking behaviors predict drinking in mice using two operant approaches. <i>Alcohol</i> , 2018, 67, 23-36.	0.8	33
752	Hypocretin receptor 1 knockdown in the ventral tegmental area attenuates mesolimbic dopamine signaling and reduces motivation for cocaine. <i>Addiction Biology</i> , 2018, 23, 1032-1045.	1.4	26
753	Under the influence: Effects of adolescent ethanol exposure and anxiety on motivation for uncertain gambling-like cues in male and female rats. <i>Behavioural Brain Research</i> , 2018, 337, 17-33.	1.2	65
754	Sex as a biological variable: Drug use and abuse. <i>Physiology and Behavior</i> , 2018, 187, 79-96.	1.0	53
755	Incubation of Accumbal Neuronal Reactivity to Cocaine Cues During Abstinence Predicts Individual Vulnerability to Relapse. <i>Neuropsychopharmacology</i> , 2018, 43, 1059-1065.	2.8	7
756	Overexpression of the Histone Dimethyltransferase G9a in Nucleus Accumbens Shell Increases Cocaine Self-Administration, Stress-Induced Reinstatement, and Anxiety. <i>Journal of Neuroscience</i> , 2018, 38, 803-813.	1.7	48
757	Inhibition of Cocaine and 3,4-Methylenedioxypyrovalerone (MDPV) Self-Administration by Lorcaserin Is Mediated by 5-HT <sub>2C</sub> Receptors in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 364, 359-366.	1.3	22
758	Tumor-Associated Fatigue in Cancer Patients Develops Independently of IL1 Signaling. <i>Cancer Research</i> , 2018, 78, 695-705.	0.4	33
759	Inactivation of NMDA Receptors in the Ventral Tegmental Area during Cocaine Self-Administration Prevents GluA1 Upregulation but with Paradoxical Increases in Cocaine-Seeking Behavior. <i>Journal of Neuroscience</i> , 2018, 38, 575-585.	1.7	8
760	Enhancing excitability of dopamine neurons promotes motivational behaviour through increased action initiation. <i>European Neuropsychopharmacology</i> , 2018, 28, 171-184.	0.3	40

#	ARTICLE	IF	CITATIONS
761	Punishment of alcohol-reinforced responding in alcohol preferring P rats reveals a bimodal population: Implications for models of compulsive drug seeking. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 87, 68-77.	2.5	41
762	Influence of neuropathic pain on nicotinic acetylcholine receptor plasticity and behavioral responses to nicotine in rats. <i>Pain</i> , 2018, 159, 2179-2191.	2.0	15
763	Sex Differences in Context-Driven Reinstatement of Methamphetamine Seeking is Associated with Distinct Neuroadaptations in the Dentate Gyrus. <i>Brain Sciences</i> , 2018, 8, 208.	1.1	18
764	Synaptic Connectivity in Medium Spiny Neurons of the Nucleus Accumbens: A Sex-Dependent Mechanism Underlying Apathy in the HIV-1 Transgenic Rat. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 285.	1.0	25
765	Social and anxiety-like behaviors contribute to nicotine self-administration in adolescent outbred rats. <i>Scientific Reports</i> , 2018, 8, 18069.	1.6	24
766	Deletion of the type 2 metabotropic glutamate receptor increases heroin abuse vulnerability in transgenic rats. <i>Neuropsychopharmacology</i> , 2018, 43, 2615-2626.	2.8	18
767	Repeated Cannabidiol treatment reduces cocaine intake and modulates neural proliferation and CB1R expression in the mouse hippocampus. <i>Neuropharmacology</i> , 2018, 143, 163-175.	2.0	95
768	Volitional social interaction prevents drug addiction in rat models. <i>Nature Neuroscience</i> , 2018, 21, 1520-1529.	7.1	244
769	Heroin self-administration as a function of time of day in rats. <i>Psychopharmacology</i> , 2018, 235, 3005-3015.	1.5	9
770	Adolescent cannabinoid exposure induces irritability-like behavior and cocaine cross-sensitization without affecting the escalation of cocaine self-administration in adulthood. <i>Scientific Reports</i> , 2018, 8, 13893.	1.6	23
771	Serotonin 5-HT <sub>2C</sub> Receptor Activation Suppresses Binge Intake and the Reinforcing and Motivational Properties of High-Fat Food. <i>Frontiers in Pharmacology</i> , 2018, 9, 821.	1.6	17
772	A bifunctional nociceptin and mu opioid receptor agonist is analgesic without opioid side effects in nonhuman primates. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	100
773	Environmental enrichment reverses increased addiction risk caused by prenatal ethanol exposure. <i>Drug and Alcohol Dependence</i> , 2018, 191, 343-347.	1.6	19
774	HIV-1 proteins dysregulate motivational processes and dopamine circuitry. <i>Scientific Reports</i> , 2018, 8, 7869.	1.6	37
775	Effects of Mild Blast Traumatic Brain Injury on Cognitive- and Addiction-Related Behaviors. <i>Scientific Reports</i> , 2018, 8, 9941.	1.6	28
776	Prophylactic vaccination protects against the development of oxycodone self-administration. <i>Neuropharmacology</i> , 2018, 138, 292-303.	2.0	44
777	Lateral septum growth hormone secretagogue receptor affects food intake and motivation for sucrose reinforcement. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R76-R83.	0.9	13
778	Ethanol Reinforcement Elicits Novel Response Inhibition Behavior in a Rat Model of Ethanol Dependence. <i>Brain Sciences</i> , 2018, 8, 119.	1.1	4

#	ARTICLE	IF	CITATIONS
779	Intra-accumbens Raclopride Administration Prevents Behavioral Changes Induced by Intermittent Access to Sucrose Solution. <i>Frontiers in Neuroscience</i> , 2018, 12, 74.	1.4	9
780	Validation and optimisation of a touchscreen progressive ratio test of motivation in male rats. <i>Psychopharmacology</i> , 2018, 235, 2739-2753.	1.5	19
781	Drug Seeking and Relapse: New Evidence of a Role for Orexin and Dynorphin Co-transmission in the Paraventricular Nucleus of the Thalamus. <i>Frontiers in Neurology</i> , 2018, 9, 720.	1.1	33
782	Genetic deletion of the dopamine D3 receptor increases vulnerability to heroin in mice. <i>Neuropharmacology</i> , 2018, 141, 11-20.	2.0	20
783	Nucleus of the Solitary Tract Serotonin 5-HT <sub>2C</sub> Receptors Modulate Food Intake. <i>Cell Metabolism</i> , 2018, 28, 619-630.e5.	7.2	97
784	Intragastric nutrient infusion reduces motivation for food in male and female rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 315, E81-E90.	1.8	11
785	Bupropion and naltrexone combination alters high fructose corn syrup self-administration and gene expression in rats. <i>Neuropharmacology</i> , 2018, 135, 547-554.	2.0	8
786	Exposure to conditions of uncertainty promotes the pursuit of amphetamine. <i>Neuropsychopharmacology</i> , 2019, 44, 274-280.	2.8	79
787	Suppressing effect of CMPPE, a new positive allosteric modulator of the GABA <sub>B</sub> receptor, on alcohol self-administration and reinstatement of alcohol seeking in rats. <i>Alcohol</i> , 2019, 75, 79-87.	0.8	17
788	Revisiting long-access versus short-access cocaine self-administration in rats: intermittent intake promotes addiction symptoms independent of session length. <i>Addiction Biology</i> , 2019, 24, 641-651.	1.4	59
789	Prenatal ethanol exposure increases risk of psychostimulant addiction. <i>Behavioural Brain Research</i> , 2019, 356, 51-61.	1.2	26
790	Optogenetic activation of the central amygdala generates addiction-like preference for reward. <i>European Journal of Neuroscience</i> , 2019, 50, 2086-2100.	1.2	66
791	Role of mu, but not delta or kappa, opioid receptors in context-induced reinstatement of oxycodone seeking. <i>European Journal of Neuroscience</i> , 2019, 50, 2075-2085.	1.2	41
792	Motivation to run measured by progressive ratio tests: Failure to support the addiction hypothesis for rats. <i>Learning and Behavior</i> , 2019, 47, 131-140.	0.5	4
793	Increased cocaine self-administration in rats lacking the serotonin transporter: a role for glutamatergic signaling in the habenula. <i>Addiction Biology</i> , 2019, 24, 1167-1178.	1.4	16
794	Intravenous and oral caffeine self-administration in rats. <i>Drug and Alcohol Dependence</i> , 2019, 203, 72-82.	1.6	5
795	The effects of acute stress on consummatory and motivational responses for sucrose in rats after long-term withdrawal from morphine. <i>Psychopharmacology</i> , 2019, 236, 3197-3208.	1.5	2
796	Activation of a lateral hypothalamic-ventral tegmental circuit gates motivation. <i>PLoS ONE</i> , 2019, 14, e0219522.	1.1	25

#	ARTICLE	IF	CITATIONS
797	Translational approach to apathy-like behavior in mice: From the practical point of view. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 685-689.	1.0	2
798	Acute Negative Allosteric Modulation of M <sub>5</sub> Muscarinic Acetylcholine Receptors Inhibits Oxycodone Self-Administration and Cue-Induced Reactivity with No Effect on Antinociception. <i>ACS Chemical Neuroscience</i> , 2019, 10, 3740-3750.	1.7	27
799	A Paranigral VTA Nociceptin Circuit that Constrains Motivation for Reward. <i>Cell</i> , 2019, 178, 653-671.e19.	13.5	76
800	Comparison of cigarette, little cigar, and waterpipe tobacco smoke condensate and e-cigarette aerosol condensate in a self-administration model. <i>Behavioural Brain Research</i> , 2019, 372, 112061.	1.2	16
801	Preconception maternal cocaine self-administration increases the reinforcing efficacy of cocaine in male offspring. <i>Psychopharmacology</i> , 2019, 236, 3429-3437.	1.5	11
802	Chronic Stress Induces Activity, Synaptic, and Transcriptional Remodeling of the Lateral Habenula Associated with Deficits in Motivated Behaviors. <i>Neuron</i> , 2019, 104, 899-915.e8.	3.8	103
803	Effects of the estrous cycle and ovarian hormones on cue-triggered motivation and intrinsic excitability of medium spiny neurons in the Nucleus Accumbens core of female rats. <i>Hormones and Behavior</i> , 2019, 116, 104583.	1.0	32
804	Btd3 expression regulates compulsive-like and exploratory behaviors in mice. <i>Translational Psychiatry</i> , 2019, 9, 222.	2.4	17
805	The effects of early exposure to MK-801 during environmental enrichment on spatial memory, methamphetamine self-administration and cue-induced renewal in rats. <i>Behavioural Brain Research</i> , 2019, 363, 83-93.	1.2	5
806	Pressing the rewarding button: The relationship between impulsivity, fatigue, and reward sensitivity. <i>Journal of Research in Personality</i> , 2019, 79, 24-29.	0.9	3
807	App mice overall do not show impaired motivation, but cored amyloid plaques in the striatum are inversely correlated with motivation. <i>Neurochemistry International</i> , 2019, 129, 104470.	1.9	5
808	Tropisetron Facilitates Footshock Suppression of Compulsive Cocaine Seeking. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 574-584.	1.0	7
809	Role of the orbitofrontal cortex and the dorsal striatum in incentive motivation for cocaine. <i>Behavioural Brain Research</i> , 2019, 372, 112026.	1.2	13
810	Distinguishing between predictive and incentive value of uncertain gambling-like cues in a Pavlovian autoshaping task. <i>Behavioural Brain Research</i> , 2019, 371, 111971.	1.2	16
811	Quantity versus quality: Convergent findings in effort-based choice tasks. <i>Behavioural Processes</i> , 2019, 164, 178-185.	0.5	6
812	Operant, oral alcohol self-administration: Sex differences in Sardinian alcohol-preferring rats. <i>Alcohol</i> , 2019, 79, 147-162.	0.8	24
813	Synaptic Microtubule-Associated Protein EB3 and SRC Phosphorylation Mediate Structural and Behavioral Adaptations During Withdrawal From Cocaine Self-Administration. <i>Journal of Neuroscience</i> , 2019, 39, 5634-5646.	1.7	27
814	Bingeing in rats: Persistence of high intakes of palatable solutions induced by 1-day-in-4 intermittent access. <i>Physiology and Behavior</i> , 2019, 207, 15-27.	1.0	8

#	ARTICLE	IF	CITATIONS
815	Serotonin-mediated inhibition of ventral hippocampus is required for sustained goal-directed behavior. <i>Nature Neuroscience</i> , 2019, 22, 770-777.	7.1	61
816	Endogenous GLP-1 in lateral septum promotes satiety and suppresses motivation for food in mice. <i>Physiology and Behavior</i> , 2019, 206, 191-199.	1.0	37
817	Translating the atypical dopamine uptake inhibitor hypothesis toward therapeutics for treatment of psychostimulant use disorders. <i>Neuropsychopharmacology</i> , 2019, 44, 1435-1444.	2.8	35
818	Modulating Dopamine Signaling and Behavior with Chemogenetics: Concepts, Progress, and Challenges. <i>Pharmacological Reviews</i> , 2019, 71, 123-156.	7.1	37
819	Sex-Dependent Ketamine Addiction-Like Behavior Profile Following Exposure to Chronic Mild Stress. <i>Chronic Stress</i> , 2019, 3, 247054701983261.	1.7	15
820	Central GLP-1 receptors: Novel molecular targets for cocaine use disorder. <i>Physiology and Behavior</i> , 2019, 206, 93-105.	1.0	33
821	Long-Term Behavioral Effects of Post-weaning Social Isolation in Males and Females. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 66.	1.0	92
822	Prelimbic and infralimbic cortical inactivations attenuate contextually driven discriminative responding for reward. <i>Scientific Reports</i> , 2019, 9, 3982.	1.6	29
823	Î <sup>9</sup> -tetrahydrocannabinol attenuates oxycodone self-administration under extended access conditions. <i>Neuropharmacology</i> , 2019, 151, 127-135.	2.0	49
824	Cues play a critical role in estrous cycle-dependent enhancement of cocaine reinforcement. <i>Neuropsychopharmacology</i> , 2019, 44, 1189-1197.	2.8	56
825	The polyamine transporter Slc18b1 (VPAT) is important for both short and long time memory and for regulation of polyamine content in the brain. <i>PLoS Genetics</i> , 2019, 15, e1008455.	1.5	16
826	Understanding Addiction Using Animal Models. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 262.	1.0	98
827	Opioid modulation of social play reward in juvenile rats. <i>Neuropharmacology</i> , 2019, 159, 107332.	2.0	25
828	Utility of Progressive Ratio Schedules of Reinforcement in Abuse Potential Assessments. , 2019, , 225-250.		0
829	Active Zone Proteins RIM1&sup2 Are Required for Normal Corticostriatal Transmission and Action Control. <i>Journal of Neuroscience</i> , 2019, 39, 1457-1470.	1.7	9
830	Juvenile exposure to methylphenidate and guanfacine in rats: effects on early delay discounting and later cocaine-taking behavior. <i>Psychopharmacology</i> , 2019, 236, 685-698.	1.5	13
831	Anterior insula activity regulates the associated behaviors of high fat food binge intake and cue reactivity in male rats. <i>Appetite</i> , 2019, 133, 231-239.	1.8	15
832	Lamotrigine attenuates the motivation to self-administer ketamine and prevents cue- and prime-induced reinstatement of ketamine-seeking behavior in rats. <i>Drug and Alcohol Dependence</i> , 2019, 194, 257-263.	1.6	3

#	ARTICLE	IF	CITATIONS
833	Drug-taking in a socio-sexual context enhances vulnerability for addiction in male rats. <i>Neuropsychopharmacology</i> , 2019, 44, 503-513.	2.8	9
834	D1 receptor hypersensitivity in mice with low striatal D2 receptors facilitates select cocaine behaviors. <i>Neuropsychopharmacology</i> , 2019, 44, 805-816.	2.8	27
835	Anterior Insular Cortex is Critical for the Propensity to Relapse Following Punishment-Imposed Abstinence of Alcohol Seeking. <i>Journal of Neuroscience</i> , 2019, 39, 1077-1087.	1.7	61
836	Effects of a histone deacetylase 3 inhibitor on extinction and reinstatement of cocaine self-administration in rats. <i>Psychopharmacology</i> , 2019, 236, 517-529.	1.5	23
837	Exercise, diet, and the reinforcing value of food in an animal model of anorexia nervosa. <i>Quarterly Journal of Experimental Psychology</i> , 2019, 72, 1692-1703.	0.6	4
838	Animal models in addiction research: A dimensional approach. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 106, 91-101.	2.9	16
839	Phencyclidine increased while isolation rearing did not affect progressive ratio responding in rats: Investigating potential models of amotivation in schizophrenia. <i>Behavioural Brain Research</i> , 2019, 364, 413-422.	1.2	9
840	Estradiol increases choice of cocaine over food in male rats. <i>Physiology and Behavior</i> , 2019, 203, 18-24.	1.0	20
841	Effect of social housing and oxytocin on the motivation to self-administer methamphetamine in female rats. <i>Physiology and Behavior</i> , 2019, 203, 10-17.	1.0	18
842	Stress vulnerability promotes an alcohol-prone phenotype in a preclinical model of sustained depression. <i>Addiction Biology</i> , 2020, 25, e12701.	1.4	8
843	Ultrahigh-resolution MRI reveals structural brain differences in serotonin transporter knockout rats after sucrose and cocaine self-administration. <i>Addiction Biology</i> , 2020, 25, e12722.	1.4	4
844	Cocaine abuse and midbrain circuits: Functional anatomy of hypocretin/orexin transmission and therapeutic prospect. <i>Brain Research</i> , 2020, 1731, 146164.	1.1	13
845	Endocannabinoid contributions to alcohol habits and motivation: Relevance to treatment. <i>Addiction Biology</i> , 2020, 25, e12768.	1.4	19
846	Cannabidiol inhibits sucrose self-administration by CB1 and CB2 receptor mechanisms in rodents. <i>Addiction Biology</i> , 2020, 25, e12783.	1.4	30
847	Cannabidiol attenuates the rewarding effects of cocaine in rats by CB2, 5-HT1A and TRPV1 receptor mechanisms. <i>Neuropharmacology</i> , 2020, 167, 107740.	2.0	75
848	Sex differences in cocaine self-administration behaviour under long access versus intermittent access conditions. <i>Addiction Biology</i> , 2020, 25, e12809.	1.4	64
849	Effects of the mGluR2/3 receptor agonist LY379268 on the reinforcing strength of cocaine in rhesus monkeys. <i>Psychopharmacology</i> , 2020, 237, 409-417.	1.5	3
850	Lasting effects of repeated 9-tetrahydrocannabinol vapour inhalation during adolescence in male and female rats. <i>British Journal of Pharmacology</i> , 2020, 177, 188-203.	2.7	51



#	ARTICLE	IF	CITATIONS
851	4-MeO-PCP and 3-MeO-PCMo, new dissociative drugs, produce rewarding and reinforcing effects through activation of mesolimbic dopamine pathway and alteration of accumbal CREB, deltaFosB, and BDNF levels. <i>Psychopharmacology</i> , 2020, 237, 757-772.	1.5	15
852	The potent psychomotor, rewarding and reinforcing properties of 3- $\alpha$ -fluoromethamphetamine in rodents. <i>Addiction Biology</i> , 2020, 25, e12846.	1.4	7
853	Nonhuman animal models of substance use disorders: Translational value and utility to basic science. <i>Drug and Alcohol Dependence</i> , 2020, 206, 107733.	1.6	32
854	Adolescent microglia play a role in executive function in male mice exposed to perinatal high fat diet. <i>Brain, Behavior, and Immunity</i> , 2020, 84, 80-89.	2.0	23
855	Glucagon-Like Peptide-1 Receptor Signaling in the Ventral Tegmental Area Reduces Alcohol Self-Administration in Male Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 2118-2129.	1.4	18
856	Deficits across multiple behavioral domains align with susceptibility to stress in 129S1/SvImJ mice. <i>Neurobiology of Stress</i> , 2020, 13, 100262.	1.9	11
857	Prenatal alcohol exposure reduces posterior dorsomedial striatum excitability and motivation in a sex- and age-dependent fashion. <i>Neuropharmacology</i> , 2020, 180, 108310.	2.0	8
858	Review of addiction risk potential associated with adolescent opioid use. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 198, 173022.	1.3	12
859	Surprising nonreward and response effort: Extinction after progressive-ratio training in rats and pigeons. <i>Learning and Motivation</i> , 2020, 72, 101676.	0.6	1
860	Cocaine Self-administration Regulates Transcription of Opioid Peptide Precursors and Opioid Receptors in Rat Caudate Putamen and Prefrontal Cortex. <i>Neuroscience</i> , 2020, 443, 131-139.	1.1	12
861	Pain, Motivation, Migraine, and the Microbiome: New Frontiers for Opioid Systems and Disease. <i>Molecular Pharmacology</i> , 2020, 98, 433-444.	1.0	9
862	Taking Rapid and Intermittent Cocaine Infusions Enhances Both Incentive Motivation for the Drug and Cocaine-induced Gene Regulation in Corticostriatal Regions. <i>Neuroscience</i> , 2020, 442, 314-328.	1.1	9
863	Pre-conception exposure to THC fails to impact nicotine reward in adult offspring. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 197, 173001.	1.3	4
864	Maternal dietary imbalance between omega-6 and omega-3 fatty acids triggers the offspring's overeating in mice. <i>Communications Biology</i> , 2020, 3, 473.	2.0	10
865	Cross-generational THC Exposure Weakly Attenuates Cocaine's Rewarding Effects in Adult Male Offspring. <i>Physiology and Behavior</i> , 2020, 227, 113164.	1.0	1
866	Medial Nucleus Accumbens Projections to the Ventral Tegmental Area Control Food Consumption. <i>Journal of Neuroscience</i> , 2020, 40, 4727-4738.	1.7	27
867	Maternal high-sugar diet changes offspring vulnerability to reinstatement of cocaine-seeking behavior: Role of melanocortin-4 receptors. <i>FASEB Journal</i> , 2020, 34, 9192-9206.	0.2	11
868	Prefrontal Cortex Representation of Learning of Punishment Probability During Reward-Motivated Actions. <i>Journal of Neuroscience</i> , 2020, 40, 5063-5077.	1.7	24

#	ARTICLE	IF	CITATIONS
869	Hold-down as an alternative to unit dose in cocaine self-administration experiments: Characterization using a progressive ratio schedule. <i>Psychopharmacology</i> , 2020, 237, 2685-2693.	1.5	0
870	Animal Models of the Behavioral Symptoms of Substance Use Disorders. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2021, 11, a040287.	2.9	14
871	Chemogenetic Modulation and Single-Photon Calcium Imaging in Anterior Cingulate Cortex Reveal a Mechanism for Effort-Based Decisions. <i>Journal of Neuroscience</i> , 2020, 40, 5628-5643.	1.7	46
872	Opposite regulation of conditioned place preference and intravenous drug self-administration in rodent models: Motivational and non-motivational examples. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 116, 89-98.	2.9	16
873	Fetal Programming by Methyl Donors Modulates Central Inflammation and Prevents Food Addiction-Like Behavior in Rats. <i>Frontiers in Neuroscience</i> , 2020, 14, 452.	1.4	18
874	An improved demand curve for analysis of food or drug consumption in behavioral experiments. <i>Psychopharmacology</i> , 2020, 237, 943-955.	1.5	12
875	An operant social self-administration and choice model in rats. <i>Nature Protocols</i> , 2020, 15, 1542-1559.	5.5	59
876	In vivo reduction of striatal D1R by RNA interference alters expression of D1R signaling-related proteins and enhances methamphetamine addiction in male rats. <i>Brain Structure and Function</i> , 2020, 225, 1073-1088.	1.2	3
877	Weight Loss After Obesity is Associated with Increased Food Motivation and Faster Weight Regain in Mice. <i>Obesity</i> , 2020, 28, 851-856.	1.5	16
878	The Alpha-1 Adrenergic Receptor Antagonist Prazosin Reduces Binge-Like Eating in Rats. <i>Nutrients</i> , 2020, 12, 1569.	1.7	8
879	The Abuse Potential of Novel Synthetic Phencyclidine Derivative 1-(1-(4-Fluorophenyl)Cyclohexyl)Piperidine (4 $\alpha$ -F-PCP) in Rodents. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4631.	1.8	7
880	Treatment with low doses of nicotine but not alcohol affects social play reward in rats. <i>International Journal of Play</i> , 2020, 9, 39-57.	0.3	8
881	Selective impact of lateral orbitofrontal cortex inactivation on reinstatement of alcohol seeking in male Long-Evans rats. <i>Neuropharmacology</i> , 2020, 168, 108007.	2.0	9
882	Tobacco addiction. , 2020, , 129-141.		6
883	Effect of the dopamine stabilizer (-)-OSU6162 on potentiated incubation of opioid craving after electric barrier-induced voluntary abstinence. <i>Neuropsychopharmacology</i> , 2020, 45, 770-779.	2.8	34
884	Circadian modulation of motivation in mice. <i>Behavioural Brain Research</i> , 2020, 382, 112471.	1.2	17
885	Environmental enrichment and a selective metabotropic glutamate receptor2/3 (mGluR2/3) agonist suppress amphetamine self-administration: Characterizing baseline differences. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 192, 172907.	1.3	6
886	Maternal immune activation is associated with a lower number of dopamine receptor 3-expressing granulocytes with no alterations in cocaine reward, resistance to extinction or cue-induced reinstatement. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 193, 172930.	1.3	6

#	ARTICLE	IF	CITATIONS
887	Evaluation of the Reinforcing Strength of Phendimetrazine Using a Progressive-Ratio Schedule of Reinforcement in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 374, 1-5.	1.3	4
888	Preclinical Evaluation of Vaccines to Treat Opioid Use Disorders: How Close are We to a Clinically Viable Therapeutic?. <i>CNS Drugs</i> , 2020, 34, 449-461.	2.7	15
889	Associations between individual differences in approach motivation and effort-based task performance. <i>Personality and Individual Differences</i> , 2021, 169, 109903.	1.6	3
890	Amphetamine maintenance therapy during intermittent cocaine self-administration in rats attenuates psychomotor and dopamine sensitization and reduces addiction-like behavior. <i>Neuropsychopharmacology</i> , 2021, 46, 305-315.	2.8	14
891	Extinction and drug-induced reinstatement of cocaine seeking following self-administration or conditioned place preference in adolescent and adult rats. <i>Developmental Psychobiology</i> , 2021, 63, 125-137.	0.9	8
892	Varenicline rescues nicotine-induced decrease in motivation for sucrose reinforcement. <i>Behavioural Brain Research</i> , 2021, 397, 112887.	1.2	0
893	MDPV self-administration in female rats: influence of reinforcement history. <i>Psychopharmacology</i> , 2021, 238, 735-744.	1.5	5
894	Critical role of TLR4 in uncovering the increased rewarding effects of cocaine and ethanol induced by social defeat in male mice. <i>Neuropharmacology</i> , 2021, 182, 108368.	2.0	13
895	Cocaine Triggers Astrocyte-Mediated Synaptogenesis. <i>Biological Psychiatry</i> , 2021, 89, 386-397.	0.7	57
896	Ube2b-dependent degradation of DNMT3a relieves a transcriptional brake on opiate-induced synaptic and behavioral plasticity. <i>Molecular Psychiatry</i> , 2021, 26, 1162-1177.	4.1	8
897	Neurotensin receptor 1 deletion decreases methamphetamine self-administration and the associated reduction in dopamine cell firing. <i>Addiction Biology</i> , 2021, 26, e12854.	1.4	8
898	Evidence for deficits in behavioural and physiological responses in aged mice relevant to the psychiatric symptom of apathy. <i>Brain and Neuroscience Advances</i> , 2021, 5, 239821282110151.	1.8	12
900	Resistance of Food-Maintained Operant Responding to Mechanical Punishment in Rats: Further Evidence for Weak Affective/Motivational Pain in Rat Models of Inflammatory and Neuropathic Pain. <i>Frontiers in Pharmacology</i> , 2020, 11, 615782.	1.6	6
902	Appetitive, antinociceptive, and hypothermic effects of vaped and injected $\delta^9$ -tetrahydrocannabinol (THC) in rats: exposure and dose-effect comparisons by strain and sex. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 202, 173116.	1.3	21
903	1-Phenylcyclohexan-1-amine hydrochloride (PCA HCl) alters mesolimbic dopamine system accompanied by neuroplastic changes: A neuropsychopharmacological evaluation in rodents. <i>Neurochemistry International</i> , 2021, 144, 104962.	1.9	5
904	The Role of Parvalbumin Interneuron GIRK Signaling in the Regulation of Affect and Cognition in Male and Female Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 621751.	1.0	9
905	Caffeine increases alcohol self-administration, an effect that is independent of dopamine D2 receptor function. <i>Alcohol</i> , 2021, 91, 61-73.	0.8	8
906	Factors mediating pain-related risk for opioid use disorder. <i>Neuropharmacology</i> , 2021, 186, 108476.	2.0	14

#	ARTICLE	IF	CITATIONS
907	Reducing Effect of Cannabidiol on Alcohol Self-Administration in Sardinian Alcohol-Preferring Rats. <i>Cannabis and Cannabinoid Research</i> , 2022, 7, 161-169.	1.5	8
909	Pharmacological and behavioral divergence of ketamine enantiomers: implications for abuse liability. <i>Molecular Psychiatry</i> , 2021, 26, 6704-6722.	4.1	139
910	Behavioral predictors of individual differences in opioid addiction vulnerability as measured using i.v. self-administration in rats. <i>Drug and Alcohol Dependence</i> , 2021, 221, 108561.	1.6	9
911	Females develop features of an addiction-like phenotype sooner during withdrawal than males. <i>Psychopharmacology</i> , 2021, 238, 2213-2224.	1.5	19
913	Moderate prenatal ethanol exposure leads to attention deficits in both male and female rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 1122-1135.	1.4	5
914	Studying Sex Differences in Rodent Models of Addictive Behavior. <i>Current Protocols</i> , 2021, 1, e119.	1.3	25
915	Evidence of hypoglycemic anhedonia and modulation by bupropion in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 203, 173120.	1.3	0
916	Individual differences in dopamine uptake in the dorsomedial striatum prior to cocaine exposure predict motivation for cocaine in male rats. <i>Neuropsychopharmacology</i> , 2021, 46, 1757-1767.	2.8	5
917	Serum- and glucocorticoid-inducible kinase 1 activity in ventral tegmental area dopamine neurons regulates cocaine conditioned place preference but not cocaine self-administration. <i>Neuropsychopharmacology</i> , 2021, 46, 1574-1583.	2.8	5
918	Korean Red Ginseng inhibits methamphetamine addictive behaviors by regulating dopaminergic and NMDAergic system in rodents. <i>Journal of Ginseng Research</i> , 2022, 46, 147-155.	3.0	3
919	Impact of Morphine Dependence and Withdrawal on the Reinforcing Effectiveness of Fentanyl, Cocaine, and Methamphetamine in Rats. <i>Frontiers in Pharmacology</i> , 2021, 12, 691700.	1.6	16
920	Behavioural and pharmacological effects of cannabidiol (CBD) and the cannabidiol analogue KLSâ€13019 in mouse models of pain and reinforcement. <i>British Journal of Pharmacology</i> , 2021, 178, 3067-3078.	2.7	13
921	Enhanced heroin self-administration and distinct dopamine adaptations in female rats. <i>Neuropsychopharmacology</i> , 2021, 46, 1724-1733.	2.8	23
922	Cocaine-induced projection-specific and cell type-specific adaptations in the nucleus accumbens. <i>Molecular Psychiatry</i> , 2022, 27, 669-686.	4.1	45
923	Samidorphan, an opioid receptor antagonist, attenuates drug-induced increases in extracellular dopamine concentrations and drug self-administration in male Wistar rats. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 204, 173157.	1.3	2
924	Behavioural evaluation of mouse models of type 2 diabetes. <i>Learning and Motivation</i> , 2021, 74, 101730.	0.6	0
925	Effects of chemotherapy on operant responding for palatable food in male and female mice. <i>Behavioural Pharmacology</i> , 2021, 32, 422-434.	0.8	3
926	Increased cocaine motivation in tree shrews is modulated by striatal dopamine D1 receptorâ€mediated upregulation of Ca v 1.2. <i>Addiction Biology</i> , 2021, 26, e13053.	1.4	1

#	ARTICLE	IF	CITATIONS
927	A photoswitchable GPCR-based opsin for presynaptic inhibition. <i>Neuron</i> , 2021, 109, 1791-1809.e11.	3.8	62
928	Serotonergic inhibition of responding for conditioned but not primary reinforcers. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 205, 173186.	1.3	2
929	Suppression of pyramidal neuron G protein-gated inwardly rectifying K <sup>+</sup> channel signaling impairs prelimbic cortical function and underlies stress-induced deficits in cognitive flexibility in male, but not female, mice. <i>Neuropsychopharmacology</i> , 2021, 46, 2158-2169.	2.8	7
931	Ketogenic Diet Decreases Alcohol Intake in Adult Male Mice. <i>Nutrients</i> , 2021, 13, 2167.	1.7	19
932	S-Equal mitigates motivational deficits and dysregulation associated with HIV-1. <i>Scientific Reports</i> , 2021, 11, 11870.	1.6	11
933	Caveolin-1 Expression in the Dorsal Striatum Drives Methamphetamine Addiction-Like Behavior. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8219.	1.8	2
934	Leptin Receptor Expressing Neurons in the Substantia Nigra Regulate Locomotion, and in The Ventral Tegmental Area Motivation and Feeding. <i>Frontiers in Endocrinology</i> , 2021, 12, 680494.	1.5	13
937	Individual differences in addiction-like behaviors and choice between cocaine versus food in Heterogeneous Stock rats. <i>Psychopharmacology</i> , 2021, 238, 3423-3433.	1.5	11
938	Cocaine-induced increases in motivation require 2-arachidonoylglycerol mobilization and CB1 receptor activation in the ventral tegmental area. <i>Neuropharmacology</i> , 2021, 193, 108625.	2.0	4
939	Chronic levetiracetam (Keppra®) treatment increases the reinforcing strength of cocaine in rhesus monkeys. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 207, 173217.	1.3	0
940	Effects of Î²-Phenylethylamine on Psychomotor, Rewarding, and Reinforcing Behaviors and Affective State: The Role of Dopamine D1 Receptors. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9485.	1.8	11
941	Activation of G protein-coupled estradiol receptor 1 in the dorsolateral striatum enhances motivation for cocaine and drug-induced reinstatement in female but not male rats. <i>Biology of Sex Differences</i> , 2021, 12, 46.	1.8	7
942	Complex Housing, but Not Maternal Deprivation Affects Motivation to Liberate a Trapped Cage-Mate in an Operant Rat Task. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 698501.	1.0	8
943	Chronic Distress in Male Mice Impairs Motivation Compromising Both Effort and Reward Processing With Altered Anterior Insular Cortex and Basolateral Amygdala Neural Activation. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 717701.	1.0	6
944	Î²-caryophyllene, an FDA-Approved Food Additive, Inhibits Methamphetamine-Taking and Methamphetamine-Seeking Behaviors Possibly via CB2 and Non-CB2 Receptor Mechanisms. <i>Frontiers in Pharmacology</i> , 2021, 12, 722476.	1.6	12
945	Comparing the reinforcing value of high intensity interval training versus moderate intensity aerobic exercise in sedentary adults. <i>Physiology and Behavior</i> , 2021, 238, 113468.	1.0	2
946	Effects of 5-Ion Beam Irradiation and Hindlimb Unloading on Metabolic Pathways in Plasma and Brain of Behaviorally Tested WAG/Rij Rats. <i>Frontiers in Physiology</i> , 2021, 12, 746509.	1.3	14
948	Food reinforcement and habituation to food are processes related to initiation and cessation of eating. <i>Physiology and Behavior</i> , 2021, 239, 113512.	1.0	13

#	ARTICLE	IF	CITATIONS
949	Glucokinase neurons of the paraventricular nucleus of the thalamus sense glucose and decrease food consumption. <i>IScience</i> , 2021, 24, 103122.	1.9	11
950	Social Play Behavior. , 2022, , 85-92.		1
952	Interference Peptides: A Novel Therapeutic Approach Targeting Synaptic Plasticity in Drug Addiction. , 2006, , 473-484.		3
953	Animal Models. <i>Advances in Experimental Medicine and Biology</i> , 2010, 678, 138-146.	0.8	7
954	Operant Self-Administration of Chocolate in Rats: An Addiction-Like Behavior. <i>Neuromethods</i> , 2017, , 107-139.	0.2	3
955	Stimulant Self-Administration. <i>Neuromethods</i> , 2011, , 57-81.	0.2	2
956	Kappa opioid agonists reduce oxycodone self-administration in male rhesus monkeys. <i>Psychopharmacology</i> , 2020, 237, 1471-1480.	1.5	34
957	Early Life Stress and Vulnerability to Addiction. , 2007, , 105-126.		3
958	Developing translational animal models of cancer-related fatigue. , 2010, , 124-141.		3
959	Alterations in the reinforcing efficacy of cocaine in adult rats following prenatal exposure to cocaine. <i>Behavioral Neuroscience</i> , 1998, 112, 410-8.	0.6	18
960	Effects of nicotine exposure and anxiety on motivation for reward and gambling-like cues under reward uncertainty.. <i>Behavioral Neuroscience</i> , 2019, 133, 361-377.	0.6	12
961	The rat medial frontal cortex controls pace, but not breakpoint, in a progressive ratio licking task.. <i>Behavioral Neuroscience</i> , 2019, 133, 385-397.	0.6	14
962	Effects of paclitaxel on mechanical sensitivity and morphine reward in male and female C57Bl6 mice.. <i>Experimental and Clinical Psychopharmacology</i> , 2016, 24, 485-495.	1.3	14
963	Cocaine self-administration in male and female rats perinatally exposed to PCBs: Evaluating drug use in an animal model of environmental contaminant exposure.. <i>Experimental and Clinical Psychopharmacology</i> , 2017, 25, 114-124.	1.3	12
964	Ad-libitum high fat diet consumption during adolescence and adulthood impacts the intravenous self-administration of cocaine in male Sprague-Dawley rats.. <i>Experimental and Clinical Psychopharmacology</i> , 2020, 28, 32-43.	1.3	8
966	Evidence for a Long-Lasting Compulsive Alcohol Seeking Phenotype in Rats. <i>Neuropsychopharmacology</i> , 2018, 43, 728-738.	2.8	74
974	The Nucleus Accumbens: Mechanisms of Addiction across Drug Classes Reflect the Importance of Glutamate Homeostasis. <i>Pharmacological Reviews</i> , 2016, 68, 816-871.	7.1	442
976	Chronic Loss of Melanin-Concentrating Hormone Affects Motivational Aspects of Feeding in the Rat. <i>PLoS ONE</i> , 2011, 6, e19600.	1.1	43

#	ARTICLE	IF	CITATIONS
977	Central Melanocortins Regulate the Motivation for Sucrose Reward. PLoS ONE, 2015, 10, e0121768.	1.1	41
978	Sex and Individual Differences in Alcohol Intake Are Associated with Differences in Ketamine Self-Administration Behaviors and Nucleus Accumbens Dendritic Spine Density. ENeuro, 2019, 6, ENEURO.0221-19.2019.	0.9	8
979	Differential Effects of Dorsal and Ventral Medial Prefrontal Cortex Inactivation during Natural Reward Seeking, Extinction, and Cue-Induced Reinstatement. ENeuro, 2019, 6, ENEURO.0296-19.2019.	0.9	42
980	Agonist Replacement for Stimulant Dependence: A Review of Clinical Research. Current Pharmaceutical Design, 2013, 19, 7026-7035.	0.9	52
981	Phasic Dopamine Release in Appetitive Behaviors and Drug Addiction. Current Drug Abuse Reviews, 2009, 2, 195-213.	3.4	156
982	Maternal Diet Influences the Reinstatement of Cocaine-Seeking Behavior and the Expression of Melanocortin-4 Receptors in Female Offspring of Rats. Nutrients, 2020, 12, 1462.	1.7	13
983	Prediction and Prevention of Prescription Drug Abuse: Role of Preclinical Assessment of Substance Abuse Liability. , 2013, , 1-14.		12
984	A Novel Procedure for Evaluating the Reinforcing Properties of Tastants in Laboratory Rats: Operant Intraoral Self-administration. Journal of Visualized Experiments, 2014, , e50956.	0.2	5
985	The Reinforcing and Rewarding Effects of Methylone, a Synthetic Cathinone Commonly Found in "Bath Salts". Journal of Addiction Research & Therapy, 2013, 04, .	0.2	52
986	Altered gating of Kv1.4 in the nucleus accumbens suppresses motivation for reward. ELife, 2019, 8, .	2.8	6
987	Dramatic increase in lever-pressing activity in rats after training on the progressive ratio schedule of cocaine self-administration. Scientific Reports, 2021, 11, 19656.	1.6	3
988	lbudilast attenuates cocaine self-administration and prime- and cue-induced reinstatement of cocaine seeking in rats. Neuropharmacology, 2021, 201, 108830.	2.0	7
989	Effects of Opioid Antagonists on the Abuse-Related Effects of Psychomotor Stimulants and Nicotine. , 2009, , 273-298.		1
990	Neurobiological Basis of Drug Reward and Reinforcement. , 2010, , 255-281.		1
991	Application of Chronic Extracellular Recording Method to Studies of Cocaine Self-Administration. Frontiers in Neuroscience, 2010, , 27-98.	0.0	0
992	Nicotine Self-Administration. Neuromethods, 2011, , 101-132.	0.2	1
993	Craving. Neuromethods, 2011, , 311-336.	0.2	1
994	Compulsive Drug Use and Brain Reward Systems. , 2012, , 63-72.		0

#	ARTICLE	IF	CITATIONS
995	Tobacco Smoke Extract-Produced Behavioral Effects. , 2016, , 317-326.		0
996	Self Administration. , 2017, , 1-7.		0
1007	The Novel Positive Allosteric Modulator of the GABAB Receptor, KK-92A, Suppresses Alcohol Self-Administration and Cue-Induced Reinstatement of Alcohol Seeking in Rats. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 727576.	1.8	5
1008	Drug Self-Administration as a Model to Study the. <i>Neuromethods</i> , 2021, , 209-232.	0.2	0
1012	Substances of abuse. , 2020, , 513-520.		0
1017	Animal Models of Addiction. , 2021, , 35-49.		1
1018	Cholecystokinin receptor subtypes: role in the modulation of anxiety-related and reward-related behaviours in animal models. <i>Journal of Psychiatry and Neuroscience</i> , 2003, 28, 171-81.	1.4	71
1021	increased body weight but not food-incentive motivation in wild-type mice. <i>Nagoya Journal of Medical Science</i> , 2017, 79, 351-362.	0.6	3
1022	Waving Through the Window: A Model of Volitional Social Interaction in Female Mice. <i>Biological Psychiatry</i> , 2022, 91, 988-997.	0.7	21
1023	Sex differences in sucrose reinforcement in Long-Evans rats. <i>Biology of Sex Differences</i> , 2022, 13, 3.	1.8	8
1024	Elevation of Extracellular Glutamate by Blockade of Astrocyte Glutamate Transporters Inhibits Cocaine Reinforcement in Rats via a NMDA-GluN2B Receptor Mechanism. <i>Journal of Neuroscience</i> , 2022, 42, 2327-2343.	1.7	8
1025	Metabolic sensing in AgRP neurons integrates homeostatic state with dopamine signalling in the striatum. <i>ELife</i> , 2022, 11, .	2.8	32
1026	Early social isolation stress increases addiction vulnerability to heroin and alters c-Fos expression in the mesocorticolimbic system. <i>Psychopharmacology</i> , 2022, 239, 1081.	1.5	6
1027	What Have We Learned (or Expect to) From Analysis of Murine Genetic Models Related to Substance Use Disorders?. <i>Frontiers in Psychiatry</i> , 2021, 12, 793961.	1.3	2
1028	Reliability and validity of a transdiagnostic measure of reward valuation effort.. <i>Psychological Assessment</i> , 2022, 34, 419-430.	1.2	3
1029	Linking drug and food addiction via compulsive appetite. <i>British Journal of Pharmacology</i> , 2022, 179, 2589-2609.	2.7	5
1030	On the interrelation between alcohol addiction and like behaviors in rats. <i>Psychopharmacology</i> , 2022, 239, 1115-1128.	1.5	5
1031	Increased elasticity of sucrose demand during hyperdopaminergic states in rats. <i>Psychopharmacology</i> , 2022, 239, 773-794.	1.5	3



#	ARTICLE	IF	CITATIONS
1032	Relative reinforcing effects of cocaine and 3,4-methylenedioxypyrovalerone (MDPV) under a concurrent access self-administration procedure in rats. <i>Drug and Alcohol Dependence</i> , 2022, 232, 109299.	1.6	7
1033	Intermittent access training produces greater motivation for a non-drug reinforcer than long access training. <i>Learning and Behavior</i> , 2022, 50, 509-523.	0.5	6
1034	Genetic deletion or pharmacological blockade of nociceptin/orphanin FQ receptors in the ventral tegmental area attenuates nicotine-motivated behaviour. <i>British Journal of Pharmacology</i> , 2022, 179, 2647-2658.	2.7	5
1035	Dissociation Between Incubation of Cocaine Craving and Anxiety-Related Behaviors After Continuous and Intermittent Access Self-Administration. <i>Frontiers in Neuroscience</i> , 2021, 15, 824741.	1.4	1
1036	Aquaporin-4 deletion attenuates opioid-induced addictive behaviours associated with dopamine levels in nucleus accumbens. <i>Neuropharmacology</i> , 2022, 208, 108986.	2.0	7
1037	Role of neuropeptide neuromedin U in the nucleus accumbens shell in cocaine self-administration in male rats. <i>Neuropsychopharmacology</i> , 2022, 47, 1875-1882.	2.8	4
1038	A genetically defined insula-brainstem circuit selectively controls motivational vigor. <i>Cell</i> , 2021, 184, 6344-6360.e18.	13.5	28
1039	Distinct role of nucleus accumbens D2-MSN projections to ventral pallidum in different phases of motivated behavior. <i>Cell Reports</i> , 2022, 38, 110380.	2.9	24
1041	The influence of reinforcement schedule on experience-dependent changes in motivation. <i>Journal of the Experimental Analysis of Behavior</i> , 2022, 117, 320-330.	0.8	4
1042	The effect of adolescent social isolation on vulnerability for methamphetamine addiction behaviours in female rats. <i>Psychopharmacology</i> , 2022, 239, 1129-1141.	1.5	1
1043	Cocaine-Induced Changes in Sperm <i>Cdkn1a</i> Methylation Are Associated with Cocaine Resistance in Male Offspring. <i>Journal of Neuroscience</i> , 2022, 42, 2905-2916.	1.7	9
1044	Hunger dampens a nucleus accumbens circuit to drive persistent food seeking. <i>Current Biology</i> , 2022, 32, 1689-1702.e4.	1.8	5
1045	Opposite effects of stress on effortful motivation in high and low anxiety are mediated by CRHR1 in the VTA. <i>Science Advances</i> , 2022, 8, eabj9019.	4.7	17
1047	Characterization of operant social interaction in rats: effects of access duration, effort, peer familiarity, housing conditions, and choice between social interaction vs. food or remifentanil. <i>Psychopharmacology</i> , 2022, 239, 2093-2108.	1.5	17
1048	Morphine reduces the interest for natural rewards. <i>Psychopharmacology</i> , 2022, 239, 2407-2419.	1.5	3
1049	Exposure to an enriched environment reduces alcohol self-administration in Sardinian alcohol-preferring rats. <i>Physiology and Behavior</i> , 2022, 249, 113771.	1.0	4
1051	Self-Administration of Entactogen Psychostimulants Dysregulates Gamma-Aminobutyric Acid (GABA) and Kappa Opioid Receptor Signaling in the Central Nucleus of the Amygdala of Female Wistar Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 780500.	1.0	5
1052	PKC inhibition decreases amphetamine-maintained responding under a progressive-ratio schedule of reinforcement. <i>Experimental and Clinical Psychopharmacology</i> , 2021, 29, 567-572.	1.3	2

#	ARTICLE	IF	CITATIONS
1053	Network-Based Discovery of Opioid Use Vulnerability in Rats Using the Bayesian Stochastic Block Model. <i>Frontiers in Psychiatry</i> , 2021, 12, 745468.	1.3	4
1054	Reinforcing effects of fentanyl and sufentanil aerosol puffs in rats. <i>Psychopharmacology</i> , 2022, 239, 2491-2502.	1.5	4
1058	Relative persistence of behavior: a fundamental measure of relative reinforcing effects. <i>Experimental and Clinical Psychopharmacology</i> , 2000, 8, 333-49.	1.3	15
1060	Self-Administration. , 2022, , 6283-6289.		0
1061	Animal Models to Investigate the Impact of Flavors on Nicotine Addiction and Dependence. <i>Current Neuropharmacology</i> , 2022, 20, 2175-2201.	1.4	0
1067	Therapeutic Potential of Histamine H3 Receptors in Substance Use Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , 169-191.	0.8	2
1068	Intra-NAc insulin reduces the motivation for food and food intake without altering cue-triggered food-seeking. <i>Physiology and Behavior</i> , 2022, 254, 113892.	1.0	3
1070	Effects of a cue associated with cocaine or food reinforcers on extinction and postextinction return of behavior.. <i>Behavioral Neuroscience</i> , 2022, 136, 307-317.	0.6	3
1071	Importin 13 (KPNA3) Deficiency Augments Effortful Reward-Seeking Behavior in Mice. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	4
1072	REL-1017 (esmethadone; d-methadone) does not cause reinforcing effect, physical dependence and withdrawal signs in Sprague Dawley rats. <i>Scientific Reports</i> , 2022, 12, .	1.6	8
1073	PPL-103: A mixed opioid partial agonist with desirable anti-cocaine properties. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 119, 110599.	2.5	2
1074	Epac2 in midbrain dopamine neurons contributes to cocaine reinforcement via enhancement of dopamine release. <i>ELife</i> , 0, 11, .	2.8	4
1075	Disrupted Decision-Making: EcoHIV Inoculation in Cocaine Dependent Rats. <i>International Journal of Molecular Sciences</i> , 2022, 23, 9100.	1.8	5
1079	Galanin N-terminal fragment (1-15) reduces alcohol seeking and alcohol relapse in rats: Involvement of mesocorticolimbic system. <i>Biomedicine and Pharmacotherapy</i> , 2022, 153, 113508.	2.5	0
1080	Suvorexant maintenance enhances the reinforcing but not subjective and physiological effects of intravenous cocaine in humans. <i>Pharmacology Biochemistry and Behavior</i> , 2022, 220, 173466.	1.3	6
1081	The Role of Dopamine D3 Receptors in Tobacco Use Disorder: A Synthesis of the Preclinical and Clinical Literature. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , 203-228.	0.8	1
1082	Suvorexant Maintenance Enhances the Reinforcing But Not Subjective and Physiological Effects of Intravenous Cocaine in Humans. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1083	Dopamine D1 receptor and effort-based decision making in rats: The moderating effect of sex. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2023, 120, 110651.	2.5	2

#	ARTICLE	IF	CITATIONS
1084	Altered neuronal activity in the ventromedial prefrontal cortex drives nicotine intake escalation. <i>Neuropsychopharmacology</i> , 2023, 48, 887-896.	2.8	2
1085	Methodological and analytical issues of progressive ratio schedules: dose duration vs dose magnitude of effect function. <i>Neuroscience and Behavioral Physiology</i> , 2022, 52, 778-783.	0.2	2
1087	Effects of isoflurane anesthesia on addictive behaviors in rats. <i>Psychopharmacology</i> , 2022, 239, 3621-3632.	1.5	1
1089	Novelty-induced locomotor behavior predicts heroin addiction vulnerability in male, but not female, rats. <i>Psychopharmacology</i> , 2022, 239, 3605-3620.	1.5	6
1091	Impaired synaptic transmission in dorsal dentate gyrus increases impulsive alcohol seeking. <i>Neuropsychopharmacology</i> , 2023, 48, 436-447.	2.8	2
1092	Addiction-like behaviour towards high-fat high-sugar food predicts relapse propensity in both obesity prone and obesity resistant C57BL/6J mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2023, 121, 110654.	2.5	2
1093	A self-adjusting, progressive shock strength procedure to investigate resistance to punishment: Characterization in male and female rats. <i>Neuropharmacology</i> , 2022, 220, 109261.	2.0	4
1094	Nucleus Accumbens D1 Receptor-Expressing Spiny Projection Neurons Control Food Motivation and Obesity. <i>Biological Psychiatry</i> , 2023, 93, 512-523.	0.7	9
1095	Male and Female Sprague Dawley Rats Exhibit Equivalent Natural Reward, Nicotine Self-Administration, Extinction, and Reinstatement During Adolescent-Initiated Behaviors. <i>Nicotine and Tobacco Research</i> , 2023, 25, 1039-1046.	1.4	4
1097	5-HT1B receptor agonist enhances breakpoint for cocaine on a progressive ratio (PR) schedule during maintenance of self-administration in female rats but reduces breakpoint for sucrose. <i>Frontiers in Behavioral Neuroscience</i> , 0, 16, .	1.0	0
1098	Dose History and Occurrence of Conditional Stimuli Determine the Strength of Cocaine-Seeking Behavior of Rhesus Monkeys. <i>International Journal of Comparative Psychology</i> , 2005, 18, .	1.0	1
1099	Arc controls alcohol cue relapse by a central amygdala mechanism. <i>Molecular Psychiatry</i> , 2023, 28, 733-745.	4.1	8
1101	Glutathione in the nucleus accumbens regulates motivation to exert reward-incentivized effort. <i>ELife</i> , 0, 11, .	2.8	4
1102	D-amphetamine maintenance therapy reduces cocaine use in female rats. <i>Psychopharmacology</i> , 2022, 239, 3755-3770.	1.5	4
1103	The progressive ratio and fixed ratio 1 schedules of cocaine self-administration in rats convey the same information. <i>Scientific Reports</i> , 2022, 12, .	1.6	4
1104	High-CBD Cannabis Vapor Attenuates Opioid Reward and Partially Modulates Nociception in Female Rats. <i>Addiction Neuroscience</i> , 2023, 5, 100050.	0.4	1
1106	Gut microbiota suppress feeding induced by palatable foods. <i>Current Biology</i> , 2023, 33, 147-157.e7.	1.8	10
1108	Fast Scan Cyclic Voltammetry to Assess Dopamine Function: From Circuits to Behavior. <i>Neuromethods</i> , 2023, , 249-281.	0.2	0

#	ARTICLE	IF	CITATIONS
1109	Disinhibition of the orbitofrontal cortex biases decision-making in obesity. <i>Nature Neuroscience</i> , 2023, 26, 92-106.	7.1	9
1110	Dichotomous regulation of striatal plasticity by dynorphin. <i>Molecular Psychiatry</i> , 2023, 28, 434-447.	4.1	3
1112	Sex- and genotype-dependent nicotine plus cue-primed reinstatement is enhanced in adolescent Sprague Dawley rats containing the human CHRNA6 3' UTR polymorphism (rs2304297). <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	1
1113	Neural circuits controlling choice behavior in opioid addiction. <i>Neuropharmacology</i> , 2023, 226, 109407.	2.0	0
1114	Novel role of AMPK in cocaine reinforcement via regulating CRTC1. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	1
1115	The Protective Effect of Social Reward on Opioid and Psychostimulant Reward and Relapse: Behavior, Pharmacology, and Brain Regions. <i>Journal of Neuroscience</i> , 2022, 42, 9298-9314.	1.7	8
1118	Hippocampal circuits. , 2023, , 247-288.		1
1119	Learning mechanisms of addiction. , 2023, , 185-226.		0
1122	Intermittent access cocaine self-administration produces context-specific escalation and increased motivation. <i>Drug and Alcohol Dependence</i> , 2023, 245, 109797.	1.6	1
1123	Cocaine self-administration augments kappa opioid receptor system-mediated inhibition of dopamine activity in the mesolimbic dopamine system. <i>IBRO Neuroscience Reports</i> , 2023, 14, 129-137.	0.7	1
1126	Long-term methamphetamine self-administration increases mesolimbic mitochondrial oxygen consumption and decreases striatal glutathione. <i>Neuropharmacology</i> , 2023, 227, 109436.	2.0	1
1127	Selective M5 muscarinic acetylcholine receptor negative allosteric modulator VU6008667 blocks acquisition of opioid self-administration. <i>Neuropharmacology</i> , 2023, 227, 109424.	2.0	3
1128	Increased sucrose consumption in mice gene-targeted for Vmat2 selectively in NeuroD6-positive neurons of the ventral tegmental area. <i>Frontiers in Molecular Neuroscience</i> , 0, 16, .	1.4	0
1131	An operant social self-administration and choice model in mice. <i>Nature Protocols</i> , 2023, 18, 1669-1686.	5.5	7
1166	Animals Models Used to Study Alcohol Use Disorder. , 2023, , 665-685.		0