

# The standardization of terminology of female pelvic organ dysfunction

American Journal of Obstetrics and Gynecology

175, 10-17

DOI: [10.1016/s0002-9378\(96\)70243-0](https://doi.org/10.1016/s0002-9378(96)70243-0)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Recommendations of the german association of urogynecology on functional sonography of the lower female urinary tract. International Urogynecology Journal, 1996, 7, 105-108.	0.7	77
2	Interobserver and intraobserver reliability of the proposed International Continence Society, Society of Gynecologic Surgeons, and American Urogynecologic Society pelvic organ prolapse classification system. American Journal of Obstetrics and Gynecology, 1996, 175, 1467-1471.	0.7	307
3	Randomized prospective comparison of needle colposuspension versus endopelvic fascia plication for potential stress incontinence prophylaxis in women undergoing vaginal reconstruction for stage III or IV pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 1996, 175, 326-335.	0.7	116
4	Laparoscopic rectocele repair using polyglactin mesh. Journal of Minimally Invasive Gynecology, 1997, 4, 381-384.	1.4	67
5	Epidemiology of surgically managed pelvic organ prolapse and urinary incontinence. Obstetrics and Gynecology, 1997, 89, 501-506.	1.2	2,818
6	Pelvic organ prolapse in young women. Obstetrics and Gynecology, 1997, 90, 33-36.	1.2	50
7	The incidence of low-pressure urethra as a function of prolapse-reducing technique in patients with massive pelvic organ prolapse (maximum descent at all vaginal sites). American Journal of Obstetrics and Gynecology, 1997, 177, 1305-1314.	0.7	45
8	Abdominal sacral colpoperineopexy: A new approach for correction of posterior compartment defects and perineal descent associated with vaginal vault prolapse. American Journal of Obstetrics and Gynecology, 1997, 177, 1345-1355.	0.7	181
9	Clinical predictors of urinary incontinence in women. American Journal of Obstetrics and Gynecology, 1997, 177, 262-267.	0.7	86
11	Vaginal topography does not correlate well with visceral position in women with pelvic organ prolapse. International Urogynecology Journal, 1997, 8, 336-339.	0.7	51
12	Visual assessment of urethrovesical junction mobility. International Urogynecology Journal, 1997, 8, 13-17.	0.7	25
13	Management of vaginal vault prolapse. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 13-17.	1.1	104
14	Site-specific fascial defects in the diagnosis and surgical management of enterocele. American Journal of Obstetrics and Gynecology, 1998, 179, 1418-1423.	0.7	68
15	Posterior vaginal prolapse and bowel function. American Journal of Obstetrics and Gynecology, 1998, 179, 1446-1450.	0.7	145
16	An anatomic and functional assessment of the discrete defect rectocele repair. American Journal of Obstetrics and Gynecology, 1998, 179, 1451-1457.	0.7	208
17	Teaching the Pelvic Organ Prolapse Quantitation system. American Journal of Obstetrics and Gynecology, 1998, 179, 1458-1464.	0.7	32
18	Evaluating the outcome of surgery for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 1998, 178, 877-879.	0.7	29
19	Techniques of rectocele repair and their effects on bowel function. International Urogynecology Journal, 1998, 9, 37-47.	0.7	70

#	ARTICLE	IF	CITATIONS
20	Minimally invasive surgical treatment of female stress urinary incontinence. <i>International Urogynecology Journal</i> , 1998, 9, 405-408.	0.7	14
21	Assessment of women with urinary incontinence. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1998, 77, 361-371.	1.3	3
22	Genital prolapse in women treated successfully and unsuccessfully by the Burch colposuspension. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1998, 77, 444-450.	1.3	5
23	Reliability and correlation of measurements during and after bladder neck surgery. <i>BJU International</i> , 1998, 82, 628-633.	1.3	10
24	Transvaginal needle suspension with lefort colpocleisis for stress incontinence and advanced uterovaginal prolapse in a high-risk patient. <i>Journal of Minimally Invasive Gynecology</i> , 1998, 5, 207-211.	1.4	10
25	Comparison of Pelvic Organ Prolapse in the Dorsal Lithotomy Compared With the Standing Position. <i>Obstetrics and Gynecology</i> , 1998, 91, 961-964.	1.2	43
26	Urinary incontinence and pelvic organ prolapse in nulliparous women. <i>Obstetrics and Gynecology</i> , 1998, 92, 951-954.	1.2	34
27	EPIDEMIOLOGY AND NATURAL HISTORY OF PELVIC FLOOR DYSFUNCTION. <i>Obstetrics and Gynecology Clinics of North America</i> , 1998, 25, 723-746.	0.7	543
28	THE CLINICAL EVALUATION OF PELVIC FLOOR DYSFUNCTION. <i>Obstetrics and Gynecology Clinics of North America</i> , 1998, 25, 783-804.	0.7	22
29	PATHOPHYSIOLOGY OF FEMALE LOWER URINARY TRACT DYSFUNCTION. <i>Obstetrics and Gynecology Clinics of North America</i> , 1998, 25, 747-756.	0.7	11
30	A NEW LAPAROSCOPIC PROCEDURE FOR THE CORRECTION OF VAGINAL VAULT PROLAPSE. <i>Journal of Urology</i> , 1998, 159, 1179-1182.	0.2	14
31	The Modified Bologna Procedure: Feasibility and First Results. <i>Journal of Gynecologic Surgery</i> , 1998, 14, 1-9.	0.0	3
32	Abdominal Colposacropexy and Sacrospinous Ligament Suspension for Severe Uterovaginal Prolapse: A Comparison. <i>Journal of Gynecologic Surgery</i> , 1998, 14, 59-64.	0.0	110
33	Videourodynamic Diagnosis of Occult Genuine Stress Incontinence in Patients With Anterior Vaginal Wall Relaxation. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 327-330.	1.9	0
34	Genital prolapse in women treated successfully and unsuccessfully by the Burch colposuspension. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1998, 77, 444-450.	1.3	15
35	Assessment of women with urinary incontinence. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1998, 77, 361-371.	1.3	6
36	Comparison of Pelvic Organ Prolapse in the Dorsal Lithotomy Compared With the Standing Position. <i>Obstetrics and Gynecology</i> , 1998, 91, 961-964.	1.2	22
37	Urinary Incontinence and Pelvic Organ Prolapse in Nulliparous Women. <i>Obstetrics and Gynecology</i> , 1998, 92, 951-954.	1.2	18

#	ARTICLE	IF	CITATIONS
38	Female pelvic organ prolapse: diagnostic contribution of dynamic cystoproctography and comparison with physical examination.. American Journal of Roentgenology, 1999, 173, 31-37.	1.0	138
39	Association of compartment defects in pelvic floor dysfunction.. American Journal of Roentgenology, 1999, 172, 439-444.	1.0	194
40	Sacrospinous Suspension with a Stapler: An Easier Modified Procedure. Journal of Gynecologic Surgery, 1999, 15, 19-22.	0.0	1
41	Follow-up after repair of vaginal vault prolapse with abdominal colposacropexy. Acta Obstetrica Et Gynecologica Scandinavica, 1999, 78, 66-70.	1.3	20
42	Urine Flow Rates and Residual Urine Volumes in Urogynecology Patients. International Urogynecology Journal, 1999, 10, 378-383.	0.7	59
43	Female Bladder Neck Changes with Position. International Urogynecology Journal, 1999, 10, 277-282.	0.7	3
44	Whatâ€™s in a Name?. International Urogynecology Journal, 1999, 10, 89-90.	0.7	0
45	A comparison of women with primary and recurrent pelvic prolapse. American Journal of Obstetrics and Gynecology, 1999, 180, 1415-1418.	0.7	34
46	Signs of genital prolapse in a Swedish population of women 20 to 59 years of age and possible related factors. American Journal of Obstetrics and Gynecology, 1999, 180, 299-305.	0.7	589
47	Use of the Pelvic Organ Prolapse staging system of the International Continence Society, American Urogynecologic Society, and Society of Gynecologic Surgeons in perimenopausal women. American Journal of Obstetrics and Gynecology, 1999, 181, 1324-1328.	0.7	71
48	Outcome after rectovaginal fascia reattachment for rectocele repair. American Journal of Obstetrics and Gynecology, 1999, 181, 1360-1364.	0.7	168
49	Pelvic organ prolapse: Anterior, superior, and posterior vaginal segment defects. American Journal of Obstetrics and Gynecology, 1999, 181, 6-11.	0.7	107
50	Accuracy of clinical assessment of paravaginal defects in women with anterior vaginal wall prolapse. American Journal of Obstetrics and Gynecology, 1999, 181, 87-90.	0.7	68
51	Randomized comparison of three surgical methods used at the time of vaginal hysterectomy to prevent posterior enterocele. American Journal of Obstetrics and Gynecology, 1999, 180, 859-865.	0.7	129
52	Understanding lower urinary tract function in women soon after bladder neck surgery. Neurourology and Urodynamics, 1999, 18, 629-637.	0.8	27
53	Follow-up after repair of vaginal vault prolapse with abdominal colposacropexy. Acta Obstetrica Et Gynecologica Scandinavica, 1999, 78, 66-70.	1.3	53
54	Determinants of urinary incontinence in a population of young and middle-aged women. Acta Obstetrica Et Gynecologica Scandinavica, 2000, 79, 208-215.	1.3	80
55	Is Measuring the Posterior Urethrovesical Angle of Clinical Value for Controlling Pelvic Organ Prolapse?. Gynecologic and Obstetric Investigation, 2000, 49, 183-186.	0.7	2

#	ARTICLE	IF	CITATIONS
56	Enterocoele repair and vaginal vault suspension. <i>Current Opinion in Obstetrics and Gynecology</i> , 2000, 12, 321-330.	0.9	9
57	Recent developments in pelvic organ prolapse. <i>Current Opinion in Obstetrics and Gynecology</i> , 2000, 12, 399-404.	0.9	19
58	Clinical Presentation of Enterocoele. <i>Obstetrics and Gynecology</i> , 2000, 96, 599-603.	1.2	3
59	Differences between cough and Valsalva leak-point pressure in stress incontinent women. <i>Neurourology and Urodynamics</i> , 2000, 19, 677-681.	0.8	34
60	Determinants of urinary incontinence in a population of young and middle-aged women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 208-215.	1.3	31
61	Comparative assessment of pelvic floor strength using a perineometer and digital examination. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000, 107, 1007-1011.	1.1	134
62	Vault prolapse and rectocoele: assessment of repair using sacrocolpopexy with mesh interposition. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000, 107, 1371-1375.	1.1	96
63	Laparoscopic management of genital prolapse: lateral suspension with two meshes. <i>Gynaecological Endoscopy</i> , 2000, 9, 363-368.	0.3	11
64	The depth of the pouch of Douglas in nulliparous and parous women without genital prolapse and in patients with genital prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 182, 540-544.	0.7	30
65	Vaginal subtotal hysterectomy and sacrospinous colpopexy: An option in the management of uterine prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 494-495.	0.7	6
66	Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 182, 1610-1615.	0.7	291
67	The distribution of pelvic organ support in a population of female subjects seen for routine gynecologic health care. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 277-285.	0.7	455
68	Quantitative electromyographic analysis of levator ani and external anal sphincter muscles of nulliparous women. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 1249-1256.	0.7	33
69	Accurate repair of the prolapsed vagina by use of measured lateral flaps. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 286-290.	0.7	4
70	Postoperative resolution of urinary retention in patients with advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 1361-1364.	0.7	71
71	Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 1390-1401.	0.7	71
72	Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 1402-1411.	0.7	246
73	Abnormal spinal curvature and its relationship to pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 1381-1384.	0.7	70

#	ARTICLE	IF	CITATIONS
74	The urethrodetrusor facilitative reflex in women: Results of urethral perfusion studies. American Journal of Obstetrics and Gynecology, 2000, 182, 794-804.	0.7	30
75	Bilateral Pelvic Lymph Node Metastases in a Case of FIGO Stage IA1 Adenocarcinoma of the Cervix. Gynecologic Oncology, 2000, 77, 467-470.	0.6	33
76	Intraurethral Ultrasonography: Correlation of Urethral Anatomy with Functional Urodynamic Parameters in Stress Incontinent Women. International Urogynecology Journal, 2000, 11, 204-211.	0.7	19
77	Posthysterectomy Vault Prolapse. International Urogynecology Journal, 2000, 11, 241-245.	0.7	65
78	Static and dynamic MRI of a urinary control intra-vaginal device. European Radiology, 2000, 10, 879-884.	2.3	9
79	The scientific basis of prolapse. The Obstetrician and Gynaecologist, 2000, 2, 10-15.	0.2	8
80	Characterizing and Reporting Pelvic Floor Defects: the Revised New York Classification System. International Urogynecology Journal, 2000, 11, 48-60.	0.7	29
81	Relationship Between the Length of the Perineum and Position of the Anus and Vaginal Delivery in Primigravidae. International Urogynecology Journal, 2000, 11, 79-83.	0.7	33
82	MR Imaging in Posthysterectomy Vaginal Prolapse. International Urogynecology Journal, 2000, 11, 87-92.	0.7	29
83	Sonographic Diagnosis of Paravaginal Defects: A Standardization of Technique. International Urogynecology Journal, 2000, 11, 341-345.	0.7	22
84	Vaginal Repair of a Sigmoidocele. International Urogynecology Journal, 2000, 11, 325-327.	0.7	3
87	Effect of Patient Position on Clinical Evaluation of Pelvic Organ Prolapse. Obstetrics and Gynecology, 2000, 96, 18-22.	1.2	0
88	Sacrospinous colpopexy at vaginal hysterectomy: method, results and follow up in 75 patients. Journal of Obstetrics and Gynaecology, 2000, 20, 58-62.	0.4	20
89	Interobserver Reproducibility of the Halfway Grading System: A Scoring System for Assessment of Pelvic Organ Prolapse. Journal of Gynecologic Surgery, 2000, 16, 79-82.	0.0	1
90	Ureteral Obstruction from High McCall's Culdeplasty. Journal of Gynecologic Surgery, 2000, 16, 119-123.	0.0	5
91	The effects of childbirth on the pelvic-floor. Journal of Perinatal Medicine, 2000, 28, 175-84.	0.6	45
92	Risk factors for genital prolapse in non-hysterectomized women around menopause. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 93, 135-140.	0.5	94
93	Symptoms and investigations in urogynaecology. Current Obstetrics & Gynaecology, 2000, 10, 66-72.	0.2	0

#	ARTICLE	IF	CITATIONS
94	Effect of patient position on clinical evaluation of pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2000, 96, 18-22.	1.2	63
95	Clinical presentation of enterocele. <i>Obstetrics and Gynecology</i> , 2000, 96, 599-603.	1.2	44
96	Outcome in 104 pubovaginal slings using freeze-dried allograft fascia lata from a single tissue bank. <i>Urology</i> , 2000, 56, 2-8.	0.5	91
98	VARIATIONS IN STRATEGY FOR THE TREATMENT OF URETHRAL OBSTRUCTION AFTER A PUBOVAGINAL SLING PROCEDURE. <i>Journal of Urology</i> , 2000, 164, 434-437.	0.2	80
99	PELVIC PROLAPSE. <i>Journal of Urology</i> , 2000, 164, 1879-1890.	0.2	37
100	RESULTS OF THE TENSION-FREE VAGINAL TAPE PROCEDURE FOR THE TREATMENT OF TYPE II STRESS URINARY INCONTINENCE AT A MINIMUM FOLLOWUP OF 1 YEAR. <i>Journal of Urology</i> , 2001, 165, 159-162.	0.2	129
101	Non-surgical treatment of uterovaginal prolapse using double vaginal rings. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 112-113.	0.9	13
102	Contraction of the pelvic floor muscles during abdominal maneuvers. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 1081-1088.	0.5	331
103	Functional cine magnetic resonance imaging in women after abdominal sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2001, 97, 81-85.	1.2	21
104	Abdominal sacrocolpopexy and anatomy and function of the posterior compartment. <i>Obstetrics and Gynecology</i> , 2001, 97, 678-684.	1.2	95
105	Office screening test for intrinsic urethral sphincter deficiency: pediatric Foley catheter test. <i>Obstetrics and Gynecology</i> , 2001, 97, 885-889.	1.2	3
106	Raloxifene effect on frequency of surgery for pelvic floor relaxation. <i>Obstetrics and Gynecology</i> , 2001, 98, 91-96.	1.2	49
107	Functional and anatomic follow-up of enterocele repairs. <i>Obstetrics and Gynecology</i> , 2001, 98, 265-268.	1.2	11
108	Anterior or posterior sacrospinous vaginal vault suspension: long-term anatomic and functional evaluation. <i>Obstetrics and Gynecology</i> , 2001, 98, 199-204.	1.2	65
109	Comparison of microtransducer and fiberoptic catheters for urodynamic studies. <i>Obstetrics and Gynecology</i> , 2001, 98, 253-257.	1.2	17
110	Enterocele: is there a histologic defect?. <i>Obstetrics and Gynecology</i> , 2001, 98, 634-637.	1.2	14
111	Incidence of concomitant procedures for pelvic organ prolapse and reconstruction in women who undergo surgery for stress urinary incontinence. <i>Urology</i> , 2001, 57, 911-913.	0.5	32
112	RECTAL PROLAPSE, RECTAL INTUSSUSCEPTION, RECTOCELE, AND SOLITARY RECTAL ULCER SYNDROME. <i>Gastroenterology Clinics of North America</i> , 2001, 30, 199-222.	1.0	131

#	ARTICLE	IF	CITATIONS
113	Abdominal Sacrocolpopexy and Anatomy and Function of the Posterior Compartment. <i>Obstetrics and Gynecology</i> , 2001, 97, 678-684.	1.2	50
114	Anterior or Posterior Sacrospinous Vaginal Vault Suspension. <i>Obstetrics and Gynecology</i> , 2001, 98, 199-204.	1.2	30
115	Preexisting Stress Urinary Incontinence. <i>Journal of Lower Genital Tract Disease</i> , 2001, 5, 204-207.	0.9	0
116	Functional Cine Magnetic Resonance Imaging in Women After Abdominal Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2001, 97, 81-85.	1.2	7
117	Vaginal hysterectomy. <i>British Journal of Hospital Medicine</i> , 2001, 62, 33-37.	0.3	4
118	Sonographic evaluation of anatomic results after the pubovaginal sling procedure for stress urinary incontinence.. <i>Journal of Ultrasound in Medicine</i> , 2001, 20, 739-747.	0.8	17
119	Vaginal palpation of pelvic floor muscle strength: inter-test reproducibility and comparison between palpation and vaginal squeeze pressure. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 883-883.	1.3	169
120	Dynamic pelvic MRI. <i>Imaging</i> , 2001, 13, 458-461.	0.0	3
121	Enterocoele. <i>Obstetrics and Gynecology</i> , 2001, 98, 634-637.	1.2	9
122	Raloxifene Effect on Frequency of Surgery for Pelvic Floor Relaxation. <i>Obstetrics and Gynecology</i> , 2001, 98, 91-96.	1.2	26
124	The Standardization of Terminology for Researchers in Female Pelvic Floor Disorders. <i>International Urogynecology Journal</i> , 2001, 12, 178-186.	0.7	325
125	Morphological and functional pelvic floor defects from a gynaecological viewpoint. <i>Der Gynakologe</i> , 2001, 34, 10-18.	1.0	5
126	Functional cine-MRI of the pelvic floor – Normal anatomy and pathologic findings. <i>Der Gynakologe</i> , 2001, 34, 24-30.	1.0	3
127	Functional MRI of the pelvic floor. Method and references values. <i>Der Gynakologe</i> , 2001, 34, 31-37.	1.0	2
128	Risk Factors for an Elevated Postvoid Residual Urine Volume in Women with Symptoms of Urinary Urgency, Frequency and Urge Incontinence. <i>International Urogynecology Journal</i> , 2001, 12, 237-240.	0.7	23
129	Antibiotic Treatment to Prevent Urinary Tract Infections after Urodynamic Evaluation. <i>International Urogynecology Journal</i> , 2001, 12, 254-257.	0.7	28
130	Persistent Site-Specific Defects after Reconstructive Pelvic Surgery. <i>International Urogynecology Journal</i> , 2001, 12, 151-155.	0.7	3
131	Clinical Outcome of Abdominal Urethropexy – Colposuspension: A Long-Term Follow-up. <i>International Urogynecology Journal</i> , 2001, 12, 161-165.	0.7	12



#	ARTICLE	IF	CITATIONS
132	Caseâ€“Control Study of Etiologic Factors in the Development of Severe Pelvic Organ Prolapse. International Urogynecology Journal, 2001, 12, 187-192.	0.7	136
133	Urogenital Prolapse and Atrophy at Menopause: A Prevalence Study. International Urogynecology Journal, 2001, 12, 107-110.	0.7	127
134	Evaluation of Pelvic Floor Muscle Strength Using Four Different Techniques. International Urogynecology Journal, 2001, 12, 27-30.	0.7	162
135	Vaginal repair of large cystoceles. Current Urology Reports, 2001, 2, 392-398.	1.0	1
136	Dynamic pelvic magnetic resonance imaging and cystocolpoproctography alter surgical management of pelvic floor disorders. Diseases of the Colon and Rectum, 2001, 44, 1575-1583.	0.7	123
137	Prevalence and severity of urinary incontinence and pelvic genital prolapse in females with anal incontinence or rectal prolapse. Diseases of the Colon and Rectum, 2001, 44, 920-925.	0.7	102
138	Need for sling surgery in patients with large cystoceles and masked stress urinary incontinence. International Journal of Urology, 2001, 8, 599-603.	0.5	11
139	The assessment of female pelvic floor dysfunction. BJU International, 2001, 85, 579-587.	1.3	13
140	Vaginal retropubic urethropexy with intraoperative cystometry for treating urinary stress incontinence. BJU International, 2001, 88, 49-52.	1.3	5
141	Vaginal palpation of pelvic floor muscle strength: inter-test reproducibility and comparison between palpation and vaginal squeeze pressure. Acta Obstetrica Et Gynecologica Scandinavica, 2001, 80, 883-887.	1.3	182
142	Characterisation of lower urinary tract disorders: A new view. Neurourology and Urodynamics, 2001, 20, 601-621.	0.8	11
143	Co-activation of the abdominal and pelvic floor muscles during voluntary exercises. Neurourology and Urodynamics, 2001, 20, 31-42.	0.8	413
144	Obstructed Defecation Caused by a Cystourethrocele and Mobile Posterior Vaginal Wall: A Case Report. International Urogynecology Journal, 2001, 12, 349-351.	0.7	0
145	The Association of Endoscopic Surgeons of Great Britain and Ireland Cardiff, United Kingdom Spring meeting, 26 May 2000. Surgical Endoscopy and Other Interventional Techniques, 2001, 15, S77-S84.	1.3	0
146	Dysfunctional Defecation. Nursing for Women's Health, 2001, 5, 50-55.	0.2	0
147	Non-surgical treatment of uterovaginal prolapse using double vaginal rings. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 112-113.	1.1	11
148	The Pelvic Floor. Physiotherapy, 2001, 87, 620-630.	0.2	53
149	Which women with stress incontinence require urodynamic evaluation?. American Journal of Obstetrics and Gynecology, 2001, 184, 20-27.	0.7	100

#	ARTICLE	IF	CITATIONS
150	A new instrument to measure sexual function in women with urinary incontinence or pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2001, 184, 552-558.	0.7	292
151	Assessment and grading of pelvic organ prolapse by use of dynamic magnetic resonance imaging. American Journal of Obstetrics and Gynecology, 2001, 185, 71-77.	0.7	150
152	Rectal prolapse in women with other defects of pelvic floor support. American Journal of Obstetrics and Gynecology, 2001, 184, 1488-1495.	0.7	67
153	Episiotomy increases perineal laceration length in primiparous women. American Journal of Obstetrics and Gynecology, 2001, 185, 444-450.	0.7	52
154	Two- and 3-dimensional MRI comparison of levator ani structure, volume, and integrity in women with stress incontinence and prolapse. American Journal of Obstetrics and Gynecology, 2001, 185, 11-19.	0.7	237
155	Role of urethral electromyography in predicting outcome of Burch retropubic urethropexy. American Journal of Obstetrics and Gynecology, 2001, 185, 51-55.	0.7	24
156	Linear measurements in 2-dimensional pelvic floor imaging: The impact of slice tilt angles on measurement reproducibility. American Journal of Obstetrics and Gynecology, 2001, 185, 537-544.	0.7	26
157	Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders. American Journal of Obstetrics and Gynecology, 2001, 185, 1388-1395.	0.7	526
158	High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse. American Journal of Obstetrics and Gynecology, 2001, 185, 1339-1343.	0.7	155
159	Correlation of symptoms with location and severity of pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2001, 185, 1332-1338.	0.7	479
160	Anterior colporrhaphy: A randomized trial of three surgical techniques. American Journal of Obstetrics and Gynecology, 2001, 185, 1299-1306.	0.7	543
161	Pre-existing Stress Urinary Incontinence: A Predictor of Discontinuation with Pessary Management. Journal of Lower Genital Tract Disease, 2001, 5, 204-207.	0.9	1
162	Ultrasound in the quantification of female pelvic organ prolapse. Ultrasound in Obstetrics and Gynecology, 2001, 18, 511-514.	0.9	198
163	Functional and Anatomic Follow-up of Enterocele Repairs. Obstetrics and Gynecology, 2001, 98, 265-268.	1.2	4
164	Office Screening Test for Intrinsic Urethral Sphincter Deficiency. Obstetrics and Gynecology, 2001, 97, 885-889.	1.2	2
165	Comparison of Microtransducer and Fiberoptic Catheters for Urodynamic Studies. Obstetrics and Gynecology, 2001, 98, 253-257.	1.2	8
168	Vaginal Hysterectomy with Modified Four-Corner Suspension for Severe Pelvic Relaxation and Stress Incontinence. Journal of Gynecologic Surgery, 2001, 17, 41-47.	0.0	1
169	Double-Layered Correction of Severe Anterior Vaginal-Wall Prolapse Utilizing a Suspended Demucosalized In Situ Vaginal Flap. Journal of Gynecologic Surgery, 2002, 18, 149-157.	0.0	0

#	ARTICLE	IF	CITATIONS
170	Experience of 4 Years with Open MR Defecography: Pictorial Review of Anorectal Anatomy and Disease. Radiographics, 2002, 22, 817-832.	1.4	161
171	Abdominal Sacral Colpopexy with Mersilene Mesh. Urologia Internationalis, 2002, 68, 6-9.	0.6	10
172	Is Pelvic Organ Prolapse a Cause of Pelvic or Low Back Pain?. Obstetrics and Gynecology, 2002, 99, 23-28.	1.2	0
174	Treatment of Exercise Incontinence With a Urethral Insert. Physician and Sportsmedicine, 2002, 30, 45-48.	1.0	4
176	Evaluation and management of rectoceles. Current Opinion in Urology, 2002, 12, 345-352.	0.9	27
177	Current opinion on the classification and definition of genital tract prolapse. Current Opinion in Obstetrics and Gynecology, 2002, 14, 503-507.	0.9	24
178	Vaginal Vault Prolapse After Nonsurgical and Surgical Treatment of Müllerian Agenesis. Obstetrics and Gynecology, 2002, 99, 947-949.	1.2	2
179	Pregnancy, Labor, Delivery, and Pelvic Organ Prolapse. Obstetrics and Gynecology, 2002, 100, 981-986.	1.2	15
180	Surgical management of the apical vaginal defect. Current Opinion in Urology, 2002, 12, 353-358.	0.9	62
181	Congenital Malignant Extrarenal Rhabdoid Tumor. Obstetrics and Gynecology, 2002, 99, 949-951.	1.2	0
182	Criteria for Therapeutic Use of Pelvic Floor Muscle Training in Women. Journal of Wound, Ostomy and Continence Nursing, 2002, 29, 301-311.	0.6	3
183	Is Urethral Mobility Really Being Assessed by the Pelvic Organ Prolapse Quantification (POP-Q) System?. Obstetrics and Gynecology, 2002, 99, 473-476.	1.2	0
184	Sexual Function in Women With Urinary Incontinence and Pelvic Organ Prolapse. Obstetrics and Gynecology, 2002, 99, 281-289.	1.2	11
185	Is urethral mobility really being assessed by the pelvic organ prolapse quantification (POP-Q) system?. Obstetrics and Gynecology, 2002, 99, 473-476.	1.2	38
186	Practical MR Imaging of Female Pelvic Floor Weakness. Radiographics, 2002, 22, 295-304.	1.4	137
187	Technique of combined pubovaginal sling and cystocele repair using a single piece of cadaveric dermal graft. Urology, 2002, 59, 538-541.	0.5	41
188	Diagnosis and treatment of vaginal vault prolapse conditions. Urology, 2002, 60, 8-15.	0.5	3
189	Medium-term follow-up of transvaginal suburethral slings: variance in outcome success using two different evaluation methods. Urology, 2002, 60, 607-610.	0.5	8

#	ARTICLE	IF	CITATIONS
190	The urine stream interruption test and pelvic muscle function in the puerperium. International Journal of Gynecology and Obstetrics, 2002, 78, 235-239.	1.0	18
191	Is pelvic organ prolapse a cause of pelvic or low back pain?. Obstetrics and Gynecology, 2002, 99, 23-28.	1.2	44
192	Sexual function in women with urinary incontinence and pelvic organ prolapse. Obstetrics and Gynecology, 2002, 99, 281-289.	1.2	280
193	Congenital malignant extrarenal rhabdoid tumor: prenatal ultrasound findings. Obstetrics and Gynecology, 2002, 99, 949-951.	1.2	12
194	Vaginal vault prolapse after nonsurgical and surgical treatment of MoAdullerian agenesis. Obstetrics and Gynecology, 2002, 99, 947-949.	1.2	29
195	Pregnancy, labor, delivery, and pelvic organ prolapse1. Obstetrics and Gynecology, 2002, 100, 981-986.	1.2	111
196	Clinical management of urogenital prolapse: new approaches. Current Obstetrics & Gynaecology, 2002, 12, 207-211.	0.2	0
197	Polyglactin 910 mesh during anterior and posterior colporrhaphy reduced the risk of recurrent cystocele. Evidence-Based Obstetrics and Gynecology, 2002, 4, 42-43.	0.3	0
198	Criteria for therapeutic use of pelvic floor muscle training in women. Journal of Wound, Ostomy and Continence Nursing, 2002, 29, 301-311.	0.6	9
199	Combined Laparoscopic Uterosacral and Round Ligament Procedures for Treatment of Symptomatic Uterine Retroversion and Mild Uterine Decensus. Journal of Minimally Invasive Gynecology, 2002, 9, 359-366.	1.4	17
200	Long-term efficacy of pelvic floor re-education with EMG-controlled biofeedback. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2002, 105, 181-185.	0.5	29
201	DYNAMIC MAGNETIC RESONANCE IMAGING OF THE FEMALE PELVIS: THE RELATIONSHIP WITH THE PELVIC ORGAN PROLAPSE QUANTIFICATION STAGING SYSTEM. Journal of Urology, 2002, 167, 1353-1355.	0.2	55
202	Gynaecological Surgery. , 0, , 402-451.		0
204	Diagnosis of Posterior Enterocele. Journal of Ultrasound in Medicine, 2002, 21, 383-387.	0.8	7
205	A comparison of preoperative and intraoperative evaluations for patients who undergo site-specific operation for the correction of pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2002, 186, 1155-1159.	0.7	16
206	Relationship between levator ani contraction and motor unit activation in the urethral sphincter. American Journal of Obstetrics and Gynecology, 2002, 187, 403-406.	0.7	26
207	The standardisation of terminology of lower urinary tract function: Report from the standardisation sub-committee of the international continence society. American Journal of Obstetrics and Gynecology, 2002, 187, 116-126.	0.7	917
208	Open Burch urethropexy has a low rate of perioperative complications. American Journal of Obstetrics and Gynecology, 2002, 187, 107-110.	0.7	20

#	ARTICLE	IF	CITATIONS
209	Pelvic organ support in nulliparous pregnant and nonpregnant women: A case control study. American Journal of Obstetrics and Gynecology, 2002, 187, 99-102.	0.7	92
210	Long-term success of abdominal sacral colpopexy using synthetic mesh. American Journal of Obstetrics and Gynecology, 2002, 187, 1473-1482.	0.7	192
211	Posterior vaginal wall defects and their relation to measures of pelvic floor neuromuscular function and posterior compartment symptoms. American Journal of Obstetrics and Gynecology, 2002, 187, 1443-1449.	0.7	41
212	Incidence of occult rectal prolapse in patients with clinical rectoceles and defecatory dysfunction. American Journal of Obstetrics and Gynecology, 2002, 187, 1494-1500.	0.7	66
213	â€˜The pelvic floor: A clinical model for function and rehabilitationâ€™™. Physiotherapy, 2002, 88, 126.	0.2	11
214	Anorectal dysfunction after surgical treatment for cervical cancer. Journal of the American College of Surgeons, 2002, 195, 513-519.	0.2	92
215	Pelvic Floor Reconstruction. European Urology, 2002, 42, I-XI.	0.9	3
216	Urodynamic Characterisation of Women with Naive Urinary Incontinence: A Population-Based Study in Subjectively Incontinent and Healthy 53â€“63 Years Old Women. European Urology, 2002, 42, 583-589.	0.9	10
217	Anatomy and physiology of the female perineal body with relevance to obstetrical injury and repair. Clinical Anatomy, 2002, 15, 321-334.	1.5	71
218	The standardisation of terminology of lower urinary tract function: Report from the standardisation sub-committee of the International Continence Society. Neurourology and Urodynamics, 2002, 21, 167-178.	0.8	6,207
220	Urinary incontinence symptom scores and urodynamic diagnoses. Neurourology and Urodynamics, 2002, 21, 30-35.	0.8	57
221	Rectocele repair: When and how?. Current Urology Reports, 2002, 3, 418-422.	1.0	6
222	Diagnostik und Therapie der Rektozele. Der Gynakologe, 2002, 35, 155-163.	1.0	2
223	Kolpohysterektomie und Kolpokleisis - noch zeitgemÃ„ÿ?. Der Gynakologe, 2002, 35, 125-131.	1.0	4
224	Collagen Metabolism and Turnover in Women with Stress Urinary Incontinence and Pelvic Prolapse. International Urogynecology Journal, 2002, 13, 80-87.	0.7	156
225	Abdominal versus Vaginal Approach for the Management of Genital Prolapse and Coexisting Stress Incontinence. International Urogynecology Journal, 2002, 13, 224-231.	0.7	12
226	Relationship between Stress Urinary Incontinence and Pelvic Organ Prolapse. International Urogynecology Journal, 2002, 13, 256-260.	0.7	122
227	Cystoscopic Confirmation of Inadvertent Ureteral Catheterization during Cystometry. International Urogynecology Journal, 2002, 13, 266-267.	0.7	5

#	ARTICLE	IF	CITATIONS
228	Female Pelvic Organ Prolapse and Voiding Function. <i>International Urogynecology Journal</i> , 2002, 13, 284-288.	0.7	85
229	The Effectiveness of Modified Six-Corner Suspension in Patients with Paravaginal Defect and Stress Urinary Incontinence. <i>International Urogynecology Journal</i> , 2002, 13, 303-307.	0.7	8
230	Do Pessaries Prevent the Progression of Pelvic Organ Prolapse?. <i>International Urogynecology Journal</i> , 2002, 13, 349-352.	0.7	83
231	Fast track vaginal surgery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 138-146.	1.3	73
232	How could management of rectoceles be optimized?. <i>ANZ Journal of Surgery</i> , 2002, 72, 896-901.	0.3	28
233	Why do women have voiding dysfunction and de novo detrusor instability after colposuspension?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 402-412.	1.1	44
234	Epidemiology of pelvic organ prolapse in rural Gambia, West Africa. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 431-436.	1.1	67
235	Adoption of the pelvic organ prolapse quantification system in peer-reviewed literature. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 1632-1635.	0.7	64
237	Collagen content of nonsupport tissue in pelvic organ prolapse and stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 1597-1599.	0.7	78
239	Long-term results of abdominal sacrocolpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 1606-1610.	0.7	73
241	Magnetic resonance imaging of the pelvic floor. <i>Abdominal Imaging</i> , 2003, 28, 217-225.	2.0	34
242	The natural history of pelvic organ support in pregnancy. <i>International Urogynecology Journal</i> , 2003, 14, 46-49.	0.7	66
243	The accuracy of clinical evaluation of posterior vaginal wall defects. <i>International Urogynecology Journal</i> , 2003, 14, 160-163.	0.7	32
244	Urinary incontinence in familial dysautonomia. <i>International Urogynecology Journal</i> , 2003, 14, 209-213.	0.7	9
245	Symptoms, bother and POPQ in women referred with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2003, 14, 122-127.	0.7	138
246	Current perception threshold evaluation of the female urethra. <i>International Urogynecology Journal</i> , 2003, 14, 133-135.	0.7	20
247	Effects of examination technique modifications on pelvic organ prolapse quantification (POP-Q) results. <i>International Urogynecology Journal</i> , 2003, 14, 136-140.	0.7	53
248	One-year urodynamic outcome and quality of life in patients with concomitant tension-free vaginal tape during pelvic floor reconstruction surgery for genitourinary prolapse and urodynamic stress incontinence. <i>International Urogynecology Journal</i> , 2003, 14, 256-260.	0.7	20

#	ARTICLE	IF	CITATIONS
249	Analysis of type I collagen in the parametrium of women with and without uterine prolapse, according to hormonal status. <i>International Urogynecology Journal</i> , 2003, 14, 331-334.	0.7	24
250	Vaginal wind ? a new pelvic symptom. <i>International Urogynecology Journal</i> , 2003, 14, 399-402.	0.7	14
251	The development of pelvic organ prolapse following isolated Burch retropubic urethropexy. <i>International Urogynecology Journal</i> , 2003, 14, 321-325.	0.7	18
252	Medium-term follow-up on use of freeze-dried, irradiated donor fascia for sacrocolpopexy and sling procedures. <i>International Urogynecology Journal</i> , 2003, -1, 1-1.	0.7	15
253	Anterior enterocele: a report of three cases. <i>International Urogynecology Journal</i> , 2003, -1, 1-1.	0.7	9
254	Study on nerve fiber density in anterior vaginal epithelium for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2003, -1, 1-1.	0.7	6
255	Is the pelvic organ prolapse quantification system (POPQ) being used? A survey of members of the International Continence Society (ICS) and the American Urogynecologic Society (AUGS). <i>International Urogynecology Journal</i> , 2003, -1, 1-1.	0.7	48
256	Three-dimensional magnetic resonance imaging assessment of levator ani morphologic features in different grades of prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 910-915.	0.7	126
258	Differential gene expression in pubococcygeus muscle from patients with pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 102-112.	0.7	53
259	Menstrual phase-dependent gene expression differences in periurethral vaginal tissue from women with stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 89-97.	0.7	39
260	Short-term urogenital effects of raloxifene, tamoxifen, and estrogen. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 81-88.	0.7	79
261	Factors that influence voiding function after the tension-free vaginal tape procedure for stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 1477-1483.	0.7	42
262	Outcomes study: A comparison of cure rates in 695 patients undergoing sacrospinous ligament fixation alone and with other site-specific procedures—A 16-year study. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 1509-1515.	0.7	40
263	Total colpocleisis with high levator plication for the treatment of advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 121-126.	0.7	104
264	Sacrospinous cervicocolpopexy with uterine conservation for uterovaginal prolapse in elderly women: An evolving concept. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 645-650.	0.7	123
265	Urethral pressure changes in response to squeeze: a population-based study in healthy and incontinent 53- to 63-year-old women. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 1100-1105.	0.7	10
266	Colpocleisis and urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 1241-1244.	0.7	86
267	Vaginectomy with pelvic herniorrhaphy for prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 364-370.	0.7	39

#	ARTICLE	IF	CITATIONS
268	Correlation of symptoms with degree of pelvic organ support in a general population of women: what is pelvic organ prolapse?. American Journal of Obstetrics and Gynecology, 2003, 189, 372-377.	0.7	323
270	Vaginal paravaginal repair with an AlloDerm graft. American Journal of Obstetrics and Gynecology, 2003, 189, 1612-1618.	0.7	74
272	Patient-selected goals: A new perspective on surgical outcome. American Journal of Obstetrics and Gynecology, 2003, 189, 1551-1557.	0.7	228
273	A randomized trial of colpopexy and urinary reduction efforts (CARE): design and methods. Contemporary Clinical Trials, 2003, 24, 629-642.	2.0	99
274	Compliance of the bladder neck supporting structures: Importance of activity pattern of levator ani muscle and content of elastic fibers of endopelvic fascia. Neurourology and Urodynamics, 2003, 22, 269-276.	0.8	49
275	Observations on the function of the female urethra: I: Relation between maximum urethral closure pressure at rest and urethral hypermobility. Neurourology and Urodynamics, 2003, 22, 643-647.	0.8	18
277	Pelvic floor muscle strength and response to pelvic floor muscle training for stress urinary incontinence. Neurourology and Urodynamics, 2003, 22, 654-658.	0.8	119
278	Anatomic and functional assessment and risk factors of recurrent prolapse after vaginal sacrospinous fixation. Acta Obstetrica Et Gynecologica Scandinavica, 2003, 82, 471-478.	1.3	90
279	Pelvic floor dysfunction: a conceptual framework for collaborative patient-centred care. Journal of Advanced Nursing, 2003, 43, 555-568.	1.5	66
280	Triple compartment prolapse: sacrocolpopexy with anterior and posterior mesh extensions. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 323-326.	1.1	36
281	Tratamiento de la incontinencia de orina en mujeres mediante un cabestrillo regulable. Resultados preliminares tras el primer año de control. Progresos En Obstetricia Y Ginecologia, 2003, 46, 299-306.	0.0	0
282	Prolapso genital. EMC - Ginecología-Obstetricia, 2003, 39, 1-13.	0.0	0
283	The standardisation of terminology in lower urinary tract function: report from the standardisation sub-committee of the International Continence Society. Urology, 2003, 61, 37-49.	0.5	2,597
284	Videourodynamic analysis of the relationship of Valsalva and cough leak point pressures in women with stress urinary incontinence. Urology, 2003, 61, 544-548.	0.5	13
285	Selecting suspension points and excising the vagina during michigan four-wall sacrospinous suspension. Obstetrics and Gynecology, 2003, 101, 325-330.	1.2	28
286	The appearance of levator ani muscle abnormalities in magnetic resonance images after vaginal delivery. Obstetrics and Gynecology, 2003, 101, 46-53.	1.2	367
287	Evaluation of the fascial technique for surgical repair of isolated posterior vaginal wall prolapse. Obstetrics and Gynecology, 2003, 101, 320-324.	1.2	62
288	Effect of anesthesia on voiding function after tension-free vaginal tape procedure. Obstetrics and Gynecology, 2003, 101, 666-670.	1.2	25



#	ARTICLE	IF	CITATIONS
289	Effect of genital prolapse on assessment of bladder neck mobility by the Q-tip test. <i>Obstetrics and Gynecology</i> , 2003, 101, 662-665.	1.2	11
290	Predicting treatment choice for patients with pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2003, 101, 1279-1284.	1.2	47
291	Mixed urinary incontinence symptoms urodynamic findings, incontinence severity, and treatment response. <i>Obstetrics and Gynecology</i> , 2003, 102, 76-83.	1.2	81
292	Validation of an Italian version of the prolapse quality of life questionnaire. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 106, 184-192.	0.5	58
293	Urinary and anal incontinence after vacuum delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 110, 39-42.	0.5	37
294	Vaginal sacrospinous colpopexy and perineorrhaphy for faecal incontinence: preliminary report. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 110, 211-214.	0.5	5
295	Which women are most affected by delivery-related changes in pelvic organ mobility?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 111, 15-18.	0.5	50
296	Two-Year Experience with Laparoscopic Pelvic Floor Repair. <i>Journal of Minimally Invasive Gynecology</i> , 2003, 10, 38-45.	1.4	57
297	The assessment and investigation of urinary incontinence in the female. <i>Reviews in Gynaecological Practice</i> , 2003, 3, 221-228.	0.1	1
298	Anatomical Correction of Vaginal Vault Prolapse by Uterosacral Ligament Fixation in Women Who Also Require a Pubovaginal Sling. <i>Journal of Urology</i> , 2003, 169, 1770-1774.	0.2	72
299	The Effect of Anterior Vaginal Wall Prolapse on Urethral Pressure Profile. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 309-313.	1.9	1
300	Evaluation of the Fascial Technique for Surgical Repair of Isolated Posterior Vaginal Wall Prolapse. <i>Obstetrics and Gynecology</i> , 2003, 101, 320-324.	1.2	35
301	Selecting Suspension Points and Excising the Vagina During Michigan Four-Wall Sacrospinous Suspension. <i>Obstetrics and Gynecology</i> , 2003, 101, 325-330.	1.2	14
302	Effect of Genital Prolapse on Assessment of Bladder Neck Mobility by the Q-tip Test. <i>Obstetrics and Gynecology</i> , 2003, 101, 662-665.	1.2	5
303	Predicting Treatment Choice for Patients With Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2003, 101, 1279-1284.	1.2	40
304	The Appearance of Levator Ani Muscle Abnormalities in Magnetic Resonance Images After Vaginal Delivery. <i>Obstetrics and Gynecology</i> , 2003, 101, 46-53.	1.2	255
305	Increased Expression of Matrix Metalloproteinases in the Uterine Cervix of Postmenopausal Women. <i>Journal of Lower Genital Tract Disease</i> , 2003, 7, 36-43.	0.9	2
306	Effect of Anesthesia on Voiding Function After Tension-Free Vaginal Tape Procedure. <i>Obstetrics and Gynecology</i> , 2003, 101, 666-670.	1.2	19

#	ARTICLE	IF	CITATIONS
307	Mixed Urinary Incontinence Symptoms. <i>Obstetrics and Gynecology</i> , 2003, 102, 76-83.	1.2	54
308	Pelvic Floor Dysfunction: The Need for a Multidisciplinary Team Approach. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2003, 9, 23-36.	0.1	10
309	Clinical Outcome of Tension-Free Vaginal Tape Procedure for Stress Urinary Incontinence Without Preoperative Urethral Hypermobility. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2003, 9, 75-81.	0.1	2
310	Fascial Posterior Colpoperineorrhaphy. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2003, 9, 279-283.	0.1	11
311	Evidence-based practice in urogynaecology. <i>British Journal of Hospital Medicine</i> , 2003, 64, 223-229.	0.3	0
312	Assessment of Urinary Incontinence. <i>The Journal of the British Menopause Society</i> , 2003, 9, 111-116.	1.3	0
313	Colposacrofixação para correção do prolapso da cápsula vaginal. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2003, 25, 705-709.	0.3	1
314	Comparaç�o entre as terminologias padronizadas por Baden e Walker e pela ICS para o prolapso p�lvico feminino. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2004, 26, 441-447.	0.3	1
315	PROLAPSO GENITAL SEVERO: CONSIDERACIONES CL�NICAS, FISIOPATOL�GICAS Y DE T�CNICA QUIR�RGICA AL MOMENTO DE SU CORRECCI�N. <i>Revista Chilena De Obstetricia Y Ginecologia</i> , 2004, 69, 149.	0.1	8
317	Different Expression of Calpains in the Anterior Vaginal wall of Women With and Without Uterovaginal Prolapse. <i>Journal of the Society for Gynecologic Investigation</i> , 2004, 11, 113-117.	1.9	4
319	Case 20-2004. <i>New England Journal of Medicine</i> , 2004, 350, 2699-2706.	13.9	2
320	Mechanical devices for pelvic organ prolapse in women. , 2004, , CD004010.		60
321	Sacrocolpexy and Combined Operations Involving Cases of Total Uterine Prolapse. <i>Medical Principles and Practice</i> , 2004, 13, 164-168.	1.1	3
322	Quantitative Electromyography of the Anal Sphincter After Uncomplicated Vaginal Delivery. <i>Obstetrics and Gynecology</i> , 2004, 104, 327-335.	1.2	51
323	Midline Rectovaginal Fascial Plication for Repair of Rectocele and Obstructed Defecation. <i>Obstetrics and Gynecology</i> , 2004, 104, 685-689.	1.2	96
324	Clinical Examination and Dynamic Magnetic Resonance Imaging in Vaginal Vault Prolapse. <i>Obstetrics and Gynecology</i> , 2004, 103, 41-46.	1.2	43
325	Pelvic Organ Prolapse in Older Women: Prevalence and Risk Factors. <i>Obstetrics and Gynecology</i> , 2004, 104, 489-497.	1.2	272
326	Laparoscopic Burch Colposuspension Versus Tension-Free Vaginal Tape: A Randomized Trial. <i>Obstetrics and Gynecology</i> , 2004, 104, 1249-1258.	1.2	123

#	ARTICLE	IF	CITATIONS
327	Physiotherapy for Persistent Postnatal Stress Urinary Incontinence: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2004, 104, 504-510.	1.2	96
328	Pessary Test to Predict Postoperative Urinary Incontinence in Women Undergoing Hysterectomy for Prolapse. <i>Obstetrics and Gynecology</i> , 2004, 104, 795-800.	1.2	105
329	A randomised controlled trial comparing abdominal and vaginal prolapse surgery: effects on urogenital function. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 50-56.	1.1	130
330	Pathophysiology of urinary incontinence and pelvic organ prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 5-9.	1.1	34
331	Role of imaging in urogynaecology. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 24-32.	1.1	9
332	Devices for continence and prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 61-66.	1.1	9
333	The vaginal vault. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 79-83.	1.1	7
334	Laparoscopic treatment of enterocele: A 3-year evaluation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 107-110.	0.4	19
335	Does pregnancy affect pelvic organ mobility?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 517-520.	0.4	46
336	Young women with genital prolapse have a low collagen concentration. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 1193-1198.	1.3	71
337	Operation for pelvic organ prolapse: a follow-up study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 758-763.	1.3	28
338	Combined genital prolapse repair reinforced with a polypropylene mesh and tension-free vaginal tape in women with genital prolapse and stress urinary incontinence: a retrospective case-control study with short-term follow-up. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 950-954.	1.3	64
339	Clinical and histological safety assessment of rectocele repair using collagen mesh. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 995-1000.	1.3	29
340	A United Kingdom-wide survey of physiotherapy practice in the treatment of pelvic organ prolapse. <i>Physiotherapy</i> , 2004, 90, 19-26.	0.2	26
341	Treatment of Anterior Vaginal Wall Prolapse with Porcine Skin Collagen Implant by the Transobturator Route: Preliminary Results. <i>European Urology</i> , 2004, 45, 219-225.	0.9	50
342	Sexual Dysfunction is Common in Women with Lower Urinary Tract Symptoms and Urinary Incontinence: Results of a Cross-Sectional Study. <i>European Urology</i> , 2004, 45, 642-648.	0.9	316
343	Progression and remission of pelvic organ prolapse: A longitudinal study of menopausal women. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 27-32.	0.7	286
344	Risk factors associated with an unsuccessful pessary fitting trial in women with pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 345-350.	0.7	164

#	ARTICLE	IF	CITATIONS
345	A randomized comparison of tension-free vaginal tape and endopelvic fascia plication in women with genital prolapse and occult stress urinary incontinence. American Journal of Obstetrics and Gynecology, 2004, 190, 609-613.	0.7	117
346	Patient satisfaction and changes in prolapse and urinary symptoms in women who were fitted successfully with a pessary for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2004, 190, 1025-1029.	0.7	219
347	Clinical evaluation of anterior vaginal wall support defects: interexaminer and intraexaminer reliability. American Journal of Obstetrics and Gynecology, 2004, 191, 100-104.	0.7	42
349	Patient characteristics that are associated with continued pessary use versus surgery after 1 year. American Journal of Obstetrics and Gynecology, 2004, 191, 159-164.	0.7	94
350	Risk factors for prolapse recurrence after vaginal repair. American Journal of Obstetrics and Gynecology, 2004, 191, 1533-1538.	0.7	277
351	Determination of bladder neck position by intraoperative introital ultrasound in colposuspension: outcome at 6-month follow-up. Ultrasound in Obstetrics and Gynecology, 2004, 24, 186-191.	0.9	9
352	Ultrasound imaging of the pelvic floor. Part I: two-dimensional aspects. Ultrasound in Obstetrics and Gynecology, 2004, 23, 80-92.	0.9	284
353	Clinical Measurement of Pelvic Floor Movement: Evaluation of a New Device. Diseases of the Colon and Rectum, 2004, 47, 787-792.	0.7	1
354	Transanal or Vaginal Approach to Rectocele Repair: A Prospective, Randomized Pilot Study. Diseases of the Colon and Rectum, 2004, 47, 1636-1642.	0.7	148
355	Laparoscopic sacrocolpopexy: results of a 100-patient series with 8 years follow-up. Gynecological Surgery, 2004, 1, 31-36.	0.9	8
357	Obstruktive Miktion bei gynäkologischen Erkrankungen. Der Gynakologe, 2004, 37, 153-162.	1.0	1
360	Mini-incisional Burch urethropexy: a less invasive method to accomplish a time-tested procedure for treatment of genuine stress incontinence. International Urogynecology Journal, 2004, 15, 20-24.	0.7	8
361	Diagnosis of cystocele ? the correlation between clinical and radiological evaluation. International Urogynecology Journal, 2004, 15, 3-9.	0.7	11
362	Pessary reduction and postoperative cure of retention in women with anterior vaginal wall prolapse. International Urogynecology Journal, 2004, 15, 175-178.	0.7	32
363	Pelvic organ prolapse after uterine artery embolization for uterine myoma. International Urogynecology Journal, 2004, 15, 214-215.	0.7	2
364	Urethral resistance measurement: a new method for evaluation of stress urinary incontinence in women. International Urogynecology Journal, 2004, 15, 208-211.	0.7	1
365	Sulfated glycosaminoglycans of the vagina and perineal skin in pre- and postmenopausal women, according to genital prolapse stage. International Urogynecology Journal, 2004, 15, 266-271.	0.7	10
366	Vaginal pessaries for the management of stress and mixed urinary incontinence. International Urogynecology Journal, 2004, 15, 302-7.	0.7	37

#	ARTICLE	IF	CITATIONS
367	Factors that affect recurrence after anterior colporrhaphy procedure reinforced with four-corner anchored polypropylene mesh. <i>International Urogynecology Journal</i> , 2004, 15, 399-406.	0.7	45
368	Paravaginal defects: prevalence and accuracy of preoperative detection. <i>International Urogynecology Journal</i> , 2004, 15, 378-383.	0.7	34
369	Recurrent pelvic organ prolapse in a woman with bladder exstrophy: a case report of surgical management and review of the literature. <i>International Urogynecology Journal</i> , 2004, 15, 436-438.	0.7	20
370	Assessment of pelvic organ descent by use of functional cine-MRI: Which reference line should be used?. <i>Neurourology and Urodynamics</i> , 2004, 23, 33-37.	0.8	88
371	Reliability of dynamometric measurements of the pelvic floor musculature. <i>Neurourology and Urodynamics</i> , 2004, 23, 134-142.	0.8	93
372	Elastolytic activity in women with stress urinary incontinence and pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2004, 23, 119-126.	0.8	92
373	Clinical evaluation of pelvic floor muscle function in continent and incontinent women. <i>Neurourology and Urodynamics</i> , 2004, 23, 190-197.	0.8	120
374	Pelvic floor muscle function in continent and stress urinary incontinent women using dynamometric measurements. <i>Neurourology and Urodynamics</i> , 2004, 23, 668-674.	0.8	121
376	POST-VOID RESIDUAL URINE VOLUME IN WOMEN WITH OVERACTIVE BLADDER SYMPTOMS. <i>Journal of Urology</i> , 2004, 172, 1911-1914.	0.2	34
377	Incontinence and Voiding Difficulties Associated With Prolapse. <i>Journal of Urology</i> , 2004, 171, 1021-1028.	0.2	67
378	VALIDATION OF A CLINICAL ALGORITHM TO DIAGNOSE STRESS URINARY INCONTINENCE FOR LARGE STUDIES. <i>Journal of Urology</i> , 2004, 171, 2321-2325.	0.2	17
379	Anterior Vaginal Wall Hammock With Fascia Lata for the Correction of Stage 2 or Greater Anterior Vaginal Compartment Relaxation. <i>Journal of Urology</i> , 2004, 171, 264-267.	0.2	20
380	Medical management of urinary incontinence. <i>Gastroenterology</i> , 2004, 126, S77-S81.	0.6	15
381	Physiologic outcome measures for urinary incontinence. <i>Gastroenterology</i> , 2004, 126, S99-S105.	0.6	22
382	Abdominal Sacral Colpopexy Using Autologous Fascia Lata. <i>Journal of Urology</i> , 2004, 171, 1176-1179.	0.2	32
384	A case of laparoscopic uterosacral ligaments plication: a new conservative approach to uterine prolapse?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 114, 112-115.	0.5	6
385	Influence of spontaneous and instrumental vaginal delivery on objective measures of pelvic organ support: assessment with the pelvic organ prolapse quantification (POPQ) technique and functional cine magnetic resonance imaging. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 115, 32-38.	0.5	24
386	Laparoscopic sacral colpoperineopexy for treatment of perineal body descent and vaginal vault prolapse. <i>Urology</i> , 2004, 64, 145-147.	0.5	11

#	ARTICLE	IF	CITATIONS
387	Applications of Ultrasonography in Female Lower Urinary Tract Symptoms: Diagnosis and Intervention. Taiwanese Journal of Obstetrics and Gynecology, 2004, 43, 125-135.	0.5	3
388	Laparoscopic Treatment of Pelvic Floor Defects in Women of Reproductive Age. Journal of Minimally Invasive Gynecology, 2004, 11, 332-335.	1.4	31
389	Effects of a Full Bladder and Patient Positioning on Pelvic Organ Prolapse Assessment. Obstetrics and Gynecology, 2004, 104, 37-41.	1.2	35
390	Polyethylene Terephthalate Grafts for Repair of Enteroceles and Rectoceles. Journal of Pelvic Medicine & Surgery, 2004, 10, 27-29.	0.1	1
391	Clinical Evaluation and Diagnostic Tests for Urinary Incontinence. Journal of Pelvic Medicine & Surgery, 2004, 10, 93-107.	0.1	1
392	Mechanisms of Paravaginal Defects Among Female Soldiers. Journal of Pelvic Medicine & Surgery, 2004, 10, 245-255.	0.1	0
393	Anal Sphincter Injury in Women With Pelvic Floor Disorders. Obstetrics and Gynecology, 2004, 104, 690-696.	1.2	46
394	Pelvic Symptoms in Women With Pelvic Organ Prolapse. Obstetrics and Gynecology, 2004, 104, 982-988.	1.2	175
395	Abdominal Sacrocolpopexy Utilizing Gore-Tex in Genital Prolapse. Journal of Pelvic Medicine & Surgery, 2004, 10, 311-317.	0.1	12
396	Surgical Management of Vaginal Vault Prolapse in a Woman With a Neovagina and Pelvic Kidneys. Obstetrics and Gynecology, 2004, 104, 1199-1201.	1.2	20
397	Evaluation and Treatment of Women With Rectocele: Focus on Associated Defecatory and Sexual Dysfunction. Obstetrics and Gynecology, 2004, 104, 1403-1421.	1.2	117
398	Cloacal Malformation, Mullerian Dysgenesis, Pelvic Organ Prolapse, and Urethrovaginal Fistula in a 17-Year-Old Girl. Journal of Pelvic Medicine & Surgery, 2004, 10, 223-225.	0.1	1
399	Conservative management of pelvic organ prolapse in women. , 2004, , CD003882.		36
400	The Evaluation of Pelvic Organ Prolapse. Journal of Pelvic Medicine & Surgery, 2004, 10, 173-192.	0.1	4
401	Advanced Diagnostic Testing for Pelvic Floor Dysfunction. Journal of Pelvic Medicine & Surgery, 2004, 10, 139-154.	0.1	0
402	Abdominal Sacrocolpopexy: A Comprehensive Review. Obstetrics and Gynecology, 2004, 104, 805-823.	1.2	788
403	Abdominal Sacral Colpopexy Using a Porcine Dermal Graft and Bone Anchors in the Elderly Overweight Patient. Journal of Pelvic Medicine & Surgery, 2004, 10, 231-238.	0.1	0
404	Quantitative Analysis of Uterosacral Ligament Origin and Insertion Points by Magnetic Resonance Imaging. Obstetrics and Gynecology, 2004, 103, 447-451.	1.2	80

#	ARTICLE	IF	CITATIONS
405	Childbirth and Pelvic Floor Disorders. <i>Clinical Obstetrics and Gynecology</i> , 2004, 47, 394-403.	0.6	27
406	Clinical Evaluation of Women With Lower Urinary Tract Dysfunction. <i>Clinical Obstetrics and Gynecology</i> , 2004, 47, 44-52.	0.6	6
407	Surgical management of pelvic organ prolapse in women. , 2004, , CD004014.		91
408	Paper 6: Outcomes of Urethropexy Added to Paravaginal Defect Repair: A Randomized Trial of Burch versus Marshall-Marchetti-Krantz. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2004, 10, S3.	0.1	1
409	Young women with genital prolapse have a low collagen concentration. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 1193-1198.	1.3	61
410	Combined genital prolapse repair reinforced with a polypropylene mesh and tension-free vaginal tape in women with genital prolapse and stress urinary incontinence: a retrospective case-control study with short-term follow-up. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 950-954.	1.3	64
411	Does the size of the vaginal probe affect measurement of pelvic floor muscle strength?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 129-133.	1.3	29
412	Uterine Cavity Synechiae After Hemostatic Square Suturing Technique. <i>Obstetrics and Gynecology</i> , 2005, 105, 1176-1178.	1.2	69
413	Anal Incontinence in Women With and Those Without Pelvic Floor Disorders. <i>Obstetrics and Gynecology</i> , 2005, 106, 1266-1271.	1.2	30
414	A Review of the Epidemiology and Pathophysiology of Pelvic Floor Dysfunction: Do Racial Differences Matter?. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2005, 27, 251-259.	0.3	49
415	Pregnancy Complicated by Uterine Synechiae After Endometrial Ablation. <i>Obstetrics and Gynecology</i> , 2005, 105, 1179-1182.	1.2	25
416	Laparoscopic Uterine Suspension in Patients With Cervical Elongation. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2005, 11, 333-335.	0.1	0
417	Site-Specific Rectocele Repair Compared With Standard Posterior Colporrhaphy. <i>Obstetrics and Gynecology</i> , 2005, 105, 314-318.	1.2	133
418	Diabetes Insipidus in the Third Trimester of Pregnancy. <i>Obstetrics and Gynecology</i> , 2005, 105, 1173-1176.	1.2	43
419	Surgery for pelvic organ prolapse: current status and future perspectives. <i>Current Opinion in Urology</i> , 2005, 15, 256-262.	0.9	28
420	Urinary Stress Incontinence. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2005, 11, 183-190.	0.1	0
421	Assessment of Shape Variation of the Levator Ani With Optimal Scan Planning and Statistical Shape Modeling. <i>Journal of Computer Assisted Tomography</i> , 2005, 29, 154-162.	0.5	10
422	One-Suture Burch Colposuspension. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2005, 11, 235-238.	0.1	0

#	ARTICLE	IF	CITATIONS
423	Interobserver Agreement and Intersystem Comparison of the Halfway System of Baden and Walker Versus the Pelvic Organ Prolapse Quantitation Prolapse Classification System in Assessing the Severity of Pelvic Organ Prolapse. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2005, 11, 243-250.	0.1	3
424	Paravaginal Repairs Done by Laparoscopy Versus Laparotomy. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2005, 11, 317-320.	0.1	0
425	Vaginal Allergic Cyst Presenting as a Cystocele. <i>Obstetrics and Gynecology</i> , 2005, 105, 1182-1184.	1.2	11
426	A Randomized Controlled Trial Comparing Fascia Lata and Synthetic Mesh for Sacral Colpopexy. <i>Obstetrics and Gynecology</i> , 2005, 106, 29-37.	1.2	144
427	Associated pelvic organ prolapse in women with stress urinary incontinence: when to operate?. <i>Current Opinion in Urology</i> , 2005, 15, 380-385.	0.9	10
428	Outcomes of Urethropexy Added to Paravaginal Defect Repair. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2005, 11, 137-143.	0.1	9
429	Evaluation of Aa Point and Cotton-Tipped Swab Test as Predictors of Urodynamic Stress Incontinence. <i>Obstetrics and Gynecology</i> , 2005, 105, 115-119.	1.2	17
430	Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2005, 106, 615-634.	1.2	213
431	Remodeling of Vaginal Connective Tissue in Patients With Prolapse. <i>Obstetrics and Gynecology</i> , 2005, 106, 953-963.	1.2	172
432	Urinary Incontinence in Nulliparous Women and Their Parous Sisters. <i>Obstetrics and Gynecology</i> , 2005, 106, 1253-1258.	1.2	61
433	Evaluation of Female Pelvic-Floor Muscle Function and Strength. <i>Physical Therapy</i> , 2005, 85, 269-282.	1.1	417
434	Pelvic Organ Prolapse in Defecatory Disorders. <i>Obstetrics and Gynecology</i> , 2005, 106, 315-320.	1.2	51
435	Striated urethral sphincter activity does not alter urethral pressure during filling cystometry. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 55-59.	0.7	17
436	Sacrocolpopexy for vault prolapse and rectocele: Do concomitant Burch colposuspension and perineal mesh detachment affect the outcome?. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 1067-1072.	0.7	21
437	Pelvic Organ Support Study (POSST): The distribution, clinical definition, and epidemiologic condition of pelvic organ support defects. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 795-806.	0.7	625
438	Reliability of health-related quality-of-life measures 1 year after surgical procedures for pelvic floor disorders. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 780-788.	0.7	60
439	Incidence and predictors of prolonged urinary retention after TVT with and without concurrent prolapse surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 1537-1543.	0.7	124
440	Do alterations in vaginal dimensions after reconstructive pelvic surgeries affect the risk for dyspareunia?. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 1573-1577.	0.7	26



#	ARTICLE	IF	CITATIONS
441	Levator contraction strength and genital hiatus as risk factors for recurrent pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2005, 192, 1592-1598.	0.7	119
442	Elastin metabolism in pelvic tissues: Is it modulated by reproductive hormones?. American Journal of Obstetrics and Gynecology, 2005, 192, 1605-1613.	0.7	50
443	Suture erosion and wound dehiscence with permanent versus absorbable suture in reconstructive posterior vaginal surgery. American Journal of Obstetrics and Gynecology, 2005, 192, 1626-1629.	0.7	19
444	Pelvic Organ Support Study (POSST) and bowel symptoms: Straining at stool is associated with perineal and anterior vaginal descent in a general gynecologic population. American Journal of Obstetrics and Gynecology, 2005, 192, 1516-1522.	0.7	61
445	Suburethral sling treatment of occult stress incontinence and intrinsic sphincter deficiency in women with severe vaginal prolapse of the anterior vs posterior/apical compartment. American Journal of Obstetrics and Gynecology, 2005, 192, 1566-1572.	0.7	14
446	A randomized trial of the effects of coached vs uncoached maternal pushing during the second stage of labor on postpartum pelvic floor structure and function. American Journal of Obstetrics and Gynecology, 2005, 192, 1692-1696.	0.7	102
447	The distance between the perceived and the actual arcus tendineus fascia pelvis during vaginal paravaginal repair. American Journal of Obstetrics and Gynecology, 2005, 192, 1707-1711.	0.7	2
448	Pelvic organ descent and symptoms of pelvic floor disorders. American Journal of Obstetrics and Gynecology, 2005, 193, 53-57.	0.7	103
449	Factors which influence the short-term success of pessary management of pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2005, 193, 89-94.	0.7	86
450	Short forms of two condition-specific quality-of-life questionnaires for women with pelvic floor disorders (PFDI-20 and PFIQ-7). American Journal of Obstetrics and Gynecology, 2005, 193, 103-113.	0.7	1,030
451	Evaluation of the aged female baboon as a model of pelvic organ prolapse and pelvic reconstructive surgery. American Journal of Obstetrics and Gynecology, 2005, 192, 1395-1398.	0.7	17
452	A prospective randomized trial using solvent dehydrated fascia lata for the prevention of recurrent anterior vaginal wall prolapse. American Journal of Obstetrics and Gynecology, 2005, 192, 1649-1654.	0.7	116
453	Racial differences in pelvic morphology among asymptomatic nulliparous women as seen on three-dimensional magnetic resonance images. American Journal of Obstetrics and Gynecology, 2005, 193, 2035-2040.	0.7	64
454	Functional bowel and anorectal disorders in patients with pelvic organ prolapse and incontinence. American Journal of Obstetrics and Gynecology, 2005, 193, 2105-2111.	0.7	110
455	Anatomic relationships of infracoccygeal sacropexy (posterior intravaginal slingplasty) trocar insertion. American Journal of Obstetrics and Gynecology, 2005, 193, 2099-2104.	0.7	27
456	Outcomes of vaginal reconstructive surgery with and without graft material. American Journal of Obstetrics and Gynecology, 2005, 193, 2126-2132.	0.7	14
457	Abdominal sacral suspensions: Analysis of complications using permanent mesh. American Journal of Obstetrics and Gynecology, 2005, 193, 2094-2098.	0.7	93
458	Factors associated with incontinence frequency in a surgical cohort of stress incontinent women. American Journal of Obstetrics and Gynecology, 2005, 193, 2088-2093.	0.7	82

#	ARTICLE	IF	CITATIONS
459	Suburethral sling materials: Best outcome with autologous tissue. American Journal of Obstetrics and Gynecology, 2005, 193, 2112-2116.	0.7	17
460	Pathogenesis of urethral funneling in women with stress urinary incontinence assessed by introital ultrasound. Ultrasound in Obstetrics and Gynecology, 2005, 26, 287-292.	0.9	20
461	Anatomical and functional significance of urogenital hiatus in primary urodynamic stress incontinence. Ultrasound in Obstetrics and Gynecology, 2005, 27, 71-77.	0.9	16
462	Functional and anatomical outcome of anterior and posterior vaginal prolapse repair with prolene mesh. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 107-111.	1.1	256
463	Intra-operative introital ultrasound in Burch colposuspension reduces post-operative complications. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 791-796.	1.1	16
464	The relationship of vaginal prolapse severity to symptoms and quality of life. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 971-976.	1.1	211
465	Bilateral iliococcygeal fixation for vaginal vault prolapse and enterocele repair using a new suturing device—the digital needle driver. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1145-1149.	1.1	3
466	Long term review of laparoscopic sacrocolpopexy. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1134-1138.	1.1	156
467	Prediction of findings at defecography in patients with genital prolapse. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1547-1553.	1.1	18
468	Urogynaecology: Collagen metabolism in the uterosacral ligaments and vaginal skin of women with uterine prolapse. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 113, 39-46.	1.1	106
469	Pelvic floor trauma in childbirth - Myth or reality?. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2005, 45, 3-11.	0.4	47
470	Prevalence of rectocele in young nulliparous women. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2005, 45, 391-394.	0.4	69
471	Which bowel symptoms are most strongly associated with a s rectocele?. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2005, 45, 505-508.	0.4	82
472	A critical review of diagnostic criteria for evaluating patients with symptomatic stress urinary incontinence. BJU International, 2005, 95, 327-334.	1.3	24
473	Does the size of the vaginal probe affect measurement of pelvic floor muscle strength?. Acta Obstetrica Et Gynecologica Scandinavica, 2005, 84, 129-133.	1.3	24
474	Uterus Preservation in Surgical Correction of Urogenital Prolapse. European Urology, 2005, 48, 642-649.	0.9	99
475	Classification and evaluation of prolapse. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2005, 19, 895-911.	1.4	34
476	Childbirth and pelvic floor trauma. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2005, 19, 913-924.	1.4	74

#	ARTICLE	IF	CITATIONS
477	Vaginal vault prolapse: Choice of operation. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2005, 19, 959-977.	1.4	21
479	A randomized comparison of post-operative pain, quality of life, and physical performance during the first 6 weeks after abdominal or vaginal surgical correction of descensus uteri. Neurourology and Urodynamics, 2005, 24, 334-340.	0.8	44
480	Standardization of terminology of pelvic floor muscle function and dysfunction: Report from the pelvic floor clinical assessment group of the International Continence Society. Neurourology and Urodynamics, 2005, 24, 374-380.	0.8	433
481	Anatomy of the sigmoid colon, rectum, and the rectovaginal pouch in women with enterocele and anterior rectal wall procidentia. Clinical Anatomy, 2005, 19, 125-129.	1.5	9
484	Pelvic organ support in pregnancy and postpartum. International Urogynecology Journal, 2005, 16, 69-72.	0.7	73
485	Assessment of posterior vaginal wall prolapse: comparison of physical findings to cystodefecoperitoneography. International Urogynecology Journal, 2005, 16, 96-103.	0.7	41
486	P-QOL: a validated questionnaire to assess the symptoms and quality of life of women with urogenital prolapse. International Urogynecology Journal, 2005, 16, 176-181.	0.7	216
487	Survey of the characteristics and satisfaction degree of the patients using a pessary. International Urogynecology Journal, 2005, 16, 182-186.	0.7	54
488	Updated recommendations on ultrasonography in urogynecology. International Urogynecology Journal, 2005, 16, 236-241.	0.7	127
489	Inflammatory reaction following bovine pericardium graft augmentation for posterior vaginal wall defect repair. International Urogynecology Journal, 2005, 16, 242-244.	0.7	12
490	Effects of voluntary pelvic floor contraction and relaxation on the urethral closure pressure. International Urogynecology Journal, 2005, 16, 187-191.	0.7	24
491	Predictive value of prolapse symptoms: a large database study. International Urogynecology Journal, 2005, 16, 203-209.	0.7	121
492	Effectiveness of the McCall culdeplasty in maintaining support after vaginal hysterectomy. International Urogynecology Journal, 2005, 16, 226-229.	0.7	28
493	Randomized comparison of the suprapubic arc sling procedure vs tension-free vaginal taping for stress incontinent women. International Urogynecology Journal, 2005, 16, 230-235.	0.7	87
494	Surgical outcome of abdominal sacrocolpopexy with synthetic mesh versus abdominal sacrocolpopexy with cadaveric fascia lata. International Urogynecology Journal, 2005, 16, 369-374.	0.7	23
495	Patient characteristics and management of dermal allograft extrusions. International Urogynecology Journal, 2005, 16, 375-377.	0.7	13
496	Translevator posterior intravaginal slingplasty: anatomical landmarks and safety margins. International Urogynecology Journal, 2005, 16, 364-368.	0.7	14
497	A new vaginal speculum for pelvic organ prolapse quantification (POPQ). International Urogynecology Journal, 2005, 16, 384-388.	0.7	4

#	ARTICLE	IF	CITATIONS
498	Determinants of the length of episiotomy or spontaneous posterior perineal lacerations during vaginal birth. <i>International Urogynecology Journal</i> , 2005, 16, 395-400.	0.7	20
499	Severity of pelvic organ prolapse associated with measurements of pelvic floor function. <i>International Urogynecology Journal</i> , 2005, 16, 432-436.	0.7	44
500	Morphologic study on levator ani muscle in patients with pelvic organ prolapse and stress urinary incontinence. <i>International Urogynecology Journal</i> , 2005, 16, 401-404.	0.7	22
501	Uterosacral ligament in postmenopausal women with or without pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2005, 16, 475-479.	0.7	109
502	Anatomical outcome and quality of life following posterior vaginal wall prolapse repair using collagen xenograft. <i>International Urogynecology Journal</i> , 2005, 16, 298-303.	0.7	20
503	Roles of estrogen receptor, progesterone receptor, p53 and p21 in pathogenesis of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2005, 16, 492-496.	0.7	29
504	Epidemiology of prolapse and incontinence questionnaire: validation of a new epidemiologic survey. <i>International Urogynecology Journal</i> , 2005, 16, 272-284.	0.7	117
505	Does pelvic organ prolapse quantification exam predict urethral mobility in stages 0 and I prolapse?. <i>International Urogynecology Journal</i> , 2005, 16, 268-271.	0.7	22
506	Prevalence of symptomatic pelvic organ prolapse in a Swedish population. <i>International Urogynecology Journal</i> , 2005, 16, 497-503.	0.7	150
507	Functional and Anatomic Outcome After Transvaginal Rectocele Repair Using Collagen Mesh: A Prospective Study. <i>Diseases of the Colon and Rectum</i> , 2005, 48, 1233-1242.	0.7	41
508	Descending Perineum Syndrome: Are Abdominal Hysterectomy and Bowel Habits Linked?. <i>Diseases of the Colon and Rectum</i> , 2005, 48, 2094-2099.	0.7	28
509	The use of submucosal small intestinal mesh in laparoscopic sacrocolpopexy and posterior vaginal repair. <i>Gynecological Surgery</i> , 2005, 2, 187-189.	0.9	1
510	Organic grafts in sacral colpopexy; are they introduced prematurely? Long term results for 29 patients. <i>Gynecological Surgery</i> , 2005, 2, 279-282.	0.9	0
511	Long-Term Outcomes of Transanal Rectocele Repair. <i>Diseases of the Colon and Rectum</i> , 2005, 48, 510-517.	0.7	65
512	Pelvic organ prolapse and the lower urinary tract: The Relationship of vaginal prolapse to stress urinary incontinence. <i>Current Urology Reports</i> , 2005, 6, 340-347.	1.0	19
513	The Relationship Between the Perineal Length Measurements and the Urodynamic Stress Incontinence. <i>International Urology and Nephrology</i> , 2005, 37, 701-705.	0.6	4
514	Quality of Life of Women with Urinary Incontinence: Cross-cultural Performance of 15 Language Versions of the I-QOL. <i>Quality of Life Research</i> , 2005, 14, 1901-1913.	1.5	92
515	PROMONTOFIJACIÃ“N VERSUS IVS POSTERIOR EN EL TRATAMIENTO DE LOS PROLAPSOS APICALES. <i>Revista Chilena De Obstetricia Y Ginecologia</i> , 2005, 70, 166.	0.1	0

#	ARTICLE	IF	CITATIONS
516	The Relationship between Maximal Urethral Closure Pressure and Functional Urethral Length in Anterior Vaginal Wall Prolapse Patients According to Stage and Age. <i>Yonsei Medical Journal</i> , 2005, 46, 408.	0.9	6
517	The Significance of Bladder Trabeculation in the Female Lower Urinary System: An Objective Evaluation by Urodynamic Studies. <i>Yonsei Medical Journal</i> , 2005, 46, 673.	0.9	22
518	A Comparison of Different Pelvic Reconstruction Surgeries Using Mesh for Pelvic Organ Prolapse Patients. <i>Yonsei Medical Journal</i> , 2005, 46, 112.	0.9	16
519	Complete Pelvic Floor Repair in Treating Fecal Incontinence. <i>Clinics in Colon and Rectal Surgery</i> , 2005, 18, 55-59.	0.5	1
520	The International Continence Society terminology for the lower urinary tract: the importance of standardization. <i>Nature Reviews Urology</i> , 2005, 2, 576-577.	1.4	9
521	Primer: questionnaires versus urodynamics in the evaluation of lower urinary tract dysfunction— one, both or none?. <i>Nature Reviews Urology</i> , 2005, 2, 555-564.	1.4	20
522	Uterus-Sparing Vaginal Surgery of Genitourinary Prolapse Employing Biocompatible Material. <i>Urologia Internationalis</i> , 2005, 75, 314-318.	0.6	15
523	Rectocele. , 2005, , 446-460.		6
524	An 80-Year-Old Woman With Vaginal Prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 2018.	3.8	3
525	Vaginal Wall Descensus and Pelvic Floor Symptoms in Older Women. <i>Obstetrics and Gynecology</i> , 2005, 106, 759-766.	1.2	136
526	Is the Cough-Stress Test Necessary When Placing the Tension-Free Vaginal Tape?. <i>Obstetrics and Gynecology</i> , 2005, 105, 319-324.	1.2	28
527	The Effect of Preemptive Pudendal Nerve Blockade on Pain After Transvaginal Pelvic Reconstructive Surgery. <i>Obstetrics and Gynecology</i> , 2005, 106, 782-788.	1.2	26
529	Investigation of transabdominal real-time ultrasound to visualise the muscles of the pelvic floor. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 167-170.	0.9	86
530	Tension-free vaginal tape (TVT) for treatment of stress urinary incontinence in women with low-pressure urethra. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 122, 118-121.	0.5	37
531	A randomized comparison of vesicourethral function after laparoscopic hysterectomy with and without vaginal cuff suspension. <i>Journal of Minimally Invasive Gynecology</i> , 2005, 12, 137-143.	0.3	9
534	A short-form questionnaire identified genital organ prolapse. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 41-46.	2.4	56
535	The role of laparoscopy in genital prolapse. <i>International Congress Series</i> , 2005, 1279, 407-410.	0.2	0
536	Assessment and management of pelvic organ prolapse. <i>Current Obstetrics &amp; Gynaecology</i> , 2005, 15, 387-393.	0.2	4

#	ARTICLE	IF	CITATIONS
537	Genital prolapse: a follow-up study assessing subjective and objective results five years or more after surgical intervention. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 120, 198-201.	0.5	6
538	An MRI comparison of anatomical changes related to surgical treatment of prolapse by vaginal or abdominal route. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 121, 220-225.	0.5	9
539	Triphasic MRI of pelvic organ descent: sources of measurement error. <i>European Journal of Radiology</i> , 2005, 54, 276-283.	1.2	42
540	Incontinence urinaire de la femme. <i>EMC - Gynécologie-Obstétrique</i> , 2005, 2, 167-180.	0.0	0
541	Anterior vaginal wall surgery in elderly patients: Outcomes and assessment. <i>Urology</i> , 2005, 65, 1104-1108.	0.5	6
542	Treatment of genital prolapse by hammock using porcine skin collagen implant (Pelvicol). <i>Urology</i> , 2005, 66, 1314-1318.	0.5	33
543	Transvaginal paravaginal repair of high-grade cystocele central and lateral defects with concomitant suburethral sling: Report of early results, outcomes, and patient satisfaction with a new technique. <i>Urology</i> , 2005, 66, 57-65.	0.5	41
544	Management of vault prolapse. <i>Reviews in Gynaecological Practice</i> , 2005, 5, 89-94.	0.1	5
545	The use of ultrasound in the evaluation of pelvic organ prolapse. <i>Reviews in Gynaecological Practice</i> , 2005, 5, 182-195.	0.1	3
546	Treatment of overactive bladder syndrome and detrusor overactivity. <i>Reviews in Gynaecological Practice</i> , 2005, 5, 243-250.	0.1	3
547	ASSOCIATION BETWEEN VALSALVA AND COUGH LEAK POINT PRESSURES AND PELVIC ORGAN PROLAPSE QUANTIFICATION IN WOMEN WITH STRESS INCONTINENCE. <i>Journal of Urology</i> , 2005, 173, 1219-1222.	0.2	14
548	Laparoscopic management of ureteric obstruction after uterosacral vaginal vault suspension. <i>Journal of Minimally Invasive Gynecology</i> , 2005, 12, 70-72.	0.3	6
549	Pelvic Organ Support and Prevalence by Pelvic Organ Prolapse-Quantification (POP-Q) in Korean Women. <i>Journal of Urology</i> , 2006, 175, 1769-1772.	0.2	29
550	Conservative management of pelvic organ prolapse in women. , 2006, , CD003882.		47
551	Effects of genital prolapse surgery on sexuality. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2006, 27, 43-48.	1.1	21
555	Surgical repair of vaginal prolapse: A gynaecological hernia. <i>International Journal of Surgery</i> , 2006, 4, 242-250.	1.1	14
556	Surgical Innovations in Pelvic Organ Prolapse and Incontinence. <i>Clinics in Geriatric Medicine</i> , 2006, 22, 605-621.	1.0	4
557	Laparoscopic Burch Colposuspension Versus Tension-Free Vaginal Tape: A Randomized Trial. <i>Journal of Urology</i> , 2006, 175, 224-224.	0.2	0

#	ARTICLE	IF	CITATIONS
558	Recurrent Pelvic Floor Defects After Abdominal Sacral Colpopexy. <i>Journal of Urology</i> , 2006, 175, 1010-1013.	0.2	25
559	Treatment for Unsuccessful Tension-Free Vaginal Tape Operation by Shortening Pre-Implanted Tape. <i>Journal of Urology</i> , 2006, 175, 2196-2200.	0.2	54
560	Pharmacological Management of Women with Mixed Urinary Incontinence. <i>Drugs</i> , 2006, 66, 591-606.	4.9	23
561	A randomized comparative study of the effects of oral and topical estrogen therapy on the lower urinary tract of hysterectomized postmenopausal women. <i>Fertility and Sterility</i> , 2006, 85, 155-160.	0.5	80
566	Critical Assessment of Pelvic Floor Surgical Reconstruction Outcome. <i>EAU-EBU Update Series</i> , 2006, 4, 202-213.	0.7	5
567	Gore-Tex mesh pelvic occlusion and secondary colpopexy: A new surgical technique for posthysterectomy vaginal vault prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 126, 113-115.	0.5	5
568	Sulfated glycosaminoglycans of the periurethral tissue in women with and without stress urinary incontinence, according to genital prolapse stage. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 126, 250-254.	0.5	10
569	MRI morphology of the levator ani muscle, endopelvic fascia, and urethra in women with stress urinary incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 126, 239-245.	0.5	45
570	Long-term outcome of vaginal sacrospinous colpopexy for marked uterovaginal and vault prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 127, 257-263.	0.5	70
571	Benefit and safety of 28-day transdermal estrogen regimen during vaginal hysterectomy (a) Tj ETQq1 1 0.784314 150 /Overlock 10 15		
572	Antepartum pelvic support defects in nulliparous and multiparous women. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 92, 75-76.	1.0	0
573	The use of graft materials in vaginal pelvic floor surgery. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 92, 279-288.	1.0	70
574	Measurement of the pubic portion of the levator ani muscle in women with unilateral defects in 3-D models from MR images. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 92, 234-241.	1.0	27
575	Long-term outcome of abdominal sacrocolpopexy using xenograft compared with synthetic mesh. <i>Urology</i> , 2006, 67, 719-724.	0.5	33
576	Can urethral mobility be assessed using the pelvic organ prolapse quantification system? An analysis of the correlation between point Aa and Q-tip angle in varying stages of prolapse. <i>Urology</i> , 2006, 68, 1005-1008.	0.5	20
577	4.3 Prolapse. , 2006, , .		0
578	The Results of Performing the SPARC Procedure for Treating Female Stress Urinary Incontinence: A 14 Month Study. <i>Korean Journal of Urology</i> , 2006, 47, 734.	0.2	2
579	Primary Evaluation of the Pelvic Floor. , 2006, , 27-34.		0

#	ARTICLE	IF	CITATIONS
580	Vaginal Enterocele Repair. , 2006, , 217-221.		1
581	Uterosacral Ligament Vault Suspension. <i>Obstetrics and Gynecology</i> , 2006, 108, 255-263.	1.2	120
583	Obstetric Factors Associated With Levator Ani Muscle Injury After Vaginal Birth. <i>Obstetrics and Gynecology</i> , 2006, 107, 144-149.	1.2	391
585	Vaginal Paravaginal Repair With the Use of Porcine Dermis. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2006, 12, 141-144.	0.1	0
586	A Three-Year Prospective Assessment of Rectocele Repair Using Porcine Xenograft. <i>Obstetrics and Gynecology</i> , 2006, 107, 59-65.	1.2	82
587	Interaction Among Apical Support, Levator Ani Impairment, and Anterior Vaginal Wall Prolapse. <i>Obstetrics and Gynecology</i> , 2006, 108, 324-332.	1.2	160
588	Pelvic floor trauma following vaginal delivery. <i>Current Opinion in Obstetrics and Gynecology</i> , 2006, 18, 528-537.	0.9	80
589	Effect of Vaginal Pessaries on Symptoms Associated With Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2006, 108, 93-99.	1.2	181
590	The Impact of Bladder Filling and Time of Day on the Assessment of Genital Prolapse. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2006, 12, 257-261.	0.1	1
591	Vaginal Surgery for Prolapse. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2006, 12, 289-305.	0.1	373
592	Pelvic Organ Prolapse in Nulliparous Women and Their Parous Sisters. <i>Obstetrics and Gynecology</i> , 2006, 108, 1388-1393.	1.2	76
593	A randomized comparative study of the effects of oral and topical estrogen therapy on the vaginal vascularization and sexual function in hysterectomized postmenopausal women. <i>Menopause</i> , 2006, 13, 737-743.	0.8	120
594	Bowel Symptoms and POP-Q Stage Are Poorly Correlated. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2006, 12, 263-266.	0.1	3
595	The global burden of female pelvic floor disorders. <i>BJU International</i> , 2006, 98, 1-5.	1.3	73
596	Development and psychometric evaluation of the ICIQ Vaginal Symptoms Questionnaire: the ICIQ-VS. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 700-712.	1.1	165
597	Predictors of Successful Pessary Fitting and Continued Use in a Nurse-Midwifery Pessary Clinic. <i>Journal of Midwifery and Women's Health</i> , 2006, 51, 78-84.	0.7	62
598	Common Problems of Urination in Nonpregnant Women: Causes, Current Management, and Prevention Strategies. <i>Journal of Midwifery and Women's Health</i> , 2006, 51, 159-173.	0.7	1
599	Recommendations for urodynamic assessment in the evaluation of women with stress urinary incontinence. <i>Nature Reviews Urology</i> , 2006, 3, 544-550.	1.4	6



#	ARTICLE	IF	CITATIONS
600	Can pelvic floor muscle training prevent and treat pelvic organ prolapse?. Acta Obstetrica Et Gynecologica Scandinavica, 2006, 85, 263-268.	1.3	65
601	Static and dynamic MRI features of the levator ani and correlation with severity of genital prolapse. Acta Obstetrica Et Gynecologica Scandinavica, 2006, 85, 1468-1475.	1.3	18
602	Why pelvic floor surgeons should utilize ultrasound imaging. Ultrasound in Obstetrics and Gynecology, 2006, 28, 629-634.	0.9	32
603	Obstetric risk factors for symptomatic prolapse: A population-based approach. American Journal of Obstetrics and Gynecology, 2006, 194, 75-81.	0.7	88
604	An $\alpha$ 1 chain of type I collagen Sp1-binding site polymorphism in women suffering from stress urinary incontinence. American Journal of Obstetrics and Gynecology, 2006, 194, 346-350.	0.7	47
605	Patterns of constipation in urogynecology: Clinical importance and pathophysiologic insights. American Journal of Obstetrics and Gynecology, 2006, 195, 50-55.	0.7	38
606	Skeletal muscle heavy-chain polypeptide 3 and myosin binding protein H in the pubococcygeus muscle in patients with and without pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2006, 194, 1404-1410.	0.7	28
607	Comparison of autologous rectus fascia and cadaveric fascia in pubovaginal sling continence outcomes. American Journal of Obstetrics and Gynecology, 2006, 194, 1444-1449.	0.7	30
608	Women seeking treatment for advanced pelvic organ prolapse have decreased body image and quality of life. American Journal of Obstetrics and Gynecology, 2006, 194, 1455-1461.	0.7	356
609	Magnetic resonance imaging of the levator ani in the squirrel monkey: A comparison of muscle volume between a cohort with pelvic organ prolapse and matched normals. American Journal of Obstetrics and Gynecology, 2006, 194, 1467-1471.	0.7	16
610	The incidence of ureteral obstruction and the value of intraoperative cystoscopy during vaginal surgery for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2006, 194, 1478-1485.	0.7	82
611	Outcomes with porcine graft placement in the anterior vaginal compartment in patients who undergo high vaginal uterosacral suspension and cystocele repair. American Journal of Obstetrics and Gynecology, 2006, 194, 1486-1491.	0.7	41
612	Responsiveness of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ) in women undergoing vaginal surgery and pessary treatment for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2006, 194, 1492-1498.	0.7	152
613	Can we screen for pelvic organ prolapse without a physical examination in epidemiologic studies?. American Journal of Obstetrics and Gynecology, 2006, 195, 942-948.	0.7	105
614	Neuropathic injury to the levator ani occurs in 1 in 4 primiparous women. American Journal of Obstetrics and Gynecology, 2006, 195, 1851-1856.	0.7	56
615	Determinants of vaginal length. American Journal of Obstetrics and Gynecology, 2006, 195, 1846-1850.	0.7	47
616	The correlation of urethral mobility and point Aa of the pelvic organ prolapse quantification system before and after surgery. American Journal of Obstetrics and Gynecology, 2006, 195, 1841-1845.	0.7	6
617	Advanced anterior vaginal wall prolapse is highly correlated with apical prolapse. American Journal of Obstetrics and Gynecology, 2006, 195, 1837-1840.	0.7	226

#	ARTICLE	IF	CITATIONS
618	Vaginal paravaginal repair with porcine dermal reinforcement: Correction of advanced anterior vaginal prolapse. American Journal of Obstetrics and Gynecology, 2006, 195, 1832-1836.	0.7	31
619	Perioperative complications and adverse events of the MONARC transobturator tape, compared with the tension-free vaginal tape. American Journal of Obstetrics and Gynecology, 2006, 195, 1820-1825.	0.7	61
620	Bowel symptoms in women planning surgery for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2006, 195, 1814-1819.	0.7	33
621	A randomized trial comparing methods of vaginal cuff closure at vaginal hysterectomy and the effect on vaginal length. American Journal of Obstetrics and Gynecology, 2006, 195, 1805-1808.	0.7	19
622	Rectocele repair: A randomized trial of three surgical techniques including graft augmentation. American Journal of Obstetrics and Gynecology, 2006, 195, 1762-1771.	0.7	334
623	Sexual function in women with urodynamic stress incontinence, detrusor overactivity, and mixed urinary incontinence. American Journal of Obstetrics and Gynecology, 2006, 195, 1758-1761.	0.7	47
624	Posterior vaginal wall prolapse does not correlate with fecal symptoms or objective measures of anorectal function. American Journal of Obstetrics and Gynecology, 2006, 195, 1742-1747.	0.7	45
625	Does sexual function change after surgery for stress urinary incontinence and/or pelvic organ prolapse? A multicenter prospective study. American Journal of Obstetrics and Gynecology, 2006, 195, e1-e4.	0.7	149
626	Tension-free vaginal tape for the treatment of urodynamic stress incontinence with intrinsic sphincteric deficiency. International Urogynecology Journal, 2006, 17, 335-339.	0.7	45
627	Prevalence of severe pelvic organ prolapse in relation to job description and socioeconomic status: a multicenter cross-sectional study. International Urogynecology Journal, 2006, 17, 340-345.	0.7	81
628	Effect of test position on pelvic floor muscle assessment. International Urogynecology Journal, 2006, 17, 365-371.	0.7	45
629	The development of pelvic organ prolapse after colposuspension: a prospective, long-term follow-up study on the prevalence and predisposing factors. International Urogynecology Journal, 2006, 17, 389-394.	0.7	27
630	A comparison of periurethral blood flow resistive indices and urethral closure pressure of incontinent women. International Urogynecology Journal, 2006, 17, 472-477.	0.7	8
631	Increased expression of matrix metalloproteinase 2 in uterosacral ligaments is associated with pelvic organ prolapse. International Urogynecology Journal, 2006, 17, 478-482.	0.7	81
632	SIS graft for anterior vaginal wall prolapse repair—a case-controlled study. International Urogynecology Journal, 2006, 17, 492-497.	0.7	34
633	Familial transmission of genitovaginal prolapse. International Urogynecology Journal, 2006, 17, 498-501.	0.7	72
634	Surgical management of posterior vaginal wall prolapse: an evidence-based literature review. International Urogynecology Journal, 2006, 17, 84-88.	0.7	68
635	Surgical management of anterior vaginal wall prolapse: an evidencebased literature review. International Urogynecology Journal, 2006, 17, 195-201.	0.7	150

#	ARTICLE	IF	CITATIONS
636	Pessary use in advanced pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2006, 17, 160-164.	0.7	54
637	The impact of pelvic organ prolapse on sexual function in women with urinary incontinence. <i>International Urogynecology Journal</i> , 2006, 17, 14-17.	0.7	75
638	Impact of tension-free vaginal tape on sexual function: results of a prospective study. <i>International Urogynecology Journal</i> , 2006, 17, 54-59.	0.7	96
639	Laparoscopic uterosacral ligament uterine suspension compared with vaginal hysterectomy with vaginal vault suspension for uterovaginal prolapse. <i>International Urogynecology Journal</i> , 2006, 17, 79-83.	0.7	84
640	A comparison of preoperative and intraoperative evaluation of patients undergoing pelvic reconstructive surgery for pelvic organ prolapse using the pelvic organ prolapse quantification system. <i>International Urogynecology Journal</i> , 2006, 17, 46-49.	0.7	41
641	Does vaginal reconstructive surgery with or without vaginal hysterectomy or trachelectomy improve sexual well being? A prospective follow-up study. <i>International Urogynecology Journal</i> , 2006, 17, 131-135.	0.7	24
642	Pelvic organ prolapse and urinary incontinence in nulliparous women at the United States Military Academy. <i>International Urogynecology Journal</i> , 2006, 17, 208-210.	0.7	24
643	Sexual function in patients presenting to a urogynecology practice. <i>International Urogynecology Journal</i> , 2006, 17, 576-580.	0.7	81
644	Validation of a simplified technique for using the POPQ pelvic organ prolapse classification system. <i>International Urogynecology Journal</i> , 2006, 17, 615-620.	0.7	107
645	Cadaveric fascia lata. <i>International Urogynecology Journal</i> , 2006, 17, 48-50.	0.7	8
646	Is sensory urgency part of the same spectrum of bladder dysfunction as detrusor overactivity?. <i>International Urogynecology Journal</i> , 2006, 18, 123-128.	0.7	47
651	Pelvic organ prolapse and the lower urinary tract: The relationship of vaginal prolapse to stress urinary incontinence. <i>Current Bladder Dysfunction Reports</i> , 2006, 1, 19-26.	0.2	0
652	The impact of urinary incontinence on female sexual function. <i>Advances in Therapy</i> , 2006, 23, 999-1008.	1.3	60
654	ORIGINAL RESEARCH—BASIC SCIENCE: A Prospective Study Examining the Anatomic Distribution of Nerve Density in the Human Vagina. <i>Journal of Sexual Medicine</i> , 2006, 3, 979-987.	0.3	61
655	Cesarean Delivery on Maternal Request Versus Planned Vaginal Delivery: Impact on Development of Pelvic Organ Prolapse. <i>Seminars in Perinatology</i> , 2006, 30, 272-275.	1.1	9
656	Pelvic Organ Prolapse Current State of Knowledge About This Common Condition. <i>Journal for Nurse Practitioners</i> , 2006, 2, 170-177.	0.4	4
657	Interrater reliability and physical examination of the pubovisceral portion of the levator ani muscle, validity comparisons using MR imaging. <i>Neurourology and Urodynamics</i> , 2006, 25, 50-54.	0.8	115
658	Transurethral radiofrequency energy collagen micro-remodeling for the treatment of female stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2006, 25, 331-336.	0.8	40

#	ARTICLE	IF	CITATIONS
659	Reliability of pelvic floor muscle strength assessment using different test positions and tools. <i>Neurourology and Urodynamics</i> , 2006, 25, 236-242.	0.8	179
660	Construct validity of the incontinence severity index. <i>Neurourology and Urodynamics</i> , 2006, 25, 418-423.	0.8	22
661	Innervation of the rectovaginal wall in patients with rectocele compared to healthy controls. <i>Neurourology and Urodynamics</i> , 2006, 25, 776-781.	0.8	6
662	Microarray analysis of differentially expressed genes in vaginal tissues from women with stress urinary incontinence compared with asymptomatic women. <i>Human Reproduction</i> , 2006, 21, 22-29.	0.4	47
663	Development and psychometric testing of a symptom index for pelvic organ prolapse. <i>Journal of Obstetrics and Gynaecology</i> , 2006, 26, 241-252.	0.4	27
667	Management of Vaginal Prolapse. <i>Women's Health</i> , 2006, 2, 279-287.	0.7	0
668	Abdominal Sacrocolpopexy with Burch Colposuspension to Reduce Urinary Stress Incontinence. <i>New England Journal of Medicine</i> , 2006, 354, 1557-1566.	13.9	478
669	Pelvic Floor Ultrasound. <i>Current Medical Imaging</i> , 2006, 2, 271-290.	0.4	3
670	Pelvic Organ Prolapse Complicating Third Trimester Pregnancy. <i>Gynecologic and Obstetric Investigation</i> , 2006, 61, 133-134.	0.7	31
671	Valsalva Leak Point Pressure to Determine Internal Sphincter Deficiency in Stress Urinary Incontinence. <i>Urologia Internationalis</i> , 2006, 76, 154-158.	0.6	5
673	Do Unsutured Second-Degree Perineal Lacerations Affect Postpartum Functional Outcomes?. <i>Journal of the American Board of Family Medicine</i> , 2007, 20, 451-457.	0.8	35
674	Pelvic Organ Prolapse in Postmenopausal Women. , 2007, , 739-764.		2
675	Vaginal Birth and De Novo Stress Incontinence. <i>Obstetrics and Gynecology</i> , 2007, 110, 354-362.	1.2	71
676	Natural History of Pelvic Organ Prolapse in Postmenopausal Women. <i>Obstetrics and Gynecology</i> , 2007, 109, 848-854.	1.2	125
677	Effects of Aging on Lower Urinary Tract and Pelvic Floor Function in Nulliparous Women. <i>Obstetrics and Gynecology</i> , 2007, 109, 715-720.	1.2	84
678	Symptomatic Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2007, 109, 1396-1403.	1.2	253
679	Advances in the surgical management of prolapse. <i>Menopause International</i> , 2007, 13, 38-43.	1.6	3
680	Non-surgical management of stress urinary incontinence: ambulatory treatments for leakage associated with stress (ATLAS) trial. <i>Clinical Trials</i> , 2007, 4, 92-101.	0.7	30

#	ARTICLE	IF	CITATIONS
681	Pelvic-Floor Muscle Function in Women With Pelvic Organ Prolapse. <i>Physical Therapy</i> , 2007, 87, 399-407.	1.1	34
682	Pelvic-Floor Strength in Women With Incontinence as Assessed by the Brink Scale. <i>Physical Therapy</i> , 2007, 87, 1316-1324.	1.1	27
683	Surgical management of pelvic organ prolapse in women. , 2007, , CD004014.		180
684	Comparison of Recurrence Rates after Anterior Colporrhaphy for Cystocele Using Three Different Surgical Techniques. <i>Gynecologic and Obstetric Investigation</i> , 2007, 63, 214-221.	0.7	8
686	Incidental Finding of a Benign Bladder Tumor during the Tension-Free Vaginal Tape Procedure. <i>Gynecologic and Obstetric Investigation</i> , 2007, 63, 28-30.	0.7	3
687	Posterior Intravaginal Slingplasty with Preservation of the Uterus: A Modified Surgical Technique in a Young Myelomeningocele Patient. <i>Gynecologic and Obstetric Investigation</i> , 2007, 63, 203-204.	0.7	2
688	Rate and related factors of dyspareunia in reproductive age women: a cross-sectional study. <i>International Journal of Impotence Research</i> , 2007, 19, 88-94.	1.0	34
689	Surgical management of urinary incontinence in older women. <i>Aging Health</i> , 2007, 3, 85-104.	0.3	0
690	Abdominovaginal Sacral Colpoperineopexy. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2007, 13, 181-190.	0.1	5
691	Correlation of Q-Tip Values and Point Aa in Stress-Incontinent Women. <i>Obstetrics and Gynecology</i> , 2007, 110, 39-43.	1.2	19
692	Pelvic Floor Surgery in the Older Woman. <i>Clinical Obstetrics and Gynecology</i> , 2007, 50, 826-843.	0.6	6
693	Biologic Grafts and Synthetic Meshes in Pelvic Reconstructive Surgery. <i>Clinical Obstetrics and Gynecology</i> , 2007, 50, 383-411.	0.6	71
694	Abdominal Surgery for Pelvic Organ Prolapse. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2007, 13, 157-170.	0.1	0
695	Low-Weight Polypropylene Mesh for Anterior Vaginal Wall Prolapse. <i>Obstetrics and Gynecology</i> , 2007, 110, 455-462.	1.2	246
696	Outcomes After Combined Perineoplasty With Overlapping Anal Sphincteroplasty for Fecal Incontinence. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2007, 13, 345-349.	0.1	0
697	Heterogeneity in Anatomic Outcome of Sacrospinous Ligament Fixation for Prolapse. <i>Obstetrics and Gynecology</i> , 2007, 109, 1424-1433.	1.2	104
698	Establishing a Mean Postvoid Residual Volume in Asymptomatic Perimenopausal and Postmenopausal Women. <i>Obstetrics and Gynecology</i> , 2007, 110, 827-832.	1.2	61
699	A Pilot Study of Extracorporeal Magnetic Stimulation of the Pelvic Floor for the Treatment of Women With Fecal Incontinence and Underactive Pelvic Floor Muscles. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2007, 13, 19-26.	0.1	5

#	ARTICLE	IF	CITATIONS
700	Vulvar Pain: A Comprehensive Review. <i>Journal of Women's Health Physical Therapy</i> , 2007, 31, 7-26.	0.5	9
701	Comparison of Levator Ani Muscle Defects and Function in Women With and Without Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2007, 109, 295-302.	1.2	589
703	Biomechanical Adaptations of the Rat Vagina and Supportive Tissues in Pregnancy to Accommodate Delivery. <i>Obstetrics and Gynecology</i> , 2007, 109, 136-143.	1.2	65
704	Process for Development of Multicenter Urodynamic Studies. <i>Urology</i> , 2007, 69, 63-67.	0.5	39
705	Urodynamic Evaluation of Urethral Competency in Women with Posterior Vaginal Support Defects. <i>Urology</i> , 2007, 69, 87-90.	0.5	12
706	Functional results and quality-of-life after bilateral sacrospinous ligament fixation for genital prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 132, 209-213.	0.5	57
707	Duloxetine treatment of stress urinary incontinence in women: Effects of demographics, obesity, chronic lung disease, hypoestrogenism, diabetes mellitus, and depression on efficacy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 133, 105-113.	0.5	26
708	Validation of the prolapse quality of life questionnaire (P-QOL) in a Turkish population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 135, 132-135.	0.5	38
709	Dynamic MR defecography of the posterior compartment: Indications, techniques and MRI features. <i>European Journal of Radiology</i> , 2007, 61, 462-472.	1.2	109
710	Design of the Behavior Enhances Drug Reduction of Incontinence (BE-DRI) study. <i>Contemporary Clinical Trials</i> , 2007, 28, 48-58.	0.8	22
714	Risk factors for pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 98, 248-251.	1.0	53
715	Prolapse severity, symptoms and impact on quality of life among women planning sacrocolpopexy. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 98, 24-28.	1.0	20
716	Surgical repair of anterior wall vaginal defects. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 98, 147-150.	1.0	11
717	Pelvic organ prolapse. <i>Lancet, The</i> , 2007, 369, 1027-1038.	6.3	699
718	Morphologic Association of Female Lower Urinary Tract Symptoms with Anterior Vaginal Wall Relaxation in Primary Urodynamic Stress Incontinence. <i>Journal of Medical Ultrasound</i> , 2007, 15, 270-277.	0.2	0
719	Laparoscopic sacral colpopexy with Gynemesh as graft material—Experience and results. <i>Journal of Minimally Invasive Gynecology</i> , 2007, 14, 577-583.	0.3	60
720	Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. <i>New England Journal of Medicine</i> , 2007, 356, 2143-2155.	13.9	456
722	Comparison of Laparoscopic and Abdominal Sacrocolpopexy for the Treatment of Vaginal Vault Prolapse. <i>Journal of Endourology</i> , 2007, 21, 926-930.	1.1	101

#	ARTICLE	IF	CITATIONS
723	Prevalence of occult stress incontinence in continent women with severe genital prolapse. Journal of Obstetrics and Gynaecology, 2007, 27, 174-176.	0.4	17
724	Immediate Foley removal after laparoscopic and vaginal hysterectomy: Determinants of postoperative urinary retention. Journal of Minimally Invasive Gynecology, 2007, 14, 706-711.	0.3	48
725	Laparoscopic paravaginal repair of anterior compartment prolapse. Journal of Minimally Invasive Gynecology, 2007, 14, 475-480.	0.3	40
726	Urodynamic Prolapse Reduction Alters Urethral Pressure but Not Filling or Pressure Flow Parameters. Journal of Urology, 2007, 177, 600-603.	0.2	36
727	Porcine Skin Collagen Implants to Prevent Anterior Vaginal Wall Prolapse Recurrence: A Multicenter, Randomized Study. Journal of Urology, 2007, 177, 192-195.	0.2	121
729	Pelvic Organ Prolapse and Pelvic Floor Dysfunction. , 2007, , 543-581.		0
730	Avalia�o do impacto da corre�o cir�rgica de distopias genitais sobre a fun�o sexual feminina. Revista Brasileira De Ginecologia E Obstetricia, 2007, 29, .	0.3	1
731	Measurement of pelvic floor muscle function and strength and pelvic organ prolapse. , 2007, , 45-112.		0
732	Evaluation of the Female Patient. , 2007, , 99-123.		0
733	Bladder sensitivity testing using a visual analogue scale: comparative cystometric study on women. Neurourology and Urodynamics, 2007, 26, 350-355.	0.8	27
734	Does urodynamic investigation improve outcome in patients undergoing prolapse surgery?. Neurourology and Urodynamics, 2007, 26, 170-175.	0.8	19
735	National survey on the management of prolapse in the UK. Neurourology and Urodynamics, 2007, 26, 325-331.	0.8	39
736	Reliability of speed of contraction and endurance dynamometric measurements of the pelvic floor musculature in stress incontinent parous women. Neurourology and Urodynamics, 2007, 26, 397-403.	0.8	40
737	Reference urodynamic values for stress incontinent women. Neurourology and Urodynamics, 2007, 26, 333-340.	0.8	71
738	Urodynamic and ultrasound characteristics of incontinence after radical hysterectomy. Neurourology and Urodynamics, 2007, 26, 794-799.	0.8	24
739	Does urethral competence affect urodynamic voiding parameters in women with prolapse?. Neurourology and Urodynamics, 2007, 26, 1030-1035.	0.8	10
740	Elastin expression and elastic fibre width in the anterior vaginal wall of postmenopausal women with and without prolapse. BJU International, 2007, 100, 346-350.	1.3	57
741	Robotic abdominal sacrocolpopexy/sacrouteropexy repair of advanced female pelvic organ prolapse (POP): utilizing POP-quantification-based staging and outcomes. BJU International, 2007, 100, 875-879.	1.3	108

#	ARTICLE	IF	CITATIONS
742	Efficacy and outcome of anterior vaginal wall repair using polypropylene mesh (Gynemesh). <i>Journal of Obstetrics and Gynaecology Research</i> , 2007, 33, 700-704.	0.6	16
743	The Effect of Age on Short-Term Outcomes After Abdominal Surgery for Pelvic Organ Prolapse. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 857-863.	1.3	37
744	Direct imaging of the pelvic floor muscles using two-dimensional ultrasound: a comparison of women with urogenital prolapse versus controls. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007, 114, 882-888.	1.1	55
745	Retrospective multicentre study of the new minimally invasive mesh repair devices for pelvic organ prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 22-30.	1.1	142
746	TVT-Obturator: Short-Term Data on an Operative Procedure for the Cure of Female Stress Urinary Incontinence Performed on 300 Patients. <i>European Urology</i> , 2007, 51, 1083-1088.	0.9	36
747	Midterm Follow-up of High-Grade Genital Prolapse Repair by the Trans-obturator and Infracoccygeal Hammock Procedure after Hysterectomy. <i>European Urology</i> , 2007, 51, 1065-1072.	0.9	32
748	Tension-Free Vaginal Tape versus Transobturator Tape as Surgery for Stress Urinary Incontinence: Results of a Multicentre Randomised Trial. <i>European Urology</i> , 2007, 52, 1481-1491.	0.9	166
749	Quantification of major morphological abnormalities of the levator ani. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 329-334.	0.9	246
750	Ultrasound assessment of pelvic organ prolapse: the relationship between prolapse severity and symptoms. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 688-691.	0.9	96
751	Levator coactivation is a significant confounder of pelvic organ descent on Valsalva maneuver. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 346-350.	0.9	152
752	Effectiveness of a new self-positioning pessary for the management of urinary incontinence in women. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 474.e1-474.e8.	0.7	36
753	The natural history of posterior vaginal wall support after abdominal sacrocolpopexy with and without posterior colporrhaphy. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, e45-e47.	0.7	7
754	The PESSRI study: symptom relief outcomes of a randomized crossover trial of the ring and Gellhorn pessaries. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 405.e1-405.e8.	0.7	144
755	Levator ani abnormality 6 weeks after delivery persists at 6 months. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 65.e1-65.e6.	0.7	37
756	Bowel symptoms 1 year after surgery for prolapse: further analysis of a randomized trial of rectocele repair. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 76.e1-76.e5.	0.7	71
757	A prospective assessment of overactive bladder symptoms in a cohort of elderly women who underwent transvaginal surgery for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 82.e1-82.e4.	0.7	77
758	Systemic and vaginal biomechanical properties of women with normal vaginal support and pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 165.e1-165.e6.	0.7	48
759	Posterior repair and sexual function. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 101.e1-101.e6.	0.7	68



#	ARTICLE	IF	CITATIONS
760	Race and ethnicity do not contribute to differences in preoperative urinary incontinence severity or symptom bother in women who undergo stress incontinence surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 92.e1-92.e6.	0.7	13
761	Symptoms of anal incontinence and difficult defecation among women with prolapse and a matched control cohort. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 509.e1-509.e6.	0.7	22
762	Pelvic floor symptom changes in pessary users. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 620.e1-620.e6.	0.7	65
763	Sexual function after vaginal surgery for pelvic organ prolapse and urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 622.e1-622.e7.	0.7	86
764	Sexual function before and after sacrocolpopexy for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 629.e1-629.e6.	0.7	96
765	Bowel symptoms in women 1 year after sacrocolpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 642.e1-642.e8.	0.7	56
766	Patient preparedness: an important predictor of surgical outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 654.e1-654.e6.	0.7	105
767	Prevalence and risk factors of fecal incontinence in women undergoing stress incontinence surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 662.e1-662.e7.	0.7	26
768	Vaginal paravaginal repair with an AlloDerm graft: Long-term outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 670.e1-670.e5.	0.7	25
769	Anatomic relationships of the tension-free vaginal mesh trocars. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 666.e1-666.e6.	0.7	16
770	Impact of age on preoperative and postoperative urinary incontinence quality of life. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 680.e1-680.e5.	0.7	9
771	Mesh-free anterior vaginal wall repair: history or best practice?. <i>The Obstetrician and Gynaecologist</i> , 2007, 9, 233-242.	0.2	3
772	Vaginal sacrospinous colpopexy and laparoscopic sacral colpopexy for vaginal vault prolapse. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 733-738.	1.3	30
773	Outcome of site-specific fascia repair for rectocele. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 973-977.	1.3	20
774	Clinical and urodynamic parameters associated with history of urinary tract infections in women: a prospective study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1130-1135.	1.3	7
775	MRI urethrovesical junction mobility is associated with global pelvic floor laxity in female stress incontinence. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1243-1250.	1.3	8
776	Surgical repair of posterior compartment prolapse: preliminary results of a novel transvaginal procedure using a four-armed polypropylene mesh with infracoccygeal and pararectal suspension. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1236-1242.	1.3	7
778	Changes in the extracellular matrix in the anterior vagina of women with or without prolapse. <i>International Urogynecology Journal</i> , 2007, 18, 43-48.	0.7	51

#	ARTICLE	IF	CITATIONS
779	Has the true prevalence of voiding difficulty in urogynecology patients been underestimated?. International Urogynecology Journal, 2007, 18, 53-56.	0.7	48
780	The empty bladder. International Urogynecology Journal, 2007, 18, 237-239.	0.7	12
781	Physical activity in women planning sacrocolpopexy. International Urogynecology Journal, 2007, 18, 33-37.	0.7	8
782	Age effects on anorectal pressure in anal continent women with lower urinary tract dysfunction. International Urogynecology Journal, 2007, 18, 295-300.	0.7	6
783	Tension-free vaginal tape: analysis of risk factors for failures. International Urogynecology Journal, 2007, 18, 419-422.	0.7	53
784	Elevated postvoid residual in women with pelvic floor disorders: prevalence and associated risk factors. International Urogynecology Journal, 2007, 18, 397-400.	0.7	36
785	Quality of life in women with stress urinary incontinence. International Urogynecology Journal, 2007, 18, 543-549.	0.7	68
786	Correlation of pelvic organ prolapse quantification system scores with obstetric parameters and lower urinary tract symptoms in primiparae postpartum. International Urogynecology Journal, 2007, 18, 537-541.	0.7	28
787	Abdominovaginal sacral colpoperineopexy: patient perceptions, anatomical outcomes, and graft erosions. International Urogynecology Journal, 2007, 18, 503-511.	0.7	26
788	Optimizing pelvic organ prolapse research. International Urogynecology Journal, 2007, 18, 609-611.	0.7	9
789	International Continence Society 2002 terminology report: have urogynecological conditions (diagnoses) been overlooked?. International Urogynecology Journal, 2007, 18, 373-377.	0.7	8
790	Biomechanical properties of prolapsed vaginal tissue in pre- and postmenopausal women. International Urogynecology Journal, 2007, 18, 603-607.	0.7	108
791	Interrater reliability of assessing levator ani muscle defects with magnetic resonance images. International Urogynecology Journal, 2007, 18, 773-778.	0.7	63
792	Pelvic prolapse and urinary incontinence in nulliparous college women in relation to paratrooper training. International Urogynecology Journal, 2007, 18, 769-771.	0.7	29
793	Anterior vaginal wall prolapse and voiding dysfunction in urogynecology patients. International Urogynecology Journal, 2007, 18, 721-725.	0.7	20
794	The tension-free vaginal tape in women with a non-hypermobility urethra and low maximum urethral closure pressure. International Urogynecology Journal, 2007, 18, 727-732.	0.7	38
795	Variability of current symptoms in women with pelvic organ prolapse. International Urogynecology Journal, 2007, 18, 787-798.	0.7	7
796	Quality of life after surgery for genital prolapse in elderly women: obliterative and reconstructive surgery. International Urogynecology Journal, 2007, 18, 799-806.	0.7	103

#	ARTICLE	IF	CITATIONS
797	Sexual function following surgery for urodynamic stress incontinence. International Urogynecology Journal, 2007, 18, 845-850.	0.7	57
798	Clinical relevance of urodynamic investigation tests prior to surgical correction of genital prolapse: a literature review. International Urogynecology Journal, 2007, 18, 455-460.	0.7	57
799	Vesicovaginal fistula resulting from a well-cared-for pessary. International Urogynecology Journal, 2007, 18, 971-973.	0.7	16
800	A simple teaching tool for training the pelvic organ prolapse quantification system. International Urogynecology Journal, 2007, 18, 1003-1005.	0.7	14
801	Follow-up after polypropylene mesh repair of anterior and posterior compartments in patients with recurrent prolapse. International Urogynecology Journal, 2007, 18, 1059-1064.	0.7	147
802	Outcomes of vaginal vault prolapse repair with a high uterosacral suspension procedure utilizing bilateral single sutures. International Urogynecology Journal, 2007, 18, 1207-1213.	0.7	22
803	Risk factors for the recurrence of pelvic organ prolapse after vaginal surgery: a review at 5 years after surgery. International Urogynecology Journal, 2007, 18, 1317-1324.	0.7	127
804	The effectiveness of the sacrospinous hysteropexy for the primary treatment of uterovaginal prolapse. International Urogynecology Journal, 2007, 18, 1271-1276.	0.7	52
805	Small bowel obstruction after vaginal vault suspension: a series of three cases. International Urogynecology Journal, 2007, 18, 1237-1241.	0.7	14
806	Association of cutis laxa and genital prolapse: a case report. International Urogynecology Journal, 2007, 18, 1367-1370.	0.7	23
807	Is anterior genital tract trauma associated with complaints of postpartum urinary incontinence?. International Urogynecology Journal, 2007, 18, 1417-1422.	0.7	6
808	Do overactive bladder symptoms improve after repair of anterior vaginal wall prolapse?. International Urogynecology Journal, 2007, 18, 1439-1443.	0.7	86
809	Opening vesical pressure: a new test to discriminate urethral sphincter deficiency?. International Urogynecology Journal, 2007, 18, 1435-1438.	0.7	8
810	Evaluation and outcome measures in the treatment of female urinary stress incontinence: International Urogynecological Association (IUGA) guidelines for research and clinical practice. International Urogynecology Journal, 2008, 19, 5-33.	0.7	153
811	Surgical Management of Pelvic Organ Prolapse in Females: Functional Outcome of Mesh Sacrocolpopexy and Rectopexy as a Combined Procedure. Diseases of the Colon and Rectum, 2007, 50, 1412-1421.	0.7	54
812	Transperineal Rectocele Repair with Polyglycolic Acid Mesh: A Case Series. Diseases of the Colon and Rectum, 2007, 50, 2085-2095.	0.7	23
813	Sequence variant in the laminin $\beta$ 1 (LAMC1) gene associated with familial pelvic organ prolapse. Human Genetics, 2007, 120, 847-856.	1.8	76
814	Laparoscopic uterosacral ligaments plication for the treatment of uterine prolapse. Archives of Gynecology and Obstetrics, 2007, 276, 225-229.	0.8	24

#	ARTICLE	IF	CITATIONS
815	Morbidity associated with posterior intravaginal slingplasty for uterovaginal and vault prolapse. Archives of Gynecology and Obstetrics, 2007, 276, 499-504.	0.8	28
816	Vaginal mesh erosion after transvaginal repair of cystocele using Gynemesh or Gynemesh-Soft in 138 women: a comparative study. International Urogynecology Journal, 2007, 18, 73-79.	0.7	160
817	The posterior compartment: Evaluation and functional outcomes after surgical repair. Current Bladder Dysfunction Reports, 2007, 2, 205-213.	0.2	0
818	Effect of anatomic urethral length on the correlation between the Q-tip test and descent at point Aa of the POP-Q system. International Urogynecology Journal, 2008, 19, 273-276.	0.7	6
819	Related factors of urge, stress, mixed urinary incontinence and overactive bladder in reproductive age women in Tabriz, Iran: a cross-sectional study. International Urogynecology Journal, 2008, 19, 367-373.	0.7	23
820	Is hysterectomy or the use of graft necessary for the reconstructive surgery for uterine prolapse?. International Urogynecology Journal, 2008, 19, 351-355.	0.7	22
821	The role of smooth muscle in the pathogenesis of pelvic organ prolapse – an immunohistochemical and morphometric analysis of the cervical third of the uterosacral ligament. International Urogynecology Journal, 2008, 19, 383-389.	0.7	25
822	The age distribution, rates, and types of surgery for pelvic organ prolapse in the USA. International Urogynecology Journal, 2008, 19, 421-428.	0.7	120
823	Transvaginal cystocele repair with polypropylene mesh using a tension-free technique. International Urogynecology Journal, 2008, 19, 489-496.	0.7	36
824	The role of preoperative urodynamic testing in stress-continent women undergoing sacrocolpopexy: the Colpopexy and Urinary Reduction Efforts (CARE) randomized surgical trial. International Urogynecology Journal, 2008, 19, 607-614.	0.7	187
825	Laparoscopic Burch colposuspension after failed sub-urethral tape procedures: a retrospective audit. International Urogynecology Journal, 2008, 19, 681-685.	0.7	20
826	Functional outcome after sacrospinous hysteropexy for uterine descensus. International Urogynecology Journal, 2008, 19, 747-752.	0.7	57
827	Sexual function in women before and after transvaginal mesh repair for pelvic organ prolapse. International Urogynecology Journal, 2008, 19, 763-772.	0.7	80
828	Selective embolization of the superior vesical artery for the treatment of a severe retroperitoneal pelvic haemorrhage following Endo-Stitch sacrospinous colpopexy. International Urogynecology Journal, 2008, 19, 873-875.	0.7	11
829	Short-term outcome after transvaginal mesh repair of pelvic organ prolapse. International Urogynecology Journal, 2008, 19, 787-793.	0.7	87
830	Obstructive voiding symptoms are not predictive of elevated postvoid residual urine volumes. International Urogynecology Journal, 2008, 19, 801-804.	0.7	28
831	Pelvic architectural distortion is associated with pelvic organ prolapse. International Urogynecology Journal, 2008, 19, 863-867.	0.7	47
832	Validation of the Pelvic Organ Prolapse Quantification Index (POP-Q-I): a novel interpretation of the POP-Q system for optimization of POP research. International Urogynecology Journal, 2008, 19, 995-997.	0.7	14

#	ARTICLE	IF	CITATIONS
833	Long-term follow-up after vaginal sacrospinous fixation: patient satisfaction, anatomical results and quality of life. <i>International Urogynecology Journal</i> , 2008, 19, 965-969.	0.7	41
834	Validity and reproducibility of the digital detection of levator trauma. <i>International Urogynecology Journal</i> , 2008, 19, 1097-1101.	0.7	119
835	Prospective randomized comparison of oxybutynin, functional electrostimulation, and pelvic floor training for treatment of detrusor overactivity in women. <i>International Urogynecology Journal</i> , 2008, 19, 1055-1061.	0.7	62
836	Estrogen receptor alpha polymorphism is associated with pelvic organ prolapse risk. <i>International Urogynecology Journal</i> , 2008, 19, 1159-1163.	0.7	29
837	Leak point pressure does not correlate with incontinence severity or bother in women undergoing surgery for urodynamic stress incontinence. <i>International Urogynecology Journal</i> , 2008, 19, 1193-1198.	0.7	16
838	The impact of multichannel urodynamics upon treatment recommendations for female urinary incontinence. <i>International Urogynecology Journal</i> , 2008, 19, 1235-1241.	0.7	21
839	Resolution of elevated postvoid residual volumes after correction of severe pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 1261-1266.	0.7	20
840	Transverse cystocele repair with uterine preservation using native tissue. <i>International Urogynecology Journal</i> , 2008, 19, 1275-1281.	0.7	10
841	Correlation between posterior vaginal wall defects assessed by clinical examination and by defecography. <i>International Urogynecology Journal</i> , 2008, 19, 1291-1297.	0.7	14
842	Pelvic organ prolapse symptoms in relation to POPQ, ordinal stages and ultrasound prolapse assessment. <i>International Urogynecology Journal</i> , 2008, 19, 1299-1302.	0.7	33
843	Inter-observer reliability of digital vaginal examination using a four-grade scale in different patient positions. <i>International Urogynecology Journal</i> , 2008, 19, 1303-1307.	0.7	11
844	The Portuguese validation of the International Consultation on Incontinence Questionnaire "Vaginal Symptoms (ICIQ-VS) for Brazilian women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 1385-1391.	0.7	51
845	Efficacy of a standardized technique of trans-vaginal entry into the peritoneal cavity for post-hysterectomy vaginal vault suspension. <i>International Urogynecology Journal</i> , 2008, 19, 1393-1398.	0.7	4
846	The outcome of transobturator cystocele repair using biocompatible porcine dermis graft: our experience with 32 cases. <i>International Urogynecology Journal</i> , 2008, 19, 1647-1652.	0.7	13
847	COL1A1 Sp1-binding site polymorphism as a risk factor for genital prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 1471-1475.	0.7	36
848	The quantification of levator muscle resting tone by digital assessment. <i>International Urogynecology Journal</i> , 2008, 19, 1489-1493.	0.7	55
849	Vaginal smooth muscle cell apoptosis is increased in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 1559-1564.	0.7	45
850	Urodynamic characterization of obese women with urinary incontinence undergoing a weight loss program: the Program to Reduce Incontinence by Diet and Exercise (PRIDE) trial. <i>International Urogynecology Journal</i> , 2008, 19, 1653-1658.	0.7	58

#	ARTICLE	IF	CITATIONS
851	Pelvic support, pelvic symptoms, and patient satisfaction after colpocleisis. <i>International Urogynecology Journal</i> , 2008, 19, 1603-1609.	0.7	118
852	Quality of life after surgery for stress incontinence. <i>International Urogynecology Journal</i> , 2008, 19, 1631-1638.	0.7	29
853	A 5-year prospective follow-up study of vaginal surgery for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 1593-1601.	0.7	87
854	Perioperative outcomes of the Prolift® pelvic floor repair systems following introduction to a urogynecology teaching service. <i>International Urogynecology Journal</i> , 2008, 19, 1617-1622.	0.7	14
855	Symptom resolution and sexual function after anterior vaginal wall repair with or without polypropylene mesh. <i>International Urogynecology Journal</i> , 2008, 19, 1611-1616.	0.7	102
858	Rehabilitation of Fecal Incontinence After Sphincter-Saving Surgery for Rectal Cancer: Encouraging Results. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 1552-1558.	0.7	62
859	Ring Pessary Sizer: a pilot study to objectively measure size of a ring pessary required by a patient. <i>Gynecological Surgery</i> , 2008, 5, 247-249.	0.9	4
860	Postvoid residual urine in women with stress incontinence. <i>Neurourology and Urodynamics</i> , 2008, 27, 48-51.	0.8	22
861	Dynamic magnetic resonance imaging for grading pelvic organ prolapse according to the international continence society classification: Which line should be used?. <i>Neurourology and Urodynamics</i> , 2008, 27, 191-197.	0.8	52
862	Abnormal pelvic response to cough in women with stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2008, 27, 291-296.	0.8	33
863	Incontinence and pelvic organ prolapse in parous/nulliparous pairs of identical twins. <i>Neurourology and Urodynamics</i> , 2008, 27, 496-498.	0.8	17
864	Clinical, physiological and radiological assessment of rectovaginal septum reinforcement with mesh for complex rectocele. <i>British Journal of Surgery</i> , 2008, 95, 1264-1272.	0.1	54
865	Laparoscopic sacrocolpopexy for uterine and post-hysterectomy prolapse: anatomical results, quality of life and perioperative outcome—a prospective study with 101 cases. <i>International Urogynecology Journal</i> , 2008, 19, 1415-1422.	0.7	104
866	Anterior vaginal wall reconstruction: anterior colporrhaphy reinforced with tension free vaginal tape underneath bladder base. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 464-468.	1.3	8
867	Complications and patient satisfaction after transobturator anterior and/or posterior tension-free vaginal polypropylene mesh for pelvic organ prolapse. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 972-974.	1.3	9
868	Mid-trimester serum relaxin concentrations and post-partum pelvic floor dysfunction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1315-1321.	1.3	23
869	Diagnosis and management of genitourinary prolapse. <i>Trends in Urology Gynaecology &amp; Sexual Health</i> , 2008, 13, 16-22.	0.1	0
870	The levator-urethra gap measurement: a more objective means of determining levator avulsion?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 941-945.	0.9	123

#	ARTICLE	IF	CITATIONS
871	Gene expression in the rectus abdominus muscle of patients with and without pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2008, 198, 220.e1-220.e7.	0.7	7
872	Intraabdominal pressure changes associated with lifting: implications for postoperative activity restrictions. American Journal of Obstetrics and Gynecology, 2008, 198, 306.e1-306.e5.	0.7	37
873	Patient-selected goal attainment for pessary wearers: what is the clinical relevance?. American Journal of Obstetrics and Gynecology, 2008, 198, 577.e1-577.e5.	0.7	21
874	Validation of decision-making outcomes for female pelvic floor disorders. American Journal of Obstetrics and Gynecology, 2008, 198, 575.e1-575.e6.	0.7	48
875	Quality of life and surgical satisfaction after vaginal reconstructive vs obliterative surgery for the treatment of advanced pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2008, 198, 573.e1-573.e7.	0.7	52
876	Changes in physical activity after abdominal sacrocolpopexy for advanced pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2008, 198, 570.e1-570.e5.	0.7	18
877	Restoration of continence by pessaries: magnetic resonance imaging assessment of mechanism of action. American Journal of Obstetrics and Gynecology, 2008, 198, 563.e1-563.e6.	0.7	23
878	Abdominal sacrocolpopexy: anatomic outcomes and complications with Pelvicol, autologous and synthetic graft materials. American Journal of Obstetrics and Gynecology, 2008, 198, 557.e1-557.e5.	0.7	58
879	Quantitative anal sphincter electromyography in primiparous women with anal incontinence. American Journal of Obstetrics and Gynecology, 2008, 198, 550.e1-550.e6.	0.7	20
880	Distribution of pelvic organ support measures in a population-based sample of middle-aged, community-dwelling African American and white women in southeastern Michigan. American Journal of Obstetrics and Gynecology, 2008, 198, 548.e1-548.e6.	0.7	52
881	Effect of body mass index on the risk of anal incontinence and defecatory dysfunction in women. American Journal of Obstetrics and Gynecology, 2008, 198, 596.e1-596.e4.	0.7	42
882	Effects of the incontinence dish pessary on urethral support and urodynamic parameters. American Journal of Obstetrics and Gynecology, 2008, 198, 592.e1-592.e5.	0.7	19
883	Suture erosion rates and long-term surgical outcomes in patients undergoing sacrospinous ligament suspension with braided polyester suture. American Journal of Obstetrics and Gynecology, 2008, 198, 600.e1-600.e4.	0.7	21
884	Prediction of pelvic organ prolapse using an artificial neural network. American Journal of Obstetrics and Gynecology, 2008, 199, 193.e1-193.e6.	0.7	13
885	Pelvic organ prolapse: is there a difference in POPQ exam results based on time of day, morning or afternoon?. American Journal of Obstetrics and Gynecology, 2008, 199, 200.e1-200.e5.	0.7	13
886	Is there a pelvic organ prolapse threshold that predicts pelvic floor symptoms?. American Journal of Obstetrics and Gynecology, 2008, 199, 683.e1-683.e7.	0.7	125
887	Risk factors for mesh/suture erosion following sacral colpopexy. American Journal of Obstetrics and Gynecology, 2008, 199, 688.e1-688.e5.	0.7	186
888	Obesity and outcomes after sacrocolpopexy. American Journal of Obstetrics and Gynecology, 2008, 199, 690.e1-690.e8.	0.7	47

#	ARTICLE	IF	CITATIONS
889	Risk factors associated with failure 1 year after retropubic or transobturator midurethral slings. American Journal of Obstetrics and Gynecology, 2008, 199, 666.e1-666.e7.	0.7	88
890	One-year anatomic and quality-of-life outcomes after the Prolift procedure for treatment of posthysterectomy prolapse. American Journal of Obstetrics and Gynecology, 2008, 199, 694.e1-694.e6.	0.7	62
891	Vaginal surgery for pelvic organ prolapse using mesh and a vaginal support device. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 391-397.	1.1	37
892	Levator trauma is associated with pelvic organ prolapse. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 979-984.	1.1	429
893	Experiences and expectations of women with urogenital prolapse: a quantitative and qualitative exploration. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 1362-1368.	1.1	54
894	Colpocystodefecography in obstructed defecation: is it really useful to the surgeon?.. Colorectal Disease, 2008, 10, 446-452.	0.7	8
895	The Long Term (5-Years) Objective TVT Success Rate Does Not Depend on Predictive Factors at Multivariate Analysis. European Urology, 2008, 53, 176-183.	0.9	74
896	Urinary Incontinence at Orgasm: Relation to Detrusor Overactivity and Treatment Efficacy. European Urology, 2008, 54, 911-917.	0.9	73
897	Optimism in Women Undergoing Abdominal Sacrocolpopexy for Pelvic Organ Prolapse. Journal of the American College of Surgeons, 2008, 207, 240-245.	0.2	13
898	Enhancing Participation of Older Women in Surgical Trials. Journal of the American College of Surgeons, 2008, 207, 303-311.	0.2	20
899	Female Sexual Dysfunction in Urogenital Prolapse Surgery: Colposacropexy vs. Hysterocolposacropexy. Journal of Sexual Medicine, 2008, 5, 139-145.	0.3	26
900	Female Sexual Function Evaluation of the Tension-Free Vaginal Tape (TVT) and Transobturator Suburethral Tape (TOT) Incontinence Surgery: Results of a Prospective Study. Journal of Sexual Medicine, 2008, 5, 387-393.	0.3	69
901	Biologic Correlates of Sexual Function in Women with Stress Urinary Incontinence. Journal of Sexual Medicine, 2008, 5, 2871-2879.	0.3	28
902	Perioperative Complications and Early Follow-up with 100 TVT-SECUR Procedures. Journal of Minimally Invasive Gynecology, 2008, 15, 480-484.	0.3	76
903	Assessment and management of pelvic organ prolapse. Obstetrics, Gynaecology and Reproductive Medicine, 2008, 18, 241-246.	0.1	9
905	Improvement of quality of life, anxiety and depression after surgery in patients with stress urinary incontinence: Results of a longitudinal short-term follow-up. Health and Quality of Life Outcomes, 2008, 6, 72.	1.0	21
906	Urinary Stress Incontinence in Women. New England Journal of Medicine, 2008, 358, 1029-1036.	13.9	76
908	Culdocele repair in female pelvic organ prolapse. International Journal of Gynecology and Obstetrics, 2008, 100, 262-266.	1.0	7



#	ARTICLE	IF	CITATIONS
909	Comparison of vaginal length after iliococcygeus fixation and sacrospinous ligament fixation. International Journal of Gynecology and Obstetrics, 2008, 100, 267-270.	1.0	13
910	Wide genital hiatus is a risk factor for recurrence following anterior vaginal repair. International Journal of Gynecology and Obstetrics, 2008, 101, 184-187.	1.0	28
911	The incision angle of mediolateral episiotomy before delivery and after repair. International Journal of Gynecology and Obstetrics, 2008, 103, 5-8.	1.0	66
912	Collagen type 3 alpha 1 polymorphism and risk of pelvic organ prolapse. International Journal of Gynecology and Obstetrics, 2008, 103, 55-58.	1.0	48
913	Infracoccygeal sacropexy improves the quality of life of women with uterine prolapse. Maturitas, 2008, 59, 158-162.	1.0	7
914	Correction of cystocele and stress incontinence with anterior transobturator mesh. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 136, 249-253.	0.5	29
915	Infracoccygeal sacropexy reinforced with posterior mesh interposition for apical and posterior compartment prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 137, 108-113.	0.5	11
916	Estrogen receptor beta gene haplotype is associated with pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 138, 105-109.	0.5	21
917	Vaginal prolapse repair surgery augmented by ultra lightweight titanium coated polypropylene mesh. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 138, 232-238.	0.5	28
918	Vaginal reconstructive surgery for severe pelvic organ prolapses: A "uterine-sparing"™ technique using polypropylene prostheses. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 139, 245-251.	0.5	10
919	Sulfated glycosaminoglycans of periurethral tissue in pre- and postmenopausal women. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 139, 252-255.	0.5	9
920	Ultrasonographic and doppler velocimetric evaluation of the levator ani muscle according to the hormonal status. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 141, 183-185.	0.5	9
924	Factors Affecting Voiding Function in Urogynecology Patients. Taiwanese Journal of Obstetrics and Gynecology, 2008, 47, 417-421.	0.5	5
925	Is Hysterectomy Necessary for Laparoscopic Pelvic Floor Repair? A Prospective Study. Journal of Minimally Invasive Gynecology, 2008, 15, 729-734.	0.3	49
926	Prolapse and Incontinence Surgery in Older Women. Journal of Urology, 2008, 179, 2111-2118.	0.2	68
927	Urodynamic Measures Do Not Predict Stress Continence Outcomes After Surgery for Stress Urinary Incontinence in Selected Women. Journal of Urology, 2008, 179, 1470-1474.	0.2	117
928	Tension-Free Vaginal Tape Obturator: Midterm Data on an Operative Procedure for the Cure of Female Stress Urinary Incontinence Performed on 100 Patients. Journal of Minimally Invasive Gynecology, 2008, 15, 92-96.	0.3	3
930	Minimally Invasive Treatment of Stress Urinary Incontinence and Vaginal Prolapse. Urologic Clinics of North America, 2008, 35, 467-476.	0.8	4

#	ARTICLE	IF	CITATIONS
931	Rectal Prolapse, Rectal Intussusception, Rectocele, Solitary Rectal Ulcer Syndrome, and Enterocoele. <i>Gastroenterology Clinics of North America</i> , 2008, 37, 645-668.	1.0	95
932	Urinary Incontinence and Pelvic Organ Prolapse: Diagnosis and Treatment for the Primary Care Physician. <i>Medical Clinics of North America</i> , 2008, 92, 1273-1293.	1.1	8
933	A Prospective Study to Evaluate the Anatomic and Functional Outcome of a Transobturator Mesh Kit (Prolift Anterior) for Symptomatic Cystocele Repair. <i>Journal of Minimally Invasive Gynecology</i> , 2008, 15, 615-620.	0.3	54
934	High Levator Myorrhaphy for Transvaginal Suspension of the Vaginal Apex: Long-Term Results. <i>Journal of Urology</i> , 2008, 180, 2047-2052.	0.2	20
935	Stress Urinary Incontinence: Relative Importance of Urethral Support and Urethral Closure Pressure. <i>Journal of Urology</i> , 2008, 179, 2286-2290.	0.2	212
936	Laparoscopic Sacrocervicopexy for the Treatment of Uterine Prolapse: A Retrospective Case Series Report. <i>Journal of Minimally Invasive Gynecology</i> , 2008, 15, 268-272.	0.3	41
937	Are There Any UPP Changes in Women with Stress Urinary Incontinence after Pelvic Floor Muscle Exercises?. <i>Urologia Internationalis</i> , 2008, 80, 270-274.	0.6	9
938	Risk Factors for the Recurrence of Pelvic Organ Prolapse. <i>Gynecologic and Obstetric Investigation</i> , 2008, 66, 268-273.	0.7	31
939	Effect of Laparoscopic Hysterectomy on the Vascularization of the Lower Urinary Tract. <i>Urologia Internationalis</i> , 2008, 80, 62-67.	0.6	1
940	The Role of Apical Vaginal Support in the Appearance of Anterior and Posterior Vaginal Prolapse. <i>Obstetrics and Gynecology</i> , 2008, 111, 152-157.	1.2	114
941	Vaginal Descent and Pelvic Floor Symptoms in Postmenopausal Women. <i>Obstetrics and Gynecology</i> , 2008, 111, 1148-1153.	1.2	55
942	Graft Use in Transvaginal Pelvic Organ Prolapse Repair. <i>Obstetrics and Gynecology</i> , 2008, 112, 1131-1142.	1.2	149
943	Markers of collagen synthesis and degradation in urogenital tissue and serum from women with and without uterovaginal prolapse. <i>Molecular Human Reproduction</i> , 2008, 14, 193-197.	1.3	11
946	Role of Static and Dynamic MR Imaging in Surgical Pelvic Floor Dysfunction. <i>Radiographics</i> , 2008, 28, 949-967.	1.4	117
949	MRI of Pelvic Floor Dysfunction: Dynamic True Fast Imaging with Steady-State Precession Versus HASTE. <i>American Journal of Roentgenology</i> , 2008, 191, 352-358.	1.0	41
950	Does preoperative urodynamics change the management of prolapse?. <i>Journal of Obstetrics and Gynaecology</i> , 2008, 28, 320-322.	0.4	16
951	Tension-Free Vaginal and Transobturator Suburethral-Tape Positioning in Stress Urinary Incontinence Treatment: Effectiveness and Management of Complications. <i>Journal of Gynecologic Surgery</i> , 2008, 24, 135-144.	0.0	0
952	Laparoscopic Management of Uterine Prolapse with Cystocele and Rectocele Using "Gynemesh PS". <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2008, 18, 93-98.	0.5	5

#	ARTICLE	IF	CITATIONS
953	Symptoms and Pelvic Support Defects in Specific Compartments. <i>Obstetrics and Gynecology</i> , 2008, 112, 851-858.	1.2	52
954	Short-Term Outcomes of Robotic Sacrocolpopexy Compared With Abdominal Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2008, 112, 1201-1206.	1.2	248
955	Clinical Practice Guidelines on Vaginal Graft Use From the Society of Gynecologic Surgeons. <i>Obstetrics and Gynecology</i> , 2008, 112, 1123-1130.	1.2	53
957	Female Sexual Function and Pelvic Floor Disorders. <i>Obstetrics and Gynecology</i> , 2008, 111, 1045-1052.	1.2	169
958	Closing the Chapter on Obtape: A Case Report of Delayed Thigh Abscess and a Literature Review. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2008, 30, 143-147.	0.3	10
960	Three-Dimensional Magnetic Resonance Imaging of Fecal Incontinent Female Patients With Underactive Pelvic Floor Compared to Asymptomatic Individuals. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2008, 14, 353-356.	0.1	1
961	Da Vinci Assisted Laparoscopic Sacrocolpopexy. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2008, 14, 163-171.	0.1	12
962	An interviewer-administered validated female pelvic floor questionnaire for community-based research. <i>Menopause</i> , 2008, 15, 973-977.	0.8	21
963	Transobturator Tape Compared With Tension-Free Vaginal Tape for the Treatment of Stress Urinary Incontinence. <i>Obstetrics and Gynecology</i> , 2008, 111, 611-621.	1.2	197
964	Obesity and Pelvic Floor Disorders. <i>Obstetrics and Gynecology</i> , 2008, 112, 341-349.	1.2	101
965	Effect of Pessary Use on Genital Hiatus Measurements in Women With Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2008, 112, 630-636.	1.2	30
966	The Use of Standardized Patient Models for Teaching the Pelvic Floor Muscle Examination. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2008, 14, 361-368.	0.1	5
967	Symptomatic Enterocele. <i>Obstetrics and Gynecology</i> , 2008, 111, 553-555.	1.2	9
968	Vaginal Prolapse Surgery: Comparing Abdominal Sacral Colpopexy to Uterosacral Suspension. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2008, 14, 15-22.	0.1	6
969	Removing the Cervix at Hysterectomy. <i>Obstetrics and Gynecology</i> , 2008, 112, 1262-1269.	1.2	31
970	Outcome After Anterior Vaginal Prolapse Repair. <i>Obstetrics and Gynecology</i> , 2008, 111, 891-898.	1.2	339
971	Role of different childbirth strategies on pelvic organ prolapse and stress urinary incontinence: a prospective study. <i>Chinese Medical Journal</i> , 2008, 121, 213-215.	0.9	15
972	Surgical treatment of vaginal vault prolapse. <i>Nepal Journal of Obstetrics and Gynaecology</i> , 2008, 2, 3-8.	0.0	0

#	ARTICLE	IF	CITATIONS
973	CLINICAL EVALUATION OF LOWER URINARY TRACT SYMPTOMS. , 2008, , 77-85.		0
974	PELVIC FLOOR ULTRASOUND. , 2008, , 100-124.		2
975	CLINICAL DIAGNOSIS OF OVERACTIVE BLADDER. , 2008, , 197-203.		0
976	OUTCOME MEASURES FOR PELVIC ORGAN PROLAPSE. , 2008, , 336-347.		0
977	EPIDEMIOLOGY OF PELVIC ORGAN PROLAPSE. , 2008, , 527-532.		0
978	PELVIC ORGAN PROLAPSE: CLINICAL DIAGNOSIS AND PRESENTATION. , 2008, , 556-563.		3
979	VAGINAL HYSTERECTOMY IN THE TREATMENT OF VAGINAL PROLAPSE. , 2008, , 705-718.		0
980	OPEN ABDOMINAL SACRAL COLPOPEXY. , 2008, , 724-728.		1
982	HOXA11 is critical for development and maintenance of uterosacral ligaments and deficient in pelvic prolapse. Journal of Clinical Investigation, 2008, 118, 1050-5.	3.9	61
983	UIRODYNAMIC EVALUATION OF THE PATIENT WITH PROLAPSE. , 2008, , 586-602.		0
984	Learning with the Amerindians: the evaluation of pelvic floor disorders among indigenous women who live in the Xingu Indian Park,Brazil. Nature Precedings, 2008, , .	0.1	0
985	Preoperative Valsava leak point pressure may not predict outcome of mid-urethral slings: analysis from a randomized controlled trial of retropubic versus transobturator mid-urethral slings. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2008, 34, 73-83.	0.7	43
987	Role of the female pelvic floor muscles: a guide for gastrointestinal nurses. Gastrointestinal Nursing, 2009, 7, 12-17.	0.0	0
990	Sexual Activity and Urinary Incontinence in Women. Urologia, 2009, 76, 203-206.	0.3	1
993	Comparison between Measurements Obtained with three Different Perineometers. Clinics, 2009, 64, 527-533.	0.6	46
994	A Long-Term Treatment Outcome of Abdominal Sacrocolpopexy. Yonsei Medical Journal, 2009, 50, 807.	0.9	26
995	Polymorphism of a COLIA1 Gene Sp1 Binding Site in Korean Women with Pelvic Organ Prolapse. Yonsei Medical Journal, 2009, 50, 564.	0.9	15
996	Tela de polipropileno versus correÃ§Ã£o sÃ¡tio-especifica no tratamento do prolapso de parede vaginal anterior: resultados preliminares de ensaio clÃ¡nico randÃ¡mico. Revista Do Colegio Brasileiro De Cirurgioes, 2009, 36, 210-216.	0.3	15

#	ARTICLE	IF	CITATIONS
997	USO DEL SISTEMA POPQ PARA LA CLASIFICACIÓN DE LOS PROLAPSOS: HOSPITAL PARROQUIAL DE SAN BERNARDO. Revista Chilena De Obstetricia Y Ginecologia, 2009, 74, .	0.1	1
998	Uterosacral Ligament Smooth Muscle Cell Apoptosis Is Increased in Women With Uterine Prolapse. Reproductive Sciences, 2009, 16, 447-452.	1.1	32
999	The Incontinence Impact Questionnaire: Results in an Italian Female Population Stratified by Educational Status. Urologia Internationalis, 2009, 83, 187-192.	0.6	5
1000	The Amount and Activity of Active Matrix Metalloproteinase 13 Is Suppressed by Estradiol and Progesterone in Human Pelvic Floor Fibroblasts1. Biology of Reproduction, 2009, 80, 367-374.	1.2	23
1001	Anorectal Function Testing and Anal Endosonography in the Diagnostic Work-Up of Patients with Primary Pelvic Organ Prolapse. Gynecologic and Obstetric Investigation, 2009, 67, 187-194.	0.7	19
1002	Case-Controlled Study of the Relationship between Delivery Method and Incidence of Post-Partum Urinary Incontinence. Journal of International Medical Research, 2009, 37, 214-219.	0.4	17
1003	HOXA11 Promotes Fibroblast Proliferation and Regulates p53 in Uterosacral Ligaments. Reproductive Sciences, 2009, 16, 694-700.	1.1	22
1005	Abdominal Sacrocolpopexy " Standardized Surgical Technique, Perioperative Management and Outcome in Women with Posthysterectomy Vaginal Vault Prolapse. Gynakologisch-geburtshilfliche Rundschau, 2009, 49, 308-314.	0.9	7
1006	The role of nurses in the management of women with pelvic organ prolapse. British Journal of Nursing, 2009, 18, 294-300.	0.3	8
1007	Effect of Weight Change on Natural History of Pelvic Organ Prolapse. Obstetrics and Gynecology, 2009, 113, 81-88.	1.2	107
1008	Defining Success After Surgery for Pelvic Organ Prolapse. Obstetrics and Gynecology, 2009, 114, 600-609.	1.2	413
1010	Physical-Based Statistical Shape Modeling of the Levator Ani. IEEE Transactions on Medical Imaging, 2009, 28, 926-936.	5.4	17
1011	Male and Female Sexual Function After Surgical Repair of Female Organ Prolapse. Journal of Sexual Medicine, 2009, 6, 1324-1334.	0.3	27
1012	Short Term Impact on Female Sexual Function of Pelvic Floor Reconstruction with the Prolift Procedure. Journal of Sexual Medicine, 2009, 6, 3201-3207.	0.3	33
1013	Associated factors and the impact of fecal incontinence in women with urge urinary incontinence: from the Urinary Incontinence Treatment Network's Behavior Enhances Drug Reduction of Incontinence study. American Journal of Obstetrics and Gynecology, 2009, 200, 424.e1-424.e8.	0.7	25
1014	Levator ani denervation and reinnervation 6 months after childbirth. American Journal of Obstetrics and Gynecology, 2009, 200, 519.e1-519.e7.	0.7	60
1015	The effect of levator avulsion on hiatal dimension and function. American Journal of Obstetrics and Gynecology, 2009, 201, 89.e1-89.e5.	0.7	138
1016	Anatomic outcomes of vaginal mesh procedure (Prolift) compared with uterosacral ligament suspension and abdominal sacrocolpopexy for pelvic organ prolapse: a Fellows' Pelvic Research Network study. American Journal of Obstetrics and Gynecology, 2009, 201, 519.e1-519.e8.	0.7	30

#	ARTICLE	IF	CITATIONS
1017	Change in urethral sphincter neuromuscular function during pregnancy persists after delivery. American Journal of Obstetrics and Gynecology, 2009, 201, 529.e1-529.e6.	0.7	24
1018	Patient-reported outcomes after combined surgery for pelvic floor disorders in older compared to younger women. American Journal of Obstetrics and Gynecology, 2009, 201, 534.e1-534.e5.	0.7	18
1019	The impact of flatal incontinence on quality of life. American Journal of Obstetrics and Gynecology, 2009, 201, 539.e1-539.e3.	0.7	9
1021	Is There a Synergistic Effect of Topical Oestrogens When Administered with Antimuscarinics in the Treatment of Symptomatic Detrusor Overactivity?. European Urology, 2009, 55, 713-720.	0.9	50
1022	Medium-Term Anatomic and Functional Results of Laparoscopic Sacrocolpopexy Beyond the Learning Curve. European Urology, 2009, 55, 1459-1468.	0.9	103
1023	Evidence of Mitochondrial Damage in the Levator Ani Muscle of Women with Pelvic Organ Prolapse. European Urology, 2009, 55, 1241-1243.	0.9	10
1024	Urethral retroâ€resistance pressure: Association with established measures of incontinence severity and change after midurethral tape insertion. Neurourology and Urodynamics, 2009, 28, 86-89.	0.8	5
1025	Randomized comparison of tolterodine with vaginal estrogen cream versus tolterodine alone for the treatment of postmenopausal women with overactive bladder syndrome. Neurourology and Urodynamics, 2009, 28, 47-51.	0.8	72
1026	Patient reported and anatomical outcomes after surgery for pelvic organ prolapse. Neurourology and Urodynamics, 2009, 28, 219-224.	0.8	22
1027	Bladder sensations during filling cystometry are different according to urodynamic diagnosis. Neurourology and Urodynamics, 2009, 28, 191-196.	0.8	22
1028	Impact of urodynamic based incontinence diagnosis on quality of life in women. Neurourology and Urodynamics, 2009, 28, 183-187.	0.8	8
1029	Identification of risk factors for genital prolapse recurrence. Neurourology and Urodynamics, 2009, 28, 301-304.	0.8	76
1030	Challenges of conducting multiâ€center, multiâ€disciplinary urinary incontinence clinical trials: Experience of the urinary incontinence Treatment Network. Neurourology and Urodynamics, 2009, 28, 170-176.	0.8	12
1031	Methodology for biomechanical testing of fresh anterior wall vaginal samples from postmenopausal women undergoing cystocele repair. Neurourology and Urodynamics, 2009, 28, 325-329.	0.8	12
1032	Urine production and bladder diary measurements in women with type 2 diabetes mellitus and their relation to lower urinary tract symptoms and voiding dysfunction. Neurourology and Urodynamics, 2010, 29, 354-358.	0.8	17
1033	Neuromuscular morphometry of the vaginal wall in women with anterior vaginal wall prolapse. Neurourology and Urodynamics, 2010, 29, 458-463.	0.8	13
1034	Imaging pelvic floor dysfunction. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2009, 23, 487-503.	1.0	15
1035	Treating pelvic floor disorders of defecation: Management or cure?. Current Gastroenterology Reports, 2009, 11, 278-287.	1.1	33

#	ARTICLE	IF	CITATIONS
1038	Constriction of the levator hiatus during instruction of pelvic floor or transversus abdominis contraction: a 4D ultrasound study. <i>International Urogynecology Journal</i> , 2009, 20, 27-32.	0.7	37
1039	A randomized controlled trial of pelvic floor muscle training for stages I and II pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2009, 20, 45-51.	0.7	97
1040	A prospective, randomized, controlled study comparing Gynemesh® <sup>®</sup> , a synthetic mesh, and Pelvicol® <sup>®</sup> , a biologic graft, in the surgical treatment of recurrent cystocele. <i>International Urogynecology Journal</i> , 2009, 20, 75-81.	0.7	66
1041	Magnetic resonance assessment of pelvic anatomy and pelvic floor disorders after childbirth. <i>International Urogynecology Journal</i> , 2009, 20, 133-139.	0.7	36
1042	Effects of Macroplastique® <sup>®</sup> Implantation System for stress urinary incontinence and urethral hypermobility in women. <i>International Urogynecology Journal</i> , 2009, 20, 177-183.	0.7	43
1043	Australian pelvic floor questionnaire: a validated interviewer-administered pelvic floor questionnaire for routine clinic and research. <i>International Urogynecology Journal</i> , 2009, 20, 149-158.	0.7	90
1044	A comparison of costs for abdominal, laparoscopic, and robot-assisted sacral colpopexy. <i>International Urogynecology Journal</i> , 2009, 20, 223-228.	0.7	63
1045	Urinary retention is uncommon after colpocleisis with concomitant mid-urethral sling. <i>International Urogynecology Journal</i> , 2009, 20, 213-216.	0.7	28
1046	Fibulin-5 expression is decreased in women with anterior vaginal wall prolapse. <i>International Urogynecology Journal</i> , 2009, 20, 207-211.	0.7	25
1047	Dynamic magnetic resonance imaging: reliability of anatomical landmarks and reference lines used to assess pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2009, 20, 141-148.	0.7	40
1048	Analysis of risk factors associated with surgical failure of sacrospinous suspension for uterine or vaginal vault prolapse. <i>International Urogynecology Journal</i> , 2009, 20, 387-391.	0.7	11
1049	Stress urinary incontinence after transobturator mesh for cystocele repair. <i>International Urogynecology Journal</i> , 2009, 20, 421-425.	0.7	25
1050	Classification of female genito-urinary tract fistula: a comprehensive review. <i>International Urogynecology Journal</i> , 2009, 20, 605-610.	0.7	17
1051	Predictors of outcomes in the treatment of urge urinary incontinence in women. <i>International Urogynecology Journal</i> , 2009, 20, 489-497.	0.7	13
1052	Validation of a German version of the P-QOL Questionnaire. <i>International Urogynecology Journal</i> , 2009, 20, 641-649.	0.7	40
1053	Complications from vaginally placed mesh in pelvic reconstructive surgery. <i>International Urogynecology Journal</i> , 2009, 20, 523-531.	0.7	38
1054	POP-Q, dynamic MR imaging, and perineal ultrasonography: do they agree in the quantification of female pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2009, 20, 541-549.	0.7	52
1055	Correlation between changes in ultrasound measurements and clinical curative effect of tension-free vaginal tape-SECUR* procedure. <i>International Urogynecology Journal</i> , 2009, 20, 533-539.	0.7	22

#	ARTICLE	IF	CITATIONS
1056	Long-term outcomes of TVT and IVS operations for treatment of female stress urinary incontinence: monofilament vs. multifilament polypropylene tape. <i>International Urogynecology Journal</i> , 2009, 20, 703-709.	0.7	13
1057	Clinical-decision taking in primary pelvic organ prolapse; the effects of diagnostic tests on treatment selection in comparison with a consensus meeting. <i>International Urogynecology Journal</i> , 2009, 20, 711-719.	0.7	28
1058	A systematic review of clinical studies on dynamic magnetic resonance imaging of pelvic organ prolapse: the use of reference lines and anatomical landmarks. <i>International Urogynecology Journal</i> , 2009, 20, 721-729.	0.7	72
1059	Difference in quality of life in women with urge urinary incontinence compared to women with stress urinary incontinence. <i>International Urogynecology Journal</i> , 2009, 20, 781-786.	0.7	33
1060	Is Burch or mid-urethral sling better with abdominal sacral colpopexy?. <i>International Urogynecology Journal</i> , 2009, 20, 787-790.	0.7	8
1061	Magnetic resonance imaging of pelvic organ prolapse: comparing pubococcygeal and midpubic lines with clinical staging. <i>International Urogynecology Journal</i> , 2009, 20, 695-701.	0.7	56
1062	Incontinence pessaries: size, POPQ measures, and successful fitting. <i>International Urogynecology Journal</i> , 2009, 20, 1023-1028.	0.7	39
1063	Low copy number and high 4977 deletion of mitochondrial DNA in uterosacral ligaments are associated with pelvic organ prolapse progression. <i>International Urogynecology Journal</i> , 2009, 20, 867-872.	0.7	13
1064	Vaginal noise: prevalence, bother and risk factors in a general female population aged 45-85 years. <i>International Urogynecology Journal</i> , 2009, 20, 905-911.	0.7	11
1065	Caldesmon expression is decreased in women with anterior vaginal wall prolapse: a pilot study. <i>International Urogynecology Journal</i> , 2009, 20, 985-990.	0.7	14
1066	Complications of transvaginal monofilament polypropylene mesh in pelvic organ prolapse repair. <i>International Urogynecology Journal</i> , 2009, 20, 919-925.	0.7	57
1067	Comparative results of two techniques to treat stress urinary incontinence: synthetic transobturator and aponeurotic slings. <i>International Urogynecology Journal</i> , 2009, 20, 961-966.	0.7	19
1068	Does avulsion of the puborectalis muscle affect bladder function?. <i>International Urogynecology Journal</i> , 2009, 20, 967-972.	0.7	75
1069	Validation of the pelvic organ prolapse quantification (POP-Q) system in left lateral position. <i>International Urogynecology Journal</i> , 2009, 20, 979-983.	0.7	14
1070	Does COL1A1 SP1-binding site polymorphism predispose women to pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2009, 20, 1061-1065.	0.7	21
1072	The prevalence of pelvic organ prolapse symptoms and signs and their relation with bladder and bowel disorders in a general female population. <i>International Urogynecology Journal</i> , 2009, 20, 1037-1045.	0.7	199
1073	Prediction model and prognostic index to estimate clinically relevant pelvic organ prolapse in a general female population. <i>International Urogynecology Journal</i> , 2009, 20, 1013-1021.	0.7	51
1074	Is lysyl oxidase-like protein-1, alpha-1 antitrypsin, and neutrophil elastase site specific in pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2009, 20, 1423-1429.	0.7	10



#	ARTICLE	IF	CITATIONS
1075	Pelvic floor disorders among indigenous women living in Xingu Indian Park, Brazil. <i>International Urogynecology Journal</i> , 2009, 20, 1079-1084.	0.7	12
1076	One-year outcomes of tension-free vaginal tape (TVT) mid-urethral slings in overweight and obese women. <i>International Urogynecology Journal</i> , 2009, 20, 1103-1108.	0.7	50
1077	Trocar-guided total tension-free vaginal mesh repair of post-hysterectomy vaginal vault prolapse. <i>International Urogynecology Journal</i> , 2009, 20, 1203-1211.	0.7	34
1078	Validation of the Prolapse Quality-of-Life Questionnaire (P-QoL) in Portuguese version in Brazilian women. <i>International Urogynecology Journal</i> , 2009, 20, 1191-1202.	0.7	35
1079	Pelvic organ support among primiparous women in the first year after childbirth. <i>International Urogynecology Journal</i> , 2009, 20, 1407-1411.	0.7	36
1080	Prevalence and risk factors for bothersome lower urinary tract symptoms in women with diabetes mellitus from hospital-based diabetes clinic. <i>International Urogynecology Journal</i> , 2009, 20, 1339-1344.	0.7	28
1081	Bacterial colonisation of collagen-coated polypropylene vaginal mesh: are additional intraoperative sterility procedures useful?. <i>International Urogynecology Journal</i> , 2009, 20, 1345-1351.	0.7	33
1082	Synthetic graft use in vaginal prolapse surgery: objective and subjective outcomes. <i>International Urogynecology Journal</i> , 2009, 20, 1307-12.	0.7	27
1083	Incontinence and detrusor dysfunction associated with pelvic organ prolapse: clinical value of preoperative urodynamic evaluation. <i>International Urogynecology Journal</i> , 2009, 20, 1301-1306.	0.7	62
1084	Do the anatomical defects associated with cystocele affect the outcome of anterior repair? A clinical and radiological study. <i>International Urogynecology Journal</i> , 2009, 20, 1369-1377.	0.7	17
1085	Assessment of pelvic floor muscle contraction in stress urinary incontinent women: comparison between transabdominal ultrasound and perineometry. <i>International Urogynecology Journal</i> , 2009, 20, 1491-1496.	0.7	45
1087	Classification of female genito-urinary tract fistula: Inter- and intra-observer correlations. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 160-163.	0.6	11
1088	Prospective assessment of overactive bladder symptoms in women who have undergone transvaginal surgery for advanced vaginal wall prolapse: A preliminary report. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 732-737.	0.6	11
1089	Assessment of posterior compartment prolapse: a comparison of evacuation proctography and 3D transperineal ultrasound. <i>Colorectal Disease</i> , 2010, 12, 533-539.	0.7	67
1090	Abdominal mesh sacrocolpopexy for recurrent triple-compartment pelvic organ prolapse. <i>BJU International</i> , 2009, 103, 1090-1094.	1.3	16
1091	Psychometric properties of the pelvic organ prolapse symptom score. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 25-31.	1.1	66
1092	The effect of physical activity on pelvic organ prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 824-828.	1.1	13
1093	A prospective study of laparoscopic sacrocolpopexy for the management of pelvic organ prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1251-1257.	1.1	50

#	ARTICLE	IF	CITATIONS
1094	Vaginal repair with mesh versus colporrhaphy for prolapse: a randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1380-1386.	1.1	156
1095	Colposuspension or TVT with anterior repair for urinary incontinence and prolapse: results of and lessons from a pilot randomised patient preference study (CARPET 1). BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1809-1814.	1.1	26
1096	Pelvic floor function is independently associated with pelvic organ prolapse. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1706-1714.	1.1	100
1097	Validation of new ultrasound parameters for quantifying pelvic floor muscle contraction. Ultrasound in Obstetrics and Gynecology, 2009, 33, 465-471.	0.9	30
1098	Effect of a speculum blade on dynamic MRI evaluation of pelvic organ prolapse. Acta Obstetrica Et Gynecologica Scandinavica, 2009, 88, 831-834.	1.3	1
1099	NICE guidelines on urinary incontinence: implications for training and practice in urogynaecology. The Obstetrician and Gynaecologist, 2009, 11, 33-39.	0.2	1
1100	Significant Linkage Evidence for a Predisposition Gene for Pelvic Floor Disorders on Chromosome 9q21. American Journal of Human Genetics, 2009, 84, 678-682.	2.6	52
1101	New pelvic symptoms are common after reconstructive pelvic surgery. American Journal of Obstetrics and Gynecology, 2009, 200, 88.e1-88.e5.	0.7	29
1102	Symptomatic pelvic organ prolapse and possible risk factors in a general population. American Journal of Obstetrics and Gynecology, 2009, 200, 184.e1-184.e7.	0.7	97
1104	Initial experience with a short, tension-free vaginal tape (the tension-free vaginal tape secur system). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 143, 121-125.	0.5	17
1105	The posterior intravaginal slingplasty operation: Results of the Austrian registry. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 144, 88-91.	0.5	10
1106	Tissue mechanics, animal models, and pelvic organ prolapse: A review. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 144, S146-S158.	0.5	184
1107	Changes in expression of fibulin-5 and lysyl oxidase-like 1 associated with pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 145, 117-122.	0.5	42
1108	Operations and pelvic muscle training in the management of apical support loss (OPTIMAL) trial: Design and methods. Contemporary Clinical Trials, 2009, 30, 178-189.	0.8	50
1110	Hydronephrosis and Pelvic Organ Prolapse. Urology, 2009, 73, 263-267.	0.5	28
1111	Genital Prolapse Repair Using Porcine Skin Implant and Bilateral Sacrospinous Fixation: Midterm Functional Outcome and Quality-of-Life Assessment. Urology, 2009, 73, 245-250.	0.5	17
1112	Do Women With Pure Stress Urinary Incontinence Need Urodynamics?. Urology, 2009, 74, 278-281.	0.5	44
1114	Ineffectiveness of Associating a Suburethral Tape to a Transobturator Mesh for Cystocele Correction on Concomitant Stress Urinary Incontinence. Urology, 2009, 74, 765-770.	0.5	19

#	ARTICLE	IF	CITATIONS
1115	Pelvic floor rehabilitation in the treatment of dyspareunia in women. <i>Sexologies</i> , 2009, 18, 91-94.	0.5	5
1117	Infracoccygeal sacropexy for uterovaginal prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 104, 56-59.	1.0	12
1118	A new pelvic muscle trainer for the treatment of urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 105, 218-222.	1.0	33
1119	Changes in levator ani muscle after vaginal hysterectomy and prolapse repair using the Total Prolift procedure. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 106, 53-56.	1.0	3
1120	Matrix metalloproteinases-1, -2 expression in uterosacral ligaments from women with pelvic organ prolapse. <i>Maturitas</i> , 2009, 64, 132-135.	1.0	25
1122	Outcomes following vaginal prolapse repair and mid urethral sling (OPUS) trial—design and methods. <i>Clinical Trials</i> , 2009, 6, 162-171.	0.7	46
1123	Ventral rectal sacropexy (colpo-perineal) in the treatment of rectal and rectogenital prolapse. <i>Cirug�a Espa�ola (English Edition)</i> , 2009, 86, 283-289.	0.1	0
1124	Use of Autologous Platelet Gel in Female Pelvic Organ Prolapse Surgery: A Feasibility Study. <i>Journal of Minimally Invasive Gynecology</i> , 2009, 16, 204-207.	0.3	12
1125	Medium Term Outcome of Laparoscopic Sacrocolpopexy With Xenografts Compared to Synthetic Grafts. <i>Journal of Urology</i> , 2009, 182, 2362-2368.	0.2	64
1127	Risk Factors Associated With Urge Incontinence After Continence Surgery. <i>Journal of Urology</i> , 2009, 182, 2805-2809.	0.2	32
1128	Gene expressions of small leucine-rich repeat proteoglycans and fibulin-5 are decreased in pelvic organ prolapse. <i>Molecular Human Reproduction</i> , 2009, 15, 251-257.	1.3	25
1129	The Kelly Technique of Bladder Exstrophy Repair: Continence, Cosmesis and Pelvic Organ Prolapse Outcomes. <i>Journal of Urology</i> , 2009, 182, 1802-1806.	0.2	45
1130	Transabdominal uterosacral suspension: outcomes and complications. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 200, 656.e1-656.e5.	0.7	17
1131	Suburethral Slingplasty Using a Self-fashioned Gynemesh for Treating Urinary Incontinence and Anterior Vaginal Wall Prolapse. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2009, 48, 53-59.	0.5	0
1132	Clinical Approach and Office Evaluation of the Patient with Pelvic Floor Dysfunction. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009, 36, 445-462.	0.7	8
1133	Epidemiology of Pelvic Floor Dysfunction. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009, 36, 421-443.	0.7	104
1139	Histological Inflammatory Response to Transvaginal Polypropylene Mesh for Pelvic Reconstructive Surgery. <i>Journal of Urology</i> , 2009, 181, 1189-1195.	0.2	46
1140	Body mass index, urinary incontinence, and female sexual dysfunction. <i>Menopause</i> , 2009, 16, 1188-1192.	0.8	40

#	ARTICLE	IF	CITATIONS
1141	Bowel Symptoms and Quality of Life in Women With Pelvic Organ Prolapse. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2009, 15, 211-216.	0.1	1
1142	Trocar-Guided Transvaginal Mesh Repair of Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2009, 113, 117-126.	1.2	91
1143	Comparison of Estimated Cervical Length From the Pelvic Organ Prolapse Quantification Exam and Actual Cervical Length at Hysterectomy. <i>Journal of Pelvic Medicine &amp; Surgery</i> , 2009, 15, 17-19.	0.1	8
1144	Diminished vaginal HOXA13 expression in women with pelvic organ prolapse. <i>Menopause</i> , 2009, 16, 529-533.	0.8	9
1145	Vaginal Repair With Mesh Versus Colporrhaphy for Prolapse: A Randomized Controlled Trial. <i>Obstetrical and Gynecological Survey</i> , 2009, 64, 792-793.	0.2	5
1146	Accuracy of Bladder Scanning in the Assessment of Postvoid Residual Volume. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2009, 31, 526-532.	0.3	28
1147	Now or Later...Does Timing of a Midurethral Sling in Relation to Transvaginal Prolapse Repair Affect Continence Outcomes at 1 Year?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 299-303.	0.6	4
1148	Surgical management of pelvic organ prolapse in women. , 2010, , CD004014.		578
1149	Incontinence, bladder neck mobility, and sphincter ruptures in primiparous women. <i>European Journal of Medical Research</i> , 2010, 15, 246.	0.9	37
1150	What harm does a second delivery to the pelvic floor?. <i>European Journal of Medical Research</i> , 2010, 15, 362.	0.9	6
1151	Effect of Suture Selection on the Rate of Suture or Mesh Erosion and Surgery Failure in Abdominal Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 229-233.	0.6	35
1152	Pelvic Support and Urinary Function Improve in Women After Surgically Induced Weight Reduction. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 263-267.	0.6	9
1153	Vaginal Hysterectomy at the Time of Transvaginal Mesh Placement. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 272-277.	0.6	2
1154	Symptoms of Combined Prolapse and Urinary Incontinence in Large Surgical Cohorts. <i>Obstetrics and Gynecology</i> , 2010, 115, 310-316.	1.2	10
1155	Vaginal Mesh Contraction. <i>Obstetrics and Gynecology</i> , 2010, 115, 325-330.	1.2	136
1156	Morphological Changes After Pelvic Floor Muscle Training Measured by 3-Dimensional Ultrasonography. <i>Obstetrics and Gynecology</i> , 2010, 115, 317-324.	1.2	133
1157	Reference Lines in Dynamic Magnetic Resonance Imaging of the Pelvic Floor. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 242-245.	0.6	4
1158	Normative Data for Commonly Used Validated Pelvic Floor Disorder Questionnaires in Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010, 16, 296-298.	0.6	7

#	ARTICLE	IF	CITATIONS
1159	Occult incontinence in women with pelvic organ prolapse - does it matter?. European Journal of Medical Research, 2010, 15, 112.	0.9	20
1160	Sexual Function in Women With Overactive Bladder. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 31-36.	0.6	21
1161	Pelvic Organ Prolapse. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 201-203.	0.6	14
1162	Association Between Obesity, Sexual Activity and Sexual Function in Women With Pelvic Floor Disorders. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 331-335.	0.6	4
1163	Does Tension-Free Vaginal Tape Placement at the Time of Total Prolift Colpopexy Affect Distal Anterior Vaginal Support?. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 353-357.	0.6	0
1164	The Association Between Stage II or Greater Posterior Prolapse and Bothersome Obstructive Bowel Symptoms. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 59-64.	0.6	13
1165	Functional Bowel Disorders and Pelvic Organ Prolapse. Female Pelvic Medicine and Reconstructive Surgery, 2010, 16, 209-214.	0.6	8
1166	Transvaginal mesh repair of anterior and posterior vaginal wall prolapse: a clinical and ultrasonographic study. Ultrasound in Obstetrics and Gynecology, 2010, 35, 474-480.	0.9	53
1167	Unilateral coronal diameters of the levator hiatus: baseline data for the automated detection of avulsion of the levator ani muscle. Ultrasound in Obstetrics and Gynecology, 2010, 36, 375-378.	0.9	13
1168	Urethral mobility and urinary incontinence. Ultrasound in Obstetrics and Gynecology, 2010, 36, 507-511.	0.9	76
1169	Levator avulsion is a risk factor for cystocele recurrence. Ultrasound in Obstetrics and Gynecology, 2010, 36, 76-80.	0.9	163
1170	Does levator ani injury affect cystocele type?. Ultrasound in Obstetrics and Gynecology, 2010, 36, 618-623.	0.9	61
1173	Management of Pelvic Organ Prolapse: a Unitary or Multidisciplinary Approach?. , 2010, , 453-456.		0
1175	Levator ani defect status and lower urinary tract symptoms in women with pelvic organ prolapse. International Urogynecology Journal, 2010, 21, 47-52.	0.7	60
1176	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic floor dysfunction. International Urogynecology Journal, 2010, 21, 5-26.	0.7	1,718
1177	Validation of the Slovakian version of the P-QOL questionnaire. International Urogynecology Journal, 2010, 21, 53-61.	0.7	16
1178	Reoperation rate for traditional anterior vaginal repair: analysis of 207 cases with a median 4-year follow-up. International Urogynecology Journal, 2010, 21, 27-31.	0.7	44
1179	A validated self-administered female pelvic floor questionnaire. International Urogynecology Journal, 2010, 21, 163-172.	0.7	108

#	ARTICLE	IF	CITATIONS
1180	Light and electron microscopic evaluation of cardinal ligaments in women with or without uterine prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 235-239.	0.7	20
1181	Surgical strategies for women with pelvic organ prolapse and urinary stress incontinence. <i>International Urogynecology Journal</i> , 2010, 21, 179-186.	0.7	118
1182	Anatomic outcomes of abdominal sacrocolpopexy with or without paravaginal repair. <i>International Urogynecology Journal</i> , 2010, 21, 279-283.	0.7	32
1183	One-year follow-up after sacrospinous hysteropexy and vaginal hysterectomy for uterine descent: a randomized study. <i>International Urogynecology Journal</i> , 2010, 21, 209-216.	0.7	158
1184	TVT and TVT-O for surgical treatment of primary stress urinary incontinence: prospective randomized trial. <i>International Urogynecology Journal</i> , 2010, 21, 141-148.	0.7	38
1185	Does trocar-guided tension-free vaginal mesh (Proliftâ„¢) repair provoke prolapse of the unaffected compartments?. <i>International Urogynecology Journal</i> , 2010, 21, 271-278.	0.7	37
1186	Pelvic floor muscle function in a general population of women with and without pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 311-319.	0.7	31
1187	Use of pelvic organ prolapse staging systems in published articles of selected specialized journals. <i>International Urogynecology Journal</i> , 2010, 21, 359-363.	0.7	26
1188	A randomized clinical trial comparing pelvic floor muscle training to a Pilates exercise program for improving pelvic muscle strength. <i>International Urogynecology Journal</i> , 2010, 21, 401-408.	0.7	99
1189	Does vaginal size impact sexual activity and function?. <i>International Urogynecology Journal</i> , 2010, 21, 447-452.	0.7	41
1190	Transvaginal polypropylene mesh versus sacrospinous ligament fixation for the treatment of uterine prolapse: 1-year follow-up of a randomized controlled trial. <i>International Urogynecology Journal</i> , 2010, 21, 389-394.	0.7	43
1191	Effects of colpocleisis on bowel symptoms among women with severe pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 461-466.	0.7	25
1192	High levator myorrhaphy versus uterosacral ligament suspension for vaginal vault fixation: a prospective, randomized study. <i>International Urogynecology Journal</i> , 2010, 21, 515-522.	0.7	26
1193	Validation of the Patient Global Impression of Improvement (PGI-I) for urogenital prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 523-528.	0.7	322
1194	Prospective multicenter trial assessing type I, polypropylene mesh placed via transobturator route for the treatment of anterior vaginal prolapse with 2-year follow-up. <i>International Urogynecology Journal</i> , 2010, 21, 545-552.	0.7	48
1195	Validity, reliability and responsiveness of a Dutch version of the prolapse quality-of-life (P-QoL) questionnaire. <i>International Urogynecology Journal</i> , 2010, 21, 569-578.	0.7	22
1196	Patients of surgical educational course may have a poorer outcome for pelvic organ prolapse repair and higher complication rate: a case-control study in urogynecology. <i>International Urogynecology Journal</i> , 2010, 21, 693-698.	0.7	3
1197	Lower urinary tract symptoms in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 665-672.	0.7	27

#	ARTICLE	IF	CITATIONS
1198	Feasibility, inter- and intra-rater reliability of physiotherapists measuring prolapse using the pelvic organ prolapse quantification system. <i>International Urogynecology Journal</i> , 2010, 21, 651-656.	0.7	11
1199	Clinical and pathophysiological correlates of the symptom severity of stress urinary incontinence. <i>International Urogynecology Journal</i> , 2010, 21, 637-643.	0.7	11
1200	Midline fascial plication under continuous digital transrectal control: which factors determine anatomic outcome?. <i>International Urogynecology Journal</i> , 2010, 21, 623-630.	0.7	14
1201	Perineal descent and patients'™ symptoms of anorectal dysfunction, pelvic organ prolapse, and urinary incontinence. <i>International Urogynecology Journal</i> , 2010, 21, 721-729.	0.7	21
1202	The effects of drug and behavior therapy on urgency and voiding frequency. <i>International Urogynecology Journal</i> , 2010, 21, 711-719.	0.7	19
1203	Depressive symptoms in women seeking surgery for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 855-860.	0.7	50
1204	Validation of the Prolapse Quality of Life (P-QOL) questionnaire in Thai version. <i>International Urogynecology Journal</i> , 2010, 21, 985-993.	0.7	27
1205	Suture complications in a teaching institution among patients undergoing uterosacral ligament suspension with permanent braided suture. <i>International Urogynecology Journal</i> , 2010, 21, 813-818.	0.7	14
1206	Intensive supervised versus unsupervised pelvic floor muscle training for the treatment of stress urinary incontinence: a randomized comparative trial. <i>International Urogynecology Journal</i> , 2010, 21, 835-840.	0.7	71
1207	TVT-S for surgical treatment of stress urinary incontinence: prospective trial, 1-year follow-up. <i>International Urogynecology Journal</i> , 2010, 21, 779-785.	0.7	25
1208	Hypertrophic cervical elongation: clinical and histological correlations. <i>International Urogynecology Journal</i> , 2010, 21, 995-1000.	0.7	30
1209	“Eyeball”-POP-Q examination: shortcut or valid assessment tool?. <i>International Urogynecology Journal</i> , 2010, 21, 1005-1009.	0.7	6
1210	Body image in women before and after reconstructive surgery for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 919-925.	0.7	35
1211	Validation of a global pelvic floor symptom bother questionnaire. <i>International Urogynecology Journal</i> , 2010, 21, 1129-1135.	0.7	48
1212	Evaluating the porcine dermis graft InteXen® in three-compartment transvaginal pelvic organ prolapse repair. <i>International Urogynecology Journal</i> , 2010, 21, 1151-1156.	0.7	12
1213	Treatment decision-making and information-seeking preferences in women with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2010, 21, 1071-1078.	0.7	34
1214	Anterior vaginal wall prolapse: a randomized controlled trial of SIS graft versus traditional colporrhaphy. <i>International Urogynecology Journal</i> , 2010, 21, 1057-1063.	0.7	48
1215	Do repetitive Valsalva maneuvers change maximum prolapse on dynamic MRI?. <i>International Urogynecology Journal</i> , 2010, 21, 1247-1251.	0.7	39

#	ARTICLE	IF	CITATIONS
1217	Ultrasound measurement of bladder wall thickness in different forms of detrusor overactivity. <i>International Urogynecology Journal</i> , 2010, 21, 1405-1411.	0.7	42
1218	Can sex survive pelvic floor surgery?. <i>International Urogynecology Journal</i> , 2010, 21, 1313-1319.	0.7	19
1219	LOX family enzymes expression in vaginal tissue of premenopausal women with severe pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2010, 21, 1397-1404.	0.7	40
1220	Prolapse surgery in women of 80 years and older using the Proliftâ„¢ technique. <i>International Urogynecology Journal</i> , 2010, 21, 1463-1470.	0.7	13
1221	Microarray analysis of differentially expressed genes in vaginal tissues in postmenopausal women. The role of stress urinary incontinence. <i>International Urogynecology Journal</i> , 2010, 21, 1545-1551.	0.7	5
1222	Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse: a 3-year prospective follow-up study. <i>International Urogynecology Journal</i> , 2010, 21, 1455-1462.	0.7	70
1223	Risk factors associated with voiding dysfunction after anti-incontinence surgery. <i>International Urogynecology Journal</i> , 2010, 21, 1505-1509.	0.7	17
1224	Short-term results of posterior intravaginal slingplasty in grade 4 uterine prolapse. <i>Archives of Gynecology and Obstetrics</i> , 2010, 281, 55-58.	0.8	9
1225	The relation between genitourinary prolapse and joint hypermobility in Turkish women. <i>Archives of Gynecology and Obstetrics</i> , 2010, 281, 301-304.	0.8	22
1226	The place of ultrasound in urogynaecology clinic. <i>Archives of Gynecology and Obstetrics</i> , 2010, 281, 5-10.	0.8	3
1227	Abdominal Sacrohysteropexy for uterovaginal prolapse: a prospective study on 33 cases. <i>Archives of Gynecology and Obstetrics</i> , 2010, 281, 631-636.	0.8	11
1228	Differential expression of fibulins in the uterosacral ligaments of women with uterine prolapse. <i>Archives of Gynecology and Obstetrics</i> , 2010, 282, 389-394.	0.8	12
1229	Total laparoscopic radical hysterectomy for cervical cancer in prolapsed uterus. <i>Archives of Gynecology and Obstetrics</i> , 2010, 282, 63-67.	0.8	12
1230	De novo dyspareunia after pelvic organ prolapse surgery. <i>Gynecological Surgery</i> , 2010, 7, 217-225.	0.9	9
1231	Clinical uro-radiology: the standardisation of terminology for lower urinary tract function and dysfunction. <i>Radiologia Medica</i> , 2010, 115, 272-286.	4.7	7
1232	Should an Anti-incontinence Procedure Be Routinely Performed at the Time of Pelvic Organ Prolapse Repair? An Evidence-based Review. <i>Current Urology Reports</i> , 2010, 11, 304-309.	1.0	3
1233	Should Asymptomatic Anterior Pelvic Organ Prolapse Be Corrected to Treat Irritative Urinary Symptoms?. <i>Current Urology Reports</i> , 2010, 11, 338-342.	1.0	8
1236	TVT vs. TOT: a comparison in terms of continence results, complications and quality of life after a median follow-up of 48 months. <i>International Urology and Nephrology</i> , 2010, 42, 915-920.	0.6	17



#	ARTICLE	IF	CITATIONS
1237	Vaginal Tactile Imaging. IEEE Transactions on Biomedical Engineering, 2010, 57, 1736-1744.	2.5	55
1238	The Suprapubic Arch Sling Procedure for Treatment of Stress Urinary Incontinence: A 5-Year Retrospective Study. European Urology, 2010, 57, 897-901.	0.9	13
1239	A Prospective Multicenter Randomized Comparative Study Between the U- and H-type Methods of the TVT SECUR Procedure for the Treatment of Female Stress Urinary Incontinence: 1-Year Follow-Up. European Urology, 2010, 57, 973-979.	0.9	48
1240	Abdominal sacrocolpopexy and urinary incontinence: surgical planning based on urodynamics. American Journal of Obstetrics and Gynecology, 2010, 202, 375.e1-375.e5.	0.7	28
1241	Outcomes of transvaginal uterosacral ligament suspension: systematic review and metaanalysis. American Journal of Obstetrics and Gynecology, 2010, 202, 124-134.	0.7	147
1242	Correlation between levator ani muscle injuries on magnetic resonance imaging and fecal incontinence, pelvic organ prolapse, and urinary incontinence in primiparous women. American Journal of Obstetrics and Gynecology, 2010, 202, 488.e1-488.e6.	0.7	116
1243	The association between obesity and stage II or greater prolapse. American Journal of Obstetrics and Gynecology, 2010, 202, 503.e1-503.e4.	0.7	34
1244	Impact of pessary use on prolapse symptoms, quality of life, and body image. American Journal of Obstetrics and Gynecology, 2010, 202, 499.e1-499.e4.	0.7	50
1245	Can pelvic floor muscle training reverse pelvic organ prolapse and reduce prolapse symptoms? An assessor-blinded, randomized, controlled trial. American Journal of Obstetrics and Gynecology, 2010, 203, 170.e1-170.e7.	0.7	181
1246	Differential expression of smooth muscle regulatory proteins in the uterosacral ligaments of women with uterine prolapse. American Journal of Obstetrics and Gynecology, 2010, 202, 620.e1-620.e5.	0.7	7
1247	Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up. American Journal of Obstetrics and Gynecology, 2010, 203, 235.e1-235.e8.	0.7	194
1248	Differences in continence system between community-dwelling black and white women with and without urinary incontinence in the EPI study. American Journal of Obstetrics and Gynecology, 2010, 202, 584.e1-584.e12.	0.7	35
1249	Pelvic magnetic resonance imaging for assessment of the efficacy of the Prolift system for pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2010, 203, 504.e1-504.e5.	0.7	9
1250	Quantification of vaginal support: are continuous summary scores better than POPQ stage?. American Journal of Obstetrics and Gynecology, 2010, 203, 512.e1-512.e6.	0.7	10
1251	Evaluation of a transvaginal mesh delivery system for the correction of pelvic organ prolapse: subjective and objective findings at least 1 year after surgery. American Journal of Obstetrics and Gynecology, 2010, 203, 506.e1-506.e6.	0.7	26
1252	One-year clinical outcomes after prolapse surgery with nonanchored mesh and vaginal support device. American Journal of Obstetrics and Gynecology, 2010, 203, 587.e1-587.e8.	0.7	28
1253	Impacto de la suspensión de la cúpula vaginal al ligamento sacroespinoso sobre el compartimiento anterior. Actas Urológicas Españolas, 2010, 34, 106-110.	0.3	1
1254	Changes in Sexual Function after Treatment for Prolapse Are Related to the Improvement in Body Image Perception. Journal of Sexual Medicine, 2010, 7, 1023-1028.	0.3	54

#	ARTICLE	IF	CITATIONS
1255	Short-term Impact of Tension-free Vaginal Tape Obturator Procedure on Sexual Function in Women with Stress Urinary Incontinence. <i>Journal of Sexual Medicine</i> , 2010, 7, 1578-1584.	0.3	27
1256	Sexual Function after Sacrocolpopexy. <i>Journal of Sexual Medicine</i> , 2010, 7, 4018-4023.	0.3	10
1257	Validation of a Chinese Version of the Short Form of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire. <i>Journal of Sexual Medicine</i> , 2010, 7, 3940-3945.	0.3	45
1258	The Effect of Pelvic Organ Prolapse on Sexual Function in a General Cohort of Women. <i>Journal of Sexual Medicine</i> , 2010, 7, 3957-3962.	0.3	52
1259	Decreased gene expression of fibrillinâ€1 in stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010, 29, 476-481.	0.8	12
1260	Intravaginal pressure generated during voluntary pelvic floor muscle contractions and during coughing: The effect of age and continence status. <i>Neurourology and Urodynamics</i> , 2010, 29, 437-442.	0.8	21
1261	An international urogynecological association (IUGA)/international continence society (ICS) joint report on the terminology for female pelvic floor dysfunction. <i>Neurourology and Urodynamics</i> , 2010, 29, 4-20.	0.8	2,027
1262	The presence of transurethral cystometry catheter and type of stress test affect the measurement of abdominal leak point pressure (ALPP) in women with stress urinary incontinence (SUI). <i>Neurourology and Urodynamics</i> , 2010, 29, 536-539.	0.8	22
1263	Sacrocolpopexy using xenogenic acellular collagen in patients at increased risk for graftâ€related complications. <i>Neurourology and Urodynamics</i> , 2010, 29, 563-567.	0.8	23
1264	Urodynamic assessment of anterior vaginal wall surgery: A randomized comparison between colporrhaphy and transvaginal mesh. <i>Neurourology and Urodynamics</i> , 2010, 29, 527-531.	0.8	38
1265	The questionnaire for urinary incontinence diagnosis (QUID): Validity and responsiveness to change in women undergoing nonâ€surgical therapies for treatment of stress predominant urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010, 29, 727-734.	0.8	90
1266	Effects of anterior trocar guided transvaginal mesh surgery on lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2010, 29, 1419-1423.	0.8	16
1268	A multicenter prospective trial evaluating fetal bovine dermal graft (Xenformâ€ Matrix) for pelvic reconstructive surgery. <i>BMC Urology</i> , 2010, 10, 21.	0.6	7
1269	'A hidden disorder until the pieces fall into place' - a qualitative study of vaginal prolapse. <i>BMC Women's Health</i> , 2010, 10, 18.	0.8	38
1270	Pelvic floor muscle training for stress urinary incontinence: A randomized, controlled trial comparing different conservative therapies. <i>Physiotherapy Research International</i> , 2011, 16, 133-140.	0.7	37
1271	Laparoscopic hysteropexy: the initial results of a uterine suspension procedure for uterovaginal prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 62-68.	1.1	88
1272	A randomised controlled trial comparing TVT<sup>TM</sup>, Pelvicol<sup>TM</sup> and autologous fascial slings for the treatment of stress urinary incontinence in women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 1493-1503.	1.1	48
1273	A longitudinal study of patient and surgeon goal achievement 2â€years after surgery following pelvic floor dysfunction surgery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 1504-1511.	1.1	37

#	ARTICLE	IF	CITATIONS
1274	Modelling the likelihood of levator avulsion in a urogynaecological population. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2010, 50, 268-272.	0.4	23
1275	Constipation: a potential cause of pelvic floor damage?. Neurogastroenterology and Motility, 2010, 22, 150-e48.	1.6	44
1276	Tension-free vaginal mesh procedure for pelvic organ prolapse: A single-center experience of 310 cases with 1-year follow up. International Journal of Urology, 2010, 17, 353-358.	0.5	60
1277	Can a ring pessary have a lasting effect to reverse uterine prolapse even after its removal?. Journal of Obstetrics and Gynaecology Research, 2010, 36, 459-461.	0.6	14
1278	Polypropylene mesh used for adjuvant reconstructive surgical treatment of advanced pelvic organ prolapse. Journal of Obstetrics and Gynaecology Research, 2010, 36, 1059-1063.	0.6	9
1279	35 Pelvic Relaxation, Urinary Incontinence, and Urinary Tract Infection. , 2010, , .		0
1280	Robotic Sacrocolpopexy and Sacrocervicopexy for the Correction of Pelvic Organ Prolapse. , 0, , .		0
1281	Surgical management of pelvic floor prolapse in women using mesh. Nigerian Journal of Surgical Research, 2010, 8, .	0.1	0
1282	NEW TECHNIQUE FOR CORRECTING BOTH INCONTINENCE AND CYSTOCELE: T.I.C.T. (TENSION-FREE) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.2	0
1283	ADVANCED DIAGNOSTIC TESTING FOR FEMALE PELVIC FLOOR DYSFUNCTIONS. Urogynaecologia International Journal, 2010, 23, 5.	0.2	0
1284	Reproductive Tract Disorders among Afghan Refugee Women Attending Health Clinics in Haripur, Pakistan. Journal of Health, Population and Nutrition, 2010, 28, 501-8.	0.7	8
1285	Accuracy of Methods for Urinary Detection in Women with Stress Urinary Incontinence. Korean Journal of Urology, 2010, 51, 537.	1.2	3
1286	Anatomical and Functional Outcomes of Posterior Intravaginal Slingplasty for the Treatment of Vaginal Vault or Uterine Prolapse: A Prospective, Multicenter Study. Korean Journal of Urology, 2010, 51, 187.	1.2	5
1287	Obliterative Procedures for Pelvic Organ Prolapse. Clinical Obstetrics and Gynecology, 2010, 53, 86-98.	0.6	63
1288	Uterosacral and Sacrospinous Ligament Suspension for Restoration of Apical Vaginal Support. Clinical Obstetrics and Gynecology, 2010, 53, 72-85.	0.6	13
1289	Vaginal Hysterectomy for the Prolapsed Uterus. Clinical Obstetrics and Gynecology, 2010, 53, 26-39.	0.6	6
1290	Posterior Wall Prolapse and Repair. Clinical Obstetrics and Gynecology, 2010, 53, 59-71.	0.6	26
1291	Influence of Bladder Volume on Pelvic Organ Prolapse Quantification Results. Gynecologic and Obstetric Investigation, 2010, 70, 82-86.	0.7	7

#	ARTICLE	IF	CITATIONS
1292	The German Version of the "ICIQ Vaginal Symptoms Questionnaire"™ (German ICIQ-VS): An Instrument Validation Study. <i>Urologia Internationalis</i> , 2010, 85, 70-79.	0.6	17
1293	Analysis of Glycosaminoglycans in the Parametrium and Vaginal Apex of Women with and without Uterine Prolapse. <i>Journal of Women's Health</i> , 2010, 19, 1341-1344.	1.5	11
1294	Imaging Pelvic Floor Disorders: Trend Toward Comprehensive MRI. <i>American Journal of Roentgenology</i> , 2010, 194, 1640-1649.	1.0	82
1295	Comparison of Q-tip test and POP-Q staging system for the assessment of urethral hypermobility. <i>Turk Uroloji Dergisi</i> , 2010, 36, 387-392.	0.4	0
1297	Transvaginal Mesh (TVM) Reconstruction with TVT-ÅSTOT Sling for Vaginal Prolapse Concurrent with Stress Urinary Incontinence. <i>Aktuelle Urologie</i> , 2010, 41, S20-S23.	0.3	9
1298	The Role of Two- and Three-Dimensional Dynamic Ultrasonography in Pelvic Organ Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2010, 17, 282-294.	0.3	26
1299	Unilateral Hydroureteronephrosis After a Mesh Procedure. <i>Journal of Minimally Invasive Gynecology</i> , 2010, 17, 232-234.	0.3	8
1301	Clinicopathological Study of Patients Requiring Reintervention After Sacrocolpopexy With Xenogenic Acellular Collagen Grafts. <i>Journal of Urology</i> , 2010, 183, 2249-2255.	0.2	4
1302	Oestrogens for treatment or prevention of pelvic organ prolapse in postmenopausal women. <i>The Cochrane Library</i> , 2010, , CD007063.	1.5	65
1303	Treatment of concomitant prolapse and stress urinary incontinence via a transobturator subvesical mesh without independent suburethral tape. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010, 89, 223-229.	1.3	14
1304	Increased expression of matrix metalloproteinase-1 in uterosacral ligament tissue from women with pelvic organ prolapse. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010, 89, 832-834.	1.3	10
1305	Impact of sacrospinous vaginal vault suspension on the anterior compartment. <i>Actas Urológicas Españolas (English Edition)</i> , 2010, 34, 106-110.	0.2	2
1306	Tricompartimental prolapse correction. <i>Actas Urológicas Españolas (English Edition)</i> , 2010, 34, 925-926.	0.2	0
1307	Perioperative and long-term complications among obese women undergoing vaginal surgery. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 108, 244-246.	1.0	23
1308	Perioperative course and medium-term outcome of the transobturator and infracoccygeal hammock for posthysterectomy vaginal vault prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 109, 131-135.	1.0	9
1309	Anal dilation during labor. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 109, 136-139.	1.0	18
1310	Social and therapeutic challenges of pelvic floor dysfunction. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 109, 1-2.	1.0	0
1311	Comparison of retropubic and transobturator tension-free vaginal implants for the treatment of stress urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 110, 23-26.	1.0	17

#	ARTICLE	IF	CITATIONS
1312	Clinical significance of obstructive defecatory symptoms in women with pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 111, 237-240.	1.0	26
1313	Application of a new method in the study of pelvic floor muscle passive properties in continent women. <i>Journal of Electromyography and Kinesiology</i> , 2010, 20, 795-803.	0.7	31
1315	Do we really know the outcomes of prolapse surgery?. <i>Maturitas</i> , 2010, 65, 11-14.	1.0	11
1316	An ultra-miniinvasive treatment for stress urinary incontinence in complicated older patients. <i>Maturitas</i> , 2010, 65, 292-295.	1.0	18
1318	Matrix metalloproteinase-9 polymorphism and risk of pelvic organ prolapse in Taiwanese women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 149, 222-224.	0.5	37
1319	Quality of life and sexual changes after double transobturator tension-free approach to treat severe cystocele. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 151, 106-109.	0.5	54
1320	Expression of matrix metalloproteinase-2 and tissue inhibitors of metalloproteinase-1 (TIMP-1, TIMP-2) in pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 153, 94-98.	0.5	21
1321	Does levator avulsion increase urethral mobility?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 153, 215-219.	0.5	25
1322	Levator defects are associated with prolapse after pelvic floor surgery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 153, 220-223.	0.5	120
1323	Early prolapse of a neovagina created with self-dilatation and treated with sacrospinous ligament suspension in a patient with Mayer-Rokitansky-Küster-Hauser syndrome: a case report. <i>Fertility and Sterility</i> , 2010, 93, 267.e1-267.e4.	0.5	33
1324	Feasibility of a longitudinal study of women anticipating first pregnancy and assessed by multiple pelvic exams: Recruitment and retention challenges. <i>Contemporary Clinical Trials</i> , 2010, 31, 544-548.	0.8	13
1325	Transobturator Tension-free Vaginal Tape for Management of Occult Stress Urinary Incontinence in Women Undergoing Pelvic Organ Prolapse Repair. <i>Urology</i> , 2010, 76, 1358-1361.	0.5	20
1326	Prospective clinical and functional results of combined rectal and urogynecologic surgery in complex pelvic floor disorders. <i>American Journal of Surgery</i> , 2010, 199, 144-153.	0.9	19
1327	Predictors of Success for Physiotherapy Treatment in Women With Persistent Postpartum Stress Urinary Incontinence. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1059-1063.	0.5	27
1328	Tratamiento quirúrgico de los prolapsos genitales por vía vaginal. <i>EMC - Urología</i> , 2010, 42, 1-14.	0.0	0
1329	Urinary Incontinence. <i>Primary Care - Clinics in Office Practice</i> , 2010, 37, 599-612.	0.7	11
1332	Anterior and Posterior Repair with Polypropylene Mesh (Prolift®) for Pelvic Organ Prolapse: Retrospective Review of the First 323 Patients. <i>Journal of Gynecologic Surgery</i> , 2010, 26, 1-5.	0.0	2
1333	Uterine prolapse: evaluation of glycosaminoglycans in postmenopausal women after estrogen therapy. <i>Climacteric</i> , 2011, 14, 121-125.	1.1	6

#	ARTICLE	IF	CITATIONS
1334	Pelvic organ prolapse: review of the aetiology, presentation, diagnosis and management. <i>Menopause International</i> , 2011, 17, 132-136.	1.6	42
1335	Reconstruction of Pelvic-Organ Prolapse Using a Self-Fashioned Gynemesh. <i>Journal of Gynecologic Surgery</i> , 2011, 27, 71-77.	0.0	0
1337	A Randomized, Controlled Trial Comparing an Innovative Single Incision Sling With an Established Transobturator Sling to Treat Female Stress Urinary Incontinence. <i>Journal of Urology</i> , 2011, 185, 1356-1362.	0.2	65
1338	Randomized Trial of Tension-Free Vaginal Tape and Tension-Free Vaginal Tape-Obturator for Urodynamic Stress Incontinence in Women. <i>Journal of Urology</i> , 2011, 185, 1350-1355.	0.2	35
1339	Use of a Pessary in Treatment of Pelvic Organ Prolapse: Quality of Life, Compliance, and Failure at 1-Year Follow-up. <i>Journal of Minimally Invasive Gynecology</i> , 2011, 18, 68-74.	0.3	25
1340	Cystocele Repair with Interpositional Grafting. <i>Urologic Clinics of North America</i> , 2011, 38, 47-53.	0.8	0
1341	MRI Diagnosis of Pelvic Organ Prolapse Compared with Clinical Examination. <i>Academic Radiology</i> , 2011, 18, 1245-1251.	1.3	19
1342	Pelvic Floor Function Before and After Robotic Sacrocolpopexy: One-Year Outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2011, 18, 322-327.	0.3	42
1343	Uterine prolapse – preservation or excision?. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2011, 21, 176-179.	0.1	4
1344	Assessment of pelvic organ prolapse. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2011, 21, 190-197.	0.1	0
1345	Reliability of Bidirectional and Variable Opening Equipment for the Measurement of Pelvic Floor Muscle Strength. <i>PM and R</i> , 2011, 3, 21-26.	0.9	17
1346	Practical Urology: Essential Principles and Practice. , 2011, , .		14
1347	Laparoscopic Sacrocolpopexy for Management of Pelvic Organ Prolapse Enhances Quality of Life at One Year: A Prospective Observational Study. <i>Journal of Minimally Invasive Gynecology</i> , 2011, 18, 747-754.	0.3	37
1348	Urinary Leakage Detection Continues to be an Overlooked Diagnostic Pitfall of the Valsalva Leak Point Pressure in Female Stress Urinary Incontinence. <i>Urological Science</i> , 2011, 22, 75-77.	0.2	0
1350	Vaginal prolapse, pelvic floor function, and related symptoms 16 years after sex reassignment surgery in transsexuals. <i>Fertility and Sterility</i> , 2011, 95, 2379-2382.	0.5	24
1351	Risk factors for surgical failure after posterior intravaginal slingplasty: a case series. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 155, 106-109.	0.5	9
1352	The use of the pessary test in preoperative assessment of women with severe genital prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 155, 110-113.	0.5	27
1353	Difference in expression of collagen type I and matrix metalloproteinase-1 in uterosacral ligaments of women with and without pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 155, 225-228.	0.5	43

#	ARTICLE	IF	CITATIONS
1354	Mid-term outcome of laparoscopic sacrocolpopexy with anterior and posterior polyester mesh for treatment of genito-urinary prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 156, 217-222.	0.5	54
1355	Collagen-coated polypropylene mesh in vaginal prolapse surgery: an observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 156, 223-227.	0.5	30
1356	Comparing effectiveness of combined transobturator tension-free vaginal mesh (Perigee) and transobturator tension-free vaginal tape (TVT-O) versus anterior colporrhaphy and TVT-O for associated cystocele and urodynamic stress incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 156, 228-232.	0.5	9
1357	Short-range clinical, dynamic magnetic resonance imaging and P-QOL questionnaire results after mesh repair in female pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 157, 107-112.	0.5	8
1358	Combined anterior vaginal wall mesh with sacrospinous ligament fixation or with posterior intravaginal slingplasty for uterovaginal or vaginal vault prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 157, 230-233.	0.5	12
1359	An acquired sensation of wide/smooth vagina: a new classification. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 158, 97-100.	0.5	13
1360	Vaginal prolapse repair using the Proliftâ„¢ kit: a registry of 100 successive cases. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 158, 104-109.	0.5	15
1361	Does urinary incontinence subtypes affect sexual function?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 159, 213-217.	0.5	32
1362	Investigation of correlation between diameters of pelvic inlet and outlet planes and female pelvic floor dysfunction. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 159, 461-464.	0.5	15
1363	Urodynamic and clinical effects of transvaginal mesh repair for severe cystocele with and without urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 112, 182-186.	1.0	19
1364	FIGO classification system (PALMâ€œCOEIN) for causes of abnormal uterine bleeding in nonpregnant women of reproductive age. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 113, 3-13.	1.0	1,066
1365	A 5â€œyear prospective study of vaginal pessary use for pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 114, 56-59.	1.0	100
1366	Vaginal support as determined by levator ani defect status 6 weeks after primary surgery for pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 114, 141-144.	1.0	68
1367	Impact of total vaginal mesh surgery for pelvic organ prolapse on female sexual function. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 115, 167-170.	1.0	12
1368	Efficacy and Preoperative Prognostic Factors of Autologous Fascia Rectus Sling for Treatment of Female Stress Urinary Incontinence. <i>Urology</i> , 2011, 78, 1034-1038.	0.5	43
1369	Transvaginal Cystocele Repair Using Pursestring Technique Reinforced With Custom-tailored Two-armed Mesh. <i>Urology</i> , 2011, 78, 1275-1280.	0.5	13
1370	Editorial Comment. <i>Urology</i> , 2011, 78, 1038-1039.	0.5	0
1371	UP-01.072 Clinical Impact of Body Mass Index on the Outcome of the SPARC-Sling System for the Treatment of Female Stress Urinary Incontinence. <i>Urology</i> , 2011, 78, S208.	0.5	0

#	ARTICLE	IF	CITATIONS
1372	Neuromuscular Characterization of the Urethra in Continent Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 226-230.	0.6	9
1373	Do Women Understand Urogynecologic Terminology?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 215-217.	0.6	17
1374	Levormeloxifene inhibits vaginal tropoelastin and transforming growth factor beta 1 production. <i>Journal of Smooth Muscle Research</i> , 2011, 47, 11-19.	0.7	3
1375	Novel Hybrid Mesh Surgery Combines Sacrocolpopexy with Transvaginal Mesh Placement for Pelvic Organ Prolapse. <i>Journal of Nippon Medical School</i> , 2011, 78, 379-383.	0.3	2
1376	Comparison between two different neuromuscular electrical stimulation protocols for the treatment of female stress urinary incontinence: a randomized controlled trial. <i>Brazilian Journal of Physical Therapy</i> , 2011, 15, 393-398.	1.1	28
1377	Prospective Clinical Assessment of the Transvaginal Mesh Technique for Treatment of Pelvic Organ Prolapse-5-Year Results. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 139-143.	0.6	35
1378	Vaginal Paravaginal Repair With Porcine Small Intestine Submucosa. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 174-179.	0.6	8
1379	Laparoscopic Compared With Robotic Sacrocolpopexy for Vaginal Prolapse. <i>Obstetrics and Gynecology</i> , 2011, 118, 1005-1013.	1.2	355
1380	Pelvic reconstruction with mesh for advanced pelvic organ prolapse. <i>Menopause</i> , 2011, 18, 328-332.	0.8	22
1381	Abdominal Extraperitoneal Excision of a Foreign Body in the Pararectal Space. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 144-146.	0.6	1
1382	Robotic-Assisted and Laparoscopic Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 44-49.	0.6	72
1383	Trocar-Guided Mesh Compared With Conventional Vaginal Repair in Recurrent Prolapse. <i>Obstetrics and Gynecology</i> , 2011, 117, 242-250.	1.2	183
1384	Pelvic Floor Disorders 5-10 Years After Vaginal or Cesarean Childbirth. <i>Obstetrics and Gynecology</i> , 2011, 118, 777-784.	1.2	262
1385	Demographic and Clinical Predictors of Treatment Failure One Year After Midurethral Sling Surgery. <i>Obstetrics and Gynecology</i> , 2011, 117, 913-921.	1.2	80
1386	Pessary Use and Impact on Quality of Life and Body Image. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 298-301.	0.6	22
1387	Current Use of Pelvic Organ Prolapse Quantification by AUGS and ICS Members. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011, 17, 67-69.	0.6	30
1388	Decreased type III collagen expression in human uterine cervix of prolapse uteri. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 271-274.	0.8	9
1389	The suburethral tension adjustable sling (REMEEEX system) in the treatment of female urinary incontinence due to intrinsic sphincter deficiency: results after 5 years of mean follow-up. <i>BJU International</i> , 2011, 108, 1140-1144.	1.3	26



#	ARTICLE	IF	CITATIONS
1390	Anterior but not posterior compartment prolapse is associated with levator hiatus area: a three- and four-dimensional transperineal ultrasound study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 329-337.	1.1	21
1391	Comparing clean intermittent catheterisation and transurethral indwelling catheterisation for incomplete voiding after vaginal prolapse surgery: a multicentre randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1055-1060.	1.1	85
1392	Patient preferences for clean intermittent catheterisation and transurethral indwelling catheterisation for treatment of abnormal post-void residual bladder volume after vaginal prolapse surgery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1324-1328.	1.1	23
1393	Primary surgical repair of anterior vaginal prolapse: a randomised trial comparing anatomical and functional outcome between anterior colporrhaphy and trocar-guided transobturator anterior mesh. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1518-1527.	1.1	122
1394	Surgical outcomes following total Prolift: Colpopexy versus hysteropexy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 61-66.	0.4	13
1395	Factors affecting the feasibility of bilateral salpingo-oophorectomy during vaginal hysterectomy for uterine prolapse. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 307-309.	0.4	13
1396	A simplified method for determining hiatal biometry. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 540-543.	0.4	83
1397	Can de novo stress incontinence after anterior wall repair be predicted?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 488-493.	1.3	37
1398	Long-term outcome of porcine skin graft in surgical treatment of recurrent pelvic organ prolapse. An open randomized controlled multicenter study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 1393-1401.	1.3	39
1399	Sexual Function in a Woman with Congenital Bladder Exstrophy and Multiple Pelvic Reconstructive Surgeries: A Case Report. <i>Journal of Sexual Medicine</i> , 2011, 8, 617-621.	0.3	10
1400	Sexual Function After Rectocele Repair. <i>Journal of Sexual Medicine</i> , 2011, 8, 583-588.	0.3	20
1401	Female Urinary Incontinence at Orgasm: A Possible Marker of a More Severe Form of Detrusor Overactivity. Can Ultrasound Measurement of Bladder Wall Thickness Explain It?. <i>Journal of Sexual Medicine</i> , 2011, 8, 1710-1716.	0.3	10
1402	The Impact of Mid-Urethral Slings for the Treatment of Urodynamic Stress Incontinence on Female Sexual Function: A Multicenter Prospective Study. <i>Journal of Sexual Medicine</i> , 2011, 8, 2002-2008.	0.3	35
1403	Comparison of the Changes in Sexual Function of Premenopausal and Postmenopausal Women Following Transvaginal Mesh Surgery. <i>Journal of Sexual Medicine</i> , 2011, 8, 2009-2016.	0.3	13
1404	Sexual Function Following Trocar-guided Mesh or Vaginal Native Tissue Repair in Recurrent Prolapse: A Randomized Controlled Trial. <i>Journal of Sexual Medicine</i> , 2011, 8, 2944-2953.	0.3	36
1405	Utility preference score measurement in women with fecal incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 72.e1-72.e6.	0.7	12
1406	Trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh: 1 year outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 74.e1-74.e8.	0.7	39
1407	Body image perceptions in women with pelvic organ prolapse: a qualitative study. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 441.e1-441.e5.	0.7	85

#	ARTICLE	IF	CITATIONS
1408	Expression of Bone Morphogenetic Protein-1 in vaginal tissue of women with severe pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 544.e1-544.e8.	0.7	19
1409	The relationship between the Trp 64 Arg polymorphism of the beta 3 $\alpha$ adrenoceptor gene and idiopathic overactive bladder. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 82.e10-82.e14.	0.7	19
1410	Reanalysis of a randomized trial of 3 techniques of anterior colporrhaphy using clinically relevant definitions of success. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 69.e1-69.e8.	0.7	96
1411	Levator avulsion using a tomographic ultrasound and magnetic resonance $\alpha$ -based model. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 232.e1-232.e8.	0.7	92
1412	Outcome assessment with blinded versus unblinded POP-Q exams. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 489.e1-489.e4.	0.7	15
1413	Do patient goals vary with stage of prolapse?. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 502.e1-502.e6.	0.7	15
1414	Anterior, posterior and apical vaginal reconstruction with and without bolsters. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 167-174.	1.4	2
1415	Bekkenfysiotherapie bij mictieproblematiek van vrouwen en mannen. <i>Bijblijven (Amsterdam)</i> , Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.5	0
1416	Changes of glycoprotein and collagen immunolocalization in the uterine artery wall of postmenopausal women with and without pelvic organ prolapse. <i>Acta Histochemica</i> , 2011, 113, 375-381.	0.9	17
1417	Avulsion of the puborectalis muscle is associated with asymmetry of the levator hiatus. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 723-726.	0.9	31
1418	Possible cause of failure after McCall culdoplasty. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 791-794.	0.8	8
1419	Genitourinary prolapse and joint hypermobility are associated with altered type I and III collagen metabolism. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1081-1085.	0.8	28
1420	The effect of tension-free vaginal tape placement on distal anterior vaginal wall support at the time of laparoscopic sacral colpoperineopexy. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1303-1307.	0.8	2
1421	Cellular proliferation in female pelvic organ prolapse: a pilot study. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1329-1332.	0.8	5
1422	MRI pelvic landmark angles in the assessment of apical pelvic organ prolapse. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 365-370.	0.8	10
1423	Ring pessary for all pelvic organ prolapse. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 391-395.	0.8	63
1424	Laparoscopic supracervical hysterectomy, bilateral salpingo-oophorectomy, sacrocolpopexy and burch colposuspension performed during the same operative session via a single port. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 127-131.	0.8	7
1425	The new laparoscopic uterine sling suspension procedure: first year follow-up data. <i>Gynecological Surgery</i> , 2011, 8, 321-323.	0.9	3

#	ARTICLE	IF	CITATIONS
1426	PDE-5 and NOS II mRNA expression in menopausal women: a molecular biology study. <i>World Journal of Urology</i> , 2011, 29, 243-248.	1.2	5
1427	Quantitative assessment of urethral vascularity in nulliparous females using high-frequency endovaginal ultrasonography. <i>World Journal of Urology</i> , 2011, 29, 625-632.	1.2	28
1428	Laparoscopic sacrospinous ligament fixation for uterovaginal prolapse: experience with 93 cases. <i>International Urogynecology Journal</i> , 2011, 22, 83-89.	0.7	17
1429	Interobserver and interdisciplinary reproducibility of 3D endovaginal ultrasound assessment of pelvic floor anatomy. <i>International Urogynecology Journal</i> , 2011, 22, 53-59.	0.7	71
1430	Laparoscopic sacrocolpopexy: an observational study of functional and anatomical outcomes. <i>International Urogynecology Journal</i> , 2011, 22, 77-82.	0.7	41
1431	Pubococcygeal activity on perineal ultrasound in incontinent women. <i>International Urogynecology Journal</i> , 2011, 22, 315-320.	0.7	2
1432	Ring the changes in evaluation of urogenital prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 171-175.	0.7	15
1433	Outcome of transvaginal pelvic reconstructive surgery with Prolift after a median of 2 years follow-up. <i>International Urogynecology Journal</i> , 2011, 22, 197-203.	0.7	25
1434	Prospective study of anterior transobturator mesh kit (Prolift) for the management of recurrent anterior vaginal wall prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 157-163.	0.7	15
1435	Comparison of clinical outcome and urodynamic findings using Perigee and/or Apogee versus Prolift anterior and/or posterior system devices for the treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 233-239.	0.7	39
1436	Prevalence and risk factors for mesh erosion after laparoscopic-assisted sacrocolpopexy. <i>International Urogynecology Journal</i> , 2011, 22, 205-212.	0.7	150
1437	A new laparoscopic technique for uterine prolapse: one-sided uterine fixation through the round ligament. <i>International Urogynecology Journal</i> , 2011, 22, 213-219.	0.7	13
1438	Age and sexual activity are risk factors for mesh exposure following transvaginal mesh repair. <i>International Urogynecology Journal</i> , 2011, 22, 307-313.	0.7	51
1439	The inter-system association between the simplified pelvic organ prolapse quantification system (S-POP) and the standard pelvic organ prolapse quantification system (POPQ) in describing pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 347-352.	0.7	53
1440	A novel approach to teaching the pelvic organ prolapse quantification (POP-Q) exam. <i>International Urogynecology Journal</i> , 2011, 22, 367-370.	0.7	5
1441	Laparoscopic sacral colpoperineopexy: abdominal versus abdominal vaginal posterior graft attachment. <i>International Urogynecology Journal</i> , 2011, 22, 469-475.	0.7	13
1442	Short-term natural history in women with symptoms indicative of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 461-468.	0.7	25
1443	Clinical study of ischia spinous fascia fixation a new pelvic reconstructive surgery. <i>International Urogynecology Journal</i> , 2011, 22, 499-503.	0.7	4

#	ARTICLE	IF	CITATIONS
1444	Outcome of tension-free obturator tape procedures in obese and overweight women. <i>International Urogynecology Journal</i> , 2011, 22, 259-263.	0.7	35
1445	Predictors of improved overactive bladder symptoms after transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 535-542.	0.7	26
1446	Point Aa of the POP-Q system as a predictive value of urethral mobility in women. <i>International Urogynecology Journal</i> , 2011, 22, 687-691.	0.7	7
1447	Which factors determine subjective improvement following pelvic organ prolapse 1 year after surgery?. <i>International Urogynecology Journal</i> , 2011, 22, 543-549.	0.7	6
1448	Impact of Prolift procedure on bladder function and symptoms in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 585-590.	0.7	11
1449	The effect of genital and lower urinary tract symptoms on steroid receptor expression in women with genital prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 705-712.	0.7	15
1450	Preoperative voiding detrusor pressures do not predict stress incontinence surgery outcomes. <i>International Urogynecology Journal</i> , 2011, 22, 657-663.	0.7	12
1451	Measurement of transurethral bladder neck displacement during tension-free vaginal tape procedure. <i>International Urogynecology Journal</i> , 2011, 22, 721-724.	0.7	5
1452	Five-year outcome of uterus sparing surgery for pelvic organ prolapse repair: a single-center experience. <i>International Urogynecology Journal</i> , 2011, 22, 287-292.	0.7	30
1453	Posterior intravaginal slingplasty: efficacy and complications in a continuous series of 118 cases. <i>International Urogynecology Journal</i> , 2011, 22, 611-619.	0.7	15
1454	Validation, reliability, and responsiveness of Prolapse Quality of Life Questionnaire (P-QOL) in a Brazilian population. <i>International Urogynecology Journal</i> , 2011, 22, 751-755.	0.7	13
1455	Relationship between serum estradiol and follicle-stimulating hormone levels and urodynamic results in women with stress urinary incontinence. <i>International Urogynecology Journal</i> , 2011, 22, 731-737.	0.7	9
1456	Is there a pelvic organ prolapse threshold that predicts bladder outflow obstruction?. <i>International Urogynecology Journal</i> , 2011, 22, 863-868.	0.7	14
1457	A novel technique for the management of advanced uterine/vault prolapse: extraperitoneal sacrocolpopexy. <i>International Urogynecology Journal</i> , 2011, 22, 855-861.	0.7	8
1458	The UK national prolapse survey: 5 years on. <i>International Urogynecology Journal</i> , 2011, 22, 517-528.	0.7	68
1459	Treatment strategies for pelvic organ prolapse: a cost-effectiveness analysis. <i>International Urogynecology Journal</i> , 2011, 22, 507-515.	0.7	28
1460	Multicenter inter-examiner agreement trial for the validation of simplified POPQ system. <i>International Urogynecology Journal</i> , 2011, 22, 645-650.	0.7	31
1461	Biologic grafts for cystocele repair: does concomitant midline fascial plication improve surgical outcomes?. <i>International Urogynecology Journal</i> , 2011, 22, 985-990.	0.7	6

#	ARTICLE	IF	CITATIONS
1462	The quality of reporting of randomized controlled trials in pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 1117-1125.	0.7	11
1463	Pelvic floor muscle training for treatment of pelvic organ prolapse: an assessor-blinded randomized controlled trial. <i>International Urogynecology Journal</i> , 2011, 22, 1233-1239.	0.7	73
1464	Urodynamic indices and pelvic organ prolapse quantification 3 months after vaginal delivery in primiparous women. <i>International Urogynecology Journal</i> , 2011, 22, 1293-1298.	0.7	13
1465	Continent women have better urethral neuromuscular function than those with stress incontinence. <i>International Urogynecology Journal</i> , 2011, 22, 1479-1484.	0.7	19
1466	Chinese validation of Pelvic Floor Distress Inventory and Pelvic Floor Impact Questionnaire. <i>International Urogynecology Journal</i> , 2011, 22, 1305-1312.	0.7	35
1467	Is cesarean section a real panacea to prevent pelvic organ disorders?. <i>International Urogynecology Journal</i> , 2011, 22, 1135-1141.	0.7	10
1468	Uterosacral ligament vaginal vault suspension using delayed absorbable monofilament suture. <i>International Urogynecology Journal</i> , 2011, 22, 1389-1394.	0.7	13
1469	Surgical management of mesh-related complications after prior pelvic floor reconstructive surgery with mesh. <i>International Urogynecology Journal</i> , 2011, 22, 1395-1404.	0.7	96
1470	Monoprosthesis for anterior vaginal prolapse and stress urinary incontinence: midterm results of an international multicentre prospective study. <i>International Urogynecology Journal</i> , 2011, 22, 1535-1541.	0.7	14
1471	Transvaginal mesh surgery for pelvic organ prolapse – Prolift+M: a prospective clinical trial. <i>International Urogynecology Journal</i> , 2011, 22, 1405-1411.	0.7	16
1472	Postpartum impairment of pelvic floor muscle function: factors involved and association with prolapse. <i>International Urogynecology Journal</i> , 2011, 22, 1505-1511.	0.7	16
1473	Constipation symptoms before and after vaginal and abdominal pelvic reconstructive surgery. <i>International Urogynecology Journal</i> , 2011, 22, 1413-1419.	0.7	8
1474	A prospective study on the prevalence of hydronephrosis in women with pelvic organ prolapse and their outcomes after treatment. <i>International Urogynecology Journal</i> , 2011, 22, 1529-1534.	0.7	26
1475	Determining outcomes, adverse events, and predictors of success after sacral neuromodulation for lower urinary disorders in women. <i>International Urogynecology Journal</i> , 2011, 22, 1549-1554.	0.7	29
1476	Impact of birth in the presence and absence of simulated birth injury on vaginal glycosaminoglycan content. <i>International Urogynecology Journal</i> , 2011, 22, 1513-1519.	0.7	1
1477	Surgical management of pelvic organ prolapse in women: the updated summary version Cochrane review. <i>International Urogynecology Journal</i> , 2011, 22, 1445-1457.	0.7	235
1479	Testing périnéal et incontinence urinaire masquée dans l'évaluation clinique des prolapsus gènitaux. <i>Pelvi-perineologie</i> , 2011, 6, 59-64.	0.0	1
1480	Robotic sacrocolpoperineopexy with ventral rectopexy for the combined treatment of rectal and pelvic organ prolapse: initial report and technique. <i>Journal of Robotic Surgery</i> , 2011, 5, 167-173.	1.0	9

#	ARTICLE	IF	CITATIONS
1481	Short-term results of robotic sacrocolpopexy using the Quill SRS bi-directional polydioxanone (PDO) suture. <i>Journal of Robotic Surgery</i> , 2011, 5, 259-265.	1.0	4
1482	Clinically Relevant Terminology of the Female Lower Genitourinary Tract. <i>Current Bladder Dysfunction Reports</i> , 2011, 6, 167-175.	0.2	0
1483	Robotics for Pelvic Reconstruction. <i>Current Bladder Dysfunction Reports</i> , 2011, 6, 176-181.	0.2	3
1484	Reproductive morbidity among Iranian women; issues often inappropriately addressed in health seeking behaviors. <i>BMC Public Health</i> , 2011, 11, 863.	1.2	11
1485	Protocol for Translabial 3D-Ultrasonography for diagnosing levator defects (TRUDIL): a multicentre cohort study for estimating the diagnostic accuracy of translabial 3D-ultrasonography of the pelvic floor as compared to MR imaging. <i>BMC Women's Health</i> , 2011, 11, 23.	0.8	17
1486	Treatment of uterine prolapse stage 2 or higher: a randomized multicenter trial comparing sacrospinous fixation with vaginal hysterectomy (SAVE U trial). <i>BMC Women's Health</i> , 2011, 11, 4.	0.8	22
1487	Screening of the pelvic organ prolapse without a physical examination; (a community based study). <i>BMC Women's Health</i> , 2011, 11, 48.	0.8	17
1488	Two successful natural pregnancies in a patient with severe uterine prolapse: A case report. <i>Journal of Medical Case Reports</i> , 2011, 5, 459.	0.4	26
1489	Further validation of the short form versions of the pelvic floor Distress Inventory (PFDI) and pelvic floor impact questionnaire (PFIQ). <i>Neurourology and Urodynamics</i> , 2011, 30, 541-546.	0.8	108
1490	Transvaginal mesh repair of pelvic organ prolapse by the transobturatorâ€¢infracoccygeal hammock technique: Longâ€¢term anatomical and functional outcomes. <i>Neurourology and Urodynamics</i> , 2011, 30, 384-389.	0.8	16
1491	Measuring the levator hiatus with axial MRI sequences: Adjusting the angle of acquisition. <i>Neurourology and Urodynamics</i> , 2011, 30, 113-116.	0.8	16
1492	Neuromuscular morphometry of the uterine ligaments and vaginal wall in women with pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2011, 30, 126-132.	0.8	15
1493	Coital incontinence: Relation to detrusor overactivity and stress incontinence. <i>Neurourology and Urodynamics</i> , 2011, 30, 520-524.	0.8	44
1494	Evaluation of demographic, clinical characteristics, and genetic polymorphism as risk factors for pelvic organ prolapse in brazilian women. <i>Neurourology and Urodynamics</i> , 2011, 30, 1325-1328.	0.8	22
1495	Quality of life after treatment with midurethral sling and concomitant prolapse repair in patients with mixed versus stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2011, 30, 1507-1511.	0.8	6
1496	Expression of apoptotic factors in vaginal tissues from women with urogenital prolapse. <i>Neurourology and Urodynamics</i> , 2011, 30, 1627-1632.	0.8	17
1499	Rectocele, but not cystocele, may predict unsuccessful pessary fitting. <i>Journal of Obstetrics and Gynaecology</i> , 2011, 31, 441-442.	0.4	27
1500	The Flexible FIGO Classification Concept for Underlying Causes of Abnormal Uterine Bleeding. <i>Seminars in Reproductive Medicine</i> , 2011, 29, 391-399.	0.5	29

#	ARTICLE	IF	CITATIONS
1501	Functional Imaging of the Pelvic Floor. <i>Radiology</i> , 2011, 258, 23-39.	3.6	64
1503	Contractile Response of Human Anterior Vaginal Muscularis in Women With and Without Pelvic Organ Prolapse. <i>Reproductive Sciences</i> , 2011, 18, 296-303.	1.1	24
1504	Risk Factors for Exposure, Pain, and Dyspareunia After Tension-Free Vaginal Mesh Procedure. <i>Obstetrics and Gynecology</i> , 2011, 118, 629-636.	1.2	107
1505	Quality of Life after SPARC Sling Procedure: A Long-Term Retrospective Analysis. <i>Urologia Internationalis</i> , 2011, 86, 424-426.	0.6	0
1506	Apical Vaginal and Uterus Suspension to the Tendinous Arch of the Levator Ani and Uterosacral Ligaments by an Anchorage Device: A Proposed Method for Genital Prolapse Repair. <i>UroToday International Journal</i> , 2011, 04, .	0.1	0
1507	Influence of Mode of Delivery on Pelvic Organ Support 6 Months Postpartum. <i>Gynecologic and Obstetric Investigation</i> , 2011, 72, 123-129.	0.7	22
1508	Simultaneous Correction of Anterior and Apical Vaginal Prolapse with the Modified Placement of the Transobturator-Guided Mesh (Anterior Prolift <sup>TM</sup> ) Set. <i>Urologia Internationalis</i> , 2011, 87, 14-18.	0.6	2
1509	Conservative prevention and management of pelvic organ prolapse in women. <i>The Cochrane Library</i> , 2011, , CD003882.	1.5	158
1510	Comparison of pelvic floor muscle strength between women undergoing vaginal delivery, cesarean section, and nulliparae using a perineometer and digital palpation. <i>Gynecological Endocrinology</i> , 2011, 27, 910-914.	0.7	22
1511	Anterior Colporrhaphy versus Transvaginal Mesh for Pelvic-Organ Prolapse. <i>New England Journal of Medicine</i> , 2011, 364, 1826-1836.	13.9	492
1513	Incidence of Extrusion Following Type I Polypropylene Mesh "Kit" Repairs in the Correction of Pelvic Organ Prolapse. <i>Obstetrics and Gynecology International</i> , 2012, 2012, 1-8.	0.5	6
1514	Use of Surgisis for Treatment of Anterior and Posterior Vaginal Prolapse. <i>Obstetrics and Gynecology International</i> , 2012, 2012, 1-5.	0.5	24
1515	Monoprosthesis for Simultaneous Correction of Stress Urinary Incontinence and Cystocele: A 3-Year follow-up. <i>Urologia</i> , 2012, 79, 134-137.	0.3	2
1516	Contribution of Primary Pelvic Organ Prolapse to Micturition and Defecation Symptoms. <i>Obstetrics and Gynecology International</i> , 2012, 2012, 1-9.	0.5	20
1517	Gene Expression and Immunoreactivity of Elastolytic Enzymes in the Uterosacral Ligaments From Women With Uterine Prolapse. <i>Reproductive Sciences</i> , 2012, 19, 354-359.	1.1	8
1518	Psychometric Evaluation of Health-Related Quality-of-Life Measures After Pelvic Organ Prolapse Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 221-226.	0.6	20
1519	Female Genital Prolapse. <i>InnovAiT</i> , 2012, 5, 41-47.	0.0	0
1520	Longitudinal Changes in Pelvic Organ Support Among Parous Women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 227-232.	0.6	9

#	ARTICLE	IF	CITATIONS
1521	Changes in Urinary and Sexual Function 6 Months after Cystocele Repair with a Polypropylene Mesh. <i>Urologia Internationalis</i> , 2012, 88, 415-422.	0.6	3
1522	Pelvic Floor Disorders After Vaginal Birth. <i>Obstetrics and Gynecology</i> , 2012, 119, 233-239.	1.2	186
1523	Evaluation of Constipation. <i>Clinics in Colon and Rectal Surgery</i> , 2012, 25, 005-011.	0.5	44
1524	Role of composite endpoints as an outcome assessment tool in urogenital prolapse. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 276-279.	0.4	7
1525	Animal models of female pelvic organ prolapse: lessons learned. <i>Expert Review of Obstetrics and Gynecology</i> , 2012, 7, 249-260.	0.4	76
1526	Female Sexual Dysfunction in Type 2 Diabetes: A Case Control Study. <i>Medical Principles and Practice</i> , 2012, 21, 554-559.	1.1	13
1527	Evaluation of pelvic floor muscle anatomy and function in women: modern techniques. <i>Przegląd Menopauzalny</i> , 2012, 4, 259-263.	0.6	0
1528	How frequent are overactive bladder symptoms in women with urodynamic verification of an overactive bladder?. <i>Journal of the Turkish German Gynecology Association</i> , 2012, 13, 98-101.	0.2	1
1529	Colpocleisis, patient satisfaction and quality of life. <i>Journal of the Turkish German Gynecology Association</i> , 2012, 13, 253-256.	0.2	3
1530	Outcome Assessment of the Marshall Coughing Test during Cervix Reposition Maneuver in Women with Urinary Stress Incontinence with/without Genital Prolapse. <i>ISRN Urology</i> , 2012, 2012, 1-8.	1.5	1
1531	Uterine Prolapse: From Antiquity to Today. <i>Obstetrics and Gynecology International</i> , 2012, 2012, 1-9.	0.5	22
1532	Abdominal Sacral Hysteropexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 286-290.	0.6	18
1533	Porcine Subintestinal Submucosal Graft Augmentation for Rectocele Repair. <i>Obstetrics and Gynecology</i> , 2012, 119, 125-133.	1.2	68
1534	Pelvic organ prolapse. , 0, , 101-118.		0
1535	Evaluation of Pelvic Organ Prolapse. <i>Postgraduate Obstetrics &amp; Gynecology</i> , 2012, 32, 1-5.	0.1	0
1536	Prevalence, risk factors, and predictors of pelvic organ prolapse. <i>Menopause</i> , 2012, 19, 1235-1241.	0.8	45
1537	Evaluation of Pelvic Organ Prolapse. <i>Postgraduate Obstetrics &amp; Gynecology</i> , 2012, 32, 6.	0.1	0
1538	Pelvic Organ Prolapse Quantification Use in the Literature. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 35-36.	0.6	8



#	ARTICLE	IF	CITATIONS
1539	Nonsurgical Management of Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2012, 119, 852-860.	1.2	62
1540	Efficacy of pelvic floor muscle training and hypopressive exercises for treating pelvic organ prolapse in women: randomized controlled trial. <i>Sao Paulo Medical Journal</i> , 2012, 130, 5-9.	0.4	48
1541	Consensus statement AIGO/SICCR diagnosis and treatment of chronic constipation and obstructed defecation (Part II: Treatment). <i>World Journal of Gastroenterology</i> , 2012, 18, 4994.	1.4	124
1542	Consensus statement AIGO/SICCR: Diagnosis and treatment of chronic constipation and obstructed defecation (part I: Diagnosis). <i>World Journal of Gastroenterology</i> , 2012, 18, 1555.	1.4	129
1543	Sexual function after anterior vaginal wall prolapse surgery. <i>Clinics</i> , 2012, 67, 871-875.	0.6	9
1544	Improvements in Physical Activity and Functioning After Undergoing Midurethral Sling Procedure for Urinary Incontinence. <i>Obstetrics and Gynecology</i> , 2012, 120, 573-580.	1.2	11
1545	Single-Incision Mini-Sling Compared With Tension-Free Vaginal Tape for the Treatment of Stress Urinary Incontinence. <i>Obstetrics and Gynecology</i> , 2012, 119, 328-337.	1.2	67
1546	Perioperative Complications and Reoperations After Incontinence and Prolapse Surgeries Using Prosthetic Implants. <i>Obstetrics and Gynecology</i> , 2012, 119, 539-546.	1.2	78
1547	Falling Out: Authoritative Knowledge and Women's Experiences with Pelvic Organ Prolapse. <i>Journal of Midwifery and Women's Health</i> , 2012, 57, 489-494.	0.7	13
1548	Prolapse repair using the Elevate <sup>®</sup> kit: prospective study on 70 patients. <i>International Urogynecology Journal</i> , 2012, 23, 1421-1428.	0.7	29
1549	Single-incision apical and posterior mesh repair: 1-year prospective outcomes. <i>International Urogynecology Journal</i> , 2012, 23, 1413-1419.	0.7	33
1550	Sexual function in women following transvaginal mesh procedures for the treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 1455-1460.	0.7	15
1551	Surgical management of apical pelvic support defects: the impact of robotic technology. <i>International Urogynecology Journal</i> , 2012, 23, 1183-1186.	0.7	18
1552	Does neuromuscular blockade affect the assessment of pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2012, 23, 1599-1603.	0.7	7
1553	Dynamic magnetic resonance imaging to quantify pelvic organ prolapse: reliability of assessment and correlation with clinical findings and pelvic floor symptoms. <i>International Urogynecology Journal</i> , 2012, 23, 1547-1554.	0.7	51
1554	Accuracy of assessing Pelvic Organ Prolapse Quantification points using dynamic 2D transperineal ultrasound in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 1555-1560.	0.7	29
1555	Magnetic resonance imaging of abdominal versus vaginal prolapse surgery with mesh. <i>International Urogynecology Journal</i> , 2012, 23, 1569-1576.	0.7	11
1556	Diagnosing pubovisceral avulsions: a systematic review of the clinical relevance of a prevalent anatomical defect. <i>International Urogynecology Journal</i> , 2012, 23, 1653-1664.	0.7	35

#	ARTICLE	IF	CITATIONS
1557	Clinical evaluation of a wireless intra-vaginal pressure transducer. <i>International Urogynecology Journal</i> , 2012, 23, 1741-1747.	0.7	23
1558	Lower urinary tract symptoms in chronically constipated women. <i>International Urogynecology Journal</i> , 2012, 23, 1785-1789.	0.7	20
1559	Evaluation of the female pelvic floor in pelvic organ prolapse using 3.0-Tesla diffusion tensor imaging and fibre tractography. <i>European Radiology</i> , 2012, 22, 2806-2813.	2.3	29
1560	Surgical management of pelvic organ prolapse: abdominal and vaginal approaches. <i>World Journal of Urology</i> , 2012, 30, 471-477.	1.2	37
1561	Abdominal Colpopexy: Comparison of Endoscopic Surgical Strategies (ACCESS). <i>Contemporary Clinical Trials</i> , 2012, 33, 1011-1018.	0.8	21
1562	A Midurethral Sling to Reduce Incontinence after Vaginal Prolapse Repair. <i>New England Journal of Medicine</i> , 2012, 366, 2358-2367.	13.9	290
1563	Predictors of Successful Salpingo-Oophorectomy at the Time of Vaginal Hysterectomy. <i>Journal of Minimally Invasive Gynecology</i> , 2012, 19, 58-62.	0.3	18
1564	Estrogen Replacement Therapy Improves Pulmonary Function in Postmenopausal Women with Genital Prolapse. <i>Rejuvenation Research</i> , 2012, 15, 596-600.	0.9	7
1565	A Randomized Trial of Urodynamic Testing before Stress-Incontinence Surgery. <i>New England Journal of Medicine</i> , 2012, 366, 1987-1997.	13.9	404
1566	Robotic Vs Abdominal Sacrocolpopexy: 44-Month Pelvic Floor Outcomes. <i>Urology</i> , 2012, 79, 532-536.	0.5	91
1567	Minimum 1.5-Year Results of "Surgeon-Tailored" Transvaginal Mesh Repair for Female Stress Urinary Incontinence and Pelvic Organ Prolapse. <i>Urology</i> , 2012, 80, 273-279.	0.5	6
1568	What's a proper push? The Valsalva manoeuvre revisited. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 282-285.	0.4	28
1569	Bladder pain syndrome associated with highest impact on sexual function among women with lower urinary tract symptoms. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 117, 168-172.	1.0	23
1570	The effect of bladder fullness on evaluation of pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 118, 24-26.	1.0	6
1571	Exploring the association between lifetime physical activity and pelvic floor disorders: Study and design challenges. <i>Contemporary Clinical Trials</i> , 2012, 33, 819-827.	0.8	28
1572	Uterosacral "cardinal ligament stretching prior to vaginal hysterectomy increases uterine descent: a novel technique. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 160, 71-73.	0.5	0
1573	Traction on the cervix in theatre before anterior repair: does it tell us when to perform a concomitant hysterectomy?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 160, 205-209.	0.5	16
1574	Prevalence of and quality of life related to anal incontinence in women with urinary incontinence and pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 160, 228-231.	0.5	22

#	ARTICLE	IF	CITATIONS
1575	Three-year outcome of transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 105-108.	0.5	20
1576	Risk factors of surgical failure following transvaginal mesh repair for the treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 224-227.	0.5	19
1577	Validation, cultural adaptation and responsiveness of two pelvic-floor-specific quality-of-life questionnaires, PFDI-20 and PFIQ-7, in a Turkish population. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 162, 229-233.	0.5	45
1578	3-D high-frequency endovaginal ultrasound of female urethral complex and assessment of inter-observer reliability. <i>European Journal of Radiology</i> , 2012, 81, e7-e12.	1.2	46
1579	Potential relevance of pre-operative quality of life questionnaires to identify candidates for surgical treatment of genital prolapse: a pilot study. <i>BMC Urology</i> , 2012, 12, 9.	0.6	9
1580	Periurethral Injection of Polyacrylamide Hydrogel for the Treatment of Stress Urinary Incontinence: The Impact on Female Sexual Function. <i>Journal of Sexual Medicine</i> , 2012, 9, 3255-3263.	0.3	17
1581	Long-term quality of life and pelvic floor dysfunction after bariatric surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 431.e1-431.e4.	0.7	28
1582	Changes in bowel symptoms 1 year after rectocele repair. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 423.e1-423.e5.	0.7	30
1583	A multicenter, randomized, prospective, controlled study comparing sacrospinous fixation and transvaginal mesh in the treatment of posthysterectomy vaginal vault prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, 301.e1-301.e7.	0.7	68
1584	Quality of life scores improve in women undergoing colpocleisis: a pilot study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 163, 230-233.	0.5	10
1585	Midterm prospective comparison of vaginal repair with mesh vs Prolift system devices for prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 164, 221-226.	0.5	13
1586	Proof of concept: differential effects of Valsalva and straining maneuvers on the pelvic floor. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 164, 227-233.	0.5	29
1587	Real-time in vivo assessment of levator ani muscle deformation in women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 165, 352-356.	0.5	4
1588	Clinical outcome after laparoscopic assisted vaginal hysterectomy with transvaginal uterosacral ligament fixation. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2012, 51, 363-367.	0.5	1
1589	Aging and recurrent urinary tract infections are associated with bladder dysfunction in type 2 diabetes. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2012, 51, 381-386.	0.5	30
1590	Uterovaginal Prolapse. , 2012, , 625-634.		0
1591	A Retrospective Analysis of the Effectiveness of a Modified Abdominal High Uterosacral Colpopexy in the Treatment of Uterine Prolapse. <i>Cell Biochemistry and Biophysics</i> , 2012, 64, 95-99.	0.9	5
1592	Laparoscopic Supralelevator Repair for Combined Apical andÂPosterior Compartment Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2012, 19, 339-343.	0.3	4

#	ARTICLE	IF	CITATIONS
1593	Posterior Compartment Prolapse. <i>Urologic Clinics of North America</i> , 2012, 39, 361-369.	0.8	11
1594	Anterior Transobturator Polypropylene Mesh in the Correction of Cystocele: 2-Point Method vs 4-Point Method. <i>Journal of Minimally Invasive Gynecology</i> , 2012, 19, 737-741.	0.3	4
1595	Anatomic and Functional Outcomes with the Prolift Procedure in Elderly Women with Advanced Pelvic Organ Prolapse Who Desire Uterine Preservation. <i>Journal of Minimally Invasive Gynecology</i> , 2012, 19, 307-312.	0.3	11
1596	Effect of prior hysterectomy on the anterior and posterior vaginal compartments of women presenting with pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 119, 274-276.	1.0	3
1597	Vaginal sacrocolporectomy for the surgical treatment of uterine and vaginal vault prolapses: confirmation of the surgical method and perioperative results of 101 cases. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 1463-1471.	0.8	3
1598	The effects of uterine fundal pressure (Kristeller maneuver) on pelvic floor function after vaginal delivery. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 1135-1139.	0.8	25
1599	Functional interactions between the fossa ischioanal, levator ani and gluteus maximus muscles of the female pelvic floor: a prospective study in nulliparous women. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 931-938.	0.8	26
1600	Study of dynamic magnetic resonance imaging in diagnosis of pelvic organ prolapse. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 953-958.	0.8	20
1601	Anterior colporrhaphy versus repair with mesh for anterior vaginal wall prolapse: a comparative clinical study. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 965-972.	0.8	35
1602	Abdominal colposuspension with the use of tension-free tape at the lateral abdominal wall: a novel technique. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 977-981.	0.8	3
1603	Implementation of laparoscopic sacrocolpopexy: establishment of a learning curve and short-term outcomes. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 983-988.	0.8	40
1604	Combined Burch urethropexy and anterior rectopexy in pelvic organ prolapse: skip the mesh. <i>Langenbeck's Archives of Surgery</i> , 2012, 397, 1157-1165.	0.8	1
1605	Vaginal Rugation Rejuvenation (Restoration): A New Surgical Technique for an Acquired Sensation of Wide/Smooth Vagina. <i>Gynecologic and Obstetric Investigation</i> , 2012, 73, 48-52.	0.7	28
1606	Outcomes of traditional prolapse surgery for pelvic organ prolapse repair at a single center. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 119, 277-280.	1.0	3
1607	The urethra is a reliable witness: simplifying the diagnosis of stress urinary incontinence. <i>International Urogynecology Journal</i> , 2012, 23, 1649-1651.	0.7	22
1608	Sexual function following outside-in transobturator midurethral sling procedures: a prospective study. <i>International Urogynecology Journal</i> , 2012, 23, 1693-1698.	0.7	28
1609	How Accurate Is Preoperative Evaluation of Pelvic Organ Prolapse in Women Undergoing Vaginal Reconstruction Surgery?. <i>PLoS ONE</i> , 2012, 7, e47027.	1.1	8
1610	Prolapse Symptoms in Overweight and Obese Women Before and After Weight Loss. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012, 18, 55-59.	0.6	28

#	ARTICLE	IF	CITATIONS
1612	Pelvic Muscle Strength After Childbirth. <i>Obstetrics and Gynecology</i> , 2012, 120, 1021-1028.	1.2	59
1613	Pelvic organ prolapse and anorectal manometry: a prospective study. <i>Urogynaecologia International Journal</i> , 2012, 26, 4.	0.2	0
1614	Three-dimensional Ultrasound Appearance of Pelvic Floor in Nulliparous Women and Pelvic Organ Prolapse Women. <i>International Journal of Medical Sciences</i> , 2012, 9, 894-900.	1.1	23
1615	Ultrasound Characteristics of Patients with Urinary Stress Incontinence with or without Genital Prolapse. <i>Korean Journal of Urology</i> , 2012, 53, 691.	1.2	4
1616	Descripci3n de la funci3n sexual en mujeres con alteraciones de piso p3lvico en un hospital p3blico de Santiago. <i>Revista Chilena De Obstetricia Y Ginecologia</i> , 2012, 77, 331-337.	0.1	3
1617	Observational evaluation of preoperative, intraoperative, and postoperative characteristics in 117 Brazilian women without uterine prolapse undergoing vaginal hysterectomy. <i>International Journal of Women's Health</i> , 2012, 4, 505.	1.1	2
1618	Ultrasound in the investigation of posterior compartment vaginal prolapse and obstructed defecation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 14-27.	0.9	48
1619	Diagnosis of cystocele type by clinical examination and pelvic floor ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 710-714.	0.9	38
1620	Clinical consequences of levator trauma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 367-371.	0.9	21
1621	Racial differences in female urethral morphology and levator hiatal dimensions: An ultrasound study. <i>Neurourology and Urodynamics</i> , 2012, 31, 502-507.	0.8	15
1622	Women with pure stress urinary incontinence symptoms assessed by the initial standard evaluation including measurement of postvoid residual volume and a stress test: Are urodynamic studies still needed?. <i>Neurourology and Urodynamics</i> , 2012, 31, 508-512.	0.8	14
1623	The relationship between pelvic organ prolapse, genital body image, and sexual health. <i>Neurourology and Urodynamics</i> , 2012, 31, 1145-1148.	0.8	57
1624	An international urogynecological association (IUGA)/international continence society (ICS) joint report on the terminology for reporting outcomes of surgical procedures for pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2012, 31, 415-421.	0.8	55
1626	Quantifying vaginal tissue elasticity under normal and prolapse conditions by tactile imaging. <i>International Urogynecology Journal</i> , 2012, 23, 459-466.	0.7	37
1627	Center-by-center results of a multicenter prospective trial to determine the inter-observer correlation of the simplified POP-Q in describing pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 579-584.	0.7	9
1628	Does a ring pessary in situ influence the pelvic floor muscle function of women with pelvic organ prolapse when tested in supine?. <i>International Urogynecology Journal</i> , 2012, 23, 573-577.	0.7	4
1629	Laparoscopic sacrocolpopexy with bone anchor fixation: short-term anatomic and functional results. <i>International Urogynecology Journal</i> , 2012, 23, 481-486.	0.7	13
1630	Medium-term clinical outcomes following surgical repair for vaginal prolapse with tension-free mesh and vaginal support device. <i>International Urogynecology Journal</i> , 2012, 23, 487-493.	0.7	20

#	ARTICLE	IF	CITATIONS
1631	Comparison of the cough stress test and 24-h pad test in the assessment of stress urinary incontinence. <i>International Urogynecology Journal</i> , 2012, 23, 429-433.	0.7	26
1632	Pregnancy after laparoscopic sacral colpopexy: a case report. <i>International Urogynecology Journal</i> , 2012, 23, 651-653.	0.7	9
1633	Surgery for cystocele "questions. <i>International Urogynecology Journal</i> , 2012, 23, 661-662.	0.7	1
1634	Posterior vaginal compartment prolapse and defecatory dysfunction: are they related?. <i>International Urogynecology Journal</i> , 2012, 23, 537-551.	0.7	32
1635	A preliminary anatomical basis for dual (uterosacral and sacrospinous ligaments) vaginal vault support at colporrhaphy. <i>International Urogynecology Journal</i> , 2012, 23, 879-882.	0.7	4
1636	Impact on quality of life after ring pessary use for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 873-877.	0.7	24
1637	Correlation of POP-Q posterior compartment measures with defecatory dysfunction. <i>International Urogynecology Journal</i> , 2012, 23, 743-747.	0.7	14
1638	Use of preoperative prolapse reduction stress testing and the risk of a second surgery for urinary symptoms following laparoscopic sacral colpoperineopexy. <i>International Urogynecology Journal</i> , 2012, 23, 857-864.	0.7	12
1639	Levator hiatus dimensions and pelvic floor function in women with and without major defects of the pubovisceral muscle. <i>International Urogynecology Journal</i> , 2012, 23, 707-714.	0.7	20
1640	Anorectal symptoms before and after laparoscopic sacrocolpoperineopexy for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 779-783.	0.7	13
1641	Subjective and objective results of anterior vaginal wall repair in an outpatient clinic: a 5-year follow-up. <i>International Urogynecology Journal</i> , 2012, 23, 883-886.	0.7	8
1642	Symptoms, quality of life, and factors affecting women's treatment decisions regarding pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 1027-1033.	0.7	36
1643	High uterosacral ligament vaginal vault suspension: comparison of absorbable vs. permanent suture for apical fixation. <i>International Urogynecology Journal</i> , 2012, 23, 941-945.	0.7	23
1644	What do we do when a midurethral tape fails? Rediscovery of open colposuspension as a salvage continence operation. <i>International Urogynecology Journal</i> , 2012, 23, 1117-1122.	0.7	22
1645	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for reporting outcomes of surgical procedures for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 527-535.	0.7	107
1646	Is cervical elongation associated with pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2012, 23, 1095-1103.	0.7	55
1647	Clinical relevance of occult stress urinary incontinence (OSUI) following vaginal prolapse surgery: long-term follow-up. <i>International Urogynecology Journal</i> , 2012, 23, 851-855.	0.7	42
1648	Type I collagen and matrix metalloproteinase 1, 3 and 9 gene polymorphisms in the predisposition to pelvic organ prolapse. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 1581-1586.	0.8	42

#	ARTICLE	IF	CITATIONS
1649	A modified anterior compartment reconstruction and Prolift-a for the treatment of anterior pelvic organ prolapse: a non-inferiority study. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 1593-1597.	0.8	3
1650	Laparoscopic sacrocolpopexy: impact of the learning curve. Historic retrospective comparative study between two series of 93 and 169 patients. <i>Gynecological Surgery</i> , 2012, 9, 309-315.	0.9	3
1651	Development of <i>de novo</i> prolapse in untreated vaginal compartments after prolapse repair with and without mesh: a secondary analysis of a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 354-360.	1.1	47
1652	Effect of age, body mass index, and parity on Pelvic Organ Prolapse Quantification system measurements in women with symptomatic pelvic organ prolapse. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 415-419.	0.6	13
1653	Levator ani subtended volume: a novel parameter to evaluate levator ani muscle laxity in pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 244.e1-244.e9.	0.7	21
1654	Can ballooning of the levator hiatus be determined clinically?. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 246.e1-246.e4.	0.7	61
1655	Outcomes and predictors of failure of trocar-guided vaginal mesh surgery for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 440.e1-440.e8.	0.7	10
1656	Diagnostic accuracy of visual urethral mobility exam versus Q-Tip test: a randomized crossover trial. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 528.e1-528.e6.	0.7	16
1657	The new American Journal of Obstetrics and Gynecology, 5 years later: looking back and moving forward. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 364-373.	0.7	28
1658	Tension-free Vaginal Tape for the Treatment of Urodynamic Stress Incontinence: Efficacy and Adverse Effects at 10-Year Follow-Up. <i>European Urology</i> , 2012, 61, 939-946.	0.9	92
1659	Assessment of the Psychometric Properties of the Short-Form Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-12) following Surgical Placement of Prolift+M: A Transvaginal Partially Absorbable Mesh System for the Treatment of Pelvic Organ Prolapse. <i>Journal of Sexual Medicine</i> , 2012, 9, 1190-1199.	0.3	7
1660	Effects of Vaginal Prolapse Surgery on Sexuality in Women and Men; Results from a RCT on Repair With and Without Mesh. <i>Journal of Sexual Medicine</i> , 2012, 9, 1200-1211.	0.3	28
1661	Changes in Female Sexual Function following Anterior with and Without Posterior Vaginal Mesh Surgery for the Treatment of Pelvic Organ Prolapse. <i>Journal of Sexual Medicine</i> , 2012, 9, 2167-2174.	0.3	15
1662	Pelvic organ prolapse contributes to sexual dysfunction: a cross-sectional study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 704-709.	1.3	26
1663	Pelvic organ prolapse transvaginal repair by the Prolift system: Evaluation of efficacy and complications after a 4.5-years follow up. <i>International Journal of Urology</i> , 2012, 19, 1010-1016.	0.5	11
1664	Obstructed defaecation: what is the role of rehabilitation?. <i>Colorectal Disease</i> , 2012, 14, 474-479.	0.7	26
1665	Effects of pelvic organ prolapse repair on urinary symptoms: A comparative study between the laparoscopic and vaginal approach. <i>Neurourology and Urodynamics</i> , 2012, 31, 126-131.	0.8	17
1666	Can hypopressive exercises provide additional benefits to pelvic floor muscle training in women with pelvic organ prolapse?. <i>Neurourology and Urodynamics</i> , 2012, 31, 121-125.	0.8	45

#	ARTICLE	IF	CITATIONS
1667	Expression of genes encoding smooth muscle contractile proteins in vaginal tissue of women with and without pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2012, 31, 109-114.	0.8	14
1668	Incidence and risk factors for reoperation of surgically treated pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 35-41.	0.7	33
1669	Comparison of short-term outcomes following pelvic reconstruction with Perigee and Apogee systems: hysterectomy or not?. <i>International Urogynecology Journal</i> , 2012, 23, 79-84.	0.7	27
1670	TVT SECURÂ,ç System: Final results of a prospective, observational, multicentric study. <i>International Urogynecology Journal</i> , 2012, 23, 93-98.	0.7	13
1671	Avulsion of puborectalis muscle and other risk factors for cystocele recurrence: a 2-year follow-up study. <i>International Urogynecology Journal</i> , 2012, 23, 65-71.	0.7	119
1672	Validation of Persian version of the Prolapse Quality-of-Life questionnaire (P-QOL). <i>International Urogynecology Journal</i> , 2012, 23, 229-233.	0.7	14
1673	Pelvic organ prolapse and collagen-associated disorders. <i>International Urogynecology Journal</i> , 2012, 23, 313-319.	0.7	69
1674	The time factor in the assessment of prolapse and levator ballooning. <i>International Urogynecology Journal</i> , 2012, 23, 175-178.	0.7	91
1675	The effect of raloxifene, a SERM, on extracellular matrix protein expression of pelvic fibroblasts. <i>International Urogynecology Journal</i> , 2012, 23, 349-355.	0.7	2
1676	Effect of Colpexin Sphere on pelvic floor muscle strength and quality of life in women with pelvic organ prolapse stage I/II: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2012, 23, 307-312.	0.7	6
1677	A prospective comparison of two commercial mesh kits in the management of anterior vaginal prolapse. <i>International Urogynecology Journal</i> , 2012, 23, 279-283.	0.7	18
1678	TGF-beta 1 is a potential regulator of vaginal tropoelastin production. <i>International Urogynecology Journal</i> , 2012, 23, 357-363.	0.7	7
1679	Obstructed defecation: the role of anorectal manometry. <i>Techniques in Coloproctology</i> , 2012, 16, 67-72.	0.8	13
1680	Biomechanics of the female pelvic floor: a prospective trial of the alteration of forceâ€displacement-vectors in parous and nulliparous women. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 741-747.	0.8	2
1681	Vaginal invagination: definition, clinical presentation and surgical management. <i>International Urogynecology Journal</i> , 2013, 24, 313-317.	0.7	0
1682	Clinical efficacy of a trocar-guided mesh kit for repairing lateral defects. <i>International Urogynecology Journal</i> , 2013, 24, 249-254.	0.7	8
1683	Sexual activity and function in women with and without pelvic floor disorders. <i>International Urogynecology Journal</i> , 2013, 24, 91-97.	0.7	50
1684	Psychometric validation of the Italian version of the I-QoL questionnaire: clinical and urodynamic findings. <i>International Urogynecology Journal</i> , 2013, 24, 2125-2130.	0.7	7



#	ARTICLE	IF	CITATIONS
1685	To pull or not to pull, that is the question—how should we define prolapse?. International Urogynecology Journal, 2013, 24, 1995-1996.	0.7	2
1686	Mesh retraction correlates with vaginal pain and overactive bladder symptoms after anterior vaginal mesh repair. International Urogynecology Journal, 2013, 24, 2087-2092.	0.7	44
1687	How to determine “ballooning” of the levator hiatus on clinical examination: a retrospective observational study. International Urogynecology Journal, 2013, 24, 1933-1937.	0.7	26
1688	Comparison of two trocar-guided trans-vaginal mesh systems for repair of pelvic organ prolapse: a retrospective cohort study. International Urogynecology Journal, 2013, 24, 1723-1731.	0.7	8
1689	The improvement of pelvic floor muscle function in POP patients after the Prolift procedure: results from surface electromyography. International Urogynecology Journal, 2013, 24, 1703-1708.	0.7	5
1690	The use of transvaginal synthetic mesh for anterior vaginal wall prolapse repair: a randomized controlled trial. International Urogynecology Journal, 2013, 24, 1899-1907.	0.7	29
1691	Levator myalgia: why bother?. International Urogynecology Journal, 2013, 24, 1687-1693.	0.7	27
1692	Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse: a 5-year prospective follow-up study. International Urogynecology Journal, 2013, 24, 1679-1686.	0.7	47
1693	Introduction of laparoscopic sacral colpopexy to a fellowship training program. International Urogynecology Journal, 2013, 24, 1877-1881.	0.7	14
1694	Laparoscopic sacropexy and obstructed defecation syndrome: an anatomoclinical study. International Urogynecology Journal, 2013, 24, 1623-1630.	0.7	16
1695	Transvaginal electrical stimulation with surface-EMG biofeedback in managing stress urinary incontinence in women of premenopausal age: a double-blind, placebo-controlled, randomized clinical trial. International Urogynecology Journal, 2013, 24, 1631-1638.	0.7	45
1696	Lower urinary tract symptoms in women with benign joint hypermobility syndrome: a case-control study. International Urogynecology Journal, 2013, 24, 1553-1558.	0.7	19
1697	Radiation exposure during videourodynamics in women. International Urogynecology Journal, 2013, 24, 1547-1551.	0.7	22
1698	The association between fecal incontinence and sexual activity and function in women attending a tertiary referral center. International Urogynecology Journal, 2013, 24, 1489-1494.	0.7	36
1699	Extreme cervical elongation after sacrohysteropexy. International Urogynecology Journal, 2013, 24, 1579-1580.	0.7	10
1700	Post-reduction stress urinary incontinence rates in posterior versus anterior pelvic organ prolapse: a secondary analysis. International Urogynecology Journal, 2013, 24, 1355-1360.	0.7	5
1701	Prospective study of an ultra-lightweight polypropylene Y mesh for robotic sacrocolpopexy. International Urogynecology Journal, 2013, 24, 1371-1375.	0.7	36
1702	Are bony pelvis dimensions associated with levator ani defects? A case-control study. International Urogynecology Journal, 2013, 24, 1377-1383.	0.7	10

#	ARTICLE	IF	CITATIONS
1703	Pelvic organ support, symptoms and quality of life during pregnancy: a prospective study. <i>International Urogynecology Journal</i> , 2013, 24, 1085-1090.	0.7	15
1704	A new measure of sexual function in women with pelvic floor disorders (PFD): the Pelvic Organ Prolapse/Incontinence Sexual Questionnaire, IUGA-Revised (PISQ-IR). <i>International Urogynecology Journal</i> , 2013, 24, 1091-1103.	0.7	139
1705	Does levator avulsion cause distension of the genital hiatus and perineal body?. <i>International Urogynecology Journal</i> , 2013, 24, 1161-1165.	0.7	28
1706	Effect of childbirth on pelvic organ support and quality of life: a longitudinal cohort study. <i>International Urogynecology Journal</i> , 2013, 24, 927-937.	0.7	47
1707	Prolapse and sexual function 8 years after neovagina according to Shears: a study of 43 cases with Mayer-Rokitansky-Kuster-Hauser syndrome. <i>International Urogynecology Journal</i> , 2013, 24, 1047-1052.	0.7	13
1708	Joint hypermobility, obstetrical outcomes, and pelvic floor disorders. <i>International Urogynecology Journal</i> , 2013, 24, 735-740.	0.7	18
1709	Lower exposure rates of partially absorbable mesh compared to nonabsorbable mesh for cystocele treatment: 3-year follow-up of a prospective randomized trial. <i>International Urogynecology Journal</i> , 2013, 24, 749-758.	0.7	22
1710	Laparoscopic sacrocolpopexy for recurrent pelvic organ prolapse after failed transvaginal polypropylene mesh surgery. <i>International Urogynecology Journal</i> , 2013, 24, 763-767.	0.7	15
1711	Surgical outcomes of anterior trans-obturator mesh and vaginal sacrospinous ligament fixation for severe pelvic organ prolapse in overweight and obese Asian women. <i>International Urogynecology Journal</i> , 2013, 24, 809-816.	0.7	20
1712	The vaginally assisted laparoscopic sacrocolpopexy: a pilot study. <i>International Urogynecology Journal</i> , 2013, 24, 839-845.	0.7	14
1713	A new rectovaginal fascial plication technique for treatment of rectocele with obstructed defecation: a proof of concept study. <i>International Urogynecology Journal</i> , 2013, 24, 613-619.	0.7	11
1714	IUGA-ICS terminology and standardization documents: maximal use offers maximum patient and academic benefit. <i>International Urogynecology Journal</i> , 2013, 24, 361-362.	0.7	1
1715	Deep endometriosis and bladder and detrusor functions in women without urinary symptoms: a pilot study through an unexplored world. <i>Fertility and Sterility</i> , 2013, 100, 1332-1336.	0.5	23
1716	A randomised controlled trial of abdominal versus laparoscopic sacrocolpopexy for the treatment of post-hysterectomy vaginal vault prolapse: LAS study. <i>International Urogynecology Journal</i> , 2013, 24, 377-384.	0.7	227
1717	Oxford Grading Scale vs manometer for assessment of pelvic floor strength in nulliparous sports students. <i>Physiotherapy</i> , 2013, 99, 207-211.	0.2	40
1719	Improved quality of life after surgery for pelvic organ prolapse in Nepalese women. <i>BMC Women's Health</i> , 2013, 13, 22.	0.8	19
1720	What predicts improvement of sexual function after pelvic floor surgery? A follow-up study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1304-1312.	1.3	17
1721	Modified LeFort colpocleisis: clinical outcome and patient satisfaction. <i>Archives of Gynecology and Obstetrics</i> , 2013, 288, 1349-1353.	0.8	22

#	ARTICLE	IF	CITATIONS
1722	Evaluation of three different surgical approaches in repairing paravaginal support defects: a comparative trial. Archives of Gynecology and Obstetrics, 2013, 288, 1341-1348.	0.8	16
1723	Outpatient periurethral injections of polyacrylamide hydrogel for the treatment of female stress urinary incontinence: effectiveness and safety. Archives of Gynecology and Obstetrics, 2013, 288, 131-137.	0.8	18
1724	Risk factors of surgical failure following sacrospinous colpopexy for the treatment of uterovaginal prolapse. Archives of Gynecology and Obstetrics, 2013, 287, 1159-1165.	0.8	10
1725	Implementation of a new procedure: laparoscopic versus robotic sacrocolpopexy. Archives of Gynecology and Obstetrics, 2013, 287, 1181-1186.	0.8	41
1726	Meta-analysis of the efficacy and safety of the application of adjuvant material in the repair of anterior vaginal wall prolapsed. Archives of Gynecology and Obstetrics, 2013, 287, 919-936.	0.8	8
1727	Laparoscopic repair of vaginal vault prolapse by lateral suspension with mesh. Archives of Gynecology and Obstetrics, 2013, 287, 307-312.	0.8	42
1728	Robotic Sacrocolpopexy: How Does It Compare with Other Prolapse Repair Techniques?. Current Urology Reports, 2013, 14, 235-239.	1.0	7
1730	How Best to Manage the Posterior Compartment. Current Bladder Dysfunction Reports, 2013, 8, 1-6.	0.2	0
1731	The effect of systematic screening of older women for urinary incontinence on treatment uptake: The URINO trial. Maturitas, 2013, 74, 334-340.	1.0	17
1732	Functional disorders of the ano-rectal compartment of the pelvic floor: clinical and diagnostic value of dynamic MRI. Abdominal Imaging, 2013, 38, 930-951.	2.0	35
1733	The urogynecological side of pelvic floor MRI: the clinician's needs and the radiologist's role. Abdominal Imaging, 2013, 38, 912-929.	2.0	21
1734	Comparison between dynamic cystocolpoproctography and dynamic pelvic floor MRI: pros and cons: Which is the "functional" examination for anorectal and pelvic floor dysfunction?. Abdominal Imaging, 2013, 38, 952-973.	2.0	48
1735	Clinical impact of body mass index on the outcome of the SPARC-sling system for the treatment of female stress urinary incontinence. World Journal of Urology, 2013, 31, 875-880.	1.2	15
1736	Urodynamic evaluation: can it prevent the need for surgical intervention in women with apparent pure stress urinary incontinence?. BJU International, 2013, 112, E344-50.	1.3	24
1737	Long-term results of prolapse recurrence and functional outcome after vaginal hysterectomy. International Journal of Gynecology and Obstetrics, 2013, 120, 57-60.	1.0	8
1738	2278 POSTOPERATIVE DETRUSOR CONTRACTILITY TEMPORARILY DECREASES IN PATIENTS UNDERGOING PELVIC ORGAN PROLAPSE SURGERY. Journal of Urology, 2013, 189, .	0.2	0
1739	Static and dynamic evaluation of pelvic floor disorders with an open low-field tilting magnet. Clinical Radiology, 2013, 68, e293-e300.	0.5	12
1740	Randomized controlled trial of physiotherapy for postpartum stress incontinence: 7-year follow-up. Neurourology and Urodynamics, 2013, 32, 449-454.	0.8	13

#	ARTICLE	IF	CITATIONS
1741	Urgency, Detrusor Overactivity and Posterior Vault Prolapse in Women Who Underwent Pelvic Organ Prolapse Repair. <i>Urologia Internationalis</i> , 2013, 90, 168-173.	0.6	8
1742	Prospective study of transobturator mesh kit (Proliftâ„„) in pelvic reconstructive surgery with vaginal hysterectomy after 3Âyearsâ€™ follow-up. <i>Archives of Gynecology and Obstetrics</i> , 2013, 288, 355-359.	0.8	6
1743	Complications of Female Incontinence and Pelvic Reconstructive Surgery. , 2013, , .		0
1744	High success rate and considerable adverse events of pelvic prolapse surgery with Prolift: A single center experience. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2013, 52, 389-394.	0.5	7
1745	Epidemiology and outcome assessment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2013, 24, 1783-1790.	0.7	477
1746	Laparoscopic sacral colpopexy versus total vaginal mesh for vault prolapse; comparison of cohorts. <i>Gynecological Surgery</i> , 2013, 10, 143-150.	0.9	3
1747	Reflecting on the methodological challenges of recruiting to a United Kingdom-wide, multi-centre, randomised controlled trial in gynaecology outpatient settings. <i>Trials</i> , 2013, 14, 389.	0.7	25
1748	A process for Decision-making after Pilot and feasibility Trials (ADePT): development following a feasibility study of a complex intervention for pelvic organ prolapse. <i>Trials</i> , 2013, 14, 353.	0.7	115
1749	Long-term Outcomes Following Abdominal Sacrocolpopexy for Pelvic Organ Prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 2016.	3.8	437
1750	Effect of Uterine Preservation on Outcome of Laparoscopic Uterosacral Suspension. <i>Journal of Minimally Invasive Gynecology</i> , 2013, 20, 172-177.	0.3	41
1753	Pelvic floor disorders: whatâ€™s the best test?. <i>Abdominal Imaging</i> , 2013, 38, 1391-1408.	2.0	21
1754	Transvaginal cystocele repair using tension-free polypropylene mesh at the time of sacrospinous colpopexy for advanced uterovaginal prolapse: a prospective randomised study. <i>Gynecological Surgery</i> , 2013, 10, 79-85.	0.9	6
1755	On pelvic reference lines and the MR evaluation of genital prolapse: a proposal for standardization using the Pelvic Inclination Correction System. <i>International Urogynecology Journal</i> , 2013, 24, 1421-1428.	0.7	52
1756	Risk of malignancy in women who underwent hysterectomy for uterine prolapse. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 190-196.	0.4	20
1757	Use of autologous rectus fascia in a new transobturator hybrid sling for treatment of female stress urinary incontinence: A pilot study. <i>Scandinavian Journal of Urology</i> , 2013, 47, 57-62.	0.6	7
1758	Lichen sclerosus occurring on vaginal mucosa secondary to uterine prolapse. <i>Journal of Obstetrics and Gynaecology</i> , 2013, 33, 319.	0.4	9
1759	The effect of pelvic organ prolapse severity on improvement in overactive bladder symptoms after pelvic reconstructive surgery. <i>International Urogynecology Journal</i> , 2013, 24, 1303-1308.	0.7	41
1760	Low back pain does not improve with surgical treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2013, 24, 147-153.	0.7	3

#	ARTICLE	IF	CITATIONS
1761	Responsiveness of the Pelvic Floor Distress Inventory and Pelvic Floor Impact Questionnaire in women undergoing treatment for pelvic floor disorders. <i>International Urogynecology Journal</i> , 2013, 24, 213-221.	0.7	28
1762	Three-dimensional ultrasound of pelvic floor: is there a correlation with delivery mode and persisting pelvic floor disorders 18-24 months after first delivery?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 204-209.	0.9	28
1763	Functional Status and Postoperative Morbidity in Older Women with Prolapse. <i>Journal of Urology</i> , 2013, 190, 948-952.	0.2	26
1764	Modified laparoscopic sacrocolpopexy with mesh for severe pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 121, 170-172.	1.0	7
1766	Correlating signs and symptoms with pubovisceral muscle avulsions on magnetic resonance imaging. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 148.e1-148.e7.	0.7	24
1767	Goal attainment after treatment in patients with symptomatic pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 488.e1-488.e5.	0.7	27
1768	Utility of postoperative laboratory studies after female pelvic reconstructive surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 363.e1-363.e5.	0.7	15
1770	Pelvic floor dysfunction—Does menopause duration matter?. <i>Maturitas</i> , 2013, 76, 134-138.	1.0	28
1771	Transobturator vaginal tape for the treatment of stress urinary incontinence in elderly women without concomitant pelvic organ prolapse: is it effective and safe?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 166, 107-110.	0.5	13
1772	Prospective ultrasonographic follow-up of synthetic mesh in cohort of patients after vaginal repair of cystocele. <i>Progres En Urologie</i> , 2013, 23, 530-537.	0.3	2
1773	Phenotyping clinical disorders: lessons learned from pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 360-365.	0.7	10
1774	Size of Urogenital Hiatus as a Potential Risk Factor for Emptying Disorders After Pelvic Prolapse Repair. <i>Journal of Urology</i> , 2013, 190, 603-607.	0.2	12
1775	Outcomes and feasibility of laparoscopic sacrocolpopexy among obese versus non-obese women. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 120, 49-52.	1.0	24
1776	Risk Factors for the Failure of Antimuscarinic Treatment With Solifenacin in Women With Overactive Bladder. <i>Urology</i> , 2013, 82, 1044-1048.	0.5	6
1777	Long-term quality of life and patient satisfaction following anterior vaginal mesh repair for cystocele. <i>Archives of Gynecology and Obstetrics</i> , 2013, 287, 441-446.	0.8	13
1778	Childbirth and prolapse: long-term associations with the symptoms and objective measurement of pelvic organ prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 161-168.	1.1	113
1779	Prolapse and sexual function in women with benign joint hypermobility syndrome. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 187-192.	1.1	26
1780	A comparison of genital sensory and motor innervation in women with pelvic organ prolapse and normal controls including a pilot study on the effect of vaginal prolapse surgery on genital sensation: a prospective study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 193-199.	1.1	10

#	ARTICLE	IF	CITATIONS
1781	Sequential urodynamic assessment before and after laparoscopic sacrocolpopexy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 172-177.	1.3	14
1782	Long-term treatment outcomes of transvaginal mesh surgery versus anterior-posterior colporrhaphy for pelvic organ prolapse. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 79-85.	0.4	17
1783	Visualization of periurethral structures by 3D endovaginal ultrasonography in midsagittal plane is not associated with stress urinary incontinence status. <i>International Urogynecology Journal</i> , 2013, 24, 1145-1150.	0.7	22
1784	Faecal soiling: pathophysiology of postdefaecatory incontinence. <i>Colorectal Disease</i> , 2013, 15, 987-992.	0.7	12
1785	Pelvic Floor Ultrasound. , 2013, , 143-153.		1
1786	Long-term impact of surgical repair for stress urinary incontinence on female sexual functions, distress and behaviours. <i>Journal of Clinical Nursing</i> , 2013, 22, 1591-1598.	1.4	7
1787	TVT-O for the Treatment of Pure Urodynamic Stress Incontinence: Efficacy, Adverse Effects, and Prognostic Factors at 5-Year Follow-up. <i>European Urology</i> , 2013, 63, 872-878.	0.9	46
1788	The polymorphisms of the MMP-1 and the MMP-3 genes and the risk of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2013, 24, 1033-1038.	0.7	25
1789	Rectocele and Rectoenterocele: The Gynecologist's Approach. , 2013, , 315-326.		0
1790	Surgical management of pelvic organ prolapse in women. , 2013, , CD004014.		492
1791	A randomized trial of Prophylactic Uterosacral Ligament Suspension at the time of hysterectomy for Prevention of Vaginal Vault Prolapse (PULS): Design and methods. <i>Contemporary Clinical Trials</i> , 2013, 35, 8-12.	0.8	23
1792	The Predictive Value of a Cystocele for Concomitant Vaginal Apical Prolapse. <i>Journal of Urology</i> , 2013, 189, 200-203.	0.2	33
1793	Pelvic floor muscle training improves quality of life of women with urinary incontinence: a prospective study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 298-304.	0.4	19
1794	Outcomes of observation as therapy for pelvic organ prolapse: A study in the natural history of pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2013, 32, 383-386.	0.8	38
1796	Levator Ani Deficiency and Pelvic Organ Prolapse Severity. <i>Obstetrics and Gynecology</i> , 2013, 121, 1017-1024.	1.2	80
1797	Mesh Exposure and Associated Risk Factors in Women Undergoing Transvaginal Prolapse Repair with Mesh. <i>Obstetrics and Gynecology International</i> , 2013, 2013, 1-6.	0.5	16
1798	Pelvic floor muscle training may improve prolapse stage, muscle function and urinary symptoms compared to no training. <i>Evidence-based Nursing</i> , 2013, 16, 7-8.	0.1	0
1799	Pelvic organ prolapse: a urology perspective. <i>Journal of Clinical Urology</i> , 2013, 6, 68-76.	0.1	2

#	ARTICLE	IF	CITATIONS
1800	Vaginal approaches to pelvic organ prolapse repair. <i>Current Opinion in Urology</i> , 2013, 23, 299-305.	0.9	4
1801	Clinical Characteristics Associated With Unsuccessful Pessary Fitting Outcomes. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 339-345.	0.6	33
1802	Can Women Correctly Contract Their Pelvic Floor Muscles Without Formal Instruction?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 8-12.	0.6	78
1803	Significance of bladder trabeculation in postmenopausal women with severe pelvic organ prolapse. <i>Menopause</i> , 2013, 20, 813-817.	0.8	20
1804	Transvaginal Mesh Surgery for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 84-89.	0.6	8
1805	Impact of Physical Therapy on Quality of Life and Function After Vaginal Reconstructive Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 271-277.	0.6	23
1806	Elevate Anterior/Apical. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 79-83.	0.6	45
1807	Two-Year Outcomes After Vaginal Prolapse Reconstruction With Mesh Pelvic Floor Repair System. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013, 19, 72-78.	0.6	10
1808	Why complex pelvic organ prolapse should be repaired vaginally. <i>Current Opinion in Urology</i> , 2013, 23, 312-316.	0.9	5
1809	Epidemiology and prevalence of pelvic organ prolapse. <i>Current Opinion in Urology</i> , 2013, 23, 293-298.	0.9	91
1810	The role of the ERK1/2 signalling pathway in the pathogenesis of female stress urinary incontinence. <i>Journal of International Medical Research</i> , 2013, 41, 1242-1251.	0.4	7
1811	Pessaries (mechanical devices) for pelvic organ prolapse in women. <i>The Cochrane Library</i> , 2013, , CD004010.	1.5	69
1813	Managing women with complex presentations: How to approach concomitant prolapse and voiding dysfunction. <i>Canadian Urological Association Journal</i> , 2013, 7, 197.	0.3	0
1814	Pelvic organ prolapse after subtotal and total hysterectomy: a long-term follow-up of an open randomised controlled multicentre study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1556-1565.	1.1	28
1815	Quality of Life Questionnaires for the Assessment of Pelvic Organ Prolapse: Use in Clinical Practice. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013, 5, 121-128.	0.6	9
1816	The recovery of pelvic organ support during the first year postpartum. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1430-1437.	1.1	30
1817	Pelvic floor muscle training in women with stress urinary incontinence causes hypertrophy of the urethral sphincters and reduces bladder neck mobility during coughing. <i>Neurourology and Urodynamics</i> , 2013, 32, 1096-1102.	0.8	63
1818	Comparison of Two Different Suture Materials for Transvaginal Sacrospinous Fixation of the Vault: A Prospective Randomized Trial. <i>Journal of Gynecologic Surgery</i> , 2013, 29, 281-286.	0.0	4

#	ARTICLE	IF	CITATIONS
1819	Impact of the transobturator tape procedure on sexual function in women with stress urinary incontinence. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 831-835.	0.6	16
1820	Factors Influencing the Incidence of Mesh Erosion After Transobturator Sling Placement for Stress Urinary Incontinence. <i>Journal of Gynecologic Surgery</i> , 2013, 29, 231-234.	0.0	2
1821	Enlargement of the levator hiatus in female pelvic organ prolapse: Cause or effect?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 74-78.	0.4	41
1822	Simple vulval trichilemmal cyst. <i>Journal of Obstetrics and Gynaecology</i> , 2013, 33, 320.	0.4	0
1823	Overactive bladder and its effects on sexual dysfunction among women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, n/a-n/a.	1.3	14
1824	How do delivery mode and parity affect pelvic organ prolapse?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 847-851.	1.3	26
1825	Overview of Pelvic Floor Disorders. , 2013, , 389-403.		1
1826	Biomechanical Properties of Vaginal Tissue in Women with Pelvic Organ Prolapse. <i>Gynecologic and Obstetric Investigation</i> , 2013, 75, 85-92.	0.7	44
1828	Urogynecological risk assessment in postmenopausal women. <i>Expert Review of Obstetrics and Gynecology</i> , 2013, 8, 625-637.	0.4	1
1829	Is there a difference between women with or without detrusor overactivity complaining of symptoms of overactive bladder?. <i>BJU International</i> , 2013, 112, 501-507.	1.3	29
1830	Prolapso genital femenino: lo que deberÃa saber. <i>Revista MÃ©dica ClÃnica Las Condes</i> , 2013, 24, 202-209.	0.2	0
1831	Three-Year Outcomes of Vaginal Mesh for Prolapse. <i>Obstetrics and Gynecology</i> , 2013, 122, 770-777.	1.2	44
1832	Porcine Dermis Compared With Polypropylene Mesh for Laparoscopic Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2013, 121, 143-151.	1.2	42
1833	Inter- and intraobserver reliability for diagnosing levator ani changes on magnetic resonance imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 347-352.	0.9	8
1835	Use of ultrasound in the clinical evaluation of women following colpocleisis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 447-451.	0.9	4
1836	Approaches to Management of Vaginal Vault Prolapse. <i>Postgraduate Obstetrics &amp; Gynecology</i> , 2013, 33, 1-6.	0.1	0
1837	Surgical Treatment of Vaginal Apex Prolapse. <i>Obstetrics and Gynecology</i> , 2013, 121, 354-374.	1.2	34
1838	Approaches to Management of Vaginal Vault Prolapse. <i>Postgraduate Obstetrics &amp; Gynecology</i> , 2013, 33, 7-8.	0.1	0



#	ARTICLE	IF	CITATIONS
1839	Expression and significance of lysyl oxidase-like 1 and fibulin-5 in the cardinal ligament tissue of patients with pelvic floor dysfunction. <i>Journal of Biomedical Research</i> , 2013, 27, 23.	0.7	29
1840	Treatment of anterior vaginal wall prolapse with and without polypropylene mesh: a prospective, randomized and controlled trial - Part II. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 531-541.	0.7	10
1841	Treatment of anterior vaginal wall prolapse with and without polypropylene mesh: a prospective, randomized and controlled trial - Part I. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 519-530.	0.7	12
1842	Genes responsible for vaginal extracellular matrix metabolism are modulated by women's reproductive cycle and menopause. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 257-267.	0.7	37
1843	Pelvic posterior compartment defects: comparative study of two vaginal surgical procedures. <i>Urogynaecologia International Journal</i> , 2013, 27, 5.	0.2	2
1845	Perineal Ultrasound as a Complement to POP-Q in the Assessment of Cystoceles. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	9
1846	HOXA11 and MMP2 gene expression in uterosacral ligaments of women with pelvic organ prolapse. <i>Journal of the Turkish German Gynecology Association</i> , 2014, 15, 104-108.	0.2	12
1848	Clinical challenges in the management of vaginal prolapse. <i>International Journal of Women's Health</i> , 2014, 6, 83.	1.1	21
1849	Changes in Sexual Function and Comparison of Questionnaires Following Surgery for Pelvic Organ Prolapse. <i>Yonsei Medical Journal</i> , 2014, 55, 170.	0.9	9
1850	Pain Medication Requirements After Sacropexy and Combination Interventions. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2014, 18, e2014.00036.	0.5	1
1851	Assessment of Pelvic Organ Prolapse by Pelvic Organ Prolapse Quantification Technique Among Pre-operative Patients. <i>Nepal Journal of Obstetrics and Gynaecology</i> , 2014, 8, 26-29.	0.0	0
1852	Prevalence of pelvic organ prolapse and related factors in a general female population. <i>TâşÂrk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2014, 11, 176-180.	0.3	25
1853	Interferon-Î³ and its pathway-associated gene expression in the vaginal tissue of premenopausal females with pelvic organ prolapse. <i>Experimental and Therapeutic Medicine</i> , 2014, 8, 1145-1149.	0.8	6
1854	Long term follow-up of the patients with pelvic organ prolapse after the mesh implantation using strict indication criteria. <i>Bratislava Medical Journal</i> , 2014, 115, 287-291.	0.4	1
1855	Efficacy of PelvisoftÂ® Biomech for cystocele repair: assessment of long-term results. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 828-834.	0.7	3
1856	Microablative Fractional CO <sub>2</sub> Laser Improves Dyspareunia Related to Vulvovaginal Atrophy: A Pilot Study. <i>Journal of Endometriosis and Pelvic Pain Disorders</i> , 2014, 6, 150-156.	0.3	42
1857	Assessment of pubovisceral muscle defects and levator hiatal dimensions in women with faecal incontinence after vaginal delivery: is there a correlation with severity of symptoms?. <i>Colorectal Disease</i> , 2014, 16, 1010-1018.	0.7	21
1858	Anatomic outcomes after pelvic-organ-prolapse surgeryâ€”comparing uterine preservation with hysterectomy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 183, 33-36.	0.5	17

#	ARTICLE	IF	CITATIONS
1860	The impact of institutional experience on robotic sacrocolpopexy. <i>Journal of Robotic Surgery</i> , 2014, 8, 343-347.	1.0	0
1861	Committee Opinion No. 603. <i>Obstetrics and Gynecology</i> , 2014, 123, 1403-1407.	1.2	48
1862	Safety and one year outcomes following vaginally assisted laparoscopic uterine sacropexy (VALUES) for advanced uterine prolapse. <i>Neurourology and Urodynamics</i> , 2014, 33, 345-349.	0.8	12
1863	A comparative study of laparoscopic sacrocolpopexy and total vaginal mesh procedure using lightweight polypropylene meshes for prolapse repair. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014, 53, 552-558.	0.5	17
1864	Prospective Randomized Study of <sc>MiniArc</sc> and Ajust Single Incision Sling Procedures. LUTS: Lower Urinary Tract Symptoms, 2014, 6, 172-174.	0.6	8
1865	Twelve-year follow-up of conservative management of postnatal urinary and faecal incontinence and prolapse outcomes: randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 112-120.	1.1	50
1866	Lower urinary tract symptoms in female patients with pelvic organ prolapse: Efficacy of pelvic floor reconstruction. <i>International Journal of Urology</i> , 2014, 21, 301-307.	0.5	16
1868	Efficacy and 9 years' follow-up of posterior intravaginal slingplasty for genital prolapse. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 219-223.	0.6	8
1869	Are Pelvic Floor Muscle Thickness and Size of Levator Hiatus Associated With Pelvic Floor Muscle Strength, Endurance and Vaginal Resting Pressure in Women With Pelvic Organ Prolapse Stages I-III? A Cross Sectional 3D Ultrasound Study. <i>Neurourology and Urodynamics</i> , 2014, 33, 115-120.	0.8	40
1870	Contribution of the second stage of labour to pelvic floor dysfunction: a prospective cohort comparison of nulliparous women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1145-1154.	1.1	82
1871	Use of a visual analog scale for evaluation of bother from pelvic organ prolapse. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 693-697.	0.9	49
1872	Atlas of Single-Port, Laparoscopic, and Robotic Surgery. , 2014, , .		6
1873	Diagnostic Effectiveness of Dynamic Colpocystoproctography in Women Planning for Combined Surgery with Urinary Incontinence and Pelvic Organ Prolapse. <i>Gynecologic and Obstetric Investigation</i> , 2014, 77, 231-239.	0.7	4
1874	The relationship between postpartum levator ani muscle avulsion and signs and symptoms of pelvic floor dysfunction. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1164-1172.	1.1	83
1875	Recent studies of genetic dysfunction in pelvic organ prolapse: The role of collagen defects. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014, 54, 198-205.	0.4	32
1876	Randomized Controlled Trial Comparing Two Procedures for Anterior Vaginal Wall Prolapse. <i>Neurourology and Urodynamics</i> , 2014, 33, 72-77.	0.8	13
1877	A 12-week treatment with fractional CO <sub>2</sub> laser for vulvovaginal atrophy: a pilot study. <i>Climacteric</i> , 2014, 17, 363-369.	1.1	264
1878	Hysterectomy for Pelvic Organ Prolapse. <i>Clinical Obstetrics and Gynecology</i> , 2014, 57, 72-82.	0.6	14

#	ARTICLE	IF	CITATIONS
1879	Pharmacological Treatment of Urinary Incontinence. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 185-202.	0.6	14
1880	Pelvic Floor Physical Therapy. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 334-341.	0.6	15
1881	An Automatic Female Pelvic Medicine and Reconstructive Surgery Registry and Complications Manager Developed in an Electronic Medical Record. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 302-304.	0.6	3
1882	Uterine prolapse in pregnancy: risk factors, complications and management. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 297-302.	0.7	33
1883	Pelvic organ prolapse. JAAPA: Official Journal of the American Academy of Physician Assistants, 2014, 27, 20-24.	0.1	6
1884	Pelvic Floor Levator Hiatus Measurements. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 216-221.	0.6	18
1885	Translabial Three-Dimensional Ultrasonography Compared With Magnetic Resonance Imaging in Detecting Levator Ani Defects. Obstetrics and Gynecology, 2014, 124, 1190-1197.	1.2	34
1886	Outcomes of Abdominal and Minimally Invasive Sacrocolpopexy. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 33-37.	0.6	78
1888	Ultrasonic uterine volume and menopausal status as risk factors for uterine prolapse after sacrospinous hysteropexy. Evidence Based Women S Health Journal, 2014, 4, 159-163.	0.0	0
1889	Committee Opinion. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 248-251.	0.6	21
1890	Effect of pelvic floor muscle training compared with watchful waiting in older women with symptomatic mild pelvic organ prolapse: randomised controlled trial in primary care. BMJ, The, 2014, 349, g7378-g7378.	3.0	70
1891	Comparison of 2 Transvaginal Surgical Approaches and Perioperative Behavioral Therapy for Apical Vaginal Prolapse. JAMA - Journal of the American Medical Association, 2014, 311, 1023.	3.8	332
1892	Transobturator Tape for Female Stress Urinary Incontinence: Preoperative Valsalva Leak Point Pressure Is Not Related to Cure Rate or Quality of Life Improvement. Korean Journal of Urology, 2014, 55, 265.	1.2	7
1893	Anterior vaginal prolapse repair: A randomised trial of traditional anterior colporrhaphy and self-tailored mesh repair. South African Journal of Obstetrics and Gynaecology, 2014, 20, 47.	0.1	9
1894	Absorbable Mesh Augmentation Compared With No Mesh for Anterior Prolapse. Obstetrics and Gynecology, 2014, 123, 288-294.	1.2	20
1895	The Impact of Pessary Use on Bowel Symptoms. Female Pelvic Medicine and Reconstructive Surgery, 2014, 20, 95-98.	0.6	10
1896	Effects of Horizontal vs Vertical Vaginal Cuff Closure Techniques on Vagina Length After Vaginal Hysterectomy: A Prospective Randomized Study. Journal of Minimally Invasive Gynecology, 2014, 21, 884-887.	0.3	13
1897	Assessment of female sexual function among women with pelvic organ prolapse or urinary incontinence via an Arabic validated shortâ€form sexual questionnaire. International Journal of Gynecology and Obstetrics, 2014, 124, 24-26.	1.0	8

#	ARTICLE	IF	CITATIONS
1898	Steep Trendelenburg position during robotic sacrocolpopexy and heart rate variability. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 178, 66-69.	0.5	15
1899	Laparoscopic Modified Sacral Hysteropexy: Initial Experience With an Original Surgical Approach to Uterovaginal Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2014, 21, 431-435.	0.3	3
1900	Relationship between the expressions of mitofusin-2 and procollagen in uterosacral ligament fibroblasts of postmenopausal patients with pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 174, 141-145.	0.5	12
1901	Seven years of objective and subjective outcomes of transobturator (TVT-O) vaginal tape: Why do tapes fail?. <i>International Urogynecology Journal</i> , 2014, 25, 219-225.	0.7	34
1902	Ethnicity and variations of pelvic organ prolapse bother. <i>International Urogynecology Journal</i> , 2014, 25, 53-59.	0.7	37
1903	Combined spinal and general anesthesia vs general anesthesia for robotic sacrocervicopexy: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2014, 25, 369-374.	0.7	15
1904	A biomechanical model to assess the contribution of pelvic musculature weakness to the development of stress urinary incontinence. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2014, 17, 163-176.	0.9	11
1905	Pre- and postoperative evaluation of pelvic floor muscle function in POP patients using surface electromyography and digital palpation. <i>Neurourology and Urodynamics</i> , 2014, 33, 403-407.	0.8	9
1906	Assessment of a semiautomated pelvic floor measurement model for evaluating pelvic organ prolapse on MRI. <i>International Urogynecology Journal</i> , 2014, 25, 767-773.	0.7	11
1907	Perineal body length as a risk factor for ultrasound-diagnosed anal sphincter tear at first delivery. <i>International Urogynecology Journal</i> , 2014, 25, 631-636.	0.7	31
1908	Reinforcement of suspensory ligaments under local anesthesia cures pelvic organ prolapse: 12-month results. <i>International Urogynecology Journal</i> , 2014, 25, 783-789.	0.7	18
1909	Subjective and objective results 1 year after robotic sacrocolpopexy using a lightweight Y-mesh. <i>International Urogynecology Journal</i> , 2014, 25, 731-735.	0.7	44
1910	Different sling procedures for stress urinary incontinence: A lesson from 453 patients. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 139-145.	0.8	5
1911	In Vivo Properties of Uterine Suspensory Tissue in Pelvic Organ Prolapse. <i>Journal of Biomechanical Engineering</i> , 2014, 136, 021016.	0.6	35
1912	A randomised controlled trial of abdominal versus laparoscopic sacrocolpopexy for the treatment of post-hysterectomy vaginal vault prolapse: LAS study. Comment. <i>International Urogynecology Journal</i> , 2014, 25, 435-435.	0.7	1
1913	A randomised controlled trial of abdominal versus laparoscopic sacrocolpopexy for the treatment of post-hysterectomy vaginal vault prolapse: LAS study. Reply to comment. <i>International Urogynecology Journal</i> , 2014, 25, 437-438.	0.7	6
1914	Effect of levator ani muscle injury on primiparous women during the first year after childbirth. <i>International Urogynecology Journal</i> , 2014, 25, 1381-1388.	0.7	39
1915	Translabial ultrasound in the assessment of pelvic floor and anorectal function in women with defecatory disorders. <i>Techniques in Coloproctology</i> , 2014, 18, 481-494.	0.8	20

#	ARTICLE	IF	CITATIONS
1916	What is clinically relevant prolapse? An attempt at defining cutoffs for the clinical assessment of pelvic organ descent. <i>International Urogynecology Journal</i> , 2014, 25, 451-455.	0.7	78
1917	The POP-Q classification system: looking back and looking forward. <i>International Urogynecology Journal</i> , 2014, 25, 439-440.	0.7	17
1918	The POP-Q system: two decades of progress and debate. <i>International Urogynecology Journal</i> , 2014, 25, 441-443.	0.7	37
1919	POP-Q stage I prolapse: Is it time to alter our terminology?. <i>International Urogynecology Journal</i> , 2014, 25, 445-446.	0.7	15
1920	POP-Q 2.0: its time has come!. <i>International Urogynecology Journal</i> , 2014, 25, 447-449.	0.7	16
1921	Iliococcygeus fixation or abdominal sacral colpopexy for the treatment of vaginal vault prolapse: a retrospective cohort study. <i>International Urogynecology Journal</i> , 2014, 25, 279-284.	0.7	23
1922	Single-incision mesh repair versus traditional native tissue repair for pelvic organ prolapse: results of a cohort study. <i>International Urogynecology Journal</i> , 2014, 25, 901-908.	0.7	32
1923	Comparison of the POP-Q examination, transvaginal ultrasound, and direct anatomic measurement of cervical length. <i>International Urogynecology Journal</i> , 2014, 25, 457-464.	0.7	16
1924	Dynamic magnetic resonance imaging before and 6 months after laparoscopic sacrocolpopexy. <i>International Urogynecology Journal</i> , 2014, 25, 507-515.	0.7	10
1925	Calculation of membrane tension in selected sections of the pelvic floor. <i>International Urogynecology Journal</i> , 2014, 25, 499-506.	0.7	6
1926	Changes in tissue composition of the vaginal wall of premenopausal women with prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, 168.e1-168.e9.	0.7	47
1927	MRI findings before and after prolapse surgery. <i>Acta Radiologica</i> , 2014, 55, 495-504.	0.5	22
1928	Individualised pelvic floor muscle training in women with pelvic organ prolapse (POPPY): a multicentre randomised controlled trial. <i>Lancet, The</i> , 2014, 383, 796-806.	6.3	201
1929	Three-dimensional saline infusion vaginography for sonographic assessment of the anterior vaginal wall and pelvic floor descent. <i>Journal of Clinical Ultrasound</i> , 2014, 42, 150-155.	0.4	2
1930	Three-dimensional transperineal ultrasound for imaging mesh implants following sacrocolpopexy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 459-465.	0.9	17
1931	Lifetime physical activity and pelvic organ prolapse in middle-aged women. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, 477.e1-477.e12.	0.7	27
1932	Four-defect repair in women with symptomatic anterior compartment prolapse: a large cohort study. <i>International Urogynecology Journal</i> , 2014, 25, 1243-1250.	0.7	1
1933	Solifenacin in Women with De Novo Overactive Bladder after Tension-Free Obturator Vaginal Tape—Is it Effective?. <i>Journal of Urology</i> , 2014, 191, 1322-1326.	0.2	18

#	ARTICLE	IF	CITATIONS
1934	Validity of utility measures for women with urge, stress, and mixed urinary incontinence. American Journal of Obstetrics and Gynecology, 2014, 210, 85.e1-85.e6.	0.7	16
1935	Cystocele recurrence after anterior colporrhaphy with and without mesh use. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 172, 131-135.	0.5	39
1937	The effect of episiotomy on pelvic organ prolapse assessed by pelvic organ prolapse quantification system. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 173, 34-37.	0.5	9
1938	Evaluation of confounding factors interfering with sexual function in women with minimal pelvic organ prolapse. International Journal of Gynecology and Obstetrics, 2014, 127, 73-76.	1.0	3
1939	Dynamic cystocolpoproctography is superior to functional pelvic MRI in the diagnosis of posterior pelvic floor disorders: results of a prospective study. Colorectal Disease, 2014, 16, O240-7.	0.7	29
1940	Morphometry of the Pelvic Floor Muscles in Women With and Without Provoked Vestibulodynia Using 4D Ultrasound. Journal of Sexual Medicine, 2014, 11, 776-785.	0.3	71
1941	A comparison of two different mesh kit systems for anterior compartment prolapse repair. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2014, 54, 212-217.	0.4	7
1942	A Randomized Comparison of a Single-incision Midurethral Sling and a Transobturator Midurethral Sling in Women with Stress Urinary Incontinence: Results of 12-mo Follow-up. European Urology, 2014, 66, 1179-1185.	0.9	34
1943	Male sexual function and pelvic floor surgery of their female partner: A one-year follow-up study. Post Reproductive Health, 2014, 20, 55-61.	0.3	11
1944	Pelvic organ prolapse in a cohort of women treated for stress urinary incontinence. American Journal of Obstetrics and Gynecology, 2014, 211, 550.e1-550.e5.	0.7	10
1945	Single incision sling (Ajusta, C) for the treatment of female stress urinary incontinence: 2-year follow-up. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 182, 48-52.	0.5	15
1946	Management of prolapse in older women. Post Reproductive Health, 2014, 20, 30-35.	0.3	5
1947	Dynamic Magnetic Resonance Imaging and pelvic floor disorders: how and when?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 181, 259-266.	0.5	27
1948	Comparison of outcomes after vaginal reconstruction surgery between elderly and younger women. Taiwanese Journal of Obstetrics and Gynecology, 2014, 53, 348-354.	0.5	11
1949	Maternal adaptations in preparation for parturition predict uncomplicated spontaneous delivery outcome. American Journal of Obstetrics and Gynecology, 2014, 211, 630.e1-630.e7.	0.7	32
1950	A Logarithmic Opinion Pool Based STAPLE Algorithm for the Fusion of Segmentations With Associated Reliability Weights. IEEE Transactions on Medical Imaging, 2014, 33, 1997-2009.	5.4	52
1951	The value of pre-operative multicompartement pelvic floor ultrasonography: a 1-year prospective study. British Journal of Radiology, 2014, 87, 20140145.	1.0	10
1952	MR Imaging-based Assessment of the Female Pelvic Floor. Radiographics, 2014, 34, 1417-1439.	1.4	87

#	ARTICLE	IF	CITATIONS
1953	Recent Developments in the Non-surgical Management of Pelvic Organ Prolapse. <i>Current Obstetrics and Gynecology Reports</i> , 2014, 3, 172-179.	0.3	0
1955	Fascial surgical repair for vaginal prolapse: effect on quality of life and related symptoms. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 182, 177-180.	0.5	4
1956	Labhardt's colpoperineocleisis: subjective results of an alternative treatment for genital prolapse in patients who are not sexually active—2-year follow-up. <i>International Urogynecology Journal</i> , 2014, 25, 417-424.	0.7	5
1957	Laparoscopic hysteropexy: 1- to 4-year follow-up of women postoperatively. <i>International Urogynecology Journal</i> , 2014, 25, 131-138.	0.7	49
1958	Impact of levator trauma on pelvic floor muscle function. <i>International Urogynecology Journal</i> , 2014, 25, 375-380.	0.7	42
1960	Outcome measures to assess anatomy and function of the posterior vaginal compartment. <i>International Urogynecology Journal</i> , 2014, 25, 893-899.	0.7	10
1961	Follow-up of mesh complications using the IUGA/ICS category—site coding classification. <i>International Urogynecology Journal</i> , 2014, 25, 817-22.	0.7	8
1962	Alteration of apoptosis-related genes in postmenopausal women with uterine prolapse. <i>International Urogynecology Journal</i> , 2014, 25, 971-977.	0.7	14
1963	Is de novo stress incontinence after sacrocolpopexy related to anatomical changes and surgical approach?. <i>International Urogynecology Journal</i> , 2014, 25, 1201-1206.	0.7	32
1964	The improvement in pelvic floor symptoms with weight loss in obese women does not correlate with the changes in pelvic anatomy. <i>International Urogynecology Journal</i> , 2014, 25, 1219-1225.	0.7	23
1965	Long-term follow-up of laparoscopic sacrocolpopexy. <i>International Urogynecology Journal</i> , 2014, 25, 1207-1212.	0.7	82
1966	Levator ani defect scores and pelvic organ prolapse: is there a threshold effect?. <i>International Urogynecology Journal</i> , 2014, 25, 1375-1379.	0.7	32
1967	Most older women recover baseline functional status following pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2014, 25, 1425-1432.	0.7	6
1968	Laparoscopic uterosacral ligament suspension and sacral colpopexy: results and complications. <i>International Urogynecology Journal</i> , 2014, 25, 1645-1653.	0.7	31
1969	Analysis of the learning process for laparoscopic sacrocolpopexy: identification of challenging steps. <i>International Urogynecology Journal</i> , 2014, 25, 1185-1191.	0.7	45
1970	Changes in elastin density in different locations of the vaginal wall in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2014, 25, 1673-1681.	0.7	27
1971	Posterior repair quantification (PR-Q) using key anatomical indicators (KAI): preliminary report. <i>International Urogynecology Journal</i> , 2014, 25, 1665-1672.	0.7	11
1972	Treatment-seeking behaviour and social status of women with pelvic organ prolapse, 4th-degree obstetric tears, and obstetric fistula in western Uganda. <i>International Urogynecology Journal</i> , 2014, 25, 1555-1559.	0.7	25

#	ARTICLE	IF	CITATIONS
1973	The Integral Theory System Questionnaire: an anatomically directed questionnaire to determine pelvic floor dysfunctions in women. <i>World Journal of Urology</i> , 2014, 32, 769-781.	1.2	14
1974	MRI-Based Segmentation of Pubic Bone for Evaluation of Pelvic Organ Prolapse. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014, 18, 1370-1378.	3.9	14
1975	Mesenchymal stem/stromal cells in post-menopausal endometrium. <i>Human Reproduction</i> , 2014, 29, 1895-1905.	0.4	74
1976	Transvaginal mesh repair for pelvic organ prolapse. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1046-1050.	0.6	1
1977	Robotic-assisted Sacrocolpopexy for Pelvic Organ Prolapse. <i>Urologic Clinics of North America</i> , 2014, 41, 549-557.	0.8	12
1978	Factors that affect early recurrence after prolapse repair by a nonanchored vaginal mesh procedure. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2014, 53, 337-342.	0.5	4
1979	Disability-adjusted life years (DALYs) in general population with pelvic organ prolapse: a study based on the prolapse quality-of-life questionnaire (P-QOL). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 182, 22-26.	0.5	26
1980	Pelvic floor muscle training versus watchful waiting or pessary treatment for pelvic organ prolapse (POPSS): Design and participant baseline characteristics of two parallel pragmatic randomized controlled trials in primary care. <i>Maturitas</i> , 2014, 77, 168-173.	1.0	27
1981	Advanced utero-vaginal prolapse and vaginal vault suspension: synthetic mesh vs native tissue repair. <i>Archives of Gynecology and Obstetrics</i> , 2014, 289, 1053-1060.	0.8	4
1982	Mesh repair of vaginal wall prolapse. <i>Medical Journal Armed Forces India</i> , 2014, 70, 105-110.	0.3	5
1983	Long-term Efficacy of the Transobturator and Retropubic Midurethral Slings for Stress Urinary Incontinence: Single-center Update from a Randomized Controlled Trial. <i>European Urology</i> , 2014, 66, 599-601.	0.9	11
1984	Sacrospinous colpopexy using Masson luethy needle holder. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 179, 5-10.	0.5	0
1985	Body Image in the Pelvic Organ Prolapse Questionnaire: development and validation. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 174.e1-174.e9.	0.7	19
1986	Assessment of Collagen-Coated Anterior Mesh Through Morphology and Clinical Outcomes in Pelvic Reconstructive Surgery for Pelvic Organ Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2014, 21, 753-761.	0.3	18
1987	Urinary incontinence management costs are reduced following Burch or sling surgery for stress incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 171.e1-171.e7.	0.7	21
1988	Comprehensive Evaluation of Anterior Elevate System for the Treatment of Anterior and Apical Pelvic Floor Descent: 2-Year Followup. <i>Journal of Urology</i> , 2014, 191, 389-394.	0.2	28
1990	Assessment of pelvic organ prolapse: a practical guide to the pelvic organ prolapse quantification. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2014, 24, 170-176.	0.1	8
1992	Comparison of Abdominal Muscle Thickness with Vaginal Pressure Changes in Healthy Women. <i>Journal of Physical Therapy Science</i> , 2014, 26, 427-430.	0.2	5



#	ARTICLE	IF	CITATIONS
1993	Sacrocolpopexy. Postgraduate Obstetrics & Gynecology, 2014, 34, 1-5.	0.1	0
1994	Sacrocolpopexy. Postgraduate Obstetrics & Gynecology, 2014, 34, 6.	0.1	0
1995	Diagnosis and Surgical Treatment of Stress Urinary Incontinence. Obstetrics and Gynecology, 2014, 124, 1011-1027.	1.2	40
1996	Sexual function in older women with pelvic floor symptoms: a cross-sectional study in general practice. British Journal of General Practice, 2014, 64, e144-e150.	0.7	22
1997	Practice Bulletin No. 155. Obstetrics and Gynecology, 2015, 126, e66-e81.	1.2	80
1998	Monitoring bladder compliance using end filling detrusor pressure: Clinical results and related factors. Taiwanese Journal of Obstetrics and Gynecology, 2015, 54, 709-715.	0.5	9
1999	Magnetic stimulation for stress urinary incontinence: study protocol for a randomized controlled trial. Trials, 2015, 16, 279.	0.7	23
2000	Urinary incontinence in women. InnovAiT, 2015, 8, 517-523.	0.0	0
2002	Effect of a Decision Aid on Decision Making for the Treatment of Pelvic Organ Prolapse. Female Pelvic Medicine and Reconstructive Surgery, 2015, 21, 231-235.	0.6	25
2003	Urogynecological workup. , 0, , 451-463.		0
2005	Histological study on the effects of microablative fractional CO2 laser on atrophic vaginal tissue. Menopause, 2015, 22, 845-849.	0.8	200
2006	Involuntary reflexive pelvic floor muscle training in addition to standard training versus standard training alone for women with stress urinary incontinence: study protocol for a randomized controlled trial. Trials, 2015, 16, 524.	0.7	23
2007	Anal sphincter trauma and anal incontinence in urogynecological patients. Ultrasound in Obstetrics and Gynecology, 2015, 46, 363-366.	0.9	57
2008	Urinary Incontinence in Women. Female Pelvic Medicine and Reconstructive Surgery, 2015, 21, 304-314.	0.6	11
2009	Prevalence and Resolution of Auditory Passage of Vaginal Air in Women With Pelvic Floor Disorders. Obstetrics and Gynecology, 2015, 126, 136-143.	1.2	10
2010	Perineal Body and Genital Hiatus in the Third Trimester and Risk of Perineal Laceration. Female Pelvic Medicine and Reconstructive Surgery, 2015, 21, 359-362.	0.6	4
2011	The Emotional Burden of Pelvic Organ Prolapse in Women Seeking Treatment. Female Pelvic Medicine and Reconstructive Surgery, 2015, 21, 332-338.	0.6	52
2012	Pain reduction after total laparoscopic hysterectomy and laparoscopic supracervical hysterectomy among women with dysmenorrhoea: a randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1102-1111.	1.1	16

#	ARTICLE	IF	CITATIONS
2013	Forceps delivery is associated with increased risk of pelvic organ prolapse and muscle trauma: a cross-sectional study 16-24 years after first delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 46, 487-495.	0.9	48
2014	Comparison of flowrates and voided volumes during non-instrumented uroflowmetry and pressure-flow studies in women with stress incontinence. <i>Neurourology and Urodynamics</i> , 2015, 34, 549-553.	0.8	7
2015	Obliterative Surgery for the Treatment of Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 325-331.	0.6	10
2016	Defect-specific rectocele repair: medium-term anatomical, functional and subjective outcomes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015, 55, 487-492.	0.4	17
2017	Standard Compared With Mnemonic Counseling for Fecal Incontinence. <i>Obstetrics and Gynecology</i> , 2015, 125, 1063-1070.	1.2	4
2018	Elevate and Uterine Preservation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015, 21, 205-210.	0.6	14
2019	Levator hiatal area as a risk factor for cystocele recurrence after surgery: a prospective study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1130-1137.	1.1	25
2020	Quantification of Pelvic Mobility on Dynamic Magnetic Resonance Images: Using Mechanical Insight to Help Diagnose Pelvic Pathologies. <i>Strain</i> , 2015, 51, 301-310.	1.4	9
2021	Postoperative voiding difficulty and mesh-related complications after Total Prolift System surgical repair for pelvic organ prolapse and predisposing factors. <i>Menopause</i> , 2015, 22, 885-892.	0.8	7
2023	Influence of anterior vaginal mesh with concomitant mid-urethral sling surgery on stress urinary incontinence: clinical and sonographic outcome. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015, 55, 593-600.	0.4	7
2024	Short-term effects on voiding function after mesh-related surgical repair of advanced pelvic organ prolapse. <i>Menopause</i> , 2015, 22, 993-999.	0.8	11
2026	A comparison between stabilization exercises and pelvic floor muscle training in women with pelvic organ prolapse. <i>TâşÂrk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2015, 12, 11-17.	0.3	7
2027	Tension-free Polypropylene Mesh-related Surgical Repair for Pelvic Organ Prolapse has a Good Anatomic Success Rate but a High Risk of Complications. <i>Chinese Medical Journal</i> , 2015, 128, 295-300.	0.9	16
2028	Quality of life assessment in women after cervicosacropexy with polypropylene mesh for pelvic organ prolapse: a preliminary study. <i>Przegląd Menopauzalny</i> , 2015, 2, 126-129.	0.6	5
2029	Comparison of Clinical Outcomes Using "Elevate Anterior" versus "Perigee" System Devices for the Treatment of Pelvic Organ Prolapse. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	13
2030	Short-Term Postoperative Functional Outcomes in Older Women Undergoing Prolapse Surgery. <i>Obstetrics and Gynecology</i> , 2015, 125, 551-558.	1.2	21
2031	Effects of dexamethasone on quality of recovery following vaginal surgery: a randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 718.e1-718.e7.	0.7	28
2032	Female Pelvic Surgery. , 2015, , .		1

#	ARTICLE	IF	CITATIONS
2033	Successful use of ring pessary with support for advanced pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2015, 26, 1517-1523.	0.7	21
2034	Lifetime physical activity and female stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 40.e1-40.e10.	0.7	38
2035	Laparoscopic sacrocolpopexy with a vaginal prosthetic adhesive. <i>Gynécologie, Obstétrique &amp; Fertilité</i> , 2015, 43, 419-423.	0.7	8
2036	Anatomía funcional del piso pélvico. <i>EMC - Ginecología-Obstetricia</i> , 2015, 51, 1-20.	0.0	0
2037	Sexual function after fractional microablative CO <sub>2</sub> laser in women with vulvovaginal atrophy. <i>Climacteric</i> , 2015, 18, 219-225.	1.1	190
2038	Frequency of recurrent urinary tract infection in patients with pelvic organ prolapse. <i>Research and Reports in Urology</i> , 2015, 7, 9.	0.6	5
2039	The Electron Paramagnetic Resonance in the Study of Tissues Specimens. <i>Current Topics in Biophysics</i> , 2015, 37, 23-28.	0.3	0
2040	Bilateral Sacrospinous Vault Fixation With Tailored Synthetic Mesh Arms: Clinical Outcomes at One Year. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2015, 37, 129-137.	0.3	16
2041	Systematic assessment of surgical complications in laparoscopically assisted vaginal hysterectomy for pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 194, 228-232.	0.5	6
2042	Predictors of persistence of preoperative urgency incontinence in women following pelvic organ prolapse repair. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015, 54, 682-685.	0.5	7
2044	Impact of laparoscopic sacrocolpopexy learning curve on operative time, perioperative complications and short term results. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 191, 84-89.	0.5	33
2045	Does Uterine Prolapse Alter Endometrial Cyclooxygenase 2 Expression and Promote the Development of Premalignant Lesions?. <i>Gynecologic and Obstetric Investigation</i> , 2015, 80, 119-123.	0.7	0
2046	Outcomes and Postoperative Complications of Robot-Assisted Laparoscopic Hysterosacropexy: Initial Experience. <i>Urologia Internationalis</i> , 2015, 95, 44-49.	0.6	1
2047	Female pelvic floor dysfunctions and evidence-based physical therapy. , 2015, , 131-270.		2
2048	Measurement of pelvic floor muscle function and strength, and pelvic organ prolapse. , 2015, , 43-109.		0
2049	Principles and Practice of Urogynaecology. , 2015, , .		2
2050	Validation of the Spanish-language version of the Prolapse Quality of Life Questionnaire in Chilean women. <i>International Urogynecology Journal</i> , 2015, 26, 123-130.	0.7	11
2051	A randomized trial of vaginal mesh attachment techniques for minimally invasive sacrocolpopexy. <i>International Urogynecology Journal</i> , 2015, 26, 649-656.	0.7	42

#	ARTICLE	IF	CITATIONS
2052	ACR Appropriateness Criteria Pelvic Floor Dysfunction. <i>Journal of the American College of Radiology</i> , 2015, 12, 134-142.	0.9	24
2054	Total hysterectomy and anterior vaginal wall suspension for concurrent uterine and bladder prolapses: Long-term anatomical results of additional vault and/or posterior compartment prolapse repair. <i>Urological Science</i> , 2015, 26, 51-56.	0.2	7
2055	Urinary Incontinence and Pelvic Organ Prolapse. <i>Medical Clinics of North America</i> , 2015, 99, 405-416.	1.1	17
2056	Pelvic floor dysfunction after levator trauma 1-year postpartum: a prospective case-control study. <i>International Urogynecology Journal</i> , 2015, 26, 41-47.	0.7	15
2057	Can Pelvic Floor Muscle Training Improve Sexual Function in Women with Pelvic Organ Prolapse? A Randomized Controlled Trial. <i>Journal of Sexual Medicine</i> , 2015, 12, 470-480.	0.3	46
2058	Sexual Activity and Vaginal Topography in Women with Symptomatic Pelvic Floor Disorders. <i>Journal of Sexual Medicine</i> , 2015, 12, 416-423.	0.3	10
2059	Sleep quality in women seeking care for pelvic organ prolapse. <i>Maturitas</i> , 2015, 80, 155-161.	1.0	12
2060	Surgical treatment for pelvic organ prolapse in elderly women. <i>Journal of Obstetrics and Gynaecology</i> , 2015, 35, 82-84.	0.4	3
2061	Management of Pelvic Organ Prolapse in the Elderly. <i>Current Geriatrics Reports</i> , 2015, 4, 16-23.	1.1	1
2062	The FIGO assessment scoring system (FASS): a new holistic classification tool to assess women with pelvic floor dysfunction: validity and reliability. <i>International Urogynecology Journal</i> , 2015, 26, 859-864.	0.7	7
2063	Quantitative assessment of new MRI-based measurements to differentiate low and high stages of pelvic organ prolapse using support vector machines. <i>International Urogynecology Journal</i> , 2015, 26, 707-713.	0.7	2
2064	Label-free, three-dimensional multiphoton microscopy of the connective tissue in the anterior vaginal wall. <i>International Urogynecology Journal</i> , 2015, 26, 685-691.	0.7	3
2065	Association between metabolic syndrome and pelvic organ prolapse severity. <i>International Urogynecology Journal</i> , 2015, 26, 563-568.	0.7	12
2067	Iliococcygeus fixation for the treatment of apical vaginal prolapse: efficacy and safety at 5 years of follow-up. <i>International Urogynecology Journal</i> , 2015, 26, 1007-1012.	0.7	30
2068	Benefit of Pelvic Floor Muscle Therapy in Improving Sexual Function in Women With Stress Urinary Incontinence: A Pretest-Posttest Intervention Study. <i>Journal of Sex and Marital Therapy</i> , 2015, 41, 254-261.	1.0	19
2069	Implementation of a standardized digital rectal exam to improve the accuracy of rectocele diagnosis. <i>International Urogynecology Journal</i> , 2015, 26, 107-111.	0.7	3
2070	New onset stress urinary incontinence following laparoscopic sacrocolpopexy and its relation to anatomical outcomes. <i>International Urogynecology Journal</i> , 2015, 26, 1041-1045.	0.7	28
2071	Measurements of female genital appearance in Chinese adults seeking genital cosmetic surgery: a preliminary report from a gynecological center. <i>International Urogynecology Journal</i> , 2015, 26, 729-735.	0.7	18

#	ARTICLE	IF	CITATIONS
2072	Social demographic characteristics of women with pelvic organ prolapse at the Tamale Teaching Hospital, Ghana. <i>Ghana Medical Journal</i> , 2015, 48, 208.	0.2	15
2073	Do patients prefer mesh or anterior colporrhaphy for primary correction of anterior vaginal wall prolapse: a labelled discrete choice experiment. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 873-880.	1.1	9
2074	Pelvic Organ Prolapse in Female Patients Presenting to Transitional Urology Care Clinic. <i>Journal of Urology</i> , 2015, 194, 1654-1658.	0.2	12
2075	Descending perineum syndrome: new perspectives. <i>Techniques in Coloproctology</i> , 2015, 19, 443-448.	0.8	11
2076	Validation of the French version of the P-QoL questionnaire. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 192, 10-16.	0.5	7
2077	A new reusable suturing device for vaginal sacrospinous fixation: feasibility and safety study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 193, 23-26.	0.5	9
2078	Is there a learning curve for the TVT-O procedure? A prospective single-surgeon study of 372 consecutive cases. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 186, 85-90.	0.5	10
2079	Retrospective comparison between the Prolift and Elevate anterior vaginal mesh procedures: 18-month clinical outcome. <i>International Urogynecology Journal</i> , 2015, 26, 1815-1820.	0.7	18
2080	Success and Complications of Salpingectomy at the Time of Vaginal Hysterectomy. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 864-869.	0.3	50
2081	Sexual function after fractional microablative CO2 laser in women with vulvovaginal atrophy. <i>Maturitas</i> , 2015, 81, 129-130.	1.0	3
2082	Prevalence of Hydronephrosis in Women With Advanced Pelvic Organ Prolapse. <i>Urology</i> , 2015, 86, 250-254.	0.5	19
2083	The repeatability of sonographic measures of functional pelvic floor anatomy. <i>International Urogynecology Journal</i> , 2015, 26, 1667-1672.	0.7	44
2084	What is abnormal uterine descent on translabial ultrasound?. <i>International Urogynecology Journal</i> , 2015, 26, 1783-1787.	0.7	53
2085	Reliability and validity of a Chinese version of the Modified Body Image Scale in patients with symptomatic pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, 187-189.	1.0	5
2086	Evaluation of the single-incision Elevate system to treat pelvic organ prolapse: follow-up from 15 to 45 months. <i>International Urogynecology Journal</i> , 2015, 26, 1341-1346.	0.7	19
2087	Low-Dose Intravaginal Estriol and Pelvic Floor Rehabilitation in Post-Menopausal Stress Urinary Incontinence. <i>Urologia Internationalis</i> , 2015, 95, 417-421.	0.6	14
2088	Risk factors for recurrence after Le Fort colpocleisis for severe pelvic organ prolapse in elderly women. <i>International Journal of Surgery</i> , 2015, 20, 75-79.	1.1	24
2089	Effects of Mechanical Stretching on the Morphology and Cytoskeleton of Vaginal Fibroblasts from Women with Pelvic Organ Prolapse. <i>International Journal of Molecular Sciences</i> , 2015, 16, 9406-9419.	1.8	24

#	ARTICLE	IF	CITATIONS
2090	Five-year follow up of a randomised controlled trial comparing subtotal with total abdominal hysterectomy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 851-857.	1.1	24
2091	Bilateral minimal tension sacrospinous fixation in pelvic organ prolapse: an observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 188, 1-5.	0.5	15
2092	The Long and Short of it: Anterior Vaginal Wall Length before and after Anterior Repair. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, S36-S37.	0.3	0
2093	Protruding Mass. <i>Journal for Nurse Practitioners</i> , 2015, 11, 373-376.	0.4	0
2094	The effectiveness of two different laparoscopic surgeries for apical support of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 188, 74-78.	0.5	7
2095	Outcomes of trocar-guided Gynemesh PS <sup>®</sup> versus single-incision trocarless Polyform <sup>®</sup> transvaginal mesh procedures. <i>International Urogynecology Journal</i> , 2015, 26, 71-77.	0.7	6
2096	Perineorrhaphy quantitative assessment (Pe-QA). <i>International Urogynecology Journal</i> , 2015, 26, 539-544.	0.7	16
2097	Sexual function in women with anal incontinence using a new instrument: the PISQ-IR. <i>International Urogynecology Journal</i> , 2015, 26, 657-663.	0.7	13
2098	The long and short of it: anterior vaginal wall length before and after anterior repair. <i>International Urogynecology Journal</i> , 2015, 26, 1035-1039.	0.7	12
2099	Genital sensation in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2015, 26, 981-984.	0.7	12
2100	The S.A.C.S. (Satisfaction <sup>®</sup> Anatomy <sup>®</sup> Continenence <sup>®</sup> Safety) score for evaluating pelvic organ prolapse surgery: a proposal for an outcome-based scoring system. <i>International Urogynecology Journal</i> , 2015, 26, 1061-1067.	0.7	5
2101	One-year prospective comparison of vaginal pessaries and surgery for pelvic organ prolapse using the validated ICIQ-VS and ICIQ-UI (SF) questionnaires. <i>International Urogynecology Journal</i> , 2015, 26, 1305-1312.	0.7	50
2102	Does Cystocele Repair Improve Overactive Bladder Symptoms?. <i>Current Bladder Dysfunction Reports</i> , 2015, 10, 1-5.	0.2	3
2103	Use of Ultrasound Imaging in Pelvic Organ Prolapse: an Overview. <i>Current Obstetrics and Gynecology Reports</i> , 2015, 4, 109-114.	0.3	2
2104	Profil urodynamique des troubles vésico-sphinctériens associés au prolapsus gènito-urinaire. <i>Journal of Medical Rehabilitation</i> , 2015, 35, 154-161.	0.0	0
2105	Comparison of TVT and TOT on urethral mobility and surgical outcomes in stress urinary incontinence with hypermobile urethra. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 190, 36-40.	0.5	3
2106	How large does a rectocele have to be to cause symptoms? A 3D/4D ultrasound study. <i>International Urogynecology Journal</i> , 2015, 26, 1355-1359.	0.7	29
2107	A pelvic floor muscle training program in postmenopausal women: A randomized controlled trial. <i>Maturitas</i> , 2015, 81, 300-305.	1.0	58

#	ARTICLE	IF	CITATIONS
2108	Evaluating maternal recovery from labor and delivery: bone and levator ani injuries. American Journal of Obstetrics and Gynecology, 2015, 213, 188.e1-188.e11.	0.7	61
2109	Predictors for de novo stress urinary incontinence following extensive pelvic reconstructive surgery. International Urogynecology Journal, 2015, 26, 1313-1319.	0.7	49
2110	Pain during Female Urethral Catheterization: Intraurethral Lubricant Injection versus Catheter Tip Lubrication—A Prospective Randomized Trial. Journal of Urology, 2015, 194, 1018-1021.	0.2	10
2111	One-year dynamic MRI follow-up after vaginal mesh repair: evaluation of clinical, radiological, and quality-of-life results. Acta Radiologica, 2015, 56, 1002-1008.	0.5	11
2112	A multi-compartment 3-D finite element model of rectocele and its interaction with cystocele. Journal of Biomechanics, 2015, 48, 1580-1586.	0.9	39
2113	Postoperative Pain After Adjustable Single-Incision or Transobturator Sling for Incontinence. Obstetrics and Gynecology, 2015, 125, 27-34.	1.2	24
2114	Clinical characteristics of women with familial pelvic floor disorders. International Urogynecology Journal, 2015, 26, 401-406.	0.7	5
2115	Prevalence of Levator Ani Defects in Urogynecological Patients. Geburtshilfe Und Frauenheilkunde, 2015, 75, 51-55.	0.8	3
2116	Utero-vaginal suspension using bilateral vaginal anterior sacrospinous fixation with mesh: intermediate results of a cohort study. International Urogynecology Journal, 2015, 26, 1803-1807.	0.7	39
2118	Risk factors for ureteral occlusion during transvaginal uterosacral ligament suspension. International Urogynecology Journal, 2015, 26, 1809-1814.	0.7	14
2119	Effect of reproductive characteristics, body mass index, and anterior/posterior vaginal compartment defects on the short-term success of abdominal sacrocolpopexy. Journal of Obstetrics and Gynaecology, 2015, 35, 512-516.	0.4	0
2120	Long term subjective cure rate, urinary tract symptoms and dyspareunia following mesh augmented anterior vaginal wall prolapse repair. International Journal of Surgery, 2015, 24, 33-38.	1.1	3
2121	Laparoscopic hysteropexy versus vaginal hysterectomy for the treatment of uterovaginal prolapse: a prospective randomized pilot study. International Urogynecology Journal, 2015, 26, 1687-1694.	0.7	53
2122	Negative urodynamic testing in women with stress incontinence. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2015, 55, 76-80.	0.4	3
2123	Postoperative detrusor contractility temporarily decreases in patients undergoing pelvic organ prolapse surgery. International Journal of Urology, 2015, 22, 201-205.	0.5	10
2124	Indications de lâ€™abord vaginal en chirurgie urologique: Ã propos de 30 cas. African Journal of Urology, 2015, 21, 30-35.	0.1	2
2125	Obstetric anal sphincter injuries: review of anatomical factors and modifiable second stage interventions. International Urogynecology Journal, 2015, 26, 1725-1734.	0.7	47
2126	Sacrospinous hysteropexy versus vaginal hysterectomy with suspension of the uterosacral ligaments in women with uterine prolapse stage 2 or higher: multicentre randomised non-inferiority trial. BMJ, The, 2015, 351, h3717.	3.0	130

#	ARTICLE	IF	CITATIONS
2127	Long-term outcomes of laparoscopic repair of cystocele. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2015, 55, 588-592.	0.4	11
2128	A strong pelvic floor is associated with higher rates of sexual activity in women with pelvic floor disorders. International Urogynecology Journal, 2015, 26, 991-996.	0.7	23
2129	A Prospective, Randomized, Controlled Trial of the Treatment of Anterior Vaginal Wall Prolapse: Medium Term Followup. Journal of Urology, 2015, 193, 1298-1304.	0.2	20
2130	Multimodal nociceptive mechanisms underlying chronic pelvic pain. American Journal of Obstetrics and Gynecology, 2015, 213, 827.e1-827.e9.	0.7	28
2131	Evaluation and Management of Pelvic Organ Prolapse in Elderly Women. Clinics in Geriatric Medicine, 2015, 31, 507-521.	1.0	20
2132	Can we predict urinary stress incontinence by using demographic, clinical, imaging and urodynamic data?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 193, 114-117.	0.5	13
2133	Dr Richard Bump, AJOG editor extraordinaire. American Journal of Obstetrics and Gynecology, 2015, 213, 601.	0.7	2
2134	Is there a link between preoperative fluoroscopic cough stress testing and synthetic midurethral tape outcome?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 193, 61-64.	0.5	0
2135	Colpocleisis surgery in women over 80 years old with severe triple compartment pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 195, 206-209.	0.5	19
2136	Laparoscopic Nerve-Preserving Colposacropexy for Surgical Management of Neovaginal Prolapse. Journal of Pediatric and Adolescent Gynecology, 2015, 28, e153-e155.	0.3	6
2137	Comparative study between abdominal versus laparoscopic sacral colpopexy. Progresos En Obstetricia Y Ginecologia, 2015, 58, 341-349.	0.0	2
2138	Patient and surgeon goal achievement 10 years following surgery for pelvic organ prolapse and urinary incontinence. International Urogynecology Journal, 2015, 26, 1679-1686.	0.7	16
2139	Postpartum pelvic floor muscle training and pelvic organ prolapse—a randomized trial of primiparous women. American Journal of Obstetrics and Gynecology, 2015, 212, 38.e1-38.e7.	0.7	53
2140	5-Year Longitudinal Followup after Retropubic and Transobturator Mid Urethral Slings. Journal of Urology, 2015, 193, 203-210.	0.2	104
2141	Physical examination of the female internal and external genitalia with and without pelvic organ prolapse: A review. Clinical Anatomy, 2015, 28, 305-313.	1.5	8
2143	Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. International Urogynecology Journal, 2015, 26, 335-342.	0.7	51
2144	Comparison between Elevate Anterior/Apical system and Perigee system in pelvic organ prolapse surgery: clinical and sonographic outcomes. International Urogynecology Journal, 2015, 26, 391-400.	0.7	31
2145	Relationship between the Pelvic Organ Prolapse Quantification system (POP-Q), the Pelvic Floor Impact Questionnaire (PFIQ-7), and the Pelvic Floor Distress Inventory (PFDI-20) before and after anterior vaginal wall prolapse surgery. International Urogynecology Journal, 2015, 26, 195-200.	0.7	21



#	ARTICLE	IF	CITATIONS
2146	Bacterial uropathogens and antibiotic susceptibility of positive urine cultures in women with pelvic organ prolapse and urinary incontinence. <i>Neurourology and Urodynamics</i> , 2016, 35, 69-73.	0.8	9
2147	Symptomatic pelvic organ prolapse: Experience at a tertiary urogynaecology clinic. <i>South African Journal of Obstetrics and Gynaecology</i> , 2016, 22, 18.	0.1	3
2148	The effects of stress incontinence surgery on sexual function and life quality of women. <i>Archivio Italiano Di Urologia Andrologia</i> , 2016, 88, 106.	0.4	12
2149	The size of the cervix and its relationship with age and parity. <i>Urogynaecologia International Journal</i> , 2016, 29, .	0.2	0
2150	The relationship between the presence of lower urinary tract symptoms and waist circumference. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2016, Volume 9, 207-211.	1.1	12
2151	Determinants of pelvic organ prolapse among gynecologic patients in Bahir Dar, North West Ethiopia: a case&ndash;control study. <i>International Journal of Women's Health</i> , 2016, Volume 8, 713-719.	1.1	44
2152	Vaginal Approaches Using Synthetic Mesh to Treat Pelvic Organ Prolapse. <i>Annals of Coloproctology</i> , 2016, 32, 7.	0.5	5
2153	Tratamiento del sÃAndrome genitourinario de la menopausia mediante lÃaser fraccionado CO2: una opciÃ³n terapÃ©utica emergente. <i>Revista Chilena De Obstetricia Y Ginecologia</i> , 2016, 81, 138-151.	0.1	1
2154	Leak point pressure at different bladder volumes in stress urinary incontinence in women: Comparison between Valsalva and coughinduced leak point pressure. <i>Canadian Urological Association Journal</i> , 2016, 10, 23.	0.3	9
2155	Management of pelvic organ prolapse in the elderly &ndash; is there a role for robotic-assisted sacrocolpopexy?. <i>Robotic Surgery (Auckland)</i> , 2016, Volume 3, 65-73.	1.3	7
2156	Does menopausal status impact urinary continence outcomes following abdominal sacrocolpopexy without anti-incontinence procedures in continent women?. <i>Pakistan Journal of Medical Sciences</i> , 2016, 32, 851-6.	0.3	7
2157	The â€œPelvic Harnessâ€ a skeletonized mesh implant for safe pelvic floor reconstruction. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2016, 42, 507-513.	0.7	2
2158	Sacrospinous ligament suspension with transobturator mesh versus sacral colpopexy for genital prolapse. <i>Clinics</i> , 2016, 71, 487-493.	0.6	3
2159	Safety, Efficiency, and Outcomes of Perineoplasty: Treatment of the Sensation of a Wide Vagina. <i>BioMed Research International</i> , 2016, 2016, 1-5.	0.9	29
2160	Transobturator Surgery in Presence of Corona Mortis: A Study in 13 Women. <i>Urologia</i> , 2016, 83, 200-203.	0.3	1
2161	The association of pelvic organ prolapse severity and improvement in overactive bladder symptoms after surgery for pelvic organ prolapse. <i>Obstetrics and Gynecology Science</i> , 2016, 59, 214.	0.6	23
2162	Correlation between maximum voluntary contraction and endurance measured by digital palpation and manometry: An observational study. <i>Revista Da AssociaÃ§Ã£o MÃ©dica Brasileira</i> , 2016, 62, 635-640.	0.3	12
2163	Determining the Posture and Vibration Frequency that Maximize Pelvic Floor Muscle Activity During Whole-Body Vibration. <i>Medical Science Monitor</i> , 2016, 22, 4030-4036.	0.5	10

#	ARTICLE	IF	CITATIONS
2165	Identification of Differentially Expressed Genes in Pelvic Organ Prolapse by RNA-Seq. <i>Medical Science Monitor</i> , 2016, 22, 4218-4225.	0.5	7
2166	Cervical Flap After Trachelectomy to Maintain Vaginal Length. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, e27-e28.	0.6	0
2167	Effects of preoperative vaginal estrogen therapy for the incidence of mesh complication after pelvic organ prolapse surgery in postmenopausal women: is it helpful or a myth? A 1-year randomized controlled trial. <i>Menopause</i> , 2016, 23, 740-748.	0.8	13
2168	Long-term outcomes of modified laparoscopic sacrocolpopexy for advanced pelvic organ prolapse: a 3-year prospective study. <i>Menopause</i> , 2016, 23, 765-770.	0.8	9
2169	Pelvic Floor Disorders Registry. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 70-76.	0.6	20
2170	Impact of Pelvic Floor Physical Therapy on Quality of Life and Function After Obstetric Anal Sphincter Injury: A Randomized Controlled Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 205-213.	0.6	27
2171	Does the Epi-No <sup>®</sup> birth trainer prevent vaginal birth-related pelvic floor trauma? A multicentre prospective randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 995-1003.	1.1	56
2172	A systematic review of prevalence and impact of symptoms of pelvic floor dysfunction in identified workforce groups. <i>Journal of Advanced Nursing</i> , 2016, 72, 1718-1734.	1.5	18
2173	Estimates of the levator ani subtended volume based on magnetic resonance linear measurements. <i>Neurourology and Urodynamics</i> , 2016, 35, 199-205.	0.8	14
2174	Two <sup>+</sup> years results of native tissue versus vaginal mesh repair in the treatment of anterior prolapse according to different success criteria: A randomized controlled trial. <i>Neurourology and Urodynamics</i> , 2016, 35, 509-514.	0.8	24
2175	Relationship between pelvic floor muscle and hormone levels in polycystic ovary syndrome. <i>Neurourology and Urodynamics</i> , 2016, 35, 780-785.	0.8	7
2176	Association between pelvic floor disorder symptoms and QoL scores with depressive symptoms among pelvic organ prolapse patients. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016, 56, 391-397.	0.4	17
2177	Agreement and reliability of pelvic floor measurements during rest and on maximum Valsalva maneuver using three-dimensional translabial ultrasound and virtual reality imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 243-249.	0.9	3
2178	Occult Stress Urinary Incontinence in Women With Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 55-59.	0.6	10
2179	Preoperative Prolapse Stage as Predictor of Failure of Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 156-160.	0.6	25
2180	Long-term follow-up after LeFort colpocleisis: patient satisfaction, regret rate, and pelvic symptoms. <i>Menopause</i> , 2016, 23, 621-625.	0.8	22
2181	Warping of the levator hiatus: how significant is it?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 239-242.	0.9	7
2182	Anatomical Cystocele Recurrence. <i>Obstetrics and Gynecology</i> , 2016, 127, 341-347.	1.2	19

#	ARTICLE	IF	CITATIONS
2183	Is Occult Stress Urinary Incontinence a Reliable Predictive Marker?. Female Pelvic Medicine and Reconstructive Surgery, 2016, 22, 280-282.	0.6	26
2184	Change in pelvic organ support during pregnancy and the first year postpartum: a longitudinal study. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 821-829.	1.1	41
2185	Perineal body anatomy seen by three-dimensional endovaginal ultrasound of asymptomatic nulliparae. Colorectal Disease, 2016, 18, 400-409.	0.7	27
2186	Impact of preoperative urodynamic testing for urinary incontinence and pelvic organ prolapse on clinical management in Chinese women. Journal of Obstetrics and Gynaecology Research, 2016, 42, 72-76.	0.6	6
2187	Perineal Trauma at Childbirth. , 2016, , .		2
2188	Computational Modeling of Anterior and Posterior Pelvic Organ Prolapse (POP). , 2016, , .		2
2189	Reasons for and Against Use of Non-absorbable, Synthetic Mesh During Pelvic Organ Prolapse Repair, According to the Prolapsed Compartment. Advances in Therapy, 2016, 33, 2139-2149.	1.3	8
2190	Effect of the type of maternal pushing during the second stage of labour on obstetric and neonatal outcome: a multicentre randomised trial—the EOLE study protocol. BMJ Open, 2016, 6, e012290.	0.8	11
2191	Pelvic organ prolapse. InnovAiT, 2016, 9, 723-731.	0.0	2
2192	Functional Disorders: Rectocele. Clinics in Colon and Rectal Surgery, 2016, 30, 063-075.	0.5	33
2193	Diagnosis and Therapy of Female Pelvic Organ Prolapse. Guideline of the DGGG, SGGG and OEGGG (S2e-Level, AWMF Registry Number 015/006, April 2016). Geburtshilfe Und Frauenheilkunde, 2016, 76, 1287-1301.	0.8	36
2194	An assessment of the safety and efficacy of a fractional CO2 laser system for the treatment of vulvovaginal atrophy. Menopause, 2016, 23, 1102-1107.	0.8	120
2195	Gynecologic issues in the elderly. , 2016, , 398-407.		0
2196	Graft and Mesh Use in Transvaginal Prolapse Repair. Obstetrics and Gynecology, 2016, 128, 81-91.	1.2	58
2197	Vaginal Pessary in Women With Symptomatic Pelvic Organ Prolapse. Obstetrics and Gynecology, 2016, 128, 73-80.	1.2	55
2198	The Association Between Levator-Urethra Gap Measurements and Symptoms and Signs of Female Pelvic Organ Prolapse. Female Pelvic Medicine and Reconstructive Surgery, 2016, 22, 442-446.	0.6	8
2199	Effectiveness and cost-effectiveness of pessary treatment compared with pelvic floor muscle training in older women with pelvic organ prolapse: 2-year follow-up of a randomized controlled trial in primary care. Menopause, 2016, 23, 1307-1318.	0.8	34
2200	Genetic Mutation that May Contribute to Failure of Prolapse Surgery in White Women: A Case-Control Study. Journal of Minimally Invasive Gynecology, 2016, 23, 726-730.	0.3	0

#	ARTICLE	IF	CITATIONS
2202	Seeking new surgical predictors of mesh exposure after transvaginal mesh repair. <i>International Urogynecology Journal</i> , 2016, 27, 1547-1555.	0.7	7
2203	Native vaginal tissue repair for genital prolapse surgical treatment: a minimum of 30 months of results. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 201, 75-78.	0.5	3
2204	Multidisciplinary management of pelvic floor disorders. <i>Seminars in Colon and Rectal Surgery</i> , 2016, 27, 1-4.	0.2	1
2205	Changes in mitochondrial DNA copy number and extracellular matrix (ECM) proteins in the uterosacral ligaments of premenopausal women with pelvic organ prolapse. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2016, 55, 9-15.	0.5	12
2206	German translation and validation of the Pelvic Organ Prolapse/Incontinence Sexual Questionnaire—IUGA revised (PISQ-IR). <i>International Urogynecology Journal</i> , 2016, 27, 1235-1244.	0.7	20
2207	Middle and Anterior Compartment: Issues for the Colorectal Surgeon. , 2016, , 1121-1133.		0
2209	Comparison of the efficacy of tension-free vaginal tape obturator (TVT-O) and single-incision tension-free vaginal tape (Ajustâ,,ç) in the treatment of female stress urinary incontinence: a 1-year follow-up randomized trial. <i>International Urogynecology Journal</i> , 2016, 27, 1497-1505.	0.7	27
2210	The association between maternal age at first delivery and risk of obstetric trauma. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 451.e1-451.e7.	0.7	36
2211	Comparison of complications and prolapse recurrence between laparoscopic and vaginal uterosacral ligament suspension for the treatment of vaginal prolapse. <i>International Urogynecology Journal</i> , 2016, 27, 797-803.	0.7	39
2212	Impact of Sacrospinous Colpopexy Associated with Anterior Colporrhaphy for the Treatment of Dome Prolapse on all Three Vaginal Compartments. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016, 38, 077-081.	0.3	10
2213	Gynaecological Prolapse Surgery in Very Old Female Patients. <i>Geburtshilfe Und Frauenheilkunde</i> , 2016, 76, 869-874.	0.8	3
2214	Can we predict detrusor overactivity in women with lower urinary tract symptoms? The King's Detrusor Overactivity Score (KiDOS). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 205, 127-132.	0.5	5
2216	Comparaci3n de la distancia anogenital y antropometr3a del perin3 en pacientes con y sin prolapso de 3rganos p3lvicos. <i>Actas Urol3gicas Espa3olas</i> , 2016, 40, 628-634.	0.3	6
2217	Evaluation and Classification of Stress Urinary Incontinence: Current Concepts and Future Directions. <i>European Urology Focus</i> , 2016, 2, 238-244.	1.6	20
2218	Patient-reported goal attainment and comprehensive functioning outcomes after surgery compared with pessary for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 659.e1-659.e7.	0.7	33
2219	Modified MR defecography without rectal filling in obstructed defecation syndrome: Initial experience. <i>European Journal of Radiology</i> , 2016, 85, 1673-1681.	1.2	17
2220	Mesh Surgery for Anterior Vaginal Wall Prolapse: A Meta-analysis. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016, 38, 356-364.	0.3	14
2221	Physical examination of the female cancer patient with sexual concerns: What oncologists and patients should expect from consultation with a specialist. <i>Ca-A Cancer Journal for Clinicians</i> , 2016, 66, 241-263.	157.7	28

#	ARTICLE	IF	CITATIONS
2222	Nerve stimulatorâ€‘guided pudendal nerve block vs general anesthesia for postoperative pain management after anterior and posterior vaginal wall repair: a prospective randomized trial. <i>Journal of Clinical Anesthesia</i> , 2016, 34, 668-675.	0.7	11
2223	Matrix Metalloproteinaseâ€‘1 Expression in Women With and Without Pelvic Organ Prolapse: A Systematic Review and Metaâ€‘analysis. <i>Clinical and Translational Science</i> , 2016, 9, 267-273.	1.5	6
2224	Outcomes of laparoscopic sacropexy in women over 70: A comparative study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 207, 178-183.	0.5	16
2225	Levator ani trauma and pelvic organ prolapse â€‘ a comparison of three translabial ultrasound scoring systems. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 1411-1417.	1.3	9
2226	Physical activity patterns in healthy middle-aged women. <i>Journal of Women and Aging</i> , 2016, 28, 469-476.	0.5	7
2227	Pelvic organ prolapse. <i>BMJ, The</i> , 2016, 354, i3853.	3.0	117
2228	Combined sacrospinous hysteropexy and cystopexy using a single anterior incision. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 135, 101-106.	1.0	9
2229	Transvaginal Versus Transabdominal Placement of Synthetic Mesh at Time of Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 151-155.	0.6	29
2230	Ageâ€‘stratified analysis of longâ€‘term outcomes of transvaginal mesh repair for treatment of pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 135, 112-116.	1.0	1
2231	Prolasso degli organi pelvici. <i>EMC - AKOS - Trattato Di Medicina</i> , 2016, 18, 1-7.	0.0	0
2232	Efficacy of an orally administered combination of hyaluronic acid, chondroitin sulfate, curcumin and quercetin for the prevention of recurrent urinary tract infections in postmenopausal women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 207, 125-128.	0.5	49
2233	The Effect of Perineal Lacerations on Pelvic Floor Function and Anatomy at 6 Months Postpartum in a Prospective Cohort of Nulliparous Women. <i>Birth</i> , 2016, 43, 293-302.	1.1	58
2234	Comparison of the anogenital distance and anthropometry of the perineum in patients with and without pelvic organ prolapse. <i>Actas UrolÃ³gicas EspaÃ±olas (English Edition)</i> , 2016, 40, 628-634.	0.2	2
2235	Real-time measurement of the vaginal pressure profile using an optical-fiber-based instrumented speculum. <i>Journal of Biomedical Optics</i> , 2016, 21, 127008.	1.4	10
2236	Burch Retropubic Urethropexy Compared With Midurethral Sling With Concurrent Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2016, 128, 828-835.	1.2	17
2237	A 2-Year Evaluation of Quality of Life Outcomes of Patients With Pelvic Organ Prolapse Treated With an Elevate Prolapse Repair System. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 410-414.	0.6	7
2238	A Prospective Observational Study of the Classification of the Perineum and Evaluation of Perineal Repair at the Time of Posterior Colporrhaphy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 453-459.	0.6	10
2240	Office management of pelvic relaxation. , 0, , 233-241.		0

#	ARTICLE	IF	CITATIONS
2241	Two parallel, pragmatic, UK multicentre, randomised controlled trials comparing surgical options for upper compartment (vault or uterine) pelvic organ prolapse (the VUE Study): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 441.	0.7	3
2242	Pelvic Organ Prolapse Stage and the Relationship to Genital Hiatus and Perineal Body Measurements. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 497-500.	0.6	29
2243	One-Year Outcomes After Minimally Invasive Sacrocolpopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 382-384.	0.6	39
2244	Structural Failure Sites in Anterior Vaginal Wall Prolapse. <i>Obstetrics and Gynecology</i> , 2016, 128, 853-862.	1.2	39
2245	Distance From Cervicovaginal Junction to Anterior Peritoneal Reflection Measured During Vaginal Hysterectomy. <i>Obstetrics and Gynecology</i> , 2016, 128, 863-867.	1.2	8
2246	Old Women Body Balance. <i>Topics in Geriatric Rehabilitation</i> , 2016, 32, E10-E15.	0.2	1
2247	A biofidelic computational model of the female pelvic system to understand effect of bladder fill and progressive vaginal tissue stiffening due to prolapse on anterior vaginal wall. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2016, 32, e02767.	1.0	22
2248	Effect of Supervised Pelvic Floor Biofeedback and Electrical Stimulation in Women With Mixed and Stress Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 324-327.	0.6	20
2249	Predictors of persistent detrusor overactivity in women with pelvic organ prolapse following transvaginal mesh repair. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 427-433.	0.6	12
2250	A survey of prolapse practice in UK women's health physiotherapists: what has changed in the last decade?. <i>International Urogynecology Journal</i> , 2016, 27, 579-585.	0.7	12
2251	Management of pelvic organ prolapse in French-speaking Belgium: the EPILAPSUS study. <i>Gynecological Surgery</i> , 2016, 13, 165-172.	0.9	1
2252	The Design of a Randomized Trial of Vaginal Surgery for Uterovaginal Prolapse: Vaginal Hysterectomy With Native Tissue Vault Suspension Versus Mesh Hysteropexy Suspension (The Study of Uterine) Tj ETQq1 1 0.784314 rgBT/Overlook 182-189.	0.6	24
2253	Assessing the use of the IUGA/ICS classification system for prosthesis/graft complications in publications from 2011 to 2015. <i>International Urogynecology Journal</i> , 2016, 27, 1905-1911.	0.7	1
2254	Is prenatal urethral descent a risk factor for urinary incontinence during pregnancy and the postpartum period?. <i>International Urogynecology Journal</i> , 2016, 27, 1003-1011.	0.7	17
2255	Impact of parity on ewe vaginal mechanical properties relative to the nonhuman primate and rodent. <i>International Urogynecology Journal</i> , 2016, 27, 1255-1263.	0.7	21
2256	Does the choice of suture material matter in anterior and posterior colporrhaphy?. <i>International Urogynecology Journal</i> , 2016, 27, 1357-1365.	0.7	11
2257	Laparoscopic wrap round mesh sacrohysteropexy for the management of apical prolapse. <i>International Urogynecology Journal</i> , 2016, 27, 1889-1897.	0.7	17
2258	Surgical Management for Pelvic Organ Prolapse and Its Impact on Sexual Function. <i>Sexual Medicine Reviews</i> , 2016, 4, 213-220.	1.5	25

#	ARTICLE	IF	CITATIONS
2259	Which factors should be considered in choosing pessary type and size for pelvic organ prolapse patients in a fitting trial?. <i>International Urogynecology Journal</i> , 2016, 27, 1867-1871.	0.7	16
2260	Relationship between pelvic floor symptoms and POPâ€™Q measurements. <i>Neurourology and Urodynamics</i> , 2016, 35, 724-727.	0.8	19
2261	An International Urogynecological Association (IUGA) / International Continence Society (ICS) Joint Report on the Terminology for Female Pelvic Organ Prolapse (POP). <i>Neurourology and Urodynamics</i> , 2016, 35, 137-168.	0.8	173
2262	Assessment of pelvic organ prolapse: a review. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 681-692.	0.9	45
2263	Effect of autologous muscleâ€™derived cells in the treatment of urinary incontinence in female patients with intrinsic sphincter deficiency and epispadias: A prospective study. <i>International Journal of Urology</i> , 2016, 23, 581-586.	0.5	18
2264	Anatomical and Functional Outcomes of Prolift Transvaginal Mesh for Treatment of Pelvic Organ Prolapse. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2016, 8, 159-164.	0.6	8
2265	To Pack or Not to Pack? A Randomized Trial of Vaginal Packing After Vaginal Reconstructive Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 111-117.	0.6	18
2266	Transdermal Scopolamine and Acute Postoperative Urinary Retention in Pelvic Reconstructive Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016, 22, 328-331.	0.6	7
2267	Differences in pelvic floor morphology between continent, stress urinary incontinent, and mixed urinary incontinent elderly women: An MRI study. <i>Neurourology and Urodynamics</i> , 2016, 35, 515-521.	0.8	18
2268	The value of the preoperative 1-h pad test with pessary insertion for predicting the need for a mid-urethral sling following pelvic prolapse surgery: a cohort study. <i>World Journal of Urology</i> , 2016, 34, 361-367.	1.2	7
2269	Treatment patterns and survival outcomes in patients with cervical cancer complicated by complete uterine prolapse: a systematic review of literature. <i>International Urogynecology Journal</i> , 2016, 27, 29-38.	0.7	20
2270	Influence of TVT properties on outcomes of midurethral sling procedures: high-stiffness versus low-stiffness tape. <i>International Urogynecology Journal</i> , 2016, 27, 1039-1045.	0.7	6
2271	Prosthetic surgery versus native tissue repair of cystocele: literature review. <i>Updates in Surgery</i> , 2016, 68, 325-329.	0.9	28
2272	A systematic review and meta-analysis of conventional laparoscopic sacrocolpopexy versus robot-assisted laparoscopic sacrocolpopexy. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 132, 284-291.	1.0	67
2273	Are hypertension and diabetes mellitus risk factors for pelvic organ prolapse?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 197, 59-62.	0.5	19
2274	The effect of pelvic organ prolapse repair on vaginal sensation. <i>International Urogynecology Journal</i> , 2016, 27, 915-918.	0.7	5
2275	An International Urogynecological Association (IUGA) / International Continence Society (ICS) joint report on the terminology for female pelvic organ prolapse (POP). <i>International Urogynecology Journal</i> , 2016, 27, 165-194.	0.7	245
2276	A prospective randomized trial comparing the use of tolterodine or weighted vaginal cones in women with overactive bladder syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 197, 91-97.	0.5	11

#	ARTICLE	IF	CITATIONS
2277	The prevalence of abnormal posterior compartment anatomy and its association with obstructed defecation symptoms in urogynecological patients. <i>International Urogynecology Journal</i> , 2016, 27, 939-944.	0.7	49
2278	Association between joint hypermobility and pelvic organ prolapse in women: a systematic review and meta-analysis. <i>International Urogynecology Journal</i> , 2016, 27, 1469-1478.	0.7	26
2279	Digital assessment and quantification of pelvic organ prolapse (DPOP-Q): a randomised cross-over diagnostic agreement trial. <i>International Urogynecology Journal</i> , 2016, 27, 433-437.	0.7	5
2280	Collagen metabolic disorder induced by oxidative stress in human uterosacral ligament-derived fibroblasts: A possible pathophysiological mechanism in pelvic organ prolapse. <i>Molecular Medicine Reports</i> , 2016, 13, 2999-3008.	1.1	46
2281	Sacrocolpopexy for posthysterectomy vaginal vault prolapse: long-term follow-up. <i>International Urogynecology Journal</i> , 2016, 27, 1563-1569.	0.7	20
2282	Elastin density: Link between histological and biomechanical properties of vaginal tissue in women with pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2016, 27, 629-635.	0.7	21
2283	Perineal body stretch during labor does not predict perineal laceration, postpartum incontinence, or postpartum sexual function: a cohort study. <i>International Urogynecology Journal</i> , 2016, 27, 1193-1200.	0.7	19
2284	Medium-term outcomes after combined trachelectomy and uterosacral ligament suspension among young women with severe uterine prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 132, 224-228.	1.0	6
2285	Pelvic Organ Prolapse. <i>Obstetrics and Gynecology Clinics of North America</i> , 2016, 43, 15-26.	0.7	15
2286	A patient preference conservative management of recurrent TVT vaginal erosion. <i>Journal of Obstetrics and Gynaecology</i> , 2016, 36, 131-132.	0.4	0
2287	The impact of acute and chronic strenuous exercise on pelvic floor muscle strength and support in nulliparous healthy women. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 316.e1-316.e7.	0.7	41
2288	Minilaparoscopic Versus Conventional Laparoscopic Sacrocolpopexy: A Comparative Study. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2016, 26, 386-392.	0.5	8
2289	Effect of simple and radical hysterectomy on quality of life – analysis of all aspects of pelvic floor dysfunction. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 84-88.	0.5	23
2290	Randomized clinical trial of multimodal physiotherapy treatment compared to overnight lidocaine ointment in women with provoked vestibulodynia: Design and methods. <i>Contemporary Clinical Trials</i> , 2016, 46, 52-59.	0.8	30
2291	Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2016, 27, 1069-1074.	0.7	30
2292	Interobserver agreement of multicompartiment ultrasound in the assessment of pelvic floor anatomy. <i>British Journal of Radiology</i> , 2016, 89, 20150704.	1.0	19
2293	Practical Functional Urology. , 2016, , .		4
2295	Efficacy and safety of skeletonized mesh implants for advanced pelvic organ prolapse: 12-month follow-up. <i>World Journal of Urology</i> , 2016, 34, 1491-1498.	1.2	8



#	ARTICLE	IF	CITATIONS
2296	Systematic classification of uterine cervical elongation in patients with pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 200, 40-44.	0.5	16
2297	Pelvic Organ Prolapse. , 2016, , 153-237.		0
2298	Treatment of rectal prolapse. <i>Seminars in Colon and Rectal Surgery</i> , 2016, 27, 33-39.	0.2	2
2300	Posterior vaginal compartment repairs: Where are the main anatomical defects?. <i>International Urogynecology Journal</i> , 2016, 27, 741-745.	0.7	17
2301	Is the levatorâ€“urethra gap helpful for diagnosing avulsion?. <i>International Urogynecology Journal</i> , 2016, 27, 909-913.	0.7	29
2302	Childbirth-Related Pelvic Floor Dysfunction. , 2016, , .		3
2303	The Overactive Pelvic Floor. , 2016, , .		6
2304	Consistently inconsistent, the posterior vaginal wall. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 314-320.	0.7	20
2305	Changes in Prolapse and Urinary Symptoms After Successful Fitting of aÂRing Pessary With Support in Women With Advanced Pelvic Organ Prolapse: AÂProspective Study. <i>Urology</i> , 2016, 87, 70-75.	0.5	30
2306	Laparoscopic sacral hysteropexy versus laparoscopic sacrocolpopexy with hysterectomy for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2016, 27, 93-101.	0.7	50
2307	Comparison of the functionality of pelvic floor muscles in women who practice the Pilates method and sedentary women: a pilot study. <i>International Urogynecology Journal</i> , 2016, 27, 123-128.	0.7	22
2308	Delivery mode and pelvic organ prolapse: a retrospective observational study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1551-1556.	1.1	24
2309	Biocompatible porcine dermis graft to treat severe cystocele: impact on quality of life and sexuality. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 125-131.	0.8	67
2310	Changes in pelvic organ prolapse mesh mechanical properties following implantation in rats. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 260.e1-260.e8.	0.7	23
2311	A review of the pelvic organ prolapse quantification system in China. <i>International Urogynecology Journal</i> , 2016, 27, 287-290.	0.7	8
2312	Digitation associated with defecation: what does it mean in urogynaecological patients?. <i>International Urogynecology Journal</i> , 2016, 27, 229-232.	0.7	7
2313	A nonlinear-elastic constitutive model for soft connective tissue based on a histologic description: Application to female pelvic soft tissue. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 58, 65-74.	1.5	9
2314	Association between <scp>ICS POP</scp>â€Q coordinates and translabial ultrasound findings: implications for definition of â€normal pelvic organ supportâ€™. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 363-368.	0.9	36

#	ARTICLE	IF	CITATIONS
2315	Association between pelvic floor muscle trauma and pelvic organ prolapse 20 years after delivery. <i>International Urogynecology Journal</i> , 2016, 27, 39-45.	0.7	39
2316	Long-term efficacy of the trans-obturator and retropubic mid-urethral slings for stress urinary incontinence: update from a randomized clinical trial. <i>World Journal of Urology</i> , 2016, 34, 585-593.	1.2	43
2317	Uropatía obstructiva secundaria a prolapso uterino. <i>Clinica E Investigacion En Ginecologia Y Obstetricia</i> , 2016, 43, 35-37.	0.1	0
2318	Evaluation and surgery for stress urinary incontinence: A FIGO working group report. <i>Neurourology and Urodynamics</i> , 2017, 36, 518-528.	0.8	38
2319	The relationship between fecal incontinence, constipation and defecatory symptoms in women with pelvic floor disorders. <i>Neurourology and Urodynamics</i> , 2017, 36, 495-498.	0.8	8
2320	Two-year effects and cost-effectiveness of pelvic floor muscle training in mild pelvic organ prolapse: a randomised controlled trial in primary care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 511-520.	1.1	42
2321	The Long-term Outcomes of the Tension-free Vaginal Tape Procedure for Treatment of Female Stress Urinary Incontinence: Data from Minimum 13 Years of Follow-up. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2017, 9, 10-14.	0.6	10
2322	Long-term follow-up of sacrocolpopexy mesh implants at two time intervals at least 1 year apart using 4D transperineal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 398-403.	0.9	5
2323	High-resolution T2-weighted cervical cancer imaging: a feasibility study on ultra-high-field 7.0-T MRI with an endorectal monopole antenna. <i>European Radiology</i> , 2017, 27, 938-945.	2.3	13
2324	Modified McCall culdoplasty versus Shull suspension in pelvic prolapse primary repair: a retrospective study. <i>International Urogynecology Journal</i> , 2017, 28, 65-71.	0.7	38
2325	Transvaginal uterosacral ligament hysteropexy: a retrospective feasibility study. <i>International Urogynecology Journal</i> , 2017, 28, 73-76.	0.7	26
2326	Laparoscopic sacrocolpopexy: how low does the mesh go?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 404-408.	0.9	29
2327	A new approach to supracervical hysterectomy during laparoscopic sacral colpopexy for pelvic organ prolapse: A randomized clinical trial. <i>Neurourology and Urodynamics</i> , 2017, 36, 798-802.	0.8	7
2328	Guidelines and enabling objectives for training primary healthcare providers, gynecologists and obstetric and gynecology residents in Female Pelvic Floor Medicine and Reconstructive Surgery. <i>Neurourology and Urodynamics</i> , 2017, 36, 514-517.	0.8	1
2329	Management of apical compartment prolapse (uterine and vault prolapse): A FIGO Working Group report. <i>Neurourology and Urodynamics</i> , 2017, 36, 507-513.	0.8	43
2330	Pelvic floor muscle function, pelvic floor dysfunction and diastasis recti abdominis: Prospective cohort study. <i>Neurourology and Urodynamics</i> , 2017, 36, 716-721.	0.8	58
2331	TVT for the treatment of urodynamic stress incontinence: Efficacy and adverse effects at 13-year follow-up. <i>Neurourology and Urodynamics</i> , 2017, 36, 192-197.	0.8	26
2332	Systemic atherosclerosis and voiding symptom. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 306-309.	0.5	3

#	ARTICLE	IF	CITATIONS
2333	Does Stage of Pelvic Organ Prolapse Affect Female Sexual Functions? A Retrospective Study. <i>International Journal of Sexual Health</i> , 2017, 29, 221-227.	1.2	0
2334	Is Pelvic Floor Dysfunction an Independent Threat to Sexual Function? A Cross-Sectional Study in Women with Pelvic Floor Dysfunction. <i>Journal of Sexual Medicine</i> , 2017, 14, 226-237.	0.3	26
2335	Pelvic organ prolapse and endogenous circulating sex steroids in postmenopausal women: A case control-study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 177-181.	0.5	4
2336	Norwegian translation, and validation, of the Pelvic Floor Distress Inventory (PFDI-20) and the Pelvic Floor Impact Questionnaire (PFIQ-7). <i>International Urogynecology Journal</i> , 2017, 28, 1005-1017.	0.7	16
2337	Turkish adaptation of the Pelvic Organ Prolapse Symptom Score and its validity and reliability. <i>International Urogynecology Journal</i> , 2017, 28, 1217-1222.	0.7	13
2338	Pelvic organ prolapse: anatomical and functional assessment. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2017, 27, 57-64.	0.1	3
2339	Pelvic floor morphometry: a predictor of success of pelvic floor muscle training for women with stress and mixed urinary incontinence. <i>International Urogynecology Journal</i> , 2017, 28, 1233-1239.	0.7	8
2340	Physical and cultural determinants of postpartum pelvic floor support and symptoms following vaginal delivery: a protocol for a mixed-methods prospective cohort study. <i>BMJ Open</i> , 2017, 7, e014252.	0.8	39
2341	An observational follow-up study on pelvic floor disorders to 3-5 years after delivery. <i>International Urogynecology Journal</i> , 2017, 28, 1393-1399.	0.7	20
2342	Clinical impact of bowel symptoms in women with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2017, 28, 1415-1420.	0.7	7
2343	Protocol for a Randomized Phase II Trial for Mesh Optimization by Autologous Plasma Coating in Prolapse Repair: IDEAL Stage 3. <i>Advances in Therapy</i> , 2017, 34, 995-1006.	1.3	3
2344	Evaluation of effects of urinary incontinence subtypes on women's sexual function using the Golombok-Rust Inventory of Sexual Satisfaction. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 551-556.	0.6	8
2345	The effect of rehabilitation exercises combined with direct vagina low voltage low frequency electric stimulation on pelvic nerve electrophysiology and tissue function in primiparous women: A randomised controlled trial. <i>Journal of Clinical Nursing</i> , 2017, 26, 4537-4547.	1.4	29
2346	Comparing the midterm outcome of single incision vaginal mesh and transobturator vaginal mesh in treating severe pelvic organ prolapse. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 81-86.	0.5	6
2347	Feasibility of using pessaries for treatment of pelvic organ prolapse in rural Nepal. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 136, 325-330.	1.0	7
2348	Prolapse symptoms are associated with abnormal functional anatomy of the pelvic floor. <i>International Urogynecology Journal</i> , 2017, 28, 1387-1391.	0.7	12
2349	Can the Pessary Use Modify the Vaginal Microbiological Flora? A Cross-sectional Study. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2017, 39, 169-174.	0.3	15
2350	Multiorgan motion tracking in dynamic magnetic resonance imaging for evaluation of pelvic system mobility and shear strain. <i>Strain</i> , 2017, 53, e12224.	1.4	7

#	ARTICLE	IF	CITATIONS
2351	Laparoscopic sacrocolpopexy compared with open abdominal sacrocolpopexy for vault prolapse repair: a randomised controlled trial. <i>International Urogynecology Journal</i> , 2017, 28, 1469-1479.	0.7	84
2352	MRI of the Pelvic Floor. <i>Medical Radiology</i> , 2017, , 407-427.	0.0	1
2353	Defining Cervical Elongation: A Prospective Observational Study. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2017, 39, 223-228.	0.3	9
2354	Spanish version of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-IR): Transcultural validation. <i>International Urogynecology Journal</i> , 2017, 28, 1865-1873.	0.7	14
2355	Pelvic floor symptoms and quality of life changes during first pregnancy: a prospective cohort study. <i>International Urogynecology Journal</i> , 2017, 28, 1701-1707.	0.7	32
2356	Utility of anterior vaginal wall length measurement in vaginal reconstructive surgery. <i>International Urogynecology Journal</i> , 2017, 28, 1197-1200.	0.7	3
2357	Biomechanical and morphological properties of the multiparous ovine vagina and effect of subsequent pregnancy. <i>Journal of Biomechanics</i> , 2017, 57, 94-102.	0.9	26
2358	Use of the Pelvic Organ Quantification System (POP-Q) in published articles of peer-reviewed journals. <i>International Urogynecology Journal</i> , 2017, 28, 1719-1723.	0.7	9
2359	Effect of pessary use on hydronephrosis in women with advanced pelvic organ prolapse: a self-selected interventional trial. <i>International Urogynecology Journal</i> , 2017, 28, 1589-1593.	0.7	3
2360	Polycystic ovary syndrome is associated with anogenital distance, a marker of prenatal androgen exposure. <i>Human Reproduction</i> , 2017, 32, 1-7.	0.4	47
2361	Clinical use of ring with support pessary for advanced pelvic organ prolapse and predictors of its short-term successful use. <i>Menopause</i> , 2017, 24, 954-958.	0.8	17
2362	Variables affecting maximum urethral closure pressure (MUCP) and abdominal leak point pressure (ALPP) measurements. <i>International Urogynecology Journal</i> , 2017, 28, 1651-1656.	0.7	3
2363	Effects of ultralow topical estradiol dose on vaginal health and quality of life in postmenopausal women who underwent surgical treatment for pelvic organ prolapse. <i>Menopause</i> , 2017, 24, 900-907.	0.8	42
2364	Defecatory dysfunction and fecal incontinence in women with or without posterior vaginal wall prolapse as measured by pelvic organ prolapse quantification (POP-Q). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 214, 50-55.	0.5	12
2365	The novel technique of post-hysterectomy vaginal vault prolapse repair: Apical sling and cocervix formation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 214, 11-15.	0.5	1
2366	Effect of Concurrent Prolapse Surgery on Stress Urinary Incontinence Outcomes After TVTO. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 244-249.	0.6	6
2367	Two years follow up of 270 patients treated by transvaginal mesh for anterior and/or apical prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 208, 16-22.	0.5	16
2368	Quality of life after Uphold, Vaginal Support System surgery for apical pelvic organ prolapse: A prospective multicenter study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 208, 86-90.	0.5	24

#	ARTICLE	IF	CITATIONS
2369	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for the conservative and nonpharmacological management of female pelvic floor dysfunction. <i>International Urogynecology Journal</i> , 2017, 28, 191-213.	0.7	233
2370	Urinary retention in female OAB after intravesical Botox injection: who is really at risk?. <i>International Urogynecology Journal</i> , 2017, 28, 845-850.	0.7	38
2371	Physical activity and pelvic floor muscle training in patients with pelvic organ prolapse: a pilot study. <i>International Urogynecology Journal</i> , 2017, 28, 1807-1815.	0.7	9
2372	Recognizing and Managing Common Urogynecologic Disorders. <i>Obstetrics and Gynecology Clinics of North America</i> , 2017, 44, 271-284.	0.7	3
2373	Laparoscopic Sacrocolpopexy for Beginners. , 2017, , .		0
2374	Anterior compartment descent: A new measure in the assessment of urethral hypermobility in women with urinary incontinence. <i>International Journal of Urology</i> , 2017, 24, 548-552.	0.5	2
2375	A 52-month follow-up on the transvaginal mesh surgery in vaginal cuff eversion. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 346-352.	0.5	4
2376	The 3D Pelvic Inclination Correction System (PICS): A universally applicable coordinate system for isovolumetric imaging measurements, tested in women with pelvic organ prolapse (POP). <i>Computerized Medical Imaging and Graphics</i> , 2017, 59, 28-37.	3.5	20
2377	Is the hymen a suitable cut-off point for clinically relevant pelvic organ prolapse?. <i>Maturitas</i> , 2017, 99, 86-91.	1.0	3
2378	Bladder Prolapse Configuration on Baseline Standing Cystogram Can Predict Anterior Vaginal Wall Suspension Procedure Outcomes. <i>Urology</i> , 2017, 103, 73-78.	0.5	3
2379	Practice Bulletin No. 176: Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2017, 129, e56-e72.	1.2	36
2380	Heightened Pelvic Floor Muscle Tone and Altered Contractility in Women with Provoked Vestibulodynia. <i>Journal of Sexual Medicine</i> , 2017, 14, 592-600.	0.3	63
2381	The hybrid technique of pelvic organ prolapse treatment: apical sling and subfascial colporrhaphy. <i>International Urogynecology Journal</i> , 2017, 28, 1407-1413.	0.7	10
2382	Comparison of the efficacy of perineal and intravaginal biofeedback assisted pelvic floor muscle exercises in women with urodynamic stress urinary incontinence. <i>Neurourology and Urodynamics</i> , 2017, 36, 2132-2141.	0.8	18
2383	Systematic Review of the Effectiveness of Physical Therapy Modalities in Women With Provoked Vestibulodynia. <i>Sexual Medicine Reviews</i> , 2017, 5, 295-322.	1.5	86
2384	Native Tissue Repair for Incontinence and Prolapse. , 2017, , .		1
2385	Validation of the International Consultation on Incontinence Questionnaire“Vaginal Symptoms (ICIQ-VS) in two south- Asian languages. <i>International Urogynecology Journal</i> , 2017, 28, 1849-1855.	0.7	9
2386	Pelvic organ support several years after a first birth. <i>International Urogynecology Journal</i> , 2017, 28, 1499-1505.	0.7	5

#	ARTICLE	IF	CITATIONS
2387	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for the conservative and nonpharmacological management of female pelvic floor dysfunction. <i>Neurourology and Urodynamics</i> , 2017, 36, 221-244.	0.8	190
2388	Practical Urological Ultrasound. <i>Current Clinical Urology</i> , 2017, , .	0.0	1
2389	Predicting levator avulsion from ICS POP-Q findings. <i>International Urogynecology Journal</i> , 2017, 28, 907-911.	0.7	7
2390	Pelvic floor muscle training for secondary prevention of pelvic organ prolapse (PREVPROL): a multicentre randomised controlled trial. <i>Lancet, The</i> , 2017, 389, 393-402.	6.3	66
2391	Vaginal wall weakness in parous ewes: a potential preclinical model of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2017, 28, 999-1004.	0.7	17
2392	Recurrence risk is associated with preoperatively advanced prolapse stage: Is there a difference between women with stage 2 and those with stage 3 or 4 cystocele?. <i>International Urogynecology Journal</i> , 2017, 28, 983-987.	0.7	3
2393	Pelvic floor morphometry and function in women with and without puborectalis avulsion in the early postpartum period. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 274.e1-274.e8.	0.7	32
2394	Posterior Transvaginal Mesh without Concurrent Surgery: How Does It have an Effect on the Untreated Vaginal Compartment?. <i>Gynecologic and Obstetric Investigation</i> , 2017, 82, 66-71.	0.7	5
2395	The American College of Obstetricians and Gynecologists. <i>Obstetrics and Gynecology</i> , 2017, 130, e234-e250.	1.2	14
2396	Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 353-364.	0.6	10
2397	Updates on the diagnostic tools for evaluation of pelvic floor disorders. <i>Current Opinion in Obstetrics and Gynecology</i> , 2017, 29, 458-464.	0.9	9
2398	Quality of Life, Sexuality, Anatomical Results and Side-effects of Implantation of an Alloplastic Mesh for Cystocele Correction at Follow-up after 36 Months. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017, 77, 993-1001.	0.8	15
2399	IUGA terminology and standardization: creating and using this expanding resource. <i>International Urogynecology Journal</i> , 2017, 28, 1613-1616.	0.7	0
2400	Feasibility of sacrocolpopexy by outpatient laparoscopic surgery. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2017, 46, 727-730.	0.6	7
2401	Using <i>Z</i> -scores to evaluate levator hiatus dimensions with four-dimensional translabial ultrasound. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1840-1847.	0.6	3
2402	The treatment of post-hysterectomy vaginal vault prolapse: a systematic review and meta-analysis. <i>International Urogynecology Journal</i> , 2017, 28, 1767-1783.	0.7	51
2403	Is there an association between aspects of the metabolic syndrome and overactive bladder? A prospective cohort study in women with lower urinary tract symptoms. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 217, 1-5.	0.5	24
2405	Update on Surgical Treatments for Pelvic Organ Prolapse. <i>Current Obstetrics and Gynecology Reports</i> , 2017, 6, 249-256.	0.3	0

#	ARTICLE	IF	CITATIONS
2406	Comparison between the Valsalva maneuver and intraoperative traction measurements in pelvic organ prolapse assessment. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 139, 358-362.	1.0	5
2407	Native tissue repair versus mesh repair in pelvic organ prolapse surgery. <i>Climacteric</i> , 2017, 20, 510-517.	1.1	14
2408	The novel technique of pelvic organ prolapse treatment: Apical sling and subfascial colporrhaphy. <i>European Urology Supplements</i> , 2017, 16, e2147.	0.1	0
2409	Development and Validation of a Quantitative Measure of Adaptive Behaviors in Women With Pelvic Floor Disorders. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 232-237.	0.6	13
2410	Imaging of Pelvic Floor Reconstruction. <i>Seminars in Ultrasound, CT and MRI</i> , 2017, 38, 200-212.	0.7	8
2413	Preoperative quality of life questionnaires are an adequate tool to select women with genital prolapse for laparoscopic sacrocolpopexy. <i>International Urogynecology Journal</i> , 2017, 28, 1833-1839.	0.7	5
2414	Ovine multiparity is associated with diminished vaginal muscularis, increased elastic fibres and vaginal wall weakness: implication for pelvic organ prolapse. <i>Scientific Reports</i> , 2017, 7, 45709.	1.6	25
2415	Impact of Case Order on Laparoscopic Sacrocolpopexy: Do Surgeons Need a Warm-Up?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 272-275.	0.6	7
2416	Repair of damaged ligaments with tissue fixation system minisling is sufficient to cure major prolapse in all three compartments: 5-year data. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1570-1577.	0.6	27
2417	Lasers for pelvic floor dysfunctions: is there evidence?. <i>Current Opinion in Obstetrics and Gynecology</i> , 2017, 29, 354-358.	0.9	12
2418	Direct and Indirect Effects of Personality Traits on Psychological Distress in Women With Pelvic Floor Disorders. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 412-416.	0.6	9
2419	<i>Urogynaecology</i> , 0, , 199-212.		0
2420	The Relationship of Anterior Vaginal and Apical Position to Postvoid Residual Urine. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 310-314.	0.6	4
2421	Single Port Robotic Assisted Sacrocolpopexy: Our Experience With the First 25 Cases. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, e14-e18.	0.6	33
2422	Measuring tissue displacement of the anterior vaginal wall using the novel aspiration technique in vivo. <i>Scientific Reports</i> , 2017, 7, 16141.	1.6	8
2423	Effects of pushing techniques during the second stage of labor: A Randomized controlled trial. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 606-612.	0.5	13
2424	Successful use of the Gellhorn pessary as a second-line pessary in women with advanced pelvic organ prolapse. <i>Menopause</i> , 2017, 24, 1277-1281.	0.8	20
2425	Is levator hiatus distension associated with peripheral ligamentous laxity during pregnancy?. <i>International Urogynecology Journal</i> , 2017, 28, 1223-1231.	0.7	8

#	ARTICLE	IF	CITATIONS
2426	A case of renal dysfunction caused by pelvic organ prolapse. CEN Case Reports, 2017, 6, 125-128.	0.5	7
2427	Role of transforming growth factor $\beta$ -1 in the pathogenesis of pelvic organ prolapse: A potential therapeutic target. International Journal of Molecular Medicine, 2017, 40, 347-356.	1.8	29
2428	Urinary incontinence in women. Nature Reviews Disease Primers, 2017, 3, 17042.	18.1	234
2429	Factors associated with recurrence after colpoceleisis for pelvic organ prolapse in elderly women. International Journal of Surgery, 2017, 44, 274-277.	1.1	11
2431	Non-surgical and Surgical Management of Pelvic Organ Prolapse in the Older Woman. Current Geriatrics Reports, 2017, 6, 81-89.	1.1	1
2432	Evaluation of pelvic floor muscle activity during running in continent and incontinent women: An exploratory study. Neurourology and Urodynamics, 2017, 36, 1570-1576.	0.8	44
2433	Underactive Bladder. , 2017, , .		3
2434	Do patient characteristics impact the relationship between anatomic prolapse and vaginal bulge symptoms?. International Urogynecology Journal, 2017, 28, 391-396.	0.7	5
2435	Is hysterectomy or prior reconstructive surgery associated with unsuccessful initial trial of pessary fitting in women with symptomatic pelvic organ prolapse?. International Urogynecology Journal, 2017, 28, 757-761.	0.7	16
2436	Surgical Treatment: Outlet Reduction, Men and Women. , 2017, , 49-56.		0
2437	The Effect of Vertical Versus Horizontal Vaginal Cuff Closure on Vaginal Length After Laparoscopic Hysterectomy. Journal of Minimally Invasive Gynecology, 2017, 24, 108-113.	0.3	7
2438	Temporal relationship between posterior vaginal prolapse and defecatory symptoms. American Journal of Obstetrics and Gynecology, 2017, 216, 390.e1-390.e6.	0.7	8
2439	Treatment of total pelvic organ prolapse using a whole biological patch: A pilot study of 17 patients. Journal of Obstetrics and Gynaecology Research, 2017, 43, 164-172.	0.6	8
2440	Minimal important change in the pelvic floor distress inventory-20 among women opting for conservative prolapse treatment. American Journal of Obstetrics and Gynecology, 2017, 216, 397.e1-397.e7.	0.7	21
2441	Predictors of unsuccessful pessary fitting in women with prolapse: a cross-sectional study in general practice. International Urogynecology Journal, 2017, 28, 307-313.	0.7	31
2442	Efficacy and pregnancy outcomes of laparoscopic single sheet mesh sacrohysteropexy. Neurourology and Urodynamics, 2017, 36, 787-793.	0.8	17
2443	Magnetic resonance imaging of pelvic floor dysfunction - joint recommendations of the ESUR and ESGAR Pelvic Floor Working Group. European Radiology, 2017, 27, 2067-2085.	2.3	102
2444	Laparoscopic sacral colpopexy: how to place the posterior mesh into rectovaginal space?. Neurourology and Urodynamics, 2017, 36, 1529-1534.	0.8	11



#	ARTICLE	IF	CITATIONS
2445	Evaluation of Sacrospinous Hysteropexy vs. Uterosacral Suspension for the Treatment of Uterine Prolapse: A Retrospective Assessment. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2017, 9, 33-37.	0.6	6
2446	Vaginal and laparoscopic mesh hysteropexy for uterovaginal prolapse: a parallel cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 38.e1-38.e11.	0.7	76
2447	Outcome of coexistent overactive bladder symptoms in women with urodynamic urinary incontinence following anti-incontinence surgery. <i>International Urogynecology Journal</i> , 2017, 28, 605-611.	0.7	7
2448	Native-tissue repair of isolated primary rectocele compared with nonabsorbable mesh: patient-reported outcomes. <i>International Urogynecology Journal</i> , 2017, 28, 49-57.	0.7	17
2449	If you could see what we see, would it bother you?. <i>International Urogynecology Journal</i> , 2017, 28, 59-64.	0.7	2
2450	Longitudinal follow-up of levator ani muscle avulsion: does a second delivery affect it?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 110-115.	0.9	18
2451	Mental health screening in women with severe pelvic organ prolapse, chronic fourth-degree obstetric tear and genital tract fistula in western Uganda. <i>International Urogynecology Journal</i> , 2017, 28, 893-897.	0.7	13
2452	Trocar-guided trans-vaginal mesh surgery for pelvic organ prolapse: effects on urinary continence and anatomical and functional outcomes. A prospective observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 29-34.	0.5	13
2453	Cervical amputation versus vaginal hysterectomy: a population-based register study. <i>International Urogynecology Journal</i> , 2017, 28, 257-266.	0.7	21
2454	Tension-free Vaginal Tape—Obturator for Treatment of Pure Urodynamic Stress Urinary Incontinence: Efficacy and Adverse Effects at 10-year Follow-up. <i>European Urology</i> , 2017, 71, 674-679.	0.9	48
2455	Definitions of apical vaginal support loss: a systematic review. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 232.e1-232.e14.	0.7	16
2456	Ethnic differences in the levator hiatus and pelvic organ descent: a prospective observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 242-246.	0.9	16
2457	Long-term follow-up of the outcome of supracervical versus total abdominal hysterectomy. <i>International Urogynecology Journal</i> , 2017, 28, 299-306.	0.7	7
2458	Effect of a New Risk Calculator on Patient Satisfaction With the Decision for Concomitant Midurethral Sling During Prolapse Surgery: A Randomized Controlled Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 17-22.	0.6	6
2459	Management of Patients with Concurrent Pelvic Organ Prolapse and Lower Urinary Tract Symptoms—Impact on Lower Urinary Tract Symptoms Following Prolapse Repair. <i>Current Bladder Dysfunction Reports</i> , 2017, 12, 201-206.	0.2	0
2460	Estrogen receptor and laminin genetic polymorphism among women with pelvic organ prolapse. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 750-754.	0.5	9
2461	Evaluation of intersystem agreement between standard pelvic organ prolapse quantification system and simplified pelvic organ prolapse scoring system. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2017, 6, 2031.	0.0	2
2462	Abdominal sacrocolpopexy with Pelvicol xenograft and concomitant Burch colposuspension. <i>International Journal of Women's Health</i> , 2017, Volume 9, 625-630.	1.1	5

#	ARTICLE	IF	CITATIONS
2463	Perioperative Behavioral Therapy and Pelvic Muscle Strengthening Do Not Enhance Quality of Life After Pelvic Surgery: Secondary Report of a Randomized Controlled Trial. <i>Physical Therapy</i> , 2017, 97, 1075-1083.	1.1	12
2464	Biomechanical paradigm and interpretation of female pelvic floor conditions before a treatment. <i>International Journal of Women's Health</i> , 2017, Volume 9, 521-550.	1.1	20
2465	Relationship between aerobic capacity and pelvic floor muscles function: a cross-sectional study. <i>Brazilian Journal of Medical and Biological Research</i> , 2017, 50, e5996.	0.7	10
2467	Pelvic organ prolapse: A primer for urologists. <i>Canadian Urological Association Journal</i> , 2017, 11, 125.	0.3	13
2468	The effect of extended release tolterodine used for overactive bladder treatment on female sexual function. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017, 43, 713-720.	0.7	13
2469	Efficacy and safety of Elevate® system on apical and anterior compartment prolapse repair with personal technique modification. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017, 43, 1115-1121.	0.7	3
2470	Gynecological Morbidity. , 2017, , 342-353.		1
2471	Outcome of vaginal mesh reconstructive surgery in multiparous compared with grand multiparous women: Retrospective long-term follow-up. <i>PLoS ONE</i> , 2017, 12, e0176666.	1.1	4
2472	Effect of combined actions of hip adduction/abduction on the force generation and maintenance of pelvic floor muscles in healthy women. <i>PLoS ONE</i> , 2017, 12, e0177575.	1.1	15
2473	Urinary leakage during sexual intercourse among women with incontinence: Incidence and risk factors. <i>PLoS ONE</i> , 2017, 12, e0177075.	1.1	17
2474	Efficacy of anchoring the four-arm transvaginal mesh to the mid-urethra vs original surgery as a surgical correction for stress urine incontinence in coexisting anterior vaginal prolapse grades II and III: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 624.	0.7	0
2475	Correlations between Mitofusin 2 Expression in Fibroblasts and Pelvic Organ Prolapse. <i>Chinese Medical Journal</i> , 2017, 130, 2951-2959.	0.9	11
2476	¿Existen diferencias entre la vía transobturadora y retrobica en la resolución de la incontinencia de orina de esfuerzo?. <i>Revista Chilena De Obstetricia Y Ginecología</i> , 2017, 82, 559-565.	0.1	0
2477	Pelvic Organ Prolapse (POP) Working Group (SICCR): Doubts and Evidence for a Practical Guide. <i>Journal of Inflammatory Bowel Diseases &amp; Disorders</i> , 2017, 02, .	0.1	1
2478	Surgical Updates in the Treatment of Pelvic Organ Prolapse. <i>Rambam Maimonides Medical Journal</i> , 2017, 8, e0017.	0.4	18
2479	Eficácia do método Pilates e do biofeedback manométrico em mulheres na menopausa com incontinência urinária. <i>Semina: Ciências Biológicas E Da Saúde</i> , 2017, 38, 61.	0.0	1
2480	Anterior six arms prolene mesh for high stage vaginal prolapse: five years follow-up. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017, 43, 525-532.	0.7	0
2481	Body after baby: a pilot survey of genital body image and sexual esteem following vaginal birth. <i>International Journal of Women's Health</i> , 2017, Volume 9, 189-198.	1.1	13

#	ARTICLE	IF	CITATIONS
2482	A Study on Laparoscopic Sacral Colpopexy for Uterine Prolapse. <i>Journal of Menopausal Medicine</i> , 2017, 23, 190.	0.3	2
2483	Evaluation of pelvic organ prolapse by standardized POP Q system for vaginal hysterectomy. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2017, 6, 2584.	0.0	6
2484	A new operation technique for uterine prolapse: Vaginally-assisted laparoscopic sacrohysteropexy. <i>Türk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2017, 14, 181-186.	0.3	4
2485	Surgical management of recurrent urinary tract infections: a review. <i>Translational Andrology and Urology</i> , 2017, 6, S153-S162.	0.6	14
2486	Colpopexia al ligamento sacroespinoso con Capiro™; cirugía, resultados y evolución de pacientes. <i>Revista Chilena De Obstetricia Y Ginecologia</i> , 2017, 82, 12-18.	0.1	0
2487	Improvement of overactive bladder symptoms: Is correction of the paravaginal defect in anterior vaginal wall prolapse necessary?. <i>Journal of the Chinese Medical Association</i> , 2018, 81, 892-897.	0.6	0
2488	Functional outcome after laparoscopic nerve-sparing sacrocolpopexy: a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 744-750.	1.3	18
2489	Clinical and ultrasonographic evaluation of the pelvic floor in primiparous women: a cross-sectional study. <i>International Urogynecology Journal</i> , 2018, 29, 1543-1549.	0.7	9
2490	Digitation to Void. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 356-359.	0.6	1
2491	A generic health-related quality of life instrument for assessing pelvic organ prolapse surgery: correlation with condition-specific outcome measures. <i>International Urogynecology Journal</i> , 2018, 29, 1093-1099.	0.7	12
2492	Consensus Statement of Definitions for Anorectal Physiology Testing and Pelvic Floor Terminology (Revised). <i>Diseases of the Colon and Rectum</i> , 2018, 61, 421-427.	0.7	38
2493	Tension-free vaginal tape for treatment of pure urodynamic stress urinary incontinence: efficacy and adverse effects at 17-year follow-up. <i>BJU International</i> , 2018, 122, 113-117.	1.3	34
2494	Safety of Vaginal Mesh Surgery Versus Laparoscopic Mesh Sacropexy for Cystocele Repair: Results of the Prosthetic Pelvic Floor Repair Randomized Controlled Trial. <i>European Urology</i> , 2018, 74, 167-176.	0.9	72
2495	Is increased peripheral ligamentous laxity in term pregnant women associated with obstetric anal sphincter injury?. <i>International Urogynecology Journal</i> , 2018, 29, 1589-1595.	0.7	12
2496	Structural, functional, and symptomatic differences between women with rectocele versus cystocele and normal support. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 510.e1-510.e8.	0.7	27
2497	Ablative dual-phase Erbium:YAG laser treatment of atrophy-related vaginal symptoms in post-menopausal breast cancer survivors omitting hormonal treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 955-960.	1.2	39
2498	Effect of generalized anxiety disorders on the success of pessary treatment for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2018, 29, 1147-1153.	0.7	8
2499	Modified laparoscopic pectopexy: short-term follow-up and its effects on sexual function and quality of life. <i>International Urogynecology Journal</i> , 2018, 29, 1155-1160.	0.7	22

#	ARTICLE	IF	CITATIONS
2500	Effectiveness of a continuous-use ring-shaped vaginal pessary without support for advanced pelvic organ prolapse in postmenopausal women. <i>International Urogynecology Journal</i> , 2018, 29, 1629-1636.	0.7	18
2501	Association between vaginal parity and rectocele. <i>International Urogynecology Journal</i> , 2018, 29, 1479-1483.	0.7	7
2502	Sexual activity and quality of life in Japanese pelvic organ prolapse patients after transvaginal mesh surgery. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1302-1307.	0.6	15
2503	Risk factors of overactive bladder syndrome and its relation to sexual function in menopausal women. <i>Urologia</i> , 2018, 85, 10-14.	0.3	16
2504	Recommended standardized terminology of the anterior female pelvis based on a structured medical literature review. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 26-39.	0.7	16
2506	Long-term outcomes of transvaginal mesh (TVM) In patients with pelvic organ prolapse: A 5-year follow-up. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 225, 90-94.	0.5	13
2507	Effect of Uterosacral Ligament Suspension vs Sacrospinous Ligament Fixation With or Without Perioperative Behavioral Therapy for Pelvic Organ Vaginal Prolapse on Surgical Outcomes and Prolapse Symptoms at 5 Years in the OPTIMAL Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1554.	3.8	163
2508	Test-retest reliability of the different dynamometric variables used to evaluate pelvic floor musculature during the menstrual cycle. <i>Neurourology and Urodynamics</i> , 2018, 37, 2606-2613.	0.8	6
2509	Correlation between electromyography and perineometry in evaluating pelvic floor muscle function in nulligravidas: A cross-sectional study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1658-1666.	0.8	5
2511	Pelvic floor muscle function and EMG in nulliparous women of different ages: a cross-sectional study. <i>Climacteric</i> , 2018, 21, 462-466.	1.1	16
2512	Current management of pelvic organ prolapse in aging women: EMAS clinical guide. <i>Maturitas</i> , 2018, 110, 118-123.	1.0	21
2513	Surgical Management of Pelvic Organ Prolapse. , 0, , 231-247.		0
2514	Demand and capacity to integrate pelvic organ prolapse and genital fistula services in low-resource settings. <i>International Urogynecology Journal</i> , 2018, 29, 1509-1515.	0.7	4
2515	Risk factors for stress urinary incontinence recurrence after single-incision sling. <i>Neurourology and Urodynamics</i> , 2018, 37, 1711-1716.	0.8	15
2516	Surgical Outcomes After Apical Repair for Vault Compared With Uterovaginal Prolapse. <i>Obstetrics and Gynecology</i> , 2018, 131, 475-483.	1.2	8
2517	Depressive symptoms affect outcomes of pessary use in postmenopausal women with uterine prolapse. <i>Climacteric</i> , 2018, 21, 184-188.	1.1	7
2518	The impact of a mobile application-based treatment for urinary incontinence in adult women: Design of a mixed-methods randomized controlled trial in a primary care setting. <i>Neurourology and Urodynamics</i> , 2018, 37, 2167-2176.	0.8	21
2519	Pelvic floor muscle function and quality of life in postmenopausal women with and without pelvic floor dysfunction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 552-559.	1.3	18

#	ARTICLE	IF	CITATIONS
2520	Pregnancy and parturition negatively impact vaginal angle and alter expression of vaginal MMP-9. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 242.e1-242.e7.	0.7	9
2521	Impact of radical hysterectomy on the transobturator sling pathway: a retrospective three-dimensional magnetic resonance imaging study. <i>International Urogynecology Journal</i> , 2018, 29, 1359-1366.	0.7	6
2522	The impact of childbirth on pelvic floor morphology in primiparous Black South African women: a prospective longitudinal observational study. <i>International Urogynecology Journal</i> , 2018, 29, 369-375.	0.7	11
2523	Mixed urinary incontinence: A prospective study on the effect of trans-obturator mid-urethral sling. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 221, 64-69.	0.5	12
2524	Risk factors for stress urinary incontinence after native-tissue vaginal repair of pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 141, 349-353.	1.0	11
2525	Laparoscopic supracervical hysterectomy and sacral colpopexy for pelvic organ prolapse with percutaneous surgical system: Results from a pilot study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 221, 160-165.	0.5	13
2526	Translabial US and Dynamic MR Imaging of the Pelvic Floor: Normal Anatomy and Dysfunction. <i>Radiographics</i> , 2018, 38, 287-308.	1.4	32
2527	Detrusor underactivity in pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2018, 29, 1111-1116.	0.7	35
2528	Longitudinal study of quantitative changes in pelvic organ support among parous women. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 320.e1-320.e7.	0.7	29
2529	Predictors for dislodgment of vaginal pessary within one year in women with pelvic organ prolapse. <i>Maturitas</i> , 2018, 108, 53-57.	1.0	20
2530	Vaginal hyperlaxity syndrome: a new concept and challenge. <i>Gynecological Endocrinology</i> , 2018, 34, 360-362.	0.7	8
2532	Outcomes of Transvaginal High Uterosacral Ligaments Suspension: Over 500-Patient Single-Center Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 203-206.	0.6	20
2533	Morphometry of the nulliparous pelvic floor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 672-676.	0.9	17
2534	Prolapse Surgery and Outcome Measures. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2018, , 153-166.	0.0	0
2535	Clinical Evaluation and Diagnostic Tools in Women with Prolapse. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2018, , 43-59.	0.0	2
2536	Pelvic Floor Muscle Training and Prolapse: Prevention or Treatment?. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2018, , 71-79.	0.0	0
2537	Predictors for unsuccessful pessary fitting in women with symptomatic pelvic organ prolapse: a prospective study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1434-1440.	1.1	25
2538	Levator Avulsion Is Associated With Pelvic Organ Prolapse 23 Years After the First Childbirth. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 2829-2839.	0.8	11

#	ARTICLE	IF	CITATIONS
2539	Evaluating <i>Z</i> Scores to Quantify Levator Hiatal Distensibility by 3â€Dimensional Ultrasonography in Nulliparas and Women With Pelvic Organ Prolapse. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 2363-2369.	0.8	2
2540	Should the visceral peritoneum be closed over mesh in abdominal sacrocolpopexy?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 222, 142-145.	0.5	4
2541	Vaginal hysterectomy with apical fixation and anterior vaginal wall repair for prolapse: surgical technique and medium-term results. <i>International Urogynecology Journal</i> , 2018, 29, 1187-1192.	0.7	9
2542	Laparoscopic Organopexy with Non-mesh Genital (LONG) Suspension: A Novel Uterine Preservation Procedure for the Treatment of Apical Prolapse. <i>Scientific Reports</i> , 2018, 8, 4872.	1.6	6
2543	Long-term outcome after surgical repair of pelvic organ prolapse with Elevate Prolapse Repair System. <i>Journal of Obstetrics and Gynaecology</i> , 2018, 38, 854-859.	0.4	10
2544	It is the first birth that does the damage: a cross-sectional study 20Âyears after delivery. <i>International Urogynecology Journal</i> , 2018, 29, 1637-1643.	0.7	29
2546	Recurrence of Rectal Prolapse After Surgical Repair in Women With Pelvic Organ Prolapse. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 861-867.	0.7	14
2547	Impact of subsequent pregnancies on pelvic floor functional anatomy. <i>International Urogynecology Journal</i> , 2018, 29, 1517-1522.	0.7	15
2548	Pelvic floor muscle activity during jumps in continent and incontinent women: an exploratory study. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 1455-1463.	0.8	16
2549	Results of an innovative bulking agent in patients with stress urinary incontinence who are not optimal candidates for midâ€urethral sling surgery. <i>Neurourology and Urodynamics</i> , 2018, 37, 339-345.	0.8	12
2550	Prolapse assessment supine and standing: do we need different cutoffs for â€significant prolapseâ€?. <i>International Urogynecology Journal</i> , 2018, 29, 685-689.	0.7	11
2551	Longâ€term followâ€up of anterior vaginal repair: A comparison among colporrhaphy, colporrhaphy with reinforcement by xenograft, and mesh. <i>Neurourology and Urodynamics</i> , 2018, 37, 278-283.	0.8	20
2552	Preâ€and postoperative magnetic resonance imaging (MRI) findings in patients treated with laparoscopic sacrocolpopexy. Is it a safe procedure for all patients?. <i>Neurourology and Urodynamics</i> , 2018, 37, 316-321.	0.8	11
2553	Valsalva maneuver in phlebologic practice. <i>Phlebology</i> , 2018, 33, 75-83.	0.6	10
2554	Primary treatment of pelvic organ prolapse: pessary use versus prolapse surgery. <i>International Urogynecology Journal</i> , 2018, 29, 99-107.	0.7	42
2555	A randomized, nonblinded extension study of single-incision versus transobturator midurethral sling in women with stress urinary incontinence. <i>International Urogynecology Journal</i> , 2018, 29, 37-44.	0.7	17
2556	Comparison of single- versus multicenter outcomes for pelvic organ prolapse repair using a mesh-capturing device. <i>International Urogynecology Journal</i> , 2018, 29, 91-97.	0.7	7
2557	Laparoscopic sacrohysteropexy versus vaginal hysterectomy for uterovaginal prolapse using validated questionnaires: 2-year prospective study. <i>International Urogynecology Journal</i> , 2018, 29, 71-79.	0.7	12

#	ARTICLE	IF	CITATIONS
2558	Patients' perception and satisfaction with pulsed magnetic stimulation for treatment of female stress urinary incontinence. <i>International Urogynecology Journal</i> , 2018, 29, 997-1004.	0.7	14
2559	Anatomical Outcome and Patient Satisfaction After Laparoscopic Uterosacral Ligament Hysteropexy for Anterior and Apical Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 352-355.	0.6	17
2560	Evaluation of pelvic floor kinematics in continent and incontinent women during running: An exploratory study. <i>Neurourology and Urodynamics</i> , 2018, 37, 609-618.	0.8	11
2561	Vaginal Uterosacral Ligament Suspension: A Retrospective Cohort of Absorbable and Permanent Suture Groups. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 207-212.	0.6	17
2562	Relationship Between Pelvic Organ Prolapse and Non-Human Papillomavirus Pap Smear Abnormalities. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 315-318.	0.6	0
2563	Association between vaginal bulge and anatomical pelvic organ prolapse during pregnancy and postpartum: an observational study. <i>International Urogynecology Journal</i> , 2018, 29, 441-448.	0.7	5
2564	Outcomes of Transvaginal High Uterosacral Ligaments Suspension: Over 500-Patient Single-Center Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 39-42.	0.6	36
2565	Depressive symptoms screening in postmenopausal women with symptomatic pelvic organ prolapse. <i>Menopause</i> , 2018, 25, 314-319.	0.8	16
2566	Dynamic 3T pelvic floor magnetic resonance imaging in women progressing from the nulligravid to the primiparous state. <i>International Urogynecology Journal</i> , 2018, 29, 735-744.	0.7	9
2567	Can We Evaluate Hiatal Ballooning by Measuring the Anteroposterior Diameter With 2-Dimensional Translabial Ultrasonography?. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 1001-1006.	0.8	4
2568	Validity of utility measures for women with pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 119.e1-119.e8.	0.7	9
2569	Increasing Anteroposterior Genital Hiatus Widening Does Not Limit Apical Descent for Prolapse Staging During Valsalva's Maneuver. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 412-418.	0.6	2
2570	Does the Degree of Cystocele Predict De Novo Stress Urinary Incontinence After Prolapse Repair? Further Analysis of the Colpopexy and Urinary Reduction Efforts Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 292-294.	0.6	17
2571	Putting POP-Q to the test: does cervical length?. <i>International Urogynecology Journal</i> , 2018, 29, 881-885.	0.7	6
2572	Prevalence of levator ani muscle avulsion and effect on quality of life in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2018, 29, 729-733.	0.7	13
2573	Effect of Cystocele Repair on Cervix Location in Women With Uterus In Situ. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 56-59.	0.6	2
2574	Natural history of pelvic organ prolapse in symptomatic patients actively seeking treatment. <i>International Urogynecology Journal</i> , 2018, 29, 873-880.	0.7	8
2575	Risk factors for recurrence after hysterectomy plus native-tissue repair as primary treatment for genital prolapse. <i>International Urogynecology Journal</i> , 2018, 29, 145-151.	0.7	35

#	ARTICLE	IF	CITATIONS
2576	Elevated Postvoid Residual Urine Volume. Female Pelvic Medicine and Reconstructive Surgery, 2018, 24, 444-448.	0.6	7
2577	Effects of Surgical Anatomical Correction of Pelvic Anterior Compartment Defect on Lower Urinary Tract Symptoms. LUTS: Lower Urinary Tract Symptoms, 2018, 10, 277-280.	0.6	4
2578	Obesity: how much does it matter for female pelvic organ prolapse?. International Urogynecology Journal, 2018, 29, 1129-1134.	0.7	20
2579	The UK National Prolapse Survey: 10Âyears on. International Urogynecology Journal, 2018, 29, 795-801.	0.7	37
2580	Laparoscopic Mesh-Less Cervicosacropey for Uterovaginal Prolapse. Female Pelvic Medicine and Reconstructive Surgery, 2018, 24, 399-403.	0.6	8
2581	Pre-operative guided imagery in female pelvic medicine and reconstructive surgery: a randomized trial. International Urogynecology Journal, 2018, 29, 1117-1122.	0.7	14
2582	Radio-Imaging for Benign Uterine Disease. , 2018, , 95-108.		1
2583	Screening for general anxiety disorders in postmenopausal women with symptomatic pelvic organ prolapse. Climacteric, 2018, 21, 35-39.	1.1	7
2584	Long-term outcomes and predictors of failure after surgery for stage IV apical pelvic organ prolapse. International Urogynecology Journal, 2018, 29, 803-810.	0.7	11
2585	Sacrocolpopexy with polyvinylidene fluoride mesh for pelvic organ prolapse: Mid term comparative outcomes with polypropylene mesh. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 220, 74-78.	0.5	27
2586	Conservative management of pelvic organ prolapse. Obstetrics, Gynaecology and Reproductive Medicine, 2018, 28, 15-21.	0.1	9
2587	Two-Year Results of Burch Compared With Midurethral Sling With Sacrocolpopexy. Obstetrics and Gynecology, 2018, 131, 31-38.	1.2	20
2588	Comparison of outcomes between postpartum and nonâ€postpartum women with stress urinary incontinence treated with conservative therapy: A prospective cohort study. Neurourology and Urodynamics, 2018, 37, 1426-1433.	0.8	4
2589	Uterus-sparing vaginolaroscopic sacrocolpopexy for apical pelvic organ prolapse. International Urogynecology Journal, 2018, 29, 1455-1461.	0.7	3
2590	Vulvar lichen sclerosus in women is associated with lower urinary tract symptoms. International Urogynecology Journal, 2018, 29, 217-221.	0.7	12
2591	Is a â€cedragging sensationâ€a symptom of female pelvic organ prolapse?. International Urogynecology Journal, 2018, 29, 703-707.	0.7	3
2592	Vaginal laxity: what does this symptom mean?. International Urogynecology Journal, 2018, 29, 723-728.	0.7	43
2593	Post-hysterectomy vaginal vault prolapse. Maturitas, 2018, 107, 39-43.	1.0	24



#	ARTICLE	IF	CITATIONS
2594	American Urogynecologic Society Best-Practice Statement on Evaluation of Obstructed Defecation. Female Pelvic Medicine and Reconstructive Surgery, 2018, 24, 383-391.	0.6	13
2595	Use of pessary in the treatment of pelvic floor dysfunctions: a systematic review. Physiotherapy Quarterly, 2018, 26, 1-8.	0.1	0
2597	Traditional Chinese medicine decreases the obstructive uropathy risk in uterovaginal prolapse. Medicine (United States), 2018, 97, e12369.	0.4	1
2599	Pathophysiology of Pelvic Organ Prolapse. , 0, , .		8
2601	Gynecologic Health and Disease Research at the Eunice Kennedy Shriver National Institute of Child Health and Human Development. Obstetrics and Gynecology, 2018, 132, 987-998.	1.2	5
2602	Responsibility toward affordable healthcare: disposable versus reusable methods for pelvic floor repair. International Journal of Women's Health, 2018, Volume 10, 633-638.	1.1	2
2603	Various Approaches and Treatments for Pelvic Organ Prolapse in Women. Journal of Menopausal Medicine, 2018, 24, 155.	0.3	21
2604	Hydroureteronephrosis in women with pelvic organ prolapse: a prospective cohort study. International Journal of Reproduction, Contraception, Obstetrics and Gynecology, 2018, 7, 3664.	0.0	1
2605	Laparoscopic sacrocolpopexy is as safe in septuagenarians or elder as in younger women. Gynecological Surgery, 2018, 15, .	0.9	6
2607	Is There Still a Role for Transvaginal Mesh in Treatment of Pelvic Organ Prolapse?. Current Bladder Dysfunction Reports, 2018, 13, 257-261.	0.2	1
2608	Use of Dynamic MRI of the Pelvic Floor in the Assessment of Anterior Compartment Disorders. Current Urology Reports, 2018, 19, 112.	1.0	12
2609	Endoplasmic reticulum stress contributes to the pathogenesis of stress urinary incontinence in postmenopausal women. Journal of International Medical Research, 2018, 46, 5269-5277.	0.4	7
2610	Association of Delivery Mode With Pelvic Floor Disorders After Childbirth. JAMA - Journal of the American Medical Association, 2018, 320, 2438.	3.8	183
2611	In gratitude. American Journal of Obstetrics and Gynecology, 2018, 219, 517-518.	0.7	0
2612	Consensus Statement of the Italian Society of Colorectal Surgery (SICCR): management and treatment of complete rectal prolapse. Techniques in Coloproctology, 2018, 22, 919-931.	0.8	49
2613	Should We Always Use Antibiotics after Urodynamic Studies in High-Risk Patients?. BioMed Research International, 2018, 2018, 1-5.	0.9	13
2614	Laparoscopic sacral colpopexy and a new approach to mesh fixation: a randomized clinical trial. Archives of Gynecology and Obstetrics, 2018, 298, 939-944.	0.8	8
2615	Laparoscopic Bilateral Cervicosacropexy and Vaginosacropexy: New Surgical Treatment Option in Women with Pelvic Organ Prolapse and Urinary Incontinence. Journal of Endourology, 2018, 32, 1058-1064.	1.1	12

#	ARTICLE	IF	CITATIONS
2616	Anogenital Distance and Perineal Measurements of the Pelvic Organ Prolapse (POP) Quantification System. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	5
2617	Oxidative status of cardinal ligament in pelvic organ prolapse. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 3293-3302.	0.8	17
2618	Changes in the symptoms and quality of life of women with symptomatic pelvic organ prolapse fitted with a ring with support pessary. <i>Maturitas</i> , 2018, 117, 51-56.	1.0	19
2619	The role of ADAMTS-2, collagen type-1, TIMP-3 and papilin levels of uterosacral and cardinal ligaments in the etiopathogenesis of pelvic organ prolapse among women without stress urinary incontinence. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 231, 158-163.	0.5	9
2621	Robotic Single-Site Sacrocolpopexy with Retroperitoneal Tunneling. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2018, 22, e2018.00009.	0.5	12
2623	Terminology report from the International Continence Society (ICS) Working Group on Underactive Bladder (UAB). <i>Neurourology and Urodynamics</i> , 2018, 37, 2928-2931.	0.8	81
2624	Can Intradetrusor OnabotulinumtoxinA Injections Alter Heart Function in Patients with Cardiac Arrhythmia?. <i>Journal of Clinical Medicine</i> , 2018, 7, 263.	1.0	0
2625	An innovative dual-phase protocol for pulsed ablative vaginal Erbium:YAG laser treatment of urogynecological symptoms. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 229, 167-171.	0.5	20
2626	Impact of age on midâ€•to longâ€•term outcomes of transvaginal native tissue repair for apical vaginal prolapse. <i>Neurourology and Urodynamics</i> , 2018, 37, 2860-2866.	0.8	5
2627	Person-Centered Care for Patients with Pessaries. <i>Nursing Clinics of North America</i> , 2018, 53, 289-301.	0.7	5
2628	Current trends and future perspectives in pelvic reconstructive surgery. <i>Women's Health</i> , 2018, 14, 174550651877649.	0.7	9
2629	Open sacrocolpopexy and vaginal apical repair: retrospective comparison of success and serious complications. <i>International Urogynecology Journal</i> , 2018, 29, 1101-1110.	0.7	10
2630	Pelvic Floor Morphometric Differences in Elderly Women with or without Urinary Incontinence. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018, 70, 49-56.	0.3	6
2631	Posterior vaginal compartment repairs: Does vaginal vault (level I) fixation significantly improve the vaginal introital (level III) repair?. <i>Neurourology and Urodynamics</i> , 2018, 37, 2740-2744.	0.8	0
2632	Relevance of open magnetic resonance imaging position (sitting and standing) to quantify pelvic organ prolapse in women. <i>Canadian Urological Association Journal</i> , 2018, 12, E453-E460.	0.3	11
2633	Comparative study of transobturator sling with and without concomitant prolapse surgery for female urodynamic stress incontinence. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1466-1471.	0.6	0
2634	Simplified laparoscopic sacropexy avoiding deep vaginal dissection. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 143, 239-245.	1.0	8
2635	Submaximal pelvic floor muscle contractions: similar bladder-neck elevation, longer duration, less intra-abdominal pressure. <i>International Urogynecology Journal</i> , 2018, 29, 1681-1687.	0.7	9

#	ARTICLE	IF	CITATIONS
2636	Correlation between the posterior vaginal wall and apex in pelvic organ prolapse. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 505.	0.6	3
2639	Non-absorbable and partially-absorbable mesh during pelvic organ prolapse repair: A comparison of clinical outcomes. <i>International Journal of Surgery</i> , 2018, 55, 5-8.	1.1	3
2640	Design and Early Experience With a Real-World Surgical Registry. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018, 24, 341-346.	0.6	2
2641	Surgical Alteration of Genital Hiatus Size and Anatomic Failure After Vaginal Vault Suspension. <i>Obstetrics and Gynecology</i> , 2018, 131, 1137-1144.	1.2	38
2642	Association between pelvic organ prolapse types and levatorâ€œurethra gap as measured by 3D transperineal ultrasound. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 2849-2854.	0.8	9
2643	Comparability between adult female anogenital distance and perineal measurements standardized by POPâ€œQ system (GH and PB). <i>Neurourology and Urodynamics</i> , 2018, 37, 2847-2853.	0.8	2
2644	Laparoscopic sacrocolpopexy with or without midurethral sling insertion: Is a two- step approach justified? A prospective study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 229, 98-102.	0.5	11
2645	Systematic review of definitions for success in pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2018, 29, 1697-1704.	0.7	19
2646	â€œLong-term effects of vaginal erbium laser in the treatment of genitourinary syndrome of menopauseâ€œ™: pelvic organ prolapse classification issues. <i>Climacteric</i> , 2018, 21, 515-515.	1.1	1
2647	Apical Prolapse: Is There a Best Approach?. <i>Current Bladder Dysfunction Reports</i> , 2018, 13, 101-110.	0.2	4
2648	How to use the Pelvic Organ Prolapse Quantification (POPâ€œQ) system?. <i>Neurourology and Urodynamics</i> , 2018, 37, S39-S43.	0.8	69
2649	Does 4D transperineal ultrasound have additional value over 2D transperineal ultrasound for diagnosing posterior pelvic floor disorders in women with obstructed defecation syndrome?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 784-791.	0.9	10
2650	Anterior Colporrhaphy With and Without Dermal Allograft: A Randomized Control Trial With Long-Term Follow-Up. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 206-212.	0.6	6
2651	Is urodynamics necessary to identify occult stress urinary incontinence?. <i>World Journal of Urology</i> , 2019, 37, 189-193.	1.2	7
2652	Comparison of transperineal ultrasound with POP-Q for assessing symptoms of prolapse. <i>International Urogynecology Journal</i> , 2019, 30, 595-602.	0.7	9
2653	Outcomes of laparoscopic management of multicompartamental pelvic organ prolapse. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 1075-1079.	1.3	9
2654	A prospective study investigating the diagnostic agreement between urodynamics and dynamic cystoscopy in women presenting with mixed urinary incontinence. <i>International Urogynecology Journal</i> , 2019, 30, 823-829.	0.7	1
2655	Urethral mobility and Point Aa of the P elvic O rgan P rolapse Q uantification ( POPâ€œQ ) system before and after midurethral sling operation. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019, 11, O117-O120.	0.6	1

#	ARTICLE	IF	CITATIONS
2656	Changes in urethral mobility and configuration after prolapse repair. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 124-128.	0.9	16
2657	The symptom of vaginal bulging in nulliparous women aged 25-64 years: a national cohort study. <i>International Urogynecology Journal</i> , 2019, 30, 639-647.	0.7	13
2658	New approach to the evaluation of perineal measurements to predict the likelihood of the need for an episiotomy. <i>International Urogynecology Journal</i> , 2019, 30, 815-821.	0.7	7
2659	Do anxiety traits predict subjective short-term outcomes following prolapse repair surgery?. <i>International Urogynecology Journal</i> , 2019, 30, 417-421.	0.7	3
2660	Association between pelvic floor muscle trauma and contraction in parous women from a general population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 262-268.	0.9	19
2661	Vaginal pessaries in the management of symptomatic pelvic organ prolapse in rural Kilimanjaro, Tanzania: a pre-post interventional study. <i>International Urogynecology Journal</i> , 2019, 30, 1313-1321.	0.7	4
2662	Does Patient Posture Affect the Ultrasound Evaluation of Pelvic Organ Prolapse?. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 233-238.	0.8	11
2663	Ultrasound in the assessment of pelvic organ prolapse. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2019, 54, 12-30.	1.4	68
2664	Anatomical outcomes 1 year after pelvic organ prolapse surgery in patients with and without a uterus at a high risk of recurrence: a randomised controlled trial comparing laparoscopic sacrocolpopexy/cervicopexy and anterior vaginal mesh. <i>International Urogynecology Journal</i> , 2019, 30, 545-555.	0.7	21
2665	Assessment of the long-term outcome of TVT procedure for stress urinary incontinence in a female population: results at 17 years follow-up. <i>International Urogynecology Journal</i> , 2019, 30, 265-269.	0.7	22
2666	Prospective comparison of obstetric anal sphincter injury incidence between an Asian and Western hospital. <i>International Urogynecology Journal</i> , 2019, 30, 429-437.	0.7	11
2667	Systematic review of lower urinary tract symptoms occurring with pelvic organ prolapse. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019, 17, 23-29.	0.7	8
2668	Long-term outcomes and five-year recurrence-free survival curves after native tissue prolapse repair. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 147, 238-245.	1.0	6
2670	Quantitative Evaluation of Female Pelvic Floor Muscle Biomechanics Using Ultrasound Elastography. <i>IEEE Access</i> , 2019, 7, 60940-60946.	2.6	2
2671	Pelvic Floor Disorders. <i>Obstetrics and Gynecology Clinics of North America</i> , 2019, 46, 527-540.	0.7	52
2672	Changes in the PGC-1 $\alpha$ and mtDNA copy number may play a role in the development of pelvic organ prolapse in pre-menopausal patients. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 526-530.	0.5	5
2673	Recurrent apical prolapse after high uterosacral ligament suspension in a heterogenous cohort characterised by a high prevalence of previous pelvic operations. <i>BMC Women's Health</i> , 2019, 19, 96.	0.8	8
2674	Medium-term outcome of laparoscopic sacrocolpopexy using polyvinylidene fluoride as compared to a hybrid polyglecaprone and polypropylene mesh: A matched control study. <i>Neurourology and Urodynamics</i> , 2019, 38, 1874-1882.	0.8	9

#	ARTICLE	IF	CITATIONS
2675	Breastfeeding and pelvic floor disorders one to two decades after vaginal delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 333.e1-333.e8.	0.7	6
2676	Pelvic floor muscle function and symptoms of dysfunctions in midwives and nurses of reproductive age with and without pelvic floor dysfunction. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 505-513.	0.5	11
2677	The effect of the first vaginal birth on pelvic floor anatomy and dysfunction. <i>International Urogynecology Journal</i> , 2019, 30, 1689-1696.	0.7	55
2678	Correction of pelvic organ prolapse by laparoscopic lateral suspension with mesh: A clinical series. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 351-356.	0.5	11
2679	Transvaginal mesh surgery for pelvic organ prolapse does not affect sexual function at long term follow up. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 282-287.	0.5	5
2680	Surgical interventions for posterior compartment prolapse and obstructed defecation symptoms: a systematic review with clinical practice recommendations. <i>International Urogynecology Journal</i> , 2019, 30, 1433-1454.	0.7	22
2681	Second-Degree Burn Sustained After Vaginal Steaming. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2019, 41, 838-839.	0.3	5
2684	Comparison of Solifenacin and Bilateral Apical Fixation in the Treatment of Mixed and Urgency Urinary Incontinence in Women: URGE 1 Study, A Randomized Clinical Trial. <i>In Vivo</i> , 2019, 33, 1949-1957.	0.6	9
2685	Late suture site complications of sacrospinous ligament fixation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 242, 126-130.	0.5	7
2686	Hormone Replacement for Pelvic Floor Disorders. <i>Current Bladder Dysfunction Reports</i> , 2019, 14, 266-271.	0.2	0
2687	&lt;p&gt;Recovery after surgery: do not forget to check iron status before&lt;/p&gt;. <i>International Journal of Women's Health</i> , 2019, Volume 11, 481-487.	1.1	2
2688	Pelvic floor muscle displacement during jumps in continent and incontinent women: An exploratory study. <i>Neurourology and Urodynamics</i> , 2019, 38, 2374-2382.	0.8	8
2689	Transperineal Ultrasound Assessment of a Cystoceleâ€™s Impact on the Bladder Neck Mobility in Women with Stress Urinary Incontinence. <i>Medicina (Lithuania)</i> , 2019, 55, 562.	0.8	2
2691	Pelvic Organ Prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1047.	3.8	2
2692	Effect of Vaginal Mesh Hysteropexy vs Vaginal Hysterectomy With Uterosacral Ligament Suspension on Treatment Failure in Women With Uterovaginal Prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1054.	3.8	69
2693	Comparison of Unilateral and Bilateral Sacrospinous Ligament Fixation Using Minimally Invasive Anchorage. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019, 79, 976-982.	0.8	6
2694	The relationship of defecation symptoms and posterior vaginal wall prolapse in women undergoing pelvic organ prolapse surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 480.e1-480.e10.	0.7	17
2695	Prophylactic McCall Culdoplasty by a Vaginal Approach during Mini-Laparoscopic Hysterectomy. <i>BioMed Research International</i> , 2019, 2019, 1-5.	0.9	2

#	ARTICLE	IF	CITATIONS
2696	Longitudinal Changes in the Genital Hiatus Preceding the Development of Pelvic Organ Prolapse. American Journal of Epidemiology, 2019, 188, 2196-2201.	1.6	23
2697	Significant Improvement in Quality of Life, Positive Effect on Sexuality, Lasting Reconstructive Result and Low Rate of Complications Following Cystocele Correction Using a Lightweight, Large-Pore, Titanised Polypropylene Mesh. Geburtshilfe Und Frauenheilkunde, 2019, 79, 959-968.	0.8	9
2698	Preliminary outcome of non-ablative vaginal Erbium laser treatment for female stress and mixed urinary incontinence. Taiwanese Journal of Obstetrics and Gynecology, 2019, 58, 610-613.	0.5	8
2699	Responsiveness and minimally important difference of SF-6D and EQ-5D utility scores for the treatment of pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2019, 220, 265.e1-265.e11.	0.7	20
2700	Comparison between laparoscopic uterus/sacrocolpopexy and total pelvic floor reconstruction with vaginal mesh for the treatment of pelvic organ prolapse. Journal of Obstetrics and Gynaecology Research, 2019, 45, 915-922.	0.6	18
2701	Robotic sacrocolpopexy for recurrent vaginal vault prolapse after sex reassignment surgery in a trans-woman. Journal of Obstetrics and Gynaecology, 2019, 39, 569-570.	0.4	2
2702	Virtual image correlation of magnetic resonance images for 3D geometric modelling of pelvic organs. Strain, 2019, 55, e12305.	1.4	7
2703	Questions surrounding the optimal time for surgical treatment of pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 234, 120-125.	0.5	1
2704	Association between col1a2 Polymorphism and the Occurrence of Pelvic Organ Prolapse in Brazilian Women. Revista Brasileira De Ginecologia E Obstetricia, 2019, 41, 031-036.	0.3	2
2705	Laparoscopic lateral suspension for pelvic organ prolapse in a case with difficulty in performing laparoscopic sacrocolpopexy. IJU Case Reports, 2019, 2, 118-120.	0.1	3
2706	Efficacy and safety of the Calistar and Elevate anterior vaginal mesh procedures. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 239, 30-34.	0.5	5
2707	Genital Complaints at the Extremes of Age. Emergency Medicine Clinics of North America, 2019, 37, 193-205.	0.5	4
2708	Laparoscopic Abdominopexy: Surgery for Vaginal Prolapse. Journal of the Society of Laparoendoscopic Surgeons, 2019, 23, e2019.00012.	0.5	5
2709	Pelvic organ prolapse: anatomical and functional assessment. Obstetrics, Gynaecology and Reproductive Medicine, 2019, 29, 251-258.	0.1	0
2710	Laparoscopic uterosacral ligament colpopexy for apical support in addition to hysterectomy for pelvic organ prolapse. Journal of Obstetrics and Gynaecology Research, 2019, 45, 1522-1529.	0.6	4
2711	Radiation therapy for vaginal cancer in complete uterine prolapse with intrauterine adhesion: a case report. BMC Women's Health, 2019, 19, 69.	0.8	5
2712	Pelvic floor ultrasound findings in Ugandan women with obstetric fistula, unrepaired fourth degree obstetric tear, and pelvic organ prolapse. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, 585-589.	0.4	3
2713	Study of the polymorphism rs3025058 of the MMP-3 gene and risk of pelvic organ prolapse in Brazilian women. European Journal of Obstetrics and Gynecology and Reproductive Biology: X, 2019, 3, 100031.	0.6	3

#	ARTICLE	IF	CITATIONS
2714	Single-port versus multi-port robotic sacrocervicopexy: Establishment of a learning curve and short-term outcomes. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 239, 1-6.	0.5	4
2715	Imaging Collagen Properties in the Uterosacral Ligaments of Women With Pelvic Organ Prolapse Using Spatial Light Interference Microscopy (SLIM). <i>Frontiers in Physics</i> , 2019, 7, .	1.0	15
2716	Relationship of Decubitus Ulcer on Cervix in Pelvic Organ Prolapse with POP-Q Staging. <i>Journal of Obstetrics and Gynecology of India</i> , 2019, 69, 266-271.	0.3	4
2717	Cost-analysis and quality of life after laparoscopic and robotic ventral mesh rectopexy for posterior compartment prolapse: a randomized trial. <i>Techniques in Coloproctology</i> , 2019, 23, 461-470.	0.8	29
2718	Twelve yearsâ€™ experience with fascia lata autograft to replace complicated anterior vaginal mesh. <i>International Urogynecology Journal</i> , 2019, 30, 1587-1592.	0.7	2
2719	Quantification of Levator Ani Hiatus Enlargement by Magnetic Resonance Imaging in Males and Females with Pelvic Organ Prolapse. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	0
2720	Medium-term outcomes of laparoscopic sacropexy on symptoms and quality of life. Predictive factors for postoperative dissatisfaction. <i>International Urogynecology Journal</i> , 2019, 30, 2085-2092.	0.7	2
2721	Does being performed by urologist or gynecologist affect the outcomes of women who have had sacrocolpopexy?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 237, 64-67.	0.5	1
2722	Pelvic organ prolapse as a function of levator ani avulsion, hiatus size, and strength. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 41.e1-41.e7.	0.7	51
2723	Factors associated with long-term pessary use in women with symptomatic pelvic organ prolapse. <i>Climacteric</i> , 2019, 22, 478-482.	1.1	11
2724	Definition of apical descent in women with and without previous hysterectomy: A retrospective analysis. <i>PLoS ONE</i> , 2019, 14, e0213617.	1.1	6
2725	Assessment of the effect of transobturator tape surgery on women's sexual function using a validated questionnaire. <i>Obstetrics and Gynecology Science</i> , 2019, 62, 120.	0.6	5
2726	Transobturator Tape: Over 10 Years Follow-up. <i>Urology</i> , 2019, 129, 48-53.	0.5	25
2727	Vaginal axis after abdominal sacrocolpopexy versus vaginal sacrospinous fixationâ€™a randomized trial. <i>Neurourology and Urodynamics</i> , 2019, 38, 1142-1151.	0.8	13
2728	Effectiveness of ring pessaries versus vaginal hysterectomy for advanced pelvic organ prolapse. A cohort study. <i>International Urogynecology Journal</i> , 2019, 30, 2161-2169.	0.7	13
2729	1â€™year outcome after treatment of uterovaginal prolapse with a 6â€™point fixation mesh. <i>Neurourology and Urodynamics</i> , 2019, 38, 1129-1134.	0.8	6
2730	Pelvic floor dysfunction in midlife women. <i>Climacteric</i> , 2019, 22, 270-276.	1.1	25
2731	Impact of levator muscle avulsions on Manchester procedure outcomes in pelvic organ prolapse surgery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1046-1054.	1.3	9

#	ARTICLE	IF	CITATIONS
2732	Perineal ultrasound for the measurement of urethral mobility: a study of inter- and intra-observer reliability. <i>International Urogynecology Journal</i> , 2019, 30, 1551-1557.	0.7	6
2733	Does Pharmacological Treatment Reduce the Incidence of Lower Urinary Tract Symptoms (LUTS) after Transobturator Sling?. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	3
2734	Correlates of vaginal laxity symptoms in women attending a urogynecology clinic in Saudi Arabia. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 145, 278-282.	1.0	9
2735	Long-term subjective, clinical and sonographic outcomes after native-tissue and mesh-augmented posterior colporrhaphy. <i>International Urogynecology Journal</i> , 2019, 30, 1581-1585.	0.7	4
2736	Management of Occult Urinary Incontinence with Prolapse Surgery. <i>Current Urology Reports</i> , 2019, 20, 23.	1.0	4
2737	Evaluating pelvic floor muscle contractility using two-dimensional transperineal ultrasonography in patients with pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2019, 38, 1363-1369.	0.8	7
2738	Evaluation of two vaginal, uterus sparing operations for pelvic organ prolapse: modified Manchester operation (MM) and sacrospinous hysteropexy (SSH), a study protocol for a multicentre randomized non-inferiority trial (the SAM study). <i>BMC Women's Health</i> , 2019, 19, 49.	0.8	8
2739	Transobturator mid-urethral sling in females with stress urinary incontinence and detrusor underactivity: effect on voiding phase. <i>International Urogynecology Journal</i> , 2019, 30, 1519-1525.	0.7	14
2740	Birthweight and pelvic floor trauma after vaginal childbirth. <i>International Urogynecology Journal</i> , 2019, 30, 985-990.	0.7	14
2741	Pelvic floor myofascial pain in patients with symptoms of urinary tract infection. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 145, 205-211.	1.0	14
2742	Comparison of two retropubic tension-free vaginal tape procedures in women with stress urinary incontinence: a randomized controlled multicenter trial. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 1015-1022.	0.8	4
2743	Local oestrogen therapy modulates extracellular matrix and immune response in the vaginal tissue of postmenopausal women with severe pelvic organ prolapse. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2907-2919.	1.6	26
2744	Perioperative changes in superficial pelvic organ prolapse quantification system measurements after prolapse surgery. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 145, 239-243.	1.0	1
2745	Long term follow-up study for abdominal sacrocolpopexy/sacrohysteropexy. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2019, 8, 4511.	0.0	1
2746	Manchester Operation: An Effective Treatment for Uterine Prolapse Caused by True Cervical Elongation. <i>Yonsei Medical Journal</i> , 2019, 60, 1074.	0.9	11
2748	A Bibliometric Analysis of Top-Cited Journal Articles in Obstetrics and Gynecology. <i>JAMA Network Open</i> , 2019, 2, e1918007.	2.8	145
2749	Changes in Sexual Function Following Uphold Transvaginal mesh Surgery for the Treatment of Urogenital Prolapse. <i>Scientific Reports</i> , 2019, 9, 17047.	1.6	3
2750	Pelvic Floor Disorders After Obstetric Avulsion of the Levator Ani Muscle. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 3-7.	0.6	42



#	ARTICLE	IF	CITATIONS
2751	Uterosacral Ligament Suspension Versus Robotic Sacrocolpopexy for Treatment of Apical Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 93-98.	0.6	16
2752	Scientific Salons. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, S80-S166.	0.6	2
2753	Racial Differences in Pelvic Organ Prolapse Symptoms Among Women Undergoing Pelvic Reconstructive Surgery for Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 130-133.	0.6	9
2754	The Promise of PROMIS in Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 426-429.	0.6	8
2755	Obstetric perineal tears, sexual function and dyspareunia among primiparous women 12 months postpartum: a prospective cohort study. <i>BMJ Open</i> , 2019, 9, e032368.	0.8	32
2756	Long-Term Assessment of a Prospective Cohort of Patients Undergoing Laparoscopic Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2019, 134, 323-332.	1.2	28
2757	Successful long-term use of Gellhorn pessary and the effect on symptoms and quality of life in women with symptomatic pelvic organ prolapse. <i>Menopause</i> , 2019, 26, 145-151.	0.8	17
2758	Long-term compliance of vaginal pessaries. <i>Medicine (United States)</i> , 2019, 98, e15063.	0.4	6
2759	Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 397-408.	0.6	52
2760	Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2019, 134, e126-e142.	1.2	97
2761	Pelvic floor physical therapy in the treatment of pelvic floor dysfunction in women. <i>Current Opinion in Obstetrics and Gynecology</i> , 2019, 31, 485-493.	0.9	103
2762	Randomized double-blind trial of short- versus long-acting analgesia at the sacrospinous ligament. <i>International Urogynecology Journal</i> , 2019, 30, 123-130.	0.7	13
2763	How Valid Is Tomographic Ultrasound Imaging in Diagnosing Levator and Anal Sphincter Trauma?. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 889-894.	0.8	10
2764	Does levator ani hiatal area configuration affect pelvic organ prolapse?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 124-127.	0.9	9
2765	Incidence of intimate partner violence among Ugandan women with pelvic floor dysfunction. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 144, 309-313.	1.0	1
2766	Detection of Concealed Uterine Prolapse in the Volume-Rendering Mode of 4-Dimensional Translabial Ultrasound: A Retrospective Observational Study. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 1705-1711.	0.8	2
2767	Surgery for Apical Vaginal Prolapse After Hysterectomy. <i>Urologic Clinics of North America</i> , 2019, 46, 113-121.	0.8	4
2768	Surgery for Anterior Compartment Prolapse Synthetic Graft-Augmented Repair. <i>Urologic Clinics of North America</i> , 2019, 46, 71-78.	0.8	2

#	ARTICLE	IF	CITATIONS
2769	Risk factors for persistent, de novo and overall overactive bladder syndrome after surgical prolapse repair. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 233, 141-145.	0.5	20
2770	Pelvic floor muscle activity during fast voluntary contractions in continent and incontinent women. <i>Neurourology and Urodynamics</i> , 2019, 38, 625-631.	0.8	16
2771	Long-term follow-up of laparoscopic sacrocolpopexy: comparison of two different techniques used in urology and gynecology. <i>International Urogynecology Journal</i> , 2019, 30, 623-632.	0.7	12
2772	Top-cited articles in the Journal: a bibliometric analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 12-25.	0.7	30
2773	Assessment of Body Image, Sexual Function, and Attractiveness in Women With Genital Prolapse: A Cross-Sectional Study With Validation of the Body Image in the Pelvic Organ Prolapse (BIPOP) Questionnaire. <i>Journal of Sexual Medicine</i> , 2019, 16, 126-136.	0.3	11
2774	Defecatory dysfunction and other clinical variables are predictors of pessary discontinuation. <i>International Urogynecology Journal</i> , 2019, 30, 1111-1116.	0.7	6
2775	Transcultural translation and validation of the FIGO Assessment Scoring System (FASS) to Portuguese language. <i>International Urogynecology Journal</i> , 2019, 30, 131-137.	0.7	0
2776	Total vaginal length: Does it matter for assessing uterine prolapse?. <i>International Urogynecology Journal</i> , 2019, 30, 1279-1282.	0.7	6
2777	Transvaginal Mesh Surgery for Pelvic Organ Prolapse: One-Year Outcome Analysis. <i>Journal of Gynecologic Surgery</i> , 2019, 35, 12-18.	0.0	3
2778	Should Genital Hiatus/Perineal Body Be Measured at Rest or on Valsalva?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 415-418.	0.6	5
2779	Predictors of Success for Pelvic Floor Muscle Training in Pelvic Organ Prolapse. <i>Physical Therapy</i> , 2019, 99, 109-117.	1.1	10
2780	Prophylactic midurethral sling insertion during transvaginal pelvic reconstructive surgery for advanced prolapse patients with high-risk predictors of postoperative de novo stress urinary incontinence. <i>International Urogynecology Journal</i> , 2019, 30, 1541-1549.	0.7	12
2781	Prevalence of metabolic syndrome and its components in women with and without pelvic organ prolapse and its association with prolapse severity according to the Pelvic Organ Prolapse Quantification system. <i>International Urogynecology Journal</i> , 2019, 30, 1911-1917.	0.7	6
2782	Prospective evaluation of paravaginal defect repair with and without apical suspension: a 6-month postoperative follow-up with MRI, clinical examination, and questionnaires. <i>International Urogynecology Journal</i> , 2019, 30, 1725-1733.	0.7	12
2783	Pelvic floor muscle training is better than hypopressive exercises in pelvic organ prolapse treatment: An assessor-blinded randomized controlled trial. <i>Neurourology and Urodynamics</i> , 2019, 38, 171-179.	0.8	34
2784	Ultrasound visualization of sacrocolpopexy polyvinylidene fluoride meshes containing paramagnetic Fe particles compared with polypropylene mesh. <i>International Urogynecology Journal</i> , 2019, 30, 795-804.	0.7	5
2785	Efficacy and safety of polydimethylsiloxane injection (Macroplastique <sup>®</sup> ) for the treatment of female stress urinary incontinence: results of a series of 85 patients with a 3 years of follow-up. <i>BJU International</i> , 2019, 123, 353-359.	1.3	24
2786	A New Comorbidity in Female Patients With Ankylosing Spondylitis. <i>Journal of Clinical Rheumatology</i> , 2019, 25, 36-40.	0.5	0

#	ARTICLE	IF	CITATIONS
2787	Validation of the Brazilian Portuguese version of the pelvic floor bother questionnaire. <i>International Urogynecology Journal</i> , 2019, 30, 81-88.	0.7	6
2788	Volume at First Leak Is Associated With Sling Failure Among Women With Stress Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 294-297.	0.6	3
2789	The Association of Abdominal Striae With Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 305-308.	0.6	3
2790	Does the Vaginal Flora Modify When a Synthetic Mesh is Used for Genital Prolapse Repair in Postmenopausal Women? A Pilot, Randomized Controlled Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 284-288.	0.6	5
2791	Sexual Satisfaction Changes Reported by Men After Their Partners' Robotic-Assisted Laparoscopic Sacrocolpopexies. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 365-368.	0.6	7
2792	Differential gene expression of extracellular-matrix-related proteins in the vaginal apical compartment of women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2019, 30, 439-446.	0.7	9
2793	Concomitant Anterior Repair, Preoperative Prolapse Severity, and Anatomic Prolapse Outcomes After Vaginal Apical Procedures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 22-28.	0.6	14
2794	Restoring Genital Hiatus to Normative Values After Apical Suspension Alone Versus With Level 3 Support Procedures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 226-230.	0.6	23
2795	Anal Sphincter Anatomy Prepregnancy to Postdelivery Among the Same Primiparous Women on Dynamic Magnetic Resonance Imaging. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019, 25, 8-14.	0.6	9
2796	Depression, Anxiety, and Pelvic Floor Symptoms Before and After Surgery for Pelvic Floor Dysfunction. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 67-72.	0.6	13
2797	A Scoping Study of Psychosocial Factors in Women Diagnosed With and/or Treated for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 327-348.	0.6	5
2798	Do Pelvic Organ Prolapse Quantification Examination Ba and D Guide the Selection of Operation for Severe Pelvic Organ Prolapse?. <i>Journal of Investigative Surgery</i> , 2020, 33, 438-445.	0.6	0
2799	The role of tenascin-X in the uterosacral ligaments of postmenopausal women with pelvic organ prolapse: an immunohistochemical study. <i>International Urogynecology Journal</i> , 2020, 31, 101-106.	0.7	4
2800	Metabolic syndrome in women with and without stress urinary incontinence. <i>International Urogynecology Journal</i> , 2020, 31, 173-179.	0.7	20
2801	Laparoscopic Uterosacral Ligament Hysteropexy vs Total Vaginal Hysterectomy with Uterosacral Ligament Suspension for Anterior and Apical Prolapse: Surgical Outcome and Patient Satisfaction. <i>Journal of Minimally Invasive Gynecology</i> , 2020, 27, 88-93.	0.3	35
2802	Preoperative predictors and a prediction score for perception of improvement after mesh prolapse surgery. <i>International Urogynecology Journal</i> , 2020, 31, 1393-1400.	0.7	2
2803	Vaginal hysterectomy with bilateral sacrospinous fixation plus an anterior mesh versus abdominal sacrocervicopexy for the treatment of primary apical prolapse in postmenopausal women: a randomized controlled study. <i>International Urogynecology Journal</i> , 2020, 31, 365-372.	0.7	10
2804	Does estrogen deprivation affect pelvic floor muscle contractility?. <i>International Urogynecology Journal</i> , 2020, 31, 191-196.	0.7	5

#	ARTICLE	IF	CITATIONS
2805	Polymorphism rs1800255 from COL3A1 gene and the risk for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2020, 31, 73-78.	0.7	10
2806	Transfusion Rates and the Utility of Type and Screen for Pelvic Organ Prolapse Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 51-55.	0.6	5
2807	Alterations of Vascular Endothelial Growth Factor A Expression and Microvessel Density Associated With Polypropylene Vaginal Mesh. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 73-79.	0.6	1
2808	A long-term comparative study of Upholdâ„¢ transvaginal mesh kit against anterior colporrhaphy. <i>International Urogynecology Journal</i> , 2020, 31, 793-797.	0.7	18
2809	Development of a biotensegrity focused therapy for the treatment of pelvic organ prolapse: A retrospective case series. <i>Journal of Bodywork and Movement Therapies</i> , 2020, 24, 115-125.	0.5	5
2810	Robotic laparoendoscopic single-site compared with robotic multi-port sacrocolpopexy for apical compartment prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 358.e1-358.e11.	0.7	23
2811	Evaluation of the effect of a new method on the pelvic organ prolapse symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020, 12, 20-24.	0.6	5
2812	Is levator trauma an independent risk factor for anal incontinence?. <i>Colorectal Disease</i> , 2020, 22, 298-302.	0.7	9
2813	Pelvic floor muscle strength and the incidence of pelvic floor disorders after vaginal and cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 62.e1-62.e8.	0.7	60
2815	Aging effects on pelvic floor support: a pilot study comparing young versus older nulliparous women. <i>International Urogynecology Journal</i> , 2020, 31, 535-543.	0.7	27
2816	Long-term safety, objective and subjective outcomes of laparoscopic sacrocolpopexy without peritoneal closure. <i>International Urogynecology Journal</i> , 2020, 31, 1593-1600.	0.7	5
2817	The results of new low dose fractional CO2 Laser â€” A prospective clinical study in France. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020, 49, 101614.	0.6	10
2818	Ultrasound assessment of pelvic floor muscle contraction: reliability and development of an ultrasoundâ€”based contraction scale. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 125-131.	0.9	26
2819	Laparoscopic sacral colpopexy with polyester fiber suture: Ozerkan modification. <i>International Urogynecology Journal</i> , 2020, 31, 1601-1607.	0.7	5
2820	3-Year follow-up of tension-free vaginal tapeâ€”ABBREVO procedure for the treatment of pure urodynamic stress urinary incontinence: efficacy and adverse effects. <i>International Urogynecology Journal</i> , 2020, 31, 739-744.	0.7	3
2821	Long-term outcomes of a randomized controlled trial comparing trans-obturator vaginal mesh with native tissue repair in the treatment of anterior vaginal wall prolapse. <i>International Urogynecology Journal</i> , 2020, 31, 745-753.	0.7	14
2822	Correlation of the type and degree of cystocele with stress urinary incontinence by transperineal ultrasound. <i>Journal of Medical Ultrasonics (2001)</i> , 2020, 47, 123-130.	0.6	5
2824	Symptomatic pelvic organ prolapse in middle-aged women: a national matched cohort study on the influence of childbirth. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 356.e1-356.e14.	0.7	13

#	ARTICLE	IF	CITATIONS
2825	Withdrawal of specially designed enhanced recovery after surgery protocols versus conventional protocol in total pelvic floor reconstructive surgery. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 149, 255-255.	1.0	1
2826	Effect of pessary cleaning and optimal time interval for follow-up: a prospective cohort study. <i>International Urogynecology Journal</i> , 2020, 31, 1567-1574.	0.7	14
2827	Learning Curve for the Tension-Free Vaginal Tape "Obturator Procedure for Female Stress Urinary Incontinence: A Prospective Single-Surgeon Study. <i>Journal of Endourology</i> , 2020, 34, 209-214.	1.1	5
2828	Comparison of Anorectal Manometry Testing in Left Lateral and Lithotomy Positions. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 630-634.	0.6	4
2829	Lidocaine Use in Vaginal Surgery and Risk of Toxicity. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 546-549.	0.6	2
2830	Comparison of the vault prolapse rate after vaginal hysterectomy with or without residual uterine ligament ligations: A retrospective cohort study. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 805-812.	0.8	8
2831	Female Sexual Orgasmic Dysfunction and Genital Sensation Deficiency. <i>Journal of Sexual Medicine</i> , 2020, 17, 273-278.	0.3	3
2832	Total Autologous Fascia Lata Anterior and Apical Pelvic Organ Prolapse Repair: A New Technique and Initial Experience. <i>Urology</i> , 2020, 137, 190-195.	0.5	5
2833	Pelvic floor muscle activity patterns in women with and without stress urinary incontinence while running. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 495-499.	1.1	10
2834	Comparison of cervical length measured by POP-Q C-D and MRI: Why is POP-Q C-D not accurate?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 244, 76-80.	0.5	1
2835	Timing of Office-Based Pessary Care. <i>Obstetrics and Gynecology</i> , 2020, 135, 100-105.	1.2	31
2836	Effect of pregnancy on uterine-sparing pelvic organ prolapse repair. <i>International Urogynecology Journal</i> , 2020, 31, 657-662.	0.7	7
2837	Pelvic floor disorders following different delivery modes "a population-based cohort analysis. <i>International Urogynecology Journal</i> , 2020, 31, 505-511.	0.7	4
2838	Women living with a midurethral sling in their 80s: long-term outcomes. <i>International Urogynecology Journal</i> , 2020, 31, 2669-2674.	0.7	2
2839	Associating genital hiatus size with long-term outcomes after apical suspension. <i>International Urogynecology Journal</i> , 2020, 31, 1537-1544.	0.7	13
2840	Defining "normal recovery" of pelvic floor function and appearance in a high-risk vaginal delivery cohort. <i>International Urogynecology Journal</i> , 2020, 31, 495-504.	0.7	11
2841	Long-term Outcomes of Self-Management Gellhorn Pessary for Symptomatic Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, e47-e53.	0.6	10
2842	Mid-urethral sling in a day surgery setting: is it possible?. <i>International Urogynecology Journal</i> , 2020, 31, 817-821.	0.7	1

#	ARTICLE	IF	CITATIONS
2843	Genetic polymorphisms in collagen-related genes are associated with pelvic organ prolapse. <i>Menopause</i> , 2020, 27, 223-229.	0.8	17
2844	High Patient Satisfaction With Local Anesthesia and Light Sedation in a Novel Fast-Track Setup for Sacrospinous Fixation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 758-762.	0.6	7
2845	Increasing Age Predicts Increasing Residual Urine Volume. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 769-773.	0.6	1
2846	Long-Term Outcomes of Robotic-Assisted Laparoscopic Sacrocolpopexy Using Lightweight Y-Mesh. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 202-206.	0.6	28
2847	Study of factors affecting pelvic organ prolapse quantitation examination in predicting cervical length. <i>Chinese Medical Journal</i> , 2020, 133, 1992-1994.	0.9	0
2849	An International Continence Society (ICS) report on the terminology for female pelvic floor fistulas. <i>Neurourology and Urodynamics</i> , 2020, 39, 2040-2071.	0.8	18
2850	Predictors of voiding dysfunction following Upholdâ„¢ mesh repair for the treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 255, 34-39.	0.5	0
2851	Vaginal Hysterectomy with Fibroids. , 2020, , 149-154.		0
2852	From anatomy to patient experience in pelvic floor surgery: Mindlines, evidence, responsibility, and transvaginal mesh. <i>Social Science and Medicine</i> , 2020, 260, 113151.	1.8	4
2853	Prevalence of detrusor underactivity and bladder outlet obstruction in women with cystocele and changes in voiding function after cystocele repair. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 1764-1771.	0.8	8
2854	Laparoscopic Ventral Mesh Rectopexy Versus Transvaginal Posterior Colporrhaphy in Management of Anterior Rectocele. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 2035-2046.	0.9	4
2855	Pelvic organ prolapse management. <i>Post Reproductive Health</i> , 2020, 26, 79-85.	0.3	12
2856	Health status, comorbidities and cost-of-illness in females with stress urinary incontinence living in the Canton of Bern. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2020, 150-152, 73-79.	0.7	2
2857	Radical Hysterectomy for Cervical Cancer in Patients With Uterine Prolapse. <i>In Vivo</i> , 2020, 34, 2073-2078.	0.6	2
2858	Assessing vaginal pressure profiles before and after prolapse surgery using an intravaginal pressure sensor (femfit®). <i>International Urogynecology Journal</i> , 2021, 32, 3037-3044.	0.7	5
2859	Prospective analysis of transvaginal mesh hysteropexy in the treatment of uterine prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 2241-2247.	0.7	3
2861	Anatomical Outcome After Sacrospinous Fixation Procedure on Pelvic Organ Prolapse Cases in Cipto Mangunkusumo Hospital Year 2013â€“2018. <i>Journal of Gynecologic Surgery</i> , 2020, 36, 250-256.	0.0	0
2862	Voiding dynamics in women with urinary incontinence but without voiding symptoms. <i>Neurourology and Urodynamics</i> , 2020, 39, 2223-2229.	0.8	3

#	ARTICLE	IF	CITATIONS
2863	Vaginal estrogen therapy is associated with increased Lactobacillus in the urine of postmenopausal women with overactive bladder symptoms. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 727.e1-727.e11.	0.7	42
2864	Does the anogenital distance change across pregnancy?. <i>Reproductive BioMedicine Online</i> , 2020, 41, 527-533.	1.1	2
2865	Agreement between patient global impression scale of improvement, pelvic floor distress inventory and 15D in measuring the outcome of pelvic organ prolapse surgery. <i>Neurourology and Urodynamics</i> , 2020, 39, 2171-2178.	0.8	0
2867	Pelvic floor changes in the first term pregnancy and postpartum period. <i>International Urogynecology Journal</i> , 2020, 32, 1897-1905.	0.7	7
2868	Permanent Compared With Absorbable Suture for Vaginal Mesh Fixation During Total Hysterectomy and Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , 2020, 136, 355-364.	1.2	27
2869	Treatment for vaginal atrophy using microablative fractional CO2 laser: a randomized double-blinded sham-controlled trial. <i>Menopause</i> , 2020, 27, 858-863.	0.8	38
2870	Laparoscopic sacrocolpopexy comparing polypropylene mesh with polyvinylidene fluoride mesh for pelvic organ prolapse: Technique description and long term outcomes. <i>Neurourology and Urodynamics</i> , 2020, 39, 2264-2271.	0.8	4
2871	Obstructed Defecation Syndrome. , 2020, , 265-276.		1
2872	Traditional McCall culdoplasty compared to a modified McCall technique with double ligament suspension: anatomical and clinical outcomes. <i>International Urogynecology Journal</i> , 2020, 31, 2147-2153.	0.7	4
2873	Can we define excess vaginal space? - Genital hiatus size and prolapse severity are correlated with cube pessary size. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 253, 61-64.	0.5	2
2874	Vaginal pessary continuation in symptomatic pelvic organ prolapse patients with prior hysterectomy. <i>Menopause</i> , 2020, 27, 1148-1154.	0.8	4
2875	Dynamic magnetic resonance imaging following native tissue vaginal reconstructive surgery; a prospective study. <i>International Urogynecology Journal</i> , 2020, 32, 1519-1525.	0.7	1
2876	Defining cut-offs for uterine prolapse using transperineal ultrasound in Chinese women: a prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 58, 127-132.	0.9	1
2877	Risk Factors for Surgical Failure and Worsening Pelvic Floor Symptoms Within 5 Years After Vaginal Prolapse Repair. <i>Obstetrics and Gynecology</i> , 2020, 136, 933-941.	1.2	9
2878	Preoperative POPQ versus Simulated Apical Support as a Guideline for Anterior or Posterior Repair at the Time of Transvaginal Apical Suspension (PREPARE trial): study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e034170.	0.8	1
2879	Pessary evaluation for genital prolapse treatment: From acceptance to successful fitting. <i>Neurourology and Urodynamics</i> , 2020, 39, 2344-2352.	0.8	2
2880	Factors associated with pessary fitting in women with symptomatic pelvic organ prolapse: A large prospective cohort study. <i>Neurourology and Urodynamics</i> , 2020, 39, 2238-2245.	0.8	4
2881	Evaluation of a Balloon-Type Vaginal Endoscope Based on Three-Dimensional Printing Technology for Self-Assessment of Pelvic Organ Prolapse. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 5108.	1.3	1

#	ARTICLE	IF	CITATIONS
2882	Prospective ultrasonographic follow-up of transvaginal lightweight meshes: a 1-year multicenter study. <i>International Urogynecology Journal</i> , 2021, 32, 1505-1512.	0.7	0
2883	Factors Associated with Sexual Activity for Women with Pelvic Floor Dysfunction - A Cross-Sectional Study. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020, 42, 493-500.	0.3	0
2884	Factors involved in prolapse recurrence one year after anterior vaginal repair. <i>International Urogynecology Journal</i> , 2020, 31, 2027-2034.	0.7	8
2885	The clinical and urodynamic outcomes of single-incision mesh surgery using the Uphold system for the treatment of pelvic organ prolapse. <i>Scientific Reports</i> , 2020, 10, 13506.	1.6	3
2886	Anterior enterocele immediately after cystectomy: A case report. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020, 46, 2446-2449.	0.6	2
2887	Cervicovaginal lavage fluid zinc level as a marker of vaginal atrophy. <i>Menopause</i> , 2020, 27, 776-779.	0.8	4
2888	Present value of the Urethral mobility test as a tool to assess Stress urinary incontinence due to Intrinsic sphincteric deficiency. <i>Scientific Reports</i> , 2020, 10, 20993.	1.6	2
2889	Does the presence of a true radiological rectocele increase the likelihood of symptoms of prolapse?. <i>International Urogynecology Journal</i> , 2021, 32, 2233-2237.	0.7	3
2890	Vaginal elasticity is significantly decreased in vaginal atrophy: a strain elastography study. <i>Menopause</i> , 2020, 27, 1420-1424.	0.8	1
2891	Ten yearsâ€™ follow-up after iliococcygeus fixation for the treatment of apical vaginal prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 1533-1538.	0.7	1
2892	Evaluating the morbidity and long-term efficacy of laparoscopic sacrocolpopexy with and without robotic assistance for pelvic organ prolapse. <i>Journal of Robotic Surgery</i> , 2021, 15, 785-792.	1.0	5
2893	Suture Complication Rates and Surgical Outcomes According to the Nonabsorbable Suture Materials Used in Vaginal Uterosacral Ligament Suspension: Polyester versus Polypropylene. <i>Journal of Minimally Invasive Gynecology</i> , 2021, 28, 1503-1507.	0.3	5
2894	Pessaries (mechanical devices) for managing pelvic organ prolapse in women. <i>The Cochrane Library</i> , 2021, 2021, CD004010.	1.5	25
2895	Prevalence of anal sphincter defects and association with anal incontinence in women scheduled for pelvic organ prolapse surgery. <i>Neurourology and Urodynamics</i> , 2020, 39, 2409-2416.	0.8	3
2896	3 Year outcome after treatment of uterovaginal prolapse with a 6-point fixation mesh. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 255, 160-164.	0.5	2
2897	Does size matter? Perineometer and digital examination of a model levator hiatus. <i>Neurourology and Urodynamics</i> , 2020, 39, 1338-1344.	0.8	3
2898	Valsalva urethral profile (VUP): A urodynamic measure to assess stress urinary incontinence in women. <i>Neurourology and Urodynamics</i> , 2020, 39, 1515-1522.	0.8	5
2899	Levator avulsion and vaginal parity: do subsequent vaginal births matter?. <i>International Urogynecology Journal</i> , 2020, 31, 2311-2315.	0.7	15



#	ARTICLE	IF	CITATIONS
2900	Hysterectomy with uterosacral suspension or Upholdâ„¢ hysteropexy in women with apical prolapse: a parallel cohort study. <i>International Urogynecology Journal</i> , 2020, 31, 2137-2146.	0.7	6
2901	The Role of MRI in the Diagnosis of Pelvic Floor Disorders. <i>Current Urology Reports</i> , 2020, 21, 26.	1.0	7
2902	In vivo assessment of the elastic properties of womenâ€™s pelvic floor during pregnancy using shear wave elastography: design and protocol of the ELASTOPELV study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 305.	0.8	14
2903	One-year outcomes of a suture-less laparoscopic sacral hysteropexy using polypropylene Y-mesh grafts and fibrin sealant spray: A prospective comparative study. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 484-490.	0.6	7
2904	No mesh versus mesh in the treatment of anterior vaginal wall prolapse: prospective, randomised, controlled trial, long-term follow-up. <i>International Urology and Nephrology</i> , 2020, 52, 1839-1844.	0.6	3
2905	Translabial Ultrasound Combined With Magnetic Resonance Imaging Assessing the Distensibility of Levator Ani Muscle With Unilateral High-Grade Tears. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 391-395.	0.6	0
2906	Surgical approach, complications, and reoperation rates of combined rectal and pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2020, 31, 2101-2108.	0.7	9
2907	The Influence of Vaginal Native Tissue Repair (VNTR) on Various Aspects of Quality of Life in Women with Symptomatic Pelvic Organ Prolapseâ€”A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1634.	1.0	1
2908	Is vaginal flatus related to pelvic floor functional anatomy?. <i>International Urogynecology Journal</i> , 2020, 31, 2551-2555.	0.7	4
2909	Restored pelvic anatomy is preserved after laparoscopic and robotâ€”assisted ventral rectopexy: MRIâ€”based 5â€”year followâ€”up of a randomized controlled trial. <i>Colorectal Disease</i> , 2020, 22, 1667-1676.	0.7	10
2910	Quality of Life in POP: Validity, Reliability and Responsiveness of the Prolapse Quality of Life Questionnaire (P-QoL) in Spanish Women. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1690.	1.2	7
2911	Joint Report on Terminology for Surgical Procedures to Treat Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 173-201.	0.6	14
2912	Effect of preoperative pelvic floor muscle training on pelvic floor muscle contraction and symptomatic and anatomical pelvic organ prolapse after surgery: randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 28-36.	0.9	14
2913	Bladder sensations in women with nocturia due to overactive bladder syndrome. <i>International Urogynecology Journal</i> , 2020, 31, 1041-1048.	0.7	4
2914	Does concurrent posterior repair for an asymptomatic rectocele reduce the risk of surgical failure in patients undergoing sacrocolpopexy?. <i>International Urogynecology Journal</i> , 2020, 31, 2075-2080.	0.7	16
2915	Genome-wide association identifies seven loci for pelvic organ prolapse in Iceland and the UK Biobank. <i>Communications Biology</i> , 2020, 3, 129.	2.0	20
2916	Long-term follow-up of 453 patients with pelvic organ prolapse who underwent transvaginal sacrospinous colpopexy with Veronikis ligature carrier. <i>Scientific Reports</i> , 2020, 10, 4997.	1.6	7
2917	The Influence of Vaginal Native Tissues Pelvic Floor Reconstructive Surgery in Patients with Symptomatic Pelvic Organ Prolapse on Preexisting Storage Lower Urinary Tract Symptoms (LUTS). <i>Journal of Clinical Medicine</i> , 2020, 9, 829.	1.0	6

#	ARTICLE	IF	CITATIONS
2918	The effect of oral zinc supplementation on cervicovaginal lavage fluid zinc level. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 248, 106-109.	0.5	4
2919	Pelvic anatomy terminology: can we agree to agree?. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 199-200.	0.7	0
2920	Cutoff score of the traditional Chinese version of the short form of the pelvic organ prolapse/urinary incontinence sexual questionnaire (PISQ-12). <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2020, 59, 227-230.	0.5	3
2921	The effect of sacrospinous ligament fixation during vaginal hysterectomy on postoperative de novo stress incontinence occurrence: a prospective study with 2-year follow-up. <i>Turkish Journal of Medical Sciences</i> , 2020, 50, 978-984.	0.4	3
2922	Non-absorbable versus absorbable sutures for anterior colporrhaphy: study protocol for a randomised controlled trial in South Korea. <i>BMJ Open</i> , 2020, 10, e034218.	0.8	1
2923	Unilateral Anterior Sacrospinous Ligament Hysteropexy: a Single-Center Experience. <i>SN Comprehensive Clinical Medicine</i> , 2020, 2, 948-955.	0.3	0
2924	Protocol for a randomized controlled trial to assess two procedures of vaginal native tissue repair for pelvic organ prolapse at the time of the questioning on vaginal prosthesis: the TAPP trial. <i>Trials</i> , 2020, 21, 624.	0.7	4
2925	Single-port robotic-assisted laparoscopic sacrocolpopexy with magnetic retraction: first experience using the SP da Vinci platform. <i>Journal of Robotic Surgery</i> , 2020, 14, 753-758.	1.0	12
2926	A multicenter, randomized trial comparing pelvic organ prolapse surgical treatment with native tissue and synthetic mesh: A 5-year follow-up study. <i>Neurourology and Urodynamics</i> , 2020, 39, 1002-1011.	0.8	16
2927	Is it safe and effective to maintain the vaginal pessary without removing it for 2 consecutive years?. <i>International Urogynecology Journal</i> , 2020, 31, 2521-2528.	0.7	9
2928	Anterior repair versus no anterior repair for anterior vaginal wall prolapse resolved under simulated apical support at the time of uterosacral ligament suspension. <i>International Urogynecology Journal</i> , 2020, 31, 2043-2049.	0.7	4
2929	Technical considerations and mid-term follow-up after vaginal hysterocolpnectomy with colpocleisis for pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 247, 73-79.	0.5	5
2930	A Meshless Practical Laparoscopic Sacrohysteropexy Modification and Long-term Outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2020, 27, 1573-1580.	0.3	1
2931	Integrated MR Analytical Approach and Reporting of Pelvic Floor Dysfunction. <i>Radiologic Clinics of North America</i> , 2020, 58, 305-327.	0.9	1
2932	Risk factors for vaginal mesh erosion after sacrocolpopexy in Korean women. <i>PLoS ONE</i> , 2020, 15, e0228566.	1.1	7
2933	Joint report on terminology for surgical procedures to treat pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2020, 31, 429-463.	0.7	31
2934	Perineorrhaphy Compared With Pelvic Floor Muscle Therapy in Women With Late Consequences of a Poorly Healed Second-Degree Perineal Tear. <i>Obstetrics and Gynecology</i> , 2020, 135, 341-351.	1.2	5
2935	Comparison of Biaxial Biomechanical Properties of Post-menopausal Human Prolapsed and Non-prolapsed Uterosacral Ligament. <i>Scientific Reports</i> , 2020, 10, 7386.	1.6	8

#	ARTICLE	IF	CITATIONS
2936	Dynamic magnetic resonance imaging to quantify pelvic organ mobility after treatment for uterine descent: differences between surgical procedures. <i>International Urogynecology Journal</i> , 2020, 31, 2119-2127.	0.7	8
2937	The relationship between obstructed defecation and true rectocele in patients with pelvic organ prolapse. <i>Scientific Reports</i> , 2020, 10, 5599.	1.6	10
2938	Hysteropexy in the treatment of uterine prolapse stage 2 or higher: laparoscopic sacrohysteropexy versus sacrospinous hysteropexy—a multicentre randomised controlled trial (LAVA trial). <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1284-1293.	1.1	20
2939	Laparoscopic sacrocolpopexy plus ventral rectopexy as combined treatment for multicompart ment pelvic organ prolapse. <i>Techniques in Coloproctology</i> , 2020, 24, 573-584.	0.8	19
2940	Laparoscopic Long Mesh Surgery with Augmented Round Ligaments: A Novel Uterine Preservation Procedure For Apical Pelvic Organ Prolapse. <i>Scientific Reports</i> , 2020, 10, 6615.	1.6	3
2941	Predictors of successful ring pessary use in women with pelvic organ prolapse. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 579-584.	0.4	9
2942	TVT-Ö for treatment of pure urodynamic stress urinary incontinence: Efficacy and adverse effects at 13-years follow-up. <i>Neurourology and Urodynamics</i> , 2020, 39, 1423-1429.	0.8	12
2943	Pelvic floor imaging with MR defecography: correlation with gynecologic pelvic organ prolapse quantification. <i>Abdominal Radiology</i> , 2021, 46, 1381-1389.	1.0	10
2944	Complications and clinical outcomes of laparoscopic sacrocolpopexy for pelvic organ prolapse. <i>Journal of Obstetrics and Gynaecology</i> , 2021, 41, 128-132.	0.4	14
2945	Association between overactive bladder and serum nerve growth factor concentrations in women with high-grade uterine prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 345-351.	0.7	2
2946	Cystocele Repair with Platelet-Rich Plasma. <i>Indian Journal of Surgery</i> , 2021, 83, 726-730.	0.2	4
2947	Return to Baseline Functional Status in Older Women Undergoing Surgery for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 249-254.	0.6	1
2949	Early postpartum physical activity and pelvic floor support and symptoms 1 year postpartum. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 193.e1-193.e19.	0.7	21
2950	Does apical prolapse in addition to early stage anterior prolapse have any effect on lower urinary tract symptoms?. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101922.	0.6	0
2951	Symptomatic and anatomic improvement of pelvic organ prolapse in vaginal pessary users. <i>International Urogynecology Journal</i> , 2021, 32, 1023-1029.	0.7	4
2952	Current trends in pessary management of vaginal prolapse: a multidisciplinary survey of UK practice. <i>International Urogynecology Journal</i> , 2021, 32, 1015-1022.	0.7	7
2953	Laparoscopic cervicopexy for correction of apical genital prolapse in 10 steps: a pilot study. <i>International Urogynecology Journal</i> , 2021, 32, 1313-1316.	0.7	1
2954	Vaginal pessary for pelvic organ prolapse: A survey among french gynecological surgeons. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101833.	0.6	3

#	ARTICLE	IF	CITATIONS
2955	Urodynamic predictors of de novo overactive bladder after single-incision sling. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 153, 412-416.	1.0	5
2956	The impact of personality traits on pessary treatment outcomes in patients with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 859-864.	0.7	0
2957	Pelvic organ prolapse after laparoscopic hysterectomy compared with vaginal hysterectomy: the POP-UP study. <i>International Urogynecology Journal</i> , 2021, 32, 841-850.	0.7	14
2958	A bibliometric analysis of obstetrics and gynecology articles with highest relative citation ratios, 1980 to 2019. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2021, 3, 100293.	1.3	18
2959	The impact of vaginal hysterectomy and uterosacral ligament suspension on vaginal elasticity and sexual function. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 258, 29-32.	0.5	7
2960	Comparison of two natural tissue repair-based surgical techniques; sacrospinous fixation and uterosacral ligament suspension for pelvic organ prolapse treatment. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101905.	0.6	5
2961	Histologic Investigation of the Female Vesicourethral Junction and Adjacent Tissues for Nerve-sparing Radical Cystectomy. <i>Urology</i> , 2021, 149, 161-167.	0.5	2
2962	An alternative technique in surgical correction of anterior compartment prolapse; iliococcygeal fixation of the pubocervical fascia by native tissue repair. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101979.	0.6	1
2963	Laparoscopic uterosacral ligament suspension versus vaginal colposuspension using the Uphold Lite <sup>®</sup> mesh system: clinical outcome and patient satisfaction. <i>International Urogynecology Journal</i> , 2021, 32, 1513-1518.	0.7	7
2964	Expression of ArfGAP3 in Vaginal Anterior Wall of Patients With Pelvic Floor Organ Prolapse in Pelvic Organ Prolapse and Non-Pelvic Organ Prolapse Patients. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e64-e69.	0.6	0
2965	Pelvic organ prolapse surgical training program in Bangladesh and Nepal improves objective patient outcomes. <i>International Urogynecology Journal</i> , 2021, 32, 1031-1036.	0.7	0
2966	The role of the genital hiatus and prolapse symptom bother. <i>International Urogynecology Journal</i> , 2021, 32, 829-834.	0.7	8
2967	Using the novel pelvic organ prolapse histologic quantification system to identify phenotypes in uterosacral ligaments in women with pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 67.e1-67.e18.	0.7	9
2969	Does Vaginal Parity Alter the Association Between Symptoms and Signs of Pelvic Organ Prolapse?. <i>Journal of Ultrasound in Medicine</i> , 2021, 40, 675-679.	0.8	2
2970	Long-term outcomes of pelvic organ prolapse repair using a mesh-capturing device when comparing single- versus multicenter use. <i>Archives of Gynecology and Obstetrics</i> , 2021, 303, 135-142.	0.8	6
2971	Fractional Microablative CO <sub>2</sub> Laser-Related Histological Changes on Vulvar Tissue in Patients With Genitourinary Syndrome of Menopause. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 521-527.	1.1	12
2972	Pelvic floor ultrasound: when, why, and how?. <i>Abdominal Radiology</i> , 2021, 46, 1395-1413.	1.0	10
2973	Comparison of magnetic resonance defecography grading with POP-Q staging and Baden-Walker grading in the evaluation of female pelvic organ prolapse. <i>Abdominal Radiology</i> , 2021, 46, 1373-1380.	1.0	8

#	ARTICLE	IF	CITATIONS
2974	A Minimally Invasive Technique for the 1-Stage Treatment of Complex Pelvic Floor Diseases: Laparoscopic-Pelvic Organ Prolapse Suspension. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 28-33.	0.6	5
2975	Pelvic Floor Sensations After the First Vaginal Delivery: A Qualitative Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e234-e246.	0.6	4
2976	Anterior enterocele as an etiology for anterior vaginal wall prolapse: a magnetic resonance defecography case series. <i>Abdominal Radiology</i> , 2021, 46, 1390-1394.	1.0	5
2977	Predictive Value of Biomechanical Mapping for Pelvic Organ Prolapse Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e28-e38.	0.6	10
2978	Surgical and quality of life outcomes after pelvic organ prolapse surgery in older postmenopausal women. <i>Przegląd Menopauzalny</i> , 2021, 20, 21-28.	0.6	2
2979	Pelvic Organ Prolapse. , 2021, , 497-505.		0
2980	ESTROgen use for complications in women treating pelvic organ prolapse with vaginal PESSaries (ESTRO-PESS)â€”a randomized clinical trial. <i>International Urogynecology Journal</i> , 2021, 32, 1571-1578.	0.7	5
2981	Translation and linguistic validation of the Persian version of the International consultation on Incontinence Questionnaire Vaginal Symptoms. <i>Journal of Research in Medical Sciences</i> , 2021, 26, 58.	0.4	4
2982	Anterior Bilateral Sacrospinous Fixation With Transvaginal Mesh: Is Hysterectomy a Risk Factor for Complications?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 616-620.	0.6	0
2983	Perioperative Adverse Events in Women Undergoing Vaginal Prolapse Repair With Uterine Preservation Versus Concurrent Hysterectomy: A Matched Cohort Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 621-626.	0.6	6
2984	Correlation of severity of pelvic organ prolapse with lower urinary tract symptoms. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021, 60, 90-94.	0.5	6
2985	Pelvic Organ Prolapse. , 2021, , 125-143.		0
2986	Impact of Pelvic Organ Prolapse on Sexual Function. , 2021, , 35-51.		0
2987	The Importance of a Multidisciplinary Approach to Pelvic Floor Disorders. , 2021, , 65-72.		1
2988	Differential diagnosis of middle compartment pelvic organ prolapse with transperineal ultrasound. <i>International Urogynecology Journal</i> , 2021, 32, 2219-2225.	0.7	8
2989	Feasibility and Learning Curve of Transvaginal Natural Orifice Transluminal Endoscopic Surgery for Hysterectomy and Uterosacral Ligament Suspension in Apical Compartment Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e171-e176.	0.6	11
2990	Design of a Randomized Clinical Trial of Perioperative Vaginal Estrogen Versus Placebo With Transvaginal Native Tissue Apical Prolapse Repair (Investigation to Minimize Prolapse Recurrence of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 e227-e233.	0.6	4
2991	Pelvic floor disorders among gynecological cancer survivors in sub-urban regions of Kanchipuram Districtâ€”India. <i>Journal of Mid-Life Health</i> , 2021, 12, 128.	0.4	0

#	ARTICLE	IF	CITATIONS
2992	Study of the Relationship Between Pelvic Organ Prolapse Quantification (POP-Q) Staging and Decubitus Ulcer in Pelvic Organ Prolapse. <i>Cureus</i> , 2021, 13, e12443.	0.2	4
2993	Characterizing Pelvic Floor Muscle Function and Morphometry in Survivors of Gynecological Cancer Who Have Dyspareunia: A Comparative Cross-Sectional Study. <i>Physical Therapy</i> , 2021, 101, .	1.1	14
2994	Meta-Analysis of Paravaginal Repair in the Treatment of Anterior Vagina Prolapse. <i>Advances in Clinical Medicine</i> , 2021, 11, 1083-1094.	0.0	0
2995	Bloodless Outpatient Surgical Treatment of Rectocele and Cystocele under Local Anesthesia. <i>Open Journal of Obstetrics and Gynecology</i> , 2021, 11, 569-577.	0.1	0
2996	Mid- to Long-Term Magnetic Resonance Imaging Results of Two Prolapse Surgeries for Apical Defect: A Secondary Analysis of a Randomized Controlled Trial. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2021, 43, 046-053.	0.3	2
2997	Do patients with central sensitivity syndromes have poor subjective outcomes despite anatomical cure from pelvic organ prolapse surgery?. <i>International Urogynecology Journal</i> , 2021, 32, 1461-1467.	0.7	5
2998	Pelvic Floor Dysfunction. , 2021, , 1-11.		0
2999	Impact of bariatric surgery in patients with stress urinary incontinence. <i>Einstein (Sao Paulo, Brazil)</i> , 2021, 19, eAO5701.	0.3	5
3000	Conservative Management of Pelvic Organ Prolapse: Indian Contribution. <i>Journal of Obstetrics and Gynecology of India</i> , 2021, 71, 3-10.	0.3	1
3001	Feasibility of a deep learning-based method for automated localization of pelvic floor landmarks using stress MR images. <i>International Urogynecology Journal</i> , 2021, 32, 3069-3075.	0.7	2
3003	Possibilities of organ-preserving correction of pelvic bottomâ€™s muscle insufficiency in combination with lengthening of the cervix in women of reproductive age. <i>Russian Bulletin of Obstetrician-Gynecologist</i> , 2021, 21, 79.	0.0	0
3004	Diagnosis and evaluation of criteria for conducting surgical treatment in women with cystocele and stress urinary incontinence. <i>Modern Medical Technologies</i> , 2021, , 47-52.	0.1	0
3005	Role of preoperative and postoperative pelvic floor distress inventory-20 in evaluation of posthysterectomy vault prolapse. <i>Journal of Mid-Life Health</i> , 2021, 12, 122.	0.4	2
3006	Predictors for Pelvic Organ Prolapse Recurrence After Sacrocolpopexy: A Matched Case-Control Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e165-e170.	0.6	16
3007	An assessment of techniques and practices used to elevate intraâ€™abdominal pressure when assessing pelvic floor dysfunction. <i>Neurourology and Urodynamics</i> , 2021, 40, 783-790.	0.8	3
3008	Pregnancy with Uterine Prolapse - Rare Cases with Distinct Labour Outcomes. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2021, 10, 329-332.	0.1	0
3009	miR-19-3p Promotes Autophagy and Apoptosis in Pelvic Organ Prolapse Through the AKT/mTOR/p70S6K Pathway: Function of miR-19-3p on Vaginal Fibroblasts by Targeting IGF-1. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e630-e638.	0.6	5
3010	Microablative Fractional CO2 Laser for Vulvovaginal Atrophy in Women With a History of Breast Cancer: A Pilot Study at 4-week Follow-up. <i>Clinical Breast Cancer</i> , 2021, 21, e539-e546.	1.1	20

#	ARTICLE	IF	CITATIONS
3011	Is perineal hypermobility an independent predictor of obstructive defecation?. <i>International Urogynecology Journal</i> , 2021, 32, 2377-2381.	0.7	1
3012	Association between surgical volumes and real-world healthcare cost when using a mesh capturing device for pelvic organ prolapse: A 5-years comparison between single- versus multicenter use. <i>International Urogynecology Journal</i> , 2021, 32, 3007-3015.	0.7	1
3013	Is robotic-assisted sacrocolpo(hystero)pexy safe and effective in women over 65 years of age?. <i>International Urogynecology Journal</i> , 2021, 32, 2211-2217.	0.7	7
3014	Surgical Repair of the Genital Hiatus: A Narrative Review. <i>International Urogynecology Journal</i> , 2021, 32, 2111-2117.	0.7	8
3015	Comparison of treatment outcomes for native tissue repair and sacrocolpopexy as apical suspension procedures at the time of hysterectomy for uterine prolapse. <i>Scientific Reports</i> , 2021, 11, 3119.	1.6	5
3016	Investigating the association of the dimensions of genital hiatus and levator hiatus with pelvic organ prolapse: a systematic review. <i>International Urogynecology Journal</i> , 2021, 32, 2095-2109.	0.7	10
3017	The effect of preoperative pelvic floor muscle training on urinary and colorectal-anal distress in women undergoing pelvic organ prolapse surgery—a randomized controlled trial. <i>International Urogynecology Journal</i> , 2021, 32, 2787-2794.	0.7	2
3018	Posterior repair versus no posterior repair for posterior vaginal wall prolapse resolved under simulated apical support at the time of native tissue apical suspension. <i>International Urogynecology Journal</i> , 2021, 32, 2203-2209.	0.7	2
3019	Is Nocturia Associated With Detrusor Underactivity?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e639-e644.	0.6	3
3020	SMAD2, SMAD3 and TGF- $\beta$ 2 GENE expressions in women suffering from urge urinary incontinence and pelvic organ prolapse. <i>Molecular Biology Reports</i> , 2021, 48, 1401-1407.	1.0	5
3021	Conservative management of pelvic organ prolapse. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2021, 31, 35-41.	0.1	3
3022	Retrospective Analysis of Sexual Function After Transvaginal Mesh Surgery. <i>Sexual Medicine</i> , 2021, 9, 100281-100281.	0.9	2
3023	Pelvic organ prolapse and Japanese lifestyle: prevalence and risk factors in Japan. <i>International Urogynecology Journal</i> , 2022, 33, 47-51.	0.7	5
3025	A nationwide population-based survey on the prevalence and risk factors of symptomatic pelvic organ prolapse in adult women in China—a pelvic organ prolapse quantification system-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1313-1323.	1.1	30
3026	Association of Pelvic Organ Prolapse Quantification examination D point with uterosacral ligament suspension outcomes: the “OPTIMAL” D point. <i>International Urogynecology Journal</i> , 2021, 32, 2179-2184.	0.7	1
3028	Urogynecology in obstetrics: impact of pregnancy and delivery on pelvic floor disorders, a prospective longitudinal observational pilot study. <i>Archives of Gynecology and Obstetrics</i> , 2021, 304, 401-408.	0.8	7
3030	Longitudinal Study of Pelvic Floor Characteristics Before, During, and After Pregnancy in Nulliparous Women. <i>Journal of Ultrasound in Medicine</i> , 2022, 41, 147-155.	0.8	2
3031	Clinical applications of pelvic floor imaging: opinion statement endorsed by the society of abdominal radiology (SAR), American Urological Association (AUA), and American Urogynecologic Society (AUGS). <i>Abdominal Radiology</i> , 2021, 46, 1451-1464.	1.0	6

#	ARTICLE	IF	CITATIONS
3032	Association between pelvic floor disorders and hernias. <i>International Urogynecology Journal</i> , 2021, 32, 3017-3022.	0.7	1
3033	App-Based Treatment in Primary Care for Urinary Incontinence: A Pragmatic, Randomized Controlled Trial. <i>Annals of Family Medicine</i> , 2021, 19, 102-109.	0.9	19
3034	Multicenter Randomized Controlled Trial of Pelvic Floor Muscle Training with a Motion-based Digital Therapeutic Device versus Pelvic Floor Muscle Training Alone for Treatment of Stress-predominant Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 1-6.	0.6	8
3035	Identification of the Urogenital Distress Inventory-6 and the Incontinence Impact Questionnaire-7 cutoff scores in urinary incontinent women. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 87.	1.0	45
3036	Vaginal Colposuspension Using the Uphold Lite Mesh System versus Transvaginal Hysterectomy with Uterosacral Ligament Suspension for Treatment of Apical Prolapse: A Comparative Study. <i>Journal of Minimally Invasive Gynecology</i> , 2021, 28, 1759-1764.	0.3	5
3037	Anatomical and functional outcomes of uterus preservation and pelvic organ prolapse repair with vaginal trocar-less mesh kit (Endofast): A retrospective study of 239 patients. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 258, 223-227.	0.5	0
3038	Impact of obesity on operative complications and outcome after sacrocolpopexy: A systematic review and meta-analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 258, 309-316.	0.5	8
3039	Comparing the outcomes and effectiveness of robotic-assisted sacrocolpopexy and laparoscopic sacrocolpopexy in the treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2022, 33, 297-308.	0.7	12
3040	Magnetic resonance imaging to evaluate anterior pelvic prolapse: H line is the key. <i>Neurourology and Urodynamics</i> , 2021, 40, 1042-1047.	0.8	7
3041	The Prevalence of Vaginal Flatus in Women with Pelvic Floor Disorders and Its Impact on Sexual Function. <i>Journal of Sexual Medicine</i> , 2021, 18, 487-492.	0.3	2
3042	The Comparison of Outcomes of Transvaginal Mesh Surgery with and without Midline Fascial Plication for the Treatment of Anterior Vaginal Prolapse: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 1888.	1.0	2
3043	Microablative radiofrequency versus pelvic floor muscle training for stress urinary incontinence: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2022, 33, 53-64.	0.7	9
3044	Habitus and Pelvic Floor Symptoms and Support 1 Year Postpartum. <i>Obstetrics and Gynecology</i> , 2021, 137, 821-830.	1.2	3
3045	An International Continence Society (ICS) report on the terminology for pelvic floor muscle assessment. <i>Neurourology and Urodynamics</i> , 2021, 40, 1217-1260.	0.8	98
3046	Does the choice of pelvic organ prolapse treatment influence subjective pelvic-floor related quality of life?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 259, 161-166.	0.5	2
3047	Laparoscopic sacrocolpopexy for pelvic organ prolapse in the elderly: safety and outcomes. <i>Journal of Obstetrics and Gynaecology</i> , 2022, 42, 110-115.	0.4	5
3048	Laparoscopic lateral suspension for anterior and apical prolapse: a prospective cohort with standardized technique. <i>International Urogynecology Journal</i> , 2021, , 1.	0.7	11
3049	The effect of pessary treatment on puborectalis muscle function. <i>International Urogynecology Journal</i> , 2021, 32, 1409-1417.	0.7	4



#	ARTICLE	IF	CITATIONS
3050	Outcomes of robotically assisted laparoscopic lateral suspension (RALLS) with mesh for anterior and apical prolapse. <i>Journal of Robotic Surgery</i> , 2022, 16, 287-294.	1.0	6
3051	Does pregnancy affect pelvic floor functional anatomy? A retrospective study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 259, 26-31.	0.5	6
3052	Fast track sacrospinous ligament fixation: subjective and objective outcomes at 6 months. <i>BMC Women's Health</i> , 2021, 21, 154.	0.8	5
3053	A Double-Blind Randomized Sham-Controlled Trial to Evaluate the Efficacy of Fractional Carbon Dioxide Laser Therapy on Genitourinary Syndrome of Menopause. <i>Journal of Sexual Medicine</i> , 2021, 18, 761-769.	0.3	28
3054	Rectal-vaginal pressure gradient in patients with pelvic organ prolapse and symptomatic rectocele. <i>BMC Women's Health</i> , 2021, 21, 165.	0.8	1
3055	Oestrogen therapy for treating pelvic organ prolapse in postmenopausal women. <i>The Cochrane Library</i> , 0, , .	1.5	2
3056	Rectoceles. <i>Diseases of the Colon and Rectum</i> , 2021, Publish Ahead of Print, 552-558.	0.7	0
3057	Comparative efficacy of non-surgical correction of early-onset genital prolapse based on differentiated approach. <i>Reproductive Health of Woman</i> , 0, 3, 75-80.	0.0	0
3058	Abdominal pressure and pelvic organ prolapse: is there an association?. <i>International Urogynecology Journal</i> , 2021, , 1.	0.7	2
3059	Effects of Oxytocin for Induction and Augmentation of Labor on Pelvic Floor Symptoms and Support in the Postpartum Period. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 289-296.	0.6	5
3060	Current use of the pelvic organ prolapse quantification system in clinical practice among Korean obstetrician-gynecologists. <i>BMC Women's Health</i> , 2021, 21, 207.	0.8	4
3061	Surgical Management of Symptomatic Apical Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2021, 137, 1061-1073.	1.2	22
3062	Is coital incontinence a manifestation of urodynamic stress incontinence or detrusor overactivity?. <i>International Urogynecology Journal</i> , 2022, 33, 1175-1178.	0.7	2
3063	Preoperative level II/III MRI measures predicting long-term prolapse recurrence after native tissue repair. <i>International Urogynecology Journal</i> , 2022, 33, 133-141.	0.7	7
3064	Pelvic organ prolapse recurrence after apical prolapse repair: does obesity matter?. <i>International Urogynecology Journal</i> , 2022, 33, 275-284.	0.7	4
3065	Transvaginal natural orifice transluminal endoscopic versus conventional vaginal hysterectomy with uterosacral ligament suspension for apical compartment prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 260, 203-207.	0.5	12
3066	Impact of intrinsic sphincter deficiency on mid-urethral sling outcomes. <i>International Urogynecology Journal</i> , 2021, , 1.	0.7	5
3067	Can we predict continued pessary use as primary treatment in women with symptomatic pelvic organ prolapse (POP)? A prospective cohort study. <i>International Urogynecology Journal</i> , 2021, 32, 2159-2167.	0.7	7

#	ARTICLE	IF	CITATIONS
3068	Comparison of translabial three-dimensional ultrasonography and magnetic resonance imaging for the grading of levator ani defects. <i>Medicine (United States)</i> , 2021, 100, e25997.	0.4	2
3069	Impact of surgery on quality of life of Ugandan women with symptomatic pelvic organ prolapse: a prospective cohort study. <i>BMC Women's Health</i> , 2021, 21, 258.	0.8	5
3070	Ultrasound analysis of the effect of second delivery on pelvic floor function in Chinese women. <i>Journal of Obstetrics and Gynaecology</i> , 2022, 42, 261-267.	0.4	0
3071	Outcomes of a fixed skeletonised mini mesh implant for pelvic organ prolapse repair with uterine preservation. <i>Journal of Obstetrics and Gynaecology</i> , 2021, , 1-4.	0.4	0
3072	Translabial ultrasound: a non-invasive technique for assessing "technical errors" after TOT failure. <i>International Urogynecology Journal</i> , 2022, 33, 1023-1030.	0.7	9
3073	Subgroups of failure after surgery for pelvic organ prolapse and associations with quality of life outcomes: a longitudinal cluster analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 504.e1-504.e22.	0.7	10
3074	Laparoscopic uterosacral ligament suspension versus sacrospinous ligament fixation for apical prolapse: perioperative outcomes. <i>Gynecological Surgery</i> , 2021, 18, .	0.9	1
3075	Demographic risk factors for pelvic organ prolapse: Do smoking, asthma, heavy lifting or family history matter?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 261, 25-28.	0.5	8
3076	Adapting to Challenging Circumstances. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, Publish Ahead of Print, .	0.6	0
3077	International Urogynecological Consultation: clinical definition of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 2011-2019.	0.7	13
3078	Ultrasound evaluation of anterior transvaginal mesh for pelvic organ prolapse: correlation to 5-year clinical outcomes. <i>International Urogynecology Journal</i> , 2021, , 1.	0.7	1
3079	Absorbable versus non-absorbable sutures for vaginal mesh attachment during sacrocolpopexy: a randomized controlled trial. <i>International Urogynecology Journal</i> , 2021, , 1.	0.7	8
3080	Evaluation of the Pubocervical Fascia with 3-Dimensional Endovaginal Ultrasonography and Correlation with Intraoperative Findings during Robotic Sacrocervicopexy. <i>Urology</i> , 2021, , .	0.5	0
3081	Acupoint injection combined with pelvic floor rehabilitation in the treatment of postpartum pelvic floor disorders. <i>Medicine (United States)</i> , 2021, 100, e25511.	0.4	4
3082	The effectiveness of McCall culdoplasty following vaginal hysterectomy in advanced stages of uterine prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 2143-2148.	0.7	2
3083	Postoperative Physiotherapy in Women Undergoing Pelvic Floor Reconstructive Surgery: A Randomized Controlled Clinical Trial. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2022, 74, 126-138.	0.3	2
3084	Enlargement of the genital hiatus is associated with prolapse recurrence in patients undergoing sacrospinous ligament fixation. <i>International Journal of Gynecology and Obstetrics</i> , 2021, , .	1.0	5
3085	Biotensegrity Focused Therapy for Pelvic Organ Prolapse: A Nonrandomized Prospective Clinical Case Series. <i>Journal of Women's Health Physical Therapy</i> , 2021, 45, 135-142.	0.5	0

#	ARTICLE	IF	CITATIONS
3086	Video Virtual Clinical Encounters Versus Office Visits for Postoperative Care After Pelvic Organ Prolapse Surgery: A Randomized Clinical Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 432-438.	0.6	10
3087	Risk factors for recurrence of pelvic organ prolapse after vaginal surgery among Ugandan women: a prospective cohort study. <i>International Urogynecology Journal</i> , 2021, , 1.	0.7	2
3088	Proteins in plasma as a potential biomarkers diagnostic for pelvic organ prolapse. <i>Annals of Translational Medicine</i> , 2021, 9, 1117-1117.	0.7	1
3089	Is the Visual Analogue Scale inferior to the Pelvic Organ Prolapse Distress Inventory for assessing symptom bother of pelvic organ prolapse?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 918-921.	0.4	1
3090	Trajectories of Pelvic Floor Symptoms and Support After Vaginal Delivery in Primiparous Women Between Third Trimester and 1 Year Postpartum. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 507-513.	0.6	8
3091	Is vaginal laxity an early symptom of pelvic organ prolapse?. <i>International Urogynecology Journal</i> , 2022, 33, 1927-1931.	0.7	4
3092	Long-term outcomes of primary cystocele repair by transvaginal mesh surgery versus laparoscopic mesh sacropexy: extended follow up of the PROSPERE multicentre randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 127-137.	1.1	11
3093	Three-Dimensional Pelvic Floor Ultrasound Assessment of Pelvic Organ Prolapse: Minimal Levator Hiatus and Levator Ani Deficiency Score. <i>Annals of Coloproctology</i> , 2021, 37, 291-297.	0.5	5
3094	Prevalence of sarcopenia in older women with pelvic floor dysfunction. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 263, 159-163.	0.5	12
3095	Standing open magnetic resonance imaging improves detection and staging of pelvic organ prolapse. <i>Canadian Urological Association Journal</i> , 2021, 16, .	0.3	2
3096	Does imagining interrupting the flow of urine really elicit contractions of the pelvic floor muscles in stress-incontinent postpartum women?. <i>Journal of Clinical Urology</i> , 0, , 205141582110391.	0.1	1
3097	Comparison of Surgical Outcomes of Total Laparoscopic Hysterectomy and vNOTES Hysterectomy for Undescended-Enlarged Uteri. <i>Journal of Investigative Surgery</i> , 2022, 35, 918-923.	0.6	16
3098	Effect of sacrospinous hysteropexy with graft vs vaginal hysterectomy with uterosacral ligament suspension on treatment failure in women with uterovaginal prolapse: 5-year results of a randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 153.e1-153.e31.	0.7	38
3099	Relative and Maximal Intra-abdominal Pressure and Postpartum Pelvic Floor Outcomes in Primiparas Delivered Vaginally. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 96-103.	0.6	0
3100	Impact of Hysterectomy on Quality of Life, Urinary Incontinence, Sexual Functions and Urethral Length. <i>Journal of Clinical Medicine</i> , 2021, 10, 3608.	1.0	6
3101	One year effectiveness of an app-based treatment for urinary incontinence in comparison to care as usual in Dutch general practice: A pragmatic randomised controlled trial over 12 months. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1474-1480.	1.1	11
3102	Psychiatric History and Overactive Bladder Symptom Severity in Ambulatory Urogynecological Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 3988.	1.0	0
3103	Comparison of effectiveness between modified transvaginal mesh surgery and vaginal pessary treatment in patients with symptomatic pelvic organ prolapse. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021, , .	0.6	1

#	ARTICLE	IF	CITATIONS
3104	How common are complications following polypropylene mesh, biological xenograft and native tissue surgery for pelvic organ prolapse? A secondary analysis from the PROSPECT trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 2180-2189.	1.1	11
3105	The impact of radiation therapy on vaginal biomechanical properties. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 264, 36-40.	0.5	1
3106	The Role of Laparoscopic Surgery in the Treatment of Advanced Uterine Prolapse: A Systematic Review of the Literature. Cureus, 2021, 13, e18281.	0.2	4
3107	Imaging modalities for the detection of posterior pelvic floor disorders in women with obstructed defaecation syndrome. The Cochrane Library, 2021, 2021, CD011482.	1.5	8
3108	Changes in pelvic floor morphometry and muscle function after multimodal physiotherapy for gynaecological cancer survivors suffering from dyspareunia: a prospective interventional study. Physiotherapy, 2022, 114, 54-62.	0.2	5
3109	A new 3D stress MRI measurement strategy to quantify surgical correction of prolapse in three support systems. Neurourology and Urodynamics, 2021, 40, 1989-1998.	0.8	4
3112	Does preoperative locally applied estrogen treatment facilitate prolapse-associated symptoms in postmenopausal women with symptomatic pelvic organ prolapse? A randomised controlled double-blind, placebo-controlled, multicentre study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 2200-2208.	1.1	7
3113	Clinical Risk Factors for Uterine Cervical Elongation among Women with Pelvic Organ Prolapse. International Journal of Environmental Research and Public Health, 2021, 18, 9255.	1.2	2
3114	Transperineal ultrasound to estimate the appropriate ring pessary size for women with pelvic organ prolapse. International Urogynecology Journal, 2022, 33, 1981-1987.	0.7	4
3115	Importance of Translabial Ultrasound for the Diagnosis of Pelvic Organ Prolapse and Its Correlation with the POP-Q Examination: Analysis of 363 Cases. Journal of Clinical Medicine, 2021, 10, 4267.	1.0	6
3116	The establishment of a 3D anatomical coordinate system for defining vaginal axis and spatial position. Computer Methods and Programs in Biomedicine, 2021, 208, 106175.	2.6	3
3117	Clinical definition of pelvic organ prolapse "if it ain't broke". Neurourology and Urodynamics, 2022, 41, 506-507.	0.8	0
3118	Has the prevalence of levator avulsion after forceps delivery changed over the last six decades? A retrospective study in a urogynaecological population. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 264, 184-188.	0.5	0
3119	Ultrasonography and clinical outcomes following anti-incontinence procedures (Solyx, tape): a 3-year post-operative review. International Urogynecology Journal, 2021, , 1.	0.7	0
3120	Success of Concomitant Versus Interval Slings for Prevention and Treatment of Bothersome de Novo Stress Urinary Incontinence. Female Pelvic Medicine and Reconstructive Surgery, 2022, 28, 194-200.	0.6	1
3121	Effect of Epidural Analgesia on Pelvic Floor Dysfunction at 6 Months Postpartum in Primiparous Women: A Prospective Cohort Study. Sexual Medicine, 2021, 9, 100417.	0.9	0
3122	Pelvic organ prolapse, abdominal hernias, and inguinal hernias. , 2022, , 428-460.e2.		0
3123	Pelvic Organ Descent as a Cause of Bladder Outlet Obstruction. , 2021, , 77-85.		0

#	ARTICLE	IF	CITATIONS
3124	Re: Hysteropexy in the treatment of uterine prolapse stage 2 or higher: laparoscopic sacrohysteropexy versus sacrospinous hysteropexy—A multicentre randomised controlled trial (LAVA trial). BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 938-938.	1.1	0
3125	Risk Factors for Dislodgment of Vaginal Pessaries in Women With Pelvic Organ Prolapse: A Cohort Study. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, e247-e251.	0.6	3
3126	Does the Time of Onset of Urinary Symptoms Affect Microablative Fractional CO <sub>2</sub> Laser Efficacy in Postmenopausal Women?. Lasers in Surgery and Medicine, 2021, 53, 953-959.	1.1	9
3127	Tactile and Ultrasound Image Fusion for Functional Assessment of the Female Pelvic Floor. Open Journal of Obstetrics and Gynecology, 2021, 11, 674-688.	0.1	6
3128	Short-Term Outcomes of Vaginal Hysterectomy at the Time of Robotic Sacrocolpopexy. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, e223-e226.	0.6	5
3130	Do repetitive Valsalva maneuvers change maximum prolapse on dynamic MRI?. , 2010, 21, 1247.		1
3131	Pelvic Floor Disorders. , 2011, , 323-335.		1
3132	Middle Compartment. , 2003, , 179-218.		1
3133	Genitourinary Tract in Women with Marfan Syndrome. , 2016, , 219-225.		3
3134	Pelvic Floor Anatomy. , 2014, , 1-17.		1
3135	Pelvic Organ Prolapse in Older Adults. , 2014, , 181-206.		1
3136	Pelvic Organ Prolapse in the Older Woman. , 2017, , 281-285.		1
3137	The Central and Posterior Compartments. , 2008, , 63-75.		2
3138	The Surgical Management of Evacutory Dysfunction. , 2010, , 139-148.		1
3139	Patient-Specific Modeling of Pelvic System from MRI for Numerical Simulation: Validation Using a Physical Model. , 2020, , 19-30.		1
3140	Epidemiology and Etiology of Pelvic Organ Prolapse. , 2021, , 547-554.		1
3141	Perineal Mapping. , 2016, , 41-70.		2
3142	The Role of Imaging in Assessing Perineal Trauma. , 2016, , 115-145.		1

#	ARTICLE	IF	CITATIONS
3143	Robotic Management of Pelvic Organ Prolapse. , 2018, , 73-81.		1
3144	Anamnese und Basisuntersuchungen. , 2012, , 83-95.		1
3145	Lageveränderungen des weiblichen Genitale. , 2013, , 233-250.		1
3146	Anamnese und Basisuntersuchungen. , 2004, , 67-77.		1
3147	Functional Imaging in Rectal Prolapse. , 2008, , 21-32.		1
3148	Dynamic Transperineal Ultrasonography. , 2008, , 189-196.		2
3149	The Abdominal Approach to Urogenital Prolapse. , 2010, , 457-466.		1
3150	Interethnic variation in pelvic floor morphology in women with symptomatic pelvic organ prolapse. International Urogynecology Journal, 2018, 29, 745-750.	0.7	18
3151	Electromyography of pelvic floor muscles with true differential versus faux differential electrode configuration. International Urogynecology Journal, 2020, 31, 2051-2059.	0.7	4
3152	A randomized controlled trial of permanent vs absorbable suture for uterosacral ligament suspension. International Urogynecology Journal, 2021, 32, 785-790.	0.7	10
3153	Determining "abnormal" levator hiatus distensibility using three-dimensional transperineal ultrasound in Chinese women. Frontiers of Medicine, 2018, 12, 572-579.	1.5	8
3154	Epidemiology and Psychosocial Impact of Pelvic Floor Disorders. , 2007, , 44-54.		3
3155	Surgical Treatment of Vaginal Vault Prolapse and Enterocele. , 2007, , 262-287.		7
3156	Outcomes And Quality-Of-Life Measures In Pelvic Floor Research. , 2007, , 499-511.		1
3158	Anatomic Defects of the Abdominal Wall and Pelvic Floor. , 2007, , 501-536.		3
3159	Urinary Incontinence and Pelvic Prolapse. , 2012, , 1871-1895.e7.		7
3160	Evaluation of Patients with Urinary Incontinence and Pelvic Prolapse. , 2012, , 1896-1908.e30.		9
3161	The role of transforming growth factor- $\beta$ 1 (TGF- $\beta$ 1) in postmenopausal women with pelvic organ prolapse: An immunohistochemical study. European Journal of Obstetrics and Gynecology and Reproductive Biology: X, 2020, 7, 100111.	0.6	6

#	ARTICLE	IF	CITATIONS
3162	Effects of Pneumoperitoneum and the Steep Trendelenburg Position on Heart Rate Variability and Cerebral Oxygenation during Robotic Sacrocolpopexy. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 70-75.	0.3	13
3163	The effect of anterior vaginal wall prolapse on urethral pressure profile. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 309-313.	1.9	2
3164	Videourodynamic diagnosis of occult genuine stress incontinence in patients with anterior vaginal wall relaxation. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 327-330.	1.9	38
3165	Office Assessment of Female Urinary Incontinence. <i>Clinical Obstetrics and Gynecology</i> , 1999, 42, 249-266.	0.6	4
3166	VARIATIONS IN STRATEGY FOR THE TREATMENT OF URETHRAL OBSTRUCTION AFTER A PUBOVAGINAL SLING PROCEDURE. <i>Journal of Urology</i> , 2000, , 434-437.	0.2	2
3167	PELVIC PROLAPSE. <i>Journal of Urology</i> , 2000, , 1879-1890.	0.2	3
3168	Ultrasound in the investigation of pelvic floor disorders. <i>Current Opinion in Obstetrics and Gynecology</i> , 2020, 32, 431-440.	0.9	18
3169	Pelvic organ prolapse: does hormone therapy use matter?. <i>Menopause</i> , 2017, 24, 1185-1189.	0.8	18
3170	Prospective Evaluation of Surgical Outcomes of Robot-Assisted Sacrocolpopexy and Sacrocervicopexy for the Management of Apical Pelvic Support Defects. <i>Southern Medical Journal</i> , 2012, 105, 274-278.	0.3	22
3171	Outlet Constipation 1 Year After Robotic Sacrocolpopexy With and Without Concomitant Posterior Repair. <i>Southern Medical Journal</i> , 2013, 106, 409-414.	0.3	13
3172	American Urogynecologic Society Best Practice Statement: Evaluation and Counseling of Patients With Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017, 23, 281-287.	0.6	13
3173	Accuracy of Bladder Scanner for the Assessment of Postvoid Residual Volumes in Women With Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020, 26, 640-643.	0.6	4
3174	Do Measures of Muscular Fitness Modify the Effect of Intra-abdominal Pressure on Pelvic Floor Support in Postpartum Women?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, e267-e276.	0.6	8
3175	Extracellular matrix proteases contribute to progression of pelvic organ prolapse in mice and humans. <i>Journal of Clinical Investigation</i> , 2011, 121, 2048-2059.	3.9	123
3176	History and Physical Examination in Pelvic Floor Disorders. , 2004, , 119-139.		2
3177	Longitudinal trends with Improvement in Quality of Life after TVT, TVT O and Burch Colposuspension Procedures. <i>Medical Science Monitor</i> , 2011, 17, CR67-CR72.	0.5	6
3178	Vaginal Hysterectomy and Sacrospinous Colpopexy for Uterovaginal Prolapse : Anatomical and Functional Outcomes = Ø\$Ø³ØªØ   ØµØ\$Ù,, Ø\$Ù,,Ø±ØÙ... Ø·Ø·Ø±Ù\$Ù, Ø\$Ù,,Ù...Ù±Ø·Ù,, Ìr ØªØ«Ø·ÙšØª Ø\$Ù,,Ù...Ù±Ø·Ù,, Ì,,Ù,,Ø±Ø·Ø·		
3179	Influence of Reproductive Status on Tissue Composition and Biomechanical Properties of Ovine Vagina. <i>PLoS ONE</i> , 2014, 9, e93172.	1.1	38

#	ARTICLE	IF	CITATIONS
3180	Regional Variation in Tissue Composition and Biomechanical Properties of Postmenopausal Ovine and Human Vagina. PLoS ONE, 2014, 9, e104972.	1.1	29
3181	Local Oestrogen for Pelvic Floor Disorders: A Systematic Review. PLoS ONE, 2015, 10, e0136265.	1.1	94
3182	Comparison of Effectiveness between Tension-Free Vaginal Tape (TVT) and Trans-Obturator Tape (TOT) in Patients with Stress Urinary Incontinence and Intrinsic Sphincter Deficiency. PLoS ONE, 2016, 11, e0156306.	1.1	18
3183	POPO EXAMINATION: DOES THE TIME OF EXAMINATION INTERFERE WITH POPO MEASUREMENT SYSTEM FOR THE ASSESSMENT OF GENITAL PROLAPSE?. Journal of Evolution of Medical and Dental Sciences, 2015, 4, 16694-16697.	0.1	1
3184	Effect of different contraction methods on pelvic floor muscle contraction in middle-aged women. Physical Therapy Rehabilitation Science, 2015, 4, 103-107.	0.1	6
3185	Mini Sling (Ophira) versus Pubovaginal Sling for Treatment of Stress Urinary Incontinence: A Medium-term Follow-up. Prague Medical Report, 2015, 116, 210-218.	0.4	10
3186	IGF-1 regulates the growth of fibroblasts and extracellular matrix deposition in pelvic organ prolapse. Open Medicine (Poland), 2020, 15, 833-840.	0.6	8
3187	Midpubic Line to Stage Pelvic Organ Prolapse by MRI Defecography As Compared to POP-Q. Obstetrics & Gynecology International Journal, 2014, 1, .	0.0	4
3188	Pelvic Organ Prolapse in Pregnancy. Obstetrics & Gynecology International Journal, 2017, 8, .	0.0	4
3189	Electromotive drug administration for treatment of therapy-refractory overactive bladder. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2008, 34, 758-764.	0.7	10
3190	The Miniarc® sling system in the treatment of female stress urinary incontinence. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2009, 35, 334-343.	0.7	52
3191	Vaginal cone use in passive and active phases in patients with stress urinary incontinence. Clinics, 2011, 66, 785-91.	0.6	10
3194	Laparoscopic ventral rectopexy with sacrocolpopexy for coexisting pelvic organ prolapse and external rectal prolapse. Journal of the Anus, Rectum and Colon, 2017, 1, 141-146.	0.4	9
3195	Classification and Epidemiology of Pelvic Organ Prolapse. , 2010, , 771-778.		1
3196	Bladder ultrasonography for diagnosing detrusor overactivity: test accuracy study and economic evaluation. Health Technology Assessment, 2016, 20, 1-150.	1.3	25
3197	Clinical effectiveness and cost-effectiveness of surgical options for the management of anterior and/or posterior vaginal wall prolapse: two randomised controlled trials within a comprehensive cohort study – results from the PROSPECT Study. Health Technology Assessment, 2016, 20, 1-452.	1.3	348
3198	Surgical interventions for uterine prolapse and for vault prolapse: the two VUE RCTs. Health Technology Assessment, 2020, 24, 1-220.	1.3	16
3199	Transcoccygeal Sacropexy Using a Mesh Repair for Resolution of High Grade Uterine Prolapse Associated with Bladder Exstrophy. UroToday International Journal, 2009, 02, .	0.1	1



#	ARTICLE	IF	CITATIONS
3200	Mitofusin2 regulates the proliferation and function of fibroblasts: The possible mechanisms underlying pelvic organ prolapse development. <i>Molecular Medicine Reports</i> , 2019, 20, 2859-2866.	1.1	7
3201	Cellular senescence: A pathogenic mechanism of pelvic organ prolapse (Review). <i>Molecular Medicine Reports</i> , 2020, 22, 2155-2162.	1.1	22
3202	Colpoperineocleisis de Labhardt: una alternativa segura y eficaz para el tratamiento del prolapso genital en pacientes sin actividad sexual. <i>Revista Chilena De Obstetricia Y Ginecologia</i> , 2012, 77, 201-210.	0.1	2
3203	Robotic sacrocolpopexy. <i>Indian Journal of Urology</i> , 2014, 30, 318.	0.2	8
3204	Trans-vaginal total pelvic floor repair using customized prolene mesh: A safe and cost-effective approach for high-grade pelvic organ prolapse. <i>Indian Journal of Urology</i> , 2012, 28, 21.	0.2	5
3205	Outcomes of laparoscopic hysteropexy and supracervical hysterectomy plus cervicopexy: A retrospective study. <i>Tzu Chi Medical Journal</i> , 2020, 32, 262.	0.4	5
3206	Laparoscopic sacrocolpopexy using barbed sutures for mesh fixation and peritoneal closure: A safe option to reduce operational times. <i>Urology Annals</i> , 2017, 9, 159.	0.3	9
3207	Image based measurements for evaluation of pelvic organ prolapse. <i>Journal of Biomedical Science and Engineering</i> , 2013, 06, 45-55.	0.2	6
3208	POPQ system and dynamic MRI in assessment of female genital prolapse. <i>Open Journal of Obstetrics and Gynecology</i> , 2013, 03, 239-242.	0.1	2
3209	Tactile Imaging Markers to Characterize Female Pelvic Floor Conditions. <i>Open Journal of Obstetrics and Gynecology</i> , 2015, 05, 505-515.	0.1	20
3210	Biomechanical Mapping of the Female Pelvic Floor: Prolapse versus Normal Conditions. <i>Open Journal of Obstetrics and Gynecology</i> , 2018, 08, 900-924.	0.1	19
3211	Nerve preserving vs standard laparoscopic sacropexy: Postoperative bowel function. <i>World Journal of Gastrointestinal Endoscopy</i> , 2017, 9, 211.	0.4	13
3212	The effect of pelvic organ prolapse type on sexual function, muscle strength, and pelvic floor symptoms in women: A retrospective study. <i>TâşÅ°rk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2017, 14, 121-127.	0.3	5
3213	The importance of uterosacral ligament anatomy in overactive bladder: A preliminary study. <i>TâşÅ°rk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2018, 15, 65-69.	0.3	3
3214	Should we add unilateral sacrospinous ligament fixation to vaginal hysterectomy in management of stage 3 and stage 4 pelvic organ prolapse?. <i>TâşÅ°rk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2015, 12, 144-150.	0.3	7
3215	Urethral Closure Pressure at Stress: A Predictive Measure for the Diagnosis and Severity of Urinary Incontinence in Women. <i>International Neurourology Journal</i> , 2017, 21, 121-127.	0.5	6
3216	Efficacy and Safety of "Tension-free" Placement of Gynemesh PS for the Treatment of Anterior Vaginal Wall Prolapse. <i>International Neurourology Journal</i> , 2010, 14, 34.	0.5	5
3217	Is There a Relationship Between Pelvic Organ Prolapse and Tissue Fibrillin-1 Levels?. <i>International Neurourology Journal</i> , 2015, 19, 164-170.	0.5	6

#	ARTICLE	IF	CITATIONS
3218	Adjustable single incision sling Ajust â€” the effects of first operations controlled by pelvic floor sonography. Ginekologia Polska, 2017, 88, 407-413.	0.3	1
3219	Agreement of Ultrasound Measures with POP-Q in Patients with Pelvic Organ Prolapse. Iranian Journal of Radiology, 2018, In Press, .	0.1	2
3220	Transection of Duplex Ureter During Vaginal Hysterectomy. Cureus, 2020, 12, e6597.	0.2	2
3221	A Pilot Study Comparing Anatomic Failure after Sacrocolpopexy with Absorbable or Permanent Sutures for Vaginal Mesh Attachment. , 2014, 18, 40-44.		19
3222	Prevalencia y caracterizaci3n del prolapso de 3rganos p3lvicos en mujeres del Quind3o, Colombia. 2016-2019. Revista Facultad De Medicina, 2021, 70, e90175.	0.0	0
3223	Effect of anogenital distance on stress urinary incontinence. African Journal of Urology, 2021, 27, .	0.1	1
3224	The surgical effect on overactive bladder symptoms in women with pelvic organ prolapse. Scientific Reports, 2021, 11, 20193.	1.6	5
3225	Quality of Sexual Life after Native Tissue versus Polypropylene Mesh Augmented Pelvic Floor Reconstructive Surgery. Journal of Clinical Medicine, 2021, 10, 4807.	1.0	0
3226	Improvement of Cell Growth of Uterosacral Ligament Fibroblast Derived from Pelvic Organ Prolapse Patients by Cold Atmospheric Plasma Treated Liquid. Cells, 2021, 10, 2728.	1.8	3
3227	A predictive model of choosing pessary type for women with symptomatic pelvic organ prolapse. Menopause, 2021, Publish Ahead of Print, 1279-1286.	0.8	1
3228	Description of Vaginal Laxity and Prolapse and Correlation With Sexual Function (DeVeLoPS). Sexual Medicine, 2021, 9, 100443-100443.	0.9	11
3229	Interobserver variability of ultrasound measurements for the differential diagnosis of uterine prolapse and cervical elongation without uterine prolapse. International Urogynecology Journal, 2022, 33, 2825-2831.	0.7	6
3230	Analysis of long-term structural failure after native tissue prolapse surgery: a 3D stress MRI-based study. International Urogynecology Journal, 2022, 33, 2761-2772.	0.7	1
3231	ATF3 regulates oxidative stress and extracellular matrix degradation via p38/Nrf2 signaling pathway in pelvic organ prolapse. Tissue and Cell, 2021, 73, 101660.	1.0	7
3232	Pelvic Organ Prolapse Quantification (POP-Q) system needs revision or abandonment: The anatomy study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 267, 42-48.	0.5	4
3233	Benign Gynecologic Disorders in the Elderly. , 2001, , 817-833.		1
3235	DYNAMIC MAGNETIC RESONANCE IMAGING OF THE FEMALE PELVIS:. Journal of Urology, 2002, , 1353-1355.	0.2	2
3236	Diagnostic Evaluation of the Female Patient. , 2002, , 11-25.		0

#	ARTICLE	IF	CITATIONS
3237	Posterior Compartment:Rectocele Reconstruction. , 2003, , 219-226.		0
3239	Retropubic Suspensions. , 2003, , 93-107.		0
3240	Uterosacral suspension of the vaginal vault. Atlas of the Urologic Clinics of North America, 2003, 11, 113-127.	0.0	2
3242	Spezielle Urodynamik der Frau. , 2004, , 159-170.		0
3243	Place de lâ€™IRM dynamique dans la prise en charge chirurgicale des prolapsus gÃ©nitaux. RÃ©sultats dâ€™une enquÃªte prospective.. Bulletin De L'Academie Nationale De Medecine, 2004, 188, 781-791.	0.0	0
3244	Cystocele repair with interpositional grafting. Atlas of the Urologic Clinics of North America, 2004, 12, 225-231.	0.0	0
3245	Advanced Anterior Vaginal Wall Prolapse (Stage III and IV). , 2004, , 561-573.		0
3246	Physical Exam and Assessment of Pelvic Support Defects. , 2004, , 497-506.		0
3247	Diagnosis and Treatment of the Stage IV Cystocele. , 2004, , 595-614.		0
3248	Surgical Therapy of Uterine Prolapse. , 2004, , 525-544.		0
3249	Evaluation and Management of Rectoceles. , 2004, , 735-759.		1
3250	Anterior Vaginal Wall Prolapse. , 2004, , 575-594.		1
3251	Role of the female urologist/urogynecologist. , 2005, , 708-714.		2
3252	REPARACIÃ“N LAPAROSCÃ“PICA DE DEFECTOS PARAVAGINALES: EFICACIA Y COMPLICACIONES A CORTO PLAZO. Revista Chilena De Obstetricia Y GinecologÃ­a, 2006, 71, .	0.1	0
3253	Clinical Dynamic Transperineal Ultrasonography in Proctologic Practice: the Case for its Use in Patients Presenting with Evacuatory Difficulty. , 2006, , 219-229.		1
3254	Prevalence of the Urinary and Fecal Symptoms in Women with Pelvic Organ Prolapse. Korean Journal of Urology, 2006, 47, 1339.	0.2	0
3255	Pelvic Floor Disorders. , 2007, , 687-692.		0
3256	Verzakkingsgevoel. , 2007, , 615-624.		0

#	ARTICLE	IF	CITATIONS
3257	Functional MRI of the Pelvic Floor. Medical Radiology, 2007, , 293-308.	0.0	0
3258	Evaluation of Urinary Incontinence and Pelvic Organ Prolapse. , 2007, , 65-77.		0
3259	Surgical Treatment of Rectocele and Perineal Defects. , 2007, , 246-261.		1
3260	Description and Classification of Lower Urinary Tract Dysfunction and Pelvic Organ Prolapse. , 2007, , 55-61.		1
3261	Evaluation and Treatment of Pelvic Floor Disorders. Journal of the Korean Society of Coloproctology, 2007, 23, 206.	0.2	1
3263	Evacuation Proctography and Dynamic Cystoproctography. Medical Radiology, 2008, , 61-73.	0.0	0
3264	Tratamiento quirúrgico del prolapso de la cúpula vaginal y el enterocele. , 2008, , 267-293.		0
3266	TRANSVAGINAL REPAIR OF APICAL PROLAPSE: THE UTEROSACRAL VAULT SUSPENSION. , 2008, , 698-704.		0
3267	Medidas de resultados y calidad de vida en la investigación del suelo pélvico. , 2008, , 507-519.		0
3268	Epidemiología y consecuencias psicosociales de los trastornos del suelo pélvico. , 2008, , 43-54.		0
3269	Gynecological Morbidity. , 2008, , 88-101.		0
3270	MANAGEMENT OF THE URETHRA IN VAGINAL PROLAPSE. , 2008, , 624-628.		0
3271	TRANSVAGINAL PARAVAGINAL REPAIR OF HIGH-GRADE CYSTOCELE. , 2008, , 649-654.		0
3272	Tratamiento quirúrgico del rectocele y los defectos del periné. , 2008, , 251-266.		0
3273	Descripción y clasificación de la disfunción de las vías urinarias inferiores y el prolapso de órganos pélvicos. , 2008, , 55-61.		0
3274	Lageveränderungen des Genitales. , 2008, , 119-134.		0
3275	POSTERIOR WALL PROLAPSE: SEGMENTAL DEFECT REPAIR. , 2008, , 729-736.		0
3276	Urinary Incontinence: Clinical and Surgical Considerations. Medical Radiology, 2008, , 187-209.	0.0	0

#	ARTICLE	IF	CITATIONS
3277	Pelvic Organ Prolapse. , 2008, , 71-74.		1
3278	Examination of Patients with Pelvic Organ Prolapse. , 2008, , 105-108.		0
3279	Surgery and Clinical Imaging for Pelvic Organ Prolapse. Medical Radiology, 2008, , 165-186.	0.0	1
3280	Evaluaci3n de la incontinencia urinaria y el prolapso de 3rganos p3lvicos. , 2008, , 65-78.		0
3281	ANTERIOR COLPORRHAPHY FOR CYSTOCELE REPAIR. , 2008, , 642-648.		1
3282	Posterior Compartment Repair and Fecal Incontinence. , 2009, , 367-389.		0
3283	Are Risk Factors for Failure after Mid-Urethral Sling Operation Different between Patients with Pure Stress and Those with Mixed Urinary Incontinence in the Short-Term Follow-Up?. Korean Journal of Urology, 2009, 50, 573.	1.2	1
3284	Recurrent Pelvic Organ Prolapse. , 2009, , 113-143.		0
3285	Anatomische Differenzierung der Defekte bei Deszensus. , 2009, , 117-120.		0
3286	Surgery for Pelvic Organ Prolapse: An Historical Review. , 2009, , 301-311.		0
3287	Robotic Sacral Colpopexy. , 2010, , 37-42.		0
3288	Pelvic Organ Prolapse: Introduction. , 2010, , 379-383.		1
3289	The Laparoscopic Approach to Pelvic Floor Surgery. , 2010, , 473-484.		0
3290	CINTA SUBURETRAL TRANSOBTURATRIZ LIBRE DE TENSI3N PARA EL TRATAMIENTO DE LA INCONTINENCIA DE ORINA DE ESFUERZO: 3 A3OS DE SEGUIMIENTO. Revista Chilena De Obstetricia Y Ginecologia, 2010, 75, .	0.1	0
3292	Imagerie fonctionnelle p3rin3ale. , 2010, , 155-166.		0
3293	Dynamic magnetic resonance imaging and transperineal sonography in the assessment of patients presenting primarily with evacuatory difficulty: A short position paper. Acta Chirurgica Iugoslavica, 2010, 57, 97-104.	0.0	1
3295	Urinary Incontinence in Women. Deutsches A&#x0308;rzteblatt International, 2010, 107, 420-6.	0.6	19
3298	Commentary on the 2009 IUGA/ICS Joint Report on the Terminology for Female Pelvic Floor Dysfunction. , 2010, , 1106-1112.		2

#	ARTICLE	IF	CITATIONS
3299	Laparoscopic Sacrocolpopexy. , 2010, , 920-928.		0
3300	Laparoscopy and Robotics in Stress Urinary Incontinence and Pelvic Reconstructive Surgery. , 2011, , 277-292.		0
3301	Medium Term Anatomical and Functional Results of Laparoscopic Sacrocolpopexy Using Xenografts. , 2011, , 81-88.		0
3303	RECONSTRUCTION Operative shortening of the sling as a second-line treatment after TVT failure. Central European Journal of Urology, 2011, 64, 159-161.	0.2	0
3305	Pelvic organ prolapse. , 2011, , 90-93.		0
3306	Diagnostic et Évaluation de l'incontinence urinaire et des prolapsus gŕnitaux. , 2011, , 13-24.		0
3307	Benign Gynecologic Disorders in the Older Woman. , 2011, , 1083-1099.		0
3308	Diagnosis of Uterovaginal Support. , 2011, , 41-47.		0
3309	Recurrence in Prosthetic Surgery. , 2011, , 231-245.		0
3314	44 Verzakkingsgevoel. , 2011, , 577-586.		0
3316	Development of a culturally specific assessment tool for pelvic organ prolapse in a Mayan population. Rural and Remote Health, 0, , .	0.4	0
3317	Incontinence and prolapse. , 2011, , 111-122.		0
3318	Laparoscopic or Robotic Sacrocolpopexy with Tension-Free Sling to Prevent and Treat Symptomatic or Occult Stress Urinary Incontinence. UroToday International Journal, 2012, 05, .	0.1	0
3319	Vaginal and Abdominal Reconstructive Surgery for Pelvic Organ Prolapse. , 2012, , 2069-2114.e6.		3
3320	A Case of Rectal Carcinoma with Pelvic Organ Prolapse. Nihon Daicho Komonbyo Gakkai Zasshi, 2012, 65, 388-392.	0.1	0
3321	Spezielle Urodynamik der Frau. , 2012, , 185-198.		4
3322	Predictors of Outcome after Transvaginal Mesh for Pelvic Organ Prolapse. Open Journal of Urology, 2012, 02, 237-242.	0.0	0
3323	Colpocleisis: Current Practice and Complications. , 2013, , 69-75.		0

#	ARTICLE	IF	CITATIONS
3325	Preoperative Evaluation and Staging of Patients with Pelvic Organ Prolapse. , 2013, , 31-41.		0
3326	Epidemiology, Risk Factors, and Social Impact of Pelvic Organ Prolapse. , 2013, , 1-9.		1
3327	Pleated colposuspension: Our modification of Burch colposuspension. Indian Journal of Urology, 2013, 29, 166.	0.2	0
3329	Laparoscopic sacrocolpopexy approach for pelvic organ prolapse: experience with 4 cases.. Japanese Journal of Gynecologic and Obstetric Endoscopy, 2013, 29, 126-131.	0.0	0
3330	Ultraschall des Beckenbodens. , 2013, , 779-799.		0
3331	A Comparison of the Incidence of Early Postoperative Infections between Patients Using Synthetic Mesh and Those Undergoing Traditional Pelvic Reconstructive Surgical Procedures. Prague Medical Report, 2013, 114, 81-91.	0.4	0
3333	Tension-free vaginal mesh for the treatment of pelvic organ prolapse in Chinese women. Hong Kong Medical Journal, 2013, 19, 511-7.	0.1	3
3334	Lichamelijk onderzoek. , 2014, , 101-174.		0
3335	Management of Concomitant Pelvic Disorders: The Urologic Perspective. Updates in Surgery Series, 2014, , 251-260.	0.0	0
3336	Management of Concomitant Middle Compartment Disorders. Updates in Surgery Series, 2014, , 243-250.	0.0	0
3337	Basic Urologic History and Questionnaires and the Role of Imaging in Female Pelvic Medicine and Reconstructive Surgery. Current Clinical Urology, 2014, , 3-13.	0.0	1
3338	Long-term Outcome and Satisfaction to Surgery after Vaginal Hysterectomy. British Journal of Medicine and Medical Research, 2014, 4, 2291-2295.	0.2	0
3339	Techniques for Single-Port Urogynecology and Pelvic Reconstructive Surgery. , 2014, , 167-182.		0
3340	Pelvic Floor Dysfunction. , 2014, , 1-13.		0
3342	Open Transabdominal Sacrocolpopexy. , 2015, , 103-116.		0
3343	Laparoskopische und roboterassistierte laparoskopische Eingriffe zur Kolposuspension und Kolpopexie. , 2015, , 187-196.		0
3344	Pelvic Floor Dysfunction. , 2015, , 783-793.		0
3345	Anatomische Differenzierung der Defekte bei Deszensus. , 2015, , 131-134.		0

#	ARTICLE	IF	CITATIONS
3347	POP-Q Point C May Not Be Equal to Point D After Hysterectomy. <i>Obstetrics &amp; Gynecology International Journal</i> , 2014, 1, .	0.0	0
3348	A Simple Proline Stitch is Safe and Easy to Use for Sacrospinous Fixation: a Prospective Cohort Study. <i>Obstetrics &amp; Gynecology International Journal</i> , 2014, 1, .	0.0	0
3349	Evaluation of Pelvic Organ Prolapse. , 2015, , 107-114.		1
3350	Current Possibilities of Treatment in Pelvic-Perineal Floor Dysfunctions. <i>Jurnalul De Chirurgie</i> , 2015, 10, .	0.0	0
3351	Deszensus und Prolaps. , 2015, , 1-8.		0
3352	Subjective and Objective Results of Native Anterior Vaginal Wall Repair in Local Anesthesia: A 10-Year Follow-Up. <i>Open Journal of Obstetrics and Gynecology</i> , 2015, 05, 762-767.	0.1	0
3353	Imaging modalities for the detection of posterior compartment disorders in women with obstructed defaecation syndrome. <i>The Cochrane Library</i> , 0, , .	1.5	1
3354	Pelvic Floor Support Defect in Apical Anterior Vaginal Prolapse with Cervical Hypertrophy. Review with Case Report in a 20-year-old Cadaver. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2015, 9, AD01-4.	0.8	2
3355	Treating urinary incontinence: an evolving challenge for us all. , 2015, , 269-286.		0
3356	Uterine Prolapse with Subacute Intestinal Obstruction: A Case Report. <i>Journal of Medical Sciences and Health</i> , 2015, 01, 34-35.	0.1	0
3357	Outcomes of Two Different Meshes for Treatment of POP with a Concomitant Midurethral Sling for SUI: a Retrospective Cohort Study at 2 Years Postoperatively. <i>International Archives of Urology and Complications</i> , 2015, 1, .	0.1	0
3359	Uterine pathologies to be considered before uterus-preserving surgery in cases of uterine prolapse. <i>Journal of Clinical and Experimental Investigations</i> , 2016, 6, .	0.1	0
3360	Pelvic Organ Prolapse: Diagnosis, Treatment, and Avoiding Complications. , 2016, , 1-30.		0
3361	Clinical Approach to the Evaluation of Pelvic Floor Dysfunctions. , 2016, , 41-50.		0
3362	Comparison of the Efficiency of Posterior Intravaginal Sling (PIVS) Procedure in Older and Younger Groups. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016, 10, QC05-7.	0.8	1
3363	Verzakkingsgevoel. <i>Kernboek</i> , 2016, , 709-720.	0.0	0
3364	Objective Assessment of the Overactive Pelvic Floor. , 2016, , 151-173.		3
3365	Beckenbodeninsuffizienz und Inkontinenz aus urogynÄkologischer Sicht. , 2016, , 301-314.		0



#	ARTICLE	IF	CITATIONS
3366	Combined Three-Dimensional Transperineal Ultrasonography (3-D TPUS) and Magnetic Resonance Imaging (MRI) After Vaginal Delivery. , 2016, , 69-82.		0
3367	Does Pelvic Organ Prolapse Relate with Expulsion of Intrauterine Devices?. Gynecology Obstetrics & Reproductive Medicine (gorm), 2016, 22, 80-83.	0.3	0
3368	Special Evidence-Based Considerations in Geriatric Gynecologic Care: Pelvic Floor Disorders. , 2017, , 137-158.		0
3369	Surgical proficiency decreases the rate of healing abnormalities using anterior transobturator mesh in cystocele women. F1000Research, 2016, 5, 2662.	0.8	1
3370	Pop-Q Components Comparison among Multiparous and Nulliparous Women. Majalah Obstetri Dan Ginekologi Indonesia, 0, , .	0.0	0
3371	Pelvic Floor Ultrasound. Current Clinical Urology, 2017, , 169-181.	0.0	0
3372	Near Term Pregnancy in a Patient with Total Uterine Prolapse. Zahedan Journal of Researches in Medical Sciences, 2016, In Press, .	0.1	0
3373	Anterior Colporrhaphy. , 2017, , 89-101.		1
3376	Taxonomy of Complications of Pelvic Floor Surgery. Current Clinical Urology, 2017, , 1-8.	0.0	0
3377	The Aging Bladder in Females Evaluated by Urodynamics. Open Journal of Urology, 2017, 07, 54-64.	0.0	0
3378	Pelvic Floor Anatomy. , 2017, , 1-21.		1
3379	Evaluating the Role of Measuring the Perineal Length as a Predictor of Progress of Labor and Obstetrical Trauma. Open Journal of Obstetrics and Gynecology, 2017, 07, 464-472.	0.1	3
3380	Sexual function before and after a tension-free vaginal mesh procedure for pelvic organ prolapse. Okayama Igakkai Zasshi, 2017, 129, 17-22.	0.0	0
3381	Enterocoele Repair. , 2017, , 159-166.		0
3382	Surgical Anatomy for the Reconstructive Surgeon. , 2017, , 1-35.		1
3383	Functional Anorectal Imaging: Radiologic Considerations and Clinical Implications. , 2017, , 155-173.		0
3384	Pelvic Organ Prolapse: Diagnosis, Treatment, and Avoiding Complications. , 2017, , 713-742.		0
3385	LageverÄnderungen des Genitales. , 2017, , 109-123.		0

#	ARTICLE	IF	CITATIONS
3386	Short and Long Term Results: What Can You Expect Following LSCP?. , 2017, , 69-80.		0
3388	CONSERVATIVE SURGICAL MANAGEMENT OF UTEROVAGINAL PROLAPSE IN YOUNG WOMEN. Journal of Evolution of Medical and Dental Sciences, 2017, 6, 2462-2465.	0.1	0
3389	Functional Outcomes Following Combined Zacharinâ€™s Pelvic floor Repair and Rectopexy for Pelvic Prolapse. Obstetrics & Gynecology International Journal, 2017, 7, .	0.0	0
3390	NAT2 GENE POLYMORPHISM AS A PREDICTOR OF FAILURE FOR SURGICAL TREATMENT OF PELVIC ORGAN PROLAPSE: RESULTS OF A PROSPECTIVE COHORT CLINICAL STUDY. Vestnik Rossiiskoi Akademii Meditsinskikh Nauk, 2017, 72, 466-472.	0.2	1
3391	Deszensus und Prolaps. , 2018, , 625-632.		0
3392	Ultraschall des Beckenbodens. , 2018, , 879-906.		0
3393	Transposition of cardinal ligaments for stages IIâ€“III uterine prolapse: A minimally invasive procedure. Gynecology and Minimally Invasive Therapy, 2018, 7, 36.	0.2	0
3394	Preoperative biomechanical mapping of the female pelvic floor. Global Imaging Insights, 2018, 3, .	0.6	1
3395	Pelvic Floor Anatomy as It Relates to the Design and Development of Vaginal Mesh Kits. , 2019, , 143-171.		0
3396	Efficacy of needle retractor device in single-incision slings for treatment of stress urinary incontinence. Minerva Ginecologica, 2018, 70, 724-728.	0.8	1
3397	Surgical treatment satisfaction in women with pelvic organ prolapse. Quantification and analysis. Journal of Obstetrics and Women's Diseases, 2018, 67, 31-37.	0.0	2
3399	Essentials of history taking and physical examination. , 2019, , 85-101.		0
3401	The Utility of Endovaginal Ultrasound in the Design of a Sacrospinous Ligament Anchoring Device in Patients with and without Pelvic Organ Prolapse. Open Journal of Obstetrics and Gynecology, 2019, 09, 1103-1113.	0.1	0
3402	Comparative Study to Evaluate Pelvic Organ Prolapse Quantification System and Simplified Pelvic Organ Prolapse Scoring System by Assessing Anatomical and Functional Outcome in Women with Pelvic Organ Prolapse after Surgery. Journal of SAFOMS, 2020, 7, 71-76.	0.1	0
3403	Deszensus und Prolaps. , 2019, , 340-348.		0
3404	THE ROLE OF RADIATION VISUALIZATION IN THE DIAGNOSIS OF STRESS URINARY INCONTINENCE IN WOMEN WITH GENITAL PROLAPSE. Å½urnal Grodnenskogo Gosudarstvennogo Medicinskogo Universiteta, 2019, 17, 395-401.	0.0	1
3405	Gynecologic Disorders in the Older Woman. , 2019, , 1-38.		0
3406	CYSTOURETHROSCOPY, UROFLOW STUDIES AND POST VOID RESIDUAL URINE TO EVALUATE LOWER URINARY TRACT SYMPTOMS IN CASES OF PELVIC ORGAN PROLAPSE. Journal of Evidence Based Medicine and Healthcare, 2019, 6, 741-744.	0.0	0

#	ARTICLE	IF	CITATIONS
3407	Predictors of successful fitting of vaginal pessary for female pelvic organ prolapse. Journal of Gynecological Research and Obstetrics, 0, , 017-021.	0.3	0
3408	Outcome of sacrospinous ligament fixation with conventional instruments in the treatment of Stage 3-4 vaginal vault prolapse. Cukurova Medical Journal, 2019, 44, 549-555.	0.1	0
3410	Perioperative complications and long term consequences of sacrospinous ligament fixation and abdominal sacrocolpopexy. Cumhuriyet Medical Journal, 0, , .	0.1	0
3411	Pelvic Organ Prolapse: A Review of In Vitro Testing of Pelvic Support Mechanisms. Ochsner Journal, 2020, 20, 410-418.	0.5	2
3412	Pelvik Organ Prolapsusunda Semptomlar ile KliniÄŸe BaÄŸvuru SÄ¼releri ArasÄ±ndaki Ä°liÄŸki. OsmangazÄ° Journal of Medicine, 0, , .	0.1	1
3413	VÄ°TAMÄ°N D VE UTERÄ°N PROLAPSUS ARASINDAKÄ° Ä°LÄ°ZKÄ°. Bozok TÄ±p Dergisi, 0, , .	0.0	0
3414	Should We Always Use Antibiotics after Urodynamic Studies in High-Risk Patients?. Health of Man, 2020, , 17-21.	0.1	0
3415	Association Between Measures of Trunk Recovery 5 to 10 Weeks Postpartum and Pelvic Floor Support and Symptoms 1 Year Postpartum in Primiparas Delivered Vaginally. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, e427-e435.	0.6	2
3417	Pelvic Organ Prolapse. , 2020, , 293-314.		0
3418	Transperineal Ultrasonography: Methodology and Normal Pelvic Floor Anatomy. , 2021, , 89-109.		0
3419	Anterior and Posterior Colporrhaphy: Native Tissue Versus Mesh. , 2021, , 675-685.		0
3420	Experience with Prolift Mesh System for Correction of Uterovaginal Prolapse: Analysis of 149 Cases. Journal of Gynecologic Surgery, 2020, 36, 313-318.	0.0	1
3421	Laparoscopic Pelvic Floor Surgery. , 2021, , 695-707.		1
3422	Pelvic Floor Anatomy. , 2021, , 3-24.		1
3423	The Abdominal Approach to Rectal Prolapse. , 2021, , 811-825.		0
3424	Long-term efficacy of transvaginal high uterosacral ligament suspension for middle-compartment defect-based pelvic organ prolapse. Annals of Translational Medicine, 2020, 8, 1645-1645.	0.7	2
3425	Robotic/Laparoscopic Sacrocolpopexy. , 2020, , 111-124.		0
3426	How does laparoscopic lateral suspension affect the quality of life (QOL) and sexual activity?. Obstetrics & Gynecology International Journal, 2020, 11, .	0.0	0

#	ARTICLE	IF	CITATIONS
3427	Comparison of magnetic resonance defecography with pelvic floor ultrasound and vaginal inspection in the urogynecological diagnosis of pelvic floor dysfunction. <i>Urology Annals</i> , 2020, 12, 150.	0.3	4
3428	Gynecologic Disorders in the Older Woman. , 2020, , 683-719.		0
3429	Open Transabdominal Sacrocolpopexy. , 2020, , 95-109.		0
3430	Pelvic Organ Prolapse. , 2020, , 487-497.		1
3431	Prototype of three-dimensional-printing-based vaginal endoscope. , 2020, , .		0
3432	2D ultrasound diagnosis of middle compartment prolapse: a multicenter study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 959-966.	1.1	4
3433	Perineorrhaphy Outcomes Related to Body Imagery: A Randomized Trial of Body Image Perception. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021, 27, 281-288.	0.6	0
3435	Vaginal pessary in advanced pelvic organ prolapse: impact on quality of life. <i>International Urogynecology Journal</i> , 2022, 33, 2013-2020.	0.7	7
3436	Advanced Cystocele is a Risk Factor for Surgical Failure Following Robotic-Assisted Laparoscopic Sacrocolpopexy. <i>Journal of Minimally Invasive Gynecology</i> , 2021, , .	0.3	10
3437	Management of Associated Pelvic Dysfunctions: External Rectal Prolapse and Genital Prolapse. , 2008, , 189-199.		0
3438	MRI Studies in the Evaluation of Pelvic Floor Disorders. , 2003, , 145-157.		0
3439	Anterior Colporrhaphy. , 2003, , 329-337.		0
3440	Paravaginal Repairs. , 2003, , 413-423.		0
3441	Repair of Posterior Vaginal Wall Prolapse. , 2003, , 441-451.		0
3442	Classification of Disorders of Female Pelvic Support and the Role of Collagen. , 2003, , 61-68.		0
3443	Clinical Evaluation of the Pelvis. , 2003, , 81-90.		2
3445	Prolapse. , 2006, , 35-54.		0
3446	Posterior Compartment Repair and Fecal Incontinence. , 2009, , 367-389.		0

#	ARTICLE	IF	CITATIONS
3447	Evaluation of Prolapse. , 2008, , 259-262.		0
3448	Vaginal Enterocele Repair. , 2008, , 217-221.		0
3450	Pelvis. , 2008, , 963-1077.		0
3451	Spezielle Urodynamik der Frau. , 2007, , 161-173.		4
3452	Anamnese und Basisuntersuchungen. , 2007, , 69-80.		0
3453	Hysterectomy optimization technology in patients with overweight. , 2020, 3, 22-26.	0.3	1
3454	Correlation between obesity and pelvic organ prolapse in Korean women. Obstetrics and Gynecology Science, 2020, 63, 719-725.	0.6	9
3455	Genital Hiatus Size and the Development of Prolapse Among Parous Women. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, e448-e452.	0.6	10
3457	Tension free vaginal tape underneath bladder base: does it prevent cystocele recurrence?. Hippokratia, 2008, 12, 108-112.	0.3	2
3458	Incidence of pelvic organ prolapse in Nigerian women. Journal of the National Medical Association, 2003, 95, 132-6.	0.6	8
3459	Outcome of laparoscopic sacrocolpopexy with anterior and posterior mesh. Hippokratia, 2009, 13, 101-5.	0.3	5
3460	Body image and sexuality in women with pelvic organ prolapse. Urologic Nursing, 2009, 29, 239-46.	0.1	20
3461	Genital prolapse in women. Clinical Evidence, 2009, 2009, .	0.2	0
3462	Uterosacral colpopexy at the time of vaginal hysterectomy: comparison of laparoscopic and vaginal approaches. Journal of reproductive medicine, The, 2009, 54, 273-80.	0.2	33
3463	Pelvic Organ Prolapse Quantification System (POP-Q) - a new era in pelvic prolapse staging. Journal of Medicine and Life, 2011, 4, 75-81.	0.4	173
3464	Vaginal parity and pelvic organ prolapse. Journal of reproductive medicine, The, 2010, 55, 93-8.	0.2	32
3465	Genital prolapse in women. Clinical Evidence, 2012, 2012, .	0.2	3
3467	Concomitant surgical correction of severe stress urinary incontinence and anterior vaginal wall prolapse by anterior vaginal wall wrap: 18 months outcomes. Journal of Research in Medical Sciences, 2013, 18, 588-93.	0.4	6

#	ARTICLE	IF	CITATIONS
3468	Laparoscopic sacrocolpopexy. <i>Facts, Views &amp; Vision in ObGyn</i> , 2011, 3, 151-8.	0.5	5
3469	The Posterior Intravaginal Slingplasty treatment for apical prolapse: 3â€™years experience in a single centre setting. <i>Facts, Views &amp; Vision in ObGyn</i> , 2010, 2, 1-8.	0.5	1
3470	PELVIC FLOOR SYMPTOMS AND QUALITY OF LIFE ANALYSES IN WOMEN UNDERGOING SURGERY FOR RECTAL PROLAPSE. <i>World Journal of Colorectal Surgery</i> , 2013, 3, .	0.0	0
3472	Evaluation of levator ani with no defect on elastography in women with POP. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 10204-12.	1.3	15
3473	The Association Between Distances Traveled for Care and Treatment Choices for Pelvic Floor Disorders in a Rural Southwestern Population. <i>Journal of Health Disparities Research and Practice</i> , 2014, 7, 23-32.	1.1	3
3474	Apical Vaginal Support: The Often Forgotten Piece of the Puzzle. <i>Missouri Medicine</i> , 2017, 114, 171-175.	0.3	4
3475	Biomechanical Mapping of the Female Pelvic Floor: Uterine Prolapse Versus Normal Conditions. , 2018, 7, 431-446.		1
3476	Biomechanical mapping of the female pelvic floor: changes with age, parity and weight. <i>Pelvipерineology</i> , 2019, 38, 3-11.	0.1	6
3477	Vaginal-assisted Laparoscopic Sacrohysteropexy and Vaginal Hysterectomy with Vaginal Vault Suspension for Advanced Uterine Prolapse: 12-month Preliminary Results of a Randomized Controlled Study. <i>Gynecology and Minimally Invasive Therapy</i> , 2021, 10, 30-36.	0.2	0
3478	Ten-Year Outcomes of Transobturator Mid-Urethral Sling for Treatment of Stress Urinary Incontinence in Hong Kong Chinese Women with or without Reconstructive Pelvic Floor Surgery. <i>Open Journal of Obstetrics and Gynecology</i> , 2021, 11, 1639-1649.	0.1	0
3479	Preoperative abdominal straining in uncomplicated stress urinary incontinence: is there a correlation with voiding dysfunction and de novo overactive bladder after mid-urethral sling procedures?. <i>Therapeutic Advances in Urology</i> , 2021, 13, 175628722110582.	0.9	0
3480	Efficacy of percutaneous and transcutaneous tibial nerve stimulation in women with idiopathic overactive bladder: A prospective randomised controlled trial. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101486.	1.1	21
3481	Minimally invasive meshless and minimal dissection ligament fixation system for apical organ prolapse procedures: A 4â€™year prospective follow up study. <i>International Journal of Gynecology and Obstetrics</i> , 2021, , .	1.0	1
3482	Improving of long-term follow-up after cystocele repair. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 51, 102278.	0.6	0
3483	An updated systematic review and network meta-analysis comparing open, laparoscopic and robotic-assisted sacrocolpopexy for managing pelvic organ prolapse. <i>Journal of Robotic Surgery</i> , 2021, , 1.	1.0	4
3484	Effect of radiofrequency and pelvic floor muscle training in the treatment of women with vaginal laxity: A study protocol. <i>PLoS ONE</i> , 2021, 16, e0259650.	1.1	3
3485	Comparison of mood state in severe pelvic organ prolapse patients before and after surgery. <i>Gynecology and Obstetrics Clinical Medicine</i> , 2021, 1, 220-224.	0.2	0
3486	LageverÃnderungen des weiblichen Genitale. <i>Springer Reference Medizin</i> , 2022, , 1-17.	0.0	0

#	ARTICLE	IF	CITATIONS
3487	Evaluation and Management of Pelvic Organ Prolapse. Mayo Clinic Proceedings, 2021, 96, 3122-3129.	1.4	32
3488	Development and validation of a prediction model for bothersome stress urinary incontinence after prolapse surgery: a retrospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, , .	1.1	1
3489	Incontinência urinária de esforço e laser vaginal. Jornal Brasileiro De Ginecologia, 2021, 131, .	0.0	0
3490	Vaginal-assisted laparoscopic sacrohysteropexy and vaginal hysterectomy with vaginal vault suspension for advanced uterine prolapse: 12-month preliminary results of a randomized controlled study. Gynecology and Minimally Invasive Therapy, 2021, 10, 30.	0.2	8
3491	Pelvic floor muscle function differs between supine and standing positions in women with stress urinary incontinence: an experimental crossover study. Journal of Physiotherapy, 2022, 68, 51-60.	0.7	3
3492	Bulking agents for the treatment of recurrent stress urinary incontinence: a suitable option?. Minerva Urology and Nephrology, 2023, 74, .	1.3	4
3493	Pelvic organ prolapse in nulliparae. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2022, 62, 420-425.	0.4	4
3494	Native-tissue prolapse repair: Efficacy and adverse effects of uterosacral ligaments suspension at 10-year follow up. International Journal of Gynecology and Obstetrics, 2022, 159, 97-102.	1.0	10
3495	Translabial ultrasound indices of failed pessary fittings in women with symptomatic pelvic organ prolapse. Menopause, 2022, Publish Ahead of Print, 390-396.	0.8	1
3496	Pessary fitting for pelvic organ prolapse: parameters associated with specific reasons for failure. International Urogynecology Journal, 2022, 33, 2037-2046.	0.7	2
3497	Prospective Evaluation of Laparoscopic Sacrocolpopexy with Concomitant Laparoscopic-Assisted Total Vaginal Hysterectomy. Surgeries, 2022, 3, 4-10.	0.3	0
3498	Obstructed defecation syndrome in the first week after pelvic reconstructive surgery. International Urogynecology Journal, 2022, 33, 2985-2992.	0.7	1
3499	Evaluation and Treatment of Urinary Incontinence in Women. Gastroenterology Clinics of North America, 2022, 51, 157-175.	1.0	7
3500	Impact of sacrocolpopexy for the management of pelvic organ prolapse on voiding dysfunction and uroflowmetry parameters: a prospective cohort study. Archives of Gynecology and Obstetrics, 2022, 306, 1373-1380.	0.8	6
3502	Learning Curve of Botulinum Toxin Bladder Injection for the Treatment of Refractory Overactive Bladder. International Journal of Women's Health, 2022, Volume 14, 1-7.	1.1	6
3503	Pelvic Organ Prolapse. Gastroenterology Clinics of North America, 2022, 51, 177-193.	1.0	20
3504	The Manchester operation "is it time for it to return to our surgical armamentarium in the twenty-first century?. Journal of Obstetrics and Gynaecology, 2022, 42, 1419-1423.	0.4	2
3505	Vaginal pressure sensor measurement during maximal voluntary pelvic floor contraction correlates with vaginal birth and pelvic organ prolapse-A pilot study. Neurourology and Urodynamics, 2022, 41, 592-600.	0.8	3

#	ARTICLE	IF	CITATIONS
3506	A New Angle Measurement in Translabial Ultrasound as an Adjunct for the Diagnosis of Pelvic Organ Prolapse. <i>Diagnostics</i> , 2022, 12, 98.	1.3	1
3507	Factors associated with unsuccessful pessary fitting and reasons for discontinuation in Korean women with pelvic organ prolapse. <i>Obstetrics and Gynecology Science</i> , 2022, 65, 94-99.	0.6	3
3508	Does aging affect the elastic properties of the bladder and the urethra in nulliparous women: An ultrasound shear-wave elastography study. <i>Neurourology and Urodynamics</i> , 2022, , .	0.8	3
3509	Fixation of uterosacral ligaments to anterior vaginal wall during modified McCall culdoplasty after vaginal hysterectomy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 270, 221-226.	0.5	1
3510	Single-incision mini-sling and trans-obturator sling for stress urinary incontinence: A 5-year comparison. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 270, 90-94.	0.5	5
3511	Two-year anatomical and functional outcomes of laparoscopic sacrocolpopexy using light-weight Y shaped mesh for post hysterectomy vaginal prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 270, 139-143.	0.5	0
3512	Treatment of apical vaginal prolapse with minimal mesh repair (Uphold): patient-reported long-term outcomes and mesh-related complications. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, , .	1.3	3
3513	Impact of urinary incontinence on anxiety status during pregnancy: A prospective case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 270, 227-230.	0.5	1
3514	A blind spot: Manchester Fothergill operation for cervical elongation without uterine descensus. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 271, 83-87.	0.5	1
3516	Lageveränderungen des Genitales. , 2021, , 103-118.		0
3518	Severity of cystocele and risk factors of postoperative stress urinary incontinence after laparoscopic sacrocolpopexy for pelvic organ prolapse. <i>Gynecology and Minimally Invasive Therapy</i> , 2022, 11, 28.	0.2	1
3519	Urine Nerve Growth Factor May Not Be Useful as a Biomarker of Overactive Bladder in Patients with Pelvic Organ Prolapse. <i>Journal of Clinical Medicine</i> , 2022, 11, 971.	1.0	1
3520	Vaginal enterocele after cystectomy: A case report. <i>World Journal of Clinical Cases</i> , 2022, 10, 2045-2052.	0.3	3
3521	Magnetic resonance imaging evaluation of the effectiveness of FemiCushion in pelvic organ prolapse. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, , .	0.6	0
3522	Pelvic Floor Support and Symptoms 1 Year Postpartum in Relation to Excess Body Habitus Before, During and After First Vaginal Birth. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 273-279.	0.6	1
3523	Postoperative indications for further surgery following post-transvaginal Prolift <sup>TM</sup> mesh repair after a two-year follow-up period: a single-centre study. <i>Journal of Obstetrics and Gynaecology</i> , 2022, , 1-6.	0.4	0
3524	Does obesity change the perception of pelvic organ prolapse?. <i>Archives of Gynecology and Obstetrics</i> , 2022, 305, 1491-1495.	0.8	2
3525	What is the real burden of the overactive bladder? Results from a national prevalence study. <i>Neurourology and Urodynamics</i> , 2022, 41, 926-934.	0.8	5



#	ARTICLE	IF	CITATIONS
3526	Biomechanical integrity score of the female pelvic floor. <i>International Urogynecology Journal</i> , 2022, 33, 1617-1631.	0.7	7
3527	Effect of additional acupuncture to pelvic floor exercise on urinary incontinence: A randomized controlled trial. <i>Neurourology and Urodynamics</i> , 2022, 41, 1097-1108.	0.8	4
3528	Sacrospinous Ligament Fixation Using an Anchor Versus Suture-Capturing Device: A Prospective Cohort Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2022, 28, 131-135.	0.6	1
3529	Surgical management of pudendal nerve entrapment after sacrospinous ligament fixation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1908-1915.	1.1	6
3530	The Influence of Obstetric Factors on the Occurrence of Pelvic Floor Dysfunction in Women in the Early Postpartum Period. <i>International Journal of General Medicine</i> , 2022, Volume 15, 3353-3361.	0.8	3
3531	The effect of pelvic floor muscle training for women with pelvic organ prolapse: a meta-analysis. <i>International Urogynecology Journal</i> , 2022, 33, 1789-1801.	0.7	7
3532	Autologous rectus fascia graft in the treatment of high-stage apical vaginal prolapse: preliminary results of a new surgical approach with native tissue. <i>International Urology and Nephrology</i> , 2022, 54, 1017.	0.6	0
3533	The subjective and objective very long-term outcomes of TVT in the COVID era: A 20-year follow-up. <i>International Urogynecology Journal</i> , 2022, 33, 947-953.	0.7	6
3534	The impact of levator ani muscle trauma and contraction on recurrence after prolapse surgery. <i>International Urogynecology Journal</i> , 2022, 33, 2879-2885.	0.7	3
3535	Absorbable versus Permanent Suture for Vaginal Uterosacral Ligament Suspension for Treatment of Apical Prolapse. <i>Journal of Minimally Invasive Gynecology</i> , 2022, 29, 784-790.	0.3	2
3536	Vaginal vault prolapse and recurrent surgery: A nationwide observational cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 542-549.	1.3	7
3537	Changes in sexual function and vaginal topography using transperineal ultrasound after vaginal laser treatment for women with stress urinary incontinence. <i>Scientific Reports</i> , 2022, 12, 3435.	1.6	5
3538	Prospective evaluation of genital hiatus in patients undergoing surgical prolapse repair. <i>International Urogynecology Journal</i> , 2022, 33, 3247-3254.	0.7	1
3539	RE: Joint terminology documents: Quality and a justifiable need, not quantity. <i>Neurourology and Urodynamics</i> , 2022, 41, 1185-1186.	0.8	0
3540	Urogenital Prolapse. , 2021, , 212-217.		0
3541	Cost-Effectiveness of perioperative Vaginally Administered estrogen in postmenopausal women undergoing prolapse surgery (EVA trial): study protocol for a multicenter double-blind randomized placebo-controlled trial. <i>BMC Women's Health</i> , 2021, 21, 439.	0.8	3
3542	Robot-assisted sacro(hystero)colpopexy with anterior and posterior mesh placement: impact on lower bowel tract function and clinical outcomes at mid-term follow-up. <i>Therapeutic Advances in Urology</i> , 2022, 14, 175628722210908.	0.9	0
3543	Pelvic floor dysfunction in women: current understanding of the problem. <i>Fundamental and Clinical Medicine</i> , 2022, 7, 92-101.	0.1	3

#	ARTICLE	IF	CITATIONS
3545	Outcomes following sacrocolpopexy using ultralight and lightweight mesh. International Urogynecology Journal, 2022, , .	0.7	1
3546	Cervical insufficiency a prologue for future pelvic organ prolapse?. Archives of Gynecology and Obstetrics, 2022, , 1.	0.8	0
3550	Surgery for Pelvic Organ Prolapse: An Historical Review. , 2009, , 301-311.		0
3552	Pre-Urodynamic Evaluation. , 0, , 1-10.		0
3553	Genital Prolapse. , 0, , 197-211.		0
3554	Costâ€effectiveness of an appâ€based treatment for urinary incontinence in comparison with careâ€asâ€usual in Dutch general practice: a pragmatic randomised controlled trial over 12â€months. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1538-1545.	1.1	7
3555	Laparoscopic-assisted tension-free vaginal mesh: an innovative approach to placing synthetic mesh: transvaginally for surgical correction of pelvic organ prolapse. Acta Medica Okayama, 2012, 66, 23-9.	0.1	1
3556	A Novel, Structured Fellow Training Pathway for Robotic-Assisted Sacrocolpopexy. , 2021, 25, 1-8.		0
3558	The effect evaluation of traditional vaginal surgery and transvaginal mesh surgery for severe pelvic organ prolapse: 5 years follow-up. Open Medicine (Poland), 2022, 17, 801-807.	0.6	2
3560	Distinctive Structure, Composition and Biomechanics of Collagen Fibrils in Vaginal Wall Connective Tissues Associated with Pelvic Organ Prolapse. SSRN Electronic Journal, 0, , .	0.4	0
3561	The Relationship Between Perineal Body Size, Total Vaginal Length, Apical Prolapse, and Prolapse Symptoms. Female Pelvic Medicine and Reconstructive Surgery, 2022, Publish Ahead of Print, .	0.6	0
3562	Management of Pelvic Organ Prolapse (POP) and Rectal Prolapse. Journal of the Anus, Rectum and Colon, 2022, 6, 83-91.	0.4	6
3563	Pelvic Organ Prolapse and Its Associated Factors Among Women Attending the Gynecology Outpatient Clinic at a Tertiary Hospital in Southwestern Uganda. International Journal of Women's Health, 2022, Volume 14, 625-633.	1.1	2
3564	Quality of life among women with a diagnosis of pelvic organ prolapse at Felege Hiwot Comprehensive Specialized Hospital, Bahir Dar, Northwest Ethiopia: an institutional based cross-sectional study. International Urogynecology Journal, 2023, 34, 225-230.	0.7	1
3565	Analysis of Characteristics and Quality of Life of Elderly Women with Mild to Moderate Urinary Incontinence in Community Dwellings. International Journal of Environmental Research and Public Health, 2022, 19, 5609.	1.2	5
3566	Clinical assessment of pelvic organ prolapse by consecutive cough maneuver. International Urogynecology Journal, 2022, , 1.	0.7	0
3567	Pelvic floor muscle training for pelvic organ prolapse ~Pelvic floor rehabilitation in our hospital~. Japanese Journal of Physical Fitness and Sports Medicine, 2022, 71, 263-269.	0.0	0
3568	The High Rate of Discordance Between Clinical Symptoms and MRI Findings in Patients with Pelvic Floor Dysfunction. Journal of Obstetrics, Gynecology and Cancer Research, 2022, 7, 296-303.	0.0	0

#	ARTICLE	IF	CITATIONS
3569	Laparoscopic sacrohysteropexy versus vaginal sacrospinous hysteropexy as treatment for uterine descent: comparison of long-term outcomes. <i>International Urogynecology Journal</i> , 2023, 34, 211-223.	0.7	1
3570	Novel insight into the correlation between hernia orifice of cystocele and lower urinary tract function: a pilot study. <i>BMC Women's Health</i> , 2022, 22, 164.	0.8	0
3571	Dynamic MR imaging of pelvic floor dysfunction. , 0, , 21-27.		1
3572	Contemporary Use and Techniques of Laparoscopic Sacrocolpopexy With or Without Robotic Assistance for Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2022, 139, 922-932.	1.2	3
3573	Double-layered anterior colporrhaphy (DAC)â€™ video and mid-term follow-up of 60 patients. <i>International Urogynecology Journal</i> , 2022, , .	0.7	1
3574	Coexisting overactiveâ€™underactive bladder and detrusor overactivityâ€™underactivity in pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2023, 160, 256-262.	1.0	4
3575	Surgical anatomy of the vaginal vault. <i>Neurourology and Urodynamics</i> , 2022, 41, 1316-1322.	0.8	2
3576	Vaginal hysterectomy. <i>The Obstetrician and Gynaecologist</i> , 0, , .	0.2	0
3577	Postoperative complications and pelvic organ prolapse recurrence following combined pelvic organ prolapse and rectal prolapse surgery compared with pelvic organ prolapse only surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 317.e1-317.e12.	0.7	3
3578	The clinical application of transperineal ultrasound in urogynaecology. <i>The Obstetrician and Gynaecologist</i> , 2022, 24, 176-187.	0.2	2
3579	Transvaginal Mesh Compared With Native Tissue Repair for Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , 2022, 139, 975-985.	1.2	11
3580	Pelvic organ prolapse: anatomical and functional assessment. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2022, , .	0.1	0
3581	Investigating the Efficacy of an 18-Week Postpartum Rehabilitation and Physical Development Intervention on Occupational Physical Performance and Musculoskeletal Health in UK Servicewomen: Protocol for an Independent Group Study Design. <i>JMIR Research Protocols</i> , 2022, 11, e32315.	0.5	0
3582	Berlin survey on obstetric anal sphincter injury (OASI). <i>Archives of Gynecology and Obstetrics</i> , 2022, 306, 1117-1125.	0.8	1
3583	Is urethral pressure associated with parity and delivery mode?. <i>International Urogynecology Journal</i> , 2022, 33, 3435-3439.	0.7	2
3584	How does office assessment of prolapse compare to what is seen in the operating room?. <i>International Urogynecology Journal</i> , 0, , .	0.7	0
3585	AltisÂ® Adjustable Single Incision Sling System for Treatment of Intrinsic Sphincteric Deficiency: A 3-Year Follow-up Observational Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 0, Publish Ahead of Print, .	0.6	0
3586	Subtyping of common complex diseases and disorders by integrating heterogeneous data. Identifying clusters among women with lower urinary tract symptoms in the LURN study. <i>PLoS ONE</i> , 2022, 17, e0268547.	1.1	3

#	ARTICLE	IF	CITATIONS
3587	Surgical anatomy of the midâ€vagina. <i>Neurourology and Urodynamics</i> , 2022, 41, 1293-1304.	0.8	3
3588	Effect of electroacupuncture on symptoms of female pelvic organ prolapse (stage IIâ€“III) (EAPOP study): protocol of a randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e051249.	0.8	0
3589	Tension-free vaginal mesh for patients with pelvic organ prolapse: mid-term functional outcomes. <i>Journal of International Medical Research</i> , 2022, 50, 030006052211064.	0.4	2
3590	Determining the Ideal Intraoperative Resting Genital Hiatus Sizeâ€”Balancing Surgical and Functional Outcomes. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 0, Publish Ahead of Print, .	0.6	2
3591	Long-term effects and costs of pelvic floor muscle training for prolapse: trial follow-up record-linkage study. <i>International Urogynecology Journal</i> , 0, , .	0.7	0
3592	Does Cystocele Type Vary Between Vaginally Parous and Nulliparous Women?. <i>Journal of Ultrasound in Medicine</i> , 0, , .	0.8	0
3593	Predictive Model for the Diagnosis of Uterine Prolapse Based on Transperineal Ultrasound. <i>Tomography</i> , 2022, 8, 1716-1725.	0.8	2
3594	<i>Gynecologic Issues</i> , , 2022, , 373-382.		0
3595	Self-management of vaginal cube pessaries may be a game changer for pelvic organ prolapse treatment: a long-term follow-up study. <i>International Urogynecology Journal</i> , 2023, 34, 921-927.	0.7	1
3596	Diagnostic efficacy of transperineal sonography in the verification of pelvic floor muscular and fascial defects. Case report. <i>Gynecology</i> , 2022, 24, 219-222.	0.1	0
3597	Laparoscopic ventral rectopexy plus sacral colpopexy: continuous locked suture for mesh fixation. A randomized clinical trial. <i>Archives of Gynecology and Obstetrics</i> , 0, , .	0.8	1
3598	Effectiveness of an original vaginal placation of the uterosacral ligaments as vault prolapse prevention. <i>Turkish Journal of Medical Sciences</i> , 0, , .	0.4	0
3599	Quantifying the physiologic motions of the pelvic viscera during evacuation in nulligravid asymptomatic women. <i>International Urogynecology Journal</i> , 2023, 34, 535-543.	0.7	2
3600	Selective allocation of patients with vaginal apical prolapse to either mesh augmented open abdominal repair or vaginal sacrospinous colpopexy improve functional and anatomical outcomes. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2022, 11, 2199.	0.0	0
3601	Predictors of persistent overactive bladder following surgery for advanced pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2023, 34, 759-767.	0.7	4
3602	All or nothing? A second look at partial levator avulsion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 693-697.	0.9	2
3603	Âpreliminary clinical report of transvaginal natural orifice transluminal endoscopic Sacrospinous Ligament Fixation in the treatment of moderate and severe pelvic organÂprolapse. <i>Frontiers in Surgery</i> , 0, 9, .	0.6	0
3604	Intervention effectsâ€™ maintenance: six-months RCT follow-up of standard or reflexive pelvic floor muscle training. <i>AJOG Global Reports</i> , 2022, , 100089.	0.4	0

#	ARTICLE	IF	CITATIONS
3605	Natural history of lower urinary tract symptoms in treatment-seeking women with pelvic organ prolapse; the Symptoms of Lower Urinary Tract Dysfunction Research Network (LURN). American Journal of Obstetrics and Gynecology, 2022, 227, 875.e1-875.e12.	0.7	3
3606	Association of vitamin D deficiency and pelvic organ prolapse in postmenopausal women: a cross-sectional study. Women's Midlife Health, 2022, 8, .	0.5	0
3607	Clinical outcome and urodynamic changes of tailored transvaginal mesh surgery for pelvic organ prolapse: A mid-term 40Months follow-up. Journal of the Formosan Medical Association, 2022, 121, 2424-2429.	0.8	3
3608	Validation and translation of the Hungarian version of the Australian Pelvic Floor Questionnaire (APFQ-H). International Urogynecology Journal, 0, , .	0.7	3
3609	The variation in shape and thickness of the pelvic floor musculature in males and females: a geometric-morphometric analysis. International Urogynecology Journal, 2023, 34, 453-461.	0.7	1
3610	Single-center study for robotic-assisted laparoscopic sacropexies: a one-fits-all strategy for pelvic organ prolapse?. Archives of Gynecology and Obstetrics, 2022, 306, 2009-2015.	0.8	2
3611	Native Tissue Posterior Compartment Repair for Isolated Posterior Vaginal Prolapse: Anatomical and Functional Outcomes. Medicina (Lithuania), 2022, 58, 1152.	0.8	1
3612	Management of complex pelvic floor dysfunctions: Combined versus single surgical procedure in a multidisciplinary approach. A prospective study. Pelviperineology, 2022, 41, 81-90.	0.1	0
3613	International Urogynecology Consultation: Patient Reported Outcome Measures (PROs) use in the evaluation of patients with pelvic organ prolapse. International Urogynecology Journal, 2022, 33, 2603-2631.	0.7	9
3614	Effects of Pelvic Floor Muscle Training on Sexual Dysfunction, Sexual Satisfaction of Partners, Urinary Symptoms, and Pelvic Floor Muscle Strength in Women With Overactive Bladder: A Randomized Controlled Study. Journal of Sexual Medicine, 2022, 19, 1421-1430.	0.3	1
3615	Femistina versus Canephron as a prevention of urinary tract infections after midurethral sling surgery â€œ Non-inferiority study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 277, 71-76.	0.5	1
3616	Laparoscopic sacrocolpopexy versus abdominal sacrocolpopexy for vaginal vault prolapse: long-term follow-up of a randomized controlled trial. International Urogynecology Journal, 2023, 34, 93-104.	0.7	4
3617	Risk factors for postoperative pain after cystocele repair with mesh. International Urogynecology Journal, 0, , .	0.7	1
3618	Pelvic Floor Dysfunction. , 2022, , 1059-1069.		0
3619	Cauda equina movement during the Valsalva maneuver in two patients with Lumbar spinal canal stenosis. Fukushima Journal of Medical Sciences, 2022, 68, 135-141.	0.1	2
3621	Distinctive structure, composition and biomechanics of collagen fibrils in vaginal wall connective tissues associated with pelvic organ prolapse. Acta Biomaterialia, 2022, 152, 335-344.	4.1	9
3622	The Effect of Age on Surgical Outcomes Following Uterine Preserving Surgery for Treatment of Apical Prolapse. Journal of Minimally Invasive Gynecology, 2022, , .	0.3	0
3623	Effect of Pelvic Floor Workout on Pelvic Floor Muscle Function Recovery of Postpartum Women: Protocol for a Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 11073.	1.2	6

#	ARTICLE	IF	CITATIONS
3624	Comparison of adjustable and nonadjustable single-incision mini-slings in the treatment of female stress urinary incontinence: An initial experience with 30 cases. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022, 61, 806-811.	0.5	2
3625	Vaginal delivery effects on 3D morphology of the bladder, urethra, and vagina: a pilot study comparing women with different numbers of deliveries. <i>Archives of Gynecology and Obstetrics</i> , 2023, 307, 473-480.	0.8	0
3626	Laparoscopic posterior vaginal plication <i>plus</i> sacral colpopexy for severe posterior vaginal prolapse: A randomized clinical trial. <i>Neurourology and Urodynamics</i> , 2023, 42, 98-105.	0.8	5
3627	Medium-term outcomes 2 years after laparoscopic sacrocolpopexy: a retrospective cohort study in Japan. <i>Journal of Obstetrics and Gynaecology</i> , 2022, 42, 3336-3341.	0.4	2
3628	Levator ani muscle avulsion in patients with pelvic floor dysfunction – does it help in understanding pelvic organ prolapse?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, , .	0.5	0
3629	Overnight removal of urinary indwelling catheter following vaginal prolapse surgery (OVERACT). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, , .	0.5	0
3631	Management of Vaginal Vault Prolapse after Hysterectomy. , 0, , .		0
3632	Hypothesis generation: Quantitative research to levator ani muscle injury based on <i>scp</i> MRI <i>scp</i> texture analysis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 3269-3278.	0.6	0
3633	Hiatal failure: effects of pregnancy, delivery, and pelvic floor disorders on level III factors. <i>International Urogynecology Journal</i> , 2023, 34, 327-343.	0.7	6
3634	Effect of new-style anterior and posterior vaginal wall repair combined with modified ischial spine fascia fixation on patients with pelvic organ prolapse and their postoperative quality of life. <i>Frontiers in Surgery</i> , 0, 9, .	0.6	2
3636	PELVIC ORGAN PROLAPSE AND INGUINAL HERNIA AGGRAVATED BY OVARIAN FIBROTHECOMA WITH ASCITES. <i>Japanese Journal of Urology</i> , 2021, 112, 137-140.	0.0	0
3637	Medium Term Outcomes of TVT-Abbrevio for the Treatment of Stress Urinary Incontinence: Efficacy and Safety at 5-Year Follow-Up. <i>Medicina (Lithuania)</i> , 2022, 58, 1412.	0.8	6
3638	Ultralight type I transvaginal mesh: an alternative for recurrent severe posterior vaginal prolapse. <i>Climacteric</i> , 0, , 1-5.	1.1	0
3639	Pelvic Organ Prolapse: Overview, Diagnosis and Management. <i>Journal of Gynecologic Surgery</i> , 0, , .	0.0	0
3640	Are Transperineal Ultrasound Parameters Useful to Predict Incontinence in Patients with Single-Incision Mini-Slings?. <i>Tomography</i> , 2022, 8, 2556-2564.	0.8	0
3641	Functional Anatomy of Female Perineum. , 0, , .		0
3642	How Satisfied Are Women 6 Months after a Pessary Fitting for Pelvic Organ Prolapse?. <i>Journal of Clinical Medicine</i> , 2022, 11, 5972.	1.0	1
3643	The Role of Magnetic Resonance Imaging Defecography in the Evaluation of Patients With Chronic Constipation. <i>Journal of Radiology Nursing</i> , 2022, , .	0.2	0

#	ARTICLE	IF	CITATIONS
3644	Long-term mesh exposure after minimally invasive total hysterectomy and sacrocolpopexy. <i>International Urogynecology Journal</i> , 2023, 34, 291-296.	0.7	1
3645	Pelvic Floor Disorders/Obstetric Fistula. <i>Obstetrics and Gynecology Clinics of North America</i> , 2022, 49, 735-749.	0.7	1
3646	Comparison of in vivo visco-hyperelastic properties of uterine suspensory tissue in women with and without pelvic organ prolapse. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2023, 137, 105544.	1.5	2
3647	Laser versus sham for genitourinary syndrome of menopause: A randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2023, 130, 312-319.	1.1	15
3648	Does the type of pushing at delivery influence pelvic floor function at 2 months postpartum? A pragmatic randomized trial – The EOLE study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 0, , .	1.3	1
3650	The Vaginal Patch Plastron Associated to the Anterior Sacrospinous Ligament Fixation for the Treatment of Advanced Anterior Vaginal Wall Prolapse. <i>Journal of Clinical Medicine</i> , 2022, 11, 6684.	1.0	3
3651	Novel, disposable, self-inserted, vaginal device for the non-surgical management of pelvic organ prolapse: efficacy, safety, and quality of life. <i>BMC Women's Health</i> , 2022, 22, .	0.8	4
3653	Native-tissue pelvic organ prolapse (POP) repair with perineorrhaphy for level III support results in reduced genital hiatus size and improved quality of life in sexually active and inactive patients. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2023, 280, 144-149.	0.5	3
3654	Minimal Access Urogynaecology. , 2022, , 205-217.		0
3655	Two devices to facilitate the perception of pelvic floor muscle contraction in the sitting position in women with urinary incontinence: comparative analysis. <i>Fisioterapia E Pesquisa</i> , 2022, 29, 270-277.	0.3	0
3656	Long-Term Assessment of Pelvic Organ Prolapse Reoperation Risk in Obese Women: Vaginal and Laparoscopic Approaches. <i>Journal of Clinical Medicine</i> , 2022, 11, 6867.	1.0	0
3657	Reoperation for prolapse recurrence after sacrospinous mesh hysteropexy: characteristics of women choosing retreatment. <i>International Urogynecology Journal</i> , 0, , .	0.7	0
3658	Attitudes and barriers to pelvic floor muscle exercises of women with stress urinary incontinence. <i>BMC Women's Health</i> , 2022, 22, .	0.8	3
3659	Long-term Data on Graft-Related Complications After Sacrocolpopexy With Lightweight Compared With Heavier-Weight Mesh. <i>Obstetrics and Gynecology</i> , 2023, 141, 189-198.	1.2	4
3660	Three-dimensional vs two-dimensional endoscopic approach in urogynecology: A retrospective cohort study of laparoscopic sacrocolpopexy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2023, 49, 1028-1035.	0.6	3
3661	Effect of Pessary vs Surgery on Patient-Reported Improvement in Patients With Symptomatic Pelvic Organ Prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2022, 328, 2312.	3.8	3
3662	Pelvic organ and rectal prolapse: Developing common terminology and physical exam pearls. <i>Seminars in Colon and Rectal Surgery</i> , 2022, , 100934.	0.2	0
3663	A novel, collapsible, space-occupying pessary for the treatment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 0, , .	0.7	0

#	ARTICLE	IF	CITATIONS
3664	Better Sense of Force Accuracy in Women with Stress Urinary Incontinence Compared with Women Without Stress Urinary Incontinence: A Surprising Result in a Case-Control Study. Middle East Journal of Rehabilitation and Health Studies, 2022, 10, .	0.1	0
3665	Management of Rectocele with and without Obstructed Defecation. Seminars in Colon and Rectal Surgery, 2022, , 100937.	0.2	0
3666	The "Mothers"™ Pelvic Floor Support (RECOUP) Clinic's Referral Patterns in Washington DC Area of the United States. Open Journal of Obstetrics and Gynecology, 2022, 12, 1237-1244.	0.1	0
3668	Comprehensive pelvic muscle assessment: Developing and testing a dual "Learning and simulation" based training program. Neurourology and Urodynamics, 2023, 42, 1036-1054.	0.8	1
3670	Serious Complications and Recurrence following Sacrospinous Ligament Fixation for the Correction of Apical Prolapse. Journal of Clinical Medicine, 2023, 12, 468.	1.0	1
3671	The effect of hysteropreservation versus hysterectomy on the outcome of laparoscopic uterosacral suspension in pelvic organ prolapse surgery. Maturitas, 2023, 170, 58-63.	1.0	1
3672	Management of female pelvic organ prolapse" Summary of the 2021 HAS guidelines. Journal of Gynecology Obstetrics and Human Reproduction, 2023, 52, 102535.	0.6	1
3673	Low Data Image Analysis with a Generative Adversarial Network: A Case Study on Women Pelvic MRI Scans. , 2022, , .		0
3675	Etiology, Diagnosis, and Management of Pelvic Organ Prolapse: Overview. , 2023, , 1-12.		0
3676	Adverse events associated with pessary use over one year among women attending a pessary care clinic. International Urogynecology Journal, 2023, 34, 1765-1770.	0.7	1
3677	Rectocele: Correlation Between Defecography and Physical Examination. , 2023, 29, 617-624.		1
3678	Pelvic floor characterization with vaginal tactile ultrasound image fusion. , 2023, , 291-319.		0
3679	Biomechanical integrity score. , 2023, , 215-227.		0
3680	Changes of pelvic floor integrity after hysterectomy. , 2023, , 255-278.		0
3681	Postpartum sedentary behaviour and pelvic floor support: A prospective cohort study. Journal of Sports Sciences, 2023, 41, 141-150.	1.0	1
3682	Intention matters: Success rate of bilateral salpingo-oophorectomy at the time of vaginal hysterectomy for pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2023, 283, 54-58.	0.5	0
3683	Clinical Evaluation of the Female Lower Urinary Tract and Pelvic Floor. , 2022, , 1-11.		0
3684	Laparoscopic lateral suspension is an alternative surgical method when there is difficulty in dissection of the promontory of the sacrum due to abnormal vasculature in laparoscopic sacrocolpopexy: A case report. Japanese Journal of Gynecologic and Obstetric Endoscopy, 2022, 38, 101-107.	0.0	0



#	ARTICLE	IF	CITATIONS
3685	Association Between Enlarged Genital Hiatus and Composite Surgical Failure After Vaginal Hysterectomy With Uterosacral Ligament Suspension. , 2023, 29, 479-488.		1
3686	Symptom and Anatomical Phenotypes Provide Insights Into Interactions of Prolapse Symptoms and Anatomy. , 2023, 29, 209-217.		0
3687	Minimally Invasive Approaches in the Treatment of Pelvic Organ Prolapse: Laparoscopic and Robotic. , 2022, , 1-18.		0
3688	Dynamic, High-Fidelity, 3-Dimensional Pelvic Model Improves Education on Pelvic Organ Prolapse and the Pelvic Organ Prolapse Quantification System and Interest in Urogynecology. , 2023, 29, 218-224.		0
3689	Outcomes of Manchester procedure combined with high uterosacral ligament suspension for uterine prolapse. Journal of Obstetrics and Gynaecology Research, 2023, 49, 1273-1282.	0.6	1
3690	Restoration of bladder neck activity and levator hiatus dimensions in Asian primipara: a prospective study. Journal of Obstetrics and Gynaecology, 2023, 43, .	0.4	2
3691	Which type of female urinary incontinence has more impact on pelvic floor and sexual function in addition to anxiety and depression symptoms: A questionnaire-based study. Neurourology and Urodynamics, 2023, 42, 814-821.	0.8	2
3692	Straining to void at preoperative urodynamic study as a risk factor for prolapse recurrence after surgery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2023, 283, 118-124.	0.5	0
3693	Evaluation and treatment of pelvic organ prolapse. Minerva Medica, 2023, 114, .	0.3	1
3694	Variations in structural support site failure patterns by prolapse size on stress 3D MRI. International Urogynecology Journal, 2023, 34, 1923-1931.	0.7	1
3695	Pelvic Organ Prolapse: Diagnosis, Treatment, and Avoiding Complications. , 2023, , 1-32.		0
3696	Colporrhaphy using elastic tissue continuous with and obscured behind the fibromuscular layer of the vaginal wall. Journal of Obstetrics and Gynaecology Research, 0, , .	0.6	0
3697	The 100 most-cited articles on pelvic organ prolapse: A bibliometric analysis. Health Care Academician Journal, 2023, 10, 134-145.	0.0	0
3699	Nonoperative Management of Pelvic Organ Prolapse. Obstetrics and Gynecology, 2023, 141, 724-736.	1.2	1
3700	Does the Polydimethylsiloxane Urethral Injection (Macropastique®) Improve Sexual Function in Women, in Fertile Age, Affected by Stress Urinary Incontinence?. Medicina (Lithuania), 2023, 59, 580.	0.8	1
3701	Incontinence and Rectocele. , 2013, , 459-474.		0
3702	Molecular Landscape of Pelvic Organ Prolapse Provides Insights into Disease Etiology. International Journal of Molecular Sciences, 2023, 24, 6087.	1.8	4
3703	Pelvic floor characterization with vaginal tactile imaging. , 2023, , 155-213.		0

#	ARTICLE	IF	CITATIONS
3704	The pelvic organ prolapse quantification system: stopping its application. <i>Annals of Translational Medicine</i> , 2023, 11, 238-238.	0.7	0
3705	Preoperative assessment and prediction of pelvic prolapse surgery outcome. , 2023, , 229-253.		0
3706	Interactions between genetic variants and environmental risk factors are associated with the severity of pelvic organ prolapse. <i>Menopause</i> , 2023, 30, 621-628.	0.8	1
3707	Pathophysiology, Diagnosis and Treatment of Defecatory Dysfunction. , 2023, , 1-17.		0
3708	Effect of gestational weight gain on postpartum pelvic floor function in twin primiparas: a single-center retrospective study in China. <i>BMC Pregnancy and Childbirth</i> , 2023, 23, .	0.9	1
3716	Medical imaging and patient-specific modeling of women pelvic system: application to magnetic resonance images. , 2023, , 301-314.		0
3717	Quantitative assessment of pelvic mobility in women using MRI image analysis. , 2023, , 315-332.		0
3718	A numerical model for prolapse surgery. , 2023, , 435-454.		0
3719	Physiology and pathophysiology of pregnancy and delivery. , 2023, , 83-111.		0
3720	Mechanical properties of women pelvic soft tissues. , 2023, , 139-167.		0
3721	Epidemiology & pathophysiology of pelvic organ prolapse & urinary incontinence in women. , 2023, , 27-57.		0
3738	Transvaginal Repair of Cystocele. , 2022, , 1-13.		0
3744	Gynecologic and Urologic Problems in Older Women. , 2023, , 1-24.		1
3779	Transvaginal Repair of Cystocele. , 2023, , 519-531.		0
3780	Etiology, Diagnosis, and Management of Pelvic Organ Prolapse: Overview. , 2023, , 507-518.		0
3781	Clinical Evaluation of the Female Lower Urinary Tract and Pelvic Floor. , 2023, , 113-123.		0
3782	Pathophysiology, Diagnosis, and Treatment of Defecatory Dysfunction. , 2023, , 997-1012.		0
3783	Minimally Invasive Approaches in the Treatment of Pelvic Organ Prolapse: Laparoscopic and Robotic. , 2023, , 551-568.		0

#	ARTICLE	IF	CITATIONS
3792	Pelvic Organ Prolapse: Diagnosis, Treatment, and Avoiding Complications. , 2023, , 849-880.		0
3800	Bulging of the bladder and vagina, with difficulty urinating. , 2024, , 469-474.		0
3812	Gynecologic and Urologic Problems in Older Women. , 2024, , 935-958.		0
3821	Obstetric Pelvic Floor Trauma. , 2024, , 271-291.		0