

CITATION REPORT

List of articles citing

Morbidity outcome in early versus conventional tracheal extubation after coronary artery bypass grafting: a prospective randomized controlled trial

DOI: 10.1016/s0022-5223(96)70062-4

Journal of Thoracic and Cardiovascular Surgery, 1996, 112, 755-64.

Source: <https://exaly.com/paper-pdf/27284233/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
795	Early vs conventional extubation after cardiac surgery with cardiopulmonary bypass. 1997 , 112, 193-201		92
794	Light versus heavy sedation after cardiac surgery: myocardial ischemia and the stress response. Maritime Heart Centre and Dalhousie University. 1997 , 85, 971-8		8
793	Light Versus Heavy Sedation After Cardiac Surgery. 1997 , 85, 971-978		36
792	Determinants of longer duration of endotracheal intubation after adult cardiac operations. <i>Annals of Thoracic Surgery</i> , 1997 , 63, 1026-33	2.7	39
791	A coronary artery bypass "fast-track" protocol is practical and realistic in a rural environment. <i>Annals of Thoracic Surgery</i> , 1997 , 64, 706-9	2.7	23
790	Cardiac anesthesia at the turn of the millenium. Perspectives and challenges for the future. 1997 , 41, 1235-7		
789	Early tracheal extubation after coronary artery bypass grafting. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 114, 687-8	1.5	3
788	Letter. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 114, 687-688	1.5	3
787	Routine chest roentgenography on admission to intensive care unit after heart operations: is it of any value?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 113, 130-3	1.5	15
786	Comparison of lorazepam alone vs lorazepam, morphine, and perphenazine for cardiac premedication. 1997 , 44, 146-53		4
785	Acute pain--guidelines for care. 1997 , 44, R137-45		5
784	Computer simulation of changes in nursing productivity from early tracheal extubation of coronary artery bypass graft patients. <i>Journal of Clinical Anesthesia</i> , 1998 , 10, 593-8	1.9	12
783	Change in anaesthesia practice and postoperative sedation shortens ICU and hospital length of stay following coronary artery bypass surgery. 1998 , 92, 1066-70		40
782	Fast-track cardiac surgery: economic implications in postoperative care. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1998 , 12, 72-9	2.1	95
781	On aging, fast-tracking, and derailment in CABG patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1998 , 12, 379-80	2.1	2
780	Safety and efficacy of early extubation of elderly coronary artery bypass surgery patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1998 , 12, 381-4	2.1	25
779	An institution's initial experience with port-access minimally invasive cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1998 , 12, 617-9	2.1	18

778	Propofol-based versus fentanyl-isoflurane-based anesthesia for cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1998 , 12, 177-81	2.1	26
777	Circulatory arrest under moderate systemic hypothermia and cold retrograde cerebral perfusion. <i>Annals of Thoracic Surgery</i> , 1998 , 66, 1179-84	2.7	33
776	Myocardial ischaemia after coronary artery bypass grafting: early vs late extubation. 1998 , 80, 20-5		31
775	A comparison of clonidine with conventional preanesthetic medication in patients undergoing coronary artery bypass grafting. 1998 , 87, 292-9		3
774	Early extubation following coronary artery bypass surgery: a prospective randomized controlled trial. The Fast Track Cardiac Care Team. 1998 , 113, 1481-8		77
773	The use of continuous i.v. sedation is associated with prolongation of mechanical ventilation. 1998 , 114, 541-8		773
772	Anesthetic Management is a Major Determinant of Early Extubation After Elective Cardiac Surgery. 1998 , 114, 348		
771	ICU Sedation: A Review of Its Pharmacology and Assessment. <i>Journal of Intensive Care Medicine</i> , 1998 , 13, 174-183	3.3	4
770	Anesthetic management is a major determinant of early extubation after elective cardiac surgery. 1998 , 114, 348		3
769	A Comparison of Clonidine with Conventional Preanesthetic Medication in Patients Undergoing Coronary Artery Bypass Grafting. 1998 , 87, 292-299		14
768	Patient Advocacy Through Outcomes Management. 1998 , 10, 135-154		3
767	Rapid Progression Following Cardiac Surgery. 1999 , 11, 159-175		2
766	An Outcomes-Based Approach to Ventilatory Management: Review of Two Examples: Brook AD, Kollef MH An outcomes-based approach to ventilatory management review of two examples J Intensive Care Med 1999,14 262-274. <i>Journal of Intensive Care Medicine</i> , 1999 , 14, 262-274	3.3	
765	The Economics of Cardiac Fast Tracking. 1999 , 3, 242-247		
764	Analytic Reviews : Impact of Intensivists and ICU Teams on Patient Outcomes: Hanson CW, Aranda M Impact of intensivists and ICU teams on patient outcomes J Intensive Care Med 1999,14 254-261. <i>Journal of Intensive Care Medicine</i> , 1999 , 14, 254-261	3.3	
763	Impact of Intensivists and ICU Teams on Patient Outcomes. <i>Journal of Intensive Care Medicine</i> , 1999 , 14, 254-261	3.3	5
762	An Outcomes-Based Approach to Ventilatory Management: Review of Two Examples. <i>Journal of Intensive Care Medicine</i> , 1999 , 14, 262-274	3.3	0
761	[Minimally invasive cardiac surgery: surgical techniques and anesthetic problems]. 1999 , 18, 748-71		5

760	Intrathecal morphine for coronary artery bypass graft procedure and early extubation revisited. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1999 , 13, 574-8	2.1	47
759	Early versus late extubation after coronary artery bypass grafting: effects on cognitive function. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1999 , 13, 130-5	2.1	17
758	Effect of low-dose propofol infusion on total-body oxygen consumption after coronary artery surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1999 , 13, 154-9	2.1	5
757	Morbidity outcome in patients with hypertrophic obstructive cardiomyopathy undergoing cardiac septal myectomy: early-extubation anesthesia versus high-dose opioid anesthesia technique. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1999 , 13, 47-52	2.1	6
756	Influence of fast-track anesthetic technique on cardiovascular infusions and weight gain. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1999 , 13, 424-30	2.1	6
755	Fast track recovery of elderly coronary bypass surgery patients. <i>Annals of Thoracic Surgery</i> , 1999 , 68, 437-41	2.7	20
754	Who goes to the ICU postoperatively?. 1999 , 115, 125S-129S		20
753	Fast-Track Cardiac Anesthesia in Patients with Sickle Cell Abnormalities. 1999 , 89, 598		23
752	Fast-track cardiac anesthesia in patients with sickle cell abnormalities. 1999 , 89, 598-603		49
751	Morbid results of prolonged intubation after coronary artery bypass surgery. 2000 , 118, 1724-31		49
750	Day-of-Surgery Transfer After Cardiac Surgery. 2000 , &NA,, 33-37		
749	Cardiovascular anesthesiology in the 1990s and beyond. 2000 , 90, 1229-31		1
748	Thoracic epidural anesthesia as an adjunct to general anesthesia for cardiac surgery: Effects on ventilation-perfusion relationships. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 359	2.1	2
747	Insulin cardioplegia for elective coronary bypass surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000 , 119, 1176-84	1.5	34
746	Predictive risk factors for delayed extubation in patients undergoing coronary artery bypass grafting. 2000 , 15, 214-20		41
745	Non-steroidal anti-inflammatory drugs in treatment of postoperative pain after cardiac surgery. 2000 , 47, 1182-7		81
744	Atrial Fibrillation after Cardiac Surgery. <i>Developments in Cardiovascular Medicine</i> , 2000 ,		
743	The lack of benefit of tracheal extubation in the operating room after coronary artery bypass surgery. 2000 , 91, 776-80		56

742	Can the Cost of Distal Vascular Reconstruction be Reduced Without Sacrificing Quality? Analysis of 500 Cases. 2000 , 34, 385-392		1
741	Anesthetic techniques and early extubation: does it matter?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 627-30	2.1	36
740	Total intravenous anesthesia with a propofol-ketamine combination during coronary artery surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 409-15	2.1	23
739	Prophylactic nitroglycerin did not reduce myocardial ischemia during accelerated recovery management of coronary artery bypass graft surgery patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 571-5	2.1	17
738	Con: tracheal extubation should not occur routinely in the operating room after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 611-3	2.1	4
737	Pro: tracheal extubation should occur routinely in the operating room after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 603-10	2.1	33
736	Clinical outcomes and resource usage in 100 consecutive patients after off-pump coronary bypass procedures. 2000 , 128, 548-55		23
735	Continuous infusion of remifentanyl and target-controlled infusion of propofol for patients undergoing cardiac surgery: a new approach for scheduled early extubation. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 29-35	2.1	65
734	Optimizing timing of early extubation in coronary artery bypass surgery patients. <i>Annals of Thoracic Surgery</i> , 2000 , 69, 1842-5	2.7	32
733	Predictive accuracy study: comparing a statistical model to clinicians' estimates of outcomes after coronary bypass surgery. <i>Annals of Thoracic Surgery</i> , 2000 , 70, 162-8	2.7	14
732	Rapid recovery protocol applied to 5,658 consecutive "on-pump" coronary bypass patients. <i>Annals of Thoracic Surgery</i> , 2000 , 70, 2008-12	2.7	26
731	Ultra-fast-track anesthetic technique facilitates operating room extubation in patients undergoing off-pump coronary revascularization surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2001 , 15, 152-7	2.1	70
730	Early extubation after cardiac surgery: emotional status in the early postoperative period. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2001 , 15, 439-44	2.1	8
729	Using protocols to improve the outcomes of mechanically ventilated patients. Focus on weaning and sedation. 2001 , 17, 989-1001		36
728	Anxiety, delirium, and pain in the intensive care unit. 2001 , 17, 821-42		62
727	A randomized double-blinded multicenter comparison of remifentanyl versus fentanyl when combined with isoflurane/propofol for early extubation in coronary artery bypass graft surgery. 2001 , 92, 1084-93		54
726	The efficacy and resource utilization of remifentanyl and fentanyl in fast-track coronary artery bypass graft surgery: a prospective randomized, double-blinded controlled, multi-center trial. 2001 , 92, 1094-102		51
725	Postoperative intensive care in cardiac surgery. 2001 , 14, 41-5		3

724	Quality care outcomes in cardiac surgery: the role of evidence-based practice. <i>AACN Advanced Critical Care</i> , 2001 , 12, 606-17; quiz 633-5		10
723	Adaptive support ventilation for fast tracheal extubation after cardiac surgery: a randomized controlled study. <i>Anesthesiology</i> , 2001 , 95, 1339-45	4.3	99
722	Trials comparing early vs late extubation following cardiovascular surgery. 2001 , 120, 445S-53S		65
721	Trials comparing alternative weaning modes and discontinuation assessments. 2001 , 120, 425S-37S		33
720	Off-Pump Coronary Artery Bypass Surgery: Revival of an Old Technique. 2001 , 5, 345-361		
719	Early tracheal extubation after paediatric cardiac surgery: the use of propofol to supplement low-dose opioid anaesthesia. 2001 , 11, 465-71		28
718	Very early tracheal extubation without predetermined criteria in a liver transplant recipient population. 2001 , 7, 777-82		51
717	Safety and efficacy of fast track in patients undergoing coronary artery bypass surgery. <i>Journal of Cardiac Surgery</i> , 2001 , 16, 319-26	1.3	12
716	Does extubation result in haemodynamic instability in patients following coronary artery bypass grafts?. 2001 , 17, 286-93		2
715	Reoperative coronary bypass surgery: effect of patent grafts and retrograde cardioplegia. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2001 , 121, 83-90	1.5	45
714	Comparative efficacy and safety of remifentanyl and fentanyl in fast track coronary artery bypass graft surgery: a randomized, double-blind study. 2001 , 87, 718-26		47
713	Evidence-based guidelines for weaning and discontinuing ventilatory support: a collective task force facilitated by the American College of Chest Physicians; the American Association for Respiratory Care; and the American College of Critical Care Medicine. 2001 , 120, 375S-95S		810
712	Preoperative prediction of prolonged mechanical ventilation following coronary artery bypass grafting. 2001 , 20, 930-6		67
711	Fast-track cardiac anaesthesia in the elderly: effect of two different anaesthetic techniques on mental recovery. 2001 , 86, 68-76		27
710	Day 0 intensive care unit discharge - risk or benefit for the patient who undergoes myocardial revascularization?. 2002 , 21, 377-84		13
709	Early extubation does not increase complication rates after coronary artery bypass graft surgery with cardiopulmonary bypass. 2002 , 21, 1026-30		39
708	Initial Perioperative Care of the Cardiac Surgical Patient. 2002 , 6, 229-236		1
707	Anesthetic and perfusion issues in contemporary pediatric cardiac surgery. 2002 , 25, 48-62; quiz 110-1		1

706	Management of the agitated intensive care unit patient. <i>Critical Care Medicine</i> , 2002 , 30, S97-S123	1.4	62
705	Failed extubation after cardiac surgery in young children: Prevalence, pathogenesis, and risk factors. 2002 , 3, 148-152		85
704	Impact of shorter-acting neuromuscular blocking agents on fast-track recovery of the cardiac surgical patient. <i>Anesthesiology</i> , 2002 , 96, 600-6	4.3	44
703	A combination of intrathecal morphine and remifentanil anesthesia for fast-track cardiac anesthesia and surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 709-14	2.1	39
702	Remifentanil-clonidine-propofol versus sufentanil-propofol anesthesia for coronary artery bypass surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 703-8	2.1	18
701	Postoperative pulmonary function in coronary artery bypass graft surgery patients undergoing early tracheal extubation: a comparison between short-term mechanical ventilation and early extubation. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 27-31	2.1	52
700	Cardiopulmonary bypass and the systemic inflammatory response: effects on drug action. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 83-98	2.1	21
699	Earlier recovery with beating-heart surgery: a comparison of 300 patients undergoing conventional versus off-pump coronary artery bypass graft surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 139-43	2.1	13
698	Do intraoperative variables have an effect on the timing of tracheal extubation after coronary artery bypass graft surgery?. 2002 , 31, 432-9		9
697	Opening of a new postanesthesia care unit: impact on critical care utilization and complications following major vascular and thoracic surgery. <i>Journal of Clinical Anesthesia</i> , 2002 , 14, 486-93	1.9	26
696	Response. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 134-135	2.1	1
695	The use of alpha2-agonists during off-pump coronary artery bypass and the effects of hypothermia. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 135-6	2.1	3
694	Retrospective study on the need of intensive care unit admission after major head and neck surgery. 2002 , 72, 11-4		32
693	Comparison of early postoperative quality of life in minimally invasive versus conventional valve surgery. 2003 , 17, 171-6		68
692	Criteria for immediate postoperative extubation in adult recipients following living-related liver transplantation with total intravenous anesthesia. <i>Journal of Clinical Anesthesia</i> , 2003 , 15, 515-9	1.9	33
691	Intraoperative and postoperative risk factors for respiratory failure after coronary bypass. <i>Annals of Thoracic Surgery</i> , 2003 , 75, 853-7; discussion 857-8	2.7	83
690	Readmission to the intensive care unit after "fast-track" cardiac surgery: risk factors and outcomes. <i>Annals of Thoracic Surgery</i> , 2003 , 76, 503-7	2.7	86
689	Heparin-coated circuits and reduced systemic anticoagulation applied to 2500 consecutive first-time coronary artery bypass grafting procedures. <i>Annals of Thoracic Surgery</i> , 2003 , 76, 1144-8; discussion 1148	2.7	16

688	Comparison of three remifentanil dose-finding regimens for coronary artery surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003 , 17, 51-9	2.1	15
687	Is very early extubation after lung transplantation feasible?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2003 , 17, 29-35	2.1	20
686	Effect of piracetam on cognitive performance in patients undergoing bypass surgery. 2003 , 36, 89-93		59
685	Randomized assessment of resource use in fast-track cardiac surgery 1-year after hospital discharge. <i>Anesthesiology</i> , 2003 , 98, 651-7	4.3	95
684	Outcome for cardiothoracic surgical patients requiring multidisciplinary intensive care. 2003 , 20, 719-725		6
683	A systematic review of the safety and effectiveness of fast-track cardiac anesthesia. <i>Anesthesiology</i> , 2003 , 99, 982-7	4.3	179
682	Implications of the use of neuromuscular transmission monitoring on immediate postoperative extubation in off-pump coronary artery bypass surgery. 2003 , 20, 884-890		4
681	Early extubation for adult cardiac surgical patients. 2003 , CD003587		51
680	Implications of the use of neuromuscular transmission monitoring on immediate postoperative extubation in off-pump coronary artery bypass surgery. 2003 , 20, 884-90		1
679	Outcome for cardiothoracic surgical patients requiring multidisciplinary intensive care. 2003 , 20, 719-25		1
678	Evidence-based practice - an incomplete model of the relationship between theory and professional work. 2004 , 10, 187-96		20
677	Care of the adult cardiac surgery patient: part I. 2004 , 41, 458-516		7
676	Analgesia con remifentanilo en el postoperatorio de cirugía cardíaca. 2004 , 28, 57-64		2
675	[Anaesthesia and intensive care for cardiac surgery in France: results of the three days national survey realised in 2001 by the club of Anaesthesia, Intensive Care and Technics in Cardiac Surgery (ARTECC)]. 2004 , 23, 862-72		5
674	[Continuous infusion of remifentanil and target-controlled infusion of propofol for coronary surgery in elderly patients: comparison with continuous infusion of remifentanil and propofol]. 2004 , 23, 966-72		2
673	Outcomes of early extubation after bypass surgery in the elderly. <i>Annals of Thoracic Surgery</i> , 2004 , 77, 781-8	2.7	36
672	Similar pain scores after early and late extubation in heart surgery with cardiopulmonary bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004 , 18, 64-7	2.1	10
671	Time to tracheal extubation after coronary artery surgery with isoflurane, sevoflurane, or target-controlled propofol anesthesia: a prospective, randomized, controlled trial. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004 , 18, 613-9	2.1	19

670	Opioid-sparing effects of diclofenac and paracetamol lead to improved outcomes after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004 , 18, 742-7	2.1	74
669	Alabama coronary artery bypass grafting project: results from phase II of a statewide quality improvement initiative. 2004 , 239, 99-109		16
668	Factors associated with early extubation after cardiac surgery in young children. 2004 , 5, 63-8		85
667	Choice of primary anesthetic regimen can influence intensive care unit length of stay after coronary surgery with cardiopulmonary bypass. <i>Anesthesiology</i> , 2004 , 101, 9-20	4.3	183
666	Effects of cardiopulmonary bypass on sufentanil pharmacokinetics in patients undergoing coronary artery bypass surgery. <i>Anesthesiology</i> , 2004 , 101, 862-71	4.3	13
665	Hemofiltration but not steroids results in earlier tracheal extubation following cardiopulmonary bypass: a prospective, randomized double-blind trial. <i>Anesthesiology</i> , 2004 , 101, 327-39	4.3	53
664	Parasternal block and local anesthetic infiltration with levobupivacaine after cardiac surgery with desflurane: the effect on postoperative pain, pulmonary function, and tracheal extubation times. 2005 , 100, 25-32		84
663	Reporting unplanned extubation. 2005 , 21, 65-75		41
662	Readmission and mortality in patients undergoing off-pump coronary artery bypass surgery with fast-track recovery protocol. 2005 , 20, 251-5		20
661	Regional analgesia and ultra-fast-track cardiac anesthesia. 2005 , 52, 12-7		17
660	Active thermoregulation improves outcome of off-pump coronary artery bypass. 2005 , 13, 157-60		7
659	Fast-track cardiac anesthesia: choice of anesthetic agents and techniques. 2005 , 9, 5-16		52
658	Routine immediate extubation in the operating room after OPCAB surgery: benefits for patients, practitioners, or providers?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2005 , 19, 279-81	2.1	7
657	Routine immediate extubation after off-pump coronary artery bypass surgery: 514 consecutive patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2005 , 19, 282-7	2.1	23
656	Reduced atrial fibrillation in patients immediately extubated after off-pump coronary artery bypass grafting. <i>Annals of Thoracic Surgery</i> , 2006 , 81, 2121-6; discussion 2126-7	2.7	13
655	Sepsis and stretch: synergistic effects on alveolar epithelial cell death?. <i>Critical Care Medicine</i> , 2006 , 34, 1846-7	1.4	4
654	Blood transfusion in burns: benefit or risk?. <i>Critical Care Medicine</i> , 2006 , 34, 1822-3	1.4	4
653	Rib fractures, pneumonia, and mortality. <i>Critical Care Medicine</i> , 2006 , 34, 1828-9	1.4	6

652	Achieving optimal antiarrhythmic therapy in advanced cardiac life support. <i>Critical Care Medicine</i> , 2006 , 34, 1825-6	1.4	2
651	Brain tissue oxygen monitoring: a measure of supply and demand. <i>Critical Care Medicine</i> , 2006 , 34, 1850-2	2.4	24
650	Pharmacokinetic and pharmacodynamic research in the intensive care unit: an unmet need. <i>Critical Care Medicine</i> , 2006 , 34, 1831-3	1.4	6
649	Transmitting and absorbing new information on the early identification of sepsis patients: the partial thromboplastin time biphasic waveform. <i>Critical Care Medicine</i> , 2006 , 34, 1829-31	1.4	1
648	Family satisfaction from clinician statements or patient-provider concordance?. <i>Critical Care Medicine</i> , 2006 , 34, 1836-7	1.4	
647	Fast-track failure after cardiac surgery: development of a prediction model. <i>Critical Care Medicine</i> , 2006 , 34, 2875-82	1.4	39
646	Do intensive care unit patients have intensive care unit physicians? Unfortunately not. <i>Critical Care Medicine</i> , 2006 , 34, 1834-5	1.4	6
645	Beta-2-agonist treatment as a potential therapy for acute inhalational lung injury. <i>Critical Care Medicine</i> , 2006 , 34, 1841-2	1.4	10
644	Critical illness: a view from the kidney. <i>Critical Care Medicine</i> , 2006 , 34, 1852-3	1.4	1
643	Is fast-track intensive care unit management still on the express track?. <i>Critical Care Medicine</i> , 2006 , 34, 1826-8	1.4	2
642	To breathe or not to breathe: is spontaneous ventilation the answer for acute lung injury?. <i>Critical Care Medicine</i> , 2006 , 34, 1844-5	1.4	1
641	Hypotension and mortality in septic shock: the "golden hour". <i>Critical Care Medicine</i> , 2006 , 34, 1819-20	1.4	23
640	End-of-life variations around the world: can we improve our caring?. <i>Critical Care Medicine</i> , 2006 , 34, 1837-8	1.4	3
639	Short-stay intensive care after coronary artery bypass surgery: randomized clinical trial on safety and cost-effectiveness. <i>Critical Care Medicine</i> , 2006 , 34, 65-75	1.4	55
638	Does fast-track treatment lead to a decrease of intensive care unit and hospital length of stay in coronary artery bypass patients? A meta-regression of randomized clinical trials. <i>Critical Care Medicine</i> , 2006 , 34, 1624-34	1.4	77
637	Medical emergency teams: are improved outcomes really like day and night?. <i>Critical Care Medicine</i> , 2006 , 34, 1840-1	1.4	
636	Blood product transfusion in association with coronary artery bypass grafting: proceed with caution. <i>Critical Care Medicine</i> , 2006 , 34, 1823-4	1.4	4
635	Permissive hypercapnia: does a high PaCO ₂ level require high sedative doses?. <i>Critical Care Medicine</i> , 2006 , 34, 1833-4	1.4	2

634	L-arginine and vasopressor agents: when antagonists have unexpected synergistic effects. <i>Critical Care Medicine</i> , 2006 , 34, 1847-9	1.4	5
633	Do coagulation abnormalities contribute to sepsis associated organ failure?. <i>Critical Care Medicine</i> , 2006 , 34, 1842-4	1.4	7
632	Resuscitation with hypertonic saline in burn shock and sepsis. <i>Critical Care Medicine</i> , 2006 , 34, 1849-50	1.4	7
631	Managing pain and agitation in the critically ill--are we there yet?. <i>Critical Care Medicine</i> , 2006 , 34, 1838-9	1.4	2
630	The pulmonary artery catheter and critical care: the cart is before the horse. <i>Critical Care Medicine</i> , 2006 , 34, 1820-2	1.4	6
629	Patient-controlled versus nurse-controlled analgesia after cardiac surgery--a meta-analysis. 2006 , 53, 492-9		59
628	The decision-making processes of nurses when extubating patients following cardiac surgery: an ethnographic study. 2006 , 43, 693-705		49
627	Optimizing early extubation after coronary surgery. 2006 , 14, 195-9		3
626	Influence of fast-track recovery after coronary artery bypass in the elderly. 2007 , 15, 144-8		
625	Core and skin surface temperature course after normothermic and hypothermic cardiopulmonary bypass and its impact on extubation time. 2007 , 24, 20-25		7
624	Core and skin surface temperature course after normothermic and hypothermic cardiopulmonary bypass and its impact on extubation time. 2007 , 24, 20-5		4
623	Determinants of early discharge from the intensive care unit after cardiac operations. <i>Annals of Thoracic Surgery</i> , 2007 , 83, 1089-95	2.7	22
622	Logistic risk model for prolonged ventilation after adult cardiac surgery. <i>Annals of Thoracic Surgery</i> , 2007 , 84, 528-36	2.7	70
621	Impact of the opening of a specialized cardiac surgery recovery unit on postoperative outcomes in an academic health sciences centre. 2007 , 54, 737-43		18
620	Clinical experience with Smart Care after off-pump coronary artery bypass for early extubation. 2007 , 10, 218-22		13
619	Feasibility of the fast-track recovery program after cardiac surgery in Japan. 2007 , 55, 445-9		12
618	Changing operative characteristics of patients undergoing operations for coronary artery disease: impact on early outcomes. <i>Annals of Thoracic Surgery</i> , 2008 , 86, 1424-30	2.7	15
617	Cardiovascular effects of mechanical ventilation and weaning. 2008 , 43, 1-15; v		5

616	What are the experiences of patients waking from fast-track. 2008 , 3, 373-382		2
615	Impact of dexmedetomidine on analgesic requirements in patients after cardiac surgery in a fast-track recovery room setting. 2009 , 29, 1427-32		42
614	The pharmacokinetic profile of recombinant human erythropoietin is unchanged in patients undergoing cardiac surgery. 2009 , 65, 273-9		5
613	Quality improvement program increases early tracheal extubation rate and decreases pulmonary complications and resource utilization after cardiac surgery. <i>Journal of Cardiac Surgery</i> , 2009 , 24, 414-23 ^{1,3}		42
612	Impact of 24-hour in-house intensivists on a dedicated cardiac surgery intensive care unit. <i>Annals of Thoracic Surgery</i> , 2009 , 88, 1153-61	2.7	60
611	Bispectral index monitoring to facilitate early extubation following cardiovascular surgery. 2010 , 24, 140-8		7
610	Health-related quality of life after fast-track treatment results from a randomized controlled clinical equivalence trial. 2010 , 19, 631-42		16
609	Clinical guideline for nurse-led early extubation after coronary artery bypass: an evaluation. 2010 , 66, 2038-49		4
608	Evaluation of dexmedetomidine versus propofol-based sedation therapy in mechanically ventilated cardiac surgery patients at a tertiary academic medical center. 2010 , 9, 221-6		34
607	Fast-tracking in pediatric cardiac surgery--the current standing. <i>Annals of Cardiac Anaesthesia</i> , 2010 , 13, 92-101	1.3	46
606	Modifiable and nonmodifiable risk factors for postoperative delirium after cardiac surgery with cardiopulmonary bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2010 , 24, 555-9	2.1	92
605	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: Executive Summary. 2011 , 58, 2584-2614		59
604	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. Developed in collaboration with the American Association for Thoracic Surgery, Society of Cardiovascular Anesthesiologists, and Society of Thoracic Surgeons. 2011 , 58, e123-210		531
603	A prospective, randomized, double-blind trial of 3 regimens for sedation and analgesia after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011 , 25, 110-9	2.1	13
602	Immediate extubation after off-pump coronary artery bypass graft surgery in 1,196 consecutive patients: feasibility, safety and predictors of when not to attempt it. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011 , 25, 431-6	2.1	19
601	Pro: Early extubation following surgery for congenital heart disease. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011 , 25, 874-6	2.1	11
600	An evaluation of underbody forced-air and resistive heating during hypothermic, on-pump cardiac surgery. 2011 , 66, 104-10		21
599	Heparinized cardiopulmonary bypass circuits and low systemic anticoagulation: an analysis of nearly 6000 patients undergoing coronary artery bypass grafting. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011 , 141, 1145-9	1.5	23

598	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2011 , 124, e652-735	16.7	487
597	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2011 , 124, 2610-42	16.7	345
596	Fast-track practice in cardiac surgery: results and predictors of outcome. 2012 , 15, 989-94		32
595	Pro: early extubation in the operating room following cardiac surgery in adults. 2012 , 16, 182-6		10
594	High tidal volumes in mechanically ventilated patients increase organ dysfunction after cardiac surgery. <i>Anesthesiology</i> , 2012 , 116, 1072-82	4.3	187
593	Special Articles: 2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2012 , 114, 11-45		30
592	Randomized controlled trial of interrupted versus continuous sedative infusions in ventilated children. 2012 , 13, 131-5		72
591	Technical aspects of anesthesia and cardiopulmonary bypass in patients undergoing totally thoroscopic cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012 , 26, 270-3	2.1	5
590	Early extubation in adults undergoing surgery for congenital heart disease. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012 , 26, 773-6	2.1	6
589	High thoracic epidural analgesia in cardiac surgery. Part 2--high thoracic epidural analgesia does not reduce time in or improve quality of recovery in the intensive care unit. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012 , 26, 1048-54	2.1	24
588	Fast-track cardiac care for adult cardiac surgical patients. 2012 , 10, CD003587		72
587	Early Postoperative Care After Cardiac Surgery. 2012 ,		1
586	2011 ACCF/AHA guideline for coronary artery bypass graft surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012 , 143, 4-34	1.5	187
585	Risk factor analysis for fast track protocol failure. <i>Journal of Cardiothoracic Surgery</i> , 2013 , 8, 47	1.6	25
584	Evaluation of fully automated ventilation: a randomized controlled study in post-cardiac surgery patients. 2013 , 39, 463-71		41
583	Economic and safety implications of introducing fast tracking in congenital heart surgery. 2013 , 6, 201-7		30
582	Perioperative hyperglycemia is associated with postoperative neurocognitive disorders after cardiac surgery. 2014 , 10, 361-70		18
581	Fast-Track Cardiac Anaesthesia at a Tertiary Care Cardiac Centre in Nepal. 2014 , 10, 6-11		1

580	Predictors of postoperative atrial fibrillation after on-pump coronary artery bypass grafting: is duration of mechanical ventilation time a risk factor?. 2014 , 20, 135-42		17
579	Extubating in the operating room after adult cardiac surgery safely improves outcomes and lowers costs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 3101-9.e1	1.5	28
578	Dose-dependent effects of intraoperative low volume red blood cell transfusions on postoperative outcomes in cardiac surgery patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014 , 28, 1545-9 ^{2.1}		13
577	Evaluation of the PaO ₂ /FiO ₂ ratio after cardiac surgery as a predictor of outcome during hospital stay. 2014 , 14, 83		23
576	Outcome characteristics of multiple-valve surgery: comparison with single-valve procedures. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2014 , 9, 27-32	1.5	25
575	Sufentanilo intratecal para revascularizaci3n del miocardio. 2014 , 64, 73-78		
574	The role of stepdown beds in hospital care. 2014 , 190, 1210-6		89
573	Abstracts of the 34th International Symposium on Intensive Care and Emergency Medicine, March 18-21, 2014, Brussels, Belgium. 2014 , 18 Suppl 1, P1-P502		2
572	The Limpet controlled drug cabinet alarm and camera. 2014 , 18, P2		1
571	Role of pharmacist in multidisciplinary pediatric intensive care rounds: a retrospective descriptive study. 2014 , 18, P3		1
570	Improvement in the identification and management of inadvertent hypothermia in the critically ill: an audit cycle. 2014 , 18, P4		78
569	Compliance of a ventilator-associated pneumonia care bundle in an adult intensive care setting. 2014 , 18, P6		1
568	Referrals to a critical care unit: compliance with the NCEPOD recommendations. 2014 , 18, P7		78
567	Organisational changes in service provision outside critical care impact on referral patterns. 2014 , 18, P8		78
566	Demands on a continuing education online-study program for physicians. 2014 , 18, P10		78
565	Do generic measures fully capture health-related quality of life in adult, general critical care survivors?. 2014 , 18, P11		78
564	Surgical HDU admissions: utilisation, organ support and finance. 2014 , 18, P12		78
563	Convalescence via critical care collaboration. 2014 , 18, P13		78

562	Can dynamic light improve melatonin production and quality of sleep?. 2014 , 18, P14	0
561	Targeting blood tests in the ICU may lead to a significant cost reduction. 2014 , 18, P15	0
560	Results of the Telemedicine Program for implementation of the Surviving Sepsis Campaign Protocol in a community Brazilian hospital. 2014 , 18, P17	78
559	ICU nursing connectivity and the quality of care in an academic medical center: a network analysis. 2014 , 18, P18	78
558	Compassion fatigue and burnout among healthcare professionals in the ICU. 2014 , 18, P19	6
557	Effect of divergences about patients' care plan on the outcome of critically ill patients. 2014 , 18, P20	78
556	Prevalence, risk factors and consequences of intra-team conflicts in the ICU. 2014 , 18, P21	78
555	Do we spend less on older critically ill patients? Relationship among intensity of care, severity of illness and mortality. 2014 , 18, P22	78
554	New policy for ICU visits: prospective study. 2014 , 18, P23	1
553	Dealing with cultural diversity during the process of communication and decision-making in the ICU: a literature review. 2014 , 18, P24	1
552	Symptoms of anxiety, depression and post-traumatic stress in pairs of patients and their family members during and following ICU stay: who suffers most?. 2014 , 18, P25	1
551	Heart-focused anxiety in critically ill patients' relatives. 2014 , 18, P26	78
550	Family satisfaction in the ICU: a 6-month experience. 2014 , 18, P27	78
549	Qualitative analysis of a family satisfaction in an adult ICU. 2014 , 18, P28	1
548	Outcomes of ventilated surgical and medical ICU patients: do patients die from ARDS or with ARDS?. 2014 , 18, P29	1
547	Advance care planning in critically ill haematology patients. 2014 , 18, P30	78
546	A new questionnaire to determine the effect of team interaction in the ICU on perceived futility and intention to quit: results of a pilot study in two German hospitals. 2014 , 18, P31	78
545	ASA helps prediction of the death rate in surgical ICU patients. 2014 , 18, P32	78

544	Till death do us part: amyotrophic lateral sclerosis in the ICU. 2014 , 18, P33	78
543	Death rate of patients admitted to a Brazilian ICU on weekends and holidays. 2014 , 18, P34	1
542	How many ways are there to die? Identification of ICU death typologies using cluster analysis. 2014 , 18, P35	78
541	Independent risk factors associated with the decision to withhold therapeutic intervention in patients admitted to the emergency room. 2014 , 18, P36	78
540	Autopsy-detected diagnostic errors in critically ill patients with cirrhosis. 2014 , 18, P37	78
539	Profile, outcomes, and predictors of mortality of abdomino-pelvic trauma patients in a tertiary ICU in Saudi Arabia. 2014 , 18, P38	78
538	Radiation exposure in trauma patients is affected by age. 2014 , 18, P39	78
537	Survival rate and predictors of outcome in intubated patients with haematological malignancies in a Greek ICU. 2014 , 18, P40	78
536	Predictors of outcome in patients with haematological malignancies admitted to critical care. 2014 , 18, P41	78
535	Early risk stratification in patients with oncological and hematological malignancies in the emergency department. 2014 , 18, P42	78
534	Calculated radiation exposure for trauma patients is lower when using the New Injury Severity Score versus the Injury Severity Score to calculate injury severity. 2014 , 18, P43	78
533	Early warning scores: breaking or building barriers to critical care. 2014 , 18, P44	78
532	Impact of obesity on outcomes in patients with sepsis. 2014 , 18, P46	78
531	Obesity is not associated with poor outcomes in older patients with sepsis. 2014 , 18, P47	78
530	Long-term outcome in COPD patients with pneumonic and nonpneumonic exacerbation: a 6-year prospective follow-up study. 2014 , 18, P48	78
529	Frailty predicts need for medical review but not degree of organ support after complex orthopaedic surgery. 2014 , 18, P49	1
528	Frailty measures in the critically ill: are we approaching a critical age? A systematic review. 2014 , 18, P50	1
527	Prediction of 1-year mortality of patients treated for more than 72 hours in an ICU. 2014 , 18, P51	78

526	Long-term physical functioning and health-related outcomes in survivors of intensive care. 2014, 18, P52	78
525	Patients with prolonged stay on ICUs and the risk of mortality within 1-year of cardiac surgery. 2014, 18, P53	78
524	Six-month outcomes in lung cancer patients surviving ICU admission: results from a multinational multicenter study. 2014, 18, P54	78
523	Survival and quality of life in patients acquiring acute kidney injury in the first 24 hours of ICU admission. 2014, 18, P55	78
522	Increasing age of patients admitted to intensive care, and association between increased age and greater risk of post-ICU death. 2014, 18, P56	1
521	Outcomes of military patients treated at the UK Royal Centre for Defence Medicine 2007 to 2013. 2014, 18, P57	78
520	Very old patients with cancer admitted to the ICU: outcome and predictive factors of mortality. 2014, 18, P58	78
519	A retrospective review of mortality and complications following oesophagectomy in a large UK teaching hospital. 2014, 18, P59	0
518	SwissScoring: a nationwide survey about SAPS II assessing accuracy. 2014, 18, P60	78
517	Abandoning the National Early Warning Score in our district general hospital. 2014, 18, P61	78
516	Endpoint resuscitation-based prediction model for early mortality of severe sepsis and septic shock. 2014, 18, P62	78
515	Is the Golden hour important? Looking at disability and health-related quality of life in a Portuguese trauma registry. 2014, 18, P63	78
514	Predicting outcomes after blunt chest wall trauma: development and external validation of a new prognostic model. 2014, 18, P64	2
513	Transplantation of bone marrow-derived mononuclear cells can improve the survival rate and suppress the inflammatory response in a rat crush injury model. 2014, 18, P65	78
512	Impact of a dedicated trauma desk in ambulance control on the identification of major trauma in Scotland. 2014, 18, P66	78
511	The Manchester Triage System in optimizing triage in adult general medical emergency patients: the Triage Project. 2014, 18, P67	1
510	Introduction of the Kaifu telemedicine system for emergency medicine to ambulance services with improvement of the survival rates. 2014, 18, P68	78
509	Training to achieve coordination of rescue and ambulance and medical teams. 2014, 18, P69	78

508	Complementary cooperation of an ambulance helicopter and car with medical doctors: meaning of simultaneous dispatch. 2014 , 18, P70	78
507	Evaluation and prevention of violence in the emergency department in Lebanon. 2014 , 18, P71	78
506	Epidemiology and critical care management of patients admitted after intentional self-poisoning. 2014 , 18, P72	78
505	Price per unit: the cost of alcohol-related admissions to a regional ICU. 2014 , 18, P73	78
504	Clinical research of patients with multiple organ dysfunction syndrome induced by severe heat stroke: nine case reports and literature review. 2014 , 18, P74	78
503	Effect of low-dose hydrocortisone on gene expression profiles after severe burn injury. 2014 , 18, P75	78
502	Low socioeconomic status, ethnicity and geographical location confers high risk of significant accidental burns injuries in London. 2014 , 18, P77	2
501	Effectiveness of noncontrast abdominal multidetector CT for evaluating the patient with renal insufficiency in the emergency department. 2014 , 18, P78	78
500	Antipyretics in the emergency department - intravenous paracetamol versus intramuscular diclofenac: a comparative study. 2014 , 18, P79	78
499	Survey of severe sepsis and septic shock management in Thailand: THAI-SHOCK SURVEY 2013. 2014 , 18, P80	78
498	Laboratory early warning score versus clinical early warning score as a predictor of imminent cardiac arrest. 2014 , 18, P81	78
497	Hospital mortality predictive factors following Rapid Response Team activation. 2014 , 18, P82	1
496	Long-term outcome of the Emergency Response Team system in in-hospital cardiac arrest. 2014 , 18, P83	78
495	Epidemiology of unplanned intensive care admissions through inhospital referrals at a tertiary referral centre university hospital. 2014 , 18, P84	78
494	Use of low-dose CT KUB: is it becoming the easy way out?. 2014 , 18, P85	78
493	Bled dry? An audit of blood sampling practices on an adult intensive therapy unit. 2014 , 18, P86	78
492	Decreasing central-line blood draws by consolidation of phlebotomy timing: results of a quality improvement project. 2014 , 18, P87	78
491	Introducing an arterial non-injectable connector into clinical practice. 2014 , 18, P88	78

490	Novel hemostatic technique using a silicone gel dressing for tangential excision in burn surgery. 2014, 18, P89	78
489	Should we avoid invasive treatment in cancer patients with pericardial tamponade?. 2014, 18, P90	78
488	Goal-directed hemostatic therapy using rotational thromboelastometry in patients requiring emergent cardiovascular surgery. 2014, 18, P91	78
487	Thromboelastometric examination on the ICU before elective procedures. 2014, 18, P92	78
486	ROTEM: Multiplate monitoring in the ICU and outcome scores. 2014, 18, P93	1
485	Retrospective observational study of interventional radiology and critical care coagulopathy. 2014, 18, P94	78
484	Monitoring of treatment with low molecular weight heparins using viscoelastic devices. 2014, 18, P95	1
483	Heparin stability in parenteral nutrition bags prepared in a neonatal ICU. 2014, 18, P96	78
482	Bivalirudin or heparin: which anticoagulation strategy for critically ill cardiac surgery patients?. 2014, 18, P97	78
481	Reversal of edoxaban-induced anticoagulation by the four-factor prothrombin complex concentrate Beriplex [®] in a rabbit model. 2014, 18, P98	78
480	Use of a specific antidote to dabigatran (idarucizumab) reduces blood loss and mortality in dabigatran-induced and trauma-induced bleeding in pigs. 2014, 18, P99	6
479	Primary bivalirudin anticoagulation for patients with an implantable ventricular assist device. 2014, 18, P100	78
478	Plasma-free hemoglobin and microvascular response to fresh or old blood transfusion in septic patients. 2014, 18, P101	78
477	Fatty acid composition of blood plasma in multiple organ dysfunction syndrome. 2014, 18, P102	78
476	Response of coagulation and fibrinolysis system was different between older and nonolder patients with severe sepsis. 2014, 18, P103	78
475	εAminocaproic acid does not increase adverse effects in cardiac surgery: an analysis of 2,852 cases. 2014, 18,	78
474	Eculizumab treatment of atypical haemolytic uraemic syndrome: results from the largest prospective clinical trial to date. 2014, 18, P105	1
473	Variation in red blood cell transfusion thresholds in critically ill patients. 2014, 18, P106	3

472	A liberal strategy of red blood cell transfusion reduces cardiovascular complications in older patients undergoing cardiac surgery. 2014, 18, P107	78
471	Anemia and high hematocrit are associated with in-hospital mortality in emergency department patients with suspected infection. 2014, 18, P108	78
470	New simplified criteria for predicting massive transfusion in trauma. 2014, 18, P109	78
469	Blood product transfusions in septic patients are associated with mortality, ARDS, and more days on mechanical ventilation. 2014, 18, P111	78
468	Inflammatory properties of microparticles in stored red blood cell transfusion products. 2014, 18, P113	2
467	Influenza A (H1N1): the first hit for transfusion-related acute lung injury?. 2014, 18, P114	78
466	Prothrombin complex concentrate restores haemostasis in a dabigatran anticoagulated polytrauma pig model. 2014, 18, P115	2
465	Effect of a fixed dose of fresh frozen plasma on systemic inflammation and endothelial damage in nonbleeding critically ill patients. 2014, 18, P116	78
464	Application of damage control resuscitation strategies to patients with severe traumatic hemorrhage: review of plasma to packed red blood cell ratios at a single institution. 2014, 18, P117	78
463	In a trauma experimental pig model prothrombin complex concentrates and a specific antidote (idarucizumab) are effective to reverse the anticoagulant effects of dabigatran. 2014, 18, P118	3
462	Attenuation of ischemia-reperfusion injury in swine resuscitated for hemorrhagic shock by low-dose inhaled nitrite or carbon monoxide. 2014, 18, P119	78
461	Validation of inflationary non-invasive blood pressure monitoring in emergency room patients. 2014, 18, P120	78
460	Influence of the oscillometric calibration method on accuracy and precision of continuous non-invasive arterial pressure measurements using the CNAP device. 2014, 18, P121	78
459	Arterial pulse waveform as an n-soliton evolution of the left ventricular pressure pulse. 2014, 18, P122	78
458	Tackling the burden of postsurgical complications in the USA: would perioperative goal-directed therapy help?. 2014, 18, P123	1
457	Radiological control of central venous catheter (CVC) versus electrocardiogram-guided control inserted CVC: confirm with transesophageal echocardiography. 2014, 18, P124	1
456	Impact of the neutral position and rotation of the head in ultrasound-guided internal jugular vein catheterization on duration of procedure and complications. 2014, 18, P125	78
455	Anthropometric formulas versus intracavitary ECG for optimal tip position of central venous catheters. 2014, 18, P126	78

454	Residents learning ultrasound-guided catheterization are not sufficiently skilled to use landmarks. 2014, 18, P127	78
453	Development of a standardized method of peripherally inserted central catheter (PICC-line) bedside installation. 2014, 18, P128	1
452	Is chest X-ray necessary after central venous catheter insertion?. 2014, 18, P129	1
451	Diagnostic value of chest ultrasound after cardiac surgery: a comparison with chest X-ray and auscultation. 2014, 18, P130	2
450	Ultrasound measurement of carotid flow time changes with volume status. 2014, 18, P131	6
449	Real-time ultrasound-guided subclavian vein cannulation in cardiac surgery: comparison between short-axis and long-axis techniques. 2014, 18, P132	78
448	Transthoracic echocardiography used in conjunction with passive leg raising for assessment of fluid responsiveness in severe sepsis or septic shock patients. 2014, 18, P133	78
447	Transoesophageal echocardiography and extracorporeal membrane oxygenation: fancy for enthusiasts or indispensable tool?. 2014, 18, P134	4
446	Accuracy of synthesized right-sided/posterior chest lead electrocardiograms. 2014, 18, P135	78
445	Aortic stiffness in patients with early sepsis. 2014, 18, P136	78
444	Novel technology for non-invasive thoracic fluid measurement: an animal model comparative study. 2014, 18, P137	78
443	Adherence to the nurse-driven hemodynamic protocol during postoperative care. 2014, 18, P138	78
442	Pulse wave transit time technique for perioperative non-invasive hemodynamic monitoring. 2014, 18, P139	78
441	Validation of cardiac output from Mostcare compared with a pulmonary artery catheter in septic patients. 2014, 18, P140	1
440	Novel non-invasive technology for cardiac output determination. 2014, 18, P141	78
439	Performance of pulse contour and pulse wave transit time-based continuous cardiac output analyses: clinical validation of two methods in Thai patients undergoing cardiac surgery. 2014, 18, P142	1
438	Comparison of PiCCO and VolumeView: simultaneous measurement in sepsis pig models. 2014, 18, P143	1
437	Effects of the restrictive fluid strategy on postoperative pulmonary and renal function following pulmonary resection surgery. 2014, 18, P144	78

436	Perioperative fluid balance and postoperative changes in serum creatinine in patients admitted to critical care after elective major surgery. 2014, 18, P145	78
435	Very limited usefulness of pulse pressure variation as a predictor of volume responsiveness in critically ill septic patients. 2014, 18, P146	78
434	Effects of central hypovolemia induced by tilt table on the Doppler- based renal resistive index in healthy volunteers. 2014, 18, P147	78
433	Tissue oxygenation as a target for goal-directed therapy in high-risk surgery. 2014, 18, P148	78
432	Why measurements do (not) work: the human factor. 2014, 18, P149	78
431	Fluid responsiveness in septic shock. 2014, 18, P150	78
430	Use of pulse pressure variation and stroke volume variation in spontaneously breathing patients to assess dynamic arterial elastance and to predict arterial pressure response to fluid administration. 2014, 18, P151	2
429	Accuracy of the plethysmographic variation index as a predictor of fluid responsiveness after cardiac surgery. 2014, 18, P152	78
428	Kinetics of volume expansion during a fluid challenge. 2014, 18, P153	78
427	Fluid challenge with shock. 2014, 18, P154	78
426	In vivo effect of hydroxyethyl starch solution (HES 130/0.4) on different fibrinogen assays. 2014, 18, P155	78
425	BXL 628 ameliorates toxicity of lactated Ringer in HK-2 human renal proximal tubule cells in a hypovolemia mimicking model. 2014, 18, P156	78
424	Hypotonic fluids after liver transplantation may be associated with prolonged ICU stay. 2014, 18, P157	78
423	Early Vasopressin Application in Shock study. 2014, 18, P158	6
422	Terlipressin-induced hyponatraemia. 2014, 18, P159	1
421	Incidence of adverse events in a Brazilian coronary ICU. 2014, 18, P5	78
420	Care of Burns in Scotland: 3-year data from the Managed Clinical Network National Registry. 2014, 18, P76	1
419	Transfusion requirements in septic shock patients: a randomized controlled trial. 2014, 18, P112	1

418	A specialized post anaesthetic care unit improves fast-track management in cardiac surgery: a prospective randomized trial. 2014 , 18, 468	40
417	Intrathecal sufentanil for coronary artery bypass grafting. 2014 , 64, 73-8	
416	Sufentanil intratecal para revascularizaçã do miocárdio. 2014 , 64, 73-78	1
415	Fibrinogen at admission is an independent predictor of mortality in severe sepsis and septic shock. 2014 , 18, P209	2
414	Urinary tissue inhibitor of metalloproteinases-2 and insulin-like growth factor-binding protein 7 as early biomarkers of acute kidney injury and renal recovery following cardiac surgery. 2014 , 18, P381	78
413	Plasma platelet-derived microparticles to platelet count ratio as a marker of mortality in critically ill patients. 2014 , 18, P210	1
412	Efficacy of terutroban in preventing delayed cerebral ischemia after subarachnoid hemorrhage: a functional isotope imaging study on a rat model. 2014 , 18, P461	78
411	Clinical pulmonary infection score calculator in the early diagnosis and treatment of ventilator-associated pneumonia in the ICU. 2014 , 18, P304	5
410	Ability to speak in ventilator-dependent tracheostomized ICU patients. 2014 , 18, P323	0
409	Vasopressin versus norepinephrine for the management of septic shock in cancer patients. 2014 , 18, P161	2
408	Effect of nasal high flow for postoperative respiratory failure: a prospective observational study. 2014 , 18, P311	78
407	Effect of subglottic secretion drainage for preventing ventilator-associated pneumonia. 2014 , 18, P331	2
406	Enteral administration of antiepileptic agents could have efficacy for prevention of post-traumatic seizures in severe traumatic brain injury. 2014 , 18, P481	78
405	Demand versus supply in intensive care: an ever-growing problem. 2014 , 18, P9	2
404	Analysis of the acoustic environment in an ICU using patient information as a covariate. 2014 , 18, P16	78
403	Factors affecting the clinical response to National Early Warning score triggers. 2014 , 18, P45	1
402	Haemodynamic effects of phenylephrine commenced prior to induction of anaesthesia in older patients undergoing high-risk vascular surgery. 2014 , 18, P164	78
401	Acetaminophen-induced hypotension in the surgical ICU. 2014 , 18, P165	1

400	Experiences of a tertiary center with use of extracorporeal membrane oxygenation support in patients with cardiogenic shock after cardiac surgery. 2014, 18, P166	78
399	Potential use of veno-arterial extracorporeal membrane oxygenation for cardiogenic shock refractory to mechanical assist devices: baseline physiology and mortality data. 2014, 18, P167	78
398	Normobaric oxygen paradox and the microcirculation in the critically ill patient: a prospective observational study. 2014, 18, P168	78
397	Predictive criteria for the development of intra-abdominal hypertension and abdominal compartment syndrome. 2014, 18, P169	78
396	Early lactate-guided therapy in cardiac surgery patients: a randomized controlled trial. 2014, 18, P170	1
395	Lactate as a predictor of deterioration in emergency department patients with and without infection. 2014, 18, P171	78
394	Correlation between conventional and advanced hemodynamic parameters versus serum lactate in patients with severe sepsis. 2014, 18, P173	78
393	Delayed assessment of serum lactate in sepsis is associated with an increased mortality rate. 2014, 18, P174	78
392	Lactate quartile concentration and prognosis in severe sepsis and septic shock. 2014, 18, P176	78
391	Comparison of the effects of histidine-triptophan-ketoglutarate solution and crystalloid cardioplegia on myocardial protection during pediatric cardiac surgery. 2014, 18, P178	78
390	Hyperdynamic ejection fraction in the critically ill patient. 2014, 18, P179	78
389	Impact of nitric oxide on pulmonary regurgitation and cardiac function in the acute stage after right ventricular outflow surgery. 2014, 18, P180	78
388	Cardiogenic oscillation in pediatric patients after cardiac surgery. 2014, 18, P181	1
387	Intraoperative dexamethasone on left atrial function and postoperative atrial fibrillation in cardiac surgical patients. 2014, 18, P182	78
386	White blood cell count and new-onset atrial fibrillation after cardiac surgery. 2014, 18, P183	78
385	Anti-adrenergic effects of ranolazine in isolated rat aorta. 2014, 18, P184	78
384	Delays in extubation following elective adult cardiac surgery. 2014, 18, P185	78
383	Effects of perfusion pressure on the splanchnic circulation after cardiopulmonary bypass: a randomized double cross-over study. 2014, 18, P186	1

382	Isoflurane attenuates left ventricular akinesia and preserves cardiac output in the Tako-tsubo rat model. 2014 , 18, P187	78
381	Preoperative therapy with angiotensin-converting enzyme inhibitors in cardiac surgery patients: is there any impact on postoperative renal function?. 2014 , 18, P188	78
380	Characterization of the profile and clinical variables associated with mortality in a Brazilian coronary ICU. 2014 , 18, P189	78
379	Hospital visit pattern and its effect on reperfusion time and clinical outcomes in ST-segment elevation acute myocardial infarction. 2014 , 18, P190	78
378	Tissue-aggressive inflammatory response defines the tissue aggressiveness of the post-infarction milieu. 2014 , 18, P191	78
377	Impact of positive end-expiratory pressure application on ventriculo-arterial coupling in decompensated left ventricles after cardiac surgery: a non-invasive echocardiographic study. 2014 , 18, P192	78
376	Prevalence of elevated cardiac troponin T in ICU patients using the high-sensitivity assay and the relationship with mortality. 2014 , 18, P193	78
375	Rhabdomyolysis following cardiac surgery: from prevalence to prevention. 2014 , 18, P194	78
374	Open cavity abdominal surgery in octogenarians and nonagenarians admitted to a university teaching hospital ICU: a retrospective review. 2014 , 18, P195	78
373	Postoperative resource utilization and survival among liver transplant recipients with Model for End-stage Liver Disease score ≥ 0 : a retrospective cohort study. 2014 , 18, P201	78
372	Causes and consequences of infections in patients after liver transplantation: 2-year study in the only ICU that hospitalizes these cases in Greece. 2014 , 18, P202	78
371	Extracorporeal membrane oxygenation before and after adult liver transplantation: worth the effort?. 2014 , 18, P203	9
370	Is cirrhotic cardiomyopathy a risk factor for post-reperfusion syndrome during liver transplantation?. 2014 , 18, P204	78
369	Perioperative management of patients undergoing combined heart-liver transplantation. 2014 , 18, P205	1
368	Impaired balance between coagulation and fibrinolysis plays a prominent role in patients with sepsis. 2014 , 18, P206	78
367	Clinical usefulness of measurement of plasma soluble fibrin levels in critically ill patients. 2014 , 18, P207	78
366	Value of microbial metabolites in blood serum as criteria for bacterial load in the pathogenesis of hemodynamic disorders in critically ill patients. 2014 , 18, P208	3
365	Receptor for advanced glycation end products axis in critically ill patients. 2014 , 18, P211	78

364	Usefulness of the endotoxin activity assay as a biomarker to assess severity in ICU patients. 2014 , 18, P212	78
363	Usefulness of presepsin and procalcitonin levels in the diagnosis of sepsis in patients with acute kidney injury. 2014 , 18, P213	78
362	Differentiating sepsis from non-infective systemic inflammatory response syndrome: comparison between C-reactive protein and leptin. 2014 , 18, P214	78
361	Use of procalcitonin and white blood cells as combined predictors of infection in cardiac surgery patients. 2014 , 18, P215	1
360	Single pro-adrenomedullin determination in septic shock and 28-day mortality. 2014 , 18, P216	78
359	Club Cell protein: a candidate diagnostic biomarker of <i>Pseudomonas aeruginosa</i> nosocomial pneumonia. 2014 , 18, P218	78
358	Plasma cholinesterase activity as diagnostic marker for systemic inflammation. 2014 , 18, P219	1
357	Pre-analytic factors and initial biomarker levels in community- acquired pneumonia patients. 2014 , 18, P221	78
356	Altered T-cell repertoire diversity in septic shock patients. 2014 , 18, P223	78
355	Association between DNA haplogroups and severe sepsis in patients who underwent major surgery. 2014 , 18, P224	78
354	Activated protein C consumption and coagulation parameters in severe sepsis and septic shock. 2014 , 18, P226	78
353	Flow-cytometric analysis in traumatic brain injury to evaluate immunosuppression. 2014 , 18, P227	1
352	Polymorphonuclear cell surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. 2014 , 18, P228	78
351	Lymphocyte surface expression patterns differ in inflammatory and infectious stages in polytraumatized and septic shock patients. 2014 , 18, P229	78
350	Cl:Na ratio on ICU admission as a prognostic indicator of mortality in sepsis patients. 2014 , 18, P230	78
349	Dysfunction of peroxisomes as one of the possible causes of multiple organ dysfunction syndrome development. 2014 , 18, P231	78
348	Differential effect of alcohol on TNF α receptor II production in the presence of LPS challenge ex vivo. 2014 , 18, P232	78
347	Neutrophil phenotype model for extracorporeal treatment of sepsis. 2014 , 18, P233	78

346	Prolactin, cortisol and heat shock proteins in early sepsis: preliminary data. 2014 , 18, P234	78
345	AMP-protein kinase may protect against sepsis-induced acute kidney injury through modulation of immune response and endothelial activation. 2014 , 18, P235	78
344	Study of the ex vivo immune response of polytrauma older patients in the ICU on admission: preliminary results. 2014 , 18, P236	1
343	Multiple trauma is linked with reversal of immunoparalysis and provides survival benefit from <i>Pseudomonas aeruginosa</i> . 2014 , 18, P237	78
342	Delayed admission to the ICU is associated with increased in-hospital mortality in patients with community-acquired severe sepsis or shock. 2014 , 18, P241	0
341	Effect of clarithromycin in patients with Gram-negative sepsis: subgroup analysis of a randomized trial. 2014 , 18, P242	1
340	Benefit profile of recombinant human soluble thrombomodulin in sepsis-induced DIC. 2014 , 18, P243	78
339	Comprehensive assessment of the true sepsis burden using electronic health record screening augmented by natural language processing. 2014 , 18, P244	1
338	Outcomes of neutropenic patients with severe sepsis on a specialist cancer ICU. 2014 , 18, P245	2
337	Vitamin D and ICU outcome in septic patients: a difficult connection?. 2014 , 18, P246	78
336	A meta-analysis of randomized controlled trials on the use of statins in septic patients. 2014 , 18, P247	78
335	Efficacy of early administration of thrombomodulin alfa in patients with sepsis-induced disseminated intravascular coagulation: subanalysis from post-marketing surveillance data. 2014 , 18, P248	78
334	Dynamic myocardial depression in septic cardiomyopathy. 2014 , 18, P249	78
333	Significant change in the practice of chest radiography in Dutch ICUs. 2014 , 18, P250	78
332	Stating clear indications for chest radiographs after cardiac surgery increases their efficacy and safely reduces costs. 2014 , 18, P251	78
331	Evaluation of early graft function in a case series of lung-transplanted patients. 2014 , 18, P252	78
330	Lung function in the immediate postoperative period after videoassisted thoracoscopic and thoracotomy pulmonary resection. 2014 , 18, P254	78
329	Lung ultrasound reaeration score: a useful tool to predict non-invasive ventilation effectiveness. 2014 , 18, P255	2

328	Ultrasound in the diagnosis of pneumothorax: a survey of current practice. 2014 , 18, P256	78
327	Computed tomographic assessment of airflow obstruction in smoke inhalation injury. 2014 , 18, P257	78
326	Semi-upright position improves ventilation and oxygenation in mechanically ventilated intensive care patients. 2014 , 18, P258	3
325	Effects of sitting on the respiratory pattern, mechanics and work of breathing in mechanically ventilated patients. 2014 , 18, P259	78
324	The win ratio method: a novel hierarchical endpoint for pneumonia trials in patients on mechanical ventilation. 2014 , 18, P260	5
323	Failure to obtain admission sputum culture is associated with higher mortality and fewer ventilator-free days for intubated pneumonia patients: a quality improvement project. 2014 , 18, P261	78
322	Nonventilatory factors affecting noninvasive mechanical ventilation success in hypercapnic critical care patients. 2014 , 18, P263	78
321	Physiologic comparison between NAVA, PAV+ and PSV in critically ill patients. 2014 , 18, P264	78
320	Oxygenation index outperforms the P/F ratio for mortality prediction. 2014 , 18, P266	1
319	Determining the mechanical ventilation mode and pressure support combination that is best compatible with the rapid shallow breathing index calculated in spontaneous ventilation. 2014 , 18, P267	1
318	New setting of neurally adjusted ventilatory assist during mask noninvasive ventilation. 2014 , 18, P268	78
317	A new setting to improve noninvasive neurally adjusted ventilatory assist by helmet. 2014 , 18, P269	78
316	Is neurally adjusted ventilatory assist feasible during anesthesia?. 2014 , 18, P270	78
315	PEEP titration on the basis of intratidal resistance-volume profiles. 2014 , 18, P273	78
314	US study of gliding in nondependent lung regions: the dark side of the moon. 2014 , 18, P274	78
313	Protective ventilation reduces bacterial growth and lung injury in a porcine pneumonia model. 2014 , 18, P275	78
312	Changes in computed tomography and ventilation/perfusion mismatch with positive end-expiratory pressure. 2014 , 18, P276	78
311	Ventilator settings in ICUs: comparing a Dutch with a global cohort. 2014 , 18, P277	78

310	Graphical user interface for visualization of a decision support system for PEEP titration. 2014, 18, P278	78
309	Time-dependent apoptosis induction after spontaneous-breathing or ventilation-analogue experimental mechanostimulation of monolayer lung cell cultures. 2014, 18, P279	78
308	Influence of positive end-expiratory pressure on cyclic recruitment and derecruitment during one breathing cycle in porcine acute lung injury. 2014, 18, P280	78
307	Effect of positive end-expiratory pressure on right ventricle function assessed by speckle tracking echocardiography. 2014, 18, P281	78
306	Airway pressure release ventilation restores hemodynamic stability in patients with cardiogenic shock: initial experience in cardiac intensive care. 2014, 18, P282	78
305	Experimental VILI begins with subpleural lung lesions. 2014, 18, P283	78
304	CT scan and ultrasound comparative assessment of PEEP-induced lung aeration changes in ARDS. 2014, 18, P285	8
303	Effect of tidal volume and positive end-expiratory pressure on lung hysteresis of healthy piglets. 2014, 18, P286	78
302	Evaluation and quantification of pulmonary hyperinflation in three gravitational zones of domestic felines by computed tomography. 2014, 18, P287	78
301	Effect of inhaled nitric oxide on apoptosis of lymphocytes in newborns in a critical state. 2014, 18, P288	1
300	High-frequency oscillatory ventilation use in patients with H1N1: a single-centre review. 2014, 18, P290	78
299	EIT comparison of airway pressure release ventilation and conventional ventilation. 2014, 18, P291	78
298	Comparison of HFOV and conventional ventilation in H1N1 influenza ARDS. 2014, 18, P293	78
297	Opening pressures and intratidal opening and closing in ARDS lung. 2014, 18, P294	78
296	Compliance with protective lung ventilation in an Irish teaching hospital. 2014, 18, P295	78
295	Mechanisms underlying the lung-protective effects of FFlow- controlled EXpiration. 2014, 18, P296	2
294	Fluid balance predicts weaning failure in chronic obstructive pulmonary disease patients. 2014, 18, P299	2
293	Role of the rapid shallow breathing index to predict the success of mechanical ventilator liberation in acute respiratory failure. 2014, 18, P300	78

292	Determinants of ventilator weaning outcome in a medical-surgical ICU. 2014, 18, P301	78
291	Microbiology and outcomes of severe pneumonia in critically ill cancer patients. 2014, 18, P302	78
290	Biomarker-based exclusion of ventilator-associated pneumonia: a multicentre validation study. 2014, 18, P303	1
289	Validation of the 2005 American Thoracic Society/Infectious Diseases Society of America guidelines for ventilator-associated pneumonia: a Japanese multicenter observational study. 2014, 18, P305	78
288	Surveillance and evaluation of ventilator-associated events as per Centers for Disease Control and Prevention guidelines. 2014, 18, P306	78
287	Extracorporeal carbon dioxide removal as a bridge to lung transplantation in life-threatening hypercapnia. 2014, 18, P307	78
286	Quantifying sputum production in intensive therapy. 2014, 18, P309	78
285	Outcomes of patients with acute respiratory failure of mixed aetiology treated with non-invasive ventilation in a large teaching hospital critical care unit. 2014, 18, P310	78
284	Inhalation injury and clinical course in major burned patients. 2014, 18, P312	78
283	Severe respiratory failure in multiple trauma patients: extracorporeal support as a salvage therapy - a single-center experience. 2014, 18, P313	78
282	Advanced respiratory care techniques in a severe adult respiratory failure unit. 2014, 18, P314	78
281	Novel carbon dioxide removal device driven by a renal-replacement system without hemofilter: an experimental approach and validation. 2014, 18, P316	2
280	Does geography affect referral rates for extracorporeal membrane oxygenation in England?. 2014, 18, P317	78
279	Assessment of an endotracheal tube cleaning closed-suctioning system by micro-computed tomography: preliminary clinical data. 2014, 18, P318	78
278	Does cost affect endotracheal tube performance?. 2014, 18, P319	78
277	Tracheostomy in obese patients: the best tube choice issue. 2014, 18, P320	1
276	Development of the novel Tracoe Twist Plus tracheostomy tube. 2014, 18, P322	78
275	Double-lumen endotracheal tube for percutaneous tracheostomy: in vitro and in vivo preliminary data. 2014, 18, P324	78

274	National survey of ICUs in the UK: discharging patients with tracheostomies. 2014 , 18, P325	78
273	Percutaneous dilatational tracheostomy in patients with severe coagulopathy or thrombocytopenia. 2014 , 18, P326	78
272	Repeat bedside percutaneous tracheostomy: still a contraindication?. 2014 , 18, P327	0
271	National UK survey: a review of percutaneous tracheostomy and auxiliary subglottic suction port use. 2014 , 18, P328	2
270	Is the post-critical care environment safe for tracheostomy patients?. 2014 , 18, P329	78
269	Survey on the use of chlorhexidine and toothpaste as part of oral care in UK ICUs. 2014 , 18, P330	78
268	Survey of the use and practicalities of subglottic suction drainage in the UK. 2014 , 18, P332	78
267	Intravenous perfluorocarbons increased oxygen delivery/ consumption in ARDS in swine. 2014 , 18, P333	78
266	Prevention of pneumothorax using venovenous ECMO in acute respiratory distress syndrome with emphysematous/cystic changes in the lung. 2014 , 18, P334	1
265	Injurious ventilation has an age-dependent affect on the pulmonary renin-angiotensin system in LPS-challenged rats. 2014 , 18, P335	1
264	Role of Th1 and Th17 imbalance in acute lung injury mice. 2014 , 18, P336	78
263	Comparison of CD80 level on dendritic cells in acute lung injury mice. 2014 , 18, P337	78
262	Five-year single-centre review of ARDS patients receiving high-frequency oscillatory ventilation. 2014 , 18, P338	78
261	Blocking angiotensin type 1 receptor modulates Th1-mediated and Th17-mediated responses in lipopolysaccharide-induced acute lung injury mice. 2014 , 18, P339	78
260	Echocardiographic guidance for Avalon Elite dual-lumen catheter implantation. 2014 , 18, P340	2
259	Risk factors for multi-resistant organisms in sepsis. 2014 , 18, P342	78
258	Clostridium difficile infection in ICU patients. 2014 , 18, P344	78
257	Retrospective observational analysis of the infective risk of arterial lines in a general ICU. 2014 , 18, P345	78

256	Reducing CR-BSI in a general ICU. 2014 , 18, P346	78
255	Risk factors of candidemia in postoperative ICU patients: a prospective study. 2014 , 18, P347	1
254	Escherichia coli infection in Polish neonatology ICUs in 2009 to 2012. 2014 , 18, P348	78
253	Infection control as a nonpharmacologic strategy for the prevention of healthcare-associated infections in a Ukrainian hospital. 2014 , 18, P349	78
252	Surveillance for nosocomial pathogens in our ICU. 2014 , 18, P350	78
251	Candida in the respiratory tract secretions of critically ill patients and the impact of antifungal treatment: a randomized placebocontrolled pilot trial (CANTREAT study). 2014 , 18, P352	78
250	Retrospective analysis of respiratory isolates post out-of-hospital cardiac arrest to establish choices in empirical antibiotic cover. 2014 , 18, P353	78
249	Pharmacokinetics of antituberculosis drugs in critically ill patients with tuberculosis and acute respiratory failure. 2014 , 18, P354	78
248	Eight-year study of the Staphylococcus epidermidis resistance profile against glycopeptides, oxazolidinones and glycylyclines in an ICU of a Greek tertiary hospital. 2014 , 18, P355	78
247	Vancomycin-resistant enterococci: eradication using vancomycin?. 2014 , 18, P356	78
246	Audit of bacteraemia management in a university hospital ICU. 2014 , 18, P357	78
245	Sepsis: impact of timely and appropriate empirical antibiotic therapy on mortality. 2014 , 18, P358	1
244	Safety and efficacy of amphotericin B inhalation for Candida spp. in the respiratory tract of critically ill patients. 2014 , 18, P359	78
243	Inhaled tobramycin for the treatment of nosocomial pneumonia in sepsis. 2014 , 18, P360	78
242	Sternal wound infections in cardiac surgery: effects of vancomycin prophylaxis. 2014 , 18, P361	78
241	Retrospective analysis of the clinical utility of blood cultures taken surrounding intensive care admission. 2014 , 18, P362	78
240	Employing quality improvement methodology in sepsis: an electronic sepsis order set further improves compliance with the Surviving Sepsis Campaign 3-hour bundle. 2014 , 18, P363	78
239	Acute kidney injury in cardiorenal syndrome type 1: a meta-analysis. 2014 , 18, P364	78

238	Early detection of postoperative acute kidney injury by Doppler renal resistive index in major lung and cardiac operations. 2014, 18, P365	78
237	Renal resistive index at ICU admission and its change after 24 hours predict acute kidney injury in sepsis. 2014, 18, P366	4
236	Acute kidney injury and cardiac surgery: impact of fluid balance on AKI classification and prognosis. 2014, 18, P367	78
235	Acute kidney injury of all severity is associated with extended hospitalization after critical illness. 2014, 18, P368	2
234	Early acute kidney injury in nonsepsis, noncardiac surgical patients admitted to a general surgical ICU. 2014, 18, P369	78
233	Impact of kidney function calculation formulae on predicting early adverse renal events in cardiac surgery. 2014, 18, P370	78
232	Fluid accumulation increases the risk of AKI progression and death in critically ill patients with early AKI. 2014, 18, P371	1
231	Postoperative acute kidney injury in patients with gynecologic malignancies. 2014, 18, P372	78
230	Acute kidney injury after elective adult cardiac surgery. 2014, 18, P373	78
229	Incidence and outcomes of contrast-induced nephropathy in adult ICU patients. 2014, 18, P374	78
228	Human acute kidney injury is associated with a proinflammatory phenotype. 2014, 18, P375	78
227	Risk factors for the development of contrast-induced nephropathy in ICU patients. 2014, 18, P376	78
226	Test characteristics of acute kidney injury biomarkers in animal models of sepsis. 2014, 18, P377	78
225	Perioperative measurement of urinary oxygen tension as a tool in the prevention of acute kidney injury?. 2014, 18, P378	78
224	Postoperative acute kidney injury can be predicted by the novel biomarkers insulin-like growth factor-binding protein 7/tissue inhibitor of metalloproteinases-2 as early as 6 hours after surgery. 2014, 18, P379	78
223	Urine TIMP2 \square GFBP7 increases 24 hours before severe AKI. 2014, 18, P380	78
222	Resveratrol ameliorates apoptosis induced by contrast medium ioxitalamate in HK-2 human renal proximal tubule cells in vitro. 2014, 18, P383	78
221	Estimated GFR versus creatinine clearance for evaluation of recovery from acute kidney injury. 2014, 18, P385	78

220	Recovery from AKI by KDIGO criteria. 2014 , 18, P386	1
219	Incidence and outcomes of acute kidney injury following orthotopic lung transplant: a population-based cohort study. 2014 , 18, P387	1
218	Fluid accumulation post cardiac surgery and risk for renal replacement therapy. 2014 , 18, P388	78
217	Recovery of renal function after acute kidney injury requiring continuous renal replacement therapy. 2014 , 18, P389	78
216	Relation between preoperative use of diuretics and renal replacement therapy after cardiac surgery: a propensity score analysis. 2014 , 18, P390	78
215	Continuous renal replacement therapy (CVVHD) for acute kidney injury in critical care: incidence and outcome across South West Wales. 2014 , 18, P391	2
214	Renal replacement therapy in very elderly critical care patients. 2014 , 18, P392	78
213	Preventing continuous renal replacement therapies (CRRT)-induced hypophosphatemia using a phosphate-containing CRRT solution in the setting of regional citrate anticoagulation. 2014 , 18, P393	78
212	Evaluation of functional differences between two anticoagulation methods used in continuous renal replacement therapy in critical patients. 2014 , 18, P395	78
211	Development of key performance indicators for renal replacement therapy in adult intensive care to guide safe and cost-effective therapy. 2014 , 18, P396	78
210	Effectiveness of sub-albumin protein leakage membrane EMIC2 in post-cardiac surgery rhabdomyolysis. 2014 , 18, P397	78
209	Myoglobin removal of small-protein leakage membrane (EMIC2) in patients in the ICU: a case series. 2014 , 18, P398	2
208	Plasma filtration with dialysis (plasma diafiltration) in critically ill patients with acute liver failure. 2014 , 18, P399	78
207	Efficacy of continuous plasma diafiltration therapy. 2014 , 18, P400	78
206	Hemodialysis with high cutoff membranes improves tissue perfusion in severe sepsis: preliminary data of the Sepsis in Florence sTudy (SIFT). 2014 , 18, P401	1
205	Pharmacodynamics and pharmacokinetics of ciprofloxacin during sustained low-efficiency dialysis. 2014 , 18, P402	78
204	Pharmacokinetics of meropenem during continuous renal replacement therapy in critically ill patients. 2014 , 18, P403	1
203	Impact of ideal versus estimated body weight on haemofiltration dosing in critically ill patients with AKI. 2014 , 18, P404	1

202	ICU patients treated with RRT for AKI who have chronic kidney disease have better 1-year outcome compared with patients with better kidney function. 2014, 18, P405	78
201	Long-term outcomes in acute kidney injury patients treated with renal replacement therapy who were alive at hospital discharge. 2014, 18, P406	78
200	Polymyxin B-immobilized fiber hemoperfusion therapy improves sepsis-related immunosuppression. 2014, 18, P407	78
199	Endotoxin activity assay and polymyxin B hemoperfusion use in a cohort of critically ill patients. 2014, 18, P408	78
198	An assessment of long-term sleep quality using actigraphy in survivors of critical illness. 2014, 18, P410	78
197	Study to assess whether staff are able to accurately assess sleep quality and quantity in intensive care patients. 2014, 18, P411	78
196	Simplified versus standard EEG to measure the depth of sedation in mechanically ventilated ICU patients. 2014, 18, P412	78
195	Haemodynamic effects of clonidine in an ovine model of severe sepsis with septic acute kidney injury. 2014, 18, P414	78
194	Off-label use of clonidine for sedation in Dutch ICUs. 2014, 18, P415	1
193	Different effects of propofol and dexmedetomidine on preload dependency in endotoxemic shock with norepinephrine infusion: a randomized case-control study. 2014, 18, P417	1
192	Propofol: monitoring for complications. 2014, 18, P418	0
191	Influence of increased intracranial pressure on sevoflurane-fentanyl anesthesia in major abdominal surgery. 2014, 18, P419	78
190	Quantifying sedation satisfaction during bronchoscopy using the Bispectral Index. 2014, 18, P420	78
189	Risk factor of withdrawal syndrome in the paediatric ICU. 2014, 18, P421	1
188	Epidural analgesia reduces perioperative myocardial infarction and all-cause mortality after cardiac surgery: but at least 25 epidural hematomas have already happened. 2014, 18, P422	78
187	Delirium screening, prevention and treatment in the ICU: a systematic review of implementation strategies. 2014, 18, P423	1
186	Effect of enteral and/or parenteral glutamine supplementation on mortality and morbidity in the critically ill. 2014, 18, P424	78
185	Increased threshold for gastric residual volumes and impact on nutrition in the ICU. 2014, 18, P425	78

184	Early enteral feeding in the septic critically ill patient: evaluation of our feeding protocol. 2014 , 18, P426	1
183	A nutritional protocol and personalized support reduce the cumulative caloric deficit of cardiac surgery patients. 2014 , 18, P427	1
182	Vitamin B and C levels of homeless patients who visit the emergency department with alcohol ingestion. 2014 , 18, P428	78
181	Acid-base disorders according to the Stewart approach in septic patients. 2014 , 18, P429	78
180	Changes in urinary electrolytes during acute respiratory acid-base modifications. 2014 , 18, P430	1
179	Admission hypomagnesemia as a mortality predictor in medical critically ill patients. 2014 , 18, P431	2
178	Impact of reduced frequency of phosphate testing on detected phosphate levels and phosphate prescription in critical care. 2014 , 18, P432	78
177	Effect of albumin and total protein concentration on plasma sodium measurements in the ICU. 2014 , 18, P433	78
176	Main causes of water-electrolyte disturbances in patients with acute brain injury: central diabetes insipidus and cerebral salt wasting syndrome. 2014 , 18, P434	78
175	Cardiac surgery alters the sensitivity of the dynamic interaction between the pituitary and adrenal glands. 2014 , 18, P435	78
174	Melatonin blood values and total antioxidant capacity in critically ill patients. 2014 , 18, P436	2
173	Continuous prediction of glucose-level changes using an electronic nose in critically ill patients. 2014 , 18, P437	1
172	Evaluation of blood glucose control in ICU patients with Space GlucoseControl: a European study. 2014 , 18, P438	78
171	Evaluation of Symphony CGM, a non-invasive, transdermal continuous glucose monitoring system for use in critically ill patients. 2014 , 18, P439	2
170	Time-course evaluation of blood glucose changes in response to insulin delivery in critically ill patients. 2014 , 18, P440	78
169	Glycaemia and critical care outcomes. 2014 , 18, P441	78
168	First clinical study data from therapeutic use of a novel continuous glucose monitoring system in the ICU. 2014 , 18, P443	1
167	Impact of corticosteroid administration in septic shock on glycemic variability. 2014 , 18, P445	78

166	Blood glucose target in acute phase suggested by the analysis of the relationship between blood glucose profile and the severity of the diseases. 2014 , 18, P446	78
165	Anti-inflammatory and antioxidant effects of ranolazine on primary cultured astrocytes. 2014 , 18, P447	1
164	Intrathecal lactate to predict spinal cord ischemia in major abdominal surgery. 2014 , 18, P449	78
163	Predictors of ventilatory outcome in cervical spinal injuries. 2014 , 18, P450	78
162	Evaluation of the ocular microcirculation in brain-dead patients: first step towards a new method of multimodal neuromonitoring?. 2014 , 18, P452	78
161	External validation of an early warning alert for elevated intracranial pressure in the Avert-IT database. 2014 , 18, P453	78
160	New support system using a mobile device for diagnostic image display and treatment of acute stroke in Japanese depopulated areas. 2014 , 18, P454	78
159	Effects of cardiac output-guided hemodynamic management on fluid administration after aneurysmal subarachnoid hemorrhage. 2014 , 18, P455	1
158	Effect of transient cerebral ischemia on the expression of receptor for advanced glycation end products in the gerbil hippocampus proper. 2014 , 18, P456	78
157	Correlation of thermal Doppler flowmetry and microdialysis values in patients with severe subarachnoid hemorrhage and traumatic brain injury. 2014 , 18, P457	78
156	New look at the 20 mmHg ICP threshold. 2014 , 18, P458	1
155	Model of intracranial hypertension of tumor etiology in laboratory rats. 2014 , 18, P459	78
154	Arterial-jugular bulb differences in pCO ₂ , lactate, serum sodium and C-reactive protein in neurocritical patients. 2014 , 18, P460	78
153	Accuracy of transcranial color-coded duplex sonography in predicting clinical vasospasm and delayed cerebral ischemia in patients with subarachnoid hemorrhage. 2014 , 18, P462	78
152	Brain death determination in Europe: one condition with too many nuances. 2014 , 18, P464	78
151	What do brain-dead patients ultimately die of?. 2014 , 18, P465	78
150	Acute and long-term outcomes of ICU-acquired weakness: a cohort study and propensity matched analysis. 2014 , 18, P466	3
149	Early electrophysiological diagnosis of ICU-acquired weakness. 2014 , 18, P467	78

148	Choosing a cerebral near-infrared spectroscopy system for use in traumatic brain injury: deriving the ideal source detector layout. 2014 , 18, P468	1
147	Single-subject assessment of the distribution of white matter abnormalities measured by diffusion tensor imaging in patients with severe traumatic brain injury. 2014 , 18, P469	78
146	Long-term outcome after severe traumatic brain injury. 2014 , 18, P470	78
145	Vitamin D level could affect the recovery rate in traumatic brain injury: a retrospective study. 2014 , 18, P471	1
144	Could selected probiotics have beneficial effects on clinical outcome of severe traumatic brain injury patients?. 2014 , 18, P472	5
143	Effect of blood alcohol level on outcome of patients with traumatic brain injury. 2014 , 18, P473	78
142	Long-term outcome prediction using IMPACT and APACHE II in patients with traumatic brain injury treated in the ICU. 2014 , 18, P474	78
141	Validating and comparing the CAM-ICU and the ICDS-C in mild and moderate traumatic brain injury patients: a multicenter prospective study. 2014 , 18, P475	1
140	Functional status after 3 years in ICU patients with traumatic brain injury. 2014 , 18, P476	78
139	Demographic profiles and extent of critical care resources utilisation in patients with severe traumatic brain injury: a Tan Tock Seng Hospital National Neuroscience Institute study. 2014 , 18, P477	78
138	Outcome measures in randomized controlled trials of patients with severe traumatic brain injury: a systematic review. 2014 , 18, P478	78
137	Predicting 6-month mortality of patients with traumatic brain injury: usefulness of common severity scores. 2014 , 18, P479	78
136	Work activities after 3-year follow-up in ICU patients with traumatic brain injury. 2014 , 18, P480	78
135	Simulation-based education for cardiopulmonary resuscitation and airway management protocols: a brief report of a systematic review and meta-analysis. 2014 , 18, P482	1
134	Video analysis of cardiopulmonary resuscitation performance of ambulance crews during transportation. 2014 , 18, P483	78
133	Implementation of the PulsePoint smartphone application for crowd-sourcing bystander resuscitation. 2014 , 18, P484	6
132	Emergency room advanced life support after cardiac arrest: outcomes and survival, nursing care and team response. 2014 , 18, P485	78
131	What is the role of head computed tomography in post-resuscitation care?. 2014 , 18, P486	1

130	To see or not to see: does video CPR perform better than telephone CPR?. 2014 , 18, P487	78
129	Initial anticoagulation strategy for extracorporeal cardiopulmonary resuscitation patients. 2014 , 18, P488	78
128	Predictors of poor outcome in out-of-hospital cardiac arrest. 2014 , 18, P489	78
127	Mean initial cerebral saturation and time to start advanced life support in out-of-hospital cardiac arrest: are they correlated?. 2014 , 18, P490	78
126	Predicting survival in patients admitted to intensive care following out-of-hospital cardiac arrest using the Prognosis After Resuscitation score. 2014 , 18, P491	2
125	Post Arrest Consult Team: a knowledge translation strategy for post-cardiac arrest care. 2014 , 18, P492	78
124	One-year assessment of in-hospital cardiac arrest. 2014 , 18, P493	3
123	Endovascular hypothermia after cardiac arrest in a Chilean ICU. 2014 , 18, P494	78
122	Knowledge and use of therapeutic hypothermia in cardiac arrest victims among healthcare staff in Greece. 2014 , 18, P495	78
121	Induced hypothermia of 33°C does not affect host response compared with maintaining 36°C. 2014 , 18, P496	78
120	Shivering during targeted temperature management after cardiac arrest: a physiologic description. 2014 , 18, P498	78
119	Temperature management following cardiac arrest: introducing a protocol improves compliance with targets. 2014 , 18, P499	78
118	Factors involved in prolonged effect of neuromuscular blockade in therapeutic hypothermia. 2014 , 18, P500	78
117	Serum phosphate concentration during the rewarming period after deep hypothermic circulatory arrest. 2014 , 18, P501	0
116	Influence of baseline magnesium concentrations on shivering in therapeutic temperature modulation. 2014 , 18, P502	0
115	Derived electromyography is an accurate measure of shivering burden during targeted temperature management. 2014 , 18, P497	78
114	Lactate clearance as a predictor of mortality in colonic perforation. 2014 , 18, P175	78
113	Intensive alveolar recruitment after cardiac surgery: a randomized controlled clinical trial. 2014 , 18,	78

112	Adipose tissue lactate clearance but not blood lactate clearance is associated with clinical outcome in severe sepsis or septic shock during the post-resuscitation period. 2014 , 18, P172		78
111	Correlation between arterial lactate and venous lactate in patients with sepsis and septic shock. 2014 , 18, P177		6
110	Value of peak flow rates measured during a spontaneous breathing trial to predict success of weaning from mechanical ventilation. 2014 , 18, P297		78
109	Implementation of the Behavioural Pain Scale in sedated mechanically ventilated patients in a UK ICU. 2014 , 18, P413		78
108	T-cell receptor activation-associated cytokine release is impaired in septic patients with faecal peritonitis. 2014 , 18, P225		78
107	A randomized controlled trial of adaptive support ventilation mode to wean patients after fast-track cardiac valvular surgery. <i>Anesthesiology</i> , 2015 , 122, 832-40	4.3	31
106	Evaluation of the influence of pulmonary hypertension in ultra-fast-track anesthesia technique in adult patients undergoing cardiac surgery. 2015 , 30, 449-58		1
105	Cardiac intensive care for the neonate and child after cardiac surgery. 2015 , 30, 81-8		14
104	Examining Health Care Costs: Opportunities to Provide Value in the Intensive Care Unit. 2015 , 33, 753-70		9
103	Early extubation and fast-track management of off-pump cardiac patients in the intensive care unit. 2015 , 19, 163-8		6
102	Predictors of Failure in Fast-Track Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015 , 29, 1466-71	2.1	21
101	High thoracic epidural in cardiac anesthesia: a review. 2015 , 19, 38-48		16
100	Is cardiac anaesthesiologist the best person to look after cardiac critical care?. <i>Annals of Cardiac Anaesthesia</i> , 2015 , 18, 4-7	1.3	1
99	Short-term and Long-term Postoperative Safety of Off-Pump versus On-Pump Coronary Artery Bypass Grafting for Coronary Heart Disease: A Meta-analysis for Randomized Controlled Trials. 2015 , 63, 319-27		13
98	A comprehensive literature review on hypothermia and early extubation following coronary artery bypass surgery. 2015 , 28, 137-41		0
97	Role of the clinical nurse specialist in improving patient outcomes after cardiac surgery. <i>AACN Advanced Critical Care</i> , 2015 , 26, 35-42	1	3
96	Early Perioperative Management After Pediatric Cardiac Surgery: Review at PCICS 2014. 2015 , 6, 565-74		3
95	Perioperative ventilatory strategies in cardiac surgery. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2015 , 29, 381-95	4	26

94	Continuous sedation vs. daily sedation interruption in mechanically-ventilated children. <i>Paediatrica Indonesiana</i> , 2016 , 56, 19	0.2	
93	Comparison of Transcutaneous Electrical Nerve Stimulation and Parasternal Block for Postoperative Pain Management after Cardiac Surgery. <i>Pain Research and Management</i> , 2016 , 2016, 4261-4269	2.6	16
92	New Fast-Track Concepts in Thoracic Surgery: Anesthetic Implications. <i>Current Anesthesiology Reports</i> , 2016 , 6, 117-124	1	2
91	Quality Improvement Intervention to Decrease Prolonged Mechanical Ventilation After Coronary Artery Bypass Surgery. <i>American Journal of Critical Care</i> , 2016 , 25, 423-30	1.7	7
90	Fast-track cardiac care for adult cardiac surgical patients. <i>The Cochrane Library</i> , 2016 , 9, CD003587	5.2	40
89	Early Extubation: A Proposed New Metric. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2016 , 28, 290-299	2.1	22
88	Remifentanyl Compared With Sufentanyl Does Not Enhance Fast-Track Possibilities in Cardiac Surgery-A Randomized Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016 , 30, 1212-20	2.1	17
87	A randomized controlled trial of 2 protocols for weaning cardiac surgical patients receiving adaptive support ventilation. <i>Journal of Critical Care</i> , 2016 , 33, 163-8	4	8
86	Association Between Arterial Carbon Dioxide Tension and Outcome in Patients Admitted to the Intensive Care Unit After Coronary Artery Bypass Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017 , 31, 61-68	2.1	1
85	Early extubation in pediatric heart surgery across a spectrum of case complexity: Impact on hospital length of stay and chest tube days. <i>Progress in Pediatric Cardiology</i> , 2017 , 45, 63-68	0.4	12
84	Current evidence on fast track cardiac recovery management. <i>European Heart Journal Supplements</i> , 2017 , 19, A3-A7	1.5	18
83	Anaesthesia and cardiopulmonary bypass aspects of fast track. <i>European Heart Journal Supplements</i> , 2017 , 19, A15-A17	1.5	1
82	Predictors of operating room extubation in adult cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017 , 154, 1656-1665.e2	1.5	14
81	Benefits of ultra-fast-track anesthesia in left ventricular assist device implantation: a retrospective, propensity score matched cohort study of a four-year single center experience. <i>Journal of Cardiothoracic Surgery</i> , 2017 , 12, 10	1.6	9
80	Update to Practice Standards for Electrocardiographic Monitoring in Hospital Settings: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2017 , 136, e273-e344	16.7	105
79	Ultrafast Track Robotic-Assisted Minimally Invasive Coronary Artery Surgical Revascularization. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2017 , 12, 346-350	1.5	6
78	Prayer sign as a marker of increased ventilatory hours, length of intensive care unit and hospital stay in patients undergoing coronary artery bypass grafting surgery. <i>Annals of Cardiac Anaesthesia</i> , 2017 , 20, 90-92	1.3	
77	[Implication of early extubation after cardiac surgery for postoperative rehabilitation]. <i>Pan African Medical Journal</i> , 2017 , 28, 81	1.2	0

76	Impact of Intubation Time on Survival following Coronary Artery Bypass Grafting: Insights from the Surgical Treatment for Ischemic Heart Failure (STICH) Trial. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018 , 32, 1256-1263	2.1	1
75	A Multidisciplinary Protocol-Driven Approach to Improve Extubation Times After Cardiac Surgery. <i>Annals of Thoracic Surgery</i> , 2018 , 105, 1684-1690	2.7	8
74	Use of Provider Debriefing to Improve Fast-Track Extubation Rates Following Cardiac Surgery at an Academic Medical Center. <i>American Journal of Medical Quality</i> , 2018 , 33, 172-176	1.1	1
73	Lower Dose of Sufentanil Does Not Enhance Fast Track Significantly-A Randomized Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018 , 32, 731-738	2.1	7
72	Implementation of an Early Extubation Protocol in Cardiac Surgical Patients Decreased Ventilator Time But Not Intensive Care Unit or Hospital Length of Stay. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018 , 32, 739-744	2.1	16
71	A Review of Perioperative Analgesic Strategies in Cardiac Surgery. <i>International Anesthesiology Clinics</i> , 2018 , 56, e56-e83	0.6	
70	Regional Anesthesia and Cardiovascular Disease. 2018 , 529-540		
69	Respiratory Complications and Management After Adult Cardiac Surgery. 2018 , 327-363		
68	To extubate or not to extubate: Risk factors for extubation failure and deterioration with further mechanical ventilation. <i>Journal of Cardiac Surgery</i> , 2019 , 34, 1004-1011	1.3	3
67	Outcomes following nighttime extubation in a high-intensity medical intensive care unit. <i>Journal of Critical Care</i> , 2019 , 54, 30-36	4	0
66	Guidelines for Perioperative Care in Cardiac Surgery: Enhanced Recovery After Surgery Society Recommendations. <i>JAMA Surgery</i> , 2019 , 154, 755-766	5.4	264
65	High-dose versus low-dose opioid anesthesia in adult cardiac surgery: A meta-analysis. <i>Journal of Clinical Anesthesia</i> , 2019 , 57, 57-62	1.9	12
64	Early Extubation Without Increased Adverse Events in High-Risk Cardiac Surgical Patients. <i>Annals of Thoracic Surgery</i> , 2019 , 107, 453-459	2.7	5
63	The Society of Thoracic Surgeons Adult Cardiac Surgery Database: 2019 Update on Outcomes and Quality. <i>Annals of Thoracic Surgery</i> , 2019 , 107, 24-32	2.7	106
62	Is routine extubation overnight safe in cardiac surgery patients?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 157, 1533-1542.e2	1.5	5
61	Results from an enhanced recovery program for cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020 , 159, 1393-1402.e7	1.5	38
60	The Major Decrease in Resource Utilization in Recent Decades Seems Guided by Demographic Changes: Fast Tracking-Real Concept or Demographics. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020 , 34, 1476-1484	2.1	1
59	Fast-track extubation after cardiac surgery in infants: Tug-of-war between performance and reimbursement?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 , 162, 435-443	1.5	8

58	Impact of high spinal anesthesia technique on fast-track strategy in cardiac surgery: retrospective study. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	2
57	Factors Associated With Early Extubation After Cardiac Surgery: A Retrospective Single-Center Experience. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021 , 35, 1964-1970	2.1	2
56	Cardiac Surgery. 2022 , 487-504		
55	The Impact of Atrial Fibrillation on Hospital Length of Stay After Cardiac Surgery. <i>Developments in Cardiovascular Medicine</i> , 2000 , 81-93		2
54	Remifentanyl for cardiac anaesthesia. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 523, 171-87	3.6	1
53	Cardiac Surgery ERAS. 2020 , 497-511		2
52	Anaesthetic Management. 2013 , 63-71		1
51	Fast-Track Cardiac Surgery. 2007 , 356-360		1
50	ICU Sedation:A Review of Its Pharmacology and Assessment. <i>Journal of Intensive Care Medicine</i> , 1998 , 13, 174-183	3.3	3
49	A45 POSTOPERATIVE RECOVERY OF COGNITIVE FUNCTION AFTER CARDIAC SURGERY IN ELDERLY PATIENTS. <i>Anesthesiology</i> , 1997 , 87, 45A	4.3	1
48	Perioperative predictors of extubation failure and the effect on clinical outcome after cardiac surgery. <i>Critical Care Medicine</i> , 1999 , 27, 340-7	1.4	169
47	Structural models for intermediate care areas. <i>Critical Care Medicine</i> , 1999 , 27, 2266-71	1.4	46
46	Effect of a nursing-implemented sedation protocol on the duration of mechanical ventilation. <i>Critical Care Medicine</i> , 1999 , 27, 2609-15	1.4	865
45	Advances in anesthesia for cardiac surgery: an overview for the 1990s. <i>AACN Advanced Critical Care</i> , 1997 , 8, 41-9		7
44	Early extubation and fast-track anesthetic technique for endoscopic cardiac surgery. <i>Heart Surgery Forum</i> , 2010 , 13, E190-4	0.7	7
43	Predictive risk factors for pulmonary oxygen transfer in patients undergoing coronary artery bypass grafting. <i>International Heart Journal</i> , 2001 , 42, 143-53		7
42	Anesthesia in adult cardiac surgery without maintenance of muscle relaxants: a randomized clinical trial. <i>Pakistan Journal of Biological Sciences</i> , 2009 , 12, 1111-8	0.8	2
41	Hemodynamic Changes During Discontinuation of Mechanical Ventilation in Medical Intensive Care Unit Patients. <i>American Journal of Critical Care</i> , 2006 , 15, 580-593	1.7	18

40	Role of the Clinical Nurse Specialist in Improving Patient Outcomes After Cardiac Surgery. <i>AACN Advanced Critical Care</i> , 2015 , 26, 35-42	1	6
39	A comparative study of early and late extubation following transoral odontoidectomy and posterior fixation. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2016 , 32, 33-7	1.3	4
38	Ultra Fast-track extubation in heart transplant surgery patients. <i>International Journal of Critical Illness and Injury Science</i> , 2015 , 5, 89-92	0.7	9
37	Factors affecting reintubations after cardiac and thoracic surgeries in cardiac intensive care unit of a tertiary care hospital. <i>Saudi Journal of Anaesthesia</i> , 2018 , 12, 256-260	1.2	1
36	Fast Track Extubation Post Coronary Artery Bypass Graft: A Retrospective Review of Predictors of Clinical Outcomes*. <i>World Journal of Cardiovascular Surgery</i> , 2013 , 03, 81-86	0	3
35	Implementation of a nurse-led protocol for early extubation after cardiac surgery: A pilot study. <i>World Journal of Critical Care Medicine</i> , 2019 , 8, 28-35	3	4
34	Effect of Adaptive Support Ventilation Weaning Mode in Two Conventional or Standard Methods on Respiratory and Hemodynamic Performance Indices: A Randomized Clinical Trial. <i>Trauma Monthly</i> , 2016 , inpress,	1	1
33	ICU Nurses-An Impact Factor on Patient Turnover in Cardiac Surgery in Western Denmark?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021 ,	2.1	
32	Fast Track Cardiac Surgery. 2001 , 449-453		
31	Do Inhalational Agents Have Beneficial or Harmful Effects?. 2009 , 126-130		
30	Postoperative Cardiac Recovery and Outcomes. 2011 , 1010-1024		1
29	Postoperative Cardiovascular Management. 2011 , 1025-1045		
28	Anesthesia for Myocardial Revascularization. 2011 , 522-569		1
27	Heart Rate Variability in the Intensive Care Unit. 2012 , 203-220		
26	Outcome Characteristics of Multiple-Valve Surgery. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2014 , 9, 27-32	1.5	3
25	Predicting extubation failure after open-heart surgery: can we harness the strength of large clinical databases?. <i>Critical Care Medicine</i> , 1999 , 27, 246-7	1.4	
24	Is Extubating My Cardiac Surgery Patient Postoperatively in the Operating Room a Good Idea?. 2017 , 67-69		
23	Ultrafast Track Robotic-Assisted Minimally Invasive Coronary Artery Surgical Revascularization. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2017 , 12, 346-350	1.5	

22	Fast-track cardiac anaesthesia protocols: Is quality pushed to the edge?. <i>Annals of Cardiac Anaesthesia</i> , 2020 , 23, 142-148	1.3	1
21	Pupillometric Monitoring of Nociception in Cardiac Anesthesia. <i>Deutsches A&#x0308;rzteblatt International</i> , 2020 , 117, 833-840	2.5	3
20	On-Pump and Off-Pump Coronary Revascularization Surgery. 2021 , 435-448		
19	Fast-Track Cardiac Anesthesia and Early Tracheal Extubation. 2021 , 33-39		
18	Anesthetic Management in On-Pump Valvular Heart Surgery. 2021 , 51-60		
17	The effect of a fast-track unit on the performance of a cardiothoracic department. <i>Annals of the Royal College of Surgeons of England</i> , 2000 , 82, 53-8	1.4	7
16	Sufentanil vs fentanyl for fast-track cardiac anaesthesia. <i>Indian Journal of Anaesthesia</i> , 2009 , 53, 455-62	1.5	8
15	Anesthesia for left ventricular assist device insertion: a case series and review. <i>Ochsner Journal</i> , 2011 , 11, 70-7	1.5	9
14	Can timing of tracheal extubation predict improved outcomes after cardiac surgery?. <i>HSR Proceedings in Intensive Care & Cardiovascular Anesthesia</i> , 2009 , 1, 39-47		22
13	Neuraxial anesthesia for cardiac surgery: thoracic epidural and high spinal anesthesia - why is it different?. <i>HSR Proceedings in Intensive Care & Cardiovascular Anesthesia</i> , 2011 , 3, 25-8		12
12	Impact of immediate versus delayed tracheal extubation on length of ICU stay of cardiac surgical patients, a randomized trial. <i>Heart, Lung and Vessels</i> , 2015 , 7, 311-9		4
11	Combining Minimally Invasive Surgery With Ultra-Fast-Track Anesthesia in HeartMate 3 Patients: A Pilot Study.. <i>Circulation: Heart Failure</i> , 2022 , CIRCHEARTFAILURE121008358	7.6	0
10	Pro: Early Extubation (. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021 ,	2.1	
9	Capnography and Pulse Oximetry Improve Fast Track Extubation in Patients Undergoing Coronary Artery Bypass Graft Surgery: A Randomized Clinical Trial. <i>Frontiers in Surgery</i> , 2022 , 9,	2.3	
8	A Three-hour Fast Track Extubation Protocol for Early Extubation Post Cardiac Surgery. <i>JTCVS Open</i> , 2022 ,	0.2	
7	Operating Room Versus Intensive Care Unit Extubation Within 6 Hours After On-Pump Cardiac Surgery: Early Results and Hospital Costs. 2022 ,		0
6	The Evaluation of Pre-Extubation Vital Signs as Indicators for Extubation Failure in ICU Patients.		0
5	What Is Known about Midazolam? A Bibliometric Approach of the Literature. 2023 , 11, 96		0

- 4 Association of immediate versus delayed extubation of patients admitted to intensive care units postoperatively and outcomes: A retrospective study. **2023**, 18, e0280820
- 3 Acute Pain Management Protocol for Cardiac Procedures. **2023**, 459-473
- 2 Fast-Track Cardiac Anesthesia. **2013**, 325-331
- 1 Feasibility of Postoperative Day One or Day Two Discharge After Robotic Cardiac Surgery. **2023**, 289, 35-41