CITATION REPORT List of articles citing

Outcome in patients with early rheumatoid arthritis treated according to the "sawtooth" strategy

DOI: 10.1002/art.1780390617 Arthritis and Rheumatism, 1996, 39, 996-1005.

Source: https://exaly.com/paper-pdf/27352512/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 63 | A retrospective study of treating RA patients with various combinations of slow-acting antirheumatic drugs in a county hospital. <i>Scandinavian Journal of Rheumatology</i> , 1997 , 26, 440-3 | 1.9 | 10 |
| 62 | Rheumatology. JAMA - Journal of the American Medical Association, 1997, 277, 1899 | 27.4 | |
| 61 | 8. Rheumatoid arthritis. <i>Medical Journal of Australia</i> , 1997 , 166, 156-161 | 4 | 6 |
| 60 | Treatment of early rheumatoid arthritis patients with slow-acting anti-rheumatic drugs (SAARDs). <i>Bailliere Clinical Rheumatology</i> , 1997 , 11, 65-82 | | 16 |
| 59 | Specialist management: needs and benefits. <i>Bailliereps Clinical Rheumatology</i> , 1997 , 11, 97-107 | | 9 |
| 58 | Decrease in cell adhesion molecules by treatment with anti-tumor necrosis factor alpha monoclonal antibody. <i>Arthritis and Rheumatism</i> , 1997 , 40, 789-90 | | |
| 57 | Reply: To the editor. <i>Arthritis and Rheumatism</i> , 1997 , 40, 791-792 | | 1 |
| 56 | Epidemiology of rheumatoid arthritis in Finland. Seminars in Arthritis and Rheumatism, 1998, 27, 325-34 | 5.3 | 50 |
| 55 | A 15-year follow-up study on the outcome in patients with early rheumatoid arthritis. <i>Japanese Journal of Rheumatology</i> , 1998 , 8, 117-129 | | |
| 54 | Early treatment of rheumatoid arthritis: rationale, evidence, and implications. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 511-2 | 2.4 | 18 |
| 53 | Only high disease activity and positive rheumatoid factor indicate poor prognosis in patients with early rheumatoid arthritis treated with "sawtooth" strategy. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 533-9 | 2.4 | 81 |
| 52 | A 15-year follow-up study on the outcome in patients with early rheumatoid arthritis. <i>Japanese Journal of Rheumatology</i> , 1998 , 8, 117-129 | | |
| 51 | Rheumatology. <i>BMJ: British Medical Journal</i> , 1998 , 316, 1810-2 | | 3 |
| 50 | Work disability in an inception cohort of patients with seropositive rheumatoid arthritis: a 20 year study. <i>Rheumatology</i> , 1999 , 38, 1138-41 | 3.9 | 82 |
| 49 | Juvenile chronic arthritis in adult life: a study of long-term outcome in patients with juvenile chronic arthritis or adult rheumatoid arthritis. <i>Clinical Rheumatology</i> , 1999 , 18, 220-6 | 3.9 | 17 |
| 48 | Therapy of rheumatoid arthritis: new developments and trends. <i>Current Rheumatology Reports</i> , 1999 , 1, 149-56 | 4.9 | 6 |
| 47 | Established rheumatoid arthritis. Best Practice and Research in Clinical Rheumatology, 1999 , 13, 561-75 | 5.3 | 39 |

(2004-1999)

| 46 | [Treatment of rheumatoid polyarthritis: evolution of concepts and strategies]. <i>Revue De Medecine Interne</i> , 1999 , 20, 171-8 | 0.1 | 13 |
|----|---|------|-----|
| 45 | Comparison of combination therapy with single-drug therapy in early rheumatoid arthritis: a randomised trial. FIN-RACo trial group. <i>Lancet, The</i> , 1999 , 353, 1568-73 | 40 | 602 |
| 44 | Leflunomide, a novel immunomodulator for the treatment of active rheumatoid arthritis. <i>Clinical Therapeutics</i> , 1999 , 21, 1837-52; discussion 1821 | 3.5 | 39 |
| 43 | Prognostic factors in early rheumatoid arthritis. <i>Rheumatology</i> , 2000 , 39 Suppl 1, 24-9 | 3.9 | 135 |
| 42 | Healing of erosions in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 647-9 | 2.4 | 23 |
| 41 | Disease-modifying anti-rheumatic drug use according to the SawtoothStreatment strategy improves the functional outcome in rheumatoid arthritis: results of a long-term follow-up study with review of the literature. <i>Rheumatology</i> , 2000 , 39, 34-42 | 3.9 | 44 |
| 40 | Effects of combinations of anti-rheumatic drugs on the production of vascular endothelial growth factor and basic fibroblast growth factor in cultured synoviocytes and patients with rheumatoid arthritis. <i>Rheumatology</i> , 2000 , 39, 1255-62 | 3.9 | 54 |
| 39 | The links between joint damage and disability in rheumatoid arthritis. <i>Rheumatology</i> , 2000 , 39, 122-32 | 3.9 | 347 |
| 38 | Were the patterns of treatment for rheumatoid arthritis during 1977-1992 consistent with modern clinical guidelines?. <i>Scandinavian Journal of Rheumatology</i> , 2001 , 30, 61-8 | 1.9 | 2 |
| 37 | How can the risk of long-term consequences of rheumatoid arthritis be reduced?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2001 , 15, 139-70 | 5.3 | 21 |
| 36 | Treatment strategy, disease activity, and outcome in four cohorts of patients with early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 453-8 | 2.4 | 40 |
| 35 | Ten year outcome in a cohort of patients with early rheumatoid arthritis: health status, disease process, and damage. <i>Annals of the Rheumatic Diseases</i> , 2002 , 61, 1055-9 | 2.4 | 118 |
| 34 | Delay to institution of therapy and induction of remission using single-drug or combination-disease-modifying antirheumatic drug therapy in early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002 , 46, 894-8 | | 274 |
| 33 | Spondyloarthropathies: an overview. <i>Internal Medicine Journal</i> , 2002 , 32, 40-46 | 1.6 | 20 |
| 32 | Course of radiographic damage over 10 years in a cohort with early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 611-6 | 2.4 | 142 |
| 31 | Determinants of physical function in rheumatoid arthritis: association with the disease process. <i>British Journal of Rheumatology</i> , 2003 , 42 Suppl 2, ii17-21 | | 15 |
| 30 | New concepts in the treatment of rheumatoid arthritis. <i>Annual Review of Medicine</i> , 2003 , 54, 197-216 | 17.4 | 58 |
| 29 | Prognostic factors for remission in early rheumatoid arthritis: a multiparameter prospective study. Annals of the Rheumatic Diseases, 2004, 63, 675-80 | 2.4 | 93 |

| 28 | Radiological outcome after four years of early versus delayed treatment strategy in patients with recent onset rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 274-9 | 2.4 | 100 |
|----|---|-----|-----|
| 27 | [Contribution of leflunomide to the cost effectiveness of sequential DMARD therapy of rheumatoid arthritis in Germany]. <i>Zeitschrift Fur Rheumatologie</i> , 2004 , 63, 59-75 | 1.9 | 5 |
| 26 | Retardation of joint damage in patients with early rheumatoid arthritis by initial aggressive treatment with disease-modifying antirheumatic drugs: five-year experience from the FIN-RACo study. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2072-81 | | 170 |
| 25 | [Early diagnosis of rheumatoid arthritis]. Zeitschrift Fur Rheumatologie, 2005, 64, 516-23 | 1.9 | 2 |
| 24 | What are the consequences of early rheumatoid arthritis for the individual?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2005 , 19, 117-36 | 5.3 | 66 |
| 23 | Rheumatoid factor is a marker of disease severity in Korean rheumatoid arthritis. <i>Yonsei Medical Journal</i> , 2005 , 46, 464-70 | 3 | 14 |
| 22 | What factors influence functional ability in patients with rheumatoid arthritis. Do they alter over time?. <i>Rheumatology</i> , 2005 , 44, 1181-5 | 3.9 | 30 |
| 21 | Conventional disease-modifying antirheumatic drugs in early arthritis. <i>Rheumatic Disease Clinics of North America</i> , 2005 , 31, 729-44 | 2.4 | 14 |
| 20 | Modelling cost effectiveness and cost utility of sequential DMARD therapy including leflunomide in rheumatoid arthritis in Germany: I. Selected DMARDs and patient-related costs. <i>Pharmacoeconomics</i> , 2005 , 23, 377-93 | 4.4 | 7 |
| 19 | Combination therapy for rheumatoid arthritis in the era of biologicals. HSS Journal, 2006, 2, 30-41 | 2 | 13 |
| 18 | Outcomes associated with early rheumatoid arthritis. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2006 , 6, 495-508 | 2.2 | 10 |
| 17 | Antibodies against cyclic citrullinated peptide are associated with the DRB1 shared epitope and predict joint erosion in rheumatoid arthritis. <i>Rheumatology</i> , 2007 , 46, 100-4 | 3.9 | 49 |
| 16 | FrBe rheumatoide Arthritis: Behandlungspraxis und Positionsbestimmung von Ciclosporin zur Behandlung der frBen rheumatoiden Arthritis. <i>Aktuelle Rheumatologie</i> , 2007 , 32, 4-6 | 0.1 | |
| 15 | Radiological damage in patients with rheumatoid arthritis on sustained remission. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 358-63 | 2.4 | 85 |
| 14 | The course of established rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007 , 21, 943-67 | 5.3 | 61 |
| 13 | Drug management of early rheumatoid arthritis - 2008. <i>Best Practice and Research in Clinical Rheumatology</i> , 2009 , 23, 93-102 | 5.3 | 14 |
| 12 | Correlation of time to institution of disease modifying antirheumatic drugs with radiological outcome in rheumatoid arthritis. <i>Indian Journal of Rheumatology</i> , 2009 , 4, 89-93 | 0.5 | O |
| 11 | [Novel approach for the early detection of inflammatory rheumatic diseases in the population using a mobile screening unit]. Zeitschrift Fur Rheumatologie, 2010, 69, 743-8 | 1.9 | 3 |

CITATION REPORT

| 10 | Prevention and cure of rheumatoid arthritis: is it possible?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010 , 24, 353-61 | 5.3 | 8 |
|----|---|-----|----|
| 9 | Remission in early rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2010 , 37, 1444-53 | 4.1 | 53 |
| 8 | Sustained clinical remission in rheumatoid arthritis: prevalence and prognostic factors in an inception cohort of patients treated with conventional DMARDS. <i>Rheumatology</i> , 2012 , 51, 169-75 | 3.9 | 55 |
| 7 | [Improvement of prognosis by timely treatment: Requirement: initial presentation within 6 weeks]. <i>Zeitschrift Fur Rheumatologie</i> , 2019 , 78, 396-403 | 1.9 | 1 |
| 6 | [Management of early rheumatoid arthritis: Interdisciplinary guideline]. <i>Zeitschrift Fur Rheumatologie</i> , 2020 , 79, 1-38 | 1.9 | 11 |
| 5 | Basistherapeutika und Immunsuppressiva. 2000 , 671-702 | | |
| 4 | Basistherapeutika und Immunsuppressiva. 2003 , 706-749 | | |
| 3 | Early (Rheumatoid) Arthritis. 2009, 73-81 | | |
| 2 | Evaluation and management of early inflammatory polyarthritis. 2011, 935-940.e3 | | |
| 1 | Epidemiologie rheumatischer Erkrankungen. 2005 , 12-20 | | 1 |