

Phase separation processes in polymer solutions in rela

Journal of Membrane Science

117, 1-31

DOI: [10.1016/0376-7388\(96\)00088-9](https://doi.org/10.1016/0376-7388(96)00088-9)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Preparation of microporous vanadium pentoxide membrane electrodes by phase inversion. Journal of Membrane Science, 1997, 127, 153-160.	4.1	4
2	Effect of PEG additive on membrane formation by phase inversion. Journal of Membrane Science, 1998, 138, 153-163.	4.1	485
3	Effect of liquid-liquid demixing on the membrane morphology, gas permeation, thermal and mechanical properties of cellulose acetate hollow fibers. Journal of Membrane Science, 1998, 140, 67-79.	4.1	94
4	Effects of thermal history on anisotropic and asymmetric membranes formed by thermally induced phase separation. Journal of Membrane Science, 1998, 142, 27-42.	4.1	53
5	Porous poly(l-lactide) films obtained by immersion precipitation process: morphology, phase separation and culture of VERO cells. Polymer, 1999, 40, 3275-3289.	1.8	56
6	Biodegradable polymeric microcellular foams by modified thermally induced phase separation method. Biomaterials, 1999, 20, 1783-1790.	5.7	370
7	Effect of nonsolvents on properties of spinning solutions and polyethersulfone hollow fiber ultrafiltration membranes. Journal of Membrane Science, 1999, 152, 19-28.	4.1	107
8	Kinetics of droplet growth in the metastable region in cellulose acetate/acetone/nonsolvent system. Journal of Membrane Science, 1999, 152, 227-234.	4.1	13
9	Membrane formation mechanism based on precipitation kinetics and membrane morphology: flat and hollow fiber polysulfone membranes. Journal of Membrane Science, 1999, 155, 171-183.	4.1	191
10	Membrane formation by water vapor induced phase inversion. Journal of Membrane Science, 1999, 156, 169-178.	4.1	190
11	Study on multi-layer composite hollow fiber membranes for gas separation. Chemical Engineering Science, 1999, 54, 675-684.	1.9	39
12	Vitrification phenomena in polysulfone/NMP/water system. Journal of Applied Polymer Science, 1999, 71, 431-438.	1.3	31
13	A framework for morphological evolution vis-à-vis phase transitions in polymer solutions. Journal of Applied Polymer Science, 1999, 73, 1343-1355.	1.3	8
14	Membrane formation via phase separation induced by penetration of nonsolvent from vapor phase. I. Phase diagram and mass transfer process. Journal of Applied Polymer Science, 1999, 74, 159-170.	1.3	89
15	Membrane formation via phase separation induced by penetration of nonsolvent from vapor phase. II. Membrane morphology. Journal of Applied Polymer Science, 1999, 74, 171-178.	1.3	89
16	Porous biodegradable polymeric scaffolds prepared by thermally induced phase separation. , 1999, 47, 8-17.		573
17	Phase-Inversion Poly(ether imide) Membranes Prepared from Water-Miscible/Immiscible Mixture Solvents. Industrial & Engineering Chemistry Research, 1999, 38, 2650-2658.	1.8	15
18	Preparation of soluble polyimides and ultrafiltration membrane performances. Journal of Applied Polymer Science, 2000, 75, 1-9.	1.3	20

#	ARTICLE	IF	CITATIONS
19	Kinetic studies of thermally induced phase separation in polymer-diluent system. <i>Journal of Applied Polymer Science</i> , 2000, 76, 1028-1036.	1.3	53
20	Phase separation mechanism during membrane formation by dry-cast process. <i>Journal of Applied Polymer Science</i> , 2000, 77, 776-783.	1.3	49
21	Formation of polypropylene particles via thermally induced phase separation. <i>Polymer</i> , 2000, 41, 8673-8679.	1.8	47
22	Determination of the nonsolvent-polymer interaction parameter χ_{13} in the casting solutions. <i>Journal of Membrane Science</i> , 2000, 174, 87-96.	4.1	18
23	Polysulfone-Aerosil composite membranes Part 1. The influence of the addition of Aerosil on the formation process and membrane morphology. <i>Journal of Membrane Science</i> , 2000, 176, 63-73.	4.1	72
24	Structural studies and diffusion measurements of water-swollen cellophane by NMR imaging. <i>Cellulose</i> , 2000, 7, 227-246.	2.4	18
25	Copolymers of trimethylene carbonate and μ -caprolactone for porous nerve guides: Synthesis and properties. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2001, 12, 35-53.	1.9	166
26	Phase behavior and mechanism of membrane formation for polyimide/DMSO/water system. <i>Journal of Membrane Science</i> , 2001, 187, 47-55.	4.1	91
27	Formation of hollow fiber membranes from poly(ether imide) at wet phase inversion using binary mixtures of solvents for the preparation of the dope. <i>Journal of Membrane Science</i> , 2001, 192, 217-230.	4.1	88
28	Precipitation of Nylon 6 membranes using compressed carbon dioxide. <i>Polymer</i> , 2001, 42, 6119-6127.	1.8	56
29	Studies of non-solvent induced polymer coagulation by magnetic resonance imaging. <i>Polymer</i> , 2001, 42, 7701-7710.	1.8	11
30	Membranes for gas separation. <i>Progress in Polymer Science</i> , 2001, 26, 853-893.	11.8	625
31	Effect of diluents on membrane formation via thermally induced phase separation. <i>Journal of Applied Polymer Science</i> , 2001, 82, 169-177.	1.3	91
32	Investigation into the rheological properties of PES/NMP/nonsolvent membrane-forming systems. <i>Journal of Applied Polymer Science</i> , 2001, 82, 283-291.	1.3	34
33	Nonsolvent-Induced Gelation and Its Effect on Membrane Morphology. <i>Macromolecules</i> , 2002, 35, 6697-6706.	2.2	118
34	Micro- and Nanostructured Surface Morphology on Electrospun Polymer Fibers. <i>Macromolecules</i> , 2002, 35, 8456-8466.	2.2	1,123
35	Formation of integrally skinned asymmetric polyetherimide nanofiltration membranes by phase inversion process. <i>Journal of Applied Polymer Science</i> , 2002, 84, 1300-1307.	1.3	83
36	Membrane formation via thermally induced phase separation in polypropylene/polybutene/diluent system. <i>Journal of Applied Polymer Science</i> , 2002, 84, 1701-1708.	1.3	29

#	ARTICLE	IF	CITATIONS
37	Light-scattering study on porous membrane formation by dry-cast process. Journal of Applied Polymer Science, 2002, 86, 3205-3209.	1.3	9
38	Preparation of microporous chlorinated poly(vinyl chloride) membrane in fabric and the characterization of their pore sizes and pore-size distributions. Journal of Applied Polymer Science, 2002, 86, 1195-1202.	1.3	38
39	Atomic force microscopy of cellulose membranes prepared from the N-methylmorpholine-N-oxide/water solvent system. Journal of Applied Polymer Science, 2002, 86, 3389-3395.	1.3	13
40	Macroporous poly(L-lactide) scaffold 1. Preparation of a macroporous scaffold by liquid-liquid phase separation of a PLLA-dioxane-water system. Journal of Biomedical Materials Research Part B, 2002, 63, 161-167.	3.0	142
41	The wet phase separation: the effect of cast solution thickness on the appearance of macrovoids in the membrane forming ternary cellulose acetate/acetone/water system. Journal of Membrane Science, 2002, 207, 139-141.	4.1	92
42	Noncircular pores on the surface of asymmetric polymer membranes: evidence of pore formation via spinodal demixing. Journal of Membrane Science, 2002, 208, 147-155.	4.1	49
43	Morphology of crosslinked poly(butyl methacrylate-co-methyl methacrylate) porous membranes. Journal of Membrane Science, 2002, 209, 293-307.	4.1	11
44	Preparation of ethylene vinylalcohol copolymer membranes suitable for ligand coupling in affinity separation. Journal of Membrane Science, 2002, 210, 155-173.	4.1	44
45	Membrane formation mechanism and permeation properties of a novel porous polyimide membrane. Polymers for Advanced Technologies, 2002, 13, 370-380.	1.6	33
46	Composition and phase changes observed by magnetic resonance imaging during non-solvent induced coagulation of cellulose. Polymer, 2002, 43, 5827-5837.	1.8	38
47	Hydrolytic degradation of poly(para-dioxanone) films prepared by casting or phase separation. Polymer Degradation and Stability, 2002, 78, 405-411.	2.7	23
48	Effects of phase separation on stress development in polymeric coatings. Polymer, 2002, 43, 2267-2277.	1.8	58
49	Preparation of porous membrane by combined use of thermally induced phase separation and immersion precipitation. Polymer, 2002, 43, 5243-5248.	1.8	121
50	Structure formation of poly (ether-imide) films using non-solvent vapor induced phase separation: relationship between mass transfer and relative humidity. Desalination, 2002, 145, 11-16.	4.0	27
51	Macrovoid growth during polymer membrane casting. Desalination, 2002, 145, 17-23.	4.0	12
52	Preparation of asymmetric polyacrylonitrile membrane with small pore size by phase inversion and post-treatment process. Journal of Membrane Science, 2002, 199, 75-84.	4.1	150
53	A Computational Study of the Polymerization-Induced Phase Separation Phenomenon in Polymer Solutions under a Temperature Gradient. Macromolecular Theory and Simulations, 2003, 12, 413-424.	0.6	36
54	Review on the development of defect-free and ultrathin-skinned asymmetric membranes for gas separation through manipulation of phase inversion and rheological factors. Journal of Applied Polymer Science, 2003, 88, 442-451.	1.3	98

#	ARTICLE	IF	CITATIONS
55	Surface morphology and nodule formation mechanism of cellulose acetate membranes by atomic force microscopy. <i>Journal of Applied Polymer Science</i> , 2003, 88, 1328-1335.	1.3	14
56	Studies on phase separation rate in porous polyimide membrane formation by immersion precipitation. <i>Journal of Applied Polymer Science</i> , 2003, 90, 292-296.	1.3	21
57	A facile preparation of highly interconnected macroporous poly(d,l-lactic acid-co-glycolic acid) (PLGA) scaffolds by liquid-liquid phase separation of a PLGA-water ternary system. <i>Polymer</i> , 2003, 44, 1911-1920.	1.8	111
58	Flow-visualization during macrovoid pore formation in dry-cast cellulose acetate membranes. <i>Journal of Membrane Science</i> , 2003, 211, 71-90.	4.1	52
59	Preparation of PVP immobilized microporous chlorinated polyvinyl chloride membranes on fabric and their hydraulic permeation behavior. <i>Journal of Membrane Science</i> , 2003, 214, 311-321.	4.1	53
60	Influence of the relative humidity on film formation by vapor induced phase separation. <i>Polymer Engineering and Science</i> , 2003, 43, 798-808.	1.5	64
61	Supercritical fluid processing of polymers: composite particles and porous materials elaboration. <i>Current Opinion in Solid State and Materials Science</i> , 2003, 7, 391-397.	5.6	34
63	Controlled release of plasmid DNA from biodegradable scaffolds fabricated using a thermally-induced phase-separation method. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2004, 15, 1341-1353.	1.9	30
64	Poly(caprolactone triol) as plasticizer agent for cellulose acetate films: influence of the preparation procedure and plasticizer content on the physico-chemical properties. <i>Polymers for Advanced Technologies</i> , 2004, 15, 593-600.	1.6	60
65	Preparation and properties of poly(L-lactic acid) scaffolds by thermally induced phase separation from a ternary polymer-solvent system. <i>Polymer International</i> , 2004, 53, 2079-2085.	1.6	19
66	Fabrication of three-dimensionally ordered microporous membrane by wet phase separation. <i>Journal of Applied Polymer Science</i> , 2004, 92, 3016-3021.	1.3	18
67	Membrane structure control of BTDA-TDI/MDI (P84) co-polyimide asymmetric membranes by wet-phase inversion process. <i>Journal of Membrane Science</i> , 2004, 241, 305-314.	4.1	74
68	Effect of molecular weight of polymeric additives on formation, permeation properties and hypochlorite treatment of asymmetric polyacrylonitrile membranes. <i>Journal of Membrane Science</i> , 2004, 243, 45-57.	4.1	248
69	Acrylonitrile-based copolymers containing reactive groups: synthesis and preparation of ultrafiltration membranes. <i>Journal of Membrane Science</i> , 2004, 230, 1-11.	4.1	36
70	Modeling of asymmetric membrane formation by dry-casting method. <i>Journal of Membrane Science</i> , 2004, 230, 71-89.	4.1	63
71	Influence of the addition of PVP on the morphology of asymmetric polyimide phase inversion membranes: effect of PVP molecular weight. <i>Journal of Membrane Science</i> , 2004, 236, 203-207.	4.1	160
72	Formation of cellulose acetate membranes using a supercritical fluid assisted process. <i>Journal of Membrane Science</i> , 2004, 240, 187-195.	4.1	94
73	Effect of PEG-PLLA diblock copolymer on macroporous PLLA scaffolds by thermally induced phase separation. <i>Biomaterials</i> , 2004, 25, 2319-2329.	5.7	143

#	ARTICLE	IF	CITATIONS
74	Nano-fibrous scaffolds for tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2004, 39, 125-131.	2.5	546
75	Controlling Surface Morphology of Electrospun Polystyrene Fibers: Effect of Humidity and Molecular Weight in the Electrospinning Process. <i>Macromolecules</i> , 2004, 37, 573-578.	2.2	860
76	Development of asymmetric BTDA-TDI/MDI (P84) co-polyimide hollow fiber membranes for ultrafiltration: the influence of shear rate and approaching ratio on membrane morphology and performance. <i>Journal of Membrane Science</i> , 2005, 248, 177-188.	4.1	24
77	Lattice Boltzmann simulation of asymmetric membrane formation by immersion precipitation. <i>Journal of Membrane Science</i> , 2005, 249, 213-226.	4.1	32
78	Determination of water/polymer interaction parameter for membrane-forming systems by sorption measurement and a fitting technique. <i>Journal of Membrane Science</i> , 2005, 265, 1-12.	4.1	47
79	Preparation and properties of MPEG-grafted EAA membranes via thermally induced phase separation. <i>Journal of Membrane Science</i> , 2005, 267, 90-98.	4.1	11
80	A new method for cellulose membrane fabrication and the determination of its characteristics. <i>Journal of Colloid and Interface Science</i> , 2005, 285, 232-238.	5.0	23
81	Membrane formation by dry-cast process. <i>Journal of Membrane Science</i> , 2005, 249, 163-172.	4.1	39
82	Phase-Separation-Induced Micropatterned Polymer Surfaces and Their Applications. <i>Advanced Functional Materials</i> , 2005, 15, 655-663.	7.8	36
83	The Mechanical Deformation Process of Electrospun Polymer Nanocomposite Fibers. <i>Macromolecular Rapid Communications</i> , 2005, 26, 728-733.	2.0	56
84	Relationship between type of nonsolvent additive and properties of polyethersulfone membranes. <i>Desalination</i> , 2005, 186, 39-46.	4.0	35
85	A facile preparation of highly interconnected macroporous PLGA scaffolds by liquid-liquid phase separation II. <i>Polymer</i> , 2005, 46, 3801-3808.	1.8	50
86	Formation of polysulfone membranes by supercritical CO ₂ . <i>Journal of Supercritical Fluids</i> , 2005, 35, 140-146.	1.6	51
87	Investigation of the dynamics of poly(ether sulfone) membrane formation by immersion precipitation. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 498-510.	2.4	21
88	Phase transitions in segmented polyesterurethane-DMSO-water systems. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 716-723.	2.4	3
89	Effect of coagulant temperature and composition on surface morphology and mass transfer properties of cellulose acetate hollow fiber membranes. <i>Polymers for Advanced Technologies</i> , 2005, 16, 524-532.	1.6	26
90	Insights into the mechanism of molecular imprinting by immersion precipitation phase inversion of polymer blends via a detailed morphology analysis of porous membranes. <i>Journal of Materials Chemistry</i> , 2005, 15, 1487.	6.7	17
91	Multiporous Polymeric Materials from Thermoreversible Poly(vinylidene fluoride) Gels. <i>Macromolecules</i> , 2005, 38, 6504-6512.	2.2	31

#	ARTICLE	IF	CITATIONS
92	Study of the Casting of Sulfonated Polyimide Ionomer Membranes: A Structural Evolution and Influence on Transport Properties. <i>Journal of Physical Chemistry B</i> , 2005, 109, 11332-11339.	1.2	12
93	PVDF/HFP Membrane Formation by Supercritical CO ₂ Processing: A Elucidation of Formation Mechanisms. <i>Industrial & Engineering Chemistry Research</i> , 2006, 45, 8939-8945.	1.8	51
94	Porous fiber formation in polymer-solvent system undergoing solvent evaporation. <i>Journal of Applied Physics</i> , 2006, 100, 043512.	1.1	104
95	A review on electrospinning design and nanofibre assemblies. <i>Nanotechnology</i> , 2006, 17, R89-R106.	1.3	1,892
96	Effect Of Heat Treatment On The Performance And Structural Details Of Polyethersulfone Ultrafiltration Membranes. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 0, , .	0.3	10
97	The effect of additives on naltrexone hydrochloride release and solvent removal rate from an injectable in situ forming PLGA implant. <i>Polymers for Advanced Technologies</i> , 2006, 17, 354-359.	1.6	52
98	Flexible supercritical CO ₂ -assisted process for poly(methyl methacrylate) structure formation. <i>Polymer Engineering and Science</i> , 2006, 46, 188-197.	1.5	47
99	The dry phase inversion technique as a tool to produce highly efficient asymmetric gas separation membranes of modified PEEK. Influence of temperature and air circulation. <i>Desalination</i> , 2006, 192, 132-141.	4.0	26
100	Review on gel polymer electrolytes for lithium batteries. <i>European Polymer Journal</i> , 2006, 42, 21-42.	2.6	1,200
101	The influence of phase inversion process modified by chemical reaction on membrane properties and morphology. <i>Journal of Membrane Science</i> , 2006, 270, 154-161.	4.1	30
102	Production of loaded PMMA structures using the supercritical CO ₂ phase inversion process. <i>Journal of Membrane Science</i> , 2006, 273, 97-105.	4.1	53
103	Morphology control of polysulfone hollow fiber membranes via water vapor induced phase separation. <i>Journal of Membrane Science</i> , 2006, 278, 390-400.	4.1	117
104	Fabrication and characterization of multi-walled carbon nanotubes/polymer blend membranes. <i>Journal of Membrane Science</i> , 2006, 284, 406-415.	4.1	510
105	Advanced functional polymer membranes. <i>Polymer</i> , 2006, 47, 2217-2262.	1.8	1,758
106	Study of the characteristics and the performance of self-made nanoporous polyethersulfone membranes. <i>Polymer</i> , 2006, 47, 3464-3476.	1.8	114
107	Preparation of polymer blend hollow fiber membrane via thermally induced phase separation. <i>Separation and Purification Technology</i> , 2006, 52, 363-371.	3.9	49
108	Formation and characterization of asymmetric nanofiltration membrane: Effect of shear rate and polymer concentration. <i>Journal of Membrane Science</i> , 2006, 270, 57-72.	4.1	59
109	Effects of coagulants on porous structure of membranes prepared from cellulose in NaOH/urea aqueous solution. <i>Journal of Membrane Science</i> , 2006, 279, 246-255.	4.1	128

#	ARTICLE	IF	CITATIONS
110	Preliminary studies on the gelation time of poly(ether sulfones) membrane-forming system with an elongation method. <i>Journal of Membrane Science</i> , 2006, 275, 46-51.	4.1	28
111	Efficient development of effective hollow fiber membranes for gas separations from novel polymers. <i>Journal of Membrane Science</i> , 2006, 278, 92-104.	4.1	67
112	Influence of solvent on the structure and performance of cellulose acetate membranes. <i>Journal of Membrane Science</i> , 2006, 279, 601-607.	4.1	44
113	Effect of MPEG on MPEG-grafted EAA membrane formation via thermally induced phase separation. <i>Journal of Membrane Science</i> , 2006, 283, 310-319.	4.1	5
114	Effect of high-temperature spinning and PVP additive on the properties of PVDF hollow fiber membranes for microfiltration. <i>Macromolecular Research</i> , 2006, 14, 596-602.	1.0	50
115	Preparation and characterization of EVOH/PVP membranes via thermally induced phase separation. <i>Journal of Membrane Science</i> , 2006, 281, 700-706.	4.1	43
116	Specially elaborated thermally induced phase separation to fabricate poly(L-lactic acid) scaffolds with ultra large pores and good interconnectivity. <i>Journal of Applied Polymer Science</i> , 2006, 101, 3336-3342.	1.3	63
117	Porous polyphenylene sulfide membrane with high durability against solvents by the thermally induced phase-separation method. <i>Journal of Applied Polymer Science</i> , 2006, 102, 2959-2966.	1.3	29
118	Relationships between phase morphology and deformation mechanisms in polymer nanocomposite nanofibres prepared by an electrospinning process. <i>Nanotechnology</i> , 2006, 17, 963-972.	1.3	45
119	Low Temperature Processable Ultra-Low Dielectric Porous Polyimide for High Frequency Applications. , 2006, , .		1
120	Preparation and Characterization of Porous \hat{I}^2 -TCP/PLLA Composites with High \hat{I}^2 -TCP Content. <i>Key Engineering Materials</i> , 2007, 330-332, 491-494.	0.4	1
122	Nanostructures for Tissue Engineering/Regenerative Medicine. , 0, , 375-407.		5
123	Multiporous Materials From Thermoreversible Poly(vinylidene fluoride) Gels. <i>Macromolecular Symposia</i> , 2007, 251, 15-24.	0.4	1
124	Morphology Development in Polymer Fibers undergoing Solvent/Non-solvent Exchange. <i>Macromolecular Symposia</i> , 2007, 258, 170-178.	0.4	6
125	Natural origin biodegradable systems in tissue engineering and regenerative medicine: present status and some moving trends. <i>Journal of the Royal Society Interface</i> , 2007, 4, 999-1030.	1.5	969
127	Poly lactide films formed by immersion precipitation: Effects of additives, nonsolvent, and temperature. <i>Journal of Applied Polymer Science</i> , 2007, 104, 959-971.	1.3	23
128	Structure control of polyphenylene sulfide membrane prepared by thermally induced phase separation. <i>Journal of Applied Polymer Science</i> , 2007, 105, 3280-3286.	1.3	14
129	Effect of Concentration Gradient on the Morphology Development in Polymer Solutions Undergoing Thermally Induced Phase Separation. <i>Macromolecular Theory and Simulations</i> , 2007, 16, 690-702.	0.6	16

#	ARTICLE	IF	CITATIONS
130	Porous scaffolds prepared by phase inversion using supercritical CO ₂ as antisolvent. <i>Journal of Supercritical Fluids</i> , 2007, 40, 317-322.	1.6	64
131	One-step fabrication of porous micropatterned scaffolds to control cell behavior. <i>Biomaterials</i> , 2007, 28, 1998-2009.	5.7	138
132	Preparation of poly(vinylidene fluoride) hollow fiber membranes for microfiltration using modified TIPS process. <i>Journal of Membrane Science</i> , 2007, 291, 191-198.	4.1	106
133	Membrane thickness and preparation temperature as key parameters for controlling the macrovoid structure of chiral activated membranes (CAM). <i>Journal of Membrane Science</i> , 2007, 287, 29-40.	4.1	54
134	The effect of anionic, non-ionic and cationic surfactants on morphology and performance of polyethersulfone ultrafiltration membranes for milk concentration. <i>Journal of Membrane Science</i> , 2007, 296, 110-121.	4.1	155
135	Porous poly(l-lactic acid) nanocomposite scaffolds prepared by phase inversion using supercritical CO ₂ as antisolvent. <i>Polymer</i> , 2007, 48, 6311-6318.	1.8	48
136	Effect of additive contents on the performances and structural properties of asymmetric polyethersulfone (PES) nanofiltration membranes. <i>Separation and Purification Technology</i> , 2007, 55, 98-109.	3.9	102
137	Influence of the strongly anisotropic cross-section morphology of a novel polyethersulfone microfiltration membrane on filtration performance. <i>Separation and Purification Technology</i> , 2007, 57, 63-73.	3.9	72
138	Towards Nanoporous Membranes based on ABC Triblock Terpolymers. <i>Small</i> , 2007, 3, 1056-1063.	5.2	47
139	Structure and gas permeability of asymmetric polyimide membranes made by dry/wet phase inversion: Influence of alcohol as casting solution. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007, 45, 2739-2746.	2.4	12
140	Highly Aligned Porous Silicon Carbide Ceramics by Freezing Polycarbosilane/Camphene Solution. <i>Journal of the American Ceramic Society</i> , 2007, 90, 1753-1759.	1.9	142
141	Nanostructured ceramics by electrospinning. <i>Journal of Applied Physics</i> , 2007, 102, .	1.1	349
142	PVDF porous matrix with controlled microstructure prepared by TIPS process as polymer electrolyte for lithium ion battery. <i>Polymer</i> , 2007, 48, 6415-6425.	1.8	123
143	Preparation of microporous poly(vinylidene fluoride) membranes via phase inversion in supercritical CO ₂ . <i>Journal of Membrane Science</i> , 2007, 293, 100-110.	4.1	45
144	Dissipative particle dynamics simulation on the polymer membrane formation by immersion precipitation. <i>Journal of Membrane Science</i> , 2008, 311, 251-258.	4.1	41
145	Studies of semi-permeable membranes deposited on a cellulose support. <i>Journal of Membrane Science</i> , 2008, 313, 296-303.	4.1	5
146	Effects of precursor properties on the preparation of polyethylene hollow fiber membranes by stretching. <i>Journal of Membrane Science</i> , 2008, 318, 201-209.	4.1	70
147	Controlling molecular weight cut-off curves for highly solvent stable organic solvent nanofiltration (OSN) membranes. <i>Journal of Membrane Science</i> , 2008, 324, 220-232.	4.1	123

#	ARTICLE	IF	CITATIONS
148	Microporous polyethersulfone membranes prepared under the combined precipitation conditions with non-solvent additives. <i>Polymers for Advanced Technologies</i> , 2008, 19, 251-257.	1.6	116
149	Polyurethane scaffold formation via a combination of salt leaching and thermally induced phase separation. <i>Journal of Biomedical Materials Research - Part A</i> , 2008, 87A, 921-932.	2.1	40
150	Effects of the support layer hydrophilicity on the active layer formation of composite membranes. <i>Journal of Applied Polymer Science</i> , 2008, 107, 1194-1200.	1.3	3
151	Effects of mixed diluent compositions on poly(vinylidene fluoride) membrane morphology in a thermally induced phase separation process. <i>Journal of Applied Polymer Science</i> , 2008, 107, 3630-3637.	1.3	52
152	Hydrophilic microporous PES membranes prepared by PES/PEG/DMAc casting solutions. <i>Journal of Applied Polymer Science</i> , 2008, 107, 4100-4108.	1.3	85
153	Effect of the addition of the surfactant Tetronic 1307 on poly(ether sulfone) porous hollow fiber membrane formation. <i>Journal of Applied Polymer Science</i> , 2008, 108, 3411-3418.	1.3	20
154	Thermodynamic study of a water-dimethylformamide-polyacrylonitrile ternary system. <i>Journal of Applied Polymer Science</i> , 2008, 110, 3439-3447.	1.3	43
155	Designing index of void structure and tensile properties in wet-spun polyacrylonitrile (PAN) fiber. I. Effect of dope polymer or nonsolvent concentration. <i>Journal of Applied Polymer Science</i> , 2008, 109, 3461-3469.	1.3	45
156	Preparation of polyethersulfone-alginate microcapsules for controlled release. <i>Journal of Applied Polymer Science</i> , 2009, 111, 651-657.	1.3	3
157	Highly Porous Crosslinkable PLA-PNB Block Copolymer Scaffolds. <i>Advanced Functional Materials</i> , 2008, 18, 3638-3644.	7.8	29
158	Poly lactide microspheres prepared by premix membrane emulsification-Effects of solvent removal rate. <i>Journal of Membrane Science</i> , 2008, 310, 484-493.	4.1	42
159	Correlation between macrovoid formation and the ternary phase diagram for polyethersulfone membranes prepared from two nearly similar solvents. <i>Journal of Membrane Science</i> , 2008, 325, 92-97.	4.1	94
160	Effect of silica particles on cellulose acetate blend ultrafiltration membranes: Part I. Separation and Purification Technology, 2008, 64, 38-47.	3.9	188
161	Porous PVDF/TPU blends asymmetric hollow fiber membranes prepared with the use of hydrophilic additive PVP (K30). <i>Desalination</i> , 2008, 223, 438-447.	4.0	98
162	Membranes formation of a hydrosoluble biopolymer (PVA) using a supercritical CO ₂ -expanded liquid. <i>Journal of Supercritical Fluids</i> , 2008, 45, 356-364.	1.6	25
163	Effects of the thermodynamics and rheology of BTDA-TDI/MDI co-polyimide (P84) dope solutions on the performance and morphology of hollow fiber UF membranes. <i>Journal of Membrane Science</i> , 2008, 309, 196-208.	4.1	21
164	Morphology and properties of low dielectric constant polymeric films with electrophoresis induced gradient close-pore distribution. <i>Microporous and Mesoporous Materials</i> , 2008, 111, 267-275.	2.2	13
165	Effect of relative humidity on the morphology of electrospun polymer fibers. <i>Canadian Journal of Chemistry</i> , 2008, 86, 590-599.	0.6	100

#	ARTICLE	IF	CITATIONS
166	Controlled Release of Drugs from Tablet Coatings. , 0, , 1099-1132.		0
167	Formation of Highly Aligned Grooves on Inner Surface of Semipermeable Hollow Fiber Membrane for Directional Axonal Outgrowth. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2008, 130, .	1.3	15
168	Studies on Cellulose Acetate/Aminated Poly(ether imide) Blend Ultrafiltration Membranes. International Journal of Polymeric Materials and Polymeric Biomaterials, 2008, 57, 997-1018.	1.8	7
169	Solidification of Emulsified Polymer Solutions via Phase Inversion (SEMPI): A Generic Way To Prepare Polymers with Controlled Porosity. Chemistry of Materials, 2008, 20, 3457-3465.	3.2	25
170	Electrospun Polyoxymethylene: Spinning Conditions and Its Consequent Nanoporous Nanofiber. Macromolecules, 2008, 41, 4746-4752.	2.2	76
171	Scaffold design and fabrication. , 2008, , 403-454.		32
172	Membrane Chromatography. , 2008, , 25-63.		2
173	Membrane Technologies and Supercritical Fluids. , 2008, , 181-192.		0
174	Numerical Study and Scale Analysis of Inner and Outer Diameters Prediction in Fabrication of Hollow Fiber Membranes for Nerve Regeneration. , 2008, , .		1
175	Science of nanofibrous scaffold fabrication: strategies for next generation tissue-engineering scaffolds. Nanomedicine, 2009, 4, 193-206.	1.7	90
176	Use of thin film freezing to enable drug delivery: a review. Journal of Drug Delivery Science and Technology, 2009, 19, 89-98.	1.4	61
177	Polymeric Membranes for Molecular Separations. , 0, , 19-43.		11
178	PHASE INVERSION PREPARATION AND MORPHOLOGICAL STUDY OF POLYVINYLIDENE FLUORIDE ULTRAFILTRATION MEMBRANE MODIFIED BY NANO-SIZED ALUMINA. Functional Materials Letters, 2009, 02, 113-119.	0.7	7
179	Fabrication of the Microgrooved/Microporous Polylactide Substrates as Peripheral Nerve Conduits and <i>In Vivo</i> Evaluation. Tissue Engineering - Part A, 2009, 15, 1381-1390.	1.6	47
180	Self-Supporting, Double Stimuli-Responsive Porous Membranes From Polystyrene- <i>b</i> -poly(<i>N</i> , <i>N</i> -dimethylaminoethyl methacrylate) Diblock Copolymers. Advanced Functional Materials, 2009, 19, 1040-1045.	7.8	162
181	Fabrication of Monodisperse Toroidal Particles by Polymer Solidification in Microfluidics. ChemPhysChem, 2009, 10, 641-645.	1.0	78
182	Polymers and Sulfur: what are Organic Polysulfides Good For? Preparative Strategies and Biological Applications. Macromolecular Rapid Communications, 2009, 30, 299-315.	2.0	94
183	Surface modification and preparation of nanofiltration membrane from polyethersulfone/polyimide blend-Use of a new material (polyethyleneglycol- <i>ε</i> -triazine). Journal of Applied Polymer Science, 2009, 112, 2888-2895.	1.3	23

#	ARTICLE	IF	CITATIONS
184	Ranking the key parameters of immersion precipitation process and modeling the resultant membrane structural evolution. <i>Journal of Applied Polymer Science</i> , 2009, 113, 1529-1538.	1.3	16
185	Effect of TiO ₂ nanoparticles on the surface morphology and performance of microporous PES membrane. <i>Applied Surface Science</i> , 2009, 255, 4725-4732.	3.1	545
186	High throughput study of phase inversion parameters for polyimide-based SRNF membranes. <i>Journal of Membrane Science</i> , 2009, 330, 307-318.	4.1	145
187	Preparation and characterization of hydrophile nano-porous polyethersulfone membranes using synthesized poly(sulfoxide-amide) as additive in the casting solution. <i>Journal of Membrane Science</i> , 2009, 334, 64-73.	4.1	50
188	Supermolecular structure formation of PMP membranes: Theoretical argumentation in terms of the experimental evidences. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 163, 105-113.	1.7	2
189	Thermal properties from membrane of polyamide 6/montmorillonite clay nanocomposites obtained by immersion precipitation method. <i>Journal of Thermal Analysis and Calorimetry</i> , 2009, 97, 577-580.	2.0	15
190	Effects of polymer concentration and coagulation temperature on the properties of regenerated cellulose films prepared from LiOH/urea solution. <i>Cellulose</i> , 2009, 16, 189-198.	2.4	89
191	An asymmetric coating composed of gelatin and hydroxyapatite for the delivery of water insoluble drug. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 889-896.	1.7	14
192	Microporous biodegradable polyurethane membranes for tissue engineering. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 1729-1741.	1.7	27
193	Morphology and crystal structure on electrospun fibrous poly(1-butene) (PB) membrane. <i>Fibers and Polymers</i> , 2009, 10, 667-672.	1.1	0
194	Functional water-soluble polymers: polymer-metal ion removal and biocide properties. <i>Polymer International</i> , 2009, 58, 1093-1114.	1.6	41
195	Preparation and characterization of asymmetric polyethersulfone (PES) membranes. <i>Polymers for Advanced Technologies</i> , 2009, 20, 993-998.	1.6	20
196	The morphological evolution of solvent-containing PMMA membranes in various solvent removal processes. <i>Journal of Membrane Science</i> , 2009, 345, 288-297.	4.1	6
197	The fabrication of elastin-based hydrogels using high pressure CO ₂ . <i>Biomaterials</i> , 2009, 30, 1-7.	5.7	131
198	Supercritical fluids processing of polymers for pharmaceutical and medical applications. <i>Journal of Supercritical Fluids</i> , 2009, 47, 484-492.	1.6	176
199	Preparation of starch-based scaffolds for tissue engineering by supercritical immersion precipitation. <i>Journal of Supercritical Fluids</i> , 2009, 49, 279-285.	1.6	76
200	The effect of heat treatment of PES and PVDF ultrafiltration membranes on morphology and performance for milk filtration. <i>Journal of Membrane Science</i> , 2009, 330, 189-204.	4.1	53
201	The improved oil/water separation performance of cellulose acetate-graft-polyacrylonitrile membranes. <i>Journal of Membrane Science</i> , 2009, 337, 98-105.	4.1	155

#	ARTICLE	IF	CITATIONS
202	Microporous membranes prepared via thermally induced phase separation from \hat{A} metallocenic syndiotactic polypropylenes. <i>Polymer</i> , 2009, 50, 2081-2086.	1.8	27
203	Photo-irradiation for preparation, modification and stimulation of polymeric membranes. <i>Progress in Polymer Science</i> , 2009, 34, 62-98.	11.8	261
204	Preparation parameters influencing the performance of SRNF membranes cast from polyimide solutions via SEPPI. <i>Separation and Purification Technology</i> , 2009, 66, 104-110.	3.9	20
205	Formation mechanism and crystallization of poly(vinylidene fluoride) membrane via immersion precipitation method. <i>Desalination</i> , 2009, 236, 170-178.	4.0	95
206	Effects of Tween 80 concentration as a surfactant additive on morphology and permeability of flat sheet polyethersulfone (PES) membranes. <i>Desalination</i> , 2009, 249, 837-842.	4.0	57
207	Gas Transport Properties of Asymmetric Block Copolyimide Membranes. <i>Polymer Journal</i> , 2009, 41, 961-967.	1.3	9
208	Composite materials prepared by phase inversion deposition of polyacrylonitrile onto porous polyethylene films. <i>Russian Journal of Applied Chemistry</i> , 2009, 82, 1447-1455.	0.1	0
209	Supercritical Gel Drying: A Powerful Tool for Tailoring Symmetric Porous PVDF \hat{A} HFP Membranes. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 171-180.	4.0	54
210	Double Stimuli-Responsive Ultrafiltration Membranes from Polystyrene- <i>block</i> -poly(<i>N,N</i> -dimethylaminoethyl methacrylate) Diblock Copolymers. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1492-1503.	4.0	95
211	Effects of PEG on Morphology and Permeation Properties of Polyethersulfone Membranes. <i>Separation Science and Technology</i> , 2009, 44, 3854-3875.	1.3	14
212	Preparation of PES ultrafiltration membrane for treatment of emulsified oily wastewater: Effect of solvent and non-solvent on morphology and performance. <i>Journal of Polymer Engineering</i> , 2009, 29, .	0.6	8
213	A Compartmentalized Hydrogel from a Linear ABC Terpolymer. <i>Macromolecules</i> , 2009, 42, 1796-1800.	2.2	24
216	Phase separation two polymers in a blend and selective degradation as a method for porous structure formation. <i>Polymer Science - Series A</i> , 2010, 52, 150-159.	0.4	4
217	On the calculation of free energy of mixing for aqueous polymer solutions with group-contribution models. <i>Fluid Phase Equilibria</i> , 2010, 299, 222-228.	1.4	2
218	A facile method to fabricate poly(l-lactide) nano-fibrous morphologies by phase inversion. <i>Acta Biomaterialia</i> , 2010, 6, 2477-2483.	4.1	30
219	Sequential delivery of vascular endothelial growth factor and sphingosine 1-phosphate for angiogenesis. <i>Biomaterials</i> , 2010, 31, 7805-7812.	5.7	70
220	Morphology transition of asymmetric polyetherimide flat sheet membranes with different thickness by wet phase-inversion process. <i>Separation and Purification Technology</i> , 2010, 74, 119-129.	3.9	44
221	Novel photoluminescence poly(fluorinated imide)s electrospun fibers with blue, olive green and red fluorescence. <i>Colloid and Polymer Science</i> , 2010, 288, 1471-1477.	1.0	8

#	ARTICLE	IF	CITATIONS
222	Effect of PEG additives on properties and morphologies of polyetherimide membranes prepared by phase inversion. <i>Frontiers of Chemical Engineering in China</i> , 2010, 4, 300-306.	0.6	29
223	Synthesis and characterization of polyethersulfone membranes. <i>Journal of Polymer Research</i> , 2010, 17, 363-377.	1.2	69
224	Naturally derived materials-based cell and drug delivery systems in skin regeneration. <i>Journal of Controlled Release</i> , 2010, 142, 149-159.	4.8	317
225	Electrochemical studies on polymer electrolytes based on poly(vinylidene fluoride) based on comparative study. <i>Materials Research Bulletin</i> , 2010, 45, 362-366.	2.7	34
226	Polysulfone-chitosan composite membrane: New preparative approach, importance in bactericidal and biofilm inhibition activities. <i>Journal of Applied Polymer Science</i> , 2010, 115, 3710-3715.	1.3	8
227	Preparation of asymmetric chitosan hollow fiber membrane and its pervaporation performance for dimethyl carbonate/methanol mixtures. <i>Journal of Applied Polymer Science</i> , 2010, 115, 2875-2882.	1.3	9
228	Effects of mixed solvents and PVDF types on performances of PVDF microporous membranes. <i>Journal of Applied Polymer Science</i> , 2010, 115, 2277-2287.	1.3	95
229	A novel method for controlling the sublayer microstructure of an ultrafiltration membrane: The preparation of the PSF-Fe ₃ O ₄ ultrafiltration membrane in a parallel magnetic field. <i>Journal of Applied Polymer Science</i> , 2010, 117, 1960-1968.	1.3	39
230	Structure and gas permeation properties of asymmetric polyimide membranes made by dry-wet phase inversion: Influence of the polyimide molecular weight. <i>Journal of Applied Polymer Science</i> , 2010, 118, 105-112.	1.3	4
231	Rheology behavior of high-density polyethylene/diluent blends and fabrication of hollow fiber membranes via thermally induced phase separation. <i>Journal of Applied Polymer Science</i> , 2010, 118, 2186-2194.	1.3	7
232	Permeability performance of different molecular weight cellulose acetate hemodialysis membrane. <i>Separation and Purification Technology</i> , 2010, 75, 102-113.	3.9	65
233	Giant biocompatible and biodegradable PEG-PMCL vesicles and microcapsules by solvent evaporation from double emulsion droplets. <i>Journal of Colloid and Interface Science</i> , 2010, 351, 140-150.	5.0	34
234	Microstructured hollow fibers for ultrafiltration. <i>Journal of Membrane Science</i> , 2010, 347, 32-41.	4.1	78
235	Shrinkage effects during polymer phase separation on microfabricated molds. <i>Journal of Membrane Science</i> , 2010, 347, 141-149.	4.1	29
236	Experimental design and optimization of asymmetric flat-sheet membranes prepared for direct contact membrane distillation. <i>Journal of Membrane Science</i> , 2010, 351, 234-245.	4.1	114
237	Phase behavior of polyetherimide/benzophenone/triethylene glycol ternary system and its application for the preparation of microporous membranes. <i>Journal of Membrane Science</i> , 2010, 354, 101-107.	4.1	13
238	Effects of compatibility difference in the mixed solvent system on the performance of PPES hollow fiber UF membrane. <i>Journal of Membrane Science</i> , 2010, 365, 311-318.	4.1	6
239	Enzymatic degradation of 3D scaffolds of starch-poly(ϵ -caprolactone) prepared by supercritical fluid technology. <i>Polymer Degradation and Stability</i> , 2010, 95, 2110-2117.	2.7	29

#	ARTICLE	IF	CITATIONS
240	Fabrication and oxygen permeability of gastight, macrovoid-free Ba _{0.5} Sr _{0.5} Co _{0.8} Fe _{0.2} O ₃ capillaries for high temperature gas separation. <i>Journal of Membrane Science</i> , 2010, 359, 86-92.	4.1	39
241	Functionalized superhydrophobic biomimetic chitosan-based films. <i>Carbohydrate Polymers</i> , 2010, 81, 140-144.	5.1	64
242	Electrospinning in compressed carbon dioxide: Hollow or open-cell fiber formation with a single nozzle configuration. <i>Journal of Supercritical Fluids</i> , 2010, 53, 142-150.	1.6	28
243	Tailoring the morphology of high molecular weight PLLA scaffolds through bioglass addition. <i>Acta Biomaterialia</i> , 2010, 6, 3611-3620.	4.1	41
244	Morphology transition of asymmetric flat sheet and thickness-gradient membranes by wet phase-inversion process. <i>Desalination</i> , 2010, 253, 1-8.	4.0	25
245	Changing the performance and morphology of polyethersulfone/polyimide blend nanofiltration membranes using trimethylamine. <i>Desalination</i> , 2010, 256, 101-107.	4.0	39
246	Controlled crystallization of poly(vinylidene fluoride) chains from mixed solvents composed of its good solvent and nonsolvent. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 575-581.	2.4	42
247	Effects of coagulation bath temperature and polyvinylpyrrolidone content on flat sheet asymmetric polyethersulfone membranes. <i>Polymer Engineering and Science</i> , 2010, 50, 885-893.	1.5	89
248	Preparation and characterization of microporous poly(D,L-lactic acid) film for tissue engineering scaffold. <i>International Journal of Nanomedicine</i> , 2010, 5, 1049.	3.3	19
249	Membranes from Nylon 6/Regional Bentonite Clay Nanocomposites. <i>Materials Science Forum</i> , 2010, 660-661, 784-787.	0.3	8
250	Polysulfone Activated Carbon Composite Membranes. <i>Materials Science Forum</i> , 0, 660-661, 1081-1086.	0.3	6
253	High Performance Thin-Film Composite Forward Osmosis Membrane. <i>Environmental Science & Technology</i> , 2010, 44, 3812-3818.	4.6	814
254	Effect of the preparation conditions on the formation of asymmetric poly(vinylidene fluoride) hollow fibre membranes with a dense skin. <i>European Polymer Journal</i> , 2010, 46, 1713-1725.	2.6	65
255	Preparation of Membranes Using Supercritical Fluids. , 2010, , 199-216.		1
256	Synthesis, Characterization & Impedance Studies of some New Nano Filtration Membranes. <i>Materials Science Forum</i> , 2010, 657, 26-34.	0.3	3
257	The development of a 3-D scaffold formed of electrosprayed nano-fibrous microcapsules. , 2010, , .		0
258	Preparation of porous composite ion-exchange membranes for desalination application. <i>Journal of Materials Chemistry</i> , 2011, 21, 7401.	6.7	83
259	In-situ monitoring of polysulfone membrane formation via immersion precipitation using an ultrasonic through-transmission technique. <i>Desalination and Water Treatment</i> , 2011, 32, 214-225.	1.0	9

#	ARTICLE	IF	CITATIONS
260	Functional membranes prepared by using nano-materials such as TiO ₂ and carbon nanotubes (CNTs)., 2011, , .		0
261	Controlled Aggregation in Conjugated Polymer Nanoparticles via Organic Acid Treatments. <i>Macromolecules</i> , 2011, 44, 5527-5530.	2.2	22
262	Thin-Film Composite Pressure Retarded Osmosis Membranes for Sustainable Power Generation from Salinity Gradients. <i>Environmental Science & Technology</i> , 2011, 45, 4360-4369.	4.6	479
263	Formation of Superhydrophobic Microspheres of Poly(vinylidene fluoride) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622 Td (h	1.6	55
264	Preparation of Polymeric Membranes. , 2011, , 47-100.		21
265	Transparent Cellulose Films with High Gas Barrier Properties Fabricated from Aqueous Alkali/Urea Solutions. <i>Biomacromolecules</i> , 2011, 12, 2766-2771.	2.6	223
266	Inorganic/Organic (SiO ₂)/PEO Hybrid Electrospun Nanofibers Produced from a Modified Sol and Their Surface Modification Possibilities. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 3673-3681.	4.0	47
267	Exploring the Thermodynamic Aspects of Structure Formation During Wet-Spinning of Polyacrylonitrile Fibres. <i>International Journal of Chemoinformatics and Chemical Engineering</i> , 2011, 1, 36-52.	0.1	2
268	Comparative Study of Membranes Obtained from PA6 and PA66/National Clay Nanocomposites. , 2011, , .		2
269	Production of alumina parts through Selective Laser Sintering of alumina-polyamide composite powder. , 2011, , 319-327.		1
271	The effect of membrane formation parameters on performance of polyimide membranes for organic solvent nanofiltration (OSN): Part A. Effect of polymer/solvent/non-solvent system choice. <i>Journal of Membrane Science</i> , 2011, 381, 152-162.	4.1	127
272	Preparation, characterization and performance of polyethersulfone/organically modified montmorillonite nanocomposite membranes in removal of pesticides. <i>Journal of Membrane Science</i> , 2011, 382, 135-147.	4.1	136
273	The effect of phase inversion promoters on the structure and performance of polyetherimide hollow fiber membrane using in gas-liquid contacting process. <i>Journal of Membrane Science</i> , 2011, 383, 159-169.	4.1	59
274	Comparison study of the effect of PVP and PANI nanofibers additives on membrane formation mechanism, structure and performance. <i>Journal of Membrane Science</i> , 2011, 385-386, 110-122.	4.1	96
275	The effects of aspect ratio of inorganic fillers on the structure and property of composite ion-exchange membranes. <i>Journal of Colloid and Interface Science</i> , 2011, 363, 431-439.	5.0	34
276	Superhydrophobic surfaces from hydrophobic or hydrophilic polymers via nanophase separation or electrospinning/electrospraying. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 387, 71-78.	2.3	46
277	In-situ monitoring of asymmetric poly(ethylene-co-vinyl alcohol) membrane formation via a phase inversion process by an ultrasonic through-transmission technique. <i>Desalination</i> , 2011, 283, 25-30.	4.0	22
278	Pure sponge-like membranes bearing both high water permeability and high retention capacity. <i>Desalination</i> , 2011, 278, 141-149.	4.0	15

#	ARTICLE	IF	CITATIONS
279	Lattice fluid model generalized for specific interactions: An application to ternary polymer solutions. <i>Fluid Phase Equilibria</i> , 2011, 312, 60-65.	1.4	7
280	Polymeric Nanofibers in Tissue Engineering. <i>Tissue Engineering - Part B: Reviews</i> , 2011, 17, 349-364.	2.5	282
281	Simultaneous effects of polymer concentration, jet-stretching, and hot-drawing on microstructural development of wet-spun poly(acrylonitrile) fibers. <i>Polymer Bulletin</i> , 2011, 66, 1267-1280.	1.7	21
282	The effects of mechanical and chemical modification of TiO ₂ nanoparticles on the surface chemistry, structure and fouling performance of PES ultrafiltration membranes. <i>Journal of Membrane Science</i> , 2011, 378, 73-84.	4.1	511
283	Relating performance of thin-film composite forward osmosis membranes to support layer formation and structure. <i>Journal of Membrane Science</i> , 2011, 367, 340-352.	4.1	535
284	Molecular design of the cellulose ester-based forward osmosis membranes for desalination. <i>Chemical Engineering Science</i> , 2011, 66, 2008-2018.	1.9	100
285	Preparation and characterization of PVDF microporous membrane with highly hydrophobic surface. <i>Polymers for Advanced Technologies</i> , 2011, 22, 520-531.	1.6	61
286	Synthesis and characterization of asymmetric polyethersulfone membranes: effects of concentration and polarity of nonsolvent additives on morphology and performance of the membranes. <i>Polymers for Advanced Technologies</i> , 2011, 22, 962-972.	1.6	15
287	Thermoreversible gelation of helical polypeptide/single-walled carbon nanotubes and their solid-state structures. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3228-3238.	2.5	13
288	Controlling electrospun nanofiber morphology and mechanical properties using humidity. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2011, 49, 1734-1744.	2.4	146
289	Synthesis, Thermal-Induced Phase Separation, and Solvent-Induced Switching Behavior of Novel Ionic Polymer Based on Sulfonated Poly(Ethylene-co-Vinyl Alcohol) for Li Ion Recovery. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 1443-1450.	1.1	1
290	The influence of membrane formation parameters on structural morphology and performance of PES/PDMS composite membrane for gas separation. <i>Journal of Applied Polymer Science</i> , 2011, 122, 827-839.	1.3	9
291	Effect of Casting Solution on Morphology and Performance of PVDF Microfiltration Membranes. <i>Chemical Engineering and Technology</i> , 2011, 34, 1328-1334.	0.9	41
292	Biodegradable polymeric microcapsules: Preparation and properties. <i>Chemical Engineering Journal</i> , 2011, 169, 1-10.	6.6	56
293	Effect of solvents on performance of polyethersulfone ultrafiltration membranes: Investigation of metal ion separations. <i>Desalination</i> , 2011, 267, 57-63.	4.0	98
294	C ₆₀ -polysulfone nanocomposite membranes: Entropic and enthalpic determinants of C ₆₀ aggregation and its effects on membrane properties. <i>Desalination</i> , 2011, 269, 111-119.	4.0	42
295	Membrane morphology and phase diagrams of mangiferin modified poly(amide)/poly(vinyl pyrrolidone) blends. <i>Journal of Membrane Science</i> , 2011, 367, 240-248.	4.1	6
296	Preparation of porous ion-exchange membranes (IEMs) and their characterizations. <i>Journal of Membrane Science</i> , 2011, 371, 37-44.	4.1	79

#	ARTICLE	IF	CITATIONS
297	Computer simulation of formation of polymeric ultrafiltration membrane via immersion precipitation. <i>Journal of Membrane Science</i> , 2011, 371, 108-116.	4.1	33
298	Development, performance and stability of sulfur-free, macrovoid-free BSCF capillaries for high temperature oxygen separation from air. <i>Journal of Membrane Science</i> , 2011, 372, 239-248.	4.1	41
299	Fundamentals of semi-crystalline poly(vinylidene fluoride) membrane formation and its prospects for biofuel (ethanol and acetone) separation via pervaporation. <i>Journal of Membrane Science</i> , 2011, 378, 149-162.	4.1	56
300	Thermoporometry study of coagulation bath temperature effect on polyacrylonitrile fibers morphology. <i>Thermochimica Acta</i> , 2011, 518, 101-106.	1.2	46
301	Predicting microstructures in polymer blends under two-step quench in two-dimensional space. <i>Physical Review E</i> , 2011, 83, 041502.	0.8	7
302	Sequential Delivery of Basic Fibroblast Growth Factor and Platelet-Derived Growth Factor for Angiogenesis. <i>Tissue Engineering - Part A</i> , 2011, 17, 1181-1189.	1.6	67
303	Kinetics of mass transfer during vapour-induced phase separation (VIPS) process and its influence on poly-(vinylidene fluoride) (PVDF) membrane structure and surface morphology. <i>Desalination and Water Treatment</i> , 2011, 34, 204-210.	1.0	13
305	Preparation and Morphology of SMPU/PNIPAM Semi-IPN Microporous Membrane. <i>Advanced Materials Research</i> , 2011, 399-401, 1547-1551.	0.3	2
306	Nanofibrous textiles in medical applications. , 2011, , 547-566.		5
307	Optimization of membrane structure using the spin-coating method. <i>Desalination and Water Treatment</i> , 2011, 34, 197-203.	1.0	19
308	Role of AAO template filling process parameters in controlling the structure of one-dimensional polymer nanoparticles. <i>Nanotechnology</i> , 2011, 22, 375605.	1.3	23
309	Effect of Oxide Nanoparticles on Thermal and Mechanical Properties of Electrospun Separators for Lithium-Ion Batteries. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-8.	1.5	23
310	Superhydrophobic to Superhydrophilic Biomimetic Poly(3-Hydroxybutyrate) Surfaces Made by Phase Inversion. <i>Materials Science Forum</i> , 2012, 730-732, 44-49.	0.3	2
311	Influence of PVDF concentration on the morphology, surface roughness, crystalline structure, and filtration separation properties of semicrystalline phase inversion polymeric membranes. <i>Desalination and Water Treatment</i> , 2012, 46, 96-106.	1.0	32
312	Studies on the Effects of Salt and Surfactant in Wet Phase Separation of Polysulfone. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2012, 49, 918-925.	1.2	5
314	Evolution of polymeric hollow fibers as sustainable technologies: Past, present, and future. <i>Progress in Polymer Science</i> , 2012, 37, 1401-1424.	11.8	375
315	Elaboration of Porous PVA Membrane by TIPS-LCST Process Without Using Organic Solvent. <i>Procedia Engineering</i> , 2012, 44, 1275-1277.	1.2	1
316	Effects of Water as Non-Solvent Additive on Performance of Polysulfone Ultrafiltration Membrane. <i>Advanced Materials Research</i> , 2012, 488-489, 46-50.	0.3	21

#	ARTICLE	IF	CITATIONS
317	Preparation and Application of Patterned Membranes for Wastewater Treatment. <i>Environmental Science & Technology</i> , 2012, 46, 11021-11027.	4.6	143
318	Synthesis and Characterization of Boron-Doped Hafnia Electrospun Nanofibers and Nanocrystalline Ceramics. <i>Polymer-Plastics Technology and Engineering</i> , 2012, 51, 257-262.	1.9	23
319	Supercritical fluids in 3-D tissue engineering. <i>Journal of Supercritical Fluids</i> , 2012, 69, 97-107.	1.6	71
320	Fabrication of Macroporous Polymeric Membranes through Binary Convective Deposition. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 4532-4540.	4.0	13
321	Preparation of bi-continuous macroporous polyamide copolymer membranes for cell culture. <i>Journal of Membrane Science</i> , 2012, 415-416, 784-792.	4.1	15
322	Microstructure and magnetic properties of Gd-Hf-Co-Al phase separated metallic glasses. <i>Intermetallics</i> , 2012, 20, 115-122.	1.8	15
323	Shell phase selection and layer numbers of core-shell structure in monotectic alloys with stable miscibility gap. <i>Journal of Alloys and Compounds</i> , 2012, 538, 224-229.	2.8	19
324	A lithium-ion battery separator prepared using a phase inversion process. <i>Journal of Power Sources</i> , 2012, 216, 216-221.	4.0	46
325	Effect of fatty acids on the structure and performance of cellulose acetate nanofiltration membranes in retention of nitroaromatic pesticides. <i>Desalination</i> , 2012, 301, 26-41.	4.0	25
326	Pharmaceutical Cryogenic Technologies. <i>AAPS Advances in the Pharmaceutical Sciences Series</i> , 2012, , 443-500.	0.2	5
327	Nanostructured Electrospun Fibers. , 2012, , 187-210.		3
328	The role of organic solvent on the preparation of chitosan scaffolds by supercritical assisted phase inversion. <i>Journal of Supercritical Fluids</i> , 2012, 72, 326-332.	1.6	28
329	Phase inversion spinning of ultrafine hollow fiber membranes through a single orifice spinneret. <i>Journal of Membrane Science</i> , 2012, 421-422, 8-14.	4.1	23
330	A Comparative Study on the Formation of Porous Membranes with Crystalline and Amorphous Glassy Polymers. <i>Procedia Engineering</i> , 2012, 44, 1225-1226.	1.2	0
331	Polysulfone/Vanillin Microcapsules Production Based on Vapor-Induced Phase Inversion Precipitation. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 15509-15516.	1.8	12
332	Oxygenation by a superhydrophobic slip G/L contactor. <i>Lab on A Chip</i> , 2012, 12, 2922.	3.1	12
333	Using Atom Transfer Radical Polymerization for the Synthesis of Grafted PVDF Copolymers towards the Synthesis of Membranes. <i>Israel Journal of Chemistry</i> , 2012, 52, 347-358.	1.0	1
334	Preparation and indirect selective laser sintering of alumina/PA microspheres. <i>Ceramics International</i> , 2012, 38, 1241-1247.	2.3	101

#	ARTICLE	IF	CITATIONS
335	Development of asymmetric BTDA-TDI/MDI (P84) copolyimide flat sheet and hollow fiber membranes for ultrafiltration: Morphology transition and membrane performance. <i>Desalination</i> , 2012, 285, 336-344.	4.0	15
336	The role of nonsolvent in-diffusion velocity in determining polymeric membrane morphology. <i>Desalination</i> , 2012, 286, 69-79.	4.0	20
337	Effect of spinning conditions on the structure and performance of hydrophobic PVDF hollow fiber membranes for membrane distillation. <i>Desalination</i> , 2012, 287, 326-339.	4.0	104
338	Preparation of mixed-matrix membranes for micellar enhanced ultrafiltration based on response surface methodology. <i>Desalination</i> , 2012, 293, 7-20.	4.0	28
339	Determination of phase diagram of a ternary PVDF/ β -BL/DOP system in TIPS process and its application in preparing hollow fiber membranes for membrane distillation. <i>Separation and Purification Technology</i> , 2012, 90, 221-230.	3.9	67
340	Atomic force microscopy of nanofiltration membranes: Effect of imaging mode and environment. <i>Journal of Membrane Science</i> , 2012, 389, 486-498.	4.1	76
341	Asymmetric membranes with interpenetrating proton-conducting morphology made by a combination of immersion precipitation and photopolymerization. <i>Journal of Membrane Science</i> , 2012, 401-402, 254-261.	4.1	11
342	Finger-like voids induced by viscous fingering during phase inversion of alumina/PES/NMP suspensions. <i>Journal of Membrane Science</i> , 2012, 405-406, 275-283.	4.1	24
343	Crystallinity, magnetic and electrochemical studies of PVDF/Co ₃ O ₄ polymer electrolyte. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2012, 177, 127-131.	1.7	19
344	Fabrication and characterization of integrally skinned α -oriented highly selective charged asymmetric low pressure poly(ether sulfone) membranes for nanofiltration. <i>Journal of Chemical Technology and Biotechnology</i> , 2012, 87, 559-569.	1.6	4
345	Effects of Polyvinylpyrrolidone on Structure and Performance of Composite Scaffold of Chitosan Superfine Powder and Polyurethane. <i>Advances in Polymer Technology</i> , 2012, 31, 310-318.	0.8	10
346	Preparation of polyvinylidene fluoride membrane via dual coagulation bath system and its wettability study. <i>Journal of Applied Polymer Science</i> , 2012, 124, E225.	1.3	11
347	Influence of nanoscale NiO on magnetic and electrochemical behavior of PVDF-based polymer nanocomposites. <i>Polymer Bulletin</i> , 2012, 68, 253-261.	1.7	21
348	Influence of Solvent Composition on the Miscibility and Physical Stability of Naproxen/PVP K 25 Solid Dispersions Prepared by Cosolvent Spray-Drying. <i>Pharmaceutical Research</i> , 2012, 29, 251-270.	1.7	84
349	Formation of an interconnected lamellar structure in PVDF membranes with nanoparticles addition via solid-liquid thermally induced phase separation. <i>Journal of Applied Polymer Science</i> , 2013, 127, 2715-2723.	1.3	30
350	Polyacrylonitrile (PAN)/GEPAL blend asymmetric membranes: preparation, morphology, and performance. <i>Journal of Polymer Research</i> , 2013, 20, 1.	1.2	25
351	Porous Polymer Nanostructures Fabricated by the Surface-Induced Phase Separation of Polymer Solutions in Anodic Aluminum Oxide Templates. <i>Langmuir</i> , 2013, 29, 9972-9978.	1.6	23
352	Study on the control of pore sizes of membranes using chemical methods Part IV. The role of organic acids. <i>Desalination</i> , 2013, 324, 57-64.	4.0	11

#	ARTICLE	IF	CITATIONS
353	A method for the simultaneous determination of transport and structural parameters of forward osmosis membranes. <i>Journal of Membrane Science</i> , 2013, 444, 523-538.	4.1	397
354	Patterned superhydrophobic paper for microfluidic devices obtained by writing and printing. <i>Cellulose</i> , 2013, 20, 2185-2190.	2.4	49
355	Multi-walled carbon nanotubes (MWNTs)/polysulfone (PSU) mixed matrix hollow fiber membranes for enhanced water treatment. <i>Journal of Membrane Science</i> , 2013, 437, 237-248.	4.1	173
356	Synthesis of modified poly(ether ether ketone) polymer for the preparation of ultrafiltration and nanofiltration membranes via phase inversion. <i>Journal of Membrane Science</i> , 2013, 447, 96-106.	4.1	66
357	The supramolecular organization of PVDF lamellae formed in diphenyl ketone dilutions via thermally induced phase separation. <i>Colloid and Polymer Science</i> , 2013, 291, 981-992.	1.0	20
358	Polar polymer membranes via thermally induced phase separation using a universal crystallizable diluent. <i>Journal of Membrane Science</i> , 2013, 446, 482-491.	4.1	67
359	Pervaporation performance enhancement through the incorporation of mesoporous silica spheres into PVA membranes. <i>Separation and Purification Technology</i> , 2013, 118, 73-80.	3.9	41
360	Transmission of p-anisic acid through nanofiltration and goat membranes. <i>Desalination</i> , 2013, 315, 46-60.	4.0	4
361	Effect of polymer concentration on the structure and performance of PEI hollow fiber membrane contactor for CO ₂ stripping. <i>Journal of Hazardous Materials</i> , 2013, 250-251, 354-361.	6.5	51
362	Preparation of polycaprolactone microspheres-€ aggregated scaffold with ultra big pores and fuzzy sphere surface by a one-€ step phase separation method. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101, 3219-3227.	2.1	10
363	Solvent effect on electrospinning of nanotubes: The case of magnesium ferrite. <i>Journal of Alloys and Compounds</i> , 2013, 577, 97-102.	2.8	22
364	Controlling the microstructure of poly(vinylidene-fluoride) (PVDF) thin films for microelectronics. <i>Journal of Materials Chemistry C</i> , 2013, 1, 7695.	2.7	158
365	Polymer fibers with hierarchically porous structure: combination of high temperature electrospinning and thermally induced phase separation. <i>RSC Advances</i> , 2013, 3, 13851.	1.7	29
366	Pore size tailoring of poly(ether imide) membrane from UF to NF range by chemical post-treatment using aminated oligomers. <i>Journal of Membrane Science</i> , 2013, 436, 36-46.	4.1	25
367	Separation of hydrogen from methane by asymmetric PEI membranes. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 1680-1688.	2.9	33
368	A Review on Polymeric Membranes and Hydrogels Prepared by Vapor-Induced Phase Separation Process. <i>Polymer Reviews</i> , 2013, 53, 568-626.	5.3	84
369	High strength films with gas-barrier fabricated from chitin solution dissolved at low temperature. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1867-1874.	5.2	144
370	Engineering polymeric composite particles by emulsion-templating: thermodynamics versus kinetics. <i>Soft Matter</i> , 2013, 9, 9780.	1.2	39

#	ARTICLE	IF	CITATIONS
371	Hydrophobic PVDF membrane via two-stage soft coagulation bath system for Membrane Gas Absorption of CO ₂ . Separation and Purification Technology, 2013, 103, 230-240.	3.9	44
372	Effect of nano-clay on ionic conductivity and electrochemical properties of poly(vinylidene fluoride) based nanocomposite porous polymer membranes and their application as polymer electrolyte in lithium ion batteries. European Polymer Journal, 2013, 49, 307-318.	2.6	109
373	Effects of solvent and nonsolvent diffusion velocities on the morphology of cellular polyetherimide membranes prepared using supercritical CO ₂ phase inversion. Journal of Supercritical Fluids, 2013, 83, 6-14.	1.6	4
374	A novel PVFM based membranes prepared via phase inversion method and its application in GPE. Polymer, 2013, 54, 4807-4813.	1.8	14
375	Polycaprolactone scaffolds or anisotropic particles: The initial solution temperature dependence in a gelatin particle-leaching method. Polymer, 2013, 54, 277-283.	1.8	7
376	Macroscopic cavities within a microporous 3-D network: A poly(L-glutamic acid) monolith prepared by combination of particulate templates and a phase separation technique. Polymer, 2013, 54, 6114-6118.	1.8	13
377	Approaches in extracellular matrix engineering for determination of adhesion molecule mediated single cell function. Frontiers in Biology, 2013, 8, 32-49.	0.7	1
378	Influence of the clay content and the polysulfone molar mass on nanocomposite membrane properties. Applied Surface Science, 2013, 275, 110-120.	3.1	37
379	Superhydrophobic Paper in the Development of Disposable Labware and Lab-on-Paper Devices. ACS Applied Materials & Interfaces, 2013, 5, 3731-3737.	4.0	47
380	Preparation and characterization of polyethersulfone microporous membrane via thermally induced phase separation with low critical solution temperature system. Journal of Membrane Science, 2013, 437, 169-178.	4.1	77
381	Porous poly (ether sulfone) membranes with tunable morphology: Fabrication and their application for vanadium flow battery. Journal of Power Sources, 2013, 233, 202-208.	4.0	71
382	Bone Tissue Engineering. , 2013, , 1194-1214.		7
383	Modification of paper using polyhydroxybutyrate to obtain biomimetic superhydrophobic substrates. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2013, 416, 51-55.	2.3	59
384	Poly(L-lactic acid)/hydroxyapatite/collagen composite coatings on AZ31 magnesium alloy for biomedical application. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2013, 227, 1094-1103.	1.0	25
385	A Biologically Inspired Hydrophobic Membrane for Application in Pervaporation. Langmuir, 2013, 29, 1510-1516.	1.6	23
386	Permeation Behavior of Polysulfone Membranes Modified by Fully Organic Layer-by-Layer Assemblies. Industrial & Engineering Chemistry Research, 2013, 52, 16406-16413.	1.8	16
387	Flash freezing route to mesoporous polymer nanofibre networks. Nature Communications, 2013, 4, 2653.	5.8	75
388	Investigating the membrane morphology of water/solvent/nylon 6 systems. Journal of Applied Polymer Science, 2013, 128, 2933-2939.	1.3	5

#	ARTICLE	IF	CITATIONS
389	Producing Polymer Fibers by Electrospinning in Supercritical Fluids. <i>Journal of Chemistry</i> , 2013, 2013, 1-6.	0.9	3
390	Thermally induced phase separation of poly(vinylidene fluoride)/diluent systems: Optical microscope and infrared spectroscopy studies. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013, 51, 1438-1447.	2.4	34
391	Ultrathin Polymer Films for Short-Pulse Laser-Driven Proton, Deuteron, and Carbon Ion Beams. <i>Fusion Science and Technology</i> , 2013, 63, 265-267.	0.6	0
392	Polysulfone microcapsules with different wall morphology. <i>Journal of Applied Polymer Science</i> , 2013, 129, 1625-1636.	1.3	9
393	Formation of polyamide 12 membranes via thermal "nonsolvent induced phase separation. <i>Journal of Applied Polymer Science</i> , 2013, 130, 14-24.	1.3	12
394	Clay nanoparticles effects on performance and morphology of poly(vinylidene fluoride) membranes. <i>Brazilian Journal of Chemical Engineering</i> , 2014, 31, 79-93.	0.7	28
396	PVDF hollow fiber formation via modified NIPS method: Evolution elucidation of phase separation mechanism, structure and properties of membrane with coagulation strength varied. <i>Macromolecular Research</i> , 2014, 22, 1275-1281.	1.0	16
397	Morphology evolution of poly(vinylidene fluoride) membranes during supercritical CO ₂ assisted phase inversion. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2014, 32, 1628-1638.	2.0	3
398	Mesh-reinforced thin film composite membranes for forward osmosis applications: The structure-performance relationship. <i>Journal of Membrane Science</i> , 2014, 468, 308-316.	4.1	44
399	Effect of Bore Liquid Flow Rate on the Structure and Performance of Poly(vinyl chloride) Hollow Fiber Membrane. <i>Advanced Materials Research</i> , 0, 886, 187-191.	0.3	1
400	Compatibility of Polyvinylidene Difluorid/Polyurethane and Preparation of Composite Tubular Membrane. <i>Advanced Materials Research</i> , 0, 936, 212-217.	0.3	0
401	The Effect of Chain Structures on the Crystallization Behavior and Membrane Formation of Poly(Vinylidene Fluoride) Copolymers. <i>Membranes</i> , 2014, 4, 243-256.	1.4	37
402	Melt Spinning of Biodegradable Nanofibrillary Structures from Poly(lactic acid) and Poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262	1.7	30
403	Large-scale Separators Based on Blends of Aromatic Polyethers with PEO for Li-ion Batteries: Improving Thermal Shrinkage and Wettability Behavior. <i>Energy Technology</i> , 2014, 2, 275-283.	1.8	18
404	Fabrication of Nanofibrous Mats with Uniform Thickness and Fiber Density. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 1052-1061.	1.7	13
405	Phase Separated Fibrous Structures: Mechanism Study and Applications. <i>ACS Symposium Series</i> , 2014, , 127-141.	0.5	1
406	Crystallization kinetics of polyethylene/paraffin oil blend sheets formed by thermally induced phase separation with different molecular weights of polyethylene. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014, 118, 1649-1661.	2.0	6
407	Supercritical CO ₂ -EtOH expanded liquid processing to produce tailored PEEK-WC membranes. <i>RSC Advances</i> , 2014, 4, 65098-65107.	1.7	4

#	ARTICLE	IF	CITATIONS
408	Life Prediction of NEPE Propellants. Propellants, Explosives, Pyrotechnics, 2014, 39, 102-107.	1.0	15
409	Supercritical assisted enzymatic membranes preparation, for active packaging applications. Journal of Membrane Science, 2014, 453, 409-418.	4.1	32
410	Effect of additives on the performance and morphology of sulfonated copoly (phthalazinone biphenyl) Tj ETQq0 0 Q rgBT /Overlock 10 T	3.1	12
411	Chitin/graphene oxide composite films with enhanced mechanical properties prepared in NaOH/urea aqueous solution. Cellulose, 2014, 21, 1781-1791.	2.4	20
412	3D PLLA/Ibuprofen composite scaffolds obtained by a supercritical fluids assisted process. Journal of Materials Science: Materials in Medicine, 2014, 25, 989-998.	1.7	27
413	Chitosan scaffolds formation by a supercritical freeze extraction process. Journal of Supercritical Fluids, 2014, 90, 27-34.	1.6	42
414	3-D PLLA scaffolds formation by a supercritical freeze extraction assisted process. Journal of Materials Science: Materials in Medicine, 2014, 25, 355-362.	1.7	26
415	Electrospun poly(L-lactic acid) fiber mats containing crude Garcinia mangostana extracts for use as wound dressings. Polymer Bulletin, 2014, 71, 925-949.	1.7	23
416	Origin of hydrophilicity of cellulose hydrogel from aqueous LiOH/urea solvent coagulated with alkyl alcohols. Cellulose, 2014, 21, 1043-1050.	2.4	13
417	Additive manufacturing of zirconia parts by indirect selective laser sintering. Journal of the European Ceramic Society, 2014, 34, 81-89.	2.8	183
418	Saltâ€Induced Fabrication of Superhydrophilic and Underwater Superoleophobic PAAâ€gâ€PVDF Membranes for Effective Separation of Oilâ€inâ€Water Emulsions. Angewandte Chemie - International Edition, 2014, 53, 856-860.	7.2	673
420	Parameter Study on the Preparation of UV Depthâ€Cured Chemically Resistant Polysulfoneâ€Based Membranes. Macromolecular Chemistry and Physics, 2014, 215, 614-623.	1.1	21
421	Novel membrane adsorbers incorporating functionalized polyglycidyl methacrylate. Reactive and Functional Polymers, 2014, 77, 1-10.	2.0	11
422	The influence of the nonsolvent intrusion through the casting film bottom surface on the macrovoid formation. Journal of Membrane Science, 2014, 464, 8-19.	4.1	14
423	Preparation, characterization and gas permeation properties of PDMS/PEI composite asymmetric membrane for effective separation of hydrogen from H2/CH4 mixed gas. International Journal of Hydrogen Energy, 2014, 39, 1410-1419.	3.8	37
424	Removal of micropollutants from water by nanocomposite membrane adsorbers. Separation and Purification Technology, 2014, 131, 60-68.	3.9	21
425	The trend of membrane structure evolution under shear and/or elongation flow fields of immersion precipitated spun tapes. Journal of Membrane Science, 2014, 460, 185-198.	4.1	8
426	Making microporous nanometre-scale fibrous PLA aerogels with clean and reliable supercritical CO2 based approaches. Microporous and Mesoporous Materials, 2014, 184, 162-168.	2.2	32

#	ARTICLE	IF	CITATIONS
427	Facile preparation of hierarchically porous polymer microspheres for superhydrophobic coating. <i>Nanoscale</i> , 2014, 6, 1056-1063.	2.8	54
428	Greener method to prepare porous polymer membranes by combining thermally induced phase separation and crosslinking of poly(vinyl alcohol) in water. <i>Journal of Membrane Science</i> , 2014, 458, 225-235.	4.1	45
429	Simultaneous determination of three Flory-Huggins interaction parameters in polymer/solvent/nonsolvent systems by viscosity and cloud point measurements. <i>Polymer</i> , 2014, 55, 6795-6802.	1.8	26
430	The effect of diameter on the thermal properties of the modeled shape-stabilized phase change nanofibers (PCNs). <i>Journal of Thermal Analysis and Calorimetry</i> , 2014, 118, 1619-1629.	2.0	21
431	Surface morphology of electrospun PLA fibers: mechanisms of pore formation. <i>RSC Advances</i> , 2014, 4, 44082-44088.	1.7	62
432	Hydrophilization of polysulfone membranes using a binary graft copolymer. <i>Journal of Materials Chemistry A</i> , 2014, 2, 10410-10423.	5.2	24
433	Phase separation in a PSf/DMF/water system: a proposed mechanism for macrovoid formation. <i>RSC Advances</i> , 2014, 4, 42391-42402.	1.7	24
434	Anticancer activity of starch/poly[N-(2-hydroxypropyl)methacrylamide]: Biomaterial film to treat skin cancer. <i>International Journal of Biological Macromolecules</i> , 2014, 70, 116-123.	3.6	8
435	Facile synthesis of nano cauliflower and nano broccoli like hierarchical superhydrophobic composite coating using PVDF/carbon soot particles via gelation technique. <i>Journal of Colloid and Interface Science</i> , 2014, 436, 111-121.	5.0	48
436	Dissolution and gelation of β -chitin nanofibers using a simple NaOH treatment at low temperatures. <i>Cellulose</i> , 2014, 21, 3339-3346.	2.4	27
437	Microstructural variations of poly(vinylidene fluoride co-hexafluoropropylene) and their influence on the thermal, dielectric and piezoelectric properties. <i>Polymer Testing</i> , 2014, 40, 245-255.	2.3	84
438	Structure and properties of the regenerated cellulose membranes prepared from cellulose carbamate in NaOH/ZnO aqueous solution. <i>Cellulose</i> , 2014, 21, 2819-2830.	2.4	36
439	Unique electrospun fiber properties obtained by blending elastin-like peptides and highly-ionized peptides. <i>Polymer</i> , 2014, 55, 2163-2169.	1.8	7
440	Amine enrichment and poly(ethylene glycol) (PEG) surface modification of thin-film composite forward osmosis membranes for organic fouling control. <i>Journal of Membrane Science</i> , 2014, 450, 331-339.	4.1	165
441	Monolithic Space-Filling Porous Materials from Engineering Plastics by Thermally Induced Phase Separation. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 15653-15666.	4.0	11
442	Effects of mixed solvents on the structural morphology and membrane distillation performance of PVDF-HFP hollow fiber membranes. <i>Journal of Membrane Science</i> , 2014, 468, 324-338.	4.1	65
443	Analyses of structurally modified quasi-solid-state electrolytes using electrochemical impedance spectroscopy for dye-sensitized solar cells. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	1
444	Theoretical selection of solvent for production of electrospun PMMA fibers with wrinkled surfaces. <i>RSC Advances</i> , 2014, 4, 27914.	1.7	15

#	ARTICLE	IF	CITATIONS
446	The effect of PVDF concentration on PVDF/woven tube composite membranes and the application of composite membranes in SMBR. <i>Desalination and Water Treatment</i> , 2014, 52, 5052-5060.	1.0	1
447	A novel approach to fabricate interconnected sponge-like and highly permeable polyvinylidene fluoride hollow fiber membranes for direct contact membrane distillation. <i>European Polymer Journal</i> , 2014, 60, 262-272.	2.6	32
448	Preparation and properties of poly (vinylidene fluoride) membranes via the low temperature thermally induced phase separation method. <i>Journal of Polymer Research</i> , 2014, 21, 1.	1.2	22
449	Modelling of nano-filler reinforcement, filler strength and experimental results of nanosilica composites made by a precipitation method. <i>Computational Materials Science</i> , 2014, 94, 27-34.	1.4	5
450	Polysulphone/montmorillonite nanocomposite membranes: Effect of clay addition and polysulphone molecular weight on the membrane properties. <i>Journal of Membrane Science</i> , 2014, 455, 187-199.	4.1	27
451	Changing the microstructure of membranes using intense electric fields: Dielectric strength studies. <i>Journal of Membrane Science</i> , 2014, 452, 367-378.	4.1	8
452	Antimicrobial and in vitro wound healing properties of novel clay based bionanocomposite films. <i>Journal of Materials Science: Materials in Medicine</i> , 2014, 25, 1925-1939.	1.7	35
453	Porous Perovskite Fibers – Preparation by Wet Phase Inversion Spinning and Catalytic Activity. <i>Chemical Engineering and Technology</i> , 2014, 37, 1146-1154.	0.9	6
454	Recent progress in developing advanced membranes for emulsified oil/water separation. <i>NPG Asia Materials</i> , 2014, 6, e101-e101.	3.8	584
455	Porous SiOC beads by freeze-drying polycarbosilane emulsions. <i>Materials Letters</i> , 2014, 131, 174-177.	1.3	11
456	Electrospun heat management polymeric materials of interest in food refrigeration and packaging. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	25
457	The effect of silica addition on the microstructure and properties of polyethylene separators prepared by thermally induced phase separation. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	3
458	Micropatterning of Polystyrene-Alumina Nanocomposite Film by Non-Solvent Induced Phase Separation. <i>Materials Science Forum</i> , 2015, 830-831, 569-572.	0.3	0
459	A new nanocomposite forward osmosis membrane custom-designed for treating shale gas wastewater. <i>Scientific Reports</i> , 2015, 5, 14530.	1.6	47
460	Coagulation bath composition and desiccation environment as tuning parameters to prepare skinless membranes via diffusion induced phase separation. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	11
461	Fabrication of cellulose acetate ultrafiltration membrane with diphenyl ketone via thermally induced phase separation. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	9
462	Condensed Low-Volatile Alcohol Droplet-Directed Uniform Pore Formation on Polystyrene Films. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 1638-1645.	1.1	0
463	Nanoprecipitation for ultrafiltration membranes. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015, 53, 615-620.	2.4	4

#	ARTICLE	IF	CITATIONS
464	Radiopaque iodinated ethers of poly(vinyl iodobenzyl ether): Synthesis and evaluation for endovascular embolization. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	10
465	Preparation of dual-layer acetylated methyl cellulose hollow fiber membranes via co-extrusion using thermally induced phase separation and non-solvent induced phase separation methods. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	4
466	Fabrication of Nanochannels. <i>Materials</i> , 2015, 8, 6277-6308.	1.3	24
467	Phase Diagram and Membrane Desalination. , 0, , .		2
468	A novel approach to fabricate high performance nano-SiO ₂ embedded PES membranes for microfiltration of oil-in-water emulsion. <i>Applied Surface Science</i> , 2015, 349, 393-402.	3.1	78
469	Novel biodegradable poly(propylene fumarate)-co-poly(L-lactic acid) porous scaffolds fabricated by phase separation for tissue engineering applications. <i>RSC Advances</i> , 2015, 5, 21301-21309.	1.7	32
470	Preparation and characterization of PDMS-PVDF hydrophobic microporous membrane for membrane distillation. <i>Desalination</i> , 2015, 370, 63-71.	4.0	66
471	Fabrication of hollow fiber microfiltration membrane from PVDF/DBP/DBS system via thermally induced phase separation process. <i>Journal of Polymer Engineering</i> , 2015, 35, 709-717.	0.6	11
472	Reinforcement of nanostructured reduced graphene oxide: a facile approach to develop high-performance nanocomposite ultrafiltration membranes minimizing the trade-off between flux and selectivity. <i>RSC Advances</i> , 2015, 5, 46801-46816.	1.7	19
473	Solubility-spinnability map and model for the preparation of fibres of polyethylene (terephthalate) using gyration and pressure. <i>Chemical Engineering Journal</i> , 2015, 280, 344-353.	6.6	57
474	Membrane bioreactor pilot machine test for a newly developed membrane fabricated from chlorinated poly (vinyl chloride) and non-woven poly (ethyleneterephthalate) and its anti-fouling properties. <i>Journal of Water Process Engineering</i> , 2015, 8, 160-170.	2.6	6
475	Experimental Investigation and Thermodynamic Assessment of Phase Equilibria in the PLLA/Dioxane/Water Ternary System for Applications in the Biomedical Field. <i>Langmuir</i> , 2015, 31, 13003-13010.	1.6	6
476	Fabrication of biomimetic bundled gel fibres using dynamic microfluidic gelation of phase-separated polymer solutions. <i>Journal of Materials Chemistry B</i> , 2015, 3, 8154-8161.	2.9	14
477	Solid phase extraction membranes with submicron multifunctional adsorbent particles. <i>European Polymer Journal</i> , 2015, 63, 90-100.	2.6	2
478	Morphology Control of Polysulfone Membranes in Filtration Processes: a Critical Review. <i>ChemBioEng Reviews</i> , 2015, 2, 22-43.	2.6	59
479	A sacrificial-layer approach to fabricate polysulfone support for forward osmosis thin-film composite membranes with reduced internal concentration polarisation. <i>Journal of Membrane Science</i> , 2015, 481, 106-114.	4.1	85
481	Novel membrane-supported hydrogel for removal of heavy metals. <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 453-461.	3.3	11
482	A nanocellular PVDF-graphite water-repellent composite coating. <i>RSC Advances</i> , 2015, 5, 6743-6751.	1.7	22

#	ARTICLE	IF	CITATIONS
483	Naturalâ€Based Nanocomposites for Bone Tissue Engineering and Regenerative Medicine: A Review. <i>Advanced Materials</i> , 2015, 27, 1143-1169.	11.1	743
485	Structure and properties of novel cellulose-based fibers spun from aqueous NaOH solvent under various drawing conditions. <i>Cellulose</i> , 2015, 22, 1333-1345.	2.4	7
486	Structuring of polymer solutions upon solvent evaporation. <i>Physical Review E</i> , 2015, 91, 022602.	0.8	32
487	Trapping citronellal in a microporous polyethylene matrix. <i>Thermochimica Acta</i> , 2015, 613, 61-65.	1.2	15
488	Isotropic macroporous polyethersulfone membranes as competitive supports for high performance polyamide desalination membranes. <i>Journal of Membrane Science</i> , 2015, 493, 782-793.	4.1	33
489	Influence of nanoimprint lithography on membrane structure and performance. <i>Polymer</i> , 2015, 69, 129-137.	1.8	39
490	Engineering flat sheet microporous PVDF films for membrane distillation. <i>Journal of Membrane Science</i> , 2015, 492, 355-363.	4.1	118
491	Removal of triazines from water using a novel OA modified SiO ₂ /PA/PSf nanocomposite membrane. <i>Separation and Purification Technology</i> , 2015, 147, 245-256.	3.9	39
492	Preparation of poly(L-lactic acid) nanofiber scaffolds with a rough surface by phase inversion using supercritical carbon dioxide. <i>Biomedical Materials (Bristol)</i> , 2015, 10, 035015.	1.7	11
493	PSF hollow fiber membrane fabricated from PSFâ€HBPEâ€PEG400â€DMAc dope solutions via reverse thermally induced phase separation (RTIPS) process. <i>Chemical Engineering Science</i> , 2015, 137, 131-139.	1.9	31
494	Effect of non-solvent additives on the morphology and separation performance of poly(m-phenylene) Tj ETQq0 0 0 rgBT /Overclock 10 T	4.6	37
495	Modification of polyvinyl chloride (PVC) membrane for vacuum membrane distillation (VMD) application. <i>Desalination</i> , 2015, 373, 58-70.	4.0	46
496	Routes towards catalytically active TiO ₂ -doped porous cellulose. <i>RSC Advances</i> , 2015, 5, 35866-35873.	1.7	32
497	Complexation-Induced Phase Separation: Preparation of Composite Membranes with a Nanometer-Thin Dense Skin Loaded with Metal Ions. <i>Nano Letters</i> , 2015, 15, 3166-3171.	4.5	21
498	Preparation of porous membrane by combined use of thermally and chemical reaction-introduced nonsolvent-induced phase separations. <i>Desalination and Water Treatment</i> , 2015, 53, 2059-2069.	1.0	2
499	Separators for Lithiumâ€Ion Batteries: A Review on the Production Processes and Recent Developments. <i>Energy Technology</i> , 2015, 3, 453-468.	1.8	263
500	Adiabatic burst evaporation from bicontinuous nanoporous membranes. <i>Nanoscale</i> , 2015, 7, 9185-9193.	2.8	9
501	Directionally aligned macroporous SiOC via freeze casting of preceramic polymers. <i>Journal of the European Ceramic Society</i> , 2015, 35, 2225-2232.	2.8	106

#	ARTICLE	IF	CITATIONS
502	Preparation of a novel PSf membrane containing rGO/PTh and its physical properties and membrane performance. RSC Advances, 2015, 5, 42422-42429.	1.7	9
503	Seeding nuclei for the phase-separation of cellulose acetate solution. Journal of Membrane Science, 2015, 489, 129-134.	4.1	0
504	Structural transition of asymmetric poly(ether imide) membrane prepared by wet phase inversion. Polymer Bulletin, 2015, 72, 1763-1774.	1.7	1
505	Two step and one step preparation of porous nanocomposite cellulose membranes doped with TiO ₂ . RSC Advances, 2015, 5, 88070-88078.	1.7	15
506	Polyvinylidene fluoride membranes impregnated at optimised content of pristine and functionalised multi-walled carbon nanotubes for improved water permeation, solute rejection and mechanical properties. Separation and Purification Technology, 2015, 154, 290-300.	3.9	19
507	Mechanical measurements of heterogeneity and length scale effects in PEG-based hydrogels. Soft Matter, 2015, 11, 7191-7200.	1.2	33
508	ECTFE porous membranes with conveniently controlled microstructures for vacuum membrane distillation. Journal of Materials Chemistry A, 2015, 3, 23549-23559.	5.2	40
509	Bionic design for anticoagulant surface via synthesized biological macromolecules with heparin-like chains. RSC Advances, 2015, 5, 58032-58040.	1.7	11
510	Poly(vinylidene fluoride-trifluoroethylene) Porous Films: Tailoring Microstructure and Physical Properties by Solvent Casting Strategies. Soft Materials, 2015, 13, 243-253.	0.8	19
511	Nonsolvent induced phase separation preparation of poly(vinylidene fluoride-co-trifluoroethylene) membranes with controlled content and mechanical properties. Materials and Design, 2015, 88, 390-397.	3.3	51
512	Electrospun polymeric nanofibers encapsulated with nanostructured materials and their applications: A review. Journal of Industrial and Engineering Chemistry, 2015, 24, 1-13.	2.9	69
513	Effect of general montmorillonite and Cloisite 15A on structural parameters and performance of mixed matrix membranes contactor for CO ₂ absorption. Chemical Engineering Journal, 2015, 260, 875-885.	6.6	65
514	Polymer-matrix nanocomposite membranes for water treatment. Journal of Membrane Science, 2015, 479, 256-275.	4.1	880
515	Rapid nanostructuring of polymer colloid surfaces by nonsolvent induced phase separation. Journal of Colloid and Interface Science, 2015, 441, 39-45.	5.0	5
516	A design of composite hollow fiber membranes with tunable performance and reinforced mechanical strength. Journal of Applied Polymer Science, 2015, 132, .	1.3	5
517	Effects of air-cooling on skin cells of hollow-fiber membranes prepared via thermally induced phase separation. Polymer Engineering and Science, 2015, 55, 1661-1670.	1.5	2
518	Macroencapsulation of quorum quenching bacteria by polymeric membrane layer and its application to MBR for biofouling control. Journal of Membrane Science, 2015, 473, 109-117.	4.1	102
519	Separating Oil-Water Nanoemulsions using Flux-Enhanced Hierarchical Membranes. Scientific Reports, 2014, 4, 5504.	1.6	84

#	ARTICLE	IF	CITATIONS
520	Processing of Syndiotactic Polystyrene to Microspheres for Part Manufacturing through Selective Laser Sintering. <i>Polymers</i> , 2016, 8, 383.	2.0	27
521	Facile Fabrication of Superhydrophobic Paper with Excellent Water Repellency and Moisture Resistance by Phase Separation. <i>BioResources</i> , 2016, 11, .	0.5	6
522	Synergistic Effect of Functionalized Nanokaolin Decorated MWCNTs on the Performance of Cellulose Acetate (CA) Membranes Spectacular. <i>Nanomaterials</i> , 2016, 6, 79.	1.9	12
523	Preparation and Characterization of Hydrophilically Modified PVDF Membranes by a Novel Nonsolvent Thermally Induced Phase Separation Method. <i>Membranes</i> , 2016, 6, 47.	1.4	27
524	Processing of Polysulfone to Free Flowing Powder by Mechanical Milling and Spray Drying Techniques for Use in Selective Laser Sintering. <i>Polymers</i> , 2016, 8, 150.	2.0	30
525	Origins and Evolution of Inorganic-Based and MOF-Based Mixed-Matrix Membranes for Gas Separations. <i>Processes</i> , 2016, 4, 32.	1.3	42
526	Vapor Phase Fabrication of Hydrophilic and Hydrophobic Asymmetric Polymer Membranes. <i>Macromolecular Materials and Engineering</i> , 2016, 301, 1037-1043.	1.7	12
527	Preparation of <sc>PVDF</sc>/CaCO₃ hybrid hollow fiber membranes for direct contact membrane distillation through <sc>TIPS</sc> method. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	11
528	Morphology and performance of PVDF TIPS microfiltration hollow fiber membranes prepared from PVDF/DBP/DOP systems for industrial application. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 1697-1708.	1.6	24
529	Poly(lactic acid) blends in biomedical applications. <i>Advanced Drug Delivery Reviews</i> , 2016, 107, 47-59.	6.6	377
530	Preparation and characterization of hydrophilic and antifouling poly(ether sulfone) ultrafiltration membranes modified with Zn²+&Al layered double hydroxides. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	23
531	Self-formation of microporous polysulfone hollow fiber using a single nozzle spinneret and reduction of phase-inversion speed. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 06GH06.	0.8	2
532	Synthesis of semicrystalline nanocapsular structures obtained by Thermally Induced Phase Separation in nanoconfinement. <i>Scientific Reports</i> , 2016, 6, 32727.	1.6	21
533	Processing of polysulfone to free flowing powder for part manufacturing through selective laser sintering. <i>AIP Conference Proceedings</i> , 2016, , .	0.3	4
534	Crystal nuclei templated nanostructured membranes prepared by solvent crystallization and polymer migration. <i>Nature Communications</i> , 2016, 7, 12804.	5.8	42
535	PVDF membranes prepared via thermally induced (liquid“liquid) phase separation and their application in municipal sewage and industry wastewater for water recycling. <i>Desalination and Water Treatment</i> , 2016, 57, 22258-22276.	1.0	14
536	Preparation and performance of poly (vinyl chloride)/aminated poly (vinyl chloride) blend ultrafiltration membranes. <i>Desalination and Water Treatment</i> , 2016, 57, 26850-26860.	1.0	3
537	Comparison of the membrane morphology based on the phase diagram using PVP as an organic additive and TiO2 as an inorganic additive. <i>Polymer</i> , 2016, 97, 559-568.	1.8	43

#	ARTICLE	IF	CITATIONS
538	Understanding the non-solvent induced phase separation (NIPS) effect during the fabrication of microporous PVDF membranes via thermally induced phase separation (TIPS). <i>Journal of Membrane Science</i> , 2016, 514, 250-263.	4.1	351
539	Thermoresponsive Ultrathin Membranes with Precisely Tuned Nanopores for High-Flux Separation. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 13607-13614.	4.0	40
540	High-throughput mixed-matrix membrane with superior anti-bacterial properties: A facile approach towards development of point-of-use water purification device. <i>Chemical Engineering Journal</i> , 2016, 297, 193-206.	6.6	6
541	Graphene/PVDF flat-sheet membrane for the treatment of RO brine from coal seam gas produced water by air gap membrane distillation. <i>Journal of Membrane Science</i> , 2016, 513, 74-84.	4.1	107
542	Effect of Modified NanoSiO ₂ Agents on the Morphologies and Performances of UHMWPE Microporous Membrane via Thermally Induced Phase Separation. <i>Materials Science Forum</i> , 0, 848, 726-732.	0.3	3
543	Sequential Use of UV/H ₂ O ₂ (PSF/TiO ₂ /MWCNT) Mixed Matrix Membranes for Dye Removal in Water Purification: Membrane Permeation, Fouling, Rejection, and Decolorization. <i>Environmental Engineering Science</i> , 2016, 33, 430-440.	0.8	45
544	Phase separation of polymer blends in solution: A case study. <i>European Polymer Journal</i> , 2016, 79, 176-186.	2.6	13
545	Freestanding hierarchically porous carbon framework decorated by polyaniline as binder-free electrodes for high performance supercapacitors. <i>Journal of Power Sources</i> , 2016, 329, 516-524.	4.0	44
546	Highly symmetric spongy porous poly(ether sulfone) membranes with selective open-cells for vanadium flow battery application. <i>RSC Advances</i> , 2016, 6, 87104-87109.	1.7	10
547	Single-Molecule Kinetics of Protein Adsorption on Thin Nylon-6,6 Films. <i>Analytical Chemistry</i> , 2016, 88, 9926-9933.	3.2	25
548	Phase Inversion: A Universal Method to Create High-Performance Porous Electrodes for Nanoparticle-Based Energy Storage Devices. <i>Advanced Functional Materials</i> , 2016, 26, 8427-8434.	7.8	132
549	The formation of polysulfone hollow fiber membranes by the free fall spinning method. <i>Petroleum Chemistry</i> , 2016, 56, 379-400.	0.4	24
550	High-resolution imaging of the nanostructured surface of polyacrylonitrile-based fibers. <i>Journal of Materials Science</i> , 2016, 51, 9638-9648.	1.7	15
551	Influence of the concentration and molecular weight of polyethylene glycol on the structure and permeability of polysulfone hollow fiber membranes. <i>Petroleum Chemistry</i> , 2016, 56, 321-329.	0.4	26
552	Quenching Phase Separation by Vapor Deposition Polymerization. <i>Macromolecular Materials and Engineering</i> , 2016, 301, 99-109.	1.7	10
553	Structuring of Thin-Film Polymer Mixtures upon Solvent Evaporation. <i>Macromolecules</i> , 2016, 49, 6858-6870.	2.2	48
554	Solvent stable nanoporous poly (ethylene-co-vinyl alcohol) barrier membranes for liquid-liquid extraction of lithium from a salt lake brine. <i>Journal of Membrane Science</i> , 2016, 520, 596-606.	4.1	66
555	Preparation and characterization of TiO ₂ embedded PVC ultrafiltration membranes. <i>Chemical Engineering Research and Design</i> , 2016, 114, 96-107.	2.7	107

#	ARTICLE	IF	CITATIONS
556	Transferable thin films with sponge-like porous structure via improved phase separation. <i>Polymer</i> , 2016, 101, 184-191.	1.8	21
557	Phase Separation. , 2016, , 5943-5950.		0
558	Superspreadingâ€Based Fabrication of Asymmetric Porous PAAâ€gâ€PVDF Membranes for Efficient Water Flow Gating. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600615.	1.9	19
559	Internal polymer pore functionalization through coated particle templating affords fluorine-free green functional textiles. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15197-15206.	5.2	19
560	Mass-Transfer-Induced Multistep Phase Separation in Emulsion Droplets: Toward Self-Assembly Multilayered Emulsions and Onionlike Microspheres. <i>Langmuir</i> , 2016, 32, 7882-7887.	1.6	16
561	Fabrication of rigid poly(lactic acid) foams via thermally induced phase separation. <i>Polymer</i> , 2016, 107, 240-248.	1.8	61
562	Tuning the properties of polyhydroxybutyrate films using acetic acid via solvent casting. <i>Scientific Reports</i> , 2016, 5, 17884.	1.6	122
563	The role of thermodynamic parameter on membrane morphology based on phase diagram. <i>Journal of Molecular Liquids</i> , 2016, 224, 776-785.	2.3	27
564	Combined effects of hollow fiber fabrication conditions and casting mixture composition on the properties of polysulfone ultrafiltration membranes. <i>Separation Science and Technology</i> , 2016, 51, 2070-2079.	1.3	12
565	High-performance porous uncharged membranes for vanadium flow battery applications created by tuning cohesive and swelling forces. <i>Energy and Environmental Science</i> , 2016, 9, 2319-2325.	15.6	108
566	Cartilage and Bone Regenerationâ€How Close Are We to Bedside?. , 2016, , 89-106.		5
567	Crystalline structure and morphological properties of porous cellulose/clay composites: The effect of water and ethanol as coagulants. <i>Carbohydrate Polymers</i> , 2016, 141, 211-219.	5.1	18
568	Enhanced ferro-actuator with a porosity-controlled membrane using the sol-gel process and the HF etching method. <i>Smart Materials and Structures</i> , 2016, 25, 017001.	1.8	1
569	Determination of concentration-dependent diffusion coefficient of seven solvents in polystyrene systems using FTIR-ATR technique: experimental and mathematical studies. <i>RSC Advances</i> , 2016, 6, 9013-9022.	1.7	10
570	Molecular dynamics approach to the structural characterization and transport properties of poly(acrylonitrile)/N,N-dimethylformamide solutions. <i>Journal of Molecular Liquids</i> , 2016, 219, 45-53.	2.3	2
571	Preparation, characterization and performance of poly(m -phenylene isophthalamide)/organically modified montmorillonite nanocomposite membranes in removal of perfluorooctane sulfonate. <i>Journal of Environmental Sciences</i> , 2016, 46, 126-133.	3.2	13
572	Can carbon-based nanomaterials revolutionize membrane fabrication for water treatment and desalination?. <i>Desalination</i> , 2016, 391, 69-88.	4.0	115
573	Poly(ether-b-amide)/ethylene glycol monophenyl ether gel membrane with superior CO ₂ /N ₂ separation performance fabricated by thermally induced phase separation method. <i>Journal of Membrane Science</i> , 2016, 508, 136-145.	4.1	16

#	ARTICLE	IF	CITATIONS
574	On the initiation of macrovoids in polymeric membranes – effect of polymer chain entanglement. <i>Journal of Membrane Science</i> , 2016, 505, 70-81.	4.1	77
575	Understanding the separations of oil/water mixtures from immiscible to emulsions on super-wettable surfaces. <i>Journal of Bionic Engineering</i> , 2016, 13, 1-29.	2.7	88
576	Tailoring doubly porous poly(2-hydroxyethyl methacrylate)-based materials via thermally induced phase separation. <i>Polymer</i> , 2016, 86, 138-146.	1.8	14
577	Production of antimicrobial membranes loaded with potassium sorbate using a supercritical phase separation process. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 34, 77-85.	2.7	28
578	Three-dimensional freestanding hierarchically porous carbon materials as binder-free electrodes for supercapacitors: high capacitive property and long-term cycling stability. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5623-5631.	5.2	89
579	Designer porous antibacterial membranes derived from thermally induced phase separation of PS/PVME blends decorated with an electrospun nanofiber scaffold. <i>RSC Advances</i> , 2016, 6, 10865-10872.	1.7	19
580	Highly stable polysulfone solvent resistant nanofiltration membranes with internal cross-linking networks. <i>RSC Advances</i> , 2016, 6, 29570-29575.	1.7	13
581	Toward Microcapsule-Embedded Self-Healing Membranes. <i>Environmental Science and Technology Letters</i> , 2016, 3, 216-221.	3.9	47
582	Bio-safe processing of polylactic-co-caprolactone and polylactic acid blends to fabricate fibrous porous scaffolds for in vitro mesenchymal stem cells adhesion and proliferation. <i>Materials Science and Engineering C</i> , 2016, 63, 512-521.	3.8	19
583	Spontaneous, One-Pot Assembly of pH-Responsive Hydrogen-Bonded Polymer Capsules. <i>ACS Macro Letters</i> , 2016, 5, 35-39.	2.3	9
584	Highly porous cellulosic nanocomposite membranes with enhanced performance for forward osmosis desalination. <i>Desalination</i> , 2016, 381, 117-125.	4.0	45
585	Dispersion of hydroxyapatite nanoparticles in solution and in polycaprolactone composite scaffolds. <i>Journal of Materials Chemistry B</i> , 2016, 4, 409-421.	2.9	19
586	Development of thin-film composite PRO membranes with high power density. <i>Desalination and Water Treatment</i> , 2016, 57, 10093-10100.	1.0	6
587	The effect of functionalized SiO ₂ nanoparticles on the morphology and triazines separation properties of cellulose acetate membranes. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 34, 51-60.	2.9	44
588	Supercritical fluid assisted process for the generation of cellulose acetate loaded structures, potentially useful for tissue engineering applications. <i>Materials Science and Engineering C</i> , 2016, 59, 480-487.	3.8	20
589	Preparation of hydrophilic polyethylene/methylcellulose blend microporous membranes for separator of lithium-ion batteries. <i>Journal of Membrane Science</i> , 2016, 498, 147-157.	4.1	77
590	Forward osmosis application of modified TiO ₂ -polyamide thin film nanocomposite membranes. <i>Desalination and Water Treatment</i> , 2016, 57, 14013-14023.	1.0	35
591	Removal of heavy metal chromium from tannery effluent using ultrafiltration membrane. <i>Textiles and Clothing Sustainability</i> , 2017, 2, .	1.2	27

#	ARTICLE	IF	CITATIONS
592	Phase separation analysis of Extem/solvent/non-solvent systems and relation with membrane morphology. <i>Journal of Membrane Science</i> , 2017, 526, 301-314.	4.1	93
593	Gyrospon antimicrobial nanoparticle loaded fibrous polymeric filters. <i>Materials Science and Engineering C</i> , 2017, 74, 315-324.	3.8	29
594	Critical residence time in metastable region "a time scale determining the demixing mechanism of nonsolvent induced phase separation. <i>Journal of Membrane Science</i> , 2017, 529, 35-46.	4.1	18
595	Improved Dielectric Properties of Polyvinylidene Fluoride Nanocomposite Embedded with Poly(vinylpyrrolidone)-Coated Gold Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 6369-6375.	4.0	56
596	Novel polymer grease microstructure and its proposed lubrication mechanism in rolling/sliding contacts. <i>Tribology International</i> , 2017, 110, 278-290.	3.0	29
597	The study of membrane formation via phase inversion method by cloud point and light scattering experiment. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	14
598	Middle support layer formation and structure in relation to performance of three-tier thin film composite forward osmosis membrane. <i>Desalination</i> , 2017, 421, 190-201.	4.0	24
599	Investigation of the relation between viscoelastic properties of polysulfone solutions, phase inversion process and membrane morphology: The effect of solvent power. <i>Journal of Membrane Science</i> , 2017, 532, 47-57.	4.1	54
601	Effects of polyethylene glycol on membrane formation and properties of hydrophilic sulfonated polyphenylenesulfone (sPPSU) membranes. <i>Journal of Membrane Science</i> , 2017, 531, 27-35.	4.1	73
602	Arabic gum as a novel pore-forming and hydrophilic agent in polysulfone membranes. <i>Journal of Membrane Science</i> , 2017, 529, 95-104.	4.1	45
603	Research on permeability coefficient of a polyethylene controlled-release film coating for urea and relevant nutrient release pathways. <i>Polymer Testing</i> , 2017, 59, 90-98.	2.3	31
604	High temperature stable Li-ion battery separators based on polyetherimides with improved electrolyte compatibility. <i>Journal of Power Sources</i> , 2017, 345, 202-211.	4.0	41
605	Toward microvascular network-embedded self-healing membranes. <i>Journal of Membrane Science</i> , 2017, 531, 94-102.	4.1	37
606	MOF immobilization on the surface of polymer-cordierite composite monoliths through in-situ crystal growth. <i>Separation and Purification Technology</i> , 2017, 183, 173-180.	3.9	38
607	The Design of Mini-Rotary Forcespinning System for Nanofiber Synthesis. <i>Procedia Engineering</i> , 2017, 170, 24-30.	1.2	5
608	Mechanism of formation of hollow fiber membranes for membrane distillation: 1. Inner coagulation power effect on morphological characteristics. <i>Journal of Membrane Science</i> , 2017, 542, 456-468.	4.1	21
609	Morphology Development in Solution-Processed Functional Organic Blend Films: An In Situ Viewpoint. <i>Chemical Reviews</i> , 2017, 117, 6332-6366.	23.0	145
610	Three-dimensional architecture constructed from a graphene oxide nanosheet"polymer composite for high-flux forward osmosis membranes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12183-12192.	5.2	37

#	ARTICLE	IF	CITATIONS
611	Tailoring structures and performance of polyamide thin film composite (PA-TFC) desalination membranes via sublayers adjustment-a review. <i>Desalination</i> , 2017, 417, 19-35.	4.0	116
612	Symmetrical solid oxide fuel cells fabricated by phase inversion tape casting with impregnated SrFe _{0.75} Mo _{0.25} O _{3-λ} (SFMO) electrodes. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 18499-18503.	3.8	34
613	Bottom-up Structural Design of Crystalline Drug-Excipient Composite Microparticles via Microfluidic Droplet-based Processing. <i>Crystal Growth and Design</i> , 2017, 17, 3030-3039.	1.4	15
614	Phase-Induced Formation of Janus Droplets Based on Aqueous Two-Phase Systems. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1600422.	1.1	41
615	Preparation of polypropylene microspheres for selective laser sintering via thermal-induced phase separation: Roles of liquid-liquid phase separation and crystallization. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2017, 55, 320-329.	2.4	30
616	SrTiO ₃ nanoparticles and nanofibers: synthesis and comparison of photocatalytic properties. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 13950-13955.	1.1	8
617	Polysulfone membranes via thermally induced phase separation. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2017, 35, 846-856.	2.0	14
618	Electrospinning of nanofibrous layers of As-S chalcogenide glass. <i>International Journal of Higher Education Management</i> , 2017, 3, 1-6.	1.0	4
619	Determination of thermodynamic properties of polysulfone/PEG membrane solutions based on Flory-Huggins model. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	19
620	PDLA/PLLA ultrafiltration membrane with excellent permeability, rejection and fouling resistance via stereocomplexation. <i>Journal of Membrane Science</i> , 2017, 533, 103-111.	4.1	27
621	A multi-fluid model for microstructure formation in polymer membranes. <i>Soft Matter</i> , 2017, 13, 3013-3030.	1.2	53
622	Steering surface topographies of electrospun fibers: understanding the mechanisms. <i>Scientific Reports</i> , 2017, 7, 158.	1.6	71
623	Structuring and characterization of a novel microporous PVDF membrane with semi-interpenetrating polymer networks for vacuum membrane distillation. <i>Polymer Engineering and Science</i> , 2017, 57, 1311-1321.	1.5	10
624	Porous membranes in secondary battery technologies. <i>Chemical Society Reviews</i> , 2017, 46, 2199-2236.	18.7	357
625	Asymmetric membranes based on poly(vinyl chloride): effect of molecular weight of additive and solvent power on the morphology and performance. <i>Journal of Materials Science</i> , 2017, 52, 5708-5725.	1.7	24
626	A comparative theoretical and experimental study on liquid-liquid equilibria of membrane forming polymeric solutions. <i>Fluid Phase Equilibria</i> , 2017, 435, 60-72.	1.4	7
627	Biodegradable membranes loaded with curcumin to be used as engineered independent devices in active packaging. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2017, 71, 518-526.	2.7	32
628	Effect of coagulating agent viscosity on the kinetics of formation, morphology, and transport properties of cellulose nanofiltration membranes. <i>Polymer Science - Series A</i> , 2017, 59, 676-684.	0.4	10

#	ARTICLE	IF	CITATIONS
629	Effect of Molecular Weight of Sulfonated Poly(ether sulfone) (SPES) on the Mechanical Strength and Antifouling Properties of Poly(ether sulfone)/SPES Blend Membranes. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 11302-11311.	1.8	20
630	Fabrication of polyurethane and thermoplastic polyurethane nanofiber by controlling the electrospinning parameters. <i>Materials Research Express</i> , 2017, 4, 105308.	0.8	8
631	Dissipative particle dynamics study of phase separation in binary fluid mixtures in periodic and confined domains. <i>Journal of Chemical Physics</i> , 2017, 147, 074703.	1.2	3
632	Phase behavior of the polymer/drug system PLA/DEET. <i>Polymer</i> , 2017, 126, 116-125.	1.8	27
633	Effect of combination dope composition and evaporation time on the separation performance of cellulose acetate membrane for demak brackish water treatment. <i>MATEC Web of Conferences</i> , 2017, 101, 01004.	0.1	10
634	Low content nano-polyrhodanine modified polysulfone membranes with superior properties and their performance for wastewater treatment. <i>Environmental Science: Nano</i> , 2017, 4, 2043-2054.	2.2	19
635	Photocatalytic and Magnetic Porous Cellulose-Based Nanocomposite Films Prepared by a Green Method. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 9858-9868.	3.2	22
636	Thermally-drawn fibers with spatially-selective porous domains. <i>Nature Communications</i> , 2017, 8, 364.	5.8	34
637	Antibacterial and Antibiofouling Polymeric Membranes through Immobilization of Pyridine Derivative Leading to ROS Generation and Loss in Bacterial Membrane Integrity. <i>ChemistrySelect</i> , 2017, 2, 7965-7974.	0.7	21
638	Fabrication of smart magnetic nanocomposite asymmetric membrane capsules for the controlled release of nitrate. <i>Environmental Nanotechnology, Monitoring and Management</i> , 2017, 8, 233-243.	1.7	19
639	Modified Bruggeman models for prediction of CO ₂ permeance in polycarbonate/silica nanocomposite membranes. <i>Canadian Journal of Chemical Engineering</i> , 2017, 95, 2398-2409.	0.9	16
640	Development of ethanolamine-based ionic liquid membranes for efficient CO ₂ /CH ₄ separation. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45395.	1.3	28
641	Tailorable Surface Morphology of 3D Scaffolds by Combining Additive Manufacturing with Thermally Induced Phase Separation. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700186.	2.0	15
642	Fabrication of Mesoporous Polystyrene Films with Controlled Porosity and Pore Size by Solvent Annealing for Templated Syntheses. <i>Langmuir</i> , 2017, 33, 8428-8435.	1.6	11
643	Composite nanofibrous microfiltration water filter. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45557.	1.3	7
644	Morphological control and properties of poly(lactic acid) hollow fibers for biomedical applications. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45494.	1.3	16
645	Characterization and Separation Performance of a Novel Polyethersulfone Membrane Blended with Acacia Gum. <i>Scientific Reports</i> , 2017, 7, 15831.	1.6	49
646	A Neutron-Transparent Flow-Through Cell (NTFT-Cell) for the SANS investigation of microstructure evolution during industrial evaporative casting. <i>Journal of Neutron Research</i> , 2017, 19, 177-185.	0.4	6

#	ARTICLE	IF	CITATIONS
647	Formation mechanism of thermally expandable microspheres of PMMA encapsulating NaHCO ₃ and ethanol via thermally induced phase separation. RSC Advances, 2017, 7, 50603-50609.	1.7	6
648	Cation-Exchange Membranes with Controlled Porosity in Electrodialysis Application. Industrial & Engineering Chemistry Research, 2017, 56, 8111-8120.	1.8	15
649	Solvent effect and macrovoid formation in cellulose acetate phthalate (<scp>CAP</scp>)â€™ polyacrylonitrile (<scp>PAN</scp>) blend hollow fiber membranes. Journal of Applied Polymer Science, 2017, 134, .	1.3	9
650	Oberflächenmodifizierung von Wasseraufbereitungsmembranen. Angewandte Chemie, 2017, 129, 4734-4788.	1.6	58
651	Surface Modification of Water Purification Membranes. Angewandte Chemie - International Edition, 2017, 56, 4662-4711.	7.2	564
652	Effect of surface properties of polysulfone support on the performance of thin film composite polyamide reverse osmosis membranes. Journal of Applied Polymer Science, 2017, 134, .	1.3	43
653	Composite ceria nanofiber with different copper loading using electrospinning method. Journal of Alloys and Compounds, 2017, 694, 10-16.	2.8	22
654	Ultrathin and ordered stacking of silica nanoparticles via spin-assisted layer-by-layer assembly under dehydrated conditions for the fabrication of ultrafiltration membranes. Journal of Membrane Science, 2017, 523, 60-67.	4.1	16
655	Fundamentals on Osteochondral Tissue Engineering. Studies in Mechanobiology, Tissue Engineering and Biomaterials, 2017, , 129-146.	0.7	2
656	Critical aspects of RO desalination: A combination strategy. Desalination, 2017, 401, 68-87.	4.0	40
657	Preparation of porous poly(L-lactic acid)- <i>co</i> -(trimethylene-carbonate) structures using supercritical CO ₂ as antisolvent and as foaming agent. Polymer Engineering and Science, 2017, 57, 1005-1015.	1.5	4
658	An enhanced poly(vinylidene fluoride) matrix separator with high density polyethylene for good performance lithium ion batteries. Journal of Solid State Electrochemistry, 2017, 21, 919-925.	1.2	19
659	Structures and antifouling properties of polyvinyl chloride/poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 267 Td (methacrylate)-grafted Journal of Membrane Science, 2017, 524, 235-244.	4.1	85
660	Mixed-matrix membranes with enhanced antifouling activity: probing the surface-tailoring potential of Tiron and chromotropic acid for nano-TiO ₂ . Royal Society Open Science, 2017, 4, 170368.	1.1	7
661	Effects of Methylcellulose on the Properties and Morphology of Polysulfone Membranes Prepared by Phase Inversion. Materials Research, 2017, 20, 339-348.	0.6	52
662	1.7 PVDF Hollow Fibers Membranes. , 2017, , 137-189.		10
663	Electrospinning of patterned and 3D nanofibers. , 2017, , 399-447.		10
664	Improving Liquid Entry Pressure of Polyvinylidene Fluoride (PVDF) Membranes by Exploiting the Role of Fabrication Parameters in Vapor-Induced Phase Separation VIPS and Non-Solvent-Induced Phase Separation (NIPS) Processes. Applied Sciences (Switzerland), 2017, 7, 181.	1.3	45

#	ARTICLE	IF	CITATIONS
665	2.11 Polymers of Biological Origin \hat{t} . , 2017, , 228-252.		33
666	1.5 State-of-the-Art and Perspectives of Organic Materials for Membrane Preparation. , 2017, , 85-119.		9
667	Caracterização no Infravermelho (IV) e Eletrãnica de superfãcie (MEV) de membranas assimãtricas ã base de Poli (acrilonitrila-co-acetato de vinila). Revista Materia, 2017, 22, .	0.1	1
668	Membrane processes. Physical Sciences Reviews, 2017, 2, .	0.8	0
669	The role of polyvinylpyrrolidone in forming openãporous, macrovoidãfree mixed matrix sorbents from Torlon^{ã}, a polyamideãimide polymer. Polymer Engineering and Science, 2018, 58, 2106-2114.	1.5	5
670	Reprocessable porous poly(ionic liquid) membranes derived from main-chain polyimidazolium. European Polymer Journal, 2018, 103, 214-219.	2.6	14
671	Supercritical Fluid Technology as a Tool to Prepare Gradient Multifunctional Architectures Towards Regeneration of Osteochondral Injuries. Advances in Experimental Medicine and Biology, 2018, 1058, 265-278.	0.8	4
672	Spinodal nanostructures in polymer blends: On the validity of the Cahn-Hilliard length scale prediction. Progress in Polymer Science, 2018, 81, 1-21.	11.8	30
673	Mesoscopic simulation and characterization of the morphological evolution in phase separating fluid mixtures. Computational Materials Science, 2018, 149, 267-281.	1.4	4
674	Tuning the ion selectivity of porous poly(2,5-benzimidazole) membranes by phase separation for all vanadium redox flow batteries. Journal of Membrane Science, 2018, 556, 164-177.	4.1	34
675	Inversely polarised ferroelectric polymer contact electrodes for triboelectric-like generators from identical materials. Energy and Environmental Science, 2018, 11, 1437-1443.	15.6	43
676	Preparation of microporous Cellulose/Poly(vinylidene fluoride-hexafluoropropylene) membrane for lithium ion batteries by phase inversion method. Journal of Power Sources, 2018, 379, 197-205.	4.0	81
677	Triboelectric nanogenerator based on immersion precipitation derived highly porous ethyl cellulose. Journal of Electrostatics, 2018, 92, 1-5.	1.0	30
678	High-resolution patterning of solution-processable materials via externally engineered pinning of capillary bridges. Nature Communications, 2018, 9, 393.	5.8	19
679	SizeãDependent Phase Separation in Emulsion Droplets. ChemPhysChem, 2018, 19, 1995-1998.	1.0	8
680	Porous Gelatin Membrane Obtained from Pickering Emulsions Stabilized by Graphene Oxide. Langmuir, 2018, 34, 1542-1549.	1.6	28
681	Post-functionalization of carboxylic polyethersulfone composite membranes. Composites Science and Technology, 2018, 156, 48-60.	3.8	14
682	Synthesis, characterization and performance of polystyrene/PMMA blend membranes for potential water treatment. Desalination, 2018, 431, 35-46.	4.0	21

#	ARTICLE	IF	CITATIONS
683	Fabricating porous poly(lactic acid) fibres via electrospinning. <i>European Polymer Journal</i> , 2018, 99, 464-476.	2.6	129
684	Simple method for preparation of thermally expandable microspheres of PMMA encapsulating NaHCO ₃ via thermally induced phase separation. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46179.	1.3	5
685	Preparation of monolithic polycaprolactone foams with controlled morphology. <i>Polymer</i> , 2018, 136, 166-178.	1.8	27
686	Detection of mercury ions in water using a membrane-based colorimetric sensor. <i>RSC Advances</i> , 2018, 8, 251-261.	1.7	43
687	Silk Fibroin-Based Hydrogels and Scaffolds for Osteochondral Repair and Regeneration. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1058, 305-325.	0.8	27
688	Marangoni Flows during Nonsolvent Induced Phase Separation. <i>ACS Macro Letters</i> , 2018, 7, 582-586.	2.3	34
689	Microfluidic solvent extraction of poly(vinyl alcohol) droplets: effect of polymer structure on particle and capsule formation. <i>Soft Matter</i> , 2018, 14, 4453-4463.	1.2	14
690	Osteochondral Tissue Engineering. <i>Advances in Experimental Medicine and Biology</i> , 2018, , .	0.8	2
691	Morphological changes in asymmetric PES membranes by addition of polyurethanes: A thermodynamic and experimental study. <i>Journal of Molecular Liquids</i> , 2018, 258, 258-268.	2.3	13
692	Electroactive poly(vinylidene fluoride)-based structures for advanced applications. <i>Nature Protocols</i> , 2018, 13, 681-704.	5.5	466
693	Permeation characteristics of tailored poly (m-phenylene isophthalamide) ultrafiltration membranes and probing its efficacy on bovine serum albumin separation. <i>Polymer Testing</i> , 2018, 67, 218-227.	2.3	16
694	Incorporation of silica grafted silver nanoparticles into polyvinyl chloride/polycarbonate hollow fiber membranes for pharmaceutical wastewater treatment. <i>Chemical Engineering Research and Design</i> , 2018, 135, 153-165.	2.7	50
695	Tailoring the Porosity and Microstructure of Printed Graphene Electrodes via Polymer Phase Inversion. <i>Journal of Physical Chemistry C</i> , 2018, 122, 13745-13750.	1.5	20
696	Microstructured Elastomer-PEG Hydrogels via Kinetic Capture of Aqueous Liquid-Liquid Phase Separation. <i>Advanced Science</i> , 2018, 5, 1701010.	5.6	32
697	Diffusion and phase separation at the morphology formation of cellulose membranes by regeneration from N-methylmorpholine N-oxide solutions. <i>Cellulose</i> , 2018, 25, 2515-2530.	2.4	36
699	Preparation and characterization of PES/CA microporous membranes via reverse thermally induced phase separation process. <i>Polymer Engineering and Science</i> , 2018, 58, 180-191.	1.5	13
700	A new perspective and comparative study on demixing and gelation behavior of cellulose acetate, cellulose acetate propionate and cellulose acetate butyrate ternary solutions. <i>Polymer Engineering and Science</i> , 2018, 58, 1135-1145.	1.5	2
701	High-performance ceramic parts with complex shape prepared by selective laser sintering: a review. <i>Advances in Applied Ceramics</i> , 2018, 117, 100-117.	0.6	124

#	ARTICLE	IF	CITATIONS
702	Investigation the Effect of TiO ₂ Nanoparticles on Proton Exchange Membrane of sPEEK Used as a Fuel Cell Electrolyte Based on Phase Diagram. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2018, 28, 63-72.	1.9	9
703	Preparation of PVC/PVP composite polymer membranes via phase inversion process for water treatment purposes. <i>Chinese Journal of Chemical Engineering</i> , 2018, 26, 715-722.	1.7	42
704	Carbon nanotube immobilized membrane with controlled nanotube incorporation via phase inversion polymerization for membrane distillation based desalination. <i>Separation and Purification Technology</i> , 2018, 194, 249-255.	3.9	58
705	Polyaniline-Based Composites and Nanocomposites. , 2018, , 175-208.		5
706	Direct three-dimensional printing of polymeric scaffolds with nanofibrous topography. <i>Biofabrication</i> , 2018, 10, 025002.	3.7	27
707	Facile fabrication of polyether sulfone (PES) protecting layer on Cu foil for stable Li metal anode. <i>Electrochimica Acta</i> , 2018, 260, 407-412.	2.6	19
708	Microscopic investigation of polyacrylonitrile fiber fibrils separated by ultrasonic etching. <i>Journal of Materials Science</i> , 2018, 53, 4693-4704.	1.7	16
709	Polyethersulfone membranes prepared with Rhodiasolv [®] Polarclean as water soluble green solvent. <i>Journal of Membrane Science</i> , 2018, 549, 192-204.	4.1	94
710	PVDF/PBSA membranes with strongly coupled phosphonium derivatives and graphene oxide on the surface towards antibacterial and antifouling activities. <i>Journal of Membrane Science</i> , 2018, 548, 203-214.	4.1	46
711	Porous membranes prepared by a combined crystallisation and diffusion (CCD) method: Study on formation mechanisms. <i>Journal of Membrane Science</i> , 2018, 548, 136-148.	4.1	19
712	Nitrogen release characteristics of polyethylene-coated controlled-release fertilizers and their dependence on membrane pore structure. <i>Particuology</i> , 2018, 36, 158-164.	2.0	24
713	Nanostructured hybrid device mimicking bone extracellular matrix as local and sustained antibiotic delivery system. <i>Microporous and Mesoporous Materials</i> , 2018, 256, 165-176.	2.2	14
714	Sharkskin-mimetic desalination membranes with ultralow biofouling. <i>Journal of Materials Chemistry A</i> , 2018, 6, 23034-23045.	5.2	78
715	Tailored electrospun fibers from waste polystyrene for high oil adsorption. <i>Sustainable Materials and Technologies</i> , 2018, 18, e00084.	1.7	18
716	Polymer crystallization at liquid-liquid interface. <i>Polymer Crystallization</i> , 2018, 1, e10045.	0.5	8
717	Research on Hydrophilic Nature of Polyvinylpyrrolidone on Polysulfone Membrane Filtration. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 374, 012059.	0.3	14
718	Fabrication of Janus Membranes for Desalination of Oil-Contaminated Saline Water. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 44871-44879.	4.0	77
719	Separator Membranes for High Energy-Density Batteries. <i>ChemBioEng Reviews</i> , 2018, 5, 346-371.	2.6	29

#	ARTICLE	IF	CITATIONS
720	Spontaneous formation of microporous poly(lactic acid) coatings. Progress in Organic Coatings, 2018, 125, 249-256.	1.9	15
721	Synchrotron X-ray In Situ Tomography of Thermally Induced Phase Separation of Polylactic Acid in 1,4-Dioxane Solution. Crystal Growth and Design, 2018, 18, 7496-7503.	1.4	2
722	Choosing Appropriate Solvents for ASD Preparation. Molecular Pharmaceutics, 2018, 15, 5397-5409.	2.3	18
723	Experimental investigation and mathematical modeling of nano-composite membrane fabrication process: Focus on the role of solvent type. Asia-Pacific Journal of Chemical Engineering, 2018, 13, e2260.	0.8	7
724	Research Trend of Membranes for Water Treatment by Analysis of Patents and Papers™ Publications. , 2018, , .		0
725	Optimization and modification of PVDF dual-layer hollow fiber membrane for direct contact membrane distillation; application of response surface methodology and morphology study. Korean Journal of Chemical Engineering, 2018, 35, 2241-2255.	1.2	8
726	Nanoscale and Macroscale Scaffolds with Controlled-Release Polymeric Systems for Dental Craniomaxillofacial Tissue Engineering. Materials, 2018, 11, 1478.	1.3	27
727	Superhydrophobic EVA copolymer fibers: the impact of chemical composition on wettability and photophysical properties. Colloid and Polymer Science, 2018, 296, 1759-1766.	1.0	8
728	Preparation and antifouling property improvement of TrÅger's base polymer ultrafiltration membrane. Journal of Membrane Science, 2018, 561, 59-68.	4.1	35
729	Preparation of carboxylated silver nanoparticles via a reverse micelle method and covalent stacking onto porous substrates via amide bond formation. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 552, 98-102.	2.3	6
730	Mechanical properties and drug permeability of the PA6 membranes prepared by immersion precipitation from PA6 â€“ formic acid â€“ water system. Journal of Membrane Science, 2018, 562, 67-75.	4.1	3
731	Dual-layered nanocomposite membrane incorporating graphene oxide and halloysite nanotube for high osmotic power density and fouling resistance. Journal of Membrane Science, 2018, 564, 382-393.	4.1	43
732	Rotating-disk electrospinning: needleless electrospinning of poly(caprolactone), poly(lactic acid) and poly(vinyl alcohol) nanofiber mats with controlled morphology. Journal of Polymer Research, 2018, 25, 1.	1.2	26
733	Microarchitecture of poly(lactic acid) membranes with an interconnected network of macropores and micropores influences cell behavior. European Polymer Journal, 2018, 105, 370-388.	2.6	18
734	Ceramic biomaterials for tissue engineering. , 2018, , 95-116.		6
735	Modeling of pore formation in phase inversion processes: Model and numerical results. Journal of Membrane Science, 2018, 564, 820-831.	4.1	35
736	Additive Manufacturing of Poly(Methyl Methacrylate) Biomedical Implants with Dual-Scale Porosity. Macromolecular Materials and Engineering, 2018, 303, 1800247.	1.7	20
737	A designer membrane tool-box with a mixed metal organic framework and RAFT-synthesized antibacterial polymer perform in tandem towards desalination, antifouling and heavy metal exclusion. Journal of Materials Chemistry A, 2018, 6, 16664-16679.	5.2	42

#	ARTICLE	IF	CITATIONS
738	Flexible, high-wettability and thermostable separator based on fluorinated polyimide for lithium-ion battery. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 3363-3373.	1.2	22
739	Nanopatterned protein-polysaccharide thin films by humidity regulated phase separation. <i>Journal of Colloid and Interface Science</i> , 2018, 532, 171-181.	5.0	9
740	Benign Fabrication of Fully Stereocomplex Polylactide with High Molecular Weights via a Thermally Induced Technique. <i>ACS Omega</i> , 2018, 3, 7979-7984.	1.6	6
741	Phase-separation technologies for 3D scaffold engineering. , 2018, , 101-126.		4
742	Modification of PSf/SPSf Blended Porous Support for Improving the Reverse Osmosis Performance of Aromatic Polyamide Thin Film Composite Membranes. <i>Polymers</i> , 2018, 10, 686.	2.0	23
743	Damping elastomer with broad temperature range based on irregular networks containing hyperbranched polyester and dangling chains. <i>Polymers for Advanced Technologies</i> , 2018, 29, 2308-2316.	1.6	30
744	A highly strain and damage-tolerant thermal barrier coating fabricated by electro-sprayed zirconia hollow spheres. <i>Journal of the American Ceramic Society</i> , 2018, 101, 4375-4386.	1.9	27
745	A review on fabricating tissue scaffolds using vat photopolymerization. <i>Acta Biomaterialia</i> , 2018, 74, 90-111.	4.1	168
746	Polymer solution electrospaying: A tool for engineering particles and films with controlled morphology. <i>Journal of Aerosol Science</i> , 2018, 125, 93-118.	1.8	49
747	Regulation of pore morphologies of PU films and thereof water vapor permeability by varying tetrahydrofuran concentration in binary solvent. <i>Polymer Testing</i> , 2018, 69, 32-38.	2.3	5
748	Production of spherical semi-crystalline polycarbonate microparticles for Additive Manufacturing by liquid-liquid phase separation. <i>Powder Technology</i> , 2018, 335, 275-284.	2.1	32
749	Preparation of cellulose acetate membrane coated by PVA/Fe ₃ O ₄ nanocomposite thin film: an in situ procedure. <i>Colloid and Polymer Science</i> , 2018, 296, 1213-1223.	1.0	16
750	Highly stable, electrostatically attractive silicone nanoemulsions produced by interfacial assembly of amphiphilic triblock copolymers. <i>Soft Matter</i> , 2018, 14, 5581-5587.	1.2	3
751	Functionalized polymeric membrane with aquaporin using click chemistry for water purification application. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46678.	1.3	10
752	Fabrication and characterization of micro-patterned PDMS composite membranes for enhanced ethanol recovery. <i>Journal of Membrane Science</i> , 2018, 563, 447-459.	4.1	40
753	The role of pre-evaporation in the preparation process of EVOH ultrafiltration membranes via TIPS. <i>Journal of Membrane Science</i> , 2018, 563, 238-246.	4.1	17
754	Carbon-Based Polymer Nanocomposite Membranes for Desalination. , 2018, , 281-304.		1
755	Porous Biomaterials and Scaffolds for Tissue Engineering. , 2019, , 188-202.		5

#	ARTICLE	IF	CITATIONS
756	A Bilayered Poly (Lactic-Co-Glycolic Acid) Scaffold Provides Differential Cues for the Differentiation of Dental Pulp Stem Cells. <i>Tissue Engineering - Part A</i> , 2019, 25, 224-233.	1.6	23
757	Flame Retardant Polymer Nanocomposites and Interfaces. , 2019, , .		3
758	Co-axial fibrous silicon asymmetric membranes for high-capacity lithium-ion battery anode. <i>Journal of Applied Electrochemistry</i> , 2019, 49, 1013-1025.	1.5	4
759	Comprehensive Study of Morphological Modification of Dual-Layer Hollow Fiber Membrane. <i>Arabian Journal for Science and Engineering</i> , 2019, 44, 10041-10055.	1.7	2
760	Thermodynamic analysis of polymer solutions for the production of polymeric membranes. <i>Journal of Molecular Liquids</i> , 2019, 291, 111351.	2.3	14
761	Phase behaviour of poly(2, 6-diphenyl-p-phenylene oxide) (PPPO) in mixed solvents. <i>Polymer</i> , 2019, 180, 121652.	1.8	4
762	A Review on Porous Polymeric Membrane Preparation. Part I: Production Techniques with Polysulfone and Poly (Vinylidene Fluoride). <i>Polymers</i> , 2019, 11, 1160.	2.0	224
763	Enabling sustainable green close-loop membrane lithium extraction by acid and solvent resistant poly (ether ether ketone) membrane. <i>Journal of Membrane Science</i> , 2019, 589, 117273.	4.1	40
764	Surface modification of a cellulose acetate membrane using a nanocomposite suspension based on magnetic particles. <i>Cellulose</i> , 2019, 26, 7995-8006.	2.4	7
765	Designing High-Performance Nanofiltration Membranes for High-Salinity Separation of Sulfate and Chloride in the Chlor-Alkali Process. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 12280-12290.	1.8	54
766	The effect of Styrene Maleic Anhydride on the microstructure evolution of PSF-based membrane prepared by thermal-induced phase separation method. <i>Materials Today Communications</i> , 2019, 21, 100687.	0.9	4
767	Superhydrophobic Porous PLLA Sponges with Hierarchical Micro–Nano–Structures for High–Efficiency Self–Cleaning. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1900338.	1.1	9
768	Obtainment of the alumina polyamide-coated spherical particles. <i>Powder Technology</i> , 2019, 356, 112-118.	2.1	5
769	Surface-concentrated chitosan-doped MIL-100(Fe) nanofiller-containing PVDF composites for enhanced antibacterial activity. <i>European Polymer Journal</i> , 2019, 120, 109221.	2.6	8
770	Order-of-Magnitude, Broadband-Enhanced Light Emission from Quantum Dots Assembled in Multiscale Phase-Separated Block Copolymers. <i>Nano Letters</i> , 2019, 19, 6827-6838.	4.5	21
771	Hot-Pressed Wet-Laid Polyethylene Terephthalate Nonwoven as Support for Separation Membranes. <i>Polymers</i> , 2019, 11, 1547.	2.0	13
772	Formation of spherical micron-sized polyamide particles for additive manufacturing via liquid-liquid phase separation. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
773	Formation of Porous Films with Hydrophobic Surface from a Blend of Polymers. <i>Polymer Science - Series A</i> , 2019, 61, 619-626.	0.4	8

#	ARTICLE	IF	CITATIONS
774	Direct electrophoretic deposition of an ultra-strong separator on an anode in a surfactant-free colloidal system for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 1410-1417.	5.2	30
775	Production of spherical micron-sized polymer particles for additive manufacturing by liquid phase processes. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	2
776	Harvesting vapor by hygroscopic acid to create pore: Morphology, crystallinity and performance of poly (ether ether ketone) lithium ion battery separator. <i>Journal of Membrane Science</i> , 2019, 577, 1-11.	4.1	35
777	Molecular dynamics study of oxygen transport resistance through ionomer thin film on Pt surface. <i>Journal of Power Sources</i> , 2019, 414, 263-271.	4.0	58
778	Viscous fingering phenomena in the early stage of polymer membrane formation. <i>Journal of Fluid Mechanics</i> , 2019, 864, 97-140.	1.4	65
779	Membrane layers intensifying quorum quenching alginate cores and its potential for membrane biofouling control. <i>Bioresource Technology</i> , 2019, 279, 195-201.	4.8	35
780	Isothermal Crystallization of iPP in Environment-friendly Diluents: Effect of Binary Diluents and Crystallization Temperature on Crystallization Kinetics. <i>Chinese Journal of Polymer Science (English)</i> Tj ETQq0 0 0 rgt /Overlock 10 Tf 5	0.0	0
781	Tissue engineering scaffolds. , 2019, , 165-185.		6
782	Phase separation in binary fluid mixtures with symmetric and asymmetric Schmidt numbers: A DPD study. <i>Journal of Chemical Physics</i> , 2019, 150, 234903.	1.2	4
783	Fabrication and characterization of porous polycaprolactone scaffold via extrusion-based cryogenic 3D printing for tissue engineering. <i>Materials and Design</i> , 2019, 180, 107946.	3.3	87
784	Porous membranes of thermosetting polybenzoxazine resins with interconnected-pores for organic solvent microfiltration. <i>Journal of Membrane Science</i> , 2019, 586, 267-273.	4.1	11
785	Hybrid Tribo-Piezo-Electric Nanogenerator with Unprecedented Performance Based on Ferroelectric Composite Contacting Layers. <i>ACS Applied Energy Materials</i> , 2019, 2, 4027-4032.	2.5	37
786	Scaffolding Strategies for Tissue Engineering and Regenerative Medicine Applications. <i>Materials</i> , 2019, 12, 1824.	1.3	309
787	Recent Development in Separators for High-Temperature Lithium-ion Batteries. <i>Small</i> , 2019, 15, e1901689.	5.2	158
788	Experimental and Predictive Description of the Morphology of Wet-Spun Fibers. <i>ACS Applied Polymer Materials</i> , 2019, 1, 1280-1290.	2.0	8
789	Tailoring pore distribution in polymer films via evaporation induced phase separation. <i>RSC Advances</i> , 2019, 9, 15593-15605.	1.7	37
790	Dynamic transition of dendrite orientation in the diffusive spinodal decomposition of binary mixtures under a thermal gradient. <i>Chemical Engineering Science</i> , 2019, 203, 450-463.	1.9	9
791	Multidimension-Controllable Synthesis of Ant Nest-Structural Electrode Materials with Unique 3D Hierarchical Porous Features toward Electrochemical Applications. <i>Advanced Functional Materials</i> , 2019, 29, 1808994.	7.8	46

#	ARTICLE	IF	CITATIONS
792	Removal of Diclofenac, Paracetamol and Metronidazole using a carbon-polymeric membrane. Journal of Environmental Chemical Engineering, 2019, 7, 103080.	3.3	38
793	Effect of temperature on the morphology of poly (lactic acid) porous membrane prepared via phase inversion induced by water droplets. International Journal of Biological Macromolecules, 2019, 133, 902-910.	3.6	21
794	Mass-transfer driven spinodal decomposition in a ternary polymer solution. Soft Matter, 2019, 15, 4614-4628.	1.2	35
795	Enhanced Fouling Resistance and Antibacterial Properties of Novel Graphene Oxide-Arabic Gum Polyethersulfone Membranes. Applied Sciences (Switzerland), 2019, 9, 513.	1.3	23
796	Impact of the ethylene content on poly (ethylene-co-vinyl alcohol) membrane morphology and performance via immersion precipitation for lithium extraction. Journal of Membrane Science, 2019, 579, 172-179.	4.1	22
797	Controlled Phase Separation in Poly(<i>p</i> -phenyleneethynylene) Thin Films and Its Relationship to Vapor-Sensing Properties. Langmuir, 2019, 35, 4011-4019.	1.6	3
798	Tailoring the porous structure of hollow fiber membranes for osmotic power generation applications via thermally assisted nonsolvent induced phase separation. Journal of Membrane Science, 2019, 579, 329-341.	4.1	20
799	Polymer Concentration and Solvent Variation Correlation with the Morphology and Water Filtration Analysis of Polyether Sulfone Microfiltration Membrane. Advances in Polymer Technology, 2019, 2019, 1-11.	0.8	30
800	Green synthesis of porous polyvinyl alcohol membranes functionalized with L-arginine and their application in the removal of 4-nitrophenol from aqueous solution. Journal of Applied Polymer Science, 2019, 136, 47835.	1.3	12
801	Versatile and High-Throughput Polyelectrolyte Complex Membranes via Phase Inversion. ACS Applied Materials & Interfaces, 2019, 11, 16018-16026.	4.0	52
802	Porous aromatic polyamides the easy and green way. European Polymer Journal, 2019, 116, 91-98.	2.6	11
803	Cast-and-Use Super Black Coating Based on Polymer-Derived Hierarchical Porous Carbon Spheres. ACS Applied Materials & Interfaces, 2019, 11, 15945-15951.	4.0	29
804	Antibacterial Properties of Polysulfone Membranes Blended with Arabic Gum. Membranes, 2019, 9, 29.	1.4	23
805	3D aerogel of cellulose triacetate with supercritical antisolvent process for drug delivery. Journal of Supercritical Fluids, 2019, 148, 33-41.	1.6	22
806	Antibiofouling Performance by Polyethersulfone Membranes Cast with Oxidized Multiwalled Carbon Nanotubes and Arabic Gum. Membranes, 2019, 9, 32.	1.4	29
807	Liquid-liquid phase separation during amphiphilic self-assembly. Nature Chemistry, 2019, 11, 320-328.	6.6	185
808	Mesoscopic simulations of thermally-induced phase separation in PVDF/DPC solutions. Journal of Membrane Science, 2019, 577, 266-273.	4.1	19
809	Shaping of metal-organic frameworks into mechanically stable monoliths with poly(vinyl alcohol) by phase separation technique. Microporous and Mesoporous Materials, 2019, 280, 277-287.	2.2	28

#	ARTICLE	IF	CITATIONS
810	Two-dimensional arrays self-assembled via interference of concentration modulation waves in drying solutions. <i>Materials Horizons</i> , 2019, 6, 507-514.	6.4	2
811	Carbon Dioxide Adsorption on Grafted Nanofibrous Adsorbents Functionalized Using Different Amines. <i>Frontiers in Energy Research</i> , 2019, 7, .	1.2	21
812	Constructing high-performance 3D porous self-standing electrodes with various morphologies and shapes by a flexible phase separation-derived method. <i>Journal of Materials Chemistry A</i> , 2019, 7, 22550-22558.	5.2	12
813	Nanochannels of Covalent Organic Frameworks for Chiral Selective Transmembrane Transport of Amino Acids. <i>Journal of the American Chemical Society</i> , 2019, 141, 20187-20197.	6.6	175
814	Effects of non-solvents and electrolytes on the formation and properties of cellulose I filaments. <i>Scientific Reports</i> , 2019, 9, 16691.	1.6	27
815	Development of superhydrophobic textiles via polyvinylidene fluoride phase separation in one-step process. <i>Textile Research Journal</i> , 2019, 89, 2595-2603.	1.1	1
816	Nanocomposite membranes for water separation and purification: Fabrication, modification, and applications. <i>Separation and Purification Technology</i> , 2019, 213, 465-499.	3.9	346
817	A novel green solvent alternative for polymeric membrane preparation via nonsolvent-induced phase separation (NIPS). <i>Journal of Membrane Science</i> , 2019, 574, 44-54.	4.1	205
818	Multimodal porous and nitrogen-functionalized electrode based on graphite felt modified with carbonized porous polymer skin layer for all-vanadium redox flow battery. <i>Materials Today Energy</i> , 2019, 11, 159-165.	2.5	25
819	Current trends and future prospects of ammonia removal in wastewater: A comprehensive review on adsorptive membrane development. <i>Separation and Purification Technology</i> , 2019, 213, 114-132.	3.9	136
820	Support surface pore structures matter: Effects of support surface pore structures on the TFC gas separation membrane performance over a wide pressure range. <i>Chinese Journal of Chemical Engineering</i> , 2019, 27, 1807-1816.	1.7	10
821	Bioactive scaffolds for osteochondral regeneration. <i>Journal of Orthopaedic Translation</i> , 2019, 17, 15-25.	1.9	81
822	Novel nanocomposite polyethersulfone- antimony tin oxide membrane with enhanced thermal, electrical and antifouling properties. <i>Polymer</i> , 2019, 163, 48-56.	1.8	43
823	Critical parameters controlling the properties of monolithic poly(lactic acid) foams prepared by thermally induced phase separation. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2019, 57, 98-108.	2.4	12
824	Membrane reactors for biodiesel production with strontium oxide as a heterogeneous catalyst. <i>Fuel Processing Technology</i> , 2019, 185, 1-7.	3.7	33
825	Explorations of combined nonsolvent and thermally induced phase separation (N-TIPS) method for fabricating novel PVDF hollow fiber membranes using mixed diluents. <i>Journal of Membrane Science</i> , 2019, 572, 210-222.	4.1	53
826	Microcellular foamed aromatic polyamides (aramids). Structure, thermal and mechanical properties. <i>European Polymer Journal</i> , 2019, 110, 9-13.	2.6	19
827	Modification of dual-component fibrous materials with carbon nanotubes and methyltrichlorosilane. <i>Materials and Design</i> , 2019, 162, 219-228.	3.3	20

#	ARTICLE	IF	CITATIONS
828	Correlation between fibril structures and mechanical properties of polyacrylonitrile fibers during the dry- ϵ jet wet spinning process. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47336.	1.3	17
829	Multifunctional porous membranes with antibacterial properties. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2019, 68, 19-26.	1.8	5
830	Microstructures of cellulose coagulated in water and alcohols from 1-ethyl-3-methylimidazolium acetate: contrasting coagulation mechanisms. <i>Cellulose</i> , 2019, 26, 1545-1563.	2.4	11
831	Production of polyamide 11 microparticles for Additive Manufacturing by liquid-liquid phase separation and precipitation. <i>Chemical Engineering Science</i> , 2019, 197, 11-25.	1.9	43
832	Preparation of PVDF ultrafiltration membranes using PVA as pore surface hydrophilic modification agent with improved antifouling performance. <i>Polymer Engineering and Science</i> , 2019, 59, E384.	1.5	10
833	Surface modification of polyamide reverse osmosis membrane by phosphonic acid group with improved performance. <i>Journal of Applied Polymer Science</i> , 2019, 136, 46931.	1.3	13
834	Nanofiltration membranes based on PA6/EVOH with variable composition and morphology. <i>Journal of Vinyl and Additive Technology</i> , 2019, 25, E28.	1.8	3
835	Application of ANN and RSM techniques for modeling electrospinning process of polycaprolactone. <i>Neural Computing and Applications</i> , 2019, 31, 239-248.	3.2	46
836	Preparation, Properties, and Applications of Natural Cellulosic Aerogels: A Review. <i>Energy and Built Environment</i> , 2020, 1, 60-76.	2.9	108
837	Phase inversion/sintering-induced porous ceramic microsheet membranes for high-quality separation of oily wastewater. <i>Journal of Membrane Science</i> , 2020, 595, 117477.	4.1	59
838	A critical review of molecularly imprinted polymers for the analysis of organic pollutants in environmental water samples. <i>Journal of Chromatography A</i> , 2020, 1614, 460603.	1.8	124
839	Preparation and modification of polyethersulphone MF/UF membrane by TiO ₂ nanoparticles for pre-treatment of Pink water. <i>International Journal of Environmental Analytical Chemistry</i> , 2020, 100, 175-188.	1.8	1
840	Preprogrammed Dynamic Microstructured Polymer Interfaces. <i>Advanced Functional Materials</i> , 2020, 30, 1903478.	7.8	12
841	Rhodamine B hydrazide loaded polysulfone fabrics for Cu(II) detection: Morphological and optical properties. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48408.	1.3	5
842	Artificial kidney: A chemical engineering challenge. , 2020, , 1-20.		3
843	Electrospun polyurethane-based vascular grafts: physicochemical properties and functioning in vivo. <i>Biomedical Materials (Bristol)</i> , 2020, 15, 015010.	1.7	15
844	Fabrication of porous fibers via electrospinning: strategies and applications. <i>Polymer Reviews</i> , 2020, 60, 595-647.	5.3	77
845	Fabrication of microfiltration membranes from polyisobutylene/polymethylpentene blends. <i>Polymer International</i> , 2020, 69, 165-172.	1.6	15

#	ARTICLE	IF	CITATIONS
846	Patterned superhydrophobic polyvinylidene fluoride (PVDF) membranes for membrane distillation: Enhanced flux with improved fouling and wetting resistance. <i>Journal of Membrane Science</i> , 2020, 595, 117596.	4.1	93
847	Investigating the potential of membranes formed by the vapor induced phase separation process. <i>Journal of Membrane Science</i> , 2020, 597, 117601.	4.1	110
848	Single-ion conducting gel polymer electrolytes: design, preparation and application. <i>Journal of Materials Chemistry A</i> , 2020, 8, 1557-1577.	5.2	154
849	Development of poly(L-lactide) (PLLA) microspheres precipitated from triacetin for application in powder bed fusion of polymers. <i>Additive Manufacturing</i> , 2020, 32, 100966.	1.7	24
850	110th Anniversary: Gas and Vapor Sorption in Glassy Polymeric Membranes—Critical Review of Different Physical and Mathematical Models. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 341-365.	1.8	26
851	Influences of different preparation variables on polymeric membrane formation via nonsolvent induced phase separation. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48852.	1.3	44
852	Tough and biocompatible hybrid networks prepared from methacrylated poly(trimethylene carbonate) (PTMC) and methacrylated gelatin. <i>European Polymer Journal</i> , 2020, 123, 109420.	2.6	17
853	Biomimetic synthesis of 3D Au-decorated chitosan nanocomposite for sensitive and reliable SERS detection. <i>Chemical Engineering Journal</i> , 2020, 392, 123693.	6.6	41
854	Preparation of porous phosphine oxide-incorporated polymer membranes for selective removal of p-cresol from simulated serum: A preliminary study. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 107, 1-14.	2.7	6
855	Fabrication of biocomposite membrane with microcrystalline cellulose (MCC) extracted from sugarcane bagasse by phase inversion method. <i>Cellulose</i> , 2020, 27, 1367-1384.	2.4	33
856	Polyphenylsulfone/multiwalled carbon nanotubes mixed ultrafiltration membranes: Fabrication, characterization and removal of heavy metals Pb ²⁺ , Hg ²⁺ , and Cd ²⁺ from aqueous solutions. <i>Arabian Journal of Chemistry</i> , 2020, 13, 4661-4672.	2.3	81
857	A new approach to phase-field model for the phase separation dynamics in polymer membrane formation by immersion precipitation method. <i>Polymer</i> , 2020, 186, 122054.	1.8	7
858	Polyhydroxyalkanoate (PHA) based microfiltration membranes: Tailoring the structure by the non-solvent induced phase separation (NIPS) process. <i>Polymer</i> , 2020, 204, 122813.	1.8	22
859	Novel bacterial cellulose nanocrystals/polyether block amide microporous membranes as separators for lithium-ion batteries. <i>International Journal of Biological Macromolecules</i> , 2020, 164, 3580-3588.	3.6	25
860	Tuning the structure and performance of polyelectrolyte complexation based aqueous phase separation membranes. <i>Journal of Membrane Science</i> , 2020, 615, 118502.	4.1	22
861	Predicting the performance of polyvinylidene fluoride, polyethersulfone and polysulfone filtration membranes using machine learning. <i>Journal of Materials Chemistry A</i> , 2020, 8, 21862-21871.	5.2	33
862	Weak polyanion and strong polycation complex based membranes: Linking aqueous phase separation to traditional membrane fabrication. <i>European Polymer Journal</i> , 2020, 139, 110015.	2.6	22
863	Patterning flat-sheet Poly(vinylidene fluoride) membrane using templated thermally induced phase separation. <i>Journal of Membrane Science</i> , 2020, 616, 118627.	4.1	21

#	ARTICLE	IF	CITATIONS
864	Synergistic engineering of 1D electrospun nanofibers and 2D nanosheets for sustainable applications. <i>Sustainable Materials and Technologies</i> , 2020, 26, e00214.	1.7	13
865	Preparation and application of a high-temperature-resistant EVOH-SO ₃ Li/PI fiber membrane with self-closing pores. <i>High Performance Polymers</i> , 2020, 32, 1102-1111.	0.8	3
866	Fabrication of hierarchically porous superhydrophilic polycaprolactone monolith based on nonsolvent-thermally induced phase separation. <i>RSC Advances</i> , 2020, 10, 26319-26325.	1.7	13
867	<i>Bone Tissue Engineering</i> , 2020, , 1373-1388.		8
868	Phase Inversion-Based Technique for Fabricating Bijels and Bijels-Derived Structures with Tunable Microstructures. <i>Langmuir</i> , 2020, 36, 14644-14655.	1.6	11
869	On the Development of Polymer Particles for Laser Powder Bed Fusion via Precipitation. <i>Procedia CIRP</i> , 2020, 94, 95-99.	1.0	7
870	<i>Nanofibers for soft-tissue engineering</i> , 2020, , 437-469.		1
871	Cellulose Beads Derived from Waste Textiles for Drug Delivery. <i>Polymers</i> , 2020, 12, 1621.	2.0	14
872	Nanohybrid Membrane Synthesis with Phosphorene Nanoparticles: A Study of the Addition, Stability and Toxicity. <i>Polymers</i> , 2020, 12, 1555.	2.0	9
873	Nanozirconia polymer composite porous membrane prepared by sustainable immersion precipitation method for use as electrolyte in flexible supercapacitors. <i>Materials Today Communications</i> , 2020, 25, 101506.	0.9	5
874	Fabrication and modification of forward osmosis membranes by using graphene oxide for dye rejection and sludge concentration. <i>Chemical Engineering Research and Design</i> , 2020, 144, 225-235.	2.7	22
875	An ultralow-temperature superelastic polymer aerogel with high strength as a great thermal insulator under extreme conditions. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18698-18706.	5.2	49
876	Christiansen Effect-Based Physical Coloration of a Cellulosic Monolith Conveniently Fabricated Using Thermally Induced Phase Separation. <i>Macromolecular Chemistry and Physics</i> , 2020, 221, 2000272.	1.1	1
877	The effect of chemistry of nanoparticle modifier groups on the PVDF membranes for membrane distillation. <i>Chemical Engineering Research and Design</i> , 2020, 164, 1-10.	2.7	5
878	Impact of SPEEK on PEEK membranes: Demixing, morphology and performance enhancement in lithium membrane extraction. <i>Journal of Membrane Science</i> , 2020, 615, 118448.	4.1	22
879	Studies in synthesis and modification of PES membrane and its application for removal of reactive black 5 dye. <i>Indian Chemical Engineer</i> , 2022, 64, 111-120.	0.9	5
880	Mechanisms of Asymmetric Membrane Formation in Nonsolvent-Induced Phase Separation. <i>ACS Macro Letters</i> , 2020, 9, 1617-1624.	2.3	59
881	Antibacterial and antifouling properties of Ag ₃ PO ₄ /GO nanocomposite blended polyethersulfone membrane applied in dye separation. <i>Journal of Water Process Engineering</i> , 2020, 38, 101638.	2.6	45

#	ARTICLE	IF	CITATIONS
882	Composite amine mixed matrix membranes for high-pressure CO ₂ -CH ₄ separation: synthesis, characterization and performance evaluation. Royal Society Open Science, 2020, 7, 200795.	1.1	8
883	Next-Generation Ultrafiltration Membranes Enabled by Block Polymers. ACS Nano, 2020, 14, 16446-16471.	7.3	108
884	Highly Aligned Carbon Nanowire Array by E-Field Directed Assembly of PAN-Containing Block Copolymers. ACS Applied Materials & Interfaces, 2020, 12, 58113-58121.	4.0	6
885	Poly(hydroxybutyrate-co-hydroxyvalerate) Porous Matrices from Thermally Induced Phase Separation. Polymers, 2020, 12, 2787.	2.0	6
886	High-Performance Polymer Foams by Thermally Induced Phase Separation. Macromolecular Rapid Communications, 2020, 41, e2000110.	2.0	15
887	Force field in coagulation bath at low temperature induced microfibril evolution within PAN nascent fiber and precursor fiber. Journal of Applied Polymer Science, 2020, 137, 49380.	1.3	10
888	Macrovoid-Inhibited PVDF Hollow Fiber Membranes via Spinning Process Delay for Direct Contact Membrane Distillation. ACS Applied Materials & Interfaces, 2020, 12, 28655-28668.	4.0	15
889	In situ tailoring the hierarchical microstructures in polyethylene films fabricated by thermally induced phase separation via temperature gradient fields. Journal of Materials Science, 2020, 55, 10922-10941.	1.7	17
891	Preparation and optimization of antifouling PPSU/PES/SiO ₂ nanocomposite ultrafiltration membranes by VIPS-NIPS technique. Journal of Industrial and Engineering Chemistry, 2020, 88, 292-311.	2.9	40
892	Cellulose acetate monolith with hierarchical micro/nano-porous structure showing superior hydrophobicity for oil/water separation. Carbohydrate Polymers, 2020, 241, 116361.	5.1	35
893	Polyethersulfone hollow fiber membranes prepared with Polarclean [®] as a more sustainable solvent. Journal of Membrane Science, 2020, 608, 118216.	4.1	41
895	Polyelectrolyte Complex Membranes via Salinity Change Induced Aqueous Phase Separation. ACS Applied Polymer Materials, 2020, 2, 2612-2621.	2.0	45
896	Inside-tube solid-phase microextraction as an interlink between solid-phase microextraction and needle device for hexane evaluation in air and urine headspace. Biomedical Chromatography, 2020, 34, e4924.	0.8	5
897	Development of hierarchical surface roughness on porous poly (vinylidene fluoride) membrane for membrane distillation process. Polymer Engineering and Science, 2020, 60, 1686-1698.	1.5	12
898	Synthetic polymer-based membranes for lithium-ion batteries. , 2020, , 383-415.		1
899	Regulated phase separation in nanopatterned protein-polysaccharide thin films by spin coating. Colloids and Surfaces B: Biointerfaces, 2020, 190, 110967.	2.5	7
900	Development of Hydrophilic PVDF Membrane Using Vapour Induced Phase Separation Method for Produced Water Treatment. Membranes, 2020, 10, 121.	1.4	59
901	Phase Separation of Polymethylpentene Solutions for Producing Microfiltration Membranes. Polymer Science - Series A, 2020, 62, 292-299.	0.4	3

#	ARTICLE	IF	CITATIONS
902	Effect of spinning speed on microstructures and mechanical properties of polyacrylonitrile fibers and carbon fibers. <i>Ceramics International</i> , 2020, 46, 23059-23066.	2.3	13
903	High-performance chlorinated polyvinyl chloride ultrafiltration membranes prepared by compound additives regulated non-solvent induced phase separation. <i>Journal of Membrane Science</i> , 2020, 612, 118434.	4.1	30
904	Nest-inspired nanosponge-Cu woven mesh hybrid for ultrastable and high-power triboelectric nanogenerator. <i>Nano Energy</i> , 2020, 71, 104561.	8.2	29
905	A comprehensive study on phase inversion behavior of a novel polysulfate membrane for high-performance ultrafiltration applications. <i>Journal of Membrane Science</i> , 2020, 610, 118404.	4.1	29
906	Preparation of cellulose triacetate aerogel via non-solvent impacted thermally induced phase separation for oil absorption. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49565.	1.3	5
907	Feasibility and performance of a thin-film composite seawater reverse osmosis membrane fabricated on a highly porous microstructured support. <i>Journal of Membrane Science</i> , 2020, 611, 118407.	4.1	34
908	Fabrication and characterization of superhydrophobic PDMS composite membranes for efficient ethanol recovery via pervaporation. <i>Separation and Purification Technology</i> , 2020, 241, 116675.	3.9	53
909	Cannabinoids and Terpenes as an Antibacterial and Antibiofouling Promotor for PES Water Filtration Membranes. <i>Molecules</i> , 2020, 25, 691.	1.7	14
910	Evolution of Reaction-Induced Phase Segregations in Bi-Soft Segment Urethane Oligomers. <i>Macromolecular Chemistry and Physics</i> , 2020, 221, 1900458.	1.1	3
911	Scalable preparation of hollow ZrO ₂ microspheres through a liquid-liquid phase reunion assisted sol-gel method. <i>Ceramics International</i> , 2020, 46, 14188-14194.	2.3	12
912	A phase-field study on polymerization-induced phase separation occasioned by diffusion and capillary flow—a mechanism for the formation of porous microstructures in membranes. <i>Journal of Sol-Gel Science and Technology</i> , 2020, 94, 356-374.	1.1	22
913	One-Step Electrochemically Prepared Graphene/Polyaniline Conductive Filter Membrane for Permeation Enhancement by Fouling Mitigation. <i>Langmuir</i> , 2020, 36, 2209-2222.	1.6	16
914	Overview of membrane technology. , 2020, , 1-28.		23
915	Highlighting Thermodynamic Coupling Effects in the Immersion Precipitation Process for Formation of Polymeric Membranes. <i>ACS Omega</i> , 2020, 5, 2819-2828.	1.6	1
916	Effect of molecular weight to the structure of nanocellular foams: Phase separation approach. <i>Polymer</i> , 2020, 191, 122275.	1.8	11
917	Preliminary study of the prepared polysulfone/AN69/clay composite membranes intended for the hemodialysis application. <i>Chemical Papers</i> , 2020, 74, 2133-2144.	1.0	3
918	Advanced porous polymer membranes from self-assembling block copolymers. <i>Progress in Polymer Science</i> , 2020, 102, 101219.	11.8	119
919	Cellulose Acetate and Supercritical Carbon Dioxide: Membranes, Nanoparticles, Microparticles and Nanostructured Filaments. <i>Polymers</i> , 2020, 12, 162.	2.0	9

#	ARTICLE	IF	CITATIONS
920	Poly(lactic acid)/nano chitosan composite fibers and their morphological, physical characterization for the removal of cadmium(II) from water. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48993.	1.3	24
921	Electrospinning of polystyrene polybutadiene copolymer for oil spill removal. <i>SN Applied Sciences</i> , 2020, 2, 1.	1.5	3
922	Bio-Fabrication: Convergence of 3D Bioprinting and Nano-Biomaterials in Tissue Engineering and Regenerative Medicine. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 326.	2.0	67
923	Development of Polyoxymethylene Particles via the Solution-Dissolution Process and Application to the Powder Bed Fusion of Polymers. <i>Materials</i> , 2020, 13, 1535.	1.3	22
924	Development of advanced nanocomposite membranes by carbon-based nanomaterials (CNTs and GO). , 2020, , 145-162.		3
925	Fundamentals of aerobic membrane bioreactors. , 2020, , 25-44.		3
926	Cyclic olefin polymer as a novel membrane material for membrane distillation applications. <i>Journal of Membrane Science</i> , 2021, 621, 118845.	4.1	17
927	Interconnected porous nanofibrous gelatin scaffolds prepared via a combined thermally induced phase separation/particulate leaching method. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2021, 32, 488-503.	1.9	13
928	Processable hypercrosslinked ionic networks for effective removal of methyl orange. <i>Separation and Purification Technology</i> , 2021, 258, 117986.	3.9	13
929	Novel camphene/photopolymer solution as pore-forming agent for photocuring-assisted additive manufacturing of porous ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 655-662.	2.8	9
930	Phase-field modeling of non-solvent induced phase separation (NIPS) for PES/NMP/Water with comparison to experiments. <i>Journal of Membrane Science</i> , 2021, 619, 118779.	4.1	28
931	A novel, precipitated polybutylene terephthalate feedstock material for powder bed fusion of polymers (PBF): Material development and initial PBF processability. <i>Materials and Design</i> , 2021, 197, 109265.	3.3	24
932	Enhanced performances of chlorinated polyvinyl chloride (CPVC) ultrafiltration membranes by styrene-maleic anhydride copolymer. <i>Separation and Purification Technology</i> , 2021, 258, 118043.	3.9	17
933	Development of non-woven fabric-based ECTFE membranes for direct contact membrane distillation application. <i>Desalination</i> , 2021, 500, 114879.	4.0	15
934	Sprayable perfluoropolyether / poly(ethylene glycol) segmented polyurethane coatings with micron-scale phase separated 3D structure. <i>Polymer</i> , 2021, 212, 123279.	1.8	2
935	Modeling the interplay between solvent evaporation and phase separation dynamics during membrane. <i>Journal of Membrane Science</i> , 2021, 620, 118941.	4.1	8
936	Biodegradable membrane based on polycaprolactone/polybutylene succinate: Characterization and performance evaluation in wastewater treatment. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50332.	1.3	25
937	On the organic solvent free preparation of ultrafiltration and nanofiltration membranes using polyelectrolyte complexation in an all aqueous phase inversion process. <i>Journal of Membrane Science</i> , 2021, 618, 118632.	4.1	44

#	ARTICLE	IF	CITATIONS
938	Uniform macroporous amidoximated polyacrylonitrile monoliths for gallium recovery from Bayer liquor. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49764.	1.3	2
939	Idiosyncratic cellulose acetate nanocomposite membranes: synthesis and performance control study for desalination. <i>Environmental Technology (United Kingdom)</i> , 2021, 42, 1336-1352.	1.2	8
940	Tuning the Charge of Polyelectrolyte Complex Membranes Prepared via Aqueous Phase Separation. <i>Soft Matter</i> , 2021, 17, 9420-9427.	1.2	8
941	Membrane Fouling in Desalination. <i>Advances in Science, Technology and Innovation</i> , 2021, , 39-52.	0.2	1
942	A straight, open and macro-porous fuel electrode-supported protonic ceramic electrochemical cell. <i>Journal of Materials Chemistry A</i> , 2021, 9, 10789-10795.	5.2	23
943	Fundamentals of nonsolvent-induced phase separation. , 2021, , 13-56.		10
944	Engineering polymer film porosity for solvent triggered actuation. <i>Soft Matter</i> , 2021, 17, 2900-2912.	1.2	8
945	Salt-induced and alcohol-induced hydrophobic and underoil superhydrophobic poly (vinylidene Tj ETQq1 1 0.784314 rgBT /Overlock 10 2021, 9, 104714.	3.3	7
946	An Optical Fiber Sensor Based on Fluorescence Lifetime for the Determination of Sulfate Ions. <i>Sensors</i> , 2021, 21, 954.	2.1	3
947	Strong tough hydrogels via the synergy of freeze-casting and salting out. <i>Nature</i> , 2021, 590, 594-599.	13.7	625
948	Polyelectrolyte Complex Tubular Membranes via a Salt Dilution Induced Phase Inversion Process. <i>Advanced Engineering Materials</i> , 2021, 23, 2001401.	1.6	18
949	Preparation of isotactic polypropylene (iPP) films with different top and bottom surface parts via solution cast method using decahydronaphthalene as the diluent. <i>Polymer-Plastics Technology and Materials</i> , 2021, 60, 1261-1272.	0.6	1
950	In situ investigation of formation kinetics of microporous structure in PVDF thin films prepared via thermally-induced phase separation (TIPS): Effects of film thickness and polymer concentration. <i>Nano Select</i> , 2021, 2, 1403-1416.	1.9	3
951	Recent Progress on Biodegradable Tissue Engineering Scaffolds Prepared by Thermally-Induced Phase Separation (TIPS). <i>International Journal of Molecular Sciences</i> , 2021, 22, 3504.	1.8	50
952	Directional percolating pathways in demixing blends on a wetting substrate. <i>Journal of Applied Physics</i> , 2021, 129, 105301.	1.1	0
953	Delamination of single layer hollow fiber membranes induced by bi-directional phase separation. <i>Journal of Membrane Science</i> , 2021, 622, 118992.	4.1	4
954	Phase Diagrams of Ternary I€-Conjugated Polymer Solutions for Organic Photovoltaics. <i>Polymers</i> , 2021, 13, 983.	2.0	10
955	Polybenzimidazole copolymer derived lacey carbon film for graphene transfer and contamination removal strategies for imaging graphene nanopores. <i>Carbon</i> , 2021, 173, 980-988.	5.4	13

#	ARTICLE	IF	CITATIONS
956	Non-solvent Induced Phase Separation Enables Designer Redox Flow Battery Electrodes. <i>Advanced Materials</i> , 2021, 33, e2006716.	11.1	35
957	New Preparation Methods for Pore Formation on Polysulfone Membranes. <i>Membranes</i> , 2021, 11, 292.	1.4	7
958	Reinforced hollow fiber membranes: A comprehensive review. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 122, 284-310.	2.7	36
959	Antifouling Membranes Based on Cellulose Acetate (CA) Blended with Poly(acrylic acid) for Heavy Metal Remediation. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4354.	1.3	17
960	Tough Hydrogel Reinforced Low Tortuosity Conductive Networks for Stretchable and High Performance Supercapacitors. <i>Advanced Materials</i> , 2021, 33, e2100983.	11.1	63
961	Fabrication of Multi-Layered Microspheres Based on Phase Separation for Drug Delivery. <i>Micromachines</i> , 2021, 12, 723.	1.4	7
962	Preparation and Characterization of Nanofiltration Membrane for Recycling Alcoholic Organic Solvent. <i>Membrane Journal</i> , 2021, 31, 228-240.	0.2	3
963	Fabrication of hierarchical porous poly (l-lactide) (PLLA) fibrous membrane by electrospinning. <i>Polymer</i> , 2021, 226, 123797.	1.8	23
964	Length Effects of Short Alkyl Side Chains on Phase-Separated Structure and Dynamics of Hydrophobic Association Hydrogels. <i>Macromolecules</i> , 2021, 54, 5962-5973.	2.2	23
965	Effects of coagulation-bath conditions on polyphenylsulfone ultrafiltration membranes. <i>Chinese Journal of Chemical Engineering</i> , 2021, 34, 332-340.	1.7	11
966	Robust Angular Anisotropy of Circularly Polarized Luminescence from a Single Twisted-Bipolar Polymeric Microsphere. <i>Journal of the American Chemical Society</i> , 2021, 143, 8772-8779.	6.6	47
967	Carbon nanotube embedded ultrafiltration membranes for the treatment of rapid granular multimedia prefiltered beauty hair salon and municipal wastewater. <i>Separation and Purification Technology</i> , 2021, 267, 118618.	3.9	8
968	CO ₂ Capture Using PIM-1 Hollow Fiber Sorbents with Enhanced Performance by PEI Infusion. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 12709-12718.	1.8	7
969	Production of polylactic acid aerogels via phase separation and supercritical CO ₂ drying: thermodynamic analysis of the gelation and drying process. <i>Journal of Materials Science</i> , 2021, 56, 18926-18945.	1.7	7
970	Chitosan scaffolds with enhanced mechanical strength and elastic response by combination of freeze gelation, photo-crosslinking and freeze-drying. <i>Carbohydrate Polymers</i> , 2021, 267, 118156.	5.1	17
971	A cell-free ROS-responsive hydrogel/oriented poly(lactide-co-glycolide) hybrid scaffold for reducing inflammation and restoring full-thickness cartilage defects in vivo. <i>Biomedical Materials (Bristol)</i> , 2021, 16, 064101.	1.7	11
972	Thermally induced phase separation in semicrystalline polymer solutions: How does the porous structure actually arise?. <i>Materials Today Communications</i> , 2021, 28, 102558.	0.9	15
973	Cellulose film with air barrier and moisture-conducting character fabricated by NMMO. <i>Journal of Materials Science</i> , 2021, 56, 18313-18326.	1.7	7

#	ARTICLE	IF	CITATIONS
974	Precision Polymer Particles by Flash Nanoprecipitation and Microfluidic Droplet Extraction. ACS Applied Polymer Materials, 2021, 3, 4746-4768.	2.0	17
975	Exploring the potential usage of 3D printed membranes combined with PVDF coating in direct contact membrane distillation. Desalination, 2021, 513, 115134.	4.0	13
976	Boosting Sodium Storage Performance of Hard Carbon Anodes by Pore Architecture Engineering. ACS Applied Materials & Interfaces, 2021, 13, 47671-47683.	4.0	34
977	Facile approach for designing a novel micropatterned antiwetting membrane by utilizing 3D printed molds for improved desalination performance. Journal of Membrane Science, 2021, 637, 119641.	4.1	10
978	Ultralow Ti3C2TX doping polysulfate membrane for high ultrafiltration performance. Journal of Membrane Science, 2021, 637, 119603.	4.1	15
979	Evaluation of dynamic behavior of hydrophilic and photocatalytic self-cleaning PES nanofiltration membrane post treating biologically treated palm oil mill effluent (POME). Chemical Engineering and Processing: Process Intensification, 2021, 169, 108635.	1.8	3
980	Multilayered PVDF-HFP Porous Separator via Phase Separation and Selective Solvent Etching for High Voltage Lithium-Ion Batteries. Membranes, 2021, 11, 41.	1.4	16
981	One-Step, Large-Scale Blow Spinning to Fabricate Ultralight, Fibrous Sorbents with Ultrahigh Oil Adsorption Capacity. ACS Applied Materials & Interfaces, 2021, 13, 6631-6641.	4.0	24
982	Polymeric membrane fabrication via thermally induced phase separation (TIPS) method. , 2021, , 57-83.		2
983	Porous block copolymer separation membranes for 21st century sanitation and hygiene. Chemical Society Reviews, 2021, 50, 6333-6348.	18.7	38
985	Membranes for Desalination. Green Energy and Technology, 2009, , 41-75.	0.4	7
986	Processing of Polymer Scaffolds. , 2002, , 715-724.		7
987	Full-composition-range glass transition behavior of the polymer/solvent system poly (lactic acid) / ethyl butylacetylaminopropionate (PLA/IR3535Å®). Polymer, 2020, 209, 123058.	1.8	13
988	Designing Intrinsically Microporous Polymer (PIM-1) Microfibers with Tunable Morphology and Porosity via Controlling Solvent/Nonsolvent/Polymer Interactions. ACS Applied Polymer Materials, 2020, 2, 2434-2443.	2.0	18
989	Factors Affecting the Nonsolvent-Induced Phase Separation of Cellulose from Ionic Liquid-Based Solutions. ACS Omega, 2020, 5, 27314-27322.	1.6	19
990	Polymer microneedles with interconnected porous structures via a phase inversion route for transdermal medical applications. Journal of Materials Chemistry B, 2020, 8, 2032-2039.	2.9	30
991	Additive manufacturing of natural biopolymers and composites for bone tissue engineering. Materials Horizons, 2020, 7, 2011-2027.	6.4	81
992	Wound Care: Skin Tissue Regeneration. , 0, , 8258-8279.		1

#	ARTICLE	IF	CITATIONS
993	Formation of Highly Aligned Grooves on the Inner Surface of Semi-Permeable Hollow Fiber Membrane for the Directional Axonal Outgrowth. , 2005, , .		1
996	Electrostatic Self-Assembly of Composite Nanofiber Yarn. <i>Polymers</i> , 2021, 13, 12.	2.0	28
997	RESEARCH PROGRESS OF GEL POLYMER ELECTROLYTES FOR LITHIUM ION BATTERIES. <i>Acta Polymerica Sinica</i> , 2011, 011, 125-131.	0.0	12
998	Manufacturing processes for polymeric micro and nanoparticles and their biomedical applications. <i>AIMS Bioengineering</i> , 2017, 4, 46-72.	0.6	11
999	Structure Change of Polyethersulfone Hollow Fiber Membrane Modified with Pluronic F127, Polyvinylpyrrolidone, and Tetronic 1307. <i>Materials Sciences and Applications</i> , 2012, 03, 72-77.	0.3	5
1000	A Pilot-Plant Test of a Membrane Bioreactor with a Novel Membrane Made from Chlorinated Poly (Vinyl Chloride) (CPVC) and Hydroxy-Propyl Cellulose. <i>Journal of Membrane and Separation Technology</i> , 2015, 4, 74-88.	0.4	2
1001	Molecular simulation of interaction between charged nanoparticles and phase-separated biomembranes containing charged lipids. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2019, 68, 028701.	0.2	6
1002	Chapter 4. Nano Meets Membrane: Toward Enhancing the Performance of Water Treatment. <i>Chemistry in the Environment</i> , 2021, , 74-116.	0.2	1
1003	Antifouling Fibrous Membrane Enables High Efficiency and High-Flux Microfiltration for Water Treatment. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 49254-49265.	4.0	11
1004	Polymer Phase Separation. , 2005, , 125-137.		0
1005	Nanoporous Polymers “ Design and Applications. , 2006, , .		0
1006	Effect of Addition of Cosolvent β -Butyrolactone on Morphology of Polysulfone Hollow Fiber Membranes. <i>Applied Chemistry for Engineering</i> , 2014, 25, 274-280.	0.2	1
1007	Preparation of PVC-LMO Bead with Dioxane Solvent and Adsorptive Properties of Lithium Ions. <i>Journal of Environmental Science International</i> , 2014, 23, 1289-1297.	0.0	1
1008	Equation-of-State Approach in Polymer Solution and Polymer Foaming Thermodynamics. , 2015, , 61-95.		0
1009	Membranes: Bioartificial Organs and Tissue Engineering. , 0, , 4487-4515.		0
1010	Pharmaceutical Cryogenic Technologies. <i>AAPS Advances in the Pharmaceutical Sciences Series</i> , 2016, , 527-607.	0.2	0
1011	Biocompatible Polymers: Membrane Fabrication Techniques and Performance. , 0, , 574-584.		0
1012	Rheology of Epoxy “Thermoplastic Blends. , 2016, , 1-37.		0

#	ARTICLE	IF	CITATIONS
1013	Structural Changes of PVDF Membranes by Phase Separation Control. Korean Chemical Engineering Research, 2016, 54, 57-63.	0.2	2
1014	Preparation of Porous SiC by Freeze Drying of Polycarbosilane Emulsion. Korean Journal of Materials Research, 2016, 26, 320-324.	0.1	0
1015	2. Designing Scaffolds for Bone Tissue Engineering. , 2016, , 19-40.		1
1016	Rheology of Epoxy/Thermoplastic Blends. , 2017, , 613-648.		0
1017	Wound Care: Skin Tissue Regeneration. , 2017, , 1620-1641.		0
1018	Performance and characteristics study of PES/ZrSiO ₄ and PES/SiO ₂ membrane for tannery and textile effluent treatment. Journal of Ceramic Processing Research, 2019, 20, 291-300.	0.4	0
1019	Selected Microstructural and Mechanical Properties of Open-Cell Metal Foams. Strojniski Vestnik/Journal of Mechanical Engineering, 2019, 65, 495-502.	0.6	2
1020	Nanoporous Regenerated Cellulose Separator for High-Performance Lithium Ion Batteries Prepared by Nonsolvent-Induced Phase Separation. ACS Sustainable Chemistry and Engineering, 2021, 9, 14756-14765.	3.2	34
1021	Exploring the Thermodynamic Aspects of Structure Formation During Wet-Spinning of Polyacrylonitrile Fibres. , 0, , 138-154.		1
1022	Structure and Properties of Polyethersulfone Membranes Based on Polyethersulfone-Non-solvent-Solvent Systems. Membranes and Membrane Technologies, 2020, 2, 283-295.	0.6	5
1023	Natural polymeric biomaterials for tissue engineering. , 2022, , 75-110.		0
1024	Filter made of cuprammonium regenerated cellulose for virus removal: a mini-review. Cellulose, 2022, 29, 2779-2793.	2.4	7
1025	Washable and Stretchable Zn-MnO ₂ Rechargeable Cell. Advanced Energy Materials, 2022, 12, 2103148.	10.2	23
1026	Fabrication of Spongy Skin on Diversified Materials Based on Surface Swelling Non-Solvent-Induced Phase Separation. ACS Applied Materials & Interfaces, 2021, 13, 57000-57008.	4.0	7
1027	Phase-Field Simulation with Semi-Empirical and Effective Parameters in a Case Study from PVA Membrane Syntheses by Phase Separation and Drying Process. Journal of Chemical Engineering of Japan, 2021, 54, 612-619.	0.3	0
1028	3D Printed Functional Membranes for Water Purification. Chemistry in the Environment, 2021, , 256-278.	0.2	0
1029	Enhanced polysulfone ultrafiltration membrane performance through fullerol Addition: A study towards optimization. Chemical Engineering Journal, 2022, 431, 134071.	6.6	13
1030	Nitrocellulose Membrane for Paper-based Biosensor. Applied Materials Today, 2022, 26, 101305.	2.3	33

#	ARTICLE	IF	CITATIONS
1031	Positively charged PVC ultrafiltration membrane via micellar enhanced ultrafiltration for removing trace heavy metal cations. <i>Journal of Water Process Engineering</i> , 2022, 46, 102552.	2.6	9
1032	Semi-Crystalline Polyetherimide Microparticles via Liquid-Liquid Phase Separation and Precipitation. <i>Macromolecular Materials and Engineering</i> , 0, , 2100797.	1.7	4
1033	Porous cellulose acetate mixed-matrix membrane adsorbents for efficient clearance of p-cresol and creatinine from synthetic serum. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022, 133, 104199.	2.7	6
1034	Solution processing of piezoelectric unconventional structures. , 2022, , 375-439.		3
1035	Intrinsically Stretchable and Printable Lithium-Ion Battery for Free-Form Configuration. <i>ACS Nano</i> , 2022, 16, 2271-2281.	7.3	19
1036	Tuning the microstructure of <scp>SMA</scp>/<scp>CPVC</scp> membrane for enhanced separation performance by adjusting the coagulation bath temperature. <i>Journal of Applied Polymer Science</i> , 2022, 139, .	1.3	3
1037	Solvent recovery from photolithography wastes using cellulose ultrafiltration membranes. <i>Journal of Membrane Science</i> , 2022, 647, 120261.	4.1	10
1038	Surface Engineering Towards Better Material Performance. <i>RSC Nanoscience and Nanotechnology</i> , 2022, , 106-134.	0.2	0
1039	One-Step Water-Induced Phase Separation Simultaneously Triggering Polymer Solidification and Polyelectrolyte Complexation for Porous Ultrafiltration Membranes. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 8482-8489.	4.0	6
1041	Molecular modelling and simulation of membrane formation. , 2022, , 463-497.		2
1042	Effect of Self-Made TiO ₂ Nanoparticle Size on the Performance of the PVDF Composite Membrane in MBR for Landfill Leachate Treatment. <i>Membranes</i> , 2022, 12, 216.	1.4	12
1043	Evidence of high temperature stable performance of polyether ether ketone (PEEK) separator with sponge-structured in lithium-ion battery. <i>Journal of Materials Science</i> , 2022, 57, 7042-7055.	1.7	11
1044	Phase separation in surfactant-containing amorphous solid dispersions: Orthogonal analytical methods to probe the effects of surfactants on morphology and phase composition. <i>International Journal of Pharmaceutics</i> , 2022, 619, 121708.	2.6	13
1045	Poly(ethylene terephthalate) phase inversion membranes: Thermodynamics and effects of a poor solvent on the membrane characteristics. <i>Polymer Engineering and Science</i> , 2022, 62, 1847-1858.	1.5	4
1046	Osmotic tablet coatings: Drying stress, mechanical properties and microstructure. <i>International Journal of Pharmaceutics</i> , 2022, 617, 121611.	2.6	3
1047	Flexure-resistant and additive-free poly (L-lactic acid) hydrophobic membranes fabricated by slow phase separation. <i>International Journal of Biological Macromolecules</i> , 2022, 209, 1605-1612.	3.6	9
1048	Fabrication of mesoporous crystalline microparticles of poly(ether sulfone) via solvent-induced crystallization. <i>Polymer</i> , 2022, 248, 124744.	1.8	4
1049	Functionalized polymeric smart membrane for remediation of emerging environmental contaminants from industrial sources: Synthesis, characterization and potential applications. <i>Chemical Engineering Research and Design</i> , 2022, 161, 684-702.	2.7	10

#	ARTICLE	IF	CITATIONS
1050	Nonsolvent-induced phase separation preparation of porous TOPO-mixed polyethersulfone membranes for selective clearance of p-cresol from simulated serum. <i>Separation and Purification Technology</i> , 2022, 290, 120911.	3.9	6
1051	Recent trends in application of nanoscale zero-valent metals and metal single atoms in membrane processes. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107457.	3.3	16
1052	Biobased Terpene Derivatives: Stiff and Biocompatible Compounds to Tune Biodegradability and Properties of Poly(butylene succinate). <i>Polymers</i> , 2022, 14, 161.	2.0	6
1053	Hierarchically porous membranes for lithium rechargeable batteries: Recent progress and opportunities. <i>EcoMat</i> , 2022, 4, .	6.8	24
1054	Microfluidic Evaporation, Pervaporation, and Osmosis: From Passive Pumping to Solute Concentration. <i>Chemical Reviews</i> , 2022, 122, 6938-6985.	23.0	23
1055	Dispersing Agents Impact Performance of Protonated Phosphonic Acid High-Temperature Polymer Electrolyte Membrane Fuel Cells. <i>ACS Energy Letters</i> , 2022, 7, 1642-1647.	8.8	11
1058	Cryogenic Coaxial Printing for 3D Shell/Core Tissue Engineering Scaffold with Polymeric Shell and Drug-Loaded Core. <i>Polymers</i> , 2022, 14, 1722.	2.0	0
1059	Piezoelectric Property of Electrospun PVDF Nanofibers as Linking Tips of Artificial-Hair-Cell Structures in Cochlea. <i>Nanomaterials</i> , 2022, 12, 1466.	1.9	3
1060	Solvent Effects during the Flash-Freezing Fabrication of Mesoporous Polystyrenes. <i>Macromolecules</i> , 2022, 55, 3734-3746.	2.2	0
1061	Facile fabrication of highly porous nylon-11 layer for flexible high-performance triboelectric nanogenerator. <i>Journal of Applied Physics</i> , 2022, 131, .	1.1	3
1062	Computational-Based Approaches for Predicting Biochemical Oxygen Demand (BOD) Removal in Adsorption Process. <i>Adsorption Science and Technology</i> , 2022, 2022, .	1.5	4
1063	Electrohydrodynamic Jet-Printed MAPbBr ₃ Perovskite/Polyacrylonitrile Nanostructures for Water-Stable, Flexible, and Transparent Displays. <i>ACS Applied Nano Materials</i> , 2022, 5, 6726-6735.	2.4	6
1064	Poly(butylene succinate) matrices obtained by thermally-induced phase separation: Pore shape and orientation affect drug release. <i>Polymer</i> , 2022, 252, 124916.	1.8	5
1065	Annealing treatment on waterborne polyurethane film-forming and structural features induced heat conduction performance in conductive adhesive. <i>International Journal of Adhesion and Adhesives</i> , 2022, 117, 103173.	1.4	1
1066	Research Progress on Long Storage Performance of NEPE Propellant. <i>Springer Proceedings in Physics</i> , 2022, , 611-638.	0.1	1
1068	Application of fibrous structures in separation of water and oil emulsions: A review. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107999.	3.3	11
1069	Conversion of polycarbonate from waste compact discs into antifouling ultrafiltration membrane via phase inversion. <i>Journal of Polymer Research</i> , 2022, 29, .	1.2	0
1070	Phase separation of chemically crosslinked poly(n-butyl methacrylate-co-methacrylic acid) in mixtures of N,N-dimethyl formamide and water. <i>Polymer</i> , 2022, , 125009.	1.8	0

#	ARTICLE	IF	CITATIONS
1071	Biorenewable Nanocomposite Materials in Membrane Separations. ACS Symposium Series, 0, , 189-235.	0.5	1
1072	Microstructural engineering of high-power redox flow battery electrodes via non-solvent induced phase separation. Cell Reports Physical Science, 2022, 3, 100943.	2.8	13
1073	Rapid Macrovoid Characterization in Membranes Prepared Via Nonsolvent-Induced Phase Separation: A Comparison between 2d and 3d Techniques. SSRN Electronic Journal, 0, , .	0.4	0
1074	Preparation of polyamide 12 powder for additive manufacturing applications via thermally induced phase separation. E-Polymers, 2022, 22, 553-565.	1.3	0
1075	Membranes for extracorporeal membrane oxygenator (ECMO): History, preparation, modification and mass transfer. Chinese Journal of Chemical Engineering, 2022, 49, 46-75.	1.7	13
1076	Electrospinning of PLA Nanofibers: Recent Advances and Its Potential Application for Food Packaging. Journal of Agricultural and Food Chemistry, 2022, 70, 8207-8221.	2.4	47
1077	Design and Fabrication of Membranes Based on PAN Copolymer Obtained from Solutions in N-methylmorpholine-N-oxide. Polymers, 2022, 14, 2861.	2.0	3
1078	Phase behavior of binary and ternary fluoropolymer (PVDF-HFP) solutions for single-ion conductors. RSC Advances, 2022, 12, 21160-21171.	1.7	2
1079	Recent developments of composite separators based on high-performance fibers for lithium batteries. Composites Part A: Applied Science and Manufacturing, 2022, 162, 107132.	3.8	12
1080	Rapid macrovoid characterization in membranes prepared via nonsolvent-induced phase separation: A comparison between 2D and 3D techniques. Journal of Membrane Science, 2022, 661, 120923.	4.1	5
1081	Tuning electrostatic interactions for controlled structure and rejection of cellulose nanocrystal membranes. Journal of Membrane Science, 2022, 661, 120932.	4.1	2
1082	Effects of Co-diluent on the pore structure, patterning fidelity, and properties of membranes fabricated by lithographically templated thermally induced phase separation. Journal of Membrane Science, 2022, 662, 121023.	4.1	3
1083	Biodegradable Poly- ϵ -Caprolactone Based Porous Polymer Electrolytes for High Performance Supercapacitors with Carbon Electrodes. SSRN Electronic Journal, 0, , .	0.4	0
1084	Recent advances in cellulose-based polymer electrolytes. Cellulose, 2022, 29, 8997-9034.	2.4	9
1085	Cefazolin Loaded Oxidized Regenerated Cellulose/Polycaprolactone Bilayered Composite for Use as Potential Antibacterial Dural Substitute. Polymers, 2022, 14, 4449.	2.0	8
1086	The Effect of Conductive Heat Transfer on the Morphology Formation in Polymer Solutions Undergoing Thermally Induced Phase Separation. Polymers, 2022, 14, 4345.	2.0	4
1087	Release Mechanisms of Amorphous Solid Dispersions: Role of Drug-Polymer Phase Separation and Morphology. Journal of Pharmaceutical Sciences, 2023, 112, 304-317.	1.6	16
1088	Preparation of Isopropyl Acrylamide Grafted Chitosan and Carbon Bionanocomposites for Adsorption of Lead Ion and Methylene Blue. Polymers, 2022, 14, 4485.	2.0	5

#	ARTICLE	IF	CITATIONS
1089	Altering substrate properties of thin film nanocomposite membrane by Al ₂ O ₃ nanoparticles for engineered osmosis process. Environmental Technology (United Kingdom), 2022, 43, 101-110.	1.0	10
1090	Influence of initial composition of casting solution on morphology of porous thin polymer films produced via phase separation. Journal of Polymer Research, 2022, 29, .	1.2	0
1091	Current State-of-the-Art in Membrane Formation from Ultra-High Molecular Weight Polyethylene. Membranes, 2022, 12, 1137.	1.4	7
1092	A Novel PEEK Foam with Ultra-High Temperature-Resistant by Temperature Induced Phase Separation. Macromolecular Materials and Engineering, 2023, 308, .	1.7	2
1093	Thin film poly(vinyl alcohol)-polysulfone composite membranes based on recycled polysulfone: salt separation performances. Environmental Science and Pollution Research, 2023, 30, 27716-27729.	2.7	1
1094	Regulating the structure of cellulose-based ultrafiltration membrane to improve its performance for water purification. Industrial Crops and Products, 2023, 192, 116082.	2.5	5
1095	Fabrication of Electrospun Polycaprolactone/ Xanthan Nanofibers: Modeling and Optimization of Electrospinning Parameters by Central Composite Design. Journal of Polymers and the Environment, 2023, 31, 1536-1552.	2.4	2
1096	Phase behavior of Ñ-conjugated polymer and non-fullerene acceptor (PTB7-Th:ITIC) solutions and blends. Scientific Reports, 2022, 12, .	1.6	4
1097	Membrane formation by thermally induced phase separation: Materials, involved parameters, modeling, current efforts and future directions. Journal of Membrane Science, 2023, 669, 121303.	4.1	17
1098	Recent Advances in Stimuli-Responsive Smart Membranes for Nanofiltration. Advanced Functional Materials, 2023, 33, .	7.8	24
1099	Exalting energy scavenging for triboelectric nanogenerator using silicon carbide particles doped polyvinylidene difluoride nanocomposite. Nano Energy, 2023, 107, 108146.	8.2	6
1100	Self-assembled polylactic acid (PLA): Synthesis, properties and biomedical applications. Frontiers in Chemistry, 0, 10, .	1.8	5
1101	Desalination technologies, membrane distillation, and electrospinning, an overview. Heliyon, 2023, 9, e12810.	1.4	20
1102	Preparation of High Flux Chlorinated Polyvinyl Chloride Composite Ultrafiltration Membranes with Ternary Amphiphilic Copolymers as Anchor Pore-Forming Agents and Enhanced Anti-Fouling Behavior. Industrial & Engineering Chemistry Research, 2023, 62, 1390-1403.	1.8	2
1103	Biodegradable poly-µ-caprolactone based porous polymer electrolytes for high performance supercapacitors with carbon electrodes. Journal of Power Sources, 2023, 557, 232548.	4.0	9
1104	Sheath-core structured Ca-alginate/PVA aerogel fibers via directed freezing wet-spinning. International Journal of Biological Macromolecules, 2023, 229, 931-942.	3.6	10
1105	Phase-Field Simulation of the Effect of Coagulation Bath Temperature on the Structure and Properties of Polyvinylidene Fluoride Microporous Membranes Prepared by a Nonsolvent-Induced Phase Separation. ACS Omega, 2023, 8, 180-189.	1.6	1
1106	Microencapsulation: Phase inversion precipitation. , 2023, , 443-457.		0

#	ARTICLE	IF	CITATIONS
1107	Morphology Formation During the Nonisothermal Thermally-Induced Phase Separation () Tj ETQq0 0,0,rgBT /Oyerlock 10	0,9	2
1108	Phase separation in supramolecular and covalent adaptable networks. <i>Soft Matter</i> , 2023, 19, 2857-2877.	1.2	8
1109	The antifouling and separation performance of an ultrafiltration membrane derived from a novel amphiphilic copolymer containing a crown ether. <i>Journal of Membrane Science</i> , 2023, 676, 121620.	4.1	9
1110	Release Profiles of Carvacrol or Chlorhexidine of PLA/Graphene Nanoplatelets Membranes Prepared Using Electrospinning and Solution Blow Spinning: A Comparative Study. <i>Molecules</i> , 2023, 28, 1967.	1.7	9
1111	Controlling Cellulose Membrane Performance via Solvent Choice during Precursor Membrane Formation. <i>ACS Applied Polymer Materials</i> , 2023, 5, 2185-2194.	2.0	3
1112	Effect of Electric Field on the Evolution of Fiber Morphology During Electrospinning: Simulation and Experimental Study. <i>Fibers and Polymers</i> , 2023, 24, 931-940.	1.1	0
1113	Effects of Glucose and Coagulant on the Structure and Properties of Regenerated Cellulose Fibers. <i>Biomacromolecules</i> , 2023, 24, 1810-1818.	2.6	4
1114	Green Fabrication of Sustainable Porous Chitosan/Kaolin Composite Membranes Using Polyethylene Glycol as a Porogen: Membrane Morphology and Properties. <i>Membranes</i> , 2023, 13, 378.	1.4	3
1115	Control of Particle Properties in Thermally-Induced Precipitation of Polyetherimide. <i>Polymers</i> , 2023, 15, 1944.	2.0	1
1116	Functionalized nanofibrous mats for gas separation applications. , 2023, , 579-615.		0
1117	Programmable Interactions of Cellulose Acetate with Octadecyltrichlorosilane-Functionalized SiO ₂ Nanoparticles. <i>Langmuir</i> , 2023, 39, 5956-5969.	1.6	3
1122	Ionic liquid-based composite materials for membrane applications. , 2023, , 247-274.		0
1128	A review of past promises, present realities and a vibrant future for wound dressing from naturally occurring to sustainable materials. , 2023, 1, 763-787.		2
1129	Fast Fabrication of Porous Amphiphilic Polyamides via Nonconventional Evaporation Induced Phase Separation. <i>ACS Macro Letters</i> , 2023, 12, 697-702.	2.3	1
1137	Aqueous phase separation technology. , 2023, , 295-340.		0
1153	A review of progress in proton ceramic electrochemical cells: material and structural design, coupled with value-added chemical production. <i>Energy and Environmental Science</i> , 2023, 16, 5721-5770.	15.6	12
1155	Stimuli-Responsive Interfaces. <i>ACS Symposium Series</i> , 0, , 149-194.	0.5	0
1159	Flüssig-Flüssig-Phasentrennung und Fällung zur Herstellung neuartiger Ausgangsmaterialien für das pulverbettbasierte Schmelzen von Polymeren. , 2021, , 11-21.		0

#	ARTICLE	IF	CITATIONS
1165	Hydrophobic membranes. , 2024, , 291-324.		0
1172	Composite membrane based systems. , 2024, , 1-46.		0
1175	Polymeric membranes prepared by vapor-induced phase separation process (VIPS). , 2024, , 83-123.		0
1176	Thermally induced phase separation. , 2024, , 37-82.		0