

CITATION REPORT

List of articles citing

MOLMOL: a program for display and analysis of macromolecular structures

DOI: 10.1016/0263-7855(96)00009-4

Journal of Molecular Graphics, 1996, 14, 51-5, 29-32.

Source: <https://exaly.com/paper-pdf/27399232/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2276	Regulatory effects of nicotinamide on tryptophan pyrrolase synthesis in rat liver in vivo. 1968 , 3, 401-6		52
2275	Solution structure of the IIB domain of the glucose transporter of Escherichia coli. 1996 , 35, 11286-92		46
2274	Modified, cyclic dodecapeptide analog of neuropeptide Y is the smallest full agonist at the human Y2 receptor. 1996 , 394, 169-73		37
2273	Structural role of a buried salt bridge in the 434 repressor DNA-binding domain. 1996 , 264, 1002-12		42
2272	Solution structure of a naturally-occurring zinc-peptide complex demonstrates that the N-terminal zinc-binding module of the Lasp-1 LIM domain is an independent folding unit. 1996 , 35, 12723-32		49
2271	The solution structure of paramagnetic metalloproteins. 1996 , 66, 43-80		60
2270	Adaptors and integrators. <i>Structure</i> , 1996 , 4, 1005-8	5.2	16
2269	The new program OPAL for molecular dynamics simulations and energy refinements of biological macromolecules. 1996 , 8, 136-46		174
2268	AQUA and PROCHECK-NMR: programs for checking the quality of protein structures solved by NMR. 1996 , 8, 477-86		4166
2267	Ancestral beta gamma-crystallin precursor structure in a yeast killer toxin. 1996 , 3, 662-5		70
2266	The dimeric DNA binding domain of the human papillomavirus E2 protein folds through a monomeric intermediate which cannot be native-like. 1996 , 3, 711-7		34
2265	NMR structure of the mouse prion protein domain PrP(121-231). 1996 , 382, 180-2		1063
2264	Residual Dipolar Couplings. 1996 , 1-9		
2263	Mapping the binding site for matrix metalloproteinase on the N-terminal domain of the tissue inhibitor of metalloproteinases-2 by NMR chemical shift perturbation. 1997 , 36, 13882-9		110
2262	Mapping of the primary binding site of measles virus to its receptor CD46. <i>Journal of Biological Chemistry</i> , 1997 , 272, 22072-9	5.4	74
2261	Elimination of all charged residues in the vicinity of the active-site helix of the disulfide oxidoreductase DsbA. Influence of electrostatic interactions on stability and redox properties. <i>Journal of Biological Chemistry</i> , 1997 , 272, 21692-9	5.4	45
2260	Solution structure of the carboxyl-terminal LIM domain from quail cysteine-rich protein CRP2. <i>Journal of Biological Chemistry</i> , 1997 , 272, 12001-7	5.4	36

2259	Prion protein NMR structure and species barrier for prion diseases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 7281-5	11.5	129
2258	The solution structure of the N-terminal domain of alpha2-macroglobulin receptor-associated protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 7521-5	11.5	44
2257	Probing the role of packing specificity in protein design. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 10172-7	11.5	208
2256	Three-dimensional structure and position of porcine motilin in sodium dodecyl sulfate micelles determined by ¹ H NMR. 1997 , 36, 8153-63		64
2255	Tyrosyl interactions in the folding and unfolding of bovine pancreatic ribonuclease A: a study of tyrosine-to-phenylalanine mutants. 1997 , 36, 10131-45		44
2254	Three-dimensional solution structure and stability of phage 434 Cro protein. 1997 , 36, 6424-36		20
2253	Large Variations in ¹³ C Chemical Shift Anisotropy in Proteins Correlate with Secondary Structure. 1997 , 119, 9576-9577		105
2252	Global folds of highly deuterated, methyl-protonated proteins by multidimensional NMR. 1997 , 36, 1389-401		231
2251	Structure of an RNA hairpin loop with a 5'-CGUUUCG-3' loop motif by heteronuclear NMR spectroscopy and distance geometry. 1997 , 36, 13989-4002		38
2250	Definition of the switch surface in the solution structure of Cdc42Hs. 1997 , 36, 8755-66		87
2249	Solution NMR Measurement of Amide Proton Chemical Shift Anisotropy in ¹⁵ N-Enriched Proteins. Correlation with Hydrogen Bond Lengths. 1997 , 119, 8076-8082		127
2248	Solution structure of the 30 kDa N-terminal domain of enzyme I of the Escherichia coli phosphoenolpyruvate:sugar phosphotransferase system by multidimensional NMR. 1997 , 36, 2517-30		159
2247	Solution structure of the paramagnetic complex of the N-terminal domain of calmodulin with two Ce ³⁺ ions by ¹ H NMR. 1997 , 36, 11605-18		82
2246	Refined structure, DNA binding studies, and dynamics of the bacteriophage Pf3 encoded single-stranded DNA binding protein. 1997 , 36, 9120-35		25
2245	Solution structure of oxidized horse heart cytochrome c. 1997 , 36, 9867-77		282
2244	An Empirical Correlation between Amide Deuterium Isotope Effects on ¹³ C Chemical Shifts and Protein Backbone Conformation. 1997 , 119, 8070-8075		52
2243	NMR solution structure of the pathogenesis-related protein P14a. 1997 , 266, 576-93		123
2242	High-resolution solution structure of human pNR-2/pS2: a single trefoil motif protein. 1997 , 267, 418-32		59

2241	The NMR solution structure of the non-classical homeodomain from the rat liver LFB1/HNF1 transcription factor. 1997 , 267, 673-83	18
2240	Solution structure of the conserved 16 S-like ribosomal RNA UGAA tetraloop. 1997 , 268, 348-58	51
2239	Structure of neurotoxin B-IV from the marine worm <i>Cerebratulus lacteus</i> : a helical hairpin cross-linked by disulphide bonding. 1997 , 268, 886-902	28
2238	The detailed structure of tandem G.A mismatched base-pair motifs in RNA duplexes is context dependent. 1997 , 271, 147-58	51
2237	Multiple cycles of global unfolding of GroEL-bound cyclophilin A evidenced by NMR. 1997 , 271, 803-18	26
2236	The NMR solution conformation of unligated human cyclophilin A. 1997 , 272, 64-81	66
2235	Torsion angle dynamics for NMR structure calculation with the new program DYANA. 1997 , 273, 283-98	2561
2234	Neutralizing epitopes on the extracellular interferon gamma receptor (IFNgammaR) alpha-chain characterized by homolog scanning mutagenesis and X-ray crystal structure of the A6 fab-IFNgammaR1-108 complex. 1997 , 273, 882-97	26
2233	De novo protein design: towards fully automated sequence selection. 1997 , 273, 789-96	117
2232	Formation of a denatured dimer limits the thermal stability of Arc repressor. 1997 , 273, 692-700	32
2231	De novo protein design: fully automated sequence selection. 1997 , 278, 82-7	953
2230	Protein-protein communication: structural model of the repression complex formed by CytR and the global regulator CRP. 1997 , 89, 1101-9	33
2229	Crystal structure at 1.7 Å resolution of VEGF in complex with domain 2 of the Flt-1 receptor. 1997 , 91, 695-704	432
2228	Three-dimensional solution structure of the complex of alpha-bungarotoxin with a library-derived peptide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 6059-64	40
2227	Defining long range order in NMR structure determination from the dependence of heteronuclear relaxation times on rotational diffusion anisotropy. 1997 , 4, 443-9	155
2226	Disulphide-bonded intermediate on the folding and assembly pathway of a non-disulphide bonded protein. 1997 , 4, 450-5	53
2225	The structure of a novel insecticidal neurotoxin, omega-atracotoxin-HV1, from the venom of an Australian funnel web spider. 1997 , 4, 559-66	149
2224	Solution structure of the N-terminal zinc binding domain of HIV-1 integrase. 1997 , 4, 567-77	273

2223	Structure of the Ras-binding domain of RalGEF and implications for Ras binding and signalling. 1997 , 4, 694-9		105
2222	Prion (PrP ^{Sc})-specific epitope defined by a monoclonal antibody. 1997 , 390, 74-7		493
2221	NMR structure of inactivation gates from mammalian voltage-dependent potassium channels. 1997 , 385, 272-5		95
2220	The solution structure of the amino-terminal HHCC domain of HIV-2 integrase: a three-helix bundle stabilized by zinc. 1997 , 7, 739-46		121
2219	Three-dimensional NMR structure of a self-folding domain of the prion protein PrP(121-231). 1997 , 22, 241-2		16
2218	The solution structure of serine protease PB92 from <i>Bacillus alcalophilus</i> presents a rigid fold with a flexible substrate-binding site. <i>Structure</i> , 1997 , 5, 521-32	5.2	41
2217	A new triple-stranded alpha-helical bundle in solution: the assembling of the cytosolic tail of MHC-associated invariant chain. <i>Structure</i> , 1997 , 5, 1453-64	5.2	16
2216	The structure of versutoxin (delta-atracotoxin-Hv1) provides insights into the binding of site 3 neurotoxins to the voltage-gated sodium channel. <i>Structure</i> , 1997 , 5, 1525-35	5.2	108
2215	Analysis of backbone dynamics in cytochrome b5 using ¹⁵ N-NMR relaxation measurements. 1997 , 245, 349-54		14
2214	NMR solution structure of an oxidised thioredoxin h from the eukaryotic green alga <i>Chlamydomonas reinhardtii</i> . 1997 , 243, 374-83		48
2213	Solution structure of reduced microsomal rat cytochrome b5. 1997 , 249, 270-9		25
2212	The structure of the isolated, central hairpin of the HDV antigenomic ribozyme: novel structural features and similarity of the loop in the ribozyme and free in solution. 1997 , 16, 3685-92		22
2211	Solution structure of a GAAA tetraloop receptor RNA. 1997 , 16, 7490-9		96
2210	Solution structure of the Mu end DNA-binding beta subdomain of phage Mu transposase: modular DNA recognition by two tethered domains. 1997 , 16, 7532-41		39
2209	Direct measurement of distances and angles in biomolecules by NMR in a dilute liquid crystalline medium. 1997 , 278, 1111-4		1577
2208	Automated combined assignment of NOESY spectra and three-dimensional protein structure determination. 1997 , 10, 351-62		128
2207	Three-dimensional structure of the Hck SH2 domain in solution. 1997 , 10, 263-72		19
2206	Immunoreactivity and conformation of the immunodominant domain of HTLV-I envelope surface glycoprotein. 1997 , 4, 351-358		1

2205	The NMR side-chain assignments and solution structure of enzyme IIBcellobiose of the phosphoenolpyruvate-dependent phosphotransferase system of Escherichia coli. 1997 , 6, 304-14	21
2204	A 3D model for the measles virus receptor CD46 based on homology modeling, Monte Carlo simulations, and hemagglutinin binding studies. 1997 , 6, 588-97	22
2203	Refined solution structure and backbone dynamics of HIV-1 Nef. 1997 , 6, 1248-63	136
2202	Solution structure of alpha t alpha, a helical hairpin peptide of de novo design. 1997 , 6, 1869-77	45
2201	ALTER: eclectic management of molecular structure data. 1997 , 15, 161-9, 181-4	5
2200	Solution structure determination of endothelin-1 in methanol/water by NMR and molecular modelling methods. 1997 , 3, 415-428	16
2199	Solution structure of TsKapa, a charybdotoxin-like scorpion toxin from Tityus serrulatus with high affinity for apamin-sensitive Ca(2+)-activated K+ channels. 1997 , 29, 359-69	35
2198	Treatment of osteoarthritis with aspartame. 1998 , 63, 580-93	14
2197	Zinc as a structural and folding element of proteins which interact with DNA. 1998 , 275-276, 481-492	4
2196	Some NMR experiments and a structure determination employing a [15N,2H] enriched protein. 1998 , 12, 259-76	26
2195	Conformational analysis of protein and nucleic acid fragments with the new grid search algorithm FOUND. 1998 , 12, 543-8	49
2194	The NMR solution structure and characterization of pH dependent chemical shifts of the beta-elicitin, cryptogein. 1998 , 12, 523-34	29
2193	Vasopressin V2 Receptor/Bioligand Interactions. 1998 , 5, 333-335	
2192	Three-dimensional solution structure of the 44 kDa ectodomain of SIV gp41. 1998 , 17, 4572-84	348
2191	Structure of the IGF-binding domain of the insulin-like growth factor-binding protein-5 (IGFBP-5): implications for IGF and IGF-I receptor interactions. 1998 , 17, 6558-72	131
2190	The structure of plasmid-encoded transcriptional repressor CopG unliganded and bound to its operator. 1998 , 17, 7404-15	130
2189	Structure of the 3'-hairpin of the TYMV pseudoknot: preformation in RNA folding. 1998 , 17, 7498-504	9
2188	Solution structure and backbone dynamics of the photoactive yellow protein. 1998 , 37, 12689-99	121

2187	A novel DNA-binding motif shares structural homology to DNA replication and repair nucleases and polymerases. 1998 , 5, 959-64	41
2186	Structure of the ATP-dependent oligomerization domain of N-ethylmaleimide sensitive factor complexed with ATP. 1998 , 5, 803-11	215
2185	Structure of interleukin 16 resembles a PDZ domain with an occluded peptide binding site. 1998 , 5, 682-6	35
2184	Solution structure of the DNA- and RPA-binding domain of the human repair factor XPA. 1998 , 5, 701-6	101
2183	Changes in side chain packing during apomyoglobin folding characterized by pulsed thiol-disulfide exchange. 1998 , 5, 730-7	39
2182	NMR solution structure of the periplasmic chaperone FimC. 1998 , 5, 885-90	37
2181	Solution structure of the cellular factor BAF responsible for protecting retroviral DNA from autointegration. 1998 , 5, 903-9	99
2180	An HLA-B27 polymorphism (B*2710) that is critical for T-cell recognition has limited effects on peptide specificity. 1998 , 51, 1-9	40
2179	Solution structure of the fourth metal-binding domain from the Menkes copper-transporting ATPase. 1998 , 5, 47-54	196
2178	The structural basis of phage display elucidated by the crystal structure of the N-terminal domains of g3p. 1998 , 5, 140-7	94
2177	Correlation between binding and dynamics at SH2 domain interfaces. 1998 , 5, 156-63	97
2176	Design, structure and stability of a hyperthermophilic protein variant. 1998 , 5, 470-5	289
2175	Structure of a Numb PTB domain-peptide complex suggests a basis for diverse binding specificity. 1998 , 5, 1075-83	98
2174	Structure of a human DNA repair protein UBA domain that interacts with HIV-1 Vpr. 1998 , 5, 1042-7	114
2173	Site-specific DNA binding using a variation of the double stranded RNA binding motif. 1998 , 5, 546-50	30
2172	Structural and dynamic changes of photoactive yellow protein during its photocycle in solution. 1998 , 5, 568-70	148
2171	Solution structure of cyanovirin-N, a potent HIV-inactivating protein. 1998 , 5, 571-8	220
2170	Homology predicted structure and comparison with the secondary structure from NMR data for plastocyanin for the cyanobacterium <i>Synechocystis</i> sp. PCC 6803. 1998 , 275-276, 73-89	5

2169	Roles of negatively charged surface residues of putidaredoxin in interactions with redox partners in p450cam monooxygenase system. 1998 , 1386, 157-67		32
2168	Solution structure of a fragment of the dimerization domain of E2F-1 determined by circular dichroism, ¹ H nuclear magnetic resonance and distance geometry. 1998 , 1388, 111-22		
2167	Solution structure of a fragment of the dimerization domain of DP-1 determined by ¹ H-nuclear magnetic resonance and distance geometry. 1998 , 1429, 18-28		
2166	A single dipeptide sequence modulates the redox properties of a whole enzyme family. 1998 , 3, 161-71		171
2165	Prion protein fragments spanning helix 1 and both strands of beta sheet (residues 125-170) show evidence for predominantly helical propensity by CD and NMR. 1998 , 3, 313-20		15
2164	A unified DNA- and dNTP-binding mode for DNA polymerases. 1998 , 23, 277-81		19
2163	The solution structure of the N-terminal domain of hepatocyte growth factor reveals a potential heparin-binding site. <i>Structure</i> , 1998 , 6, 109-16	5.2	54
2162	Solution structure of the heparin-binding domain of vascular endothelial growth factor. <i>Structure</i> , 1998 , 6, 637-48	5.2	166
2161	Co-crystal structure of sterol regulatory element binding protein 1a at 2.3 Å resolution. <i>Structure</i> , 1998 , 6, 661-72	5.2	102
2160	A novel strategy for inhibition of alpha-amylases: yellow meal worm alpha-amylase in complex with the Ragi bifunctional inhibitor at 2.5 Å resolution. <i>Structure</i> , 1998 , 6, 911-21	5.2	118
2159	How a protein prepares for B12 binding: structure and dynamics of the B12-binding subunit of glutamate mutase from <i>Clostridium tetanomorphum</i> . <i>Structure</i> , 1998 , 6, 1021-33	5.2	63
2158	Structural basis of activity and subunit recognition in G protein heterotrimers. <i>Structure</i> , 1998 , 6, 1169-83	5.2	84
2157	The 1.8 Å crystal structure of the ycaC gene product from <i>Escherichia coli</i> reveals an octameric hydrolase of unknown specificity. <i>Structure</i> , 1998 , 6, 1329-37	5.2	47
2156	Automated peak picking and peak integration in macromolecular NMR spectra using AUTOPSY. <i>Journal of Magnetic Resonance</i> , 1998 , 135, 288-97	3	108
2155	Selective bridging of bis-cysteiny residues by arsonous acid derivatives as an approach to the characterization of protein tertiary structures and folding pathways by mass spectrometry. 1998 , 264, 237-50		31
2154	β ² - and β ³ -Peptides with Proteinaceous Side Chains: Synthesis and solution structures of constitutional isomers, a novel helical secondary structure and the influence of solvation and hydrophobic interactions on folding. 1998 , 81, 932-982		287
2153	β ² -Peptides Forming More Stable Secondary Structures than β ³ -Peptides: Synthesis and helical NMR-solution structure of the β ² -hexapeptide analog of H-(Val-Ala-Leu) ₂ -OH. 1998 , 81, 983-1002		203
2152	Solution structure of peptides from HIV-1 Vpr protein that cause membrane permeabilization and growth arrest. 1998 , 4, 426-435		9

2151	Exact and efficient analytical calculation of the accessible surface areas and their gradients for macromolecules. 1998 , 19, 319-333	802
2150	Characterization of the folding pathway of recombinant human macrophage-colony stimulating-factor β (rhM-CSF β) by bis-cysteinylation and mass spectrometry. 1998 , 33, 50-62	10
2149	Tertiary structure prediction of the KIX domain of CBP using Monte Carlo simulations driven by restraints derived from multiple sequence alignments. 1998 , 30, 287-94	16
2148	Comparison of solution and crystal structures of maize nonspecific lipid transfer protein: a model for a potential in vivo lipid carrier protein. 1998 , 31, 160-71	34
2147	Solution structure of human calcitonin in membrane-mimetic environment: The role of the amphipathic helix. 1998 , 32, 314-323	59
2146	Assembly of protein structure from sparse experimental data: An efficient Monte Carlo model. 1998 , 32, 475-494	89
2145	Vasopressin V2 receptor/bioligand interactions. 1998 , 5, 333-335	1
2144	Tautomeric state and pKa of the phosphorylated active site histidine in the N-terminal domain of enzyme I of the Escherichia coli phosphoenolpyruvate:sugar phosphotransferase system. 1998 , 7, 789-93	22
2143	NMR determination of the global structure of the ^{113}Cd derivative of desulfiredoxin: investigation of the hydrogen bonding pattern at the metal center. 1998 , 7, 928-37	17
2142	The three-dimensional structure of a helix-less variant of intestinal fatty acid-binding protein. 1998 , 7, 1332-9	29
2141	Role of the 6-20 disulfide bridge in the structure and activity of epidermal growth factor. 1998 , 7, 1738-49	33
2140	Differences between the electronic environments of reduced and oxidized Escherichia coli DsbA inferred from heteronuclear magnetic resonance spectroscopy. 1998 , 7, 2065-80	12
2139	Structural characterization of the entire 1.3S subunit of transcarboxylase from Propionibacterium shermanii. 1998 , 7, 2156-63	23
2138	Pulmonary surfactant-associated polypeptide C in a mixed organic solvent transforms from a monomeric alpha-helical state into insoluble beta-sheet aggregates. 1998 , 7, 2533-40	76
2137	Solution structure of the His12 \rightarrow Cys mutant of the N-terminal zinc binding domain of HIV-1 integrase complexed to cadmium. 1998 , 7, 2669-74	37
2136	Analytical development of electrospray and nanoelectrospray mass spectrometry in combination with liquid chromatography for the characterization of proteins. 1998 , 706, 91-100	36
2135	Progress in programming antibody fragments to crystallize. 1998 , 3, 309-17	8
2134	Three-dimensional structure of a human Fab with high affinity for tetanus toxoid. 1998 , 3, 253-70	41

2133	Tumor suppressor p16INK4A: determination of solution structure and analyses of its interaction with cyclin-dependent kinase 4. 1998 , 1, 421-31		127
2132	¹ H NMR structural analysis of novel potassium blocking toxins using a nano-NMR probe. <i>Toxicon</i> , 1998 , 36, 1599-608	2.8	11
2131	Solution structure of the RAIDD CARD and model for CARD/CARD interaction in caspase-2 and caspase-9 recruitment. 1998 , 94, 171-80		282
2130	NMR structure of the bacteriophage lambda N peptide/boxB RNA complex: recognition of a GNRA fold by an arginine-rich motif. 1998 , 93, 289-99		229
2129	Subunit organization and structure in the F0 sector of Escherichia coli F1F0 ATP synthase. 1998 , 1365, 135-42		49
2128	Prion protein structural features indicate possible relations to signal peptidases. 1998 , 426, 291-6		19
2127	Three-dimensional structure of binase in solution. 1998 , 431, 250-4		11
2126	Solution structure of the Ras-binding domain of RGL. 1998 , 441, 413-8		24
2125	Solution structure and backbone dynamics of component IV Glycera dibranchiata monomeric hemoglobin-CO. 1998 , 37, 10906-19		25
2124	NMR structure of the Streptomyces metalloproteinase inhibitor, SMPI, isolated from Streptomyces nigrescens TK-23: another example of an ancestral beta gamma-crystallin precursor structure. 1998 , 282, 421-33		38
2123	Structure and Function of Peptide and Protein Toxins from Marine Organisms. 1998 , 17, 99-130		12
2122	Structure and intramolecular dynamics of the amino-terminal LIM domain from quail cysteine- and glycine-rich protein CRP2. 1998 , 37, 7127-34		29
2121	Sequence and context dependence of EF-hand loop dynamics. An 15N relaxation study of a calcium-binding site mutant of calbindin D9k. 1998 , 37, 2586-95		36
2120	Probability Distributions for Complex Systems: Adaptive Umbrella Sampling of the Potential Energy. <i>Journal of Physical Chemistry B</i> , 1998 , 102, 865-880	3.4	164
2119	Solution structure of oxidized cytochrome c6 from the green alga Monoraphidium braunii. 1998 , 37, 4831-43		37
2118	Solution structure of two new toxins from the venom of the Chinese scorpion Buthus martensi Karsch blockers of potassium channels. 1998 , 37, 12412-8		29
2117	Determination of Relative N-H, N-C, C-H and C-C Effective Bond Lengths in a Protein by NMR in a Dilute Liquid Crystalline Phase. 1998 , 120, 12334-12341		226
2116	Cooperative Interaction between the Three Strands of a Designed Antiparallel β -Sheet. 1998 , 120, 5291-5300		112

2115	Structure of reduced DsbA from Escherichia coli in solution. 1998 , 37, 6263-76	53
2114	Solution structure of the transmembrane H ⁺ -transporting subunit c of the F1F0 ATP synthase. 1998 , 37, 8817-24	277
2113	Solution structure of the B-Myb DNA-binding domain: a possible role for conformational instability of the protein in DNA binding and control of gene expression. 1998 , 37, 9619-29	23
2112	Proline isomerization in bovine pancreatic ribonuclease A. 1. Unfolding conditions. 1998 , 37, 11614-20	27
2111	An Efficient Monte Carlo Model of Protein Chains. Modeling the Short-Range Correlations between Side Group Centers of Mass. <i>Journal of Physical Chemistry B</i> , 1998 , 102, 4628-4637	3-4 34
2110	Solution structure of the oxidized Fe7S8 ferredoxin from the thermophilic bacterium <i>Bacillus schlegelii</i> by 1H NMR spectroscopy. 1998 , 37, 9812-26	45
2109	Solution structure of the N-terminal EGF-like domain from human factor VII. 1998 , 37, 10605-15	23
2108	Nuclear magnetic resonance solution structure of the plasminogen-activator protein staphylokinase. 1998 , 37, 10635-42	22
2107	NMR study of the conformation and localization of porcine galanin in SDS micelles. Comparison with an inactive analog and a galanin receptor antagonist. 1998 , 37, 9169-78	28
2106	Theoretical and experimental analysis of ionization equilibria in ovomucoid third domain. 1998 , 37, 8643-52	62
2105	A reversibly unfolding fragment of P22 tailspike protein with native structure: the isolated beta-helix domain. 1998 , 37, 9160-8	29
2104	An NMR Experiment for Measuring Methyl-Methyl NOEs in ¹³ C-Labeled Proteins with High Resolution. 1998 , 120, 7617-7625	77
2103	Three-dimensional solution structure of alpha-conotoxin MII by NMR spectroscopy: effects of solution environment on helicity. 1998 , 37, 15621-30	55
2102	Solution structure of oxidized rat microsomal cytochrome b5 in the presence of 2 M guanidinium chloride: monitoring the early steps in protein unfolding. 1998 , 37, 17082-92	18
2101	Barstar has a highly dynamic hydrophobic core: evidence from molecular dynamics simulations and nuclear magnetic resonance relaxation data. 1998 , 37, 11182-92	60
2100	The amino acid sequence coded by the rarely expressed exon 26A of human elastin contains a stable beta-turn with chemotactic activity for monocytes. 1998 , 37, 11128-35	31
2099	Solution NMR Studies of a 42 KDa Escherichia Coli Maltose Binding Protein/β-Cyclodextrin Complex: Chemical Shift Assignments and Analysis. 1998 , 120, 11738-11748	130
2098	The solution structure of oxidized rat microsomal cytochrome b5. 1998 , 37, 173-84	82

2097	Self-association and backbone dynamics of the hck SH2 domain in the free and phosphopeptide-complexed forms. 1998 , 37, 7119-26	28
2096	TIMP-1 contact sites and perturbations of stromelysin 1 mapped by NMR and a paramagnetic surface probe. 1998 , 37, 9650-7	48
2095	Hydrophobic core substitutions in calbindin D9k: effects on stability and structure. 1998 , 37, 8915-25	32
2094	The orientation of nisin in membranes. 1998 , 37, 8153-62	106
2093	Origin of β -Hairpin Stability in Solution: Structural and Thermodynamic Analysis of the Folding of a Model Peptide Supports Hydrophobic Stabilization in Water. 1998 , 120, 1996-2007	212
2092	Transmissible spongiform encephalopathies. 1998 , 250, 187-93	29
2091	Sequence, structural, functional, and phylogenetic analyses of three glycosidase families. 1998 , 24, 83-100	41
2090	The structure of the N-terminus of striated muscle alpha-tropomyosin in a chimeric peptide: nuclear magnetic resonance structure and circular dichroism studies. 1998 , 37, 7834-43	87
2089	Rice non-specific lipid transfer protein: the 1.6 Å crystal structure in the unliganded state reveals a small hydrophobic cavity. 1998 , 276, 437-48	117
2088	The solution structure of the complex of Lactobacillus casei dihydrofolate reductase with methotrexate. 1998 , 277, 119-34	35
2087	Fold assembly of small proteins using monte carlo simulations driven by restraints derived from multiple sequence alignments. 1998 , 277, 419-48	79
2086	The solution structure of the Leu22-->Val mutant AREA DNA binding domain complexed with a TGATAG core element defines a role for hydrophobic packing in the determination of specificity. 1998 , 277, 621-34	37
2085	Solution structure and dynamics of linked cell attachment modules of mouse fibronectin containing the RGD and synergy regions: comparison with the human fibronectin crystal structure. 1998 , 277, 663-82	135
2084	The solution structure of a fungal AREA protein-DNA complex: an alternative binding mode for the basic carboxyl tail of GATA factors. 1998 , 277, 605-20	59
2083	Topology of the calmodulin-melittin complex. 1998 , 277, 945-58	85
2082	Determination of the structure of oxidised Desulfovibrio africanus ferredoxin I by ¹ H NMR spectroscopy and comparison of its solution structure with its crystal structure. 1998 , 277, 683-706	25
2081	Kinetic and X-ray structural studies of three mutant E. coli alkaline phosphatases: insights into the catalytic mechanism without the nucleophile Ser102. 1998 , 277, 647-62	50
2080	Crystal structure of yellow meal worm alpha-amylase at 1.64 Å resolution. 1998 , 278, 617-28	104

2079	Solution structure of the human Hck SH3 domain and identification of its ligand binding site. 1998 , 278, 253-65	28
2078	Structural changes in the region directly adjacent to the DNA-binding helix highlight a possible mechanism to explain the observed changes in the sequence-specific binding of winged helix proteins. 1998 , 278, 293-9	63
2077	Determination of the three-dimensional solution structure of <i>Raphanus sativus</i> antifungal protein 1 by 1H NMR. 1998 , 279, 257-70	137
2076	Dimer-to-tetramer transformation: loop excision dramatically alters structure and stability of the ROP four alpha-helix bundle protein. 1998 , 279, 987-1000	30
2075	Quality assessment of NMR structures: a statistical survey. 1998 , 281, 149-64	98
2074	Backbone dynamics of the EGF-like domain of heregulin-alpha. 1998 , 279, 1149-61	23
2073	Solution structure and membrane interactions of the C2 domain of cytosolic phospholipase A2. 1998 , 280, 485-500	109
2072	The NMR solution structure of human glutaredoxin in the fully reduced form. 1998 , 280, 687-701	78
2071	Solution structure of <i>Desulfovibrio vulgaris</i> (Hildenborough) ferrocytochrome c3: structural basis for functional cooperativity. 1998 , 281, 719-39	54
2070	The dependence of chemical exchange on boundary selection in a fibronectin type III domain from human tenascin. 1998 , 282, 181-94	22
2069	Elucidation of the mode of interaction of thermolysin with a proteinaceous metalloproteinase inhibitor, SMPI, based on a model complex structure and a structural dynamics analysis. 1998 , 282, 435-46	18
2068	An extracellular beta-propeller module predicted in lipoprotein and scavenger receptors, tyrosine kinases, epidermal growth factor precursor, and extracellular matrix components. 1998 , 283, 837-62	169
2067	alpha-->beta transition of beta-lactoglobulin as evidenced by heteronuclear NMR. 1998 , 283, 731-9	99
2066	Solution conformations and thermodynamics of structured peptides: molecular dynamics simulation with an implicit solvation model. 1998 , 284, 835-48	214
2065	The relationship between insulin bioactivity and structure in the NH2-terminal A-chain helix. 1998 , 284, 477-88	37
2064	Isomorphous replacement of cystine with selenocystine in endothelin: oxidative refolding, biological and conformational properties of [Sec3,Sec11,Nle7]-endothelin-1. 1998 , 284, 779-92	88
2063	Determinants of backbone dynamics in native BPTI: cooperative influence of the 14-38 disulfide and the Tyr35 side-chain. 1998 , 284, 1581-96	34
2062	Characterization of flexible molecules in solution: the RGDW peptide. 1998 , 284, 1641-60	23

2061	Structure determination and analysis of helix parameters in the DNA decamer d(CATGGCCATG) ₂ comparison of results from NMR and crystallography. 1998 , 284, 1453-63	35
2060	Modulation of intrinsic phi,psi propensities of amino acids by neighbouring residues in the coil regions of protein structures: NMR analysis and dissection of a beta-hairpin peptide. 1998 , 284, 1597-609	53
2059	A new method to characterize hydrophobic organization of proteins: application to rational protein engineering of barnase. 1998 , 15, 673-87	5
2058	The use of ² H, ¹³ C, ¹⁵ N multidimensional NMR to study the structure and dynamics of proteins. 1998 , 27, 357-406	511
2057	The NMR structure of Escherichia coli ribosomal protein L25 shows homology to general stress proteins and glutamyl-tRNA synthetases. 1998 , 17, 6377-84	62
2056	Novel peptides selected to bind vascular endothelial growth factor target the receptor-binding site. 1998 , 37, 17754-64	167
2055	Solution structure of reduced monomeric Q133M2 copper, zinc superoxide dismutase (SOD). Why is SOD a dimeric enzyme?. 1998 , 37, 11780-91	118
2054	Structure of the HIV-1 nucleocapsid protein bound to the SL3 psi-RNA recognition element. 1998 , 279, 384-8	601
2053	An antibody exo Diels-Alderase inhibitor complex at 1.95 angstrom resolution. 1998 , 279, 1934-40	127
2052	NMR structure of a classical pseudoknot: interplay of single- and double-stranded RNA. 1998 , 280, 434-8	119
2051	Allostery in rabbit pyruvate kinase: development of a strategy to elucidate the mechanism. 1998 , 37, 15266-76	27
2050	Mapping of a protein-RNA kissing hairpin interface: Rom and Tar-Tar*. 1998 , 26, 4688-95	31
2049	Solution structure of leukemia inhibitory factor. <i>Journal of Biological Chemistry</i> , 1998 , 273, 13738-45	5.4 26
2048	Coordination sphere versus protein environment as determinants of electronic and functional properties of iron-sulfur proteins. 1998 , 127-160	41
2047	High resolution structure of the N-terminal domain of tissue inhibitor of metalloproteinases-2 and characterization of its interaction site with matrix metalloproteinase-3. <i>Journal of Biological Chemistry</i> , 1998 , 273, 21736-43	5.4 75
2046	Binding interaction of the heregulin beta egf domain with ErbB3 and ErbB4 receptors assessed by alanine scanning mutagenesis. <i>Journal of Biological Chemistry</i> , 1998 , 273, 11667-74	5.4 45
2045	The solution structure and dynamics of the pleckstrin homology domain of G protein-coupled receptor kinase 2 (beta-adrenergic receptor kinase 1). A binding partner of Gbetagamma subunits. <i>Journal of Biological Chemistry</i> , 1998 , 273, 2835-43	5.4 67
2044	Prion protein NMR structure and familial human spongiform encephalopathies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 11667-72	11.5 235

2043	Reduced protein models and their application to the protein folding problem. 1998 , 16, 381-96		15
2042	Disulfide bond structure of human epidermal growth factor receptor. <i>Journal of Biological Chemistry</i> , 1998 , 273, 11150-7	5-4	62
2041	Structure of cysteine- and glycine-rich protein CRP2. Backbone dynamics reveal motional freedom and independent spatial orientation of the lim domains. <i>Journal of Biological Chemistry</i> , 1998 , 273, 23233-40	5-4	36
2040	Flexibility of helix 2 in the human glutathione transferase P1-1. time-resolved fluorescence spectroscopy. <i>Journal of Biological Chemistry</i> , 1998 , 273, 23267-73	5-4	30
2039	ShK-Dap22, a potent Kv1.3-specific immunosuppressive polypeptide. <i>Journal of Biological Chemistry</i> , 1998 , 273, 32697-707	5-4	191
2038	Solution conformation of the synthetic bovine proenkephalin-A209-237 by ¹ H NMR spectroscopy. <i>Journal of Biological Chemistry</i> , 1998 , 273, 33517-23	5-4	11
2037	NMR structure calculation methods for large proteins Application of torsion angle dynamics and distance geometry/simulated annealing to the 269-residue protein serine protease PB92. 1998 , 95, 1099-1112		6
2036	Phylogenetic emergence and molecular evolution of the immunoglobulin family. 1998 , 70, 417-506		65
2035	Solution structure of SpoIIAA, a phosphorylatable component of the system that regulates transcription factor sigmaF of <i>Bacillus subtilis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 5067-71	11.5	54
2034	Interacting helical faces of subunits a and c in the F1Fo ATP synthase of <i>Escherichia coli</i> defined by disulfide cross-linking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 6607-12	11.5	147
2033	Electron spin resonance and structural analysis of water soluble, alanine-rich peptides incorporating TO AC. 1998 , 95, 957-966		41
2032	The three-dimensional structure of a class-Pi glutathione S-transferase complexed with glutathione: the active-site hydration provides insights into the reaction mechanism. 1998 , 333 (Pt 3), 811-6		21
2031	Structure comparison of human glioma pathogenesis-related protein GliPR and the plant pathogenesis-related protein P14a indicates a functional link between the human immune system and a plant defense system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 2262-6	11.5	93
2030	Nativelike topology assembly of small proteins using predicted restraints in Monte Carlo folding simulations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 1020-5	11.5	53
2029	Light-activated rhodopsin induces structural binding motif in G protein alpha subunit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 4270-5	11.5	158
2028	Calcium-dependent immunoglobulin E recognition of the apo- and calcium-bound form of a cross-reactive two EF-hand timothy grass pollen allergen, Phl p 7. 1999 , 13, 843-56		94
2027	Identification of the ribosome binding sites of translation initiation factor IF3 by multidimensional heteronuclear NMR spectroscopy. 1999 , 5, 82-92		37
2026	Molecular modeling of single polypeptide chain of calcium-binding protein p26olf from dimeric S100B(beta-beta). 1999 , 12, 395-405		14

2025	Structural Mimicry of Canonical Conformations in Antibody Hypervariable Loops Using Cyclic Peptides Containing a Heterochiral Diproline Template. 1999 , 121, 2679-2685		101
2024	The <i>aroC</i> gene of <i>Aspergillus nidulans</i> codes for a monofunctional, allosterically regulated chorismate mutase. <i>Journal of Biological Chemistry</i> , 1999 , 274, 22275-82	5.4	23
2023	A gene encoding a hevein-like protein from elderberry fruits is homologous to PR-4 and class V chitinase genes. 1999 , 119, 1547-56		43
2022	Rational engineering of a miniprotein that reproduces the core of the CD4 site interacting with HIV-1 envelope glycoprotein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 13091-6	11.5	136
2021	Characterization of the active site of ADP-ribosyl cyclase. <i>Journal of Biological Chemistry</i> , 1999 , 274, 30770-7	5.4	49
2020	Structure of the membrane domain of subunit b of the <i>Escherichia coli</i> F0F1 ATP synthase. <i>Journal of Biological Chemistry</i> , 1999 , 274, 15598-604	5.4	119
2019	Structure, thermostability, and conformational flexibility of hen egg-white lysozyme dissolved in glycerol. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 1262-7	11.5	159
2018	A unified mechanism of enzymatic synthesis of two calcium messengers: cyclic ADP-ribose and NAADP. 1999 , 380, 785-93		44
2017	Signal transfer from rhodopsin to the G-protein: evidence for a two-site sequential fit mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 4898-903	11.5	96
2016	Solution structure and peptide binding studies of the C-terminal src homology 3-like domain of the diphtheria toxin repressor protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 6119-24	11.5	34
2015	Site-directed mutagenesis of cytochrome c6 from <i>Synechocystis</i> sp. PCC 6803. The heme protein possesses a negatively charged area that may be isofunctional with the acidic patch of plastocyanin. <i>Journal of Biological Chemistry</i> , 1999 , 274, 13292-7	5.4	42
2014	Formation of fibrous aggregates from a non-native intermediate: the isolated P22 tailspike beta-helix domain. <i>Journal of Biological Chemistry</i> , 1999 , 274, 18589-96	5.4	35
2013	The acid-labile subunit of the serum insulin-like growth factor-binding protein complexes. Structural determination by molecular modeling and electron microscopy. <i>Journal of Biological Chemistry</i> , 1999 , 274, 23328-32	5.4	39
2012	Identification of a CD4 domain required for interleukin-16 binding and lymphocyte activation. <i>Journal of Biological Chemistry</i> , 1999 , 274, 23387-95	5.4	44
2011	NMR solution structure of domain 1 of human annexin I shows an autonomous folding unit. <i>Journal of Biological Chemistry</i> , 1999 , 274, 2971-7	5.4	12
2010	Determination of equilibrium properties of biomolecular systems using multidimensional adaptive umbrella sampling. 1999 , 111, 8048-8067		39
2009	Unfolded in vacuo lysozyme folds into native, quasynative, and compact structures. 1999 , 59, 5981-6		23
2008	Proteins in vacuo: a molecular dynamics study of the unfolding behavior of highly charged disulfide-bond-intact lysozyme subjected to a temperature pulse. 1999 , 60, 7277-84		19

2007	Variations in chain compactness and topological complexity uncover folding processes in the relaxation dynamics of unfolded in vacuo lysozyme. 1999 , 111, 4774-4779		20
2006	On the structural stability of a small bioactive peptide of potential use in biotechnology. 1999 , 16, 1053-9		2
2005	The specificity of TIMP-2 for matrix metalloproteinases can be modified by single amino acid mutations. <i>Journal of Biological Chemistry</i> , 1999 , 274, 20391-6	5.4	63
2004	Site-directed mutagenesis of cytochrome c(6) from <i>Anabaena</i> species PCC 7119. Identification of surface residues of the hemeprotein involved in photosystem I reduction. <i>Journal of Biological Chemistry</i> , 1999 , 274, 33565-70	5.4	36
2003	Structure of the soluble methane monooxygenase regulatory protein B. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 7877-82	11.5	109
2002	Solution structure of an insect growth factor, growth-blocking peptide. <i>Journal of Biological Chemistry</i> , 1999 , 274, 1887-90	5.4	33
2001	Go-ing for the prediction of protein folding mechanisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 11698-700	11.5	144
2000	Structure of the subunit c oligomer in the F1Fo ATP synthase: model derived from solution structure of the monomer and cross-linking in the native enzyme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 7785-90	11.5	102
1999	The effect of matrix metalloproteinase complex formation on the conformational mobility of tissue inhibitor of metalloproteinases-2 (TIMP-2). <i>Journal of Biological Chemistry</i> , 1999 , 274, 37226-32	5.4	17
1998	T cell recognition of hapten. Anatomy of T cell receptor binding of a H-2kd-associated photoreactive peptide derivative. <i>Journal of Biological Chemistry</i> , 1999 , 274, 3622-31	5.4	16
1997	Solution structure and dynamics of a de novo designed three-helix bundle protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 5486-91	11.5	181
1996	Solution structure of a retro-inverso peptide analogue mimicking the foot-and-mouth disease virus major antigenic site. Structural basis for its antigenic cross-reactivity with the parent peptide. <i>Journal of Biological Chemistry</i> , 1999 , 274, 3686-92	5.4	30
1995	NMR solution structure of complement-like repeat CR8 from the low density lipoprotein receptor-related protein. <i>Journal of Biological Chemistry</i> , 1999 , 274, 14130-6	5.4	58
1994	Structure of the insect cytokine peptide plasmacyte-spreading peptide 1 from <i>Pseudoplusia includens</i> . <i>Journal of Biological Chemistry</i> , 1999 , 274, 4493-6	5.4	33
1993	XCrySDen--a new program for displaying crystalline structures and electron densities. 1999 , 17, 176-9, 215-6		1013
1992	Refined solution structure of omega-conotoxin GVIA: implications for calcium channel binding. 1999 , 53, 343-51		35
1991	Subunit-selective modulation of GABAA receptors by the non-steroidal anti-inflammatory agent, mefenamic acid. 1999 , 11, 2897-905		60
1990	NMR structure of active and inactive forms of the sterol-dependent antifungal antibiotic bacillomycin L. 1999 , 264, 200-10		36

1989	Snake venom alpha-neurotoxins and other 'three-finger' proteins. 1999 , 264, 281-6	225
1988	Scorpion toxins specific for Na ⁺ -channels. 1999 , 264, 287-300	516
1987	High-resolution solution structure of gurmamin, a sweet-taste-suppressing plant polypeptide. 1999 , 264, 525-33	26
1986	A coil-helix instead of a helix-coil motif can be induced in a chloroplast transit peptide from <i>Chlamydomonas reinhardtii</i> . 1999 , 265, 171-80	32
1985	Slow unfolding and refolding kinetics of the mesophilic Rop wild-type protein in the transition range. 1999 , 264, 989-95	12
1984	Inherent flexibility in a potent inhibitor of blood coagulation, recombinant nematode anticoagulant protein c2. 1999 , 265, 539-48	36
1983	A proton-NMR investigation of the fully reduced cytochrome c7 from <i>Desulfuromonas acetoxidans</i> . Comparison between the reduced and the oxidized forms. 1999 , 266, 634-43	26
1982	Solution structure of a new hypothalamic neuropeptide, human hypocretin-2/orexin-B. 1999 , 266, 831-9	54
1981	Solution structure of a baculoviral inhibitor of apoptosis (IAP) repeat. 1999 , 6, 648-51	149
1980	Rational design of a GCN4-derived mimetic of interleukin-4. 1999 , 6, 652-6	42
1979	The GYF domain is a novel structural fold that is involved in lymphoid signaling through proline-rich sequences. 1999 , 6, 656-60	73
1978	Solution structure of the homodimeric core domain of <i>Escherichia coli</i> histidine kinase EnvZ. 1999 , 6, 729-34	205
1977	The tetramerization domain of the Mnt repressor consists of two right-handed coiled coils. 1999 , 6, 755-9	46
1976	A novel target recognition revealed by calmodulin in complex with Ca ²⁺ -calmodulin-dependent kinase kinase. 1999 , 6, 819-24	197
1975	Solution structure of the single-strand break repair protein XRCC1 N-terminal domain. 1999 , 6, 884-93	142
1974	Structural basis for recognition of the tra mRNA precursor by the Sex-lethal protein. 1999 , 398, 579-85	324
1973	Solution structure of the hRPABC14.4 subunit of human RNA polymerases. 1999 , 6, 1039-42	11
1972	Identification of an inhibitory Zn ²⁺ binding site on the human glycine receptor alpha1 subunit. 1999 , 520 Pt 1, 53-64	81

1971	Structural changes linked to proton translocation by subunit c of the ATP synthase. 1999 , 402, 263-8	408
1970	Structure of a transiently phosphorylated switch in bacterial signal transduction. 1999 , 402, 894-8	183
1969	Solid-state NMR evidence for an antibody-dependent conformation of the V3 loop of HIV-1 gp120. 1999 , 6, 141-5	75
1968	Solution structure of the 40,000 Mr phosphoryl transfer complex between the N-terminal domain of enzyme I and HPr. 1999 , 6, 166-73	171
1967	A cis proline turn linking two beta-hairpin strands in the solution structure of an antibody-bound HIV-1IIIB V3 peptide. 1999 , 6, 331-5	50
1966	Pilus chaperone FimC-adhesin FimH interactions mapped by TROSY-NMR. 1999 , 6, 336-9	89
1965	NMR structure of the Tn916 integrase-DNA complex. 1999 , 6, 366-73	54
1964	Solution structure of the extended neuronal nitric oxide synthase PDZ domain complexed with an associated peptide. 1999 , 6, 417-21	124
1963	A novel two-chain proteinase inhibitor generated by circularization of a multidomain precursor protein. 1999 , 6, 526-30	48
1962	How does a protein unfold on a reversed-phase liquid chromatography surface?. 1999 , 849, 135-148	65
1961	Packing motifs as predictors of the propensity of antibody fragments to crystallize. 1999 , 196, 276-284	5
1960	The solution structure of the N-terminal zinc finger of GATA-1 reveals a specific binding face for the transcriptional co-factor FOG. 1999 , 13, 249-62	44
1959	A high quality nuclear magnetic resonance solution structure of peptide deformylase from Escherichia coli: application of an automated assignment strategy using GARANT. 1999 , 13, 311-24	9
1958	NMR structure determination of the tetramerization domain of the Mnt repressor: An asymmetric alpha-helical assembly in slow exchange. 1999 , 15, 39-53	4
1957	Solvation study of the non-specific lipid transfer protein from wheat by intermolecular NOEs with water and small organic molecules. 1999 , 15, 213-25	12
1956	Effect of hydrophobic core packing on sidechain dynamics. 1999 , 15, 135-43	16
1955	Maximum entropy approach to the determination of solution conformation of flexible polypeptides by global conformational analysis and NMR spectroscopy--application to DNS1-c-[D-A2,bu2,Trp4,Leu5]enkephalin and DNS1-c-[D-A2bu2,Trp4,D-Leu5]enkephalin. 1999 , 15, 315-30	30
1954	NMR structure of the chimeric hybrid duplex r(gcaguggc).r(gcca)d(CTGC) comprising the tRNA-DNA junction formed during initiation of HIV-1 reverse transcription. 1999 , 13, 343-55	36

1953	Conformational flexibility in calcitonin: the dynamic properties of human and salmon calcitonin in solution. 1999 , 13, 161-74	29
1952	Backbone dynamics of the human CC-chemokine eotaxin. 1999 , 15, 115-24	28
1951	Efficient determination of angles subtended by C(alpha)-H(alpha) and N-H(N) vectors in proteins via dipole-dipole cross-correlation. 1999 , 13, 375-80	39
1950	Analysis of deuterium relaxation-derived methyl axis order parameters and correlation with local structure. 1999 , 13, 181-5	74
1949	Assignment of 1H, 13C and 15N signals of the DNase domain of colicin E9. 1999 , 14, 201-2	6
1948	Solution structure of the receptor tyrosine kinase EphB2 SAM domain and identification of two distinct homotypic interaction sites. 1999 , 8, 1954-61	69
1947	The disulfide-coupled folding pathway of apamin as derived from diselenide-quenched analogs and intermediates. 1999 , 8, 1605-13	68
1946	NMR study of Ni2+ binding to the H-N-H endonuclease domain of colicin E9. 1999 , 8, 1711-3	10
1945	Solution structure of the HMG protein NHP6A and its interaction with DNA reveals the structural determinants for non-sequence-specific binding. 1999 , 18, 2563-79	159
1944	NMR structure and metal interactions of the CopZ copper chaperone. <i>Journal of Biological Chemistry</i> , 1999 , 274, 22597-603	5.4 104
1943	First Interchain Peptide Interaction Detected by ESR in Fully Synthetic, Template-Assisted, Two-Helix Bundles. 1999 , 121, 11071-11078	14
1942	Solution structure of the histidine-containing phosphocarrier protein from <i>Staphylococcus carnosus</i> . 1999 , 17, 465-480	12
1941	Controlling leucine zipper specificity with interfacial hydrophobic residues. 1999 , 6, 381-390	3
1940	Three-dimensional structure of Botulinum toxin EI determined by 1H NMR spectroscopy. 1999 , 6, 199-207	2
1939	Solution structure of reduced horse heart cytochrome c. 1999 , 4, 21-31	107
1938	Experimental evidence for the role of buried polar groups in determining the reduction potential of metalloproteins: the S79P variant of Chromatium vinosum HiPIP. 1999 , 4, 692-700	16
1937	The solution structure of a monomeric, reduced form of human copper,zinc superoxide dismutase bearing the same charge as the native protein. 1999 , 4, 795-803	19
1936	Mitochondrial cytochromes c: a comparative analysis. 1999 , 4, 824-37	85

1935	Helical structure and self-association in a 13 residue neuropeptide Y Y2 receptor agonist: relationship to biological activity. 1999 , 1435, 127-37		12
1934	A new class of hexahelical insect proteins revealed as putative carriers of small hydrophobic ligands. <i>Structure</i> , 1999 , 7, 1325-32	5.2	49
1933	Crystal structure of the RNA-dependent RNA polymerase of hepatitis C virus. <i>Structure</i> , 1999 , 7, 1417-26	5.2	352
1932	The second type II module from human matrix metalloproteinase 2: structure, function and dynamics. <i>Structure</i> , 1999 , 7, 1235-45	5.2	45
1931	The structure of the outer membrane protein OmpX from Escherichia coli reveals possible mechanisms of virulence. <i>Structure</i> , 1999 , 7, 1301-9	5.2	257
1930	Solution structure of a pair of modules from the gelatin-binding domain of fibronectin. <i>Structure</i> , 1999 , 7, 1451-60	5.2	19
1929	The three-dimensional structure of the HRDC domain and implications for the Werner and Bloom syndrome proteins. <i>Structure</i> , 1999 , 7, 1557-66	5.2	110
1928	The solution structure of the guanine nucleotide exchange domain of human elongation factor 1beta reveals a striking resemblance to that of EF-Ts from Escherichia coli. <i>Structure</i> , 1999 , 7, 217-26	5.2	29
1927	NMR structure of the human oncofoetal fibronectin ED-B domain, a specific marker for angiogenesis. <i>Structure</i> , 1999 , 7, 381-90	5.2	44
1926	NMR structure of the N-terminal domain of E. coli DnaB helicase: implications for structure rearrangements in the helicase hexamer. <i>Structure</i> , 1999 , 7, 681-90	5.2	57
1925	Structure of a putative ancestral protein encoded by a single sequence repeat from a multidomain proteinase inhibitor gene from Nicotiana glauca. <i>Structure</i> , 1999 , 7, 793-802	5.2	17
1924	Establishing a degree of order: obtaining high-resolution NMR structures from molecular alignment. <i>Structure</i> , 1999 , 7, R205-11	5.2	46
1923	Specific inhibition of insect alpha-amylases: yellow meal worm alpha-amylase in complex with the amaranth alpha-amylase inhibitor at 2.0 A resolution. <i>Structure</i> , 1999 , 7, 1079-88	5.2	74
1922	Solution structure of the B form of oxidized rat microsomal cytochrome b5 and backbone dynamics via 15N rotating-frame NMR-relaxation measurements. Biological implications. 1999 , 260, 347-54		26
1921	Solution structure of the alpha-subunit of human chorionic gonadotropin. 1999 , 260, 490-8		42
1920	Solution structure of a conformationally constrained Arg-Gly-Asp-like motif inserted into the alpha/beta scaffold of leurotoxin I. 1999 , 260, 810-7		5
1919	NMR studies of subunit c of the ATP synthase from Propionigenium modestum in dodecylsulphate micelles. 1999 , 261, 459-67		40
1918	Two forms of cytotoxin II (cardiotoxin) from Naja naja oxiana in aqueous solution: spatial structures with tightly bound water molecules. 1999 , 263, 152-62		27

1917	Structure and dynamics of the B12-binding subunit of glutamate mutase from <i>Clostridium cochlearium</i> . 1999 , 263, 178-88		23
1916	Nitroxide side-chain dynamics in a spin-labeled helix-forming peptide revealed by high-frequency (139.5-GHz) EPR spectroscopy. <i>Journal of Magnetic Resonance</i> , 1999 , 139, 281-6	3	23
1915	Peptides and proteins in neurodegenerative disease: helix propensity of a polypeptide containing helix 1 of the mouse prion protein studied by NMR and CD spectroscopy. 1999 , 51, 145-52		30
1914	A molecular dynamics simulation of the flavin mononucleotide-RNA aptamer complex. 1999 , 50, 287-302		71
1913	Exploring protein interiors: the role of a buried histidine in the KH module fold. 1999 , 34, 484-96		12
1912	Modeling of acanthoxin A1, a PLA2 enzyme from the venom of the common death adder (<i>Acanthopis antarcticus</i>). 1999 , 35, 80-8		6
1911	Refined solution structure of the C-terminal DNA-binding domain of human immunovirus-1 integrase. 1999 , 36, 556-64		73
1910	Molecular dynamics simulations of human glutathione transferase P1-1: Analysis of the induced-fit mechanism by GSH binding. 1999 , 37, 1-9		25
1909	The three-dimensional solution structure of <i>Aesculus hippocastanum</i> antimicrobial protein 1 determined by 1H nuclear magnetic resonance. 1999 , 37, 388-403		52
1908	A method for the improvement of threading-based protein models. 1999 , 37, 592-610		48
1907	1D- and 2D-Coordination Polymers from Self-Complementary Building Blocks: Co-Crystallization of (P)- and (M)-Single-Stranded Diastereoisomers. 1999 , 1999, 1859-1867		36
1906	EPC-Synthesis of β -Amino Acid Derivatives through Lithiated Hydropyrimidines. 1999 , 1999, 335-360		38
1905	Comparison of the three-dimensional structures of a humanized and a chimeric Fab of an anti-gamma-interferon antibody. 1999 , 12, 19-32		23
1904	Interference of rheumatoid factor activity by aspartame, a dipeptide methyl ester. 1999 , 12, 249-57		14
1903	Solution structure of human beta-endorphin in helicogenic solvents: an NMR study. 1999 , 5, 410-22		19
1902	Faltblätter und Schleifen von β -Peptiden mit proteinogenen Seitenketten. 1999 , 111, 1700-1703		54
1901	NMR solution structure of a DNA dodecamer containing a transplatin interstrand GN7-CN3 cross-link. 1999 , 27, 4261-8		54
1900	Crystal structure of a double-stranded DNA containing a cisplatin interstrand cross-link at 1.63 Å resolution: hydration at the platinated site. 1999 , 27, 1837-46		177

1899	Oligomeric structure of the human EphB2 receptor SAM domain. 1999 , 283, 833-6	198
1898	Crystal structure of <i>Thermotoga maritima</i> ribosome recycling factor: a tRNA mimic. 1999 , 286, 2349-52	160
1897	NMR conformational analysis on cyclic decapeptide template molecule. 1999 , 77, 1394-1404	2
1896	Density functional, single and multireference perturbation theory study of the reaction $3\text{H}_2\text{O}_2 + \text{HOCH}_2\text{CH}_2\text{OH} \rightarrow \text{HOOH} + \text{HOCH}=\text{CH}_2$, modeling an important step in tropospheric benzene oxidation. 1999 , 110, 7298-7304	13
1895	Rubredoxin Variant Folds without Iron. 1999 , 121, 2341-2345	33
1894	Pi7, an orphan peptide from the scorpion <i>Pandinus imperator</i> : a ^1H -NMR analysis using a nano-NMR Probe. 1999 , 38, 16756-65	29
1893	Influence of amino acid substitutions related to inherited human prion diseases on the thermodynamic stability of the cellular prion protein. 1999 , 38, 3258-67	290
1892	Tumor suppressor INK4: determination of the solution structure of p18INK4C and demonstration of the functional significance of loops in p18INK4C and p16INK4A. 1999 , 38, 2930-40	38
1891	Identification of a homologue of CD59 in a cyclostome: implications for the evolutionary development of the complement system. 1999 , 23, 1-14	14
1890	The Structures of Rieske and Rieske-Type Proteins. 1999 , 47, 83-157	78
1889	The structure of human parathyroid hormone-related protein(1-34) in near-physiological solution. 1999 , 444, 239-44	23
1888	NMR spatial structure of alpha-conotoxin Iml reveals a common scaffold in snail and snake toxins recognizing neuronal nicotinic acetylcholine receptors. 1999 , 444, 275-80	52
1887	NMR structure of a minimized human agouti related protein prepared by total chemical synthesis. 1999 , 451, 125-31	68
1886	Association between the first two immunoglobulin-like domains of the neural cell adhesion molecule N-CAM. 1999 , 451, 162-8	25
1885	Introducing transglycosylation activity in a liquefying alpha-amylase. 1999 , 453, 100-6	20
1884	Minimal conformation of the alpha-conotoxin Iml for the alpha7 neuronal nicotinic acetylcholine receptor recognition: correlated CD, NMR and binding studies. 1999 , 454, 293-8	38
1883	Molecular characterization of the 5' control region and of two lethal alleles affecting the hsp60 gene in <i>Drosophila melanogaster</i> . 1999 , 456, 269-73	22
1882	A capping domain for LRR protein interaction modules. 1999 , 456, 349-51	29

1881	Spatial structure of the M2 transmembrane segment of the nicotinic acetylcholine receptor alpha-subunit. 1999 , 457, 117-21	23
1880	Circularly permuted variants of the green fluorescent protein. 1999 , 457, 283-9	108
1879	Circular beta-lactamase: stability enhancement by cyclizing the backbone. 1999 , 459, 166-72	157
1878	Solution structure of BID, an intracellular amplifier of apoptotic signaling. 1999 , 96, 615-24	425
1877	Solution structure of the CIDE-N domain of CIDE-B and a model for CIDE-N/CIDE-N interactions in the DNA fragmentation pathway of apoptosis. 1999 , 99, 747-55	88
1876	Solution structure of carnobacteriocin B2 and implications for structure-activity relationships among type IIa bacteriocins from lactic acid bacteria. 1999 , 38, 15438-47	86
1875	Studies of the ligand binding reaction of adipocyte lipid binding protein using the fluorescent probe 1, 8-anilinoanthracene-8-sulfonate. 1999 , 77, 1107-16	58
1874	Intersegment hydrogen bonds as possible structural determinants of the N/Q/R site in glutamate receptors. 1999 , 77, 1914-26	25
1873	Effect of pressure on the tertiary structure and dynamics of folded basic pancreatic trypsin inhibitor. 1999 , 77, 2801-12	57
1872	Homology modeling of cephalopod lens S-crystallin: a natural mutant of sigma-class glutathione transferase with diminished endogenous activity. 1999 , 76, 679-90	15
1871	Low temperature and pressure stability of picornaviruses: implications for virus uncoating. 1999 , 76, 1270-9	86
1870	A solvent model for simulations of peptides in bilayers. I. Membrane-promoting alpha-helix formation. 1999 , 76, 2448-59	60
1869	A solvent model for simulations of peptides in bilayers. II. Membrane-spanning alpha-helices. 1999 , 76, 2460-71	33
1868	Structural aspects of human IgM antibodies expressed in chronic B lymphocytic leukemia. 1999 , 4, 217-29	15
1867	Dissection of the de novo designed peptide alpha t alpha: stability and properties of the intact molecule and its constituent helices. 1999 , 38, 2796-804	20
1866	Conformational unfolding studies of three-disulfide mutants of bovine pancreatic ribonuclease A and the coupling of proline isomerization to disulfide redox reactions. 1999 , 38, 2805-15	34
1865	Electron transfer to photosystem 1 from spinach plastocyanin mutated in the small acidic patch: ionic strength dependence of kinetics and comparison of mechanistic models. 1999 , 38, 16695-705	27
1864	Structure of the antimicrobial peptide tritrpticin bound to micelles: a distinct membrane-bound peptide fold. 1999 , 38, 16749-55	137

1863	Role of heme in structural organization of cytochrome c probed by semisynthesis. 1999 , 38, 15944-51	25
1862	The solution structure of oxidized Escherichia coli cytochrome b562. 1999 , 38, 8657-70	74
1861	Zinc-binding site of an S100 protein revealed. Two crystal structures of Ca ²⁺ -bound human psoriasin (S100A7) in the Zn ²⁺ -loaded and Zn ²⁺ -free states. 1999 , 38, 1695-704	117
1860	Solution Structures of TOAC-Labeled Trichogin GA IV Peptides from Allowed (g D) and Half-Field Electron Spin Resonance. 1999 , 121, 6919-6927	37
1859	NMR structure and functional studies of the Mu repressor DNA-binding domain. 1999 , 38, 8367-76	22
1858	NMR solution structure of alpha-conotoxin ImI and comparison to other conotoxins specific for neuronal nicotinic acetylcholine receptors. 1999 , 38, 3874-82	47
1857	Millisecond to microsecond time scale dynamics of the retinoid X and retinoic acid receptor DNA-binding domains and dimeric complex formation. 1999 , 38, 1951-6	30
1856	Biochemical characterization and nuclear magnetic resonance structure of novel alpha-conotoxins isolated from the venom of Conus consors. 1999 , 38, 6317-26	51
1855	Backbone dynamics of the N-terminal domain of the HIV-1 capsid protein and comparison with the G94D mutant conferring cyclosporin resistance/dependence. 1999 , 38, 10262-71	29
1854	Molecular dynamics simulations of human prion protein: importance of correct treatment of electrostatic interactions. 1999 , 38, 13862-76	87
1853	Pressure versus heat-induced unfolding of ribonuclease A: the case of hydrophobic interactions within a chain-folding initiation site. 1999 , 38, 15952-61	79
1852	Bound CO Is A Molecular Probe of Electrostatic Potential in the Distal Pocket of Myoglobin. <i>Journal of Physical Chemistry B</i> , 1999 , 103, 8817-8829	3-4 235
1851	Structural and dynamical properties of a partially unfolded Fe4S4 protein: role of the cofactor in protein folding. 1999 , 38, 4669-80	37
1850	Solution structure of a five-adenine bulge loop within a DNA duplex. 1999 , 38, 12860-8	38
1849	Role of disulfide bonds in the structure and potassium channel blocking activity of ShK toxin. 1999 , 38, 14549-58	29
1848	Functional communications between the apical and equatorial domains of GroEL through the intermediate domain. 1999 , 38, 15731-40	45
1847	Proteins in Vacuo: Relaxation of Unfolded Lysozyme Leads to Folding into Native and Non-Native Structures. A Molecular Dynamics Study. 1999 , 121, 11468-11477	20
1846	Mutagenesis of three residues, isoleucine-60, threonine-61, and aspartic acid-80, implicated in the GTPase activity of Escherichia coli elongation factor Tu. 1999 , 38, 13035-41	20

1845	Structural analysis of phospholipase A2 from functional perspective. 2. Characterization of a molten globule-like state induced by site-specific mutagenesis. 1999 , 38, 2919-29	21
1844	Identification and dynamics of a heparin-binding site in hepatocyte growth factor. 1999 , 38, 14793-802	53
1843	Design and synthesis of substrate analogue inhibitors of peptide deformylase. 1999 , 38, 4287-95	72
1842	Backbone dynamics of the N-terminal domain in E. coli DnaJ determined by 15N- and 13CO-relaxation measurements. 1999 , 38, 10567-77	25
1841	Structural analysis of phospholipase A2 from functional perspective. 1. Functionally relevant solution structure and roles of the hydrogen-bonding network. 1999 , 38, 2909-18	24
1840	Solution structure of a DNA duplex containing a cis-diammineplatinum(II) 1,3-d(GTG) intrastrand cross-link, a major adduct in cells treated with the anticancer drug carboplatin. 1999 , 38, 12305-12	69
1839	Analysis of folding and unfolding reactions of cytochrome b5. 1999 , 38, 14352-62	21
1838	Solution structure of component B from methane monooxygenase derived through heteronuclear NMR and molecular modeling. 1999 , 38, 5799-812	73
1837	Effects of Some Charged Amino Acid Mutations on the Electron Self-Exchange Kinetics of Cytochrome b5. 1999 , 38, 5749-5754	8
1836	NMR solution structure of plastocyanin from the photosynthetic prokaryote, <i>Prochlorothrix hollandica</i> . 1999 , 38, 4988-95	33
1835	Cooperative Role of Arg45 and His64 in the Spectroscopic A3 State of Carbonmonoxy Myoglobin: Molecular Dynamics Simulations, Multivariate Analysis, and Quantum Mechanical Computations. 1999 , 121, 6444-6454	35
1834	Structure analysis of a fusogenic peptide sequence from the sea urchin fertilization protein bindin. 1999 , 38, 2560-9	53
1833	The EH1 domain of Eps15 is structurally classified as a member of the S100 subclass of EF-hand-containing proteins. 1999 , 38, 11271-7	28
1832	Homology modeling of gelatinase catalytic domains and docking simulations of novel sulfonamide inhibitors. 1999 , 42, 1723-38	95
1831	Band 310: The Split Personality of Polypeptide Helices. 1999 , 32, 1027-1033	169
1830	Identifying the site of initial tertiary structure disruption during apomyoglobin unfolding. 1999 , 38, 14433-9	21
1829	Ab Initio Study of Energetics of Protonation and Hydrogen Bonding of Pyridine N-Oxide and Its Derivatives. 1999 , 103, 11104-11108	25
1828	Solution structure and dynamics of the plasminogen kringle 2-AMCHA complex: 3(1)-helix in homologous domains. 1999 , 38, 15741-55	58

1827	Characterization of fold diversity among proteins with the same number of amino acid residues. 1999 , 39, 642-9	24
1826	The three-dimensional structure of human RNase 4, unliganded and complexed with d(Up), reveals the basis for its uridine selectivity. 1999 , 285, 205-14	44
1825	RNA recognition by the human U1A protein is mediated by a network of local cooperative interactions that create the optimal binding surface. 1999 , 285, 215-31	60
1824	Three-dimensional crystal structure of the transcription factor PhoB receiver domain. 1999 , 285, 675-87	113
1823	Structural organization in peptide fragments of cytochrome c by heme binding. 1999 , 285, 463-8	10
1822	On the importance of being aromatic at an antibody-protein antigen interface: mutagenesis of the extracellular interferon gamma receptor and recognition by the neutralizing antibody A6. 1999 , 285, 805-15	13
1821	NMR structures and activity of a novel alpha-like toxin from the scorpion <i>Leiurus quinquestriatus hebraeus</i> . 1999 , 285, 1749-63	67
1820	Temperature dependence of intramolecular dynamics of the basic leucine zipper of GCN4: implications for the entropy of association with DNA. 1999 , 285, 2133-46	201
1819	Crystal structure of the E166A mutant of extended-spectrum beta-lactamase Toho-1 at 1.8 Å resolution. 1999 , 285, 2079-87	76
1818	NMR structure of <i>Escherichia coli</i> glutaredoxin 3-glutathione mixed disulfide complex: implications for the enzymatic mechanism. 1999 , 286, 541-52	113
1817	Probing residual structure and backbone dynamics on the milli- to picosecond timescale in a urea-denatured fibronectin type III domain. 1999 , 286, 579-92	34
1816	The structure and dynamics of rat apo-cellular retinol-binding protein II in solution: comparison with the X-ray structure. 1999 , 286, 1179-95	44
1815	Solution structure of toxin 2 from <i>Centruroides noxius</i> Hoffmann, a beta-scorpion neurotoxin acting on sodium channels. 1999 , 287, 359-67	67
1814	Protein-ligand interaction: grafting of the uridine-specific determinants from the CytR regulator of <i>Salmonella typhimurium</i> to <i>Escherichia coli</i> CytR. 1999 , 288, 165-75	11
1813	Forced unfolding of fibronectin type 3 modules: an analysis by biased molecular dynamics simulations. 1999 , 288, 441-59	294
1812	The solution structure of the homeodomain of the rat insulin-gene enhancer protein isl-1. Comparison with other homeodomains. 1999 , 288, 689-703	22
1811	A comparison of the energetics of annexin I and annexin V. 1999 , 288, 1013-25	28
1810	High precision solution structure of the C-terminal KH domain of heterogeneous nuclear ribonucleoprotein K, a c-myc transcription factor. 1999 , 289, 949-62	81

1809	Dynamic DNA contacts observed in the NMR structure of winged helix protein-DNA complex. 1999 , 289, 683-90	93
1808	Guiding a docking mode by phage display: selection of correlated mutations at the staphylokinase-plasmin interface. 1999 , 290, 471-9	20
1807	Structure, dynamics and hydration of the nogalamycin-d(ATGCAT) ₂ Complex determined by NMR and molecular dynamics simulations in solution. 1999 , 290, 699-716	41
1806	A tale of two secondary structure elements: when a beta-hairpin becomes an alpha-helix. 1999 , 292, 389-401	29
1805	NMR structure of the sea urchin (<i>Strongylocentrotus purpuratus</i>) metallothionein MTA. 1999 , 291, 417-28	79
1804	NMR structure of the N-terminal domain of <i>Saccharomyces cerevisiae</i> RNase HI reveals a fold with a strong resemblance to the N-terminal domain of ribosomal protein L9. 1999 , 291, 661-9	29
1803	Conformational changes of the BS2 operator DNA upon complex formation with the Antennapedia homeodomain studied by NMR with ¹³ C/ ¹⁵ N-labeled DNA. 1999 , 292, 609-17	11
1802	Solution structure of human GAIP (Galpha interacting protein): a regulator of G protein signaling. 1999 , 291, 927-39	65
1801	Unfolding and refolding of <i>Escherichia coli</i> chaperonin GroES is expressed by a three-state model. 1999 , 291, 703-13	39
1800	Altered flexibility in the substrate-binding site of related native and engineered high-alkaline <i>Bacillus subtilis</i> ins. 1999 , 292, 111-23	218
1799	NMR analysis of the binding of a rhodanese peptide to a minichaperone in solution. 1999 , 292, 181-90	44
1798	Binding specificity and mechanistic insight into glutaredoxin-catalyzed protein disulfide reduction. 1999 , 292, 151-61	42
1797	Ligand-linked structural changes in the <i>Escherichia coli</i> biotin repressor: the significance of surface loops for binding and allostery. 1999 , 292, 619-32	31
1796	Mutational analysis and NMR spectroscopy of quail cysteine and glycine-rich protein CRP2 reveal an intrinsic segmental flexibility of LIM domains. 1999 , 292, 893-908	19
1795	Dissecting the stability of a beta-hairpin peptide that folds in water: NMR and molecular dynamics analysis of the beta-turn and beta-strand contributions to folding. 1999 , 292, 1051-69	152
1794	Solution structure of the ribosomal protein S19 from <i>Thermus thermophilus</i> . 1999 , 292, 1071-81	9
1793	Single molecular observation of the interaction of GroEL with substrate proteins. 1999 , 292, 965-72	49
1792	Solution structure of the DNA-binding domain of NtrC with three alanine substitutions. 1999 , 292, 1095-110	71

1791	MiAMP1, a novel protein from <i>Macadamia integrifolia</i> adopts a Greek key beta-barrel fold unique amongst plant antimicrobial proteins. 1999 , 293, 629-38	53
1790	Mutations improving the folding of phage P22 tailspike protein affect its receptor binding activity. 1999 , 293, 693-701	14
1789	Structural dynamics in the C-terminal domain of calmodulin at low calcium levels. 1999 , 293, 883-99	140
1788	Structure and function of a new phosphopeptide-binding domain containing the FHA2 of Rad53. 1999 , 294, 1041-9	97
1787	NMR structure of an F-actin-binding "headpiece" motif from villin. 1999 , 294, 1299-310	65
1786	Nuclear magnetic resonance solution structure of truncated human GRObeta [5-73] and its structural comparison with CXC chemokine family members GROalpha and IL-8. 1999 , 294, 1065-72	28
1785	Role of Trp-187 in the annexin V-membrane interaction: a molecular mechanics analysis. 1999 , 254, 484-9	10
1784	NMR Spectra of Iron-Sulfur Proteins. 1999 , 47, 251-282	10
1783	A novel role for helix 12 of retinoid X receptor in regulating repression. 1999 , 19, 6448-57	95
1782	Detection of RAG protein-V(D)J recombination signal interactions near the site of DNA cleavage by UV cross-linking. 1999 , 19, 3788-97	69
1781	Autonomous protein folding units. 2000 , 53, 1-47	31
1780	Modeling of Peptides in Implicit Membrane-Mimetic Media. 2000 , 24, 275-291	2
1779	The IMB Jena Image Library of biological macromolecules. 2000 , 28, 246-9	13
1778	Solution structure of nocistatin, a new peptide analgesic. 2000 , 53, 257-64	7
1777	Structural basis for the biological activity of dendrotoxin-I, a potent potassium channel blocker. 2000 , 54, 44-57	20
1776	Molecular dynamics of mouse and Syrian hamster PrP: Implications for activity. 2000 , 38, 327-340	29
1775	Plasticity and steric strain in a parallel α -helix: Rational mutations in the P22 tailspike protein. 2000 , 39, 89-101	15
1774	Comparative modeling studies of the calmodulin-like domain of calcium-dependent protein kinase from soybean. 2000 , 39, 343-57	17

1773	A model for the hepatitis C virus envelope glycoprotein E2. 2000 , 40, 355-66		177
1772	Mechanism of protein folding. 2000 , 41, 288-98		60
1771	NMR structures of thioredoxin m from the green alga <i>Chlamydomonas reinhardtii</i> . 2000 , 41, 334-349		25
1770	Assignment of the contribution of the tryptophan residues to the spectroscopic and functional properties of the ribotoxin alpha-sarcin. 2000 , 41, 350-61		27
1769	An introduction to MAS NMR spectroscopy on oriented membrane proteins. 2000 , 12, 137-151		11
1768	Structure and regulation of opioid receptors. 2000 , 55, 334-46		74
1767	Identification of the ligand-binding site of the BMP type IA receptor for BMP-4. 2000 , 55, 399-406		48
1766	Crystal structure of the W35A mutant thioredoxin h from <i>Chlamydomonas reinhardtii</i> : the substitution of the conserved active site Trp leads to modifications in the environment of the two catalytic cysteines. 2000 , 56, 1-7		14
1765	A three-residue cyclic scaffold of non-RGD containing peptide analogues as platelet aggregation inhibitors: design, synthesis, and structure--function relationships. 2000 , 56, 20-6		13
1764	The three-dimensional structure of the 4:1 mithramycin:d(ACCCGGGT)(2) complex: evidence for an interaction between the E saccharides. 2000 , 54, 104-14		22
1763	Relative measure of geometrical entanglement to study folding/unfolding transitions. Application to analysis of molecular dynamics trajectories of proteins in vacuo. 2000 , 80, 848-855		16
1762	Cross-correlated relaxation for the measurement of angles between tensorial interactions. <i>Journal of Magnetic Resonance</i> , 2000 , 143, 45-68	3	55
1761	Protein hydration and location of water molecules in oxidized horse heart cytochrome c by (1)H NMR. <i>Journal of Magnetic Resonance</i> , 2000 , 147, 1-8	3	25
1760	The solution structure of the C-terminal segment of tau protein. 2000 , 6, 550-9		15
1759	Molecular shape analysis of simulated in vacuo unfolding of charged lysozyme: transitions in chain entanglement and anisometry. 2000 , 327, 245-252		13
1758	Nitration and inactivation of cytochrome P450BM-3 by peroxynitrite. Stopped-flow measurements prove ferryl intermediates. 2000 , 267, 6729-39		30
1757	Solution structure of oxidized microsomal rabbit cytochrome b5. Factors determining the heterogeneous binding of the heme. 2000 , 267, 755-66		42
1756	High resolution solution structure of the protein part of Cu7 metallothionein. 2000 , 267, 1008-18		42

1755	Inactivation of calcineurin by hydrogen peroxide and phenylarsine oxide. Evidence for a dithiol-disulfide equilibrium and implications for redox regulation. 2000 , 267, 1407-15	66
1754	The NMR solution structure of the ion channel peptaibol chrysospermin C bound to dodecylphosphocholine micelles. 2000 , 267, 1784-94	23
1753	Cloning and over-expression of thermostable <i>Bacillus</i> sp. YM55-1 aspartase and site-directed mutagenesis for probing a catalytic residue. 2000 , 267, 1847-57	22
1752	Formation of a native-like beta-hairpin finger structure of a peptide from the extended PDZ domain of neuronal nitric oxide synthase in aqueous solution. 2000 , 267, 3116-22	23
1751	The antibiotic and anticancer active aurein peptides from the Australian Bell Frogs <i>Litoria aurea</i> and <i>Litoria raniformis</i> the solution structure of aurein 1.2. 2000 , 267, 5330-41	197
1750	Solution structure of a neurotrophic ligand bound to FKBP12 and its effects on protein dynamics. 2000 , 267, 5342-55	32
1749	Molecular dynamics simulation of trp-repressor/operator complex: analysis of hydrogen bond patterns of protein-DNA interaction. 2000 , 526, 209-218	13
1748	Engineering Novel Bioactive Mini-Proteins on Natural Scaffolds. 2000 , 56, 9451-9460	14
1747	Molecular modeling of the catalytic domain of serine/threonine phosphatase-1 with the Zn ²⁺ and Mn ²⁺ di-nuclear ion centers in the active site. 2000 , 24, 381-90	9
1746	Solution structure of the amino acid sequence coded by the rarely expressed exon 26A of human elastin: the N-terminal region. 2000 , 56, 201-9	5
1745	Sequencing and model structure of a <i>Naja naja atra</i> protein fragment. 2000 , 56, 12-23	1
1744	The active site of drosomycin, a small insect antifungal protein, delineated by comparison with the modeled structure of Rs-AFP2, a plant antifungal protein. 2000 , 56, 231-8	21
1743	Synthetic protein design: construction of a four-stranded beta-sheet structure and evaluation of its integrity in methanol-water systems. 2000 , 56, 307-17	13
1742	Computational binding studies of human pp60c-src SH2 domain with a series of nonpeptide, phosphophenyl-containing ligands. 2000 , 10, 2067-70	8
1741	Autocatalytic nitration of P450CAM by peroxynitrite. 2000 , 81, 213-20	32
1740	NMR studies of metal ion binding to the Zn-finger-like HNH motif of colicin E9. 2000 , 79, 365-70	18
1739	Structural basis of the recognition of the dishevelled DEP domain in the Wnt signaling pathway. 2000 , 7, 1178-84	118
1738	Quantitative analysis of residual folding and DNA binding in mutant p53 core domain: definition of mutant states for rescue in cancer therapy. 2000 , 19, 1245-56	323

1737	Molecular model of a lattice of signalling proteins involved in bacterial chemotaxis. 2000 , 2, 792-6		158
1736	Structure Determination and MSn Analysis of Two New Lissoclinamides Isolated from the Indo-Pacific Ascidian <i>Lissoclinum patella</i> : NOE Restrained Molecular Dynamics Confirms the Absolute Stereochemistry Derived by Degradative Methods. 2000 , 56, 8345-8353		35
1735	<i>Drosophila dumpy</i> is a gigantic extracellular protein required to maintain tension at epidermal-cuticle attachment sites. 2000 , 10, 559-67		109
1734	On the conservation of protein sequences in evolution. 2000 , 25, 419-21		21
1733	NMR structure of an anti-gp120 antibody complex with a V3 peptide reveals a surface important for co-receptor binding. <i>Structure</i> , 2000 , 8, 385-95	5.2	54
1732	Solution structure of PCP, a prototype for the peptidyl carrier domains of modular peptide synthetases. <i>Structure</i> , 2000 , 8, 407-18	5.2	157
1731	How a protein generates a catalytic radical from coenzyme B(12): X-ray structure of a diol-dehydratase-adeninylpentylcobalamin complex. <i>Structure</i> , 2000 , 8, 775-88	5.2	126
1730	Another piece of the ribosome: solution structure of S16 and its location in the 30S subunit. <i>Structure</i> , 2000 , 8, 875-82	5.2	14
1729	Solution structures of two CCHC zinc fingers from the FOG family protein U-shaped that mediate protein-protein interactions. <i>Structure</i> , 2000 , 8, 1157-66	5.2	36
1728	The relative orientation of the fibronectin 6F1(1)F2 module pair: a 15N NMR relaxation study. 2000 , 17, 203-14		13
1727	Refined solution structure of the dimeric N-terminal HHCC domain of HIV-2 integrase. 2000 , 18, 119-28		20
1726	Structural comparison between wild-type and P25S human cystatin A by NMR spectroscopy. Does this mutation affect the alpha-helix conformation?. 2000 , 1, 26-42		7
1725	Attachment of coxsackievirus B3 variants to various cell lines: mapping of phenotypic differences to capsid protein VP1. 2000 , 275, 77-88		64
1724	Position effect of cross-strand side-chain interactions on beta-hairpin formation. 2000 , 9, 2151-60		46
1723	Solution structure of DinI provides insight into its mode of RecA inactivation. 2000 , 9, 2161-9		66
1722	The structure of the yrdC gene product from <i>Escherichia coli</i> reveals a new fold and suggests a role in RNA binding. 2000 , 9, 2557-66		65
1721	Removal of the N-terminal hexapeptide from human beta2-microglobulin facilitates protein aggregation and fibril formation. 2000 , 9, 831-45		242
1720	The structure and dynamics in solution of Cu(I) pseudoazurin from <i>Paracoccus pantotrophus</i> . 2000 , 9, 846-58		20

1719	The energetics of phosphate binding to a protein complex. 2000 , 9, 927-33	16
1718	NMR solution structure of <i>Apis mellifera</i> chymotrypsin/cathepsin G inhibitor-1 (AMCI-1): structural similarity with <i>Ascaris</i> protease inhibitors. 2000 , 9, 976-84	38
1717	Tumor suppressor INK4: refinement of p16INK4A structure and determination of p15INK4B structure by comparative modeling and NMR data. 2000 , 9, 1120-8	22
1716	Molecular simulation study of cooperativity in hydrophobic association. 2000 , 9, 1235-45	87
1715	NMR structure of a concatemer of the first and second ligand-binding modules of the human low-density lipoprotein receptor. 2000 , 9, 1282-93	38
1714	Crystal structure of viral serpin crmA provides insights into its mechanism of cysteine proteinase inhibition. 2000 , 9, 1423-7	44
1713	Function of a conserved sequence motif in biotin holoenzyme synthetases. 2000 , 9, 1530-9	97
1712	NMR investigation of the interaction of the inhibitor protein Im9 with its partner DNase. 2000 , 9, 1709-18	8
1711	Structure of a (Cys3His) zinc ribbon, a ubiquitous motif in archaeal and eucaryal transcription. 2000 , 9, 1743-52	53
1710	Crystal structure of the catalytic domain of human bile salt activated lipase. 2000 , 9, 1783-90	46
1709	Prediction of structural domains of TAP reveals details of its interaction with p15 and nucleoporins. 2000 , 1, 53-8	72
1708	Solution structure of the MEF2A-DNA complex: structural basis for the modulation of DNA bending and specificity by MADS-box transcription factors. 2000 , 19, 2615-28	81
1707	Mapping the fMet-tRNA(f)(Met) binding site of initiation factor IF2. 2000 , 19, 5233-40	81
1706	Solution structure of the phosphoryl transfer complex between the signal transducing proteins HPr and IIA(glucose) of the <i>Escherichia coli</i> phosphoenolpyruvate:sugar phosphotransferase system. 2000 , 19, 5635-49	84
1705	Molecular basis of sequence-specific recognition of pre-ribosomal RNA by nucleolin. 2000 , 19, 6870-81	161
1704	Mechanism of rescue of common p53 cancer mutations by second-site suppressor mutations. 2000 , 19, 370-8	131
1703	Structure of the central core domain of TFIIIEbeta with a novel double-stranded DNA-binding surface. 2000 , 19, 1346-56	51
1702	Multiple modes of peptide recognition by the PTB domain of the cell fate determinant Numb. 2000 , 19, 1505-15	77

1701	Structure of the fMet-tRNA(fMet)-binding domain of B. stearothermophilus initiation factor IF2. 2000 , 19, 1918-26		51
1700	Pressure alters electronic orbital overlap in hydrogen bonds. 2000 , 18, 207-16		27
1699	Crystal structure of a Staphylococcus aureus protein A domain complexed with the Fab fragment of a human IgM antibody: structural basis for recognition of B-cell receptors and superantigen activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 5399-404	11.5	390
1698	The solid-state catalytic isotope exchange of hydrogen in α -conotoxin G1 by the tritium spillover. 2000 , 26, 527-531		3
1697	Modeling of peptides and proteins in a membrane environment: I. A solvation model mimicking a lipid bilayer. 2000 , 26, 115-124		4
1696	Structure of the ribozyme substrate hairpin of Neurospora VS RNA: a close look at the cleavage site. 2000 , 6, 1821-32		42
1695	Elucidating the mechanism of familial amyloidosis- Finnish type: NMR studies of human gelsolin domain 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 10706-11	11.5	23
1694	De novo protein design: Crystallographic characterization of a synthetic peptide containing independent helical and hairpin domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 3034-3037	11.5	60
1693	Identification of the enzymatic active site of CD38 by site-directed mutagenesis. <i>Journal of Biological Chemistry</i> , 2000 , 275, 21566-71	5.4	100
1692	NMR solution structure of the receptor binding domain of human alpha(2)-macroglobulin. <i>Journal of Biological Chemistry</i> , 2000 , 275, 1089-94	5.4	25
1691	The crystal structure of 3alpha -hydroxysteroid dehydrogenase/carbonyl reductase from Comamonas testosteroni shows a novel oligomerization pattern within the short chain dehydrogenase/reductase family. <i>Journal of Biological Chemistry</i> , 2000 , 275, 41333-9	5.4	76
1690	Solution Structure of an Antibody-Bound HIV-1(IIIB) V3 Peptide: A Cis Proline Turn Linking Two Hairpin Strands. 2000 , 17 Suppl 1, 57-63		1
1689	Potent and selective nonpeptide inhibitors of caspases 3 and 7 inhibit apoptosis and maintain cell functionality. <i>Journal of Biological Chemistry</i> , 2000 , 275, 16007-14	5.4	178
1688	Characterization of determinants for the specificity of Arabidopsis thioredoxins h in yeast complementation. <i>Journal of Biological Chemistry</i> , 2000 , 275, 31641-7	5.4	40
1687	Analysis of binding of the family 2a carbohydrate-binding module from Cellulomonas fimi xylanase 10A to cellulose: specificity and identification of functionally important amino acid residues. 2000 , 13, 801-9		106
1686	31P and 1H NMR studies of the effect of the counteracting osmolyte trimethylamine-N-oxide on interactions of urea with ribonuclease A. <i>Journal of Biological Chemistry</i> , 2000 , 275, 27708-11	5.4	33
1685	Identification of amino acids of influenza virus HA responsible for resistance to a fusion inhibitor, Stachyflin. 2000 , 44, 677-85		24
1684	Solvent accessibility and purifying selection within proteins of Escherichia coli and Salmonella enterica. 2000 , 17, 301-8		83

1683	Quantum dynamics of photoexcited cyclohexadiene introducing reactive coordinates. 2000 , 112, 5054-5059	78
1682	Self assembled nanoparticulate CO:PT for data storage applications.	
1681	The structure of the transcriptional antiterminator NusB from Escherichia coli. 2000 , 7, 470-4	20
1680	NMR structure of the bovine prion protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 8334-9	11.5 335
1679	A space-time structure determination of human CD2 reveals the CD58-binding mode. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 2064-8	11.5 24
1678	The first selective agonist for the neuropeptide YY5 receptor increases food intake in rats. <i>Journal of Biological Chemistry</i> , 2000 , 275, 36043-8	5.4 154
1677	Chitin-binding proteins in invertebrates and plants comprise a common chitin-binding structural motif. <i>Journal of Biological Chemistry</i> , 2000 , 275, 17929-32	5.4 119
1676	Refolding of target proteins from a "rigid" mutant chaperonin demonstrates a minimal mechanism of chaperonin binding and release. <i>Journal of Biological Chemistry</i> , 2000 , 275, 25600-7	5.4 7
1675	Conversion of alpha-lactalbumin to a protein inducing apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 4221-6	11.5 298
1674	Tryptophan fluorescence of calmodulin binding domain peptides interacting with calmodulin containing unnatural methionine analogues. 2000 , 13, 59-66	31
1673	NMR studies on functional structures of the AU-rich element-binding domains of Hu antigen C. 2000 , 28, 1743-50	22
1672	Molecular dynamics simulation of human prion protein including both N-linked oligosaccharides and the GPI anchor. 2000 , 10, 959-74	81
1671	NMR structures of three single-residue variants of the human prion protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 8340-5	11.5 92
1670	Bacteriocin AS-48, a microbial cyclic polypeptide structurally and functionally related to mammalian NK-lysin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 11221-6	11.5 145
1669	The autocrine mitogenic loop of the ciliate <i>Euplotes raikovi</i> : the pheromone membrane-bound forms are the cell binding sites and potential signaling receptors of soluble pheromones. 2000 , 11, 1445-55	44
1668	NMR structure of a DNA duplex containing nucleoside analog 1-(2'-deoxy-beta-D-ribofuranosyl)-3-nitropyrrole and the structure of the unmodified control. 2000 , 28, 4514-22	19
1667	Sequence-dependent variation in DNA minor groove width dictates orientational preference of Hoechst 33258 in A-tract recognition: solution NMR structure of the 2:1 complex with d(CTTTTGCAAAAG)(2). 2000 , 28, 728-35	49
1666	Unfolding proteins by external forces and temperature: the importance of topology and energetics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 6521-6	11.5 271

1665	Solution structure of the RNA polymerase subunit RPB5 from <i>Methanobacterium thermoautotrophicum</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 6311-5	11.5	17
1664	Solution structure of the chitin-binding domain of <i>Bacillus circulans</i> WL-12 chitinase A1. <i>Journal of Biological Chemistry</i> , 2000 , 275, 13654-61	5.4	95
1663	Solution structure of the E200K variant of human prion protein. Implications for the mechanism of pathogenesis in familial prion diseases. <i>Journal of Biological Chemistry</i> , 2000 , 275, 33650-4	5.4	102
1662	Novel mechanism of surface catalysis of protein adduct formation. NMR studies of the acetylation of ubiquitin. <i>Journal of Biological Chemistry</i> , 2000 , 275, 31908-13	5.4	12
1661	Peptide mimics of the M13 coat protein transmembrane segment. Retention of helix-helix interaction motifs. <i>Journal of Biological Chemistry</i> , 2000 , 275, 16155-9	5.4	31
1660	NMR structure of the N-terminal J domain of murine polyomavirus T antigens. Implications for DnaJ-like domains and for mutations of T antigens. <i>Journal of Biological Chemistry</i> , 2000 , 275, 36094-103 ^{5.4}		31
1659	Structure of the cytoplasmic domain of p23 in solution: implications for the formation of COPI vesicles. 2000 , 271, 401-8		9
1658	Solution structure of a designed amphipathic antimicrobial synthetic peptide, PGAA. 2000 , 276, 1278-85		2
1657	Comparative sequence analysis of the VHL tumor suppressor gene. 2000 , 65, 253-65		42
1656	The structure of ribonuclease P protein from <i>Staphylococcus aureus</i> reveals a unique binding site for single-stranded RNA. 2000 , 295, 105-15		93
1655	Solution structure and backbone dynamics of the second PDZ domain of postsynaptic density-95. 2000 , 295, 225-37		94
1654	NMR structure of the sterol carrier protein-2: implications for the biological role. 2000 , 295, 595-603		55
1653	NMR structure of tissue inhibitor of metalloproteinases-1 implicates localized induced fit in recognition of matrix metalloproteinases. 2000 , 295, 257-68		39
1652	Protein-protein interaction revealed by NMR T(2) relaxation experiments: the lipoyl domain and E1 component of the pyruvate dehydrogenase multienzyme complex of <i>Bacillus stearothermophilus</i> . 2000 , 295, 1023-37		17
1651	NMR solution structure of the inserted domain of human leukocyte function associated antigen-1. 2000 , 295, 1251-64		65
1650	Orienting domains in proteins using dipolar couplings measured by liquid-state NMR: differences in solution and crystal forms of maltodextrin binding protein loaded with beta-cyclodextrin. 2000 , 295, 1265-73		181
1649	Specificity and interactions of the protein OppA: partitioning solvent binding effects using mass spectrometry. 2000 , 296, 269-79		48
1648	The solution structure of ribosomal protein L36 from <i>Thermus thermophilus</i> reveals a zinc-ribbon-like fold. 2000 , 296, 169-80		43

1647	Backbone dynamics and refined solution structure of the N-terminal domain of DNA polymerase beta. Correlation with DNA binding and dRP lyase activity. 2000 , 296, 229-53	67
1646	Solution structure and dynamics of the Rous sarcoma virus capsid protein and comparison with capsid proteins of other retroviruses. 2000 , 296, 633-49	106
1645	Backbone dynamics of a cbEGF domain pair in the presence of calcium. 2000 , 296, 1065-78	65
1644	Is folding of beta-lactoglobulin non-hierarchic? Intermediate with native-like beta-sheet and non-native alpha-helix. 2000 , 296, 1039-51	86
1643	High resolution crystal structure of bovine mitochondrial EF-Tu in complex with GDP. 2000 , 297, 421-36	63
1642	NMR structure of activated CheY. 2000 , 297, 543-51	119
1641	Solution structure of hanatoxin1, a gating modifier of voltage-dependent K(+) channels: common surface features of gating modifier toxins. 2000 , 297, 771-80	133
1640	The solution structure and internal motions of a fragment of the cytidine-rich strand of the human telomere. 2000 , 299, 123-44	181
1639	Ligand-induced stabilization of PPARgamma monitored by NMR spectroscopy: implications for nuclear receptor activation. 2000 , 298, 187-94	140
1638	Structural basis for the network of functional cooperativities in cytochrome c(3) from <i>Desulfovibrio gigas</i> : solution structures of the oxidised and reduced states. 2000 , 298, 61-82	66
1637	Hierarchical unfolding of the alpha-lactalbumin molten globule: presence of a compact intermediate without a unique tertiary fold. 2000 , 298, 1-6	16
1636	NMR structure of stem-loop SL2 of the HIV-1 psi RNA packaging signal reveals a novel A-U-A base-triple platform. 2000 , 299, 145-56	89
1635	The highly refined solution structure of the cytotoxic ribonuclease alpha-sarcin reveals the structural requirements for substrate recognition and ribonucleolytic activity. 2000 , 299, 1061-73	63
1634	Global folds of proteins with low densities of NOEs using residual dipolar couplings: application to the 370-residue maltodextrin-binding protein. 2000 , 300, 197-212	147
1633	Binding of retinol induces changes in rat cellular retinol-binding protein II conformation and backbone dynamics. 2000 , 300, 619-32	43
1632	Major groove recognition by three-stranded beta-sheets: affinity determinants and conserved structural features. 2000 , 300, 841-56	22
1631	Ensemble modulation as an origin of denaturant-independent hydrogen exchange in proteins. 2000 , 301, 247-56	35
1630	Crystal structure of the amino-terminal coiled-coil domain of the APC tumor suppressor. 2000 , 301, 147-56	48

1629	Interspecies hybrid HbS: complete neutralization of Val6(beta)-dependent polymerization of human beta-chain by pig alpha-chains. 2000 , 300, 1389-406	13
1628	Solution structure of the cysteine-rich domain of the Escherichia coli chaperone protein DnaJ. 2000 , 300, 805-18	102
1627	Catalysis of the oxidative folding of bovine pancreatic ribonuclease A by protein disulfide isomerase. 2000 , 300, 995-1003	36
1626	NMR structure of the HIV-1 nucleocapsid protein bound to stem-loop SL2 of the psi-RNA packaging signal. Implications for genome recognition. 2000 , 301, 491-511	300
1625	Solution conformation and amyloid-like fibril formation of a polar peptide derived from a beta-hairpin in the OspA single-layer beta-sheet. 2000 , 301, 477-89	59
1624	Automatic protein design with all atom force-fields by exact and heuristic optimization. 2000 , 301, 713-36	110
1623	Mutations in the glucocorticoid receptor DNA-binding domain mimic an allosteric effect of DNA. 2000 , 301, 947-58	43
1622	The three-dimensional solution structure and dynamic properties of the human FADD death domain. 2000 , 302, 171-88	84
1621	NMR solution structure of hPar14 reveals similarity to the peptidyl prolyl cis/trans isomerase domain of the mitotic regulator hPin1 but indicates a different functionality of the protein. 2000 , 301, 1003-17	59
1620	The three-dimensional structure of a complex of a murine Fab (NC10. 14) with a potent sweetener (NC174): an illustration of structural diversity in antigen recognition by immunoglobulins. 2000 , 302, 853-72	25
1619	The three-dimensional structure of the Nudix enzyme diadenosine tetraphosphate hydrolase from <i>Lupinus angustifolius</i> L. 2000 , 302, 1165-77	43
1618	A specific intermolecular association between the regulatory domains of a Tec family kinase. 2000 , 302, 607-23	69
1617	II. Structure and specificity of the interaction between the FHA2 domain of Rad53 and phosphotyrosyl peptides. 2000 , 302, 927-40	49
1616	Novel dimerization fold of RAP30/RAP74 in human TFIIIF at 1.7 Å resolution. 2000 , 302, 1119-27	75
1615	Determination of a high precision structure of a novel protein, <i>Linum usitatissimum</i> trypsin inhibitor (LUTI), using computer-aided assignment of NOESY cross-peaks. 2000 , 302, 1179-92	24
1614	Solution structure of the TAZ2 (CH3) domain of the transcriptional adaptor protein CBP. 2000 , 303, 243-53	101
1613	NMR structure of oxidized glutaredoxin 3 from <i>Escherichia coli</i> . 2000 , 303, 423-32	39
1612	High precision NMR structure of YhhP, a novel <i>Escherichia coli</i> protein implicated in cell division. 2000 , 304, 219-29	29

1611	Solution structure of the module X2 1 of unknown function of the cellulosomal scaffolding protein CipC of <i>Clostridium cellulolyticum</i> . 2000 , 304, 201-17	40
1610	Solution structure and acetyl-lysine binding activity of the GCN5 bromodomain. 2000 , 304, 355-70	135
1609	Solution structure of a DNA three-way junction containing two unpaired thymidine bases. Identification of sequence features that decide conformer selection. 2000 , 304, 371-83	32
1608	Identification of the phospholipid-binding site of human beta(2)-glycoprotein I domain V by heteronuclear magnetic resonance. 2000 , 304, 927-39	43
1607	Structure-activity relationships in a peptidic alpha7 nicotinic acetylcholine receptor antagonist. 2000 , 304, 911-26	22
1606	Multiple disordered loops function in corepressor-induced dimerization of the biotin repressor. 2000 , 304, 821-33	50
1605	Structure of the FHA1 domain of yeast Rad53 and identification of binding sites for both FHA1 and its target protein Rad9. 2000 , 304, 941-51	71
1604	Structure of the PHD zinc finger from human Williams-Beuren syndrome transcription factor. 2000 , 304, 723-9	129
1603	Three-dimensional structure of a human pancreatic ribonuclease variant, a step forward in the design of cytotoxic ribonucleases. 2000 , 303, 49-60	28
1602	Towards understanding a molecular switch mechanism: thermodynamic and crystallographic studies of the signal transduction protein CheY. 2000 , 303, 213-25	25
1601	Homology modeling and characterization of IgE binding epitopes of mountain cedar allergen Jun a 3. 2000 , 79, 1601-9	66
1600	Modeling and docking the endothelin G-protein-coupled receptor. 2000 , 79, 3083-94	40
1599	Alteration of tropomyosin function and folding by a nemaline myopathy-causing mutation. 2000 , 79, 3217-25	46
1598	Nitric oxide: an inhibitor of NF-kappaB/Rel system in glial cells. 2000 , 52, 155-61	69
1597	Llama heavy-chain V regions consist of at least four distinct subfamilies revealing novel sequence features. 2000 , 37, 579-90	164
1596	Split-hand/split-foot malformation is caused by mutations in the p63 gene on 3q27. 2000 , 67, 59-66	236
1595	Structural similarities between MutT and the C-terminal domain of MutY. 2000 , 39, 7331-6	53
1594	Peptide Plane Torsion Angles in Proteins through Intraresidue $^1H-^{15}N-^{13}C$ Dipole-Dipole Relaxation Interference: Facile Discrimination between Type-I and Type-II β -Turns. 2000 , 122, 12033-12034	17

1593	Relative Orientation of Peptide Planes in Proteins Is Reflected in Carbonyl ¹³ C Carbonyl Chemical Shift Anisotropy Cross-Correlated Spin Relaxation. 2000 , 122, 7059-7071	19
1592	Change of pore helix conformational state upon opening of cyclic nucleotide-gated channels. 2000 , 28, 899-909	75
1591	Three-dimensional structural views of damaged-DNA recognition: T4 endonuclease V, E. coli Vsr protein, and human nucleotide excision repair factor XPA. 2000 , 460, 257-75	19
1590	Structural basis for nucleotide exchange and competition with tRNA in the yeast elongation factor complex eEF1A:eEF1B α . 2000 , 6, 1261-6	156
1589	The eIF1A solution structure reveals a large RNA-binding surface important for scanning function. 2000 , 5, 109-19	147
1588	ICEBERG: a novel inhibitor of interleukin-1 β generation. 2000 , 103, 99-111	244
1587	Structural basis for the recognition of DNA repair proteins UNG2, XPA, and RAD52 by replication factor RPA. 2000 , 103, 449-56	191
1586	Structure of Bax: coregulation of dimer formation and intracellular localization. 2000 , 103, 645-54	887
1585	Structural basis for double-sieve discrimination of L-valine from L-isoleucine and L-threonine by the complex of tRNA(Val) and valyl-tRNA synthetase. 2000 , 103, 793-803	244
1584	Structural basis of presequence recognition by the mitochondrial protein import receptor Tom20. 2000 , 100, 551-60	435
1583	Leap-dynamics: efficient sampling of conformational space of proteins and peptides in solution. 2000 , 470, 257-62	16
1582	Pain peptides. Solution structure of orphanin FQ2. 2000 , 473, 157-60	5
1581	Solution structure of alpha-conotoxin SI. 2000 , 476, 287-95	13
1580	Solution NMR structures of the polyene macrolide antibiotic filipin III. 2000 , 478, 137-40	12
1579	Three-dimensional NMR structure of the sixth ligand-binding module of the human LDL receptor: comparison of two adjacent modules with different ligand binding specificities. 2000 , 479, 118-22	14
1578	Crystal structure of S-glutathiolated carbonic anhydrase III. 2000 , 482, 237-41	68
1577	NMR structure of antibiotics plipastatins A and B from <i>Bacillus subtilis</i> inhibitors of phospholipase A(2). 2000 , 485, 76-80	60
1576	NMR structure of the channel-former zervamicin IIB in isotropic solvents. 2000 , 466, 333-6	42

1575	Fusion Peptide Interaction with Lipid Bilayer: Modeling with Monte Carlo Simulation and Continuum Electrostatics Calculation. 2000 , 24, 341-349		2
1574	Disulfide bonds and protein folding. 2000 , 39, 4207-16		487
1573	Detection of Scalar Couplings Across NH \cdots OP and OH \cdots OP Hydrogen Bonds in a Flavoprotein. 2000 , 122, 9289-9295		68
1572	Discovery and characterization of a family of insecticidal neurotoxins with a rare vicinal disulfide bridge. 2000 , 7, 505-13		172
1571	Structure and function of a human TAFII250 double bromodomain module. 2000 , 288, 1422-5		704
1570	Solution structure of the sixth LDL-A module of the LDL receptor. 2000 , 39, 2564-71		70
1569	Binding sites in Escherichia coli dihydrofolate reductase communicate by modulating the conformational ensemble. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 12020-5	11.5	188
1568	Three-dimensional structure of RK-1: a novel alpha-defensin peptide. 2000 , 39, 15757-64		31
1567	RNA polymerase--promoter recognition. Specific features of electrostatic potential of "early" T4 phage DNA promoters. 2000 , 18, 325-34		12
1566	NMR solution structure of the human prion protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 145-50	11.5	914
1565	Determination of ϕ Torsion Angle Restraints from $^3J(C\alpha H)$ and $^3J(C\beta H)$ Coupling Constants in Proteins. 2000 , 122, 6268-6277		33
1564	Dynamics of cellular retinoic acid binding protein I on multiple time scales with implications for ligand binding. 2000 , 39, 9119-29		44
1563	Functional Significance of Hierarchical Tiers in Carbonmonoxy Myoglobin: Conformational Substates and Transitions Studied by Conformational Flooding Simulations. 2000 , 122, 8700-8711		34
1562	Interactions of the NADP(H)-binding domain III of proton-translocating transhydrogenase from escherichia coli with NADP(H) and the NAD(H)-binding domain I studied by NMR and site-directed mutagenesis. 2000 , 39, 12595-605		25
1561	Changes in dynamical behavior of the retinoid X receptor DNA-binding domain upon binding to a 14 base-pair DNA half site. 2000 , 39, 8747-57		15
1560	Characterization of FimC, a periplasmic assembly factor for biogenesis of type 1 pili in Escherichia coli. 2000 , 39, 11564-70		14
1559	Alignment of Biopolymers in Strained Gels: A New Way To Create Detectable DipoleDipole Couplings in High-Resolution Biomolecular NMR. 2000 , 122, 9340-9341		322
1558	NMR structure of the N-SH2 of the p85 subunit of phosphoinositide 3-kinase complexed to a doubly phosphorylated peptide reveals a second phosphotyrosine binding site. 2000 , 39, 15860-9		28

1557	Crystal structure of human CD69: a C-type lectin-like activation marker of hematopoietic cells. 2000 , 39, 14779-86	66
1556	Solution structures of the N-terminal domain of yeast calmodulin: Ca ²⁺ -dependent conformational change and its functional implication. 2000 , 39, 13660-8	24
1555	Equilibrium and kinetic studies on folding of the authentic and recombinant forms of human alpha-lactalbumin by circular dichroism spectroscopy. 2000 , 39, 15643-51	39
1554	Structural consequences of b- to c-type heme conversion in oxidized Escherichia coli cytochrome b562. 2000 , 39, 1499-514	45
1553	Structure, Folding, and Energetics of Cooperative Interactions between the β -Strands of a de Novo Designed Three-Stranded Antiparallel β -Sheet Peptide. 2000 , 122, 8350-8356	109
1552	Side chain accessibility and dynamics in the molten globule state of alpha-lactalbumin: a (19)F-NMR study. 2000 , 39, 372-80	39
1551	Insensitivity of perturbed carboxyl pK(a) values in the ovomucoid third domain to charge replacement at a neighboring residue. 2000 , 39, 8067-72	39
1550	Structure of the Bovine Antimicrobial Peptide Indolicidin Bound to Dodecylphosphocholine and Sodium Dodecyl Sulfate Micelles. 2000 , 39, 15765-15774	247
1549	Effect of a Variable Nonbonded Attractive Pair Interaction on the Relaxation Dynamics of in Vacuo Unfolded Lysozyme. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 11360-11369	3-4 7
1548	Dimeric Solution Structure of Two Cyclic Octamers: Four-Stranded DNA Structures Stabilized by A:T:A:T and G:C:G:C Tetrads. 2000 , 122, 12732-12742	36
1547	Interface characterization of the type II module pair from fibronectin. 2000 , 39, 8374-81	19
1546	Interhelical ion pairing in coiled coils: solution structure of a heterodimeric leucine zipper and determination of pKa values of Glu side chains. 2000 , 39, 12804-18	47
1545	Pathway for large-scale conformational change in annexin V. 2000 , 39, 14065-74	22
1544	Solution structure of BmP02, a new potassium channel blocker from the venom of the Chinese scorpion Buthus martensi Karsch. 2000 , 39, 13669-75	17
1543	The substrate activation process in the catalytic reaction of Escherichia coli aromatic amino acid aminotransferase. 2000 , 39, 15418-28	18
1542	Structures of the contryphan family of cyclic peptides. Role of electrostatic interactions in cis-trans isomerism. 2000 , 39, 12845-52	24
1541	Induction of a secondary structure in the N-terminal pentadecapeptide of human protamine HP2 through Ni(II) coordination. An NMR study. 2000 , 13, 823-30	33
1540	Structure, dynamics, and insertion of a chloroplast targeting peptide in mixed micelles. 2000 , 39, 8219-27	46

1539	NMR Study of Insect Adipokinetic Hormones. 2000 , 33, 875-891		3
1538	Lanthanide-Induced Pseudocontact Shifts for Solution Structure Refinements of Macromolecules in Shells up to 40 Å from the Metal Ion. 2000 , 122, 4154-4161		198
1537	Vibrational Circular Dichroism of β -Hairpin Peptides. 2000 , 122, 8228-8231		74
1536	Proteins in Vacuo. Denaturation of Highly Charged Disulfide-Reduced Lysozyme Studied by Molecular Dynamics Simulations. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 2546-2558	3-4	8
1535	Structure of the complex of Cdc42Hs with a peptide derived from P-21 activated kinase. 2000 , 39, 3963-71		40
1534	Val(659)→Glu mutation within the transmembrane domain of ErbB-2: effects measured by $(2)H$ NMR in fluid phospholipid bilayers. 2000 , 39, 6572-80		26
1533	Cooperative assembly of a natively-like ubiquitin structure through peptide fragment complexation: energetics of peptide association and folding. 2000 , 39, 12355-64		40
1532	Relative Orientation of $C\alpha H$ Bond Vectors of Successive Residues in Proteins through Cross-Correlated Relaxation in NMR. 2000 , 122, 1758-1761		37
1531	Three-dimensional solution structure of oryzacystatin-I, a cysteine proteinase inhibitor of the rice, <i>Oryza sativa</i> L. japonica. 2000 , 39, 14753-60		97
1530	Flexibility and ligand exchange in a buried cavity mutant of T4 lysozyme studied by multinuclear NMR. 2000 , 39, 12614-22		87
1529	Multiple Conformations of RGDW and dRGDW: A Theoretical Study and Comparison with NMR Results. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 1624-1636	3-4	11
1528	Human CC chemokine I-309, structural consequences of the additional disulfide bond. 2000 , 39, 6053-9		29
1527	Aggregation events occur prior to stable intermediate formation during refolding of interleukin 1 β . 2000 , 39, 575-83		68
1526	Synthesis and characterization of a beta-hairpin peptide that represents a 'core module' of bovine pancreatic trypsin inhibitor (BPTI). 2000 , 39, 7927-37		21
1525	Combining MONSSTER and LES/PME to Predict Protein Structure from Amino Acid Sequence: Application to the Small Protein CMTI-1. 2000 , 122, 8392-8402		35
1524	CAS MCSCF/CAS MCQDPT2 Study of the Mechanism of Singlet Oxygen Addition to 1,3-Butadiene and Benzene. 2000 , 122, 8112-8119		85
1523	NMR solution structure and receptor peptide binding of the CC chemokine eotaxin-2. 2000 , 39, 8382-95		57
1522	Improving the refolding yield of interleukin-4 through the optimization of local interactions. 2000 , 84, 217-30		12

1521	Effects of the N-linked glycans on the 3D structure of the free alpha-subunit of human chorionic gonadotropin. 2000 , 39, 6012-21	36
1520	Contribution of surface salt bridges to protein stability. 2000 , 39, 1251-5	151
1519	Polar residues in the protein core of Escherichia coli thioredoxin are important for fold specificity. 2001 , 40, 10047-53	35
1518	Insights into the stability of native and partially folded states of ubiquitin: effects of cosolvents and denaturants on the thermodynamics of protein folding. 2001 , 40, 10317-25	37
1517	The potent anti-HIV protein cyanovirin-N contains two novel carbohydrate binding sites that selectively bind to Man(8) D1D3 and Man(9) with nanomolar affinity: implications for binding to the HIV envelope protein gp120. 2001 , 123, 3892-902	120
1516	Magnetic susceptibility tensor anisotropies for a lanthanide ion series in a fixed protein matrix. 2001 , 123, 4181-8	170
1515	Measurement of slow (micro-s-ms) time scale dynamics in protein side chains by (15)N relaxation dispersion NMR spectroscopy: application to Asn and Gln residues in a cavity mutant of T4 lysozyme. 2001 , 123, 967-75	266
1514	Backbone dynamics in dihydrofolate reductase complexes: role of loop flexibility in the catalytic mechanism. 2001 , 40, 9846-59	226
1513	Structure-based chimeric enzymes as an alternative to directed enzyme evolution: phytase as a test case. 2001 , 85, 15-24	32
1512	Stable glycyl radical from pyruvate formate-lyase and ribonucleotide reductase (III). 2001 , 58, 277-315	21
1511	The first solution structure of a paramagnetic copper(II) protein: the case of oxidized plastocyanin from the cyanobacterium Synechocystis PCC6803. 2001 , 123, 2405-13	55
1510	Physiological functions of cyclic ADP-ribose and NAADP as calcium messengers. 2001 , 41, 317-45	386
1509	The membrane-proximal tryptophan-rich region of the HIV glycoprotein, gp41, forms a well-defined helix in dodecylphosphocholine micelles. 2001 , 40, 9570-8	162
1508	Structure and dynamics of the alpha-lactalbumin molten globule: fluorescence studies using proteins containing a single tryptophan residue. 2001 , 40, 7228-38	56
1507	NMR study of monomer-dimer equilibrium of barstar in solution. 2001 , 123, 2068-9	27
1506	Chalcone derivatives antagonize interactions between the human oncoprotein MDM2 and p53. 2001 , 40, 336-44	248
1505	Thiol/disulfide interconversion in bovine lens aldose reductase induced by intermediates of glutathione turnover. 2001 , 40, 11985-94	16
1504	Polysaccharide recognition by surfactant protein D: novel interactions of a C-type lectin with nonterminal glucosyl residues. 2001 , 40, 7789-98	47

1503	Automated assignment of ambiguous nuclear overhauser effects with ARIA. 2001 , 339, 71-90		300
1502	Interaction of yeast iso-1-cytochrome c with cytochrome c peroxidase investigated by [15N, 1H] heteronuclear NMR spectroscopy. 2001 , 40, 7069-76		75
1501	Discovery and structure of a potent and highly specific blocker of insect calcium channels. <i>Journal of Biological Chemistry</i> , 2001 , 276, 40306-12	5.4	73
1500	Contribution of residues A54 and L55 of the human insulin-like growth factor-II (IGF-II) A domain to Type 2 IGF receptor binding specificity. 2001 , 19, 163-73		12
1499	Mechanism of substrate recognition by the chaperonin GroEL. 2001 , 79, 569-577		22
1498	Three-dimensional structures of prion proteins. 2001 , 57, 55-82		105
1497	Molecular determinants for CC-chemokine recognition by a poxvirus CC-chemokine inhibitor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 9008-13	11.5	44
1496	Tertiary structures of the Escherichia coli and human chromosome 21 molecules of DNA. 2001 , 283, 219-23		2
1495	Role of the connectivity of secondary structure segments in the folding of alpha(1)-antitrypsin. 2001 , 287, 636-41		7
1494	Three-dimensional structure of Erwinia chrysanthemi pectin methylesterase reveals a novel esterase active site. 2001 , 305, 951-60		95
1493	Hydrophobic core malleability of a de novo designed three-helix bundle protein. 2001 , 305, 361-73		32
1492	Kinase recognition by calmodulin: modeling the interaction with the autoinhibitory region of human cardiac titin kinase. 2001 , 306, 81-95		6
1491	NMR structure of Streptomyces killer toxin-like protein, SKLP: further evidence for the wide distribution of single-domain betagamma-crystallin superfamily proteins. 2001 , 305, 109-20		23
1490	Structure and dynamics of micelle-bound neuropeptide Y: comparison with unligated NPY and implications for receptor selection. 2001 , 305, 307-29		122
1489	Membrane binding motif of the P-type cardiotoxin. 2001 , 305, 137-49		48
1488	Solution structure of a sweet protein: NMR study of MNEI, a single chain monellin. 2001 , 305, 505-14		61
1487	The solution structure of C1-T1, a two-domain proteinase inhibitor derived from a circular precursor protein from Nicotiana glauca. 2001 , 306, 69-79		18
1486	Achieving stability and conformational specificity in designed proteins via binary patterning. 2001 , 305, 619-31		67

1485	Exploration of partially unfolded states of human alpha-lactalbumin by molecular dynamics simulation. 2001 , 306, 329-47	58
1484	The beta-beta-alpha fold: explorations in sequence space. 2001 , 307, 1411-8	38
1483	Folding energetics of ligand binding proteins II. Cooperative binding of Ca ²⁺ to annexin I. 2001 , 306, 825-35	29
1482	Structural basis of diverse sequence-dependent target recognition by the 8 kDa dynein light chain. 2001 , 306, 97-108	126
1481	Structural analysis of the N-terminal domain of the human T-cell leukemia virus capsid protein. 2001 , 306, 783-97	55
1480	NMR identification of the Tom20 binding segment in mitochondrial presequences. 2001 , 306, 137-43	81
1479	Self-association reaction of denatured staphylococcal nuclease fragments characterized by heteronuclear NMR. 2001 , 307, 309-22	9
1478	Solution structure, domain features, and structural implications of mutants of the chromo domain from the fission yeast histone methyltransferase Ctr4. 2001 , 307, 861-70	16
1477	Solution structure of a type I dockerin domain, a novel prokaryotic, extracellular calcium-binding domain. 2001 , 307, 745-53	74
1476	Structure, function, and dynamics of the dimerization and DNA-binding domain of oncogenic transcription factor v-Myc. 2001 , 307, 1395-410	83
1475	Backbone dynamics of Escherichia coli thioesterase/protease I: evidence of a flexible active-site environment for a serine protease. 2001 , 307, 1075-90	40
1474	Structural basis of non-specific lipid binding in maize lipid-transfer protein complexes revealed by high-resolution X-ray crystallography. 2001 , 308, 263-78	145
1473	Solution structure of Methylophilus methylotrophus cytochrome c": insights into the structural basis of haem-ligand detachment. 2001 , 308, 353-65	11
1472	What is the average conformation of bacteriophage T4 lysozyme in solution? A domain orientation study using dipolar couplings measured by solution NMR. 2001 , 308, 745-64	80
1471	The RNA i-motif. 2001 , 309, 139-53	76
1470	Solution structure, backbone dynamics and chitin binding of the anti-fungal protein from Streptomyces tendae TU901. 2001 , 308, 765-82	15
1469	NMR structure of cysteinyl-phosphorylated enzyme IIB of the N,N'-diacetylchitobiose-specific phosphoenolpyruvate-dependent phosphotransferase system of Escherichia coli. 2001 , 308, 993-1009	21
1468	A pH controlled conformational switch in the cleavage site of the VS ribozyme substrate RNA. 2001 , 308, 665-79	57

1467	Structure of a C-rich strand fragment of the human centromeric satellite III: a pH-dependent intercalation topology. 2001 , 309, 491-506	49
1466	Ligand-induced structural changes to maltodextrin-binding protein as studied by solution NMR spectroscopy. 2001 , 309, 961-74	114
1465	The B(12)-binding subunit of glutamate mutase from <i>Clostridium tetanomorphum</i> traps the nucleotide moiety of coenzyme B(12). 2001 , 309, 777-91	28
1464	Solution structure of <i>Escherichia coli</i> glutaredoxin-2 shows similarity to mammalian glutathione-S-transferases. 2001 , 310, 907-18	67
1463	Bergerac-SH3: "frustration" induced by stabilizing the folding nucleus. 2001 , 311, 357-71	27
1462	Calculation of ensembles of structures representing the unfolded state of an SH3 domain. 2001 , 308, 1011-32	184
1461	Solution structure of interleukin-13 and insights into receptor engagement. 2001 , 310, 231-41	33
1460	Structure, dynamics and electrostatics of the active site of glutaredoxin 3 from <i>Escherichia coli</i> : comparison with functionally related proteins. 2001 , 310, 449-70	80
1459	Native-like beta-hairpin retained in the cold-denatured state of bovine beta-lactoglobulin. 2001 , 310, 471-84	30
1458	Solution structure of the catalytic domain of gammadelta resolvase. Implications for the mechanism of catalysis. 2001 , 310, 1089-107	22
1457	Target-induced conformational adaptation of calmodulin revealed by the crystal structure of a complex with nematode Ca(2+)/calmodulin-dependent kinase kinase peptide. 2001 , 312, 59-68	91
1456	Solution structure of the pseudoknot of SRV-1 RNA, involved in ribosomal frameshifting. 2001 , 310, 1109-23	88
1455	Solution structure of the third immunoglobulin domain of the neural cell adhesion molecule N-CAM: can solution studies define the mechanism of homophilic binding?. 2001 , 311, 161-72	23
1454	NMR structure and backbone dynamics of a concatemer of epidermal growth factor homology modules of the human low-density lipoprotein receptor. 2001 , 311, 341-56	29
1453	Solution structures by 1H NMR of the novel cyclic trypsin inhibitor SFTI-1 from sunflower seeds and an acyclic permutant. 2001 , 311, 579-91	195
1452	Helix-helix packing and interfacial pairwise interactions of residues in membrane proteins. 2001 , 311, 891-907	162
1451	Computer-aided design of beta-sheet peptides. 2001 , 312, 229-46	83
1450	Characterization of the folding and unfolding reactions of a small beta-barrel protein of novel topology, the MTCPI oncogene product P13. 2001 , 312, 247-59	20

1449	Solution structure and dynamics of yeast elongin C in complex with a von Hippel-Lindau peptide. 2001 , 312, 177-86	25
1448	Structural basis for SRY-dependent 46-X,Y sex reversal: modulation of DNA bending by a naturally occurring point mutation. 2001 , 312, 481-99	114
1447	Solution NMR structure and folding dynamics of the N terminus of a rat non-muscle alpha-tropomyosin in an engineered chimeric protein. 2001 , 312, 833-47	65
1446	The 1.85 Å resolution crystal structures of tissue factor in complex with humanized Fab D3h44 and of free humanized Fab D3h44: revisiting the solvation of antigen combining sites. 2001 , 313, 83-97	35
1445	NMR structure of the Euplotes raikovi pheromone Er-23 and identification of its five disulfide bonds. 2001 , 313, 923-31	32
1444	Forces and energetics of hapten-antibody dissociation: a biased molecular dynamics simulation study. 2001 , 314, 589-605	45
1443	Simultaneous and functional binding of SmpB and EF-Tu-TP to the alanyl acceptor arm of tmRNA. 2001 , 314, 9-21	91
1442	Cooperative folding of the isolated alpha-helical domain of hen egg-white lysozyme. 2001 , 314, 321-9	16
1441	Novel mechanism of regulation of the non-receptor protein tyrosine kinase Csk: insights from NMR mapping studies and site-directed mutagenesis. 2001 , 314, 129-38	31
1440	Regulated assembly of transcription factors and control of transcription initiation. 2001 , 314, 335-52	47
1439	Solution structures of two FHA1-phosphothreonine peptide complexes provide insight into the structural basis of the ligand specificity of FHA1 from yeast Rad53. 2001 , 314, 563-75	34
1438	Solution structure of the yeast Rad53 FHA2 complexed with a phosphothreonine peptide pTXXL: comparison with the structures of FHA2-pYXL and FHA1-pTXXD complexes. 2001 , 314, 577-88	35
1437	Solution structure and backbone dynamics of an engineered arginine-rich subdomain 2 of the hepatitis C virus NS3 RNA helicase. 2001 , 314, 543-61	16
1436	The crystal structure of a hyper-thermophilic carboxylesterase from the archaeon Archaeoglobus fulgidus. 2001 , 314, 507-18	137
1435	Solution NMR structure of the myosin phosphatase inhibitor protein CPI-17 shows phosphorylation-induced conformational changes responsible for activation. 2001 , 314, 839-49	37
1434	Review: postchaperonin tubulin folding cofactors and their role in microtubule dynamics. 2001 , 135, 219-29	116
1433	Recognition of cognate transfer RNA by the 30S ribosomal subunit. 2001 , 292, 897-902	959
1432	Structural analysis of BAG1 cochaperone and its interactions with Hsc70 heat shock protein. 2001 , 8, 349-52	123

1431	Three-dimensional structure of RTD-1, a cyclic antimicrobial defensin from Rhesus macaque leukocytes. 2001 , 40, 4211-21	145
1430	Solution structure of the squash trypsin inhibitor MCoTI-II. A new family for cyclic knottins. 2001 , 40, 7973-83	152
1429	Aplysia attractin: biophysical characterization and modeling of a water-borne pheromone. 2001 , 81, 463-72	37
1428	Molecular dynamics force probe simulations of antibody/antigen unbinding: entropic control and nonadditivity of unbinding forces. 2001 , 81, 1295-313	65
1427	Calculation of rigid-body conformational changes using restraint-driven Cartesian transformations. 2001 , 81, 2530-46	20
1426	Solid-state NMR structure determination of melittin in a lipid environment. 2001 , 81, 2752-61	76
1425	Structure of an early intermediate in the M-state phase of the bacteriorhodopsin photocycle. 2001 , 81, 3442-55	106
1424	Infrared dichroism from the X-ray structure of bacteriorhodopsin. 2001 , 80, 305-12	31
1423	Roles of cytoplasmic arginine and threonine in chloride transport by the bacteriorhodopsin mutant D85T. 2001 , 80, 2386-95	9
1422	Heteronuclear nuclear magnetic resonance assignments, structure and dynamics of SUMO-1, a human ubiquitin-like protein. 2001 , 28, 227-34	25
1421	Model for the structure of the HIV gp41 ectodomain: insight into the intermolecular interactions of the gp41 loop. 2001 , 1536, 116-22	63
1420	The crystal structure of nucleoplasmin-core: implications for histone binding and nucleosome assembly. 2001 , 8, 841-53	144
1419	Structural analysis of emerin, an inner nuclear membrane protein mutated in X-linked Emery-Dreifuss muscular dystrophy. 2001 , 501, 171-6	58
1418	Solution NMR studies of the integral membrane proteins OmpX and OmpA from Escherichia coli. 2001 , 504, 173-8	106
1417	The solution structure and heme binding of the presequence of murine 5-aminolevulinate synthase. 2001 , 505, 325-31	21
1416	The solution structure of the viral binding domain of Tva, the cellular receptor for subgroup A avian leukosis and sarcoma virus. 2001 , 509, 161-8	26
1415	Na(+) translocation by bacterial NADH:quinone oxidoreductases: an extension to the complex-I family of primary redox pumps. 2001 , 1505, 45-56	52
1414	Iron-sulfur clusters in type I reaction centers. 2001 , 1507, 139-60	104

1413	The cystine knot motif in toxins and implications for drug design. <i>Toxicon</i> , 2001 , 39, 43-60	2.8	398
1412	Ricin. <i>Toxicon</i> , 2001 , 39, 1723-8	2.8	148
1411	Solution structure of the methyl-CpG binding domain of human MBD1 in complex with methylated DNA. 2001 , 105, 487-97		235
1410	Mechanisms contributing to T cell receptor signaling and assembly revealed by the solution structure of an ectodomain fragment of the CD3 epsilon gamma heterodimer. 2001 , 105, 913-23		150
1409	Discovery of small-molecule inhibitors of Bcl-2 through structure-based computer screening. 2001 , 44, 4313-24		306
1408	Crystal structure of alkaline phosphatase from human placenta at 1.8 Å resolution. Implication for a substrate specificity. <i>Journal of Biological Chemistry</i> , 2001 , 276, 9158-65	5.4	208
1407	Structural basis for recognition of the intron branch site RNA by splicing factor 1. 2001 , 294, 1098-102		190
1406	Circular proteins in plants: solution structure of a novel macrocyclic trypsin inhibitor from <i>Momordica cochinchinensis</i> . <i>Journal of Biological Chemistry</i> , 2001 , 276, 22875-82	5.4	185
1405	The C2B domain of synaptotagmin I is a Ca ²⁺ -binding module. 2001 , 40, 5854-60		106
1404	Structure and backbone dynamics of Apo-CBFbeta in solution. 2001 , 40, 11423-32		7
1403	NMR derived solution structure of an EF-hand calcium-binding protein from <i>Entamoeba Histolytica</i> . 2001 , 40, 14392-403		40
1402	Solution structure of the DNA binding domain of the human forkhead transcription factor AFX (FOXO4). 2001 , 40, 5861-9		66
1401	Three-dimensional solution structure and stability of thioredoxin m from spinach. 2001 , 40, 15246-56		12
1400	Aib-rich peptides containing lactam-bridged side chains as models of the 3(10)-helix. 2001 , 123, 2743-51		31
1399	Monomeric solution structure of the prototypical 'C' chemokine lymphotactin. 2001 , 40, 12486-96		47
1398	Hydrophobic interactions in a cyanobacterial plastocyanin-cytochrome f complex. 2001 , 123, 10444-53		103
1397	Transitions in Chain Entanglement and Compactness Associated with in Vacuo Unfolding of Lysozyme Ions. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 4992-4998	3.4	7
1396	Calbindin D(9k): a protein optimized for calcium binding at neutral pH. 2001 , 40, 15334-40		20

1395	Fragment complementation studies of protein stabilization by hydrophobic core residues. 2001 , 40, 1257-64	37
1394	Solution structure of the toluene 4-monooxygenase effector protein (T4moD). 2001 , 40, 3512-24	26
1393	Biosynthesis of d-Alanyl-Lipoteichoic Acid: The Tertiary Structure of apo-d-Alanyl Carrier Protein,. 2001 , 40, 7964-7972	36
1392	Validation of protein structure from preparations of encapsulated proteins dissolved in low viscosity fluids. 2001 , 123, 2691-2	68
1391	Chi1 torsion angle dynamics in proteins from dipolar couplings. 2001 , 123, 6892-903	61
1390	Three-dimensional structure and dynamics of a brain specific growth inhibitory factor: metallothionein-3. 2001 , 40, 11433-41	84
1389	NMR solution structure and backbone dynamics of the CC chemokine eotaxin-3. 2001 , 40, 7820-31	30
1388	Solution structure of BSTI: a new trypsin inhibitor from skin secretions of <i>Bombina bombina</i> . 2001 , 40, 4601-9	19
1387	Solution structure of the yeast copper transporter domain Ccc2a in the apo and Cu(I)-loaded states. <i>Journal of Biological Chemistry</i> , 2001 , 276, 8415-26	5-4 115
1386	Solution structure of the Cu(I) and apo forms of the yeast metallochaperone, Atx1. 2001 , 40, 1528-39	156
1385	Cross-correlated chemical shift modulation: a signature of slow internal motions in proteins. 2001 , 123, 4810-6	51
1384	Conformational and dynamic characterization of the molten globule state of an apomyoglobin mutant with an altered folding pathway. 2001 , 40, 14459-67	43
1383	Dynamics of a de novo designed three-helix bundle protein studied by 15N, 13C, and 2H NMR relaxation methods. 2001 , 40, 9560-9	42
1382	Conformation Changes, Complexation, and Phase Transition in Matrix-Assisted Laser Desorption. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 2578-2587	3-4 40
1381	Solution structure of the DNA-binding domain of TraM. 2001 , 40, 3370-7	9
1380	Laser-induced photo-cross-linking of cisplatin-modified DNA to HMG-domain proteins. 2001 , 40, 7533-41	15
1379	Exendin-4 and glucagon-like-peptide-1: NMR structural comparisons in the solution and micelle-associated states. 2001 , 40, 13188-200	177
1378	Structural and functional analysis of the RANTES-glycosaminoglycans interactions. 2001 , 40, 6303-18	112

1377	The NMR structure of human beta-defensin-2 reveals a novel alpha-helical segment. 2001 , 40, 3810-6	115
1376	Solution structure of the carboxyl-terminal cysteine-rich domain of the VHv1.1 polydnaviral gene product: comparison with other cystine knot structural folds. 2001 , 40, 14404-12	15
1375	[(13)C,(13)C]- and [(13)C,(1)H]-TROSY in a triple resonance experiment for ribose-base and intrabase correlations in nucleic acids. 2001 , 123, 658-64	56
1374	Structure and function in rhodopsin: mapping light-dependent changes in distance between residue 316 in helix 8 and residues in the sequence 60-75, covering the cytoplasmic end of helices TM1 and TM2 and their connection loop CL1. 2001 , 40, 15493-500	104
1373	Structure of antibody-bound peptides and retro-inverso analogues. A transferred nuclear Overhauser effect spectroscopy and molecular dynamics approach. 2001 , 40, 5720-7	26
1372	Strain is more important than electrostatic interaction in controlling the pKa of the catalytic group in aspartate aminotransferase. 2001 , 40, 353-60	37
1371	High-resolution NMR structure of the chemically-synthesized melanocortin receptor binding domain AGRP(87-132) of the agouti-related protein. 2001 , 40, 15520-7	75
1370	Incorporating beta-turns and a turn mimetic out of context in loop 1 of the WW domain affords cooperatively folded beta-sheets. 2001 , 123, 5206-12	62
1369	Symmetrical stabilization of bound Ca ²⁺ ions in a cooperative pair of EF-hands through hydrogen bonding of coordinating water molecules in calbindin D(9k). 2001 , 40, 9887-95	8
1368	Application of cross-correlated NMR spin relaxation to the zinc-finger protein CRP2(LIM2): evidence for collective motions in LIM domains. 2001 , 40, 9596-604	8
1367	Intestinal fatty acid binding protein: the folding mechanism as determined by NMR studies. 2001 , 40, 732-42	70
1366	Three-dimensional structure of the nonaheme cytochrome c from <i>Desulfovibrio desulfuricans</i> Essex in the Fe(III) state at 1.89 Å resolution. 2001 , 40, 1308-16	26
1365	Dynamics of the Mrf-2 DNA-binding domain free and in complex with DNA. 2001 , 40, 9142-50	31
1364	Ab Initio Study of the Energetics of Protonation and Homocomplexed Cation Formation in Systems with Pyridine and Its Derivatives. 2001 , 105, 6743-6749	24
1363	Designed peptide analogues of the potassium channel blocker ShK toxin. 2001 , 40, 15528-37	19
1362	Main chain and side chain dynamics of oxidized flavodoxin from <i>Cyanobacterium anabaena</i> . 2001 , 40, 14744-53	35
1361	Solution structure and backbone dynamics of the human DNA ligase IIIalpha BRCT domain. 2001 , 40, 13158-66	39
1360	Local structural plasticity of the prion protein. Analysis of NMR relaxation dynamics. 2001 , 40, 2743-53	164

1359	The role of cation- π interactions in biomolecular association. Design of peptides favoring interactions between cationic and aromatic amino acid side chains. 2001 , 123, 6232-45		117
1358	Study of the conformational transition of A β (1-42) using D-amino acid replacement analogues. 2001 , 40, 5457-63		59
1357	Functional significance of the beta hairpin in the insecticidal neurotoxin omega-a-tracotoxin-Hv1a. <i>Journal of Biological Chemistry</i> , 2001 , 276, 26568-76	5-4	63
1356	Copper trafficking: the solution structure of <i>Bacillus subtilis</i> CopZ. 2001 , 40, 15660-8		98
1355	Solution structure and dynamic character of the histidine-containing phosphotransfer domain of anaerobic sensor kinase ArcB from <i>Escherichia coli</i> . 2001 , 40, 375-86		19
1354	High-resolution solution structure of human intestinal trefoil factor and functional insights from detailed structural comparisons with the other members of the trefoil family of mammalian cell motility factors. 2001 , 40, 9552-9		23
1353	Folding dynamics and energetics of recombinant prion proteins. 2001 , 57, 83-105		22
1352	Oxidative modification of H-ras: S-thiolation and S-nitrosylation of reactive cysteines. 2001 , 355, 145-53		103
1351	Analysis of a two-domain binding site for the urokinase-type plasminogen activator-plasminogen activator inhibitor-1 complex in low-density-lipoprotein-receptor-related protein. 2001 , 357, 289-96		20
1350	Characterization of unique amphipathic antimicrobial peptides from venom of the scorpion <i>Pandinus imperator</i> . 2001 , 359, 35-45		84
1349	Crystal structure of the wild-type and D30A mutant thioredoxin h of <i>Chlamydomonas reinhardtii</i> and implications for the catalytic mechanism. 2001 , 359, 65-75		39
1348	NMR structure of buccandin, a neurotoxin from the venom of the Malayan krait (<i>Bungarus candidus</i>). 2001 , 360, 539-48		14
1347	Haemoglobin: Cooperativity in Protein-Ligand Interactions. 2001 ,		
1346	Solution structure, dimerization, and dynamics of a lipophilic α /3(10)-helical, C α -methylated peptide. Implications for folding of membrane proteins. 2001 , 123, 6678-86		31
1345	Solution structure of the ribosome recycling factor from <i>Aquifex aeolicus</i> . 2001 , 40, 2387-96		53
1344	Identification and Enzymatic Characterization of Two Diverging Murine Counterparts of Human Interstitial Collagenase (MMP-1) Expressed at Sites of Embryo Implantation. <i>Journal of Biological Chemistry</i> , 2001 , 276, 10253-10262	5-4	124
1343	Ionization properties of titratable groups in ribonuclease T1. I. pKa values in the native state determined by two-dimensional heteronuclear NMR spectroscopy. 2001 , 30, 186-97		27
1342	The interaction of Insulin-like Growth Factors (IGFs) with Insulin-like Growth Factor Binding Proteins (IGFBPs): a review. 2001 , 8, 147-153		5

1341	Three-dimensional structure of the histidine-containing phosphocarrier protein (HPr) from <i>Enterococcus faecalis</i> in solution. 2001 , 268, 635-44	18
1340	Critical role of glutamic acid 202 in the enzymatic activity of stromelysin-1 (MMP-3). 2001 , 268, 826-31	15
1339	Solution structure of cytochrome b5 mutant (E44/48/56A/D60A) and its interaction with cytochrome c. 2001 , 268, 1620-1630	11
1338	Solution structure of microcin J25, the single macrocyclic antimicrobial peptide from <i>Escherichia coli</i> . 2001 , 268, 2124-33	33
1337	Structural consequences of site-directed mutagenesis in flexible protein domains: NMR characterization of the L(55,56)S mutant of RhoGDI. 2001 , 268, 2253-60	7
1336	Solution structure of the main alpha-amylase inhibitor from amaranth seeds. 2001 , 268, 2379-89	21
1335	Solution NMR structure of the cold-shock protein from the hyperthermophilic bacterium <i>Thermotoga maritima</i> . 2001 , 268, 2527-39	86
1334	Structural model of human IL-13 defines the spatial interactions with the IL-13Ralpha/IL-4Ralpha receptor. 2001 , 79, 332-9	5
1333	Rationale for the observed COX-2/COX-1 selectivity of celecoxib from Monte Carlo simulations. 2001 , 11, 1541-4	23
1332	Solution structure of the sheep prion PrP ^{Sc} 142-166?: a possible site for the conformational conversion of prion protein. 2001 , 4, 739-743	1
1331	Structural transitions in neutral and charged proteins in vacuo. 2001 , 19, 102-18	16
1330	Qmol: a program for molecular visualization on Windows-based PCs. 2001 , 19, 557-9, 609	191
1329	Flexibility of the murine prion protein and its Asp178Asn mutant investigated by molecular dynamics simulations. 2001 , 20, 169-82	49
1328	A rationally designed oligopeptide shows significant conformational changes upon binding to sulphate ions. 2001 , 16, 783-9	8
1327	Solution structures of the N-terminal domain of histone H4. 2001 , 58, 389-98	6
1326	Role of loops in the folding and stability of yeast phosphoglycerate kinase. 2001 , 268, 5107-18	10
1325	NMR studies in aqueous solution fail to identify significant conformational differences between the monomeric forms of two Alzheimer peptides with widely different plaque-competence, A beta(1-40)(ox) and A beta(1-42)(ox). 2001 , 268, 5930-6	190
1324	Arginine 121 is a crucial residue for the specific cytotoxic activity of the ribotoxin alpha-sarcin. 2001 , 268, 6190-6	21

1323	Solution structure of the mEGF/TGFalpha44-50 chimeric growth factor. 2001 , 268, 6247-55	6
1322	Protein structure prediction using a combination of sequence-based alignment, constrained energy minimization, and structural alignment. 2001 , Suppl 5, 133-9	15
1321	Solution structure and dynamics of ribonuclease Sa. 2001 , 44, 200-11	24
1320	Molecular dynamics of HIV-1 reverse transcriptase indicates increased flexibility upon DNA binding. 2001 , 45, 176-82	28
1319	Structure of an anti-HIV monoclonal Fab antibody fragment specific to a gp120 C-4 region peptide. 2001 , 45, 281-2	2
1318	Highly potent side-chain to side-chain cyclized enkephalin analogues containing a carbonyl bridge: synthesis, biology and conformation. 2001 , 7, 128-40	33
1317	Synthesis and solution characterization of a porphyrin-CCK8 conjugate. 2001 , 7, 386-94	12
1316	Proteins in vacuo: denaturing and folding mechanisms studied with computer-simulated molecular dynamics. 2001 , 20, 402-22	30
1315	Exquisite specificity and peptide epitope recognition promiscuity, properties shared by antibodies from sharks to humans. 2001 , 14, 110-21	45
1314	Binding of synthetic peptides by a human monoclonal IgM with an unusual combining site structure. 2001 , 14, 229-38	11
1313	Designed beta-hairpin peptides with defined tight turn stereochemistry. 2001 , 58, 335-46	44
1312	A helical capping motif in ShK toxin and its role in helix stabilization. 2001 , 58, 422-36	11
1311	Optical determination of glutamine using a genetically engineered protein. 2001 , 291, 89-95	69
1310	Solution structure calculations through self-orientation in a magnetic field of a cerium(III) substituted calcium-binding protein. <i>Journal of Magnetic Resonance</i> , 2001 , 148, 23-30	3 43
1309	The VMD-XPLOR visualization package for NMR structure refinement. <i>Journal of Magnetic Resonance</i> , 2001 , 149, 239-44	3 107
1308	Light chains of mammalian cytoplasmic dynein: identification and characterization of a family of LC8 light chains. 2001 , 49, 229-40	36
1307	Protein unfolding during reversed-phase chromatography: I. Effect of surface properties and duration of adsorption. 2001 , 76, 224-32	47
1306	Anisotropy of rotational diffusion, dipole-dipole cross-correlated NMR relaxation and angles between bond vectors in proteins. 2001 , 2, 539-43	11

1305	Aktivierung von Disauerstoff und Hydroxylierung von Methan durch lösliche Methan-Monooxygenase: eine Geschichte von zwei Eisenatomen und drei Proteinen. 2001 , 113, 2860-2888	62
1304	Millisecond Time Resolved Photo-CIDNP NMR Reveals a Non-Native Folding Intermediate on the Ion-Induced Refolding Pathway of Bovine Lactalbumin. 2001 , 113, 4378-4381	21
1303	Recognition and Stabilization of Quadruplex DNA by a Potent New Telomerase Inhibitor: NMR Studies of the 2:1 Complex of a Pentacyclic Methylacridinium Cation with d(TTAGGGT)4. 2001 , 113, 4885-4887	14
1302	Molecular carpentry: piecing together helices and hairpins in designed peptides. <i>Chemistry - A European Journal</i> , 2001 , 7, 840-7	4.8 16
1301	Dioxygen Activation and Methane Hydroxylation by Soluble Methane Monooxygenase: A Tale of Two Irons and Three Proteins. 2001 , 40, 2782-2807	500
1300	Millisecond Time Resolved Photo-CIDNP NMR Reveals a Non-Native Folding Intermediate on the Ion-Induced Refolding Pathway of Bovine Lactalbumin. 2001 , 40, 4248-4251	35
1299	Recognition and Stabilization of Quadruplex DNA by a Potent New Telomerase Inhibitor: NMR Studies of the 2:1 Complex of a Pentacyclic Methylacridinium Cation with d(TTAGGGT)(4) We thank the EPSRC of the UK and AstraZeneca for financial support to E.G. M.F.G.S. and R.A.H. are supported by the Cancer Research Campaign of the UK.. 2001 , 40, 4749-4751	76
1298	Sampling of conformation space in torsion angle dynamics calculations. 2001 , 138, 155-169	7
1297	The interplay between protein dynamics and frustration of non-bonded interactions as revealed by molecular dynamics simulations. 2001 , 345, 287-294	10
1296	Role of electrostatic and van der Waals interactions on the in vacuo unfolding dynamics of lysozyme ions. 2001 , 350, 277-285	7
1295	Structural basis for alpha-K toxin specificity for K+ channels revealed through the solution 1H NMR structures of two noxiustoxin-iberiotoxin chimeras. 2001 , 40, 10998-1006	20
1294	Aromatic ring-flipping in supercooled water: implications for NMR-based structural biology of proteins. 2001 , 123, 388-97	65
1293	Molecular modeling of interactions of the non-peptide antagonist YM087 with the human vasopressin V1a, V2 receptors and with oxytocin receptors. 2001 , 15, 1085-104	21
1292	Sequential processing of human ProIL-1beta by caspase-1 and subsequent folding determined by a combined in vitro and in silico approach. 2001 , 18, 1083-90	16
1291	NMR studies of the sporulation protein SpoIIAA: implications for the regulation of the transcription factor sigmaF in Bacillus subtilis. 2001 , 19, 293-304	8
1290	Mapping the ligand binding site at protein side-chains in protein-ligand complexes through NOE difference spectroscopy. 2001 , 20, 195-202	15
1289	NMR-based structure of the conserved protein MTH865 from the archaeon Methanobacterium thermoautotrophicum. 2001 , 21, 63-6	1
1288	Improved convergence of binding affinities with free energy perturbation: application to nonpeptide ligands with pp60src SH2 domain. 2001 , 15, 681-95	25

1287	Simultaneous measurement of intra- and intermolecular NOEs in differentially labeled protein-ligand complexes. 2001 , 21, 107-16	19
1286	Structure of the Bacillus subtilis peptide antibiotic subtilisin A determined by ¹ H-NMR and matrix assisted laser desorption/ionization time-of-flight mass spectrometry. 2001 , 20, 501-6	52
1285	Amide proton temperature coefficients as hydrogen bond indicators in proteins. 2001 , 21, 249-61	293
1284	Environmental reprogramming of the expression of protein kinase CK2 β subunit in fish. <i>Molecular and Cellular Biochemistry</i> , 2001 , 227, 107-112	4.2 4
1283	Conformational study of insect adipokinetic hormones using NMR constrained molecular dynamics. 2001 , 15, 259-70	17
1282	NMR-restrained docking of a peptidic inhibitor to the N-terminal domain of the phosphoenolpyruvate:sugar phosphotransferase enzyme I. 2001 , 15, 103-15	7
1281	NMR of hydrogen bonding in cold-shock protein A and an analysis of the influence of crystallographic resolution on comparisons of hydrogen bond lengths. 2001 , 10, 1856-68	32
1280	N-terminal extension changes the folding mechanism of the FK506-binding protein. 2001 , 10, 1905-10	19
1279	Probing the surface of a sweet protein: NMR study of MNEI with a paramagnetic probe. 2001 , 10, 1498-507	54
1278	Solution structure and backbone dynamics of an omega-conotoxin precursor. 2001 , 10, 538-50	21
1277	Designed protein G core variants fold to native-like structures: sequence selection by ORBIT tolerates variation in backbone specification. 2001 , 10, 450-4	33
1276	A model of dynamic side-chain-side-chain interactions in the alpha-lactalbumin molten globule. 2001 , 10, 55-62	12
1275	Solution nuclear magnetic resonance structure of a protein disulfide oxidoreductase from Methanococcus jannaschii. 2001 , 10, 384-96	13
1274	HMG-D complexed to a bulge DNA: an NMR model. 2001 , 10, 504-18	18
1273	Environmental features are important in determining protein secondary structure. 2001 , 10, 1172-7	27
1272	A refined solution structure of hen lysozyme determined using residual dipolar coupling data. 2001 , 10, 677-88	141
1271	Constrained modeling of spin-labeled major coat protein mutants from M13 bacteriophage in a phospholipid bilayer. 2001 , 10, 979-87	11
1270	Solution structure of the DNA-binding domain of the TyrR protein of Haemophilus influenzae. 2001 , 10, 592-8	16

1269	Involvement of the amino-terminal beta-hairpin of the <i>Aspergillus</i> ribotoxins on the interaction with membranes and nonspecific ribonuclease activity. 2001 , 10, 1658-68	26
1268	Crystal structure of a superantigen bound to MHC class II displays zinc and peptide dependence. 2001 , 20, 3306-12	90
1267	Solution structure of the constant region of nuclear envelope protein LAP2 reveals two LEM-domain structures: one binds BAF and the other binds DNA. 2001 , 20, 4399-407	160
1266	NMR structure of the LCCL domain and implications for DFNA9 deafness disorder. 2001 , 20, 5347-53	51
1265	A novel family of RNA tetraloop structure forms the recognition site for <i>Saccharomyces cerevisiae</i> RNase III. 2001 , 20, 7240-9	71
1264	The extracellular human melanoma inhibitory activity (MIA) protein adopts an SH3 domain-like fold. 2001 , 20, 340-9	62
1263	The hairpin structure of the (6)F1(1)F2(2)F2 fragment from human fibronectin enhances gelatin binding. 2001 , 20, 1519-29	66
1262	Structural characteristics of protein binding sites for calcium and lanthanide ions. 2001 , 6, 479-89	167
1261	Effects of extrinsic imidazole ligation on the molecular and electronic structure of cytochrome c. 2001 , 6, 628-37	30
1260	Peptide bis-intercalator binds DNA via threading mode with sequence specific contacts in the major groove. 2001 , 8, 415-25	30
1259	Molecular dynamics simulations of wild-type and point mutation human prion protein at normal and elevated temperature. 2001 , 20, 145-54	47
1258	Entropy effects in gas phase ion-molecule association reactions. 2001 , 626, 24-31	14
1257	SMN tudor domain structure and its interaction with the Sm proteins. 2001 , 8, 27-31	247
1256	The Mu repressor-DNA complex contains an immobilized 'wing' within the minor groove. 2001 , 8, 84-90	15
1255	Structure of outer membrane protein A transmembrane domain by NMR spectroscopy. 2001 , 8, 334-8	331
1254	Solution structure of a Nedd4 WW domain-ENaC peptide complex. 2001 , 8, 407-12	181
1253	The structure of the IgE Cepsilon2 domain and its role in stabilizing the complex with its high-affinity receptor FcepsilonRIalpha. 2001 , 8, 437-41	60
1252	Implications for familial hypercholesterolemia from the structure of the LDL receptor YWTD-EGF domain pair. 2001 , 8, 499-504	180

1251	Solution structure of the PX domain, a target of the SH3 domain. 2001 , 8, 526-30	145
1250	Crystal structures of nucleotide exchange intermediates in the eEF1A-eEF1B α complex. 2001 , 8, 531-4	98
1249	The SAND domain structure defines a novel DNA-binding fold in transcriptional regulation. 2001 , 8, 626-33	167
1248	Structure of a BRCA1-BARD1 heterodimeric RING-RING complex. 2001 , 8, 833-7	381
1247	Crystal structures of the catalytic domain of human protein kinase associated with apoptosis and tumor suppression. 2001 , 8, 899-907	85
1246	Solution structure of a viral DNA repair polymerase. 2001 , 8, 936-41	50
1245	Solution structure of a viral DNA polymerase X and evidence for a mutagenic function. 2001 , 8, 942-6	60
1244	Delineation of the allosteric mechanism of a cytidylyltransferase exhibiting negative cooperativity. 2001 , 8, 947-52	80
1243	Solution structure of Ca(2+)-calmodulin reveals flexible hand-like properties of its domains. 2001 , 8, 990-7	270
1242	A novel, specific interaction involving the Csk SH3 domain and its natural ligand. 2001 , 8, 998-1004	115
1241	Rescuing the function of mutant p53. 2001 , 1, 68-76	466
1240	Computational studies on the binding of β -sheet breaker (BSB) peptides on amyloid β A(1-42). 2001 , 542, 25-31	7
1239	A study of energetics of formation of heterocomplexed cations of trimethylamine N-oxide by using ab initio methods. 2001 , 544, 159-171	3
1238	Isolation and characterization of a cDNA encoding a novel member of the human regenerating protein family: Reg IV. 2001 , 1518, 287-93	120
1237	Structure of the YSPTSPS repeat containing two SPXX motifs in the CTD of RNA polymerase II: NMR studies of cyclic model peptides reveal that the SPTS turn is more stable than SPSY in water. 2001 , 1548, 81-93	12
1236	Selection of potent chymotrypsin and elastase inhibitors from M13 phage library of basic pancreatic trypsin inhibitor (BPTI). 2001 , 1550, 153-63	20
1235	The architecture of parallel beta-helices and related folds. 2001 , 77, 111-75	191
1234	Modulation of aldose reductase activity through S-thiolation by physiological thiols. 2001 , 130-132, 597-608	18

1233	Crystal structure of 3,4-dihydroxy-2-butanone 4-phosphate synthase of riboflavin biosynthesis. <i>Structure</i> , 2001 , 9, 11-8	5.2	50
1232	Exploring the domain structure of modular nonribosomal peptide synthetases. <i>Structure</i> , 2001 , 9, R3-9	5.2	79
1231	Dynamics of the transition between open and closed conformations in a calmodulin C-terminal domain mutant. <i>Structure</i> , 2001 , 9, 185-95	5.2	77
1230	Solution structure of B. subtilis acyl carrier protein. <i>Structure</i> , 2001 , 9, 277-87	5.2	71
1229	Solution structure of the LDL receptor EGF-AB pair: a paradigm for the assembly of tandem calcium binding EGF domains. <i>Structure</i> , 2001 , 9, 451-6	5.2	42
1228	Thioredoxin fold as homodimerization module in the putative chaperone ERp29: NMR structures of the domains and experimental model of the 51 kDa dimer. <i>Structure</i> , 2001 , 9, 457-71	5.2	91
1227	Structural characterization of the LEM motif common to three human inner nuclear membrane proteins. <i>Structure</i> , 2001 , 9, 503-11	5.2	97
1226	Complex between Peptostreptococcus magnus protein L and a human antibody reveals structural convergence in the interaction modes of Fab binding proteins. <i>Structure</i> , 2001 , 9, 679-87	5.2	104
1225	DNA lesion bypass polymerases open up. <i>Structure</i> , 2001 , 9, 759-64	5.2	21
1224	Solution structure of a cyanovirin-N:Man alpha 1-2Man alpha complex: structural basis for high-affinity carbohydrate-mediated binding to gp120. <i>Structure</i> , 2001 , 9, 931-40	5.2	121
1223	The structure of an engineered domain-swapped ribonuclease dimer and its implications for the evolution of proteins toward oligomerization. <i>Structure</i> , 2001 , 9, 967-76	5.2	43
1222	Solution structure of the Ras binding domain of the protein kinase Byr2 from Schizosaccharomyces pombe. <i>Structure</i> , 2001 , 9, 1029-41	5.2	48
1221	Insights into the structure, solvation, and mechanism of ArsC arsenate reductase, a novel arsenic detoxification enzyme. <i>Structure</i> , 2001 , 9, 1071-81	5.2	129
1220	Solution structure of a telomeric DNA complex of human TRF1. <i>Structure</i> , 2001 , 9, 1237-51	5.2	69
1219	Zinc finger proteins: new insights into structural and functional diversity. 2001 , 11, 39-46		1001
1218	New structural insights into lectin-type proteins of the immune system. 2001 , 11, 635-43		52
1217	Solution structure of a lipid transfer protein extracted from rice seeds. Comparison with homologous proteins. 1999 , 259, 692-708		50
1216	Structure of melanoma inhibitory activity protein, a member of a recently identified family of secreted proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 5515-20	11.5	47

1215	The solution structure of the complex formed between alpha-bungarotoxin and an 18-mer cognate peptide derived from the alpha 1 subunit of the nicotinic acetylcholine receptor from Torpedo californica. <i>Journal of Biological Chemistry</i> , 2001 , 276, 22930-40	5-4	42
1214	Structure of the tetraspanin main extracellular domain. A partially conserved fold with a structurally variable domain insertion. <i>Journal of Biological Chemistry</i> , 2001 , 276, 40055-64	5-4	150
1213	An autoinhibitory mechanism for nonsyntaxin SNARE proteins revealed by the structure of Ykt6p. 2001 , 293, 698-702		110
1212	Computational method to reduce the search space for directed protein evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 3778-83	11.5	148
1211	Gelatin-binding region of human matrix metalloproteinase-2: solution structure, dynamics, and function of the COL-23 two-domain construct. <i>Journal of Biological Chemistry</i> , 2001 , 276, 27613-21	5-4	50
1210	NMR solution structure of murine CCL20/MIP-3alpha, a chemokine that specifically chemoattracts immature dendritic cells and lymphocytes through its highly specific interaction with the beta-chemokine receptor CCR6. <i>Journal of Biological Chemistry</i> , 2001 , 276, 28372-9	5-4	69
1209	NMR structure of the "ball-and-chain" domain of KCNMB2, the beta 2-subunit of large conductance Ca2+- and voltage-activated potassium channels. <i>Journal of Biological Chemistry</i> , 2001 , 276, 42116-21	5-4	55
1208	NMR structure of the calreticulin P-domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 3133-8	11.5	154
1207	A fast method for predicting amino acid mutations that lead to unfolding. 2001 , 14, 479-86		14
1206	Induced fit DNA recognition by a minor groove binding analogue of Hoechst 33258: fluctuations in DNA A tract structure investigated by NMR and molecular dynamics simulations. 2001 , 29, 693-702		51
1205	Prion protein diversity and disease in the transmissible spongiform encephalopathies. 2001 , 57, 1-27		11
1204	Structural and biological characterization of chromofungin, the antifungal chromogranin A-(47-66)-derived peptide. <i>Journal of Biological Chemistry</i> , 2001 , 276, 35875-82	5-4	73
1203	Backbone dynamics of plastocyanin in both oxidation states. Solution structure of the reduced form and comparison with the oxidized state. <i>Journal of Biological Chemistry</i> , 2001 , 276, 47217-26	5-4	42
1202	Tyrosine 36 plays a critical role in the interaction of the AB loop of tissue inhibitor of metalloproteinases-2 with matrix metalloproteinase-14. <i>Journal of Biological Chemistry</i> , 2001 , 276, 32968-70	5-4	32
1201	Recruitment of the transcriptional machinery through GAL11P: structure and interactions of the GAL4 dimerization domain. 2001 , 15, 1007-20		36
1200	Solution structure of the N-terminal domain of the human TFIIH MAT1 subunit: new insights into the RING finger family. <i>Journal of Biological Chemistry</i> , 2001 , 276, 7457-64	5-4	39
1199	Cyclic green fluorescent protein produced in vivo using an artificially split PI-Pful intein from Pyrococcus furiosus. <i>Journal of Biological Chemistry</i> , 2001 , 276, 16548-54	5-4	113
1198	Transverse relaxation-optimized NMR spectroscopy with the outer membrane protein OmpX in dihexanoyl phosphatidylcholine micelles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 2358-63	11.5	175

1197	Solution structure of the focal adhesion adaptor PINCH LIM1 domain and characterization of its interaction with the integrin-linked kinase ankyrin repeat domain. <i>Journal of Biological Chemistry</i> , 2001 , 276, 4932-9	5-4	55
1196	NMR studies of protein surface accessibility. <i>Journal of Biological Chemistry</i> , 2001 , 276, 42455-61	5-4	37
1195	A role of the third complementarity-determining region in the affinity maturation of an antibody. <i>Journal of Biological Chemistry</i> , 2001 , 276, 27622-8	5-4	31
1194	X-ray crystal structure of the trimeric N-terminal domain of gephyrin. <i>Journal of Biological Chemistry</i> , 2001 , 276, 25294-301	5-4	70
1193	Dynamic protein complexes: insights from mass spectrometry. <i>Journal of Biological Chemistry</i> , 2001 , 276, 46685-8	5-4	52
1192	The structure of the C4C4 ring finger of human NOT4 reveals features distinct from those of C3HC4 RING fingers. <i>Journal of Biological Chemistry</i> , 2001 , 276, 10185-90	5-4	73
1191	Sheep prion protein synthetic peptide spanning helix 1 and beta-strand 2 (residues 142-166) shows beta-hairpin structure in solution. <i>Journal of Biological Chemistry</i> , 2001 , 276, 46364-70	5-4	31
1190	Solution structure of a Kunitz-type chymotrypsin inhibitor isolated from the elapid snake Bungarus fasciatus. <i>Journal of Biological Chemistry</i> , 2001 , 276, 45079-87	5-4	52
1189	The NMR structure of the 47-kDa dimeric enzyme 3,4-dihydroxy-2-butanone-4-phosphate synthase and ligand binding studies reveal the location of the active site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 13025-30	11.5	29
1188	A single residue at the active site of CD38 determines its NAD cyclizing and hydrolyzing activities. <i>Journal of Biological Chemistry</i> , 2001 , 276, 12169-73	5-4	55
1187	Mutational analysis of protein substrate presentation in the post-translational attachment of biotin to biotin domains. <i>Journal of Biological Chemistry</i> , 2001 , 276, 3037-45	5-4	33
1186	A beta -hairpin structure in a 13-mer peptide that binds alpha -bungarotoxin with high affinity and neutralizes its toxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 6629-34	11.5	60
1185	Solution structure of a DNA duplex with a chiral alkyl phosphonate moiety. 2001 , 29, 2973-85		32
1184	Mitochondrial aldehyde dehydrogenase activity is required for male fertility in maize. 2001 , 13, 1063-78		198
1183	A metallothionein containing a zinc finger within a four-metal cluster protects a bacterium from zinc toxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 9593-8	11.5	150
1182	Antiviral activity and structural characteristics of the nonglycosylated central subdomain of human respiratory syncytial virus attachment (G) glycoprotein. <i>Journal of Biological Chemistry</i> , 2001 , 276, 38988-94	5-4	17
1181	Solution structure and dynamics of myeloid progenitor inhibitory factor-1 (MPIF-1), a novel monomeric CC chemokine. <i>Journal of Biological Chemistry</i> , 2001 , 276, 4909-16	5-4	26
1180	Functional dynamics in the active site of the ribonuclease binase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 7684-9	11.5	100

1179	NMR structure reveals intramolecular regulation mechanism for pheromone binding and release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 14374-9	11.5	237
1178	Molecular architecture of full-length KcsA: role of cytoplasmic domains in ion permeation and activation gating. 2001 , 117, 165-80		219
1177	Protein denaturation in vacuo: Mechanism for centrifugal unfolding of neutral lysozyme. 2001 , 115, 10557		7
1176	Initiator tRNAs in Prokaryotes and Eukaryotes. 2001 ,		
1175	Solution structure, hydrodynamics and thermodynamics of the UvrB C-terminal domain. 2001 , 19, 219-36		17
1174	Strong DNA binding by covalently linked dimeric Lac headpiece: evidence for the crucial role of the hinge helices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 6039-44	11.5	55
1173	Corepressor-induced organization and assembly of the biotin repressor: a model for allosteric activation of a transcriptional regulator. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 6045-50	11.5	97
1172	Exploring the energy landscape of proteins: A characterization of the activation-relaxation technique. 2002 , 117, 11379-11387		46
1171	Free energy disconnectivity graphs: Application to peptide models. 2002 , 117, 10894-10903		159
1170	A stereographic table for biomolecular visualization.		3
1169	The NMR-derived conformation of neuropeptide F from <i>Moniezia expansa</i> . 2002 , 19, 991-8		4
1168	The solution structures of the human beta-defensins lead to a better understanding of the potent bactericidal activity of HBD3 against <i>Staphylococcus aureus</i> . <i>Journal of Biological Chemistry</i> , 2002 , 277, 8279-89	5.4	282
1167	Solution structure of the viral receptor domain of Tva and its implications in viral entry. 2002 , 76, 2848-56		23
1166	Defining and combating the mechanisms of triclosan resistance in clinical isolates of <i>Staphylococcus aureus</i> . 2002 , 46, 3343-7		76
1165	PDZ7 of glutamate receptor interacting protein binds to its target via a novel hydrophobic surface area. <i>Journal of Biological Chemistry</i> , 2002 , 277, 41140-6	5.4	28
1164	Determinants of ligand specificity in groups I and IV WW domains as studied by surface plasmon resonance and model building. <i>Journal of Biological Chemistry</i> , 2002 , 277, 10173-7	5.4	41
1163	An approach to membrane protein structure without crystals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 14037-40	11.5	88
1162	Circular permutation of DNA cytosine-N4 methyltransferases: in vivo coexistence in the BcnI system and in vitro probing by hybrid formation. 2002 , 30, 1547-57		11

1161	SDS-resistant active and thermostable dimers are obtained from the dissociation of homotetrameric beta-glycosidase from hyperthermophilic <i>Sulfolobus solfataricus</i> in SDS. Stabilizing role of the A-C intermonomeric interface. <i>Journal of Biological Chemistry</i> , 2002 , 277, 44050-60	5.4	43
1160	Combinatorial approaches: a new tool to search for highly structured beta-hairpin peptides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 614-9	11.5	64
1159	BAG4/SODD protein contains a short BAG domain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 31172-8	5.4	43
1158	Active site contribution to specificity of the aspartic proteases plasmepsins I and II. <i>Journal of Biological Chemistry</i> , 2002 , 277, 41009-13	5.4	18
1157	The antifungal protein AFP of <i>Aspergillus giganteus</i> is an oligonucleotide/oligosaccharide binding (OB) fold-containing protein that produces condensation of DNA. <i>Journal of Biological Chemistry</i> , 2002 , 277, 46179-83	5.4	29
1156	Regulation of the tyrosine kinase Itk by the peptidyl-prolyl isomerase cyclophilin A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 1899-904	11.5	227
1155	Folding of the striated muscle myosin motor domain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 36799-804	5.4	45
1154	The triglyceride lipases of the pancreas. 2002 , 43, 2007-16		208
1153	pH-dependent intramolecular binding and structure involving Cx43 cytoplasmic domains. <i>Journal of Biological Chemistry</i> , 2002 , 277, 36706-14	5.4	145
1152	Solution structure of human GABA(A) receptor-associated protein GABARAP: implications for biological function and its regulation. <i>Journal of Biological Chemistry</i> , 2002 , 277, 13363-6	5.4	56
1151	Consensus-derived structural determinants of the ankyrin repeat motif. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 16029-34	11.5	293
1150	The col-1 module of human matrix metalloproteinase-2 (MMP-2): structural/functional relatedness between gelatin-binding fibronectin type II modules and lysine-binding kringle domains. 2002 , 383, 137-48		23
1149	Dynamics-modulated biological activity of transforming growth factor beta3. <i>Journal of Biological Chemistry</i> , 2002 , 277, 46273-9	5.4	34
1148	DNA polymerase I of <i>Mycobacterium tuberculosis</i> : functional role of a conserved aspartate in the hinge joining the M and N helices. <i>Journal of Biological Chemistry</i> , 2002 , 277, 1653-61	5.4	11
1147	Structural insight into the mechanisms of targeting and signaling of focal adhesion kinase. 2002 , 22, 2751-60		79
1146	Lipid-protein interactions in DHPC micelles containing the integral membrane protein OmpX investigated by NMR spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 13533-7	11.5	118
1145	Solution structure of the fibronectin type III domain from <i>Bacillus circulans</i> WL-12 chitinase A1. <i>Journal of Biological Chemistry</i> , 2002 , 277, 1388-97	5.4	52
1144	Structural basis for recruitment of CBP/p300 by hypoxia-inducible factor-1 alpha. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5367-72	11.5	357

1143	TROSY-NMR reveals interaction between ERp57 and the tip of the calreticulin P-domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 1954-9	11.5	238
1142	Protein structure elucidation from NMR proton densities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 6713-8	11.5	34
1141	A new level of conotoxin diversity, a non-native disulfide bond connectivity in alpha-conotoxin AulB reduces structural definition but increases biological activity. <i>Journal of Biological Chemistry</i> , 2002 , 277, 48849-57	5.4	97
1140	Molecular dynamics simulations of protein folding from the transition state. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 6719-24	11.5	112
1139	Anti-sm autoantibodies in systemic lupus target highly basic surface structures of complexed spliceosomal autoantigens. 2002 , 168, 2054-62		61
1138	Direct in vivo screening of intrabody libraries constructed on a highly stable single-chain framework. <i>Journal of Biological Chemistry</i> , 2002 , 277, 45075-85	5.4	68
1137	Thermodynamic characterization of variants of mesophilic cytochrome c and its thermophilic counterpart. 2002 , 15, 455-62		34
1136	Arm-site binding by lambda -integrase: solution structure and functional characterization of its amino-terminal domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 3434-9	11.5	54
1135	The cytoplasmic tail of invariant chain regulates endosome fusion and morphology. 2002 , 13, 1846-56		36
1134	Solution structures of the cytoplasmic tail complex from platelet integrin alpha IIb- and beta 3-subunits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5878-83	11.5	91
1133	A helical region in the C terminus of small-conductance Ca ²⁺ -activated K ⁺ channels controls assembly with apo-calmodulin. <i>Journal of Biological Chemistry</i> , 2002 , 277, 4558-64	5.4	34
1132	Structure, specificity, and mode of interaction for bacterial albumin-binding modules. <i>Journal of Biological Chemistry</i> , 2002 , 277, 8114-20	5.4	70
1131	Solution structure and dynamics of the lipoic acid-bearing domain of human mitochondrial branched-chain alpha-keto acid dehydrogenase complex. <i>Journal of Biological Chemistry</i> , 2002 , 277, 15865-73	5.4	24
1130	Characterization of the conserved interaction between GATA and FOG family proteins. <i>Journal of Biological Chemistry</i> , 2002 , 277, 35720-9	5.4	20
1129	Crystal structure of venus, a yellow fluorescent protein with improved maturation and reduced environmental sensitivity. <i>Journal of Biological Chemistry</i> , 2002 , 277, 50573-8	5.4	142
1128	The solution structure of an oligonucleotide duplex containing a 2'-deoxyadenosine-3-(2-hydroxyethyl)- 2'-deoxyuridine base pair determined by NMR and molecular dynamics studies. 2002 , 30, 1371-8		2
1127	Deletion of the NH2-terminal beta-hairpin of the ribotoxin alpha-sarcin produces a nontoxic but active ribonuclease. <i>Journal of Biological Chemistry</i> , 2002 , 277, 18632-9	5.4	42
1126	Molecular structure of the GARP family of plant Myb-related DNA binding motifs of the Arabidopsis response regulators. 2002 , 14, 2015-29		211

1125	Brownian-dynamics simulations of metal-ion binding to four-way junctions. 2002 , 30, 507-14		22
1124	High resolution crystal structure of domain I of the <i>Saccharomyces cerevisiae</i> homing endonuclease PI-SceI. 2002 , 30, 3962-71		28
1123	Fusion proteins with anticoagulant and fibrinolytic properties: functional studies and structural considerations. 2002 , 62, 203-9		18
1122	A single-domain cyclophilin from <i>Leishmania donovani</i> reactivates soluble aggregates of adenosine kinase by isomerase-independent chaperone function. <i>Journal of Biological Chemistry</i> , 2002 , 277, 47451-60	5-4	32
1121	Solution structure of dAATAA and dAAUAA DNA bulges. 2002 , 30, 2669-77		12
1120	Partially folded structure of flavin adenine dinucleotide-depleted ferredoxin-NADP ⁺ reductase with residual NADP ⁺ binding domain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 17101-7	5-4	15
1119	Structural characterizations of fusion peptide analogs of influenza virus hemagglutinin. Implication of the necessity of a helix-hinge-helix motif in fusion activity. <i>Journal of Biological Chemistry</i> , 2002 , 277, 22725-33	5-4	39
1118	Structural and enzymatic characterization of <i>Drosophila</i> Dm2-MMP, a membrane-bound matrix metalloproteinase with tissue-specific expression. <i>Journal of Biological Chemistry</i> , 2002 , 277, 23321-9	5-4	80
1117	Matriptase-2, a membrane-bound mosaic serine proteinase predominantly expressed in human liver and showing degrading activity against extracellular matrix proteins. <i>Journal of Biological Chemistry</i> , 2002 , 277, 37637-46	5-4	131
1116	Membrane-protein interactions contribute to efficient 27-hydroxylation of cholesterol by mitochondrial cytochrome P450 27A1. <i>Journal of Biological Chemistry</i> , 2002 , 277, 37582-9	5-4	42
1115	NMR-based binding screen and structural analysis of the complex formed between alpha-cobratoxin and an 18-mer cognate peptide derived from the alpha 1 subunit of the nicotinic acetylcholine receptor from <i>Torpedo californica</i> . <i>Journal of Biological Chemistry</i> , 2002 , 277, 37439-45	5-4	20
1114	NMR studies of lipoprotein structure. 2002 , 31, 177-206		38
1113	Metal binding and base ionization in the U6 RNA intramolecular stem-loop structure. 2002 , 9, 431-5		124
1112	An insight into the active site of a type I DNA topoisomerase from the kinetoplastid protozoan <i>Leishmania donovani</i> . 2002 , 30, 794-802		10
1111	Two-component signaling in the AAA + ATPase DctD: binding Mg ²⁺ and BeF ₃ ⁻ selects between alternate dimeric states of the receiver domain. 2002 , 16, 1964-6		55
1110	Bright lights, abundant operons--fluorescence and genomic technologies advance studies of bacterial locomotion and signal transduction: review of the BLAST meeting, Cuernavaca, Mexico, 14 to 19 January 2001. 2002 , 184, 1-17		23
1109	Design of ET(B) receptor agonists: NMR spectroscopic and conformational studies of ET7-21[Leu7, Aib11, Cys(Acm)15]. 2002 , 15, 161-7		3
1108	Structure-function analysis of decay-accelerating factor: identification of residues important for binding of the <i>Escherichia coli</i> Dr adhesin and complement regulation. 2002 , 70, 4485-93		37

1107	NMR structural analysis of alpha-bungarotoxin and its complex with the principal alpha-neurotoxin-binding sequence on the alpha 7 subunit of a neuronal nicotinic acetylcholine receptor. <i>Journal of Biological Chemistry</i> , 2002 , 277, 12406-17	5.4	56
1106	Solution structure and stability of the anti-sigma factor AsiA: implications for novel functions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 1831-5	11.5	33
1105	Specificity mapping of human anti-T cell receptor monoclonal natural antibodies: defining the properties of epitope recognition promiscuity. 2002 , 16, 642-52		15
1104	Randomization of the entire active-site helix alpha 1 of the thiol-disulfide oxidoreductase DsbA from <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2002 , 277, 43050-7	5.4	12
1103	Analysis of the prion protein in primates reveals a new polymorphism in codon 226 (Y226F). 2002 , 383, 1021-5		7
1102	New binding site on common molecular scaffold provides HERG channel specificity of scorpion toxin BeKm-1. <i>Journal of Biological Chemistry</i> , 2002 , 277, 43104-9	5.4	51
1101	Functional specialization of maize mitochondrial aldehyde dehydrogenases. 2002 , 130, 1657-74		79
1100	Comparative trajectories of active and S195A inactive trypsin upon binding to serpins. <i>Journal of Biological Chemistry</i> , 2002 , 277, 38901-14	5.4	9
1099	The X-ray crystal structure of human gamma S-crystallin C-terminal domain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 4199-205	5.4	34
1098	NMR structure of PW2 bound to SDS micelles. A tryptophan-rich anticoccidial peptide selected from phage display libraries. <i>Journal of Biological Chemistry</i> , 2002 , 277, 36351-6	5.4	30
1097	Activation of smooth muscle myosin light chain kinase by calmodulin. Role of LYS(30) and GLY(40). <i>Journal of Biological Chemistry</i> , 2002 , 277, 6550-8	5.4	39
1096	The C-terminal tails of HslU ATPase act as a molecular switch for activation of HslV peptidase. <i>Journal of Biological Chemistry</i> , 2002 , 277, 25976-82	5.4	44
1095	Myo-inositol monophosphatase is an activated target of calbindin D28k. <i>Journal of Biological Chemistry</i> , 2002 , 277, 41954-9	5.4	63
1094	Impact of single-residue mutations on the structure and function of ovispirin/novispirin antimicrobial peptides. 2002 , 15, 225-32		65
1093	Posttranslational modification of the umuD-encoded subunit of <i>Escherichia coli</i> DNA polymerase V regulates its interactions with the beta processivity clamp. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5307-12	11.5	40
1092	Ferric ions are essential for the biological activity of the hormone glycine-extended gastrin. <i>Journal of Biological Chemistry</i> , 2002 , 277, 48602-9	5.4	44
1091	Conserved structure for single-stranded telomeric DNA recognition. 2002 , 296, 145-7		162
1090	Structural basis for the conformational adaptability of apolipoprotein III, a helix-bundle exchangeable apolipoprotein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 1188-93	11.5	104

1089	Factors governing loss and rescue of DNA binding upon single and double mutations in the p53 core domain. 2002 , 30, 1563-74		24
1088	CLOUDS, a protocol for deriving a molecular proton density via NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 6707-12	11.5	56
1087	Stabilization of human pancreatic ribonuclease through mutation at its N-terminal edge. 2002 , 15, 887-93		10
1086	The solution structure and intramolecular associations of the Tec kinase SRC homology 3 domain. <i>Journal of Biological Chemistry</i> , 2002 , 277, 755-62	5.4	30
1085	Structure of a regulatory complex involving the Abl SH3 domain, the Crk SH2 domain, and a Crk-derived phosphopeptide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 14053-8	11.5	63
1084	The solution structure of human hepcidin, a peptide hormone with antimicrobial activity that is involved in iron uptake and hereditary hemochromatosis. <i>Journal of Biological Chemistry</i> , 2002 , 277, 37597-603	5.4	273
1083	STRUCTURE AND FUNCTION OF β BUNGAROTOXIN. 2002 , 21, 293-317		11
1082	The solution structure of ribosomal protein L18 from <i>Thermus thermophilus</i> reveals a conserved RNA-binding fold. 2002 , 363, 553-61		12
1081	Structure of the antimicrobial peptide tachystatin A. <i>Journal of Biological Chemistry</i> , 2002 , 277, 23651-7	5.4	34
1080	Multidimensional 2H-Based NMR Methods for Resonance Assignment, Structure Determination, and The Study of Protein Dynamics. 2002 , 27-74		2
1079	Mapping the targeted membrane pore formation mechanism by solution NMR: the nisin Z and lipid II interaction in SDS micelles. 2002 , 41, 7670-6		62
1078	The three-dimensional structure of the gallium complex of azoverdin, a siderophore of <i>Azomonas macrocytogenes</i> ATCC 12334, determined by NMR using residual dipolar coupling constants. 2002 , 41, 12488-97		14
1077	Guanidine hydrochloride induced equilibrium unfolding studies of colicin B and its channel-forming fragment. 2002 , 41, 5340-7		9
1076	pH and urea dependence of amide hydrogen-deuterium exchange rates in the beta-trefoil protein hisactophilin. 2002 , 41, 1182-94		21
1075	Three-dimensional solution NMR structure of Apo-L75F-TrpR, a temperature-sensitive mutant of the tryptophan repressor protein. 2002 , 41, 11954-62		6
1074	Stabilization of the helical structure of Y2-selective analogues of neuropeptide Y by lactam bridges. 2002 , 45, 2310-8		16
1073	The biotin repressor: thermodynamic coupling of corepressor binding, protein assembly, and sequence-specific DNA binding. 2002 , 41, 14263-71		45
1072	Effect of phosphorylation on the interdomain interaction of the response regulator, NarL. 2002 , 41, 15173-80		33

1071	NMR solution structure of ATTP, an Arabidopsis thaliana trypsin inhibitor. 2002 , 41, 12284-96	34
1070	Identification of a novel archaebacterial thioredoxin: determination of function through structure. 2002 , 41, 4760-70	25
1069	The solution structure of apocalmodulin from Saccharomyces cerevisiae implies a mechanism for its unique Ca ²⁺ binding property. 2002 , 41, 15536-42	32
1068	Direct detection of hydrogen bonds in monomeric superoxide dismutase: biological implications. 2002 , 41, 2913-20	18
1067	Structural basis for the molecular properties of cytochrome c6. 2002 , 41, 14689-99	24
1066	HISTIDYL TAGS AND STRUCTURAL STABILIZATION OF LINEAR PEPTIDES. 2002 , 35, 111-118	0
1065	Solution structure of human apolipoprotein(a) kringle IV type 6. 2002 , 41, 660-8	14
1064	Solution structure of ascidian trypsin inhibitor determined by nuclear magnetic resonance spectroscopy. 2002 , 41, 10657-64	10
1063	Comparison of functional domains in vertebrate-type ferredoxins. 2002 , 41, 5978-89	21
1062	NMR conformational analysis of antide, a potent antagonist of the gonadotropin releasing hormone. 2002 , 124, 3431-42	13
1061	Long-Range Effects of Mutating R248 to Q/W in the p53 Core Domain. <i>Journal of Physical Chemistry B</i> , 2002 , 106, 13047-13057	3-4 7
1060	Backbone dynamics of the ribonuclease binase active site area using multinuclear ((¹⁵ N and (¹³ CO) NMR relaxation and computational molecular dynamics. 2002 , 41, 2655-66	39
1059	Structural mechanism for heparin-binding of the third Kunitz domain of human tissue factor pathway inhibitor. 2002 , 41, 78-85	27
1058	Design, pharmacology, and NMR structure of a minimized cystine knot with agouti-related protein activity. 2002 , 41, 7565-72	63
1057	Influence of amino acid side chain packing on Fe-methionine coordination in thermostable cytochrome C. 2002 , 124, 11574-5	24
1056	Mucopolysaccharidosis type VI (Maroteaux-Lamy syndrome): a Y210C mutation causes either altered protein handling or altered protein function of N-acetylgalactosamine 4-sulfatase at multiple points in the vacuolar network. 2002 , 41, 4962-71	10
1055	[beta]-defensins in lung host defense. 2002 , 64, 709-48	215
1054	A highly conserved arginine is critical for the functional folding of inhibitor of apoptosis (IAP) BIR domains. 2002 , 41, 13663-71	21

1053	Hydrogen bonding in high-resolution protein structures: a new method to assess NMR protein geometry. 2002 , 124, 10621-6	41
1052	The intestinal fatty acid binding protein: the role of turns in fast and slow folding processes. 2002 , 41, 4040-7	31
1051	Slow internal dynamics in proteins: application of NMR relaxation dispersion spectroscopy to methyl groups in a cavity mutant of T4 lysozyme. 2002 , 124, 1443-51	106
1050	NMR structure of the [2Fe-2S] ferredoxin domain from soluble methane monooxygenase reductase and interaction with its hydroxylase. 2002 , 41, 42-51	55
1049	NMR analysis of the monomeric form of a mutant unliganded bovine neurophysin: comparison with the crystal structure of a neurophysin dimer. 2002 , 41, 5920-30	5
1048	Structural evidence of functional divergence in human alkaline phosphatases. <i>Journal of Biological Chemistry</i> , 2002 , 277, 49808-14	5-4 98
1047	Evidence for flexibility in the function of ribonuclease A. 2002 , 41, 6072-81	112
1046	A concerted, rational design of type 1 17beta-hydroxysteroid dehydrogenase inhibitors: estradiol-adenosine hybrids with high affinity. 2002 , 16, 1829-31	63
1045	Structure of a de novo designed protein model of radical enzymes. 2002 , 124, 10952-3	63
1044	Designing analogues of mini atrial natriuretic peptide based on structural analysis by NMR and restrained molecular dynamics. 2002 , 45, 881-7	3
1043	Solution structure of a monoheme ferrocycytochrome c from <i>Shewanella putrefaciens</i> and structural analysis of sequence-similar proteins: functional implications. 2002 , 41, 5112-9	21
1042	Solution structure of the first HMG box domain in human upstream binding factor. 2002 , 41, 5415-20	19
1041	Structural studies of metarhodopsin II, the activated form of the G-protein coupled receptor, rhodopsin. 2002 , 41, 7318-24	57
1040	Solution structure and characterization of the heme chaperone CcmE. 2002 , 41, 13587-94	46
1039	Engineering an obligate domain-swapped dimer of cyanovirin-N with enhanced anti-HIV activity. 2002 , 124, 3210-1	35
1038	Structural investigation of the binding of a herpesviral protein to the SH3 domain of tyrosine kinase Lck. 2002 , 41, 5120-30	68
1037	Metallochaperones and metal-transporting ATPases: a comparative analysis of sequences and structures. 2002 , 12, 255-71	205
1036	Mutating a critical lysine in ShK toxin alters its binding configuration in the pore-vestibule region of the voltage-gated potassium channel, Kv1.3. 2002 , 41, 11963-71	56

1035	Protein Denaturation in Vacuo. Behavior of the Four-Helix Bundle of Apocytochrome c under Centrifugal Unfolding Conditions. <i>Journal of Physical Chemistry B</i> , 2002 , 106, 1081-1089	3-4	6
1034	The [Lys(-2)-Arg(-1)-des(17-21)]-endothelin-1 peptide retains the specific Arg(-1)-Asp8 salt bridge but reveals discrepancies between NMR data and molecular dynamics simulations. 2002 , 41, 11099-108		4
1033	Experimental Electron Density and Electrostatic Potential Analysis of Zinc(ascorbate) ₂ (H ₂ O) ₂ Complex: A 3d10 Metal Bonding to a Drug Ligand. 2002 , 106, 12170-12177		12
1032	Stabilization of protein by replacement of a fluctuating loop: structural analysis of a chimera of bovine alpha-lactalbumin and equine lysozyme. 2002 , 41, 13807-13		12
1031	Slow exchange in the chromophore of a green fluorescent protein variant. 2002 , 124, 7932-42		80
1030	Insight into residues critical for antithrombin function from analysis of an expanded database of sequences that includes frog, turtle, and ostrich antithrombins. 2002 , 1, 367-73		23
1029	Solution structure and phosphopeptide binding to the N-terminal domain of Yersinia YopH: comparison with a crystal structure. 2002 , 41, 11425-37		29
1028	Formation of a copper specific binding site in non-native states of beta-2-microglobulin. 2002 , 41, 10646-56		95
1027	Template-directed assembly of a de novo designed protein. 2002 , 124, 6846-8		96
1026	Refolding molecular dynamics simulations of small- and middle-sized proteins in an explicit solvent. 2002 , 28, 337-357		5
1025	Design and construction of an open multistranded beta-sheet polypeptide stabilized by a disulfide bridge. 2002 , 124, 4987-94		48
1024	Micelle-induced curvature in a water-insoluble HIV-1 Env peptide revealed by NMR dipolar coupling measurement in stretched polyacrylamide gel. 2002 , 124, 2450-1		187
1023	Role of entropy in protein thermostability: folding kinetics of a hyperthermophilic cold shock protein at high temperatures using 19F NMR. 2002 , 41, 11670-80		59
1022	Peptide loop-closure kinetics from microsecond molecular dynamics simulations in explicit solvent. 2002 , 124, 6563-8		120
1021	Structure-based analysis and optimization of a highly enantioselective catalyst for the strecker reaction. 2002 , 124, 10012-4		502
1020	The cell biology of antigen presentation. 2002 , 272, 1-7		30
1019	Relation between sequence and structure of HIV-1 protease inhibitor complexes: a model system for the analysis of protein flexibility. 2002 , 315, 21-52		127
1018	A novel view of domain flexibility in E. coli adenylate kinase based on structural mode-coupling (15)N NMR relaxation. 2002 , 315, 155-70		61

1017	Solution structure of <i>Pisum sativum</i> defensin 1 by high resolution NMR: plant defensins, identical backbone with different mechanisms of action. 2002 , 315, 749-57	120
1016	Solution structure and functional analysis of the cysteine-rich C1 domain of kinase suppressor of Ras (KSR). 2002 , 315, 435-46	77
1015	Three topologically equivalent core residues affect the transition state ensemble in a protein folding reaction. 2002 , 316, 789-98	23
1014	Highly specific anti-estradiol antibodies: structural characterisation and binding diversity. 2002 , 315, 699-712	25
1013	The SH3 domain of nebulin binds selectively to type II peptides: theoretical prediction and experimental validation. 2002 , 316, 305-15	22
1012	Solution structure of the eukaryotic pore-forming cytolyisin equinatoxin II: implications for pore formation. 2002 , 315, 1219-29	125
1011	Electrostatics significantly affect the stability of designed homeodomain variants. 2002 , 316, 189-99	64
1010	The solution structure and DNA-binding properties of the cold-shock domain of the human Y-box protein YB-1. 2002 , 316, 317-26	102
1009	Crystal structure of the 30 S ribosomal subunit from <i>Thermus thermophilus</i> : structure of the proteins and their interactions with 16 S RNA. 2002 , 316, 725-68	318
1008	Solution structure of a phage-derived peptide antagonist in complex with vascular endothelial growth factor. 2002 , 316, 769-87	69
1007	SnapDRAGON: a method to delineate protein structural domains from sequence data. 2002 , 316, 839-51	80
1006	Differences in backbone dynamics of two homologous bacterial albumin-binding modules: implications for binding specificity and bacterial adaptation. 2002 , 316, 1083-99	16
1005	Structure, dynamics and binding characteristics of the second PDZ domain of PTP-BL. 2002 , 316, 1101-10	62
1004	Solution structure of protein SRP19 of <i>Archaeoglobus fulgidus</i> signal recognition particle. 2002 , 317, 145-58	19
1003	A structural basis for S100 protein specificity derived from comparative analysis of apo and Ca(2+)-calcyclin. 2002 , 317, 279-90	46
1002	Solution structure of the N-terminal domain of a potential copper-translocating P-type ATPase from <i>Bacillus subtilis</i> in the apo and Cu(I) loaded states. 2002 , 317, 415-29	63
1001	Refined structure and metal binding site of the kalata B1 peptide. 2002 , 399, 142-8	65
1000	Structural investigation of the hedamycin:d(ACCGGT) ₂ complex by NMR and restrained molecular dynamics. 2002 , 290, 1602-8	16

999	Synthesis, 3-D structure, and pharmacology of a reticulated chimeric peptide derived from maurotoxin and Tsk scorpion toxins. 2002 , 291, 640-8	3
998	Solution and micelle-bound structures of tachyplesin I and its active aromatic linear derivatives. 2002 , 41, 12359-68	86
997	Structural studies of the interaction between ubiquitin family proteins and proteasome subunit S5a. 2002 , 41, 1767-77	189
996	General framework for studying the dynamics of folded and nonfolded proteins by NMR relaxation spectroscopy and MD simulation. 2002 , 124, 4522-34	172
995	Biophysical properties of camelid V(HH) domains compared to those of human V(H)3 domains. 2002 , 41, 3628-36	157
994	NMR structure of the second intracellular loop of the alpha 2A adrenergic receptor: evidence for a novel cytoplasmic helix. 2002 , 41, 3596-604	39
993	Structure of the Rhodobacter sphaeroides light-harvesting 1 beta subunit in detergent micelles. 2002 , 41, 31-41	39
992	The rhesus rotavirus VP4 sialic acid binding domain has a galectin fold with a novel carbohydrate binding site. 2002 , 21, 885-97	266
991	Diverse recognition of non-PxxP peptide ligands by the SH3 domains from p67(phox), Grb2 and Pex13p. 2002 , 21, 4268-76	134
990	Solution structure of a yeast ubiquitin-like protein Smt3: the role of structurally less defined sequences in protein-protein recognitions. 2002 , 11, 1482-91	30
989	Probing the structural determinants of type II' beta-turn formation in peptides and proteins. 2002 , 124, 1203-13	88
988	Enzyme dynamics during catalysis. 2002 , 295, 1520-3	616
987	Gradient vector field and properties of the experimental electrostatic potential: Application to ibuprofen drug molecule. 2002 , 116, 6196-6204	28
986	Exploring the role and the binding affinity of a second zinc equivalent in B. cereus metallo-beta-lactamase. 2002 , 41, 1853-60	69
985	Structure of Ala24/Asp61 --> Asp24/Asn61 substituted subunit c of Escherichia coli ATP synthase: implications for the mechanism of proton transport and rotary movement in the F0 complex. 2002 , 41, 5537-47	18
984	Structural consequences of tumor-derived mutations in p16INK4a probed by limited proteolysis. 2002 , 41, 6293-302	11
983	Detecting protein kinase recognition modes of calmodulin by residual dipolar couplings in solution NMR. 2002 , 41, 12899-906	30
982	An ultrahigh resolution structure of TEM-1 beta-lactamase suggests a role for Glu166 as the general base in acylation. 2002 , 124, 5333-40	173

981	Model for the catalytic domain of the proofreading epsilon subunit of Escherichia coli DNA polymerase III based on NMR structural data. 2002 , 41, 94-110		30
980	The structure of a replication initiator unites diverse aspects of nucleic acid metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 10310-5	11.5	105
979	The CXCR3 binding chemokine IP-10/CXCL10: structure and receptor interactions. 2002 , 41, 10418-25		100
978	Correlation of secondary structures of bradykinin B1 receptor antagonists with their activity. 2002 , 19, 585-93		4
977	Solution structures of the cis- and trans-Pro30 isomers of a novel 38-residue toxin from the venom of <i>Hadronyche infensa</i> sp. that contains a cystine-knot motif within its four disulfide bonds. 2002 , 41, 3294-301		36
976	Structure comparison of two conserved HNF-3/fkh proteins HFH-1 and genesis indicates the existence of folding differences in their complexes with a DNA binding sequence. 2002 , 41, 3286-93		15
975	Dissection of the pathway of molecular recognition by calmodulin. 2002 , 41, 2599-608		31
974	NMR structure of alpha-bungarotoxin free and bound to a mimotope of the nicotinic acetylcholine receptor. 2002 , 41, 1457-63		21
973	A structural model for Alzheimer's beta -amyloid fibrils based on experimental constraints from solid state NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 16742-7	11.5	1630
972	Solution structure of a DNA duplex containing a formamide-adenine base pair. 2002 , 80, 609-17		3
971	A structural mechanism of integrin alpha(IIb)beta(3) "inside-out" activation as regulated by its cytoplasmic face. 2002 , 110, 587-97		461
970	Structure of the N-WASP EVH1 domain-WIP complex: insight into the molecular basis of Wiskott-Aldrich Syndrome. 2002 , 111, 565-76		145
969	Selection of tRNA by the ribosome requires a transition from an open to a closed form. 2002 , 111, 721-32		541
968	Kinetic characterization of wild-type and proton transfer-impaired variants of beta-carbonic anhydrase from <i>Arabidopsis thaliana</i> . 2002 , 404, 197-209		41
967	Amphipathic helical behavior of the third repeat fragment in the tau microtubule-binding domain, studied by (1)H NMR spectroscopy. 2002 , 294, 210-4		40
966	Solution structure of betacellulin, a new member of EGF-family ligands. 2002 , 294, 1040-6		17
965	A ubiquitin-interacting motif from Hrs binds to and occludes the ubiquitin surface necessary for polyubiquitination in monoubiquitinated proteins. 2002 , 296, 1222-7		57
964	Peptide-protein interactions studied by surface plasmon and nuclear magnetic resonances. 2002 , 511, 33-5		22

963	WW and SH3 domains, two different scaffolds to recognize proline-rich ligands. 2002 , 513, 30-7		373
962	Molecular simulations of the large conductance mechanosensitive (MscL) channel under mechanical loading. 2002 , 512, 185-90		26
961	NMR studies of the aggregation of glucagon-like peptide-1: formation of a symmetric helical dimer. 2002 , 515, 165-70		36
960	Solution structure of moricin, an antibacterial peptide, isolated from the silkworm <i>Bombyx mori</i> . 2002 , 518, 33-8		34
959	NMR structure of the unliganded <i>Bombyx mori</i> pheromone-binding protein at physiological pH. 2002 , 531, 314-8		76
958	Conformations of platypus venom C-type natriuretic peptide in aqueous solution and sodium dodecyl sulfate micelles. <i>Toxicon</i> , 2002 , 40, 711-9	2.8	24
957	Potent inhibition of HIV-1 fusion by cyanovirin-N requires only a single high affinity carbohydrate binding site: characterization of low affinity carbohydrate binding site knockout mutants. 2002 , 318, 1-8		43
956	NMR solution structure and dynamics of the peptidyl-prolyl cis-trans isomerase domain of the trigger factor from <i>Mycoplasma genitalium</i> compared to FK506-binding protein. 2002 , 318, 1097-115		33
955	Protein NMR structure determination with automated NOE assignment using the new software CANDID and the torsion angle dynamics algorithm DYANA. 2002 , 319, 209-27		1330
954	Redox-coupled conformational alternations in cytochrome c(3) from <i>D. vulgaris</i> Miyazaki F on the basis of its reduced solution structure. 2002 , 319, 767-78		33
953	Equilibrium folding and stability of myotrophin: a model ankyrin repeat protein. 2002 , 320, 165-70		49
952	The nuclease A inhibitor represents a new variation of the rare PR-1 fold. 2002 , 320, 771-82		18
951	Equilibrium and pressure-jump relaxation studies of the conformational transitions of P13MTCP1. 2002 , 320, 609-28		44
950	Solution structure of the pro-hormone convertase 1 pro-domain from <i>Mus musculus</i> . 2002 , 320, 801-12		38
949	Folding mechanism of indole-3-glycerol phosphate synthase from <i>Sulfolobus solfataricus</i> : a test of the conservation of folding mechanisms hypothesis in (beta(alpha))(8) barrels. 2002 , 320, 1119-33		44
948	Fast compaction of alpha-lactalbumin during folding studied by stopped-flow X-ray scattering. 2002 , 321, 121-32		95
947	Solution structure of the DFF-C domain of DFF45/ICAD. A structural basis for the regulation of apoptotic DNA fragmentation. 2002 , 321, 317-27		37
946	Solution structure of omega-grammotxin SIA, a gating modifier of P/Q and N-type Ca(2+) channel. 2002 , 321, 517-26		45

945	NMR structures of two variants of bovine pancreatic trypsin inhibitor (BPTI) reveal unexpected influence of mutations on protein structure and stability. 2002 , 321, 647-58	10
944	Hsc70-interacting HPD loop of the J domain of polyomavirus T antigens fluctuates in ps to ns and micros to ms. 2002 , 321, 503-16	15
943	The unfolding of oxidized c-type cytochromes: the instructive case of <i>Bacillus pasteurii</i> . 2002 , 321, 693-701	21
942	Structural and immunological characterisation of heteroclitic peptide analogues corresponding to the 600-612 region of the HIV envelope gp41 glycoprotein. 2002 , 323, 503-21	19
941	Intramolecular dynamics of low molecular weight protein tyrosine phosphatase in monomer-dimer equilibrium studied by NMR: a model for changes in dynamics upon target binding. 2002 , 322, 137-52	48
940	Structure and orientation of a G protein fragment in the receptor bound state from residual dipolar couplings. 2002 , 322, 441-61	93
939	Side-chain dynamics of the SAP SH2 domain correlate with a binding hot spot and a region with conformational plasticity. 2002 , 322, 605-20	46
938	Structure of domain III of the blood-stage malaria vaccine candidate, <i>Plasmodium falciparum</i> apical membrane antigen 1 (AMA1). 2002 , 322, 741-53	83
937	NMR structures of 36 and 73-residue fragments of the calreticulin P-domain. 2002 , 322, 773-84	49
936	Efficient folding of the FcepsilonRI alpha-chain membrane-proximal domain D2 depends on the presence of the N-terminal domain D1. 2002 , 322, 815-25	10
935	Binding free energy differences in a TCR-peptide-MHC complex induced by a peptide mutation: a simulation analysis. 2002 , 324, 547-69	50
934	Modulating calmodulin binding specificity through computational protein design. 2002 , 323, 417-23	95
933	Bovine pancreatic polypeptide (bPP) undergoes significant changes in conformation and dynamics upon binding to DPC micelles. 2002 , 322, 1117-33	41
932	The <i>S. cerevisiae</i> architectural HMGB protein NHP6A complexed with DNA: DNA and protein conformational changes upon binding. 2002 , 323, 263-84	99
931	Glutamine 53 is a gatekeeper residue in the FK506 binding protein. 2002 , 323, 285-96	4
930	Determination of a transition state at atomic resolution from protein engineering data. 2002 , 324, 151-63	104
929	A new zinc-protein coordination site in intracellular metal trafficking: solution structure of the Apo and Zn(II) forms of ZntA(46-118). 2002 , 323, 883-97	116
928	Solution structure and ligand recognition of the WW domain pair of the yeast splicing factor Prp40. 2002 , 324, 807-22	68

927	Regulation of directionality in bacteriophage lambda site-specific recombination: structure of the Xis protein. 2002 , 324, 791-805	44
926	Structural properties of polyubiquitin chains in solution. 2002 , 324, 637-47	231
925	Calcium-dependent conformational rearrangements and protein stability in chicken annexin A5. 2002 , 83, 2280-91	26
924	Molecular dynamics study of the folding of hydrophobin SC3 at a hydrophilic/hydrophobic interface. 2002 , 83, 112-24	44
923	Interaction of cardiotoxins with membranes: a molecular modeling study. 2002 , 83, 144-53	43
922	Quaternary structure built from subunits combining NMR and small-angle x-ray scattering data. 2002 , 83, 1177-83	51
921	Spatial structure of zervamicin IIB bound to DPC micelles: implications for voltage-gating. 2002 , 82, 762-71	40
920	Modeling of the pore domain of the GLUR1 channel: homology with K ⁺ channel and binding of channel blockers. 2002 , 82, 1884-93	48
919	Atomistic simulations of competition between substrates binding to an enzyme. 2002 , 82, 2326-32	15
918	Tropomyosin requires an intact N-terminal coiled coil to interact with tropomodulin. 2002 , 82, 2580-91	63
917	Computational studies on prion proteins: effect of Ala(117)-->Val mutation. 2002 , 82, 2746-57	21
916	Three-dimensional structure of the S4-S5 segment of the Shaker potassium channel. 2002 , 82, 2995-3002	22
915	Structure and dynamics of metallomacrocycles: recognition of zinc xylyl-bicyclam by an HIV coreceptor. 2002 , 124, 9105-12	127
914	A new zinc binding fold underlines the versatility of zinc binding modules in protein evolution. <i>Structure</i> , 2002 , 10, 639-48	5.2 19
913	Solution structure of a llama single-domain antibody with hydrophobic residues typical of the VH/VL interface. 2002 , 41, 8570-9	40
912	Solution structure and dynamics of the human-Escherichia coli thioredoxin chimera: insights into thermodynamic stability. 2002 , 41, 9376-88	10
911	The Mad2 spindle checkpoint protein undergoes similar major conformational changes upon binding to either Mad1 or Cdc20. 2002 , 9, 59-71	260
910	Mutational separation of two pathways for editing by a class I tRNA synthetase. 2002 , 9, 353-62	65

909	Crystal structure of PU.1/IRF-4/DNA ternary complex. 2002 , 10, 1097-105		119
908	The mechanism for acetylcholine receptor inhibition by alpha-neurotoxins and species-specific resistance to alpha-bungarotoxin revealed by NMR. 2002 , 35, 319-32		60
907	HIV-1 encoded virus protein U (Vpu) solution structure of the 41-62 hydrophilic region containing the phosphorylated sites Ser52 and Ser56. 2002 , 30, 23-40		27
906	NMR studies on the solution structure of a deletion mutant of the transcarboxylase biotin carrier subunit. 2002 , 30, 233-42		5
905	Solution structure of paralytic peptide of silkworm, Bombyx mori. 2002 , 23, 2111-6		23
904	NMR studies of the antibody-bound conformation of a carbohydrate-mimetic peptide. 2002 , 41, 2149-57		29
903	Membrane protein insertion regulated by bringing electrostatic and hydrophobic interactions into play. A case study with the translocation domain of diphtheria toxin. <i>Journal of Biological Chemistry</i> , 2002 , 277, 43425-32	5-4	71
902	Anchimeric assistance in hexosaminidases. 2002 , 80, 1064-1074		20
901	A study on the role of Mg ²⁺ in a Ras protein by MD simulation. 2002 , 2, 147-155		2
900	Alternative splicing of a beta4 subunit proline-rich motif regulates voltage-dependent gating and toxin block of Cav2.1 Ca ²⁺ channels. 2002 , 22, 9331-9		22
899	Effects of microinjection of synthetic Bcl-2 domain peptides on apoptosis of renal tubular epithelial cells. 2002 , 283, F190-6		15
898	Elimination of a Human T-cell Region in Staphylokinase by T-cell Screening and Computer Modeling. 2002 , 87, 666-673		42
897	The structural basis of compstatin activity examined by structure-function-based design of peptide analogs and NMR. <i>Journal of Biological Chemistry</i> , 2002 , 277, 14942-53	5-4	43
896	Combined Automated Assignment of NMR Spectra and Calculation of Three-Dimensional Protein Structures. 2002 , 37-79		
895	Total sequence decomposition distinguishes functional modules, "molegos" in apurinic/aprimidinic endonucleases. 2002 , 3, 37		18
894	An ab initio study of the energetics of protonation of some N-β-d-glucopyranosylamine derivatives. 2002 , 579, 247-256		1
893	The structure of Ap(4)A hydrolase complexed with ATP-MgF(x) reveals the basis of substrate binding. <i>Structure</i> , 2002 , 10, 205-13	5.2	28
892	Structure and dynamics of the anticodon arm binding domain of Bacillus stearothermophilus Tyrosyl-tRNA synthetase. <i>Structure</i> , 2002 , 10, 311-7	5.2	16

891	Continuum secondary structure captures protein flexibility. <i>Structure</i> , 2002 , 10, 175-84	5.2	122
890	Crystal structure of PMM/PGM: an enzyme in the biosynthetic pathway of <i>P. aeruginosa</i> virulence factors. <i>Structure</i> , 2002 , 10, 269-79	5.2	68
889	Structure of NF-kappaB p50/p65 heterodimer bound to the PRDII DNA element from the interferon-beta promoter. <i>Structure</i> , 2002 , 10, 383-91	5.2	56
888	The Ig-like structure of the C-terminal domain of lamin A/C, mutated in muscular dystrophies, cardiomyopathy, and partial lipodystrophy. <i>Structure</i> , 2002 , 10, 811-23	5.2	222
887	Structure and interactions of PAS kinase N-terminal PAS domain: model for intramolecular kinase regulation. <i>Structure</i> , 2002 , 10, 1349-61	5.2	127
886	Solution structure of CopC: a cupredoxin-like protein involved in copper homeostasis. <i>Structure</i> , 2002 , 10, 1337-47	5.2	90
885	NMR structure of the heme chaperone CcmE reveals a novel functional motif. <i>Structure</i> , 2002 , 10, 1551-7	5.2	57
884	Coupling of folding and binding for unstructured proteins. 2002 , 12, 54-60		1121
883	Structural investigation of the HIV-1 envelope glycoprotein gp160 cleavage site. <i>Chemistry - A European Journal</i> , 2002 , 8, 1467-73	4.8	10
882	NMR solution structure, backbone mobility, and homology modeling of c-type cytochromes from gram-positive bacteria. 2002 , 3, 299-310		21
881	Structure of a Drug-Induced DNA T-Bulge: Implications for DNA Frameshift Mutations. 2002 , 114, 4948-4950		
880	Anti-U1A monoclonal antibodies recognize unique epitope targets of U1A which are involved in the binding of U1 RNA. 2002 , 15, 163-70		8
879	Crystal structures of human antibodies: a detailed and unfinished tapestry of immunoglobulin gene products. 2002 , 15, 248-59		26
878	Cyclosporin A as a model antigen: immunochemical and structural studies. 2002 , 15, 277-85		10
877	Structurally adaptive hot spots at a protein interaction interface on TRAF3. 2002 , 15, 286-90		14
876	Structure of a drug-induced DNA T-bulge: implications for DNA frameshift mutations. 2002 , 41, 4754-6		14
875	NMR solution structure of the isolated Apo Pin1 WW domain: comparison to the x-ray crystal structures of Pin1. 2002 , 63, 111-21		62
874	Model peptide studies of sequence regions in the elastomeric biomineralization protein, Lustrin A. I. The C-domain consensus-PG-, -NVNCT-motif. 2002 , 63, 358-69		42

873	High resolution NMR analysis of the seven transmembrane domains of a heptahelical receptor in organic-aqueous medium. 2002 , 64, 161-76	29
872	Identification of a "glycine-loop"-like coiled structure in the 34 AA Pro,Gly,Met repeat domain of the biomineral-associated protein, PM27. 2002 , 65, 362-72	24
871	Assignment strategy for proteins with known structure. <i>Journal of Magnetic Resonance</i> , 2002 , 157, 119-23	44
870	The effects of dissolved oxygen upon amide proton relaxation and chemical shift in a perdeuterated protein. <i>Journal of Magnetic Resonance</i> , 2002 , 157, 181-9	3 18
869	Hydrogen bonds in human ubiquitin reflected in temperature coefficients of amide protons. <i>Journal of Magnetic Resonance</i> , 2002 , 157, 178-80	3 69
868	Measurement of Ca ²⁺ -binding constants of proteins and presentation of the CaLigator software. 2002 , 305, 195-205	84
867	Villin-type headpiece domains show a wide range of F-actin-binding affinities. 2002 , 52, 9-21	49
866	Redox-based control of the gamma heavy chain ATPase from Chlamydomonas outer arm dynein. 2002 , 52, 131-43	45
865	Ab initio study of the mechanism of singlet-dioxygen addition to hydroxyaromatic compounds: negative evidence for the involvement of peroxa and endoperoxide intermediates. 2002 , 23, 1076-89	2
864	Solid-state NMR conformational studies of a melittin-inhibitor complex. 2002 , 31, 383-8	8
863	Solution structure of cyano ferricytochrome c: ligand-controlled conformational flexibility and electronic structure of the heme moiety. 2002 , 7, 539-47	26
862	Modification of the enantioselectivity of two homologous thermophilic carboxylesterases from Alicyclobacillus acidocaldarius and Archaeoglobus fulgidus by random mutagenesis and screening. 2002 , 6, 325-31	20
861	NMR structure of a minimum activity domain of human parathyroid peptide hormone: structural origin of receptor activation. 2002 , 60, 239-46	2
860	Structure-antigenicity relationship studies of the central conserved region of human respiratory syncytial virus protein G. 2002 , 60, 271-82	10
859	Design, synthesis, conformational analysis, and biological studies of urotensin-II lactam analogues. 2002 , 10, 3731-9	44
858	Soluble methane monooxygenase: activation of dioxygen and methane. 2002 , 6, 568-76	104
857	Structural implications on the interaction of scorpion alpha-like toxins with the sodium channel receptor site inferred from toxin iodination and pH-dependent binding. 2000 , 75, 1735-45	34
856	The solution structure of reduced dimeric copper zinc superoxide dismutase. The structural effects of dimerization. 2002 , 269, 1905-15	71

855	Electrostatic properties of the structure of the docking and dimerization domain of protein kinase A IIalpha. 2002 , 269, 2040-51	11
854	Conformational analysis by CD and NMR spectroscopy of a peptide encompassing the amphipathic domain of YopD from <i>Yersinia</i> . 2002 , 269, 3659-68	22
853	Characterization of scorpion alpha-like toxin group using two new toxins from the scorpion <i>Leiurus quinquestriatus hebraeus</i> . 2002 , 269, 3920-33	22
852	Identification of crucial residues for the antibacterial activity of the proline-rich peptide, pyrrhocorin. 2002 , 269, 4226-37	98
851	Solution NMR structure of five representative glycosylated polyene macrolide antibiotics with a sterol-dependent antifungal activity. 2002 , 269, 4533-41	30
850	Solution structure of the HIV gp120 C5 domain. 2002 , 269, 4860-7	20
849	Thermostability of manganese- and iron-superoxide dismutases from <i>Escherichia coli</i> is determined by the characteristic position of a glutamine residue. 2002 , 269, 5137-48	26
848	Ribosome-associated factor Y adopts a fold resembling a double-stranded RNA binding domain scaffold. 2002 , 269, 5182-91	23
847	Solution structure of the Alzheimer amyloid beta-peptide (1-42) in an apolar microenvironment. Similarity with a virus fusion domain. 2002 , 269, 5642-8	470
846	Monitoring the structural consequences of Phe12-->D-Phe and Leu15-->Aib substitution in human/rat corticotropin releasing hormone. Implications for design of CRH antagonists. 2002 , 269, 6009-19	12
845	Thermolysin-linearized microcin J25 retains the structured core of the native macrocyclic peptide and displays antimicrobial activity. 2002 , 269, 6212-22	43
844	Dynamics of interdomain and intermolecular interactions in mammalian metallothioneins. 2002 , 88, 135-43	34
843	Ab initio study of the energetics of asymmetric hydrogen bridge formation in substituted pyridines. 2002 , 587, 147-157	1
842	The DpsA-homologue of the archaeon <i>Halobacterium salinarum</i> is a ferritin. 2002 , 1598, 140-6	24
841	Metal ion complexation and folding of linear peptides. 2002 , 97, 79-86	6
840	The dynamic behavior of CheW from <i>Thermotoga maritima</i> in solution, as determined by nuclear magnetic resonance: implications for potential protein-protein interaction sites. 2002 , 101-102, 359-73	14
839	Design and synthesis of peptides that bind alpha-bungarotoxin with high affinity and mimic the three-dimensional structure of the binding-site of acetylcholine receptor. 2003 , 100, 293-305	23
838	Folding and stability of the three-stranded beta-sheet peptide Betanova: insights from molecular dynamics simulations. 2002 , 46, 380-92	45

837	Investigation of penetratin peptides. Part 1. The environment dependent conformational properties of penetratin and two of its derivatives. 2002 , 8, 151-71	42
836	Conformational solution studies of neuropeptide gamma using CD and NMR spectroscopy. 2002 , 8, 211-26	17
835	Conformational solution studies of (Sar7)desamino- and (MeAla7)desamino-vasopressin analogues using NMR spectroscopy. 2002 , 8, 347-64	7
834	Solution structure of nociceptin peptides. 2002 , 8, 497-509	12
833	NMR studies on Ni(II) induced cyclization of a histidine-tagged peptide. 2002 , 8, 634-41	2
832	Can cooperativity in hydrophobic association be reproduced correctly by implicit solvation models?*. 2002 , 88, 41-55	36
831	Browsing gene banks for Fe2S2 ferredoxins and structural modeling of 88 plant-type sequences: an analysis of fold and function. 2002 , 46, 110-27	48
830	Interhelical hydrogen bonds and spatial motifs in membrane proteins: polar clamps and serine zippers. 2002 , 47, 209-18	141
829	Coupling of ligand binding and dimerization of helix-loop-helix peptides: spectroscopic and sedimentation analyses of calbindin D9k EF-hands. 2002 , 47, 323-33	26
828	Solution structure and backbone dynamics of an antigen-free heavy chain variable domain (VHH) from Llama. 2002 , 47, 546-55	32
827	NMR structure of the hypothetical protein encoded by the YjbJ gene from Escherichia coli. 2002 , 47, 572-4	9
826	Effects of a helix substitution on the folding mechanism of bovine alpha-lactalbumin. 2002 , 49, 95-103	6
825	Solution structure of the DNA-binding domain of interleukin enhancer binding factor 1 (FOXK1a). 2002 , 49, 543-53	18
824	Axinellin C, a proline-rich cyclic octapeptide isolated from the Fijian marine sponge Stylotella aurantium. 2002 , 58, 7863-7868	33
823	Correlation experiments for assignment and structure elucidation of immobilized polypeptides under magic angle spinning. 2002 , 41, 1-47	143
822	A novel alteration of muscle chloride channel gating in myotonia levior. 2002 , 545, 345-54	15
821	Mechanism of magnesium activation of calcium-activated potassium channels. 2002 , 418, 876-80	177
820	Mutual synergistic folding in recruitment of CBP/p300 by p160 nuclear receptor coactivators. 2002 , 415, 549-53	373

819	The crystal structure of IgE Fc reveals an asymmetrically bent conformation. 2002 , 3, 681-6	133
818	Snares and Munc18 in synaptic vesicle fusion. 2002 , 3, 641-53	433
817	How a rotavirus hijacks the human protein synthesis machinery. 2002 , 9, 158-60	12
816	The solution structure and interactions of CheW from <i>Thermotoga maritima</i> . 2002 , 9, 121-5	77
815	Nanoseconds molecular dynamics simulation of primary mechanical energy transfer steps in F1-ATP synthase. 2002 , 9, 198-202	64
814	A residue-specific view of the association and dissociation pathway in protein-DNA recognition. 2002 , 9, 193-7	27
813	Local cooperativity in the unfolding of an amyloidogenic variant of human lysozyme. 2002 , 9, 308-15	190
812	Solution structure of the DNA-binding domain of MafG. 2002 , 9, 252-6	35
811	Structure of the UGAGAU hexaloop that braces <i>Bacillus</i> RNase P for action. 2002 , 9, 397-403	11
810	Designing a 20-residue protein. 2002 , 9, 425-30	644
809	Protein building blocks preserved by recombination. 2002 , 9, 553-8	173
808	3-Methyladenine DNA glycosylase I is an unexpected helix-hairpin-helix superfamily member. 2002 , 9, 659-64	44
807	Complete change of the protein folding transition state upon circular permutation. 2002 , 9, 818-22	76
806	Core mutations switch monomeric protein GB1 into an intertwined tetramer. 2002 , 9, 877-85	32
805	Structure of the Tsg101 UEV domain in complex with the PTAP motif of the HIV-1 p6 protein. 2002 , 9, 812-7	144
804	Modeling and experiment yields the structure of acireductone dioxygenase from <i>Klebsiella pneumoniae</i> . 2002 , 9, 966-72	82
803	Structural characterization of a proline-driven conformational switch within the Itk SH2 domain. 2002 , 9, 900-5	100
802	Structural characterization of non-native states of sperm whale myoglobin in aqueous ethanol or 2,2,2-trifluoroethanol media. 2002 , 1601, 75-84	3

801	Two novel toxins from the Amazonian scorpion <i>Tityus cambridgei</i> that block Kv1.3 and Shaker B K(+)-channels with distinctly different affinities. 2002 , 1601, 123-31	60
800	A simulation protocol to study proteins in vacuo. Controlled re-folding and re-unfolding transitions. 2002 , 365, 148-156	3
799	New targets for antivirals: the ribosomal A-site and the factors that interact with it. 2002 , 300, 60-70	40
798	Structural basis for ubiquitin-like ISG 15 protein binding to the NS1 protein of influenza B virus: a protein-protein interaction function that is not shared by the corresponding N-terminal domain of the NS1 protein of influenza A virus. 2002 , 304, 291-301	31
797	Effect of hydrophobic residue substitutions with glutamine on Ca(2+) binding and exchange with the N-domain of troponin C. 2002 , 41, 6697-705	57
796	The contribution of factor Xa to exosite-dependent substrate recognition by prothrombinase. <i>Journal of Biological Chemistry</i> , 2002 , 277, 9366-74	5-4 33
795	Selenomethionine incorporation into a protein by cell-free synthesis. 2002 , 2, 29-35	94
794	The NMR structure of the class I human ubiquitin-conjugating enzyme 2b. 2002 , 22, 89-92	13
793	A quick solution structure determination of the fully oxidized double mutant K9-10A cytochrome c7 from <i>Desulfuromonas acetoxidans</i> and mechanistic implications. 2002 , 22, 107-22	10
792	NMR-based structural characterization of large protein-ligand interactions. 2002 , 22, 165-73	84
791	Characterization of the aldehyde dehydrogenase gene families of <i>Zea mays</i> and <i>Arabidopsis</i> . 2002 , 48, 751-64	58
790	Solution structure of the hypothetical protein MTH0637 from <i>Methanobacterium thermoautotrophicum</i> . 2002 , 22, 291-4	3
789	Automated assignment and 3D structure calculations using combinations of 2D homonuclear and 3D heteronuclear NOESY spectra. 2002 , 22, 249-63	21
788	Comparison of protein solution structures refined by molecular dynamics simulation in vacuum, with a generalized Born model, and with explicit water. 2002 , 22, 317-31	105
787	Solution structure and dynamics of melanoma inhibitory activity protein. 2002 , 22, 211-23	12
786	Structure and activity of D-Pro14 melittin. 2002 , 21, 243-53	12
785	Mutations in both leucine 12 and lysine 33 in plastocyanin from <i>Synechocystis</i> sp. PCC 6803 induce drastic changes in the hydrophobic interactions with Photosystem I. 2002 , 72, 223-30	2
784	Automated assignment of NOESY NMR spectra using a knowledge based method (KNOWNOE). 2002 , 23, 271-87	50

783	Solution structure of the coiled-coil trimerization domain from lung surfactant protein D. 2002 , 24, 89-102	9
782	Three-way decomposition of a complete 3D 15N-NOESY-HSQC. 2002 , 24, 191-201	35
781	Protein NMR structure determination with automated NOE-identification in the NOESY spectra using the new software ATNOS. 2002 , 24, 171-89	410
780	Backbone dynamics of the cytotoxic ribonuclease alpha-sarcin by 15N NMR relaxation methods. 2002 , 24, 301-16	17
779	Signaling pathways regulating Dictyostelium myosin II. 2002 , 23, 703-18	45
778	Fine-tuning function: correlation of hinge domain interactions with functional distinctions between LacI and PurR. 2002 , 11, 778-94	32
777	Structure and functional interactions of the Tsg101 UEV domain. 2002 , 21, 2397-406	235
776	Latarecins: versatile spider venom peptides. 2015 , 72, 4501-22	39
775	A Maximum-Likelihood Approach to Force-Field Calibration. 2015 , 55, 2050-70	27
774	Allosteric Breakage of the Hydrogen Bond within the Dual-Histidine Motif in the Active Site of Human Pin1 PPlase. 2015 , 54, 5242-53	12
773	Human β -Glutamyl Transpeptidase 1: STRUCTURES OF THE FREE ENZYME, INHIBITOR-BOUND TETRAHEDRAL TRANSITION STATES, AND GLUTAMATE-BOUND ENZYME REVEAL NOVEL MOVEMENT WITHIN THE ACTIVE SITE DURING CATALYSIS. <i>Journal of Biological Chemistry</i> , 2015 , 290, 17576-86	5-4 41
772	Molecular basis of ubiquitin recognition by the autophagy receptor CALCOCO2. 2015 , 11, 1775-89	44
771	Conformational ensembles of neuromedin C reveal a progressive coil-helix transition within a binding-induced folding mechanism. 2015 , 5, 83074-83088	6
770	Solution Structure of a Nonribosomal Peptide Synthetase Carrier Protein Loaded with Its Substrate Reveals Transient, Well-Defined Contacts. 2015 , 137, 12100-9	29
769	Solution structure and base specificity of cytotoxic RC-RNase 2 from <i>Rana catesbeiana</i> . 2015 , 584, 70-8	2
768	NMR structure calculation for all small molecule ligands and non-standard residues from the PDB Chemical Component Dictionary. 2015 , 63, 21-37	13
767	High accuracy of Karplus equations for relating three-bond J couplings to protein backbone torsion angles. 2015 , 16, 572-8	24
766	Moyamoya disease-associated protein mysterin/RNF213 is a novel AAA+ ATPase, which dynamically changes its oligomeric state. 2014 , 4, 4442	71

765	Hydroxy-tryptophan containing derivatives of tritrypticin: modification of antimicrobial activity and membrane interactions. 2015 , 1848, 277-88		19
764	J-UNIO protocol used for NMR structure determination of the 206-residue protein NP_346487.1 from <i>Streptococcus pneumoniae</i> TIGR4. 2015 , 61, 65-72		2
763	High-resolution NMR structure of the antimicrobial peptide protegrin-2 in the presence of DPC micelles. 2015 , 61, 227-34		19
762	Molecular modeling toward selective inhibitors of dihydrofolate reductase from the biological warfare agent <i>Bacillus anthracis</i> . 2015 , 91, 63-71		8
761	New strategy for high-level expression and purification of biologically active monomeric TGF- β 1/C77S in <i>Escherichia coli</i> . 2015 , 57, 160-71		5
760	NMR structure of bitistatin B missing piece in the evolutionary pathway of snake venom disintegrins. <i>FEBS Journal</i> , 2015 , 282, 341-60	5.7	16
759	Prioritizing targets for structural biology through the lens of proteomics: the archaeal protein TGAM_1934 from <i>Thermococcus gammatolerans</i> . 2015 , 15, 114-23		5
758	Bacterial and Archaeal α -Amylases: Diversity and Amelioration of the Desirable Characteristics for Industrial Applications. 2016 , 7, 1129		89
757	Membrane-Active Epithelial Keratin 6A Fragments (KAMPs) Are Unique Human Antimicrobial Peptides with a Non- β Structure. 2016 , 7, 1799		11
756	Alpha- and Beta-Cyclodextrin Inclusion Complexes with 5-Fluorouracil: Characterization and Cytotoxic Activity Evaluation. <i>Molecules</i> , 2016 , 21,	4.8	26
755	Potential Use of Antimicrobial Peptides as Vaginal Spermicides/Microbicides. <i>Pharmaceuticals</i> , 2016 , 9,	5.2	28
754	Crystal Structure of Human Herpesvirus 6B Tegument Protein U14. 2016 , 12, e1005594		9
753	Structural characterization of peptidyl-tRNA hydrolase from <i>Mycobacterium smegmatis</i> by NMR spectroscopy. 2016 , 1864, 1304-14		6
752	A Combined NMR and Computational Approach to Determine the RGDchi-hCit- β 3 Integrin Recognition Mode in Isolated Cell Membranes. <i>Chemistry - A European Journal</i> , 2016 , 22, 681-93	4.8	19
751	Protein NMR Structure Refinement based on Bayesian Inference. 2016 , 699, 012005		8
750	Structure-function relationships of brazzein variants with altered interactions with the human sweet taste receptor. 2016 , 25, 711-9		13
749	Probing the binding of Cu(2+) ions to a fragment of the A β (1-42) polypeptide using fluorescence spectroscopy, isothermal titration calorimetry and molecular dynamics simulations. 2016 , 216, 44-50		9
748	Solution structure of TbTFIIS2-1 PWWP domain from <i>Trypanosoma brucei</i> . 2016 , 84, 912-9		3

747	Installation of a Rigid EDTA-Like Motif into a Protein α -Helix for Paramagnetic NMR Spectroscopy with Cobalt(II) Ions. <i>Chemistry - A European Journal</i> , 2016 , 22, 1228-32	4.8	11
746	Self-assembly of MPG1, a hydrophobin protein from the rice blast fungus that forms functional amyloid coatings, occurs by a surface-driven mechanism. 2016 , 6, 25288		48
745	The N14 anti-afamin antibody Fab: a rare V1 CDR glycosylation, crystallographic re-sequencing, molecular plasticity and conservative versus enthusiastic modelling. 2016 , 72, 1267-1280		8
744	Probing Receptor Specificity by Sampling the Conformational Space of the Insulin-like Growth Factor II C-domain. <i>Journal of Biological Chemistry</i> , 2016 , 291, 21234-21245	5.4	12
743	Detecting O ₂ binding sites in protein cavities. 2016 , 6, 20534		17
742	Structure of the transmembrane domain of human nicastrin-a component of γ -secretase. 2016 , 6, 19522		10
741	Structural and functional insights into the E3 ligase, RNF126. 2016 , 6, 26433		17
740	Increased dynamics in the 40-57 loop of the G41S variant of human cytochrome c promote its pro-apoptotic conformation. 2016 , 6, 30447		41
739	UHM-ULM interactions in the RBM39-U2AF65 splicing-factor complex. 2016 , 72, 497-511		21
738	NMR studies on the interactions between yeast Vta1 and Did2 during the multivesicular bodies sorting pathway. 2016 , 6, 38710		1
737	Dimerization of the fungal defense lectin CCL2 is essential for its toxicity against nematodes. 2017 , 27, 486-500		12
736	Modular Architecture and Unique Teichoic Acid Recognition Features of Choline-Binding Protein L (CbpL) Contributing to Pneumococcal Pathogenesis. 2016 , 6, 38094		13
735	Structural characterization of eRF1 mutants indicate a complex mechanism of stop codon recognition. 2016 , 6, 18644		1
734	Structural investigation into physiological DNA phosphorothioate modification. 2016 , 6, 25737		16
733	Rational steering of insulin binding specificity by intra-chain chemical crosslinking. 2016 , 6, 19431		19
732	Structural Studies of the Nedd4 WW Domains and Their Selectivity for the Connexin43 (Cx43) Carboxyl Terminus. <i>Journal of Biological Chemistry</i> , 2016 , 291, 7637-50	5.4	32
731	The Venom of Australian Spiders. 2016 , 21-46		3
730	New antimicrobial peptides against foodborne pathogens: From in silico design to experimental evidence. 2016 , 211, 546-54		22

729	Structural characterization of the ternary complex that mediates termination of NF- κ B signaling by I κ B. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 6212-7	11.5	6
728	Structural basis of nucleic acid recognition by FK506-binding protein 25 (FKBP25), a nuclear immunophilin. 2016 , 44, 2909-25		17
727	The C-terminal region of human eukaryotic elongation factor 1B. 2016 , 64, 181-7		3
726	Structure-activity analysis and biological studies of chensinin-1b analogues. 2016 , 37, 59-68		6
725	Interactions of a fungal lytic polysaccharide monooxygenase with β -glucan substrates and cellobiose dehydrogenase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 5922-7	11.5	100
724	Structural Basis of p75 Transmembrane Domain Dimerization. <i>Journal of Biological Chemistry</i> , 2016 , 291, 12346-57	5.4	23
723	ARTSY-J: Convenient and precise measurement of (3)JHNH α couplings in medium-size proteins from TROSY-HSQC spectra. <i>Journal of Magnetic Resonance</i> , 2016 , 268, 73-81	3	3
722	Structural Analysis of a Complex between Small Ubiquitin-like Modifier 1 (SUMO1) and the ZZ Domain of CREB-binding Protein (CBP/p300) Reveals a New Interaction Surface on SUMO. <i>Journal of Biological Chemistry</i> , 2016 , 291, 12658-12672	5.4	16
721	Nuclear Magnetic Resonance Structure of the APOBEC3B Catalytic Domain: Structural Basis for Substrate Binding and DNA Deaminase Activity. 2016 , 55, 2944-59		41
720	TALEN gene editing takes aim on HIV. 2016 , 135, 1059-70		34
719	NMR structure and conformational dynamics of AtPDFL2.1, a defensin-like peptide from <i>Arabidopsis thaliana</i> . 2016 , 1864, 1739-1747		8
718	Functional characterization of novel ABCB6 mutations and their clinical implications in familial pseudohyperkalemia. 2016 , 101, 909-17		23
717	Structural studies of N-terminal mutants of Connexin 26 and Connexin 32 using (1)H NMR spectroscopy. 2016 , 608, 8-19		5
716	The Chromatin Remodelling Protein CHD1 Contains a Previously Unrecognised C-Terminal Helical Domain. 2016 , 428, 4298-4314		10
715	Self-Assembled Peptide-Based System for Mitochondrial-Targeted Gene Delivery: Functional and Structural Insights. <i>Biomacromolecules</i> , 2016 , 17, 3547-3557	6.9	40
714	S-Nitrosylation Induces Structural and Dynamical Changes in a Rhodanese Family Protein. 2016 , 428, 3737-51		9
713	Microbial Iron Uptake. 2016 , 71-119		
712	Overexpression of Antimicrobial, Anticancer, and Transmembrane Peptides in <i>Escherichia coli</i> through a Calmodulin-Peptide Fusion System. 2016 , 138, 11318-26		39

711	Solution Nuclear Magnetic Resonance Studies of Sterol Carrier Protein 2 Like 2 (SCP2L2) Reveal the Insecticide Specific Structural Characteristics of SCP2 Proteins in Aedes aegypti Mosquitoes. 2016 , 55, 4919-27		6
710	Mycobacterium tuberculosis LppM Displays an Original Structure and Domain Composition Linked to a Dual Localization. <i>Structure</i> , 2016 , 24, 1788-1794	5.2	3
709	Dynamic Local Polymorphisms in the Gbx1 Homeodomain Induced by DNA Binding. <i>Structure</i> , 2016 , 24, 1372-1379	5.2	0
708	Structural conservation in the template/pseudoknot domain of vertebrate telomerase RNA from teleost fish to human. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E5125-34	11.5	16
707	Relationship between structure and amino acid sequence of strongly twisted and coiled β -hairpins in globular proteins. 2016 , 50, 777-782		4
706	PEP-19 modulates calcium binding to calmodulin by electrostatic steering. <i>Nature Communications</i> , 2016 , 7, 13583	17.4	10
705	Unveiling the Structural Basis That Regulates the Energy Transduction Properties within a Family of Triheme Cytochromes from Geobacter sulfurreducens. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 10221-10233	3.4	5
704	Ring current shifts in (19)F-NMR of membrane proteins. 2016 , 65, 1-5		20
703	PSCD Domains of Pleuralin-1 from the Diatom <i>Cylindrotheca fusiformis</i> : NMR Structures and Interactions with Other Biosilica-Associated Proteins. <i>Structure</i> , 2016 , 24, 1178-91	5.2	8
702	ASC Pyrin Domain Self-associates and Binds NLRP3 Protein Using Equivalent Binding Interfaces. <i>Journal of Biological Chemistry</i> , 2016 , 291, 19487-501	5.4	43
701	Solution structure of the 5'-terminal hairpin of the 7SK small nuclear RNA. 2016 , 22, 1844-1858		16
700	NMR structure of the HIV-1 reverse transcriptase thumb subdomain. 2016 , 66, 273-280		3
699	Nuclear Magnetic Resonance Structure and Mutational Analysis of the Lactococcin A Immunity Protein. 2016 , 55, 6250-6257		7
698	Staphylokinase has distinct modes of interaction with antimicrobial peptides, modulating its plasminogen-activation properties. 2016 , 6, 31817		17
697	Differential Effect of Membrane Composition on the Pore-Forming Ability of Four Different Sea Anemone Actinoporins. 2016 , 55, 6630-6641		21
696	A pre-metazoan origin of the CRK gene family and co-opted signaling network. 2016 , 6, 34349		4
695	Determination of ligand binding modes in weak protein-ligand complexes using sparse NMR data. 2016 , 66, 195-208		16
694	A Hypersweet Protein: Removal of The Specific Negative Charge at Asp21 Enhances Thaumatin Sweetness. 2016 , 6, 20255		28

693	Structural Studies of a Lipid-Binding Peptide from Tunicate Hemocytes with Anti-Biofilm Activity. 2016 , 6, 27128		19
692	The Interaction Mode of the Acidic Region of the Cell Cycle Transcription Factor DP1 with TFIIF. 2016 , 428, 4993-5006		8
691	Structural/Functional Properties of Human NFU1, an Intermediate [4Fe-4S] Carrier in Human Mitochondrial Iron-Sulfur Cluster Biogenesis. <i>Structure</i> , 2016 , 24, 2080-2091	5.2	37
690	Structural transitions in full-length human prion protein detected by xenon as probe and spin labeling of the N-terminal domain. 2016 , 6, 28419		7
689	Molecular Basis for the Protein Recognition Specificity of the Dynein Light Chain DYNLT1/Tctex1: CHARACTERIZATION OF THE INTERACTION WITH ACTIVIN RECEPTOR IIB. <i>Journal of Biological Chemistry</i> , 2016 , 291, 20962-20975	5.4	9
688	Diverse cyclic seed peptides in the Mexican zinnia (<i>Zinnia haageana</i>). 2016 , 106, 806-817		9
687	Targeting EphA2-Sam and Its Interactome: Design and Evaluation of Helical Peptides Enriched in Charged Residues. 2016 , 17, 2179-2188		12
686	Dual-targeting anti-angiogenic cyclic peptides as potential drug leads for cancer therapy. 2016 , 6, 35347		53
685	Hemi-methylated DNA opens a closed conformation of UHRF1 to facilitate its histone recognition. <i>Nature Communications</i> , 2016 , 7, 11197	17.4	74
684	A model for the interaction of the G3-subdomain of <i>Geobacillus stearothermophilus</i> IF2 with the 30S ribosomal subunit. 2016 , 25, 1722-33		2
683	Structure of the Cyclic Nucleotide-Binding Homology Domain of the hERG Channel and Its Insight into Type 2 Long QT Syndrome. 2016 , 6, 23712		6
682	Extended string-like binding of the phosphorylated HP1N-terminal tail to the lysine 9-methylated histone H3 tail. 2016 , 6, 22527		18
681	The drosomycin multigene family: three-disulfide variants from <i>Drosophila takahashii</i> possess antibacterial activity. 2016 , 6, 32175		7
680	Efficient enzymatic cyclization of an inhibitory cystine knot-containing peptide. 2016 , 113, 2202-12		21
679	Structural characterization of the C-terminal coiled-coil domains of wild-type and kidney disease-associated mutants of apolipoprotein L1. <i>FEBS Journal</i> , 2016 , 283, 1846-62	5.7	19
678	Copper(II) Forms a Redox-Stable 1:2 Complex with β -Synuclein N-Terminal Peptide in a Membrane-Like Environment. 2016 , 55, 6100-6		19
677	Development of a β -Conotoxin Analogue with Improved Lipid Membrane Interactions and Potency for the Analgesic Sodium Channel NaV1.8. <i>Journal of Biological Chemistry</i> , 2016 , 291, 11829-42	5.4	35
676	Glycosylation of BclA Glycoprotein from <i>Bacillus cereus</i> and <i>Bacillus anthracis</i> Exosporium Is Domain-specific. <i>Journal of Biological Chemistry</i> , 2016 , 291, 9666-77	5.4	10

675	Direct Investigation of Slow Correlated Dynamics in Proteins via Dipolar Interactions. 2016 , 138, 8412-21	13
674	Directional Phosphorylation and Nuclear Transport of the Splicing Factor SRSF1 Is Regulated by an RNA Recognition Motif. 2016 , 428, 2430-2445	22
673	The (unusual) aspartic acid in the metal coordination sphere of the prokaryotic zinc finger domain. 2016 , 161, 91-8	15
672	Revisiting fifty years of research on pheromone signaling in ciliates. 2016 , 55, 26-38	15
671	Nuclear Magnetic Resonance Structure of a Major Lens Protein, Human β -Crystallin: Role of the Dipole Moment in Protein Solubility. 2016 , 55, 3136-49	9
670	Covalent and non-covalent binding of metal complexes to RNA. 2016 , 163, 278-291	23
669	Stabilization of i-motif structures by 2'- β -fluorination of DNA. 2016 , 44, 4998-5009	36
668	The acidic domain is a unique structural feature of the splicing factor SYNCRIP. 2016 , 25, 1545-50	7
667	Potent antidiuretic agonists, deamino-vasopressin and desmopressin, and their inverse agonists: NMR structure and interactions with micellar and liposomal models of cell membrane. 2016 , 106, 245-59	0
666	Synthetic Human NOTCH1 EGF Modules Unraveled Molecular Mechanisms for the Structural and Functional Roles of Calcium Ions and O-Glycans in the Ligand-Binding Region. 2016 , 55, 776-87	15
665	Just a Flexible Linker? The Structural and Dynamic Properties of CBP-ID4 Revealed by NMR Spectroscopy. 2016 , 110, 372-381	18
664	Rare RAS Mutations in Metastatic Colorectal Cancer Detected During Routine RAS Genotyping Using Next Generation Sequencing. 2016 , 11, 363-70	18
663	Gbp2 interacts with THO/TREX through a novel type of RRM domain. 2016 , 44, 437-48	17
662	Novel Structural Components Contribute to the High Thermal Stability of Acyl Carrier Protein from <i>Enterococcus faecalis</i> . <i>Journal of Biological Chemistry</i> , 2016 , 291, 1692-1702	5-4 12
661	Structure Calculation and Reconstruction of Discrete-State Dynamics from Residual Dipolar Couplings. 2016 , 12, 1408-22	4
660	Structural complexes of the agonist, inverse agonist and antagonist bound C5a receptor: insights into pharmacology and signaling. 2016 , 12, 1586-99	6
659	Solution structure of Q388A3 PDZ domain from <i>Trypanosoma brucei</i> . 2016 , 194, 214-7	
658	CD4+ T-cell epitope prediction using antigen processing constraints. 2016 , 432, 72-81	13

657	Concurrent Increases and Decreases in Local Stability and Conformational Heterogeneity in Cu, Zn Superoxide Dismutase Variants Revealed by Temperature-Dependence of Amide Chemical Shifts. 2016 , 55, 1346-61		22
656	Origin and prediction of free-solution interaction studies performed label-free. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E1595-604	11.5	29
655	Structural Basis for the Inhibition of Voltage-gated Sodium Channels by Conotoxin D δ -GVIIJ. <i>Journal of Biological Chemistry</i> , 2016 , 291, 7205-20	5.4	4
654	Unbound position II in MXCXXC metallochaperone model peptides impacts metal binding mode and reactivity: Distinct similarities to whole proteins. 2016 , 159, 29-36		9
653	Characterization of a Putative Receptor Binding Surface on Skint-1, a Critical Determinant of Dendritic Epidermal T Cell Selection. <i>Journal of Biological Chemistry</i> , 2016 , 291, 9310-21	5.4	17
652	Diverse functions of myosin VI elucidated by an isoform-specific Helix domain. 2016 , 23, 300-308		31
651	The radish defensins RsAFP1 and RsAFP2 act synergistically with caspofungin against <i>Candida albicans</i> biofilms. 2016 , 75, 71-9		41
650	Novel role of 4-hydroxy-2-nonenal in AIFm2-mediated mitochondrial stress signaling. 2016 , 91, 68-80		26
649	Nanobodies as Probes for Protein Dynamics in Vitro and in Cells. <i>Journal of Biological Chemistry</i> , 2016 , 291, 3767-75	5.4	67
648	Structural characterization of zinc-bound Zmp1, a zinc-dependent metalloprotease secreted by <i>Clostridium difficile</i> . 2016 , 21, 185-96		9
647	The Exact NOE as an Alternative in Ensemble Structure Determination. 2016 , 110, 113-26		30
646	A hemocyanin-derived antimicrobial peptide from the penaeid shrimp adopts an alpha-helical structure that specifically permeabilizes fungal membranes. 2016 , 1860, 557-68		34
645	Reconstruction of a helical trimer by the second transmembrane domain of human copper transporter 2 in micelles and the binding of the trimer to silver. 2016 , 6, 4335-4342		1
644	Docking and molecular dynamics studies of peripheral site ligand-oximes as reactivators of sarin-inhibited human acetylcholinesterase. 2016 , 34, 2632-2642		25
643	A Rigorous and Efficient Method To Reweight Very Large Conformational Ensembles Using Average Experimental Data and To Determine Their Relative Information Content. 2016 , 12, 383-94		33
642	Integration of bacterial expansin-like proteins into cellulosome promotes the cellulose degradation. 2016 , 100, 2203-12		22
641	Computational studies of acetylcholinesterase complexed with fullerene derivatives: a new insight for Alzheimer disease treatment. 2016 , 34, 1307-16		15
640	The PRE-Derived NMR Model of the 38.8-kDa Tri-Domain IsdH Protein from <i>Staphylococcus aureus</i> Suggests That It Adaptively Recognizes Human Hemoglobin. 2016 , 428, 1107-1129		18

639	Conformation-dependent affinity of Cu(II) ions peptide complexes derived from the human Pin1 protein. 2017 , 127, 1431-1443	8
638	Structure and membrane interactions of the homodimeric antibiotic peptide homotarsinin. 2017 , 7, 40854	19
637	Pharmacological characterisation of the highly Na1.7 selective spider venom peptide Pn3a. 2017 , 7, 40883	90
636	Spider peptide toxin HwTx-IV engineered to bind to lipid membranes has an increased inhibitory potency at human voltage-gated sodium channel hNa1.7. 2017 , 1859, 835-844	34
635	The Calcium-Dependent Switch Helix of L-Plastin Regulates Actin Bundling. 2017 , 7, 40662	23
634	NMR structure-based optimization of Staphylococcus aureus sortase A pyridazinone inhibitors. 2017 , 90, 327-344	16
633	Structural, Functional, and Clinical Characterization of a Novel PTPN11 Mutation Cluster Underlying Noonan Syndrome. 2017 , 38, 451-459	32
632	50th Anniversary Perspective: The Importance of NMR Spectroscopy to Macromolecular Science. 2017 , 50, 1761-1777	46
631	Ligand Binding Properties of the Lentil Lipid Transfer Protein: Molecular Insight into the Possible Mechanism of Lipid Uptake. 2017 , 56, 1785-1796	21
630	Activity of human kallikrein-related peptidase 6 (KLK6) on substrates containing sequences of basic amino acids. Is it a processing protease?. 2017 , 1865, 558-564	5
629	Molecular characterization of myoglobin from Sciurus vulgaris meridionalis: Primary structure, kinetics and spectroscopic studies. 2017 , 1865, 499-509	10
628	Structural and dynamic characterization of a freestanding acyl carrier protein involved in the biosynthesis of cyclic lipopeptide antibiotics. 2017 , 26, 946-959	4
627	Free energy landscape remodeling of the cardiac pacemaker channel explains the molecular basis of familial sinus bradycardia. <i>Journal of Biological Chemistry</i> , 2017 , 292, 6414-6428	5-4 14
626	Structure of 6-diazo-5-oxo-norleucine-bound human gamma-glutamyl transpeptidase 1, a novel mechanism of inactivation. 2017 , 26, 1196-1205	11
625	Solution structure and dynamics of the outer membrane cytochrome OmcF from Geobacter sulfurreducens. 2017 , 1858, 733-741	10
624	Development of a Potent Wound Healing Agent Based on the Liver Fluke Granulin Structural Fold. 2017 , 60, 4258-4266	20
623	Modern Technologies of Solution Nuclear Magnetic Resonance Spectroscopy for Three-dimensional Structure Determination of Proteins Open Avenues for Life Scientists. 2017 , 15, 328-339	36
622	An engineered cyclic peptide alleviates symptoms of inflammation in a murine model of inflammatory bowel disease. <i>Journal of Biological Chemistry</i> , 2017 , 292, 10288-10294	5-4 28

621	Characterization of linear mimetic peptides of Interleukin-22 from dissection of protein interfaces. 2017 , 138, 106-115		13
620	Analysis of O-binding Sites in Proteins Using Gas-Pressure NMR Spectroscopy: Outer Surface Protein A. 2017 , 112, 1820-1828		5
619	Crystal structure of APOBEC3A bound to single-stranded DNA reveals structural basis for cytidine deamination and specificity. <i>Nature Communications</i> , 2017 , 8, 15024	17.4	89
618	Rattusin structure reveals a novel defensin scaffold formed by intermolecular disulfide exchanges. 2017 , 7, 45282		12
617	The Single Disulfide-Directed β -Hairpin Fold. Dynamics, Stability, and Engineering. 2017 , 56, 2455-2466		4
616	A new cryptic host defense peptide identified in human 11-hydroxysteroid dehydrogenase-1 β -like: from in silico identification to experimental evidence. 2017 , 1861, 2342-2353		19
615	Molecular impact of covalent modifications on nonribosomal peptide synthetase carrier protein communication. <i>Journal of Biological Chemistry</i> , 2017 , 292, 10002-10013	5.4	5
614	Sphaericin, a Lasso Peptide from the Rare Actinomycete <i>Planomonospora sphaerica</i> . 2017 , 2017, 1177-1183		18
613	Structural Basis for CD4+ T Cell Epitope Dominance in Arbo-Flavivirus Envelope Proteins: A Meta-Analysis. 2017 , 30, 479-489		3
612	Unveiling a VEGF-mimetic peptide sequence in the IQGAP1 protein. 2017 , 13, 1619-1629		15
611	Photosynthesis: Structures, Mechanisms, and Applications. 2017 ,		7
610	Time-Resolved EPR in Artificial Photosynthesis. 2017 , 359-387		3
609	Structural investigation of a C-terminal EphA2 receptor mutant: Does mutation affect the structure and interaction properties of the Sam domain?. 2017 , 1865, 1095-1104		3
608	SARS-unique fold in the Rousettus bat coronavirus HKU9. 2017 , 26, 1726-1737		5
607	Crabrolin, a natural antimicrobial peptide: structural properties. 2017 , 23, 693-700		6
606	Two proteins for the price of one: Structural studies of the dual-destiny protein preproalbumin with sunflower trypsin inhibitor-1. <i>Journal of Biological Chemistry</i> , 2017 , 292, 12398-12411	5.4	9
605	The zinc finger domain of RING finger protein 141 reveals a unique RING fold. 2017 , 26, 1681-1686		3
604	Structure of the Rpn13-Rpn2 complex provides insights for Rpn13 and Uch37 as anticancer targets. <i>Nature Communications</i> , 2017 , 8, 15540	17.4	49

603	The effect of a membrane-mimicking environment on the interactions of Cu with an amyloidogenic fragment of chicken prion protein. 2017 , 46, 7758-7769	6
602	NMR insight into myosin-binding subunit coiled-coil structure reveals binding interface with protein kinase G-IIeucine zipper in vascular function. <i>Journal of Biological Chemistry</i> , 2017 , 292, 7052-7065	5-4 3
601	A biochemical framework for eIF4E-dependent mRNA export and nuclear recycling of the export machinery. 2017 , 23, 927-937	44
600	Probing the binding affinity of plasma proteins adsorbed on Au nanoparticles. 2017 , 9, 4787-4792	51
599	The Conformation of the Epidermal Growth Factor Receptor Transmembrane Domain Dimer Dynamically Adapts to the Local Membrane Environment. 2017 , 56, 1697-1705	26
598	Membrane remodeling by the M2 amphipathic helix drives influenza virus membrane scission. 2017 , 7, 44695	34
597	HER2 Transmembrane Domain (TMD) Mutations (V659/G660) That Stabilize Homo- and Heterodimerization Are Rare Oncogenic Drivers in Lung Adenocarcinoma That Respond to Afatinib. 2017 , 12, 446-457	59
596	How Does Your Protein Fold? Elucidating the Apomyoglobin Folding Pathway. 2017 , 50, 105-111	28
595	Redox- and pH-linked conformational changes in triheme cytochrome PpcA from <i>Geobacter sulfurreducens</i> . 2017 , 474, 231-246	19
594	Synthesis and Evaluation of Amyloid β -Derived and Amyloid β -Independent Enhancers of the Peroxidase-like Activity of Heme. 2017 , 60, 373-385	10
593	Structure and Biological Activity of a Turriptide from <i>Unedogemmula bisaya</i> Venom. 2017 , 56, 6051-6060	5
592	Recognition of hyperacetylated N-terminus of H2AZ by TbBDF2 from. 2017 , 474, 3817-3830	12
591	Lysozyme's lectin-like characteristics facilitates its immune defense function. 2017 , 50, e9	16
590	Glycine-replaced derivatives of [Pro,DLeu]TL, a temporin L analogue: Evaluation of antimicrobial, cytotoxic and hemolytic activities. 2017 , 139, 750-761	24
589	Multivalent gold nanoparticle-peptide conjugates for targeting intracellular bacterial infections. 2017 , 9, 14074-14093	42
588	Structural insight into the XTACC3/XMAP215 interaction from CD and NMR studies on model peptides. 2017 , 107, e23039	1
587	Structure-Related Roles for the Conservation of the HIV-1 Fusion Peptide Sequence Revealed by Nuclear Magnetic Resonance. 2017 , 56, 5503-5511	4
586	The unique N-terminal zinc finger of synaptotagmin-like protein 4 reveals FYVE structure. 2017 , 26, 2451-2457	2

585	Structural characterization of CAS SH3 domain selectivity and regulation reveals new CAS interaction partners. 2017 , 7, 8057		7
584	Structure of the Ebola virus envelope protein MPER/TM domain and its interaction with the fusion loop explains their fusion activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E7987-E7996	11.5	42
583	Unraveling the meaning of chemical shifts in protein NMR. 2017 , 1865, 1564-1576		17
582	The potent anti-cancer activity of Dioclea lasiocarpa lectin. 2017 , 175, 179-189		19
581	CoNSENsX Webserver for the Analysis of Protein Structural Ensembles Reflecting Experimentally Determined Internal Dynamics. 2017 , 57, 1728-1734		8
580	The α -Configuration of the WWW Motif of a Short Trp-Rich Peptide Is Critical for Targeting Bacterial Membranes, Disrupting Preformed Biofilms, and Killing Methicillin-Resistant <i>Staphylococcus aureus</i> . 2017 , 56, 4039-4043		20
579	Molecular characterization of matrix metalloproteinase-1 (MMP-1) in <i>Lucilia sericata</i> larvae for potential therapeutic applications. 2017 , 29, 47-56		14
578	An excited state underlies gene regulation of a transcriptional riboswitch. 2017 , 13, 968-974		68
577	Engineering Aromatic-Aromatic Interactions To Nucleate Folding in Intrinsically Disordered Regions of Proteins. 2017 , 56, 4346-4359		11
576	Fine-tuning the extent and dynamics of binding cleft opening as a potential general regulatory mechanism in parvulin-type peptidyl prolyl isomerases. 2017 , 7, 44504		5
575	Peroxyl radical- and photo-oxidation of glucose 6-phosphate dehydrogenase generates cross-links and functional changes via oxidation of tyrosine and tryptophan residues. 2017 , 112, 240-252		46
574	Crystal Structure of the DNA-Binding Domain of Human Herpesvirus 6A Immediate Early Protein 2. 2017 , 91,		6
573	The Interaction between the Third Type III Domain from Fibronectin and Anastellin Involves β -Strand Exchange. 2017 , 56, 4667-4675		2
572	Structure of the C-terminal domain of TRADD reveals a novel fold in the death domain superfamily. 2017 , 7, 7073		7
571	The first total synthesis and solution structure of a polypeptin, PE2, a cyclic lipopeptide with broad spectrum antibiotic activity. 2017 , 15, 7173-7180		4
570	Insight into the molecular recognition mechanism of the coactivator NCoA1 by STAT6. 2017 , 7, 16845		5
569	The Sam-Sam interaction between Ship2 and the EphA2 receptor: design and analysis of peptide inhibitors. 2017 , 7, 17474		15
568	Multivalent cross-linking of actin filaments and microtubules through the microtubule-associated protein Tau. <i>Nature Communications</i> , 2017 , 8, 1981	17.4	65

567	The Metamorphic Transformation of a Water-Soluble Monomeric Protein Into an Oligomeric Transmembrane Pore. 2017 , 26, 51-97		10
566	Chemical Modification for Proteolytic Stabilization of the Selective α Integrin RGDchi Peptide: in Vitro and in Vivo Activities on Malignant Melanoma Cells. 2017 , 60, 9874-9884		15
565	Deciphering Conformational Changes Associated with the Maturation of Thrombin Anion Binding Exosite I. 2017 , 56, 6343-6354		1
564	Effect of Oxidation and Protein Unfolding on Cross-Linking of β -Lactoglobulin and β -Lactalbumin. 2017 , 65, 10258-10269		23
563	The effect of the neutral cytidine protonated analogue pseudoisocytidine on the stability of i-motif structures. 2017 , 7, 2772		8
562	Glycan Activation of a Sheddase: Electrostatic Recognition between Heparin and proMMP-7. <i>Structure</i> , 2017 , 25, 1100-1110.e5	5.2	7
561	Structural and biochemical insights of CypA and AIF interaction. 2017 , 7, 1138		20
560	Structure and dynamics study of translation initiation factor 1 from Staphylococcus aureus suggests its RNA binding mode. 2017 , 1865, 65-75		2
559	Characteristics of C-terminal, β -amyloid peptide binding fragment of neuroprotective protease inhibitor, cystatin C. 2017 , 30, e2581		5
558	Solution structure of the first RNA recognition motif domain of human spliceosomal protein SF3b49 and its mode of interaction with a SF3b145 fragment. 2017 , 26, 280-291		5
557	GABA-producing Bifidobacterium dentium modulates visceral sensitivity in the intestine. 2017 , 29, e12904		119
556	Towards universal approach for bacterial production of three-finger Ly6/uPAR proteins: Case study of cytotoxin I from cobra N. <i>toxiana</i> . 2017 , 130, 13-20		16
555	Natural structural diversity within a conserved cyclic peptide scaffold. <i>Amino Acids</i> , 2017 , 49, 103-116	3.5	11
554	Analysis of Coxiella burnetii dihydrofolate reductase via in silico docking with inhibitors and molecular dynamics simulation. 2017 , 35, 2975-2986		7
553	Visualization of Biomolecular Structures: State of the Art Revisited. 2017 , 36, 178-204		49
552	Mapping the affinity landscape of Thrombin-binding aptamers on 2 β -ANA/DNA chimeric G-Quadruplex microarrays. 2017 , 45, 1619-1632		34
551	NMR Insights into the Structure-Function Relationships in the Binding of Melanocortin Analogues to the MC1R Receptor. <i>Molecules</i> , 2017 , 22,	4.8	1
550	Effects of K11R and G31P Mutations on the Structure and Biological Activities of CXCL8: Solution Structure of Human CXCL8K11R/G31P. <i>Molecules</i> , 2017 , 22,	4.8	4

549	Lengths of the C-Terminus and Interconnecting Loops Impact Stability of Spider-Derived Gating Modifier Toxins. 2017 , 9,	18
548	DOTA-Derivatives of Octreotide Dicarba-Analogs with High Affinity for Somatostatin sst Receptors. 2017 , 5, 8	1
547	The Leaderless Bacteriocin Enterocin K1 Is Highly Potent against : A Study on Structure, Target Spectrum and Receptor. 2017 , 8, 774	25
546	Co(II) Coordination in Prokaryotic Zinc Finger Domains as Revealed by UV-Vis Spectroscopy. 2017 , 2017, 1527247	11
545	New Disulfide-Stabilized Fold Provides Sea Anemone Peptide to Exhibit Both Antimicrobial and TRPA1 Potentiating Properties. 2017 , 9,	29
544	The Recognition of Calmodulin to the Target Sequence of Calcineurin-A Novel Binding Mode. <i>Molecules</i> , 2017 , 22,	4.8 5
543	Fragment library screening identifies hits that bind to the non-catalytic surface of Pseudomonas aeruginosa DsbA1. 2017 , 12, e0173436	13
542	Effects of the RGD loop and C-terminus of rhodostomin on regulating integrin $\alpha 5 \beta 3$ recognition. 2017 , 12, e0175321	6
541	Solution NMR structure of the TRIM21 B-box2 and identification of residues involved in its interaction with the RING domain. 2017 , 12, e0181551	5
540	Whole-genome sequencing of mutants with increased resistance against the two-peptide bacteriocin plantaricin JK reveals a putative receptor and potential docking site. 2017 , 12, e0185279	14
539	Dynamic Allosteric Modulates Catalytic Activity by Modifying the Hydrogen Bonding Network in the Catalytic Site of Human Pin1. <i>Molecules</i> , 2017 , 22,	4.8 10
538	Cyclized Oligopeptide Targeting LRP5/6-DKK1 Interaction Reduces the Growth of Tumor Burden in a Multiple Myeloma Mouse Model. 2017 , 58, 505-513	11
537	Folding of apomyoglobin: Analysis of transient intermediate structure during refolding using quick hydrogen deuterium exchange and NMR. 2017 , 93, 10-27	5
536	In silico optimization of a guava antimicrobial peptide enables combinatorial exploration for peptide design. <i>Nature Communications</i> , 2018 , 9, 1490	17.4 107
535	Unique Combinations of α -Helix Units and β -Sheet Modules in Proteins and Specific Features of Their Amino Acid Sequences. 2018 , 52, 36-41	4
534	Evaluation of HER2-specific peptide ligand for its employment as radiolabeled imaging probe. 2018 , 8, 2998	15
533	Solution structure of the PHD finger from the human KIAA1045 protein. 2018 , 27, 987-992	1
532	Structure, Function, and Biosynthetic Origin of Octapeptin Antibiotics Active against Extensively Drug-Resistant Gram-Negative Bacteria. 2018 , 25, 380-391.e5	44

531	Mutations in the U11/U12-65K protein associated with isolated growth hormone deficiency lead to structural destabilization and impaired binding of U12 snRNA. 2018 , 24, 396-409		10
530	Nuclear magnetic resonance-based determination of dioxygen binding sites in protein cavities. 2018 , 27, 769-779		1
529	Selectivity Modulation and Structure of β -Lactamase-Cyclic Antimicrobial Peptides. <i>Chemistry - A European Journal</i> , 2018 , 24, 6191-6201	4.8	11
528	The NMR solution structure of Mycobacterium tuberculosis F-ATP synthase subunit μ provides new insight into energy coupling inside the rotary engine. <i>FEBS Journal</i> , 2018 , 285, 1111-1128	5.7	29
527	Insights on the structure-activity relationship of peptides derived from Sticholysin II. 2018 , 110, e23097		3
526	Roles of Amphipathicity and Hydrophobicity in the Micelle-Driven Structural Switch of a 14-mer Peptide Core from a Choline-Binding Repeat. <i>Chemistry - A European Journal</i> , 2018 , 24, 5825-5839	4.8	6
525	Specific phosphorothioate substitution within domain 6 of a group II intron ribozyme leads to changes in local structure and metal ion binding. 2018 , 23, 167-177		6
524	Crustacean cardioactive peptides: Expression, localization, structure, and a possible involvement in regulation of egg-laying in the cuttlefish <i>Sepia officinalis</i> . 2018 , 260, 67-79		5
523	Allosteric Coupling of Drug Binding and Intracellular Signaling in the A Adenosine Receptor. 2018 , 172, 68-80.e12		119
522	Structural plasticity of mini-M conotoxins - expression of all mini-M subtypes by <i>Conus regius</i> . <i>FEBS Journal</i> , 2018 , 285, 887-902	5.7	5
521	Folding of granulin domains. 2018 , 110, e24062		2
520	Deciphering RGDechi peptide- β 1 integrin interaction mode in isolated cell membranes. 2018 , 110, e24065		4
519	Solution conformation of a cohesin module and its scaffoldin linker from a prototypical cellulosome. 2018 , 644, 1-7		2
518	Development of Novel Melanocortin Receptor Agonists Based on the Cyclic Peptide Framework of Sunflower Trypsin Inhibitor-1. 2018 , 61, 3674-3684		16
517	Competition between Li and Na in sodium transporters and receptors: Which Na-Binding sites are "therapeutic" Li targets?. 2018 , 9, 4093-4103		18
516	Solution structure of an archaeal DUF61 family protein SSO0941 encoded by a gene in the operon of box C/D RNA protein complexes. 2018 , 203, 179-184		
515	NMR structures in different membrane environments of three ocellatin peptides isolated from <i>Leptodactylus labyrinthicus</i> . 2018 , 103, 72-83		9
514	Biochemical, biophysical and molecular dynamics studies on the proteoglycan-like domain of carbonic anhydrase IX. 2018 , 75, 3283-3296		13

513	Structural and Functional Insights into Bacillus subtilis Sigma Factor Inhibitor, CsfB. <i>Structure</i> , 2018 , 26, 640-648.e5	5.2	12
512	Molecular dissection of the membrane aggregation mechanisms induced by monomeric annexin A2. 2018 , 1865, 863-873		7
511	Structural basis of the signal transduction via transmembrane domain of the human growth hormone receptor. 2018 , 1862, 1410-1420		17
510	Peptide ion channel toxins from the bootlace worm, the longest animal on Earth. 2018 , 8, 4596		8
509	Mitosis-specific acetylation tunes Ran effector binding for chromosome segregation. 2018 , 10, 18-32		20
508	Probing Synergistic Effects of DNA Methylation and 2'- β -Fluorination on i-Motif Stability. <i>Chemistry - A European Journal</i> , 2018 , 24, 471-477	4.8	11
507	Pourbaix Diagram, Proton-Coupled Electron Transfer, and Decay Kinetics of a Protein Tryptophan Radical: Comparing the Redox Properties of W and Y Generated Inside the Structurally Characterized W and Y Proteins. 2018 , 140, 185-192		19
506	Structure and Features of Amino Acid Sequences of L-Modules in SH3-Like Folds. 2018 , 52, 929-936		0
505	Spatial Overlap of Claudin- and Phosphatidylinositol Phosphate-Binding Sites on the First PDZ Domain of Zonula Occludens 1 Studied by NMR. <i>Molecules</i> , 2018 , 23,	4.8	5
504	Biophysical studies and NMR structure of YAP2 WW domain - LATS1 PPxY motif complexes reveal the basis of their interaction. 2018 , 9, 8068-8080		9
503	Role of Protein Kinases, Phosphatases and 14-3-3 Proteins in the Control of Primary Plant Metabolism. 2018 , 121-149		
502	Isolation and structure determination of a new lasso peptide specialicin based on genome mining. 2018 , 26, 6050-6055		16
501	Structural and Functional Assessment of mBjAMP1, an Antimicrobial Peptide from Branchiostoma japonicum, Revealed a Novel Hairpinin-like Scaffold with Membrane Permeable and DNA Binding Activity. 2018 , 61, 11101-11113		23
500	A adenosine receptor functional states characterized by F-NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 12733-12738	11.5	56
499	Solution structure of TbCentrin4 from and its interactions with Ca and other centrins. 2018 , 475, 3763-3778		6
498	Oligomeric transition and dynamics of RNA binding by the HuR RRM1 domain in solution. 2018 , 72, 179-192		8
497	Structure and dynamics of Helicobacter pylori nickel-chaperone HypA: an integrated approach using NMR spectroscopy, functional assays and computational tools. 2018 , 23, 1309-1330		12
496	A Small Molecule Targeting the Transmembrane Domain of Death Receptor p75 Induces Melanoma Cell Death and Reduces Tumor Growth. 2018 , 25, 1485-1494.e5		9

495	Nuclear Magnetic Resonance seq (NMRseq): A New Approach to Peptide Sequence Tags. 2018 , 10,	4
494	Structural characterization of a novel KH-domain containing plant chloroplast endonuclease. 2018 , 8, 13750	3
493	CARD domain of rat RIP2 kinase: Refolding, solution structure, pH-dependent behavior and protein-protein interactions. 2018 , 13, e0206244	4
492	Engineering of an Anti-Inflammatory Peptide Based on the Disulfide-Rich Linaclotide Scaffold. 2018 , 6,	2
491	The role of hydrophobic /hydrophilic balance in the activity of structurally flexible vs. rigid cytolytic polypeptides and analogs developed on their basis. 2018 , 15, 873-886	4
490	Active Site Breathing of Human Alkbh5 Revealed by Solution NMR and Accelerated Molecular Dynamics. 2018 , 115, 1895-1905	14
489	Improving therapeutic potential of antibacterial spider venom peptides: coarse-grain molecular dynamics guided approach. 2018 , 10, 2309-2322	4
488	Heterologous production of a new lasso peptide brevunisin in <i>Sphingomonas subterranea</i> . 2018 , 45, 983-992	12
487	Structural Variants of a Liver Fluke Derived Granulin Peptide Potently Stimulate Wound Healing. 2018 , 61, 8746-8753	9
486	Comparative sequence and structure analysis of eIF1A and eIF1AD. 2018 , 18, 11	3
485	Structural Characterization of the FlmC Protein Involved in Biofilm Formation. <i>Molecules</i> , 2018 , 23, 4.8	6
484	Structural basis for the complete resistance of the human prion protein mutant G127V to prion disease. 2018 , 8, 13211	19
483	The C-terminal GGAP motif of Hsp70 mediates substrate recognition and stress response in yeast. <i>Journal of Biological Chemistry</i> , 2018 , 293, 17663-17675	5.4 16
482	Structural studies suggest aggregation as one of the modes of action for teixobactin. 2018 , 9, 8850-8859	15
481	Molecular basis for disassembly of an importin:ribosomal protein complex by the escortin Tsr2. <i>Nature Communications</i> , 2018 , 9, 3669	17.4 11
480	Metastable states of HYPK-UBA domain's seeds drive the dynamics of its own aggregation. 2018 , 1862, 2846-2861	11
479	Novel analgesic Eonotoxins from the vermivorous cone snail <i>Conus moncuri</i> provide new insights into the evolution of conopeptides. 2018 , 8, 13397	12
478	The Structure of Melanoregulin Reveals a Role for Cholesterol Recognition in the Protein's Ability to Promote Dynein Function. <i>Structure</i> , 2018 , 26, 1373-1383.e4	5.2 4

477	Antibacterial, antifungal, anticancer activities and structural bioinformatics analysis of six naturally occurring temporins. 2018 , 106, 9-20		28
476	Intrinsic Instability of BOK Enables Membrane Permeabilization in Apoptosis. 2018 , 23, 2083-2094.e6		27
475	Synthesis and biochemical evaluation of two novel N-hydroxyalkylated cyclosporin A analogs. 2018 , 16, 4338-4349		3
474	Can Heterocyclic Peptides Provide Polyfunctional Platforms for Synthetic Glycocluster Construction?. <i>Chemistry - A European Journal</i> , 2018 , 24, 11426-11432	4.8	10
473	Characterization of bi-domain drosomycin-type antifungal peptides in nematodes: An example of convergent evolution. 2018 , 87, 90-97		1
472	Structural and functional analysis of Dickkopf 4 (Dkk4): New insights into Dkk evolution and regulation of Wnt signaling by Dkk and Kremen proteins. <i>Journal of Biological Chemistry</i> , 2018 , 293, 12149-12166	5.4	12
471	Nuclear Magnetic Resonance Solution Structure of the Recombinant Fragment Containing Three Fibrin-Binding Cysteine-Rich Domains of the Very Low Density Lipoprotein Receptor. 2018 , 57, 4395-4403		4
470	Molecular diversity of fungal inhibitor cystine knot peptides evolved by domain repeat and fusion. 2018 , 365,		5
469	Prediction of disulfide dihedral angles using chemical shifts. 2018 , 9, 6548-6556		19
468	The carbohydrate-binding module and linker of a modular lytic polysaccharide monooxygenase promote localized cellulose oxidation. <i>Journal of Biological Chemistry</i> , 2018 , 293, 13006-13015	5.4	62
467	A previously undescribed hexapeptide His-Arg-Phe-Leu-Arg-His-NH from amphibian skin secretion shows CO and metal binding affinities. 2018 , 106, 37-44		2
466	Molecular diversity and function of jasmintides from <i>Jasminum sambac</i> . 2018 , 18, 144		4
465	Multistep mutational transformation of a protein fold through structural intermediates. 2018 , 27, 1767-1779		5
464	Definition of the R-superfamily of conotoxins: Structural convergence of helix-loop-helix peptidic scaffolds. 2018 , 107, 75-82		5
463	Solution structure of a ubiquitin-like protein from <i>Trypanosoma brucei</i> . 2018 , 27, 1831-1836		
462	LyeTxI-b, a Synthetic Peptide Derived From Spider Venom, Shows Potent Antibiotic Activity and. 2018 , 9, 667		20
461	Positive Charges on the Surface of Thaumatin Are Crucial for the Multi-Point Interaction with the Sweet Receptor. 2018 , 5, 10		5
460	Structural Characterisation of Predicted Helical Regions in the CFTX-1 Toxin. 2018 , 16,		5

459	Substrate Binding Switches the Conformation at the Lynchpin Site in the Substrate-Binding Domain of Human Hsp70 to Enable Allosteric Interdomain Communication. <i>Molecules</i> , 2018 , 23,	4.8	7
458	High-resolution small RNA structures from exact nuclear Overhauser enhancement measurements without additional restraints. 2018 , 1, 61		12
457	Structural and functional changes in RNase A originating from tyrosine and histidine cross-linking and oxidation induced by singlet oxygen and peroxy radicals. 2018 , 126, 73-86		22
456	Sam domain-based stapled peptides: Structural analysis and interaction studies with the Sam domains from the EphA2 receptor and the lipid phosphatase Ship2. <i>Bioorganic Chemistry</i> , 2018 , 80, 602-610		13
455	The cold denaturation of IscU highlights structure-function dualism in marginally stable proteins.. 2018 , 1,		6
454	Structure dissection of zebrafish progranulins identifies a well-folded granulin/epithelin module protein with pro-cell survival activities. 2018 , 27, 1476-1490		2
453	Molecular Basis for Allosteric Inhibition of GTP-Bound H-Ras Protein by a Small-Molecule Compound Carrying a Naphthalene Ring. 2018 , 57, 5350-5358		11
452	The Intracellular Loop of the Na/Ca Exchanger Contains an "Awareness Ribbon"-Shaped Two-Helix Bundle Domain. 2018 , 57, 5096-5104		6
451	On the role of sidechain size and charge in the aggregation of A42 with familial mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5849-E5858	11.5	58
450	NCAM2 Fibronectin type-III domains form a rigid structure that binds and activates the Fibroblast Growth Factor Receptor. 2018 , 8, 8957		9
449	A pseudo-receiver domain in Atg32 is required for mitophagy. 2018 , 14, 1620-1628		10
448	Fast and potent bactericidal membrane lytic activity of PaDBS1R1, a novel cationic antimicrobial peptide. 2019 , 1861, 178-190		20
447	Structural insights into the combinatorial effects of antimicrobial peptides reveal a role of aromatic-aromatic interactions in antibacterial synergism. <i>Journal of Biological Chemistry</i> , 2019 , 294, 14615-14633	5.4	8
446	2StrucCompare: a webserver for visualizing small but noteworthy differences between protein tertiary structures through interrogation of the secondary structure content. 2019 , 47, W477-W481		7
445	Novel antibiotics effective against gram-positive and -negative multi-resistant bacteria with limited resistance. 2019 , 17, e3000337		25
444	76: A designed antimicrobial peptide to combat carbapenem- and tigecycline-resistant. 2019 , 5, eaax1946		34
443	Protein structure prediction assisted with sparse NMR data in CASP13. 2019 , 87, 1315-1332		9
442	Clathrin light chain A drives selective myosin VI recruitment to clathrin-coated pits under membrane tension. <i>Nature Communications</i> , 2019 , 10, 4974	17.4	21

441	Concerted dynamics of metallo-base pairs in an A/B-form helical transition. <i>Nature Communications</i> , 2019 , 10, 4818	17.4	12
440	Protein interactions of the inflammasome adapter ASC by solution NMR. 2019 , 625, 223-252		2
439	A ligand-induced structural change in fatty acid-binding protein 1 is associated with potentiation of peroxisome proliferator-activated receptor agonists. <i>Journal of Biological Chemistry</i> , 2019 , 294, 3720-3734	5.4	7
438	Pressure accelerates the circadian clock of cyanobacteria. 2019 , 9, 12395		8
437	Structural Analysis and Dynamic Processes of the Transmembrane Segment Inside Different Micellar Environments-Implications for the TM4 Fragment of the Bilitranslocase Protein. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	1
436	Three-dimensional structure of Megabalanus rosa Cement Protein 20 revealed by multi-dimensional NMR and molecular dynamics simulations. 2019 , 374, 20190198		7
435	Molecular Graphics: Bridging Structural Biologists and Computer Scientists. <i>Structure</i> , 2019 , 27, 1617-1633	16.3	19
434	New protein-DNA complexes in archaea: a small monomeric protein induces a sharp V-turn DNA structure. 2019 , 9, 14253		0
433	The structure of a highly-conserved picocyanobacterial protein reveals a Tudor domain with an RNA-binding function. <i>Journal of Biological Chemistry</i> , 2019 , 294, 14333-14344	5.4	2
432	Deimmunizing substitutions in exotoxin domain III perturb antigen processing without eliminating T-cell epitopes. <i>Journal of Biological Chemistry</i> , 2019 , 294, 4667-4681	5.4	13
431	Subatomic structure of hyper-sweet thaumatin D21N mutant reveals the importance of flexible conformations for enhanced sweetness. 2019 , 157, 57-63		5
430	Thrombin Exosite Maturation and Ligand Binding at ABE II Help Stabilize PAR-Binding Competent Conformation at ABE I. 2019 , 58, 1048-1060		2
429	Discovery and Characterization of Cyclic and Acyclic Trypsin Inhibitors from Momordica dioica. <i>Journal of Natural Products</i> , 2019 , 82, 293-300	4.9	8
428	Investigations of the Structure, Topology, and Interactions of the Transmembrane Domain of the Lipid-Sorting Protein p24 Being Highly Selective for Sphingomyelin-C18. 2019 , 58, 2782-2795		6
427	Periplasmic Expression of 4/7 Conotoxin TxIA Analogs in Favors Ribbon Isomer Formation - Suggestion of a Binding Mode at the α nAChR. <i>Frontiers in Pharmacology</i> , 2019 , 10, 577	5.6	8
426	Structure, interactions and self-assembly of ASC-dependent inflammasomes. 2019 , 670, 15-31		20
425	Alternative β -anti- β factors represent a unique form of bacterial β -anti- β complex. 2019 , 47, 5988-5997		9
424	Structure-guided post-SELEX optimization of an ochratoxin A aptamer. 2019 , 47, 5963-5972		17

423	The role of NMR spectroscopy in mapping the conformational landscape of GPCRs. 2019 , 57, 145-156		18
422	Significance of Molecular Surfaces and Different Visualization Tools in Drug Designing. 2019 , 4, 1-19		
421	A telomerase subunit homolog La protein from <i>Trypanosoma brucei</i> plays an essential role in ribosomal biogenesis. <i>FEBS Journal</i> , 2019 , 286, 3129-3147	5.7	5
420	Direct Activation of Human MLKL by a Select Repertoire of Inositol Phosphate Metabolites. 2019 , 26, 863-877.e7		26
419	NMR structure of CmPI-II, a non-classical Kazal protease inhibitor: Understanding its conformational dynamics and subtilisin A inhibition. 2019 , 206, 280-294		3
418	Visualizing Protein Folding and Unfolding. 2019 , 431, 1540-1564		16
417	LARP4A recognizes polyA RNA via a novel binding mechanism mediated by disordered regions and involving the PAM2w motif, revealing interplay between PABP, LARP4A and mRNA. 2019 , 47, 4272-4291		12
416	Structural analysis of copper(I) interaction with amyloid β peptide. 2019 , 195, 31-38		12
415	Sequence Analysis of the cAMP-Dependent Protein Kinase Regulatory Subunit-Like Protein From <i>Trypanosoma brucei</i> . 2019 , 64, 262-267		3
414	NMR- and MD simulation-based structural characterization of the membrane-associating FATC domain of ataxia telangiectasia mutated. <i>Journal of Biological Chemistry</i> , 2019 , 294, 7098-7112	5.4	3
413	Selective antibacterial activity of the cationic peptide PaDBS1R6 against Gram-negative bacteria. 2019 , 1861, 1375-1387		28
412	Mechanism of amyloid protein aggregation and the role of inhibitors. 2019 , 91, 211-229		38
411	Nuclear magnetic resonance. 2019 , 53-76		
410	An Ancient Peptide Family Buried within Vicilin Precursors. 2019 , 14, 979-993		12
409	The three-dimensional structure of an H-superfamily conotoxin reveals a granulin fold arising from a common ICK cysteine framework. <i>Journal of Biological Chemistry</i> , 2019 , 294, 8745-8759	5.4	10
408	Crystallographic Structures of IlvN/Val/Ile Complexes: Conformational Selectivity for Feedback Inhibition of Aceto Hydroxy Acid Synthases. 2019 , 58, 1992-2008		2
407	Zinc finger domain of the human DTX protein adopts a unique RING fold. 2019 , 28, 1151-1156		3
406	Prospect of Thiazole-based β Peptide Foldamers in Enamine Catalysis: Exploration of the Nitro-Michael Addition. <i>Chemistry - A European Journal</i> , 2019 , 25, 7396-7401	4.8	12

405	NMR structures and mutational analysis of the two peptides constituting the bacteriocin plantaricin S. 2019 , 9, 2333			6
404	Solution structure of a unicellular microalgae-derived translationally controlled tumor protein revealed both conserved features and structural diversity. 2019 , 665, 23-29			2
403	Complete protein assignment from sets of spectra recorded overnight. 2019 , 73, 59-70			
402	MINA-1 and WAGO-4 are part of regulatory network coordinating germ cell death and RNAi in <i>C. elegans</i> . 2019 , 26, 2157-2178			2
401	Nanomaterial Relevance of the Intermolecular Interaction Dynamics-Examples from Lysozymes and Insulins. 2019 , 4, 4206-4220			9
400	Structure determination of UL49.5 transmembrane protein from bovine herpesvirus 1 by NMR spectroscopy and molecular dynamics. 2019 , 1861, 926-938			4
399	Structural insights into heme binding to IL-36 β proinflammatory cytokine. 2019 , 9, 16893			20
398	Structure of the SARS-Unique Domain C From the Bat Coronavirus HKU4. 2019 , 14, 1934578X19849202			2
397	Structural properties of [2Fe-2S] ISCA2-IBA57: a complex of the mitochondrial iron-sulfur cluster assembly machinery. 2019 , 9, 18986			11
396	CLC transporter activity modulates histidine catabolism in <i>Lactobacillus reuteri</i> by altering intracellular pH and membrane potential. 2019 , 18, 212			2
395	Helical Structure of Recombinant Melittin. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 356-368	3-4		12
394	Generalized View of Protein Folding: In Medio Stat Virtus. 2019 , 141, 2194-2200			10
393	Combining Evolutionary Covariance and NMR Data for Protein Structure Determination. 2019 , 614, 363-392			5
392	Structural characterization of the L0 cytoplasmic loop of human multidrug resistance protein 6 (MRP6). 2019 , 1861, 380-386			3
391	The inflammasome adapter ASC assembles into filaments with integral participation of its two Death Domains, PYD and CARD. <i>Journal of Biological Chemistry</i> , 2019 , 294, 439-452	5-4		24
390	The structure of the SAM/SAH-binding riboswitch. 2019 , 47, 2654-2665			18
389	Host-defense peptides AC12, DK16 and RC11 with immunomodulatory activity isolated from <i>Hypsiboas raniceps</i> skin secretion. 2019 , 113, 11-21			5
388	The operon protects from copper toxicity: CopL is an extracellular membrane-associated copper-binding protein. <i>Journal of Biological Chemistry</i> , 2019 , 294, 4027-4044	5-4		23

387	Transthyretin Aggregation Pathway toward the Formation of Distinct Cytotoxic Oligomers. 2019 , 9, 33		26
386	Solution structure of TbTFIIS2-2 PWWP domain from and its binding to H4K17me3 and H3K32me3. 2019 , 476, 421-431		5
385	Unique RING finger structure from the human HRD1 protein. 2019 , 28, 448-453		1
384	Where cone snails and spiders meet: design of small cyclic sodium-channel inhibitors. 2019 , 33, 3693-3703		18
383	The antimicrobial peptides casocidins I and II: Solution structural studies in water and different membrane-mimetic environments. 2019 , 114, 50-58		2
382	Electrostatic interactions at the interface of two enzymes are essential for two-step alkane biosynthesis in cyanobacteria. 2020 , 84, 228-237		7
381	NMR and crystallographic structural studies of the extremely stable monomeric variant of human cystatin C with single amino acid substitution. <i>FEBS Journal</i> , 2020 , 287, 361-376	5.7	4
380	Weaponisation 'on the fly': Convergent recruitment of knottin and defensin peptide scaffolds into the venom of predatory assassin flies. 2020 , 118, 103310		7
379	Structural basis of the transmembrane domain dimerization and rotation in the activation mechanism of the TRKA receptor by nerve growth factor. <i>Journal of Biological Chemistry</i> , 2020 , 295, 275-286	5.4	12
378	SPR and NMR characterization of the molecular interaction between A9 peptide and a model system of HER2 receptor: A fragment approach for selecting peptide structures specific for their target. 2020 , 26, e3231		3
377	Backbone Cyclization Turns a Venom Peptide into a Stable and Equipotent Ligand at Both Muscle and Neuronal Nicotinic Receptors. 2020 , 63, 12682-12692		5
376	Structural Diversity and Dynamics of Human Three-Finger Proteins Acting on Nicotinic Acetylcholine Receptors. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
375	Elucidation of the aberrant 3' splice site selection by cancer-associated mutations on the U2AF1. <i>Nature Communications</i> , 2020 , 11, 4744	17.4	7
374	Kinetic fingerprints differentiate the mechanisms of action of anti-A β antibodies. 2020 , 27, 1125-1133		35
373	Structural basis of DNA replication origin recognition by human Orc6 protein binding with DNA. 2020 , 48, 11146-11161		5
372	Defining the Familial Fold of the Vicilin-Buried Peptide Family. <i>Journal of Natural Products</i> , 2020 , 83, 3030-3040	4.9	3
371	Discovery, Pharmacological Characterisation and NMR Structure of the Novel μ -Conotoxin SxIIIC, a Potent and Irreversible Na Channel Inhibitor. 2020 , 8,		7
370	Ensemble-Based Analysis of the Dynamic Allostery in the PSD-95 PDZ3 Domain in Relation to the General Variability of PDZ Structures. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2

369	The origins of binding specificity of a lanthanide ion binding peptide. 2020 , 10, 19468		3
368	Structural Insights on Tiny Peptide Nucleic Acid (PNA) Analogues of miRNA-34a: An and Experimental Integrated Approach. 2020 , 8, 568575		2
367	Recifin A, Initial Example of the Tyr-Lock Peptide Structural Family, Is a Selective Allosteric Inhibitor of Tyrosyl-DNA Phosphodiesterase I. 2020 , 142, 21178-21188		5
366	Identification and Characterization of a Peptide from the Stony Coral. <i>Journal of Natural Products</i> , 2020 , 83, 3454-3463	4.9	1
365	Monitoring the Interaction of β Synuclein with Calcium Ions through Exclusively Heteronuclear Nuclear Magnetic Resonance Experiments. 2020 , 132, 18696-18704		1
364	Monitoring the Interaction of β Synuclein with Calcium Ions through Exclusively Heteronuclear Nuclear Magnetic Resonance Experiments. 2020 , 59, 18537-18545		7
363	Bioinformatic Analysis of 1000 Amphibian Antimicrobial Peptides Uncovers Multiple Length-Dependent Correlations for Peptide Design and Prediction. 2020 , 9,		17
362	Tailoring the Physicochemical Properties of Antimicrobial Peptides onto a Thiazole-Based β Peptide Foldamer. 2020 , 63, 9168-9180		7
361	Topological Regulation of the Bioactive Conformation of a Disulfide-Rich Peptide, Heat-Stable Enterotoxin. <i>Molecules</i> , 2020 , 25,	4.8	4
360	RNA Binding by the KTS Splice Variants of Wilms' Tumor Suppressor Protein WT1. 2020 , 59, 3889-3901		1
359	A novel WD40-repeat protein involved in formation of epidermal bladder cells in the halophyte quinoa. 2020 , 3, 513		10
358	Quantifying the thermodynamics of protein unfolding using 2D NMR spectroscopy. 2020 , 3, 100		6
357	Structural Analysis of the SANT/Myb Domain of FLASH and YARP Proteins and Their Complex with the C-Terminal Fragment of NPAT by NMR Spectroscopy and Computer Simulations. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
356	Reducing the measurement time of exact NOEs by non-uniform sampling. 2020 , 74, 717-739		2
355	Folding of Truncated Granulin Peptides. 2020 , 10,		
354	The genetic origin of evolidine, the first cyclopeptide discovered in plants, and related orbitides. <i>Journal of Biological Chemistry</i> , 2020 , 295, 14510-14521	5.4	7
353	Structural Perspective of Gliadin Peptides Active in Celiac Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
352	Alterins Produced by Oyster-Associated Are Antibacterial Cyclolipopeptides with LPS-Binding Activity. 2020 , 18,		5

351	The Palladium(II) Complex of A as Suitable Model for Structural Studies of Biorelevant Copper(II) Complexes of N-Truncated Beta-Amyloids. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
350	Structure Elucidation and Functional Studies of a Novel β -hairpin Antimicrobial Peptide from the Marine Polychaeta. 2020 , 18,		5
349	Aromatic Interactions Drive the Coupled Folding and Binding of the Intrinsically Disordered Virus VPg Protein. 2020 , 59, 4663-4680		2
348	Evolution of insulin at the edge of foldability and its medical implications. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 29618-29628	11.5	18
347	RNA and DNA Binding Epitopes of the Cold Shock Protein TmCsp from the Hyperthermophile <i>Thermotoga maritima</i> . 2020 , 39, 487-500		3
346	Solution structure of the zinc finger domain of human RNF144A ubiquitin ligase. 2020 , 29, 1836-1842		1
345	Structure of Fungal β -Mating Pheromone in Membrane Mimetics Suggests a Possible Role for Regulation at the Water-Membrane Interface. 2020 , 11, 1090		2
344	An Extended Conformation for K48 Ubiquitin Chains Revealed by the hRpn2:Rpn13:K48-Diubiquitin Structure. <i>Structure</i> , 2020 , 28, 495-506.e3	5.2	13
343	A transient β -helix in the N-terminal RNA recognition motif of polypyrimidine tract binding protein senses RNA secondary structure. 2020 , 48, 4521-4537		3
342	An autoinhibitory intramolecular interaction proof-reads RNA recognition by the essential splicing factor U2AF2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 7140-7149	11.5	6
341	Backbone Cyclization and Dimerization of LL-37-Derived Peptides Enhance Antimicrobial Activity and Proteolytic Stability. 2020 , 11, 168		29
340	Impaired O-Glycosylation at Consecutive Threonine TTX Motifs in Mucins Generates Conformationally Restricted Cancer Neoepitopes. 2020 , 59, 1221-1241		4
339	Structure of E3 ligase E6AP with a proteasome-binding site provided by substrate receptor hRpn10. <i>Nature Communications</i> , 2020 , 11, 1291	17.4	14
338	Why does the A β peptide of Alzheimer share structural similarity with antimicrobial peptides?. 2020 , 3, 135		19
337	NMR Structure and Dynamics of TonB Investigated by Scar-Less Segmental Isotopic Labeling Using a Salt-Inducible Split Intein. 2020 , 8, 136		11
336	Chimeric Peptidomimetics of SOCS 3 Able to Interact with JAK2 as Anti-inflammatory Compounds. 2020 , 11, 615-623		6
335	Synthesis, Pharmacological and Structural Characterization of Novel Conopressins from. 2020 , 18,		7
334	Effect of Site-Specific O-Glycosylation on the Structural Behavior of NOTCH1 Receptor Extracellular EGF-like Domains 11 and 10. <i>Chemistry - A European Journal</i> , 2020 , 26, 12363-12372	4.8	3

- 333 Structural Basis of Oligomerization of N-Terminal Domain of Spider Aciniform Silk Protein. *International Journal of Molecular Sciences*, **2020**, 21, 6.3 2
- 332 Effect of Phosphorylation on the Structural Behaviour of Peptides Derived from the Intrinsically Disordered C-Terminal Domain of Histone H1.0. *Chemistry - A European Journal*, **2020**, 26, 5970-5981 4.8 6
- 331 UV oxidation of cyclic AMP receptor protein, a global bacterial gene regulator, decreases DNA binding and cleaves DNA at specific sites. **2020**, 10, 3106 3
- 330 Scale-consistent approach to the derivation of coarse-grained force fields for simulating structure, dynamics, and thermodynamics of biopolymers. **2020**, 170, 73-122 6
- 329 Mimicking cotranslational folding of prosubtilisin E in vitro. **2020**, 167, 473-482 2
- 328 Disulfide-Linked Peptides for Blocking BTLA/HVEM Binding. *International Journal of Molecular Sciences*, **2020**, 21, 6.3 10
- 327 Structure and allosteric activity of a single-disulfide conopeptide from a human B14 and α 7 nicotinic acetylcholine receptors. *Journal of Biological Chemistry*, **2020**, 295, 7096-7112 5.4 3
- 326 A Coil-to-Helix Transition Serves as a Binding Motif for hSNF5 and BAF155 Interaction. *International Journal of Molecular Sciences*, **2020**, 21, 6.3 2
- 325 Structural Characterization of the S-glycosylated Bacteriocin ASM1 from *Lactobacillus plantarum*. **2020**, 6, 16 0
- 324 APETx-Like Peptides from the Sea Anemone, Diverse in Their Effect on ASIC1a and ASIC3 Ion Channels. **2020**, 12, 4
- 323 -Glutathionylation of human inducible Hsp70 reveals a regulatory mechanism involving the C-terminal helical lid. *Journal of Biological Chemistry*, **2020**, 295, 8302-8324 5.4 7
- 322 Monomeric human soluble CD4 dimerizes at physiological temperature: VTSAXS data based modeling and screening of retardant molecules. **2021**, 39, 3813-3824 1
- 321 Three-dimensional structure of transmembrane domain 6 of natural resistance associated macrophage protein 2 in hexafluoroisopropanol aqueous solution. **2021**, 54, 26-32
- 320 OCRE Domains of Splicing Factors RBM5 and RBM10: Tyrosine Ring-Flip Frequencies Determined by Integrated Use of ^1H NMR Spectroscopy and Molecular Dynamics Simulations. **2021**, 22, 565-570 2
- 319 Membrane interactions of the anuran antimicrobial peptide HSP1-NH: Different aspects of the association to anionic and zwitterionic biomimetic systems. **2021**, 1863, 183449
- 318 Structure of neuroendocrine regulatory peptide-2 in membrane-mimicking environments. **2021**, 113, e24206 1
- 317 Antimicrobial and Anticancer Properties of Synthetic Peptides Derived from the Wasp *Parachartergus fraternus*. **2021**, 22, 1415-1423 2
- 316 A Adenosine Receptor Partial Agonism Related to Structural Rearrangements in an Activation Microswitch. *Structure*, **2021**, 29, 170-176.e3 5.2 7

315	Structural and dynamical insights into the PH domain of p62 in human TFIIH. 2021 , 49, 2916-2930		3
314	The C-terminal tail of the plant endosomal-type NHXs plays a key role in its function and stability. 2021 , 303, 110791		1
313	H, C and N resonance assignment of the YTH domain of YTHDC2. <i>Biomolecular NMR Assignments</i> , 2021 , 15, 1-7	0.7	0
312	Structural interaction between DISC1 and ATF4 underlying transcriptional and synaptic dysregulation in an iPSC model of mental disorders. 2021 , 26, 1346-1360		13
311	Molecular Basis of the Anticancer and Antibacterial Properties of CecropinXJ Peptide: An In Silico Study. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
310	Chemical Synthesis and NMR Solution Structure of Conotoxin GXIA from. 2021 , 19,		3
309	Solution NMR and racemic crystallography provide insights into a novel structural class of cyclic plant peptides.. 2021 , 2, 1682-1691		
308	Structural basis for the DNA-binding activity of human ARID4B Tudor domain. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100506	5.4	2
307	Investigation of the Effects of Primary Structure Modifications within the RRE Motif on the Conformation of Synthetic Bovine Herpesvirus 1-Encoded UL49.5 Protein Fragments. 2021 , 18, e2000883		0
306	Structure of Ycf1p reveals the transmembrane domain TMD0 and the regulatory R region of ABCC transporters.		0
305	Cyclotides from Brazilian and Their Effects on Human Lymphocytes. <i>Journal of Natural Products</i> , 2021 , 84, 81-90	4.9	6
304	NMR and MD simulations reveal the impact of the V23D mutation on the function of yeast oligosaccharyltransferase subunit Ost4. 2021 , 31, 838-850		1
303	De Novo Design of Selective Quadruplex-Duplex Junction Ligands and Structural Characterisation of Their Binding Mode: Targeting the G4 Hot-Spot. <i>Chemistry - A European Journal</i> , 2021 , 27, 6204-6212	4.8	7
302	Recognition of N6-methyladenosine by the YTHDC1 YTH domain studied by molecular dynamics and NMR spectroscopy: The role of hydration.		
301	Disorder and partial folding in the regulatory subunit hinge region of Trypanosoma brucei protein kinase A: The C-linker portion inhibits the parasite's protein kinase A. 2021 , 698, 108731		0
300	NMR Structure Determinations of Small Proteins Using only One Fractionally 20% C- and Uniformly 100% N-Labeled Sample. <i>Molecules</i> , 2021 , 26,	4.8	2
299	The p.E152K-STIM1 mutation deregulates Ca signaling contributing to chronic pancreatitis. 2021 , 134,		1
298	Structural characterization of the antimicrobial peptides myxinidin and WMR in bacterial membrane mimetic micelles and bicelles.		0

- 297 Synthesis, Structural and Pharmacological Characterizations of CIC, a Novel β -Conotoxin with an Extended N-Terminal Tail. **2021**, 19, 2
- 296 Sortase-assembled pili in are built using a latch mechanism. *Proceedings of the National Academy of Sciences of the United States of America*, **2021**, 118, 11.5 0
- 295 Transient Diffusive Interactions with a Protein Crowder Affect Aggregation Processes of Superoxide Dismutase 1 β -Barrel. *Journal of Physical Chemistry B*, **2021**, 125, 2521-2532 3.4 0
- 294 NMR three-dimensional structure of the cationic peptide Stigmurin from Tityus stigmurus scorpion venom: In vitro antioxidant and in vivo antibacterial and healing activity. **2021**, 137, 170478 3
- 293 Pressure and Chemical Unfolding of an α -Helical Bundle Protein: The GH2 Domain of the Protein Adaptor GIPC1. *International Journal of Molecular Sciences*, **2021**, 22, 6.3 2
- 292 Perfect Spherical Tetrahedral Metallo-Borospherene TaB as a Superatom Following the 18-Electron Rule. **2021**, 6, 10991-10996 2
- 291 Umami taste in edible seaweeds: The current comprehension and perception. **2021**, 23, 100301 11
- 290 Antimicrobial Bombinin-like Peptide 3 Selectively Recognizes and Inserts into Bacterial Biomimetic Bilayers in Multiple Steps. **2021**, 64, 5185-5197 3
- 289 Biophysical characterization of two commercially available preparations of the drug containing Escherichia coli L-Asparaginase 2. **2021**, 271, 106554 3
- 288 Molecular Interactions between Two LMP2A PY Motifs of EBV and WW Domains of E3 Ubiquitin Ligase AIP4. **2021**, 11, 0
- 287 Production of a Human Histamine Receptor for NMR Spectroscopy in Aqueous Solutions. **2021**, 11, 2
- 286 High-resolution structural profile of hylaseptin-4: Aggregation, membrane topology and pH dependence of overall membrane binding process. **2021**, 1863, 183581 2
- 285 Structure of Ycf1p reveals the transmembrane domain TMD0 and the regulatory region of ABCC transporters. *Proceedings of the National Academy of Sciences of the United States of America*, **2021**, 118, 11.5 7
- 284 NMR Spectroscopy in the Conformational Analysis of Peptides: An Overview. **2021**, 28, 2729-2782 2
- 283 Structure and antimicrobial activity of NCR169, a nodule-specific cysteine-rich peptide of Medicago truncatula. **2021**, 11, 9923 3
- 282 Rules for designing protein fold switches and their implications for the folding code. 0
- 281 Comparative study of binding abilities of Siglec-7 to different ligands using molecular modeling techniques and structural analysis. **2021**, 40, 179-196
- 280 A disulfide-stabilised helical hairpin fold in acrorhagin I: An emerging structural motif in peptide toxins. **2021**, 213, 107692 2

- 279 A netrin domain-containing protein secreted by the human hookworm *Necator americanus* protects against CD4 T cell transfer colitis. **2021**, 232, 88-102 4
- 278 The omega-loop of cobra cytotoxins tolerates multiple amino acid substitutions. **2021**, 558, 141-146 0
- 277 PTD4 Peptide Increases Neural Viability in an In Vitro Model of Acute Ischemic Stroke. *International Journal of Molecular Sciences*, **2021**, 22, 6.3 1
- 276 Recognition of N6-Methyladenosine by the YTHDC1 YTH Domain Studied by Molecular Dynamics and NMR Spectroscopy: The Role of Hydration. *Journal of Physical Chemistry B*, **2021**, 125, 7691-7705 3.4 3
- 275 Potent Lys Patch-Containing Stapled Peptides Targeting PCSK9. **2021**, 64, 10834-10848 3
- 274 Effect of PEGylation on Host Defense Peptide Complexation with Bacterial Lipopolysaccharide. **2021**, 32, 1729-1741 1
- 273 Structural Characterization of the PawL-Derived Peptide Family, an Ancient Subfamily of Orbitides.
- 272 A Fungal Defensin Targets the SARS-CoV-2 Spike Receptor-Binding Domain. **2021**, 7, 1
- 271 Three human RNA polymerases interact with TFIIF via a common RPB6 subunit. **2021**, 1
- 270 Structure-guided bifunctional molecules hit a DEUBAD-lacking hRpn13 species upregulated in multiple myeloma.
- 269 Solution NMR and racemic crystallography provide insights into a novel structural class of cyclic plant peptides.
- 268 Fungal effector SIB1 of *Colletotrichum orbiculare* has unique structural features and can suppress plant immunity in *Nicotiana benthamiana*. 0
- 267 Synthetic hookworm-derived peptides are potent modulators of primary human immune cell function that protect against experimental colitis *in vivo*. *Journal of Biological Chemistry*, **2021**, 297, 100834 5.4 1
- 266 Design, Optimization, and Structural Characterization of an Apoptosis-Inducing Factor Peptide Targeting Human Cyclophilin A to Inhibit Apoptosis Inducing Factor-Mediated Cell Death. **2021**, 64, 11445-11459 3
- 265 Modulation of Toll-like receptor 1 intracellular domain structure and activity by Zn ions. **2021**, 4, 1003 0
- 264 Rationally Modified Antimicrobial Peptides from the N-Terminal Domain of Human RNase 3 Show Exceptional Serum Stability. **2021**, 64, 11472-11482 1
- 263 DNA binding mechanism of WhiB4 from *Mycobacterium tuberculosis*. **2021**, 2, 100010
- 262 Self-assembly of bio-inspired heterochiral peptides. *Bioorganic Chemistry*, **2021**, 114, 105047 5.1 4

261	Changes in dynamic and static structures of the HIV-1 p24 capsid protein N-domain caused by amino-acid substitution are associated with its viral viability. 2021 , 30, 2233-2245		1
260	Dissecting Monomer-Dimer Equilibrium of an RNase P Protein Provides Insight Into the Synergistic Flexibility of 5' Leader Pre-tRNA Recognition. 2021 , 8, 730274		0
259	Characterization of structure evolution of TiD clusters in molten iron. 2021 , 29, 075006		0
258	An "Onion-like" Model of Protein Unfolding: Collective versus Site Specific Approaches. 2021 ,		1
257	DD04107-Derived neuronal exocytosis inhibitor peptides: Evidences for synaptotagmin-1 as a putative target. <i>Bioorganic Chemistry</i> , 2021 , 115, 105231	5.1	0
256	Inter-hairpin linker sequences determine the structure of the α -solenoid fold: a "bottom-up" study of pneumococcal LytA choline-binding module. 2021 , 190, 679-692		0
255	Probing the helical stability in a VEGF-mimetic peptide. <i>Bioorganic Chemistry</i> , 2021 , 116, 105379	5.1	0
254	Multiobjective heuristic algorithm for protein design in a quantified continuous sequence space. 2021 , 19, 2575-2587		1
253	Structure of SRSF1 RRM1 bound to RNA reveals an unexpected bimodal mode of interaction and explains its involvement in SMN1 exon7 splicing. <i>Nature Communications</i> , 2021 , 12, 428	17.4	9
252	Mechanism of hERG inhibition by gating-modifier toxin, APETx1, deduced by functional characterization. 2021 , 22, 3		1
251	Mitochondrial cytochrome c.		1
250	Molecular Aspects of Components of the Ferredoxin/Thioredoxin Systems. 1998 , 501-514		2
249	MOLECULAR DYNAMICS STUDY OF RADIOSENSITIVE MUTANT ALLELE OF PROTEIN KINASE ycdc28-srm [G20S] USING hcdk2 AS MODEL. 2006 , 327-339		1
248	Atomistic Visualization. 2005 , 1051-1068		9
247	Molecular Interactions of the Stromal Subunit PsaC with the PsaA/PsaB Heterodimer. 2006 , 79-98		2
246	Cystine Knot Folding in Cyclotides. 2011 , 43-61		3
245	Calcium Channel Blocking Polypeptides. 2004 , 143-181		2
244	ADP-Ribosyl Cyclases - A Family of cADPR and NAADP Metabolizing Enzymes. 2002 , 23-43		4

243	Structure Calculations of Symmetric Dimers using Molecular Dynamics/Simulated Annealing and NMR Restraints: The Case of the RII Subunit of Protein Kinase A. 2000 , 141-156		1
242	CX, DPX, and PCW: Web Servers for the Visualization of Interior and Protruding Regions of Protein Structures in 3D and 1D. 2017 , 1484, 301-309		2
241	Three-Dimensional Structure Determination of Peptides Using Solution Nuclear Magnetic Resonance Spectroscopy. 2020 , 2068, 129-162		11
240	Nuclear magnetic resonance-based modeling and refinement of protein three-dimensional structures and their complexes. 2008 , 443, 229-55		1
239	Protein structure prediction. 2008 , 453, 33-85		3
238	Enzymatic Alginate Modification. 2009 , 95-115		13
237	The prion protein globular domain and disease-related mutants studied by molecular dynamics simulations. 2000 , 251-63		4
236	Structural and functional analysis of troponins from scallop striated and human cardiac muscles. 2007 , 592, 163-73		2
235	The Venom of Australian Spiders. 2015 , 1-20		1
234	Clostridium septicum pore-forming α -toxin. 2006 , 623-630		2
233	Perfringolysin O and intermedilysin: mechanisms of pore formation by the cholesterol-dependent cytolysins. 2006 , 671-679		2
232	Proteins that make sense. 2003 , 447-476		34
231	Characterization of Binding between the Chemokine Eotaxin and Peptides Derived from the Chemokine Receptor CCR3. <i>Journal of Biological Chemistry</i> , 2000 , 275, 27250-27257	5-4	47
230	Structure and Dynamics of ASC2, a Pyrin Domain-only Protein That Regulates Inflammatory Signaling. <i>Journal of Biological Chemistry</i> , 2006 , 281, 31863-31875	5-4	13
229	The N-terminal 17% of apoB binds tightly and irreversibly to emulsions modeling nascent very low density lipoproteins. 2001 , 42, 51-59		21
228	Comparative structure, dynamics and evolution of acyl-carrier proteins from <i>Borrelia burgdorferi</i> , <i>Brucella melitensis</i> and <i>Rickettsia prowazekii</i> . 2020 , 477, 491-508		3
227	De novo protein design: crystallographic characterization of a synthetic peptide containing independent helical and hairpin domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 3034-7	11-5	17
226	Structure-Activity Relationship of Mating Pheromone from the Fungal Pathogen. <i>Journal of Biological Chemistry</i> , 2017 , 292, 3591-3602	5-4	8

225	Correlation of structure, function and protein dynamics in myoglobins from Eurasian woodcock, chicken and ostrich. 2021 , 39, 851-866	2
224	Overexpression of translation elongation factor 1A affects the organization and function of the actin cytoskeleton in yeast. 2001 , 157, 1425-36	64
223	Kinetic fingerprints differentiate anti-A β therapies.	5
222	Structure and mechanism in transcriptional antitermination by the bacteriophage lambda N protein. 1998 , 63, 327-36	18
221	Class B β -Lactamases. 115-144	11
220	The Relationship of T-Cell Epitopes and Allergen Structure. 123-159	1
219	Assembly of Integral Membrane Proteins from the Periplasm into the Outer Membrane. 30-66	2
218	Structural and functional significance of the FGL sequence of the periplasmic chaperone Caf1M of <i>Yersinia pestis</i> . 1999 , 181, 2422-9	28
217	Measles virus blind to its epithelial cell receptor remains virulent in rhesus monkeys but cannot cross the airway epithelium and is not shed. 2008 , 118, 2448-58	169
216	Structure, Dynamics, Activity, and Function of Compstatin and Design of More Potent Analogues. 2005 , 317-340	1
215	The FHA domain mediates phosphoprotein interactions. 2000 , 113, 4143-4149	124
214	Odorranalectin is a small peptide lectin with potential for drug delivery and targeting. 2008 , 3, e2381	60
213	Changes in proteasome structure and function caused by HAMLET in tumor cells. 2009 , 4, e5229	48
212	The spliceosomal phosphopeptide P140 controls the lupus disease by interacting with the HSC70 protein and via a mechanism mediated by gammadelta T cells. 2009 , 4, e5273	48
211	Insights into protein aggregation by NMR characterization of insoluble SH3 mutants solubilized in salt-free water. 2009 , 4, e7805	19
210	Characterization of a novel interaction between Bcl-2 members Diva and Harakiri. 2010 , 5, e15575	12
209	Intrinsic order and disorder in the bcl-2 member harakiri: insights into its proapoptotic activity. 2011 , 6, e21413	15
208	Structural analysis of the UBA domain of X-linked inhibitor of apoptosis protein reveals different surfaces for ubiquitin-binding and self-association. 2011 , 6, e28511	16

207	Effect of P to A mutation of the N-terminal residue adjacent to the Rgd motif on rhodostomin: importance of dynamics in integrin recognition. 2012 , 7, e28833	10
206	NMR structure of lipoprotein YxeF from <i>Bacillus subtilis</i> reveals a calycin fold and distant homology with the lipocalin Blc from <i>Escherichia coli</i> . 2012 , 7, e37404	4
205	Atomic-level structure characterization of an ultrafast folding mini-protein denatured state. 2012 , 7, e41301	16
204	Solution structural analysis of the single-domain parvulin TbPin1. 2012 , 7, e43017	6
203	Crystal structure of Der f 7, a dust mite allergen from <i>Dermatophagoides farinae</i> . 2012 , 7, e44850	18
202	Solution structure of a phytocystatin from <i>Ananas comosus</i> and its molecular interaction with papain. 2012 , 7, e47865	17
201	Secondary structure, a missing component of sequence-based minimotif definitions. 2012 , 7, e49957	7
200	Solution structure of the oncogenic MIEN1 protein reveals a thioredoxin-like fold with a redox-active motif. 2012 , 7, e52292	11
199	Solution structure of an archaeal DNA binding protein with an eukaryotic zinc finger fold. 2013 , 8, e52908	10
198	Structural analysis of glutaredoxin domain of <i>Mus musculus</i> thioredoxin glutathione reductase. 2012 , 7, e52914	6
197	Genomic and structural characterization of Kunitz-type peptide LmKTT-1a highlights diversity and evolution of scorpion potassium channel toxins. 2013 , 8, e60201	29
196	Dynamics and conformational studies of TOAC spin labeled analogues of Ctx(Ile(21))-Ha peptide from <i>Hypsiboas albopunctatus</i> . 2013 , 8, e60818	23
195	Structural plasticity in human heterochromatin protein 1 β . 2013 , 8, e60887	19
194	Novel β MSH peptide analogues with broad spectrum antimicrobial activity. 2013 , 8, e61614	30
193	Solution structure and peptide binding of the PTB domain from the AIDA1 postsynaptic signaling scaffolding protein. 2013 , 8, e65605	8
192	Transmembrane and Juxtamembrane Structure of β Integrin in Bicelles. 2013 , 8, e74281	14
191	Structure and stability insights into tumour suppressor p53 evolutionary related proteins. 2013 , 8, e76014	16
190	Extreme evolutionary conservation of functionally important regions in H1N1 influenza proteome. 2013 , 8, e81027	13

189	Model of a DNA-protein complex of the architectural monomeric protein MC1 from Euryarchaea. 2014 , 9, e88809	4
188	Solution structure of CXCL5--a novel chemokine and adipokine implicated in inflammation and obesity. 2014 , 9, e93228	24
187	The dimerization domain in DapE enzymes is required for catalysis. 2014 , 9, e93593	10
186	Yeast frataxin is stabilized by low salt concentrations: cold denaturation disentangles ionic strength effects from specific interactions. 2014 , 9, e95801	16
185	Solution structure of the 2A protease from a common cold agent, human rhinovirus C2, strain W12. 2014 , 9, e97198	7
184	Conformational dynamics of Escherichia coli flavodoxins in apo- and holo-states by solution NMR spectroscopy. 2014 , 9, e103936	8
183	Structural basis for cytochrome c Y67H mutant to function as a peroxidase. 2014 , 9, e107305	19
182	A Novel Alpha Cardiac Actin (ACTC1) Mutation Mapping to a Domain in Close Contact with Myosin Heavy Chain Leads to a Variety of Congenital Heart Defects, Arrhythmia and Possibly Midline Defects. 2015 , 10, e0127903	12
181	Interplay between Structure and Charge as a Key to Allosteric Modulation of Human 20S Proteasome by the Basic Fragment of HIV-1 Tat Protein. 2015 , 10, e0143038	9
180	Sarkosyl-Induced Helical Structure of an Antimicrobial Peptide GW-Q6 Plays an Essential Role in the Binding of Surface Receptor Oprl in Pseudomonas aeruginosa. 2016 , 11, e0164597	7
179	Effect of Glu12-His89 Interaction on Dynamic Structures in HIV-1 p17 Matrix Protein Elucidated by NMR. 2016 , 11, e0167176	2
178	D19S Mutation of the Cationic, Cysteine-Rich Protein PAF: Novel Insights into Its Structural Dynamics, Thermal Unfolding and Antifungal Function. 2017 , 12, e0169920	20
177	Hydrophobic residues are critical for the helix-forming, hemolytic and bactericidal activities of amphipathic antimicrobial peptide TP4. 2017 , 12, e0186442	21
176	Osmostress enhances activating phosphorylation of Hog1 MAP kinase by mono-phosphorylated Pbs2 MAP2K. 2020 , 39, e103444	13
175	Loss-of-function polymorphism of the human kallikrein gene with reduced urinary kallikrein activity. 2002 , 13, 968-976	56
174	Destabilisation, aggregation, toxicity and cytosolic mislocalisation of nucleophosmin regions associated with acute myeloid leukemia. 2016 , 7, 59129-59143	35
173	Carnitine palmitoyl transferase-1A (CPT1A): a new tumor specific target in human breast cancer. 2016 , 7, 19982-96	47
172	Generation of a flexible loop structural ensemble and its application to induced-fit structural changes following ligand binding. 2006 , 2, 1-12	4

171	Roles of charged residues in pH-dependent redox properties of cytochrome from Miyazaki F. 2006 , 2, 45-56		1
170	Spectroscopic Characterization of Successive Phosphorylation of the Tissue Factor Cytoplasmic Region. 2009 , 3, 58-64		17
169	A New Implicit Solvent Model for Brownian Dynamics Simulation: Solvent-Accessible Surface Area Dependent Effective Charge Model. 2004 , 3, 129-136		5
168	Characterisation of a Novel A-Superfamily Conotoxin. 2020 , 8,		5
167	Antimicrobial Peptide K11 Selectively Recognizes Bacterial Biomimetic Membranes and Acts by Twisting Their Bilayers. <i>Pharmaceuticals</i> , 2020 , 14,	5.2	8
166	Molecular Modeling and Structural Analysis of Five SE Clan (S12 Family) Serine Proteases. 2011 , 3, 435-448		1
165	Molecular dynamics simulations of a DNA photolyase protein: High-mobility and conformational changes of the FAD molecule at low temperatures. 2012 , 03, 169-180		4
164	Suppression of Sup35 amyloid fibril formation by group II chaperonin from <i>Thermoplasma acidophilum</i>. 2012 , 02, 265-275		3
163	Refinement of Protein NMR Structure under Membrane-like Environments with an Implicit Solvent Model. 2009 , 30, 1139-1142		8
162	Unambiguous Determination of Intermolecular Hydrogen Bond of NMR Structure by Molecular Dynamics Refinement Using All-Atom Force Field and Implicit Solvent Model. 2010 , 31, 2717-2720		6
161	Solution structure of YKR049C, a putative redox protein from <i>Saccharomyces cerevisiae</i> . 2005 , 38, 550-4		14
160	cDNA cloning, sequence analysis and molecular modeling of a new peptide from the scorpion <i>Buthotus saulcyi</i> venom. 2006 , 39, 284-91		1
159	Nucleotide sequence, structural investigation and homology modeling studies of a Ca ²⁺ -independent alpha-amylase with acidic pH-profile. 2007 , 40, 315-24		8
158	MD simulation and experimental evidence for Mg ²⁺ binding at the B site in human AP endonuclease 1. 2011 , 7, 184-98		14
157	Modeling and structural analysis of evolutionarily diverse S8 family serine proteases. 2011 , 7, 239-45		11
156	STIL binding to Polo-box 3 of PLK4 regulates centriole duplication. 2015 , 4,		81
155	Structure of dual BON-domain protein DolP identifies phospholipid binding as a new mechanism for protein localisation. 2020 , 9,		11
154	Structural characterization of the thermal unfolding pathway of human VEGFR1 D2 domain. <i>FEBS Journal</i> , 2021 ,	5.7	

- 153 Structural Characterization of the PawL-Derived Peptide Family, an Ancient Subfamily of Orbitides. *Journal of Natural Products*, **2021**, 84, 2914-2922 4.9
- 152 Adenosine deaminase 2 produced by infiltrative monocytes promotes liver fibrosis in nonalcoholic fatty liver disease. **2021**, 37, 109897 1
- 151 Structure modeling of the COOH-terminal cytokine-like module of the mammalian cytoplasmic tyrosyl-tRNA synthetase. **2000**, 16, 515-524 5
- 150 Environmental reprogramming of the expression of protein kinase CK2 β subunit in fish. **2001**, 107-112
- 149 Imaging Science in Biochemistry.
- 148 Hemoglobin.
- 147 Molecular Dynamics Simulation of Prion Protein by Large Scale Cluster Computing. **2003**, 476-485 0
- 146 Structure of a Biological Cell. **2003**, 159-228
- 145 Visualizing Prions: Graphic Representations and the Biography of Prions. **2004**, 99-134
- 144 Structural bioinformatics in post-genomic era. **2004**, 20, 78-91
- 143 Structure of the Anaphylatoxins C3a and C5a. **2005**, 161-177
- 142 Complement Receptor CR2/CD21 and CR2 α 3d Complexes. **2005**, 143-160
- 141 The Building Blocks of the Complement System. **2005**, 1-18 1
- 140 Brownian Dynamics Approach to Protein Folding. **2007**, 157-163
- 139 Chapter 6.3:Folding Motifs of Cystine-rich Peptides. **2008**, 318-344
- 138 Solution Structure of the Cytoplasmic Domain of Syndecan-3 by Two-dimensional NMR Spectroscopy. **2008**, 29, 1013-1017 2
- 137 Photosynthesis: Electron Transfer Chemistry. 1
- 136 Conformational changes in bovine lactoferrin induced by slow or fast temperature increases. **2008**, 080808065251582-10

- 135 A Simple Model for Protein Folding. **2009**, 1-20 1
- 134 References. **2009**, 231-261
- 133 Mapping Protein Folding Landscapes by NMR Relaxation. **2009**, 1-11
- 132 10.1007/s11497-008-2011-9. **2010**, 5, 131
- 131 A Bayesian Approach for Determining Protein Side-Chain Rotamer Conformations Using Unassigned NOE Data. **2011**, 563-578
- 130 3D Structure of STAM1 UIM-ubiquitin Complex Using RosettaDock. **2011**, 15, 80-89
- 129 Effects of generalized-Born implicit solvent models in NMR structure refinement. **2013**, 17, 11-18 1
- 128 Structure-Function Studies of P-450BM-3. **1998**, 127-138
- 127 Structural Studies on Wheat Thioredoxin h. **1998**, 52-57
- 126 Autonomous Folding and Three-Dimensional Structure of the Carboxy-Terminal Domain of the Mouse Prion Protein, PrP(121 Δ 31). **1998**, 203-216
- 125 NMR Studies of the 269 Residue Serine Protease PB92 from Bacillus Alcalophilus. **1999**, 227-246
- 124 Approaches to Delineate Disulfide Connectivities in Pharmaceutical Peptides. **2017**, 1-14
- 123 Hydrogen Bonds Between Two Optimized Fundamental Chains of Each Model. **2018**, 347-353
- 122 Approaches to Delineate Disulfide Connectivities in Pharmaceutical Peptides. **2018**, 2021-2034
- 121 Rational Lead Optimization Based on the Modeled Structure of Cysteine Protease of Leishmania donovani. **2019**, 4, 256-266
- 120 The structure of a highly conserved picocyanobacterial protein reveals a Tudor domain with a novel tRNA binding function.
- 119 Structure of E3 ligase E6AP with a novel proteasome-binding site provided by substrate receptor hRpn10.
- 118 Defining the familial fold of the vicilin-buried peptide family.

- 117 Structure-function analyses of dual-BON domain protein DolP identifies phospholipid binding as a new mechanism for protein localisation. 1
- 116 Fungal effector SIB1 of *Colletotrichum orbiculare* has unique structural features and can suppress plant immunity in *Nicotiana benthamiana*. *Journal of Biological Chemistry*, **2021**, 297, 101370 5.4 2
- 115 Evaluation and Selection of Dynamic Protein Structural Ensembles with CoNSEnsX. **2020**, 2112, 241-254
- 114 The Influence of the Mixed DPC:SDS Micelle on the Structure and Oligomerization Process of the Human Cystatin C. **2020**, 11, 1
- 113 Structural Studies on Different Ligand Binding Ability of Sialoadhesin Using Molecular Modeling Techniques. **2021**, 5, 277-282
- 112 The Eaf3 chromodomain acts as a pH sensor for gene expression by altering its binding affinity for histone methylated-lysine residues. **2020**, 40, 0
- 111 Disulfide-rich peptides in drug development.
- 110 Mechanism of hERG inhibition by gating-modifier toxin, APETx1, deduced by functional characterization.
- 109 Structural studies on ~~E~~conotoxin SI. **2002**, 730-732
- 108 Interaction of HIV-1 Nef with Human CD4 and Lck. **2005**, 269-286
- 107 Atomistic Visualization. **2005**, 1051-1068 1
- 106 NMR Spectroscopy of Large Biological Macromolecules in Solution. **2006**, 89-128 1
- 105 Confinement Technique for Simulating Finite Many-Body Systems. **2001**, 509-563
- 104 Plasticity, ligand conformation and enzyme action of *Mycobacterium smegmatis* MutT1. **2020**, 76, 982-992
- 103 Purification, characterization and molecular cloning of trichoanguin, a novel type I ribosome-inactivating protein from the seeds of *Trichosanthes anguina*. **1999**, 338 (Pt 1), 211-9 5
- 102 Structural defects of a Pax8 mutant that give rise to congenital hypothyroidism. **1999**, 341 (Pt 1), 89-93 3
- 101 Solution structure of a defensin-like peptide from platypus venom. **1999**, 341 (Pt 3), 785-94 12
- 100 Defensin-like peptide-2 from platypus venom: member of a class of peptides with a distinct structural fold. **2000**, 348 Pt 3, 649-56 18

99	NMR structural determination of viscotoxin A3 from <i>Viscum album</i> L. 2000 , 350 Pt 2, 569-77	13
98	Human T-lymphotrophic virus type I nucleocapsid protein NCp15: structural study and stability of the N-terminal zinc-finger. 2000 , 352 Pt 2, 293-300	5
97	A novel member of the split betaalpha fold: Solution structure of the hypothetical protein YML108W from <i>Saccharomyces cerevisiae</i> . 2003 , 12, 1136-40	1
96	Dimeric structure of the transmembrane domain of glycophorin a in lipidic and detergent environments. 2011 , 3, 90-8	18
95	Structural and dynamic study of the transmembrane domain of the amyloid precursor protein. 2011 , 3, 69-76	16
94	A conserved β -bulge glycine residue facilitates folding and increases stability of the mouse β -defensin cryptdin-4. 2022 , 114, e24250	
93	Structure of HIV-1 Vpr in complex with the human nucleotide excision repair protein hHR23A. <i>Nature Communications</i> , 2021 , 12, 6864	17.4
92	Atomic structure of the regulatory TGS domain of Rel protein from <i>Mycobacterium tuberculosis</i> and its interaction with deacylated tRNA. 2021 , 595, 3006	0
91	Advances in NMR Spectroscopy of Weakly Aligned Biomolecular Systems. 2021 ,	3
90	Proliferation of Tau 304-380 Fragment Aggregates through Autocatalytic Secondary Nucleation. 2021 , 12, 4406-4415	2
89	The impact of phosphatidylserine exposure on cancer cell membranes on the activity of the anticancer peptide HB43. <i>FEBS Journal</i> , 2021 ,	5.7 3
88	Structure-Activity Relationships in the Design of Mitochondria-Targeted Peptide Therapeutics.	
87	H, C and N resonance assignments and solution structures of the two RRM domains of Matrin-3. <i>Biomolecular NMR Assignments</i> , 2021 , 1	0.7
86	A conformationally stable acyclic β -hairpin scaffold tolerating the incorporation of poorly β -sheet-prone amino acids. 2021 ,	0
85	Novel disintegrin-like peptides derived from an amphibian skin cDNA sequence of <i>Hypsiboas punctatus</i> . 2021 , e3382	
84	Dynamic interaction network involving the conserved intrinsically disordered regions in human eIF5.. 2021 , 281, 106740	0
83	Insights to Human β -Crystallin Unfolding by NMR Spectroscopy and Molecular Dynamics Simulations.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3
82	Structural and functional insights into inhibition of human voltage-gated sodium channels by β -conotoxin KIIIA disulfide isomers.. <i>Journal of Biological Chemistry</i> , 2022 , 101728	5.4 2

81	Structure-guided bifunctional molecules hit a DEUBAD-lacking hRpn13 species upregulated in multiple myeloma.. <i>Nature Communications</i> , 2021 , 12, 7318	17.4	0
80	Environmental reprogramming of the expression of protein kinase CK2beta subunit in fish. <i>Molecular and Cellular Biochemistry</i> , 2001 , 227, 107-12	4.2	
79	Human CEACAM1 N-domain dimerization is independent from glycan modifications.. <i>Structure</i> , 2022 ,	5.2	1
78	Amplification of the Specific Conformational Fluctuation of Proteins by Site-Specific Mutagenesis and Hydrostatic Pressure.. <i>Journal of Physical Chemistry B</i> , 2022 ,	3.4	
77	C-Terminal Domains of Spider Silk Proteins Having Divergent Structures but Conserved Functional Roles.. <i>Biomacromolecules</i> , 2022 ,	6.9	1
76	Mutagenesis of bracelet cyclotide hyen D reveals functionally and structurally critical residues for membrane binding and cytotoxicity.. <i>Journal of Biological Chemistry</i> , 2022 , 101822	5.4	1
75	GPCR large-amplitude dynamics by F-NMR of aprepitant bound to the neurokinin 1 receptor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2122682119 ^{11.5}	11.5	1
74	The NMR structure of the engineered halophilic DnaE intein for segmental isotopic labeling using conditional protein splicing.. <i>Journal of Magnetic Resonance</i> , 2022 , 338, 107195	3	
73	Targeting Ship2-Sam with peptide ligands: Novel insights from a multidisciplinary approach.. <i>Bioorganic Chemistry</i> , 2022 , 122, 105680	5.1	0
72	Adaptively evolved human oral actinomyces-sourced defensins show therapeutic potential.. <i>EMBO Molecular Medicine</i> , 2021 , e14499	12	3
71	Voltage-Gated Sodium Channel Modulation by a New Spider Toxin Ssp1a Isolated From an Australian Theraphosid.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 795455	5.6	
70	Structure-Activity Relationship Investigations of Novel Constrained Chimeric Peptidomimetics of SOCS3 Protein Targeting JAK2.. <i>Pharmaceuticals</i> , 2022 , 15,	5.2	
69	Data_Sheet_1.pdf. 2020 ,		
68	Data_Sheet_1.PDF. 2020 ,		
67	Data_Sheet_1.PDF. 2020 ,		
66	Data_Sheet_1.docx. 2020 ,		
65	Image1.JPEG. 2018 ,		
64	Image2.JPEG. 2018 ,		

63 Data_Sheet_1.ZIP. **2019**,

62 Image_1.JPEG. **2019**,

61 Image_2.JPEG. **2019**,

60 Image_3.JPEG. **2019**,

59 Image_4.png. **2019**,

58 Chiral fibers formation upon assembly of tetraphenylalanine peptide conjugated to a PNA dimer.. *Chemistry - A European Journal*, **2022**, 4.8

57 The PCI domains are Winged HEAT domains.

56 Structural and functional studies of LaIT2, an antimicrobial and insecticidal peptide from *Liocheles australasiae*.. *Toxicon*, **2022**, 2.8

55 Synthetic Peptides outside the Spike Protein Heptad Repeat Regions as Potent Inhibitors of Sars-Associated Coronavirus. *Antiviral Therapy*, **2005**, 10, 393-403 1.6 33

54 Structurally Driven Selection of Human Hepatitis C Virus Mimotopes. *Antiviral Therapy*, **2006**, 11, 917-922. 1.6

53 The Influence of Short Motifs on the Anticancer Activity of HB43 Peptide. *Pharmaceutics*, **2022**, 14, 10896. 4.4 2

52 The structure of yeast Npl3 bound to RNA reveals a cooperative sequence-specific recognition and an RNA chaperone role in splicing.

51 Atomic solution structure of Mycobacterium abscessus F-ATP synthase subunit β and identification of Ep1 Mab F1 as a targeted inhibitor. *FEBS Journal*, 5.7 0

50 ^1H , ^{13}C , and ^{15}N resonance assignments and solution structures of the KH domain of human ribosome binding factor A, mtRbfA, involved in mitochondrial ribosome biogenesis. *Biomolecular NMR Assignments*, 0.7 0

49 Human and Bacterial Toll-Interleukin Receptor Domains Exhibit Distinct Dynamic Features and Functions. *Molecules*, **2022**, 27, 4494 4.8

48 Newly Discovered Peptides from the Coral *Heliofungia actiniformis* Show Structural and Functional Diversity. *Journal of Natural Products*, 4.9 0

47 Design and modification of frog skin peptide brevinin-1GHa with enhanced antimicrobial activity on Gram-positive bacterial strains. *Amino Acids*, 3.5

46 Synoeca-MP: New insights into its mechanism of action by using NMR and molecular dynamics simulations approach.

- 45 Structural and Functional Characterization of Orcokinin B-like Neuropeptides in the Cuttlefish (*Sepia officinalis*). **2022**, 20, 505
- 44 Structure-activity relationships of mitochondria-targeted tetrapeptide pharmacological compounds. 11, 1
- 43 Mapping the N-Terminal Hexokinase-I Binding Site onto Voltage-Dependent Anion Channel-1 To Block Peripheral Nerve Demyelination.
- 42 Ad-hoc modifications of cyclic mimetics of SOCS1 protein: Structural and functional insights. **2022**, 243, 114781 0
- 41 Examining Topoisomers of a Snake-Venom-Derived Peptide for Improved Antimicrobial and Antitumoral Properties. **2022**, 10, 2110 0
- 40 Structural basis for the interaction between the first SURP domain of the SF3A1 subunit in U2 snRNP and the human splicing factor SF1. **2022**, 31, 0
- 39 Artificial pore blocker acts specifically on voltage-gated potassium channel isoform KV1.6. **2022**, 102467 0
- 38 Apamin structure and pharmacology revisited. 13, 0
- 37 Hunting for Novel Routes in Anticancer Drug Discovery: Peptides against Sam-Sam Interactions. **2022**, 23, 10397 0
- 36 The PCI domains are Winged-HEAT domains. **2022**, 17, e0268664 0
- 35 Metal-Ion Interactions with Dodecapeptide Fragments of Human Cationic Antimicrobial Protein LL-37 [hCAP(134-170)]. **2022**, 126, 6911-6921 0
- 34 Spatial Structure of nanoFAST in the Apo State and in Complex with its Fluorogen HBR-DOM2. **2022**, 23, 11361 0
- 33 RNA recognition by Npl3p reveals U2 snRNA-binding compatible with a chaperone role during splicing. 0
- 32 Peptides derived from hookworm anti-inflammatory proteins suppress inducible colitis in mice and inflammatory cytokine production by human cells. 9, 0
- 31 Effects of ligand binding on dynamics of fatty acid binding protein and interactions with membranes. **2022**, 1 1
- 30 Conformational ensemble of amyloid-forming semenogelin 1 peptide SEM1(68-107) by NMR spectroscopy and MD simulations. **2022**, 214, 107900 0
- 29 Metal ion interactions with nucleic acids. **2022**, 0
- 28 Design and characterization of a protein fold switching network. 0

27	Switching the N-Capping Region from all-L to all-D Amino Acids in a VEGF Mimetic Helical Peptide. 2022 , 27, 6982	0
26	Discovery of a cysteine-rich peptide with glycation modification from <i>Achyranthes bidentata</i> Blume. 2022 , 105338	0
25	Structure and function of the N-terminal extension of the formin INF2. 2022 , 79,	0
24	PEGylation of the antimicrobial peptide LyeTx I-b maintains structure-related biological properties and improves selectivity. 9,	3
23	Transient On- and Off-Pathway Protein Folding Intermediate States Characterized with NMR Relaxation Dispersion.	0
22	Machine learning-guided directed evolution for the development of small-molecule antibiotics originating from antimicrobial peptides.	0
21	Deciphering Structure-Function Relationship Unveils Salt-Resistant Mode of Action of a Potent MRSA-Inhibiting Antimicrobial Peptide, RR14.	0
20	Structure of AQEE-30 of VGF Neuropeptide in Membrane-Mimicking Environments. 2022 , 23, 13953	0
19	Sampling of structure and sequence space of small protein folds. 2022 , 13,	0
18	Mutation-driven evolution of antibacterial function in an ancestral antifungal scaffold: Significance for peptide engineering. 13,	0
17	Structural and functional insights into CST tethering in <i>Tetrahymena thermophila</i> telomerase. 2022 , 30, 1565-1572.e4	0
16	Structural basis for the ligand promiscuity of the neofunctionalized, carotenoid-binding fasciclin domain protein AstaP.	0
15	Structure and features of amino acid sequences of β -modules in OB-folds. 2022 , 17, 441-4451	0
14	The Same Natural Ligand Is Involved in Allorecognition of Multiple HLA-B27 Subtypes by a Single T Cell Clone: Role of Peptide and the MHC Molecule in Alloreactivity. 1998 , 161, 5481-5490	17
13	Design and characterization of a protein fold switching network. 2023 , 14,	0
12	Discovery of structural and functional transition sites for membrane-penetrating activity of sheep myeloid antimicrobial peptide-18. 2023 , 13,	0
11	The Molecular Basis of Heat-Stable Enterotoxin for Vaccine Development and Cancer Cell Detection. 2023 , 28, 1128	1
10	Metamorphism in TDP-43 prion-like domain determines chaperone recognition. 2023 , 14,	0

- 9 pH-Dependent Capping Interactions Induce Large-Scale Structural Transitions in i-Motifs. **2023**, 145, 3696-3705o
- 8 i-Motif folding intermediates with zero-nucleotide loops are trapped by 2'-fluoroarabinocytidine via F⁺H and O⁺H hydrogen bonds. **2023**, 6, 1
- 7 The Basal and Major Pilins in the *Corynebacterium diphtheriae* SpaA Pilus Adopt Similar Structures that Competitively React with the Pilin Polymerase. o
- 6 Residues of Legume AG41 Peptide Crucial to Its Bio-Insecticidal Activity. **2023**, 13, 446 o
- 5 The Mechanism of Action of SAAP-148 Antimicrobial Peptide as Studied with NMR and Molecular Dynamics Simulations. **2023**, 15, 761 o
- 4 Pmu1a, a novel spider toxin with dual inhibitory activity at pain targets hNa V 1.7 and hCa V 3 voltage-gated channels. o
- 3 The architecture of transmembrane and cytoplasmic juxtamembrane regions of Toll-like receptors. **2023**, 14, o
- 2 Structural and interaction analysis of human lipocalin-type prostaglandin D synthase with the poorly water-soluble drug NBQX. o
- 1 A *Mycobacterium tuberculosis* Effector Targets Mitochondrion, Controls Energy Metabolism, and Limits Cytochrome c Exit. o