## CITATION REPORT List of articles citing

A novel MHC class I-like gene is mutated in patients with hereditary haemochromatosis

DOI: 10.1038/ng0896-399 Nature Genetics, 1996, 13, 399-408.

Source: https://exaly.com/paper-pdf/27483136/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #    | Paper   | IF   | Citations |
|------|---|------|-----------|
| 2279 | ETHALASSEMIA. 239-240   |      | 5         |
| 2278 | Hemochromatosis: association of severity of iron overload with genetic markers. <b>1996</b> , 22, 195-204                             |      | 45        |
| 2277 | Mutation analysis in hereditary hemochromatosis. <b>1996</b> , 22, 187-94; discussion 194a-194b                                       |      | 306       |
| 2276 | Haemochromatosis and HLA-H. <i>Nature Genetics</i> , <b>1996</b> , 14, 251-2  | 36.3 | 358       |
| 2275 | Iron supplementation and cognitive function. <b>1996</b> , 348, 1669-70   |      | 1         |
| 2274 | Haematology. New irons in the fire. <b>1996</b> , 348 Suppl 2, sII9   |      | 3         |
| 2273 | Screening for haemochromatosis. <b>1996</b> , 3, 170  |      | 1         |
| 2272 | Population screening for haemochromatosis: a unifying analysis of published intervention trials. <b>1996</b> , 3, 178-84              |      | 52        |
| 2271 | Haemochromatosis definite maybe!. <i>Nature Genetics</i> , <b>1996</b> , 13, 375-6  | 36.3 | 6         |
| 2270 | Haemochromatosis: strike while the iron is hot. <i>Nature Genetics</i> , <b>1996</b> , 13, 386-8                                      | 36.3 | 14        |
| 2269 | Haemochromatosis and HLA-H. <i>Nature Genetics</i> , <b>1996</b> , 14, 249-51   | 36.3 | 425       |
| 2268 | Human genetics. Woman's meat, a man's poison. <b>1996</b> , 382, 494-5  |      | 5         |
| 2267 | Hemochromatosis in heterozygotes. <b>1996</b> , 335, 1837-9   |      | 17        |
| 2266 | Clinical and biochemical abnormalities in people heterozygous for hemochromatosis. <b>1996</b> , 335, 1799-                           | 805  | 260       |
| 2265 | Bisphosphonates in the treatment of bone diseases. <b>1996</b> , 335, 1836-7  |      | 29        |
| 2264 | Population screening for haemochromatosis: expectations based on a study of relatives of symptomatic probands. <b>1996</b> , 3, 171-7 |      | 36        |
| 2263 | The therapeutic potential of fetal and neonatal hematopoietic stem cells. <b>1996</b> , 335, 1839-40                                  |      | 16        |

| 2262 | Putting a hold on "HLA-H'. The WHO Nomenclature Committee for Factors of the HLA System. <i>Nature Genetics</i> , <b>1997</b> , 15, 234-5  | 36.3 | 48  |
|------|--|------|-----|
| 2261 | Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 10-1997. A 68-year-old woman with hepatic encephalopathy. <b>1997</b> , 336, 939-47 |      | 5   |
| 2260 | Mutations of the hereditary hemochromatosis candidate gene HLA-H in porphyria cutanea tarda. <b>1997</b> , 336, 1327-8   |      | 69  |
| 2259 | A simple genetic test identifies 90% of UK patients with haemochromatosis. The UK Haemochromatosis Consortium. <b>1997</b> , 41, 841-4   |      | 214 |
| 2258 | Global prevalence of putative haemochromatosis mutations. <b>1997</b> , 34, 275-8  |      | 559 |
| 2257 | Rapid diagnosis of asymptomatic hereditary haemochromatosis by detection of the Cys282Tyr mutation in the HLA-H gene. <b>1997</b> , 73, 573-4                                      |      | 5   |
| 2256 | Genome-linked toxic responses to dietary iron overload. <b>1997</b> , 25, 556-64   |      | 27  |
| 2255 | Haemochromatosis after the discovery of HFE ("HLA-H"). <b>1997</b> , 41, 855-6   |      | 5   |
| 2254 | Beta2-microglobulin-deficient mice are resistant to bullous pemphigoid. <b>1997</b> , 186, 777-83  |      | 35  |
| 2253 | Hyperferritinaemia in the absence of iron overload. <b>1997</b> , 41, 408-10   |      | 33  |
| 2252 | Heme oxygenase 1 is required for mammalian iron reutilization. <b>1997</b> , 94, 10919-24  |      | 840 |
| 2251 | Template-directed dye-terminator incorporation (TDI) assay: a homogeneous DNA diagnostic method based on fluorescence resonance energy transfer. <b>1997</b> , 25, 347-53          |      | 96  |
| 2250 | Homozygosity for the predominant Cys282Tyr mutation and absence of disease expression in hereditary haemochromatosis. <b>1997</b> , 34, 761-4                                      |      | 34  |
| 2249 | The hemochromatosis founder mutation in HLA-H disrupts beta2-microglobulin interaction and cell surface expression. <b>1997</b> , 272, 14025-8                                     |      | 366 |
| 2248 | Genetic epidemiology and the future of disease prevention and public health. <b>1997</b> , 19, 175-80  |      | 44  |
| 2247 | Fluorescence energy transfer detection as a homogeneous DNA diagnostic method. <b>1997</b> , 94, 10756-6   | 1    | 125 |
| 2246 | Isolation and characterisation of cosmids to intervals within a 4.5Mb region at 6p21.3. <b>1997</b> , 8, 147-50  |      |     |
| 2245 | Gastroenterology and Hepatology. <b>1997</b> , 277, 1858   |      | 1   |

| 2244                 | Calcium pyrophosphate crystal deposition is not always 'wear and tear' or aging. 1997, 56, 586-8  | 27  |
|----------------------|---|-----|
| 2243                 | Regulation of intestinal non-haem iron absorption. <b>1997</b> , 40, 435-9  | 56  |
| 2242                 | Screening of Patients With Iron Overload to Identify Hemochromatosis and Porphyria Cutanea Tarda. <b>1997</b> , 133, 1098   | 20  |
| 2241                 | A 1.1-Mb transcript map of the hereditary hemochromatosis locus. <i>Genome Research</i> , <b>1997</b> , 7, 441-56 9.7   | 79  |
| 2240                 | Iron and hepatitis C. <b>1997</b> , 41, 127-8   | 9   |
| 2239                 | A PCR-SSP method for detecting the Cys282Tyr mutation in the HFE gene associated with hereditary haemochromatosis. <b>1997</b> , 50, 275-6  | 10  |
| 2238                 | Haemochromatosis: a gene at last?. <b>1997</b> , 34, 148-51   | 2   |
| 2237                 | Conservation of ancestral haplotypes telomeric of HLA-A. <b>1997</b> , 24, 275-85   | 13  |
| 2236                 | Influence of disease on iron status. <b>1997</b> , 56, 409-19   | 8   |
| 2235                 | Ethical and legal issues in genetic epidemiology. <b>1997</b> , 19, 163-74  | 23  |
| 2234                 | Hereditary hemochromatosis. Preventing chronic effects of this underdiagnosed disorder. <b>1997</b> , 102, 83-5, 88-91, 94  | 7   |
|                      | Evolution by the birth-and-death process in multigene families of the vertebrate immune system.   |     |
| 2233                 | 1997, 94, 7799-806  | 615 |
| 2233                 |   | 615 |
|                      | <b>1997</b> , 94, 7799-806  | 615 |
| 2232                 | 1997, 94, 7799-806  Has Lactoferrin a Role in Hereditary Hemochromatosis?. 1997, 2, 421-2   |     |
| 2232                 | Has Lactoferrin a Role in Hereditary Hemochromatosis?. <b>1997</b> , 2, 421-2  Physical mapping of two histone gene clusters on human chromosome 6p22.1-22.2. <b>1997</b> , 8, 173-9  Complex duplications at 6p22.1, 6p11.2, 5q13, 5p15.1 and 5p13 revealed by fluorescent in situ               |     |
| 2232<br>2231<br>2230 | Has Lactoferrin a Role in Hereditary Hemochromatosis?. 1997, 2, 421-2  Physical mapping of two histone gene clusters on human chromosome 6p22.1-22.2. 1997, 8, 173-9  Complex duplications at 6p22.1, 6p11.2, 5q13, 5p15.1 and 5p13 revealed by fluorescent in situ hybridisation. 1997, 8, 161-5 | 2   |

| 2226 | Detection of iron overload. <b>1997</b> , 349, 73-4  | 11  |
|------|--|-----|
| 2225 | Haemochromatosis gene mutation in liver disease patients. <b>1997</b> , 349, 1025-6  | 9   |
| 2224 | Genetics of common disease: implications for therapy, screening and redefinition of disease. <b>1997</b> , 352, 1051-5   | 5   |
| 2223 | Identification of a mouse homolog for the human hereditary haemochromatosis candidate gene. <b>1997</b> , 230, 35-9  | 44  |
| 2222 | A highly conserved major histocompatibility complex class I-related gene in mammals. <b>1997</b> , 238, 697-702  | 55  |
| 2221 | HLA-H mutations in the Ashkenazi Jewish population. <b>1997</b> , 23, 95-8   | 30  |
| 2220 | Genetic and clinical description of hemochromatosis probands and heterozygotes: evidence that multiple genes linked to the major histocompatibility complex are responsible for hemochromatosis. <b>1997</b> , 23, 135-45; discussion 145a-b | 123 |
| 2219 | Commentary. <b>1997</b> , 23, 145a-b   | 8   |
| 2218 | New diallelic markers in the HLA region of chromosome 6. <b>1997</b> , 23, 219-29  | 28  |
| 2217 | Impact of HLA-H mutations on iron stores in healthy elderly men and women. <b>1997</b> , 23, 277-87  | 22  |
| 2216 | A high prevalence of HLA-H 845A mutations in hemochromatosis patients and the normal population in eastern England. <b>1997</b> , 23, 288-91   | 35  |
| 2215 | Correlation between genotype and phenotype in hereditary hemochromatosis: analysis of 61 cases. <b>1997</b> , 23, 314-20   | 54  |
| 2214 | Glucosephosphate isomerase (GPI) deficiency mutations associated with hereditary nonspherocytic hemolytic anemia (HNSHA). <b>1997</b> , 23, 402-9  | 34  |
| 2213 | Identification of a novel Krueppel-related zinc finger gene (ZNF184) mapping to 6p21.3. <b>1997</b> , 40, 486-9  | 9   |
| 2212 | Human histone gene organization: nonregular arrangement within a large cluster. <b>1997</b> , 40, 314-22   | 71  |
| 2211 | Heterogeneity in rates of recombination in the 6-Mb region telomeric to the human major histocompatibility complex. <b>1997</b> , 43, 226-31   | 64  |
| 2210 | A 1200-kilobase transcription map encompassing the D6S105 locus at 6p21.3. <b>1997</b> , 46, 487-90  |     |
| 2209 | Hereditary hemochromatosis: a Hpal polymorphism within the HLA-H gene. <b>1997</b> , 11, 229-30  | 13  |

| 2208 | The Significance of the 187G (H63D) Mutation in Hemochromatosis. 1997, 61, 762-764   |      | 100 |
|------|--|------|-----|
| 2207 | Hemochromatosis and "HLA-H": Definite!. <i>Hepatology</i> , <b>1997</b> , 25, 495-496  | 11.2 |     |
| 2206 | Haemochromatosis gene mutation in hepatocellular cancer. <b>1997</b> , 350, 565-6  |      | 22  |
| 2205 | Irradiation protection from hypersensitivity. <b>1997</b> , 350, 566   |      |     |
| 2204 | Haemochromatosis Cys282Tyr mutation in pyridoxine-responsive sideroblastic anaemia. <b>1997</b> , 349, 147   | 5-6  | 34  |
| 2203 | A new syndrome of liver iron overload with normal transferrin saturation. <b>1997</b> , 349, 95-7  |      | 276 |
| 2202 | Genetic haemochromatosis. Report of a meeting of physicians and scientists at the Royal Free Hospital School of Medicine. <b>1997</b> , 349, 1688-93             |      | 20  |
| 2201 | Increased frequency of the haemochromatosis Cys282Tyr mutation in sporadic porphyria cutanea tarda. <b>1997</b> , 349, 321-3                                     |      | 301 |
| 2200 | Genetic irony beyond haemochromatosis: clinical effects of HLA-H mutations. <b>1997</b> , 349, 296-7   |      | 97  |
| 2199 | The haemochromatosis gene. <i>Journal of Hepatology</i> , <b>1997</b> , 26, 941-4  | 13.4 | 9   |
| 2198 | Predominance of the HLA-H Cys282Tyr mutation in Austrian patients with genetic haemochromatosis. <i>Journal of Hepatology</i> , <b>1997</b> , 27, 773-9          | 13.4 | 67  |
| 2197 | Analysis of the cost of population screening for haemochromatosis using biochemical and genetic markers. <i>Journal of Hepatology</i> , <b>1997</b> , 27, 517-24 | 13.4 | 49  |
| 2196 | Compound heterozygotes for hemochromatosis gene mutations: may they help to understand the pathophysiology of the disease?. <b>1997</b> , 23, 269-76             |      | 43  |
| 2195 | Haplotype analysis of hemochromatosis: evaluation of different linkage-disequilibrium approaches and evolution of disease chromosomes. <b>1997</b> , 60, 1439-47 |      | 107 |
| 2194 | Association mapping of disease loci, by use of a pooled DNA genomic screen. <b>1997</b> , 61, 734-47   |      | 204 |
| 2193 | Invited anniversary review: HLA associated diseases. <b>1997</b> , 53, 1-11  |      | 222 |
| 2192 | [Yersinia bacteremia and iron overload]. <b>1997</b> , 18, 932-8   |      | 13  |
| 2191 | Iron stores related to iron absorption. <b>1997</b> , 66, 1483-1484  |      |     |

| 2190 | Ethnic differences in the HFE codon 282 (Cys/Tyr) polymorphism. 1997, 47, 263-7  |                  | 45   |
|------|--|------------------|------|
| 2189 | Hereditary hemochromatosis: effects of C282Y and H63D mutations on association with beta2-microglobulin, intracellular processing, and cell surface expression of the HFE protein in COS-7 cells. <b>1997</b> , 94, 12384-9          |                  | 345  |
| 2188 | Evolving Views of the Major Histocompatibility Complex. <i>Blood</i> , <b>1997</b> , 90, 4252-4265   | 2.2              | 113  |
| 2187 | Molecular biological xxxmethods in diagnosis and treatment of liver diseases. <b>1997</b> , 43, 1476-1486  |                  | 6    |
| 2186 | HLA-H and Associated Proteins in Patients with Hemochromatosis. <b>1997</b> , 3, 397-402   |                  | 34   |
| 2185 | Hereditary Haemochromatosis. <b>1997</b> , 4, 248-248  |                  |      |
| 2184 | How little we know about the absorption of iron. <b>1997</b> , 66, 419-20  |                  | 11   |
| 2183 | Clone-contig and STS maps of the hereditary hemochromatosis region on human chromosome 6p21.3-p22. <i>Genome Research</i> , <b>1997</b> , 7, 457-70  | 9.7              | 23   |
| 2182 | Neonatal Screening for the Hemochromatosis Defect. <i>Blood</i> , <b>1997</b> , 90, 4236-4236  | 2.2              | 38   |
| 2181 | Efficient Large-Scale Screening for the Hemochromatosis Susceptibility Gene Mutation. <i>Blood</i> , <b>1997</b> , 90, 2848-2848   | 2.2              | 12   |
| 2180 | Iron-Chelating Therapy and the Treatment of Thalassemia. <i>Blood</i> , <b>1997</b> , 89, 739-761  | 2.2              | 857  |
| 2179 | Simple and Rapid Detection of the Newly Described Mutations in the HLA-H Gene. <i>Blood</i> , <b>1997</b> , 89, 183  | 5 <u>-</u> 21&3€ | 5 30 |
| 2178 | Inappropriately High Iron Regulatory Protein Activity in Monocytes of Patients With Genetic Hemochromatosis. <i>Blood</i> , <b>1997</b> , 89, 2546-2553  | 2.2              | 89   |
| 2177 | Rapid Diagnosis of the HLA-H Gene Cys 282 Tyr Mutation in Hemochromatosis by Polymerase Chain Reaction [A Very Rare Mutation in the Chinese Population. <i>Blood</i> , <b>1997</b> , 89, 3492-3184                                   | 2.2              | 46   |
| 2176 | A Cheaper and More Rapid Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Method for the Detection of the HLA-H Gene Mutations Occurring in Hereditary Hemochromatosis. <i>Blood</i> , <b>1997</b> , 90, 4235-4235 | 2.2              | 41   |
| 2175 | Nontransfusional Iron Overload in Thalassemia: Association With Hereditary Hemochromatosis. <i>Blood</i> , <b>1997</b> , 90, 3234-3035   | 2.2              | 36   |
| 2174 | Mild liver enzyme abnormalities: eliminating hemochromatosis as cause. <b>1997</b> , 43, 1535-1538   |                  | 17   |
| 2173 | Association of the transferrin receptor in human placenta with HFE, the protein defective in hereditary hemochromatosis. <b>1997</b> , 94, 13198-202   |                  | 289  |

| 2172 | Immunohistochemistry of HLA-H, the protein defective in patients with hereditary hemochromatosis, reveals unique pattern of expression in gastrointestinal tract. <b>1997</b> , 94, 2534-9 |      | 225  |
|------|--|------|------|
| 2171 | Microsatellites in the HLA region: on overview. <b>1997</b> , 49, 197-214  |      | 55   |
| 2170 | The HLA A1-B8 haplotype extends 6 Mb beyond HLA-A: associations between HLA-A, B, F and 15 microsatellite markers. <b>1997</b> , 50, 521-6   |      | 29   |
| 2169 | The haemochromatosis gene. <b>1997</b> , 27, 639-41  |      |      |
| 2168 | Review: molecular approaches to inherited liver disease. Focus on Wilson disease. <b>1997</b> , 12, S251-5   |      | 5    |
| 2167 | RecA-mediated Achilles' heel cleavage. <b>1997</b> , 8, 75-81  |      | 13   |
| 2166 | Iron deficiency in developed countries: prevalence, influence of lifestyle factors and hazards of prevention. <b>1997</b> , 51, 491-4  |      | 35   |
| 2165 | Putting a hold on 'HLA-H'. Nature Genetics, <b>1997</b> , 15, 234  | 36.3 | 50   |
| 2164 | Ironing out anaemia. <i>Nature Genetics</i> , <b>1997</b> , 16, 319-20   | 36.3 | 13   |
| 2163 | Haemochromatosis, HFE and genetic complexity. <i>Nature Genetics</i> , <b>1997</b> , 17, 375-6   | 36.3 | 81   |
| 2162 | Cloning and characterization of a mammalian proton-coupled metal-ion transporter. <b>1997</b> , 388, 482-8   |      | 2578 |
| 2161 | The molecular mechanisms of the metabolism and transport of iron in normal and neoplastic cells. <b>1997</b> , 1331, 1-40  |      | 517  |
| 2160 | Rapid identification of a hemochromatosis susceptibility gene mutation. <b>1997</b> , 2, 107-108   |      |      |
| 2159 | Evaluation of the hepatic iron index as a diagnostic criterion for genetic hemochromatosis. <b>1997</b> , 130, 509-14  |      | 27   |
| 2158 | Genomic characterization of the region between HLA-B and TNF: implications for the evolution of multicopy gene families. <b>1997</b> , 44 Suppl 1, S147-54                                 |      | 17   |
| 2157 | An increased gamma delta T cell population in the intestine of thymus-leukemia antigen transgenic mice. <b>1997</b> , 176, 153-7   |      | 4    |
| 2156 | Predictive value of family history in diagnosis of hereditary hemochromatosis. <b>1997</b> , 42, 1312-5  |      | 4    |
| 2155 | A candidate gene for hemochromatosis: frequency of the C282Y and H63D mutations. <b>1997</b> , 100, 544-7  |      | 112  |

| 2154 | Phenotype-genotype correlation in haemochromatosis subjects. <b>1997</b> , 101, 271-6  | 75  |
|------|--|-----|
| 2153 | [Liver cirrhosis as precancerous conditions]. <b>1997</b> , 38, 928-36   | 6   |
| 2152 | Mutations in the MHC class I-like candidate gene for hemochromatosis in French patients. <b>1997</b> , 45, 320-4   | 122 |
| 2151 | A YAC contig and an STS map spanning at least 3.9 megabasepairs telomeric to HLA-A. <b>1997</b> , 45, 447-51   | 5   |
| 2150 | On naming H2 haplotypes: functional significance of MHC class Ib alleles. <b>1997</b> , 46, 53-62  | 36  |
| 21/0 | Large-scale comparative mapping of the MHC class I region of predominant haplotypes in<br>Japanese. <b>1997</b> , 46, 135-41                                   | 27  |
|      | Absence of the hemochromatosis gene Cys282Tyr mutation in three ethnic groups from Algeria (Mzab), Ethiopia, and Senegal. <b>1997</b> , 46, 222-5              | 46  |
| 2147 | A highly informative dinucleotide repeat polymorphism telomeric to HLA-F. <b>1997</b> , 46, 355-6  | 3   |
|      | Evaluation of the role of Fc gamma and complement receptors in the decreased phagocytosis of hereditary haemochromatosis patients. <b>1997</b> , 46, 399-405   | 6   |
|      | Review article: the screening, diagnosis and optimal management of haemochromatosis.  Alimentary Pharmacology and Therapeutics, <b>1997</b> , 11, 631-9        | 15  |
|      | Review article: gene therapy in gastroenterology and hepatology. <i>Alimentary Pharmacology and Therapeutics</i> , <b>1997</b> , 11, 823-36                    | 7   |
| 2143 | Rapid genetic screening for haemochromatosis using heteroduplex technology. <b>1997</b> , 98, 856-9  | 45  |
| 2142 | A rapid non-invasive method for the detection of the haemochromatosis C282Y mutation. <b>1997</b> , 99, 460-3  | 20  |
|      | Thrombotic thrombocytopenic purpura in a patient with genetic haemochromatosis, liver cirrhosis and an iron-free focus. <b>1997</b> , 99, 839-41               | 3   |
|      | Anomalies of the CD8+ T cell pool in haemochromatosis: HLA-A3-linked expansions of CD8+CD28- T cells. <b>1997</b> , 107, 548-54                                | 56  |
| 2139 | Hemochromatosis and "HLA-H": definite!. <i>Hepatology</i> , <b>1997</b> , 25, 495-6  | 10  |
|      | Clinical and family studies in genetic hemochromatosis: microsatellite and HFE studies in five atypical families. <i>Hepatology</i> , <b>1997</b> , 26, 986-90 | 42  |
| 2137 | A molecular basis for jaundice in intrahepatic and extrahepatic cholestasis. <i>Hepatology</i> , <b>1997</b> , 26, 1682-4 <sub>11.2</sub>                      | 2   |

| 2136 | Traffic jam for hemochromatosis mutant protein. <i>Hepatology</i> , <b>1997</b> , 26, 1684-5  | 11.2 |     |
|------|---|------|-----|
| 2135 | Hepatic hemosiderosis in non-human primates: quantification of liver iron using different field strengths. <b>1997</b> , 37, 530-6  |      | 89  |
| 2134 | Positional cloning: A review and perspective. <b>1997</b> , 41, 129-141   |      | 2   |
| 2133 | Rapid diagnostic test for detection of Cys282Tyr mutation in hereditary hemochromatosis. <b>1998</b> , 43, 1339-40  |      | 1   |
| 2132 | Positional cloning of the zebrafish sauternes gene: a model for congenital sideroblastic anaemia. <i>Nature Genetics</i> , <b>1998</b> , 20, 244-50   | 36.3 | 209 |
| 2131 | Determination of gene frequencies for two common haemochromatosis mutations in the Danish population by a novel polymerase chain reaction with sequence-specific primers. <b>1998</b> , 52, 230-5 |      | 36  |
| 2130 | Microsatellites in the HLA region: 1998 update. <b>1998</b> , 52, 318-52  |      | 35  |
| 2129 | High incidence of the Cys 282 Tyr mutation in the HFE gene in the Irish populationimplications for haemochromatosis. <b>1998</b> , 52, 484-8  |      | 68  |
| 2128 | Haemochromatosis: diagnosis and management after the cloning of the HFE gene. <b>1998</b> , 28, 159-63  |      | 9   |
| 2127 | Cellular expression and regulation of iron transport and storage proteins in genetic haemochromatosis. <b>1998</b> , 13, 624-34   |      | 7   |
| 2126 | Iron overload in bone marrow transplant recipients. <b>1998</b> , 22, 167-73  |      | 77  |
| 2125 | Generation of a transcription map of a 1 Mbase region containing the HFE gene (6p22). <b>1998</b> , 6, 105-13   |      | 2   |
| 2124 | Generation of a transcription map distal to HLA-F. <b>1998</b> , 6, 475-86  |      |     |
| 2123 | A 6p22 reference map of leukocyte DNA: exclusion of rearrangement in four cases of atypical haemochromatosis. <b>1998</b> , 6, 523-6  |      | 3   |
| 2122 | Nontransfusional iron overload in thalassemia. Association with hereditary hemochromatosis. <b>1998</b> , 850, 490-4  |      | 16  |
| 2121 | Homology models for the PERB11 multigene family. <b>1998</b> , 3, 27-37   |      | 2   |
| 2120 | Haemochromatosis. <b>1998</b> , 12, 209-25  |      | 6   |
| 2119 | Juvenile haemochromatosis. <b>1998</b> , 12, 227-35   |      | 37  |

| 2118 | Alpha 1-antitrypsin dericiency. 1998, 12, 257-73   |      | 7   |
|------|--|------|-----|
| 2117 | The inheritance of alcoholic liver disease. <b>1998</b> , 12, 317-35   |      | 15  |
| 2116 | Enhanced gamma-glutamyl transpeptidase expression and selective loss of CuZn superoxide dismutase in hepatic iron overload. <b>1998</b> , 24, 545-55                                     |      | 48  |
| 2115 | Detection of the hereditary hemochromatosis gene mutation by real-time fluorescence polymerase chain reaction and peptide nucleic acid clamping. <b>1998</b> , 260, 142-8                |      | 59  |
| 2114 | High prevalence of the His63Asp HFE mutation in Italian patients with porphyria cutanea tarda. <i>Hepatology</i> , <b>1998</b> , 27, 181-4   | 11.2 | 169 |
| 2113 | Mutations in the hemochromatosis gene, porphyria cutanea tarda, and iron overload. <i>Hepatology</i> , <b>1998</b> , 27, 289-91  | 11.2 | 50  |
| 2112 | Hemochromatosis Cys282Tyr mutation and liver iron overload in patients with chronic active hepatitis C. <i>Hepatology</i> , <b>1998</b> , 27, 306  | 11.2 | 21  |
| 2111 | Hepatic uroporphyrinogen decarboxylase activity in porphyria cutanea tarda patients: the influence of virus C infection. <i>Hepatology</i> , <b>1998</b> , 27, 584-9                     | 11.2 | 47  |
| 2110 | Dietary iron overload as a risk factor for hepatocellular carcinoma in Black Africans. <i>Hepatology</i> , <b>1998</b> , 27, 1563-6  | 11.2 | 138 |
| 2109 | Porphyria cutanea tarda, hepatitis C, and HFE gene mutations in North America. <i>Hepatology</i> , <b>1998</b> , 27, 1661-9  | 11.2 | 216 |
| 2108 | Heterozygosity for hereditary hemochromatosis is associated with more fibrosis in chronic hepatitis C. <i>Hepatology</i> , <b>1998</b> , 27, 1695-9                                      | 11.2 | 173 |
| 2107 | Clinical characteristics of hereditary hemochromatosis patients who lack the C282Y mutation. <i>Hepatology</i> , <b>1998</b> , 28, 526-9   | 11.2 | 32  |
| 2106 | Hereditary hemochromatosissometimes having a real complex can be a good thing. <i>Hepatology</i> , <b>1998</b> , 28, 890-1   | 11.2 | 1   |
| 2105 | Hepatic iron overload in patients with chronic viral hepatitis: role of HFE gene mutations. <i>Hepatology</i> , <b>1998</b> , 28, 1105-9   | 11.2 | 103 |
| 2104 | Advances in hepatic transport: molecular mechanisms, genetic disorders, and treatment. A summary of the 1998 AASLD single topic conference. <i>Hepatology</i> , <b>1998</b> , 28, 1713-9 | 11.2 | 6   |
| 2103 | Genomic analysis of the Tapasin gene, located close to the TAP loci in the MHC. <b>1998</b> , 28, 459-67   |      | 66  |
| 2102 | Hemochromatosis: a genetic defect in iron metabolism. <b>1998</b> , 20, 562-8  |      | 11  |
| 2101 | Hemosiderosis with diabetes mellitus in untransfused Hemoglobin H disease. <b>1998</b> , 57, 160-3   |      | 12  |

| 2100 | Complete regression of a suprasellar secondary mass in a patient with low-grade non-Hodgkin's lymphoma (NHL) treated with 2-chlorodeoxyadenosine (CdA). <b>1998</b> , 57, 258-9  | 1  |
|------|--|----|
| 2099 | Conversion of an acute leukemia from a mixed lineage to lymphoid phenotype. <b>1998</b> , 57, 259  |    |
| 2098 | Hypoferremia, absent bone marrow macrophage iron, and microcytic anemia with minimal response to iron therapy: an acquired disorder of iron metabolism. <b>1998</b> , 57, 260  |    |
| 2097 | Rapid diagnosis of hemochromatosis gene Cys282Tyr mutation by SSCP analysis. <b>1998</b> , 57, 260-1   | 11 |
| 2096 | Sphingosine-phosphate content in the plasma of platelet concentrates correlates with poor platelet increments after transfusion and with occurrences of transfusion reactions in patients. <b>1998</b> , 57, 261-2   | 4  |
| 2095 | Schwachman or Pearson syndrome. <b>1998</b> , 57, 262  |    |
| 2094 | Platelet function and simultaneous thrombelastograms from whole blood and plasma. <b>1998</b> , 57, 262-3  |    |
| 2093 | Pseudotumor of calcaneus: treatment with radiotherapy and replacement therapy. <b>1998</b> , 57, 263-4   | 7  |
| 2092 | Hyperammonemic encephalopathy in multiple myeloma. <b>1998</b> , 57, 264-5   | 5  |
| 2091 | Lack of prognostic significance of CD34 expression in adult AML when FAB M0 and M3 are excluded. <b>1998</b> , 57, 265-6   | 7  |
| 2090 | Complete remission of a primary effusion lymphoma with antiretroviral therapy. <b>1998</b> , 57, 266   | 67 |
| 2089 | Spontaneous splenic rupture as the initial presentation of plasma cell leukemia: a case report. <b>1998</b> , 57, 266-7  | 5  |
| 2088 | Factors affecting the rate of iron mobilization during venesection therapy for genetic hemochromatosis. <b>1998</b> , 58, 16-9   | 20 |
| 2087 | Mutation analysis of the HFE gene associated with hereditary hemochromatosis in African Americans. <b>1998</b> , 58, 213-7   | 36 |
| 2086 | Early ticlopidine-induced hepatic dysfunction, dermatitis and irreversible aplastic anemia after coronary artery stenting. <b>1998</b> , 59, 260   | 11 |
| 2085 | Low-molecular-weight heparin for the treatment of venous thrombosis in patients with adenocarcinoma. <b>1998</b> , 59, 260-1   | 13 |
| 2084 | A triple hematologic nightmare: underdiagnosing and not treating the most common US genetic disorder (iron overload): discarding each year tons of their good donor blood, creating artificial donor blood shortages in each of the past 30 years. <b>1998</b> , 59, 261-3 | 1  |
| 2083 | Androgen-induced erythrocytosis. <b>1998</b> , 59, 263-4   | 13 |

| 2082 | regions within the histone gene cluster. <b>1998</b> , 69, 117-26   | 5  |
|------|---|----|
| 2081 | Rapid, efficient method for multiplex amplification from filter paper. <b>1998</b> , 11, 404-9  | 57 |
| 2080 | Allele frequencies of hereditary hemochromatosis gene mutations in a local population of west Brittany. <b>1998</b> , 102, 332-3  | 25 |
| 2079 | A haplotype and linkage disequilibrium analysis of the hereditary hemochromatosis gene region. <b>1998</b> , 102, 517-25  | 46 |
| 2078 | Failure to respond to interferon-alpha 2a therapy is associated with increased hepatic iron levels in patients with chronic hepatitis C. <b>1998</b> , 64, 185-96                                   | 19 |
| 2077 | Iron and carcinogenesis in laboratory animals and humans: A mechanistic consideration and a review of literature. <b>1998</b> , 3, 191-203  | 11 |
| 2076 | Physical mapping between the S and HLA-E genes in the human MHC class I region: construction of a BAC, PAC, and cosmid contig. <b>1998</b> , 48, 402-7  | 1  |
| 2075 | Rapid mapping of markers applying vectorette technology to YAC fragmentation allows easy assembly of a high-density STS bacterial clone contig spanning the markers D6S1260-D6S1918. 1998, 9, 220-5 | 1  |
| 2074 | [Success and prospects in gastroenterology]. <b>1998</b> , 39, 373-80   |    |
| 2073 | Hereditary haemochromatosis mutations (HFE) in patients with Type II diabetes mellitus. <b>1998</b> , 41, 983-4   | 34 |
| 2072 | Unusual MHC-like molecules: CD1, Fc receptor, the hemochromatosis gene product, and viral homologs. <b>1998</b> , 10, 67-73   | 43 |
| 2071 | Rapid Detection of Genetic Mutations Associated with Haemochromatosis. <b>1998</b> , 75, 253-256  | 19 |
| 2070 | Expression, purification, crystallization and crystallographic characterization of the human MHC class I related protein MICA. <b>1998</b> , 54, 451-3  | 14 |
| 2069 | HFE mutations in patients with hereditary haemochromatosis in Sweden. <b>1998</b> , 243, 203-8  | 73 |
| 2068 | Hereditary haemochromatosis as an immunological disease. <b>1998</b> , 100, 247-55  | 17 |
| 2067 | The effect of HFE mutations on serum ferritin and transferrin saturation in the Jersey population. <b>1998</b> , 101, 369-73  | 71 |
| 2066 | Prevalence of hereditary haemochromatosis in premature atherosclerotic vascular disease. <b>1998</b> , 102, 1172-5  | 55 |
| 2065 | Is there a link between African iron overload and the described mutations of the hereditary haemochromatosis gene?. <b>1998</b> , 102, 1176-8   | 49 |

| 2064 Aetiology of severe iron overload in a family with hereditary haemolytic anaemia. <b>1998</b> , 102, 1179-81   | 5                    |
|---|----------------------|
| Consensus statement of the Royal College of Physicians of Edinburgh Consensus Conference on Medical Management of Stroke, 26-27 May 1998. <b>1998</b> , 102, 1107-8   |                      |
| 2062 Alpha thalassaemia is associated with increased soluble transferrin receptor levels. <b>1998</b> , 103, 365-9  | 59                   |
| Prevalence of the C282Y and H63D mutations in the HFE gene in patients with hereditary haemochromatosis and in control subjects from Northern Germany. <b>1998</b> , 103, 842-5   | 56                   |
| The haemochromatosis mutations do not modify the clinical picture of thalassaemia major in patients regularly transfused and chelated. <b>1998</b> , 103, 813-6   | 28                   |
| Kupffer cell staining by an HFE-specific monoclonal antibody: implications for hereditary haemochromatosis. <b>1998</b> , 103, 931-41   | 73                   |
| Prevalence of the C282Y and H63D mutations in the HFE gene in patients with hereditary haemochromatosis and in control subjects from Northern Germany. <b>1998</b> , 102, 842-845   |                      |
| The haemochromatosis mutations do not modify the clinical picture of thalassaemia major in patients regularly transfused and chelated. <b>1998</b> , 102, 813-816   |                      |
| Interactions between peripheral blood CD8 T lymphocytes and intestinal epithelial cells (iEC). <b>1998</b> , 112, 226-36  | 19                   |
|   |                      |
| 2055 Haemochromatosis. <b>1998</b> , 20, 65-75  | 20                   |
| 2055 Haemochromatosis. 1998, 20, 65-75  A functional defect in hereditary haemochromatosis monocytes and monocyte-derived macrophages. 1998, 28, 164-73   | 31                   |
| A functional defect in hereditary haemochromatosis monocytes and monocyte-derived   |                      |
| A functional defect in hereditary haemochromatosis monocytes and monocyte-derived macrophages. <b>1998</b> , 28, 164-73  Cloning, sequencing and characterization of the rat hereditary hemochromatosis promoter:   | 31                   |
| A functional defect in hereditary haemochromatosis monocytes and monocyte-derived macrophages. 1998, 28, 164-73  Cloning, sequencing and characterization of the rat hereditary hemochromatosis promoter: comparison of the human, mouse and rat HFE promoter regions. 1998, 225, 77-87  Interaction between haemochromatosis and transferrin receptor genes in multiple myeloma. 1998,   | 31<br>23             |
| A functional defect in hereditary haemochromatosis monocytes and monocyte-derived macrophages. 1998, 28, 164-73  Cloning, sequencing and characterization of the rat hereditary hemochromatosis promoter: comparison of the human, mouse and rat HFE promoter regions. 1998, 225, 77-87  Interaction between haemochromatosis and transferrin receptor genes in multiple myeloma. 1998, 352, 1285-6   | 31<br>23<br>18       |
| A functional defect in hereditary haemochromatosis monocytes and monocyte-derived macrophages. 1998, 28, 164-73  Cloning, sequencing and characterization of the rat hereditary hemochromatosis promoter: comparison of the human, mouse and rat HFE promoter regions. 1998, 225, 77-87  Interaction between haemochromatosis and transferrin receptor genes in multiple myeloma. 1998, 352, 1285-6  C282Y mutation in HFE (haemochromatosis) gene and type 2 diabetes. 1998, 351, 1933-4   | 31<br>23<br>18       |
| A functional defect in hereditary haemochromatosis monocytes and monocyte-derived macrophages. 1998, 28, 164-73  Cloning, sequencing and characterization of the rat hereditary hemochromatosis promoter: comparison of the human, mouse and rat HFE promoter regions. 1998, 225, 77-87  Interaction between haemochromatosis and transferrin receptor genes in multiple myeloma. 1998, 352, 1285-6  C282Y mutation in HFE (haemochromatosis) gene and type 2 diabetes. 1998, 351, 1933-4  Somesthetic aura: the experience of "Alice in Wonderland". 1998, 351, 1934 | 31<br>23<br>18<br>53 |

| 2046 | Identification of known p53 point mutations by capillary electrophoresis using unique mobility profiles in a blinded study. <b>1998</b> , 382, 121-32  | 17  |
|------|--|-----|
| 2045 | Haemochromatosis: an inherited metal and toxicity syndrome. <b>1998</b> , 8, 274-81  | 16  |
| 2044 | Note technique ^la rdaction: valuation d'une trousse de ghotypage du gfie de l'hmochromatose. <b>1998</b> , 13, 261  |     |
| 2043 | The form of iron oxide deposits in thalassemic tissues varies between different groups of patients: a comparison between Thai beta-thalassemia/hemoglobin E patients and Australian beta-thalassemia patients. <b>1998</b> , 1407, 51-60 | 41  |
| 2042 | Porphyria cutanea tarda of the toxic and sporadic varieties. <b>1998</b> , 16, 265-75  | 25  |
| 2041 | Magnetic resonance imaging of focal and diffuse hepatic disease. <b>1998</b> , 19, 2-34  | 7   |
| 2040 | A comparison between alpha-fetoprotein and p53 antibodies in the diagnosis of hepatocellular carcinoma. <b>1998</b> , 30, 780-1  | 9   |
| 2039 | Crystal structure of the hemochromatosis protein HFE and characterization of its interaction with transferrin receptor. <b>1998</b> , 93, 111-23   | 542 |
| 2038 | Noninvasive prediction of fibrosis in C282Y homozygous hemochromatosis. <b>1998</b> , 115, 929-36  | 248 |
| 2037 | Heterogeneity of hemochromatosis in Italy. <b>1998</b> , 114, 996-1002   | 201 |
| 2036 | Expression of HLA-linked hemochromatosis in subjects homozygous or heterozygous for the C282Y mutation. <b>1998</b> , 114, 1003-8  | 144 |
| 2035 | Increased hepatic iron concentration in nonalcoholic steatohepatitis is associated with increased fibrosis. <b>1998</b> , 114, 311-8   | 548 |
| 2034 | Genotypic/phenotypic correlations in genetic hemochromatosis: evolution of diagnostic criteria. <b>1998</b> , 114, 319-23  | 158 |
| 2033 | Distribution of transferrin saturation in an Australian population: relevance to the early diagnosis of hemochromatosis. <b>1998</b> , 114, 543-9  | 112 |
| 2032 | Exocrine pancreatic insufficiency in celiac disease. <b>1998</b> , 114, 621-3  | 18  |
| 2031 | Reply. <b>1998</b> , 114, 622-623  |     |
| 2030 | Siderosis in cirrhosis: is genetic hemochromatosis ruled out?. <b>1998</b> , 114, 623-4  | 2   |
| 2029 | Human gamma-aminobutyric acid B receptor gene: complementary DNA cloning, expression, chromosomal location, and genomic organization. <b>1998</b> , 44, 659-66   | 40  |

| 2028 | End-stage liver disease without hemochromatosis associated with elevated hepatic iron index. <i>Journal of Hepatology</i> , <b>1998</b> , 29, 257-62   | 13.4 | 77  |
|------|--|------|-----|
| 2027 | Hemochromatosis 1998: is one gene enough?. <i>Journal of Hepatology</i> , <b>1998</b> , 29, 502-9  | 13.4 | 26  |
| 2026 | Prevalence of the Cys282Tyr and His63Asp HFE gene mutations in Spanish patients with hereditary hemochromatosis and in controls. <i>Journal of Hepatology</i> , <b>1998</b> , 29, 725-8                                    | 13.4 | 86  |
| 2025 | Prevalence of the haemochromatosis gene mutation in non-cirrhotic liver with hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>1998</b> , 28, 740  | 13.4 | 13  |
| 2024 | The C282Y mutation in the haemochromatosis gene (HFE) and hepatitis C virus infection are independent cofactors for porphyria cutanea tarda in Australian patients. <i>Journal of Hepatology</i> , <b>1998</b> , 28, 404-9 | 13.4 | 108 |
| 2023 | The immunological system in hemochromatosis. <i>Journal of Hepatology</i> , <b>1998</b> , 28 Suppl 1, 1-7  | 13.4 | 124 |
| 2022 | Hemochromatosis after the gene discovery: revisiting the diagnostic strategy. <i>Journal of Hepatology</i> , <b>1998</b> , 28 Suppl 1, 14-8  | 13.4 | 22  |
| 2021 | Revisiting various iron overload syndromes after the haemochromatosis gene discovery. <i>Journal of Hepatology</i> , <b>1998</b> , 28 Suppl 1, 26-7  | 13.4 | 1   |
| 2020 | Genetic mapping of ossification of the posterior longitudinal ligament of the spine. <b>1998</b> , 62, 1460-7  |      | 135 |
| 2019 | The hemochromatosis 845 G>A and 187 C>G mutations: prevalence in non-Caucasian populations. <b>1998</b> , 62, 1403-7   |      | 61  |
| 2018 | Detecting marker-disease association by testing for Hardy-Weinberg disequilibrium at a marker locus. <b>1998</b> , 63, 1531-40   |      | 310 |
| 2017 | Familial porphyria cutanea tarda: characterization of seven novel uroporphyrinogen decarboxylase mutations and frequency of common hemochromatosis alleles. <b>1998</b> , 63, 1363-75                                      |      | 47  |
| 2016 | Search for a founder mutation in idiopathic focal dystonia from Northern Germany. <b>1998</b> , 63, 1777-82  |      | 46  |
| 2015 | CLINICAL ISSUES IN THE MANAGEMENT OF ALCOHOLIC LIVER DISEASE. <b>1998</b> , 2, 765-779   |      |     |
| 2014 | Is the hemochromatosis gene a modifier locus for cystic fibrosis?. <b>1998</b> , 2, 85-8   |      | 19  |
| 2013 | Hemochromatosis: new insights in pathogenesis and diagnosis following the discovery of the gene. <b>1998</b> , 35, 239-73  |      | 7   |
| 2012 | Rapid detection of genetic mutations using the chemiluminescent hybridization protection assay (HPA): overview and comparison with other methods. <b>1998</b> , 35, 369-414  |      | 7   |
| 2011 | Heterozygosity of the haemochromatosis mutation, C282Y, does not influence susceptibility to alcoholic cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>1998</b> , 33, 1324                                 | 2.4  | 16  |

| 2010 Real-time microchip PCR for detecting single-base differences in viral and human DNA. <b>1998</b> , 70, 2013-7   | 144                   |
|---|-----------------------|
| Identification and characterization of the human HCG V gene product as a novel inhibitor of protein phosphatase-1. <b>1998</b> , 37, 16728-34   | 50                    |
| 2008 Evolution by gene duplication in the major histocompatibility complex. <b>1998</b> , 80, 123-7   | 30                    |
| Expanded genomic organization of conserved mammalian MHC class I-related genes, human MR1 and its murine ortholog. <b>1998</b> , 250, 558-64  | 18                    |
| Characterization and chromosomal mapping of the human gene for SFT, a stimulator of Fe transport. <b>1998</b> , 253, 739-42   | 15                    |
| 2005 Frequency of the C282Y mutation of hemochromatosis in five French populations. <b>1998</b> , 24, 165-6   | 23                    |
| The human Nramp2 gene: characterization of the gene structure, alternative splicing, promoter region and polymorphisms. <b>1998</b> , 24, 199-215   | 251                   |
| 2003 Transferrin receptor mutation analysis in hereditary hemochromatosis patients. <b>1998</b> , 24, 317-21  | 19                    |
| 2002 Hemochromatosis in Ireland and HFE. <b>1998</b> , 24, 428-32   | 76                    |
|   |                       |
| 2001 Celtic origin of the C282Y mutation of hemochromatosis. <b>1998</b> , 24, 433-8  | 49                    |
| Celtic origin of the C282Y mutation of hemochromatosis. 1998, 24, 433-8  Ionizing radiation and genetic risks IX. Estimates of the frequencies of mendelian diseases and spontaneous mutation rates in human populations: a 1998 perspective. 1998, 411, 129-78   | 49<br>33              |
| Ionizing radiation and genetic risks IX. Estimates of the frequencies of mendelian diseases and   |                       |
| Ionizing radiation and genetic risks IX. Estimates of the frequencies of mendelian diseases and spontaneous mutation rates in human populations: a 1998 perspective. <b>1998</b> , 411, 129-78  Nucleotide sequencing analysis of the 146-kilobase segment around the IkBL and MICA genes at  | 33                    |
| lonizing radiation and genetic risks IX. Estimates of the frequencies of mendelian diseases and spontaneous mutation rates in human populations: a 1998 perspective. 1998, 411, 129-78  Nucleotide sequencing analysis of the 146-kilobase segment around the IkBL and MICA genes at the centromeric end of the HLA class I region. 1998, 47, 372-82  Mapping the gene for sex-linked anemia: an inherited defect of intestinal iron absorption in the  | 33<br>77              |
| lonizing radiation and genetic risks IX. Estimates of the frequencies of mendelian diseases and spontaneous mutation rates in human populations: a 1998 perspective. 1998, 411, 129-78  Nucleotide sequencing analysis of the 146-kilobase segment around the IkBL and MICA genes at the centromeric end of the HLA class I region. 1998, 47, 372-82  Mapping the gene for sex-linked anemia: an inherited defect of intestinal iron absorption in the mouse. 1998, 48, 34-9  | 33<br>77              |
| lonizing radiation and genetic risks IX. Estimates of the frequencies of mendelian diseases and spontaneous mutation rates in human populations: a 1998 perspective. 1998, 411, 129-78  Nucleotide sequencing analysis of the 146-kilobase segment around the IkBL and MICA genes at the centromeric end of the HLA class I region. 1998, 47, 372-82  Mapping the gene for sex-linked anemia: an inherited defect of intestinal iron absorption in the mouse. 1998, 48, 34-9  More microsatellite markers around D6S105. 1998, 12, 181-4  Homogeneous multiplex genotyping of hemochromatosis mutations with fluorescent hybridization                            | 33<br>77<br>31        |
| lonizing radiation and genetic risks IX. Estimates of the frequencies of mendelian diseases and spontaneous mutation rates in human populations: a 1998 perspective. 1998, 411, 129-78  Nucleotide sequencing analysis of the 146-kilobase segment around the IkBL and MICA genes at the centromeric end of the HLA class I region. 1998, 47, 372-82  Mapping the gene for sex-linked anemia: an inherited defect of intestinal iron absorption in the mouse. 1998, 48, 34-9  More microsatellite markers around D6S105. 1998, 12, 181-4  Homogeneous multiplex genotyping of hemochromatosis mutations with fluorescent hybridization probes. 1998, 153, 1055-61 | 33<br>77<br>31<br>143 |

| 1992 | Iron supplementation in athletes. Current recommendations. 1998, 26, 207-16  |     | 79  |
|------|--|-----|-----|
| 1991 | Hereditary hemochromatosis: gene discovery and its implications for population-based screening. <b>1998</b> , 280, 172-8   |     | 191 |
| 1990 | Non-C282Y familial iron overload: evidence for locus heterogeneity in haemochromatosis. <b>1998</b> , 35, 95   | 4-6 | 4   |
| 1989 | Heterozygotes for HFE mutations have no increased risk of advanced alcoholic liver disease. <b>1998</b> , 43, 262-6  |     | 74  |
| 1988 | Co-trafficking of HFE, a nonclassical major histocompatibility complex class I protein, with the transferrin receptor implies a role in intracellular iron regulation. <b>1998</b> , 273, 22068-74 |     | 180 |
| 1987 | A rapid method of haplotyping HFE mutations and linkage disequilibrium in a Caucasoid population. <b>1998</b> , 42, 566-9  |     | 23  |
| 1986 | The significance of haemochromatosis gene mutations in the general population: implications for screening. <b>1998</b> , 43, 830-6   |     | 194 |
| 1985 | Evidence for altered hepatic matrix degradation in genetic haemochromatosis. 1998, 42, 715-20  |     | 19  |
| 1984 | Transmission of haplotypes of microsatellite markers rather than single marker alleles in the mapping of a putative type 1 diabetes susceptibility gene (IDDM6). <b>1998</b> , 7, 517-24           |     | 32  |
| 1983 | Expression of SFT (stimulator of Fe transport) is enhanced by iron chelation in HeLa cells and by hemochromatosis in liver. <b>1998</b> , 273, 34675-8   |     | 20  |
| 1982 | Development of a multiplex ARMS test for mutations in the HFE gene associated with hereditary haemochromatosis. <b>1998</b> , 51, 73-4   |     | 25  |
| 1981 | Alcoholic liver disease: proposed recommendations for the American College of Gastroenterology. <b>1998</b> , 93, 2022-36  |     | 181 |
| 1980 | High-altitude pulmonary edema: an immunogenetically mediated disease?. <b>1998</b> , 97, 1111-3  |     | 1   |
| 1979 | Genetics and pulmonary medicine. 3. Genetic susceptibility to tuberculosis in human populations. <b>1998</b> , 53, 588-93  |     | 49  |
| 1978 | Clinical trial on the effect of regular tea drinking on iron accumulation in genetic haemochromatosis. <b>1998</b> , 43, 699-704   |     | 126 |
| 1977 | Porphyria cutanea tarda. <b>1998</b> , 18, 67-75   |     | 171 |
| 1976 | A homogeneous, ligase-mediated DNA diagnostic test. <i>Genome Research</i> , <b>1998</b> , 8, 549-56   | 9.7 | 127 |
| 1975 | Construction and validation of yeast artificial chromosome contig maps by RecA-assisted restriction endonuclease cleavage. <b>1998</b> , 95, 11318-23  |     | 5   |

| 1974                         | Iron homeostasis and the assessment of iron status. <b>1998</b> , 35 ( Pt 6), 693-708   |     | 42                  |
|------------------------------|---|-----|---------------------|
| 1973                         | High frequency of the haemochromatosis C282Y mutation in Hungary could argue against a Celtic origin of the mutation. <b>1998</b> , 35, 878-9   |     | 8                   |
| 1972                         | Severe juvenile haemochromatosis (JH) missing HFE gene variants: implications for a second gene locus leading to iron overload. <b>1998</b> , 102, 1111-2   |     | 11                  |
| 1971                         | Allelic association under map error and recombinational heterogeneity: a tale of two sites. <b>1998</b> , 95, 11366-70  |     | 31                  |
| 1970                         | Hereditary haemochromatosis mutation frequencies in the general population. <b>1998</b> , 5, 34-6   |     | 42                  |
| 1969                         | Iron overload, public health, and genetics: evaluating the evidence for hemochromatosis screening. <b>1998</b> , 129, 971-9   |     | 70                  |
| 1968                         | Host genetic susceptibility to human tuberculosis. <b>1998</b> , 217, 3-13; discussion 13-23  |     | 24                  |
| 1967                         | The hemochromatosis gene product complexes with the transferrin receptor and lowers its affinity for ligand binding. <b>1998</b> , 95, 1472-7   |     | 682                 |
| 1966                         | HFE gene knockout produces mouse model of hereditary hemochromatosis. <b>1998</b> , 95, 2492-7  |     | 462                 |
| 1965                         | Haemochromatosis case detection by genetic testing: a new era. <b>1998</b> , 35 ( Pt 5), 674-7  |     |                     |
|                              |   |     |                     |
| 1964                         | Hepatic iron overload: direct HFE (HLA-H) mutation analysis vs quantitative iron assays for the diagnosis of hereditary hemochromatosis. <b>1998</b> , 109, 577-84  |     | 19                  |
|                              |   |     | 19                  |
|                              | diagnosis of hereditary hemochromatosis. <b>1998</b> , 109, 577-84  |     |                     |
| 1963                         | diagnosis of hereditary hemochromatosis. 1998, 109, 577-84  Hepatic iron overload in the age of hereditary hemochromatosis mutation analysis. 1998, 109, 505-7  Monocyte-macrophage ferric reductase activity is inhibited by iron and stimulated by cellular   | 9-7 | 3                   |
| 1963<br>1962                 | diagnosis of hereditary hemochromatosis. 1998, 109, 577-84  Hepatic iron overload in the age of hereditary hemochromatosis mutation analysis. 1998, 109, 505-7  Monocyte-macrophage ferric reductase activity is inhibited by iron and stimulated by cellular differentiation. 1998, 336 ( Pt 3), 541-3  Construction of an approximately 700-kb transcript map around the familial Mediterranean fever   | 9-7 | 3                   |
| 1963<br>1962<br>1961         | Hepatic iron overload in the age of hereditary hemochromatosis mutation analysis. 1998, 109, 505-7  Monocyte-macrophage ferric reductase activity is inhibited by iron and stimulated by cellular differentiation. 1998, 336 ( Pt 3), 541-3  Construction of an approximately 700-kb transcript map around the familial Mediterranean fever locus on human chromosome 16p13.3. <i>Genome Research</i> , 1998, 8, 1172-91  The complete genomic sequence of 424,015 bp at the centromeric end of the HLA class I region:   | 9.7 | 3<br>13<br>12       |
| 1963<br>1962<br>1961<br>1960 | Hepatic iron overload in the age of hereditary hemochromatosis mutation analysis. 1998, 109, 505-7  Monocyte-macrophage ferric reductase activity is inhibited by iron and stimulated by cellular differentiation. 1998, 336 (Pt 3), 541-3  Construction of an approximately 700-kb transcript map around the familial Mediterranean fever locus on human chromosome 16p13.3. <i>Genome Research</i> , 1998, 8, 1172-91  The complete genomic sequence of 424,015 bp at the centromeric end of the HLA class I region: gene content and polymorphism. 1998, 95, 9494-9  A PCR-SSP method for detecting the His63Asp mutation in the HFE gene associated with hereditary | 9.7 | 3<br>13<br>12<br>54 |

| 1956 | Interaction between iron metabolism and 2,3,7,8-tetrachlorodibenzo-p-dioxin in mice with variants of the Ahr gene: a hepatic oxidative mechanism. <b>1998</b> , 53, 52-61   |     | 64  |
|------|---|-----|-----|
| 1955 | High-throughput genetic analysis using microfabricated 96-sample capillary array electrophoresis microplates. <b>1998</b> , 95, 2256-61   |     | 225 |
| 1954 | Hemochromatosis-associated mortality in the United States from 1979 to 1992: an analysis of Multiple-Cause Mortality Data. <b>1998</b> , 129, 946-53  |     | 89  |
| 1953 | Prevalence of genetic hemochromatosis in a cohort of Italian patients with diabetes mellitus. <b>1998</b> , 128, 370-3  |     | 43  |
| 1952 | Recent advances. Gastroenterology. <b>1998</b> , 316, 125-8   |     | 3   |
| 1951 | Recently identified molecular aspects of intestinal iron absorption. <b>1998</b> , 128, 1841-4  |     | 43  |
| 1950 | Current concepts in mucosal immunity. II. One size fits all: nonclassical MHC molecules fulfill multiple roles in epithelial cell function. <b>1998</b> , 274, G227-31  |     | 10  |
| 1949 | Effect of Plasma Replacement Therapy on Determinations of Urine Protein Concentration. <b>1998</b> , 44, 359-360  |     | 3   |
| 1948 | Transferrin Saturation and Screening of Genetic Hemochromatosis. <b>1998</b> , 44, 360-362  |     | 8   |
| 1947 | Research priorities in hereditary hemochromatosis. <b>1998</b> , 129, 993-6   |     | 11  |
| 1946 | Heterozygosity for the C282Y mutation in the hemochromatosis gene is associated with increased serum iron, transferrin saturation, and hemoglobin in young women: a protective role against iron deficiency?. <b>1998</b> , 44, 2429-2432 |     | 117 |
| 1945 | Response of Monocyte Iron Regulatory Protein Activity to Inflammation: Abnormal Behavior in Genetic Hemochromatosis. <i>Blood</i> , <b>1998</b> , 91, 2565-2572   | 2.2 | 61  |
| 1944 | Hemochromatosis-Related Mutation Detection. <i>Blood</i> , <b>1998</b> , 91, 2620-2621  | 2.2 | 10  |
| 1943 | Adaptive Response of Iron Absorption to Anemia, Increased Erythropoiesis, Iron Deficiency, and Iron Loading in <b>2</b> -Microglobulin Knockout Mice. <i>Blood</i> , <b>1998</b> , 91, 3059-3065  | 2.2 | 43  |
| 1942 | Coinheritance of Alleles Associated With Hemochromatosis and Hereditary Hyperferritinemia-Cataract Syndrome. <i>Blood</i> , <b>1998</b> , 92, 4480-4481   | 2.2 | 24  |
| 1941 | An Association Between the Common Hereditary Hemochromatosis Mutation and the Factor V Leiden Allele in a Population With Thrombosis. <i>Blood</i> , <b>1998</b> , 92, 1461-1462  | 2.2 | 21  |
| 1940 | Iron Is Hot: An Update on the Pathophysiology of Hemochromatosis. <i>Blood</i> , <b>1998</b> , 92, 1845-1851  | 2.2 | 72  |
| 1939 | Juvenile Genetic Hemochromatosis Is Clinically and Genetically Distinct From the Classical HLA-Related Disorder. <i>Blood</i> , <b>1998</b> , 92, 2979-2981   | 2.2 | 24  |

1938 Reports of Societies. **1998**, 43, 61-63

| Corp. Corporate appairies of DNA using DocA protein 1000 OF 2152.7  | O   |
|---|-----|
| 1937 Sequence-specific ligation of DNA using RecA protein. <b>1998,</b> 95, 2152-7  | 8   |
| 1936 Prevalence of hereditary hemochromatosis in 16031 primary care patients. <b>1998</b> , 129, 954-61   | 76  |
| 1935 Targeted disruption of the HFE gene. <b>1998</b> , 95, 2033-4  | 8   |
| 1934 The neutral theory and natural selection in the HLA region. <b>1998</b> , 3, d459-67   | 19  |
| Automated detection of point mutations by electrophoresis in peptide-nucleic acid-containing gels. <b>1933 1999</b> , 27, 798-800, 802, 804 passim  | 23  |
| Rapid genetic screening for hemochromatosis using automated SSCP-based capillary electrophoresis (SSCP-CE). <b>1999</b> , 26, 1106-10   | 20  |
| 1931 Recent advances: hepatology. <b>1999</b> , 318, 1256-9   | 11  |
| Hereditary haemochromatosis: to screen or not. Conditions for screening are not yet fulfilled. <b>1999</b> , 319, 531-2   | 19  |
| Reciprocal regulation of HFE and NNamp2 gene expression by iron in human intestinal cells. <b>1999</b> , 129, 98-104  | 53  |
| 1928 High-dose vitamin C: a risk for persons with high iron stores?. <b>1999</b> , 69, 67-82  | 41  |
| 1927 The Impact of Molecular Diagnostic Tests on Patient Outcomes. <b>1999</b> , 19, 815-831  | 10  |
| 1926 Iron overload in Sub-Saharan Africa: to what extent is it a public health problem?. <b>1999</b> , 81, 427-434  | 12  |
| 1925 . <b>1999</b> ,  | 5   |
| 1924 A role for the immunological system in iron homeostasis: <b>B</b> ut how?□199-210  |     |
| LightCycler PCR Assay for Simultaneous Detection of the H63D and S65C Mutations in the HFE Hemochromatosis Gene Based on Opposite Melting Temperature Shifts. <b>1999</b> , 45, 2275-2278 | 33  |
| Simple Multiplex PCR for the Simultaneous Detection of the C282Y and H63D Hemochromatosis (HFE) Gene Mutations. <b>1999</b> , 45, 426-428   | 30  |
| 1921 Quantitative Study of the Variability of Hepatic Iron Concentrations. <b>1999</b> , 45, 340-346  | 123 |

| 1920 | Rapid Genotyping of Hemochromatosis Gene Mutations on the LightCycler with Fluorescent Hybridization Probes. <b>1999</b> , 45, 1875-1878   |          | 59  |
|------|--|----------|-----|
| 1919 | No Association Between Factor V Leiden and C282Y Mutation in the Hereditary Hemochromatosis Gene. <i>Blood</i> , <b>1999</b> , 93, 4024-4025   | <u>)</u> | 1   |
| 1918 | Four New Mutations in the Erythroid-Specific 5-Aminolevulinate Synthase (ALAS2) Gene Causing X-Linked Sideroblastic Anemia: Increased Pyridoxine Responsiveness After Removal of Iron 2.2 Overload by Phlebotomy and Coinheritance of Hereditary Hemochromatosis. <i>Blood</i> , <b>1999</b> , 93, 1757-1769 | <u>2</u> | 89  |
| 1917 | HFE Mutations Analysis in 711 Hemochromatosis Probands: Evidence for S65C Implication in Mild Form of Hemochromatosis. <i>Blood</i> , <b>1999</b> , 93, 2502-2505  | <u>2</u> | 317 |
| 1916 | The C282Y Mutation Causing Hereditary Hemochromatosis Does Not Produce a Null Allele. <i>Blood</i> , <b>1999</b> , 94, 9-11  | <u>2</u> | 222 |
| 1915 | HFE Downregulates Iron Uptake From Transferrin and Induces Iron-Regulatory Protein Activity in Stably Transfected Cells. <i>Blood</i> , <b>1999</b> , 94, 3915-3921  | <u>2</u> | 79  |
| 1914 | Importance of Anemia and Transferrin Levels in the Regulation of Intestinal Iron Absorption in Hypotransferrinemic Mice. <i>Blood</i> , <b>1999</b> , 94, 3185-3192  | <u>2</u> | 38  |
| 1913 | Inborn errors of metabolism: iron. <b>1999</b> , 55, 556-67  |          | 16  |
| 1912 | New Perspectives on Iron: An Introduction. <b>1999</b> , 318, 207-212  |          | 32  |
| 1911 | New Developments in Hereditary Hemochromatosis. <b>1999</b> , 318, 257-268   |          | 10  |
| 1910 | Hemochromatosis: a "simple" genetic trait. <b>1999</b> , 34, 55-8, 61-2, 68 passim   |          | 5   |
| 1909 | Prevalence of the C282Y and H63D polymorphisms in a multi-ethnic control population. <b>1999</b> , 4, 389-93   |          | 19  |
| 1908 | Diagnosis of hemochromatosis in family members of probands: a comparison of phenotyping and HFE genotyping. <b>1999</b> , 1, 89-93   |          | 17  |
| 1907 | Hepatic iron concentration: noninvasive estimation by means of MR imaging techniques. <b>1999</b> , 212, 227-34  |          | 133 |
| 1906 | Clinical implications of the hemochromatosis gene. <b>1999</b> , 341, 755-7  |          | 20  |
| 1905 | Polymorphisms in the HFE gene. <b>1999</b> , 49, 21-6  |          | 29  |
| 1904 | Epidemiology of primary liver cancer. <b>1999</b> , 19, 271-85   |          | 763 |
| 1903 | The Journal and its ownerresolving the crisis. <b>1999</b> , 341, 752  |          | 14  |

| 1902 | Characterization of the major susceptibility region for psoriasis at chromosome 6p21.3. <b>1999</b> , 113, 322-8   | 73  |
|------|--|-----|
| 1901 | Experimental hemochromatosis due to MHC class I HFE deficiency: immune status and iron metabolism. <b>1999</b> , 96, 13312-7   | 146 |
| 1900 | Iron saturation of ferritin in the course of phlebotomy treatment in patients with haemochromatosis. <b>1999</b> , 37, 827-30  | O   |
| 1899 | Interaction between haemochromatosis and transferrin receptor genes in different neoplastic disorders. <b>1999</b> , 20, 1231-3  | 65  |
| 1898 | Increased risk of acute myocardial infarction in carriers of the hemochromatosis gene Cys282Tyr mutation: a prospective cohort study in men in eastern Finland. <b>1999</b> , 100, 1274-9                                | 196 |
| 1897 | Spectrum of mutations in the HFE gene implicated in haemochromatosis and porphyria. <b>1999</b> , 8, 1517-22   | 74  |
| 1896 | Rapid detection of the factor V Leiden (1691 G > A) and haemochromatosis (845 G > A) mutation by fluorescence resonance energy transfer (FRET) and real time PCR. <b>1999</b> , 52, 766-9                                | 22  |
| 1895 | Iron overload in urban Africans in the 1990s. <b>1999</b> , 45, 278-83   | 38  |
| 1894 | Should we genetically test everyone for haemochromatosis?. <b>1999</b> , 25, 209-14  | 22  |
| 1893 | Analytic Reviews: The Indications for and Timing of Liver Transplantation: Schluger LK, Klion FM The indications for and timing of liver transplantation J Intensive Care Med 1999,14 109-117. <b>1999</b> , 14, 109-117 |     |
| 1892 | Aldosterone and spironolactone in heart failure. <b>1999</b> , 341, 753-5  | 92  |
| 1891 | Heterozygosity for a hereditary hemochromatosis gene is associated with cardiovascular death in women. <b>1999</b> , 100, 1268-73  | 206 |
| 1890 | Spur cell anaemia and hepatic iron stores in patients with alcoholic liver disease undergoing orthotopic liver transplantation. <b>1999</b> , 45, 301-5  | 49  |
| 1889 | Iron, atherosclerosis, and ischemic heart disease. <b>1999</b> , 159, 1542-8   | 184 |
| 1888 | Modulation of iron uptake in heart by L-type Ca2+ channel modifiers: possible implications in iron overload. <b>1999</b> , 84, 1302-9  | 121 |
| 1887 | Are haemochromatosis mutations related to the severity of liver disease in hepatitis C virus infection?. <b>2000</b> , 102, 152-6  | 47  |
| 1886 | HFE gene mutation and transferrin saturation in very low birthweight infants. <b>1999</b> , 81, F144-5   | 2   |
| 1885 | Transferrin receptor is negatively modulated by the hemochromatosis protein HFE: implications for cellular iron homeostasis. <b>1999</b> , 96, 5434-9  | 136 |

| 1884 | The hereditary hemochromatosis protein, HFE, specifically regulates transferrin-mediated iron uptake in HeLa cells. <b>1999</b> , 274, 9022-8                | 165 |
|------|--|-----|
| 1883 | The regulation of mineral absorption in the gastrointestinal tract. <b>1999</b> , 58, 147-53   | 66  |
| 1882 | Transplantation of haemochromatosis liver and intestine into a normal recipient. <b>1999</b> , 45, 783   | 20  |
| 1881 | Ceruloplasmin ferroxidase activity stimulates cellular iron uptake by a trivalent cation-specific transport mechanism. <b>1999</b> , 274, 1116-23            | 105 |
| 1880 | Iron-mediated cardiovascular injury. <b>1999</b> , 4, 93-9   | 72  |
| 1879 | A population-based study of the clinical expression of the hemochromatosis gene. <b>1999</b> , 341, 718-24   | 587 |
| 1878 | Molecular cloning of transferrin receptor 2. A new member of the transferrin receptor-like family. <b>1999</b> , 274, 20826-32                               | 462 |
| 1877 | Association of HFE protein with transferrin receptor in crypt enterocytes of human duodenum. <b>1999</b> , 96, 1579-84                                       | 205 |
| 1876 | Genetics of hemochromatosis. <b>1999</b> , 50, 87-98   | 27  |
| 1875 | Evidence from a Ghanaian population of known African descent to support the proposition that hemochromatosis is a Caucasian disorder. <b>1999</b> , 3, 375-7 | 12  |
| 1874 | Screening blood donors for hereditary hemochromatosis: decision analysis model comparing genotyping to phenotyping. <b>1999</b> , 94, 1593-600               | 47  |
| 1873 | Screening for hemochromatosis: phenotyping or genotyping or both?. <b>1999</b> , 94, 1430-3  | 6   |
| 1872 | Yeast SMF1 mediates H(+)-coupled iron uptake with concomitant uncoupled cation currents. <b>1999</b> , 274, 35089-94   | 125 |
| 1871 | Iron metabolism. <b>1999</b> , 3, 200-6  | 380 |
| 1870 | Functions of nonclassical MHC and non-MHC-encoded class I molecules. <b>1999</b> , 11, 100-8   | 188 |
| 1869 | HLA-A*9, a probable secondary susceptibility marker to ankylosing spondylitis in Basque patients. <b>1999</b> , 53, 161-6                                    | 10  |
| 1868 | A gene telomeric of the HLA class I region is involved in predisposition to both type 1 diabetes and coeliac disease. <b>1999</b> , 54, 162-8                | 91  |
| 1867 | HFE genotypes and haemochromatosis: quantifying the risks of disease. <b>1999</b> , 54, 282-4  | 9   |

| 1866 A new taxonomy of mammalian MHC class I molecules. <b>1999</b> , 20, 22-6  | 41 |
|---|----|
| 1865 Structure and evolution of the extended B7 family. <b>1999</b> , 20, 285-8   | 90 |
| Conserved lipid and peptide presentation functions of nonclassical class I molecules. <b>1999</b> , 20, 515-21  | 20 |
| Iron overload in patients with sideroblastic anaemia is not related to the presence of the haemochromatosis Cys282Tyr and His63Asp mutations. <b>1999</b> , 104, 97-9 | 16 |
| Evaluation of leptin protein levels in patients with Cooley's anaemia. 1999, 105, 839-40  | 2  |
| 1861 Indolent course as presentation in t-prolymphocytic leukaemia. <b>1999</b> , 105, 840  | 8  |
| 1860 Chronic hepatitis c virus infection and primary cutaneous B-cell lymphoma. <b>1999</b> , 105, 841  | 13 |
| 1859 Budd-Chiari syndrome associated with homozygous factor V Leiden mutation. <b>1999</b> , 105, 842   | 4  |
| The common haemochromatosis mutation does not increase the risk of thrombosis in patients with factor V Leiden. <b>1999</b> , 105, 842-3                              | 1  |
| 1857 Splenic irradiation as management of ITP. <b>1999</b> , 105, 843-4   | 2  |
| Mutation of the WT1 gene in myelodysplastic syndrome and acute myeloid leukaemia post myelodysplastic syndrome. <b>1999</b> , 105, 844-5                              | 7  |
| Lipid preparations of amphotericin for the treatment of fungal infections. <b>1999</b> , 105, 845-9; author reply 849-50  |    |
| 1854 Haemochromatosis mutations in North-East Scotland. <b>1999</b> , 106, 385-7  | 20 |
| Soluble transferrin receptor as a potential determinant of iron loading in congenital anaemias due to ineffective erythropoiesis. <b>1999</b> , 106, 752-5            | 43 |
| Factor V Leiden and the common haemochromatosis mutation HFE C282Y: is there an association in familial venous thromboembolic disease?. <b>1999</b> , 107, 210-2      | 9  |
| The frequency of the haemochromatosis C282Y mutation in the ethnic Hungarian and Romany populations of eastern Hungary. <b>1999</b> , 107, 464-5                      | 7  |
| 1850 Lipid preparations of amphotericin for the treatment of fungal infections. <b>1999</b> , 105, 847-9  |    |
| 1849 Lipid preparations of amphotericin for the treatment of fungal infections. <b>1999</b> , 105, 849-50   |    |

| 1848 | Interpretation of iron studies in adolescent haemochromatosis. <b>1999</b> , 21, 129-31   |      | 3   |
|------|---|------|-----|
| 1847 | Rapid and simple determination of hereditary haemochromatosis mutations by multiplex PCR-SSCP: detection of a new polymorphic mutation. <b>1999</b> , 63, 193-7                 |      | 40  |
| 1846 | Search for the PARK3 founder haplotype in a large cohort of patients with Parkinson's disease from northern Germany. <b>1999</b> , 63, 285-91                                   |      | 18  |
| 1845 | The haemochromatosis gene: a co-factor for chronic liver diseases?. <b>1999</b> , 14, 745-9   |      | 17  |
| 1844 | The haemochromatosis gene: a global perspective and implications for the Asia-Pacific region. <b>1999</b> , 14, 838-43  |      | 21  |
| 1843 | No evidence of increased risk of colorectal cancer in individuals heterozygous for the Cys282Tyr haemochromatosis mutation. <b>1999</b> , 14, 1188-91                           |      | 25  |
| 1842 | Hemochromatosis and blood donors: a perspective. <b>1999</b> , 39, 551-4  |      | 4   |
| 1841 | A survey of phlebotomy among persons with hemochromatosis. <b>1999</b> , 39, 651-6  |      | 36  |
| 1840 | Use of blood therapeutically drawn from hemochromatosis patients. Council on Scientific Affairs, American Medical Association. <b>1999</b> , 39, 1018-26                        |      | 10  |
| 1839 | Polymorphism in intron 4 of HFE may cause overestimation of C282Y homozygote prevalence in haemochromatosis. <i>Nature Genetics</i> , <b>1999</b> , 22, 325-6                   | 36.3 | 151 |
| 1838 | FDA comments on phase I clinical trials without vector biodistribution data. <i>Nature Genetics</i> , <b>1999</b> , 22, 326   | 36.3 | 6   |
| 1837 | Fine-mapping of an ancestral recombination breakpoint in DCP1. <i>Nature Genetics</i> , <b>1999</b> , 23, 270-1   | 36.3 | 40  |
| 1836 | Polymorphism in intron 4 of HFE does not compromise haemochromatosis mutation results. The European Haemochromatosis Consortium. <i>Nature Genetics</i> , <b>1999</b> , 23, 271 | 36.3 | 34  |
| 1835 | Polymorphism in intron 4 of HFE does not compromise haemochromatosis mutation results. <i>Nature Genetics</i> , <b>1999</b> , 23, 271-2   | 36.3 | 25  |
| 1834 | Polymorphism in intron 4 of HFE does not compromise haemochromatosis mutation results. <i>Nature Genetics</i> , <b>1999</b> , 23, 272   | 36.3 | 10  |
| 1833 | Hereditary haemochromatosis: diagnosis and management in the gene era. <b>1999</b> , 19, 73-80  |      | 34  |
| 1832 | Putative hemochromatosis gene mutations and alcoholic liver disease with iron overload in Japan. <b>1999</b> , 23, 21S-23S  |      | 8   |
| 1831 | Conservation and diversification of MHC class I and its related molecules in vertebrates. <b>1999</b> , 167, 81-10  | 00   | 51  |

| 1830 | intestinal iron challenge: relevance to hemochromatosis. <b>1999</b> , 167, 223-32  | 46  |
|------|---|-----|
| 1829 | Recombination within the human MHC. <b>1999</b> , 167, 245-56   | 87  |
| 1828 | Genomics of the major histocompatibility complex: haplotypes, duplication, retroviruses and disease. <b>1999</b> , 167, 275-304           | 283 |
| 1827 | Risk of venous thromboembolism associated with the common hereditary haemochromatosis Hfe gene (C282Y) mutation. <b>1999</b> , 105, 95-97 | 8   |
| 1826 | Variation in immunoregulatory genes determines the clinical phenotype of common variable immunodeficiency. <b>1999</b> , 1, 137-48        | 63  |
| 1825 | Virtual reality in the MHC. <b>1999</b> , 167, 5-15   | 55  |
| 1824 | The chromosomal duplication model of the major histocompatibility complex. <b>1999</b> , 167, 17-32                                       | 96  |
| 1823 | Iron biominerals in medicine and the environment. <b>1999</b> , 190-192, 1199-1215  | 15  |
| 1822 | [Digestive and metabolic diseases]. <b>1999</b> , 40, 407-13  |     |
| 1821 | [Hemochromatosis and Wilson disease]. <b>1999</b> , 40, 513-21  | 8   |
| 1820 | Effects of prolonged iron loading in the rat using both parenteral and dietary routes. <b>1999</b> , 12, 103-13                           | 14  |
| 1819 | Syncope and inducible ventricular fibrillation in a woman with hemochromatosis. <b>1999</b> , 3, 225-9                                    | 15  |
| 1818 | Metal ion transporters and homeostasis. <b>1999</b> , 18, 4361-71   | 217 |
| 1817 | Alternate splice variants of the hemochromatosis gene Hfe. <b>1999</b> , 49, 357-9  | 20  |
| 1816 | A new polymorphism in the human HFE gene. <b>1999</b> , 49, 823-4   | 3   |
| 1815 | Genome dynamics of the major histocompatibility complex: insights from genome paralogy. <b>1999</b> , 50, 134-45                          | 34  |
| 1814 | The MHC quarterly report. <b>1999</b> , 50, 152-9   | 22  |
|      |   |     |

| 1812 | The hereditary hemochromatosis gene (HFE): a MHC class I-like gene that functions in the regulation of iron homeostasis. <b>1999</b> , 20, 175-85  |      | 46 |
|------|--|------|----|
| 1811 | Genetics in gastrointestinal disease: how much can we learn from molecular analysis?. <b>1999</b> , 14, 10-2   |      | 3  |
| 1810 | A rapid automated SSCP multiplex capillary electrophoresis protocol that detects the two common mutations implicated in hereditary hemochromatosis (HH). <b>1999</b> , 104, 29-35          |      | 33 |
| 1809 | Role of genetic testing and liver biopsy in the diagnosis of hemochromatosis. <b>1999</b> , 1, 27-9  |      | 4  |
| 1808 | Hemochromatosis. <b>1999</b> , 2, 58-60  |      |    |
| 1807 | Differential effects of iron load on basal and interferon-gamma plus lipopolysaccharide enhance anticryptococcal activity by the murine microglial cell line BV-2. <b>1999</b> , 93, 102-7 |      | 10 |
| 1806 | Hepatic lipid peroxidation in hereditary hemochromatosis and alcoholic liver injury. <b>1999</b> , 133, 451-60   |      | 63 |
| 1805 | Cloning of the hereditary hemochromatosis gene: implications for pathogenesis, diagnosis, and screening. <b>1999</b> , 133, 229-36   |      | 3  |
| 1804 | Prevalence of hemochromatosis related HFE gene mutations in patients with acute myeloid leukemia. <b>1999</b> , 23, 597-8  |      | 20 |
| 1803 | Inherited disorders of iron storage and transport. <b>1999</b> , 5, 431-8  |      | 7  |
| 1802 | Screening for hereditary hemochromatosis: are DNA-based tests the answer?. <b>1999</b> , 5, 428-30   |      | 5  |
| 1801 | Iron overload: molecular clues to its cause. <b>1999</b> , 24, 164-6   |      | 19 |
| 1800 | Lars ernster (1920-1998). <b>1999</b> , 24, 166-7  |      | 1  |
| 1799 | Iron regulatory protein as an endogenous sensor of iron in rat intestinal mucosa. Possible implications for the regulation of iron absorption. <b>1999</b> , 260, 362-72                   |      | 66 |
| 1798 | The Indications for and Timing of Liver Transplantation. <b>1999</b> , 14, 109-117   |      | 1  |
| 1797 | Population screening for hemochromatosis. <i>Hepatology</i> , <b>1999</b> , 29, 1324-7   | 11.2 | 39 |
| 1796 | Hemochromatosis C282Y mutation and histological fibrosis in patients with C virus chronic hepatitis. <i>Hepatology</i> , <b>1999</b> , 29, 1338  | 11.2 | 3  |
| 1795 | Flumazenil and hepatic encephalopathy. <i>Hepatology</i> , <b>1999</b> , 29, 1338-9  | 11.2 |    |

| 1794 | Inherited HFE-unrelated hemochromatosis in Italian families. <i>Hepatology</i> , <b>1999</b> , 29, 1563-4   | 11.2 | 50  |
|------|---|------|-----|
| 1793 | Prevalence of the C282Y mutation of the hemochromatosis gene in liver transplant recipients and donors. <i>Hepatology</i> , <b>1999</b> , 30, 665-9                           | 11.2 | 19  |
| 1792 | The most frequent HFE allele linked to porphyria cutanea tarda in Mediterraneans is His63Asp. <i>Hepatology</i> , <b>1999</b> , 30, 819-20                                    | 11.2 | 20  |
| 1791 | Extremely rare association of HFE mutations with porphyria cutanea tarda in Japanese patients. <i>Hepatology</i> , <b>1999</b> , 30, 1532-3                                   | 11.2 | 16  |
| 1790 | Hereditary hemochromatosis in liver transplantation. <b>1999</b> , 5, 50-6  |      | 18  |
| 1789 | Long-term follow-up after liver transplantation in patients with hepatic iron overload. <b>1999</b> , 5, 369-74   |      | 37  |
| 1788 | Elevated parathyroid hormone 44-68 and osteoarticular changes in patients with genetic hemochromatosis. <b>1999</b> , 42, 799-806   |      | 42  |
| 1787 | Juvenile rheumatoid arthritis as a complex genetic trait. <b>1999</b> , 42, 2261-8  |      | 141 |
| 1786 | A retrospective anonymous pilot study in screening newborns for HFE mutations in Scandinavian populations. <b>1999</b> , 13, 154-9  |      | 44  |
| 1785 | A novel missense mutation S65C in the HFE gene with a possible role in hereditary haemochromatosis. <b>1999</b> , 13, 507-508   |      | 6   |
| 1784 | Transitional pre-B-cell acute lymphoblastic leukemia in adults. <b>1999</b> , 61, 274-5   |      | 1   |
| 1783 | Mixed connective tissue disease with hemolytic anemia and severe thrombocytopenia due to thrombotic thrombocytopenic purpura. <b>1999</b> , 61, 275                           |      | 9   |
| 1782 | Absence of C282Y and H63D mutations of the hemochromatosis gene in Japanese patients with sideroblastic anemia. <b>1999</b> , 61, 276   |      | 1   |
| 1781 | Iron metabolism and HIV infection: reciprocal interactions with potentially harmful consequences?. <b>1999</b> , 17, 279-87   |      | 65  |
| 1780 | Hemochromatosis: Recent advances in molecular genetics. <b>1999</b> , 12, 361-365   |      | 1   |
| 1779 | Goals and objectives for molecular pathology education in residency programs. The Association for Molecular Pathology Training and Education Committee. <b>1999</b> , 1, 5-15 |      | 16  |
| 1778 | Shattuck lecturemedical and societal consequences of the Human Genome Project. <b>1999</b> , 341, 28-37   |      | 578 |
| 1777 | Crystal structure of human ZAG, a fat-depleting factor related to MHC molecules. <b>1999</b> , 283, 1914-9  |      | 113 |

| 1776                                 | High prevalence of the hemochromatosis-associated Cys282Tyr HFE gene mutation in a healthy Norwegian population in the city of Oslo, and its phenotypic expression. <i>Scandinavian Journal of Gastroenterology</i> , <b>1999</b> , 34, 529-34   | 2.4 | 58                    |
|--------------------------------------|--|-----|-----------------------|
| 1775                                 | Biochemistry of iron uptake. <b>1999</b> , 34, 285-314   |     | 53                    |
| 1774                                 | A quantitative-trait locus on chromosome 6p influences different aspects of developmental dyslexia. <b>1999</b> , 64, 146-56   |     | 233                   |
| 1773                                 | 1998 ASHG presidential address. Making genomic medicine a reality. <b>1999</b> , 64, 1-13  |     | 36                    |
| 1772                                 | The predisposition to type 1 diabetes linked to the human leukocyte antigen complex includes at least one non-class II gene. <b>1999</b> , 64, 793-800   |     | 163                   |
| 1771                                 | Multicentric origin of hemochromatosis gene (HFE) mutations. <b>1999</b> , 64, 1056-62   |     | 125                   |
| 1770                                 | Juvenile hemochromatosis locus maps to chromosome 1q. <b>1999</b> , 64, 1388-93  |     | 209                   |
| 1769                                 | An HFE intronic variant promotes misdiagnosis of hereditary hemochromatosis. <b>1999</b> , 65, 924-6   |     | 38                    |
| 1768                                 | Tumor-induced hypoglycemia. <b>1999</b> , 341, 757-8   |     | 47                    |
|                                      |  |     |                       |
| 1767                                 | Haemochromatosis. <i>Trends in Endocrinology and Metabolism</i> , <b>1999</b> , 10, 14-17  | 8.8 | 1                     |
| 1767<br>1766                         | Haemochromatosis. <i>Trends in Endocrinology and Metabolism</i> , <b>1999</b> , 10, 14-17  Susceptibility of cultured rat hepatocytes to oxidative stress by peroxides and iron. The extracellular matrix affects the toxicity of tert-butyl hydroperoxide. <b>1999</b> , 31, 499-508  | 8.8 | 1 13                  |
| 1766                                 | Susceptibility of cultured rat hepatocytes to oxidative stress by peroxides and iron. The  | 8.8 |                       |
| 1766<br>1765                         | Susceptibility of cultured rat hepatocytes to oxidative stress by peroxides and iron. The extracellular matrix affects the toxicity of tert-butyl hydroperoxide. <b>1999</b> , 31, 499-508   | 8.8 | 13                    |
| 1766<br>1765                         | Susceptibility of cultured rat hepatocytes to oxidative stress by peroxides and iron. The extracellular matrix affects the toxicity of tert-butyl hydroperoxide. <b>1999</b> , 31, 499-508  The transferrin receptor: role in health and disease. <b>1999</b> , 31, 1111-37  | 8.8 | 13<br>399             |
| 1766<br>1765<br>1764                 | Susceptibility of cultured rat hepatocytes to oxidative stress by peroxides and iron. The extracellular matrix affects the toxicity of tert-butyl hydroperoxide. 1999, 31, 499-508  The transferrin receptor: role in health and disease. 1999, 31, 1111-37  Screening for hemochromatosis. A public health perspective. 1999, 16, 134-40  Host genes and infectious diseases. HIV, other pathogens, and a public health perspective. 1999,  | 8.8 | 13<br>399<br>31       |
| 1766<br>1765<br>1764<br>1763         | Susceptibility of cultured rat hepatocytes to oxidative stress by peroxides and iron. The extracellular matrix affects the toxicity of tert-butyl hydroperoxide. 1999, 31, 499-508  The transferrin receptor: role in health and disease. 1999, 31, 1111-37  Screening for hemochromatosis. A public health perspective. 1999, 16, 134-40  Host genes and infectious diseases. HIV, other pathogens, and a public health perspective. 1999, 16, 141-54  The emerging importance of genetics in epidemiologic research II. Issues in study design and gene  | 8.8 | 13<br>399<br>31<br>23 |
| 1766<br>1765<br>1764<br>1763<br>1762 | Susceptibility of cultured rat hepatocytes to oxidative stress by peroxides and iron. The extracellular matrix affects the toxicity of tert-butyl hydroperoxide. 1999, 31, 499-508  The transferrin receptor: role in health and disease. 1999, 31, 1111-37  Screening for hemochromatosis. A public health perspective. 1999, 16, 134-40  Host genes and infectious diseases. HIV, other pathogens, and a public health perspective. 1999, 16, 141-54  The emerging importance of genetics in epidemiologic research II. Issues in study design and gene mapping. 1999, 9, 75-90  Dtection par PCR de la mutation C282Y du ghe HFE de l'hmochromatose: ghotypage sur pr | 8.8 | 13<br>399<br>31<br>23 |

| 1758 | Duodenal metal-transporter (DMT-1, NRAMP-2) expression in patients with hereditary haemochromatosis. <b>1999</b> , 353, 2120-3   |      | 154  |
|------|--|------|------|
| 1757 | Haemochromatosis and control of intestinal iron absorption. <b>1999</b> , 353, 2089-90   |      | 7    |
| 1756 | Haemochromatosis gene C282Y homozygotes in an elderly male population. <b>1999</b> , 354, 221-2  |      | 60   |
| 1755 | Non-alcoholic steatohepatitis and iron: increased prevalence of mutations of the HFE gene in non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , <b>1999</b> , 31, 421-9   | 13.4 | 290  |
| 1754 | Microvesicular steatosis, hemosiderosis and rapid development of liver cirrhosis in a patient with Pearson's syndrome. <i>Journal of Hepatology</i> , <b>1999</b> , 31, 550-5  | 13.4 | 25   |
| 1753 | Linkage disequilibrium analysis in Australian haemochromatosis patients indicates bipartite association with clinical expression. <i>Journal of Hepatology</i> , <b>1999</b> , 31, 39-46   | 13.4 | 39   |
| 1752 | Elevated serum type IV collagen: a sensitive indicator of the presence of cirrhosis in haemochromatosis. <i>Journal of Hepatology</i> , <b>1999</b> , 31, 47-52  | 13.4 | 44   |
| 1751 | A genotypic study of 217 unrelated probands diagnosed as "genetic hemochromatosis" on "classical" phenotypic criteria. <i>Journal of Hepatology</i> , <b>1999</b> , 30, 588-93   | 13.4 | 64   |
| 1750 | Liver iron accumulation in patients with chronic active hepatitis C: prevalence and role of hemochromatosis gene mutations and relationship with hepatic histological lesions. <i>Journal of Hepatology</i> , <b>1999</b> , 31, 979-84 | 13.4 | 108  |
| 1749 | Overexpression of the hereditary hemochromatosis protein, HFE, in HeLa cells induces and iron-deficient phenotype. <b>1999</b> , 460, 149-52   |      | 65   |
| 1748 | Phenotypic expression of HFE mutations: a French study of 1110 unrelated iron-overloaded patients and relatives. <b>1999</b> , 116, 372-7  |      | 104  |
| 1747 | The relation of iron status and hemochromatosis gene mutations in patients with chronic hepatitis C. <b>1999</b> , 116, 127-34   |      | 119  |
| 1746 | Molecular medicine and hemochromatosis: at the crossroads. <b>1999</b> , 116, 193-207  |      | 227  |
| 1745 | Insulin resistance-associated hepatic iron overload. <b>1999</b> , 117, 1155-63  |      | 380  |
| 1744 | A novel mutation of HFE explains the classical phenotype of genetic hemochromatosis in a C282Y heterozygote. <b>1999</b> , 116, 1409-12  |      | 99   |
| 1743 | Liver transplantation for metabolic liver diseases. <b>1999</b> , 79, 153-62, ix   |      | 17   |
| 1742 | Update on hereditary hemochromatosis and the HFE gene. <b>1999</b> , 74, 917-21  |      | 16   |
| 1741 | Disorders of iron metabolism. <b>1999</b> , 341, 1986-95   |      | 1340 |

1740 Editorial. **1999**, 94, 1430-1433

| 1739 | The congenital dyserythropoietic anaemias. <b>1999</b> , 12, 691-705  | 23  |
|------|---|-----|
| 1738 | Hereditary hemochromatosis in adults without pathogenic mutations in the hemochromatosis gene. <b>1999</b> , 341, 725-32  | 224 |
| 1737 | A survey of 2,851 patients with hemochromatosis: symptoms and response to treatment. <b>1999</b> , 106, 619-24  | 172 |
| 1736 | Population-based screening for hemochromatosis using phenotypic and DNA testing among employees of health maintenance organizations in Springfield, Missouri. <b>1999</b> , 107, 30-7         | 75  |
| 1735 | The transferrin receptor binding site on HFE, the class I MHC-related protein mutated in hereditary hemochromatosis. <b>1999</b> , 289, 1109-18   | 77  |
| 1734 | The hemochromatosis protein HFE competes with transferrin for binding to the transferrin receptor. <b>1999</b> , 294, 239-45  | 152 |
| 1733 | Alternate splicing produces a soluble form of the hereditary hemochromatosis protein HFE. <b>1999</b> , 25, 61-7  | 15  |
| 1732 | Two novel missense mutations of the HFE gene (I105T and G93R) and identification of the S65C mutation in Alabama hemochromatosis probands. <b>1999</b> , 25, 147-55                           | 127 |
| 1731 | Haplotype analysis of the HFE gene: implications for the origins of hemochromatosis related mutations. <b>1999</b> , 25, 166-9  | 17  |
| 1730 | Significance of linkage disequilibrium between mutation C282Y and a MseI polymorphism in population screening and DNA diagnosis of hemochromatosis. <b>1999</b> , 25, 250-2; discussion 253-4 | 9   |
| 1729 | Mutation analysis of the HFE gene in Brazilian populations. <b>1999</b> , 25, 324-7   | 22  |
| 1728 | Mutations of the HFE gene and the risk of hepatocellular carcinoma. <b>1999</b> , 25, 350-3   | 19  |
| 1727 | HFE S65C variant is not associated with increased transferrin saturation in voluntary blood donors. <b>1999</b> , 25, 354-7   | 31  |
| 1726 | The effect of transferrin polymorphisms on iron metabolism. <b>1999</b> , 25, 374-9   | 34  |
| 1725 | Broadsheet number 51: HLA and disease associations. <b>1999</b> , 31, 202-12  | 4   |
| 1724 | Haemochromatosis: a time for guidelines?. <b>1999</b> , 60, 884-90  |     |
| 1723 | Hepatic manifestations of familial patent ductus venosus in adults. <b>1999</b> , 45, 442-5   | 36  |

## (2000-1999)

| 1722 | Management. <b>1999</b> , 4, 185-194   | 1   |
|------|--|-----|
| 1721 | Chapter 2.1.4 Genetic association studies in behavioral neuroscience. <b>1999</b> , 113-121  | 7   |
| 1720 | [Endocrine complications of genetic hemochromatosis]. <b>1999</b> , 54, 334-45   | 7   |
| 1719 | Mechanism of increased iron absorption in murine model of hereditary hemochromatosis: increased duodenal expression of the iron transporter DMT1. <b>1999</b> , 96, 3143-8 | 239 |
| 1718 | Haemochromatosis and exercise related joint pains. <b>1999</b> , 318, 449-51   | 8   |
| 1717 | Regulation of iron metabolism in higher eukaryotes: ironBulfur centers as genetic switches. 131-152  |     |
| 1716 | Genetic liver disease in adults. Early recognition of the three most common causes. <b>2000</b> , 107, 147-52, 155, 158-9  | 20  |
| 1715 | Use of HFE Mutation Analysis for Hereditary Hemochromatosis. <b>2000</b> , 93, 469-471   |     |
| 1714 | Screening for hereditary hemochromatosis in siblings and children of affected patients. A cost-effectiveness analysis. <b>2000</b> , 132, 261-9                            | 46  |
| 1713 | DNA testing for haemochromatosis: diagnostic, predictive and screening implications. <b>2000</b> , 32, 274-279   | 6   |
| 1712 | A negative autoregulatory link between Nramp1 function and expression. <b>2000</b> , 67, 501-7   | 24  |
| 1711 | Role of C282Y mutation in haemochromatosis gene in development of type 2 diabetes in healthy men: prospective cohort study. <b>2000</b> , 320, 1706-7                      | 21  |
| 1710 | Serum ferritin and C282Y mutation of the hemochromatosis gene as predictors of asymptomatic carotid atherosclerosis in a community population. <b>2000</b> , 31, 3015-20   | 41  |
| 1709 | Perioperative management of a common disorder: hereditary haemochromatosis. <b>2000</b> , 13, 333-9  |     |
| 1708 | C282Y mutation in the HLA-H gene is not a risk factor for patients with myocardial infarction. <b>2000</b> , 7, 37-40  | 13  |
| 1707 | Broadsheet number 54. Hereditary hemochromatosis. <b>2000</b> , 32, 24-36  | 10  |
| 1706 | Genomics and inflammatory bowel disease. <b>2000</b> , 16, 297-305   | 5   |
| 1705 | Inherited iron overload disorders. <b>2000</b> , 12, 596-602   | 10  |

| 1704 | Gene mapping in isolated populations: new roles for old friends?. <b>2000</b> , 50, 57-65   |      | 54  |
|------|---|------|-----|
| 1703 | Iron metabolism: Physiology and pathophysiology. <b>2000</b> , 13, 73-83  |      | 16  |
| 1702 | Incorrect diagnosis of hereditary hemochromatosis. <b>2000</b> , 63, 104-5  |      | 1   |
| 1701 | Hemochromatosis gene mutations in chronic hepatitis C patients with and without liver siderosis. <b>2000</b> , 60, 21-27  |      | 49  |
| 1700 | Two novel polymorphisms (E277K and V212V) in the haemochromatosis gene HFE. <b>2000</b> , 15, 120   |      | 14  |
| 1699 | Fluorescence-based single-strand conformation polymorphism analysis of mutations by capillary electrophoresis. <b>2000</b> , 21, 375-9  |      | 17  |
| 1698 | Are hereditary hemochromatosis mutations involved in Alzheimer disease?. 2000, 93, 58-66  |      | 100 |
| 1697 | Hemochromatosis gene nomenclature. <b>2000</b> , 93, 77   |      | 4   |
| 1696 | Iron deficiency due to excessive therapeutic phlebotomy in hemochromatosis. <b>2000</b> , 65, 223-6   |      | 21  |
| 1695 | Carriage of HFE mutations and outcome of surgical resection for hepatocellular carcinoma in cirrhotic patients. <b>2000</b> , 89, 297-302   |      | 28  |
| 1694 | Clinical report of three patients with hereditary hemochromatosis and movement disorders. <b>2000</b> , 15, 1204-9  |      | 49  |
| 1693 | The structure and function of HFE. <b>2000</b> , 22, 595-8  |      | 16  |
| 1692 | Molecular analysis of the TFR2 gene: report of a novel polymorphism (1878C>T). <b>2000</b> , 16, 532  |      | 4   |
| 1691 | Iron overload in cirrhosis-HFE genotypes and outcome after liver transplantation. <i>Hepatology</i> , <b>2000</b> , 31, 456-60  | 11.2 | 78  |
| 1690 | Iron beware: a common HFE gene polymorphism may prevent the accurate molecular diagnosis of homozygous hemochromatosis in low-risk, but not high-risk groups. <i>Hepatology</i> , <b>2000</b> , 31, 540-2 | 11.2 | 3   |
| 1689 | Iron reduction before and during interferon therapy of chronic hepatitis C: results of a multicenter, randomized, controlled trial. <i>Hepatology</i> , <b>2000</b> , 31, 730-6                           | 11.2 | 123 |
| 1688 | Co-inheritance of mutations in the uroporphyrinogen decarboxylase and hemochromatosis genes accelerates the onset of porphyria cutanea tarda. <b>2000</b> , 115, 868-74                                   |      | 54  |
| 1687 | Towards a better understanding of pemphigus autoimmunity. <b>2000</b> , 143, 237-8  |      | 16  |

## (2000-2000)

| 1686 Identifying a gene for psoriasis on chromosome 6 (Psors1). <b>2000</b> , 143, 238-41   |      | 12  |
|---|------|-----|
| $_{1685}$ Measuring the improvement in pulsed dye laser treated port wine stains. <b>2000</b> , 143, 241-3  |      | 10  |
| Diagnosis and management of haemochromatosis since the discovery of the HFE gene: a European experience. <b>2000</b> , 108, 31-9  |      | 18  |
| Mutation analysis in the HFE gene in patients with hereditary haemochromatosis in Saguenay-Lac-Saint-Jean (Quebec, Canada). <b>2000</b> , 108, 854-8  |      | 10  |
| A case of non-HFE juvenile haemochromatosis presenting with adrenocortical insufficiency. <b>2000</b> , 109, 252-3  |      | 10  |
| Non-transferrin-bound iron is present in serum of hereditary haemochromatosis heterozygotes. <b>2000</b> , 30, 248-51   |      | 80  |
| 168o Porphyria cutanea tarda. <b>2000</b> , 41, 197-206; quiz 207-8   |      | 24  |
| 1679 Hemochromatosis in Galicia (nw Spain): a Celtic influence?. <b>2000</b> , 57, 454-5  |      | 8   |
| 1678 Prevalence of the C282Y mutation for haemochromatosis on the Island of Majorca. <b>2000</b> , 58, 123-8  |      | 10  |
| 1677 Microsatellites in the HLA region: 1999 update. <b>2000</b> , 55, 477-509  |      | 64  |
| Heterozygosity for the hemochromatosis gene in liver diseasesprevalence and effects on liver histology. <b>2000</b> , 20, 482-6   |      | 27  |
| Peptide sequence information derived by pronase digestion and ammonium sulfate in-source decay matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. <b>2000</b> , 11, 1000-8 |      | 21  |
| 1674 Crystal structure of the hereditary haemochromatosis protein HFE complexed with transferrin receptor. <b>2000</b> , 403, 46-53   |      | 287 |
| The gene TFR2 is mutated in a new type of haemochromatosis mapping to 7q22. <i>Nature Genetics</i> , <b>2000</b> , 25, 14-5   | 36.3 | 649 |
| 1672 Eugenics-evolutionary nonsense?. <i>Nature Genetics</i> , <b>2000</b> , 25, 253  | 36.3 | 9   |
| A linkage disequilibrium map of the MHC region based on the analysis of 14 loci haplotypes in 50 French families. <b>2000</b> , 8, 33-41  |      | 58  |
| 1670 Haemochromatosis gene mutations and risk of coronary artery disease. <b>2000</b> , 8, 389-92   |      | 33  |
| The major histocompatibility complex-encoded class I-like HFE abrogates endocytosis of transferrin receptor by inducing receptor phosphorylation. <b>2000</b> , 1, 409-17                             |      | 19  |

| 1668 | Mining the genome for iron. <b>2000</b> , 403, 711, 713   | 27   |
|------|---|------|
| 1667 | Searching for genetic determinants in the new millennium. <b>2000</b> , 405, 847-56   | 1545 |
| 1666 | Iron homeostasis: insights from genetics and animal models. <b>2000</b> , 1, 208-17   | 293  |
| 1665 | Binding to the transferrin receptor is required for endocytosis of HFE and regulation of iron homeostasis. <b>2000</b> , 2, 953-7   | 34   |
| 1664 | Does the haemosiderin iron core determine its potential for chelation and the development of iron-induced tissue damage?. <b>2000</b> , 79, 311-7   | 16   |
| 1663 | Haemochromatosis in patients with Ethalassaemia trait. <b>2000</b> , 111, 908-914   | 2    |
| 1662 | Iron metabolism and absorption. <b>2000</b> , 4, 283-301  | 7    |
| 1661 | Hereditary hemochromatosis: progress and perspectives. <b>2000</b> , 4, 302-321   | 17   |
| 1660 | Iron-overload and genotypic expression of HFE mutations H63D/C282Y and transferrin receptor Hin6I and BanI polymorphism in german patients with hereditary haemochromatosis. <b>2000</b> , 27, 129-34 | 9    |
| 1659 | Prevalence of HFE (hemochromatosis gene) mutations in unselected male patients with type 2 diabetes. <b>2000</b> , 135, 170-3   | 29   |
| 1658 | Transdermal estrogen replacement therapy in postmenopausal women previously treated for porphyria cutanea tarda. <b>2000</b> , 136, 482-8   | 30   |
| 1657 | Analysis of HFE-codon 63/282 (H63D/C282Y) gene variants in mexican mestizos. Blood donors and patients with hereditary hemochromatosis. <b>2000</b> , 31, 422-4                                       | 6    |
| 1656 | A 3-dimensional model building by homology of the HFE protein: molecular consequences and application to antibody development. <b>2000</b> , 1481, 213-21   | 4    |
| 1655 | Peripheral blood erythrocyte parameters in hemochromatosis: evidence for increased erythrocyte hemoglobin content. <b>2000</b> , 135, 96-104  | 68   |
| 1654 | Genetic variation of basal iron status, ferritin and iron regulatory protein in mice: potential for modulation of oxidative stress. <i>Biochemical Pharmacology</i> , <b>2000</b> , 59, 115-22        | 34   |
| 1653 | Progressive focal nodular hyperplasia of the liver in a patient with genetic hemochromatosisgrowth promotion by iron overload?. <b>2000</b> , 45, 587-90  | 8    |
| 1652 | Voltage-clamp: a useful approach to study in vitro duodenal iron transport in the mouse. <b>2000</b> , 13, 169-78   |      |
| 1651 | Characterization of hepatic iron overload following dietary administration of dicyclopentadienyl iron (Ferrocene) to mice: cellular, biochemical, and molecular aspects. <b>2000</b> , 68, 1-12       | 21   |

1650 [59-year-old patient with chronic joint symptoms and generalized weakness]. **2000**, 41, 56-60

| 1649 | Chronic viral hepatitis and the human genome. <i>Hepatology</i> , <b>2000</b> , 31, 819-27  | 11.2 | 98  |
|------|---|------|-----|
| 1648 | Population screening for hemochromatosis: a comparison of unbound iron-binding capacity, transferrin saturation, and C282Y genotyping in 5,211 voluntary blood donors. <i>Hepatology</i> , <b>2000</b> , 31, 1160-4                             | 11.2 | 100 |
| 1647 | Screening for hemochromatosis. <i>Hepatology</i> , <b>2000</b> , 31, 1192-3   | 11.2 | 5   |
| 1646 | Increased hepatic iron and cirrhosis: no evidence for an adverse effect on patient outcome following liver transplantation. <i>Hepatology</i> , <b>2000</b> , 32, 1200-7  | 11.2 | 35  |
| 1645 | Liver transplantation in patients with hepatic iron overload: favorable or unfavorable outcome?. <i>Hepatology</i> , <b>2000</b> , 32, 1396-8   | 11.2 | 6   |
| 1644 | Iron reduction as an adjuvant to interferon therapy in patients with chronic hepatitis C who have previously not responded to interferon: a multicenter, prospective, randomized, controlled trial. <i>Hepatology</i> , <b>2000</b> , 32, 135-8 | 11.2 | 138 |
| 1643 | Hepatocellular carcinoma occurring in nonfibrotic liver: epidemiologic and histopathologic analysis of 80 French cases. <i>Hepatology</i> , <b>2000</b> , 32, 200-4   | 11.2 | 196 |
| 1642 | The major histocompatibility complex-encoded HFE in iron homeostasis and immune function. <b>2000</b> , 22, 43-59   |      | 22  |
| 1641 | Iron in the Brain: An Important Contributor in Normal and Diseased States. <b>2000</b> , 6, 435-453   |      | 80  |
| 1640 | Population screening for hemochromatosis: has the time finally come?. <b>2000</b> , 2, 18-26  |      | 16  |
| 1639 | [59-year-old patient with cutaneous lesions and increased iron metabolism parameters]. <b>2000</b> , 41, 1103   | 3-7  |     |
| 1638 | Primīle Hīthochromatose. <b>2000</b> , 148, 1133-1134   |      |     |
| 1637 | Iron status in Danes 1994. II: Prevalence of iron deficiency and iron overload in 1319 Danish women aged 40-70 years. Influence of blood donation, alcohol intake and iron supplementation. <b>2000</b> , 79, 612-                              | -21  | 51  |
| 1636 | Transferrin receptor activity and localisation in the rat duodenum. 2000, 440, 116-24   |      | 16  |
| 1635 | Gut-liver axis. <b>2000</b> , 15, 59-82   |      | 69  |
| 1634 | Evidence for HLA-related susceptibility for stroke in children with sickle cell disease. <i>Blood</i> , <b>2000</b> , 95, 3562-3567   | 2.2  | 54  |
| 1633 | Hemochromatosis genes and other factors contributing to the pathogenesis of porphyria cutanea tarda. <i>Blood</i> , <b>2000</b> , 95, 1565-1571   | 2.2  | 153 |

| 1632 | HFE polymorphism and accurate diagnosis of C282Y hereditary hemochromatosis carriers. <i>Blood</i> , <b>2000</b> , 95, 2453-2455   | 2.2  | 2   |
|------|--|------|-----|
| 1631 | Immunoglobulin V genes and CD38 expression in CLL. <i>Blood</i> , <b>2000</b> , 95, 2455-2457  | 2.2  | 137 |
| 1630 | Hereditary hemochromatosis in a patient with congenital dyserythropoietic anemia. <i>Blood</i> , <b>2000</b> , 96, 3653-3655   | 2.2  | 10  |
| 1629 | Asymptomatic hemochromatosis subjects: genotypic and phenotypic profiles. <i>Blood</i> , <b>2000</b> , 96, 3707-371  | 11.2 | 22  |
| 1628 | Iron homeostasis: new tales from the crypt. <i>Blood</i> , <b>2000</b> , 96, 4020-4027   | 2.2  | 126 |
| 1627 | Wild-type HFE protein normalizes transferrin iron accumulation in macrophages from subjects with hereditary hemochromatosis. <i>Blood</i> , <b>2000</b> , 96, 1125-1129                                      | 2.2  | 123 |
| 1626 | Correlation of Serum Concentrations of Cystatin C and Creatinine to Inulin Clearance in Liver Cirrhosis. <b>2000</b> , 46, 712-715   |      | 112 |
| 1625 | Apo-transferrin is internalized and routed differently from Fe-transferrin by Caco-2 cells: a confocal microscopy study of vesicular transport in intestinal cells. <i>Blood</i> , <b>2000</b> , 95, 721-723 | 2.2  | 16  |
| 1624 | Compound Heterozygous Hemochromatosis Genotype Predicts Increased Iron and Erythrocyte Indices in Women. <b>2000</b> , 46, 162-166   |      | 55  |
| 1623 | Evaluation of a Nucleic Acid-based Cross-Linking Assay to Screen for Hereditary Hemochromatosis in Healthy Blood Donors. <b>2000</b> , 46, 1853-1855   |      | 4   |
| 1622 | Rapid Single-Tube Screening of the C282Y Hemochromatosis Mutation by Real-Time Multiplex Allele-specific PCR without Fluorescent Probes. <b>2000</b> , 46, 1540-1547   |      | 32  |
| 1621 | Clinical Consequences of New Insights in the Pathophysiology of Disorders of Iron and Heme Metabolism. <b>2000</b> , 39-50   |      | 32  |
| 1620 | HFE-associated hereditary hemochromatosis. <b>2000</b> , 14, 121-5   |      | 10  |
| 1619 | Epidemiology of liver cancer in Europe. <b>2000</b> , 14, 621-30   |      | 29  |
| 1618 | Iron and liver diseases. <b>2000</b> , 14 Suppl D, 89D-92D   |      | 13  |
| 1617 | Cost-Effectiveness of Population-Based Genetic Hemochromatosis Screening. <b>2000</b> , 3, 2-11  |      | 7   |
| 1616 | Genetic susceptibility to lead poisoning. <b>2000</b> , 108 Suppl 1, 23-8  |      | 131 |
| 1615 | T-lymphocyte expression and function in hemochromatosis. <b>2000</b> , 396-408   |      | 6   |

| 1614 Phlebotomy increases cadmium uptake in hemochromatosis. <b>2000</b> , 108, 289-91   | 17                |
|--|-------------------|
| Gene expression of divalent metal transporter 1 and transferrin receptor in duodenum of Belgrade rats. <b>2000</b> , 278, G930-6   | 22                |
| 1612 Functional and molecular responses of human intestinal Caco-2 cells to iron treatment. <b>2000</b> , 72, 770-5  | 54                |
| 1611 New Nomenclature for the Human Tissue Kallikrein Gene Family. <b>2000</b> , 46, 1855-1858   | 151               |
| Changes in Academic Productivity: Implications for Clinical Laboratory Research and Development. <b>2000</b> , 46, 303-305   |                   |
| PCR Conditions for HFE C282Y: Lack of Effect of 5569G/A Polymorphism with 55 °C Annealing. <b>2000</b> , 46, 303-303   | 4                 |
| Improved Molecular Diagnosis of Hereditary Hemochromatosis Using a DNA Enzyme Immunoassay. <b>2000</b> , 46, 711-712   | 1                 |
| 1607 Clinical spectrum of hepatic disease in hemochromatosis. <b>2000</b> , 250-257  | 3                 |
| 1606 Hemochromatosis: a genetic definition. <b>2000</b> , 8-12   | 3                 |
| 1605 Inheritance of hemochromatosis: family studies. <b>2000</b> , 15-41   | 11                |
|  |                   |
| 1604 Hemochromatosis: population genetics. <b>2000</b> , 42-50   | 13                |
| Hemochromatosis: population genetics. <b>2000</b> , 42-50  1603 Variation of hemochromatosis prevalence and genotype in national groups. <b>2000</b> , 51-62   | 13                |
|  | J                 |
| 1603 Variation of hemochromatosis prevalence and genotype in national groups. <b>2000</b> , 51-62  | 15                |
| Variation of hemochromatosis prevalence and genotype in national groups. <b>2000</b> , 51-62  Human leukocyte antigen (HLA) association and typing in hemochromatosis. <b>2000</b> , 63-74   | 15<br>8           |
| Variation of hemochromatosis prevalence and genotype in national groups. <b>2000</b> , 51-62  Human leukocyte antigen (HLA) association and typing in hemochromatosis. <b>2000</b> , 63-74  Localization, allelic heterogeneity, and origins of the hemochromatosis gene. <b>2000</b> , 75-90                                  | 15<br>8<br>9      |
| Variation of hemochromatosis prevalence and genotype in national groups. 2000, 51-62  Human leukocyte antigen (HLA) association and typing in hemochromatosis. 2000, 63-74  Localization, allelic heterogeneity, and origins of the hemochromatosis gene. 2000, 75-90  The ancestral haplotype in hemochromatosis. 2000, 91-98 | 15<br>8<br>9<br>6 |

1596 Extra-hepatic iron metabolism in hemochromatosis. 2000, 163-169

| 1595 Expression of iron overload in hemochromatosis. <b>2000</b> , 177-184                                    | 2 |
|---|---|
| 1594 Liver biopsy in hemochromatosis. <b>2000</b> , 187-199   | 2 |
| Computed tomography and magnetic resonance imaging in the diagnosis of hemochromatosis. <b>2000</b> , 219-226 | 1 |
| 1592 Estimate of the frequency of morbid complications of hemochromatosis. <b>2000</b> , 312-317              | 1 |
| 1591 Juvenile hemochromatosis. <b>2000</b> , 318-326  | 7 |
| 1590 Liver transplantation and hemochromatosis. <b>2000</b> , 355-358   |   |
| 1589 Role of iron in infections and immunity. <b>2000</b> , 371-380   | 2 |
| 1588 Chronic viral hepatitis and hemochromatosis. <b>2000</b> , 387-395                                       | 1 |
| 1587 The iron phenotype of hemochromatosis heterozygotes. <b>2000</b> , 411-418                               | 5 |
| 1586 Ascertainment of hemochromatosis heterozygosity. <b>2000</b> , 419-426                                   |   |
| 1585 Thalassemias and their interactions with hemochromatosis. <b>2000</b> , 435-441                          | 8 |
| 1584 Interactions of alcohol, iron and hemochromatosis. <b>2000</b> , 468-474                                 | 1 |
| 1583 <b>D</b> -microglobulin-deficient mice as a model for hemochromatosis. <b>2000</b> , 487-493             | 1 |
| 1582 Animal models of iron overload based on excess exogenous iron. <b>2000</b> , 494-507                     | 1 |
| 1581 Cost-effectiveness of screening for hemochromatosis. <b>2000</b> , 525-532                               | 1 |
| 1580 Evidence for population-based testing for hemochromatosis. <b>2000</b> , 544-554                         |   |
| 1579 Genetic counseling for hemochromatosis. <b>2000</b> , 574-580  | 2 |

| 1578 | Population screening in hereditary hemochromatosis. <b>2000</b> , 21, 65-79   | 21  |
|------|---|-----|
| 1577 | Genetic disorders affecting proteins of iron metabolism: clinical implications. <b>2000</b> , 51, 443-64  | 59  |
| 1576 | Screening for genetic haemochromatosis in blood samples with raised alanine aminotransferase. <b>2000</b> , 46, 707-10  | 23  |
| 1575 | Comparison of the interactions of transferrin receptor and transferrin receptor 2 with transferrin and the hereditary hemochromatosis protein HFE. <b>2000</b> , 275, 38135-8 | 177 |
| 1574 | The murine liver-specific nonclassical MHC class I molecule Q10 binds a classical peptide repertoire. <b>2000</b> , 164, 1906-15  | 19  |
| 1573 | Haemochromatosis: novel gene discovery and the molecular pathophysiology of iron metabolism. <b>2000</b> , 9, 2377-82   | 34  |
| 1572 | Systemic oxygen-free radical production in iron-loaded mice. <b>2000</b> , 22, 927-35   | 8   |
| 1571 | The Organization of HLA Genes Within the HLA Complex. <b>2000</b> , 7-13  | 8   |
| 1570 | Transferrin receptor 2-alpha supports cell growth both in iron-chelated cultured cells and in vivo. <b>2000</b> , 275, 16618-25   | 176 |
| 1569 | Screening for hereditary hemochromatosis. <b>2000</b> , 95, 1368-9  | 3   |
| 1568 | Can large cell change and high proliferative activity predict hepatocellular carcinoma in patients with hereditary hemochromatosis?. <b>2000</b> , 95, 2940-5                 | 6   |
| 1567 | Porphyria cutanea tarda in Brazilian patients: association with hemochromatosis C282Y mutation and hepatitis C virus infection. <b>2000</b> , 95, 3516-21                     | 31  |
| 1566 | Transmission of HCV: the Portuguese case. <b>2000</b> , 95, 1369-70   | 1   |
| 1565 | Precipitation of iron overload and hereditary hemochromatosis after successful treatment of celiac disease. <b>2000</b> , 95, 298-300   | 19  |
| 1564 | Genetic hemochromatosis: detection, management, and population screening. 2000, 4, 97-101   | 7   |
| 1563 | Porphyria cutanea tarda in the HFE-gene and hepatitis C virus era. <b>2000</b> , 95, 3350-2   | 4   |
| 1562 | Norfloxacin-induced eosinophilic necrotizing granulomatous hepatitis. <b>2000</b> , 95, 3662-4  | 6   |
| 1561 | Prevalence and clinical significance of HFE gene mutations in patients with iron overload. <b>2000</b> , 95, 2910-4   | 15  |

| 1560 | Adult celiac disease and hemochromatosis. <b>2000</b> , 95, 3661-2  | 11  |
|------|---|-----|
| 1559 | Introduction: Hemochromatosis population screening. <b>2000</b> , 4, 95-6   | 3   |
| 1558 | Nitric Oxide, Oxygen Radicals, and Iron Metabolism. <b>2000</b> , 293-313   | 9   |
| 1557 | 5569G/A polymorphism of the HFE gene: no implications for C282Y genotyping in a hemochromatosis screening study of 65,238 individuals. <b>2000</b> , 4, 147-9   | 1   |
| 1556 | Novel method for molecular detection of the two common hereditary hemochromatosis mutations. <b>2000</b> , 4, 125-9   | 13  |
| 1555 | Hemochromatosis Heterozygotes May Constitute a Radiation-Sensitive Subpopulation. <b>2000</b> , 153, 844-847  | 22  |
| 1554 | The clinical expression of hemochromatosis in Oslo, Norway. Excessive oral iron intake may lead to secondary hemochromatosis even in HFE C282Y mutation negative subjects. <i>Scandinavian Journal of Gastroenterology</i> , <b>2000</b> , 35, 1301-7 | 25  |
| 1553 | Functional genomics in gastroenterology. <b>2000</b> , 47, 601-7  | 6   |
| 1552 | A G5569A HFE gene polymorphism that interferes in DNA tests for genetic haemochromatosis: who needs to be re-tested?. <b>2000</b> , 38, 795-7   |     |
| 1551 | Contribution of different HFE genotypes to iron overload disease: a pooled analysis. <b>2000</b> , 2, 271-7   | 65  |
| 1550 | HFE gene mutation (C282Y) and phenotypic expression among a hospitalised population in a high prevalence area of haemochromatosis. <b>2000</b> , 47, 575-9  | 37  |
| 1549 | The effect of HFE genotypes on measurements of iron overload in patients attending a health appraisal clinic. <b>2000</b> , 133, 329-37   | 196 |
| 1548 | Iron deposition and progression of disease in chronic hepatitis C. Role of interface hepatitis, portal inflammation, and HFE missense mutations. <b>2000</b> , 113, 546-54  | 39  |
| 1547 | Another jigsaw piece towards solving the iron metabolism puzzle: the cloning of the iron exporter, ferroportin1. <b>2000</b> , 5, 7-9   | 2   |
| 1546 | The new iron age. <b>2000</b> , 6, 607-12   | 14  |
| 1545 | Localization of iron transport and regulatory proteins in human cells. <b>2000</b> , 93, 575-87   | 42  |
| 1544 | Bioengineered corneasthe promise and the challenge. <b>2000</b> , 343, 136-8  | 22  |
| 1543 | Who is at low risk after head or neck trauma?. <b>2000</b> , 343, 138-40  | 16  |

| 1542 | Will genetics revolutionize medicine?. <b>2000</b> , 343, 141-4  |     | 318 |
|------|--|-----|-----|
| 1541 | [Genetic hemochromatosis and the HFE gene: from molecular genetics to clinical diagnosis]. <b>2000</b> , 38, 509-15  |     | 1   |
| 1540 | [A 24-year-old patient with decreased libido and erectile dysfunction as initial manifestations of hemochromatosis]. <b>2000</b> , 125, 1466-8   |     | 3   |
| 1539 | Flexible genetic engineering using RecA protein. <b>2000</b> , 152, 135-47   |     |     |
| 1538 | Controversy in primary care: Should asymptomatic haemochromatosis be treated?. <b>2000</b> , 320, 1314-7   |     | 19  |
| 1537 | Pitfalls in the genetic diagnosis of hereditary hemochromatosis. <b>2000</b> , 4, 143-6  |     | 6   |
| 1536 | Large-scale screening for HFE mutations: methodology and cost. <b>2000</b> , 4, 131-42   |     | 24  |
| 1535 | Celtic origin of the C282Y mutation of hemochromatosis. <b>2000</b> , 4, 163-9   |     | 13  |
| 1534 | Iron regulatory proteins and the molecular control of mammalian iron metabolism. 2000, 20, 627-62  |     | 546 |
| 1533 | A pilot C282Y hemochromatosis screening in Italian newborns by TaqMan technology. <b>2000</b> , 4, 177-81  |     | 19  |
| 1532 | Hereditary hemochromatosis in Spain. <b>2000</b> , 4, 171-6  |     | 14  |
| 1531 | Transferrin saturation phenotype and HFE genotype screening for hemochromatosis and primary iron overload: predictions from a model based on national, racial, and ethnic group composition in central Alabama. <b>2000</b> , 4, 199-206 |     | 13  |
| 1530 | Incidence of liver disease in people with HFE mutations. 2000, 46, 401-4   |     | 36  |
| 1529 | Population screening for haemochromatosis. <b>2000</b> , 46, 301-3   |     | 37  |
| 1528 | Automated measurement of unsaturated iron binding capacity is an effective screening strategy for C282Y homozygous haemochromatosis. <b>2000</b> , 46, 405-9   |     | 22  |
| 1527 | Evaluation of fine mapping strategies for a multifactorial disease locus: systematic linkage and association analysis of IDDM1 in the HLA region on chromosome 6p21. <b>2000</b> , 9, 1291-301   |     | 61  |
| 1526 | A system for specific, high-throughput genotyping by allele-specific primer extension on microarrays. <i>Genome Research</i> , <b>2000</b> , 10, 1031-42   | 9.7 | 258 |
| 1525 | Haemochromatosis: automated detection of the two point mutations in the HFE gene: Cys282Tyr and His63Asp. <b>2000</b> , 38, 1225-30  |     | 4   |

1524 Atlas of Rheumatology. 2000,

| 1523 | Interaction between haemochromatosis and transferrin receptor genes in hepatocellular carcinoma. <b>2000</b> , 59, 317-22                                | 24  |
|------|--|-----|
| 1522 | Increased p53 mutation load in nontumorous human liver of wilson disease and hemochromatosis: oxyradical overload diseases. <b>2000</b> , 97, 12770-5    | 214 |
| 1521 | Hithochromatose leine lebensbedrohliche Erkrankung mit einfacher Diagnose und Therapie. <b>2000</b> , 24, 229-235  |     |
| 1520 | Haemochromatosis gene mutations in idiopathic dilated cardiomyopathy. <b>2000</b> , 84, 541-7  | 28  |
| 1519 | Iron-overload cardiomyopathy: evidence for a free radicalmediated mechanism of injury and dysfunction in a murine model. <b>2000</b> , 2, 49-59          | 56  |
| 1518 | Hereditary hemochromatosis in siblings: diagnosis by genotyping. <b>2000</b> , 105, 426-9  | 4   |
| 1517 | Screening for hemochromatosis in routine medical care: an evaluation of mean corpuscular volume and mean corpuscular hemoglobin. <b>2000</b> , 4, 103-10 | 4   |
| 1516 | Immunohistochemistry of the Hfe protein in patients with hereditary hemochromatosis, iron deficiency anemia, and normal controls. <b>2000</b> , 26, 2-8  | 13  |
| 1515 | Clinical and molecular aspects of juvenile hemochromatosis in Saguenay-Lac-Saint-Jean (Quebec, canada). <b>2000</b> , 26, 10-4                           | 29  |
| 1514 | The HFE gene undergoes alternate splicing processes. <b>2000</b> , 26, 155-62  | 11  |
| 1513 | Hereditary hemochromatosis: HFE mutation analysis in Greeks reveals genetic heterogeneity. <b>2000</b> , 26, 163-8                                       | 33  |
| 1512 | Exclusion of ZIRTL as candidate gene of juvenile hemochromatosis and refinement of the critical interval on 1q21. <b>2000</b> , 26, 205-10               | 16  |
| 1511 | A common intron 3 mutation (IVS3 -48c>g) leads to misdiagnosis of the c.845G>A (C282Y) HFE gene mutation. <b>2000</b> , 26, 229-33                       | 16  |
| 1510 | Nramp2 analysis in hemochromatosis probands. <b>2000</b> , 26, 312-9   | 1   |
| 1509 | Relation between HFE mutations and mild iron-overload expression. <b>2000</b> , 69, 295-301  | 18  |
| 1508 | Nonexpressing homozygotes for C282Y hemochromatosis: minority or majority of cases?. <b>2000</b> , 71, 81-6  | 44  |
| 1507 | The HLA system. Second of two parts. <b>2000</b> , 343, 782-6  | 346 |

| 1506 | Iron overload and heart fibrosis in mice deficient for both beta2-microglobulin and Rag1. <b>2000</b> , 157, 1883-92   | 39  |
|------|--|-----|
| 1505 | Overexpression of hemochromatosis protein, HFE, alters transferrin recycling process in human hepatoma cells. <b>2000</b> , 1496, 221-31   | 34  |
| 1504 | [Hereditary hemochromatosis]. 2000, 21, 961-71   | 6   |
| 1503 | Chromosome 6p influences on different dyslexia-related cognitive processes: further confirmation. <b>2000</b> , 66, 715-23   | 131 |
| 1502 | Haplotype fine mapping by evolutionary trees. <b>2000</b> , 66, 659-73   | 53  |
| 1501 | Fine localization of a major disease-susceptibility locus for diffuse panbronchiolitis. <b>2000</b> , 66, 501-7  | 60  |
| 1500 | QTL fine mapping by measuring and testing for Hardy-Weinberg and linkage disequilibrium at a series of linked marker loci in extreme samples of populations. <b>2000</b> , 66, 1027-45 | 53  |
| 1499 | QTL fine mapping, in extreme samples of finite populations, for complex traits with familial correlation due to polygenes. <b>2000</b> , 67, 259-62                                    | 9   |
| 1498 | Partial paternal uniparental disomy of chromosome 6 in an infant with neonatal diabetes, macroglossia, and craniofacial abnormalities. <b>2000</b> , 67, 1586-91                       | 32  |
| 1497 | Biochemical expression of heterozygous hereditary hemochromatosis. <b>2000</b> , 11, 317-321   | 24  |
| 1496 | Inherited disorders of ion transport in the intestine. <b>2000</b> , 10, 306-9   | 22  |
| 1495 | Functional characterization of purified zinc transporter from renal brush border membrane of rat. <b>2000</b> , 1509, 429-39   | 10  |
| 1494 | Total iron-binding capacity and serum transferrin determination under the influence of several clinical conditions. <b>2000</b> , 293, 127-38  | 27  |
| 1493 | Red cells II: acquired anaemias and polycythaemia. <b>2000</b> , 355, 1260-8   | 26  |
| 1492 | Interactions of the ectodomain of HFE with the transferrin receptor are critical for iron homeostasis in cells. <b>2000</b> , 484, 271-4   | 27  |
| 1491 | Detection of an unusual combination of mutations in the HFE gene for hemochromatosis. 2000, 4, 371-6   | 15  |
| 1490 | Detection of C282Y and H63D in the HFE gene. <b>2000</b> , 4, 115-20   | 8   |
| 1489 | Mutation screening for prenatal and presymptomatic diagnosis: cystic fibrosis and haemochromatosis. <b>2000</b> , 159 Suppl 3, S186-91   | 2   |

| 1488 | Cancernature, nurture, or both. <b>2000</b> , 343, 135-6  | 68  |
|------|---|-----|
| 1487 | Iron transport. <b>2000</b> , 20, 129-51  | 82  |
| 1486 | Ceruloplasmin. <b>2000</b> , 211-237  | 2   |
| 1485 | A reverse-hybridization assay for the rapid and simultaneous detection of nine HFE gene mutations. <b>2000</b> , 4, 121-4                                       | 46  |
| 1484 | Lupus susceptibility genes on human chromosome 1. <b>2000</b> , 19, 319-34  | 56  |
| 1483 | Population screening for hemochromatosis by PCR using sequence-specific primers. 2000, 4, 111-4   | 8   |
| 1482 | Linkage disequilibrium and the search for complex disease genes. <i>Genome Research</i> , <b>2000</b> , 10, 1435-44 9.7   | 260 |
| 1481 | DNA Repair Protocols. <b>2000</b> ,   | 1   |
| 1480 | Disease-related conditions in relatives of patients with hemochromatosis. <b>2000</b> , 343, 1529-35  | 172 |
| 1479 | Iron Metabolism during Pregnancy. <b>2000</b> , 19, 9-19  | 14  |
| 1478 | Hepatocellular carcinoma arising in non-cirrhotic liver in genetic haemochromatosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2000</b> , 35, 889-93 | 37  |
| 1477 | Genetic Susceptibility in Infectious Diseases. <b>2000</b> , 17, 255-266  | 5   |
| 1476 | Uncommon mutations and polymorphisms in the hemochromatosis gene. <b>2000</b> , 4, 151-61   | 60  |
| 1475 | Histological evaluation of iron in liver biopsies: relationship to HFE mutations. <b>2000</b> , 95, 1788-93   | 17  |
| 1474 | The human major histocompatability complex: lessons from the DNA sequence. <b>2000</b> , 1, 117-37  | 130 |
| 1473 | Clinical aspects of hemochromatosis. <b>2000</b> , 23, 193-200  | 24  |
| 1472 | Hemochromatosis. <b>2000</b> , 4, 211-28, viii  | 27  |
| 1471 | Simultaneous detection of C282Y and H63D hemochromatosis mutations by dual-color probes. <i>Molecular Diagnosis and Therapy</i> , <b>2000</b> , 5, 107-116      | 2   |

| 1470 Iron-induced liver injury. <b>2000</b> , 4, 409-29, vi-vii  |      | 60  |
|--|------|-----|
| 1469 Genetic Susceptibility to Lead Poisoning. <b>2000</b> , 108, 23   |      | 37  |
| 1468 Geography of HFE C282Y and H63D mutations. <b>2000</b> , 4, 183-98  |      | 217 |
| 1467 Hepatopatās metablīcas: hemocromatosis y enfermedad de Wilson. <b>2000</b> , 8, 453-458   |      |     |
| 1466 Regulation of intracellular iron levels in iron-acceptor and iron-donor cells. <b>2000</b> , 23, 225-35   |      | 5   |
| Hepatology in the new millennium. Advances in viral hepatitis, hepatic disorders, and liver transplantation. <b>2000</b> , 84, 1085-105  |      | 4   |
| 1464 [Diagnostic strategies in inherited hemochromatosis. Value of the genetic test]. <b>2000</b> , 200, 516-9   |      | 1   |
| 1463 Biomedical electronics-update. <b>2000</b> , 88, 590-592  |      | 1   |
| 1462 Intestinal iron absorption: current concepts circa 2000. <b>2000</b> , 32, 56-61  |      | 24  |
| 1461 The HLA system in blood transfusion. <b>2000</b> , 13, 511-32   |      | 10  |
| 1460 Differential HFE allele expression in hemochromatosis heterozygotes. <b>2000</b> , 119, 1075-86   |      | 29  |
| Two novel nonsense mutations of HFE gene in five unrelated italian patients with hemochromatosis. <b>2000</b> , 119, 441-5   |      | 79  |
| 1458 Iron metabolism: iron deficiency and iron overload. <b>2000</b> , 1, 75-98  |      | 121 |
| Rapid screening of the Cys282Tyr and His63Asp mutations in the HFE gene. <i>Journal of Hepatology</i> , <b>2000</b> , 32, 362-3  | 13.4 | 3   |
| 1456 Letters to the Editor. <i>Journal of Hepatology</i> , <b>2000</b> , 33, 1025-1026   | 13.4 | 5   |
| Determination of non-transferrin-bound iron in genetic hemochromatosis using a new HPLC-based method. <i>Journal of Hepatology</i> , <b>2000</b> , 32, 727-33                                    | 13.4 | 93  |
| Increased incidence of HFE C282Y mutations in patients with iron overload and hepatocellular carcinoma developed in non-cirrhotic liver. <i>Journal of Hepatology</i> , <b>2000</b> , 32, 805-11 | 13.4 | 59  |
| 1453 Haemochromatosis in the new millennium. <i>Journal of Hepatology</i> , <b>2000</b> , 32, 48-62  | 13.4 | 53  |

| 1452 | EASL International Consensus Conference on Haemochromatosis. <i>Journal of Hepatology</i> , <b>2000</b> , 33, 485-5042   | 179             |
|------|--|-----------------|
| 1451 | EASL International Consensus Conference on Haemochromatosis. <i>Journal of Hepatology</i> , <b>2000</b> , 33, 496-504.   | ļ 15            |
| 1450 | Histological evaluation of iron in liver biopsies: relationship to mutations. <b>2000</b> , 95, 1788-1793  | 48              |
| 1449 | Norfloxacin-induced eosinophilic necrotizing granulomatous hepatitis. <b>2000</b> , 95, 3662-3664  | 30              |
| 1448 | Porphyrins, porphyrin metabolism, porphyrias. III. Diagnosis, care and monitoring in porphyria cutanea tarda - suggestions for a handling programme. <b>2000</b> , 60, 561-580           | 30              |
| 1447 | A battery-powered notebook thermal cycler for rapid multiplex real-time PCR analysis. <b>2001</b> , 73, 286-9  | 94              |
| 1446 | Hemochromatosis: diagnosis and management. <b>2001</b> , 120, 718-25   | 110             |
| 1445 | Expression of the duodenal iron transporters divalent-metal transporter 1 and ferroportin 1 in iron deficiency and iron overload. <b>2001</b> , 120, 1412-9                              | 243             |
| 1444 | Intestinal iron uptake determined by divalent metal transporter is enhanced in HFE-deficient mice with hemochromatosis. <b>2001</b> , 120, 1420-9  | 49              |
| 1443 | Molecular aspects of iron absorption and HFE expression. <b>2001</b> , 121, 1489-96  | 62              |
| 1442 | Ironing out disease: inherited disorders of iron homeostasis. <b>2001</b> , 51, 11-7   | 16              |
| 1441 | Acceptance of neonatal genetic screening for hereditary hemochromatosis by informed parents. <b>2001</b> , 5, 317-20   | 9               |
| 1440 | A prospective study of coronary heart disease and the hemochromatosis gene (HFE) C282Y mutation: the Atherosclerosis Risk in Communities (ARIC) study. <b>2001</b> , 154, 739-46         | 93              |
| 1439 | Frequency and biochemical expression of C282Y/H63D hemochromatosis (HFE) gene mutations in the healthy adult population in Italy. <i>Journal of Hepatology</i> , <b>2001</b> , 34, 523-8 | <sub>1</sub> 56 |
| 1438 | Haptoglobin phenotype 2-2 overrepresentation in Cys282Tyr hemochromatotic patients. <i>Journal of Hepatology</i> , <b>2001</b> , 35, 707-11  | 1 59            |
| 1437 | Hemochromatosis (HFE) gene sequence analysis of formalin-fixed, paraffin-embedded liver biopsy specimens. <i>Molecular Diagnosis and Therapy</i> , <b>2001</b> , 6, 227-32               | 1               |
| 1436 | Rapid Cycle Real-Time PCR. <b>2001</b> ,   | 19              |
| 1435 | Expression study of genes involved in iron metabolism in human tissues. <b>2001</b> , 281, 804-9   | 1               |

## (2001-2001)

| 1434 | Complete characterization of the 3' region of the human and mouse hereditary hemochromatosis HFE gene and detection of novel splicing forms. <b>2001</b> , 27, 35-43 | 15  |
|------|--|-----|
| 1433 | Analysis of the NRAMP1 gene implicated in iron transport: association with multiple sclerosis and age effects. <b>2001</b> , 27, 44-53                               | 55  |
| 1432 | Transferrin receptor-2 (TFR2) mutation Y250X in Alabama Caucasian and African American subjects with and without primary iron overload. <b>2001</b> , 27, 279-84     | 27  |
| 1431 | Transferrin receptor-2 gene and non-C282Y homozygous patients with hemochromatosis. <b>2001</b> , 27, 290-3  | 17  |
| 1430 | Genotype screening for hereditary hemochromatosis among voluntary blood donors in Hungary. <b>2001</b> , 27, 334-41  | 13  |
| 1429 | The hHFE gene of browsing and grazing rhinoceroses: a possible site of adaptation to a low-iron diet. <b>2001</b> , 27, 342-50                                       | 19  |
| 1428 | Low penetrant hemochromatosis phenotype in eight families: no evidence of modifiers in the MHC region. <b>2001</b> , 27, 518-29                                      | 20  |
| 1427 | Mutations in the HFE gene and their interaction with exogenous risk factors in hepatocellular carcinoma. <b>2001</b> , 27, 505-11                                    | 28  |
| 1426 | Frequency analysis and allele map in favor of the celtic origin of the C282Y mutation of hemochromatosis. <b>2001</b> , 27, 549-56                                   | 20  |
| 1425 | Iron status and HFE genotype in erythrocyte pyruvate kinase deficiency: study of Italian cases. <b>2001</b> , 27, 653-61   | 22  |
| 1424 | Linkage to chromosome 1q in Greek families with juvenile hemochromatosis. <b>2001</b> , 27, 744-9  | 26  |
| 1423 | A rare case of a patient heterozygous for the hemochromatosis mutation C282Y and homozygous for H63D. <b>2001</b> , 27, 892-3  | 11  |
| 1422 | Simultaneous identification of mutations by dual-parameter multiplex hybridization in peptide nucleic acid-containing virtual arrays. <b>2001</b> , 74, 402-7        | 10  |
| 1421 | Peaks of linkage are localized by a BAC/PAC contig of the 6p reading disability locus. <b>2001</b> , 78, 19-29   | 13  |
| 1420 | Mutational analysis of the transferrin receptor reveals overlapping HFE and transferrin binding sites. <b>2001</b> , 313, 385-97                                     | 112 |
| 1419 | A mutation, in the iron-responsive element of H ferritin mRNA, causing autosomal dominant iron overload. <b>2001</b> , 69, 191-7                                     | 165 |
| 1418 | Estimating the efficacy and efficiency of cascade genetic screening. <b>2001</b> , 69, 361-70  | 49  |
| 1417 | The hemochromatosis gene affects the age of onset of sporadic Alzheimer's disease. <b>2001</b> , 22, 563-8   | 101 |
|      |  |     |

| 1416 | T-cell receptor repertoire in hereditary hemochromatosis: a study of 32 hemochromatosis patients and 274 healthy subjects. <b>2001</b> , 62, 488-99  | 25  |
|------|--|-----|
| 1415 | Immune related genetic polymorphisms and schizophrenia among the Chinese. <b>2001</b> , 62, 714-24   | 28  |
| 1414 | The effects of wild-type and mutant HFE expression upon cellular iron uptake in transfected human embryonic kidney cells. <b>2001</b> , 1538, 242-51 | 23  |
| 1413 | MIC genes: from genetics to biology. <b>2000</b> , 76, 1-60  | 153 |
| 1412 | Hemochromatosis at the intersection of classical medicine and molecular biology. <b>2001</b> , 324, 795-804  | 7   |
| 1411 | Chemistry and biology of eukaryotic iron metabolism. <b>2001</b> , 33, 940-59  | 546 |
| 1410 | Hemochromatosis and iron therapy of Restless Legs Syndrome. <b>2001</b> , 2, 249-251   | 29  |
| 1409 | A patient with hereditary hemochromatosis, ulcerative colitis, and primary sclerosing cholangitis: genetic aspects. <b>2001</b> , 12, 518-21         | 3   |
| 1408 | Cardiac transplantation in a patient with hereditary hemochromatosis: role of adjunctive phlebotomy and erythropoietin. <b>2001</b> , 20, 696-8      | 12  |
| 1407 | Noninvasive methods for quantitative assessment of transfusional iron overload in sickle cell disease. <b>2001</b> , 38, 37-56                       | 49  |
| 1406 | The roles of iron in health and disease. <b>2001</b> , 22, 1-87  | 475 |
| 1405 | Prevalence of hereditary haemochromatosis in late-onset type 1 diabetes mellitus: a retrospective study. <b>2001</b> , 358, 1405-9                   | 99  |
| 1404 | [Analysis of the HFE gene in a large Spanish kindred with hereditary hemochromatosis]. 2001, 116, 100-3  | 1   |
| 1403 | [Clinical implications of the genetic diagnosis of hemochromatosis]. <b>2001</b> , 116, 98-9   | 2   |
| 1402 | Mutation detection using fluorescent hybridization probes and melting curve analysis. <b>2001</b> , 1, 92-101  | 94  |
| 1401 | [Importance of 5569G/A polymorphism in intron 4 of HFE gene in the diagnosis of hereditary hemochromatosis]. <b>2001</b> , 117, 690-1                |     |
| 1400 | Duodenal expression of a putative stimulator of Fe transport and transferrin receptor in anemia and hemochromatosis. <b>2001</b> , 120, 1404-11      | 12  |
| 1399 | The multiple roles of major histocompatibility complex class-I-like molecules in mucosal immune function. <b>2001</b> , 59, 139-44                   | 10  |

# (2001-2001)

| 1398                         | Trimming, weighting, and grouping SNPs in human case-control association studies. <i>Genome Research</i> , <b>2001</b> , 11, 2115-9  | 9.7           | 243  |
|------------------------------|--|---------------|------|
| 1397                         | Screening for hemochromatosis: high prevalence and low morbidity in an unselected population of 65,238 persons. <i>Scandinavian Journal of Gastroenterology</i> , <b>2001</b> , 36, 1108-15  | 2.4           | 236  |
| 1396                         | Yersinia enterocolitica Infection with Multiple Liver Abscesses Uncovering a Primary Hemochromatosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2001</b> , 36, 220-224  | 2.4           | 30   |
| 1395                         | HFE Haemochromatosis Gene Mutations in Liver Transplant Patients. <i>Scandinavian Journal of Gastroenterology</i> , <b>2001</b> , 36, 881-885  | 2.4           | 2    |
| 1394                         | No influence of hemochromatosis-related gene mutations on restenosis rate in a retrospective study of 137 patients after coronary stent implantation. <b>2001</b> , 4, 181-186   |               | 3    |
| 1393                         | Hemochromatosis: the irony of population screening. <i>Scandinavian Journal of Gastroenterology</i> , <b>2001</b> , 36, 1009-10  | 2.4           | 1    |
| 1392                         | Nonalcoholic fatty liver disease: a feature of the metabolic syndrome. <b>2001</b> , 50, 1844-50   |               | 1821 |
| 1391                         | Bayesian analysis of haplotypes for linkage disequilibrium mapping. Genome Research, 2001, 11, 1716-   | <b>24</b> 9.7 | 109  |
| 1390                         | Iron Absorption in Mammals with Particular Reference to Man. 191-206   |               | 2    |
| 1389                         | Association of a tumor necrosis factor alpha polymorphism with MS susceptibility. <b>2001</b> , 57, 1341-2   |               | 8    |
| 1388                         |  |               |      |
|                              | Expression of stimulator of Fe transport is not enhanced in Hfe knockout mice. <b>2001</b> , 131, 1459-64  |               | 14   |
| 1387                         | Expression of stimulator of Fe transport is not enhanced in Hfe knockout mice. <b>2001</b> , 131, 1459-64  Erratum for vol. 97, p. 2667. <i>Blood</i> , <b>2001</b> , 97, 3712-3712  | 2.2           | 14   |
|                              |  | 2.2           | 83   |
| 1387                         | Erratum for vol. 97, p. 2667. <i>Blood</i> , <b>2001</b> , 97, 3712-3712  Expression of the DMT1 (NRAMP2/DCT1) iron transporter in mice with genetic iron overload   |               |      |
| 1387                         | Erratum for vol. 97, p. 2667. <i>Blood</i> , <b>2001</b> , 97, 3712-3712  Expression of the DMT1 (NRAMP2/DCT1) iron transporter in mice with genetic iron overload disorders. <i>Blood</i> , <b>2001</b> , 97, 1138-40   |               | 83   |
| 1387<br>1386<br>1385         | Erratum for vol. 97, p. 2667. <i>Blood</i> , <b>2001</b> , 97, 3712-3712  Expression of the DMT1 (NRAMP2/DCT1) iron transporter in mice with genetic iron overload disorders. <i>Blood</i> , <b>2001</b> , 97, 1138-40  Hereditary Hemochromatosis Since Discovery of the HFE Gene. <b>2001</b> , 47, 1147-1156  Complete Scanning of the Hereditary Hemochromatosis Gene (HFE) by Use of Denaturing HPLC. |               | 83   |
| 1387<br>1386<br>1385<br>1384 | Expression of the DMT1 (NRAMP2/DCT1) iron transporter in mice with genetic iron overload disorders. <i>Blood</i> , <b>2001</b> , 97, 1138-40  Hereditary Hemochromatosis Since Discovery of the HFE Gene. <b>2001</b> , 47, 1147-1156  Complete Scanning of the Hereditary Hemochromatosis Gene (HFE) by Use of Denaturing HPLC. <b>2001</b> , 47, 1633-1640   |               | 83   |

| 1380 | Association of mutations in the hemochromatosis gene with shorter life expectancy. <b>2001</b> , 161, 2441-4   | 37  |
|------|--|-----|
| 1379 | Compound heterozygosity for haemochromatosis gene mutations and hepatic iron overload in allogeneic bone marrow transplant recipients. <b>2001</b> , 33, 44-49   | 5   |
| 1378 | Hemochromatosis gene variants in three different ethnic populations: effects of admixture for screening programs. <b>2001</b> , 73, 145-51   | 8   |
| 1377 | Cloning and gastrointestinal expression of rat hephaestin: relationship to other iron transport proteins. <b>2001</b> , 281, G931-9  | 100 |
| 1376 | Contrast enhanced magnetic resonance angiography and pulmonary venous anomalies. <b>2001</b> , 86, 705   | 2   |
| 1375 | [Hereditary hemochromatosis. Case report and review of the literature]. <b>2001</b> , 38, 194-202  | 1   |
| 1374 | Automated Nucleic Acid Purification for Large Samples. <b>2001</b> , 6, 67-70  | 1   |
| 1373 | Hereditary haemochromatosis: detection and management. <b>2001</b> , 175, 418-21   | 15  |
| 1372 | Effect of Hemochromatosis Genotype and Lifestyle Factors on Iron and Red Cell Indices in a Community Population. <b>2001</b> , 47, 202-208   | 77  |
| 1371 | Solid-Phase Amplification for Detection of C282Y and H63D Hemochromatosis (HFE) Gene Mutations. <b>2001</b> , 47, 1384-1389  | 16  |
| 1370 | Hereditary hemochromatosis not associated with common HFE gene mutation in Japanese siblings. <b>2001</b> , 32, 501-3  | 3   |
| 1369 | Intestinal metal ion absorption: an update. <b>2001</b> , 17, 177-183  | 18  |
| 1368 | Selenium and glutathione peroxidase with beta-thalassemia major. <b>2001</b> , 50, 178-83  | 16  |
| 1367 | What's new in hemochromatosis. <b>2001</b> , 8, 98-104   | 16  |
| 1366 | Hemochromatosis. <b>2001</b> , 4, 40-46  |     |
| 1365 | A Chinese patient with non-HFE-linked iron overload. <b>2001</b> , 33, 69-71   | 10  |
| 1364 | Successful treatment of erectile dysfunction and infertility by venesection in a patient with primary haemochromatosis. <b>2001</b> , 13, 985-8  | 14  |
| 1363 | Mutation analysis of the HFE gene in German hemochromatosis patients and controls using automated SSCP-based capillary electrophoresis and a new PCR-ELISA technique. <i>Scandinavian 2.4 Journal of Gastroenterology</i> , <b>2001</b> , 36, 1211-6 | 17  |

| 1362 | Idiopathic hemochromatosis with the mutation of Ala176Val heterozygous for HFE gene. <b>2001</b> , 40, 479-83   | 3  | 7   |
|------|---|----|-----|
| 1361 | Tumor necrosis factor alpha promoter polymorphisms influence the phenotypic expression of hereditary hemochromatosis. <i>Blood</i> , <b>2001</b> , 97, 3707-12  | .2 | 80  |
| 1360 | New mutations inactivating transferrin receptor 2 in hemochromatosis type 3. <i>Blood</i> , <b>2001</b> , 97, 2555-60 2.  | .2 | 202 |
| 1359 | Iron transport in a lymphoid cell line with the hemochromatosis C282Y mutation. <i>Blood</i> , <b>2001</b> , 97, 2734-45  | )2 | 11  |
| 1358 | Regulation of expression of murine transferrin receptor 2. <i>Blood</i> , <b>2001</b> , 98, 1949-54   | .2 | 109 |
| 1357 | Relationship between transferrin saturation and iron stores in the African American and US Caucasian populations: analysis of data from the third National Health and Nutrition Examination 2. Survey. <i>Blood</i> , <b>2001</b> , 98, 2345-51 | .2 | 31  |
| 1356 | Discrepancies between genotype and phenotype in hematology: an important frontier. <i>Blood</i> , <b>2001</b> , 98, 2597-602  | .2 | 64  |
| 1355 | Cellular Iron Uptake in Mammals. 107-131  |    | Ο   |
| 1354 | C282Y and H63D mutations in the HFE gene have no effect on iron overload disorders in Japan. <b>2001</b> , 40, 852-6  |    | 24  |
| 1353 | Prevalence of C282Y and H63D mutations in the hemochromatosis (HFE) gene in the United States. <b>2001</b> , 285, 2216-22   |    | 155 |
| 1352 | Iron metabolism in mammalian cells. <b>2001</b> , 211, 241-78   |    | 21  |
| 1351 | Inheritance of two HFE mutations in African Americans: cases with hemochromatosis phenotypes and estimates of hemochromatosis phenotype frequency. <b>2001</b> , 3, 294-300   |    | 30  |
| 1350 | Preserving the national blood supply. <b>2001</b> , 2001, 422-32  |    | 29  |
| 1349 | Arthropathy in hereditary hemochromatosis. <b>2001</b> , 13, 80-3   |    | 20  |
| 1348 | Association between Cys282Tyr missense mutation and haptoglobin phenotype polymorphism in patients with chronic hepatitis C. <b>2001</b> , 13, 1077-81  |    | 9   |
| 1347 | Is hemochromatosis a risk factor for Alzheimer's disease?. <b>2001</b> , 3, 471-477   |    | 68  |
| 1346 | Characterization of the MHC class I-related MR1 locus in nonhuman primates. <b>2001</b> , 53, 643-8   |    | 10  |
| 1345 | Genetic hemochromatosis is a rare disease entity among French Basques: a center-based study from the general hospital of Basque County. <b>2001</b> , 80, 472-3   |    | 8   |

| 1344                 | Clinically overt hereditary hemochromatosis in Denmark 1948-1985: epidemiology, factors of significance for long-term survival, and causes of death in 179 patients. <b>2001</b> , 80, 737-44  | 102                   |
|----------------------|--|-----------------------|
| 1343                 | [Clinical and genetic aspects of hereditary hemochromatosis]. <b>2001</b> , 22, 191-6  | 4                     |
| 1342                 | [Fifty-three year old patient with tetany]. 2001, 42, 1413-7   | 1                     |
| 1341                 | Ultrastructural identification of iron and copper accumulation in the liver of a male patient with Wilson disease. <b>2001</b> , 34, 54-60   | 21                    |
| 1340                 | Identification of nonsynonymous polymorphisms in the superantigen-coding region of IDDMK1,2 22 and a pilot study on the association between IDDMK1,2 22 and type 1 diabetes. <b>2001</b> , 46, 712-6   | 8                     |
| 1339                 | Mapping of a susceptibility gene for multiple sclerosis to the 51 kb interval between G511525 and D6S1666 using a new method of haplotype sharing analysis. <b>2001</b> , 3, 221-30  | 24                    |
| 1338                 | C282Y and H63D mutation of the hemochromatosis gene in German porphyria cutanea tarda patients. <b>2001</b> , 439, 1-5   | 47                    |
| 1337                 | Genome-wide distribution of linkage disequilibrium in the population of Palau and its implications for gene flow in Remote Oceania. <b>2001</b> , 108, 521-8   | 28                    |
| 1336                 | Expression pattern, genomic structure and evaluation of the human SLC30A4 gene as a candidate for acrodermatitis enteropathica. <b>2001</b> , 109, 178-85  | 18                    |
| 1335                 | HFE mutations and transferrin receptor polymorphism analysis in porphyria cutanea tarda: a prospective study of 36 cases from southern France. <b>2001</b> , 144, 533-9  | 32                    |
| 1334                 | TFR2 Y250X mutation in Italy. <b>2001</b> , 114, 243-4   | 14                    |
|                      |  | ,                     |
| 1333                 | HFE mutations, iron deficiency and overload in 10,500 blood donors. <b>2001</b> , 114, 474-84  | 163                   |
| 1333<br>1332         | HFE mutations, iron deficiency and overload in 10,500 blood donors. <b>2001</b> , 114, 474-84  Prevalence of HFE mutations in people from North Africa living in southern France. <b>2001</b> , 114, 914-6   | ·                     |
|                      |  | 163                   |
| 1332                 | Prevalence of HFE mutations in people from North Africa living in southern France. <b>2001</b> , 114, 914-6  Hepatic damage in C282Y homozygotes relates to low numbers of CD8+ cells in the liver lobuli.   | 163<br>15             |
| 1332                 | Prevalence of HFE mutations in people from North Africa living in southern France. <b>2001</b> , 114, 914-6  Hepatic damage in C282Y homozygotes relates to low numbers of CD8+ cells in the liver lobuli. <b>2001</b> , 31, 45-53  Association studies between haemochromatosis gene mutations and the risk of cardiovascular           | 163<br>15<br>29       |
| 1332<br>1331<br>1330 | Prevalence of HFE mutations in people from North Africa living in southern France. 2001, 114, 914-6  Hepatic damage in C282Y homozygotes relates to low numbers of CD8+ cells in the liver lobuli. 2001, 31, 45-53  Association studies between haemochromatosis gene mutations and the risk of cardiovascular diseases. 2001, 31, 382-8 | 163<br>15<br>29<br>46 |

| 1326 | Haemochromatosis: iron still matters. <b>2001</b> , 31, 237-42  |      | 9   |
|------|---|------|-----|
| 1325 | Fine-scale mapping using HardyWeinberg disequilibrium. <b>2001</b> , 65, 207-219  |      | 31  |
| 1324 | Metabolic cardiomyopathies. <b>2000</b> , 81, 349-72  |      | 83  |
| 1323 | Ostòporose de l <b>E</b> mochromatose ghtique. <b>2001</b> , 68, 749-751  |      | 5   |
| 1322 | Hemochromatosis mutations C282Y and H63D in 'cis' phase. <b>2001</b> , 60, 68-72  |      | 19  |
| 1321 | Analysis of haemochromatosis gene mutations in a population from the Mediterranean Basin. <b>2001</b> , 21, 233-6   |      | 25  |
| 1320 | Pumping iron: the strange partnership of the hemochromatosis protein, a class I MHC homolog, with the transferrin receptor. <b>2001</b> , 2, 167-74   |      | 31  |
| 1319 | Iron: Seminal publications of the twentieth century⊞aemochromatosis. <b>2001</b> , 14, 107-109  |      |     |
| 1318 | Linkage mapping of a novel susceptibility locus for Behāt's disease to chromosome 6p22-23. <b>2001</b> , 44, 2693-6   |      | 56  |
| 1317 | Possible causes of symptoms in suspected coronary heart disease but normal angiograms. <b>2001</b> , 24, 30   | 7-12 | 7   |
| 1316 | The frequency of C282Y and H63D mutations in Hemochromatosis gene in native Estonians. <b>2001</b> , 17, 213-6  |      | 6   |
| 1315 | Flexible genetic engineering using RecA protein. <b>2001</b> , 18, 233-41   |      | 5   |
| 1314 | Liver transplantation for hereditary hemochromatosis. <i>Liver Transplantation</i> , <b>2001</b> , 7, 663-72  | 4.5  | 37  |
| 1313 | The role of liver biopsy in chronic hepatitis C. <i>Hepatology</i> , <b>2001</b> , 33, 196-200  | 11.2 | 153 |
| 1312 | Increased cancer risk in a cohort of 230 patients with hereditary hemochromatosis in comparison to matched control patients with non-iron-related chronic liver disease. <i>Hepatology</i> , <b>2001</b> , 33, 647-51 | 11.2 | 169 |
| 1311 | Diagnosis and management of hemochromatosis. <i>Hepatology</i> , <b>2001</b> , 33, 1321-8   | 11.2 | 191 |
| 1310 | Critical Commentary to: Hepatic Failure with Neonatal Tissue Siderosis of Hematochromatotic Type in an Infant Presenting with Meconium Ileus. <b>2001</b> , 197, 711-713  |      |     |
| 1309 | Novel NG36/G9a gene products encoded within the human and mouse MHC class III regions. <b>2001</b> , 12, 916-24   |      | 35  |

| 1308 | High-performance liquid chromatography multiplex detection of two single nucleotide mutations associated with hereditary hemochromatosis. <b>2001</b> , 754, 265-70  | 4   |
|------|--|-----|
| 1307 | A mutation in SLC11A3 is associated with autosomal dominant hemochromatosis. <i>Nature Genetics</i> , <b>2001</b> , 28, 213-4  | 401 |
| 1306 | Haemochromatosis gene mutations in a clustered Italian population: evidence of high prevalence in people of Celtic ancestry. <b>2001</b> , 9, 445-51   | 16  |
| 1305 | Comparative study of the two more frequent HFE mutations (C282Y and H63D): significant different allelic frequencies between the North and South of Portugal. <b>2001</b> , 9, 843-8   | 34  |
| 1304 | HFE gene mutations analysis in Basque hereditary haemochromatosis patients and controls. <b>2001</b> , 9, 961-4  | 51  |
| 1303 | Effects of Alcohol Consumption on Indices of Iron Stores and of Iron Stores on Alcohol Intake Markers. <b>2001</b> , 25, 1037-1045   | 106 |
| 1302 | Hemochromatosis gene variants in patients with cardiomyopathy. 2001, 88, 388-91  | 24  |
| 1301 | On the allelic spectrum of human disease. <b>2001</b> , 17, 502-10   | 914 |
| 1300 | Iron and its sensitive balance in the cell. <b>2001</b> , 475, 153-9   | 70  |
| 1299 | Phlebotomy, blood donation, and hereditary hemochromatosis. <b>2001</b> , 15, 136-43   | 1   |
| 1298 | Lack of hepcidin gene expression and severe tissue iron overload in upstream stimulatory factor 2 (USF2) knockout mice. <b>2001</b> , 98, 8780-5   | 982 |
| 1297 | Seroprevalence of antibodies to microorganisms known to cause arterial and myocardial damage in patients with or without coronary stenosis. <b>2001</b> , 8, 997-1002  | 9   |
| 1296 | Ironing Out Disease: Inherited Disorders of Iron Homeostasis. <b>2001</b> , 51, 11-17  | 16  |
| 1295 | At least one class I gene in restriction fragment pattern-Y (Rfp-Y), the second MHC gene cluster in the chicken, is transcribed, polymorphic, and shows divergent specialization in antigen binding region. <b>2001</b> , 166, 3324-33 | 72  |
| 1294 | Recent advances in disorders of iron metabolism: mutations, mechanisms and modifiers. <b>2001</b> , 10, 2181-6   | 65  |
| 1293 | Liver disorder and the HFE locus. <b>2001</b> , 94, 453-6  |     |
| 1292 | Primary liver carcinoma in genetic hemochromatosis reveals a broad histologic spectrum. <b>2001</b> , 116, 738-43  | 38  |
| 1291 | Histologic features of the liver in insulin resistance-associated iron overload. A study of 139 patients. <b>2001</b> , 116, 263-70  | 111 |

# (2001-2001)

| 1290 | Hemochromatosis-associated morbidity in the United States: an analysis of the National Hospital Discharge Survey, 1979-1997. <b>2001</b> , 3, 109-11  | 12   |
|------|---|------|
| 1289 | Prediction of deleterious human alleles. <b>2001</b> , 10, 591-7  | 852  |
| 1288 | Hyperferritinemia, iron overload, and multiple metabolic alterations identify patients at risk for nonalcoholic steatohepatitis. <b>2001</b> , 96, 2448-55  | 179  |
| 1287 | HFE gene and hereditary hemochromatosis: a HuGE review. Human Genome Epidemiology. <b>2001</b> , 154, 193-206   | 294  |
| 1286 | What is the role of genetic testing in diagnosis of haemochromatosis?. <b>2001</b> , 38, 3-19   | 10   |
| 1285 | Hemochromatosis with HFE gene mutation in a Japanese patient. <b>2001</b> , 96, 2487-8  | 16   |
| 1284 | Iron accumulation in the liver of male patients with Wilson's disease. <b>2001</b> , 96, 3147-51  | 78   |
| 1283 | Human cytomegalovirus protein US2 interferes with the expression of human HFE, a nonclassical class I major histocompatibility complex molecule that regulates iron homeostasis. <b>2001</b> , 75, 10557-62 | 65   |
| 1282 | Role of hemochromatosis C282Y and H63D mutations in HFE gene in development of type 2 diabetes and diabetic nephropathy. <b>2001</b> , 24, 1187-91  | 66   |
| 1281 | Mouse strain differences determine severity of iron accumulation in Hfe knockout model of hereditary hemochromatosis. <b>2001</b> , 98, 2707-11   | 153  |
| 1280 | Naturally variant autosomal and sex-linked loci determine the severity of iron overload in beta 2-microglobulin-deficient mice. <b>2001</b> , 98, 5170-4  | 34   |
| 1279 | The power of the transmission disequilibrium test (TDT) with both case-parent and control-parent trios. <b>2001</b> , 78, 289-302   | 20   |
| 1278 | Hepcidin: a putative iron-regulatory hormone relevant to hereditary hemochromatosis and the anemia of chronic disease. <b>2001</b> , 98, 8160-2   | 228  |
| 1277 | Variable phenotypic presentation of iron overload in H63D homozygotes: are genetic modifiers the cause?. <b>2001</b> , 48, 836-42   | 55   |
| 1276 | Small fry starting to make waves. <b>2001</b> , 48, 754-5   | 1    |
| 1275 | A new mouse liver-specific gene, encoding a protein homologous to human antimicrobial peptide hepcidin, is overexpressed during iron overload. <b>2001</b> , 276, 7811-9                                    | 1207 |
| 1274 | Iron overload without the C282Y mutation in patients with epilepsy. <b>2001</b> , 70, 551-3   | 20   |
| 1273 | HFE Haemochromatosis Gene Mutations in Liver Transplant Patients. <i>Scandinavian Journal of Gastroenterology</i> , <b>2001</b> , 36, 881-885   | 4    |

| 1272                 | Classification and genetic features of neonatal haemochromatosis: a study of 27 affected pedigrees and molecular analysis of genes implicated in iron metabolism. <b>2001</b> , 38, 599-610  | 79           |
|----------------------|--|--------------|
| 1271                 | Transforming growth factor-beta(1) expression in dilated cardiomyopathy. <b>2001</b> , 86, 701-8   | 32           |
| <b>127</b> 0         | Hepatic failure and hemochromatosis of Salers and Salers-cross cattle. <b>2001</b> , 38, 372-89  | 19           |
| 1269                 | Colonoscopic polypectomy and the incidence of colorectal cancer. <b>2001</b> , 48, 753-4   | 33           |
| 1268                 | Iron overload in Montpelier. <b>2001</b> , 48, 755-6   |              |
| 1267                 | Infection with Mycobacterium avium differentially regulates the expression of iron transport protein mRNA in murine peritoneal macrophages. <b>2001</b> , 69, 6618-24  | 28           |
| 1266                 | Hydrophobic ligand binding by Zn-alpha 2-glycoprotein, a soluble fat-depleting factor related to major histocompatibility complex proteins. <b>2001</b> , 276, 35008-13  | 40           |
| 1265                 | Identification of an endogenous RNA transcribed from the antisense strand of the HFE gene. <b>2001</b> , 10, 1859-66   | 19           |
| 1264                 | Population genomics: a bridge from evolutionary history to genetic medicine. <b>2001</b> , 10, 2199-207  | 77           |
| 1263                 | Iron deficiency and iron overload: effects of diet and genes. <b>2001</b> , 60, 73-80  | 17           |
| 1262                 | Towards high-throughput genotyping of SNPs by dynamic allele-specific hybridization. <b>2001</b> , 1, 352-8  |              |
|                      | Towards mgm amoughput genotyping of Six 5 by dynamic ditete specific hybridization. 2001, 1, 552 o   | 8            |
|                      | Genetic hemochromatosis, a Celtic disease: is it now time for population screening?. <b>2001</b> , 5, 127-30   | 45           |
|                      | Genetic hemochromatosis, a Celtic disease: is it now time for population screening?. <b>2001</b> , 5, 127-30   |              |
| 1261                 | Genetic hemochromatosis, a Celtic disease: is it now time for population screening?. <b>2001</b> , 5, 127-30   | 45           |
| 1261<br>1260         | Genetic hemochromatosis, a Celtic disease: is it now time for population screening?. <b>2001</b> , 5, 127-30  Detection of DNA polymorphisms using PCR-RFLP and capillary electrophoresis. <b>2001</b> , 163, 49-56  A rapid PCR-SSP assay for the hemochromatosis-associated Tyr250Stop mutation in the TFR2 gene.  | 45           |
| 1261<br>1260<br>1259 | Genetic hemochromatosis, a Celtic disease: is it now time for population screening?. 2001, 5, 127-30  Detection of DNA polymorphisms using PCR-RFLP and capillary electrophoresis. 2001, 163, 49-56  A rapid PCR-SSP assay for the hemochromatosis-associated Tyr250Stop mutation in the TFR2 gene. 2001, 5, 131-4  HFE genotype frequencies in consecutive reference laboratory specimens: comparisons among  | 45           |
| 1260<br>1259<br>1258 | Genetic hemochromatosis, a Celtic disease: is it now time for population screening?. 2001, 5, 127-30  Detection of DNA polymorphisms using PCR-RFLP and capillary electrophoresis. 2001, 163, 49-56  A rapid PCR-SSP assay for the hemochromatosis-associated Tyr250Stop mutation in the TFR2 gene. 2001, 5, 131-4  HFE genotype frequencies in consecutive reference laboratory specimens: comparisons among referral sources and association with initial diagnosis. 2001, 5, 299-306  Is there a threshold of hepatic iron concentration that leads to cirrhosis in C282Y hemochromatosis?. 2001, 96, 567-9 | 45<br>4<br>3 |

| 1254 Severe iron deficiency anemia in tran   | nsgenic mice expressing liver hepcidin. <b>2002</b> , 99, 4596-601   | 678 |
|--|--|-----|
| Cost-effectiveness of two screening 2103-4; author reply 2104                        | programs for microalbuminuria in type 2 diabetes. <b>2002</b> , 25,  | 14  |
| 1252 Self-monitored blood glucose in preg  | gnant women without gestational diabetes mellitus. <b>2002</b> , 25, 2104-5  | 1   |
| 1251 Decreasing effects of iron toxicosis o  | on selenium and glutathione peroxidase activity. <b>2002</b> , 24, 119-31  | 7   |
| 1250 Pulmonary mucormycosis in a diabet  | cic patient with HIV. <b>2002</b> , 25, 2105   | 9   |
| 1249 The hemochromatosis protein HFE ir  | nhibits iron export from macrophages. <b>2002</b> , 99, 15602-7  | 100 |
| 1248 Alternative-site blood glucose meass  | urement at the abdomen. <b>2002</b> , 25, 2114-5   | 15  |
| The long-term effects of self-managers control: response to Norris et al. <b>200</b> | ement education for patients with type 2 diabetes on glycemic <b>22</b> , 25, 2115-6                               | 10  |
| 1246 The use of alkali therapy in severe di  | abetic ketoacidosis. <b>2002</b> , 25, 2113-4  | 23  |
| A mitochondrial genotype associated diabetes. <b>2002</b> , 25, 2106                 | d with the development of autoimmune-related type 1  | 27  |
| 1244 Hemochromatosis gene in leukemia  | and lymphoma. <b>2002</b> , 43, 467-77   | 23  |
| 1243 Forgot to fast?: The importance on p  | olasma glucose values. <b>2002</b> , 25, 2112  | 3   |
| Iron uptake from plasma transferrin<br>, 99, 5622-6                                  | by the duodenum is impaired in the Hfe knockout mouse. <b>2002</b>   | 75  |
| 1241 Physiology of iron transport and the  | hemochromatosis gene. <b>2002</b> , 282, G403-14   | 81  |
|  | ed virological response to interferon plus ribavirin in chronic<br>kers of iron overload. <b>2002</b> , 97, 1570-2 | 9   |
| Unsaturated iron binding capacity an HFE hemochromatosis. <b>2002</b> , 97, 209      | nd transferrin saturation are equally reliable in detection of<br>93-9   | 28  |
| 1238 Iron as a comorbid factor in chronic v  | viral hepatitis. <b>2002</b> , 97, 1-4   | 113 |
| 1237 Incidence and costs of severe hypogl  | lycemia. <b>2002</b> , 25, 2109-10   | 60  |

| 1236 | HFE mutations in an inflammatory arthritis population. <b>2002</b> , 41, 176-9  |     | 28  |
|------|---|-----|-----|
| 1235 | A family of MHC class I-like genes located in the vicinity of the mouse leukocyte receptor complex. <b>2002</b> , 99, 13687-92  |     | 40  |
| 1234 | The prevalence of hypertension and utilization of antihypertensive therapy in a district diabetes population. <b>2002</b> , 25, 2107-8  |     | 11  |
| 1233 | Mild iron overload in patients carrying the HFE S65C gene mutation: a retrospective study in patients with suspected iron overload and healthy controls. <b>2002</b> , 51, 723-30 |     | 44  |
| 1232 | Genotyping of hemochromatosis-associated mutations in the HFE gene by PCR-RFLP and a novel reverse hybridization method. <b>2002</b> , 40, 122-5                                  |     | 5   |
| 1231 | Molecular pathogenesis of human hepatocellular carcinoma. <b>2002</b> , 86, 67-112  |     | 42  |
| 1230 | Molecular pathogenesis of iron overload. <b>2002</b> , 51, 290-5  |     | 56  |
| 1229 | Editor's comment: "It ain't necessarily so". <b>2002</b> , 25, 2116   |     | 1   |
| 1228 | Underdiagnosis of hereditary haemochromatosis: lack of presentation or penetration?. <b>2002</b> , 51, 108-12   | 2   | 29  |
| 1227 | Cockcroft's formula underestimates glomerular filtration rate in diabetic subjects treated by lipid-lowering drugs. <b>2002</b> , 25, 2106-7                                      |     | 5   |
| 1226 | A case of recurrent and fatal hypothermia in a man with diabetic neuropathy. 2002, 25, 2108-9   |     | 6   |
| 1225 | Iron and carcinogenesis: from Fenton reaction to target genes. <b>2002</b> , 7, 189-97  |     | 129 |
| 1224 | Molecular testing for hereditary hemochromatosis. <b>2002</b> , 2, 49-59  |     | 4   |
| 1223 | High prevalence of hemochromatosis in Nord-Tr\u00e4delag. <i>Scandinavian Journal of Gastroenterology</i> , <b>2002</b> , 37, 987-8; author reply 988-9                           | 2.4 |     |
| 1222 | Set association analysis of SNP case-control and microarray data. 2002,   |     |     |
| 1221 | In Response. Scandinavian Journal of Gastroenterology, <b>2002</b> , 37, 988-989  | 2.4 |     |
| 1220 | Psychological impact of changing the scale of reported HbA(1c) results affects metabolic control. <b>2002</b> , 25, 2110-1  |     | 45  |
| 1219 | Genetic testing for haemochromatosis in patients with chondrocalcinosis. <b>2002</b> , 61, 745-7  |     | 20  |

| 1218         | Another risk factor for MI?. <b>2002</b> , 39, 242-242  | 78  |
|--------------|---|-----|
| 1217         | Effects of body iron stores and haemochromatosis genotypes on coronary heart disease outcomes in the Busselton health study. <b>2002</b> , 9, 287-93  | 7   |
| 1216         | Regulation of transferrin-mediated iron uptake by HFE, the protein defective in hereditary hemochromatosis. <b>2002</b> , 99, 3117-22   | 113 |
| 1215         | Duodenal mRNA expression of iron related genes in response to iron loading and iron deficiency in four strains of mice. <b>2002</b> , 51, 648-53  | 86  |
| 1214         | The role of iron and haemochromatosis gene mutations in the progression of liver disease in chronic hepatitis C. <b>2002</b> , 50, 248-52   | 91  |
| 1213         | The role of hemochromatosis C282Y and H63D gene mutations in type 2 diabetes: findings from the Rotterdam Study and meta-analysis. <b>2002</b> , 25, 2112-3   | 10  |
| 1212         | Amlodipine decreases iron uptake and oxygen free radical production in the heart of chronically iron overloaded mice. <b>2002</b> , 3, 189-97   | 21  |
| 1211         | Localization of a human lung adenocarcinoma susceptibility locus, possibly syntenic to the mouse Pas1 locus, in the vicinity of the D12S1034 locus on chromosome 12p11.2-p12.1. <b>2002</b> , 23, 1177-83 | 15  |
| <b>121</b> 0 | . <b>2002</b> , 9, 287-293  | 20  |
| 1209         | A rare case of ulcerative colitis complicating Wilson's disease: possible association between the two diseases. <b>2002</b> , 35, 43-5  | 4   |
| 1208         | Metabolic liver disease. <b>2002</b> , 35 Suppl 1, S24-8  | 1   |
| 1207         | Hemochromatosis detection in a health screening program at an Alabama forest products mill. <b>2002</b> , 44, 745-51  | 10  |
| 1206         | ABCs of molecular cardiology and the impact of the Human Genome Project on clinical cardiology. <b>2002</b> , 10, 24-33   | О   |
| 1205         | Metabolic liver disease: Working Group Report of the First World Congress of Pediatric Gastroenterology, Hepatology, and Nutrition. <b>2002</b> , 35 Suppl 2, S180-6                                      | 4   |
| 1204         | Increased serum ferritin is common in men with essential hypertension. <b>2002</b> , 20, 1513-8   | 121 |
| 1203         | Noniatrogenic haemochromatosis in congenital dyserythropoietic anaemia type II is not related to C282Y and H63D mutations in the HFE gene: report on two brothers. <b>2002</b> , 57, 79-84                | 9   |
| 1202         | Erythroblast iron metabolism in sideroblastic and sideropenic states. <b>2002</b> , 7, 189-95   | 2   |
|              |   |     |

| 1200 | Expression of the two mRNA isoforms of the iron transporter Nramp2/DMTI in mice and function of the iron responsive element. <b>2002</b> , 363, 449-55  |     | 71  |
|------|---|-----|-----|
| 1199 | Mutation analysis of transferrin-receptor 2 in patients with atypical hemochromatosis. <i>Blood</i> , <b>2002</b> , 100, 1099-100   | 2.2 | 24  |
| 1198 | Novel mutation in ferroportin1 is associated with autosomal dominant hemochromatosis. <i>Blood</i> , <b>2002</b> , 100, 692-4   | 2.2 | 137 |
| 1197 | Expression of the two mRNA isoforms of the iron transporter Nrmap2/DMTI in mice and function of the iron responsive element. <b>2002</b> , 363, 449-455   |     | 99  |
| 1196 | Regulation of iron absorption in Hfe mutant mice. <i>Blood</i> , <b>2002</b> , 100, 1465-9  | 2.2 | 70  |
| 1195 | Transferrin receptor 2 (TfR2) and HFE mutational analysis in non-C282Y iron overload: identification of a novel TfR2 mutation. <i>Blood</i> , <b>2002</b> , 100, 1075-7                             | 2.2 | 86  |
| 1194 | CXCR4 expression is associated with survival in familial chronic lymphocytic leukemia, but CD38 expression is not. <i>Blood</i> , <b>2002</b> , 100, 1100-1   | 2.2 | 40  |
| 1193 | The zebrafish mutant gene chardonnay (cdy) encodes divalent metal transporter 1 (DMT1). <i>Blood</i> , <b>2002</b> , 100, 4655-9  | 2.2 | 92  |
| 1192 | Increased hepatic iron in mice lacking classical MHC class I molecules. <i>Blood</i> , <b>2002</b> , 100, 4239-41   | 2.2 | 25  |
| 1191 | Intestinal expression of genes involved in iron absorption in humans. <b>2002</b> , 282, G598-607   |     | 65  |
| 1190 | Iron treatment downregulates DMT1 and IREG1 mRNA expression in Caco-2 cells. <b>2002</b> , 132, 693-6   |     | 37  |
| 1189 | HFE gene mutations in alcoholic and virus-related cirrhotic patients with hepatocellular carcinoma. <b>2002</b> , 97, 1016-21   |     | 56  |
| 1188 | Microfabricated 384-lane capillary array electrophoresis bioanalyzer for ultrahigh-throughput genetic analysis. <b>2002</b> , 74, 5076-83   |     | 249 |
| 1187 | A cluster of ten novel MHC class I related genes on human chromosome 6q24.2-q25.3. <b>2002</b> , 79, 114-23   |     | 134 |
| 1186 | The Human and Mouse Replication-Dependent Histone Genes. 2002, 80, 487-498  |     | 306 |
| 1185 | Association of MR1 protein, an MHC class I-related molecule, with beta(2)-microglobulin. <b>2002</b> , 290, 727   | 2-9 | 35  |
| 1184 | Polymorphisms in the 5' flanking region of the HFE gene: linkage disequilibrium and relationship to iron homeostasis. <b>2002</b> , 28, 191-5   |     | 5   |
| 1183 | Iron overload in mice expressing HFE exclusively in the intestinal villi provides evidence that HFE regulates a functional cross-talk between crypt and villi enterocytes. <b>2002</b> , 28, 348-60 |     | 11  |

| 1182 | Juvenile hemochromatosis in a Spanish family. <b>2002</b> , 28, 297-300  |      | 7   |
|------|--|------|-----|
| 1181 | Prevalence and penetrance of HFE mutations in 4865 unselected primary care patients. <b>2002</b> , 29, 41-7  |      | 48  |
| 1180 | Juvenile hemochromatosis in the southeastern United States: a report of seven cases in two kinships. <b>2002</b> , 29, 104-15  |      | 14  |
| 1179 | Genetic heterogeneity underlies juvenile hemochromatosis phenotype: analysis of three families of northern Greek origin. <b>2002</b> , 29, 168-73  |      | 17  |
| 1178 | Increased duodenal DMT-1 expression and unchanged HFE mRNA levels in HFE-associated hereditary hemochromatosis and iron deficiency. <b>2002</b> , 29, 251-60   |      | 19  |
| 1177 | History of iron in medicine. <b>2002</b> , 29, 297-308   |      | 28  |
| 1176 | Hemochromatosis protein (HFE) and tumor necrosis factor receptor 2 (TNFR2) influence tissue iron levels: elements of a common gut pathway?. <b>2002</b> , 29, 274-85                                 |      | 11  |
| 1175 | Frequency of the HFE gene mutations in five Italian populations. <b>2002</b> , 29, 267-73  |      | 28  |
| 1174 | Hepcidin, a new iron regulatory peptide. <b>2002</b> , 29, 327-35  |      | 229 |
| 1173 | Mechanisms and regulation of intestinal iron absorption. <b>2002</b> , 29, 384-99  |      | 101 |
| 1172 | Dominant hemochromatosis due to N144H mutation of SLC11A3: clinical and biological characteristics. <b>2002</b> , 29, 439-43   |      | 31  |
| 1171 | Non-invasive liver iron quantification by SQUID-biosusceptometry and serum ferritin iron as new diagnostic parameters in hereditary hemochromatosis. <b>2002</b> , 29, 451-8                         |      | 43  |
| 1170 | Hemochromatosis due to mutations in transferrin receptor 2. <b>2002</b> , 29, 465-70   |      | 40  |
| 1169 | Transferrin receptor 1 (TfR1) and putative stimulator of Fe transport (SFT) expression in iron deficiency and overload: an overview. <b>2002</b> , 29, 498-505                                       |      | 15  |
| 1168 | Penetrance of hemochromatosis. <b>2002</b> , 29, 418-32  |      | 45  |
| 1167 | Generation of monocyte-derived dendritic cells in patients with hereditary hemochromatosis. <b>2002</b> , 105, 93-103  |      |     |
| 1166 | Human leukocyte antigen Class II associations in serum antimitochondrial antibodies (AMA)-positive and AMA-negative primary biliary cirrhosis. <i>Journal of Hepatology</i> , <b>2002</b> , 36, 8-13 | 13.4 | 35  |
| 1165 | Serum ceruloplasmin and ferroxidase activity are decreased in HFE C282Y homozygote male iron-overloaded patients. <i>Journal of Hepatology</i> , <b>2002</b> , 36, 60-5                              | 13.4 | 16  |

| 1164 | Frequency of the S65C mutation of HFE and iron overload in 309 subjects heterozygous for C282Y. <i>Journal of Hepatology</i> , <b>2002</b> , 36, 474-9       | 40  |  |
|------|--|-----|--|
| 1163 | A population-based study of the biochemical and clinical expression of the H63D hemochromatosis mutation. <b>2002</b> , 122, 646-51                          | 190 |  |
| 1162 | Hereditary haemochromatosis: a realistic approach to prevention of iron overload disease in the population. <b>2002</b> , 15, 315-328                        | 6   |  |
| 1161 | Iron transport across cell membranes: molecular understanding of duodenal and placental iron uptake. <b>2002</b> , 15, 243-259                               | 27  |  |
| 1160 | HFE Mutations as risk factors in disease. <b>2002</b> , 15, 295-314  | 6   |  |
| 1159 | Diagnosis and management of genetic haemochromatosis. <b>2002</b> , 15, 277-293  | 4   |  |
| 1158 | Genetic haemochromatosis: genes and mutations associated with iron loading. 2002, 15, 261-276  | 10  |  |
| 1157 | Inactivation of the hemochromatosis gene differentially regulates duodenal expression of iron-related mRNAs between mouse strains. <b>2002</b> , 122, 745-51 | 89  |  |
| 1156 | A homozygous HFE gene splice site mutation (IVS5+1 G/A) in a hereditary hemochromatosis patient of Vietnamese origin. <b>2002</b> , 122, 789-95              | 42  |  |
| 1155 | Clinical and pathologic findings in hemochromatosis type 3 due to a novel mutation in transferrin receptor 2 gene. <b>2002</b> , 122, 1295-302               | 116 |  |
| 1154 | The role of hemochromatosis susceptibility gene mutations in protecting against iron deficiency in celiac disease. <b>2002</b> , 123, 444-9                  | 29  |  |
| 1153 | Analytical methods applied to psychiatric genetics. <b>2003</b> , 77, 23-61  | 3   |  |
| 1152 | Genes other than BRCA1 and BRCA2 involved in breast cancer susceptibility. 2002, 39, 225-42  | 147 |  |
| 1151 | Superoxide dismutase in aging and disease: an overview. <b>2002</b> , 349, 331-41  | 80  |  |
| 1150 | MHC Protocols. <b>2002</b> ,   | 2   |  |
| 1149 | [Mutations in the HFE gene (C282Y, H63D, S65C) in alcoholic patients with finding of iron overload]. <b>2002</b> , 202, 534-9                                | 2   |  |
| 1148 | Prevalence of hemochromatosis-related symptoms among individuals with mutations in the HFE gene. <b>2002</b> , 77, 522-30                                    | 58  |  |
| 1147 | MR imaging of iron depositional disease. <b>2002</b> , 10, 105-20, vi  | 23  |  |

| 1146 | Iron transport: emerging roles in health and disease. <b>2002</b> , 80, 679-89   | 52            |
|------|--|---------------|
| 1145 | HFE mutations and hemochromatosis in Danish patients admitted for HFE genotyping. <b>2002</b> , 62, 527-35   | 7             |
| 1144 | A very rare association of three mutations of the HFE gene for hemochromatosis. <b>2002</b> , 6, 331-4   | 7             |
| 1143 | Penetrance of 845G> A (C282Y) HFE hereditary haemochromatosis mutation in the USA. <b>2002</b> , 359, 211-8  | 685           |
| 1142 | Role of HFE in iron metabolism, hereditary haemochromatosis, anaemia of chronic disease, and secondary iron overload. <b>2002</b> , 359, 786-90  | 67            |
| 1141 | Genetics of haemochromatosis. <b>2002</b> , 360, 1673-81   | 102           |
| 1140 | Screening for hemochromatosis. <b>2002</b> , 315, 169-86   | 47            |
| 1139 | Some ethical and design challenges of screening programs and screening tests. <b>2002</b> , 315, 41-8  | 18            |
| 1138 | Concordance of iron indices in homozygote and heterozygote sibling pairs in hemochromatosis families: implications for family screening. <i>Journal of Hepatology</i> , <b>2002</b> , 37, 309-14 | 18            |
| 1137 | Peripheral lymphocytes and intracellular cytokines in C282Y homozygous hemochromatosis patients. <i>Journal of Hepatology</i> , <b>2002</b> , 37, 753-61   | 19            |
| 1136 | Hereditary hemochromatosis. <b>2002</b> , 39, 235-41   | 29            |
| 1135 | Juvenile hemochromatosis. <b>2002</b> , 39, 242-8  | 76            |
| 1134 | African iron overload. <b>2002</b> , 39, 263-9   | <del>72</del> |
| 1133 | Nucleotide diversity and haplotype structure of the human angiotensinogen gene in two populations. <b>2002</b> , 70, 108-23  | 112           |
| 1132 | Genetic dissection of the human leukocyte antigen region by use of haplotypes of Tasmanians with multiple sclerosis. <b>2002</b> , 70, 1125-37   | 81            |
| 1131 | Recherche des mutations de l'hmochromatose dans une sfie de 1 615 patients prsentant une surcharge sfique en fer. <b>2002</b> , 17, 14-17  |               |
| 1130 | Surcharge en fer´: intft des tests biomoltulaires dans la prise en charge diagnostique. <b>2002</b> , 17, 85-89  | 1             |
| 1129 | Quantitative evaluation of expression of iron-metabolism genes in ceruloplasmin-deficient mice. <b>2002</b> , 1588, 195-202  | 36            |

| 1128 | Epidemic pathogenic selection: an explanation for hereditary hemochromatosis?. <b>2002</b> , 59, 325-9  | 32  |
|------|---|-----|
| 1127 | Approaches to identifying genetic variation for complex phenotypes. <b>2002</b> , 1246, 241-250   | 1   |
| 1126 | The Cys282Tyr polymorphism in the HFE gene in Australian Parkinson's disease patients. <b>2002</b> , 327, 91-4  | 48  |
| 1125 | Iron metabolism in insects. <b>2002</b> , 47, 535-59  | 232 |
| 1124 | Hemocromatosis: Manifestaciones cl?nicas, investigaci?n gen?tica y tratamiento. <b>2002</b> , 6, 1-5  |     |
| 1123 | The role of Doppler left ventricular filling indexes and Doppler tissue echocardiography in the assessment of cardiac involvement in hereditary hemochromatosis. <b>2002</b> , 15, 884-90 | 38  |
| 1122 | Datos a favor de la heterogeneidad gentica de la hemocromatosis en el sur de Europa. <b>2002</b> , 118, 478   |     |
| 1121 | Cardiac disease and the skin. <b>2002</b> , 20, 503-11, vii   | 5   |
| 1120 | Resistencia a la insulina relacionada con el hierro. <b>2002</b> , 49, 185-193  |     |
| 1119 | Iron overload disorders. <b>2002</b> , 6, 481-96, viii  | 12  |
| 1118 | Hemocromatosis hereditaria. Actualizacifi. <b>2002</b> , 99, 49-54  |     |
| 1117 | Hemocromatosis hereditaria: consideraciones y propuestas. <b>2002</b> , 119, 436-437  | О   |
| 1116 | Anemias diseritropoyticas conghitas. <b>2002</b> , 37, 1-4  |     |
| 1115 | [Hereditary hemochromatosis: physiopathological, clinical and therapeutical considerations]. <b>2002</b> , 118, 103-10  | 3   |
| 1114 | Liver function: test selection and interpretation of results. <b>2002</b> , 22, 377-90  | 27  |
| 1113 | Biochemical and Genetic Markers of Iron Status and the Risk of Coronary Artery Disease: An Angiography-based Study. <b>2002</b> , 48, 622-628   | 39  |
| 1112 | HFE Genotyping by Amplification Refractory Mutation SystemDenaturing HPLC. 2002, 48, 769-772  | 2   |
| 1111 | Targeted drug delivery via the transferrin receptor-mediated endocytosis pathway. <b>2002</b> , 54, 561-87  | 798 |

1110 The immunogenetics of metabolic liver disease. **2002**, 177-189

| 1109 Molecular regulation of iron homeostasis and resistance to infection in alcoholics. <b>2002</b> , 7, d1396-409   | 1  |
|---|----|
| Effect of iron status on DMT1 expression in duodenal enterocytes from beta2-microglobulin knockout mice. <b>2002</b> , 283, G687-94   | 8  |
| 1107 Iron, Oxidative Stress, the HFE Gene, and Lung Cancer. <b>2002</b> , 67-70   |    |
| The transcytosis of divalent metal transporter 1 and apo-transferrin during iron uptake in intestinal epithelium. <b>2002</b> , 283, G965-74  | 31 |
| From genetics to cellular physiology. Focus on "Regulation of transferrin-induced endocytosis by wild-type and C282Y-mutant HFE in transfected HeLa cells". <b>2002</b> , 282, C971-2 | 12 |
| Regulation of transferrin-induced endocytosis by wild-type and C282Y-mutant HFE in transfected HeLa cells. <b>2002</b> , 282, C973-9  | 13 |
| 1103 HLA microsatellite analysis. <b>2003</b> , 210, 325-32   | 1  |
| Are hepatitis C infection and C282Y mutation in hemochromatosis gene independent factors for Porphyria cutanea tarda?. <b>2002</b> , 205, 76-7  | 2  |
| Pilot study of early diagnosis of hereditary haemochromatosis through systematic case finding in primary care. <b>2002</b> , 5, 262-5   |    |
| Natural history of C282Y homozygotes for hemochromatosis. <b>2002</b> , 16, 297-302   | 51 |
| 1099 Mutations in the hemochromatosis gene (HFE) and stroke. <b>2002</b> , 33, 2363-6   | 30 |
| 1098 Molecular regulation of iron homeostasis and resistance to infection in alcoholics. <b>2002</b> , 7, d1396   | 2  |
| 1097 A nomogram to predict C282Y hemochromatosis. <b>2002</b> , 140, 6-8  | 11 |
| Clinical and laboratory manifestations of congenital dyserythropoietic anemia type I in young adults. <b>2002</b> , 68, 170-4   | 24 |
| Iron status in Danish men 1984-94: a cohort comparison of changes in iron stores and the prevalence of iron deficiency and iron overload. <b>2002</b> , 68, 332-40                    | 32 |
| Evaluation of linkage disequilibrium between chromosome 22q11 single nucleotide polymorphisms in a large outbred population. <b>2002</b> , 114, 205-13                                | 1  |
| 1093 HFE based re-evaluation of heterozygous hemochromatosis. <b>2002</b> , 111, 356-61   | 25 |

| 1092                         | Transferrin/transferrin receptor-mediated drug delivery. <b>2002</b> , 22, 225-50  | 339                 |
|------------------------------|--|---------------------|
| 1091                         | A gene in the telomeric HLA complex distinct from HLA-A is involved in predisposition to juvenile idiopathic arthritis. <b>2002</b> , 46, 1614-9   | 20                  |
| 1090                         | Evidence for linkage of HLA loci in juvenile idiopathic oligoarthritis: independent effects of HLA-A and HLA-DRB1. <b>2002</b> , 46, 2716-20   | 20                  |
| 1089                         | Rapid genotyping of single nucleotide polymorphisms using novel minor groove binding DNA oligonucleotides (MGB probes). <b>2002</b> , 19, 554-9  | 123                 |
| 1088                         | In hereditary hemochromatosis, red cell apheresis removes excess iron twice as fast as manual whole blood phlebotomy. <b>2002</b> , 17, 88-92  | 22                  |
| 1087                         | Increased IRP1 and IRP2 RNA binding activity accompanies a reduction of the labile iron pool in HFE-expressing cells. <b>2002</b> , 190, 218-26  | 33                  |
| 1086                         | Hereditary hemochromatosis: detection of C282Y and H63D mutations in HFE gene by means of guthrie cards in population of Czech Republic. <b>2002</b> , 23, 260-3   | 10                  |
| 1085                         | HFE and non-HFE hemochromatosis. <b>2002</b> , 76, 203-7   | 19                  |
| 1084                         | Co-selection of the H63D mutation and the HLA-A29 allele: a new paradigm of linkage disequilibrium?. <b>2002</b> , 53, 1002-8  | 28                  |
| 1083                         | Hereditary spherocytosis and hemochromatosis. <b>2002</b> , 81, 202-9  | 11                  |
|                              |  |                     |
| 1082                         | Transmission disequilibrium test with discordant sib pairs when parents are available. <b>2002</b> , 110, 451-61   | 3                   |
| 1082                         |  |                     |
| 1081                         | Transmission disequilibrium test with discordant sib pairs when parents are available. <b>2002</b> , 110, 451-61  Hereditary haemochromatosis: only 1% of adult HFEC282Y homozygotes in South Wales have a   | 3                   |
| 1081                         | Transmission disequilibrium test with discordant sib pairs when parents are available. <b>2002</b> , 110, 451-61  Hereditary haemochromatosis: only 1% of adult HFEC282Y homozygotes in South Wales have a clinical diagnosis of iron overload. <b>2002</b> , 111, 538-43  | 3<br>56             |
| 1081<br>1080<br>1079         | Transmission disequilibrium test with discordant sib pairs when parents are available. 2002, 110, 451-61  Hereditary haemochromatosis: only 1% of adult HFEC282Y homozygotes in South Wales have a clinical diagnosis of iron overload. 2002, 111, 538-43  Association study between iron-related genes polymorphisms and Parkinson's disease. 2002, 249, 801-4  | 3<br>56<br>89       |
| 1081<br>1080<br>1079         | Transmission disequilibrium test with discordant sib pairs when parents are available. 2002, 110, 451-61  Hereditary haemochromatosis: only 1% of adult HFEC282Y homozygotes in South Wales have a clinical diagnosis of iron overload. 2002, 111, 538-43  Association study between iron-related genes polymorphisms and Parkinson's disease. 2002, 249, 801-4  A previously undescribed nonsense mutation of the HFE gene. 2002, 61, 40-2  | 3<br>56<br>89<br>27 |
| 1081<br>1080<br>1079<br>1078 | Transmission disequilibrium test with discordant sib pairs when parents are available. 2002, 110, 451-61  Hereditary haemochromatosis: only 1% of adult HFEC282Y homozygotes in South Wales have a clinical diagnosis of iron overload. 2002, 111, 538-43  Association study between iron-related genes polymorphisms and Parkinson's disease. 2002, 249, 801-4  A previously undescribed nonsense mutation of the HFE gene. 2002, 61, 40-2  Distribution of HFE C282Y and H63D mutations in the Balearic Islands (NE Spain). 2002, 61, 43-8 | 3<br>56<br>89<br>27 |

| 1074 | Raised serum ferritin predicts non-response to interferon and ribavirin treatment in patients with chronic hepatitis C infection. <b>2002</b> , 22, 269-75  |     | 55  |  |
|------|---|-----|-----|--|
| 1073 | Metal transporters and disease. <b>2002</b> , 6, 181-6  |     | 84  |  |
| 1072 | Clinical pathological significance of iron metabolism with chronic hepatitis C patients. <b>2002</b> , 24, 245  |     | 7   |  |
| 1071 | The iron metabolism of neoplastic cells: alterations that facilitate proliferation?. 2002, 42, 65-78  |     | 158 |  |
| 1070 | Haemochromatosis: understanding the mechanism of disease and implications for diagnosis and patient management following the recent cloning of novel genes involved in iron metabolism. <b>2002</b> , 251, 181-92 |     | 29  |  |
| 1069 | HLA-A and -B alleles and haplotypes in hemochromatosis probands with HFE C282Y homozygosity in central Alabama. <b>2002</b> , 3, 9  |     | 27  |  |
| 1068 | Non-transferrin-bound iron in untreated and ribavirin-treated chronic hepatitis C patients. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2002</b> , 16, 1555-62   | 6.1 | 2   |  |
| 1067 | Review article: haemochromatosis. Alimentary Pharmacology and Therapeutics, 2002, 16, 1963-75   | 6.1 | 40  |  |
| 1066 | Iron deficiency can upregulate expression of transferrin receptor at both the mRNA and protein level. <b>2002</b> , 116, 458-464  |     | 31  |  |
| 1065 | Natural history of juvenile haemochromatosis. <b>2002</b> , 117, 973-9  |     | 121 |  |
| 1064 | Gender-specific phenotypic expression and screening strategies in C282Y-linked haemochromatosis: a study of 9396 French people. <b>2002</b> , 118, 1170-8   |     | 59  |  |
| 1063 | Long-term sequelae of HFE deletion in C57BL/6 x 129/O1a mice, an animal model for hereditary haemochromatosis. <b>2002</b> , 32, 603-12   |     | 27  |  |
| 1062 | No increase in mortality and morbidity among carriers of the C282Y mutation of the hereditary haemochromatosis gene in the oldest old: the Leiden 85-plus study. <b>2002</b> , 32, 750-4                          |     | 31  |  |
| 1061 | Haemochromatosis mutations and ferritin in myocardial infarction: a case-control study. <b>2002</b> , 32 Suppl 1, 3-8   |     | 14  |  |
| 1060 | Iron and immunity: a double-edged sword. <b>2002</b> , 32 Suppl 1, 70-8   |     | 205 |  |
| 1059 | Mapping quantitative effects of oligogenes by allelic association. <b>2002</b> , 66, 211-221  |     | 4   |  |
| 1058 | Porphyria cutanea tarda in south-east New South Wales. <b>2002</b> , 43, 285-8  |     | 3   |  |
| 1057 | CD8+CD28- T cells: certainties and uncertainties of a prevalent human T-cell subset. <b>2002</b> , 80, 1-13   |     | 61  |  |
|      |   |     |     |  |

| 1056 | Hereditary hemochromatosis and iron overload diseases. <b>2002</b> , 17 Suppl, S191-5   | 22  |
|------|---|-----|
| 1055 | Fifty years of gastroenterology in Australia. <b>1999</b> , 14, 179-93  | 1   |
| 1054 | Interrelationships of alcohol and iron in liver disease with particular reference to the iron-binding proteins, ferritin and transferrin. <b>1999</b> , 14, 202-14                        | 66  |
| 1053 | Genotyping as a diagnostic aid in genetic haemochromatosis. <b>1999</b> , 14, 427-30  | 28  |
| 1052 | Utility of genotyping in diagnosis of genetic haemochromatosis. <b>1999</b> , 14, 401-2   | 2   |
| 1051 | Genetic testing for HFE hemochromatosis in Australia: the value of testing relatives of simple heterozygotes. <b>2002</b> , 17, 800-3   | 2   |
| 1050 | Himochromatoses et surcharges primitives en fer. <b>2002</b> , 2002, 39-43  |     |
| 1049 | Molecular pathogenesis of human hepatocellular carcinoma. <b>2002</b> , 181-182, 43-7   | 147 |
| 1048 | Morbidity risk in HFE associated hereditary hemochromatosis C282Y heterozygotes. <b>2002</b> , 180, 169-81  | 15  |
| 1047 | An unusual presentation of type 2 diabetes mellitus. <b>2002</b> , 19, 223-226  | 1   |
| 1046 | Association between the MHC class I gene HFE polymorphisms and longevity: a study in Sicilian population. <b>2002</b> , 3, 20-4   | 50  |
| 1045 | Diagnostic testing fails the test. <b>2002</b> , 415, 577-9   | 90  |
| 1044 | Effects of copper and ceruloplasmin on iron transport in the Caco 2 cell intestinal model. <b>2002</b> , 13, 138-148  | 35  |
| 1043 | Public health aspects of genetic screening for hereditary haemochromatosis in Australia. <b>2002</b> , 26, 518-24   | 2   |
| 1042 | Up-regulation of Transferrin Receptor Expression in Hepatocytes by Habitual Alcohol Drinking Is Implicated in Hepatic Iron Overload in Alcoholic Liver Disease. <b>2002</b> , 26, 26s-31s | 41  |
| 1041 | Fluorescent multicolor multiplex homogeneous assay for the simultaneous analysis of the two most common hemochromatosis mutations. <b>2002</b> , 307, 47-53                               | 23  |
| 1040 | Mechanisms of iron accumulation in hereditary hemochromatosis. <b>2002</b> , 64, 663-80   | 146 |
| 1039 | A detailed physical map of the 6p reading disability locus, including new markers and confirmation of recombination suppression. <b>2002</b> , 111, 339-49                                | 7   |

| 1038 Genetic screening for common mutations: lessons from hereditary hemochromatosis. <b>2003</b> , 18, 3-4   |      | 0   |
|---|------|-----|
| 1037 HFE gene mutations an Apulian population: allele frequencies. <b>2003</b> , 18, 685-9  |      | 9   |
| The "anemic" enterocyte in hereditary hemochromatosis: molecular insights into the control of intestinal iron absorption. <b>2002</b> , 60, 144-8   |      | 5   |
| 1035 A possible link between hepcidin and regulation of dietary iron absorption. <b>2002</b> , 60, 371-4  |      | 9   |
| 1034 Chronic hepatitis B guidelines: east versus west. <i>Hepatology</i> , <b>2002</b> , 35, 979-81; author reply 981-2   | 11.2 | 4   |
| Incidence of interferon alfa-induced depression in patients with chronic hepatitis C. <i>Hepatology</i> , <b>2002</b> , 35, 978-9   | 11.2 | 34  |
| 1032 Tissue typing for HFE mutations. <i>Hepatology</i> , <b>2002</b> , 35, 977-8   | 11.2 | 2   |
| High prevalence of HCV infection in patients with B-cell non-Hodgkin's lymphoma: comparison with birth cohort- and sex-matched blood donors in a Japanese population. <i>Hepatology</i> , <b>2002</b> , 35, 974-6 | 11.2 | 26  |
| 1030 Reply:. <i>Hepatology</i> , <b>2002</b> , 35, 981-982  | 11.2 | 2   |
| Molecular aspects of iron absorption: Insights into the role of HFE in hemochromatosis. <i>Hepatology</i> , <b>2002</b> , 35, 993-1001  | 11.2 | 36  |
| HFE mutations, hepatic iron, and fibrosis: ethnic-specific association of NASH with C282Y but not with fibrotic severity. <i>Hepatology</i> , <b>2002</b> , 36, 142-9   | 11.2 | 175 |
| Liver allograft iron accumulation in patients with and without pretransplantation hepatic hemosiderosis. <i>Liver Transplantation</i> , <b>2002</b> , 8, 331-9  | 4.5  | 14  |
| The expression and regulation of the iron transport molecules hephaestin and IREG1: implications for the control of iron export from the small intestine. <b>2002</b> , 36, 137-46                                |      | 25  |
| 1025 Genomic organization of the mammalian MHC. <b>2003</b> , 21, 629-57  |      | 184 |
| Polymorphism of the HFE Gene Associated with Hereditary Hemochromatosis in Populations of Russia. <b>2003</b> , 39, 828-835   |      | 3   |
| Heterozygosity for the Cys282Tyr mutation in the HFE gene and the risk of colorectal cancer (Netherlands). <b>2003</b> , 14, 541-5  |      | 18  |
| 1022 Is genetic screening for hemochromatosis worthwhile?. <b>2004</b> , 19, 101-8  |      | 16  |
| 1021 Tests for a disease-susceptibility locus allowing for an inbreeding coefficient (F). <b>2003</b> , 119, 269-81   |      | 5   |

| 1020 | LOD score exclusion analyses for candidate QTLs using random population samples. <b>2003</b> , 119, 303-15   | 3   |
|------|--|-----|
| 1019 | Health implications of iron overload: the role of diet and genotype. <b>2003</b> , 61, 45-62   | 32  |
| 1018 | Mechanisms of TfR-mediated transcytosis and sorting in epithelial cells and applications toward drug delivery. <b>2003</b> , 55, 1439-66   | 142 |
| 1017 | Iron and copper homeostasis and intestinal absorption using the Caco2 cell model. <b>2003</b> , 16, 145-60   | 34  |
| 1016 | Aceruloplasminemia, an inherited disorder of iron metabolism. <b>2003</b> , 16, 205-13   | 91  |
| 1015 | The Impact of Test Outcome Certainty on Interest in Genetic Testing Among College Women. <b>2003</b> , 12, 131-50  | 6   |
| 1014 | Real-time detection of nucleic acid interactions by total internal reflection fluorescence. <b>2003</b> , 75, 2414-20  | 66  |
| 1013 | The role of drug transporters at the blood-brain barrier. <b>2003</b> , 43, 629-56   | 194 |
| 1012 | Diagnosis of juvenile hemochromatosis in an 11-year-old child combining genetic analysis and non-invasive liver iron quantitation. <b>2003</b> , 162, 96-9                                   | 6   |
| 1011 | Frequencies of the hereditary hemochromatosis allele in different populations. Comparison of previous phenotypic methods and novel genotypic methods. <b>2003</b> , 77, 48-54                | 10  |
| 1010 | Patients with biochemical iron overload: causes and characteristics of a cohort of 150 cases. <b>2003</b> , 82, 127-130  | 34  |
| 1009 | Hereditary spherocytosis associated with mutations in HFE gene. <b>2003</b> , 82, 769-72   | 5   |
| 1008 | [Iron as comorbid factor in chronic hepatitis C]. <b>2003</b> , 98, 685-91   | 2   |
| 1007 | Hereditte Hthochromatose. <b>2003</b> , 44, 191-208  | 8   |
| 1006 | Hemochromatosis and transferrin receptor gene polymorphisms in chronic hepatitis C: impact on iron status, liver injury and HCV genotype. <b>2003</b> , 81, 780-7                            | 31  |
| 1005 | In vivo immunogenetics: from MIC to RAET1 loci. <b>2003</b> , 55, 1-9  | 19  |
| 1004 | MHC polymorphism and disease resistance in Atlantic salmon (Salmo salar); facing pathogens with single expressed major histocompatibility class I and class II loci. <b>2003</b> , 55, 210-9 | 251 |
| 1003 | A hemochromatosis-causing mutation C282Y is a risk factor for proliferative diabetic retinopathy in Caucasians with type 2 diabetes. <b>2003</b> , 48, 646-649                               | 19  |

| 1002                            | Human platelets express hemochromatosis protein (HFE) and transferrin receptor 2. 2003, 70, 201-6  | 10                  |
|---------------------------------|--|---------------------|
| 1001                            | Iron status in Danish women, 1984-1994: a cohort comparison of changes in iron stores and the prevalence of iron deficiency and iron overload. <b>2003</b> , 71, 51-61   | 47                  |
| 1000                            | Frequency of the HFE C282Y and H63D mutations in Danish patients with clinical haemochromatosis initially diagnosed by phenotypic methods. <b>2003</b> , 71, 403-7   | 11                  |
| 999                             | Hereditte Hthochromatose:Aktuelle Erkenntnisse und Kontroversen. <b>2003</b> , 27, 266-276   | 1                   |
| 998                             | When and how should we screen for hereditary hemochromatosis?. 2003, 70, 263-70  | 5                   |
| 997                             | Iron overload and its association with cancer risk in humans: evidence for iron as a carcinogenic metal. <b>2003</b> , 533, 153-71   | 305                 |
| 996                             | Association between the HFE mutations and unsuccessful ageing: a study in Alzheimer's disease patients from Northern Italy. <b>2003</b> , 124, 525-8   | 41                  |
| 995                             | Association between the HFE mutations and longevity: a study in Sardinian population. <b>2003</b> , 124, 529-32  | 30                  |
| 994                             | Over-expression of wild-type and mutant HFE in a human melanocytic cell line reveals an intracellular bridge between MHC class I pathway and transferrin iron uptake. <b>2003</b> , 95, 243-55   | 8                   |
|                                 |  |                     |
| 993                             | Optimal two-stage genotyping in population-based association studies. <b>2003</b> , 25, 149-57   | 142                 |
| 993                             | Optimal two-stage genotyping in population-based association studies. <b>2003</b> , 25, 149-57  IVS10-6T>G, an ancient ATM germline mutation linked with breast cancer. <b>2003</b> , 21, 521-8  | 142                 |
|                                 |  |                     |
| 992                             | IVS10-6T>G, an ancient ATM germline mutation linked with breast cancer. <b>2003</b> , 21, 521-8  | 22                  |
| 992                             | IVS10-6T>G, an ancient ATM germline mutation linked with breast cancer. <b>2003</b> , 21, 521-8  Recent advances in cellular iron metabolism. <b>2003</b> , 16, 201-217  Association of HFE mutations with neurodegeneration and oxidative stress in Alzheimer's disease   | 22                  |
| 992<br>991<br>990               | IVS10-6T>G, an ancient ATM germline mutation linked with breast cancer. 2003, 21, 521-8  Recent advances in cellular iron metabolism. 2003, 16, 201-217  Association of HFE mutations with neurodegeneration and oxidative stress in Alzheimer's disease and correlation with APOE. 2003, 119B, 48-53  | 22<br>11<br>66      |
| 992<br>991<br>990<br>989        | IVS10-6T>G, an ancient ATM germline mutation linked with breast cancer. 2003, 21, 521-8  Recent advances in cellular iron metabolism. 2003, 16, 201-217  Association of HFE mutations with neurodegeneration and oxidative stress in Alzheimer's disease and correlation with APOE. 2003, 119B, 48-53  From Eden to a hell of uniformity? Directed evolution in humans. 2003, 25, 815-21   | 22<br>11<br>66      |
| 992<br>991<br>990<br>989<br>988 | IVS10-6T>G, an ancient ATM germline mutation linked with breast cancer. 2003, 21, 521-8  Recent advances in cellular iron metabolism. 2003, 16, 201-217  Association of HFE mutations with neurodegeneration and oxidative stress in Alzheimer's disease and correlation with APOE. 2003, 119B, 48-53  From Eden to a hell of uniformity? Directed evolution in humans. 2003, 25, 815-21  Hemochromatosis and alcoholic liver disease. 2003, 30, 131-6 | 22<br>11<br>66<br>8 |

| 984 | Hemochromatosis gene mutations in the Croatian and Slovenian populations. 2003, 64, 444-6   | 14  |
|-----|---|-----|
| 983 | HFE, the MHC and hemochromatosis: paradigm for an extended function for MHC class I. <b>2003</b> , 61, 263-75   | 32  |
| 982 | Associations of HLA microsatellites with rheumatoid arthritis in Singaporean Chinese. 2003, 62, 133-8   | 1   |
| 981 | Genetic epidemiology of type 1 diabetes. <b>2003</b> , 4, 87-100  | 66  |
| 980 | AVAQ 594-597 deletion of the TfR2 gene in a Japanese family with hemochromatosis. 2003, 26, 154-156   | 55  |
| 979 | Hepatocellular carcinoma associated with secondary haemochromatosis in non-cirrhotic liver: a case report. <b>2003</b> , 26, 254-258  | 14  |
| 978 | Metabolic liver disease in the young adult. <b>2003</b> , 17, 307-22  | 5   |
| 977 | Effect of alcohol on iron storage diseases of the liver. <b>2003</b> , 17, 663-77   | 17  |
| 976 | A targeted approach significantly increases the identification rate of patients with undiagnosed haemochromatosis. <b>2003</b> , 253, 217-24  | 19  |
| 975 | Hemochromatosis subjects as allogeneic blood donors: a prospective study. <b>2003</b> , 43, 1538-44   | 36  |
| 974 | Haematological effects of the C282Y HFE mutation in homozygous and heterozygous states among subjects of northern and southern European ancestry. <b>2003</b> , 120, 887-93                           | 53  |
| 973 | Haptoglobin type neither influences iron accumulation in normal subjects nor predicts clinical presentation in HFE C282Y haemochromatosis: phenotype and genotype analysis. <b>2003</b> , 122, 326-32 | 29  |
| 972 | Effective treatment of hereditary haemochromatosis with desferrioxamine in selected cases. <b>2003</b> , 123, 952-3   | 36  |
| 971 | You may live to the age of more than 100 years even if you are homozygous for a haemochromatosis gene mutation. <b>2003</b> , 33, 830-1   | 3   |
| 970 | Low clinical penetrance of homozygosity for HFE C282Y: implications for genetic testing?. 2003, 33, 737-9   | 1   |
| 969 | The DNA sequence and analysis of human chromosome 6. <b>2003</b> , 425, 805-11  | 243 |
| 968 | Autografting as a risk factor for persisting iron overload in long-term survivors of acute myeloid leukaemia. <b>2003</b> , 32, 909-13  | 24  |
| 967 | A population-based study of the effect of the HFE C282Y and H63D mutations on iron metabolism. <b>2003</b> , 11, 225-31   | 55  |

## (2003-2003)

| 966 | Juvenile hemochromatosis locus maps to chromosome 1q in a French Canadian population. <b>2003</b> , 11, 585-9   |      | 27   |
|-----|---|------|------|
| 965 | Population genetic screening programmes: principles, techniques, practices, and policies. <b>2003</b> , 11 Suppl 2, S49-87  |      | 93   |
| 964 | Haplotypic relationship between SNP and microsatellite markers at the NOS2A locus in two populations. <b>2003</b> , 4, 506-14   |      | 43   |
| 963 | Genomics: six is seventh. <b>2003</b> , 425, 775-6  |      | 7    |
| 962 | Mutant antimicrobial peptide hepcidin is associated with severe juvenile hemochromatosis. <i>Nature Genetics</i> , <b>2003</b> , 33, 21-2   | 36.3 | 710  |
| 961 | Discovering genotypes underlying human phenotypes: past successes for mendelian disease, future approaches for complex disease. <i>Nature Genetics</i> , <b>2003</b> , 33 Suppl, 228-37 | 36.3 | 1182 |
| 960 | Regulatory defects in liver and intestine implicate abnormal hepcidin and Cybrd1 expression in mouse hemochromatosis. <i>Nature Genetics</i> , <b>2003</b> , 34, 102-7                  | 36.3 | 254  |
| 959 | Signatures of natural selection in the human genome. <b>2003</b> , 4, 99-111  |      | 351  |
| 958 | [Iron overload. More than hereditary hemochromatosis]. 2003, 120, 704-6   |      |      |
| 957 | [Blind liver biopsy in current medicine]. 2003, 203, 219-20   |      |      |
| 956 | Natural history of the C282Y homozygote for the hemochromatosis gene (HFE) with a normal serum ferritin level. <b>2003</b> , 1, 388-91  |      | 45   |
| 955 | [Illness due to iron deposit in a 38-year old man]. <b>2003</b> , 32, 60-1  |      |      |
| 954 | [Molecular aspects of duodenal iron absorption]. <b>2003</b> , 26, 86-93  |      |      |
| 953 | Molecular genetic risk screening. <b>2003</b> , 54, 473-90  |      | 36   |
| 952 | Hemochromatosis gene modifies course of hepatitis C viral infection. 2003, 124, 1509-23   |      | 55   |
| 951 | Iron transport proteins in the diseased brain. <b>2003</b> , 207, 112-3   |      | 10   |
| 950 | Frequency of HFE gene mutations in Iranian beta-thalassaemia minor patients. 2003, 71, 408-11   |      | 16   |
|     |   |      |      |

| 948 | Identification of new mutations of the HFE, hepcidin, and transferrin receptor 2 genes by denaturing HPLC analysis of individuals with biochemical indications of iron overload. <b>2003</b> , 49, 1981-8 |      | 66  |
|-----|---|------|-----|
| 947 | Expression of E-cadherin and other paracellular junction genes is decreased in iron-loaded hepatocytes. <b>2003</b> , 162, 1323-38  |      | 17  |
| 946 | The inherited basis of diabetes mellitus: implications for the genetic analysis of complex traits. <b>2003</b> , 4, 257-91  |      | 236 |
| 945 | Constitutive hepcidin expression prevents iron overload in a mouse model of hemochromatosis. <i>Nature Genetics</i> , <b>2003</b> , 34, 97-101  | 36.3 | 255 |
| 944 | Solving hemochromatosis with knock-out mice. <i>Journal of Hepatology</i> , <b>2003</b> , 38, 121-3   | 13.4 | 1   |
| 943 | HFE mutations and chronic hepatitis C: H63D and C282Y heterozygosity are independent risk factors for liver fibrosis and cirrhosis. <i>Journal of Hepatology</i> , <b>2003</b> , 38, 335-42               | 13.4 | 86  |
| 942 | Hereditary hemochromatosis: update for 2003. <i>Journal of Hepatology</i> , <b>2003</b> , 38 Suppl 1, S14-23  | 13.4 | 46  |
| 941 | Population screening for hemochromatosis: a study in 5370 Spanish blood donors. <i>Journal of Hepatology</i> , <b>2003</b> , 38, 745-50   | 13.4 | 29  |
| 940 | Disrupted hepcidin regulation in HFE-associated haemochromatosis and the liver as a regulator of body iron homoeostasis. <b>2003</b> , 361, 669-73  |      | 493 |
| 939 | Clinical utility and outcome of HFE-genotyping in the search for hereditary hemochromatosis. <b>2003</b> , 331, 61-7  |      | 2   |
| 938 | Mutations in the hemochromatosis gene (HFE), Parkinson's disease and parkinsonism. <b>2003</b> , 348, 117-9   |      | 69  |
| 937 | Linkage disequilibrium between S65C HFE mutation and HLA A29-B44 haplotype in Terceira Island, Azores. <b>2003</b> , 64, 625-8  |      | 11  |
| 936 | [Hepcidin: small molecule, large future]. 2003, 24, 213-5   |      | 7   |
| 935 | Structure and liver cell expression pattern of the HFE gene in the rat. <i>Journal of Hepatology</i> , <b>2003</b> , 39, 308-14   | 13.4 | 25  |
| 934 | Prevalence of hepatitis C virus infection in porphyria cutanea tarda. <i>Journal of Hepatology</i> , <b>2003</b> , 39, 635-8  | 13.4 | 22  |
| 933 | Haemochromatosis-associated HFE genotypes in English blood donors: age-related frequency and biochemical expression. <i>Journal of Hepatology</i> , <b>2003</b> , 39, 925-31                              | 13.4 | 33  |
| 932 | On the identification of disease mutations by the analysis of haplotype similarity and goodness of fit. <b>2003</b> , 72, 891-902   |      | 119 |
| 931 | Can defects in transferrin receptor 2 and hereditary hemochromatosis genes account for iron overload in HbH disease?. <b>2003</b> , 30, 107-11  |      | 11  |

| 930 | Phenotypic expression of the C282Y/Q283P compound heterozygosity in HFE and molecular modeling of the Q283P mutation effect. <b>2003</b> , 30, 231-7   | 27  |
|-----|--|-----|
| 929 | The orchestration of body iron intake: how and where do enterocytes receive their cues?. <b>2003</b> , 30, 288-97  | 149 |
| 928 | Hemochromatosis gene (HFE) mutations in South East Asia: a potential for iron overload. <b>2003</b> , 30, 302-6  | 20  |
| 927 | Association between HFE mutations and acute myocardial infarction: a study in patients from Northern and Southern Italy. <b>2003</b> , 31, 57-62   | 13  |
| 926 | Common variable immunodeficiency and IgG subclass deficiency in central Alabama hemochromatosis probands homozygous for HFE C282Y. <b>2003</b> , 31, 102-11  | 14  |
| 925 | A European allele map of the C282Y mutation of hemochromatosis: Celtic versus Viking origin of the mutation?. <b>2003</b> , 31, 262-7  | 53  |
| 924 | HFE mutations in the elderly. 2003, 31, 240-6  | 4   |
| 923 | The enigmatic role of the hemochromatosis protein (HFE) in iron absorption. 2003, 9, 118-25  | 12  |
| 922 | The role of iron in T cell development and autoimmunity. <b>2003</b> , 2, 73-8   | 70  |
| 921 | Hospitalist care. <b>2003</b> , 139, 702   |     |
| 920 | Expression of hepcidin in hereditary hemochromatosis: evidence for a regulation in response to the serum transferrin saturation and to non-transferrin-bound iron. <i>Blood</i> , <b>2003</b> , 102, 371-6 | 201 |
| 919 | HFE C282Y heterozygosity in hepatocellular carcinoma: evidence for an increased prevalence. <b>2003</b> , 1, 279-84  | 57  |
| 918 | Behët's disease. <b>2003</b> , 5, 139-46   | 98  |
| 917 | Iron metabolism in the reticuloendothelial system. <b>2003</b> , 38, 61-88   | 223 |
| 916 | Tumour necrosis factor alpha and its promoter polymorphisms' role in the phenotypic expression of hemochromatosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2003</b> , 38, 871-7               | 16  |
| 915 | Lack of association between HFE gene mutations and hepatocellular carcinoma in patients with cirrhosis. <b>2003</b> , 52, 1178-81  | 38  |
| 914 | Typical type 2 diabetes mellitus and HFE gene mutations: a population-based case - control study. <b>2003</b> , 12, 1361-5   | 31  |
| 913 | Haemochromatosis. <b>2003</b> , 52 Suppl 2, ii23-30  | 26  |

| 912 | Contribution of the H63D mutation in HFE to murine hereditary hemochromatosis. <b>2003</b> , 100, 15788-93  | 67  |
|-----|---|-----|
| 911 | The major histocompatibility complex-related Fc receptor for IgG (FcRn) binds albumin and prolongs its lifespan. <b>2003</b> , 197, 315-22  | 442 |
| 910 | Invited commentary: Testing for Hardy-Weinberg disequilibrium using a genome single-nucleotide polymorphism scan based on cases only. <b>2003</b> , 158, 401-3; discussion 404-5                                      | 22  |
| 909 | Hereditary hemochromatosis: effect of excessive alcohol consumption on disease expression in patients homozygous for the C282Y mutation. <b>2003</b> , 158, 129-34  | 67  |
| 908 | Hereditary hemochromatosis and its elusive natural history. 2003, 163, 2421-3; author reply 2427  | 7   |
| 907 | Searching for disease-susceptibility loci by testing for Hardy-Weinberg disequilibrium in a gene bank of affected individuals. <b>2003</b> , 158, 397-400   | 89  |
| 906 | Genetic markers and their application in poultry breeding. 2003, 82, 952-7  | 28  |
| 905 | A novel mutation in ferroportin1 is associated with haemochromatosis in a Solomon Islands patient. <b>2003</b> , 52, 1215-7   | 66  |
| 904 | Duodenal expression of iron transport molecules in untreated haemochromatosis subjects. <b>2003</b> , 52, 953-9   | 46  |
| 903 | Prevalence of hemochromatosis gene (HFE) mutations in Greek patients with myelodysplastic syndromes. <b>2003</b> , 110, 53-4  | 7   |
| 902 | Iron status in mice carrying a targeted disruption of lactoferrin. <b>2003</b> , 23, 178-85   | 87  |
| 901 | Use of denaturing HPLC and a heteroduplex generator to detect the HFE C282Y mutation associated with genetic hemochromatosis. <b>2003</b> , 49, 822-4   | 4   |
| 900 | Association between hemochromatosis (HFE) gene mutation carrier status and the risk of colon cancer. <b>2003</b> , 95, 154-9  | 103 |
| 899 | Fine-scale mapping at IGAD1 and genome-wide genetic linkage analysis implicate HLA-DQ/DR as a major susceptibility locus in selective IgA deficiency and common variable immunodeficiency. <b>2003</b> , 170, 2765-75 | 84  |
| 898 | The role of transferrin saturation as a screening test for hereditary haemochromatosis in an Irish population seeking medical care. <b>2003</b> , 40, 169-74  | 3   |
| 897 | HFE alleles in an Irish cystic fibrosis population. <b>2003</b> , 7, 155-8  | 10  |
| 896 | Molecular mechanisms and regulation of iron transport. <b>2003</b> , 40, 151-82   | 49  |
| 895 | Hepatic iron overload in blacks and whites: a comparative autopsy study. <b>2003</b> , 98, 1594-8   | 13  |

| 894 | Mutations of the HFE gene in patients with hepatocellular carcinoma. <b>2003</b> , 98, 442-7  | 48  |
|-----|---|-----|
| 893 | Mechanisms of HFE-induced regulation of iron homeostasis: Insights from the W81A HFE mutation. <b>2003</b> , 100, 9500-5  | 30  |
| 892 | Haemochromatosis (HFE) gene C282Y mutation and the risk of coronary artery disease and myocardial infarction: a study in 1279 patients undergoing coronary angiography. <b>2003</b> , 40, e58 | 10  |
| 891 | Co-localization of the mammalian hemochromatosis gene product (HFE) and a newly identified transferrin receptor (TfR2) in intestinal tissue and cells. <b>2003</b> , 51, 613-24               | 44  |
| 890 | The prevalence of haemochromatosis gene mutations in the West of Scotland and their relation to ischaemic heart disease. <b>2003</b> , 89, 1023-6   | 24  |
| 889 | HFE mutation and dietary iron content interact to increase ischemia/reperfusion injury of the heart in mice. <b>2003</b> , 92, 1240-6   | 40  |
| 888 | Hereditte Hthochromatose: Aktuelle Erkenntnisse und Kontroversen/Hereditary Haemochromatosis: New Data and Controversies. <b>2003</b> , 27, 266-276   |     |
| 887 | Linked linear amplification for simultaneous analysis of the two most common hemochromatosis mutations. <b>2003</b> , 49, 1050-7  | 2   |
| 886 | Mechanism for multiple ligand recognition by the human transferrin receptor. 2003, 1, E51   | 97  |
| 885 | Mutations of the hemochromatosis gene in Italian candidate blood donors with increased transferrin saturation. <b>2003</b> , 4, 436-40  | 12  |
| 884 | Current and future therapy in haemochromatosis and Wilson's disease. 2003, 4, 2239-51   | 7   |
| 883 | History of pediatric nutrition and fluid therapy. <b>2003</b> , 54, 762-72  | 16  |
| 882 | Associations between hypertension and genes in the renin-angiotensin system. 2003, 41, 1027-34  | 105 |
| 881 | Phlebotomy-mobilized iron as a surrogate for liver iron content in hemochromatosis patients. <b>2003</b> , 8, 429-32  | 9   |
| 880 | HFE genotype and parameters of iron metabolism in German first-time blood donors - evidence for an increased transferrin saturation in C282Y heterozygotes. <b>2003</b> , 41, 1069-76         | 15  |
| 879 | An overview of iron metabolism: molecular and cellular criteria for the selection of iron chelators. <b>2003</b> , 10, 997-1004   | 36  |
| 878 | Insurance, employment, and psychosocial consequences of a diagnosis of hereditary hemochromatosis in subjects without end organ damage. <b>2003</b> , 98, 1175-80                             | 25  |
| 877 | Congenital dyserythropoietic anaemia type II (HEMPAS) and haemochromatosis: a report of two cases. <b>2003</b> , 15, 1141-7   | 9   |

| 876 | Pilot study of the relationship between histologic progression and hepatic iron concentration in chronic hepatitis C. <b>2003</b> , 37, 406-11  |     | 11  |
|-----|---|-----|-----|
| 875 | Potential role of increased iron stores in diabetes. <b>2003</b> , 325, 332-9   |     | 140 |
| 874 | Serum ferritin level predicts advanced hepatic fibrosis among U.S. patients with phenotypic hemochromatosis. <b>2003</b> , 138, 627-33  |     | 131 |
| 873 | The hungry bone syndrome after medical treatment of thyrotoxicosis. <b>2003</b> , 139, 706-7  |     | 8   |
| 872 | Hemochromatosis and Iron Overload Screening (HEIRS) study design for an evaluation of 100,000 primary care-based adults. <b>2003</b> , 325, 53-62   |     | 106 |
| 871 | Hereditary hemochromatosis: perspectives of public health, medical genetics, and primary care. <b>2003</b> , 5, 1-8   |     | 18  |
| 870 | Estimated analytic validity of HFE C282Y mutation testing in population screening: the potential value of confirmatory testing. <b>2003</b> , 5, 440-3  |     | 18  |
| 869 | Integration of association statistics over genomic regions using Bayesian adaptive regression splines. <b>2003</b> , 1, 20-9  |     | 22  |
| 868 | Relationships and distinctions in iron-regulatory networks responding to interrelated signals. <i>Blood</i> , <b>2003</b> , 101, 3690-8   | 2.2 | 55  |
| 867 | A single viral protein HCMV US2 affects antigen presentation and intracellular iron homeostasis by degradation of classical HLA class I and HFE molecules. <i>Blood</i> , <b>2003</b> , 101, 2858-64              | 2.2 | 41  |
| 866 | UbcH5A, a member of human E2 ubiquitin-conjugating enzymes, is closely related to SFT, a stimulator of iron transport, and is up-regulated in hereditary hemochromatosis. <i>Blood</i> , <b>2003</b> , 101, 3288- | 93  | 11  |
| 865 | Hfe deficiency increases susceptibility to cardiotoxicity and exacerbates changes in iron metabolism induced by doxorubicin. <i>Blood</i> , <b>2003</b> , 102, 2574-80  | 2.2 | 121 |
| 864 | Mixture distribution analysis of phenotypic markers reflecting HFE gene mutations. <i>Blood</i> , <b>2003</b> , 102, 4563-6   | 2.2 | 8   |
| 863 | The haemochromatosis protein HFE induces an apparent iron-deficient phenotype in H1299 cells that is not corrected by co-expression of beta 2-microglobulin. <b>2003</b> , 370, 891-9                             |     | 23  |
| 862 | Membrane-inserted conformation of transmembrane domain 4 of divalent-metal transporter. <b>2003</b> , 372, 757-66   |     | 28  |
| 861 | Evidence for the interaction of the hereditary haemochromatosis protein, HFE, with the transferrin receptor in endocytic compartments. <b>2003</b> , 373, 145-53  |     | 31  |
| 860 | Clinical consequences of iron overload in hemochromatosis homozygotes. <i>Blood</i> , <b>2003</b> , 101, 3351-3; discussion 3354-8  | 2.2 | 55  |
| 859 | Prevalence of the H63D and C282Y Mutations in the HFE Gene in 3,015 Blood Donors from Southwestern Germany. <b>2003</b> , 30, 66-70   |     | 2   |

## (2003-2003)

| 858 | Porphyria cutanea tarda, C282Y, H63D and S65C HFE gene mutations and hepatitis C infection: a study from southern France. <b>2003</b> , 206, 212-6        | 23 |
|-----|---|----|
| 857 | Diagnosis of Hereditary Haemochromatosis using Non-Invasive Methods. <b>2003</b> , 30, 27-36  | 5  |
| 856 | Gastrointestinale Hormone. 2003,  |    |
| 855 | CPR for Patients Labeled DNR. <b>2003</b> , 139, 705  |    |
| 854 | Population genetic screening for hereditary haemochromatosis. 2003, 179, 517-8  | 8  |
| 853 | High incidence of hemochromatosis gene mutations in the myelodysplastic syndrome: the Budapest Study on 50 patients. <b>2003</b> , 109, 64-7              | 44 |
| 852 | A critical overview of homeopathy. <b>2003</b> , 139, W73; author reply W76   | 2  |
| 851 | Designing an optimum genetic association study using dense SNP markers and family-based sample. <b>2003</b> , 8, s68-80                                   | 3  |
| 850 | How mammals acquire and distribute iron needed for oxygen-based metabolism. 2003, 1, E79  | 17 |
| 849 | Prevalence of hemochromatosis gene (HFE) mutations in Greece. <b>2003</b> , 109, 137-40   | 13 |
| 848 | Lack of evidence for the pathogenic role of iron and HFE gene mutations in Brazilian patients with nonalcoholic steatohepatitis. <b>2003</b> , 36, 739-45 | 30 |
| 847 | CPR for patients labeled DNR. <b>2003</b> , 139, 704; author reply 705  |    |
| 846 | Hospitalist care. <b>2003</b> , 139, 703  |    |
| 845 | Hemochromatosis (HFE) gene mutations and response to chloroquine in porphyria cutanea tarda. <b>2003</b> , 139, 309-13                                    | 39 |
| 844 | Porphyria Cutanea Tarda and Related Disorders. <b>2003</b> , 67-92  | 19 |
| 843 | Management and Treatment of the Porphyrias. <b>2003</b> , 285-302   | 1  |
| 842 | A critical overview of homeopathy. <b>2003</b> , 139, W75; author reply W76   | 1  |
| 841 | A critical overview of homeopathy. <b>2003</b> , 139, W74; author reply W76   |    |

| 840 | Robust indices of Hardy-Weinberg disequilibrium for QTL fine mapping. 2003, 56, 160-5   |     | 5  |
|-----|---|-----|----|
| 839 | HFE genotype and transferrin saturation in the United States. <b>2003</b> , 5, 304-10   |     | 15 |
| 838 | Screening for iron overload in the Turkish population. <b>2003</b> , 21, 279-85   |     | 7  |
| 837 | Iron absorption by heterozygous carriers of the HFE C282Y mutation associated with hemochromatosis. <b>2004</b> , 80, 924-31  |     | 40 |
| 836 | Association between hemochromatosis genotype and lead exposure among elderly men: the normative aging study. <b>2004</b> , 112, 746-50  |     | 43 |
| 835 | Factor V Leiden and venous thromboembolism. <b>2004</b> , 141, 484  |     | 2  |
| 834 | Għtique des surcharges martiales primitives. <b>2004</b> , 188, 247-263   |     |    |
| 833 | Occupational exposure to bloodborne pathogens. <b>2004</b> , 141, 487   |     | O  |
| 832 | Future research on disclosure of medical errors. <b>2004</b> , 141, 481   |     | 4  |
| 831 | Excess Body Weight in Critically Ill Patients. <b>2004</b> , 141, 485   |     | 1  |
| 830 | The influence of the human genome on chronic viral hepatitis outcome. <b>2004</b> , 46, 119-126   |     | 27 |
| 829 | Iron: Molecular Basis of Hemochromatosis. <b>2004</b> , 1-12  |     |    |
| 828 | Update in perioperative medicine. <b>2004</b> , 141, 486; author reply 486-7  |     |    |
| 827 | Iron, free radicals, and oxidative injury. <b>2004</b> , 134, 3171S-3172S   |     | 42 |
| 826 | [Molecular mechanisms of iron homeostasis]. <b>2004</b> , 20, 68-72   |     | 12 |
| 825 | The 16189 variant of mitochondrial DNA occurs more frequently in C282Y homozygotes with haemochromatosis than those without iron loading. <b>2004</b> , 41, 6-10                |     | 26 |
| 824 | A 48-year-old obese man with a 3 cm liver lesion and a history of hemochromatosis and lymphoma. <b>2004</b> , 24, 327-32  |     | 2  |
| 823 | Organization and evolution of a gene-rich region of the mouse genome: a 12.7-Mb region deleted in the Del(13)Svea36H mouse. <i>Genome Research</i> , <b>2004</b> , 14, 1888-901 | 9.7 | 21 |

| 822 | Alcohol and iron. <b>2004</b> , 24, 317-25  | 46  |
|-----|---|-----|
| 821 | Frequency of HFE H63D, S65C, and C282Y mutations in patients with iron overload and controls from Toledo, Spain. <b>2004</b> , 8, 263-7   | 11  |
| 820 | Hereditary hemochromatosis genetic testing of at-risk children: what is the appropriate age?. <b>2004</b> , 8, 98-103   | 17  |
| 819 | Prevalence of the C282Y, H63D, and S65C mutations of the HFE gene in 1,146 newborns from a region of Northern Spain. <b>2004</b> , 8, 407-10  | 25  |
| 818 | Influence of dietary factors on the clinical course of ulcerative colitis: a prospective cohort study. <b>2004</b> , 53, 1479-84  | 275 |
| 817 | Haemochromatosis gene mutations and risk of coronary heart disease: a west of Scotland coronary prevention study (WOSCOPS) substudy. <b>2004</b> , 90, 304-6                                | 14  |
| 816 | Changes in the expression of intestinal iron transport and hepatic regulatory molecules explain the enhanced iron absorption associated with pregnancy in the rat. <b>2004</b> , 53, 655-60 | 66  |
| 815 | Increased prevalence of the HFE C282Y hemochromatosis allele in women with breast cancer. <b>2004</b> , 13, 205-12  | 54  |
| 814 | MR quantification of hepatic iron concentration. <b>2004</b> , 230, 479-84  | 176 |
| 813 | Helicobacter pylori infection and long term proton pump inhibitor therapy. <b>2004</b> , 53, 5-7  | 20  |
| 812 | Transcriptional regulation of the human HFE gene indicates high liver expression and erythropoiesis coregulation. <b>2004</b> , 18, 1922-4  | 20  |
| 811 | Synergy between the C2 allele of transferrin and the C282Y allele of the haemochromatosis gene (HFE) as risk factors for developing Alzheimer's disease. <b>2004</b> , 41, 261-5            | 93  |
| 810 | The recently identified type 2A juvenile haemochromatosis gene (HJV), a second candidate modifier of the C282Y homozygous phenotype. <b>2004</b> , 13, 1913-8                               | 86  |
| 809 | Real-time PCR genotyping using displacing probes. <b>2004</b> , 32, e61   | 39  |
| 808 | High prevalence of non-HFE gene-associated haemochromatosis in patients from southern Italy. <b>2004</b> , 42, 17-24  | 6   |
| 807 | Mutations in the hereditary haemochromatosis gene HFE in professional endurance athletes. <b>2004</b> , 38, 418-21  | 27  |
| 806 | Recent advances in understanding haemochromatosis: a transition state. <b>2004</b> , 41, 721-30   | 47  |
| 805 | Expression of the hereditary hemochromatosis protein HFE increases ferritin levels by inhibiting iron export in HT29 cells. <b>2004</b> , 279, 25085-92                                     | 36  |
|     |   |     |

| 804             | A tale of two sisters. <b>2004</b> , 57, 439-41   | 1   |
|-----------------|---|-----|
| 803             | HFE and transferrin directly compete for transferrin receptor in solution and at the cell surface. <b>2004</b> , 279, 25866-75  | 104 |
| 802             | Identifying the susceptibility gene(s) in a set of trait-linked genes using genotype data. 2004, 167, 1445-59   |     |
| 801             | Atlas of the Liver. 2004,   |     |
| 800             | Assessment of hepatic iron content using magnetic resonance imaging. <b>2004</b> , 45, 119-29   | 16  |
| 799             | The mitochondrial superoxide dismutase A16V polymorphism in the cardiomyopathy associated with hereditary haemochromatosis. <b>2004</b> , 41, 946-50  | 65  |
| 798             | Increased DMT1 but not IREG1 or HFE mRNA following iron depletion therapy in hereditary haemochromatosis. <b>2004</b> , 53, 1174-9  | 21  |
| 797             | Ebselen decreases oxygen free radical production and iron concentrations in the hearts of chronically iron-overloaded mice. <b>2004</b> , 6, 37-45  | 24  |
| 796             | The molecular regulation of iron metabolism. <b>2004</b> , 5, 373-80  | 33  |
| 795             | Spectrum and haplotypes of the HFE hemochromatosis gene in Iran: H63D in beta-thalassemia major and the first E277K homozygous. <b>2004</b> , 5, 524-7  | 18  |
| 794             | Regeneration of the heart in diabetes by selective copper chelation. <b>2004</b> , 53, 2501-8   | 121 |
| 793             | Hemochromatosis mutations are not linked to dilated cardiomyopathy in Israeli patients. <b>2004</b> , 6, 547-50   | 8   |
| 79 <sup>2</sup> | Molecular diagnosis of hereditary hemochromatosis: application of a newly-developed reverse-hybridization assay in the South African population. <b>2004</b> , 65, 317-21                         | 19  |
| 791             | A previously undescribed frameshift deletion mutation of HFE (c.del277; G93fs) associated with hemochromatosis and iron overload in a C282Y heterozygote. <b>2004</b> , 66, 214-6                 | 16  |
| 790             | Implementation of HaemScreen, a workplace-based genetic screening program for hemochromatosis. <b>2004</b> , 65, 358-67   | 29  |
| 789             | Involvement of the major histocompatibility complex region in the genetic regulation of circulating CD8 T-cell numbers in humans. <b>2004</b> , 64, 25-34   | 17  |
| 788             | Hepatic stellate cells in hepatitis C patients: relationship with liver iron deposits and severity of liver disease. <b>2004</b> , 19, 91-8   | 38  |
| 787             | Absence of hemochromatosis associated Cys282Tyr HFE gene mutation and low frequency of hemochromatosis phenotype in nonalcoholic chronic liver disease patients in India. <b>2004</b> , 19, 86-90 | 21  |

## (2015-2004)

| 786              | Liver iron deposits in hepatitis B patients: association with severity of liver disease but not with hemochromatosis gene mutations. <b>2004</b> , 19, 1036-41  |      | 41 |
|------------------|---|------|----|
| 7 <sup>8</sup> 5 | Review article: targeted screening for hereditary haemochromatosis in high-risk groups. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2004</b> , 20, 1-14  | 6.1  | 15 |
| 7 <sup>8</sup> 4 | Review article: exploration of the genetic aetiology of inflammatory bowel diseaseimplications for diagnosis and therapy. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2004</b> , 20 Suppl 4, 1-8 | 6.1  | 6  |
| 783              | Evaluation of iron overload. <b>2004</b> , 124, 697-711   |      | 84 |
| 782              | Early onset hereditary hemochromatosis resulting from a novel TFR2 gene nonsense mutation (R105X) in two siblings of north French descent. <b>2004</b> , 125, 674-8                                       |      | 55 |
| 781              | Hemojuvelin (HJV) mutations in persons of European, African-American and Asian ancestry with adult onset haemochromatosis. <b>2004</b> , 127, 224-9   |      | 41 |
| 7 <sup>8</sup> 0 | Analyses for binding of the transferrin family of proteins to the transferrin receptor 2. <b>2004</b> , 127, 464-7  | 3    | 32 |
| 779              | Autoimmune Conditions in 235 Hemochromatosis Probands with HFE C282Y Homozygosity and Their First-Degree Relatives. <b>2015</b> , 2015, 453046  |      | 5  |
| 778              | HFE genotyping in patients with elevated serum iron indices and liver diseases. 2015, 2015, 164671  |      | 8  |
| 777              | Relationship of Baseline Hemoglobin Level with Serum Ferritin, Postphlebotomy Hemoglobin Changes, and Phlebotomy Requirements among HFE C282Y Homozygotes. <b>2015</b> , 2015, 241784                     |      |    |
| 776              | Examining the clinical use of hemochromatosis genetic testing. <b>2015</b> , 29, 41-5   |      | 6  |
| 775              | Implicating the H63D polymorphism in the HFE gene in increased incidence of solid cancers: a meta-analysis. <b>2015</b> , 14, 13735-45  |      | 6  |
| 774              | Regulation of Iron Metabolism by Hepcidin under Conditions of Inflammation. 2015, 290, 18975-83   |      | 93 |
| 773              | Studies on Hepatic Disorders. <b>2015</b> ,   |      | 2  |
| 772              | Functional consequences of transferrin receptor-2 mutations causing hereditary hemochromatosis type 3. <b>2015</b> , 3, 221-32  |      | 18 |
| 771              | Should HFE p.C282Y homozygotes with moderately elevated serum ferritin be treated? A randomised controlled trial comparing iron reduction with sham treatment (Mi-iron). <b>2015</b> , 5, e008938         |      | 9  |
| 770              | Hemochromatosis gene mutations may affect the survival of patients with myelodysplastic syndrome. <b>2015</b> , 150703052046002   |      |    |
| 769              | HCC and liver disease risks in homozygous PNPLA3 p.I148M carriers approach monogenic inheritance. <i>Journal of Hepatology</i> , <b>2015</b> , 62, 980-1  | 13.4 | 30 |

| 768             | Haemochromatosis. <b>2015</b> , 43, 656-660   |                    | 2   |
|-----------------|---|--------------------|-----|
| 767             | Genetic Risk and the Development of Autoimmune Liver Disease. <b>2015</b> , 33 Suppl 2, 13-24   |                    | 27  |
| 766             | Adult liver disorders caused by inborn errors of metabolism: review and update. <b>2015</b> , 114, 1-10   |                    | 16  |
| 765             | T lymphocyte-derived TNF and IFN-Irepress HFE expression in cancer cells. <b>2015</b> , 65, 259-66  |                    | 5   |
| 764             | Frequency of HFE gene variants in Polish HIV infected and HIV/HCV co-infected patients. <b>2015</b> , 14, 15-17   | 7                  |     |
| 763             | Laboratory and genetic assessment of iron deficiency in blood donors. <b>2015</b> , 35, 73-91   |                    | 25  |
| 762             | HJV and HFE Play Distinct Roles in Regulating Hepcidin. <b>2015</b> , 22, 1325-36   |                    | 15  |
| 761             | Exome sequencing in HFE C282Y homozygous men with extreme phenotypes identifies a GNPAT variant associated with severe iron overload. <i>Hepatology</i> , <b>2015</b> , 62, 429-39                | 11.2               | 64  |
| 760             | A career forged in iron. <i>Hepatology</i> , <b>2015</b> , 61, 4-14   | 11.2               |     |
| 759             | Hfe and Hjv exhibit overlapping functions for iron signaling to hepcidin. <b>2015</b> , 93, 489-98  |                    | 26  |
| 75 <sup>8</sup> | Effects of strain and age on hepatic gene expression profiles in murine models of HFE-associated hereditary hemochromatosis. <b>2015</b> , 10, 443  |                    | 3   |
| 757             | Genetics, Genetic Testing, and Management of Hemochromatosis: 15 Years Since Hepcidin. <b>2015</b> , 149, 1240-1251.e4  |                    | 102 |
| 756             | Oxidative Stress and Hepatic Iron Overload. <b>2015</b> , 345-356   |                    | 2   |
| 755             | SLC39A14 Is Required for the Development of Hepatocellular Iron Overload in Murine Models of Hereditary Hemochromatosis. <b>2015</b> , 22, 138-50   |                    | 126 |
| 754             | Serum ferritin, insulin resistance, and metabolic syndrome: clinical and laboratory associations in 769 non-hispanic whites without diabetes mellitus in the HEIRS study. <b>2015</b> , 13, 57-63 |                    | 10  |
| 753             | Improved detection of hereditary haemochromatosis. <b>2015</b> , 68, 218-21   |                    | 3   |
| 75²             | Transplantation for Hematological Disorders. <b>2015</b> , 218-229  |                    |     |
| 75 <sup>1</sup> | Genetics of liver disease: From pathophysiology to clinical practice. <i>Journal of Hepatology</i> , <b>2015</b> , 62, S6-S   | i13 <del>1</del> 4 | 58  |

# (2015-2015)

| 750 | HFE-related hemochromatosis risk mutations in Latvian population. <b>2015</b> , 94, 343-4  | 2   |
|-----|--|-----|
| 749 | A patient with a rare cause of elevated troponin I. <b>2015</b> , 104, 794-7   | 1   |
| 748 | The role of iron in alcohol-mediated hepatocarcinogenesis. <b>2015</b> , 815, 89-112   | 22  |
| 747 | CD81 promotes both the degradation of transferrin receptor 2 (TfR2) and the Tfr2-mediated maintenance of hepcidin expression. <b>2015</b> , 290, 7841-50   | 12  |
| 746 | Hepatic iron in African Americans who underwent liver biopsy. <b>2015</b> , 349, 50-5  | 3   |
| 745 | Update on iron metabolism and molecular perspective of common genetic and acquired disorder, hemochromatosis. <b>2015</b> , 95, 12-25  | 23  |
| 744 | An overview of molecular basis of iron metabolism regulation and the associated pathologies. <b>2015</b> , 1852, 1347-59   | 153 |
| 743 | Penetrance of Hemochromatosis in HFE Genotypes Resulting in p.Cys282Tyr and p.[Cys282Tyr];[His63Asp] in the eMERGE Network. <b>2015</b> , 97, 512-20   | 33  |
| 742 | Compound heterozygous C282Y/Q283P and Q283P/H63D mutations in haemochromatosis. <b>2015</b> , 171, 650-1   |     |
| 741 | Genetic contribution to iron status: SNPs related to iron deficiency anaemia and fine mapping of CACNA2D3 calcium channel subunit. <b>2015</b> , 55, 273-80  | 5   |
| 740 | Correlates of hepcidin and NTBI according to HFE status in patients referred to a liver centre. <b>2015</b> , 133, 155-61  | 2   |
| 739 | The Role of Oxidative Stress in Hepatocarcinogenesis. <b>2015</b> , 479-503  | 1   |
| 738 | Natural selection on HFE in Asian populations contributes to enhanced non-heme iron absorption. <b>2015</b> , 16, 61   | 19  |
| 737 | HFE gene: Structure, function, mutations, and associated iron abnormalities. <b>2015</b> , 574, 179-92   | 57  |
| 736 | Genetics, Genetic Testing, and Biomarkers of Digestive Diseases. <b>2015</b> , 149, 1131-3   | 8   |
| 735 | Spatial-Temporal Expression of Non-classical MHC Class I Molecules in the C57 Mouse Brain. <b>2015</b> , 40, 1487-96   | 3   |
| 734 | HFE gene mutation and oxidative damage biomarkers in patients with myelodysplastic syndromes and its relation to transfusional iron overload: an observational cross-sectional study. <b>2015</b> , 5, e006048 | 12  |
| 733 | The HFE genotype and a formulated diet controlling for iron status attenuate experimental cerebral malaria in mice. <b>2015</b> , 45, 797-808  | 6   |

| 732 | Effects of established blood pressure loci on blood pressure values and hypertension risk in an Algerian population sample. <b>2015</b> , 29, 296-302   |     | 5  |
|-----|---|-----|----|
| 731 | Diagnosis and management of hereditary hemochromatosis. <b>2015</b> , 19, 187-98  |     | 41 |
| 730 | Natural history of HFE simple heterozygosity for C282Y and H63D: a prospective 12-year study. <b>2015</b> , 30, 719-25  |     | 22 |
| 729 | Iron. <b>2015</b> , 879-902   |     | 3  |
| 728 | The liver in haemochromatosis. <b>2015</b> , 31, 219-24   |     | 8  |
| 727 | Genetics and Genomic Organization of the Major Histocompatibility Complex (MHC). <b>2016</b> , 166-173  |     |    |
| 726 | Molecular epidemiology of HFE gene polymorphic variants (C282Y, H63D and S65C) in the population of Espfito Santo, Brazil. <b>2016</b> , 15,  |     | 1  |
| 725 | Hepcidin Regulation by Bone Morphogenetic Protein Signaling and Iron Homeostasis. 2016, 6,  |     | 3  |
| 724 | Hereditary Hemochromatosis Predisposes Mice to Yersinia pseudotuberculosis Infection Even in the Absence of the Type III Secretion System. <b>2016</b> , 6, 69  |     | 16 |
| 723 | Association between the HFE C282Y, H63D Polymorphisms and the Risks of Non-Alcoholic Fatty Liver Disease, Liver Cirrhosis and Hepatocellular Carcinoma: An Updated Systematic Review and Meta-Analysis of 5,758 Cases and 14,741 Controls. <i>PLoS ONE</i> , <b>2016</b> , 11, e0163423 | 3.7 | 20 |
| 722 | Efficacy and safety of iron-chelation therapy with deferoxamine, deferiprone, and deferasirox for the treatment of iron-loaded patients with non-transfusion-dependent thalassemia syndromes. <b>2016</b> , 10, 465-81  |     | 67 |
| 721 | Correlation between HFE gene polymorphisms and increased risk of coronary artery disease among patients with type 2 diabetes in Iran. <b>2016</b> , 46, 590-6   |     | 3  |
| 720 | New developments and controversies in iron metabolism and iron chelation therapy. <b>2016</b> , 6, 1-19   |     | 30 |
| 719 | The role of MHC class Ib-restricted T cells during infection. <b>2016</b> , 68, 677-91  |     | 10 |
| 718 | The role of genetic factors in patients with hepatocellular carcinoma and iron overload - a prospective series of 234 patients. <b>2016</b> , 36, 746-54  |     | 10 |
| 717 | Molecular basis of the structural stability of hemochromatosis factor E: A combined molecular dynamic simulation and GdmCl-induced denaturation study. <b>2016</b> , 105, 133-42  |     | 23 |
| 716 | Increased iron stores prolong the QT interval - a general population study including 20 261 individuals and meta-analysis of thalassaemia major. <b>2016</b> , 174, 776-85  |     | 6  |
| 715 | Identification of novel mutations in hemochromatosis genes by targeted next generation sequencing in Italian patients with unexplained iron overload. <b>2016</b> , 91, 420-5   |     | 15 |

## (2016-2016)

| 714 | Genetic factors influencing ferritin levels in 14,126 blood donors: results from the Danish Blood Donor Study. <b>2016</b> , 56, 622-7   | 16 |
|-----|--|----|
| 713 | Bibliometric analysis of the top-cited gastroenterology and hepatology articles. <b>2016</b> , 6, e009889  | 29 |
| 712 | Human Genetics: The Basics. <b>2016</b> ,  | 1  |
| 711 | HFE Variants and the Expression of Iron-Related Proteins in Breast Cancer-Associated Lymphocytes and Macrophages. <b>2016</b> , 9, 85-91   | 3  |
| 710 | Molecular pathogenesis and clinical consequences of iron overload in liver cirrhosis. <b>2016</b> , 15, 461-479  | 18 |
| 709 | The UT family of MHC class I loci unique to non-eutherian mammals has limited polymorphism and tissue specific patterns of expression in the opossum. <b>2016</b> , 17, 43   | 7  |
| 708 | Differing impact of the deletion of hemochromatosis-associated molecules HFE and transferrin receptor-2 on the iron phenotype of mice lacking bone morphogenetic protein 6 or hemojuvelin.  Hepatology, <b>2016</b> , 63, 126-37 | 47 |
| 707 | Iron Regulation of Pancreatic Beta-Cell Functions and Oxidative Stress. <b>2016</b> , 36, 241-73   | 45 |
| 706 | Novel Method Probe-based Real-Time PCR to Detect 2 Single-Nucleotide Polymorphisms Close to Each Other: HFE Hemochromatosis Gene Model. <b>2016</b> , 24, 673-678  | 1  |
| 705 | Non-HFE iron overload as a surrogate marker of disease severity in patients of liver cirrhosis. <b>2016</b> , 35, 33-9   | 3  |
| 704 | Hemochromatosis gene mutations may affect the survival of patients with myelodysplastic syndrome. <b>2016</b> , 21, 170-4  | 5  |
| 703 | Highly accurate molecular genetic testing for HFE hereditary hemochromatosis: results from 10 years of blinded proficiency surveys by the College of American Pathologists. <b>2016</b> , 18, 1206-1213                          | 3  |
| 702 | Hihochromatose. <b>2016</b> , 66, 171-180  |    |
| 701 | Recent advance in the molecular genetics of Wilson disease and hereditary hemochromatosis. <b>2016</b> , 59, 532-9   | 17 |
| 700 | Chemically-Induced Hepatocarcinogenesis. <b>2016</b> , 65-92   |    |
| 699 | The HLA System in Transfusion Medicine and Transplantation. <b>2016</b> , 446-473  |    |
| 698 | Next-generation sequencing of hereditary hemochromatosis-related genes: Novel likely pathogenic variants found in the Portuguese population. <b>2016</b> , 61, 10-5  | 10 |
| 697 | MR1 discovery. <b>2016</b> , 68, 491-8   | 1  |

| 696 | Iron Deficiency, Iron Overload and Therapy. <b>2016</b> , 376-417   | 2    |
|-----|---|------|
| 695 | Iron and the liver. <b>2016</b> , 36 Suppl 1, 116-23  | 78   |
| 694 | Iron uptake and transport across physiological barriers. <b>2016</b> , 29, 573-91   | 70   |
| 693 | Transferrin Saturation: A Body Iron Biomarker. <b>2016</b> , 75, 71-97  | 47   |
| 692 | Iron overload in hereditary tyrosinemia type 1 induces liver injury through the Sp1/Tfr2/hepcidin axis. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 137-145                              | 4 14 |
| 691 | Key-interventions derived from three evidence based guidelines for management and follow-up of patients with HFE haemochromatosis. <b>2016</b> , 16, 573                                      | 3    |
| 690 | HFE genetic variability and risk of alcoholic liver disease: A meta-analysis. <b>2016</b> , 36, 626-633   | 1    |
| 689 | Perspectives in Pediatric Pathology, Chapter 21. Testicular Pathology in Heritable Metabolic Disease. <b>2016</b> , 19, 371-382   |      |
| 688 | Undiagnosed diabetes and impaired fasting glucose in C282Y homozygotes and wild-type controls in the HEIRS Study. <b>2016</b> , 4, e000278  | 1    |
| 687 | Clinical-Pathological Conference Series from the Medical University of Graz : Case No´159: 52-year-old patient with psoriasis and arthralgia of the finger joints. <b>2016</b> , 128, 846-853 |      |
| 686 | Structural basis of urea-induced unfolding: Unraveling the folding pathway of hemochromatosis factor E. <b>2016</b> , 91, 1051-61   | 20   |
| 685 | Night sweats: it may be hemochromatosis. <b>2016</b> , 19, 406-8  | 1    |
| 684 | Serum iron level and kidney function: a Mendelian randomization study. <b>2017</b> , 32, 273-278  | 16   |
| 683 | How should hyperferritinaemia be investigated and managed?. <b>2016</b> , 33, 21-7  | 15   |
| 682 | The Liver in Systemic Diseases. <b>2016</b> ,   | 1    |
| 681 | Reduced white matter MRI transverse relaxation rate in cognitively normal H63D-HFE human carriers and H67D-HFE mice. <b>2016</b> , 10, 1231-1242  | 7    |
| 68o | Acute iron overload leads to hypothalamic-pituitary-gonadal axis abnormalities in female rats. <b>2016</b> , 240, 196-213   | 20   |
| 679 | Optimizing the diagnosis and the treatment of iron overload diseases. <b>2016</b> , 10, 359-70  | 27   |

| 678   | The evolutionary adaptation of the C282Y mutation to culture and climate during the European Neolithic. <b>2016</b> , 160, 86-101  | 8                     |
|---|--|-----------------------|
| 677   | Single nucleotide polymorphisms in the Trx2/TXNIP and TrxR2 genes of the mitochondrial thioredoxin antioxidant system and the risk of diabetic retinopathy in patients with Type 2 diabetes mellitus. <b>2016</b> , 30, 192-8  | 12                    |
| 676   | Risk Factors for Insulin Resistance, Metabolic Syndrome, and Diabetes in 248 HFE C282Y Homozygotes Identified by Population Screening in the HEIRS Study. <b>2016</b> , 14, 94-101   | 6                     |
| 675   | The global prevalence of HFE and non-HFE hemochromatosis estimated from analysis of next-generation sequencing data. <b>2016</b> , 18, 618-26  | 41                    |
| 674   | Indicators of iron status are correlated with adiponectin expression in adipose tissue of patients with morbid obesity. <b>2016</b> , 42, 105-11   | 10                    |
| 673   | Modulation of hepcidin to treat iron deregulation: potential clinical applications. <b>2016</b> , 9, 169-86  | 40                    |
| 672   | RETRACTED ARTICLE: Prevalence of the C282Y and H63D mutations of the HFE hemochromatosis gene in Azerian major Ethalassemia and iron overload. <b>2016</b> , 25, 151-154   | 1                     |
| 671   | HFE p.C282Y gene variant is associated with varicose veins in Russian population. <b>2016</b> , 16, 463-70   | 10                    |
| 670   | Musculoskeletal complications of haematological disease. <b>2016</b> , 55, 968-81  | 11                    |
|   |  |                       |
| 669   | A Proton Pump Inhibitor a Day Keeps the Iron Away. <b>2016</b> , 14, 153-5   | 5                     |
| 669   | A Proton Pump Inhibitor a Day Keeps the Iron Away. <b>2016</b> , 14, 153-5  Dietary Iron and Colorectal Cancer Risk: A Review of Human Population Studies. <b>2016</b> , 56, 1012-20   | 5                     |
|   |  |                       |
| 668   | Dietary Iron and Colorectal Cancer Risk: A Review of Human Population Studies. <b>2016</b> , 56, 1012-20  EMQN best practice guidelines for the molecular genetic diagnosis of hereditary hemochromatosis  | 16                    |
| 668   | Dietary Iron and Colorectal Cancer Risk: A Review of Human Population Studies. <b>2016</b> , 56, 1012-20  EMQN best practice guidelines for the molecular genetic diagnosis of hereditary hemochromatosis (HH). <b>2016</b> , 24, 479-95  Effect of pH on the stability of hemochromatosis factor E: a combined spectroscopic and molecular  | 16<br>46              |
| <ul><li>668</li><li>667</li><li>666</li></ul>                         | Dietary Iron and Colorectal Cancer Risk: A Review of Human Population Studies. <b>2016</b> , 56, 1012-20  EMQN best practice guidelines for the molecular genetic diagnosis of hereditary hemochromatosis (HH). <b>2016</b> , 24, 479-95  Effect of pH on the stability of hemochromatosis factor E: a combined spectroscopic and molecular dynamics simulation-based study. <b>2017</b> , 35, 1582-1598   | 16<br>46<br>16        |
| <ul><li>668</li><li>667</li><li>666</li><li>665</li></ul>             | Dietary Iron and Colorectal Cancer Risk: A Review of Human Population Studies. 2016, 56, 1012-20  EMQN best practice guidelines for the molecular genetic diagnosis of hereditary hemochromatosis (HH). 2016, 24, 479-95  Effect of pH on the stability of hemochromatosis factor E: a combined spectroscopic and molecular dynamics simulation-based study. 2017, 35, 1582-1598  Regulation of the Iron Homeostatic Hormone Hepcidin. 2017, 8, 126-136  The Effects of Polymorphisms on Biochemical Parameters of Iron Status in Arab Beta-Thalassemia  | 16<br>46<br>16        |
| <ul><li>668</li><li>667</li><li>666</li><li>665</li><li>664</li></ul> | Dietary Iron and Colorectal Cancer Risk: A Review of Human Population Studies. 2016, 56, 1012-20  EMQN best practice guidelines for the molecular genetic diagnosis of hereditary hemochromatosis (HH). 2016, 24, 479-95  Effect of pH on the stability of hemochromatosis factor E: a combined spectroscopic and molecular dynamics simulation-based study. 2017, 35, 1582-1598  Regulation of the Iron Homeostatic Hormone Hepcidin. 2017, 8, 126-136  The Effects of Polymorphisms on Biochemical Parameters of Iron Status in Arab Beta-Thalassemia Patients. 2017, 33, 545-551  HFE gene mutation and iron overload in Egyptian pediatric acute lymphoblastic leukemia survivors: | 16<br>46<br>16<br>174 |

| 660 | Serum ferritin concentration predicts hepatic fibrosis better than hepatic iron concentration in human HFE-Haemochromatosis. <b>2017</b> , 37, 1382-1388                          | 12  |
|-----|---|-----|
| 659 | Interventions for hereditary haemochromatosis: an attempted network meta-analysis. 2017, 3, CD011647  | 4   |
| 658 | Iron Metabolism and the Inflammatory Response. <b>2017</b> , 69, 442-450  | 23  |
| 657 | Diabetes and Anemia: International Diabetes Federation (IDF) - Southeast Asian Region (SEAR) position statement. <b>2017</b> , 11 Suppl 2, S685-S695                              | 26  |
| 656 | Iron homeostasis: An anthropocentric perspective. <b>2017</b> , 292, 12727-12734  | 102 |
| 655 | Iron transport proteins: Gateways of cellular and systemic iron homeostasis. <b>2017</b> , 292, 12735-12743   | 72  |
| 654 | Proton Pump Inhibitors Decrease Phlebotomy Need in HFE Hemochromatosis: Double-Blind Randomized Placebo-Controlled Trial. <b>2017</b> , 153, 678-680.e2                           | 16  |
| 653 | CRISPR/Cas9-Mediated Three Nucleotide Insertion Corrects a Deletion Mutation in MRP1/ABCC1 and Restores Its Proper Folding and Function. <b>2017</b> , 7, 429-438                 | 4   |
| 652 | Hemochromatosis Protein (HFE) Knockout Mice As a Novel Model of Hemochromatosis: Implications for Study and Management of Iron-Overload Cardiomyopathy. <b>2017</b> , 33, 835-837 | 4   |
| 651 | Influence of iron metabolism on manganese transport and toxicity. <b>2017</b> , 9, 1028-1046  | 45  |
| 650 | The liver in regulation of iron homeostasis. <b>2017</b> , 313, G157-G165   | 48  |
| 649 | Porphyria cutanea tarda: an intriguing genetic disease and marker. <b>2017</b> , 56, e106-e117  | 21  |
| 648 | Systemic iron homeostasis and erythropoiesis. <b>2017</b> , 69, 399-413   | 59  |
| 647 | Pathophysiological consequences and benefits of mutations: 20 years of research. <i>Haematologica</i> , <b>2017</b> , 102, 809-817  | 33  |
| 646 | Genetics of primary sclerosing cholangitis and pathophysiological implications. 2017, 14, 279-295   | 56  |
| 645 | Overview of iron metabolism in health and disease. <b>2017</b> , 21 Suppl 1, S6-S20   | 149 |
| 644 | The Systems Biology of Bone Morphogenetic Proteins. <b>2017</b> , 15-38   | 3   |
| 643 | HFE mutations and iron in hemodialysis patients. <b>2017</b> , 21 Suppl 1, S47-S57  | 4   |

## (2017-2017)

|   | 642 | Autoimmune Hepatitis: Diagnostic Dilemma When It Is Disguised as Iron Overload Syndrome. <b>2017</b> , 7, 269-273   |   | 1  |  |
|---|-----|---|---|----|--|
|   | 641 | Using iron studies to predict HFE mutations in New Zealand: implications for laboratory testing. <b>2017</b> , 47, 447-454  |   | 1  |  |
|   | 640 | GNPAT p.D519G is independently associated with markedly increased iron stores in HFE p.C282Y homozygotes. <b>2017</b> , 63, 15-20   |   | 9  |  |
| ١ | 639 | Liver Disease in Clinical Practice. 2017,   |   |    |  |
|   | 638 | Molecular Genetics of Neurodegenerative Dementias. 2017, 9,   |   | 28 |  |
| , | 637 | Classification and structural analyses of mutational landscapes in hemochromatosis factor E protein: A protein defective in the hereditary hemochromatosis. <b>2017</b> , 6, 93-102               |   | 3  |  |
|   | 636 | Stany chorobowe zwillane z nadmiernym gromadzeniem Blaza oraz metody oznaczania zawartolli Blaza w wlirobie. <b>2017</b> , 48, 308-315  |   | 1  |  |
|   | 635 | Testing Departure from Hardy-Weinberg Proportions. <b>2017</b> , 1666, 83-115   |   | 15 |  |
|   | 634 | The interaction of iron and the genome: For better and for worse. <b>2017</b> , 774, 25-32  |   | 12 |  |
| , | 633 | HFE mRNA expression is responsive to intracellular and extracellular iron loading: short communication. <b>2017</b> , 44, 399-403   |   | 3  |  |
|   | 632 | HFE gene polymorphism defined by sequence-based typing of the Brazilian population and a standardized nomenclature for HFE allele sequences. <b>2017</b> , 90, 238-242                            |   | 3  |  |
|   | 631 | The dynamics of hepcidin-ferroportin internalization and consequences of a novel ferroportin disease mutation. <b>2017</b> , 92, 1052-1061  |   | 12 |  |
|   | 630 | Iron overload exacerbates age-associated cardiac hypertrophy in a mouse model of hemochromatosis. <b>2017</b> , 7, 5756   |   | 19 |  |
| ١ | 629 | Iron loading in HFE p.C282Y homozygotes found by population screening: relationships to HLA-type and T-lymphocyte subsets. <b>2017</b> , 77, 477-485  |   | 2  |  |
|   | 628 | Minor variant of rs 16827043 in the iron regulator hemojuvelin gene (HJV) contributes to hypertension: The TAMRISK study. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6052               | 8 | 4  |  |
|   | 627 | Serum Iron Protects from Renal Postischemic Injury. <b>2017</b> , 28, 3605-3615   |   | 17 |  |
|   | 626 | Beyond Human Leukocyte Antigen Class I Antigens: Hereditary Hemochromatosis Gene Mutations in Recurrent Aphthous Oral Ulcers and Behët Disease in the South of Tunisia. <b>2017</b> , 26, 427-432 |   | 2  |  |
|   | 625 | Height associated variants demonstrate assortative mating in human populations. <b>2017</b> , 7, 15689  |   | 9  |  |
|   |     |   |   |    |  |

| 624 | Iron metabolism and the role of the iron-regulating hormone hepcidin in health and disease. <b>2017</b> , 46, e272-e278  | 42 |
|-----|--|----|
| 623 | Ferroportin disease: pathogenesis, diagnosis and treatment. <i>Haematologica</i> , <b>2017</b> , 102, 1972-1984 6.6  | 77 |
| 622 | Hereditary Hemochromatosis. <b>2017</b> , 1345-1355  |    |
| 621 | Die hereditte Hthochromatose: Eine interdisziplinte diagnostische und therapeutische Herausforderung. <b>2017</b> , 42, 529-537  | 1  |
| 620 | Primary Sclerosing Cholangitis. 2017,  |    |
| 619 | White blood cells and subtypes in HFE p.C282Y and wild-type homozygotes in the Hemochromatosis and Iron Overload Screening Study. <b>2017</b> , 63, 9-14   | 1  |
| 618 | Iron overload patients with unknown etiology from national survey in Japan. 2017, 105, 353-360   | 11 |
| 617 | Letter to the editor: Reply to Kasvosve (2016). <b>2017</b> , 162, 395-396   | O  |
| 616 | Identification of novel mutations in HFE, HFE2, TfR2, and SLC40A1 genes in Chinese patients affected by hereditary hemochromatosis. <b>2017</b> , 105, 521-525   | 15 |
| 615 | Properties of donated red blood cell components from patients with hereditary hemochromatosis. <b>2017</b> , 57, 166-177   | 7  |
| 614 | Hemochromatosis and Iron Storage Disorders. <b>2017</b> , 820-842  |    |
| 613 | A case of ferroportin disease B complicated with hepatocellular carcinoma. <b>2017</b> , 58, 441-447   |    |
| 612 | Autopsy relevance determining hemochromatosis: Case report. <i>Medicine (United States)</i> , <b>2017</b> , 96, e878&.8  | 4  |
| 611 | Genetic haemochromatosis: diagnosing and treating hereditary iron overload. <b>2017</b> , 15, S16-S21  |    |
| 610 | Clinical Impact and Cellular Mechanisms of Iron Overload-Associated Bone Loss. 2017, 8, 77   | 66 |
| 609 | Gene-by-Psychosocial Factor Interactions Influence Diastolic Blood Pressure in European and African Ancestry Populations: Meta-Analysis of Four Cohort Studies. <b>2017</b> , 14,                                    | 3  |
| 608 | Genetic and Dietary Iron Overload Differentially Affect the Course of Typhimurium Infection. <b>2017</b> , 7, 110  | 22 |
| 607 | Human Leukocyte Antigen (HLA) and Immune Regulation: How Do Classical and Non-Classical HLA Alleles Modulate Immune Response to Human Immunodeficiency Virus and Hepatitis C Virus Infections?. <b>2017</b> , 8, 832 | 84 |

## (2018-2017)

| 606 | Blood Transcriptomic Meta-analysis Identifies Dysregulation of Hemoglobin and Iron Metabolism in Parkinson' Disease. <b>2017</b> , 9, 73                        | 15  |
|-----|---|-----|
| 605 | Diabetes in Hemochromatosis. <b>2017</b> , 2017, 9826930  | 25  |
| 604 | Bioinformatics and Precision Medicine. <b>2017</b> , 145-160  | 1   |
| 603 | Hereditary hemochromatosis: study of laboratory alterations related to polymorphism. 2017, 53,  |     |
| 602 | A Drosophila model for toxicogenomics: Genetic variation in susceptibility to heavy metal exposure. <b>2017</b> , 13, e1006907                                  | 29  |
| 601 | Welder's pulmonary hemosiderosis associated with systemic iron overload following exacerbation of acute adult T-cell leukemia/lymphoma. <b>2017</b> , 57, 74-78 | 1   |
| 600 | Review Exploring Biological Potentials of Piperazines. <b>2017</b> , 07,  | 5   |
| 599 | Genetic tests for low- and middle-income countries: a literature review. <b>2017</b> , 16,  | 5   |
| 598 | Clinical management of hemochromatosis: current perspectives. <b>2017</b> , Volume 5, 1-7   | 2   |
| 597 | Hemochromatosis. <b>2017</b> , 1997-2006  |     |
| 596 | Healthy human aging: intrinsic and environmental factors. 2017, 20,   | 17  |
| 595 | Molecular Testing in Hemochromatosis. <b>2017</b> , 245-253   | O   |
| 594 | PNPLA3 Variant p.I148M and Bariatric Surgery. <b>2017</b> , 389-396   |     |
| 593 | Hereditfe Hfhochromatose und Blutspende: Patient oder Spender?. <b>2018</b> , 8, 40-44  |     |
| 592 | Haemochromatosis: Pathophysiology and the red blood cell1. <b>2018</b> , 69, 295-304  | 4   |
| 591 | Diabetic macular oedema: under-represented in the genetic analysis of diabetic retinopathy. <b>2018</b> , 96 Suppl A111, 1-51                                   | 5   |
| 590 | Diagnosis and therapy of genetic haemochromatosis (review and 2017 update). <b>2018</b> , 181, 293-303  | 18  |
| 589 | Haemochromatosis. <b>2018</b> , 4, 18016  | 145 |

| 588             | Erythroferrone: An Erythroid Regulator of Hepcidin and Iron Metabolism. 2018, 2, e35  | 36 |
|-----------------|---|----|
| 587             | The combined effects of cardiovascular disease related SNPs on ischemic stroke. <b>2018</b> , 388, 141-145  | 2  |
| 586             | A 1000 Arab genome project to study the Emirati population. <b>2018</b> , 63, 533-536   | 23 |
| 585             | HFE Genotype Restricts the Response to Paraquat in a Mouse Model of Neurotoxicity. <b>2018</b> , 145, 299-311   | 12 |
| 584             | Disease Gene Identification. 2018,  | 1  |
| 583             | Identification of Genes for Hereditary Hemochromatosis. <b>2018</b> , 1706, 353-365   | 9  |
| 582             | Unnoticed iron overload leading to irreversible pancreatic damage. 2018, 38, 223-224  | 2  |
| 581             | Hemochromatosis. <b>2018</b> , 941-959.e6   |    |
| 580             | Disorders of Iron Overload. 2018, 275-307   | 1  |
| 579             | Causes of iron overload in blood donors - a clinical study. <b>2018</b> , 113, 110-119  | 2  |
| 578             | Conservation of sequence motifs suggests that the nonclassical MHC class I lineages CD1/PROCR and UT were established before the emergence of tetrapod species. <b>2018</b> , 70, 459-476                     | 17 |
| 577             | Late-onset Hemochromatosis: Co-inheritance of Ethalassemia and Hereditary Hemochromatosis in a Chinese Family: A Case Report and Epidemiological Analysis of Diverse Populations. <b>2018</b> , 57, 3433-3438 | 4  |
| 576             | Do pregnancies reduce iron overload in HFE hemochromatosis women? results from an observational prospective study. <b>2018</b> , 18, 53   | 2  |
| 575             | Haemochromatosis: a clinical update for the practising physician. <b>2018</b> , 48, 509-516   | 17 |
| 574             | A role for sex and a common HFE gene variant in brain iron uptake. 2018, 38, 540-548  | 8  |
| 573             | Unnoticed iron overload leading to irreversible pancreatic damage. <b>2018</b> , 38, 223-224  | 4  |
| 57 <sup>2</sup> | Recommending inclusion of HFE C282Y homozygotes in the ACMG actionable gene list: cop-out or stealth move toward population screening?. <b>2018</b> , 20, 400-402   | 2  |
| 571             | Increased Plasma Ferritin Concentration and Low-Grade Inflammation-A Mendelian Randomization Study. <b>2018</b> , 64, 374-385   | 17 |

| 570 | The clinical management of hereditary haemochromatosis. <b>2018</b> , 9, 110-114  |      | 1  |
|-----|---|------|----|
| 569 | Cystathionine Esynthase is required for body iron homeostasis. <i>Hepatology</i> , <b>2018</b> , 67, 21-35  | 11.2 | 20 |
| 568 | The role of TMPRSS6 and HFE variants in iron deficiency anemia in celiac disease. <b>2018</b> , 93, 383-393   |      | 12 |
| 567 | The mechanisms of systemic iron homeostasis and etiology, diagnosis, and treatment of hereditary hemochromatosis. <b>2018</b> , 107, 31-43  |      | 32 |
| 566 | Reduced Cerebral White Matter Integrity Assessed by DTI in Cognitively Normal H63D-HFE Polymorphism Carriers. <b>2018</b> , 28, 126-133   |      | 3  |
| 565 | Higher age at diagnosis of hemochromatosis is the strongest predictor of the occurrence of hepatocellular carcinoma in the Swiss hemochromatosis cohort: A prospective longitudinal observational study. <i>Medicine (United States)</i> , <b>2018</b> , 97, e12886 | 1.8  | 10 |
| 564 | Gute Prognose bei Therapie der Hithochromatose im Friistadium. 2018, 5, 46-53   |      |    |
| 563 | Hepcidin: immunoanalytic characteristics. <b>2018</b> , 76, 705-715   |      |    |
| 562 | Inherited Disorders of Iron Overload. <b>2018</b> , 5, 103  |      | 42 |
| 561 | Iron, erythropoietin, and inflammation regulate hepcidin in Bmp2-deficient mice, but serum iron fails to induce hepcidin in Bmp6-deficient mice. <b>2019</b> , 94, 240-248  |      | 12 |
| 560 | Iron Regulation: Macrophages in Control. <b>2018</b> , 11,  |      | 63 |
| 559 | Hereditary and Congenital Nail Disorders. <b>2018</b> , 213-296   |      |    |
| 558 | Asymptomatic hemochromatosis case with HFE c.1007월7G>A, c.340+4T>C heterozygous mutations and alpha globin B.7 kb deletion. <b>2018</b> , 19, 433-435   |      |    |
| 557 | Can two-dimensional speckle tracking echocardiography be useful for left ventricular assessment in the early stages of hereditary haemochromatosis?. <b>2018</b> , 35, 1772-1781  |      | 5  |
| 556 | Potential Treatment of Retinal Diseases with Iron Chelators. <b>2018</b> , 11,  |      | 22 |
| 555 | Diagnostic histochemistry in hepatic pathology. <b>2018</b> , 35, 381-389   |      | 15 |
| 554 | Du diable bronz llimochromatose HFE : un condens de llistoire de la mélecine moderne. <b>2018</b> , 12, 455-460   |      |    |
| 553 | Influence of Iron on Bone Homeostasis. <b>2018</b> , 11,  |      | 63 |

| 552 | Diagnosis and Management of Genetic Iron Overload Disorders. <b>2018</b> , 33, 2230-2236  | 15 |
|-----|---|----|
| 551 | New targeted therapies and diagnostic methods for iron overload diseases. <b>2018</b> , 10, 1-20  | 8  |
| 550 | Adult onset hereditary hemochromatosis is associated with a novel recurrent Hemojuvelin (HJV) gene mutation in north Indians. <b>2018</b> , 73, 14-21                   | 9  |
| 549 | Hemochromatosis (HFE) Gene Variants Are Associated with Increased Mitochondrial DNA Levels During HIV-1 Infection and Antiretroviral Therapy. <b>2018</b> , 34, 942-949 | 2  |
| 548 | Hemochromatosis: pathophysiology, evaluation, and management of hepatic iron overload with a focus on MRI. <b>2018</b> , 12, 767-778                                    | 17 |
| 547 | Zeolite protects mice from iron-induced damage in a mouse model trial. <b>2018</b> , 8, 1773-1781   | 4  |
| 546 | Mechanisms and Regulation of Intestinal Iron Transport. <b>2018</b> , 1451-1483   | 2  |
| 545 | Crossing the Iron Gate: Why and How Transferrin Receptors Mediate Viral Entry. 2018, 38, 431-458  | 66 |
| 544 | Liver HFE protein content is posttranscriptionally decreased in iron-deficient mice and rats. <b>2018</b> , 315, G560-G568  | 1  |
| 543 | Biology of Erythropoiesis, Erythroid Differentiation, and Maturation. <b>2018</b> , 297-320.e14   | 1  |
| 542 | Fatty Liver Disease. <b>2018</b> , 308-371  | 6  |
| 541 | The hemochromatosis protein HFE signals predominantly via the BMP type I receptor ALK3 in vivo. <b>2018</b> , 1, 65   | 10 |
| 540 | Evaluation of a bone morphogenetic protein 6 variant as a cause of iron loading. 2018, 12, 23   | 6  |
| 539 | Phenotypic analysis of hemochromatosis subtypes reveals variations in severity of iron overload and clinical disease. <i>Blood</i> , <b>2018</b> , 132, 101-110         | 32 |
| 538 | The role of HFE genotype in macrophage phenotype. <b>2018</b> , 15, 30  | 8  |
| 537 | Translating emerging molecular genetic insights into clinical practice in inherited cardiomyopathies. <b>2018</b> , 96, 993-1024  | 3  |
| 536 | Liver Disease in Iron Overload. <b>2018</b> , 151-165   | О  |
| 535 | Iron Overload States. <b>2018</b> , 511-525   |    |

| 534 | Gene-gene interactions among coding genes of iron-homeostasis proteins and APOE-alleles in cognitive impairment diseases. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193867   | 3.7 | 24  |
|-----|--|-----|-----|
| 533 | Transferrin and transferrin receptors update. <b>2019</b> , 133, 46-54   |     | 148 |
| 532 | The evolving role of genetic tests in reproductive medicine. <b>2019</b> , 17, 267   |     | 31  |
| 531 | Effects of Genetically Determined Iron Status on Risk of Venous Thromboembolism and Carotid Atherosclerotic Disease: A Mendelian Randomization Study. <b>2019</b> , 8, e012994   |     | 16  |
| 530 | New insights into the links between hypoxia and iron homeostasis. <b>2019</b> , 26, 125-130  |     | 27  |
| 529 | Hereditary hyperferritinaemia-cataract syndrome (HHCS) - an underestimated condition: ferritin light chain variant spectrum in German families. <b>2019</b> , 57, 1837-1845  |     | 3   |
| 528 | MHC Genomics and Disease: Looking Back to Go Forward. <b>2019</b> , 8,   |     | 7   |
| 527 | HFE Related Hemochromatosis: Uncovering the Inextricable Link between Iron Homeostasis and the Immunological System. <b>2019</b> , 12,   |     | 5   |
| 526 | Bivariate mixture models for the joint distribution of repeated serum ferritin and transferrin saturation measured 12 years apart in a cohort of healthy middle-aged Australians. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214196 | 3.7 |     |
| 525 | Double Punch⊞Hepatitis C in Patients with Genetic Defects of Iron Metabolism. <b>2019</b> , 53, 407-417  |     |     |
| 524 | Interactive Effects between Chronic Lead Exposure and the Homeostatic Iron Regulator Transport Polymorphism on the Human Red Blood Cell Mean Corpuscular Volume (MCV). <b>2019</b> , 16,                                       |     | 6   |
| 523 | Regulators of hepcidin expression. <b>2019</b> , 110, 101-129  |     | 25  |
| 522 | Despite Genetic Iron Overload, -Hemochromatosis Mice Do Not Show Bone Loss. <b>2019</b> , 3, e10206  |     | 7   |
| 521 | Iron Supplementation Therapy, A Friend and Foe of Mycobacterial Infections?. <b>2019</b> , 12,   |     | 10  |
| 520 | Ecogenetics of lead toxicity and its influence on risk assessment. <b>2019</b> , 38, 1031-1059   |     | 18  |
| 519 | Iron-Induced Liver Injury: A Critical Reappraisal. <b>2019</b> , 20,   |     | 24  |
| 518 | Association between hepatitis C virus and porphyria cutanea tarda. <b>2019</b> , 128, 282-287  |     | 4   |
| 517 | Deregulation of Hepatic Mek1/2?Erk1/2 Signaling Module in Iron Overload Conditions. <b>2019</b> , 12,  |     | 4   |

| 516 | Heterozygosity mapping for human dominant trait variants. <b>2019</b> , 40, 996-1004  |     | 3  |
|-----|---|-----|----|
| 515 | Ferroportin Disease Caused by a Heterozygous Variant p.Cys326Phe in the SLC40A1 Gene and the Efficacy of Therapeutic Phlebotomy in Children. <b>2019</b> , 41, e325-e328          |     |    |
| 514 | A gene-based recessive diplotype exome scan discovers , a novel hepcidin-regulating iron-metabolism gene. <i>Blood</i> , <b>2019</b> , 133, 1888-1898                             | 2.2 | 12 |
| 513 | Genetics of Nonalcoholic Fatty Liver Disease: From Pathogenesis to Therapeutics. <b>2019</b> , 39, 124-140  |     | 32 |
| 512 | Transferrin Saturation Inversely Correlates with Platelet Function. 2019, 119, 766-778  |     | 4  |
| 511 | Effect of stimulated erythropoiesis on liver SMAD signaling pathway in iron-overloaded and iron-deficient mice. <i>PLoS ONE</i> , <b>2019</b> , 14, e0215028                      | 3.7 | 1  |
| 510 | Signaling pathways regulating hepcidin. <b>2019</b> , 110, 47-70  |     | 7  |
| 509 | Hemochromatosis. 2019, 547-553  |     |    |
| 508 | Hepcidin-ferroportin axis in health and disease. <b>2019</b> , 110, 17-45   |     | 34 |
| 507 | The p.H63D allele of the HFE gene protects against low iron stores in Sri Lanka. <b>2019</b> , 76, 72-77  |     | 2  |
| 506 | Haemochromatosis. <b>2019</b> , 47, 808-813   |     |    |
| 505 | Uncovering Structural and Molecular Dynamics of ESAT-6: IM Interaction: Asp53 of Human II-Microglobulin Is Critical for the ESAT-6: IM Complexation. <b>2019</b> , 203, 1918-1929 |     | 7  |
| 504 | Utility of hepatic or total body iron burden in the assessment of advanced hepatic fibrosis in HFE hemochromatosis. <b>2019</b> , 9, 20234  |     | 3  |
| 503 | Impact of HFE variants and sex in lung cancer. <i>PLoS ONE</i> , <b>2019</b> , 14, e0226821   | 3.7 |    |
| 502 | Compound-specific adaptation of hepatoma cell lines to toxic iron. <b>2019</b> , 11, 1836-1846  |     | 1  |
| 501 | Clinicopathological diagnosis and treatment of juvenile hemochromatosis. <b>2019</b> , 132, 3018-3020   |     | 2  |
| 500 | ACG Clinical Guideline: Hereditary Hemochromatosis. <b>2019</b> , 114, 1202-1218  |     | 62 |
| 499 | WITHDRAWN: Chromosome 6p SNP microhaplotypes and IgG3 levels in hemochromatosis probands with HFE p.C282Y homozygosity. <b>2019</b> , 102398                                      |     |    |

| 498 | Genetic factors influencing hemoglobin levels in 15,567 blood donors: results from the Danish Blood Donor Study. <b>2019</b> , 59, 226-231  | 10  |
|-----|---|-----|
| 497 | Liver iron sensing and body iron homeostasis. <i>Blood</i> , <b>2019</b> , 133, 18-29   | 102 |
| 496 | The Epidemiology of Rare Hereditary Metabolic Liver Diseases. <b>2019</b> , 307-330   | О   |
| 495 | A computational model to understand mouse iron physiology and disease. <b>2019</b> , 15, e1006680   | 4   |
| 494 | Clinical Epidemiology of Chronic Liver Diseases. <b>2019</b> ,  | 1   |
| 493 | Diagnostic Molecular Genetics. <b>2019</b> , 165-203  |     |
| 492 | Ferroportin disease mutations influence manganese accumulation and cytotoxicity. 2019, 33, 2228-2240  | 16  |
| 491 | Nonneoplastic Diseases of the Testis. <b>2020</b> , 549-730.e81   | 1   |
| 490 | Disorders of iron kinetics and heme metabolism. <b>2020</b> , 264-281   |     |
| 489 | High-precision iron isotope analysis of whole blood, erythrocytes, and serum in adults. <b>2020</b> , 58, 126421  | 7   |
| 488 | Endothelial Bone Morphogenetic Protein 2 (Bmp2) Knockout Exacerbates Hemochromatosis in Homeostatic Iron Regulator (Hfe) Knockout Mice but not Bmp6 Knockout Mice. <i>Hepatology</i> , <b>2020</b> , 11.2 72, 642-655 | 14  |
| 487 | Hemochromatosis: Ancient to the Future. <b>2020</b> , 16, 83-90   | О   |
| 486 | Iron metabolism and the exocrine pancreas. <b>2020</b> , 511, 167-176   | 9   |
| 485 | Genetic iron overload disorders. <b>2020</b> , 75, 100896   | 11  |
| 484 | Severe chronic bowel obstruction associated with brown bowel syndrome. <b>2020</b> , 8, 2050313X20945531  | 2   |
| 483 | Therapeutic applications of chelating drugs in iron metabolic disorders of the brain and retina. <b>2020</b> , 98, 1889-1904  | 6   |
| 482 | Discrepancy between Serum Ferritin and Liver Iron Concentration in a Patient with Hereditary Hemochromatosis - The Value of T2* MRI. <b>2020</b> , 13, 712-715  | 2   |
| 481 | The roles of iron and HFE genotype in neurological diseases. <b>2020</b> , 75, 100867   | 10  |

| 480 | Increased frequency of GNPAT p.D519G in compound HFE p.C282Y/p.H63D heterozygotes with elevated serum ferritin levels. <b>2020</b> , 85, 102463  | 1  |
|-----|--|----|
| 479 | Integrating Molecular Testing into Clinical Applications. <b>2020</b> , 409-420  |    |
| 478 | . 2020,  | 1  |
| 477 | Hereditary hyperferritinemia-cataract syndrome in three Czech families: molecular genetic testing and clinical implications. <b>2020</b> , 24, 352.e1-352.e5                               | 1  |
| 476 | Clinical Penetrance of Hereditary Hemochromatosis-Related End-Organ Damage of C282Y Homozygosity, A Newfoundland Experience. <b>2020</b> , 11, e00258                                      | 3  |
| 475 | Phytic Acid Protects from Oxidative Stress Induced by Iron-Overload and High-Fat Diets in<br>  | 1  |
| 474 | Validation of the Hemochromatosis (2SNP+) Direct EUROArray Assay for the Molecular Diagnosis of -Related Hereditary Hemochromatosis. <b>2020</b> , 24, 608-611                             |    |
| 473 | Estimates of European American Ancestry in African Americans Using p.C282Y. <b>2020</b> , 24, 578-583  | 1  |
| 472 | Role of zinc transporter ZIP12 in susceptibility-weighted brain magnetic resonance imaging (MRI) phenotypes and mitochondrial function. <b>2020</b> , 34, 10702-12725                      | 6  |
| 471 | Utility of Serum Biomarker Indices for Staging of Hepatic Fibrosis Before and After Venesection in Patients With Hemochromatosis Caused by Variants in HFE. <b>2021</b> , 19, 1459-1468.e5 | 3  |
| 470 | Polygenic inheritance, GWAS, polygenic risk scores, and the search for functional variants. <b>2020</b> , 117, 18924-18933   | 32 |
| 469 | HFE and ALK3 act in the same signaling pathway. <b>2020</b> , 160, 501-505   | 2  |
| 468 | Interaction between iron and omega-3 fatty acids metabolisms: where is the cross-link?. 2020, 1-21   | 3  |
| 467 | Hemochromatosis risk genotype is not associated with colorectal cancer or age at its diagnosis <b>2020</b> , 1, 100010   | 1  |
| 466 | ESAT-6 Protein of Increases Holotransferrin-Mediated Iron Uptake in Macrophages by Downregulating Surface Hemochromatosis Protein HFE. <b>2020</b> , 205, 3095-3106                        | 2  |
| 465 | Iron Absorption in Celiac Disease and Nutraceutical Effect of 7-Hydroxymatairesinol. Mini-Review. <b>2020</b> , 25,  | 2  |
| 464 | From Environment to Genome and Back: A Lesson from Mutations. <b>2020</b> , 21,  | 5  |
| 463 | Disruption of the hepcidin/ferroportin regulatory circuitry causes low axial bone mass in mice. <b>2020</b> , 137, 115400  | 3  |

## (2020-2020)

| 462 | Crosstalk Between Iron and Bone Metabolism: Evidence from Patients and Mouse Models of EThalassemia. <b>2020</b> , 114-124                              |     | 1   |
|-----|---|-----|-----|
| 461 | Hepatocyte-specific deletion of peroxisomal protein PEX13 results in disrupted iron homeostasis. <b>2020</b> , 1866, 165882                             |     | 2   |
| 460 | Systematic Review of the Clinical Outcomes of Iron Reduction in Hereditary Hemochromatosis.  Hepatology, <b>2020</b> , 72, 1469-1482                    | 1.2 | 13  |
| 459 | Unregelmīge, fleckige Hyperpigmentierung linksseitig an Nase, Wange und Augenlid. <b>2020</b> , 18, 50-54   |     |     |
| 458 | Iron Metabolism in Cancer Progression. <b>2020</b> , 21,  |     | 31  |
| 457 | Cadmium induces iron deficiency anemia through the suppression of iron transport in the duodenum. <b>2020</b> , 332, 130-139                            |     | 4   |
| 456 | Bone morphogenic proteins in iron homeostasis. <b>2020</b> , 138, 115495  |     | 12  |
| 455 | Transient elevation of serum ferritin in a Sri Lankan with homozygosity for H63D mutation in the HFE gene: a case report. <b>2020</b> , 14, 93          |     |     |
| 454 | Maria de Sousa, (1939-2020). <b>2020</b> , 50, 768-769  |     | О   |
| 453 | Chromosome 6p SNP microhaplotypes and IgG3 levels in hemochromatosis probands with HFE p.C282Y homozygosity. <b>2020</b> , 85, 102461                   |     | 2   |
| 452 | Iron metabolism and iron disorders revisited in the hepcidin era. <i>Haematologica</i> , <b>2020</b> , 105, 260-272                                     | .6  | 155 |
| 451 | Advances in the Evolutionary Understanding of MHC Polymorphism. <b>2020</b> , 36, 298-311   |     | 77  |
| 450 | The Central Role of the Liver in Iron Storage and Regulation of Systemic Iron Homeostasis. <b>2020</b> , 215-228  |     |     |
| 449 | Failure to detect synergy between variants in transferrin and hemochromatosis and Alzheimer's disease in large cohort. <b>2020</b> , 89, 142.e9-142.e12 |     | 4   |
| 448 | Applying whole-genome sequencing in relation to phenotype and outcomes in siblings with cystic fibrosis. <b>2020</b> , 6,                               |     | 3   |
| 447 | Toward Genetic Prediction of Nonalcoholic Fatty Liver Disease Trajectories: PNPLA3 and Beyond. <b>2020</b> , 158, 1865-1880.e1                          |     | 42  |
| 446 | Impaired Bone Microarchitecture in Patients with Hereditary Hemochromatosis and Skeletal Complications. <b>2020</b> , 106, 465-475                      |     | 7   |
| 445 | Bull's eye maculopathy associated with hereditary hemochromatosis. <b>2020</b> , 18, 100674   |     | 3   |

| 444 | The haemochromatosis gene Hfe and Kupffer cells control LDL cholesterol homeostasis and impact on atherosclerosis development. <b>2020</b> , 41, 3949-3959        |     | 11 |
|-----|---|-----|----|
| 443 | Prevalence of iron deficiency in 62,685 women of seven race/ethnicity groups: The HEIRS Study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0232125                       | 3.7 | 5  |
| 442 | The Role of Iron in Benign and Malignant Hematopoiesis. <b>2021</b> , 35, 415-432   |     | 2  |
| 441 | Physiological and pathophysiological mechanisms of hepcidin regulation: clinical implications for iron disorders. <b>2021</b> , 193, 882-893                      |     | 15 |
| 440 | Prevalence of H63D and C282Y mutations in hereditary hemochromatosis (HFE) gene in Tripoli region of Libya. <b>2021</b> , 5, 49                                   |     |    |
| 439 | Juvenile Hemochromatosis: Rheumatic Manifestations of 2 Sisters Responding to Deferasirox Treatment. A Case Series and Literature Review. <b>2021</b> , 13, 15-21 |     | 4  |
| 438 | Iron Metabolism and Related Disorders. <b>2021</b> , 445-499  |     |    |
| 437 | Morbidity, risk of cancer and mortality in 3645 HFE mutations carriers. <b>2021</b> , 41, 545-553   |     | 4  |
| 436 | Iron Metabolism in the Tumor Microenvironment-Implications for Anti-Cancer Immune Response. <b>2021</b> , 10,   |     | 17 |
| 435 | Importance of Iron Absorption in Human Health: An Overview. <b>2021</b> , 17, 293-301   |     | O  |
| 434 | A role of PIEZO1 in iron metabolism in mice and humans. 2021, 184, 969-982.e13  |     | 28 |
| 433 | Hepcidin Signaling in Health and Disease: Ironing Out the Details. <b>2021</b> , 5, 723-735   |     | 3  |
| 432 | The HLA System in Transfusion Medicine and Transplantation. <b>2021</b> , 453-476   |     |    |
| 431 | Iron Storage Disorders in Children. <b>2021</b> , 515-529   |     |    |
| 430 | Revisiting hemochromatosis: genetic phenotypic manifestations. <b>2021</b> , 9, 731   |     | 7  |
| 429 | NLRC5 regulates expression of MHC-I and provides a target for anti-tumor immunity in transmissible cancers. <b>2021</b> , 147, 1973-1991                          |     | 6  |
| 428 | Ethnic Differences in Iron Status. <b>2021</b> , 12, 1838-1853  |     | 5  |
| 427 | The development of polycythemia vera after phlebotomy treatment for hereditary haemochromatosis. <b>2021</b> , 2, 537-538   |     |    |

426 Serum Hepcidin Hormone Level and Its Genes Polymorphism.

| 425 | Coordination of iron homeostasis by bone morphogenetic proteins: Current understanding and unanswered questions. <b>2021</b> ,  |      | 4  |
|-----|---|------|----|
| 424 | Genetic Support of A Causal Relationship Between Iron Status and Type 2 Diabetes: A Mendelian Randomization Study. <b>2021</b> , 106, e4641-e4651                                 |      | 37 |
| 423 | Hmochromatoses. <b>2021</b> , 2021, 33-43   |      | О  |
| 422 | Quantitative Trait Loci Identification by Estimating the Genetic Model based on the Extremal Samples <b>2021</b> , 22, 363-372  |      |    |
| 421 | Diagnosis and management of secondary causes of steatohepatitis. <i>Journal of Hepatology</i> , <b>2021</b> , 74, 1455-1471   | 13.4 | 13 |
| 420 | Shaping the bone through iron and iron-related proteins. <b>2021</b> , 58, 188-200  |      | 3  |
| 419 | Utility and limitations of Hepascore and transient elastography to detect advanced hepatic fibrosis in HFE hemochromatosis. <b>2021</b> , 11, 14654                               |      | О  |
| 418 | Genotype, Ferritin Levels and Transferrin Saturation in Patients with Suspected Hereditary Hemochromatosis. <i>Genes</i> , <b>2021</b> , 12,                                      | 4.2  | 0  |
| 417 | Pathogenesis, Diagnosis, and Clinical Implications of Hereditary Hemochromatosis-The Cardiological Point of View. <b>2021</b> , 11,   |      | O  |
| 416 | 20 years of Hepcidin: How far we have come. <b>2021</b> , 58, 132-144   |      | 3  |
| 415 | GWAS of serum ALT and AST reveals an association of SLC30A10 Thr95Ile with hypermanganesemia symptoms. <b>2021</b> , 12, 4571   |      | 6  |
| 414 | Utility and Diversity: Challenges for Genomic Medicine. <b>2021</b> , 22, 1-24  |      | 3  |
| 413 | Appropriate Clinical Genetic Testing of Hemochromatosis Type 2-4, Including Ferroportin Disease. <b>2021</b> , 14, 353-361  |      | 1  |
| 412 | Natural Iron Chelators as Potential Therapeutic Agents for the Treatment of Iron Overload Diseases.   |      | 1  |
| 411 | Iron intake and multiple health outcomes: Umbrella review. <b>2021,</b> 1-18  |      | О  |
| 410 | Survival and development of health conditions after iron depletion therapy in C282Y-linked hemochromatosis patients. e20210016  |      | 0  |
| 409 | Significance of Hereditary Hemochromatosis Gene (HFE) Mutations in Chronic Hepatitis C and Hepatocellular Carcinoma Patients in Egypt: A Pilot Study. <b>2021</b> , 22, 2837-2845 |      |    |

| 408 | Iron and liver cancer: an inseparable connection. 2021,   | 2  |
|-----|---|----|
| 407 | Major Histocompatibility Complex: Disease Associations.   | 1  |
| 406 | Haplotype Sharing Methods.  | 3  |
| 405 | The hemochromatosis protein HFE 20 years later: An emerging role in antigen presentation and in the immune system. <b>2017</b> , 5, 218-232 | 24 |
| 404 | Metabolic Disorders in Childhood. <b>2004</b> , 270-299   | 3  |
| 403 | Hereditary Hemochromatosis. <b>2016</b> , 1-11  | 1  |
| 402 | Animal models of hereditary iron transport disorders. <b>2002</b> , 509, 1-17   | 8  |
| 401 | The Hereditary Hemochromatosis Gene and Iron Homeostasis. <b>1999</b> , 353-362   | 3  |
| 400 | Iron and Erythropoiesis. <b>1999</b> , 363-370  | 1  |
| 399 | A systems biology approach to iron metabolism. <b>2014</b> , 844, 201-25  | 48 |
| 398 | Pedigree-Defined Haplotypes and Their Applications to Genetic Studies. 2017, 1551, 113-127  | 7  |
| 397 | Genetic Disorders of Trace Element Metabolism. <b>2000</b> , 201-226  | 1  |
| 396 | HLA Polymorphism and Disease Susceptibility. <b>2005</b> , 255-268  | 1  |
| 395 | Disorders of the Red Cell Membrane. <b>2006</b> , 830-837   | 1  |
| 394 | Inherited Disorders of Brain Iron Homeostasis. <b>2009</b> , 251-276  | 2  |
| 393 | Proteins of Iron Homeostasis. <b>2012</b> , 3-25  | 1  |
| 392 | Iron and the Immune System. <b>2012</b> , 233-248   | 1  |
| 391 | HFE-Associated Hereditary Hemochromatosis. <b>2012</b> , 385-398  | 1  |

| 390 | Non-HFE Hemochromatosis. <b>2012</b> , 399-416   | 1  |
|-----|--|----|
| 389 | Epidemiology and Pathogenesis of Hepatocellular Carcinoma. <b>2011</b> , 1-19                    | 3  |
| 388 | Presymptomatic Genetic Testing: Shifting the Emphasis from Reaction to Prevention. 2012, 131-146 | 1  |
| 387 | Testing departure from Hardy-Weinberg proportions. <b>2012</b> , 850, 77-102                     | 22 |
| 386 | Molecular diagnosis of genodermatoses. <b>2013</b> , 961, 33-96                                  | 2  |
| 385 | Primary and Secondary Hypogonadism. <b>2017</b> , 687-747  | 1  |
| 384 | Classification of MHC I Proteins According to Their Ligand-Type Specificity. <b>2011</b> , 55-65 | 1  |
| 383 | Gendiagnostische Mglichkeiten der hereditten Hthochromatose. <b>2000</b> , 454-475               | 3  |
| 382 | Stoffwechselkrankheiten. <b>2000</b> , 159-226   | О  |
| 381 | Recognition by Immune Cells. <b>1997</b> , 371-447   | 1  |
| 380 | Metal Metabolism and Liver. <b>2016</b> , 123-146  | 3  |
| 379 | The MHC paralogous group: listing of members and a brief overview. <b>2000</b> , 27-44           | 3  |
| 378 | Liver Cirrhosis with Inherited Liver Disease: Hemochromatosis. <b>2019</b> , 47-57               | 1  |
| 377 | Iron Pathophysiology in Alzheimer's Diseases. <b>2019</b> , 1173, 67-104                         | 22 |
| 376 | Non-neoplastic diseases of the testis. <b>2008</b> , 614-755                                     | 8  |
| 375 | Liver. <b>2011</b> , 857-980   | 3  |
| 374 | Other Noninfectious Complications of Transfusion. <b>2001</b> , 263-272                          | 1  |
| 373 | NUTRIENT DIGESTION AND ABSORPTION. <b>2009</b> , 949-979   | 3  |

| 372                             | Hemoglobin, Iron, and Bilirubin. <b>2012</b> , 985-1030  | 6                      |
|---------------------------------|--|------------------------|
| 371                             | Liver Disease. <b>2012</b> , 1637-1693   | 4                      |
| 370                             | An association study of HFE gene mutation with idiopathic male infertility in the Chinese Han population. <b>2012</b> , 14, 599-603  | 3                      |
| 369                             | Hereditary hemochromatosis promotes colitis and colon cancer and causes bacterial dysbiosis in mice. <b>2020</b> , 477, 3867-3883  | 8                      |
| 368                             | Haemochromatosis in patients with beta-thalassaemia trait. <b>2000</b> , 111, 908-914  | 18                     |
| 367                             | Hereditary hemochromatosis. <b>2005</b> , 10, 145-9  | 13                     |
| 366                             | The human genome project: evolving status and emerging opportunities for disease prevention. <b>2000</b> , 45-60   | 3                      |
| 365                             | Epidemiology, molecular biology, and public health. <b>2000</b> , 103-122  | 3                      |
| 364                             | Public health strategies to prevent the complications of hemochromatosis. 2000, 447-462  | 1                      |
|                                 |  |                        |
| 363                             | Liver Cancer. <b>2006</b> , 763-786  | 57                     |
| 363<br>362                      | Liver Cancer. 2006, 763-786  Diagnosis and monitoring of hepatic injury. II. Recommendations for use of laboratory tests in screening, diagnosis, and monitoring. 2000, 46, 2050-68  | 57<br>245              |
|                                 | Diagnosis and monitoring of hepatic injury. II. Recommendations for use of laboratory tests in   |                        |
| 362                             | Diagnosis and monitoring of hepatic injury. II. Recommendations for use of laboratory tests in screening, diagnosis, and monitoring. <b>2000</b> , 46, 2050-68   | 245                    |
| 362<br>361                      | Diagnosis and monitoring of hepatic injury. II. Recommendations for use of laboratory tests in screening, diagnosis, and monitoring. <b>2000</b> , 46, 2050-68  A test of neutrality based on interlocus associations. <b>1997</b> , 146, 1197-206   | 245<br>302             |
| 362<br>361<br>360               | Diagnosis and monitoring of hepatic injury. II. Recommendations for use of laboratory tests in screening, diagnosis, and monitoring. 2000, 46, 2050-68  A test of neutrality based on interlocus associations. 1997, 146, 1197-206  Constrained disequilibrium values and hitchhiking in a three-locus system. 1998, 150, 1295-307   | 245<br>302<br>10       |
| 362<br>361<br>360               | Diagnosis and monitoring of hepatic injury. II. Recommendations for use of laboratory tests in screening, diagnosis, and monitoring. 2000, 46, 2050-68  A test of neutrality based on interlocus associations. 1997, 146, 1197-206  Constrained disequilibrium values and hitchhiking in a three-locus system. 1998, 150, 1295-307  Testing for concordant equilibria between population samples. 2000, 156, 2127-35   | 245<br>302<br>10       |
| 362<br>361<br>360<br>359<br>358 | Diagnosis and monitoring of hepatic injury. II. Recommendations for use of laboratory tests in screening, diagnosis, and monitoring. 2000, 46, 2050-68  A test of neutrality based on interlocus associations. 1997, 146, 1197-206  Constrained disequilibrium values and hitchhiking in a three-locus system. 1998, 150, 1295-307  Testing for concordant equilibria between population samples. 2000, 156, 2127-35  Measuring gametic disequilibrium from multilocus data. 2001, 157, 413-23  Population admixture: detection by Hardy-Weinberg test and its quantitative effects on | 245<br>302<br>10<br>12 |

| 354 | New perspectives on iron: an introduction. <b>1999</b> , 318, 207-12   | 66 |
|-----|--|----|
| 353 | New developments in hereditary hemochromatosis. <b>1999</b> , 318, 257-68  | 17 |
| 352 | Hemochromatosis: advances in molecular genetics and clinical diagnosis. 1998, 27, 41-6   | 24 |
| 351 | The role of transjugular liver biopsy in a liver transplant center. <b>1999</b> , 29, 155-7  | 10 |
| 350 | Abnormal uroporphyrin levels in chronic hepatitis C virus infection. <b>1999</b> , 29, 327-31  | 9  |
| 349 | The biology of inherited disorders of the gastrointestinal tract part I: gastrointestinal disorders. <b>1998</b> , 26, 321-35  | 9  |
| 348 | Molecular insights into mechanisms of iron transport. <b>1999</b> , 6, 61-4  | 22 |
| 347 | Modern Outcomes Following Treatment of Hepatocellular Carcinoma in Hereditary<br>Hemochromatosis: A Matched Cohort Study. <b>2019</b> , 42, 918-923  | 3  |
| 346 | An epidemiologic study on the incidence and significance of HFE mutations in a Korean cohort with nonalcoholic fatty liver disease. <b>2010</b> , 44, e154-61  | 12 |
| 345 | GWAS of serum ALT and AST reveals an association of SLC30A10 Thr95Ile with hypermanganesemia symptoms.   | 3  |
| 344 | A computational model to understand mouse iron physiology and diseases.  | 1  |
| 343 | Failure to detect synergy between variants in transferrin and hemochromatosis and Alzheimer disease in large cohort.   | 1  |
| 342 | Biallelic genotype distributions in papers published in Gut between 1998 and 2003: altered conclusions after recalculating the Hardy-Weinberg equilibrium. <b>2004</b> , 53, 614-5; author reply 615-6 | 23 |
| 341 | Idiopathic dilated cardiomyopathy: lack of association with haemochromatosis gene in the CARDIGENE study. <b>2001</b> , 86, 702-3  | 7  |
| 340 | Effects of cardiac resynchronisation on maximal and submaximal exercise performance in advanced heart failure patients with conduction abnormality. <b>2001</b> , 86, 703-4                            | 4  |
| 339 | Reciprocal increase of circulating interleukin-10 and interleukin-6 in patients with acute myocardial infarction. <b>2001</b> , 86, 704-5  | 5  |
| 338 | Percutaneous aortic valve replacement: will we get there?. <b>2001</b> , 86, 705-6   | 2  |
| 337 | Tetrahydrobiopterin attenuates cholesterol induced coronary hyperreactivity to endothelin. <b>2001</b> , 86, 706-8   | 4  |

| 336 | Haemochromatosis gene mutations in Finns, Swedes and Swedish Saamis. <b>2001</b> , 52, 110-2   | 16  |
|-----|--|-----|
| 335 | Iron metabolism: current facts and future directions. <b>2012</b> , 22, 311-28   | 49  |
| 334 | Laboratory use of hepcidin in renal transplant recipients. <b>2016</b> , 26, 34-52   | 3   |
| 333 | NPHS2 mutations in late-onset focal segmental glomerulosclerosis: R229Q is a common disease-associated allele. <b>2002</b> , 110, 1659-1666  | 154 |
| 332 | Autosomal-dominant hemochromatosis is associated with a mutation in the ferroportin (SLC11A3) gene. <b>2001</b> , 108, 619-23  | 127 |
| 331 | NPHS2 mutations in late-onset focal segmental glomerulosclerosis: R229Q is a common disease-associated allele. <b>2002</b> , 110, 1659-66  | 86  |
| 330 | Autosomal-dominant hemochrom-atosis is associated with a mutation in the ferroportin (SLC11A3) gene. <b>2001</b> , 108, 619-623  | 364 |
| 329 | A mouse model of juvenile hemochromatosis. <b>2005</b> , 115, 2187-91  | 283 |
| 328 | Of mice and men: the iron age. <b>2005</b> , 115, 2079-82  | 19  |
| 327 | Reducing TMPRSS6 ameliorates hemochromatosis and Ethalassemia in mice. <b>2013</b> , 123, 1531-41  | 165 |
| 326 | Genes that modify the hemochromatosis phenotype in mice. <b>2000</b> , 105, 1209-16  | 182 |
| 325 | Of metals, mice, and men: what animal models can teach us about body iron loading. <b>2000</b> , 105, 1185-6   | 13  |
| 324 | Clinical Consequences of New Insights in the Pathophysiology of Disorders of Iron and Heme Metabolism. <b>2000</b> , 2000, 39-50   | 5   |
| 323 | Simple and Rapid Detection of the Newly Described Mutations in the HLA-H Gene. <i>Blood</i> , <b>1997</b> , 89, 1835 <u>2</u> 1 <u>8</u> 36  | 1   |
| 322 | Hereditary Hyperferritinemia-Cataract Syndrome Caused by a 29-Base Pair Deletion in the Iron Responsive Element of Ferritin L-Subunit Gene. <i>Blood</i> , <b>1997</b> , 90, 2084-2088   | 48  |
| 321 | Efficient Large-Scale Screening for the Hemochromatosis Susceptibility Gene Mutation. <i>Blood</i> , <b>1997</b> , 90, 2848-2848   | 11  |
| 320 | Four New Mutations in the Erythroid-Specific 5-Aminolevulinate Synthase (ALAS2) Gene Causing X-Linked Sideroblastic Anemia: Increased Pyridoxine Responsiveness After Removal of Iron 2.2 Overload by Phlebotomy and Coinheritance of Hereditary Hemochromatosis. <i>Blood</i> , <b>1999</b> , 93, 1757-1769 | 5   |
| 319 | HFE Mutations Analysis in 711 Hemochromatosis Probands: Evidence for S65C Implication in Mild Form of Hemochromatosis. <i>Blood</i> , <b>1999</b> , 93, 2502-2505  | 6   |

## (2000-1999)

| 318 | HFE Downregulates Iron Uptake From Transferrin and Induces Iron-Regulatory Protein Activity in Stably Transfected Cells. <i>Blood</i> , <b>1999</b> , 94, 3915-3921  | 2.2 | 2  |
|-----|--|-----|----|
| 317 | Importance of Anemia and Transferrin Levels in the Regulation of Intestinal Iron Absorption in Hypotransferrinemic Mice. <i>Blood</i> , <b>1999</b> , 94, 3185-3192  | 2.2 | 6  |
| 316 | Wild-type HFE protein normalizes transferrin iron accumulation in macrophages from subjects with hereditary hemochromatosis. <i>Blood</i> , <b>2000</b> , 96, 1125-1129  | 2.2 | 2  |
| 315 | Iron Metabolism and Disease. <b>2010</b> , 351-378   |     | 1  |
| 314 | Low frequency of HFE gene mutations in Croatian patients suspected of having hereditary hemochromatosis. <b>2011</b> , 17, CR552-6   |     | 2  |
| 313 | Iranian hereditary hemochromatosis patients: baseline characteristics, laboratory data and gene mutations. <b>2012</b> , 18, CR622-9   |     | 9  |
| 312 | Detecting low frequent loss-of-function alleles in genome wide association studies with red hair color as example. <i>PLoS ONE</i> , <b>2011</b> , 6, e28145   | 3.7 | 19 |
| 311 | Alternative polyadenylation and nonsense-mediated decay coordinately regulate the human HFE mRNA levels. <i>PLoS ONE</i> , <b>2012</b> , 7, e35461   | 3.7 | 10 |
| 310 | Hemochromatosis enhances tumor progression via upregulation of intracellular iron in head and neck cancer. <i>PLoS ONE</i> , <b>2013</b> , 8, e74075   | 3.7 | 13 |
| 309 | Feasibility Study of NMR Based Serum Metabolomic Profiling to Animal Health Monitoring: A Case Study on Iron Storage Disease in Captive Sumatran Rhinoceros (Dicerorhinus sumatrensis). <i>PLoS ONE</i> , <b>2016</b> , 11, e0156318 | 3.7 | 5  |
| 308 | Association of HLA-A and Non-Classical HLA Class I Alleles. <i>PLoS ONE</i> , <b>2016</b> , 11, e0163570   | 3.7 | 19 |
| 307 | Analysis of single nucleotide variants of HFE gene and association to survival in The Cancer Genome Atlas GBM data. <i>PLoS ONE</i> , <b>2017</b> , 12, e0174778   | 3.7 | 3  |
| 306 | Polycythemia in Patients With Hereditary Hemochromatosis: Real or Myth?. 2019, 11, 422-427   |     | 2  |
| 305 | Iron intake and cardiovascular disease. <b>2004</b> , 99-125   |     | 1  |
| 304 | Creation and Application of Test-Kits for Hereditary Diseases Gene Diagnostics to Medical Practice. <b>2005</b> , 1, 62-69   |     | 1  |
| 303 | Prevalence of the hemochromatosis gene mutation in patients with nonalcoholic steatohepatitis and correlation with degree of liver fibrosis. <b>2006</b> , 43, 224-8   |     | 10 |
| 302 | Effect of HFE gene polymorphism on sustained virological response in patients with chronic hepatitis C and elevated serum ferritin. <b>2012</b> , 49, 9-13   |     | 2  |
| 301 | HFE gene mutations in coronary atherothrombotic disease. <b>2000</b> , 33, 301-6   |     | 24 |

| 300         | Analysis of HLA-A antigens and C282Y and H63D mutations of the HFE gene in Brazilian patients with hemochromatosis. <b>2002</b> , 35, 329-35  | 5  |
|-------------|---|----|
| 299         | Hemochromatosis (HFE) gene mutations in Brazilian chronic hemodialysis patients. <b>2005</b> , 38, 1321-4   | 7  |
| 298         | A novel, nontoxic iron chelator, super-polyphenol, effectively induces apoptosis in human cancer cell lines. <b>2018</b> , 9, 32751-32760   | 9  |
| 297         | The Essentiality of Reporting Hardy-Weinberg Equilibrium Calculations in Population-Based Genetic Association Studies. <b>2015</b> , 17, 187-92   | 46 |
| 296         | Molecular genetic studies in chronic diff use liver diseases. <b>2020</b> , 96-100  | 1  |
| 295         | Association Studies of HFE C282Y and H63D Variants with Oral Cancer Risk and Iron Homeostasis Among Whites and Blacks. <b>2015</b> , 7, 2386-96   | 3  |
| 294         | Function of the hemochromatosis protein HFE: Lessons from animal models. 2008, 14, 6893-901   | 33 |
| 293         | Occult celiac disease prevents penetrance of hemochromatosis. <b>2005</b> , 11, 3323-6  | 17 |
| 292         | Prevalence of HFE mutations and relation to serum iron status in patients with chronic hepatitis C and patients with nonalcoholic fatty liver disease in Taiwan. <b>2005</b> , 11, 3905-8 | 28 |
| 291         | Nonalcoholic steatohepatitis in Asian Indians is neither associated with iron overload nor with HFE gene mutations. <b>2005</b> , 11, 393-5   | 52 |
| <b>2</b> 90 | Fatty liver in H63D homozygotes with hyperferritinemia. <b>2006</b> , 12, 1788-92   | 7  |
| 289         | An unhappy triad: hemochromatosis, porphyria cutanea tarda and hepatocellular carcinoma-a case report. <b>2007</b> , 13, 1998-2001  | 5  |
| 288         | Iron overload and immunity. <b>2007</b> , 13, 4707-15   | 98 |
| 287         | Liver iron transport. <b>2007</b> , 13, 4725-36   | 95 |
| 286         | Molecular biology and the diagnosis and treatment of liver diseases. <b>1998</b> , 4, 185-191   | 11 |
| 285         | A man in his 50s with high ferritin levels and increasing cognitive impairment. <b>2015</b> , 135, 1369-72  | 3  |
| 284         | Hereditary haemochromatosis through 150 years. <b>2016</b> , 136, 2017-2021   | 5  |
| 283         | Evidence for the Influence of the Iron Regulatory MHC Class I Molecule HFE on Tumor Progression in Experimental Models and Clinical Populations. <b>2014</b> , 6, 1-12                    | 5  |

## (2000-2013)

| 282 | HFE Gene Mutation Associated with the Severity of Gestational Diabetes Mellitus in Belarusian Women. <b>2013</b> , 03, 13-17   | 4  |
|-----|--|----|
| 281 | Non-invasive methods for liver fibrosis prediction in hemochromatosis: One step beyond. <b>2010</b> , 2, 251-5   | 15 |
| 280 | Management of human factors engineering-associated hemochromatosis: A 2015 update. <b>2016</b> , 8, 395-400  | 4  |
| 279 | Hereditary hemochromatosis. <b>2015</b> , 5, 7-10  | 2  |
| 278 | Correlation of hemochromatosis gene mutations and cardiovascular disease in hemodialysis patients. <b>2013</b> , 33, 223-8   | 2  |
| 277 | Hepcidin and HFE protein: Iron metabolism as a target for the anemia of chronic kidney disease. <b>2012</b> , 1, 166-76  | 23 |
| 276 | Hereditary hemochromatosis: impact of molecular and iron-based testing on the diagnosis, treatment, and prevention of a common, chronic disease. <b>1999</b> , 123, 1053-9 | 22 |
| 275 | Optimization of an automated DNA purification protocol for neonatal screening. <b>1999</b> , 123, 1154-60  | 21 |
| 274 | HFE Genotyping Using Multiplex Allele-Specific Polymerase Chain Reaction and Capillary Electrophoresis. <b>1999</b> , 123, 1177-1181                                       | 9  |
| 273 | C282Y mutation and hepatic iron status in hepatitis C and cryptogenic cirrhosis. 2000, 124, 1632-5   | 12 |
| 272 | Use of buccal cells collected in mouthwash as a source of DNA for clinical testing. 2001, 125, 127-33  | 75 |
| 271 | Bioelectronic sensor technology for detection of cystic fibrosis and hereditary hemochromatosis mutations. <b>2003</b> , 127, 1565-72                                      | 8  |
| 270 | Meta-Analysis of the Association between H63D and C282Y Polymorphisms in HFE and Cancer Risk. <b>2015</b> , 16, 4633-9   | 6  |
| 269 | Emerging Pathological Engagement of Ferroptosis in Gut Diseases. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2021</b> , 2021, 4246255                            | 5  |
| 268 | Hemochromatosis. <b>2022</b> , 341-370   |    |
| 267 | Hemochromatosis classification: update and recommendations by the BIOIRON Society. <i>Blood</i> , 2.2  | 3  |
| 266 | Hfhochromatose. <b>2000</b> , 799-806  |    |
| 265 | Bibliography Articles Cited in Commentaries. <b>2000</b> , 1023-1058   | O  |

| 264 | Molecular Genetics of the Human Major Histocompatibility Complex. <b>2000</b> , 35-50  |  |
|-----|--|--|
| 263 | HLA Nomenclature: The Name of the Rose. <b>2000</b> , 147-161  |  |
| 262 | Genetics of autoimmune liver disease. <b>2000</b> , 115-132  |  |
| 261 | Leber und Galle. <b>2000</b> , 325-341   |  |
| 260 | Clinical Consequences of New Insights in the Pathophysiology of Disorders of Iron and Heme Metabolism. <b>2000</b> , 2000, 39-50                     |  |
| 259 | Potential for paralogous mapping to simplify the genetics of diseases and functions associated with MHC haplotypes. <b>2000</b> , 146-157            |  |
| 258 | Stoffwechselerkrankungen der Leber. <b>2000</b> , 239-316  |  |
| 257 | HFE polymorphism and accurate diagnosis of C282Y hereditary hemochromatosis carriers. <i>Blood</i> , <b>2.2</b>                                      |  |
| 256 | Evidence for HLA-related susceptibility for stroke in children with sickle cell disease. <i>Blood</i> , <b>2000</b> , 95, 3562-3567                  |  |
| 255 | Public health assessment of genetic susceptibility to infectious diseases: malaria, tuberculosis, and HIV. <b>2000</b> , 173-202                     |  |
| 254 | Hereditary hemochromatosis in a patient with congenital dyserythropoietic anemia. <i>Blood</i> , <b>2000</b> , 96, 3653-3655                         |  |
| 253 | Iron homeostasis: new tales from the crypt. <i>Blood</i> , <b>2000</b> , 96, 4020-4027 2.2 7   |  |
| 252 | Asymptomatic hemochromatosis subjects: genotypic and phenotypic profiles. <i>Blood</i> , <b>2000</b> , 96, 3707-371 <b>1</b> .2 1                    |  |
| 251 | Himochromatose (hereditie Himochromatose, sekundie Eisenberladungssyndrome). <b>2001</b> , 79-90   |  |
| 250 | A Possible Role for Iron Ions in Organ Injury. <b>2001</b> , 302-306   |  |
| 249 | Hereditary Hemochromatosis: A Disease for All Physicians. <b>2001</b> , 351-364  |  |
| 248 | Simultaneous Detection of C282Y and H63D Hemochromatosis Mutations Using LCRed 640 and LCRed 705 Labeled Hybridization Probes. <b>2001</b> , 127-134 |  |
| 247 | Arthritis and Systemic Disease. <b>2001</b> , 189-207  |  |

## (2004-2001)

| 246 | PREVALENCE OF HFE GENOTYPES AND THEIR RELATION TO IRON OVERLOAD IN PATIENTS AT A HEALTH APPRAISAL CLINIC. <b>2001</b> , 2, 36-37   |  |
|-----|--|--|
| 245 | Metastatic carcinomatous cirrhosis and hepatic hemosiderosis in a patient heterozygous for the H63D genotype. <b>2001</b> , 125, 1084-7  |  |
| 244 | Iron Absorption. <b>2001</b> , 1-38  |  |
| 243 | Parallel Genotyping of Different Genes: A Rapid Real-Time PCR Approach. 2002, 67-75  |  |
| 242 | Hemochromatosis Protein (HFE).   |  |
| 241 | Chromosome 6.  |  |
| 240 | Genetic Susceptibility to Heavy Metals in the Environment. 2002,   |  |
| 239 | Iron Regulatory Proteins.  |  |
| 238 | Genetische und metabolische Erkrankungen. <b>2003</b> , 672-726  |  |
| 237 | Erkrankungen von Leber, Gallenwegen und Pankreas. <b>2003</b> , 863-954  |  |
| 236 | Indications and General Pathology of Liver Transplantation Candidates. 2003, 71-82   |  |
| 235 | Divalent metal transporter DMT1 (SLC11A2). 2003, 107-122   |  |
| 234 | Iron transporter ferroportin FPN1. <b>2003</b> , 123-131   |  |
| 233 | Lexikalischer Teil. <b>2003</b> , 31-1336  |  |
| 232 | Oxyradicals in Iron Overload Syndromes. 2003,  |  |
| 231 | Analysis of C282Y and H63D mutations of the hereditary haemochromatosis gene HFE among the Ukrainian population and patients with brain glial tumor. <b>2003</b> , 19, 536-540 |  |
| 230 | Hemochromatosis and Wilson Disease. <b>2004</b> , 189-204  |  |
| 229 | Inherited Disorders. 2004, 141-184   |  |

| 228                      | Faut-il promouvoir le dpistage systmatique de lfimochromatose ghtique en France ?. <b>2004</b> , 188, 265-273   |   |
|--------------------------|---|---|
| 227                      | Diabetes Secondary to Acquired Disease to the Pancreas.   | 1 |
| 226                      | Association between genotype and clinical manifestation of the most spread monogenic hereditary disorders. <b>2004</b> , 20, 107-114  | 1 |
| 225                      | Hereditary Hemochromatosis. <b>2004</b> , 605-611   | 1 |
| 224                      | Human leukocyte antigen haplotypes and HFE mutations in Spanish hereditary hemochromatosis and sporadic porphyria cutanea tarda. <b>2006</b> , 060606032707117  |   |
| 223                      | Body MR Techniques and MR of the Liver. <b>2005</b> , 1-62  |   |
| 222                      | Polymorphism and Alcoholic Liver Disease The author thanks Dr Julio Mayol for helpful discussion and revision of the manuscript <b>2005</b> , 481-490   |   |
| 221                      | Mendelian and Mitochondrial Inheritance, Gene Identification, and Clinical Testing. 2005, 1545-1560   |   |
| 220                      | Liver Transplantation for Hematological Disorders. <b>2005</b> , 239-248  |   |
| 240                      | Modulation of Gene Expression by Dietary Iron. <b>2005</b> , 421-440  |   |
| 219                      | Modulation of defice Expression by Dietary Iron. 2003, 421-440  |   |
| 219                      | Le mtabolisme du fer chez lflomme. <b>2005</b> , 189, 1635-1647   | О |
|                          |   | 0 |
| 218                      | Le mtabolisme du fer chez l <b>l</b> iomme. <b>2005</b> , 189, 1635-1647  | O |
| 218                      | Le mtabolisme du fer chez ltlomme. <b>2005</b> , 189, 1635-1647  Hemochromatosis. <b>2006</b> , 1239-1256   | 0 |
| 218<br>217<br>216        | Le mtabolisme du fer chez ltlomme. 2005, 189, 1635-1647  Hemochromatosis. 2006, 1239-1256  This page intentionally left blank. 2006, 194-194  | 0 |
| 218<br>217<br>216<br>215 | Le mtabolisme du fer chez ltlomme. 2005, 189, 1635-1647  Hemochromatosis. 2006, 1239-1256  This page intentionally left blank. 2006, 194-194  H. 2007, 537-614  | O |
| 218 217 216 215 214      | Le mtabolisme du fer chez lflomme. 2005, 189, 1635-1647  Hemochromatosis. 2006, 1239-1256  This page intentionally left blank. 2006, 194-194  H. 2007, 537-614  Hematologic Disorders: Hemochromatosis, Hemoglobinopathies, and Rh Incompatibility. 2007, 151-160 | 0 |

| 210 | Marked secondary iron overload due to iron infusion, a case report. <b>2008</b> , 49, 574-580   |    |
|-----|---|----|
| 209 | Storage and Deposition Diseases. <b>2008</b> , 523-532  |    |
| 208 | Cholestasis in Neonates and Infants. 2008, 135-162  |    |
| 207 | Facteurs acquis et għtiques de modulation de la pħtrance de ltimochromatose HFE. <b>2008</b> , 192, 873-881                                   |    |
| 206 | Hematologic Disorders: Hemochromatosis, Hemoglobinopathies, and Rh Incompatibility. <b>2009</b> , 149-158                                     |    |
| 205 | Psychosocial Aspects of DNA Testing for Hereditary Hemochromatosis in At-Risk Individuals: A Systematic Review. <b>2009</b> , 090108090224061 |    |
| 204 | Hemochromatosis. <b>2009</b> , 1809-1815  |    |
| 203 | Primary Liver Cancer: Chemical Carcinogenesis. <b>2009</b> , 55-107   |    |
| 202 | Recent developments in liver pathology. <b>2009</b> , 133, 1078-86  | 11 |
| 201 | Inherited Metabolic Liver Diseases. <b>2010</b> , 511-520   |    |
| 200 | Hemochromatosis. <b>2010</b> , 1239-1247.e1   |    |
| 199 | Porphyrias. <b>2010</b> , 1077-1092   |    |
| 198 | Hereditary Hemochromatosis and Iron Overload. <b>2010</b> , 1045-1070   |    |
| 197 | Iron Excess and Cancer. <b>2010</b> , 445-475   |    |
| 196 | Deposition Diseases. <b>2010</b> , 487-495  |    |
| 195 | Inheritable Forms of Liver Disease. <b>2010</b> , 233-238   |    |
| 194 | Eisenstoffwechsel. <b>2010</b> , 105-122  |    |
| 193 | Integrating Molecular Testing into Clinical Applications. 1   |    |

| 192 | Hemochromatosis. <b>2010</b> , 484-492   |   |
|-----|--|---|
| 191 | References. 451-487  |   |
| 190 | Hemochromatosis. <b>2011</b> , 177-189   | O |
| 189 | Evaluation of Liver Function. <b>2011</b> , 296-311  | 4 |
| 188 | Hemochromatosis. <b>2011</b> , 1929-1933.e1  |   |
| 187 | Iron and Copper Metabolism in the Myelodysplastic Syndromes. <b>2011</b> , 175-185   |   |
| 186 | Hereditary hemochromatosis in a male patient with TFR2 (1861_1872del12) gene mutation: the second biopsy 19 years after diagnosis. <b>2011</b> , 52, 745-752 |   |
| 185 | The Major Histocompatibility Complex and Disease. <b>2011</b> , 954-962  |   |
| 184 | Molecular Diagnosis of Genetic Diseases. <b>2011</b> , 1330-1347   |   |
| 183 | Hemochromatosis and Iron Storage Disorders. 825-844  |   |
| 182 | Growth in Hemochromatosis. <b>2012</b> , 2067-2088   |   |
| 181 | The HLA System in Transfusion Medicine and Transplantation. 446-473  |   |
| 180 | Iron and the Reticuloendothelial System. <b>2012</b> , 211-231   |   |
| 179 | Genetic Testing for Disorders of Iron Homeostasis. <b>2012</b> , 529-565   |   |
| 178 | Mammalian Models of Iron Homeostasis. <b>2012</b> , 631-652  |   |
| 177 | Inherited Diseases. <b>2012</b> , 1239-1292  |   |
| 176 | Hematology. <b>2012</b> , 767-871  |   |
| 175 | HFE Gene Mutations, Iron Overload and Cryptogenic Liver Cirrhosis. <b>2012</b> , 12, 209-210   |   |

| 174 | Hemochromatosis. <b>2013</b> , 1907-1914   |     |   |
|-----|--|-----|---|
| 173 | H. <b>2013</b> , 597-684   |     |   |
| 172 | Gastrointestinal System. <b>2014</b> , 47-87   |     |   |
| 171 | Molecular-Genetic Testing in Hepatocellular Carcinoma and Its Premalignant Conditions. <b>2014</b> , 211-258   |     |   |
| 170 | Metabolic Liver Disease: Part 2. <b>2014</b> , 185-214   |     |   |
| 169 | Iron Metabolism and Related Disorders. <b>2014</b> ,   |     |   |
| 168 | Krankheiten der Leber. <b>1997</b> , 1-166   |     |   |
| 167 | Spurenelemente. <b>1997</b> , 622-645  |     |   |
| 166 | Diagnostic molecular genetics: current applications and future technologies. <b>1997</b> , 26, 553-61  |     | 2 |
| 165 | Evolving Views of the Major Histocompatibility Complex. <i>Blood</i> , <b>1997</b> , 90, 4252-4265   | 2.2 | 7 |
| 164 | Inherited Liver Disease. 1998, 375-386   |     |   |
| 163 | Genetic Hemochromatosis. <b>1998</b> , 241-247   |     |   |
| 162 | Neonatal Trace Element Metabolism. <b>1998</b> , 909-941   |     | 3 |
| 161 | Response of Monocyte Iron Regulatory Protein Activity to Inflammation: Abnormal Behavior in Genetic Hemochromatosis. <i>Blood</i> , <b>1998</b> , 91, 2565-2572                  | 2.2 | O |
| 160 | An Association Between the Common Hereditary Hemochromatosis Mutation and the Factor V Leiden Allele in a Population With Thrombosis. <i>Blood</i> , <b>1998</b> , 92, 1461-1462 | 2.2 | 1 |
| 159 | Iron Is Hot: An Update on the Pathophysiology of Hemochromatosis. <i>Blood</i> , <b>1998</b> , 92, 1845-1851   | 2.2 | 3 |
| 158 | Coinheritance of Alleles Associated With Hemochromatosis and Hereditary Hyperferritinemia-Cataract Syndrome. <i>Blood</i> , <b>1998</b> , 92, 4480-4481                          | 2.2 | 1 |
| 157 | Limitations of Histologic Classification of Iron Overload. <b>1998</b> , 22, 1545  |     |   |

| 156 | Lexikon der Syndrome und Fehlbildungen. <b>1999</b> , 35-1198  |
|-----|--|
| 155 | Juvenile Hemochromatosis. <b>1999</b> , 371-373  |
| 154 | Leberkrankheiten. <b>1999</b> , 659-710 4  |
| 153 | No Association Between Factor V Leiden and C282Y Mutation in the Hereditary Hemochromatosis Gene. <i>Blood</i> , <b>1999</b> , 93, 4024-4025   |
| 152 | Ancient DNA and Forensics Mutual Benefits a Practical Sampling and Laboratory Guide Through a Virtual Ancient DNA Study. <b>2014</b> , 19, 1-14  |
| 151 | Hemochromatosis. <b>2015</b> , 1628-1632   |
| 150 | Hemochromatoz⊠ diagnostika ir autopsijos reik⊞ūKlinikinis atvejis. <b>2015</b> , 26, 53-58   |
| 149 | Recurrence of Metabolic Disorders After Liver Transplantation. <b>2016</b> , 135-144   |
| 148 | CHAPTER 7:Evaluation of Iron Overload by Non-Invasive Measurement Techniques. <b>2016</b> , 213-259  |
| 147 | Structures and Functions of MHC-like Proteins. <b>2016</b> , 271-278   |
| 146 | The Association of Single Nucleotide Polymorphisms with the Risk of Varicose Veins of the Lower Extremities: A Study of the Russian Population of the Russian Federation. <b>2016</b> , 10, 68 |
| 145 | Hematologic Disorders: Hemochromatosis, Hemoglobinopathies, and Rh Incompatibility. <b>2016</b> , 225-238 o  |
| 144 | Disorders of the Hepato-Biliary System in the Elderly. <b>2016</b> , 81-94   |
| 143 | Compound Heterozygous C282Y/H63D Mutation in Hemochromatosis: A Case Report. <b>2016</b> , 06, 30-35   |
| 142 | Himochromatoses: un monde en pleine mutation. <b>2016</b> , 200, 309-325   |
| 141 | Q fever hepatitis and endocarditis in the context of haemochromatosis. <i>BMJ Case Reports</i> , <b>2016</b> , 0.9   |
| 140 | Genetics of Primary Sclerosing Cholangitis. <b>2017</b> , 99-110   |
| 139 | Genetic Haemochromatosis. <b>2017</b> , 131-146  |

| 138 | Metabolic and Genetic Liver Diseases: Hemochromatosis. <b>2017</b> , 339-353  |   |
|-----|---|---|
| 137 | Primary and Secondary Hypogonadism. <b>2017</b> , 1-62  |   |
| 136 | Hereditary Hemochromatosis. <b>2017</b> , 32-35   |   |
| 135 | Does HFE Genotype Impact Macrophage Phenotype in Disease Process and Therapeutic Response?. <b>2017</b> , 51-66   |   |
| 134 | Molecular Diagnostic Testing in Clinical Chemistry. <b>2017</b> , 131-154   |   |
| 133 | Genetic hemochromatosis, one cause, more illnesses. <b>2017</b> , 19, 39-41   |   |
| 132 | Primary (hereditary) hemochromatosis. <b>2017</b> , 95, 513-518   | 1 |
| 131 | Molecular and Genetics-Based Diagnostics. <b>2018</b> , 127-135.e2  |   |
| 130 | Exploration des anomalies du mtabolisme du fer et hmolyse. <b>2018</b> , 59-68  |   |
| 129 | Metabolic Disorders in the Liver. <b>2019</b> , 151-171   |   |
| 128 | Comprehensive analysis of gene in hereditary hemochromatosis and in diseases associated with acquired iron overload. <b>2019</b> , 11, 186-198  | О |
| 127 | The golden age of hepatology. <b>2019</b> , 2, 1-2  |   |
| 126 | Hemochromatosis. <b>2020</b> , 46-57  |   |
| 125 | Hereditary hemochromatosis disrupts uric acid homeostasis and causes hyperuricemia via altered expression/activity of xanthine oxidase and ABCG2. <b>2020</b> , 477, 1499-1513  | 4 |
| 124 | Dysregulated hepcidin response to dietary iron in male mice with reduced Gnpat expression. <b>2020</b> , 40,  |   |
| 123 | Hereditte Lebererkrankungen. <b>2020</b> , 63-116   |   |
| 122 | A Simple RFLP-Based Method for Gene Multiplex Amplification and Determination of Hereditary Hemochromatosis-Causing Mutation C282Y and H63D Variant with Highly Sensitive Determination of Contamination. <b>2020</b> , 2020, 9396318 |   |
| 121 | Liver Stiffness in Patients with Hereditary Hemochromatosis and Secondary Iron Overload. <b>2020</b> , 209-216  |   |

| 120 | Hemochromatosis, iron, and blood donation: a short review. <b>2020</b> , 15, 108-112   |     |
|-----|--|-----|
| 119 | Hepatitis in the clinics Treatment options. 2008, 1-20   |     |
| 118 | Antioxidants and Chronic Vascular Disease: Animal Studies. 2006, 227-253   |     |
| 117 | Aetiology, pathogenesis and treatment of haemochromatosis. 135-147   |     |
| 116 | Haemochromatosis. <b>2006</b> , 199-202  |     |
| 115 | Hereditary haemochromatosis: the genes and the disease. 180-190  |     |
| 114 | Disorders of Copper, Zinc, and Iron Metabolism. <b>2006</b> , 353-363  | 1   |
| 113 | Storage and Deposition Diseases. <b>2008</b> , 523-532   |     |
| 112 | Genes of the Major Histocompatibility Complex. <b>1998</b> , 1-44  |     |
| 111 | Hereditary Hemochromatosis. <b>2006</b> , 567-572  |     |
| 110 | Hereditary Hemochromatosis. <b>2006</b> , 482-486  |     |
| 109 | Metabolische und genetisch determinierte Lebererkrankungen. <b>2007</b> , 894-900  |     |
| 108 | Identifying genetic variants associated with cerebellar volume in 33,265 individuals from the UK-Biobank.  | 0   |
| 107 | Urinary profiles of selected metals and arsenic and their exposure pathway analysis in four large floodplains of Pakistan. <b>2020</b> , 737, 139586 | 1   |
| 106 | Current applications of therapeutic phlebotomy. <b>2014</b> , 12 Suppl 1, s75-83   | 13  |
| 105 | Fluorescence polarization in homogeneous nucleic acid analysis. <i>Genome Research</i> , <b>1999</b> , 9, 492-8 9.7                                  | 128 |
| 104 | Should all patients with diabetes mellitus be screened for hemochromatosis?. 2002, 176, 110-4  | 1   |
| 103 | Hemochromatosis: clinical implications of genetic testing. <b>1998</b> , 159, 156-8  | 1   |

| 102 | Hereditary haemochromatosis: never seen a case?. <b>2001</b> , 51, 347-8  |     | 3           |
|-----|---|-----|-------------|
| 101 | The case for strengthening education and training for general practice. <b>2001</b> , 51, 349-50  |     | 2           |
| 100 | Normal iron metabolism and the pathophysiology of iron overload disorders. <i>Clinical Biochemist Reviews</i> , <b>2006</b> , 27, 5-16  | 7.3 | 69          |
| 99  | Mutation analysis of the HLA-H gene in Italian hemochromatosis patients. <b>1997</b> , 60, 828-32   |     | <b>2</b> 00 |
| 98  | The significance of the 187G (H63D) mutation in hemochromatosis. <b>1997</b> , 61, 762-4  |     | 23          |
| 97  | Atypical haemochromatosis: phenotypic spectrum and beta2-microglobulin candidate gene analysis. <b>1999</b> , 36, 537-41  |     | 11          |
| 96  | Clinical penetrance of C282Y homozygous HFE haemochromatosis. <i>Clinical Biochemist Reviews</i> , <b>2004</b> , 25, 183-90   | 7.3 | 7           |
| 95  | DNA: where to now?. Clinical Biochemist Reviews, 2007, 28, 52-9   | 7:3 | 1           |
| 94  | Hemochromatosis. Common genes, uncommon illness?. <b>2002</b> , 48, 1326-33   |     | 2           |
| 93  | Hemochromatosis. More common than you think. <b>2003</b> , 49, 36-43  |     | 3           |
| 92  | HLA-H and associated proteins in patients with hemochromatosis. <b>1997</b> , 3, 397-402  |     | 6           |
| 91  | Detection of hemochromatosis through the analysis of single- nucleotide extension products by capillary electrophoresis. <b>2000</b> , 11, 67-73  |     | 2           |
| 90  | Iron deficiency: lessons from anemic mice. <b>1997</b> , 70, 219-26   |     | 8           |
| 89  | The diagnosis and management of hereditary haemochromatosis. <i>Clinical Biochemist Reviews</i> , <b>2010</b> , 31, 3-8   | 7:3 | 16          |
| 88  | Frequencies of HFE gene mutations associated with haemochromatosis in the population of Libya living in Benghazi. <i>International Journal of Clinical and Experimental Medicine</i> , <b>2011</b> , 4, 200-4 |     | 3           |
| 87  | Iron indices in bottlenose dolphins (Tursiops truncatus). <i>Comparative Medicine</i> , <b>2012</b> , 62, 508-15  | 1.6 | 13          |
| 86  | Molecular and clinical correlates in iron overload associated with mutations in ferroportin.<br>Haematologica, <b>2006</b> , 91, 1092-5   | 6.6 | 40          |
| 85  | METABOLISM OF IRON STORES. <i>Nagoya Journal of Medical Science</i> , <b>2014</b> , 76, 235-254   | 0.7 | 28          |

| 84                                     | Pathogenic Mechanisms Underlying Iron Deficiency and Iron Overload: New Insights for Clinical Application. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , <b>2009</b> , 20, 108-23  | 2.4             | 15    |
|--|--|-----------------|-------|
| 83                                     | The Regulation of Iron Absorption and Homeostasis. Clinical Biochemist Reviews, <b>2016</b> , 37, 51-62  | 7.3             | 95    |
| 82                                     | Molecular Aspects of Wound Healing and the Rise of Venous Leg Ulceration: Omics Approaches to Enhance Knowledge and Aid Diagnostic Discovery. <i>Clinical Biochemist Reviews</i> , <b>2017</b> , 38, 35-55   | 7.3             | 11    |
| 81                                     | Expression of RecA and cell-penetrating peptide (CPP) fusion protein in bacteria and in mammalian cells. <i>International Journal of Biochemistry and Molecular Biology</i> , <b>2018</b> , 9, 1-10  | 0.4             | 4     |
| 80                                     | Hemochromatosis: discovery of the HFE gene. <i>Missouri Medicine</i> , <b>2012</b> , 109, 133-6  | 0.8             | 5     |
| 79                                     | The history of the Department of Internal Medicine at Saint Louis University. <i>Missouri Medicine</i> , <b>2012</b> , 109, 115-8  | 0.8             |       |
| 78                                     | Hereditary Hemochromatosis and Iron Metabolism. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , <b>2001</b> , 13, 31-38  | 2.4             |       |
| 77                                     | Analysis of Natural Killer cell functions in patients with hereditary hemochromatosis. <i>EXCLI Journal</i> , <b>2020</b> , 19, 430-441  | 2.4             | O     |
| 76                                     | Impact of gene variants on iron overload, overall survival and leukemia-free survival in myelodysplastic syndromes. <i>American Journal of Cancer Research</i> , <b>2021</b> , 11, 955-967   | 4.4             |       |
| 75                                     | Fluorescence Polarization in Homogeneous Nucleic Acid Analysis. <i>Genome Research</i> , <b>1999</b> , 9, 492-498  | 9.7             | 270   |
|  |  |                 |       |
| 74                                     | Hereditary Hemochromatosis: A Cardiac Perspective Cureus, 2021, 13, e20009   | 1.2             |       |
| 74<br>73                               | Hereditary Hemochromatosis: A Cardiac Perspective <i>Cureus</i> , <b>2021</b> , 13, e20009  Dietary Iron Overload and Related Hemochromatosis Alter Hepatic Mitochondrial Function. <i>Antioxidants</i> , <b>2021</b> , 10,  | 1.2<br>7.1      | 2     |
|  | Dietary Iron Overload and Related Hemochromatosis Alter Hepatic Mitochondrial Function.  |                 | 2     |
| 73                                     | Dietary Iron Overload and Related Hemochromatosis Alter Hepatic Mitochondrial Function.  Antioxidants, 2021, 10,  Disruption of Hfe leads to skeletal muscle iron loading and reduction of hemoproteins involved in oxidative metabolism in a mouse model of hereditary hemochromatosis Biochimica Et Biophysica   | 7.1             |       |
| 73<br>72                               | Dietary Iron Overload and Related Hemochromatosis Alter Hepatic Mitochondrial Function.  Antioxidants, 2021, 10,  Disruption of Hfe leads to skeletal muscle iron loading and reduction of hemoproteins involved in oxidative metabolism in a mouse model of hereditary hemochromatosis Biochimica Et Biophysica Acta - General Subjects, 2022, 1866, 130082  Evaluation of Polymorphisms in Toll-Like Receptor Genes as Biomarkers of the Response to   | 7.1<br>4        | 0     |
| 73<br>7 <sup>2</sup><br>7 <sup>1</sup> | Dietary Iron Overload and Related Hemochromatosis Alter Hepatic Mitochondrial Function.  Antioxidants, 2021, 10,  Disruption of Hfe leads to skeletal muscle iron loading and reduction of hemoproteins involved in oxidative metabolism in a mouse model of hereditary hemochromatosis Biochimica Et Biophysica Acta - General Subjects, 2022, 1866, 130082  Evaluation of Polymorphisms in Toll-Like Receptor Genes as Biomarkers of the Response to Treatment of Erythema Nodosum Leprosum Frontiers in Medicine, 2021, 8, 713143  Activation of STAT and SMAD Signaling Induces Hepcidin Re-Expression as a Therapeutic Target for   | 7.1<br>4<br>4.9 | 0     |
| 73 72 71 70                            | Dietary Iron Overload and Related Hemochromatosis Alter Hepatic Mitochondrial Function.  Antioxidants, 2021, 10,  Disruption of Hfe leads to skeletal muscle iron loading and reduction of hemoproteins involved in oxidative metabolism in a mouse model of hereditary hemochromatosis Biochimica Et Biophysica Acta - General Subjects, 2022, 1866, 130082  Evaluation of Polymorphisms in Toll-Like Receptor Genes as Biomarkers of the Response to Treatment of Erythema Nodosum Leprosum Frontiers in Medicine, 2021, 8, 713143  Activation of STAT and SMAD Signaling Induces Hepcidin Re-Expression as a Therapeutic Target for EThalassemia Patients Biomedicines, 2022, 10, | 7.1<br>4<br>4.9 | 0 1 1 |

| 66 | Genetic common variants associated with cerebellar volume and their overlap with mental disorders: a study on 33,265 individuals from the UK-Biobank <i>Molecular Psychiatry</i> , <b>2022</b> ,  | 15.1 | 1 |
|----|---|------|---|
| 65 | Genomic Medicine for Liver Disease <i>Hepatology</i> , <b>2022</b> ,  | 11.2 | 1 |
| 64 | Effects of Excess Iron on the Retina: Insights From Clinical Cases and Animal Models of Iron Disorders <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 794809  | 5.1  | Ο |
| 63 | Prevalence of HFE-related haemochromatosis and secondary causes of hyperferritinaemia and their association with iron overload in 1059 French patients treated by venesection <i>Alimentary Pharmacology and Therapeutics</i> , <b>2022</b> ,                                     | 6.1  | Ο |
| 62 | [Progress on epigenetic regulation of iron homeostasis]. <i>Zhejiang Da Xue Xue Bao Yi Xue Ban = Journal of Zhejiang University Medical Sciences</i> , <b>2020</b> , 49, 58-70  |      | 2 |
| 61 | Hereditary hemochromatosis: data from a single center Copenhagen cohort Scandinavian Journal of Gastroenterology, 2022, 1-6   | 2.4  |   |
| 60 | Inhibiting Ferroptosis: A Novel Approach for Ulcerative Colitis Therapeutics <i>Oxidative Medicine and Cellular Longevity</i> , <b>2022</b> , 2022, 9678625   | 6.7  | 1 |
| 59 | Abdominal pain and cirrhosis at diagnosis of hemochromatosis: Analysis of 219 referred probands with HFE p.C282Y homozygosity and a literature review <i>PLoS ONE</i> , <b>2021</b> , 16, e0261690  | 3.7  |   |
| 58 | New Mutations in and Genes Causing Non -Related Hereditary Hemochromatosis <i>Genes</i> , <b>2021</b> , 12,   | 4.2  | 2 |
| 57 | Lack of association between C282Y and H63D polymorphisms in the hemochromatosis gene and risk of multiple sclerosis: A meta-analysis <i>Biomedical Reports</i> , <b>2022</b> , 16, 12   | 1.8  | О |
| 56 | Cardiac Magnetic Resonance at 3.0 T in Patients With C282Y Homozygous Hereditary Hemochromatosis: Superiority of Radial and Circumferential Strain Over Cardiac T2* Measurements at Baseline and at Post Venesection Follow-up <i>Journal of Thoracic Imaging</i> , <b>2022</b> , | 5.6  | 0 |
| 55 | Simultaneous detection of C282Y and H63D hemochromatosis mutations by dual-color probes. <i>Molecular Diagnosis and Therapy</i> , <b>2000</b> , 5, 107-16   |      | 7 |
| 54 | Efficient recovery of DNA from peripheral blood for diagnostic analysis with a vacuum manifold. <i>Molecular Diagnosis and Therapy</i> , <b>2000</b> , 5, 151-4   |      |   |
| 53 | Bioelectronic detection of point mutations using discrimination of the H63D polymorphism of the Hfe gene as a model. <i>Molecular Diagnosis and Therapy</i> , <b>2000</b> , 5, 321-8  |      | 3 |
| 52 | Iron Chelators in Treatment of Iron Overload <i>Journal of Toxicology</i> , <b>2022</b> , 2022, 4911205   | 3.1  | 2 |
| 51 | Hemochromatosis redefined <i>Blood</i> , <b>2022</b> , 139, 3001-3002   | 2.2  |   |
| 50 | HLA-A*03, the hemochromatosis ancestral haplotype, and phenotypes of referred hemochromatosis probands with HFE p.C282Y homozygosity. <i>Hereditas</i> , <b>2022</b> , 159,   | 2.4  | 0 |
| 49 | EASL Clinical Practice Guidelines on haemochromatosis. Journal of Hepatology, 2022,   | 13.4 | 3 |

| 48 | Materno-fetal iron transfer and the emerging role of ferroptosis pathways. <i>Biochemical Pharmacology</i> , <b>2022</b> , 202, 115141  | 6    | 0 |
|----|---|------|---|
| 47 | Whole exome sequencing in the diagnosis of liver diseases.  |      |   |
| 46 | Ferroptosis and Its Emerging Role in Pre-Eclampsia. Antioxidants, 2022, 11, 1282  | 7.1  | 0 |
| 45 | Long-term outcomes and trends in liver transplantation for hereditary hemochromatosis in the United States. <i>Liver Transplantation</i> ,  | 4.5  |   |
| 44 | Discovery of a Transferrin Receptor 1-Binding Aptamer and Its Application in Cancer Cell Depletion for Adoptive T-Cell Therapy Manufacturing. <i>Journal of the American Chemical Society</i> , | 16.4 | 2 |
| 43 | Mendelian randomization study indicates lack of causal associations between iron status and lung cancer. <i>Medicine (United States)</i> , <b>2022</b> , 101, e29879                            | 1.8  | O |
| 42 | Iron effects versus metabolic alterations in hereditary hemochromatosis driven bone loss. <i>Trends in Endocrinology and Metabolism</i> , <b>2022</b> ,   | 8.8  | О |
| 41 | Iron overload phenotypes and HFE genotypes in white hemochromatosis and iron overload screening study participants without HFE p.C282Y/p.C282Y. <i>PLoS ONE</i> , <b>2022</b> , 17, e0271973    | 3.7  |   |
| 40 | NTBI levels in C282Y homozygotes after therapeutic phlebotomy.  |      | 0 |
| 39 | C282Y/H63D Compound Heterozygosity Is a Low Penetrance Genotype for Iron Overload-related Disease.  |      |   |
| 38 | Identification of <b>2</b> microglobulin, the product of B2M gene, as a Host Factor for Vaccinia Virus Infection by Genome-Wide CRISPR genetic screens.   |      |   |
| 37 | Unraveling the interplay between iron homeostasis, ferroptosis and extramedullary hematopoiesis. <b>2022</b> , 183, 106386  |      | O |
| 36 | Comparison of Archival Plasma and Formalin-Fixed Paraffin-Embedded Tissue for Genotyping in Hepatocellular Carcinoma. <b>2005</b> , 14, 251-255   |      | 9 |
| 35 | The Indications and Implications of Liver Transplantation. <b>1999</b> , 29, 144-152  |      | O |
| 34 | HEREDITARY HEMOCHROMATOSIS. <b>2000</b> , 35, 707-717   |      | 0 |
| 33 | Hemochromatosis Gene Mutations and Distal Adenomatous Colorectal Polyps. <b>2005</b> , 14, 158-163  |      | O |
| 32 | Transferrin saturation as a surrogate marker for assessment of labile nontransferrin bound iron in chronic liver disease. <b>2022</b> , 34, 1047-1052   |      | O |
| 31 | HFE hemochromatosis in African Americans: prevalence estimates of iron overload and iron overload-related disease. <b>2022</b> ,  |      | О |

| 30 | Twenty-Five Years of Contemplating Genotype-Based Hereditary Hemochromatosis Population Screening. <b>2022</b> , 13, 1622   | О  |
|----|---|----|
| 29 | Multiomics study of nonalcoholic fatty liver disease.   | 1  |
| 28 | Left Ventricular Function and Iron Loading Status in a Tertiary Center Hemochromatosis Cohort <b>A</b> Cardiac Magnetic Resonance Study. <b>2022</b> , 12, 2620                         | Ο  |
| 27 | Primary Neoplasms of the Liver. 1-16  | O  |
| 26 | Regulation of iron homeostasis by hepatocyte TFR1 requires HFE and contributes to hepcidin suppression in Ethalassemia.   | 1  |
| 25 | Hereditary Haemochromatosis. <b>2022</b> , 245-259  | О  |
| 24 | Diagnosis and treatment of transfusion-related iron overload. <b>2022</b> , 65, 662-672   | О  |
| 23 | Pathogenesis, Diagnostics, and Treatment of Hereditary Haemochromatosis: A 150 Year-Long Understanding of an Iron Overload Disorder. 122-133  | 1  |
| 22 | H63D Homozygous Mutation: An Unusual Cause of Deranged Liver Function Test in an Elderly Patient. <b>2022</b> ,   | Ο  |
| 21 | Molecular Screening via Sanger Sequencing of the Genetic Variants in Non-Alcoholic Fatty Liver Disease Subjects in the Saudi Population: A Hospital-Based Study. <b>2022</b> , 12, 1240 | 2  |
| 20 | TMPRSS6 rs855791 polymorphism is associated with iron deficiency in a cohort of Sri Lankan pregnant women. <b>2022</b> , 23,  | Ο  |
| 19 | Hemochromatosis. <b>2022</b> , 387, 2159-2170   | О  |
| 18 | Genomics, Isoforms, Expression, and Phylogeny of the MHC Class I-Related MR1 Gene. <b>1998</b> , 161, 4066-4077   | 26 |
| 17 | Identification of <b>2</b> microglobulin, the product of B2M gene, as a Host Factor for Vaccinia Virus Infection by Genome-Wide CRISPR genetic screens. <b>2022</b> , 18, e1010800      | O  |
| 16 | A Mystery of Joint Pain: Is It Rheumatoid Arthritis (RA) or Hereditary Hemochromatosis (HH)?. 2022,   | Ο  |
| 15 | Analysis of Hand Joint Space Morphology in Women and Men with Hereditary Hemochromatosis. <b>2023</b> , 112, 440-451  | Ο  |
| 14 | Rodent models for diabetes. <b>2023</b> , 13,   | 0  |
| 13 | Homozygosity For The C282Y Substitution In The HFE Gene: The Incomplete Penetrance And<br>Variable Expressivity. 79-85  | O  |

| 12 | Discovery of the main genes regulating iron metabolism is the result of the study of hemochromatosis. <b>2021</b> , 16, 6-9   | 0 |
|----|---|---|
| 11 | Iron metabolism in colorectal cancer. 13,   | O |
| 10 | Interpreting Iron Homeostasis in Congenital and Acquired Disorders. 2023, 16, 329   | 0 |
| 9  | Hereditary hemochromatosis. <b>2023</b> , 443-458   | O |
| 8  | Deferiprone and IronMaltol: Forty Years since Their Discovery and Insights into Their Drug Design, Development, Clinical Use and Future Prospects. <b>2023</b> , 24, 4970                                 | O |
| 7  | The influence of physiological and lifestyle factors on essential mineral element isotopic compositions in the human body: implications for the design of isotope metallomics research. <b>2023</b> , 15, | O |
| 6  | Effect of HFE Gene Mutations on Iron Metabolism of Beta-Thalassemia Carriers. 2023, 13, 113-121   | O |
| 5  | Clinical and Forensic Signs Resulting from Exposure to Heavy Metals and Other Chemical Elements of the Periodic Table. <b>2023</b> , 12, 2591   | O |
| 4  | Fatty Liver Disease. <b>2024</b> , 330-401  | O |
| 3  | Disorders of Iron Overload. <b>2024</b> , 295-329   | O |
| 2  | Clinical practice guidelines on hemochromatosis: Asian Pacific Association for the Study of the Liver.  | O |
| 1  | Haemochromatosis. <b>2023</b> ,   | O |