

CITATION REPORT

List of articles citing

The role of magnetic susceptibility in magnetic resonance imaging: MRI magnetic compatibility of the first and second kinds

DOI: 10.1118/1.597854
Medical Physics, 1996, 23, 815-50.

Source: <https://exaly.com/paper-pdf/27588012/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1129	Imaging in the Presence of Prostheses. 1996 ,		
1128	Neurosurgical Procedures Monitored by Intraoperative MRI. 1996 ,		
1127	Safety and Sensory Aspects of Main and Gradient Fields in MRI * Update based on original article by Thomas F. Budinger, Encyclopedia of Magnetic Resonance, 1996, John Wiley & Sons Ltd.. 1996 ,		1
1126	The interventional magnetic resonance unit--the minimal access operating theatre of the future?. 1997 , 70 Spec No, S89-97		11
1125	A three-dimensional volumetric test object for geometry evaluation in magnetic resonance imaging. <i>Medical Physics</i> , 1997 , 24, 737-42	4.4	18
1124	In vivo animal tests of an artifact-free contrast agent for gastrointestinal MRI. 1997 , 15, 559-66		30
1123	Magnetic susceptibility measurement of insoluble solids by NMR: magnetic susceptibility of bone. 1997 , 37, 494-500		124
1122	STAR-HASTE: perfusion imaging without magnetic susceptibility artifact. 1997 , 38, 404-8		49
1121	T2 accuracy on a whole-body imager. 1997 , 38, 759-68		40
1120	Weak-Diffusion Theory of NMR Signal in Magnetically Heterogeneous Media. 1997 , 126, 193-199		5
1119	Ex vivo tissue-type independence in proton-resonance frequency shift MR thermometry. 1998 , 40, 454-9		263
1118	Design of practical T2-selective RF excitation (TELEX) pulses. 1998 , 40, 890-9		65
1117	Compatible instrumentation for intraoperative MRI: expanding resources. 1998 , 8, 8-11		51
1116	Accessory equipment considerations with respect to MRI compatibility. 1998 , 8, 12-8		30
1115	MR-guided placement of a temporary vena cava filter: technique and feasibility. 1998 , 8, 105-9		30
1114	Developing a multichannel temperature probe for interventional MRI. 1998 , 8, 197-202		7
1113	Comparison of computer simulated and phantom measured phase variance in the study of trabecular bone. 1998 , 16, 29-36		6

1112	Minimizing artifacts caused by metallic implants at MR imaging: experimental and clinical studies. 1998 , 171, 1207-13		159
1111	Evaluation of radio frequency microcoils as nuclear magnetic resonance detectors in low-homogeneity high-field superconducting magnets. 1998 , 69, 3938-3941		8
1110	A three-dimensional cerebrovascular flow phantom. <i>Medical Physics</i> , 1999 , 26, 1589-99	4.4	64
1109	Computer simulations for the optimization of magnetic resonance phase imaging applied in the study of trabecular bone. 1999 , 60, 1-10		6
1108	Microimaging at 14 tesla using GESEPI for removal of magnetic susceptibility artifacts in T(2)(*)-weighted image contrast. 1999 , 141, 1-6		19
1107	Management of biopsy needle artifacts: techniques for RF-refocused MRI. 1999 , 9, 586-95		55
1106	MRI compatibility and visibility assessment of implantable medical devices. 1999 , 9, 596-603		65
1105	MRI geometric distortion: a simple approach to correcting the effects of non-linear gradient fields. 1999 , 9, 821-31		59
1104	Heat-source orientation and geometry dependence in proton-resonance frequency shift magnetic resonance thermometry. 1999 , 41, 909-18		74
1103	An MRI calorimetry technique to measure tissue ultrasound absorption. 1999 , 42, 158-66		10
1102	Electrophysiological versus image-based targeting in the posteroventral pallidotomy. 1999 , 4, 93-100		5
1101	Electrophysiological versus Image-Based Targeting in the Posteroventral Pallidotomy. 1999 , 4, 93-100		7
1100	Instruments and devices for minimally-invasive spine surgery. 1999 , 8, 297-302		
1099	Computation of distortions in magnetic field and spectrum for nuclear magnetic resonance instruments. 1999 , 85, 5205-5207		4
1098	Visualisation, tracking and navigation of instruments for MRI-guided interventional procedures. 1999 , 8, 317-326		2
1097	Stagnant Mobile Phase Mass Transfer in Chromatographic Media: Intraparticle Diffusion and Exchange Kinetics. 1999 , 103, 7654-7664		69
1096	Visualization, tracking, and navigation of instruments for magnetic resonance imaging-guided endovascular procedures. 2000 , 11, 163-72		12
1095	MR evaluation of stent patency: in vitro test of 22 metallic stents and the possibility of determining their patency by MR angiography. 2000 , 35, 739-46		42

1094	.	38
1093	Comparison of artifacts produced from carbon fiber and titanium alloy needles at 1.5 T MR imaging. 2000 , 11, 69-74	23
1092	A shielded Overhauser marker for MR tracking of interventional devices. 2000 , 43, 139-45	9
1091	Proton-resonance frequency shift MR thermometry is affected by changes in the electrical conductivity of tissue. 2000 , 43, 62-71	87
1090	Strong field behavior of the NMR signal from magnetically heterogeneous tissues. 2000 , 43, 226-36	62
1089	Rapid autocorrection using prescan navigator echoes. 2000 , 43, 583-8	12
1088	A new vibrotactile stimulator for functional MRI. 2000 , 10, 140-5	31
1087	Placement of an inferior vena cava filter in a pig guided by high-resolution MR fluoroscopy at 1.5 T. 2000 , 12, 599-605	38
1086	NMR relaxation in tissues with weak magnetic inhomogeneities. 2000 , 44, 144-156	124
1085	Safety of strong, static magnetic fields. 2000 , 12, 2-19	341
1084	Oxymetry by magnetic resonance: applications to animal biology and medicine. 2000 , 36, 241-270	33
1083	Detection of susceptibility effects using simultaneous T(2)* and magnetic field mapping. 2000 , 18, 1125-8	11
1082	Improved MR imaging for patients with metallic implants. 2000 , 18, 287-95	87
1081	Cross-sectional study of osteopenia with quantitative MR imaging and bone densitometry. 2000 , 217, 527-38	138
1080	A model for susceptibility artefacts from respiration in functional echo-planar magnetic resonance imaging. 2000 , 45, 3809-20	102
1079	MR-compatible shields for 511 keV gamma photons: a feasibility study.	1
1078	MR Compatible Surgical Assist Robot: System Integration and Preliminary Feasibility Study. 2000 , 921-930	62
1077	The benefit of stereology for quantitative radiology. 2000 , 73, 679-97	157

1076	Mathematical Modeling and Numerical Simulation of Magnetic Susceptibility Artifacts in Magnetic Resonance Imaging. 2000 , 3, 335-349	9
1075	On the accuracy of monomer/polymer gel dosimetry in the proximity of a high-dose-rate ¹⁹² Ir source. 2001 , 46, 2801-25	106
1074	MR imaging of vascular stents: effects of susceptibility, flow, and radiofrequency eddy currents. 2001 , 12, 365-71	108
1073	Localization of intravascular devices with paramagnetic markers in MR images. 2001 , 20, 1061-71	21
1072	Canine abdominal MRI at 8 Tesla: initial experience with conventional gradient-recalled echo and rapid acquisition with relaxation enhancement (RARE) techniques. 2001 , 25, 856-63	1
1071	Improved in-stent magnetic resonance angiography with high flip angle excitation. 2001 , 36, 677-81	26
1070	Vibratory sample magnetometry of middle ear prostheses and manufacturing materials. 2001 , 22, 487-91	8
1069	Contrast optimization of Macaca mulatta basal ganglia in magnetic resonance images at 4.7 Tesla. 2001 , 107, 25-30	5
1068	Metallic neurosurgical implants: evaluation of magnetic field interactions, heating, and artifacts at 1.5-Tesla. 2001 , 14, 295-9	66
1067	Integral method for numerical simulation of MRI artifacts induced by metallic implants. 2001 , 45, 724-7	16
1066	Magnetic susceptibility quantification for arbitrarily shaped objects in inhomogeneous fields. 2001 , 46, 907-16	58
1065	Magnetic resonance imaging of connective tissue: a non-destructive method for characterising muscle structure. 2001 , 81, 337-341	31
1064	High-resolution BOLD venographic imaging: a window into brain function. 2001 , 14, 453-67	202
1063	Metallic surgical instruments for interventional MRI procedures: evaluation of MR safety. 2001 , 13, 152-7	23
1062	Motion robust imaging for continuous intraoperative MRI. 2001 , 13, 158-61	10
1061	Biopsy needle tip artifact in MR-guided neurosurgery. 2001 , 13, 16-22	43
1060	Gradient and spin echo(cardiographic) magnetic resonance imaging: prevalence of descriptive errors in published articles. 2001 , 88, A8, 92-4	1
1059	Apparent diffusion coefficients and T2 relaxation time measurements to evaluate disc degeneration . A quantitative MR study of young patients with previous vertebral fracture. 2001 , 42, 585-591	5

1058	Sequential magnetic resonance monitoring of pulmonary flow with endovascular stents placed across the pulmonary valve in growing Swine. 2001 , 104, 2363-8	43
1057	Correlation of diffusion in lumbar intervertebral disks with occlusion of lumbar arteries: a study in adult volunteers. 2001 , 221, 779-86	75
1056	Image distortion in MRI-based polymer gel dosimetry of gamma knife stereotactic radiosurgery systems. <i>Medical Physics</i> , 2002 , 29, 797-802	4-4 34
1055	Influence of blood-pool contrast media on MR imaging and flow measurements in the presence of pulmonary arterial stents in swine. 2002 , 223, 439-45	18
1054	New metallic implant used for permanent contraception in women: evaluation of MR safety. 2002 , 178, 1513-6	15
1053	[Minimizing artefacts of metallic instruments and implants in MRI]. 2002 , 47 Suppl 1 Pt 1, 455-7	
1052	Biomedical Potential of a Zirconium-Based Bulk Metallic Glass. 2002 , 754, 1	20
1051	Improved lumen visualization in metallic vascular implants by reducing RF artifacts. 2002 , 47, 171-80	82
1050	Respiration-induced B0 fluctuations and their spatial distribution in the human brain at 7 Tesla. 2002 , 47, 888-95	194
1049	Optimization of static field homogeneity in human brain using diamagnetic passive shims. 2002 , 48, 906-14	82
1048	Design of an MR-compatible piezoelectric actuator for MR elastography. 2002 , 15, 239-254	27
1047	Interventional magnetic resonance imaging. 2000 , 86 Suppl 1, 174-80	9
1046	T2 relaxation time histograms in multiple sclerosis. 2002 , 20, 733-41	17
1045	Magnetic resonance imaging for the in vivo evaluation of gastric-retentive tablets. 2003 , 20, 2001-7	39
1044	A fast calculation method for magnetic field inhomogeneity due to an arbitrary distribution of bulk susceptibility. 2003 , 19B, 26-34	265
1043	On the artifact of a subvoxel susceptibility deviation in spoiled gradient-echo imaging. 2003 , 50, 400-4	32
1042	High flip angle imaging of metallic stents: implications for MR angiography and intraluminal signal interpretation. 2003 , 50, 879-83	17
1041	Magnetic resonance imaging of brain iron. 2003 , 207, 99-102	97

1040	Scintillator selection for MR compatible gamma detectors.		2
1039	Gamma shielding materials for MR-compatible PET. 2003 , 50, 60-69		25
1038	An MRI-compatible surgical robot for precise radiological interventions. 2003 , 8, 180-91		111
1037	Magnetic susceptibility quantitation with MRI by solving boundary value problems. <i>Medical Physics</i> , 2003 , 30, 449-53	4.4	11
1036	Scintillator selection for MR-compatible gamma detectors. 2003 , 50, 1683-1685		66
1035	Endovascular interventional magnetic resonance imaging. 2003 , 48, R37-64		35
1034	Assessment of geometrical accuracy of magnetic resonance images for radiation therapy of lung cancers. 2003 , 4, 352-64		11
1033	Catheter visualization with resonant markers at MR imaging-guided deployment of endovascular stents in swine. 2004 , 233, 774-80		23
1032	Development of an MR-compatible gamma probe for combined MR/RI guided surgery. 2004 , 49, 3379-88		7
1031	An approach to real-time magnetic resonance imaging for speech production. 2004 , 115, 1771-6		172
1030	Numerical modeling of needle tip artifacts in MR gradient echo imaging. <i>Medical Physics</i> , 2004 , 31, 579-87	4.4	31
1029	Compensation of magnetic field distortions from paramagnetic instruments by added diamagnetic material: measurements and numerical simulations. <i>Medical Physics</i> , 2005 , 32, 76-84	4.4	26
1028	Microdevice's susceptibility difference based MRI positioning system, a preliminary investigation. 2004 , 2004, 1140-3		3
1027	Modeling susceptibility difference artifacts produced by metallic implants in magnetic resonance imaging with point-based thin-plate spline image registration. 2004 , 2004, 1766-9		3
1026	Measurement of airflow through a metered dose inhaler during MRI. 2004 , 2004, 2334-6		
1025	Interventional and intraoperative MR: review and update of techniques and clinical experience. 2004 , 14, 2212-27		47
1024	Heterogeneity phantoms for visualization of 3D dose distributions by MRI-based polymer gel dosimetry. <i>Medical Physics</i> , 2004 , 31, 975-84	4.4	22
1023	MRI heterogeneity of articular cartilage in strong magnetic fields: Dependence on proteoglycan content. 2004 , 23B, 33-43		1

1022	Limits of 8-Tesla magnetic resonance imaging spatial resolution of the deoxygenated cerebral microvasculature. 2004 , 19, 303-7	20
1021	Quantifying arbitrary magnetic susceptibility distributions with MR. 2004 , 51, 1077-82	96
1020	Referenceless PRF shift thermometry. 2004 , 51, 1223-31	226
1019	Shim design using a linear programming algorithm. 2004 , 52, 619-27	29
1018	MRI measurement of hepatic magnetic susceptibility-phantom validation and normal subject studies. 2004 , 52, 1318-27	19
1017	High-field magnetic resonance imaging of brain iron: birth of a biomarker?. 2004 , 17, 433-45	269
1016	MRI simulator with object-specific field map calculations. 2004 , 22, 315-28	65
1015	Dynamic magnetic resonance microscopy of flour dough fermentation. 2004 , 22, 395-401	26
1014	Nitinol in magnetic resonance imaging. 2004 , 13, 261-71	17
1013	Effects of geometric distortion in 0.2T MRI on radiotherapy treatment planning of prostate cancer. 2004 , 71, 55-64	52
1012	Computer simulation studies of the effects of dynamic shimming on susceptibility artifacts in EPI at high field. 2005 , 173, 10-22	31
1011	Functional magnetic resonance mapping of intracerebroventricular infusion of a neuroactive peptide in the anaesthetised rat. 2005 , 142, 115-24	18
1010	Safety of magnetic resonance imaging of stapes prostheses. 2005 , 115, 381-90	13
1009	Physical interactions of static magnetic fields with living tissues. 2005 , 87, 185-204	163
1008	Epoxy-resin injection of the cerebral arterial microvasculature: An evaluation of the limits of spatial resolution in 8 Tesla MRI. 2005 , 18, 164-70	3
1007	Identifying particles in industrial systems using MRI susceptibility artefacts. 2005 , 51, 1633-1640	12
1006	Implications of pulse sequence in structural imaging of trabecular bone. 2005 , 22, 647-55	45
1005	Magnetic susceptibility effects on the accuracy of MR temperature monitoring by the proton resonance frequency method. 2005 , 22, 813-20	31

1004	Analysis and correction of gradient nonlinearity and B0 inhomogeneity related scaling errors in two-dimensional phase contrast flow measurements. 2005 , 53, 126-33	19
1003	Internal radiation therapy of liver tumors: qualitative and quantitative magnetic resonance imaging of the biodistribution of holmium-loaded microspheres in animal models. 2005 , 53, 76-84	47
1002	Positive contrast magnetic resonance imaging of cells labeled with magnetic nanoparticles. 2005 , 53, 999-1005	362
1001	Imaging iron stores in the brain using magnetic resonance imaging. 2005 , 23, 1-25	776
1000	Multi-imager compatible actuation principles in surgical robotics. 2005 , 1, 86-100	59
999	Metallic neurosurgical implants for cranial reconstruction and fixation: assessment of magnetic field interactions, heating and artefacts at 3.0 Tesla. 2005 , 19, 167-72	7
998	In vivo evaluation of patency and in-stent stenoses after implantation of nitinol stents in iliac arteries using MR angiography. 2005 , 185, 1282-8	12
997	Development of an MRI/x-ray/ultrasound compatible marker for pre-operative breast tumour localization. 2005 , 50, 3349-60	6
996	A novel microbubble construct for intracardiac or intravascular MR manometry: a theoretical study. 2005 , 50, 4745-62	20
995	In vivo evaluation of the carotid wallstent on three-dimensional contrast material-enhanced MR angiography: influence of artifacts on the visibility of stent lumina. 2005 , 16, 669-77	14
994	Multi-joint arm movements to investigate motor control with fMRI. 2005 , 2005, 4488-91	3
993	Improving geometric accuracy in the presence of susceptibility difference artifacts produced by metallic implants in magnetic resonance imaging. 2005 , 24, 1387-99	15
992	Pediatric MR-guided interventions. 2005 , 53, 57-66	24
991	Rapid polarizing field cycling in magnetic resonance imaging. 2006 , 25, 84-93	42
990	A 2-DOF fMRI compatible haptic interface to investigate the neural control of arm movements.	28
989	A High Field Gradient Magnet for Magnetic Drug Targeting. 2006 , 16, 1527-1530	100
988	Review on MR-Compatible Robotic Systems.	6
987	Enhanced detection of paramagnetic contrast agents in magnetic resonance images via phase image cross-correlation analysis.	

986	MRI/fMRI-compatible robotic system with force feedback for interaction with human motion. 2006 , 11, 216-224	141
985	Metal artifact reduction in musculoskeletal magnetic resonance imaging. 2006 , 37, 349-59, vi	48
984	3.0 Tesla contrast-enhanced MR angiography of carotid artery stents: in vitro measurements as compared with 1.5 Tesla. 2006 , 33, 75-80	15
983	Choice of neuroimaging in perioperative acute stroke management. 2006 , 24, 807-20	7
982	Routine testing of magnetic field homogeneity on clinical MRI systems. <i>Medical Physics</i> , 2006 , 33, 4299-306	18
981	High-precision absolute positioning of medical instruments in MRI systems. 2006 , 2006, 743-6	8
980	MRI Safety. 2006 ,	4
979	Magnetic resonance imaging of microstructure transition in stainless steel. 2006 , 24, 663-72	8
978	Experimental and computational analyses of the effects of slice distortion from a metallic sphere in an MRI phantom. 2006 , 24, 1077-85	17
977	SQUID-detected microtesla MRI in the presence of metal. 2006 , 179, 146-51	105
976	Accurate and sensitive measurements of magnetic susceptibility using echo planar imaging. 2006 , 24, 1179-85	6
975	Design and Testing of a Robotic System for mr Image-guided Interventions. 2006 , 47, 175-196	14
974	Numerical simulations of intra-voxel dephasing effects and signal voids in gradient echo MR imaging using different sub-grid sizes. 2006 , 19, 88-95	4
973	Measurement of weak electric currents in copper wire phantoms using MRI: influence of susceptibility enhancement. 2006 , 19, 124-33	5
972	[How safe is magnetic resonance imaging in patients with contraceptive implants?]. 2006 , 46, 574-8	8
971	Sample-specific diamagnetic and paramagnetic passive shimming. 2006 , 182, 66-74	47
970	Magnetic resonance compatibility of multichannel silicon microelectrode systems for neural recording and stimulation: design criteria, tests, and recommendations. 2006 , 53, 547-58	26
969	Effects of a moderate-intensity static magnetic field on VEGF-A stimulated endothelial capillary tubule formation in vitro. 2006 , 27, 628-40	40

968	Actuation methods for applications in MR environments. 2006 , 29B, 191-209	78
967	Detecting microcirculatory changes in blood oxygen state with steady-state free precession imaging. 2006 , 55, 1372-80	32
966	Prepolarized magnetic resonance imaging around metal orthopedic implants. 2006 , 56, 177-86	67
965	Concerning the preparation and use of substances with a magnetic susceptibility equal to the magnetic susceptibility of air. 2006 , 56, 1107-13	17
964	In vivo porcine liver radiofrequency ablation with simultaneous MR temperature imaging. 2006 , 23, 578-84	42
963	Imaging artifacts at 3.0T. 2006 , 24, 735-46	198
962	Magnetic field mapping by selective equipotential excitation. 2006 , 2006, 3775-8	2
961	Ferromagnetic artifacts in MRI: minimization of motion effects in long TR acquisitions. 2006 , 2006, 1750-3	
960	Generating positive contrast from off-resonant spins with steady-state free precession magnetic resonance imaging: theory and proof-of-principle experiments. 2006 , 51, 4201-15	52
959	Development and testing of passive tracking markers for different field strengths and tracking speeds. 2006 , 51, N127-37	16
958	Magnetic field mapping around metal implants using an asymmetric spin-echo MRI sequence. 2006 , 17, 3293-3300	25
957	A review of magnetic resonance imaging compatible manipulators in surgery. 2006 , 220, 413-24	39
956	Rapid calculations of susceptibility-induced magnetostatic field perturbations for in vivo magnetic resonance. 2006 , 51, 6381-402	93
955	Low magnetic moment PIN diodes for high field MRI surface coils. <i>Medical Physics</i> , 2006 , 33, 4499-501	4.4 4
954	Characterization of the susceptibility artifact around a prostate brachytherapy seed in MRI. <i>Medical Physics</i> , 2006 , 33, 4459-67	4.4 39
953	Active mechatronic interface for haptic perception studies with functional magnetic resonance imaging: compatibility and design criteria.	8
952	Magnetic field perturbation of neural recording and stimulating microelectrodes. 2007 , 52, 2073-88	18
951	Factors influencing fast low angle positive contrast steady-state free precession (FLAPS) magnetic resonance imaging. 2007 , 52, 3261-73	16

950	Mapping of magnetic field around small coils using the magnetic resonance method. 2007 , 18, 2223-2230	14
949	Factors affecting the effectiveness of a projection dephaser in 2D gradient-echo imaging. 2007 , 52, 3847-57	
948	Dephased FLAPS for improved visualization of susceptibility-shifted passive devices for real-time interventional MRI. 2007 , 52, N277-86	15
947	A positive contrast, tri-modality tissue marker for breast tumour localization. 2007 , 52, N61-6	
946	P1B-10 Advantages of Capacitive Micromachined Ultrasonics Transducers (CMUTs) for High Intensity Focused Ultrasound (HIFU). 2007 ,	17
945	Postfusion magnetic resonance imaging artifacts caused by a titanium, cobalt-chromium-molybdenum, and carbon intervertebral disc spacer. 2007 , 20, 154-9	10
944	A nuclear radiation detector system with integrated readout for SPECT/MR small animal imaging. 2007 ,	7
943	SQUID-detected magnetic resonance imaging in microtesla fields. 2007 , 9, 389-413	166
942	Evaluating Effects of Imaging Parameters on Single Cell Detection in Molecular MRI via Simulation. 2007 ,	1
941	Postimplantation MRI with cylindric and cubic intervertebral test implants: evaluation of implant shape, material, and volume in MRI artifacting--an in vitro study. 2007 , 7, 353-9	20
940	Preclinical evaluation by flat-panel detector-based volumetric CT versus MRI of intervertebral spacers implanted in a porcine model. 2007 , 7, 360-7	4
939	Magnetic resonance-compatible robotic and mechatronics systems for image-guided interventions and rehabilitation: a review study. 2007 , 9, 351-87	150
938	Magnetic resonance at or below the earth's magnetic field. 2007 , 46, 4820-4	5
937	Magnetische Resonanz im Erdmagnetfeld oder darunter. 2007 , 119, 4904-4909	
936	Magnetic resonance imaging of phase transitions in nitinol. 2007 , 80, 938-45	2
935	Modeling oxygen effects in tissue-preparation neuronal-current MRI. 2007 , 58, 407-12	4
934	Temporal DeltaB0 and relaxation in the rat heart. 2007 , 58, 939-46	3
933	Transperineal prostate biopsy under magnetic resonance image guidance: a needle placement accuracy study. 2007 , 26, 688-94	65

932	Induced magnetic field gradients and forces in the human head in MRI. 2007 , 26, 1340-5	10
931	MR image segmentation of the knee bone using phase information. 2007 , 11, 325-35	32
930	High resolution NMR spectroscopy of rat brain in vivo through indirect zero-quantum-coherence detection. 2007 , 187, 320-6	29
929	Design and validation of a MR-compatible pneumatic manipulandum. 2007 , 163, 255-66	18
928	Implant detectibility of intervertebral disc spacers in post fusion MRI: evaluation of the MRI scan quality by using a scoring system--an in vitro study. 2007 , 49, 103-9	7
927	The interobserver-validated relevance of intervertebral spacer materials in MRI artifacting. 2007 , 16, 179-85	22
926	Microstructural analysis of foam by use of NMR R2 dispersion. 2008 , 193, 286-96	13
925	The case for MR-compatible robotics: a review of the state of the art. 2008 , 4, 105-13	76
924	MR thermometry. 2008 , 27, 376-90	815
923	Simulation study of susceptibility gradients leading to focal myocardial signal loss. 2008 , 28, 1402-8	9
922	MRI thermometry: Fast mapping of RF-induced heating along conductive wires. 2008 , 60, 457-61	23
921	NMR probes for measuring magnetic fields and field dynamics in MR systems. 2008 , 60, 176-86	145
920	Quantitative MR susceptibility mapping using piece-wise constant regularized inversion of the magnetic field. 2008 , 60, 1003-9	207
919	Design of a ceramic dielectric resonator for NMR microimaging at 14.1 tesla. 2008 , 33B, 109-114	20
918	Spatial gradient effects of 120 mT static magnetic field on endothelial tubular formation in vitro. 2008 , 29, 233-6	11
917	Quantitative in vivo magnetic resonance imaging of multiple sclerosis at 7 Tesla with sensitivity to iron. 2008 , 64, 707-13	219
916	Sensitive and automated detection of iron-oxide-labeled cells using phase image cross-correlation analysis. 2008 , 26, 618-28	30
915	Fast approximate solution of Bloch equation for simulation of RF artifacts in Magnetic Resonance Imaging. 2008 , 48, 1901-1913	8

914	Development of a new niobium-based alloy for vascular stent applications. 2008 , 1, 303-12	48
913	Investigation on zirconium-coated polyurethane surfaces with regard to biocompatibility. 2008 , 202, 5728-5732	5
912	Characterization of an NbTaWZr alloy designed for magnetic resonance angiography compatible stents. 2008 , 29, 4540-5	28
911	Influence of steady background gradients on the accuracy of molecular diffusion anisotropy measurements. 2008 , 26, 1250-8	7
910	PET/MRI hybrid imaging: devices and initial results. 2008 , 18, 1077-86	89
909	Light puncture robot for CT and MRI interventions: designing a new robotic architecture to perform abdominal and thoracic punctures. 2008 , 27, 42-50	51
908	Opportunities and challenges in MR-compatible robotics: reviewing the history, mechatronic components, and future directions of this technology. 2008 , 27, 15-22	55
907	Testing MR safety and compatibility: an overview of the methods and current standards. 2008 , 27, 23-7	35
906	MRI-Compatible Robotics. 2008 , 27, 12-4	42
905	Magnetic susceptibility and electrical conductivity of metallic dental materials and their impact on MR imaging artifacts. 2008 , 24, 715-23	58
904	Regularized field map estimation in MRI. 2008 , 27, 1484-94	85
903	Artifacts in 3-T MRI: physical background and reduction strategies. 2008 , 65, 29-35	193
902	Comparison of MRI-Compatible Mechatronic Systems With Hydrodynamic and Pneumatic Actuation. 2008 , 13, 268-277	67
901	LPR: A CT and MR-Compatible Puncture Robot to Enhance Accuracy and Safety of Image-Guided Interventions. 2008 , 13, 306-315	32
900	A 3-DOF MR-Compatible Device for Magic Angle Related In Vivo Experiments. 2008 , 13, 316-324	24
899	Sensors for Applications in Magnetic Resonance Environments. 2008 , 13, 335-344	44
898	A new device for tactile stimulation during fMRI. 2008 , 39, 1094-103	50
897	Development of a robust method for generating 7.0 T multichannel phase images of the brain with application to normal volunteers and patients with neurological diseases. 2008 , 39, 1682-92	144

896	High spatial resolution increases the specificity of block-design BOLD fMRI studies of overt vowel production. 2008 , 41, 389-97		8
895	[Stereology as a tool to estimate brain volume and cortical atrophy in elders with dementia]. 2008 , 43, 32-43		4
894	Feasibility of MR-temperature mapping of ultrasonic heating from a CMUT. 2008 , 55, 811-8		31
893	MR tracking of iron-labeled glass radioembolization microspheres during transcatheter delivery to rabbit VX2 liver tumors: feasibility study. 2008 , 249, 845-54		41
892	In vivo quantification of contrast agent concentration using the induced magnetic field for time-resolved arterial input function measurement with MRI. <i>Medical Physics</i> , 2008 , 35, 5328-39	4.4	61
891	The design of anisotropic diffusion phantoms for the validation of diffusion weighted magnetic resonance imaging. 2008 , 53, 5405-19		50
890	MR angiography of the lower extremities. 2008 , 190, 1675-84		47
889	Phase gradient mapping as an aid in the analysis of object-induced and system-related phase perturbations in MRI. 2008 , 53, N349-58		24
888	Informatics in Radiology: GUIBOLD: a graphical user interface for image reconstruction and data analysis in susceptibility-weighted MR imaging. 2008 , 28, 639-51		9
887	Determination of dosimetric perturbations caused by aneurysm clip in stereotactic radiosurgery using gel phantoms and EBT-Gafchromic films. <i>Medical Physics</i> , 2008 , 35, 744-52	4.4	8
886	Compensation of geometric distortion effects on intraoperative magnetic resonance imaging for enhanced visualization in image-guided neurosurgery. 2008 , 62, 209-15; discussion 215-6		16
885	MRI-compatible transurethral ultrasound system for the treatment of localized prostate cancer using rotational control. <i>Medical Physics</i> , 2008 , 35, 1346-57	4.4	58
884	MRI of prostate brachytherapy seeds at high field: a study in phantom. <i>Medical Physics</i> , 2009 , 36, 5228-34	4.4	12
883	Dual-Contrast Cellular Magnetic Resonance Imaging. 2009 , 8, 7290.2009.00024		1
882	Characterisation of a coding/reconstruction algorithm on MRI simulated noisy data. 2009 ,		
881	Ultrasound-based imaging of nanoparticles: From molecular and cellular imaging to therapy guidance. 2009 ,		7
880	A SPECT camera for simultaneous SPECT/MRI. 2009 ,		6
879	Carotid artery stents: in vitro comparison of different stent designs and sizes using CT angiography and contrast-enhanced MR angiography at 1.5T and 3T. 2009 , 30, 1993-7		31

878	Arteries tracking in simultaneous TOF-SWI MR images: image characteristics and preliminary results. 2009 ,	1
877	Tradeoffs of integrating real-time tracking into IGRT for prostate cancer treatment. 2009 , 54, N393-401	43
876	A haptic unit designed for magnetic-resonance-guided biopsy. 2009 , 223, 159-72	9
875	Reduction of Artifact of Metallic Implant in Magnetic Resonance Imaging by Coating of Diamagnetic Material. 2009 , 45, 4837-4840	6
874	A new vibrator to stimulate muscle proprioceptors in fMRI. 2009 , 30, 990-7	16
873	Feasibility of quantifying the mechanical properties of lung parenchyma in a small-animal model using (1)H magnetic resonance elastography (MRE). 2009 , 29, 838-45	20
872	Retrospective correction for induced magnetic field inhomogeneity in measurements of large-vessel hemoglobin oxygen saturation by MR susceptometry. 2009 , 61, 626-33	50
871	Magnetic field correlation as a measure of iron-generated magnetic field inhomogeneities in the brain. 2009 , 61, 481-5	40
870	A multispectral three-dimensional acquisition technique for imaging near metal implants. 2009 , 61, 381-90	198
869	Accuracy and precision of MR blood oximetry based on the long paramagnetic cylinder approximation of large vessels. 2009 , 62, 333-40	42
868	Enhanced positive-contrast visualization of paramagnetic contrast agents using phase images. 2009 , 62, 1349-55	17
867	Magnetic susceptibility mapping of brain tissue in vivo using MRI phase data. 2009 , 62, 1510-22	386
866	Characterization of an Anisotropic Hydrogel Tissue Substrate for Infusion Testing. 2009 , 114, 1992-2002	12
865	Measuring SPIO and Gd contrast agent magnetization using 3 T MRI. 2009 , 22, 891-7	12
864	Utilizing different methods for visualizing susceptibility from a single multi-gradient echo dataset. 2009 , 22, 297-308	10
863	Metal-related artifacts in instrumented spine. Techniques for reducing artifacts in CT and MRI: state of the art. 2009 , 18 Suppl 1, 102-8	175
862	Pre-clinical PET/MR: technological advances and new perspectives in biomedical research. 2009 , 36 Suppl 1, S56-68	132
861	Magnetic resonance susceptibility based perfusion imaging of tumors using iron oxide nanoparticles. 2009 , 1, 84-97	8

860	Systematisation of spatial uncertainties for comparison between a MR and a CT-based radiotherapy workflow for prostate treatments. 2009 , 4, 54	104
859	Whole-body T2* mapping at 1.5 T. 2009 , 27, 489-96	6
858	On the effects of dephasing due to local gradients in diffusion tensor imaging experiments: relevance for diffusion tensor imaging fiber phantoms. 2009 , 27, 541-8	32
857	Optimization of static magnetic field homogeneity in the human and animal brain in vivo. 2009 , 54, 69-96	40
856	A novel technique for examining human brain activity associated with pedaling using fMRI. 2009 , 179, 230-9	62
855	Superparamagnetic iron oxide nanoparticle-embedded encapsulated microbubbles as dual contrast agents of magnetic resonance and ultrasound imaging. 2009 , 30, 3882-90	232
854	MRI guidance for accelerated partial breast irradiation in prone position: imaging protocol design and evaluation. 2009 , 75, 285-93	17
853	Design of a new fMRI compatible haptic interface. 2009 ,	9
852	Design of MR-compatible robotic devices: magnetic and geometric compatibility aspects. 2009 ,	2
851	Towards iron oxide nanoparticles quantization in molecular MR images by default field deconvolution. 2009 ,	
850	Physiological recordings: basic concepts and implementation during functional magnetic resonance imaging. 2009 , 47, 1105-15	46
849	Applicator reconstruction in MRI 3D image-based dose planning of brachytherapy for cervical cancer. 2009 , 91, 187-93	98
848	MR relaxation in multiple sclerosis. 2009 , 19, 1-26	71
847	Susceptibility-weighted imaging: technical aspects and clinical applications, part 1. 2009 , 30, 19-30	782
846	A two-step scheme for distortion rectification of magnetic resonance images. <i>Medical Physics</i> , 2009 , 36, 3917-26	4-4 73
845	A Two-Magnet System to Push Therapeutic Nanoparticles. 2010 , 1311, 77-88	43
844	Implications of tissue magnetic susceptibility-related distortion on the rotating magnet in an MR-linac design. <i>Medical Physics</i> , 2010 , 37, 1714-21	4-4 20
843	In vitro comparison of different carotid artery stents: a pixel-by-pixel analysis using CT angiography and contrast-enhanced MR angiography at 1.5 and 3 T. 2010 , 52, 823-30	15

842	Combining prospective motion correction and distortion correction for EPI: towards a comprehensive correction of motion and susceptibility-induced artifacts. 2010 , 23, 263-73	30
841	Capacitive micromachined ultrasonic transducers for therapeutic ultrasound applications. 2010 , 57, 114-23	58
840	The X-space formulation of the magnetic particle imaging process: 1-D signal, resolution, bandwidth, SNR, SAR, and magnetostimulation. 2010 , 29, 1851-9	213
839	Evaluation of a magnetic resonance-compatible dentoalveolar tactile stimulus device. 2010 , 11, 142	5
838	Comparing 3 T and 1.5 T MRI for tracking Alzheimer's disease progression with tensor-based morphometry. 2010 , 31, 499-514	60
837	Accelerated slice encoding for metal artifact correction. 2010 , 31, 987-96	77
836	Detecting blood oxygen level-dependent (BOLD) contrast in the breast. 2010 , 32, 120-9	37
835	Pyrolytic graphite foam: a passive magnetic susceptibility matching material. 2010 , 32, 684-91	11
834	Magnetic resonance imaging near metal implants. 2010 , 32, 773-87	117
833	Temperature-induced tissue susceptibility changes lead to significant temperature errors in PRFS-based MR thermometry during thermal interventions. 2010 , 64, 1360-72	60
832	Quantitative evaluation of optimal imaging parameters for single-cell detection in MRI using simulation. 2010 , 28, 408-17	5
831	Respiratory noise correction using phase information. 2010 , 28, 574-82	9
830	[Blood oxygenation level dependent (BOLD)--renal imaging: concepts and applications]. 2010 , 20, 88-100	7
829	An isolated perfused pig heart model for the development, validation and translation of novel cardiovascular magnetic resonance techniques. 2010 , 12, 53	37
828	Treatment planning using MRI data: an analysis of the dose calculation accuracy for different treatment regions. 2010 , 5, 62	156
827	MRI estimation of global brain oxygen consumption rate. 2010 , 30, 1598-607	192
826	Determining the Location of Metallic Needle from MR Images Distorted by Susceptibility Difference. 2010 , 14, 87	1
825	Restoration-based iron oxide particles quantification in MR images. 2010 ,	

824	MRI visualization of a single 15 µm navigable imaging agent and future microrobot. 2010 , 2010, 4355-8	9
823	MRI-BASED PROSTATE BRACHYTHERAPY SEED LOCALIZATION. 2010 , 2010, 1397-1400	13
822	MRI artifacts and correction strategies. 2010 , 2, 445-457	50
821	A feasibility study of photosensor charge signal transmission to preamplifier using long cable for development of hybrid PET-MRI. <i>Medical Physics</i> , 2010 , 37, 5655-64	4.4 42
820	Observation and correction of transient cavitation-induced PRFS thermometry artifacts during radiofrequency ablation, using simultaneous ultrasound/MR imaging. <i>Medical Physics</i> , 2010 , 37, 1491-506	4.4 37
819	Susceptibility weighted magnetic resonance imaging of cerebral cavernous malformations: prospects, drawbacks, and first experience at ultra-high field strength (7-Tesla) magnetic resonance imaging. 2010 , 29, E5	32
818	MODEL-BASED IMAGE RECONSTRUCTION FOR MRI. 2010 , 27, 81-89	167
817	Air embolism during liver procurement: an underestimated phenomenon? A pilot experimental study. 2010 , 42, 4409-14	2
816	The value of magnetic resonance imaging in target volume delineation of base of tongue tumours--a study using flexible surface coils. 2010 , 94, 161-7	54
815	Real-Time Estimation of 3-D Needle Shape and Deflection for MRI-Guided Interventions. 2010 , 15, 906-915	143
814	Layer-specific variation of iron content in cerebral cortex as a source of MRI contrast. 2010 , 107, 3834-9	300
813	Absolute temperature imaging using intermolecular multiple quantum MRI. 2010 , 26, 725-34	11
812	On application of magnetic nanoclusters to improve the sensitivity of pulsed magnetomotive ultrasound imaging. 2010 ,	1
811	Evaluation of hardware-related geometrical distortion in structural MRI at 7 Tesla for image-guided applications in neurosurgery. 2011 , 18, 910-6	29
810	[Perfusion MR imaging of the liver with a vascular contrast agent]. 2011 , 92, 257-61	2
809	Detection of cerebral microbleeds with quantitative susceptibility mapping in the ArcAbeta mouse model of cerebral amyloidosis. 2011 , 31, 2282-92	60
808	Magnetic resonance imaging of the mean venous vessel size in the human brain using transient hyperoxia. 2011 , 55, 1063-7	10
807	Enhanced pulsed magneto-motive ultrasound imaging using superparamagnetic nanoclusters. 2011 , 22, 045502	35

806	Mapping of the fluid distribution in impregnated reinforcement textiles using Magnetic Resonance Imaging: Methods and issues. 2011 , 42, 265-273	6
805	Development of CaZn based glassy alloys as potential biodegradable bone graft substitute. 2011 , 357, 3830-3840	29
804	Devices and Materials in MRI. 2011 , 503-521	2
803	Pulsed Magneto-motive Ultrasound Imaging Using Ultrasmall Magnetic Nanoprobes. 2011 , 10, 7290.2010.000373	3
802	Iron and neurodegeneration in multiple sclerosis. 2011 , 2011, 606807	32
801	MR Angiography of Peripheral Arterial Stents: In Vitro Evaluation of 22 Different Stent Types. 2011 , 2011, 478175	7
800	MRI Guidance of Minimally Invasive Cranial Applications. 2011 , 97-112	
799	Study of Compatibility of a Silicon Drift Detector With a MRI System. 2011 , 58, 559-568	3
798	Liquid crystalline order and magnetocrystalline anisotropy in magnetically doped semiconducting ZnO nanowires. 2011 , 5, 8357-64	34
797	Characterization of a 3D MEMS fabricated micro-solenoid at 9.4 T. 2011 , 208, 20-6	18
796	Mutual interferences and design principles for mechatronic devices in magnetic resonance imaging. 2011 , 6, 473-88	27
795	The contribution of chemical exchange to MRI frequency shifts in brain tissue. 2011 , 65, 35-43	65
794	Positive visualization of implanted devices with susceptibility gradient mapping using the original resolution. 2011 , 65, 1483-90	18
793	Modeling MR signal change induced by oxygen effect in neural tissue preparations of various geometries. 2011 , 65, 1358-64	1
792	Ultrasound-Based Molecular Imaging Using Nanoagents. 2011 , 263-278	1
791	Positive contrast technique for the detection and quantification of superparamagnetic iron oxide nanoparticles in MRI. 2011 , 24, 464-72	25
790	Testing MR image artifacts generated by engineering materials. 2011 , 39B, 109-117	8
789	Fibre optic sensor for non-invasive monitoring of blood pressure during MRI scanning. 2011 , 4, 98-107	20

788	Local in vivo shimming using adaptive passive shim positioning. 2011 , 29, 401-7	9
787	Dynamic B0 shimming at 7 T. 2011 , 29, 483-96	40
786	The Behaviors of Ferro-Magnetic Nano-Particles In and Around Blood Vessels under Applied Magnetic Fields. 2011 , 323, 651-668	140
785	Quantification of direct current in electrically active implants using MRI methods. 2011 , 21, 135-46	4
784	Localised drug release using MRI-controlled focused ultrasound hyperthermia. 2011 , 27, 156-71	123
783	Molecular characterization of rheumatoid arthritis with magnetic resonance imaging. 2011 , 22, 61-9	5
782	Fetal magnetic resonance imaging at 3.0 T. 2011 , 22, 119-31	22
781	MR Thermometry. 2011 , 271-288	10
780	Metal-induced artifacts in MRI. 2011 , 197, 547-55	336
779	A noninvasive, remote and precise method for temperature and concentration estimation using magnetic nanoparticles. 2012 , 23, 075703	38
778	Positive Contrast Imaging of SPIO Nanoparticles. 2012 , 2012, 1-9	9
777	Finite-element analysis for magnetic resonance image artifact evaluation. 2012 , 226, 49-54	
776	Reduction of metal artifacts in patients with total hip arthroplasty with slice-encoding metal artifact correction and view-angle tilting MR imaging. 2012 , 265, 204-14	114
775	Characterization of tissue magnetic susceptibility-induced distortions for MRIgRT. <i>Medical Physics</i> , 2012 , 39, 7185-93	4.4 64
774	CE-MRA for follow-up of aneurysms post stent-assisted coiling. 2012 , 18, 275-83	40
773	Hyperthermia in bone generated with MR imaging-controlled focused ultrasound: control strategies and drug delivery. 2012 , 263, 117-27	40
772	NMR-based diffusion pore imaging. 2012 , 86, 021906	35
771	Peripheral arterial wall imaging using contrast-enhanced, susceptibility-weighted phase imaging. 2012 , 36, 77-82	4

770	In vitro magnetic resonance imaging evaluation of ossicular implants at 3 T. 2012 , 33, 871-7	9
769	Mapping of proton relaxation near superparamagnetic iron oxide particle-loaded polymer threads for magnetic susceptibility difference quantification. 2012 , 47, 359-67	8
768	Developing a Magnetic Resonance-Compatible Catheter for Cardiac Catheterization. 2012 , 6,	6
767	Towards Control of Magnetic Fluids in Patients: Directing Therapeutic Nanoparticles to Disease Locations. 2012 , 32, 32-74	64
766	DWI at 3 T: Advantages, Disadvantages, Pitfalls, and Advanced Clinical Applications. 2012 , 51-73	2
765	The influence of MRI scan position on image registration accuracy, target delineation and calculated dose in prostatic radiotherapy. 2012 , 85, e1256-62	34
764	Internal fiducial markers and susceptibility effects in MRI-simulation and measurement of spatial accuracy. 2012 , 82, 1612-8	39
763	Metals in MR-mammography: how to deal with it?. 2012 , 81 Suppl 1, S56-8	1
762	Piezoelectric Tweezer-Type End Effector With Force- and Displacement-Sensing Capability. 2012 , 17, 1039-1048	19
761	Global trend in articles related to stereotactic published in science citation index-expanded. 2012 , 26, 258-64	1
760	Restricted diffusion in NMR in arbitrary inhomogeneous magnetic fields and an application to circular layers. 2012 , 137, 044704	16
759	Principles of magnetic resonance imaging. 2012 , 177, 331-48	7
758	Metallic artifact in MRI after removal of orthopedic implants. 2012 , 81, 584-90	16
757	Magnetically vectored platforms for the targeted delivery of therapeutics to tumors: history and current status. 2012 , 7, 289-99	14
756	Advances in musculoskeletal MRI: technical considerations. 2012 , 36, 775-87	27
755	Assessment of MRI issues at 3-Tesla for metallic surgical implants: findings applied to 61 additional skin closure staples and vessel ligation clips. 2012 , 14, 3	36
754	MRI estimates of brain iron concentration in normal aging using quantitative susceptibility mapping. 2012 , 59, 2625-35	326
753	The contribution of myelin to magnetic susceptibility-weighted contrasts in high-field MRI of the brain. 2012 , 59, 3967-75	150

752	Imaging of stroke: a comparison between X-ray fluorescence and magnetic resonance imaging methods. 2012 , 30, 1416-23	12
751	Human Heart Pulse Wave Responses Measured Simultaneously at Several Sensor Placements by Two MR-Compatible Fibre Optic Methods. 2012 , 2012, 1-8	10
750	Artificial luminal narrowing on contrast-enhanced magnetic resonance angiograms on an occasion of stent-assisted coiling of intracranial aneurysm: in vitro comparison using two different stents with variable imaging parameters. 2012 , 13, 550-6	10
749	Simultaneous field and R2 mapping to quantify liver iron content using autoregressive moving average modeling. 2012 , 35, 1125-32	21
748	3D-liver perfusion MRI with the MS-325 blood pool agent: a noninvasive protocol to asses liver fibrosis. 2012 , 35, 1380-7	16
747	Physics of MRI: a primer. 2012 , 35, 1038-54	94
746	Accuracy of the cylinder approximation for susceptometric measurement of intravascular oxygen saturation. 2012 , 67, 808-13	30
745	Phase-based regional oxygen metabolism (PROM) using MRI. 2012 , 67, 669-78	73
744	Adiabatic pulse preparation for imaging iron oxide nanoparticles. 2012 , 67, 1133-7	4
743	Utilizing echo-shifts in k-space for generation of positive contrast in areas with marked susceptibility alterations. 2012 , 68, 1399-409	3
742	Toward absolute quantification of iron oxide nanoparticles as well as cell internalized fraction using multiparametric MRI. 2012 , 7, 411-7	47
741	Magnetic resonance imaging metallic artifact of commonly encountered surgical implants and foreign material. 2012 , 53, 312-7	7
740	Repetitive exposure to a 7 Tesla static magnetic field of mice in utero does not cause alterations in basal emotional and cognitive behavior in adulthood. 2012 , 34, 86-92	20
739	High spatial resolution NMR imaging of polymer layers on metallic substrates. 2012 , 214, 227-36	5
738	Simulations of the Stent Artifacts in Magnetic Resonance Imaging. 2012 , 48, 659-662	10
737	Magnetic Field Variations Near Weak Magnetic Materials Studied by Magnetic Resonance Imaging Techniques. 2012 , 48, 2334-2339	2
736	RF field visualization of RF ablation at the Larmor frequency. 2012 , 31, 938-47	6
735	Magnetic susceptibility derived from T2 and T2*-weighted magnetic resonance magnitude images. 2012 , 41B, 28-36	2

734	Nonexponential T ₁ decay in white matter. 2012 , 67, 110-7	84
733	Automated detection and characterization of SPIO-labeled cells and capsules using magnetic field perturbations. 2012 , 67, 278-89	25
732	MR fluoroscopy in vascular and cardiac interventions (review). 2012 , 28, 117-37	32
731	Effects of air susceptibility on proton resonance frequency MR thermometry. 2012 , 25, 41-7	16
730	Subject-specific models of susceptibility-induced B ₀ field variations in breast MRI. 2013 , 37, 227-32	8
729	Prospective motion correction in brain imaging: a review. 2013 , 69, 621-36	256
728	Optimal magnetic susceptibility matching in 3D. 2013 , 69, 1146-56	1
727	A viable isolated tissue system: a tool for detailed MR measurements and controlled perturbation in physiologically stable tissue. 2013 , 69, 1603-10	14
726	The influence of MRI scan position on patients with oropharyngeal cancer undergoing radical radiotherapy. 2013 , 8, 129	18
725	The magnetic susceptibility effect of gadolinium-based contrast agents on PRFS-based MR thermometry during thermal interventions. 2013 , 1, 8	37
724	A comparison of shimming techniques for optimizing fat suppression in MR mammography. 2013 , 6, 486-91	5
723	[Problems and chances of high field magnetic resonance imaging]. 2013 , 53, 401-10	4
722	[Contrast in static images in clinical magnetic resonance imaging : Part 1: Contrast properties of tissue]. 2013 , 53, 441-53;quiz 454-6	0
721	Contrast agents for MRI. 2013 , 33, 4485-97	128
720	Imaging of iron. 2013 , 110, 195-239	41
719	. 2013 , 18, 954-962	8
718	. 2013 , 13, 476-486	11
717	In vivo pulsed magneto-motive ultrasound imaging using high-performance magnetoactive contrast nanoagents. 2013 , 5, 11179-86	40

716	NMR imaging of cell phone radiation absorption in brain tissue. 2013 , 110, 58-63	26
715	Magnetic particle imaging (MPI) for NMR and MRI researchers. 2013 , 229, 116-26	202
714	Quantitative determination of magnetic force on a coronary stent in MRI. 2013 , 37, 391-7	6
713	Computer-aided detection of radiation-induced cerebral microbleeds on susceptibility-weighted MR images. 2013 , 2, 282-90	57
712	Detecting microstructural properties of white matter based on compartmentalization of magnetic susceptibility. 2013 , 70, 1-9	62
711	Three-dimensional quantification of susceptibility artifacts from various metals in magnetic resonance images. 2013 , 9, 8433-9	40
710	MR susceptibility imaging. 2013 , 229, 198-207	66
709	Magnetic susceptibility anisotropy: cylindrical symmetry from macroscopically ordered anisotropic molecules and accuracy of MRI measurements using few orientations. 2013 , 70, 363-76	62
708	Magnetic susceptibility and hardness of Au-xPt-yNb alloys for biomedical applications. 2013 , 9, 8449-53	11
707	Human brain atlas for automated region of interest selection in quantitative susceptibility mapping: application to determine iron content in deep gray matter structures. 2013 , 82, 449-69	112
706	Structure, synthetic methods, magnetic properties and biomedical applications of ferrofluids. 2013 , 33, 2476-87	78
705	Influence of dental materials on dental MRI. 2013 , 42, 20120271	52
704	A prototype MR insertable brain PET using tileable GAPD arrays. <i>Medical Physics</i> , 2013 , 40, 042503	4.4 73
703	On the utility of spectroscopic imaging as a tool for generating geometrically accurate MR images and parameter maps in the presence of field inhomogeneities and chemical shift effects. 2013 , 31, 86-95	3
702	Fundamentals and Potential of Magnetic Particle Imaging. 2013 , 6, 390-398	5
701	Artifact reduction from metallic dental materials in T1-weighted spin-echo imaging at 3.0 tesla. 2013 , 37, 471-8	24
700	Commissioning of MRI-only based treatment planning procedure for external beam radiotherapy of prostate. 2013 , 70, 127-35	82
699	Potential and field of a homogeneous magnetic spheroid of arbitrary direction in a homogeneous magnetic field in Cartesian coordinates. 2013 , 32, 936-960	5

698	Magnetic microbubble: A biomedical platform co-constructed from magnetics and acoustics. 2013 , 22, 104301	7
697	Quantifying image distortion of orthopedic materials in magnetic resonance imaging. 2013 , 38, 610-8	37
696	A low-cost, mechanically simple apparatus for measuring eddy current-induced magnetic fields in MRI. 2013 , 26, 1285-90	1
695	Artifact properties of carbon nanotube yarn electrode in magnetic resonance imaging. 2013 , 10, 026013	20
694	Detection of implants and other objects using a ferromagnetic detection system: implications for patient screening before MRI. 2013 , 201, 720-5	22
693	Initial feasibility testing of limited field of view magnetic resonance thermometry using a local cardiac radiofrequency coil. 2013 , 70, 994-1004	12
692	Magnetic susceptibility as a B0 field strength independent MRI biomarker of liver iron overload. 2013 , 70, 648-56	30
691	Brain imaging in chronic epilepsy patients after depth electrode (stereoelectroencephalography) implantation: magnetic resonance imaging or computed tomography?. 2013 , 73, 543-9	24
690	In vivo quantitative susceptibility mapping (QSM) in Alzheimer's disease. 2013 , 8, e81093	165
689	In Situ Magnetic Resonance Imaging of Plant Roots. 2014 , 13, vzt2013.08.0158	7
688	A Simple and Inexpensive Stereotactic Guidance Frame for MRI-Guided Brain Biopsy in Canines. 2014 , 2014, 139535	7
687	Susceptibility Artifacts. 2014 , 91-105	3
686	A novel approach to quantification of real and artifactual components of current density imaging for phantom and live heart. 2014 , 2014, 1075-8	1
685	Ultrasensitive ³ He magnetometer for measurements of high magnetic fields. 2014 , 68, 1	32
684	Shaping magnetic fields to direct therapy to ears and eyes. 2014 , 16, 455-81	60
683	Internal three-dimensional strains in human intervertebral discs under axial compression quantified noninvasively by magnetic resonance imaging and image registration. 2014 , 136,	16
682	Autonomous real-time interventional scan plane control with a 3-D shape-sensing needle. 2014 , 33, 2128-39	15
681	Detection of the spatial accuracy of a magnetic resonance and surgical computed tomography scanner in the region of surgical interest. 2014 , 1, 015502	4

680	Robotic rehabilitation exercise in hemiparetic limbs based on functional synchronization of voluntary and involuntary nerve impulses. 2014,		4
679	Evaluation of magnetic resonance imaging issues for a wirelessly powered lead used for epidural, spinal cord stimulation. 2014, 17, 334-9; discussion 339		14
678	Imaging and localizing interventional devices by susceptibility mapping using MRI. 2014, 2014, 1541-4		3
677	The effects of magnetic field distortion on the accuracy of passive device localization frames in MR imaging. <i>Medical Physics, 2014, 41, 052301</i>	4-4	3
676	MR compatible positioning device for guiding a focused ultrasound system for the treatment of brain diseases. 2014, 10, 1-10		30
675	Spatial encoding using the nonlinear field perturbations from magnetic materials. 2014, 72, 399-408		2
674	Absolute magnetic susceptibility of rat brain tissue. 2014, 72, 876-9		5
673	Designing MR shim arrays with irregular coil geometry: theoretical considerations. 2014, 61, 1614-20		11
672	Influence of MRI-based bone outline definition errors on external radiotherapy dose calculation accuracy in heterogeneous pseudo-CT images of prostate cancer patients. 2014, 53, 1100-6		18
671	Correction of B0-distortions in echo-planar-imaging-based perfusion-weighted MRI. 2014, 39, 722-8		9
670	Harmonic analysis for the characterization and correction of geometric distortion in MRI. <i>Medical Physics, 2014, 41, 112303</i>	4-4	18
669	A controllable susceptibility marker for passive device tracking. 2014, 72, 269-75		7
668	Detecting breast microcalcifications with high-field MRI. 2014, 27, 539-46		4
667	Compliant force-feedback actuation for accurate robot-mediated sensorimotor interaction protocols during fMRI. 2014,		3
666	Positron emission tomography-magnetic resonance imaging: technical review. 2014, 49, 242-54		28
665	Metal artifact reduction in patients with dental implants using multispectral three-dimensional data acquisition for hybrid PET/MRI. 2014, 1, 102		26
664	Evaluation of MR safety for a new liquid embolic device. 2014, 6, 624-9		1
663	Influence of bone marrow composition on measurements of trabecular microstructure using decay due to diffusion in the internal field MRI: simulations and clinical studies. 2014, 72, 1499-508		8

662	Artefacts induced by coiled intracranial aneurysms on 3.0-Tesla versus 1.5-Tesla MR angiography--An in vivo and in vitro study. 2014 , 83, 811-6	5
661	A new vascular coupling device: assessment of MRI issues at 3-tesla. 2014 , 32, 585-9	4
660	Referenceless PRFS MR Thermometry Using Partial Separability Model. 2014 , 45, 93-108	1
659	Magnetic properties of materials for MR engineering, micro-MR and beyond. 2014 , 242, 233-42	67
658	Evaluation and automatic correction of metal-implant-induced artifacts in MR-based attenuation correction in whole-body PET/MR imaging. 2014 , 59, 2713-26	17
657	Remarkably high mobility of some chain segments in the amorphous phase of strained HDPE. 2014 , 55, 620-625	15
656	Inverse Problem in Quantitative Susceptibility Mapping. 2014 , 7, 1669-1689	22
655	Diamagnetic Behavior of Porous Silicon. 2014 , 1-5	
654	Imaging near metal: The impact of extreme static local field gradients on frequency encoding processes. 2014 , 71, 2024-34	24
653	Linear dependence of the water proton transverse relaxation rate on the shear modulus of hydrogels. 2014 , 50, 12120-2	8
652	Imaging the knee in the setting of metal hardware. 2014 , 22, 765-86	9
651	Magnetic Alignment of Gamma (Core)Alpha (Shell) Fe ₂ O ₃ Nanorods in a Solid Polymer Electrolyte for Li-Ion Batteries. 2014 , 118, 18836-18845	18
650	Temperature-induced changes of magnetic resonance relaxation times in the human brain: a postmortem study. 2014 , 71, 1575-80	29
649	[CT and MRI of hip arthroplasty]. 2014 , 54, 715-25; quiz 726	8
648	Magnetic colloidal polymeric ionic liquid synthesis and use in hydrogen production. 2014 , 449, 87-95	45
647	Quantification of liver iron with MRI: state of the art and remaining challenges. 2014 , 40, 1003-21	157
646	Advanced magnetic resonance imaging of the physical processes in human glioblastoma. 2014 , 74, 4622-4637	97
645	Structural and microwave characterization of Ni _{0.2} CoxZn _{0.8} Fe ₂ O ₄ for antenna applications. 2014 , 40, 1575-1586	65

644	MRI compatible Nb-Ta-Zr alloys used for vascular stents: optimization for mechanical properties. 2014 , 32, 166-176		22
643	Time-resolved MRI oximetry for quantifying CMRO(2) and vascular reactivity. 2014 , 21, 207-14		20
642	Non-invasive multiparametric qBOLD approach for robust mapping of the oxygen extraction fraction. 2014 , 24, 231-42		13
641	. 2014 , 14, 829-838		41
640	Magnetic resonance imaging by using nano-magnetic particles. 2014 , 369, 176-183		47
639	MRI-compatible Nb-60Ta-2Zr alloy used for vascular stents: haemocompatibility and its correlation with protein adsorption. 2014 , 42, 385-95		11
638	Magnetic Susceptibility of Zr-Cu Binary Alloys. 2014 , 55, 1634-1636		3
637	Exogenous contrast agents for thermoacoustic imaging: an investigation into the underlying sources of contrast. <i>Medical Physics</i> , 2015 , 42, 170-80	4-4	20
636	Feasibility and limitations of bulk density assignment in MRI for head and neck IMRT treatment planning. 2014 , 15, 4851		41
635	Accelerating sequences in the presence of metal by exploiting the spatial distribution of off-resonance. 2014 , 72, 1658-67		10
634	Correction of proton resonance frequency shift MR-thermometry errors caused by heat-induced magnetic susceptibility changes during high intensity focused ultrasound ablations in tissues containing fat. 2014 , 72, 1580-9		20
633	A new susceptibility-weighted image reconstruction method for the reduction of background phase artifacts. 2014 , 71, 1324-35		4
632	A single phantom to mimic 1H MR spectra of different tissues. 2014 , 43, 138-145		1
631	Background field removal using spherical mean value filtering and Tikhonov regularization. 2014 , 71, 1151-7		97
630	Magnetic Alignment of Block Copolymer Microdomains by Intrinsic Chain Anisotropy. 2015 , 115, 258302		43
629	Visibility and artifacts of gold fiducial markers used for image guided radiation therapy of pancreatic cancer on MRI. <i>Medical Physics</i> , 2015 , 42, 2638-47	4-4	41
628	Influence of geometric and material properties on artifacts generated by interventional MRI devices: Relevance to PRF-shift thermometry. <i>Medical Physics</i> , 2016 , 43, 241	4-4	3
627	Resonant marker design and fabrication techniques for device visualization during interventional magnetic resonance imaging. 2015 , 60, 89-103		12

626	Quantitative Susceptibility Mapping at 3 T and 1.5 T: Evaluation of Consistency and Reproducibility. 2015 , 50, 522-30	42
625	Constrained image-based B0 shimming accounting for "local minimum traps" in the optimization and field inhomogeneities outside the region of interest. 2015 , 73, 1370-80	30
624	Cerebrovascular MRI: a review of state-of-the-art approaches, methods and techniques. 2015 , 28, 767-91	30
623	Assessment of MR compatibility and machinability using the fuzzy comprehensive evaluation method for material selection of MR device. 2015 , 45, 1-12	1
622	Improved frequency selective fat suppression in the posterior neck with tissue susceptibility matched pyrolytic graphite foam. 2015 , 41, 684-93	7
621	Ripple artifact reduction using slice overlap in slice encoding for metal artifact correction. 2015 , 73, 318-24	16
620	2DB0 mapping of micro solenoids with and without FC-84 and SU-8 at 9.4 T. 2015 , 45, 69-77	
619	Iron mapping using the temperature dependency of the magnetic susceptibility. 2015 , 73, 1282-8	21
618	Combining phase and magnitude information for contrast agent quantification in dynamic contrast-enhanced MRI using statistical modeling. 2015 , 74, 1156-64	6
617	SHARP edges: recovering cortical phase contrast through harmonic extension. 2015 , 73, 851-6	21
616	Improving chemical shift encoded water-fat separation using object-based information of the magnetic field inhomogeneity. 2015 , 73, 597-604	20
615	Characterizing the limits of MRI near metallic prostheses. 2015 , 74, 1564-73	14
614	Susceptibility weighted imaging: differentiating between calcification and hemosiderin. 2015 , 48, 93-100	22
613	Strong Static Magnetic Fields Increase the Gel Signal in Partially Hydrated DPPC/DMPC Membranes. 2015 , 5, 532-52	1
612	View-Angle Tilting and Slice-Encoding Metal Artifact Correction for Artifact Reduction in MRI: Experimental Sequence Optimization for Orthopaedic Tumor Endoprostheses and Clinical Application. 2015 , 10, e0124922	18
611	Assessment of MRI Issues at 3 Tesla for a New Metallic Tissue Marker. 2015 , 2015, 823759	3
610	Review of MRI positioning devices for guiding focused ultrasound systems. 2015 , 11, 247-55	15
609	An improved method for susceptibility and radius quantification of cylindrical objects from MRI. 2015 , 33, 420-36	13

608	In vivo quantification of cerebral r_2^* -response to graded hyperoxia at 3 tesla. 2015 , 5, 1	7
607	Phase estimation for magnetic resonance imaging near metal prostheses. 2015 ,	
606	Experience with magnetic resonance imaging of human subjects with passive implants and tattoos at 7 T: a retrospective study. 2015 , 28, 577-90	20
605	Development and evaluation of an MRI compatible finger rehabilitation device for stroke patients. 2015 ,	2
604	PET-MRI: a review of challenges and solutions in the development of integrated multimodality imaging. 2015 , 60, R115-54	171
603	Feasibility and reproducibility of measurement of whole muscle blood flow, oxygen extraction, and VO_2 with dynamic exercise using MRI. 2015 , 74, 1640-51	10
602	Depth limitations for in vivo magnetic nanoparticle detection with a compact handheld device. 2015 , 380, 246-250	8
601	MR imaging near metallic implants using MAVRIC SL: initial clinical experience at 3T. 2015 , 22, 370-9	22
600	Susceptibility-based positive contrast MRI of brachytherapy seeds. 2015 , 74, 716-26	28
599	Iron oxide nanorods as high-performance magnetic resonance imaging contrast agents. 2015 , 7, 9174-84	158
598	Predictability of magnetic susceptibility artifacts from metallic orthodontic appliances in magnetic resonance imaging. 2015 , 76, 14-29	8
597	Geometrically undistorted MRI in the presence of field inhomogeneities using compressed sensing accelerated broadband 3D phase encoded turbo spin-echo imaging. 2015 , 60, 615-31	10
596	Development of an Optical Fiber-Based MR Compatible Gamma Camera for SPECT/MRI Systems. 2015 , 62, 76-81	3
595	A Digital Preclinical PET/MRI Insert and Initial Results. 2015 , 34, 2258-70	79
594	Quantitative Susceptibility Mapping: Concepts and Applications. 2015 , 25 Suppl 2, 225-30	87
593	Niobium Biomaterials. 2015 , 245-272	6
592	MRI-compatible Nb-60Ta-2Zr alloy for vascular stents: Electrochemical corrosion behavior in simulated plasma solution. 2015 , 56, 205-14	18
591	MR-compatibility assessment of the first preclinical PET-MRI insert equipped with digital silicon photomultipliers. 2015 , 60, 2231-55	53

590	Isolated cortical vein thrombosis: case series. 2015 , 123, 427-33	22
589	Robust MR assessment of cerebral blood volume and mean vessel size using SPION-enhanced ultrashort echo acquisition. 2015 , 112, 382-389	14
588	Quality of MR thermometry during palliative MR-guided high-intensity focused ultrasound (MR-HIFU) treatment of bone metastases. 2015 , 3, 5	26
587	Investigating the robustness of constant and variable period graphics in eliciting steady state visual evoked potential signals using Emotiv EPOC, MATLAB, and Adobe after effects. 2015 ,	1
586	Iron-Sensitive Cardiac Magnetic Resonance Imaging for Prediction of Ventricular Arrhythmia Risk in Patients With Chronic Myocardial Infarction: Early Evidence. 2015 , 8,	12
585	MRI image distortion due to magnetic materials in medical implants. 2015 ,	
584	MR Imaging of Knee Arthroplasty Implants. 2015 , 35, 1483-501	44
583	Influence of pulse sequence parameters at 1.5 T and 3.0 T on MRI artefacts produced by metal-ceramic restorations. 2015 , 44, 20150136	12
582	Water proton NMR-a sensitive probe for solute association. 2015 , 51, 6804-7	24
581	Interaction Control Capabilities of an MR-Compatible Compliant Actuator for Wrist Sensorimotor Protocols During fMRI. 2015 , 20, 2678-2690	21
580	The Contribution of Common Surgically Implanted Hardware to Functional MR Imaging Artifacts. 2015 , 36, 2068-73	4
579	Nonconventional MRI and microstructural cerebral changes in multiple sclerosis. 2015 , 11, 676-86	93
578	Aluminum-free low-modulus Ti-C composites that exhibit reduced image artifacts during MRI. 2015 , 12, 322-331	6
577	Hybrid PET/MR imaging: an algorithm to reduce metal artifacts from dental implants in Dixon-based attenuation map generation using a multiacquisition variable-resonance image combination sequence. 2015 , 56, 93-7	18
576	Effects of magnetic treatment on growth and immune and digestive enzyme activity in the juvenile sea cucumber <i>Apostichopus japonicus</i> (Selenka). 2015 , 435, 437-441	5
575	Pre-clinical characterization of tissue engineering constructs for bone and cartilage regeneration. 2015 , 43, 681-96	20
574	Magnetic Resonance Imaging. 2015 , 39-63	
573	Microfabrication, characterization and in vivo MRI compatibility of diamond microelectrodes array for neural interfacing. 2015 , 46, 25-31	21

572	Iron in Multiple Sclerosis and Its Noninvasive Imaging with Quantitative Susceptibility Mapping. 2016 , 17,			63
571	Metal artefacts in MRI-guided brachytherapy of cervical cancer. 2016 , 8, 363-9			18
570	Quantitative evaluation of susceptibility effects caused by dental materials in head magnetic resonance imaging. 2016 ,			
569	External calibration of the spectral coverage for three-dimensional multispectral MRI. 2016 , 76, 1494-1503			12
568	MAPS - a Magic Angle Positioning System for Enhanced Imaging in High-Field Small-Bore MRI. 2016 , 1,			2
567	Fast iterative pre-emphasis calibration method enabling third-order dynamic shim updated fMRI. 2016 , 75, 1119-31			18
566	Development of a Probe for Detecting Magnetic Fluid in Lymph Nodes. 2016 , 99, 13-21			1
565	Influence of water and fat heterogeneity on fat-referenced MR thermometry. 2016 , 75, 1187-97			17
564	Design and validation of an MR-conditional robot for transcranial focused ultrasound surgery in infants. <i>Medical Physics</i> , 2016 , 43, 4983	4.4		9
563	Investigation of the 4D composite MR image distortion field associated with tumor motion for MR-guided radiotherapy. <i>Medical Physics</i> , 2016 , 43, 1550-62	4.4		5
562	Design and development of novel MRI compatible zirconium- ruthenium alloys with ultralow magnetic susceptibility. 2016 , 6, 24414			21
561	Passive artifact behavior prediction of interventional tools in high-field MRI using a 0.55T portable benchtop MR scanner. 2016 , 2016, 1252-1255			0
560	Polymer gel dosimetry for measuring the dose near thin high-Z materials irradiated with high energy photon beams. <i>Medical Physics</i> , 2016 , 43, 6525	4.4		3
559	The vertebral trabecular model revisited: magnetic field distribution in the vicinity of osseous disconnections. 2016 , 61, N618-N631			
558	In-vivo Imaging of Magnetic Fields Induced by Transcranial Direct Current Stimulation (tDCS) in Human Brain using MRI. 2016 , 6, 34385			41
557	Quantitative assessment of biliary stent artifacts on MR images: Potential implications for target delineation in radiotherapy. <i>Medical Physics</i> , 2016 , 43, 5603	4.4		6
556	Design of an MR-compatible biopsy needle manipulator using pull-pull cable transmission. 2016 , 17, 1129-11376			
555	How a High-Gradient Magnetic Field Could Affect Cell Life. 2016 , 6, 37407			94

554	Toward 20 T magnetic resonance for human brain studies: opportunities for discovery and neuroscience rationale. 2016 , 29, 617-39	46
553	Recommendations for real-time speech MRI. 2016 , 43, 28-44	66
552	Design and use of a very stable magnetic nanothermometer. 2016 , 27, 045901	5
551	Investigating colour effect in stimulating brain oscillations for BCI systems. 2016 ,	2
550	Comparison of In Vivo and Ex Vivo MRI of the Human Hippocampal Formation in the Same Subjects. 2017 , 27, 5185-5196	13
549	Investigating brain signal peaks vs electroencephalograph electrode placement using multicolour 10Hz flickering graphics stimulation for Brain-computer Interface development. 2016 ,	1
548	High-Field fMRI. 2016 , 113-136	1
547	Ex Vivo HIFU Experiments Using a 32 times 32 -Element CMUT Array. 2016 , 63, 2150-2158	13
546	Fabrication of c-axis oriented Si ₃ N ₄ ceramics using multilayered-graphene-coated Si ₃ N ₄ seeds and their orientation in an innovative low magnetic field. 2016 , 27, 2005-2011	7
545	Phantom study quantifying the depth performance of a handheld magnetometer for sentinel lymph node biopsy. 2016 , 32, 926-31	4
544	Selective magnetic resonance imaging of magnetic nanoparticles by acoustically induced rotary saturation. 2016 , 75, 97-106	6
543	The effect of dissolved oxygen on the susceptibility of blood. 2016 , 75, 363-71	8
542	Hierarchical self-assembly of a bulk metamaterial enables isotropic magnetic permeability at optical frequencies. 2016 , 3, 596-601	50
541	Interparticle Forces and External Fields. 2016 , 372-411	
540	Role of MRI for detecting micro cracks in teeth. 2016 , 45, 20160150	19
539	Physics of High-Field Magnetic Resonance Imaging and Applications to Brain Tumor Imaging. 2016 , 193-202	
538	Effects of high-gradient magnetic fields on living cell machinery. 2016 , 49, 493003	35
537	Effect of Ta content on the magnetic susceptibility of Zr-Ta binary alloys preventing artefacts for MRI. 2016 , 2, 606-614	2

536	Graphene Encapsulated Copper Microwires as Highly MRI Compatible Neural Electrodes. 2016 , 16, 7731-7738	57
535	Characterization of system-related geometric distortions in MR images employed in Gamma Knife radiosurgery applications. 2016 , 61, 6993-7011	22
534	Short and long time MR signal behavior of randomly distributed water and fat-numerical simulations. 2016 , 29, 1634-1643	
533	Acquisition of 3D temperature distributions in fluid flow using proton resonance frequency thermometry. 2016 , 76, 145-55	5
532	Biodegradable Metals for Cardiovascular Stents: from Clinical Concerns to Recent Zn-Alloys. 2016 , 5, 1121-40	231
531	Development of an MRI-compatible digital SiPM detector stack for simultaneous PET/MRI. 2016 , 2, 015010	18
530	Magnetic resonance imaging for planning intracavitary brachytherapy for the treatment of locally advanced cervical cancer. 2016 , 58, 16-25	3
529	Bulk Metallic Glasses: MRI Compatibility and Its Correlation with Magnetic Susceptibility. 2016 , 32, 496-504	8
528	Spatial Precision in Magnetic Resonance Imaging-Guided Radiation Therapy: The Role of Geometric Distortion. 2016 , 95, 1304-16	87
527	Technical feasibility of integrating 7 T anatomical MRI in image-guided radiotherapy of glioblastoma: a preparatory study. 2016 , 29, 591-603	11
526	Observer based impedance control of a pneumatic system with long transmission lines. 2016 ,	3
525	Magnetic and Plasmonic Contrast Agents in Optical Coherence Tomography. 2016 , 22,	7
524	Simultaneous quantitative mapping of conductivity and susceptibility using a double-echo ultrashort echo time sequence: Example using a hematoma evolution study. 2016 , 76, 214-21	13
523	Position and orientation measurement of susceptibility markers using spectrally selective spin-echo projections. 2016 , 76, 1563-1573	1
522	An enzyme-activatable and cell-permeable Mn-porphyrin as a highly efficient MRI contrast agent for cell labeling. 2016 , 7, 4308-4317	20
521	Design and Evaluation of a Cable-Driven fMRI-Compatible Haptic Interface to Investigate Precision Grip Control. 2016 , 9, 20-32	14
520	Effect of non-uniform magnetic field on biomagnetic fluid flow in a 3D channel. 2016 , 40, 7336-7348	16
519	An illustrative review to understand and manage metal-induced artifacts in musculoskeletal MRI: a primer and updates. 2016 , 45, 677-88	23

518	Magnetic resonance imaging for planning intracavitary brachytherapy for the treatment of locally advanced cervical cancer. 2016 , 58, 16-25	2
517	Hemorrhagic Stroke. 2016 , 383-412	1
516	Quantitative 3D Analysis of Plant Roots Growing in Soil Using Magnetic Resonance Imaging. 2016 , 170, 1176-88	120
515	Foundations of MRI phase imaging and processing for Quantitative Susceptibility Mapping (QSM). 2016 , 26, 6-34	78
514	Quantitative Susceptibility Mapping Suggests Altered Brain Iron in Premanifest Huntington Disease. 2016 , 37, 789-96	67
513	Extensive pneumatized air cells causing susceptibility artifacts in the petrosus part of the ICA. 2017 , 27, 91-96	1
512	An Asymptotically Stable Pressure Observer Based on Load and Displacement Sensing for Pneumatic Actuators With Long Transmission Lines. 2017 , 22, 681-692	14
511	Susceptibility-based time-resolved whole-organ and regional tissue oximetry. 2017 , 30, e3495	29
510	Iron quantification with susceptibility. 2017 , 30, e3534	21
509	Morphologic and quantitative magnetic resonance imaging of knee articular cartilage for the assessment of post-traumatic osteoarthritis. 2017 , 35, 412-423	34
508	Contributions to magnetic susceptibility of brain tissue. 2017 , 30, e3546	79
507	Sensitivity enhancement of graphene Hall sensors modified by single-molecule magnets at room temperature. 2017 , 7, 1776-1781	8
506	Imaging near orthopedic hardware. 2017 , 46, 24-39	21
505	Magnetic Particle Imaging: A Novel in Vivo Imaging Platform for Cancer Detection. 2017 , 17, 1648-1654	176
504	Tissue-Engineered Grafts for Bone and Meniscus Regeneration and Their Assessment Using MRI. 2017 , 149-177	
503	Effects of orthodontic appliances on the diagnostic quality of magnetic resonance images of the head. 2017 , 151, 484-499	7
502	In vitro comparison of intracranial stent visibility using various concentrations of gadolinium contrast agent under 1.5 T and 3 T MR angiography. 2017 , 9, 399-404	3
501	Volume magnetic susceptibility design and hardness of Au ₇₅ Al ₂₅ alloys and Au ₇₅ Bi ₂₅ alloys for MRI-compatible biomedical applications. 2017 , 3, 015025	4

500	Improved field-mapping and artifact correction in multispectral imaging. 2017 , 78, 2022-2034	6
499	Multiplexed MRI methods for rapid estimation of global cerebral metabolic rate of oxygen consumption. 2017 , 149, 393-403	6
498	The imaging appearance of crayons. 2017 , 47, 674-680	3
497	Patient-induced susceptibility effects simulation in magnetic resonance imaging. 2017 , 1, 41-45	9
496	Nuclear paramagnetism-induced MR frequency shift and its implications for MR-based magnetic susceptibility measurement. 2017 , 77, 848-854	3
495	Susceptibility-sensitive MRI of multiple sclerosis lesions and the impact of normal-appearing white matter changes. 2017 , 30, e3727	25
494	MR-compatible silicon brass for magnetic resonance guided biopsy application. 2017 , 202, 162-164	1
493	Structural Analysis of Relaxation Curves in MRI. 2017 , 48, 783-794	
492	Capacitive Micromachined Ultrasound Transducers for Interstitial High-Intensity Ultrasound Therapies. 2017 , 64, 1245-1260	14
491	Prostate fiducial marker detection with the use of multi-parametric magnetic resonance imaging. 2017 , 1, 14-20	20
490	Accuracy of magnetic resonance based susceptibility measurements. 2017 , 7, 056718	7
489	Magnetic resonance imaging susceptibility artifacts in the cervical vertebrae and spinal cord related to monocortical screw-polymethylmethacrylate implants in canine cadavers. 2017 , 78, 458-464	2
488	Introduction. 2017 , 1-29	
487	Introduction of the Biofunctions into Traditional Metallic Biomaterials. 2017 , 31-57	1
486	Development of Zn-Based Degradable Metallic Biomaterials. 2017 , 161-188	
485	Patterns in <i>Saccharomyces cerevisiae</i> yeast colonies via magnetic resonance imaging. 2017 , 9, 68-75	
484	Limitations of Resting-State Functional MR Imaging in the Setting of Focal Brain Lesions. 2017 , 27, 645-661	12
483	Investigating the neural correlates of smoking: Feasibility and results of combining electronic cigarettes with fMRI. 2017 , 7, 11352	13

482	The impact of white matter fiber orientation in single-acquisition quantitative susceptibility mapping. 2017 , 30, e3798		20
481	Feedback field control improves the precision of T * quantification at 7 T. 2017 , 30, e3753		5
480	An ideal dielectric coat to avoid prosthesis RF-artefacts in Magnetic Resonance Imaging. 2017 , 7, 326		3
479	Detection and characterization of elongated bubbles and drops in two-phase flow using magnetic fields. 2017 , 28, 085303		3
478	Investigating stimuli graphics' size and resolution performance in Steady State Visual Evoked Potential. 2017 ,		2
477	Investigation of the Possibility to Reduce Susceptibility Artifacts in MRI Knee Examination. 2017 , 37, 644-652		1
476	Registration free automatic identification of gold fiducial markers in MRI target delineation images for prostate radiotherapy. <i>Medical Physics</i> , 2017 , 44, 5563-5574	4.4	22
475	Preparation of an Au-Pt alloy free from artifacts in magnetic resonance imaging. 2017 , 44, 38-45		3
474	Systematic Review of fMRI Compatible Devices: Design and Testing Criteria. 2017 , 45, 1819-1835		9
473	Magnetic susceptibility, artifact volume in MRI, and tensile properties of swaged Zr-Ag composites for biomedical applications. 2017 , 66, 152-158		12
472	Myocardial effective transverse relaxation time T2* Correlates with left ventricular wall thickness: A 7.0 T MRI study. 2017 , 77, 2381-2389		19
471	A USPIO doped gel phantom for R2* relaxometry. 2017 , 30, 15-27		3
470	Externally calibrated parallel imaging for 3D multispectral imaging near metallic implants using broadband ultrashort echo time imaging. 2017 , 77, 2303-2309		5
469	B magnetic field homogeneity and shimming for in vivo magnetic resonance spectroscopy. 2017 , 529, 17-29		53
468	Computational study of a magnetic design to improve the diagnosis of malaria: 2D model. 2017 , 423, 301-305		2
467	Comparison of Diffusion Metrics Obtained at 1.5T and 3T in Human Brain With Diffusional Kurtosis Imaging. 2017 , 45, 673-680		10
466	Overview of quantitative susceptibility mapping. 2017 , 30, e3569		138
465	Metallic implant geometry and susceptibility estimation using multispectral B field maps. 2017 , 77, 2402-2413		9

464	Precise localization of silicone-based intercranial planar electrodes in magnetic resonance imaging. 2017 , 2017, 513-516	
463	The application of magnetic nanoparticles in the treatment and monitoring of cancer and infectious diseases. 2017 , 10,	37
462	Ultra-High-Field Magnetic Resonance Spectroscopy in Psychiatry. 2017 , 8, 123	16
461	Magnetron Sputtering as a Fabrication Method for a Biodegradable Fe ₃₂ Mn Alloy. 2017 , 10,	7
460	Quantification of Force and Torque Applied by a High-Field Magnetic Resonance Imaging System on an Ultrasonic Motor for MRI-Guided Robot-Assisted Interventions. 2017 , 6, 29	3
459	An Individual Finger Gesture Recognition System Based on Motion-Intent Analysis Using Mechanomyogram Signal. 2017 , 8, 573	7
458	Bibliography. 2017 , 605-612	
457	Neurovascular Coupling, the BOLD Signal and MRI. 2017 , 255-306	
456	Concerning the matching of magnetic susceptibility differences for the compensation of background gradients in anisotropic diffusion fibre phantoms. 2017 , 12, e0176192	6
455	Magnetic Resonance-guided High Intensity Focused Ultrasound in the presence of biopsy markers. 2017 , 5, 25	3
454	A Boundary-Value-Free Reconstruction Method for Magnetic Resonance Electrical Properties Tomography Based on the Neumann-Type Integral Formula over a Circular Region. 2017 , 10, 571-578	2
453	How one institution overcame the challenges to start an MRI-based brachytherapy program for cervical cancer. 2017 , 9, 177-186	11
452	Artifacts Quantification of Metal Implants in MRI. 2017 , 931, 012007	1
451	Curvy surface conformal ultra-thin transfer printed Si optoelectronic penetrating microprobe arrays. 2018 , 2,	16
450	Should patients with brain implants undergo MRI?. 2018 , 15, 041002	56
449	Improving chemical shift encoding-based water-fat separation based on a detailed consideration of magnetic field contributions. 2018 , 80, 990-1004	15
448	MR imaging of magnetic ink patterns via off-resonance sensitivity. 2018 , 80, 2017-2023	0
447	A subjective and objective comparison of tissue contrast and imaging artifacts present in routine spin echoes and in iterative decomposition of asymmetric spin echoes for soft tissue neck MRI. 2018 , 102, 202-207	0

446	Assessment of MR-based R2* and quantitative susceptibility mapping for the quantification of liver iron concentration in a mouse model at 7T. 2018 , 80, 2081-2093		8
445	Effects of superparamagnetic iron oxide nanoparticles on the longitudinal and transverse relaxation of hyperpolarized xenon gas. 2018 , 291, 53-62		0
444	Technical Note: On the size of susceptibility-induced MR image distortions in prostate and cervix in the context of MR-guided radiation therapy. <i>Medical Physics</i> , 2018 , 45, 1586-1593	4-4	8
443	MRI-only treatment planning: benefits and challenges. 2018 , 63, 05TR01		94
442	Joint estimation of activity and attenuation for PET using pragmatic MR-based prior: application to clinical TOF PET/MR whole-body data for FDG and non-FDG tracers. 2018 , 63, 045006		25
441	Simple and robust referencing system enables identification of dissolved-phase xenon spectral frequencies. 2018 , 80, 431-441		7
440	Rational Design of Multifunctional Fe@Fe ₃ O ₄ @H-TiO ₂ Nanocomposites with Enhanced Magnetic and Photoconversion Effects for Wide Applications: From Photocatalysis to Imaging-Guided Photothermal Cancer Therapy. 2018 , 30, e1706747		79
439	Radial MRI with variable echo times: reducing the orientation dependency of susceptibility artifacts of an MR-safe guidewire. 2018 , 31, 235-242		2
438	Combination of copolymer film (PPy-PPyCOOH) and magnetic nanoparticles as an electroactive and biocompatible platform for electrochemical purposes. 2018 , 263, 454-464		9
437	PET System Technology Designs for Achieving Simultaneous PET/MRI. 2018 , 1-26		1
436	Localizing implanted fiducial markers using undersampled co-RASOR MR imaging. 2018 , 48, 1-9		1
435	Influence of orthodontic appliance-derived artifacts on 3-T MRI movies. 2018 , 19, 7		9
434	Increased Iron Deposition on Brain Quantitative Susceptibility Mapping Correlates with Decreased Cognitive Function in Alzheimer's Disease. 2018 , 9, 1849-1857		51
433	Magnetic Field Changes Macrophage Phenotype. 2018 , 114, 2001-2013		26
432	Spinal dura mater: biophysical characteristics relevant to medical device development. 2018 , 42, 128-139		18
431	MR-based source localization for MR-guided HDR brachytherapy. 2018 , 63, 085002		8
430	Response to "The Prevention of Recurrent Cholesteatoma in CWU Surgery". 2018 , 39, 658-659		
429	Development of clinical simultaneous SPECT/MRI. 2018 , 91, 20160690		32

428	2D multi-spectral imaging for fast MRI near metal. 2018 , 79, 968-973	9
427	MRI compatibility of several early transition metal based alloys and its influencing factors. 2018 , 106, 377-385	4
426	Studying brain microstructure with magnetic susceptibility contrast at high-field. 2018 , 168, 152-161	26
425	MRI and MRS of the human brain at magnetic fields of 14T to 20T: Technical feasibility, safety, and neuroscience horizons. 2018 , 168, 509-531	48
424	MRI use for atrial tissue characterization in arrhythmias and for EP procedure guidance. 2018 , 34, 81-95	5
423	Assessment of ferritin content in multiple sclerosis brains using temperature-induced R* changes. 2018 , 79, 1609-1615	8
422	The physics of MRI safety. 2018 , 47, 28-43	66
421	Spinal cord MRI at 7T. 2018 , 168, 437-451	35
420	Application of Analytical Hierarchy Process (AHP) algorithm to income insecurity susceptibility mapping [A study in the district of Purulia, India. 2018 , 62, 56-74	12
419	Quantifying the Effect of 3T Magnetic Resonance Imaging Residual System Distortions and Patient-Induced Susceptibility Distortions on Radiation Therapy Treatment Planning for Prostate Cancer. 2018 , 100, 317-324	23
418	Field Distribution of Transcranial Static Magnetic Stimulation in Realistic Human Head Model. 2018 , 21, 340-347	14
417	Fully phase-encoded MRI near metallic implants using ultrashort echo times and broadband excitation. 2018 , 79, 2156-2163	7
416	Spatiotemporal characterization of breathing-induced B field fluctuations in the cervical spinal cord at 7T. 2018 , 167, 191-202	17
415	Measuring rat kidney glomerular number and size in vivo with MRI. 2018 , 314, F399-F406	24
414	Carbon Nano-Structured Neural Probes Show Promise for Magnetic Resonance Imaging Applications. 2017 , 4,	4
413	MRI-powered biomedical devices. 2018 , 27, 191-202	2
412	Efficient Experimental Design for Measuring Magnetic Susceptibility of Arbitrarily Shaped Materials by MRI. 2018 , 22, 141	6
411	The influence of flickering patterns on the quality of brain signals for Brain-Computer Interface. 2018 ,	0

410 Hardware. **2018**, 473-539

409 Synergistic effect of surface phosphorylation and micro-roughness on enhanced osseointegration ability of poly(ether ether ketone) in the rabbit tibia. **2018**, 8, 16887 23

408 Integrity Assessment of a Hybrid DBS Probe that Enables Neurotransmitter Detection Simultaneously to Electrical Stimulation and Recording. **2018**, 9, 9

407 MARBLES - Metal Artifact Based Landmark Enhanced Susceptibility Weighted Imaging For Interventional Device Localization In MRI. **2018**, 2018, 2611-2614 1

406 Unwanted effects due to interactions between dental materials and magnetic resonance imaging: a review of the literature. **2018**, 43, e39 15

405 A computational study of biomagnetic fluid flow in a channel in the presence of obstacles under the influence of the magnetic field generated by a wire carrying electric current. **2018**, 27, 302-321 3

404 Magnetic confinement of diamagnetic objects for space utilization. **2018**, 153, 71-81 2

403 Harmonic Shear Wave Elastography. **2018**, 238-249

402 Using C-Arm X-ray images from marker insertion to confirm the gold fiducial marker identification in an MRI-only prostate radiotherapy workflow. **2018**, 19, 185-192 2

401 Challenges in developing a magnetic resonance-compatible haptic hand-controller for neurosurgical training. **2018**, 954411918806934 4

400 Electric Field from a Proton Beam in Biological Tissues for Proton Radiotherapy. **2018**, 10, 0

399 A 250 μm \times 157 μm Microscale Opto-electronically Transduced Electrodes (MOTEs) for Neural Recording. **2018**, 12, 1256-1266 44

398 A Near-Field Cloaking Study to Reduce MRI RF-Artifacts in Presence of Elongated Prostheses. **2018**, 2, 249-256 1

397 On modeling and eddy-resolving simulations of flow, turbulence, mixing and heat transfer of electrically conducting and magnetizing fluids: A review. **2018**, 73, 270-297 10

396 Computation of Magnetic Field Distortions and Impact on T*-weighted MRI with Application to Magnetic Susceptibility Parameter Estimation. **2018**, 4, 3

395 Assessment of sequence dependent geometric distortion in contrast-enhanced MR images employed in stereotactic radiosurgery treatment planning. **2018**, 63, 135006 8

394 Innovative Coil Fabrication Techniques for Miniaturized Magnetic Resonance Detectors. **2018**, 109-141

393 Development and validation of an MRI-based method for 3D particle concentration measurement. **2018**, 71, 275-287 4

392	Magnetic resonance conditional paramagnetic choke for suppression of imaging artifacts during magnetic resonance imaging. 2018 , 232, 597-604	2
391	Improved method for MR microscopy of brain tissue cultured with the interface method combined with Lenz lenses. 2018 , 52, 24-32	2
390	Development of device for quantifying magnetic nanoparticle tracers accumulating in sentinel lymph nodes. 2018 , 8, 056713	9
389	MRI compatibility of silver based wound dressings. 2018 , 44, 1940-1946	4
388	Cells in the Non-Uniform Magnetic World: How Cells Respond to High-Gradient Magnetic Fields. 2018 , 40, e1800017	23
387	Zirconium Alloys for Orthopaedic and Dental Applications. 2018 , 20, 1800207	35
386	Magnetic Nanoparticle Encapsulation for the Manipulation of Bacterial Movement and Spontaneous Detection by Reduced Graphene Oxide. 2018 , 2, 1800095	0
385	Mechanical Characteristics, In Vitro Degradation, Cytotoxicity, and Antibacterial Evaluation of Zn-4.0Ag Alloy as a Biodegradable Material. 2018 , 19,	49
384	Magnetron-Sputtered, Biodegradable FeMn Foils: The Influence of Manganese Content on Microstructure, Mechanical, Corrosion, and Magnetic Properties. 2018 , 11,	5
383	Influence of a uniform transverse magnetic field on the thermo-hydrodynamic stability in water-based nanofluids with metallic nanoparticles using the generalized Buongiorno's mathematical model. 2018 , 133, 1	106
382	Tissue-susceptibility matched carbon nanotube electrodes for magnetic resonance imaging. 2018 , 295, 72-79	9
381	Ultraparamagnetic Cells Formed through Intracellular Oxidation and Chelation of Paramagnetic Iron. 2018 , 130, 12565-12569	1
380	MR imaging of tissue near aneurysm clips using short- and zero time MR sequences. 2018 , 130, 398-403	1
379	Ultraparamagnetic Cells Formed through Intracellular Oxidation and Chelation of Paramagnetic Iron. 2018 , 57, 12385-12389	12
378	Direction modulated brachytherapy (DMBT) tandem applicator for cervical cancer treatment: Choosing the optimal shielding material. <i>Medical Physics</i> , 2018 , 45, 3524	4.4 10
377	Protocol for the Evaluation of MRI Artifacts Caused by Metal Implants to Assess the Suitability of Implants and the Vulnerability of Pulse Sequences. 2018 ,	2
376	MSVAT-SPACE-STIR and SEMAC-STIR for Reduction of Metallic Artifacts in 3T Head and Neck MRI. 2018 , 39, 1322-1329	11
375	Neurovascular stent artifacts in 3D-TOF and 3D-PCMRI: Influence of stent design on flow measurement. 2019 , 81, 560-572	9

374	Dynamic off-resonance correction for spiral real-time MRI of speech. 2019 , 81, 234-246	18
373	Evaluation of a novel software application for magnetic resonance distortion correction in cranial stereotactic radiosurgery. 2019 , 44, 136-143	1
372	Fabrication of a spherical inclusion phantom for validation of magnetic resonance-based magnetic susceptibility imaging. 2019 , 14, e0220639	8
371	X-ray spectroscopy of current-induced spin-orbit torques and spin accumulation in Pt/3d-transition-metal bilayers. 2019 , 100,	4
370	MRI of Hip Arthroplasties: Comparison of Isotropic Multiacquisition Variable-Resonance Image Combination Selective (MAVRIC SL) Acquisitions With a Conventional MAVRIC SL Acquisition. 2019 , 213, W277-W286	6
369	Ultralow-field nuclear magnetic resonance of liquids confined in ferromagnetic and paramagnetic materials. 2019 , 115, 072409	8
368	Magnetic Resonance Navigation for Targeted Embolization in a Two-Level Bifurcation Phantom. 2019 , 47, 2402-2415	11
367	Effects of motion on MRI signal decay from micron-scale particles. 2019 , 305, 152-161	2
366	In vivo magnetic resonance imaging and spectroscopy. Technological advances and opportunities for applications continue to abound. 2019 , 306, 55-65	6
365	Three-dimensional quantification of magnetic resonance imaging artifacts associated with shape factors. 2019 , 38, 638-645	3
364	Quantification of metal-induced susceptibility artifacts associated with ultrahigh-field magnetic resonance imaging of spinal implants. 2019 , 2, e1064	6
363	Magnetic Susceptibility of PAlNaGd doped with Europium Glasses and its effect on MR imaging. 2019 , 1259, 012016	
362	Performance of erythorbic acid as an oxygen scavenger in salted fresh and degraded monoethylene glycol under a magnetic memory effect. 2019 , 14, e2364	1
361	CT and MRI compatibility of flexible 3D-printed materials for soft actuators and robots used in image-guided interventions. <i>Medical Physics</i> , 2019 , 46, 5488-5498	4.4 6
360	Improving the modelling of susceptibility-induced spatial distortions in MRI-guided extra-cranial radiotherapy. 2019 , 64, 205006	3
359	Rainwater-induced migration of potentially toxic elements from a ZnPb slag dump in Ruda Ľka in light of mineralogical, geochemical and geophysical investigations. 2019 , 109, 104396	10
358	. 2019 ,	1
357	Propulsion and controlled steering of magnetic nanohelices. 2019 , 15, 1684-1691	9

356	Quantitative Susceptibility Mapping of Brain Function During Auditory Stimulation. 2019 , 3, 516-522	3
355	Quantitative Susceptibility Mapping to Assess Cerebral Vascular Compliance. 2019 , 40, 460-463	3
354	Imaging endogenous macrophage iron deposits reveals a metabolic biomarker of polarized tumor macrophage infiltration and response to CSF1R breast cancer immunotherapy. 2019 , 9, 857	18
353	Metal artifacts with dental implants: Evaluation using a dedicated CT/MR oral phantom with registration of the CT and MR images. 2019 , 9, 754	3
352	Comparison of wall shear stress estimates obtained by laser Doppler velocimetry, magnetic resonance imaging and numerical simulations. 2019 , 60, 1	6
351	Quality Assurance. 2019 , 43-54	
350	MR-based wall shear stress measurements in fully developed turbulent flow using the Clauser plot method. 2019 , 305, 16-21	2
349	The influence of liver fat deposition on the quantification of the liver-iron fraction using fast-kilovolt-peak switching dual-energy CT imaging and material decomposition technique: an experimental study. 2019 , 9, 654-661	7
348	Potential applications of the quantitative susceptibility mapping (QSM) in MR-guided radiation therapy. 2019 , 64, 145013	8
347	Velocity and pressure visualization of three-dimensional flow in porous textiles. 2019 , 89, 5041-5052	
346	Compressive Deformation Behavior and Magnetic Susceptibility of Au ₂ CuAl Biomedical Shape Memory Alloys. 2019 , 60, 662-665	1
345	Decreased water T ₁ in fatty infiltrated skeletal muscles of patients with neuromuscular diseases. 2019 , 32, e4111	15
344	Investigating the oxygenation of brain arteriovenous malformations using quantitative susceptibility mapping. 2019 , 199, 440-453	9
343	Diffusion MRI using two-dimensional single-shot radial imaging (2D ss-rDWI) with variable flip angle and random view ordering. 2019 , 61, 273-284	0
342	Preparing data for multiparametric PET/MR imaging: Influence of PET point spread function modelling and EPI distortion correction on the spatial correlation of [F]FDG-PET and diffusion-weighted MRI in head and neck cancer. 2019 , 61, 1-7	4
341	Accelerated positive contrast MRI of interventional devices using parallel compressed sensing imaging. 2019 , 60, 130-136	2
340	[MRI-Interactions with magnetically active and electrically conductive material]. 2019 , 59, 860-868	2
339	Review of energy storage and transportation of energy. 2019 , 1, e49	91

338	Dosimetric Impact of MRI Distortions: A Study on Head and Neck Cancers. 2019 , 103, 994-1003	14
337	Magnetic phase transitions around room temperature in Cu9S5. 2019 , 92, 385-395	1
336	Reducing distortions in echo-planar breast imaging at ultrahigh field with high-resolution off-resonance maps. 2019 , 82, 425-435	7
335	Intermittently tagged real-time MRI reveals internal tongue motion during speech production. 2019 , 82, 600-613	6
334	Improving fiducial and prostate capsule visualization for radiotherapy planning using MRI. 2019 , 20, 27-36	20
333	Differentiating platinum coated brachytherapy seeds and gold fiducial markers with varying off-resonant frequency offsets. 2019 , 60, 68-75	1
332	Modular transmission line probes for microfluidic nuclear magnetic resonance spectroscopy and imaging. 2019 , 303, 75-81	12
331	Characterizing geometrical accuracy in clinically optimised 7T and 3T magnetic resonance images for high-precision radiation treatment of brain tumours. 2019 , 9, 35-42	10
330	MRI artifact simulation for clinically relevant MRI sequences for guidance of prostate HDR brachytherapy. 2019 , 64, 095006	3
329	Influence of respiration-induced B variations in real-time phase-contrast echo planar imaging of the cervical cerebrospinal fluid. 2019 , 82, 647-657	3
328	Building blocks for thoracic MRI: Challenges, sequences, and protocol design. 2019 , 50, 682-701	7
327	Efficacy of pulsed electromagnetic fields and electromagnetic fields tuned to the ion cyclotron resonance frequency of Ca on chondrogenic differentiation. 2019 , 13, 799-811	5
326	Soft and MRI Compatible Neural Electrodes from Carbon Nanotube Fibers. 2019 , 19, 1577-1586	48
325	Ultra-high field MRI reveals mood-related circuit disturbances in depression: a comparison between 3-Tesla and 7-Tesla. 2019 , 9, 94	24
324	A method for correcting breathing-induced field fluctuations in T2*-weighted spinal cord imaging using a respiratory trace. 2019 , 81, 3745-3753	6
323	Calculation of Spectral Green's Function and Its Asymptotical Behavior for Sheet Electric Current in Two-Layer Dielectric Waveguide. 2019 ,	
322	The element of user training for SSVEP-based BCI. 2019 ,	
321	Magnetic Susceptibility Difference-Induced Nucleus Positioning in Gradient Ultrahigh Magnetic Field. 2020 , 118, 578-585	5

320	Feasibility of an MRI-only workflow for postimplant dosimetry of low-dose-rate prostate brachytherapy: Transition from phantoms to patients. 2019 , 18, 863-874	3
319	A Triple Layer of Immiscible Solvents for NMR Sample Preparation: Enhanced Sensitivity and Reduced Deuterated Solvent. 2019 , 4, 12928-12937	1
318	Coil combination using linear deconvolution in k-space for phase imaging. 2019 , 9, 1792-1803	1
317	In-Phase and Opposed-Phase Imaging: Applications of Chemical Shift and Magnetic Susceptibility in the Chest and Abdomen. 2019 , 39, 115-135	7
316	Pseudo-diffusion effects in lung MRI. 2019 , 299, 1-11	2
315	Reduction of magnetic resonance image artifacts of NiTi implant by carbon coating. 2019 , 98, 1-8	5
314	The effect of low resolution and coverage on the accuracy of susceptibility mapping. 2019 , 81, 1833-1848	29
313	In silico study of patient-specific magnetic drug targeting for a coronary LAD atherosclerotic plaque. 2019 , 559, 113-129	17
312	Role and future of MRI in radiation oncology. 2019 , 92, 20180505	29
311	7-Tesla MRI of the brain in a research subject with bilateral, total knee replacement implants: Case report and proposed safety guidelines. 2019 , 57, 313-316	3
310	Accelerated imaging of metallic implants using model-based nonlinear reconstruction. 2019 , 81, 2247-2263	5
309	Dependence of the frequency distribution around a vessel on the voxel orientation. 2019 , 57, 259-270	2
308	Rapid, label-free detection of cerebral ischemia in rats using hyperspectral imaging. 2020 , 329, 108466	2
307	Dipole modeling of multispectral signal for detecting metallic biopsy markers during MRI-guided breast biopsy: a pilot study. 2020 , 83, 1380-1389	1
306	Sensitivity of quantitative relaxometry and susceptibility mapping to microscopic iron distribution. 2020 , 83, 673-680	5
305	Wireless Resonant Circuits Printed Using Aerosol Jet Deposition for MRI Catheter Tracking. 2020 , 67, 876-882	11
304	MRI safety and imaging artifacts evaluated for a cannulated screw used for guided growth surgery. 2020 , 66, 219-225	1
303	Dynamic susceptibility contrast F-MRI of inhaled perfluoropropane: a novel approach to combined pulmonary ventilation and perfusion imaging. 2020 , 83, 452-461	4

302	A 32-channel multi-coil setup optimized for human brain shimming at 9.4T. 2020 , 83, 749-764		7
301	Torque property of titanium alloy cerebral aneurysm clips in a magnetic resonance scanner. 2019 , 31, 6		1
300	The effect of rare-earth dopants on the texturing of alumina under high-strength magnetic field. 2020 , 241, 122388		0
299	Crystallinity of polyolefins with large side groups by low-field H NMR T relaxometry: Isotactic Polybutene-1 with form II and I crystals. 2020 , 105, 101637		10
298	Assessment of signal-to-noise ratio and contrast-to-noise ratio in 3 T magnetic resonance imaging in the presence of zirconium, titanium, and titanium-zirconium alloy implants. 2020 , 129, 80-86		1
297	Performance investigation of LabPET II detector technology in an MRI-like environment. 2020 , 65, 035001		1
296	Initial assessment of 3D magnetic resonance fingerprinting (MRF) towards quantitative brain imaging for radiation therapy. <i>Medical Physics</i> , 2020 , 47, 1199-1214	4.4	10
295	MRI phase offset correction method impacts quantitative susceptibility mapping. 2020 , 74, 139-151		1
294	Magnetic Resonance Imaging of Venous Stents at 1.5 T: Susceptibility Artifacts and Radiofrequency Shielding. 2020 , 55, 741-746		1
293	Comprehensive methodology for commissioning modern 3D-image-based treatment planning systems for high dose rate gynaecological brachytherapy: A review. 2020 , 77, 21-29		2
292	The Physics of Magnetic Resonance Imaging Safety. 2020 , 28, 517-536		3
291	Magnetically-driven 2D cells organization on superparamagnetic micromagnets fabricated by laser direct writing. 2020 , 10, 16418		5
290	Superficial white matter imaging: Contrast mechanisms and whole-brain in vivo mapping. 2020 , 6,		23
289	Ex vivo MR microscopy of a human brain with multiple sclerosis: Visualizing individual cells in tissue using intrinsic iron. 2020 , 223, 117285		2
288	Evaluation of frequency magnetic field, static field, and Temozolomide on viability, free radical production and gene expression (p53) in the human glioblastoma cell line (A172). 2020 , 39, 298-309		2
287	Low-Resource Nucleic Acid Extraction Method Enabled by High-Gradient Magnetic Separation. 2020 , 12, 12457-12467		18
286	An optimized and highly repeatable MRI acquisition and processing pipeline for quantitative susceptibility mapping in the head-and-neck region. 2020 , 84, 3206-3222		8
285	Black Dipole or White Dipole: Using Susceptibility Phase Imaging to Differentiate Cerebral Microbleeds from Intracranial Calcifications. 2020 , 41, 1405-1413		1

284	A Novel In Vitro Device to Deliver Induced Electromagnetic Fields to Cell and Tissue Cultures. 2020 , 119, 2378-2390		2
283	Comparison of 1.5 T and 3 T MRI hippocampus texture features in the assessment of Alzheimer's disease. 2020 , 62, 102098		1
282	Deblurring for spiral real-time MRI using convolutional neural networks. 2020 , 84, 3438-3452		6
281	Feasibility and characterization of a safe susceptibility-matched endorectal coil for MR spectroscopy. 2020 , 33, e4384		
280	Modeling of active shimming of metallic needles for interventional MRI. 2020 , 84, 2858-2870		3
279	An NMR-compatible microfluidic platform enabling electrochemistry. 2020 , 20, 3202-3212		9
278	A Magnetic Resonance-Guided Focused Ultrasound Neuromodulation System With a Whole Brain Coil Array for Nonhuman Primates at 3 T. 2020 , 39, 4401-4412		1
277	Quantification of the Dislocation Density, Size, and Volume Fraction of Precipitates in Deep Cryogenically Treated Martensitic Steels. 2020 , 10, 1561		1
276	An Evaluation of the Effect of Transient Electromagnetic Fields on Pacemakers and Clinical Mitigation Measures. 2020 , 7, 607604		0
275	Sensitive magnetometry in challenging environments. 2020 , 2, 044702		15
274	Transcranial photoacoustic computed tomography based on a layered back-projection method. 2020 , 20, 100213		9
273	Enhancing Targeted Cancer Treatment by Combining Hyperthermia and Radiotherapy Using Mn-Zn Ferrite Magnetic Nanoparticles. 2020 , 6, 3550-3562		13
272	Experimental setup for bulk susceptibility effect-minimized, multi-orientation MRI of ex vivo tissue samples. <i>Medical Physics</i> , 2020 , 47, 3032-3043	4-4	3
271	Magnetic Susceptibility Associates With Dopaminergic Deficits and Cognition in Parkinson's Disease. 2020 , 35, 1396-1405		11
270	Geophysical and petrological studies of the former lead smelting waste dump in Świątków, Poland. 2020 , 179, 104080		4
269	Concurrent Imaging of Markers of Current Flow and Neurophysiological Changes During tDCS. 2020 , 14, 374		5
268	Label-Free Magnetic-Field-Assisted Assembly of Layer-on-Layer Cellular Structures. 2020 , 6, 4294-4303		6
267	NMR studies of materials loaded into porous-wall hollow glass microspheres. 2020 , 116, 111177		1

266	Effects of static magnetic field on <i>Chlorella vulgaris</i> : growth and extracellular polysaccharide (EPS) production. 2020 , 32, 2819-2828		6
265	B field homogeneity recommendations, specifications, and measurement units for MRI in radiation therapy. <i>Medical Physics</i> , 2020 , 47, 4101-4114	4-4	6
264	SWI and phase imaging reveal intracranial calcifications in the P301L mouse model of human tauopathy. 2020 , 33, 769-781		11
263	Monitoring Lithology Variations in Drilled Rock Formations Using NMR Apparent Magnetic Susceptibility Contrast. 2020 , 51, 205-219		1
262	Mathematical modeling and computational analysis of centrifugal microfluidic platforms: a review. 2020 , 20, 1318-1357		13
261	Magnetic resonance (MR) safety and compatibility of a novel iron bioresorbable scaffold. 2020 , 5, 260-274		11
260	Magnetic nanowires in biomedical applications. 2020 , 31, 433001		12
259	Iron leakage owing to blood-brain barrier disruption in small vessel disease CADASIL. 2020 , 95, e1188-e1198		7
258	QC-Automator: Deep Learning-Based Automated Quality Control for Diffusion MR Images. 2019 , 13, 1456		10
257	Appraising the potential of Zr-based biomedical alloys to reduce magnetic resonance imaging artifacts. 2020 , 10, 2621		7
256	Value of High-resolution MRI in Detecting Lymph Node Calcifications in Patients with Rectal Cancer. 2020 , 27, 1709-1717		2
255	Single-shot EPI for ASL-CMR. 2020 , 84, 738-750		6
254	MRI Evaluation of an Atrial-Anchored Transcatheter Mitral Valve Replacement Implant. 2020 , 214, 524-528		0
253	An improved three-dimensional concentration measurement technique using magnetic resonance imaging. 2020 , 61, 1		4
252	Development and testing of implanted carbon electrodes for electromagnetic field mapping during neuromodulation. 2020 , 84, 2103-2116		4
251	Full activation pattern mapping by simultaneous deep brain stimulation and fMRI with graphene fiber electrodes. 2020 , 11, 1788		27
250	Quantitative Susceptibility Mapping: Technical Considerations and Clinical Applications in Neuroimaging. 2021 , 53, 23-37		9
249	A geometric approach to separate the effects of magnetic susceptibility and chemical shift/exchange in a phantom with isotropic magnetic susceptibility. 2021 , 85, 281-289		0

248	Ex Vivo Study of Artifacts Caused by Breast Tissue Markers with Different 1.5 Tesla and 3 Tesla MRI Scanners - A Bicentric Study. 2021 , 28, 77-84	0
247	Magnetic resonance imaging of catalytically relevant processes. 2021 , 37, 3-29	2
246	Fluorescence-assisted real-time study of magnetically immobilized enzyme stability in a crossflow membrane bioreactor. 2021 , 610, 125687	
245	How is flexible electronics advancing neuroscience research?. 2021 , 268, 120559	13
244	Quantitative susceptibility mapping of the rat brain after traumatic brain injury. 2021 , 34, e4438	5
243	Tailoring biocompatible Ti-Zr-Nb-Hf-Si metallic glasses based on high-entropy alloys design approach. 2021 , 121, 111733	8
242	A new concept for improved quantitative analysis of reversible transverse relaxation in tissues with variable microscopic field distribution. 2021 , 85, 1493-1506	0
241	. 2021 , 1-1	2
240	Brain-machine and muscle-machine bio-sensing methods for gesture intent acquisition in upper-limb prosthesis control: a review. 2021 , 45, 115-128	6
239	Effects of neonatal lung abnormalities on parenchymal R * estimates. 2021 , 53, 1853-1861	
238	Non-Invasive Treatment for Coronary In-Stent Restenosis via Wireless Revascularization With Nitinol Active Stent. 2021 , 68, 3681-3689	1
237	Characterization of Viscoelastic Media Combining Ultrasound and Magnetic-Force Induced Vibrations on an Embedded Soft Magnetic Sphere. 2021 , 68, 3540-3548	1
236	Influence of receiver bandwidth on MRI artifacts caused by orthodontic brackets composed of different alloys.. 2021 , 51, 413-419	
235	Investigating Signal Loss due to a Carotid Artery Stent in 3D-TOF-MRA. 2021 , 20, 303-311	0
234	Morphological characterization of hepatic steatosis and Monte Carlo modeling of MRI signal for accurate quantification of fat fraction and relaxivity. 2021 , 34, e4489	0
233	Actual applications of magnetic resonance imaging in dentomaxillofacial region. 2021 , 1	4
232	Imaging foreign bodies in head and neck trauma: a pictorial review. 2021 , 12, 20	7
231	Electromagnetic Signal of a Proton Beam in Biological Tissues for a Potential Range-Verification Approach in Proton Therapy. 2021 , 15,	0

230	The influence of the Ag nanostructures dimensions on the pattern of electric field distribution in cases of blood cancer. 2021 , 1816, 012046	
229	Removing Artifacts of Invasive Neural Recording Induced by MRI Scanning. 2021 ,	
228	Multispectral Imaging for Metallic Biopsy Marker Detection During MRI-Guided Breast Biopsy: A Feasibility Study for Clinical Translation. 2021 , 11, 605014	
227	The Magnet Is Sometimes "Off"-Practical Strategies for Optimizing Challenging Musculoskeletal MR Imaging. 2021 , 51, 392-392	0
226	MXtrodes: MXene-infused bioelectronic interfaces for multiscale electrophysiology and stimulation.	1
225	Parametric Sequential Method for MRI-Based Wall Shear Stress Quantification. 2021 , 40, 1105-1112	
224	RF shielding materials for highly-integrated PET/MRI systems. 2021 , 66,	1
223	Magnetic-field measurement and analysis for the Muon $g-2$ Experiment at Fermilab. 2021 , 103,	24
222	Single-step calculation of susceptibility through multiple orientation sampling. 2021 , 34, e4517	0
221	Untuned broadband spiral micro-coils achieve sensitive multi-nuclear NMR TX/RX from microfluidic samples. 2021 , 11, 7798	1
220	Fast Predictive Model of Crystallographic Texture Evolution in Metal Additive Manufacturing. 2021 , 11, 482	1
219	Novel Composite Gold-Aluminum Electrode with Application to Neural Recording and Stimulation in Ultrahigh Field Magnetic Resonance Imaging Scanners. 2021 , 49, 2337-2348	1
218	High-resolution magnetic nanoparticle temperature measurement method based on dual-frequency magnetic field excitation. 2021 , 32, 075701	
217	Massively parallel functional photoacoustic computed tomography of the human brain. 2021 ,	21
216	QSMART: Quantitative susceptibility mapping artifact reduction technique. 2021 , 231, 117701	3
215	Iterative Restoration of the Fringe Phase (REFRASE) for QSM. 2021 , 15, 537666	
214	Brain Oximetry and the Quest for Quantified Metabolic Rate: Applications Using MRI and Near-Infrared Spectroscopy. 2021 , 52, 1343	2
213	Simultaneous fMRI and fast-scan cyclic voltammetry bridges oxygenation and neurotransmitter dynamics across spatiotemporal scales.	

212	Metallic Implants in MRI - Hazards and Imaging Artifacts. 2021 , 193, 1285-1293	2
211	Static Magnetic Fields Effects on Polysaccharides Production by Different Microalgae Strains. 2021 , 11, 5299	7
210	Susceptibility-weighted Imaging in Neuroradiology: Practical Imaging Principles, Pearls and Pitfalls. 2021 ,	0
209	Design and validation of a multi-point injection technology for MR-guided convection enhanced delivery in the brain.	
208	Comments on Martin Pall, "Millimeter (MM) wave and microwave frequency radiation produce deeply penetrating effects: the biology and the physics", , Published online May 26, 2021. https://doi.org/10.1515/reveh-2020-0165 . 2021 ,	3
207	X-ray to MR: the progress of flexible instruments for endovascular navigation. 2021 , 3, 032004	3
206	Quantification of magnetic susceptibility fingerprint of a 3D linearity medical device. 2021 , 87, 39-48	0
205	Emerging Applications for Quantitative Susceptibility Mapping in the Detection of Traumatic Brain Injury Pathology. 2021 , 467, 218-236	0
204	Extrusion-based 3D printing of ex situ-alloyed highly biodegradable MRI-friendly porous iron-manganese scaffolds. 2021 , 134, 774-790	3
203	MR Neurography of Peripheral Nerve Injury in the Presence of Orthopedic Hardware: Technical Considerations. 2021 , 300, 246-259	0
202	T2-weighted turbo spin-echo magnetic resonance imaging of canine brain anatomy at 1.5T, 3T, and 7T field strengths. 2022 , 305, 222-233	0
201	Artifact quantification of venous stents in the MRI environment: Differences between braided and laser-cut designs. 2021 , 88, 1-8	0
200	The Significance of Echo Time in fMRI BOLD Contrast: A Clinical Study during Motor and Visual Activation Tasks at 1.5 T. 2021 , 7, 333-343	
199	Investigation of the magnetic susceptibility properties of fresh and fixed mouse heart, liver, skeletal muscle and brain tissue. 2021 , 88, 37-44	2
198	Minimal artifact actively shimmed metallic needles in MRI. 2022 , 87, 541-550	
197	MXene-infused bioelectronic interfaces for multiscale electrophysiology and stimulation. 2021 , 13, eabf8629	13
196	Zr-xNb-4Sn alloys with low Young's modulus and magnetic susceptibility for biomedical implants. 2021 ,	2
195	Liquid Biosystems in Gradient Magnetic Fields: Electrokinetic, Magnetophoretic and Orientation Effects. 2022 , 317-341	1

194	Separation: Magnetic susceptibility source separation toward iron and myelin mapping in the brain. 2021 , 240, 118371	5
193	Dedicated holmium microsphere administration device for MRI-guided interstitial brain microbrachytherapy. 2021 , 96, 13-21	1
192	The influence of a static magnetic field on a <i>Chlorella vulgaris</i> - <i>Bacillus licheniformis</i> consortium and its sewage treatment effect. 2021 , 295, 112969	2
191	MRI magnetic compatible electrical neural interface: From materials to application. 2021 , 194, 113592	2
190	Complementing canonical fMRI with functional Quantitative Susceptibility Mapping (fQSM) in modern neuroimaging research. 2021 , 244, 118574	
189	Magnetic Resonance Imaging of the Knee. 2022 , 29-49	
188	Multi Imaging Devices: PET/MRI. 2021 , 1-41	
187	Magnetorheological elastomer dynamic characterization method considering temperature, frequency, and magnetic field. 2021 , 43, 1	2
186	Magnetic Susceptibility. 17-31	2
185	MR Compatibility of Mechatronic Devices: Design Criteria. 1999 , 1020-1030	81
184	The BOLD effect. 2011 , 771, 153-69	8
183	Diamagnetic Behavior of Porous Silicon. 2014 , 281-285	1
182	Retrospective estimation of the susceptibility driven field map for distortion correction in echo planar imaging. 2013 , 23, 352-63	2
181	PET/MR System Design. 2014 , 1-19	2
180	Principles of Susceptibility Contrast-Based Functional MRI: The Sign of the Functional MRI Response. 2000 , 91-102	2
179	Safety Issues in the MR Environment. 1998 , 95-103	2
178	Principles of Passive Visualization. 1998 , 35-43	2
177	Microstructural, mechanical and biological characterizations of the promising titanium-tantalum alloy for biomedical applications. 2018 , 735, 2604-2610	12

176	Uncovering the Modulatory Interactions of Brain Networks in Cognition with Central Thalamic Deep Brain Stimulation Using Functional Magnetic Resonance Imaging. 2020 , 440, 65-84	3
175	Iron Mapping in Multiple Sclerosis. 2017 , 27, 335-342	15
174	MR SAFETY AT HIGH MAGNETIC FIELDS. 1998 , 6, 715-730	22
173	OVERVIEW OF MR IMAGING PULSE SEQUENCES. 1999 , 7, 661-697	19
172	Gesture recognition for transhumeral prosthesis control using EMG and NIR. 2020 , 2, 122-131	15
171	Combining magnetic particle imaging and magnetic fluid hyperthermia for localized and image-guided treatment. 2020 , 37, 141-154	12
170	Development and evaluation of a deep learning based artificial intelligence for automatic identification of gold fiducial markers in an MRI-only prostate radiotherapy workflow. 2020 , 65, 225011	2
169	Fabrication and validation of reference structures for the localization of subdural standard- and micro-electrodes in MRI. 2020 , 17, 046044	0
168	Technical considerations for BOLD fMRI of the orbitofrontal cortex. 2006 , 423-446	7
167	Macroscopic susceptibility in ultra high field MRI. 1999 , 23, 832-41	70
166	Macroscopic susceptibility in ultra high field MRI. II: acquisition of spin echo images from the human head. 1999 , 23, 842-4	32
165	Human leptomeningeal and cortical vascular anatomy of the cerebral cortex at 8 Tesla. 1999 , 23, 850-6	43
164	High resolution MRI of the deep brain vascular anatomy at 8 Tesla: susceptibility-based enhancement of the venous structures. 1999 , 23, 857-66	78
163	Ultra-high field MRI reveals mood-related circuit disturbances in depression: A comparison between 3-Tesla and 7-Tesla.	1
162	Realistic modeling of ephaptic fields in the human brain.	2
161	Tau deposition is associated with imaging patterns of tissue calcification in the P301L mouse model of human tauopathy.	3
160	Magnetic Moments of Short-Lived Nuclei with Part-per-Million Accuracy: Toward Novel Applications of Detected NMR in Physics, Chemistry, and Biology. 2020 , 10,	2
159	Is your system calibrated? MRI gradient system calibration for pre-clinical, high-resolution imaging. 2014 , 9, e96568	23

158	Multistage Background Field Removal (MUBAFIRE)-Compensating for B0 Distortions at Ultra-High Field. 2015 , 10, e0138325	6
157	Positive Contrast MRI Techniques for Visualization of Iron-Loaded Hernia Mesh Implants in Patients. 2016 , 11, e0155717	5
156	In vivo T2* weighted MRI visualizes cardiac lesions in murine models of acute and chronic viral myocarditis. 2017 , 12, e0172084	7
155	Assessing agreement between preclinical magnetic resonance imaging and histology: An evaluation of their image qualities and quantitative results. 2017 , 12, e0179249	1
154	Iron imaging reveals tumor and metastasis macrophage hemosiderin deposits in breast cancer. 2017 , 12, e0184765	19
153	Human tooth and root canal morphology reconstruction using magnetic resonance imaging. 2016 , 89, 137-42	6
152	Development of the Probe for Detecting Magnetic Fluid in Lymph Nodes. 2014 , 134, 266-272	4
151	Non-Human Primates Receiving High-Dose Total-Body Irradiation are at Risk of Developing Cerebrovascular Injury Years Postirradiation. 2020 , 194, 277-287	5
150	Language Mapping Using T2-Prepared BOLD Functional MRI in the Presence of Large Susceptibility Artifacts-Initial Results in Patients With Brain Tumor and Epilepsy. 2017 , 3, 105-113	7
149	Phantom Validation of DCE-MRI Magnitude and Phase-Based Vascular Input Function Measurements. 2019 , 5, 77-89	10
148	RELATING MAGNETIC PROPERTIES OF MUNICIPAL SOLID WASTE CONSTITUENTS TO IRON CONTENT IMPLICATIONS FOR ENHANCED LANDFILL MINING. 2019 , Volume 08 - December 2019, 1	1
147	Metal artifacts from titanium and steel screws in CT, 1.5T and 3T MR images of the tibial Pilon: a quantitative assessment in 3D. 2014 , 4, 163-72	28
146	Design and Validation of a Multi-Point Injection Technology for MR-Guided Convection Enhanced Delivery in the Brain.. 2021 , 3, 725844	0
145	Introduction of a new simple dynamic phantom for physical BOLD effect simulation. 2021 ,	
144	Simultaneous fMRI and fast-scan cyclic voltammetry bridges evoked oxygen and neurotransmitter dynamics across spatiotemporal scales. 2021 , 244, 118634	1
143	Magnetic Resonance in Medicine. 2003 , 959-981	
142	Entwicklung und Anwendung von OP-Roboter-Systemen. 2003 , 112-115	
141	Image-Guided Thermal Therapy. 2003 ,	1

140 Intraoperative MRI. **2005**, 91-108

139 New Spectroscopic Techniques for Online Monitoring of Meat Quality. **2006**, 87-129

138 Magnetic Resonance Imaging. **2006**, 12-1-12-39

137 Physics of High Field MRI and Applications to Brain Tumor Imaging. **2008**, 158-167

136 A Novel Acceleration Coding/Reconstruction Algorithm for Magnetic Resonance Imaging in Presence of Static Magnetic Field In-Homogeneities. **2008**, 1115-1124

0

135 High-Field fMRI. **2009**, 109-131

134 Magnetresonanztomographie. **2009**, 1029-1070

133 Rapid Calculation of Magnetic Field Perturbations from Biological Tissue in Magnetic Resonance Imaging. 419-459

132 Score Evaluation of MRI Sequence Type Related Artifacts after Interbody Fusion with Metallic Implants: A Spine Specimen Study. **2012**, 02, 57-63

131 Magnetic Particle Imaging for Angiography, Stem Cell Tracking, Cancer Imaging and Inflammation Imaging. **2012**, 523-540

1

130 Magnetic Resonance Imaging. **2012**, 1-38

129 Image-Guided Thermal Therapy. **2013**, 689-726

128 Posttraumatic Osteonecrosis of the Femoral Head. **2014**, 113-123

127 Three-Dimensional Multispectral MRI for Patients with Metal Implants. **2014**, 241-255

126 Hemorrhagic Stroke. **2014**, 1-34

125 Computer Simulation of the SWI Protocol in Nuclear Magnetic Resonance Imaging. **2014**, 294-301

124 Percutaneous Biopsies in Children. **2014**, 265-281

123 Magnetic Resonance Imaging. **1999**,

122 Magnetic Properties of Tissues. 739-777

121 Perfusion Magnetic Resonance Imaging with Arterial Spin Labeling in the Perioperative Management of Carotid Artery Stenosis. **2015**, 43, 85-90

120 CT und MRT der Hüftprothese. **2015**, 175-185

119 Experimental Models of Brain Disease: MRI Contrast Mechanisms for the Assessment of Pathophysiological Status. **2017**, 1-30

118 The effect of smoking on the brain revealed by using electronic cigarettes with concurrent fMRI.

117 PET/MRI. **2017**, 379-409

116 Diamagnetic Behavior of Porous Silicon. **2018**, 421-425

115 Experimental Models of Brain Disease: MRI Contrast Mechanisms for the Assessment of Pathophysiological Status. **2018**, 63-92

114 Trace-based correction of breathing-induced field fluctuations in T2*-weighted imaging of the spinal cord.

113 Generating Motion- and Distortion-Free Local Field Map Using 3D Ultrashort TE MRI: Comparison with T2* Mapping. **2019**, 23, 328

112 Mapping Economic Inequality. **2020**, 121-194

111 Materials Design for Bioactive Function by Surface Modification with Apatite Nuclei. **2020**, 67, 252-257

110 Computation of the magnetic potential induced by a collection of spherical particles using series expansions. **2020**, 54, 1073-1109

109 Combining Navigator and Optical Prospective Motion Correction for High-Quality 500 μ m Resolution Quantitative Multi-Parameter Mapping at 7T.

108 Post mortem brain temperature and its influence on quantitative MRI of the brain. **2021**, 1

107 Emerging approaches for sensing and modulating neural activity enabled by nanocarbons and carbides. **2021**, 72, 76-85

106 Iron Mapping Techniques and Applications. **2020**, 1, 779-803

105 Morphological Imaging. **2020**, 109-128

104 Susceptibility Weighted Imaging. **2020**, 165-187

103 The Role of Artificial Intelligence and the Internet of Things in the Development of Medical Radiology (An Experimental Study on Magnetic Resonance Imaging). **2020**, 1

102 Brainstem fMRI. **2021**, 1, 4-11

101 Dual-phase Au-Pt alloys free from magnetic susceptibility artifacts in magnetic resonance imaging. **2022**, 85, 19-27 0

100 Drug delivery and adhesion of magnetic nanoparticles coated nanoliposomes and microbubbles to atherosclerotic plaques under magnetic and ultrasound fields. **2021**, 15, 1703-1725 3

99 Metallic Artifacts on MR Imaging and Methods for Their Reduction. **2020**, 81, 41

98 Quantitative Susceptibility Mapping. **2020**, 819-838 0

97 Black bone MRI morphometry for mandibular cortical bone measurement in head and neck cancer patients: Prospective method comparison with CT.

96 Magnetresonanztomographie. **2008**, 823-864

95 Separation: Magnetic susceptibility source separation toward iron and myelin mapping in the brain.

94 Quantitative Magnetic Resonance Imaging Assessment of the Quadriceps Changes during an Extreme Mountain Ultramarathon. **2021**, 53, 869-881 2

93 Pulsed magneto-motive ultrasound imaging using ultrasmall magnetic nanoprobles. **2011**, 10, 102-10 21

92 Heart disease prediction using convolutional neural network. **2022**, 245-272 0

91 Displacement Patterns in Magnetomotive Ultrasound Explored by Finite Element Analysis. **2021**,

90 Coherent MM-wave EMFs produce penetrating effects via time-varying magnetic fields: response to Foster & Balzano. **2021**,

89 . **2021**, 1-1

88 Multi Imaging Devices: PET/MRI. **2021**, 1317-1357

87 Fiducial markers and their impact on ablation outcome for patients treated with MR-guided transurethral ablation (TULSA): a retrospective technical analysis.. **2021**, 38, 1677-1684 0

86	Magnetic particle imaging: tracer development and the biomedical applications of a radiation-free, sensitive, and quantitative imaging modality.. 2022 ,	2
85	Effective magnetic susceptibility of 3D-printed porous metal scaffolds.. 2022 ,	0
84	Advances in liquid-state NMR spectroscopy to study the structure, function, and dynamics of biomacromolecules. 2022 , 237-266	1
83	Balloon expandable coronary stent materials: a systematic review focused on clinical success. 1	0
82	Susceptibility artifacts induced by crowns of different materials with prepared teeth and titanium implants in magnetic resonance imaging.. 2022 , 12, 428	0
81	MR susceptibility imaging for detection of tumor-associated macrophages in glioblastoma.. 2022 , 156, 645	0
80	Penumbra Detection With Oxygen Extraction Fraction Using Magnetic Susceptibility in Patients With Acute Ischemic Stroke.. 2022 , 13, 752450	1
79	Novel magnetic materials preparation, characterizations and their applications. 2022 , 67-116	
78	Ternary complexes of vanadium(IV) and titanium(IV) of Schiff bases as primary ligand: Synthesis, spectral characterization, biomedical applications, and molecular docking with SARS-CoV -2 Mpro.	0
77	Systematic Data-Driven Modeling of Bimetallic Catalyst Performance for the Hydrogenation of 5-Ethoxymethylfurfural with Variable Selection and Regularization.. 2022 , 61, 4752-4762	0
76	Basal Ganglia Iron Content Increases with Glioma Severity Using Quantitative Susceptibility Mapping: A Potential Biomarker of Tumor Severity.. 2022 , 8, 789-797	0
75	Validation of a desktop-type magnet providing a quasi-microgravity space in a room-temperature bore of a high-gradient trapped field magnet (HG-TFM). 2022 , 35, 054003	0
74	High Resolution Simulation of B Field Conditions in the Human Heart from Segmented CT Images.. 2022 , e4739	
73	Particles in coronary circulation: A review on modelling for drug carrier design. 2022 , 216, 110511	2
72	Synthesis, molecular modeling, and biomedical applications of oxovanadium(IV) complexes of Schiff bases as a good SARS-CoV-2 inhibitor. 1-16	2
71	Zr-7Cu Alloy Design According to Sn Content for Bio-Metallic Materials. 2021 , 31, 690-696	
70	Using of Laplacian Re-decomposition image fusion algorithm for glioma grading with SWI, ADC, and FLAIR images. 2021 , 27, 261-269	0
69	Muscle Fatigue Revisited - Insights From Optically Pumped Magnetometers.. 2021 , 12, 724755	0

68	Measurement of Lead Localization Accuracy Based on Magnetic Resonance Imaging.. 2021 , 15, 632822	1
67	Magnetism of materials: theory and practice in magnetic resonance imaging. 2021 , 12, 179	3
66	Design, mechanical and degradation requirements of biodegradable metal mesh for pelvic floor reconstruction.. 2022 ,	1
65	Magnetic resonance temperature imaging of laser-induced thermotherapy using proton resonance frequency shift: evaluation of different sequences in phantom and porcine brain at 7 T.. 2022 ,	0
64	Combining navigator and optical prospective motion correction for high-quality 500 μ m resolution quantitative multi-parameter mapping at 7T.. 2022 ,	2
63	Data_Sheet_1.docx. 2020 ,	
62	Table_1.docx. 2020 ,	
61	Data_Sheet_1.docx. 2020 ,	
60	Ultrafine-grained Nb-Cu immiscible alloy implants for hard tissue repair: Fabrication, characterization, and in vitro and in vivo evaluation. 2022 ,	1
59	Magnetic field effects on the structure and molecular behavior of pigeon iron-sulfur protein. 2022 , 31,	0
58	Breast MRI at 3T. 6-13	3
57	A modeling study of the effect of an alternating magnetic field on magnetite nanoparticles in proximity of the neuronal microtubules: A proposed mechanism for detachment of tau proteins. 2022 , 106913	
56	Magnetic signatures of brain health characterized in UK Biobank population imaging study.	
55	Bridging and Improving Theoretical and Computational Electrical Impedance Tomography via Data Completion. 2022 , 44, B668-B693	
54	Laser-scribed conductive, photoactive transition metal oxide on soft elastomers for Janus on-skin electronics and soft actuators. 2022 , 8,	3
53	Deep learning-based quantitative susceptibility mapping (QSM) in the presence of fat using synthetically generated multi-echo phase training data.	0
52	Safety and efficacy of MRI-guided transurethral ultrasound ablation for radiorecurrent prostate cancer in the presence of gold fiducial markers. 028418512211082	0
51	Sintering, microstructure and properties of absorbable Fe/Mn-xCu alloys. 2022 , 287, 126368	0

- 50 Near field communication (NFC) device: Evaluation of MRI issues. **2022**, 92, 82-87
- 49 Susceptibility-weighted imaging in intracranial hemorrhage: not all bleeds are black. 1
- 48 Application of susceptibility weighted imaging (SWI) in diagnostic imaging of brain pathologies: a practical approach. **2022**, 107368
- 47 Impact of Body Tissue on Induced Electromotive Force in Wireless Power Transfer Coils. **2022**,
- 46 Artifacts can be deceiving: The actual location of deep brain stimulation electrodes differs from the artifact seen on magnetic resonance images.
- 45 Evaluation of a novel 8-channel RX coil for speech production MRI at 0.55 T.
- 44 Evaluation of the ability of the Brainlab Elements Cranial Distortion Correction algorithm to correct clinically relevant MRI distortions for cranial SRT. 0
- 43 Quantitative Susceptibility Mapping of Brain Iron Deposition in Patients With Recurrent Depression. **2022**, 19, 668-675
- 42 Biomagnetic signals recorded during transcranial magnetic stimulation (TMS)-evoked peripheral muscular activity. **2022**,
- 41 Information theoretic evaluation of Lorentzian, Gaussian, Voigt, and symmetric alpha-stable models of reversible transverse relaxation in cervical cancer in vivo at 3 T.
- 40 Quantitative susceptibility mapping as an imaging biomarker for Alzheimer's disease: The expectations and limitations. 16, 1
- 39 Quantitative susceptibility mapping (QSM) of the cardiovascular system: challenges and perspectives. **2022**, 24,
- 38 Development of Precise Shimming Technique With Materials Having Low Saturation Magnetization. **2022**, 32, 1-7 1
- 37 Time-domain NMR in polyolefin research. **2022**, 256, 125205 0
- 36 Effective R2 relaxation rate, derived from dual-contrast fast-spin-echo MRI, enables detection of hemisphere differences in iron level and dopamine function in Parkinson's disease and healthy individuals. **2022**, 382, 109708 0
- 35 Physics of high-field magnetic resonance imaging and applications to brain tumour imaging. **2022**, 213-223 0
- 34 Evaluation of Multiple Linear Regression and Machine Learning Approaches to Predict Soil Compaction and Shear Stress Based on Electrical Parameters. **2022**, 12, 8791 3
- 33 Multilayer CVD graphene electrodes using a transfer-free process for the next generation of optically transparent and MRI-compatible neural interfaces. **2022**, 8, 0

32	General-Purpose Ultrasound Neuromodulation System for Chronic, Closed-Loop Preclinical Studies in Freely Behaving Rodents. 2202345	1
31	Susceptibility-weighted imaging at high-performance 0.5T magnetic resonance imaging system: Protocol considerations and experimental results. 16,	0
30	Off-resonance artifact correction for magnetic resonance imaging: a review.	0
29	Prospective B0 correction. 2023 , 337-347	0
28	Chemical Shift Encoding-Based Water-Fat Separation. 2022 , 391-418	0
27	Impact of secondary particles on the magnetic field generated by a proton pencil beam: a finite element analysis based on Geant4-DNA simulations.	0
26	First superferromagnetic remanence characterization and scan optimization for super-resolution Magnetic Particle Imaging.	0
25	3D-QCNet \bar{A} pipeline for automated artifact detection in diffusion MRI images. 2023 , 103, 102151	1
24	Chronic small bowel fistulas, entero-mesenteric fistulas, and entrapped bezoar after ingestion of 2.5-mm magnetic beads. 2023 , 89, 102542	0
23	Optically pumped magnetometers detect altered maximal muscle activity in neuromuscular disease. 16,	0
22	Magnetophoresis in Centrifugal Microfluidics at Continuous Rotation for Nucleic Acid Extraction. 2022 , 13, 2112	0
21	Quantitative Susceptibility Mapping in Cognitive Decline: A Review of Technical Aspects and Applications.	0
20	Soft X-ray and susceptibility based magnetic resonance imaging to map iron distribution in apples: initial results to model iron storage in water-deficient or dehydrated biological tissue. 2023 , 56, 51-61	0
19	A numerical human brain phantom for dynamic glucose-enhanced (DGE) MRI : On the influence of head motion at 3T.	0
18	Assessing MR-compatibility of somatosensory stimulation devices: A systematic review on testing methodologies. 17,	0
17	Porous liquid metal \bar{b} lastomer composites with high leakage resistance and antimicrobial property for skin-interfaced bioelectronics. 2023 , 9,	1
16	Mathematical Optimisation of Magnetic Nanoparticle Diffusion in the Brain White Matter. 2023 , 24, 2534	0
15	Magnetic Properties of Biological Samples. 2023 , 49-74	0

- 14 Depth-wise profiles of iron and myelin in the cortex and white matter using μ Separation: A preliminary study. **2023**, 273, 120058 ○
- 13 Influence of adaptive denoising on Diffusion Kurtosis Imaging at 3T and 7T. **2023**, 234, 107508 ○
- 12 Computed cancer magnetic susceptibility imaging (canMRI) Computational inverse mappings of cancer MRI. **2023**, ○
- 11 Flat Foldable Kirigami for Chipless Wireless Sensing. **2023**, 443-481 ○
- 10 QSM Throughout the Body. ○
- 9 Iron accumulation and axonal damage of cerebellum in idiopathic cervical dystonia. ○
- 8 A bar-joint model based on the corrected resistive force theory for artificial flagellated micro-swimmers propelled by acoustic waves. **2023**, 18, 035003 ○
- 7 First Superferromagnetic Remanence Characterization and Scan Optimization for Super-Resolution Magnetic Particle Imaging. **2023**, 23, 1717-1725 1
- 6 Numerical approach to investigate MR imaging artifacts from orthopedic implants at different field strengths according to ASTM F2119. ○
- 5 Theoretical Calculations and Experimental Measurements on the Two-Component Au - Pt Alloys with Ultralow Magnetic Susceptibility. **2023**, 19, ○
- 4 Extrusion-based 3D printing of biodegradable, osteogenic, paramagnetic, and porous FeMn-akermanite bone substitutes. **2023**, ○
- 3 Discrimination of finger movements by magnetomyography with optically pumped magnetometers. ○
- 2 Thermodynamically-Consistent Modeling of Ferromagnetic Hysteresis. **2023**, 16, 2882 ○
- 1 Iron imaging in neuroinflammation. **2023**, 51-78 ○