

CITATION REPORT

List of articles citing

Tear meniscus measurement in the diagnosis of dry eye

DOI: 10.3109/02713689609008906
Current Eye Research, 1996, 15, 653-61.

Source: <https://exaly.com/paper-pdf/27598521/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
239	The Doyne Lecture. Reflections on the tears. 1997 , 11 (Pt 5), 583-602		95
238	Evaluation of a self-prepared cotton thread test (SP-CTT) and the Phenol Red Thread (PRT) test. 1998 , 21, 11-4		5
237	Reflective meniscometry: a non-invasive method to measure tear meniscus curvature. 1999 , 83, 92-7		68
236	The height and radius of the tear meniscus and methods for examining these parameters. <i>Cornea</i> , 2000 , 19, 497-500	3.1	114
235	Effect of androgen deficiency on the human meibomian gland and ocular surface. 2000 , 85, 4874-82		145
234	Diagnosis of dry eye. 2001 , 45 Suppl 2, S221-6		150
233	Video-assessment of tear meniscus height in elderly Caucasians and its relationship to the exposed ocular surface. <i>Current Eye Research</i> , 2001 , 22, 420-6	2.9	46
232	What does the phenol red thread test actually measure?. 2001 , 78, 142-6		68
231	Lipid, lipase and lipocalin differences between tolerant and intolerant contact lens wearers. <i>Current Eye Research</i> , 2002 , 25, 227-35	2.9	78
230	Novel noninvasive sensitive determination of tear volume changes in normal cats. 2002 , 34, 371-4		12
229	The tear (lacrima) meniscus height in human eyes: a useful clinical measure or an unusable variable sign?. 2002 , 25, 57-65		48
228	Clinical monitoring of ocular physiology using digital image analysis. 2003 , 26, 27-35		48
227	A test routine in order to minimise an artefact in tear meniscus height measurement. 2003 , 26, 47; author reply 49		
226	A clinical procedure to predict the value of temporary occlusion therapy in keratoconjunctivitis sicca. 2003 , 23, 1-8		36
225	Differences in clinical parameters and tear film of tolerant and intolerant contact lens wearers. 2003 , 44, 5116-24		141
224	Retention of reversibly thermo-gelling timolol on the human ocular surface studied by video meniscometry. <i>Current Eye Research</i> , 2003 , 27, 117-22	2.9	12
223	Dynamic changes in tear meniscus curvature at the rigid contact lens edge. <i>Cornea</i> , 2003 , 22, 226-9	3.1	7

222	Is complete androgen insensitivity syndrome associated with alterations in the meibomian gland and ocular surface?. <i>Cornea</i> , 2003 , 22, 516-21	3.1	79
221	Grading of corneal and conjunctival staining in the context of other dry eye tests. <i>Cornea</i> , 2003 , 22, 640-50		802
220	Closed chamber thermometry and humidity measurements in normal and dry eye patients: a pilot study. 2003 , 13, 343-50		7
219	Relationship between tear volume and tear meniscus curvature. 2004 , 122, 1265-9		92
218	Non-invasive methods of assessing the tear film. 2004 , 78, 399-407		145
217	Chronic dry eye and regression after laser in situ keratomileusis for myopia. 2004 , 30, 675-84		87
216	A comparison of tear volume (by tear meniscus height and phenol red thread test) and tear fluid osmolality measures in non-lens wearers and in contact lens wearers. 2004 , 30, 132-7		60
215	The repeatability of clinical measurements of dry eye. <i>Cornea</i> , 2004 , 23, 272-85	3.1	325
214	Development of a rabbit model of tear film instability and evaluation of viscosity of artificial tear preparations. <i>Cornea</i> , 2004 , 23, 390-7	3.1	27
213	The agreement and repeatability of tear meniscus height measurement methods. 2005 , 82, 1030-7		68
212	Videoreflective dacrymeniscometry in normal adults and in patients with functional or primary acquired nasolacrimal duct obstruction. 2005 , 139, 493-7		23
211	Temporal changes in the tear menisci following a blink. 2006 , 83, 517-25		46
210	Relationships between central tear film thickness and tear menisci of the upper and lower eyelids. 2006 , 47, 4349-55		98
209	Strip meniscometry: a new and simple method of tear meniscus evaluation. 2006 , 47, 1895-901		78
208	The Effects of Artificial Tear Application on Contrast Sensitivity in Dry and Normal Eyes. 2006 , 16, 785-790		8
207	Tear meniscus height, lower punctum lacrimale, and the tear lipid layer in normal aging. 2006 , 83, 731-9		36
206	The effect of short term contact lens wear on the tear film and ocular surface characteristics of tolerant and intolerant wearers. 2006 , 29, 41-7; quiz 49		61
205	Comparison between graticule and image capture assessment of lower tear film meniscus height. 2006 , 29, 169-73		33

204	Quantitative evaluation of tear meniscus height from fluorescein photographs. <i>Cornea</i> , 2007 , 26, 403-6 3,1	22
203	Noninvasive interference tear meniscometry in dry eye patients with Sjögren syndrome. 2007 , 144, 232-237	66
202	Methodologies to diagnose and monitor dry eye disease: report of the Diagnostic Methodology Subcommittee of the International Dry Eye WorkShop (2007). 2007 , 5, 108-52	543
201	Research in dry eye: report of the Research Subcommittee of the International Dry Eye WorkShop (2007). 2007 , 5, 179-93	203
200	Apparent time-dependent differences in inferior tear meniscus height in human subjects with mild dry eye symptoms. 2007 , 90, 345-50	33
199	[Ocular surface investigations in dry eye]. 2007 , 30, 76-97	28
198	Symptomatic dry eye treatment with autologous platelet-rich plasma. 2007 , 39, 124-9	84
197	Effect of blinking on tear dynamics. 2007 , 48, 3032-7	116
196	The phenol red thread test for lacrimal volume--does it matter if the eyes are open or closed?. 2007 , 27, 482-9	7
195	German register for glaucoma patients with dry eye. I. Basic outcome with respect to dry eye. 2008 , 246, 1593-601	89
194	LASIK: Late Postoperative Complications. 2008 , 73-102	
193	Tear Film Surface Quality with Soft Contact Lenses Using Dynamic Videokeratoscopy. 2008 , 1, 14-21	24
192	Diseases of the Lacrimal System. 2008 , 415-435	1
191	Diurnal variation of upper and lower tear menisci. 2008 , 145, 801-6	66
190	Correlations among upper and lower tear menisci, noninvasive tear break-up time, and the Schirmer test. 2008 , 145, 795-800	92
189	Effect of blinking on tear volume after instillation of midviscosity artificial tears. 2008 , 146, 920-4	34
188	Menisci and fullness of the blink in dry eye. 2008 , 85, 706-14	47
187	Dynamic distribution of artificial tears on the ocular surface. 2008 , 126, 619-25	44

186	Classification and diagnosis of dry eye. 2008 , 41, 36-53	22
185	Direct visualization of tear film on soft contact lens using ultra-high resolution spectral domain optical coherence tomography. 2008 ,	
184	The challenge of dry eye diagnosis. 2008 , 2, 31-55	162
183	Upper and lower tear menisci on contact lenses. 2009 , 50, 1106-11	22
182	Lower volumes of tear menisci in contact lens wearers with dry eye symptoms. 2009 , 50, 3159-63	60
181	Upper and lower tear menisci in the diagnosis of dry eye. 2009 , 50, 2722-6	123
180	Clinical assessment of the lower tear meniscus height. 2009 , 29, 487-496	27
179	The effectiveness of questionnaires in the determination of Contact Lens Induced Dry Eye. 2009 , 29, 479-86	30
178	Role of lactoferrin in the tear film. 2009 , 91, 35-43	129
177	The association between symptoms of discomfort and signs in dry eye. 2009 , 7, 199-211	71
176	Tear film surface quality with soft contact lenses using dynamic-area high-speed videokeratoscopy. 2009 , 35, 227-31	24
175	Upper and lower tear menisci after laser in situ keratomileusis. 2010 , 36, 81-5	17
174	Dynamic changes in the lower tear meniscus after instillation of artificial tears. <i>Cornea</i> , 2010 , 29, 404-8 3,1	28
173	Comparison of Tearscope-plus versus slit lamp measurements of inferior tear meniscus height in normal individuals. 2010 , 20, 819-24	14
172	Simultaneous measurement of tear film dynamics using wavefront sensor and optical coherence tomography. 2010 , 51, 3441-8	32
171	Application of visante optical coherence tomography tear meniscus height measurement in the diagnosis of dry eye disease. 2010 , 117, 1923-9	143
170	Tear measurement in prosthetic eye users with fourier-domain optical coherence tomography. 2010 , 149, 602-607.e1	32
169	Reduced tear meniscus dynamics in dry eye patients with aqueous tear deficiency. 2010 , 149, 932-938.e1	29

168	Anterior segment optical coherence tomography: a diagnostic instrument for conjunctivochalasis. 2010 , 150, 798-806		53
167	Dry eye diagnosis and management. 2011 , 6, 67-79		5
166	Master Techniques in Blepharoplasty and Periorbital Rejuvenation. 2011 ,		4
165	Tear dynamics and corneal confocal microscopy of subjects with mild self-reported office dry eye. 2011 , 118, 902-7		58
164	A solute gradient in the tear meniscus. I. A hypothesis to explain Marx's line. 2011 , 9, 70-91		38
163	Tear menisci and ocular discomfort during daily contact lens wear in symptomatic wearers. 2011 , 52, 2175-80		41
162	The international workshop on meibomian gland dysfunction: report of the diagnosis subcommittee. 2011 , 52, 2006-49		464
161	Age-related variations of human tear meniscus and diagnosis of dry eye with Fourier-domain anterior segment optical coherence tomography. <i>Cornea</i> , 2011 , 30, 543-9	3.1	53
160	Comparison of two artificial tear formulations for dry eye through high-resolution optical coherence tomography. 2011 , 94, 549-56		12
159	Comparison of the tear film clinical parameters at two different times of the day. 2011 , 94, 557-62		20
158	The relationship between clinical signs and dry eye symptoms. 2011 , 25, 502-10		102
157	The watery eye. 2011 , 11, 192-6		2
156	The efficacy, sensitivity, and specificity of strip meniscometry in conjunction with tear function tests in the assessment of tear meniscus. 2011 , 52, 2194-8		42
155	Diagnosing dry eye with dynamic-area high-speed videokeratoscopy. 2011 , 16, 076012		14
154	Age-related changes in tear menisci imaged by optical coherence tomography. 2011 , 88, 1214-9		23
153	Upper and lower tear menisci in Sjögren's syndrome dry eye. 2011 , 52, 9373-8		27
152	Ophthalmologic findings in patients with non-surgically treated blowout fractures. 2012 , 5, 1-6		9
151	Tear film function in patients with seasonal allergic conjunctivitis outside the pollen season. 2012 , 157, 81-8		9

150	Clinical significance of tear menisci in dry eye. 2012 , 38, 183-7		20
149	OCT for assessing artificial tears effectiveness in contact lens wearers. 2012 , 89, E62-9		14
148	Assessing corneal hysteresis using the Ocular Response Analyzer. 2012 , 89, E343-9		34
147	Noninvasive, objective, multimodal tear dynamics evaluation of 5 over-the-counter tear drops in a randomized controlled trial. <i>Cornea</i> , 2012 , 31, 108-14	3.1	22
146	Correlation between optical coherence tomography-derived assessments of lower tear meniscus parameters and clinical features of dry eye disease. <i>Cornea</i> , 2012 , 31, 680-5	3.1	51
145	Effect of punctal occlusion on tear menisci in symptomatic contact lens wearers. <i>Cornea</i> , 2012 , 31, 1014-22	3.2	8
144	OCT assessment of tear meniscus after punctal occlusion in dry eye disease. 2012 , 89, E770-6		24
143	Dry eye disease: simple to diagnose but complex to manage. 2012 , 3, 194-202		1
142	Tear meniscus measurement by spectral optical coherence tomography. 2012 , 89, 336-42		36
141	Automated inferior tear meniscus height measurement in a sequence of video. 2012 ,		0
140	Evaluation of dry eye. 2012 , 57, 293-316		108
139	Dynamics of the Tear Film. 2012 , 44, 267-297		107
138	Dry eye. 2012 , 76-94		1
137	Ultra-high resolution optical coherence tomography for monitoring tear meniscus volume in dry eye after topical cyclosporine treatment. 2012 , 6, 933-8		16
136	Introducing a new parameter for the assessment of the tear film lipid layer. 2012 , 53, 6638-44		12
135	Tear meniscus measurement in nasolacrimal duct obstruction patients with Fourier-domain optical coherence tomography: novel three-point capture method. 2012 , 90, 783-7		21
134	The diagnostic significance of Fourier-domain optical coherence tomography in Sjögren syndrome, aqueous tear deficiency and lipid tear deficiency patients. 2012 , 90, e359-66		38
133	Tear meniscus evaluation by anterior segment swept-source optical coherence tomography. 2013 , 155, 620-624, 624.e1-2		55

132	Clinimetric methods in Sjögren's syndrome. 2013 , 42, 627-39		24
131	Optical coherence tomography for measuring the tear film meniscus: correlation with schirmer test and tear-film breakup time. <i>Current Eye Research</i> , 2013 , 38, 736-42	2.9	39
130	Diagnostic Techniques in Ocular Surface Disease. 2013 , 47-54		1
129	Comparison between three methods to value lower tear meniscus measured by image software. 2013 ,		
128	Kuru Göz Hastalarında Optik Koherans Tomografi ile Gözyaşı Menisküs Parametrelerinin Değerlendirilmesi. 2013 , 43, 258-262		3
127	Contemporary dry eye tests. 2013 , 30-49		
126	Gözyaşı Menisküs Parametrelerinin Geleneksel Kuru Göz Testleri ile İlişisinin İncelenmesi. 2013 , 43, 446-450		3
125	Visante optical coherence tomography and tear function test evaluation of cholinergic treatment response in patients with sjögren syndrome. <i>Cornea</i> , 2013 , 32, 653-7	3.1	10
124	Diagnosis of dry eye disease and emerging technologies. 2014 , 8, 581-90		74
123	A new portable digital meniscometer. 2014 , 91, e1-8		13
122	Correlation between tear osmolarity and tear meniscus. 2014 , 91, 1419-29		13
121	The relationship between tear meniscus regularity and conjunctival folds. 2014 , 91, 1037-44		16
120	Comparison of a new portable digital meniscometer and optical coherence tomography in tear meniscus radius measurement. 2014 , 92, e112-8		17
119	Facilitation of tear fluid secretion by 3% diquafosol ophthalmic solution in normal human eyes. 2014 , 157, 85-92.e1		46
118	Interfacial phenomena and the ocular surface. 2014 , 12, 178-201		42
117	Tear meniscus dimensions in tear dysfunction and their correlation with clinical parameters. 2014 , 157, 301-310.e1		62
116	Rethinking dry eye disease: a perspective on clinical implications. 2014 , 12, S1-31		134
115	The role of corneal innervation in LASIK-induced neuropathic dry eye. 2014 , 12, 32-45		98

114	Tear menisci after laser in situ keratomileusis with mechanical microkeratome and femtosecond laser. 2014 , 55, 5806-12		11
113	Changes in ocular factors according to depth variation and viewer age after watching a three-dimensional display. 2014 , 98, 684-90		10
112	Interexaminer reproducibility of optical coherence tomography for measuring the tear film meniscus. <i>Current Eye Research</i> , 2014 , 39, 1145-50	2.9	23
111	Assessment of tear meniscus with optical coherence tomography in thyroid-associated ophthalmopathy. <i>Current Eye Research</i> , 2014 , 39, 323-8	2.9	12
110	Dynamic changes of tear fluid after cosmetic transcutaneous lower blepharoplasty measured by optical coherence tomography. 2014 , 158, 55-63.e1		13
109	Tear dynamics in healthy and dry eyes. <i>Current Eye Research</i> , 2014 , 39, 580-95	2.9	40
108	Accuracy of a Freezing Point Depression Technique Osmometer. 2015 , 92, e273-83		8
107	Comparison of Tear Meniscus Height Measurements Obtained With the Keratograph and Fourier Domain Optical Coherence Tomography in Dry Eye. <i>Cornea</i> , 2015 , 34, 1209-13	3.1	31
106	A Pragmatic Approach to the Management of Dry Eye Disease: Evidence into Practice. 2015 , 92, 957-66		13
105	A Pragmatic Approach to Dry Eye Diagnosis: Evidence into Practice. 2015 , 92, 1189-97		22
104	The Effects of Increasing Ocular Surface Stimulation on Blinking and Tear Secretion. 2015 , 56, 4211-20		17
103	Tear Meniscus Evaluation Using Optical Coherence Tomography in Meibomein Gland Dysfunction Patients. 2015 , 56, 1684		2
102	The pathophysiology, diagnosis, and treatment of dry eye disease. 2015 , 112, 71-81; quiz 82		178
101	Tear Meniscus Evaluation Using Optical Coherence Tomography in Dry Eye Patients. 2015 , 56, 323		6
100	Assessment of lower tear meniscus measurements obtained with Keratograph and agreement with Fourier-domain optical-coherence tomography. 2015 , 99, 1120-5		36
99	Evaluation of dry eye after femtosecond laser-assisted cataract surgery. 2015 , 41, 2614-23		38
98	Abdominal breathing increases tear secretion in healthy women. 2015 , 13, 82-7		15
97	Repeatability of tear meniscus evaluation using spectral-domain Cirrus [®] HD-OCT and time-domain Visante [®] OCT. 2015 , 38, 368-72		18

96	Taiwanese farm workers' pesticide knowledge, attitudes, behaviors and clothing practices. 2015 , 25, 685-96		15
95	Assessment of corneal thickness and tear meniscus during contact-lens wear. 2015 , 38, 185-93		21
94	Effect of non-invasive tear stability assessment on tear meniscus height. 2015 , 93, e135-9		40
93	Correlations among ocular surface temperature difference value, the tear meniscus height, Schirmer's test and fluorescein tear film break up time. 2015 , 99, 482-7		23
92	Analysis of Tear Meniscus Change after Strabismus Surgery Using Optical Coherence Tomography. 2016 , 57, 1932		1
91	Interobserver variability of an open-source software for tear meniscus height measurement. 2016 , 39, 249-56		4
90	Influence of Conjunctival Folds on Calculated Tear Meniscus Volume Along the Lower Eyelid. 2016 , 14, 377-84		12
89	A Comprehensive Review of Sex Disparities in Symptoms, Pathophysiology, and Epidemiology of Dry Eye Syndrome. 2016 , 31, 325-36		21
88	Noninvasive Dry Eye Assessment Using High-Technology Ophthalmic Examination Devices. <i>Cornea</i> , 2016 , 35 Suppl 1, S38-S48	3.1	9
87	Assessment of Lower Tear Meniscus. 2016 , 93, 1420-1425		18
86	Evaluation of Tear Meniscus Dynamics Using Anterior Segment Swept-Source Optical Coherence Tomography After Topical Solution Instillation for Dry Eye. <i>Cornea</i> , 2016 , 35, 654-8	3.1	24
85	Is optical coherence tomography an effective device for evaluation of tear film meniscus in patients with acne rosacea?. 2016 , 30, 545-52		3
84	Ocular neuropathic pain. 2016 , 100, 128-34		103
83	Anterior Segment Optical Coherence Tomography (AS-OCT) in the Management of Dry Eye. 2017 , 57, 13-22		8
82	TFOS DEWS II Diagnostic Methodology report. 2017 , 15, 539-574		720
81	TFOS DEWS II pathophysiology report. 2017 , 15, 438-510		629
80	TFOS DEWS II Tear Film Report. 2017 , 15, 366-403		372
79	Lower Tear Meniscus Measurements Using a New Anterior Segment Swept-Source Optical Coherence Tomography and Agreement With Fourier-Domain Optical Coherence Tomography. <i>Cornea</i> , 2017 , 36, 183-188	3.1	15

78	Assessment of the Tear Meniscus by Strip Meniscometry and Keratograph in Patients With Dry Eye Disease According to the Presence of Meibomian Gland Dysfunction. <i>Cornea</i> , 2017 , 36, 189-195	3.1	22
77	Human tear-production rate from closed-eye Schirmer-strip capillary dynamics. 2017 , 521, 61-68		8
76	Intraocular light scatter in patients on topical intraocular pressure-lowering medication. 2018 , 28, 652-661		0
75	Meibomian Gland Dysfunction in Primary and Secondary Sjögren Syndrome. 2018 , 59, 193-205		31
74	[Diagnosis of dry eye disease]. 2018 , 115, 433-450		1
73	The tear turnover and tear clearance tests - a review. 2018 , 15, 219-229		11
72	Human Lacrimal Production Rates from Modified Schirmer-Tear Test. 2018 , 95, 343-348		7
71	Advances in dry eye imaging: the present and beyond. 2018 , 102, 295-301		17
70	Impact of oral vitamin D supplementation on the ocular surface in people with dry eye and/or low serum vitamin D. 2018 , 41, 69-76		24
69	Diagnostic Instruments. 2018 , 327-345.e5		
68	Preliminary Examination. 2018 , 346-355.e1		2
67	Complications. 2018 , 385-409.e2		2
66	Potential for endocannabinoid system modulation in ocular pain and inflammation: filling the gaps in current pharmacological options. 2018 , 2, NS20170144		10
65	Changes in Tear Meniscus Height Following Lower Blepharoplasty as Measured by Optical Coherence Tomography. 2018 , 32, 344-352		2
64	Lower Tear Meniscus Height Measurements Using Keratography and Swept-Source Optical Coherence Tomography and Effect of Fluorescein Instillation Methods. <i>Current Eye Research</i> , 2019 , 44, 1203-1208	2.9	2
63	Evaluation of strip meniscometry, tear meniscus height and depth in the diagnosis of dry eye disease in asian Indian eyes. 2019 , 17, 747-752		6
62	[Tear film analysis and evaluation of optical quality: A review of the literature (French translation of the article)]. 2019 , 42, 226-243		7
61	Tear film analysis and evaluation of optical quality: A review of the literature. 2019 , 42, e21-e35		7

60 Dry Eye. **2019**, 105-124

59 Automated Measurement of Tear Meniscus Height with the Kowa DR-1H Tear Interferometer in Both Healthy Subjects and Dry Eye Patients. **2019**, 60, 2092-2101 11

58 TMIS: a new image-based software application for the measurement of tear meniscus height. **2019**, 97, e973-e980 2

57 Repeatability and Reproducibility of Tear Meniscus Evaluations Using Two Different Spectral Domain-optical Coherence Tomography. **2019**, 60, 929 1

56 Tear film abnormalities in pseudoexfoliation syndrome and normal healthy participants: A comparative analysis. **2020**, 76, 303-306 3

55 Advances in the diagnosis and treatment of dry eye. **2020**, 78, 100842 41

54 Objective Imaging Diagnostics for Dry Eye Disease. **2020**, 2020, 3509064 7

53 Strip Meniscometry Correlates With Ocular Surface Tests and Symptoms. *Translational Vision Science and Technology*, **2020**, 9, 31 3-3 3

52 Feasibility of Strip Meniscometry for Tear Volume Evaluation in Lacrimal Passage Obstruction. **2020**, 10, 3

51 Punctate fluorescein staining scores in dogs with or without aqueous tear deficiency. **2021**, 24, 28-36 0

50 Dry eye disease and retinal nerve fiber layer changes in chronic smokers. **2021**, 69, 1178-1182 1

49 Evaluation of tear meniscus height using different clinical methods. **2021**, 104, 583-588 1

48 Measurement of the Lower Lid Margin Thickness by Oculus Keratograph. **2021**, 47, 341-346 1

47 Critical role of mass spectrometry proteomics in tear biomarker discovery for multifactorial ocular diseases (Review). **2021**, 47, 6

46 Reliability and clinical applicability of a novel tear film imaging tool. **2021**, 259, 1935-1943 1

45 Diagnosis of Dry Eye.

44 Efficacy, Retention, and Complications of Two Types of Silicone Punctal Plugs in Dry Eye Patients. **2021**, 62, 754-761 0

43 . **2021**,

42	A deep learning approach for the quantification of lower tear meniscus height. 2021 , 68, 102655		1
41	Examination for Dry Eyes.		
40	Using osmolarity to diagnose dry eye: a compartmental hypothesis and review of our assumptions. <i>Advances in Experimental Medicine and Biology</i> , 2002 , 506, 1087-95	3.6	44
39	Hydrodynamics of meniscus-induced thinning of the tear film. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 438, 425-31	3.6	35
38	Disruption of tear film and blink dynamics. 2010 , 123-130		1
37	Tear Meniscus and Corneal Sub-basal Nerve Plexus Assessment in Primary Sjögren Syndrome and Sicca Syndrome Patients. <i>Cornea</i> , 2019 , 38, 221-228	3.1	8
36	Automatic assessment of tear film and tear meniscus parameters in healthy subjects using ultrahigh-resolution optical coherence tomography. <i>Biomedical Optics Express</i> , 2019 , 10, 2744-2756	3.5	11
35	Deep learning segmentation for optical coherence tomography measurements of the lower tear meniscus. <i>Biomedical Optics Express</i> , 2020 , 11, 1539-1554	3.5	10
34	New approaches for diagnosis of dry eye disease. <i>International Journal of Ophthalmology</i> , 2019 , 12, 1618-1628	1.6	8
33	Relationship between Ocular Surface Alterations and Concentrations of Aerial Particulate Matter. <i>Journal of Ophthalmic and Vision Research</i> , 2019 , 14, 419-427	1.2	5
32	Corneal Sensitivity and Some Properties of the Tear Film After Laser in situ Keratomileusis. <i>Journal of Refractive Surgery</i> , 2001 , 17, 17-24	3.3	61
31	Tear Volume and Stability After LASIK. <i>Journal of Refractive Surgery</i> , 2007 , 23, 290-298	3.3	10
30	Tear Meniscus Evaluation by Optical Coherence Tomography. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2006 , 37, 112-118	1.4	75
29	Serial measurement of tear meniscus by FD-OCT after instillation of artificial tears in patients with dry eyes. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2011 , 42, 308-13	1.4	12
28	Reference values for selected dry eye tests in normal Beagle dogs: a pilot study. <i>Journal of Veterinary Science</i> , 22,	1.6	
27	Clinical Factors for Determining the Severity of Lid Wiper Epitheliopathy in Dry Eye. <i>Cornea</i> , 2021 ,	3.1	1
26	Soft Contact Lenses and the Tear Film. 2006 , 323-339		2
25	Levator Ptosis Repair in the Aesthetic Patient With and Without Blepharoplasty. 2011 , 125-135		0

24	Dry Eye. 2011 , 425-443		0
23	Validation of a semi-automatic protocol for the assessment of the tear meniscus central area based on open-source software. 2017 ,		
22	Evaluation of Cellulose and Super-Absorbent-Polymer as an Absorbent of Tube-type Tear Test Kit. <i>The Korean Journal of Vision Science</i> , 2017 , 19, 495-502	0.1	1
21	Analysis of Tear Meniscus using Optical Coherence Tomography after Cataract Surgery. <i>Journal of Korean Ophthalmic Optics Society</i> , 2018 , 23, 503-509	0.2	
20	Evaluation of the relationship between symptomatic assessment, corneal staining and tear meniscus by image analysis. 2019 ,		
19	Reference values for selected dry eye tests in normal Beagle dogs: a pilot study. <i>Journal of Veterinary Science</i> , 2021 ,	1.6	0
18	Advances in Dry Eye Disease Examination Techniques.. <i>Frontiers in Medicine</i> , 2021 , 8, 826530	4.9	0
17	The Role of Different Tear Volume Detection Methods in the Evaluation and Diagnosis of Mild Dry Eye Disease.. <i>Translational Vision Science and Technology</i> , 2022 , 11, 15	3.3	1
16	Research Progress on Diagnostic Methods of Dry Eye. 2022 ,		
15	Dry eye syndrome model established in rabbits via mitomycin C injection in the lacrimal gland. <i>Taiwan Journal of Ophthalmology</i> , 2022 ,	1.4	
14	Was ist bei der Diagnostik des Trockenen Auges zu beachten?.		
13	Was ist bei der Diagnostik des Trockenen Auges zu beachten?. 2022 , 12, 249-264		
12	Current Diagnostic Tests for Dry Eye Disease in Sjögrenß Syndrome.		
11	Clinical association between trace elements of tear and dry eye metrics. 2022 , 12,		1
10	The Incidence and Risk Factors for Dry Eye After Pediatric Strabismus Surgery.		0
9	Lifting the lid on dry eye practice. 2016 , 2016, 141656-1		0
8	A new look at tears. 2017 , 2017, 155846-1		0
7	Lifting the lid on dry eye practice [part 6. 2017 , 2017, 6194-1		0

- 6 Categorization of the Aqueous Deficient Dry Eye by a Cut-Off Criterion of TMH Measured with Tearscope. **2022**, 12, 2007
- 5 Application of optical coherence tomography and keratograph in the measurements of lower lid margin thickness.
- 4 Complications. **2024**, 431-457.e3
- 3 Preliminary Examination. **2024**, 388-397.e1
- 2 Diagnostic Instruments. **2024**, 357-387.e8
- 1 Ocular conditions and injuries, detection and management in spaceflight. **2023**, 9,