

# CITATION REPORT

List of articles citing

## Outcome and risk factors for left ventricular disorders in chronic uraemia

DOI: 10.1093/ndt/11.7.1277

Nephrology Dialysis Transplantation, 1996, 11, 1277-1285.

**Source:** <https://exaly.com/paper-pdf/27664039/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
516	Cardiac disease in chronic uremia: clinical outcome and risk factors. <b>1997</b> , 4, 234-48		48
515	Cardiac disease in chronic uremia: pathogenesis. <b>1997</b> , 4, 194-211		120
514	Cardiac disease in chronic uremia: management. <b>1997</b> , 4, 249-66		8
513	Commentary: Cardiomyopathy of Anemia and the Potential of Erythropoietin. <b>1997</b> , 17, 117-118		
512	Risk Factors for Cardiac Dysfunction in Dialysis Patients: Implications for Patient Care. <b>1997</b> , 10, 137-141		3
511	Anemia, Cardiovascular Disease, and Erythropoietin Therapy in Chronic Renal Failure Patients. <b>1997</b> , 6, 29-32		
510	Dialysis Patients: A Cardiologist's Perspective. <b>1997</b> , 6, 32-35		1
509	Cardiac disease in diabetic end-stage renal disease. <b>1997</b> , 40, 1307-12		104
508	Nocturnal hypoxemia, night-day arterial pressure changes and left ventricular geometry in dialysis patients. <b>1998</b> , 53, 1078-84		90
507	Left ventricular hypertrophy in renal failure. <b>1998</b> , 68, S78-85		60
506	Blood pressure, left ventricular hypertrophy and long-term prognosis in hemodialysis patients. <b>1998</b> , 68, S92-8		29
505	Insertion/deletion polymorphism in intron 16 of the ACE gene and left ventricular hypertrophy in patients with end-stage renal disease. <b>1998</b> , 32, 725-30		35
504	Anemia of hemodialysis patients: evaluation of the effect of BK-F polymethylmethacrylate membrane. <b>1999</b> , 125, 173-81		5
503	Anemia during the predialysis period: A key to cardiac damage in renal failure. <b>1998</b> , 80, 1-5		24
502	Disorders of left ventricular structure and function in chronic uremia: how often, why and what to do with it?. <b>1999</b> , 1, 327-36		16
501	Cardiovascular Problems in Peritoneal Dialysis Patients: A Short Overview. <b>1999</b> , 19, 150-158		1
500	Echocardiography overestimates left ventricular mass in hemodialysis patients relative to magnetic resonance imaging. <b>1999</b> , 56, 2248-53		108

499	Pathogenesis of Cardiac Disease in Dialysis Patients. <b>1999</b> , 12, 62-68		17
498	Divalent Ion Abnormalities and Hyperparathyroidism in the Etiology of Cardiovascular Disease of Patients with Chronic Renal Failure. <b>1999</b> , 12, 97-102		3
497	Anemia as a Risk Factor for Cardiac Disease in Dialysis Patients. <b>1999</b> , 12, 84-86		1
496	Left ventricular mass index increase in early renal disease: impact of decline in hemoglobin. <b>1999</b> , 34, 125-34		650
495	Haemodialysis. <b>1999</b> , 353, 737-42		45
494	Anemia and Cardiovascular Disease. <b>1999</b> , 1, 24-30		
493	Left Ventricular Hypertrophy in Renal Failure. <b>1999</b> , 12, 340-344		
492	Risk issues in renal transplantation: cardiac aspects. <b>1999</b> , 31, 291-3		12
491	Renal disease and the heart. <b>1999</b> , 60, 85-9		
490	The risks of exercise. <b>1999</b> , 6, 165-71		15
489	Prediction of left ventricular geometry by clinic, pre-dialysis and 24-h ambulatory BP monitoring in hemodialysis patients: CREED investigators. <b>1999</b> , 17, 1751-8		80
488	Hypoalbuminemia as a risk factor for progressive left-ventricular hypertrophy in hemodialysis patients. <b>2000</b> , 20, 396-401		30
487	Cardiac complications of end-stage renal disease. <b>2000</b> , 7, 210-9		7
486	Sleep apnoea and nocturnal hypoxaemia in dialysis patients: mere risk-indicators or causal factors for cardiovascular disease?. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 1919-21	4-3	8
485	Cardiovascular disease in chronic renal failure: the challenge continues. Registro Lombardo Dialisi e Trapianto. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15 Suppl 5, 69-80	4-3	74
484	Microinflammatory state in CRI, PD-/HD-patients. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 149-154	4-3	1
483	Effect of hemoglobin levels in hemodialysis patients with asymptomatic cardiomyopathy. <b>2000</b> , 58, 1325-35		262
482	Postischemic vasodilation, endothelial activation, and cardiovascular remodeling in end-stage renal disease. <b>2000</b> , 57, 1091-9		97

481	Patient selection affects end-stage renal disease outcome comparisons. <b>2000</b> , 57, S94-S99		12
480	Comorbidities and their impact on outcome in patients with end-stage renal disease. <b>2000</b> , 57, S100-S104		39
479	No association between deletion-type angiotensin-converting enzyme gene polymorphism and left-ventricular hypertrophy in hemodialysis patients. <b>2000</b> , 84, 130-5		11
478	Morbidity and mortality reduction associated with the use of erythropoietin. <b>2000</b> , 85 Suppl 1, 2-8		24
477	Are there two types of malnutrition in chronic renal failure? Evidence for relationships between malnutrition, inflammation and atherosclerosis (MIA syndrome). <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 953-60	4-3	599
476	Antihypertensive management in PD- and HD-patients. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 135-136	4-3	
475	Management of acute ischaemic heart disease. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 143-144	4-3	2
474	Cardiac disease in dialysis patients: diagnosis, burden of disease, prognosis, risk factors and management. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15 Suppl 5, 58-68	4-3	62
473	Management of diabetic patients on dialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 141-142	4-3	
472	Management of heart failure. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 147-148	4-3	13
471	Management of dyslipidaemia. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 129-130	4-3	1
470	Management of patients with diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 139-140	4-3	5
469	Management of diabetic patients with microalbuminuria. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 137-138	4-3	
468	Early echocardiographic changes and survival following renal transplantation. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 93-8	4-3	45
467	Assessment of cardiovascular risk factors. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 127-128	4-3	1
466	General management of hypertension. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 131-132	4-3	1
465	Cardiovascular Aspects of Dialysis Treatment. <b>2000</b> ,		6
464	Interdialytic weight gain, compliance with dialysis regimen, and age are independent predictors of blood pressure in hemodialysis patients. <b>2000</b> , 35, 257-65		109

463	Risks Associated with Under-Transfusion. <b>2000</b> , 2, 21-26		2
462	Circulating natriuretic peptide concentrations in patients with end-stage renal disease: role of brain natriuretic peptide as a biomarker for ventricular remodeling. <b>2001</b> , 76, 1111-9		151
461	The CREATE trial--building the evidence. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16 Suppl 2, 16-8	4-3	29
460	Blood Pressure and Left Ventricular Hypertrophy in Patients on Different Peritoneal Dialysis Regimens. <b>2001</b> , 21, 1-9		24
459	Factors Governing Cardiovascular Risk in the Patient with a Failing Renal Transplant. <b>2001</b> , 21, 275-279		71
458	Target hemoglobin in patients with renal failure. <b>2001</b> , 89, 135-43; discussion 143-4		4
457	Left ventricular hypertrophy and nocturnal hypoxemia in hemodialysis patients. <b>2001</b> , 19, 287-93		42
456	Cardiovascular effects of erythropoietin and anemia correction. <b>2001</b> , 10, 633-7		63
455	Anaemia, renal insufficiency and cardiovascular outcome. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16 Suppl 1, 102-4	4-3	13
454	Individualizing target haemoglobin concentrations--tailoring treatment for renal anaemia. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16 Suppl 7, 9-14	4-3	10
453	Cardiovascular disease determinants in chronic renal failure: clinical approach and treatment. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16, 459-68	4-3	104
452	Inflammatory and atherosclerotic interactions in the depleted uremic patient. <b>2001</b> , 19, 53-61		168
451	Aortic pulse wave velocity as a marker of cardiovascular disease in subjects over 70 years old. <b>2001</b> , 19, 871-7		93
450	Anaemia in chronic renal disease: lessons learned since Seville 1994. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16 Suppl 7, 41-5	4-3	12
449	Diagnostic potential of cardiac natriuretic peptides in dialysis patients. <b>2001</b> , 59, 1559-66		124
448	Gender differences in systolic left ventricular function in hypertensive patients with electrocardiographic left ventricular hypertrophy (the LIFE study). <b>2001</b> , 87, 980-3; A4		56
447	Effect of erythropoietin on cardiovascular diseases. <b>2001</b> , 38, S20-5		21
446	The Evaluation of the Renal Transplant Candidates: Clinical Practice Guidelines. <b>2001</b> , 1, 1-95		13

445	Nutrition and Renal Disease. <b>2001</b> , 617-636		1
444	Aortic pulse wave velocity predicts cardiovascular mortality in subjects >70 years of age. <b>2001</b> , 21, 2046-50		615
443	Cardiovascular complications of renal disease. <b>2001</b> , 86, 459-66		46
442	Baseline blood pressure and other variables influencing survival on haemodialysis of patients without overt cardiovascular disease. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16, 793-7	4-3	17
441	Effect of closure of the arteriovenous fistula on left ventricular dimensions in renal transplant patients. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16, 368-72	4-3	122
440	When should we start erythropoietin therapy?. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16, 891-2	4-3	10
439	Impact of aortic stiffness attenuation on survival of patients in end-stage renal failure. <b>2001</b> , 103, 987-92		836
438	The pharmacokinetics and pharmacodynamics of angiotensin-receptor blockers in end-stage renal disease. <b>2002</b> , 3, 247-54		19
437	Left ventricular alterations and end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , <b>2002</b> , 17 Suppl 1, 29-36	4-3	231
436	The malnutrition, inflammation, and atherosclerosis (MIA) syndrome -- the heart of the matter. <i>Nephrology Dialysis Transplantation</i> , <b>2002</b> , 17 Suppl 11, 28-31	4-3	405
435	Cardiac effects of chronic inflammation in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , <b>2002</b> , 17 Suppl 8, 10-5	4-3	35
434	The role of anaemia in the genesis of cardiac abnormalities in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , <b>2002</b> , 17, 207-10	4-3	10
433	A need for an individualized approach to end-stage renal disease patients. <i>Nephrology Dialysis Transplantation</i> , <b>2002</b> , 17 Suppl 6, 17-21	4-3	5
432	The relationship of haemoglobin level and survival: direct or indirect effects?. <i>Nephrology Dialysis Transplantation</i> , <b>2002</b> , 17 Suppl 5, 8-13	4-3	19
431	Management of the patient with chronic renal failure in the evidence based era. <b>2002</b> , 57, 257-65		
430	Cardiovascular disease in patients with chronic kidney disease. <b>2002</b> , 22, 459-73		23
429	Intensive blood pressure reduction is beneficial in patients with impaired cardiac function coexisting with chronic renal insufficiency. <b>2002</b> , 25, 41-8		
428	Hemodialysis-associated hypertension: pathophysiology and therapy. <b>2002</b> , 39, 227-44		166

427	Studies of prognostic factors in end-stage renal disease: an epidemiological and statistical critique. <b>2002</b> , 39, 1196-205	8
426	Left ventricular geometry and adverse cardiovascular events in chronic hemodialysis patients on prolonged therapy with ACE inhibitors. <b>2002</b> , 40, 728-36	58
425	Clinical correlates and mortality impact of left ventricular hypertrophy among new ESRD patients in the United States. <b>2002</b> , 40, 1202-10	92
424	Left ventricular hypertrophy, cardiac remodeling and asymmetric dimethylarginine (ADMA) in hemodialysis patients. <b>2002</b> , 62, 339-45	164
423	A novel association between residual renal function and left ventricular hypertrophy in peritoneal dialysis patients. <b>2002</b> , 62, 639-47	125
422	Effect of antioxidant therapy with dl-alpha-tocopherol on cardiovascular structure in experimental renal failure. <b>2002</b> , 62, 877-84	33
421	Left ventricular mass and hemodynamic overload in normotensive hemodialysis patients. <b>2002</b> , 62, 1828-38	29
420	Strategies to decrease cardiovascular mortality in patients with end-stage renal disease. <b>2002</b> , 5-10	14
419	Anemia and left ventricular hypertrophy in chronic kidney disease populations: a review of the current state of knowledge. <b>2002</b> , 35-8	82
418	Congestive heart failure due to systolic dysfunction: the Cinderella of cardiovascular management in dialysis patients. <b>2002</b> , 15, 135-40	24
417	How can the cardiac death rate be reduced in dialysis patients?. <b>2002</b> , 15, 22-4	2
416	Inflammation in end-stage renal disease: sources, consequences, and therapy. <b>2002</b> , 15, 329-37	286
415	Angiographical severity of coronary atherosclerosis predicts death in the first year of hemodialysis. <b>2003</b> , 35, 289-97	17
414	Predialysis Survey on Anemia Management: patient referral. <b>2003</b> , 41, 49-61	30
413	Gene expression profiling on global cDNA arrays gives hints concerning potential signal transduction pathways involved in cardiac fibrosis of renal failure. <b>2003</b> , 4, 571-83	3
412	Different remodelling against left ventricular overload between diabetic and non-diabetic haemodialysis patients. <b>2003</b> , 30, 786-92	4
411	Cardiac disease in young adult patients with end-stage renal disease since childhood: a Dutch cohort study. <b>2003</b> , 63, 1058-65	80
410	Cardiomyocyte loss in experimental renal failure: prevention by ramipril. <b>2003</b> , 63, 1708-13	41

409	Oxidative consumption of nitric oxide: a potential mediator of uremic vascular disease. <b>2003</b> , S29-32		12
408	Prospective trials on anemia of chronic disease: the Trial to Reduce Cardiovascular Events with Aranesp Therapy (TREAT). <b>2003</b> , S12-9		13
407	Anemia of chronic disease: past, present, and future. <b>2003</b> , S20-3		11
406	Cardiovascular disease in chronic renal failure: pathophysiologic aspects. <b>2003</b> , 16, 85-94		193
405	Clinical epidemiology of cardiac disease in renal transplant recipients. <b>2003</b> , 16, 106-10		35
404	Hemodynamic cardiovascular risk factors in chronic kidney disease: what are the effects of intervention?. <b>2003</b> , 16, 128-39		9
403	Applying multiple interventions in chronic kidney disease. <b>2003</b> , 16, 157-64		13
402	Leptin, ghrelin, and proinflammatory cytokines: compounds with nutritional impact in chronic kidney disease?. <b>2003</b> , 10, 332-45		31
401	CPD: using evidence based clinical practice guidelines in the management of anaemia in patients with chronic renal failure. <b>2003</b> , 10, 35-7		
400	Anticoagulation in acute cardiac care in patients with chronic kidney disease. <b>2003</b> , 145, 586-94		16
399	Inferior vena cava diameter determines left ventricular geometry in continuous ambulatory peritoneal dialysis patients: an echocardiographic study. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 2128-33	4-3	17
398	A randomized controlled trial of haemoglobin normalization with epoetin alfa in pre-dialysis and dialysis patients. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 353-61	4-3	154
397	Left ventricular hypertrophy: why does it happen?. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18 Suppl 8, viii2-6	4-3	7
396	Why is coronary heart disease of uraemic patients so frequent and so devastating?. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 631-40	4-3	36
395	Left ventricular hypertrophy: a surrogate end point or correlate of cardiovascular events in kidney disease?. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 2479-82	4-3	1
394	Renal involvement in hypertensive cardiovascular disease. <b>2003</b> , 5, F12-F18		1
393	Neuropeptide-Y and atrial natriuretic peptide as prognostic markers in patients on hemodialysis. <b>2003</b> , 49, 74-80		14
392	Influence of left ventricular mass, uremia and hypertension on vagal tachycardic reserve. <b>2003</b> , 21, 1547-53		13



391	Neuropeptide Y, left ventricular mass and function in patients with end stage renal disease. <b>2003</b> , 21, 1355-62	17
390	Calcium-channel blockers and end-stage renal disease: pharmacokinetic and pharmacodynamic considerations. <b>2003</b> , 12, 123-31	17
389	Combined assessment of cardiac systolic dysfunction and coronary atherosclerosis used to predict future cardiac deaths after starting hemodialysis. <b>2003</b> , 23, 458-65	11
388	Electrocardiographic abnormalities and atherosclerosis in patients on maintenance hemodialysis. <b>2004</b> , 52, 837-842	
387	High levels of myocardial antioxidant defense in aging nondiabetic normotensive Zucker obese rats. <b>2004</b> , 286, R793-800	32
386	. <b>2004</b> ,	1
385	Anaemia Management in Nephrology. 27-49	
384	Pediatric Hypertension. <b>2004</b> ,	1
383	[TrueFISP MR imaging to determine the influence of hemodialysis on the myocardial functional parameters in patients with terminal renal insufficiency]. <b>2004</b> , 176, 350-6	0
382	Blood pressure in haemodialysis patients: the importance of the relationship between the renin-angiotensin-aldosterone system, salt intake and extracellular volume. <b>2004</b> , 5, 14-22	7
381	Prognostic value of echocardiographic indicators of left ventricular systolic function in asymptomatic dialysis patients. <b>2004</b> , 15, 1029-37	153
380	Rapid detection of the severe acute respiratory syndrome (SARS) coronavirus by a loop-mediated isothermal amplification assay. <b>2004</b> , 50, 1050-2	100
379	Development, prevention, and potential reversal of left ventricular hypertrophy in chronic kidney disease. <b>2004</b> , 15, 1640-7	61
378	Impact of residual renal function on volume status in chronic renal failure. <b>2004</b> , 22, 285-92	38
377	Erythropoietin in cardiovascular diseases. <b>2004</b> , 25, 285-91	109
376	Achieving therapeutic targets in renal anaemia: considering cost-efficacy. <b>2004</b> , 20, 1095-101	5
375	Electrophysiological properties of the L-type Ca(2+) current in cardiomyocytes from bluefin tuna and Pacific mackerel. <b>2004</b> , 286, R659-68	23
374	Angiotensin converting enzyme inhibition for cardiac hypertrophy in patients with end-stage renal disease: what is the evidence?. <b>2004</b> , 9, 190-7	7

373	C-reactive protein and end-stage renal disease. <b>2004</b> , 17, 438-48	47
372	Comparative effects of sirolimus and mycophenolate mofetil on erythropoiesis in kidney transplant patients. <b>2004</b> , 4, 2001-6	86
371	Homocysteine and left ventricular hypertrophy in children with chronic renal failure. <b>2004</b> , 19, 193-8	11
370	The significance of serum troponin T in patients with kidney disease: a review of the literature. <b>2004</b> , 41, 1-9	46
369	Pretransplant cardiac investigations in the Irish renal transplant population--the effectiveness of our current screening techniques in predicting cardiac events. <b>2004</b> , 26, 375-80	6
368	Elimination of the cardiac natriuretic peptides B-type natriuretic peptide (BNP) and N-terminal proBNP by hemodialysis. <b>2004</b> , 50, 1071-4	110
367	Measurement and treatment of elevated blood pressure in the pediatric patient with chronic kidney disease. <b>2004</b> , 11, 143-61	11
366	The management of hemodialysis arteriovenous fistulas in well functioning renal transplanted patients: many doubts, few certainties. <b>2005</b> , 6, 182-6	21
365	The clinical epidemiology of cardiovascular disease in chronic kidney disease. <b>2005</b> , 14, 550-7	24
364	Electrocardiographic abnormalities and uremic cardiomyopathy. <b>2005</b> , 67, 217-26	125
363	Effects of erythropoietin on left ventricular hypertrophy in adults with severe chronic renal failure and hemoglobin . <b>2005</b> , 68, 788-95	69
362	Parameters derived by ultrasonic myocardial characterization in dialysis patients are associated with mortality. <b>2005</b> , 68, 1320-5	7
361	The role of daily dialysis in the control of hyperphosphatemia. <b>2005</b> , S28-32	33
360	The role of vitamin D in left ventricular hypertrophy and cardiac function. <b>2005</b> , S37-42	76
359	Chronic renal failure: a cardiovascular risk factor. <b>2005</b> , S25-9	65
358	Left ventricular diastolic dysfunction in patients with chronic renal failure: impact of diabetes mellitus. <b>2005</b> , 22, 730-6	24
357	Left ventricular hypertrophy in nondiabetic predialysis CKD. <b>2005</b> , 46, 320-7	151
356	Cardiovascular risk and renal transplantation: post hoc analyses of the Assessment of Lescol in Renal Transplantation (ALERT) Study. <b>2005</b> , 46, 529-36	102

355	Canadian Society of Transplantation: consensus guidelines on eligibility for kidney transplantation. <b>2005</b> , 173, S1-25	156
354	Which Comes First? Renal Dysfunction or High Blood Pressure?. <b>2005</b> , 16, 2817-2820	1
353	Double-blind comparison of full and partial anemia correction in incident hemodialysis patients without symptomatic heart disease. <b>2005</b> , 16, 2180-9	289
352	Survival benefit of recombinant human erythropoietin administration prior to onset of end-stage renal disease: variations across surrogates for quality of care and time. <b>2005</b> , 101, c79-86	15
351	Heart Failure after Myocardial Infarction Benefit beyond Hemoglobin from Erythropoietin. <b>2005</b> , 16, 3449-3454	1
350	Anemia management in chronic heart failure: lessons learnt from chronic kidney disease. <b>2005</b> , 28, 363-71	6
349	Cardiovascular calcification in end stage renal disease. <b>2005</b> , 149, 272-278	21
348	Traditional and nontraditional cardiovascular risk factors in chronic kidney disease. <b>2005</b> , 89, 587-611	42
347	Management of cardiovascular disease in the renal transplant recipient. <b>2005</b> , 23, 331-42	7
346	Multiple risk factor intervention in chronic kidney disease: management of cardiac disease in chronic kidney disease patients. <b>2005</b> , 89, 511-23	9
345	Pathophysiology of cardiovascular disease and renal failure. <b>2005</b> , 23, 311-7	18
344	Relation between depression, some laboratory parameters, and quality of life in hemodialysis patients. <b>2005</b> , 27, 695-9	40
343	Étude de facteurs influençant les taux de NTproBNP et corrélation avec la fonction ventriculaire gauche. <b>2005</b> , 20, 286-290	
342	Serum C-reactive protein level is associated with renal function and it affects echocardiographic cardiovascular disease in pre-dialysis patients. <b>2005</b> , 101, c190-7	7
341	Congestive heart failure in chronic kidney disease: disease-specific mechanisms of systolic and diastolic heart failure and management. <b>2005</b> , 23, 275-84	43
340	Brain natriuretic peptide and its relationship to left ventricular hypertrophy in patients on peritoneal dialysis or hemodialysis less than 3 years. <b>2006</b> , 28, 133-9	7
339	Anemia, renal transplantation, and the anemia paradox. <b>2006</b> , 26, 307-12	19
338	The Importance of Amino-terminal pro-Brain Natriuretic Peptide Testing in Clinical Cardiology. <b>2006</b> , 1, 117727190600100	0

337	The effects of nocturnal hemodialysis compared to conventional hemodialysis on change in left ventricular mass: rationale and study design of a randomized controlled pilot study. <b>2006</b> , 7, 2		15
336	Reverse correlation between ankle-brachial index and left ventricular hypertrophy in patients on maintenance haemodialysis. <b>2006</b> , 11, 9-14		14
335	Redefinition of uremic cardiomyopathy by contrast-enhanced cardiac magnetic resonance imaging. <b>2006</b> , 69, 1839-45		179
334	Effects of imidapril on left ventricular mass in chronic hemodialysis patients. <b>2006</b> , 29, 253-60		29
333	Ischemia-modified albumin predicts mortality in ESRD. <b>2006</b> , 47, 493-502		59
332	The long-term behavior and predictors of left ventricular hypertrophy in hemodialysis patients. <b>2006</b> , 47, 485-92		24
331	References. <b>2006</b> , 47, S132-S145		
330	Prescription patterns of pharmacological agents for left ventricular systolic dysfunction among hemodialysis patients. <b>2006</b> , 48, 645-51		23
329	Anemia and the role of erythropoietin in diabetes. <b>2006</b> , 20, 262-72		57
328	Controversies in renal anemia management. <b>2006</b> , 35, 120-135		
327	Impact of augmenting dialysis frequency and duration on cardiovascular function. <b>2006</b> , 52, e11-4		11
326	Haemoglobin at time of referral prior to dialysis predicts survival: an association of haemoglobin with long-term outcomes. <i>Nephrology Dialysis Transplantation</i> , <b>2006</b> , 21, 370-7	4-3	57
325	Arterial and cardiac disease in young adults with childhood-onset end-stage renal disease-impact of calcium and vitamin D therapy. <i>Nephrology Dialysis Transplantation</i> , <b>2006</b> , 21, 1906-14	4-3	97
324	Dialysis at a crossroads: reverse engineering renal replacement therapy. <b>2006</b> , 1, 896-902		7
323	Left ventricular systolic function monitoring in asymptomatic dialysis patients: a prospective cohort study. <b>2006</b> , 17, 1460-5		43
322	Kidney disease and cardiovascular risk. <b>2007</b> , 58, 123-39		54
321	Activated vitamin D attenuates left ventricular abnormalities induced by dietary sodium in Dahl salt-sensitive animals. <b>2007</b> , 104, 16810-5		274
320	Echocardiography-based score to predict outcome after renal transplantation. <b>2007</b> , 93, 464-9		24

319	Myocardial function, energy provision, and carnitine deficiency in experimental uremia. <b>2007</b> , 18, 84-92		25
318	Aortic stiffness, left ventricular hypertrophy and weekly averaged blood pressure (WAB) in patients on haemodialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 1198-204	4-3	40
317	Prognostic value of the New York Heart Association classification in end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 1377-82	4-3	28
316	Risk factors for sudden cardiac death in patients with chronic renal insufficiency and left ventricular dysfunction. <b>2007</b> , 27, 7-14		24
315	Long-term survival of incident hemodialysis patients who are hospitalized for congestive heart failure, pulmonary edema, or fluid overload. <b>2007</b> , 2, 1186-90		57
314	The unique character of cardiovascular disease in chronic kidney disease and its implications for treatment with lipid-lowering drugs. <b>2007</b> , 2, 766-85		25
313	Are we overestimating left ventricular abnormalities in end-stage renal disease?. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 1815-9	4-3	26
312	Relationship between the degree of malnutrition and echocardiographic parameters in hemodialysis patients. <b>2007</b> , 106, c136-42		10
311	Late referral to a nephrologist increases the risk of uremia-related cardiac hypertrophy in patients on hemodialysis. <b>2007</b> , 107, c139-46		9
310	Relationship between parathyroid hormone and cardiac abnormalities in chronic dialysis patients. <b>2007</b> , 46, 1507-12		27
309	Regional left ventricular function in individuals with mild to moderate renal insufficiency: the Multi-Ethnic Study of Atherosclerosis. <b>2007</b> , 153, 545-51		22
308	Prognostic role of subclinical left ventricular abnormalities and impact of transplantation in chronic kidney disease. <b>2007</b> , 153, 656-64		51
307	Mitral annular calcification predicts mortality and coronary artery disease in end stage renal disease. <b>2007</b> , 191, 348-54		59
306	C.E.R.A.: pharmacodynamics, pharmacokinetics and efficacy in patients with chronic kidney disease. <b>2007</b> , 16, 1649-61		31
305	Dialysis and the Chronic Renal Failure Patient. <b>2007</b> , 1-18		
304	Anaesthesia for renal transplant surgery. <b>2007</b> , 51, 1354-67		32
303	Nocturnal Hypoxemia: A Cardiovascular Risk Factor in Dialysis Patients. <b>2007</b> , 11, 264-266		1
302	The association between blood pressure and mortality in ESRD-not different from the general population?. <b>2007</b> , 20, 510-7		36

301	Dialysis, cardiovascular disease, and the future. <b>2007</b> , 11, S2-S11	5
300	Changes in hemoglobin and albumin concentration during nocturnal home hemodialysis. <b>2007</b> , 11, 303-8	4
299	Cardiorenal consideration as a risk factor for heart failure. <b>2007</b> , 99, 21D-24D	9
298	Left ventricular geometry and renal function in hypertensive patients with diastolic heart failure. <b>2007</b> , 49, 227-36	17
297	The effect of a single haemodialysis session on functional mobility in older adults: a pilot study. <b>2007</b> , 39, 1287-93	5
296	CKD-MBD: impact on management of kidney disease. <b>2007</b> , 11, 261-268	13
295	Correction of anemia with erythropoietin in chronic kidney disease (stage 3 or 4): effects on cardiac performance. <b>2008</b> , 22, 37-44	31
294	[Influence of metabolic control on hemoglobin level in type 1 diabetic patients with nephropathy]. <b>2008</b> , 103, 185-9	
293	Notes. <b>2008</b> , 10, 64-65	
292	Hypertrophy and fibrosis in the cardiomyopathy of uremia--beyond coronary heart disease. <b>2008</b> , 21, 308-18	110
291	Systolic time intervals in haemodialysis patients with normal ejection fraction: an echocardiographic study. <b>2008</b> , 7, 43-49	
290	Heart and iron deficiency anaemia in rats with renal insufficiency: the role of hepcidin. <b>2008</b> , 13, 636-45	14
289	Cardiac impact of the arteriovenous fistula after kidney transplantation: a case-controlled, match-paired study. <b>2008</b> , 21, 948-54	35
288	Prognostic value of cardiovascular screening in potential renal transplant recipients: a single-center prospective observational study. <b>2008</b> , 8, 1673-83	96
287	Severe left ventricular systolic dysfunction may reverse with renal transplantation: uremic cardiomyopathy and cardiorenal syndrome. <b>2008</b> , 8, 2219-24	46
286	Patterns of late gadolinium enhancement in chronic hemodialysis patients. <b>2008</b> , 1, 450-6	33
285	Broken pump or leaky filter? Renal dysfunction in heart failure a contemporary review. <b>2008</b> , 128, 154-65	9
284	Association between changes in N-terminal pro-brain natriuretic peptide levels and changes in left ventricular mass index in stable hemodialysis patients. <b>2008</b> , 110, c93-100	20

283	Role of vitamin D receptor activators on cardiovascular risk. <b>2008</b> , S44-9		15
282	Rio de La Plata study: a multicenter, cross-sectional study on cardiovascular risk factors and heart failure prevalence in peritoneal dialysis patients in Argentina and Uruguay. <b>2008</b> , S159-64		6
281	A single session of haemodialysis improves left ventricular synchronicity in patients with end-stage renal disease: a pilot tissue synchronization imaging study. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 3622-8	4-3	17
280	Recombinant human epoetin beta in the treatment of renal anemia. <b>2008</b> , 5, 91-98		
279	Left ventricular dysfunction in the haemodialysis population. <i>CKJ: Clinical Kidney Journal</i> , <b>2008</b> , 1, 199-205		12
278	The challenge of sudden death in dialysis patients. <b>2008</b> , 3, 920-9		89
277	Myocardial infarction does not further impair renal damage in 5/6 nephrectomized rats. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 3103-10	4-3	30
276	Late steroid withdrawal and cardiovascular events in kidney transplant recipients. <b>2008</b> , 86, 1844-8		17
275	Vascular endothelial growth factor, left ventricular dysfunction and mortality in hemodialysis patients. <b>2008</b> , 26, 1875-82		18
274	Recent clinical trials of pharmacologic cardiovascular interventions in patients with chronic kidney disease. <b>2008</b> , 3, 79-88		22
273	High-Density Lipoprotein Cholesterol and Left Ventricular Mass Index in Peritoneal Dialysis. <b>2008</b> , 28, 611-616		9
272	Pleiotropic vasoprotective effects of statins: the chicken or the egg?. <b>2009</b> , 3, 191-204		8
271	[Cardio-renal syndrome: pathophysiology and treatment]. <b>2009</b> , 55, 89-94		3
270	Characteristics of Uremic Cardiomyopathy with Reversible Systolic Dysfunction. <b>2009</b> ,		
269	Left ventricular geometry predicts cardiovascular outcomes associated with anemia correction in CKD. <b>2009</b> , 20, 2651-60		90
268	Cardiovascular problems on hemodialysis: current deficits and potential improvement. <b>2009</b> , 4 Suppl 1, S71-8		32
267	Determinants of left ventricular mass and hypertrophy in hemodialysis patients assessed by cardiac magnetic resonance imaging. <b>2009</b> , 4, 1477-1483		60
266	Erythropoietin therapy and left ventricular mass index in CKD and ESRD patients: a meta-analysis. <b>2009</b> , 4, 755-62		82

265	Sex difference in the prevalence of left ventricular hypertrophy in dialysis patients. <b>2009</b> , 29, 398-405		3
264	Setting dialysis start at 6.0 ml/min/1.73 m <sup>2</sup> eGFR—a study on safety, quality of life and economic impact. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 3434-40	4-3	19
263	Prevalence and risk factors of myocardial remodeling in hemodialysis patients. <b>2009</b> , 31, 662-7		5
262	Oral charcoal adsorbent (AST-120) prevents progression of cardiac damage in chronic kidney disease through suppression of oxidative stress. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 2089-95	4-3	107
261	Left ventricular mass in chronic kidney disease and ESRD. <b>2009</b> , 4 Suppl 1, S79-91		225
260	Renal transplantation in high cardiovascular risk patients. <b>2009</b> , 23, 224-34		9
259	Clinical assessment of atherosclerotic parameters and cardiac function in chronic hemodialysis patients. <b>2009</b> , 13, 651-8		9
258	Prognostic value of heart rate variability in patients with renal failure on hemodialysis. <b>2009</b> , 131, 370-7		108
257	Renal clearance of B-type natriuretic peptide and amino terminal pro-B-type natriuretic peptide a mechanistic study in hypertensive subjects. <b>2009</b> , 53, 884-90		127
256	The plasma level of brain natriuretic peptide is increased in malnourished hemodialysis patients. <b>2009</b> , 28, 187-92		9
255	Cardiac function in an African dialysis population with a low prevalence of pre-existing cardiovascular disease. <b>2009</b> , 31, 211-20		2
254	Effect of losartan on ambulatory short-term blood pressure variability and cardiovascular remodeling in hypertensive patients on hemodialysis. <b>2009</b> , 207, 186-90		53
253	Hypertension in dialysis and kidney transplant patients. <b>2009</b> , 25, 309-14		19
252	Chronic kidney disease: a marker of cardiovascular disease. <b>2009</b> , 5, 24-9		6
251	Upper limb exercise for haemodialysis fistula surgery. <b>2010</b> ,		1
250	Vitamin D receptor (VDR) gene polymorphism is associated with left ventricular (LV) mass and predicts left ventricular hypertrophy (LVH) progression in end-stage renal disease (ESRD) patients. <b>2010</b> , 25, 313-9		51
249	Association of left atrial volume with mortality among ESRD patients with left ventricular hypertrophy referred for kidney transplantation. <b>2010</b> , 55, 1088-96		50
248	Premature cardiovascular disease in chronic renal failure (CRF): A model for an advanced ageing process. <b>2010</b> , 45, 797-800		17



247	Association between routine and standardized blood pressure measurements and left ventricular hypertrophy among patients on hemodialysis. <b>2010</b> , 11, 13	8
246	Myocardial stunning in hemodialysis: what is the overall message?. <b>2010</b> , 14, 447-50	17
245	Advanced glycation end-products and the kidney. <b>2010</b> , 40, 742-55	153
244	Left ventricular geometry and cardiovascular mortality based on haemodialysis patient autopsy analyses. <b>2010</b> , 15, 549-54	8
243	Anemia in Chronic Kidney Disease. <b>2010</b> , 87-97	1
242	[Echocardiographic alterations in patients with chronic kidney failure undergoing hemodialysis]. <b>2010</b> , 94, 140-6	3
241	Cardiovascular effects of angiotensin converting enzyme inhibition or angiotensin receptor blockade in hemodialysis: a meta-analysis. <b>2010</b> , 5, 623-30	72
240	Risk assessment for sudden cardiac death in dialysis patients. <b>2010</b> , 3, 553-9	34
239	Prognostic value of reduced left ventricular ejection fraction at start of hemodialysis therapy on cardiovascular and all-cause mortality in end-stage renal disease patients. <b>2010</b> , 5, 1793-8	65
238	Effects of anemia and uremia and a combination of both on cardiovascular structures. <b>2010</b> , 33, 274-81	6
237	Echocardiography in chronic kidney disease: diagnostic and prognostic implications. <b>2010</b> , 114, c242-7	28
236	Cardiovascular Disease in Patients with Chronic Kidney Disease. <b>2010</b> , 128-144	1
235	Sudden death in hemodialysis: an update. <b>2010</b> , 30, 135-45	33
234	Left ventricular hypertrophy in new hemodialysis patients without symptomatic cardiac disease. <b>2010</b> , 5, 805-13	90
233	Transient nitric oxide reduction induces permanent cardiac systolic dysfunction and worsens kidney damage in rats with chronic kidney disease. <b>2010</b> , 298, R815-23	34
232	Detection of pulmonary congestion by chest ultrasound in dialysis patients. <b>2010</b> , 3, 586-94	174
231	Cardiorenal syndrome: new perspectives. <b>2010</b> , 121, 2592-600	343
230	Screening for cardiovascular disease in patients with advanced chronic kidney disease. <b>2010</b> , 36 Suppl 1, 68-75	6

229	BMI, spKt/V, and SBP but not DBP are related to LVH in Chinese maintenance hemodialysis patients. <b>2011</b> , 33, 269-75		5
228	Indu de resposta inflamatria sistmica e espessamento de artrias subepicrdicas em um modelo animal de uremia. <b>2011</b> , 33, 408-412		1
227	Prevenire la morte improvvisa nel paziente uremico: mission impossible per cardioneurologi?. <b>2011</b> , 23, 69-74		
226	Erythropoiesis-stimulating agents, hypertension and left ventricular hypertrophy in the chronic kidney disease patient. <b>2011</b> , 20, 465-70		5
225	Cardiovascular and renal complications in patients receiving a solid-organ transplant. <b>2011</b> , 17, 382-9		7
224	Is left ventricular hypertrophy a powerful predictor of progression to dialysis in chronic kidney disease?. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 670-7	4-3	32
223	Effects of aortic stiffness abnormalities on the heart. <b>2011</b> , 24, 282-5		2
222	Intensive hemodialysis: normalizing the "unphysiology" of conventional hemodialysis?. <b>2011</b> , 24, 607-13		5
221	Characteristics of a subset of patients with reversible systolic dysfunction in chronic kidney disease. <b>2011</b> , 17, 120-6		7
220	Impact of pre-existing left ventricular dysfunction on kidney transplantation outcomes: implications for patient selection. <b>2011</b> , 43, 3652-6		7
219	Effect of anemia on cardiac disorders in pre-dialysis patients immediately before starting hemodialysis. <b>2011</b> , 15, 121-5		10
218	Cardio-renal cachexia syndromes (CRCS): pathophysiological foundations of a vicious pathological circle. <b>2011</b> , 2, 135-142		24
217	Evaluating the effects of sevelamer carbonate on cardiovascular structure and function in chronic renal impairment in Birmingham: the CRIB-PHOS randomised controlled trial. <b>2011</b> , 12, 30		10
216	Kardioresnales Anmiesyndrom [Die kardiologische Sichtweise. <b>2011</b> , 15, 384-391		
215	The fluid study protocol: a randomized controlled study on the effects of bioimpedance analysis and vitamin D on left ventricular mass in peritoneal dialysis patients. <b>2011</b> , 31, 529-36		9
214	The relationship between epicardial adipose tissue and malnutrition, inflammation, atherosclerosis/calcification syndrome in ESRD patients. <b>2011</b> , 6, 1920-5		50
213	Microvolt T-wave alternans in end-stage renal disease patients--associations with uremic cardiomyopathy. <b>2011</b> , 6, 519-27		19
212	Cardiorenal syndrome type 4-cardiovascular disease in patients with chronic kidney disease: epidemiology, pathogenesis, and management. <b>2011</b> , 2011, 938651		19

211	Effects of AST-120 on left ventricular mass in predialysis patients. <b>2011</b> , 33, 218-23		29
210	Survival advantage of hemodialysis relative to peritoneal dialysis in patients with end-stage renal disease and congestive heart failure. <b>2011</b> , 80, 970-977		55
209	Unexplained sudden death in patients on the waiting list for renal transplantation. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 1392-6	4-3	4
208	Cardio-renal anemia syndrome. <b>2011</b> , 171, 266-273		18
207	Cardiorenal syndrome caused by heart failure with preserved ejection fraction. <b>2011</b> , 2011, 634903		22
206	Predictive modeling of cardiovascular complications in incident hemodialysis patients. <b>2012</b> , 2012, 3943-6		1
205	The prevalence of hypertension, valve calcification and left ventricular hypertrophy and geometry in peritoneal dialysis patients. <b>2012</b> , 35, 431-7		9
204	Relationship between Plasma Pentraxin-3, Neutrophil-to-Lymphocyte Ratio, and Atherosclerosis in Renal Transplant Patients. <b>2012</b> , 2, 298-307		12
203	Slope analysis of blood volume and calf bioimpedance monitoring in hemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 4430-6	4-3	8
202	Altered relative concentrations of high-energy phosphates in patients with uraemic cardiomyopathy measured by magnetic resonance spectroscopy. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 2446-51	4-3	6
201	Conséquences cardiaques de l'insuffisance rénale chronique. <b>2012</b> , 9, 1-14		
200	Evaluation of the left ventricular regional function using two-dimensional speckle tracking echocardiography in patients with end-stage renal disease with preserved left ventricular ejection fraction. <b>2012</b> , 67, 681-91		12
199	Type II diabetes mellitus is a risk factor for heart failure in pre-dialysis patients. <b>2012</b> , 16, 541-7		2
198	Correlation between ankle brachial index, carotid intima media thickness and left ventricular hypertrophy in patients on maintenance hemodialysis. <b>2012</b> , 64, 141-146		
197	High-output heart failure: how to define it, when to treat it, and how to treat it. <b>2012</b> , 32, 551-7		48
196	. <b>2012</b> ,		1
195	Origins of Cardiorenal Syndrome and the Cardiorenal Connection. <b>2012</b> ,		
194	The Relationship between Epicardial Adipose Tissue and Coronary Artery Calcification in Peritoneal Dialysis Patients. <b>2012</b> , 2, 43-51		25

193	Home systolic blood pressure on the morning of dialysis days has prognostic impact for hypertensive hemodialysis patients. <b>2012</b> , 16, 427-32	3
192	Effect of renal transplantation for chronic renal disease on left ventricular mass. <b>2012</b> , 110, 254-7	14
191	Soluble TWEAK independently predicts atherosclerosis in renal transplant patients. <b>2013</b> , 14, 144	20
190	[Cardiorenal syndrome: limits of heart failure therapy]. <b>2013</b> , 38, 569-77	0
189	Pharmacological and non-pharmacological treatment of hypertension in dialysis patients. <b>2013</b> , 3, 380-382	2
188	Diastolic dysfunction and high levels of new cardiac biomarkers as risk factors for cardiovascular events and mortality in hemodialysis patients. <b>2013</b> , 36, 98-106	12
187	Effect of hemoglobin variability on mortality and some cardiovascular parameters in hemodialysis patients. <b>2013</b> , 35, 819-24	8
186	Chapter 5: Referral to specialists and models of care. <b>2013</b> , 3, 112-119	30
185	Common echocardiography findings in pretransplant dialysis patients and their associations. <b>2013</b> , 15, 68-74	4
184	Chapter 4: Other complications of CKD: CVD, medication dosage, patient safety, infections, hospitalizations, and caveats for investigating complications of CKD. <b>2013</b> , 3, 91-111	32
183	References. <b>2013</b> , 3, 136-150	66
182	Prognostic significance of left ventricular hypertrophy observed at dialysis initiation depends on the pre-dialysis use of erythropoiesis-stimulating agents. <b>2013</b> , 17, 294-303	7
181	Removal of protein-bound, hydrophobic uremic toxins by a combined fractionated plasma separation and adsorption technique. <b>2013</b> , 37, 409-16	39
180	Peritonealdialyse - Behandlung bei Herzinsuffizienz. <b>2013</b> , 17, 304-309	
179	Pulmonary congestion predicts cardiac events and mortality in ESRD. <b>2013</b> , 24, 639-46	167
178	Cardiovascular and renal effects of bromocriptine in diabetic patients with stage 4 chronic kidney disease. <b>2013</b> , 2013, 104059	13
177	Evaluation of left ventricular diastolic function in nonhypertensive nondiabetic hemodialysis patients. <b>2013</b> , 18, 239-46	
176	Calf bioimpedance spectroscopy for determination of dry weight in hemodialysis patients: effects on hypertension and left ventricular hypertrophy. <b>2013</b> , 37, 58-67	10

175	Association of left ventricular longitudinal strain with mortality among stable hemodialysis patients with preserved left ventricular ejection fraction. <b>2013</b> , 8, 1564-74	62
174	Effects of frequent hemodialysis on ventricular volumes and left ventricular remodeling. <b>2013</b> , 8, 2106-16	50
173	Prevention and Management of Cardiovascular Disease in Kidney Disease and Kidney Failure. <b>2013</b> , 123-135	
172	Peri-aortic fat tissue thickness in peritoneal dialysis patients. <b>2013</b> , 33, 316-24	9
171	Frequent nocturnal hemodialysis associates with improvement of prolonged QTc intervals. <b>2013</b> , 123, 74-82	5
170	Uremic cardiomyopathy: an underdiagnosed disease. <b>2013</b> , 19, E40-5	50
169	A longitudinal study of left ventricular function and structure from CKD to ESRD: the CRIC study. <b>2013</b> , 8, 355-62	79
168	Recent less-invasive circulatory monitoring during renal transplantation. <b>2013</b> , 60, 159-63	3
167	Survival and heart failure therapy in chronic dialysis patients with heart failure and reduced left ventricular ejection fraction: an observational retrospective study. <b>2013</b> , 68, 51-7	12
166	The Association with Cardiovascular Events and Residual Renal Function in Peritoneal Dialysis. <b>2013</b> , ,	
165	Cardiovascular co-morbidity in chronic kidney disease: Current knowledge and future research needs. <b>2014</b> , 3, 156-68	53
164	Cardiac function is preserved following 4 weeks of voluntary wheel running in a rodent model of chronic kidney disease. <b>2014</b> , 117, 482-91	7
163	CA 125 levels and left ventricular function in patients with end-stage renal disease on maintenance hemodialysis. <b>2014</b> , 36, 210-6	3
162	An update on coronary artery disease and chronic kidney disease. <b>2014</b> , 2014, 767424	50
161	Independent value of cardiac troponin T and left ventricular global longitudinal strain in predicting all-cause mortality among stable hemodialysis patients with preserved left ventricular ejection fraction. <b>2014</b> , 2014, 217290	6
160	Cardiac function and tolerance to ischemia-reperfusion injury in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , <b>2014</b> , 29, 1514-24	4-3 6
159	Epicardial fat thickness is associated with impaired coronary flow reserve in hemodialysis patients. <b>2014</b> , 18, 62-9	7
158	Rate of ankle-brachial index decline predicts cardiovascular mortality in hemodialysis patients. <b>2014</b> , 18, 9-18	14

157	Effect of left atrial and ventricular abnormalities on renal transplant recipient outcome-a single-center study. <b>2014</b> , 3, 20	14
156	Nocturnal home hemodialysis associates with improvement of electrocardiographic features linked to sudden cardiac death. <b>2014</b> , 60, 99-105	8
155	Left ventricular mass changes after renal transplantation: influence of dietary sodium and change in serum uric acid. <b>2014</b> , 98, 202-7	3
154	The deleterious effects of arteriovenous fistula-creation on the cardiovascular system: a longitudinal magnetic resonance imaging study. <b>2014</b> , 7, 337-45	16
153	Renal Artery Stenosis. <b>2014</b> , 383-388	
152	Echocardiographic Changes in Patients with ESRD on Maintenance Hemodialysis-A Single Centre Study. <b>2014</b> , 2,	4
151	Echocardiography in hemodialysis patients: uses and challenges. <b>2014</b> , 64, 804-16	22
150	Cardiovascular disease in chronic kidney disease. <b>2014</b> , 3, 20-29	2
149	Radiological diagnosis of dialysis-associated complications. <b>2014</b> , 5, 603-17	4
148	Le syndrome cardiorhal : diagnostic, physiopathologie et prise en charge. <b>2014</b> , 23, 585-594	2
147	The impact of hemodialysis on segmental and global longitudinal myocardial strain. <b>2014</b> , 30, 1422-8	8
146	Screening and risk stratification of coronary artery disease in end-stage renal disease. <b>2014</b> , 7, 715-28	40
145	Defining the natural history of uremic cardiomyopathy in chronic kidney disease: the role of cardiovascular magnetic resonance. <b>2014</b> , 7, 703-14	68
144	The influence of vitamin D analogs on calcification modulators, N-terminal pro-B-type natriuretic peptide and inflammatory markers in hemodialysis patients: a randomized crossover study. <b>2014</b> , 15, 130	17
143	Snoring amplifies the risk of heart failure and mortality in dialysis patients. <b>2014</b> , 39, 536-42	11
142	The prognostic value of left ventricular global peak systolic longitudinal strain in chronic peritoneal dialysis patients. <b>2014</b> , 5, 1-8	2
141	Fibroblast growth factor is associated to left ventricular mass index, anemia and low values of transferrin saturation. <b>2015</b> , 35, 465-472	5
140	Eccentric Left Ventricular Hypertrophy and Sudden Death in Patients with End-Stage Kidney Disease. <b>2015</b> , 42, 126-33	11

139	Clinical characteristics of very elderly patients at hemodialysis initiation. <b>2015</b> , 54, 579-83		2
138	Endothelin A receptor antagonist, atrasentan, attenuates renal and cardiac dysfunction in Dahl salt-hypertensive rats in a blood pressure independent manner. <b>2015</b> , 10, e0121664		8
137	Moderator's view: Ambulatory blood pressure monitoring and home blood pressure for the prognosis, diagnosis and treatment of hypertension in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , <b>2015</b> , 30, 1443-8	4-3	20
136	The presence and impact of diastolic dysfunction on physical function and body composition in hemodialysis patients. <b>2015</b> , 28, 739-47		5
135	Effects of angiotensin converting enzyme inhibition or angiotensin receptor blockade in dialysis patients: a nationwide data survey and propensity analysis. <b>2015</b> , 94, e424		13
134	A finger photoplethysmography waveform during the valsalva maneuver detects changes in left heart filling pressure after hemodialysis. <b>2015</b> , 16, 138		6
133	Fibroblast growth factor is associated to left ventricular mass index, anemia and low values of transferrin saturation. <b>2015</b> , 35, 465-72		7
132	Hematological parameters can predict the extent of coronary artery disease in patients with end-stage renal disease. <b>2015</b> , 47, 1719-25		11
131	Estimated pulmonary artery systolic pressure and self-reported physical function in patients on hemodialysis. <b>2015</b> , 41, 313-9		2
130	Left Ventricular Hypertrophy in Chronic Kidney Disease Patients: From Pathophysiology to Treatment. <b>2015</b> , 5, 254-66		110
129	Chronic kidney disease and cardiovascular complications. <b>2015</b> , 20, 259-72		128
128	Permanent arteriovenous fistula or catheter dialysis for heart failure patients. <b>2016</b> , 17 Suppl 1, S23-9		16
127	The Impact of Arteriovenous Fistulae for Hemodialysis on the Cardiovascular System. <b>2016</b> , 29, 214-21		19
126	Improved Left Ventricular Structure and Function After Successful Kidney Transplantation. <b>2016</b> , 41, 701-709		30
125	Associations among chronic kidney disease, high total p-cresylsulfate and left ventricular systolic dysfunction. <b>2016</b> , 457, 63-8		10
124	The heart and vascular system in dialysis. <b>2016</b> , 388, 276-84		148
123	Intradialytic Hypoxemia in Chronic Hemodialysis Patients. <b>2016</b> , 41, 177-87		36
122	The Validity of Left Ventricular Mass as a Surrogate End Point for All-Cause and Cardiovascular Mortality Outcomes in People With CKD: A Systematic Review and Meta-analysis. <b>2016</b> , 68, 554-563		36

121	Deficiency of Soluble Klotho as an Independent Cause of Uremic Cardiomyopathy. <b>2016</b> , 101, 311-30	9
120	Impact of vascular access intervention therapy on cardiac load in hemodialysis patients. <b>2016</b> , 20 Suppl 1, S12-S16	1
119	Defining myocardial tissue abnormalities in end-stage renal failure with cardiac magnetic resonance imaging using native T1 mapping. <b>2016</b> , 90, 845-52	70
118	The Agreement between Auscultation and Lung Ultrasound in Hemodialysis Patients: The LUST Study. <b>2016</b> , 11, 2005-2011	75
117	Electrocardiographic predictors of mortality and sudden cardiac death in patients with end stage renal disease on hemodialysis. <b>2016</b> , 49, 848-854	23
116	Sources of Mortality on Dialysis with an Emphasis on Microemboli. <b>2016</b> , 29, 442-446	8
115	Hydration and Chronic Kidney Disease Progression: A Critical Review of the Evidence. <b>2016</b> , 43, 281-92	76
114	Serum ferritin is an independent factor in coronary artery stenosis among hemodialysis patients. <b>2016</b> , 104, 440-5	4
113	Increasing Dialysis Sodium Removal on Arterial Stiffness and Left Ventricular Hypertrophy in Hemodialysis Patients. <b>2016</b> , 26, 38-44	19
112	[Cardiac arrest in dialysis patients: Risk factors, preventive measures and management in 2015]. <b>2016</b> , 12, 6-17	1
111	Physical function at the time of dialysis initiation is associated with subsequent mortality. <b>2017</b> , 21, 425-435	4
110	Evolution of Cardiovascular Disease During the Transition to End-Stage Renal Disease. <b>2017</b> , 37, 120-131	20
109	Cardiomyopathy in the Potential Kidney Transplant Candidate. <b>2017</b> , 271-280	
108	Atrial function, atrial volume and cardiovascular clinical outcomes in patients with end-stage renal disease - A study of cardiac computed tomography. <b>2017</b> , 11, 389-396	4
107	Lung Ultrasound in the Management of Fluid Volume in Dialysis Patients: Potential Usefulness. <b>2017</b> , 30, 6-9	26
106	Myocardial Perfusion Scans and Mortality in Asymptomatic Patients Awaiting Renal Transplantation. <b>2017</b> , 49, 2011-2017	
105	The impact of non-dipper circadian rhythm of blood pressure on left ventricular hypertrophy in patients with non-dialysis chronic kidney disease. <b>2017</b> , 72, 149-155	9
104	Neutrophil-to-lymphocyte ratio as a possible indicator of epicardial adipose tissue in patients undergoing hemodialysis. <b>2017</b> , 13, 118-123	14



103	What happens to the heart in chronic kidney disease?. <b>2017</b> , 47, 76-82	14
102	Cardiovascular complications in end stage renal disease in a tertiary hospital in Nepal. <b>2017</b> , 13, 279-283	3
101	Clinical Effects of Personalized Dialysate Sodium in Conventional, Quotidian, and Nocturnal Home Hemodialysis Patients: A Randomized Crossover Trial. <b>2017</b> , 2,	
100	Do arteriovenous fistulas increase cardiac risk?. <b>2018</b> , 31, 357-361	5
99	Left ventricular geometric patterns in end-stage kidney disease: Determinants and course over time. <b>2018</b> , 22, 359-368	5
98	Characterizing Cardiac Involvement in Chronic Kidney Disease Using CMR-a Systematic Review. <b>2018</b> , 11, 2	11
97	The Ebb and Flow of Echocardiographic Cardiac Function Parameters in Relationship to Hemodialysis Treatment in Patients with ESRD. <b>2018</b> , 29, 1372-1381	21
96	Validation of echocardiographic criteria for the clinical diagnosis of heart failure in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, 653-660	4-3 6
95	Association of left ventricular systolic dysfunction with mortality in incident peritoneal dialysis patients. <b>2018</b> , 23, 927-932	2
94	Prevalence of left ventricular systolic dysfunction in pre-dialysis and dialysis patients with preserved left ventricular ejection fraction. <b>2018</b> , 20, 560-568	18
93	Association between vitamin D deficiency and heart failure risk in the elderly. <b>2018</b> , 5, 63-74	21
92	Determinants of Left Ventricular Characteristics Assessed by Cardiac Magnetic Resonance Imaging and Cardiovascular Biomarkers Related to Kidney Transplantation. <b>2018</b> , 5, 2054358118809974	8
91	The Association of Echocardiographic Peak Systolic Strain Rate with Cardiovascular Outcomes in Haemodialysis Patients. <b>2018</b> , 43, 1935-1942	1
90	Working Toward an Improved Understanding of Chronic Cardiorenal Syndrome Type 4. <b>2018</b> , 25, 454-467	2
89	Cardiovascular Risk Factors: The Old Ones and a Closer Look to the Mineral Metabolism. <b>2018</b> ,	1
88	Nocturnal hemodialysis: an underutilized modality?. <b>2018</b> , 27, 472-477	7
87	End-stage renal disease patients using angiotensin-converting enzyme inhibitors and angiotensin receptor blockers may reduce the risk of mortality: a Taiwanese Nationwide cohort study. <b>2018</b> , 48, 1123-1132 <sup>3</sup>	
86	Evolution of Echocardiographic Measures of Cardiac Disease From CKD to ESRD and Risk of All-Cause Mortality: Findings From the CRIC Study. <b>2018</b> , 72, 390-399	18

85	Uremic Cardiomyopathy: A New Piece in the Chronic Kidney Disease-Mineral and Bone Disorder Puzzle. <b>2018</b> , 5, 206	23
84	Iron deficiency associates with deterioration in several symptoms independently from hemoglobin level among chronic hemodialysis patients. <b>2018</b> , 13, e0201662	6
83	Practice patterns in transitioning patients from chronic kidney disease to dialysis: a survey of United States nephrologists. <b>2018</b> , 19, 147	5
82	Cardiovascular Disease After Kidney Transplant. <b>2018</b> , 38, 291-297	30
81	The association between socioeconomic disparities and left ventricular hypertrophy in chronic kidney disease: results from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <b>2018</b> , 19, 203	2
80	Association of Circulatory Iron Deficiency With an Enlarged Heart in Patients With End-Stage Kidney Disease. <b>2019</b> , 29, 39-47	
79	Associations of left ventricular systolic dysfunction with the factors among Thai patients on peritoneal dialysis: a cross-sectional study. <b>2019</b> , 20, 257	2
78	Comparison of Chronic Hemodialysis Patients under Strict Volume Control with respect to Cardiovascular Disease. <b>2019</b> , 2019, 6430947	1
77	Characterising recovery from renal transplantation and live-related donation using cardiopulmonary exercise testing. <b>2021</b> , 43, 1692-1698	4
76	Reduced Estimated GFR and Cardiac Remodeling: A Population-Based Autopsy Study. <b>2019</b> , 74, 373-381	16
75	Cardiovascular disease in the kidney transplant recipient: epidemiology, diagnosis and management strategies. <i>Nephrology Dialysis Transplantation</i> , <b>2019</b> , 34, 760-773	4-3 47
74	Cardiovascular adaptations associated with exercise in patients on hemodialysis. <b>2019</b> , 32, 361-367	6
73	Cardiorenal Syndrome: Classification, Pathophysiology, Diagnosis, and Treatment Strategies: A Scientific Statement From the American Heart Association. <b>2019</b> , 139, e840-e878	301
72	Acute changes in cardiac structural and tissue characterisation parameters following haemodialysis measured using cardiovascular magnetic resonance. <b>2019</b> , 9, 1388	15
71	Dataset supporting blood pressure prediction for the management of chronic hemodialysis. <b>2019</b> , 6, 313	0
70	Anemia in Chronic Kidney Disease. <b>2019</b> , 136-144.e6	1
69	Cardiovascular Disease in Chronic Kidney Disease. <b>2019</b> , 176-193.e9	
68	Circulating Aminoterminal Propeptide of Type III Procollagen as a Biomarker of Cardiovascular Events in Patients Undergoing Hemodialysis. <b>2019</b> , 26, 340-350	6

67	Assessment of right heart functions in the patients with arteriovenous fistula for hemodialysis access: Right ventricular free wall strain and tricuspid regurgitation jet velocity as the predictors of right heart failure. <b>2020</b> , 28, 96-103	6
66	ξlotho attenuates cardiac hypertrophy and increases myocardial fibroblast growth factor 21 expression in uremic rats. <b>2020</b> , 245, 66-78	7
65	Waiting List and Kidney Transplant Vascular Risk: An Ongoing Unmet Concern. <b>2020</b> , 45, 1-27	5
64	Serum Prealbumin and Echocardiography Parameters Predict Mortality in Peritoneal Dialysis Patients. <b>2020</b> , 45, 671-685	1
63	Quantification of left ventricular mass by echocardiography compared to cardiac magnet resonance imaging in hemodialysis patients. <b>2020</b> , 18, 39	1
62	Association between serum soluble (pro)renin receptor level and worsening of cardiac function in hemodialysis patients: A prospective observational study. <b>2020</b> , 15, e0233312	5
61	Prognostic value of left ventricular global longitudinal strain in chronic kidney disease patients: a systematic review and meta-analysis. <b>2020</b> , 52, 1747-1756	2
60	Clinical Potential of Targeting Fibroblast Growth Factor-23 and ξlotho in the Treatment of Uremic Cardiomyopathy. <b>2020</b> , 9, e016041	11
59	Global diastolic strain rate for the assessment of left ventricular diastolic dysfunction in young peritoneal dialysis patients: a case control study. <b>2020</b> , 21, 89	3
58	Cardiovascular disease in patients with chronic kidney disease. <b>2020</b> , 45, 122-128	6
57	Relationship between Microfibrillar-Associated Protein 4 Levels and Subclinical Myocardial Damage in Chronic Kidney Disease. <b>2020</b> , 10, 257-265	0
56	The cardiovascular determinants of physical function in patients with end-stage kidney disease on haemodialysis. <b>2021</b> , 37, 1405-1414	1
55	A Randomized, Controlled Trial of the Effect of Allopurinol on Left Ventricular Mass Index in Hemodialysis Patients. <b>2021</b> , 6, 146-155	2
54	Cardiac MRI assessment of the right ventricle pre-and post-kidney transplant. <b>2021</b> , 37, 1757-1766	0
53	Feature-tracking cardiac magnetic resonance left ventricular global longitudinal strain improves 6 months after kidney transplantation associated with reverse remodeling, not myocardial tissue characteristics. <b>2021</b> , 37, 3027-3037	3
52	A randomized controlled trial to investigate the effects of intra-dialytic cycling on left ventricular mass. <b>2021</b> , 99, 1478-1486	11
51	Renal Dysfunction and Heart Failure with Preserved Ejection Fraction. <b>2021</b> , 17, 357-367	1
50	Interrogating the haemodynamic effects of haemodialysis arteriovenous fistula on cardiac structure and function. <b>2021</b> , 11, 18102	2

49	Cardiac disease in chronic uremia. <b>2004</b> , 765-790	1
48	Cardiovascular Disease Risk Factors in Chronic Kidney Disease: Traditional, Nontraditional, and Uremia-related Threats. <b>2010</b> , 91-104	3
47	Cardiovascular Aspects of Kidney Disease. <b>2012</b> , 2059-2080	5
46	Pressure-overload cardiomyopathy in end-stage renal disease. <b>1999</b> , 8, 179-186	13
45	Erythropoietin therapy in chronic uremia: the impact of normalization of hematocrit. <b>1999</b> , 8, 573-8	10
44	Structure and function of the left ventricle and carotid artery in hemodialysis patients. <b>2001</b> , 24, 221-7	21
43	Assessment of dry weight in hemodialysis: an overview. <b>1999</b> , 10, 392-403	213
42	The clinical epidemiology of cardiac disease in chronic renal failure. <b>1999</b> , 10, 1606-15	412
41	Survival and development of cardiovascular disease by modality of treatment in patients with end-stage renal disease. <b>2001</b> , 12, 2411-2417	68
40	Alterations of left ventricular hypertrophy in and survival of patients receiving hemodialysis: follow-up of an interventional study. <b>2001</b> , 12, 2759-2767	329
39	Left ventricular hypertrophy in the renal patient. <b>2001</b> , 12, 1079-1084	187
38	Cardiac natriuretic peptides are related to left ventricular mass and function and predict mortality in dialysis patients. <b>2001</b> , 12, 1508-1515	225
37	Cardiac Biomarkers and Left Ventricular Hypertrophy in Asymptomatic Hemodialysis Patients. <b>2016</b> , 4, 59-64	2
36	Comparative effectiveness analysis of percutaneous coronary intervention versus coronary artery bypass grafting in patients with chronic kidney disease and unprotected left main coronary artery disease. <b>2020</b> , 16, 27-35	6
35	Left Ventricular Hypertrophy in Patients with Chronic Kidney Disease. <b>2014</b> , 26, 281-289	1
34	Heart Disease in Dialysis Patients. <b>2000</b> , 66-73	
33	When does anemia impact the heart in chronic kidney disease?. <b>2002</b> , 37-47	
32	The Heart and the Kidney. <b>2007</b> , 2819-2837	

31 Principles of Myocardial Metabolism as They Relate to Imaging. **2010**, 14-26

30 Cardiomyopathy in Chronic Kidney Disease and in End-stage Renal Disease. **2010**, 175-187

29 ????. **2011**, 44, 369-374

28 Vascular Access For Hemodialysis Therapy. **2013**, 235-303

1

27 Sudden Cardiac Death and Arrhythmia in CKD. **2015**, 19-27

26 A CLINICAL STUDY OF CARDIOVASCULAR ABNORMALITIES IN PATIENTS WITH CHRONIC RENAL FAILURE AT VIMS HOSPITAL, BELLARY. **2014**, 4, 31-39

25 A STUDY OF ECHOCARDIOGRAPHIC CHANGES IN CKD PATIENTS ON MAINTENANCE HEMODIALYSIS : A SINGLE CENTRE STUDY. **2015**, 2, 6626-6634

2

24 A STUDY OF CARDIAC DISEASES IN PATIENTS WITH CHRONIC KIDNEY DISEASE. **2017**, 4, 3739-3745

23 Renal Disease. **2019**, 409-417

22 Left ventricular systolic dysfunction in pediatric chronic kidney disease patients. **2019**, 8, 79

21 ASSESSMENT OF CARDIAC DYSFUNCTION IN PATIENTS WITH END STAGE RENAL DISEASE IN A TERTIARY CARE HOSPITAL. **2019**, 6, 1668-1672

20 CARDIAC INVOLVEMENT IN CHRONIC KIDNEY DISEASE. **2019**, 6, 2079-2083

19 Impact of Arteriovenous Fistula on Cardiac Size and Function in Kidney Transplant Recipients: A Retrospective Evaluation of 5-Year Echocardiographic Outcome. **2019**, 17, 619-626

18 Prevention and management of cardiovascular disease in kidney disease and kidney failure. **2022**, 207-223

17 Global diastolic strain rate for the assessment of left ventricular diastolic dysfunction in young peritoneal dialysis patients: a case control study.

16 Echocardiographic Evaluation of Left Atrial Volume Index in Patients with Chronic Kidney Disease. *Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, **2020**, 31, 750-758

0.6 1

15 Global diastolic strain rate for the assessment of left ventricular diastolic dysfunction in young peritoneal dialysis patients: a case control study.

14 Echocardiographic Changes in Chronic Kidney Disease Patients on Maintenance Hemodialysis. *Cureus*, **2020**, 12, e8969

1.2 1

13 The Myocardium in Renal Failure. **2021**, 25-30

12 Echocardiographic manifestations in patients on renal replacement therapy and renal transplant recipients. *Journal of Marine Medical Society*, **2022**, 0.4

11 Impact of left ventricular hypertrophy on clinical outcomes in patients with dialysis: a single-center study in Japan.. *Journal of Medical Ultrasonics (2001)*, **2022**, 1 1.4 1

10 Risk for subsequent hypertension and cardiovascular disease after living kidney donation: is it clinically relevant?. *CKJ: Clinical Kidney Journal*, **2022**, 15, 644-656 4.5 1

9 Dynamic Echocardiographic Assessments Reveal Septal E/e' Ratio as Independent Predictor of Intradialytic Hypotension in Maintenance for Hemodialysis Patients with Preserved Ejection Fraction.. *Diagnostics*, **2021**, 11, 3.8

8 The Relationship between Myocardial T1 and T2 Values, Cardiac Function and 1-year Outcomes in Male Patients with Chronic Kidney Disease. *Journal of the Nihon University Medical Association*, **2022**, 81, 29-34 0

7 Risk factors for mortality within 6 mo in patients with diabetes undergoing urgent-start peritoneal dialysis: A multicenter retrospective cohort study.. *World Journal of Diabetes*, **2022**, 13, 376-386 4.7

6 Chronic Kidney Disease Is a Risk Enhancer for Cardiovascular Diseases. *Contemporary Cardiology*, **2022**, 271-306 0.1

5 Left ventricular dysfunction with preserved ejection fraction: the most common left ventricular disorder in chronic kidney disease patients. *CKJ: Clinical Kidney Journal*, 4.5 1

4 Evaluation of Left Ventricular Function by Three-Dimensional Speckle-Tracking Echocardiography in Patients with Chronic Kidney Failure. **2022**, 42, 895-901

3 Hypertension and cardiomyopathy associated with chronic kidney disease: epidemiology, pathogenesis and treatment considerations. 1

2 Prognostic impact of guideline-directed medical therapy in patients with heart failure on regular hemodialysis. **2022**, 0

1 Non-A Blood Type Is a Risk Factor for Poor Cardio-Cerebrovascular Outcomes in Patients Undergoing Dialysis. **2023**, 11, 592 0