

CITATION REPORT

List of articles citing

Relationship Between Exercise During Treatment and Current Quality of Life Among Survivors of Breast Cancer

DOI: 10.1300/j077v15n03_02

Journal of Psychosocial Oncology, 1997, 15, 35-57.

Source: <https://exaly.com/paper-pdf/27745467/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
135	Leisure-time physical activity and psychosocial well-being in adolescents after cancer diagnosis. 1999 , 16, 180-8		48
134	Physical exercise and quality of life in postsurgical colorectal cancer patients. 1999 , 4, 181-187		47
133	Physical exercise and quality of life in cancer patients following high dose chemotherapy and autologous bone marrow transplantation. <i>Psycho-Oncology</i> , 2000 , 9, 127-36	3.9	121
132	Social cognitive determinants of hospital-based exercise in cancer patients following high-dose chemotherapy and bone marrow transplantation. 2000 , 7, 189-203		37
131	Coping with cancer: can exercise help?. 2000 , 28, 49-73		103
130	Physical activity and quality of life in older adults. 2001 , 56 Spec No 2, 23-35		454
129	Effects of physical exercise on anxiety, depression, and sensitivity to stress: a unifying theory. 2001 , 21, 33-61		779
128	Personality and exercise participation across the breast cancer experience. <i>Psycho-Oncology</i> , 2001 , 10, 380-8	3.9	50
127	Exercise adherence in breast cancer survivors training for a dragon boat race competition: a preliminary investigation. <i>Psycho-Oncology</i> , 2001 , 10, 444-52	3.9	102
126	Nutrition during and after cancer treatment: a guide for informed choices by cancer survivors. 2001 , 51, 153-87; quiz 189-92		77
125	Exercise discussions during cancer treatment consultations. 2002 , 10, 66-74		75
124	Exercise counseling and programming preferences of cancer survivors. 2002 , 10, 208-15		208
123	A pilot study of group exercise training (GET) for women with primary breast cancer: feasibility and health benefits. <i>Psycho-Oncology</i> , 2002 , 11, 447-56	3.9	150
122	Exercise participation after diagnosis of breast cancer: trends and effects on mood and quality of life. <i>Psycho-Oncology</i> , 2002 , 11, 389-400	3.9	146
121	Nutrition and physical activity during and after cancer treatment: an American Cancer Society guide for informed choices. 2003 , 53, 268-91		237
120	Psychological and fitness changes associated with exercise participation among women with breast cancer. <i>Psycho-Oncology</i> , 2003 , 12, 118-26	3.9	144
119	The group psychotherapy and home-based physical exercise (group-hope) trial in cancer survivors: physical fitness and quality of life outcomes. <i>Psycho-Oncology</i> , 2003 , 12, 357-74	3.9	227

118	Resistance exercise in men receiving androgen deprivation therapy for prostate cancer. 2003 , 21, 1653-9		601
117	Is absolute amount or change in exercise more associated with quality of life in adult cancer survivors?. 2003 , 37, 389-95		36
116	Influence of yoga, walking, and mindfulness meditation on fatigue and body mass index in women living with breast cancer. 2003 , 1, 151-157		4
115	Understanding the Barriers to Physical Activity for Cancer Patients. <i>Journal of Psychosocial Oncology</i> , 2002 , 20, 1-21	2.8	42
114	A comparison of physical activity of posttreatment breast cancer survivors and noncancer controls. 2003 , 28, 140-9		44
113	Do adults change their lifestyle behaviors after a cancer diagnosis?. 2003 , 27, 246-56		203
112	Exercise in cancer survivors: an overview of research. 2003 , 35, 1846-52		293
111	Research and commentary: Change in exercise tolerance, activity and sleep patterns, and quality of life in patients with cancer participating in a structured exercise program. 2003 , 30, 441-54; discussion 441-54		70
110	Evaluating quality of life in cancer survivors. 2004 , 241-263		4
109	Exercise therapy in women who have had breast cancer: design of the Sheffield women's exercise and well-being project. 2004 , 19, 686-97		25
108	Exercise issues in older cancer survivors. 2004 , 51, 249-61		64
107	Family caregivers' quality of life: influence of health protective stance and emotional strain. <i>Psychology and Health</i> , 2004 , 19, 625-641	2.9	29
106	Association between current lifestyle behaviors and health-related quality of life in breast, colorectal, and prostate cancer survivors. <i>Psychology and Health</i> , 2004 , 19, 1-13	2.9	107
105	Evaluating a community-based exercise program for women cancer survivors. 2004 , 17, 100-8		18
104	Exploring social cognitive theory constructs for promoting exercise among breast cancer patients. 2004 , 27, 462-73		69
103	Health behaviors during and after a cancer diagnosis. 2005 , 104, 2614-23		110
102	Review and critique of the quality of exercise recommendations for cancer patients and survivors. 2005 , 13, 493-502		43
101	Breast cancer survivors involved in vigorous team physical activity: psychosocial correlates of maintenance participation. <i>Psycho-Oncology</i> , 2005 , 14, 594-605	3.9	31

100	Differences in quality of life between non-Hodgkin's lymphoma survivors meeting and not meeting public health exercise guidelines. <i>Psycho-Oncology</i> , 2005 , 14, 979-91	3.9	98
99	Nutritional, functional, and emotional characteristics related to fatigue in patients during and after biochemotherapy. 2005 , 32, 661-7		8
98	Home-based physical activity intervention for breast cancer patients. 2005 , 23, 3577-87		327
97	Ethnicity and determinants of quality of life after prostate cancer treatment. 2006 , 67, 1022-7		45
96	Reliability of a measure of prediagnosis physical activity for cancer survivors. 2006 , 38, 715-9		10
95	Active for Life After Cancer: a randomized trial examining a lifestyle physical activity program for prostate cancer patients. <i>Psycho-Oncology</i> , 2006 , 15, 847-62	3.9	111
94	Depressive symptoms, eating psychopathology, and physical activity in obese breast cancer survivors. <i>Psycho-Oncology</i> , 2006 , 15, 453-62	3.9	19
93	Exercise preferences among a population-based sample of non-Hodgkin's lymphoma survivors. 2006 , 15, 34-43		59
92	Exercise barrier and task self-efficacy in breast cancer patients during treatment. 2006 , 14, 84-90		61
91	Exercise and side effects among 749 patients during and after treatment for cancer: a University of Rochester Cancer Center Community Clinical Oncology Program Study. 2006 , 14, 732-41		51
90	Physical activity and quality of life in head and neck cancer survivors. 2006 , 14, 1012-9		104
89	[Nutrition, lifestyle, physical activity, and supportive care during chemotherapeutic treatment]. 2006 , 45, 555-8, 560-5		2
88	Randomized pilot test of a lifestyle physical activity intervention for breast cancer survivors. 2006 , 64, 225-34		126
87	Study protocol to investigate the effect of a lifestyle intervention on body weight, psychological health status and risk factors associated with disease recurrence in women recovering from breast cancer treatment [ISRCTN08045231]. 2006 , 6, 35		19
86	Nutrition and physical activity during and after cancer treatment: an American Cancer Society guide for informed choices. 2006 , 56, 323-53		495
85	Recreational physical activity and survival among young women with breast cancer. 2006 , 107, 1777-85		78
84	Diet, physical activity and energy balance and their impact on breast and prostate cancers. 2006 , 19, 197-215		13
83	Health behaviors and breast cancer: experiences of urban African American women. 2006 , 33, 604-24		38

82	Functional limitations in elderly female cancer survivors. 2006 , 98, 521-9		169
81	The effects of exercise on body weight and composition in breast cancer survivors: an integrative systematic review. 2006 , 33, 937-47; quiz 948-50		48
80	An examination of physical activity behaviors in a sample of adolescent cancer survivors. 2006 , 23, 135-42		64
79	Cancer Rehabilitation: Recommendations for Integrating Exercise Programming in the Clinical Practice Setting. 2006 , 2, 351-360		21
78	Muscle strength, body composition, and physical activity in women receiving chemotherapy for breast cancer. <i>Integrative Cancer Therapies</i> , 2006 , 5, 183-91	3	48
77	Associations between exercise and quality of life in bladder cancer survivors: a population-based study. 2007 , 16, 984-90		77
76	The physical self-attribute questionnaire: development and initial validation. 2007 , 100, 627-42		3
75	Handbook of Cancer Survivorship. 2007 ,		37
74	Prospective, longitudinal study of leisure-time exercise in women with early-stage breast cancer. 2007 , 16, 430-8		54
73	Younger women's perceptions of coping with breast cancer. 2007 , 30, 85-94		53
72	Fatigue and physical activity in older adults with cancer: a systematic review of the literature. 2007 , 30, E35-45		57
71	Exercise and quality of life outcomes in patients with cancer. 2007 , 23, 285-96		45
70	Patient recruitment into a randomised controlled trial of supervised exercise therapy in sedentary women treated for breast cancer. <i>Contemporary Clinical Trials</i> , 2007 , 28, 603-13	2.3	13
69	Physical activity before and after diagnosis of colorectal cancer: disease risk, clinical outcomes, response pathways and biomarkers. 2007 , 37, 947-60		33
68	Exercise Motivation and Behavior Change. 2007 , 113-132		25
67	Depression and quality of life in cancer survivors: is there a relationship with physical activity?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2007 , 4, 65	8.4	26
66	Understanding physical activity in adolescent cancer survivors: an application of the theory of planned behavior. <i>Psycho-Oncology</i> , 2007 , 16, 448-57	3.9	47
65	Association between physical activity and quality of life among Western Australian breast cancer survivors. <i>Psycho-Oncology</i> , 2007 , 16, 1059-68	3.9	43

64	Exercise stage of change, barriers, expectations, values and preferences among breast cancer patients during treatment: a pilot study. 2007 , 16, 55-66		94
63	Are beliefs elicited biased by question order? A theory of planned behaviour belief elicitation study about walking in the UK general population. 2007 , 12, 93-110		23
62	Relationships between psychosocial factors and health behavior change in cancer survivors: an integrative review. 2007 , 34, 115-34		94
61	Associations of leisure-time physical activity with quality of life in a large, population-based sample of colorectal cancer survivors. <i>Cancer Causes and Control</i> , 2007 , 18, 735-42	2.8	54
60	Physical activity, long-term symptoms, and physical health-related quality of life among breast cancer survivors: a prospective analysis. <i>Journal of Cancer Survivorship</i> , 2007 , 1, 116-28	5.1	93
59	Associations between exercise, quality of life, and fatigue in colorectal cancer survivors. 2008 , 51, 1242-8		85
58	Medical, demographic, and psychosocial correlates of exercise in colorectal cancer survivors: an application of self-determination theory. 2008 , 16, 9-17		47
57	Physical activity and obesity in Canadian cancer survivors: population-based estimates from the 2005 Canadian Community Health Survey. 2008 , 112, 2475-82		154
56	Effects of Pilates exercises on shoulder range of motion, pain, mood, and upper-extremity function in women living with breast cancer: a pilot study. 2008 , 88, 494-510		67
55	Self-determination theory and physical activity among breast cancer survivors. 2008 , 30, 23-38		79
54	Factors associated with exercise counseling and program preferences among breast cancer survivors. 2008 , 5, 688-705		51
53	Negative affect and barriers to exercise among early stage breast cancer patients. 2008 , 27, 275-9		15
52	Fatigue and physical activity in older patients with cancer: a six-month follow-up study. 2009 , 36, 194-202		40
51	Prospective cohort study of lifetime physical activity and breast cancer survival. <i>International Journal of Cancer</i> , 2009 , 124, 1954-62	7.5	123
50	Predictors of follow-up exercise behavior 6 months after a randomized trial of exercise training during breast cancer chemotherapy. 2009 , 114, 179-87		60
49	Level of physical activity and characteristics associated with change following breast cancer diagnosis and treatment. <i>Psycho-Oncology</i> , 2009 , 18, 387-94	3.9	82
48	A randomized trial on the effect of a multimodal intervention on physical capacity, functional performance and quality of life in adult patients undergoing allogeneic SCT. 2009 , 43, 725-37		140
47	Exercise preference patterns, resources, and environment among rural breast cancer survivors. 2009 , 25, 388-91		24

46	Older breast cancer survivorsViews and preferences for physical activity. 2009 , 19, 894-906		72
45	Recruitment of breast cancer survivors into a 12-month supervised exercise intervention is feasible. <i>Contemporary Clinical Trials</i> , 2009 , 30, 457-63	2.3	20
44	A randomized controlled trial of home-based exercise for cancer-related fatigue in women during and after chemotherapy with or without radiation therapy. 2010 , 33, 245-57		68
43	Physical activity for men receiving androgen deprivation therapy for prostate cancer: benefits from a 16-week intervention. 2010 , 18, 591-9		145
42	Improving sleep quality for cancer patients: benefits of a home-based exercise intervention. 2010 , 18, 1329-39		67
41	Past recreational physical activity, body size, and all-cause mortality following breast cancer diagnosis: results from the Breast Cancer Family Registry. 2010 , 123, 531-42		43
40	Pragmatic randomized controlled trial of individually prescribed exercise versus usual care in a heterogeneous cancer survivor populationT a feasibility study PEACH trial: prescribed exercise after chemotherapy. 2010 , 10, 42		9
39	Physical activity in women receiving chemotherapy for breast cancer: adherence to a walking intervention. 2010 , 37, 321-30		36
38	Sources of stress for breast cancer survivors involved in dragon boating: examining associations with treatment characteristics and self-esteem. 2010 , 19, 1345-53		22
37	Meta-analysis provides evidence-based effect sizes for a cancer-specific quality-of-life questionnaire, the FACT-G. 2010 , 63, 270-81		34
36	The Effect of a Cognitive Behavioral Exercise Intervention on Clinical Depression in a Multiethnic Sample of Women With Breast Cancer: A Randomized Controlled Trial. 2010 , 8, 36-47		19
35	Exercise interventions in supportive oncology. 2011 , 414-428		2
34	Relationship of exercise to quality of life in cancer patients beginning chemotherapy. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, 859-69	4.8	17
33	Quality of life and physical performance and activity of breast cancer patients after adjuvant treatments. <i>Psycho-Oncology</i> , 2011 , 20, 1211-20	3.9	67
32	Effects of a 12-week resistance exercise program on physical self-perceptions in college students. <i>Research Quarterly for Exercise and Sport</i> , 2011 , 82, 291-301	1.9	20
31	Passion in breast cancer survivors: examining links to emotional well-being. <i>Journal of Health Psychology</i> , 2012 , 17, 1161-75	3.1	22
30	Better exercise adherence after treatment for cancer (BEAT Cancer) study: rationale, design, and methods. <i>Contemporary Clinical Trials</i> , 2012 , 33, 124-37	2.3	41
29	Cancer, physical activity, and exercise. <i>Comprehensive Physiology</i> , 2012 , 2, 2775-809	7.7	186

28	Predictors of follow-up exercise behavior 6 months after a randomized trial of supervised exercise training in lymphoma patients. <i>Psycho-Oncology</i> , 2012 , 21, 1124-31	3.9	18
27	Social cognitive influences on physical activity participation in long-term breast cancer survivors. <i>Psycho-Oncology</i> , 2013 , 22, 783-91	3.9	47
26	Dose-response relationships between physical activity, social participation, and health-related quality of life in colorectal cancer survivors. <i>Journal of Cancer Survivorship</i> , 2013 , 7, 369-78	5.1	72
25	Theory-and evidence-based development and process evaluation of the Move More for Life program: a tailored-print intervention designed to promote physical activity among post-treatment breast cancer survivors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 124	8.4	25
24	Integrative wellness in rehabilitation: social and behavioral aspects of health care and clinical applications. <i>Rehabilitation Nursing</i> , 2013 , 38, 276-83	1.3	1
23	A randomized trial of aerobic versus resistance exercise in prostate cancer survivors. <i>Journal of Aging and Physical Activity</i> , 2013 , 21, 455-78	1.6	50
22	Postsurgical physical activity and fatigue-related daily interference in women with non-metastatic breast cancer. <i>Psychology and Health</i> , 2014 , 29, 177-98	2.9	9
21	Neighborhood influences on recreational physical activity and survival after breast cancer. <i>Cancer Causes and Control</i> , 2014 , 25, 1295-308	2.8	34
20	Physical activity and quality of life in head and neck cancer survivors: a literature review. <i>International Journal of Sports Medicine</i> , 2014 , 35, 794-9	3.6	25
19	Using Concept Mapping to Identify Action Steps for Physical Activity Promotion in Cancer Treatment. <i>American Journal of Health Education</i> , 2014 , 45, 20-28	1	7
18	The effect of meeting physical activity guidelines for cancer survivors on quality of life following radical prostatectomy for prostate cancer. <i>Journal of Cancer Survivorship</i> , 2014 , 8, 190-8	5.1	32
17	Physical activity in relation to quality of life in newly diagnosed colon cancer patients: a 24-month follow-up. <i>Quality of Life Research</i> , 2014 , 23, 2235-46	3.7	20
16	Effects of a community-based multimodal exercise program on physical function and quality of life in cancer survivors: a pilot study. <i>Physiotherapy Theory and Practice</i> , 2015 , 31, 303-12	1.5	13
15	Refining Measurement of Social Cognitive Theory Factors Associated with Exercise Adherence in Head and Neck Cancer Patients. <i>Journal of Psychosocial Oncology</i> , 2015 , 33, 467-87	2.8	12
14	Participation in sport and physical activity in head and neck cancer survivors: associations with quality of life. <i>Clinical Otolaryngology</i> , 2016 , 41, 241-8	1.8	13
13	Social support and social control in the context of cancer patients: exercise: A pilot study. <i>Health Psychology Open</i> , 2016 , 3, 2055102916680991	1.9	8
12	Effects of a Translational Community-Based Multimodal Exercise Program on Quality of Life and the Influence of Start Delay on Physical Function and Quality of Life in Breast Cancer Survivors: A Pilot Study. <i>Integrative Cancer Therapies</i> , 2018 , 17, 337-349	3	6
11	A multilevel model of life satisfaction among old people: individual characteristics and neighborhood physical disorder. <i>BMC Public Health</i> , 2019 , 19, 861	4.1	8

10	Effects of exercise dose and type during breast cancer chemotherapy on longer-term patient-reported outcomes and health-related fitness: A randomized controlled trial. <i>International Journal of Cancer</i> , 2020 , 146, 150-160	7.5	17
9	Distinct trajectories of moderate to vigorous physical activity and sedentary behavior following a breast cancer diagnosis: the Pathways Study. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 393-403	5.1	6
8	Patterns and predictors of exercise behavior during 24 months of follow-up after a supervised exercise program during breast cancer chemotherapy. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 23	8.4	6
7	Exercise and Psychosocial Issues for Cancer Survivors. 578-597		3
6	Physical Activity for Cancer Survivors. 2007 , 249-268		2
5	Community-Based Strategies to Alter Energy Balance in Underserved Breast Cancer Survivors. 2014 , 233-257		1
4	Physical Activity and Physiological Effects Relevant to Prognosis. <i>Nutrition and Disease Prevention</i> , 2005 , 387-402		
3	Physical Activity Before and After Diagnosis of Colorectal Cancer. 2010 , 153-172		
2	Cognitive behavioral stress management affects different dimensions of benefit finding in breast cancer survivors: a multilevel mediation model. 1-20		0
1	Designing, analyzing, and interpreting observational studies of physical activity and cancer outcomes from a clinical oncology perspective. 13,		0