Differences in the Use of Psychiatric Outpatient Service Ontario

New England Journal of Medicine 336, 551-557

DOI: 10.1056/nejm199702203360806

Citation Report

#	Article	IF	CITATIONS
1	Improving Outpatient Psychiatric Care. New England Journal of Medicine, 1997, 336, 578-579.	27.0	3
2	End of the Oldest Controversy in Medicine — Are We Ready to Conclude the Debate on Digitalis?. New England Journal of Medicine, 1997, 336, 575-576.	27.0	57
3	The Y Chromosome and Spermatogenesis. New England Journal of Medicine, 1997, 336, 576-578.	27.0	14
4	The English Sweating Sickness, 1485 to 1551. New England Journal of Medicine, 1997, 336, 580-582.	27.0	19
5	Psychiatric Outpatient Services in the United States and Canada. New England Journal of Medicine, 1997, 337, 204-205.	27.0	0
6	The use of outpatient mental health services in the United States and Ontario: the impact of mental morbidity and perceived need for care American Journal of Public Health, 1997, 87, 1136-1143.	2.7	194
7	Child outpatient mental health service use: why doesn't insurance matter?. , 1998, 1, 173-187.		21
8	Prevalence of psychiatric disorder in the general population: results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS). Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 587-595.	3.1	1,000
9	Medication management of depression in the United States and Ontario. Journal of General Internal Medicine, 1998, 13, 77-85.	2.6	124
10	Comparison of the Use of Medical Resources and Outcomes in the Treatment of Aneurysmal Subarachnoid Hemorrhage Between Canada and the United States. Stroke, 1998, 29, 351-358.	2.0	18
11	Psychiatric Disorder Onset and First Treatment Contact in the United States and Ontario. American Journal of Psychiatry, 1998, 155, 1415-1422.	7.2	107
12	Recognition and management of anxiety syndromes. British Journal of Psychiatry, 1998, 173, 1-3.	2.8	6
13	Shopping Around for Hospital Services. JAMA - Journal of the American Medical Association, 1998, 279, 1015.	7.4	35
14	Lifetime use of professional and community services for help with drinking: results from a Canadian population survey Journal of Studies on Alcohol and Drugs, 1999, 60, 867-872.	2.3	21
15	Factors associated with unjustified Cesarean section in four hospitals in Cali, Colombia. International Journal for Quality in Health Care, 1999, 11, 385-389.	1.8	11
16	Past-Year Use of Outpatient Services for Psychiatric Problems in the National Comorbidity Survey. American Journal of Psychiatry, 1999, 156, 115-123.	7.2	566
17	Mental Health Factors in the Utilization of Pediatric Primary Care. Administration and Policy in Mental Health and Mental Health Services Research, 1999, 1, 47-57.	2.3	5
18	Correlates of a perceived need for mental health assistance and differences between those who do and do not seek help. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 141-146.	3.1	80

#	Article	IF	CITATIONS
19	Depression in Ontario: under-treatment and factors related to antidepressant use. Journal of Affective Disorders, 1999, 52, 67-76.	4.1	38
20	Mental Health Service Use: A Comparison of Treated and Untreated Individuals with Substance Use Disorders in Ontario. Canadian Journal of Psychiatry, 1999, 44, 570-577.	1.9	39
22	Mortality Among Men Using Homeless Shelters in Toronto, Ontario. JAMA - Journal of the American Medical Association, 2000, 283, 2152.	7.4	326
23	The diversity of diversity: Canadian–American differences and their implications for clinical training and APA accreditation Canadian Psychology, 2000, 41, 230-243.	2.1	13
24	The Cost of Access to Mental Health Services in Managed Care. Psychiatric Services, 2000, 51, 664-666.	2.0	67
25	Beyond the mental health clinic: New settings and activities for clinical psychology internships Professional Psychology: Research and Practice, 2000, 31, 300-304.	1.0	18
26	Psychiatric morbidity, service use, and need for care in the general population: results of The Netherlands Mental Health Survey and Incidence Study. American Journal of Public Health, 2000, 90, 602-607.	2.7	289
27	Trends in funding and use of alcohol and drug abuse treatment at specialty facilities, 1990-1994. American Journal of Public Health, 2000, 90, 109-111.	2.7	5
28	Duration between onset and time of obtaining initial treatment among people with anxiety and mood disorders: an international survey of members of mental health patient advocate groups. Psychological Medicine, 2000, 30, 693-703.	4.5	136
29	Mental health service utilization by victims of crime. Journal of Traumatic Stress, 2000, 13, 693-707.	1.8	57
30	Mental health service use by Americans with severe mental illnesses. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 147-155.	3.1	106
31	Meeting the unmet need with disease management. , 2000, , 11-36.		34
32	The epidemiology of mental disorder treatment need: community estimates of †medical necessity'. , 2000, , 41-58.		20
33	Met and unmet need for interventions in community cases with anxiety disorders. , 2000, , 256-276.		12
34	Chapter 16 Economics and mental health. Handbook of Health Economics, 2000, 1, 893-954.	0.2	55
36	The Relationship Between Treatment Access and Spending in a Managed Behavioral Health Organization. Psychiatric Services, 2001, 52, 949-952.	2.0	9
37	Does managed mental health care reallocate resources to those with greater need for services?. Journal of Behavioral Health Services and Research, 2001, 28, 439-455.	1.4	13
38	Relationship between health services outcomes and social and economic outcomes in workplace injury and disease: Data sources and methods*. American Journal of Industrial Medicine, 2001, 40, 335-343.	2.1	3

#	ARTICLE	IF	CITATIONS
39	Use of Mental Health and Substance Abuse Treatment Services Among Adults With HIV in the United States. Archives of General Psychiatry, 2001, 58, 729.	12.3	222
40	Diabetes Care in the U.S. and Canada. Diabetes Care, 2002, 25, 1149-1153.	8.6	10
41	Perceived Need and Help-Seeking in Adults With Mood, Anxiety, or Substance Use Disorders. Archives of General Psychiatry, 2002, 59, 77.	12.3	557
42	Complementary and Alternative Medicine Use in Canada and the United States. American Journal of Public Health, 2002, 92, 1616-1618.	2.7	114
43	Combined effect of mental disorder and low social support on care service use for mental health problems in the Dutch general population. Psychological Medicine, 2002, 32, 311-323.	4.5	52
44	Current issues in psychiatric epidemiology. Current Opinion in Psychiatry, 2002, 15, 181-186.	6.3	3
45	Dropping Out of Mental Health Treatment: Patterns and Predictors Among Epidemiological Survey Respondents in the United States and Ontario. American Journal of Psychiatry, 2002, 159, 845-851.	7.2	328
46	Mental Disorders Among U.S. Military Personnel in the 1990s: Association With High Levels of Health Care Utilization and Early Military Attrition. American Journal of Psychiatry, 2002, 159, 1576-1583.	7.2	235
47	Psychiatric Disorders and Use of Mental Health Services by Ontario Women. Canadian Journal of Psychiatry, 2002, 47, 849-856.	1.9	9
48	Symptom Scales and Diagnostic Schedules in Adult Psychiatry. , 0, , 273-332.		25
50	Gender and outpatient mental health service use. Social Science and Medicine, 2002, 54, 1-10.	3.8	111
51	Estimating the prevalence of mental and somatic disorders in the community: aims and methods of the German National Health Interview and Examination Survey. International Journal of Methods in Psychiatric Research, 2002, 11, 1-18.	2.1	146
52	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. International Journal of Methods in Psychiatric Research, 2002, 11, 55-67.	2.1	85
53	Commentary on "Community mental health care for women with severe mental illness who are parents" - The tragedy of missed opportunities: of missed opportunities: What providers can do. Community Mental Health Journal, 2002, 38, 167-172.	2.0	41
54	Metropolitan-nonmetropolitan differences in amount and type of mental health treatment. Archives of Psychiatric Nursing, 2003, 17, 12-19.	1.4	13
55	Patterns of co-morbidity between alcohol use and other substance use in the Australian population. Drug and Alcohol Review, 2003, 22, 7-13.	2.1	61
56	Posttraumatic stress disorder and treatment seeking in a national screening sample. Journal of Traumatic Stress, 2003, 16, 5-16.	1.8	98
57	Does educational background explain inequalities in care service use for mental health problems in the Dutch general population?. Acta Psychiatrica Scandinavica, 2003, 107, 178-187.	4.5	59

#	ARTICLE	IF	Citations
58	Preference, Need and Utilization of Mental Health Services, Singapore National Mental Health Survey. Australian and New Zealand Journal of Psychiatry, 2003, 37, 613-619.	2.3	34
59	Does Satisfaction Reflect the Technical Quality of Mental Health Care?. Health Services Research, 2003, 38, 631-645.	2.0	61
60	Is The Prevalence Of Mental Disorders A Good Measure Of The Need For Services?. Health Affairs, 2003, 22, 8-20.	5.2	96
61	The Prevalence Of Treated And Untreated Mental Disorders In Five Countries. Health Affairs, 2003, 22, 122-133.	5.2	266
62	Perceived Need and Receipt of Outpatient Mental Health Services. Journal of Ambulatory Care Management, 2003, 26, 260-269.	1.1	5
63	Potential for Misuse of Sedatives. American Journal of Psychiatry, 2004, 161, 1722-a-1723.	7.2	5
64	Treatment Of People With Mental Illness: A Decade-Long Perspective. Health Affairs, 2004, 23, 84-95.	5.2	50
65	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696
66	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 47-54.	4.5	333
67	Mental health service use 1-year after the World Trade Center disaster: implications for mental health care. General Hospital Psychiatry, 2004, 26, 346-358.	2.4	170
68	The relationship between type of mental health provider and met and unmet mental health needs in a nationally representative sample of HIV-positive patients. Journal of Behavioral Health Services and Research, 2004, 31, 149-163.	1.4	33
69	Religiosity, spirituality, and help-seeking among Filipino Americans: Religious clergy or mental health professionals?. Journal of Community Psychology, 2004, 32, 675-689.	1.8	60
70	Self-reported use of mental health services versus administrative records: care to recall?. International Journal of Methods in Psychiatric Research, 2004, 13, 165-175.	2.1	104
71	Self-help organizations for alcohol and drug problems: Toward evidence-based practice and policy. Journal of Substance Abuse Treatment, 2004, 26, 151-158.	2.8	206
73	Adverse Reactions Associated With Studying Persons Recently Exposed to Mass Urban Disaster. Journal of Nervous and Mental Disease, 2004, 192, 515-524.	1.0	44
74	Major depression in community-dwelling middle-aged and older adults: prevalence and 2- and 4-year follow-up symptoms. Psychological Medicine, 2004, 34, 623-634.	4.5	197
75	Disease Management Programs for Depression. Medical Care, 2004, 42, 1211-1221.	2.4	183
76	The Relation between Perceived Need for Mental Health Treatment, DSM Diagnosis, and Quality of Life: A Canadian Population-Based Survey. Canadian Journal of Psychiatry, 2005, 50, 87-94.	1.9	44

#	Article	IF	CITATIONS
77	Childhood Adversity and Perceived Need for Mental Health Care. Journal of Nervous and Mental Disease, 2005, 193, 396-404.	1.0	31
78	Perceived Need for Mental Health Treatment in a Nationally Representative Canadian Sample. Canadian Journal of Psychiatry, 2005, 50, 643-651.	1.9	68
79	Service Use for Mental Health Reasons: Cross-Provincial Differences in Rates, Determinants, and Equity of Access. Canadian Journal of Psychiatry, 2005, 50, 614-619.	1.9	107
80	Disparities in mental health treatment following the World Trade Center Disaster: Implications for mental health care and health services research. Journal of Traumatic Stress, 2005, 18, 287-297.	1.8	73
82	Mental Health Service Use in a Nationally Representative Canadian Survey. Canadian Journal of Psychiatry, 2005, 50, 753-761.	1.9	43
83	Beliefs and Attitudes Associated With the Intention to Not Accept the Diagnosis of Depression Among Young Adults. Annals of Family Medicine, 2005, 3, 38-46.	1.9	119
84	Generalised anxiety disorder. Lancet, The, 2006, 368, 2156-2166.	13.7	265
85	Substance use, dependence and treatment seeking in the United States and Australia: A cross-national comparison. Drug and Alcohol Dependence, 2006, 81, 149-155.	3.2	80
86	Illicit drug use and anxiety disorders: Findings from two community surveys. Psychiatry Research, 2006, 142, 11-17.	3.3	79
87	Treatment Seeking for Depression in Canada and the United States. Psychiatric Services, 2006, 57, 631-639.	2.0	62
88	Inequities in Mental Health Care After Health Care System Reform in Chile. American Journal of Public Health, 2006, 96, 109-113.	2.7	38
89	Mental health treatments and associated factors amongst mid-aged Melbourne women. Archives of Women's Mental Health, 2006, 9, 15-22.	2.6	3
90	The Ecology of Mental Health Care in Taiwan. Administration and Policy in Mental Health and Mental Health Services Research, 2006, 33, 492-498.	2.1	7
91	Use of mental health services in a developing country. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 44-49.	3.1	99
92	Recent treatment history vs clinical characteristics in the prediction of use of outpatient psychiatric services. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 130-139.	3.1	3
93	Perceived need for alcohol, drug, and mental health treatment. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 480-487.	3.1	94
94	Treatment adequacy of anxiety and depressive disorders: Primary versus specialised care in Spain. Journal of Affective Disorders, 2006, 96, 9-20.	4.1	60
95	Depression and mental health visits to physicians—a prospective records-based study. Social Science and Medicine, 2006, 62, 828-834.	3.8	32

#	ARTICLE	IF	CITATIONS
96	Worker productivity and outpatient service use after the September 11th attacks: Results from the New York City Terrorism Outcome Study. American Journal of Industrial Medicine, 2006, 49, 670-682.	2.1	35
97	Longitudinal Patterns of Alcohol, Drug, and Mental Health Need and Care in a National Sample of U.S. Adults. Psychiatric Services, 2006, 57, 93-99.	2.0	19
98	The Pathway to Meeting Need for Mental Health Services in Sweden. Psychiatric Services, 2006, 57, 114-119.	2.0	29
99	The Association Between Inquiry About Emotional Distress and Women's Satisfaction with Their Family Physician: Findings from a National Survey. Women and Health, 2007, 45, 51-67.	1.0	7
100	Correlates of Mental Health Service Use Intensity in the National Comorbidity Survey and National Comorbidity Survey Replication. Psychiatric Services, 2007, 58, 1108-1115.	2.0	76
101	Epidemiology of psychotropic medication use: Comparison of sales, prescriptions and survey data in Iceland. Nordic Journal of Psychiatry, 2007, 61, 471-478.	1.3	7
102	Perceived Barriers to Mental Health Service Utilization in the United States, Ontario, and the Netherlands. Psychiatric Services, 2007, 58, 357-364.	2.0	343
103	Understanding Mental Health Treatment in Persons Without Mental Diagnoses. Archives of General Psychiatry, 2007, 64, 1196.	12.3	119
104	Psychiatrists' Ascertained Treatment Needs for Mental Disorders in a Population-Based Sample. Psychiatric Services, 2007, 58, 373-377.	2.0	20
105	Differences in Lifetime Use of Services for Mental Health Problems in Six European Countries. Psychiatric Services, 2007, 58, 213-220.	2.0	103
106	Primary Care Physicians' Discussion of Emotional Distress and Patient Satisfaction. International Journal of Psychiatry in Medicine, 2007, 37, 331-345.	1.8	11
107	Do Canada and the United States Differ in Prevalence of Depression and Utilization of Services?. Psychiatric Services, 2007, 58, 63-71.	2.0	109
108	Predictors of adolescent health care utilization. Journal of Adolescence, 2007, 30, 773-800.	2.4	75
109	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	13.7	1,271
110	Methods for measuring utilization of mental health services in two epidemiologic studies. International Journal of Methods in Psychiatric Research, 2008, 17, 159-173.	2.1	2
111	Use of health services for major depressive and anxiety disorders in Finland. Depression and Anxiety, 2008, 25, 27-37.	4.1	70
112	An international perspective on pediatric psychopharmacology. International Review of Psychiatry, 2008, 20, 121-126.	2.8	38
113	Determinants of Quality of Life in Primary Care Patients with Diabetes: Implications for Social Workers. Health and Social Work, 2008, 33, 229-236.	1.0	20

#	Article	IF	CITATIONS
114	Self-Rated Mental Health and Racial/Ethnic Disparities in Mental Health Service Use. Medical Care, 2008, 46, 915-923.	2.4	116
115	Evidence-Based Practice and the Effectiveness of Indigenous Helpers, Mentors, and Self-Help Groups with Children and Adolescent Health and Mental Health Problems. , 2009, , 377-395.		0
116	Perceived Need and Use of Child Mental Health Services in Korea. Community Mental Health Journal, 2009, 45, 56-61.	2.0	7
117	Intention to Seek Depression Treatment in Adolescent Mothers and a Comparison Group of Adolescent Girls. Archives of Psychiatric Nursing, 2009, 23, 41-49.	1.4	22
118	Further evidence of differences in substance use and dependence between Australia and the United States. Drug and Alcohol Dependence, 2009, 100, 258-264.	3.2	25
119	Peritraumatic panic attacks and health outcomes two years after psychological trauma: Implications for intervention and research. Psychiatry Research, 2009, 167, 139-150.	3.3	19
120	Negative Attitudes toward Help Seeking for Mental Illness in 2 Population—Based Surveys from the United States and Canada. Canadian Journal of Psychiatry, 2009, 54, 757-766.	1.9	77
121	General Practice and Mental Health Care: Determinants of Outpatient Service Use. Canadian Journal of Psychiatry, 2009, 54, 468-476.	1.9	57
122	Use of Administrative Data for the Surveillance of Mental Disorders in 5 Provinces. Canadian Journal of Psychiatry, 2009, 54, 571-575.	1.9	53
123	Comparing Mental Health of Francophones in Canada, France, and Belgium: 12-Month and Lifetime Rates of Mental Health Service Use (Part 2). Canadian Journal of Psychiatry, 2010, 55, 295-304.	1.9	8
124	Factors associated with mental health service use in Latino and Asian immigrant elders. Aging and Mental Health, 2010, 14, 535-542.	2.8	58
125	Relationship Between Household Income and Mental Disorders. Archives of General Psychiatry, 2011, 68, 419.	12.3	473
126	The (Paper)Work of Medicine: Understanding International Medical Costs. Journal of Economic Perspectives, 2011, 25, 3-25.	5.9	86
127	Patient Utilization of Cognitive-Behavioral Therapy for OCD. Behavior Therapy, 2011, 42, 399-412.	2.4	81
128	Treatment gap in common mental disorders: the Singapore perspective. Epidemiology and Psychiatric Sciences, 2012, 21, 195-202.	3.9	50
129	Crisis Visits and Psychiatric Hospitalizations Among Patients Attending a Community Clinic in Rural Southern California. Community Mental Health Journal, 2012, 48, 133-137.	2.0	7
130	Cognitive Appraisals of Specialty Mental Health Services and Their Relation to Mental Health Service Utilization in the Rural Population. Journal of Rural Health, 2012, 28, 142-151.	2.9	10
131	Comparing the rates of mental disorders among different linguistic groups in a representative Canadian population. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 195-202.	3.1	6

#	Article	IF	CITATIONS
132	Common mental disorder diagnosis and need for treatment are not the same: findings from a population-based longitudinal survey. Psychological Medicine, 2013, 43, 1941-1951.	4.5	38
133	High Positive Psychiatrie Screening Rates in an Urban Homeless Population. Canadian Journal of Psychiatry, 2013, 58, 353-360.	1.9	8
134	Genderverschillen in professioneel zorggebruik in 25 Europese landen - Een onderzoek naar de impact van medicaliseringsattitudes en genderstratificatie. Mens En Maatschappij, 2013, 88, 33-62.	0.1	1
135	The Diagnosis and Treatment of Generalized Anxiety Disorder. Deutsches Ärzteblatt International, 2013, 110, 300-9; quiz 310.	0.9	47
136	Predictors of Healthcare Service Utilization for Mental Health Reasons. International Journal of Environmental Research and Public Health, 2014, 11, 10559-10586.	2.6	77
137	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	4.5	825
138	Epidemiology of Psychiatric Disorders. , 2014, , 2389-2427.		1
139	Identifying Factors That Predict Longitudinal Outcomes of Untreated Common Mental Disorders. Psychiatric Services, 2015, 66, 163-170.	2.0	19
140	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	2.8	27
141	Lifetime and 12-month prevalence, severity and unmet need for treatment of common mental disorders in Japan: results from the final dataset of World Mental Health Japan Survey. Epidemiology and Psychiatric Sciences, 2016, 25, 217-229.	3.9	127
142	Mental health services use among adults with or without mental disorders: Do development stages matter?. International Journal of Social Psychiatry, 2016, 62, 434-451.	3.1	11
143	The Impact of Perceived Need and Relational Factors on Mental Health Service Use Among Generations of Asian Americans. Journal of Community Health, 2017, 42, 688-700.	3.8	17
144	Child Abuse Experiences and Perceived Need for Care and Mental Health Service Use among Members of the Canadian Armed Forces. Canadian Journal of Psychiatry, 2017, 62, 413-421.	1.9	9
145	The relationships between harsh physical punishment and child maltreatment in childhood and intimate partner violence in adulthood. BMC Public Health, 2017, 17, 493.	2.9	88
146	Efficacy of an Internet-based depression intervention to improve rates of treatment in adolescent mothers. Archives of Women's Mental Health, 2018, 21, 273-285.	2.6	23
147	Factors Associated with American Indian Mental Health Service Use in Comparison with White Older Adults. Journal of Racial and Ethnic Health Disparities, 2018, 5, 847-859.	3.2	8
148	Racial/ethnic differences in perceived need for mental health care and disparities in use of care among those with perceived need in 1990–1992 and 2001–2003. Ethnicity and Health, 2018, 23, 142-157.	2.5	24
149	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	4.5	274

#	ARTICLE	IF	Citations
150	Examination of Cultural and Gender Similarities and Differences among Canadian and U.S. College Students on a Measure of Manifest Anxiety. Higher Education Studies, 2018, 8, 94.	0.5	0
151	Service Use., 0,, 314-323.		1
152	Patterns of Treatment and Barriers to Care in Posttraumatic Stress Disorder., 0,, 137-152.		5
153	A comparative study of the typical toxic metals in serum by patients of schizophrenia and healthy controls in China. Psychiatry Research, 2018, 269, 558-564.	3.3	11
154	Spouses bereaved by suicide: A population-based longitudinal cohort comparison of physician-diagnosed mental disorders and hospitalized suicide attempts. Journal of Psychiatric Research, 2020, 130, 347-354.	3.1	4
155	Filipino help-seeking for mental health problems and associated barriers and facilitators: a systematic review. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1397-1413.	3.1	53
156	Public Beliefs About Mental Illness. Handbooks of Sociology and Social Research, 2013, , 75-93.	0.1	13
158	Viewpoint on self-help groups. The case for a partnership with self-help groups. Public Health Reports, 1999, 114, 322-329.	2.5	30
159	Equality, Efficiency, and Market Fundamentals: The Dynamics of International Medical-Care Reform. Journal of Economic Literature, 2002, 40, 881-906.	6. 5	55
161	Gender differences in mental health service utilization among respondents reporting depression in a national health survey. Health, 2013, 05, 1561-1571.	0.3	45
162	Psychiatric Care, Economics of., 2001, , 12267-12272.		0
163	Systems of Psychiatric Care: Principles and Desiderata of Good Services., 2001,, 579-594.		0
164	Uso de servicios ambulatorios de salud mental en España: Consumo de recursos en el primer año de asistencia a pacientes nuevos. Revista De La Asociación Española De NeuropsiquiatrÃa, 2002, , .	0.1	6
166	Evidence-Based Practice and the Effectiveness of Self-Help Groups with Older Adults. , 2009, , 293-319.		0
168	Epidemiology in Community Psychiatry. , 2012, , 21-36.		0
169	Cultural differences care pathways, service use, and outcome. , 2012, , 1438-1446.		0
170	Psychiatrische Versorgungsstrukturen: Prinzipien und Voraussetzungen einer ad $\tilde{\mathbf{A}}$ uaten Versorgung. , 1999, , 335-365.		0
171	Unmet Needs and Cost Containment. , 1999, , 445-452.		0

#	Article	IF	CITATIONS
172	The application of pregabalin in general anxiety disorders treatment. Should one be afraid of high doses?. Psychiatria I Psychologia Kliniczna, 2016, 16, 91-98.	0.2	2
173	The prevalence and correlates of untreated serious mental illness. Health Services Research, 2001, 36, 987-1007.	2.0	399
175	Identification of cognitive impairment and mental illness in elderly homeless men: Before and after access to primary health care. Canadian Family Physician, 2009, 55, 1110-1111.e6.	0.4	15
177	Efficacy of Brahmi vati in generalised anxiety disorder – Randomized double blind comparative clinical trial. Journal of Ayurveda and Integrative Medicine, 2022, 13, 100552.	1.7	0
178	Prevalence and comorbidity in a Swedish adolescent community sample $\hat{a} \in \text{``gambling}$, gaming, substance use, and other psychiatric disorders. BMC Psychiatry, 2022, 22, .	2.6	2
179	Epidemiology in Community Psychiatry. , 2022, , 385-400.		0
180	Pertinencia de remisiones generadas en la red adscrita de la Secretar $ ilde{A}$ a Distrital de Salud de Bogot $ ilde{A}_i$. , 0, 3, 45-74.		0
181	Social determinants of mental health. , 2023, , 274-285.		O