

# CITATION REPORT

List of articles citing

Identification of EBP50: A PDZ-containing phosphoprotein that associates with members of the ezrin-radixin-moesin family

DOI: 10.1083/jcb.139.1.169

Journal of Cell Biology, 1997, 139, 169-79.

**Source:** <https://exaly.com/paper-pdf/27819640/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
551	The beta2-adrenergic receptor interacts with the Na <sup>+</sup> /H <sup>+</sup> -exchanger regulatory factor to control Na <sup>+</sup> /H <sup>+</sup> exchange. <b>1998</b> , 392, 626-30		532
550	Erratum: Treatment of experimental encephalomyelitis with a peptide analogue of myelin basic protein. <b>1998</b> , 392, 630-630		3
549	A new pattern for helix-helix recognition revealed by the PU.1 ETS-domain-DNA complex. <b>1998</b> , 392, 630-630		4
548	Genomic structure and sequence of a human homologue (NTHL1/NTH1) of Escherichia coli endonuclease III with those of the adjacent parts of TSC2 and SLC9A3R2 genes. <b>1998</b> , 222, 287-95		38
547	Peptide binding consensus of the NHE-RF-PDZ1 domain matches the C-terminal sequence of cystic fibrosis transmembrane conductance regulator (CFTR). <b>1998</b> , 427, 103-8		225
546	Mapping of ezrin dimerization using yeast two-hybrid screening. <b>1998</b> , 243, 874-7		8
545	C-terminal threonine phosphorylation activates ERM proteins to link the cell's cortical lipid bilayer to the cytoskeleton. <b>1998</b> , 253, 561-5		118
544	A conserved functional domain of Drosophila coracle is required for localization at the septate junction and has membrane-organizing activity. <i>Journal of Cell Biology</i> , <b>1998</b> , 140, 1463-73	7.3	95
543	The role of NHERF and E3KARP in the cAMP-mediated inhibition of NHE3. <b>1998</b> , 273, 29972-8		182
542	NHE-RF, a regulatory cofactor for Na <sup>(+)</sup> -H <sup>+</sup> exchange, is a common interactor for merlin and ERM (MERM) proteins. <b>1998</b> , 273, 1273-6		204
541	The carboxyl-terminal region of EBP50 binds to a site in the amino-terminal domain of ezrin that is masked in the dormant molecule. <b>1998</b> , 273, 18452-8		166
540	Rho-kinase phosphorylates COOH-terminal threonines of ezrin/radixin/moesin (ERM) proteins and regulates their head-to-tail association. <i>Journal of Cell Biology</i> , <b>1998</b> , 140, 647-57	7.3	725
539	NHE3 kinase A regulatory protein E3KARP binds the epithelial brush border Na <sup>+</sup> /H <sup>+</sup> exchanger NHE3 and the cytoskeletal protein ezrin. <b>1998</b> , 273, 25856-63		220
538	An apical PDZ protein anchors the cystic fibrosis transmembrane conductance regulator to the cytoskeleton. <b>1998</b> , 273, 19797-801		370
537	Layilin, a novel talin-binding transmembrane protein homologous with C-type lectins, is localized in membrane ruffles. <i>Journal of Cell Biology</i> , <b>1998</b> , 143, 429-42	7.3	114
536	Emerging roles of Dlg-like PDZ proteins in the organization of the NMDA-type glutamatergic synapse. <b>1998</b> , 124, 869-75		17
535	Janus Kinases and Focal Adhesion Kinases Play in the 4.1 Band: A Superfamily of Band 4.1 Domains Important for Cell Structure and Signal Transduction. <i>Molecular Medicine</i> , <b>1998</b> , 4, 751-769	6.2	84

534	G protein-coupled receptors in gastrointestinal physiology. III. Asymmetry in plasma membrane signal transduction: lessons from brush-border Na <sup>+</sup> /H <sup>+</sup> exchangers. <b>1998</b> , 274, G971-7		6
533	A C-terminal motif found in the beta2-adrenergic receptor, P2Y1 receptor and cystic fibrosis transmembrane conductance regulator determines binding to the Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor family of PDZ proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 8496-501	11.5	373
532	Establishment of primary vestibular schwannoma cultures from neurofibromatosis type-2 patients. <b>1999</b> , 14, 409-15		7
531	Estrogen receptor regulation of the Na <sup>+</sup> /H <sup>+</sup> exchange regulatory factor. <b>1999</b> , 140, 2976-82		95
530	Ezrin promotes morphogenesis of apical microvilli and basal infoldings in retinal pigment epithelium. <i>Journal of Cell Biology</i> , <b>1999</b> , 147, 1533-48	7.3	130
529	Yes-associated protein 65 localizes p62(c-Yes) to the apical compartment of airway epithelia by association with EBP50. <i>Journal of Cell Biology</i> , <b>1999</b> , 147, 879-90	7.3	164
528	Expression of trophinin, tastin, and bystin by trophoblast and endometrial cells in human placenta. <b>1999</b> , 60, 621-7		66
527	The apical Na <sup>(+)</sup> /H <sup>(+)</sup> exchanger isoform NHE3 is regulated by the actin cytoskeleton. <b>1999</b> , 274, 29843-9		101
526	Ezrin, a plasma membrane-microfilament linker, signals cell survival through the phosphatidylinositol 3-kinase/Akt pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 7300-5	11.5	266
525	cAMP-induced phosphorylation and inhibition of Na <sup>(+)</sup> /H <sup>(+)</sup> exchanger 3 (NHE3) are dependent on the presence but not the phosphorylation of NHE regulatory factor. <b>1999</b> , 274, 24753-8		99
524	Direct involvement of ezrin/radixin/moesin (ERM)-binding membrane proteins in the organization of microvilli in collaboration with activated ERM proteins. <i>Journal of Cell Biology</i> , <b>1999</b> , 145, 1497-509	7.3	184
523	Regulation of F-actin binding to platelet moesin in vitro by both phosphorylation of threonine 558 and polyphosphatidylinositides. <i>Molecular Biology of the Cell</i> , <b>1999</b> , 10, 2669-85	3.5	125
522	Protein phosphatase 2C inactivates F-actin binding of human platelet moesin. <b>1999</b> , 274, 26705-12		43
521	G protein-coupled receptor kinase 6A phosphorylates the Na <sup>(+)</sup> /H <sup>(+)</sup> exchanger regulatory factor via a PDZ domain-mediated interaction. <b>1999</b> , 274, 24328-34		117
520	Replacement of threonine 558, a critical site of phosphorylation of moesin in vivo, with aspartate activates F-actin binding of moesin. Regulation by conformational change. <b>1999</b> , 274, 12803-10		64
519	Interdomain interaction of merlin isoforms and its influence on intermolecular binding to NHE-RF. <b>1999</b> , 274, 34438-42		73
518	Normal development of mice and unimpaired cell adhesion/cell motility/actin-based cytoskeleton without compensatory up-regulation of ezrin or radixin in moesin gene knockout. <b>1999</b> , 274, 2315-21		131
517	Specific expression of ezrin, a cytoskeletal-membrane linker protein, in a subset of chick retinotectal and sensory projections. <b>1999</b> , 11, 545-58		16

516	A kinase-regulated PDZ-domain interaction controls endocytic sorting of the beta2-adrenergic receptor. <b>1999</b> , 401, 286-90	592
515	Expression level, subcellular distribution and rho-GDI binding affinity of merlin in comparison with Ezrin/Radixin/Moesin proteins. <b>1999</b> , 18, 4788-97	71
514	Molecular cloning of the cDNA and promoter sequences for the mouse sodium-hydrogen exchanger regulatory factor. <b>1999</b> , 1447, 71-6	8
513	Merlin: the neurofibromatosis 2 tumor suppressor. <b>1999</b> , 1423, M29-36	35
512	Regulation of cortical structure by the ezrin-radixin-moesin protein family. <b>1999</b> , 11, 109-16	329
511	Protein modules as organizers of membrane structure. <b>1999</b> , 11, 432-9	283
510	ERM proteins in cell adhesion and membrane dynamics. <b>1999</b> , 9, 187-92	319
509	Activities of the EM10 protein from Echinococcus multilocularis in cultured mammalian cells demonstrate functional relationships to ERM family members. <b>1999</b> , 42, 178-88	16
508	Neurofibromatosis 2 tumor suppressor protein, merlin, forms two functionally important intramolecular associations. <b>1999</b> , 58, 706-716	37
507	Cortical actin organization: lessons from ERM (ezrin/radixin/moesin) proteins. <b>1999</b> , 274, 34507-10	364
506	Chapter 12 Molecular physiology of mammalian epithelial Na <sup>+</sup> /H <sup>+</sup> exchangers NHE2 and NHE3. <b>2000</b> , 50, 437-498	11
505	New insights into functions of erythroid proteins in nonerythroid cells. <b>2000</b> , 7, 123-9	45
504	Advances in neurofibromatosis 2 (NF2): a workshop report. <b>2000</b> , 14, 63-106	26
503	The TSC1 tumour suppressor hamartin regulates cell adhesion through ERM proteins and the GTPase Rho. <b>2000</b> , 2, 281-7	275
502	beta-adrenergic mechanisms in cardiac diseases: a perspective. <b>2000</b> , 12, 499-513	41
501	ERM proteins: from cellular architecture to cell signaling. <b>2000</b> , 92, 305-16	249
500	Structural basis of the membrane-targeting and unmasking mechanisms of the radixin FERM domain. <b>2000</b> , 19, 4449-62	302
499	Transmembrane transforming growth factor-alpha tethers to the PDZ domain-containing, Golgi membrane-associated protein p59/GRASP55. <b>2000</b> , 19, 6427-39	93

498	TAZ: a novel transcriptional co-activator regulated by interactions with 14-3-3 and PDZ domain proteins. <b>2000</b> , 19, 6778-91		524
497	Molecular and biological characterization of a zonula occludens-1 homologue in <i>Hydra vulgaris</i> , named HZO-1. <b>2000</b> , 210, 611-6		17
496	Polarization and interaction of adhesion molecules P-selectin glycoprotein ligand 1 and intercellular adhesion molecule 3 with moesin and ezrin in myeloid cells. <i>Blood</i> , <b>2000</b> , 95, 2413-2419	2.2	93
495	The PDZ-interacting domain of cystic fibrosis transmembrane conductance regulator is required for functional expression in the apical plasma membrane. <b>2000</b> , 275, 27069-74		84
494	Signal complex regulation of renal transport proteins: NHERF and regulation of NHE3 by PKA. <b>2000</b> , 279, F393-9		77
493	The B1 subunit of the H <sup>+</sup> ATPase is a PDZ domain-binding protein. Colocalization with NHE-RF in renal B-intercalated cells. <b>2000</b> , 275, 18219-24		124
492	Protein kinase A associates with cystic fibrosis transmembrane conductance regulator via an interaction with ezrin. <b>2000</b> , 275, 14360-6		122
491	Evidence for ezrin-radixin-moesin-binding phosphoprotein 50 (EBP50) self-association through PDZ-PDZ interactions. <b>2000</b> , 275, 25039-45		99
490	Platelet-derived growth factor receptor association with Na <sup>(+)</sup> /H <sup>(+)</sup> exchanger regulatory factor potentiates receptor activity. <b>2000</b> , 20, 8352-63		178
489	Regulation of phospholipase C-beta 3 activity by Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 2. <b>2000</b> , 275, 16632-7		72
488	Identification of a novel member of the chloride intracellular channel gene family (CLIC5) that associates with the actin cytoskeleton of placental microvilli. <i>Molecular Biology of the Cell</i> , <b>2000</b> , 11, 1509-1521		129
487	Mutagenesis of the phosphatidylinositol 4,5-bisphosphate (PIP(2)) binding site in the NH(2)-terminal domain of ezrin correlates with its altered cellular distribution. <i>Journal of Cell Biology</i> , <b>2000</b> , 151, 1067-80	7.3	201
486	The neurofibromatosis 2 tumor suppressor protein interacts with hepatocyte growth factor-regulated tyrosine kinase substrate. <b>2000</b> , 9, 1567-74		45
485	Morphogenic effects of ezrin require a phosphorylation-induced transition from oligomers to monomers at the plasma membrane. <i>Journal of Cell Biology</i> , <b>2000</b> , 150, 193-203	7.3	232
484	Association of mammalian trp4 and phospholipase C isozymes with a PDZ domain-containing protein, NHERF. <b>2000</b> , 275, 37559-64		194
483	Functional analysis of the neurofibromatosis type 2 protein by means of disease-causing point mutations. <b>2000</b> , 66, 873-91		46
482	Structure of the ERM protein moesin reveals the FERM domain fold masked by an extended actin binding tail domain. <b>2000</b> , 101, 259-70		498
481	NHERF associations with sodium-hydrogen exchanger isoform 3 (NHE3) and ezrin are essential for cAMP-mediated phosphorylation and inhibition of NHE3. <b>2000</b> , 39, 6123-9		120

480	ERM-Merlin and EBP50 protein families in plasma membrane organization and function. <b>2000</b> , 16, 113-43		326
479	The roles of PDZ-containing proteins in PLC-beta-mediated signaling. <b>2001</b> , 288, 1-7		74
478	In vivo functional analysis of ezrin during mouse blastocyst formation. <b>2001</b> , 233, 161-73		42
477	Crystal structure of the PDZ1 domain of human Na(+)/H(+) exchanger regulatory factor provides insights into the mechanism of carboxyl-terminal leucine recognition by class I PDZ domains. <b>2001</b> , 308, 963-73		83
476	Structural conversion between open and closed forms of radixin: low-angle shadowing electron microscopy. <b>2001</b> , 310, 973-8		33
475	The protein 4.1 tumor suppressor, DAL-1, impairs cell motility, but regulates proliferation in a cell-type-specific fashion. <b>2001</b> , 8, 266-78		61
474	NHE-RF, a merlin-interacting protein, is primarily expressed in luminal epithelia, proliferative endometrium, and estrogen receptor-positive breast carcinomas. <b>2001</b> , 158, 57-62		81
473	Delta regulates keratinocyte spreading and motility independently of differentiation. <b>2001</b> , 107, 133-40		47
472	Role of endocytosis in mediating downregulation of G-protein-coupled receptors. <b>2001</b> , 22, 91-6		191
471	Interaction between two adapter proteins, PAG and EBP50: a possible link between membrane rafts and actin cytoskeleton. <b>2001</b> , 507, 133-6		92
470	Oligomerization of NHERF-1 and NHERF-2 PDZ domains: differential regulation by association with receptor carboxyl-termini and by phosphorylation. <b>2001</b> , 40, 8572-80		98
469	NHERF: targeting and trafficking membrane proteins. <b>2001</b> , 280, F389-95		131
468	Digital image analysis for rapid quantification of total RNA and cDNA for SMART-PCR. <b>2001</b> , 31, 746, 748, 750, 752		1
467	Binding of the merlin-I product of the neurofibromatosis type 2 tumour suppressor gene to a novel site in beta-fodrin is regulated by association between merlin domains. <i>Biochemical Journal</i> , <b>2001</b> , 358, 727-35	3.8	4
466	The neurofibromatosis 2 protein product merlin selectively binds F-actin but not G-actin, and stabilizes the filaments through a lateral association. <i>Biochemical Journal</i> , <b>2001</b> , 356, 377-386	3.8	62
465	Binding of the merlin-I product of the neurofibromatosis type 2 tumour suppressor gene to a novel site in fodrin is regulated by association between merlin domains. <i>Biochemical Journal</i> , <b>2001</b> , 358, 727-735	3.8	12
464	Molecular studies of CFTR interacting proteins. <b>2001</b> , 443 Suppl 1, S62-4		7
463	Functional interaction between TRP4 and CFTR in mouse aorta endothelial cells. <b>2001</b> , 1, 3		17

462	Molecular determinants for apical expression and regulatory membrane retrieval of the type IIa Na/Pi cotransporter. <b>2001</b> , 60, 431-5		18
461	Acute regulation of NHE3 by protein kinase A requires a multiprotein signal complex. <b>2001</b> , 60, 450-4		38
460	Ezrin-radixin-moesin-binding phosphoprotein 50 is expressed at the apical membrane of rat liver epithelia. <b>2001</b> , 33, 166-76		85
459	Molecular characterization of a new ALK translocation involving moesin (MSN-ALK) in anaplastic large cell lymphoma. <b>2001</b> , 81, 419-26		139
458	Expanding the role of NHERF, a PDZ-domain containing protein adapter, to growth regulation. <b>2001</b> , 20, 6309-14		136
457	Na <sup>+</sup> -H <sup>+</sup> exchanger 3 (NHE3) is present in lipid rafts in the rabbit ileal brush border: a role for rafts in trafficking and rapid stimulation of NHE3. <b>2001</b> , 537, 537-52		115
456	Diversity and specificity in the regulated endocytic membrane trafficking of G-protein-coupled receptors. <b>2001</b> , 89, 139-47		59
455	Structural basis of the Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor PDZ1 interaction with the carboxyl-terminal region of the cystic fibrosis transmembrane conductance regulator. <b>2001</b> , 276, 19683-6		103
454	Hierarchy of merlin and ezrin N- and C-terminal domain interactions in homo- and heterotypic associations and their relationship to binding of scaffolding proteins EBP50 and E3KARP. <b>2001</b> , 276, 7621-9		77
453	A transplantable sorting signal that is sufficient to mediate rapid recycling of G protein-coupled receptors. <b>2001</b> , 276, 44712-20		107
452	Physiology, phylogeny, and functions of the TRP superfamily of cation channels. <i>Science Signaling</i> , <b>2001</b> , 2001, re1	8.8	214
451	Mucin MUC1 is seen in cell surface protrusions together with ezrin in immunoelectron tomography and is concentrated at tips of filopodial protrusions in MCF-7 breast carcinoma cells. <b>2001</b> , 49, 67-77		14
450	Usher syndrome: from genetics to pathogenesis. <b>2001</b> , 2, 271-97		197
449	Regulation of cystic fibrosis transmembrane conductance regulator single-channel gating by bivalent PDZ-domain-mediated interaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 1300-1305	11.5	187
448	Schwannomin isoform-1 interacts with syntenin via PDZ domains. <b>2001</b> , 276, 33093-100		58
447	Association of Na <sup>(+)</sup> -H <sup>(+)</sup> exchanger isoform NHE3 and dipeptidyl peptidase IV in the renal proximal tubule. <b>2001</b> , 276, 46671-7		96
446	Ezrin interacts with focal adhesion kinase and induces its activation independently of cell-matrix adhesion. <b>2001</b> , 276, 37686-91		88
445	Nodes of Ranvier form in association with ezrin-radixin-moesin (ERM)-positive Schwann cell processes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 1235-40	11.5	108

444	Identification of EPI64, a TBC/rabGAP domain-containing microvillar protein that binds to the first PDZ domain of EBP50 and E3KARP. <i>Journal of Cell Biology</i> , <b>2001</b> , 153, 191-206	7-3	68
443	The neurofibromatoses: when less is more. <b>2001</b> , 10, 747-55		80
442	Interaction of serotonin 5-hydroxytryptamine type 2C receptors with PDZ10 of the multi-PDZ domain protein MUPP1. <b>2001</b> , 276, 12974-82		129
441	Phosphorylation and cell cycle-dependent regulation of Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor-1 by Cdc2 kinase. <b>2001</b> , 276, 41559-65		54
440	The NF2 interactor, hepatocyte growth factor-regulated tyrosine kinase substrate (HRS), associates with merlin in the "open" conformation and suppresses cell growth and motility. <b>2001</b> , 10, 825-34		32
439	Enteropathogenic <i>Escherichia coli</i> activates ezrin, which participates in disruption of tight junction barrier function. <b>2001</b> , 69, 5679-88		69
438	Expression of the mRNAs and Proteins for the Na <sup>(+)</sup> /H <sup>(+)</sup> exchangers and their regulatory factors in baboon and human placental syncytiotrophoblast. <b>2001</b> , 142, 3685-92		17
437	Identification of two distinct structural motifs that, when added to the C-terminal tail of the rat LH receptor, redirect the internalized hormone-receptor complex from a degradation to a recycling pathway. <b>2001</b> , 15, 1624-35		42
436	Estrogen regulates 11 beta-hydroxysteroid dehydrogenase-1 and -2 localization in placental syncytiotrophoblast in the second half of primate pregnancy. <b>2001</b> , 142, 4496-503		37
435	Targeted disruption of the mouse NHERF-1 gene promotes internalization of proximal tubule sodium-phosphate cotransporter type IIa and renal phosphate wasting. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 11470-5	11.5	281
434	PDZ-domain interactions and apical expression of type IIa Na/P(i) cotransporters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 11957-62	11.5	155
433	Neurofibromatosis 2 (NF2) tumor suppressor schwannomin and its interacting protein HRS regulate STAT signaling. <b>2002</b> , 11, 3179-89		46
432	Regulation of G protein-coupled receptor signaling by scaffold proteins. <b>2002</b> , 91, 672-80		189
431	Cutting edge: negative regulation of immune synapse formation by anchoring lipid raft to cytoskeleton through Cbp-EBP50-ERM assembly. <b>2002</b> , 168, 541-4		148
430	Epithelial inducible nitric-oxide synthase is an apical EBP50-binding protein that directs vectorial nitric oxide output. <b>2002</b> , 277, 33132-8		42
429	CLC-3B, a novel CLC-3 splicing variant that interacts with EBP50 and facilitates expression of CFTR-regulated ORCC. <b>2002</b> , 16, 863-5		80
428	Structural determinants of the Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor interaction with the beta 2 adrenergic and platelet-derived growth factor receptors. <b>2002</b> , 277, 18973-8		66
427	Protein kinase C epsilon-dependent regulation of cystic fibrosis transmembrane regulator involves binding to a receptor for activated C kinase (RACK1) and RACK1 binding to Na <sup>+</sup> /H <sup>+</sup> exchange regulatory factor. <b>2002</b> , 277, 22925-33		76



426	A novel PDZ protein regulates the activity of guanylyl cyclase C, the heat-stable enterotoxin receptor. <b>2002</b> , 277, 22934-41		68
425	Biochemical assays for studying indirect interactions between CFTR and the cytoskeleton. <b>2002</b> , 70, 383-94		
424	Emerging roles of the actin cytoskeleton in cholangiocyte function and disease. <b>2002</b> , 22, 263-76		13
423	Estrogen receptor inducibility of the human Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor/ezrin-radixin-moesin binding protein 50 (NHE-RF/EBP50) gene involving multiple half-estrogen response elements. <b>2002</b> , 16, 1828-39		40
422	Ezrin-radixin-moesin-binding phosphoprotein-50/Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor (EBP50/NHERF) blocks U50,488H-induced down-regulation of the human kappa opioid receptor by enhancing its recycling rate. <b>2002</b> , 277, 27545-52		100
421	Glucocorticoid activation of Na <sup>(+)</sup> /H <sup>(+)</sup> exchanger isoform 3 revisited. The roles of SGK1 and NHERF2. <b>2002</b> , 277, 7676-83		146
420	Regulation of GTP-binding protein alpha q (Galpha q) signaling by the ezrin-radixin-moesin-binding phosphoprotein-50 (EBP50). <b>2002</b> , 277, 40751-9		47
419	Protein 4.1 tumor suppressors: getting a FERM grip on growth regulation. <i>Journal of Cell Science</i> , <b>2002</b> , 115, 3991-4000	5.3	149
418	Plasma membrane Ca <sup>2+</sup> ATPase isoform 2b interacts preferentially with Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 2 in apical plasma membranes. <b>2002</b> , 277, 10506-11		82
417	The cytoplasmic tail of L-selectin interacts with members of the Ezrin-Radixin-Moesin (ERM) family of proteins: cell activation-dependent binding of Moesin but not Ezrin. <b>2002</b> , 277, 2321-9		78
416	Role of the PDZ scaffolding protein in tubule cells in maintenance of polarised function. <b>2002</b> , 10, 307-12		9
415	Characterization of a novel intracellular heparanase that has a FERM domain. <i>Biochemical Journal</i> , <b>2002</b> , 364, 265-74	3.8	6
414	Effects of Nf2 missense mutations on schwannomin interactions. <b>2002</b> , 290, 366-74		8
413	Mouse models of neurofibromatosis 1 and 2. <b>2002</b> , 4, 279-90		48
412	Cystic Fibrosis Methods and Protocols. <b>2002</b> ,		1
411	Distinct cell type-specific expression of scaffolding proteins EBP50 and E3KARP: EBP50 is generally expressed with ezrin in specific epithelia, whereas E3KARP is not. <b>2002</b> , 81, 61-8		63
410	A novel locus for Usher syndrome type I, USH1G, maps to chromosome 17q24-25. <b>2002</b> , 110, 348-50		50
409	The distal pole complex: a novel membrane domain distal to the immunological synapse. <b>2002</b> , 189, 111-22		76

408	Crystallization and preliminary crystallographic analysis of the ezrin FERM domain. <b>2002</b> , 58, 1359-61	9
407	Radixin deficiency causes conjugated hyperbilirubinemia with loss of Mrp2 from bile canalicular membranes. <b>2002</b> , 31, 320-5	276
406	ERM proteins and merlin: integrators at the cell cortex. <b>2002</b> , 3, 586-99	1318
405	Modulation of ion channel function by P2Y receptors. <b>2003</b> , 39, 75-88	6
404	Tissue-specific regulation by estrogen of ezrin and ezrin/radixin/moesin-binding protein 50. <b>2003</b> , 22, 119-26	11
403	EBP50, a beta-catenin-associating protein, enhances Wnt signaling and is over-expressed in hepatocellular carcinoma. <b>2003</b> , 38, 178-86	119
402	Actin microfilaments et al.–the many components, effectors and regulators of epithelial cell endocytosis. <b>2003</b> , 55, 1359-83	34
401	Structural insights into the CFTR-NHERF interaction. <b>2003</b> , 192, 79-88	13
400	Podocyte cytoskeleton is connected to the integral membrane protein podocalyxin through Na <sup>+</sup> /H <sup>+</sup> -exchanger regulatory factor 2 and ezrin. <b>2003</b> , 7, 260-9	51
399	On the endothelial cell I(SOC). <b>2003</b> , 33, 323-36	70
398	CLIC4 is enriched at cell-cell junctions and colocalizes with AKAP350 at the centrosome and midbody of cultured mammalian cells. <b>2003</b> , 56, 159-72	61
397	Negative feedback of T cell activation through inhibitory adapters and costimulatory receptors. <b>2003</b> , 192, 143-60	53
396	PDZK1: I. a major scaffold in brush borders of proximal tubular cells. <b>2003</b> , 64, 1733-45	158
395	Two variants of the rat brain sodium-driven chloride bicarbonate exchanger (NCBE): developmental expression and addition of a PDZ motif. <b>2003</b> , 18, 2935-45	41
394	Inhibition of intestinal dipeptide transport by the neuropeptide VIP is an anti-absorptive effect via the VPAC1 receptor in a human enterocyte-like cell line (Caco-2). <b>2003</b> , 138, 564-73	23
393	Defects in whirlin, a PDZ domain molecule involved in stereocilia elongation, cause deafness in the whirler mouse and families with DFNB31. <b>2003</b> , 34, 421-8	259
392	A putative RUNX1 binding site variant between SLC9A3R1 and NAT9 is associated with susceptibility to psoriasis. <b>2003</b> , 35, 349-56	248
391	Merlin and ERM proteins: unappreciated roles in cancer development?. <b>2003</b> , 3, 877-83	150

390	A C-terminal PDZ motif in NHE3 binds NHERF-1 and enhances cAMP inhibition of sodium-hydrogen exchange. <b>2003</b> , 42, 12662-8		51
389	Identification of a novel Ezrin-binding site in syndecan-2 cytoplasmic domain. <b>2003</b> , 547, 212-6		40
388	C-terminal phosphorylation of MRP2 modulates its interaction with PDZ proteins. <b>2003</b> , 302, 454-61		75
387	Local ERM activation and dynamic growth cones at Schwann cell tips implicated in efficient formation of nodes of Ranvier. <i>Journal of Cell Biology</i> , <b>2003</b> , 162, 489-98	7-3	67
386	Foxj1 is required for apical localization of ezrin in airway epithelial cells. <i>Journal of Cell Science</i> , <b>2003</b> , 116, 4935-45	5-3	75
385	The role of the C terminus and Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor in the functional expression of cystic fibrosis transmembrane conductance regulator in nonpolarized cells and epithelia. <b>2003</b> , 278, 22079-89		64
384	Characterization of protein kinase A-mediated phosphorylation of ezrin in gastric parietal cell activation. <b>2003</b> , 278, 35651-9		77
383	Galphaq-coupled receptor internalization specifically induced by Galphaq signaling. Regulation by EBP50. <b>2003</b> , 278, 17827-37		47
382	Overexpression of the NF2 gene inhibits schwannoma cell proliferation through promoting PDGFR degradation. <b>2003</b> , 23, 1493		4
381	Na <sup>+</sup> /H <sup>+</sup> exchanger-regulatory factor 1 mediates inhibition of phosphate transport by parathyroid hormone and second messengers by acting at multiple sites in opossum kidney cells. <b>2003</b> , 17, 2355-64		83
380	Concerted roles of SGK1 and the Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 2 (NHERF2) in regulation of NHE3. <b>2003</b> , 13, 29-40		61
379	Molecular effects of volume expansion on the renal sodium phosphate cotransporter. <b>2003</b> , 326, 1-8		3
378	Cellular retinaldehyde-binding protein interacts with ERM-binding phosphoprotein 50 in retinal pigment epithelium. <b>2004</b> , 45, 393-401		60
377	The Role of Talin and Myosin VII in Adhesion $\square$ A FERM Connection. 19-37		
376	A NHERF binding site links the betaPDGFR to the cytoskeleton and regulates cell spreading and migration. <i>Journal of Cell Science</i> , <b>2004</b> , 117, 2951-61	5-3	59
375	Localized effects of cAMP mediated by distinct routes of protein kinase A. <b>2004</b> , 84, 137-67		587
374	The multivalent PDZ domain-containing protein PDZK1 regulates transport activity of renal urate-anion exchanger URAT1 via its C terminus. <b>2004</b> , 279, 45942-50		140
373	Radixin deficiency causes deafness associated with progressive degeneration of cochlear stereocilia. <i>Journal of Cell Biology</i> , <b>2004</b> , 166, 559-70	7-3	113

372	kappa Opioid receptor interacts with Na(+)/H(+)-exchanger regulatory factor-1/Ezrin-radixin-moesin-binding phosphoprotein-50 (NHERF-1/EBP50) to stimulate Na(+)/H(+) exchange independent of G(i)/G(o) proteins. <b>2004</b> , 279, 25002-9		34
371	Bcr (breakpoint cluster region) protein binds to PDZ-domains of scaffold protein PDZK1 and vesicle coat protein Mint3. <i>Journal of Cell Science</i> , <b>2004</b> , 117, 5535-41	5.3	21
370	Gene expression in the normal adult human kidney assessed by complementary DNA microarray. <i>Molecular Biology of the Cell</i> , <b>2004</b> , 15, 649-56	3.5	90
369	The EBP50-moesin interaction involves a binding site regulated by direct masking on the FERM domain. <i>Journal of Cell Science</i> , <b>2004</b> , 117, 1547-52	5.3	60
368	CLIC-5A functions as a chloride channel in vitro and associates with the cortical actin cytoskeleton in vitro and in vivo. <b>2004</b> , 279, 34794-801		67
367	Identification and relevance of the CD95-binding domain in the N-terminal region of ezrin. <b>2004</b> , 279, 9199-207		47
366	Ezrin-radixin-moesin (ERM)-binding phosphoprotein 50 organizes ERM proteins at the apical membrane of polarized epithelia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 17705-10	11.5	172
365	Assembly and trafficking of a multiprotein ROMK (Kir 1.1) channel complex by PDZ interactions. <b>2004</b> , 279, 6863-73		72
364	Stimulation by parathyroid hormone of a NHERF-1-assembled complex consisting of the parathyroid hormone I receptor, phospholipase Cbeta, and actin increases intracellular calcium in opossum kidney cells. <b>2004</b> , 279, 23550-8		108
363	Ezrin/radixin/moesin proteins are high affinity targets for ADP-ribosylation by <i>Pseudomonas aeruginosa</i> ExoS. <b>2004</b> , 279, 38402-8		54
362	A library of 7TM receptor C-terminal tails. Interactions with the proposed post-endocytic sorting proteins ERM-binding phosphoprotein 50 (EBP50), N-ethylmaleimide-sensitive factor (NSF), sorting nexin 1 (SNX1), and G protein-coupled receptor-associated sorting protein (GASP). <b>2004</b> , 279, 54291-303		138
361	Role of a PDZ1 domain of NHERF1 in the binding of airway epithelial RACK1 to NHERF1. <b>2004</b> , 286, C1037-44		16
360	Na <sup>+</sup> -H <sup>+</sup> exchange activity in taste receptor cells. <b>2004</b> , 91, 1297-313		34
359	Ezrin/radixin/moesin proteins and Rho GTPase signalling in leucocytes. <b>2004</b> , 112, 165-76		233
358	Uptake and trafficking of DNA in keratinocytes: evidence for DNA-binding proteins. <b>2004</b> , 11, 765-74		51
357	Core-binding factors in hematopoiesis and immune function. <b>2004</b> , 23, 4238-48		194
356	NHERF (Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor) gene mutations in human breast cancer. <b>2004</b> , 23, 8681-7		69
355	Magacin, a novel cytoskeletal protein associates with the NF2 tumor suppressor merlin and Grb2. <b>2004</b> , 23, 8815-25		56

354	Merlin and the ERM proteins in Schwann cells, neurons and growth cones. <b>2004</b> , 5, 462-70	72
353	Endosome sorting of beta 2-adrenoceptors is GRK5 independent. <b>2004</b> , 141, 277-84	9
352	Carbachol regulation of rabbit ileal brush border Na <sup>+</sup> -H <sup>+</sup> exchanger 3 (NHE3) occurs through changes in NHE3 trafficking and complex formation and is Src dependent. <b>2004</b> , 556, 791-804	60
351	Small is beautiful: what flies tell us about ERM protein function in development. <b>2004</b> , 14, 294-302	54
350	Restricted expression domains of Ezrin in developing epithelia of the chick. <b>2004</b> , 4, 199-204	9
349	Identification and characterization of PDZ-1, a N-ERMAD specific interaction partner of the Echinococcus multilocularis ERM protein Elp. <b>2004</b> , 134, 149-54	14
348	Diversity of the mammalian sodium/proton exchanger SLC9 gene family. <b>2004</b> , 447, 549-65	506
347	Molecular pathogenesis of meningiomas. <b>2004</b> , 70, 183-202	220
346	[New aspects in the pathogenesis of psoriasis]. <b>2004</b> , 2, 448-56; quiz 457	1
345	Co-operative effect of c-Src and ezrin in deregulation of cell-cell contacts and scattering of mammary carcinoma cells. <b>2004</b> , 92, 16-28	41
344	TRPC5 activation kinetics are modulated by the scaffolding protein ezrin/radixin/moesin-binding phosphoprotein-50 (EBP50). <b>2004</b> , 201, 227-35	68
343	Aquaporin-2 trafficking is regulated by PDZ-domain containing protein SPA-1*1. <b>2004</b> ,	
342	Ezrin is essential for epithelial organization and villus morphogenesis in the developing intestine. <b>2004</b> , 6, 855-64	332
341	Support for a proposed retinoid-processing protein complex in apical retinal pigment epithelium. <b>2004</b> , 79, 419-22	32
340	Aquaporin-2 trafficking is regulated by PDZ-domain containing protein SPA-1. <b>2004</b> , 568, 139-45	74
339	Beta-adrenergic receptors and their interacting proteins. <b>2004</b> , 15, 281-8	53
338	Regulation of ion transport by the NHERF family of PDZ proteins. <b>2004</b> , 19, 362-9	114
337	Understanding the pathogenesis of psoriasis, psoriatic arthritis, and autoimmunity via a fusion of molecular genetics and immunology. <b>2005</b> , 32, 45-56	15

336	Getting under the skin: the immunogenetics of psoriasis. <b>2005</b> , 5, 699-711	358
335	<i>Listeria monocytogenes</i> exploits ERM protein functions to efficiently spread from cell to cell. <b>2005</b> , 24, 1287-300	68
334	The role of NHERF-1 in the regulation of renal proximal tubule sodium-hydrogen exchanger 3 and sodium-dependent phosphate cotransporter 2a. <b>2005</b> , 567, 27-32	56
333	Cytoskeletal regulation of calcium-permeable cation channels in the human syncytiotrophoblast: role of gelsolin. <b>2005</b> , 566, 309-25	30
332	NHERF family and NHE3 regulation. <b>2005</b> , 567, 3-11	167
331	Beyond the brush border: NHERF4 blazes new NHERF turf. <b>2005</b> , 567, 13-9	35
330	Recent advances in renal phosphate transport. <b>2005</b> , 9, 323-7	10
329	Protein/protein interactions (PDZ) in proximal tubules. <b>2005</b> , 203, 111-8	30
328	Functional interaction between CFTR and Cx45 gap junction channels expressed in oocytes. <b>2005</b> , 203, 143-50	5
327	A novel D458V mutation in the SANS PDZ binding motif causes atypical Usher syndrome. <b>2005</b> , 83, 1025-32	33
326	The role of FAS to ezrin association in FAS-mediated apoptosis. <b>2005</b> , 10, 941-7	37
325	NHERF and regulation of the renal sodium-hydrogen exchanger NHE3. <b>2005</b> , 450, 137-44	33
324	Regulation of epithelial electrolyte transporters through protein-protein interactions. <b>2004</b> , 559, 349-58	
323	PDZ proteins retain and regulate membrane transporters in polarized epithelial cell membranes. <b>2005</b> , 288, C20-9	88
322	Parathyroid hormone treatment induces dissociation of type IIa Na <sup>+</sup> -P(i) cotransporter-Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor-1 complexes. <b>2005</b> , 289, C159-67	112
321	Ezrin oligomers are the membrane-bound dormant form in gastric parietal cells. <b>2005</b> , 288, C1242-54	30
320	Rho GTPases dictate the mobility of the Na/H exchanger NHE3 in epithelia: role in apical retention and targeting. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 12253-8	11,5 50
319	NHERF2/SIP-1 interacts with mouse SRY via a different mechanism than human SRY. <b>2005</b> , 280, 38625-30	24

318	Polycystin-2 as a signal transducer. <b>2004</b> , 559, 235-44			1
317	Autoimmune Diseases of the Skin. <b>2005</b> ,			4
316	The genetics of psoriasis and autoimmunity. <b>2005</b> , 6, 93-122			97
315	Type I PDZ ligands are sufficient to promote rapid recycling of G Protein-coupled receptors independent of binding to N-ethylmaleimide-sensitive factor. <b>2005</b> , 280, 3305-13			61
314	G protein-coupled receptor kinase 2-mediated phosphorylation of ezrin is required for G protein-coupled receptor-dependent reorganization of the actin cytoskeleton. <i>Molecular Biology of the Cell</i> , <b>2005</b> , 16, 3088-99	3.5		120
313	PDZK1 directly regulates the function of organic cation/carnitine transporter OCTN2. <b>2005</b> , 67, 734-43			74
312	PALS1 specifies the localization of ezrin to the apical membrane of gastric parietal cells. <b>2005</b> , 280, 13584-92			38
311	Protein kinase C regulates the phosphorylation and oligomerization of ERM binding phosphoprotein 50. <b>2005</b> , 306, 264-73			34
310	Ezrin mutants affecting dimerization and activation. <b>2005</b> , 44, 3926-32			37
309	Cell Volume and Signaling. <b>2005</b> ,			0
308	The TRP superfamily of cation channels. <i>Science Signaling</i> , <b>2005</b> , 2005, re3	8.8		600
307	Suppression of breast cancer cell growth by Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 1 (NHERF1). <b>2006</b> , 8, R63			41
306	Regulation of the rat brain Na <sup>+</sup> -driven Cl <sup>-</sup> /HCO <sub>3</sub> <sup>-</sup> exchanger involves protein kinase A and a multiprotein signaling complex. <b>2006</b> , 580, 4865-71			14
305	Independent roles of Drosophila Moesin in imaginal disc morphogenesis and hedgehog signalling. <b>2006</b> , 123, 337-51			15
304	Microvilli defects in retinas of ezrin knockout mice. <b>2006</b> , 82, 720-9			68
303	NHE3 inhibits PKA-dependent functional expression of CFTR by NHERF2 PDZ interactions. <b>2006</b> , 347, 452-9			19
302	Role of ERM (ezrin-radixin-moesin) proteins in T lymphocyte polarization, immune synapse formation and in T cell receptor-mediated signaling. <b>2006</b> , 11, 1987-97			50
301	Scaffold Proteins and the Regeneration of Visual Pigments <i>Photochemistry and Photobiology</i> , <b>2006</b> , 82, 1482-1488	3.6		9

300	PTEN tumor suppressor associates with NHERF proteins to attenuate PDGF receptor signaling. <b>2006</b> , 25, 910-20		174
299	The PDZ domain protein PDZK1 interacts with human peptide transporter PEPT2 and enhances its transport activity. <b>2006</b> , 70, 275-82		29
298	Peptide, domain, and DNA affinity selection in the identification and quantitation of proteins from complex biological samples. <b>2006</b> , 356, 1-11		1
297	Regulation of endothelial cell barrier function by store-operated calcium entry. <b>2006</b> , 13, 709-23		57
296	Interplay between cystic fibrosis transmembrane regulator and gap junction channels made of connexins 45, 40, 32 and 50 expressed in oocytes. <b>2006</b> , 214, 1-8		4
295	Structural basis for NHERF recognition by ERM proteins. <b>2006</b> , 14, 777-89		76
294	The Actin Cytoskeleton in the Apical Domain of Epithelial Cells. <b>2006</b> , 37, 25-47		3
293	Developmental regulation of the sodium/hydrogen ion exchangers and their regulatory factors in baboon placental syncytiotrophoblast. <b>2006</b> , 147, 2986-96		4
292	The emerging role of PDZ adapter proteins for regulation of intestinal ion transport. <b>2006</b> , 291, G766-77		109
291	The nuclear receptor hepatocyte nuclear factor 4alpha acts as a morphogen to induce the formation of microvilli. <i>Journal of Cell Biology</i> , <b>2006</b> , 175, 971-80	7.3	33
290	EPI64 regulates microvillar subdomains and structure. <i>Journal of Cell Biology</i> , <b>2006</b> , 175, 803-13	7.3	65
289	Regulation of sensory neuron-specific acid-sensing ion channel 3 by the adaptor protein Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor-1. <b>2006</b> , 281, 1796-807		32
288	Characterization of a novel interaction between ELMO1 and ERM proteins. <b>2006</b> , 281, 5928-37		36
287	Subcellular targeting and trafficking of nitric oxide synthases. <i>Biochemical Journal</i> , <b>2006</b> , 396, 401-9	3.8	106
286	The association of NHERF adaptor proteins with g protein-coupled receptors and receptor tyrosine kinases. <b>2006</b> , 68, 491-505		154
285	Rat liver peroxisomes after fibrate treatment. A survey using quantitative mass spectrometry. <b>2007</b> , 282, 23055-69		92
284	Protein kinase C phosphorylation disrupts Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 1 autoinhibition and promotes cystic fibrosis transmembrane conductance regulator macromolecular assembly. <b>2007</b> , 282, 27086-27099		60
283	Naked2 acts as a cargo recognition and targeting protein to ensure proper delivery and fusion of TGF-alpha containing exocytic vesicles at the lower lateral membrane of polarized MDCK cells. <i>Molecular Biology of the Cell</i> , <b>2007</b> , 18, 3081-93	3.5	39



282	NHERF1/EBP50 head-to-tail intramolecular interaction masks association with PDZ domain ligands. <b>2007</b> , 27, 2527-37		81
281	Contact-dependent inhibition of EGFR signaling by Nf2/Merlin. <i>Journal of Cell Biology</i> , <b>2007</b> , 177, 893-903	3	275
280	Regulatory binding partners and complexes of NHE3. <b>2007</b> , 87, 825-72		148
279	Activated ezrin promotes cell migration through recruitment of the GEF Dbl to lipid rafts and preferential downstream activation of Cdc42. <i>Molecular Biology of the Cell</i> , <b>2007</b> , 18, 2935-48	3-5	79
278	T-cell-receptor-dependent actin regulatory mechanisms. <i>Journal of Cell Science</i> , <b>2007</b> , 120, 723-30	5-3	64
277	Immune synapse formation requires ZAP-70 recruitment by ezrin and CD43 removal by moesin. <i>Journal of Cell Biology</i> , <b>2007</b> , 179, 733-46	7-3	83
276	Phosphorylation of PDZ1 domain attenuates NHERF-1 binding to cellular targets. <b>2007</b> , 282, 33879-33887		58
275	Type I phosphatidylinositol 4-phosphate 5-kinase controls neutrophil polarity and directional movement. <i>Journal of Cell Biology</i> , <b>2007</b> , 179, 1539-53	7-3	58
274	A bipartite signal regulates the faithful delivery of apical domain marker podocalyxin/Gp135. <i>Molecular Biology of the Cell</i> , <b>2007</b> , 18, 1710-22	3-5	33
273	LIMP-2 is a receptor for lysosomal mannose-6-phosphate-independent targeting of beta-glucocerebrosidase. <b>2007</b> , 131, 770-83		369
272	Self-masking in an intact ERM-merlin protein: an active role for the central alpha-helical domain. <b>2007</b> , 365, 1446-59		89
271	Proteomic analysis of peripheral blood mononuclear cells: selective protein processing observed in patients with rheumatoid arthritis. <b>2007</b> , 6, 3752-9		24
270	Thermodynamic dissection of the Ezrin FERM/CERMAD interface. <b>2007</b> , 46, 12174-89		16
269	Asymmetric ERM activation at the Schwann cell process tip is required in axon-associated motility. <b>2007</b> , 210, 122-32		13
268	Crystallographic characterization of the radixin FERM domain bound to the cytoplasmic tails of adhesion molecules CD43 and PSGL-1. <b>2007</b> , 63, 49-51		6
267	Crystallographic characterization of the radixin FERM domain bound to the cytoplasmic tail of adhesion molecule CD44. <b>2007</b> , 63, 844-7		5
266	Cortical stabilization of beta-catenin contributes to NHERF1/EBP50 tumor suppressor function. <b>2007</b> , 26, 5290-9		82
265	Polycystin-2 cation channel function in the human syncytiotrophoblast is regulated by microtubular structures. <b>2007</b> , 579, 717-28		26

264	Expression and clinicopathological significance of oestrogen-responsive ezrin-radixin-moesin-binding phosphoprotein 50 in breast cancer. <b>2007</b> , 51, 40-53	53
263	Ezrin and radixin both regulate the apical membrane localization of ABCC2 (MRP2) in human intestinal epithelial Caco-2 cells. <b>2007</b> , 313, 3517-25	39
262	Interaction of carboxyl-terminal peptides of cytosolic-tail of apactin with PDZ domains of NHERF/EBP50 and PDZK-1/CAP70. <b>2007</b> , 302, 157-67	7
261	Crystallographic characterization of the radixin FERM domain bound to the cytoplasmic tail of membrane-type 1 matrix metalloproteinase (MT1-MMP). <b>2008</b> , 64, 911-3	8
260	Src family kinases: regulation of their activities, levels and identification of new pathways. <b>2008</b> , 1784, 56-65	238
259	Control of lymphocyte development and activation by negative regulatory transmembrane adapter proteins. <b>2008</b> , 224, 215-28	29
258	The enteropathogenic Escherichia coli effector protein EspF decreases sodium hydrogen exchanger 3 activity. <b>2008</b> , 10, 1735-45	56
257	The merlin interacting proteins reveal multiple targets for NF2 therapy. <b>2008</b> , 1785, 32-54	36
256	Structural basis of the cytoplasmic tail of adhesion molecule CD43 and its binding to ERM proteins. <b>2008</b> , 381, 634-44	27
255	Enrichment of distinct microfilament-associated and GTP-binding-proteins in membrane/microvilli fractions from lymphoid cells. <b>2008</b> , 7, 2911-27	23
254	Preso, a novel PSD-95-interacting FERM and PDZ domain protein that regulates dendritic spine morphogenesis. <b>2008</b> , 28, 14546-56	32
253	Regulation of expression of microvillus membrane proteins by estrogen in baboon fetal ovarian oocytes. <b>2008</b> , 79, 1160-8	7
252	Roles of NHERF1/EBP50 in cancer. <b>2008</b> , 8, 459-68	83
251	The Mammalian Transporter Families. <b>2008</b> , 91-146	4
250	Scaffolding Proteins in Transport Regulation. <b>2008</b> , 325-341	0
249	The transmembrane protein CBP plays a role in transiently anchoring small clusters of Thy-1, a GPI-anchored protein, to the cytoskeleton. <i>Journal of Cell Science</i> , <b>2009</b> , 122, 3966-72	53 49
248	The protein scaffold NHERF-1 controls the amplitude and duration of localized protein kinase D activity. <b>2009</b> , 284, 24653-61	34
247	The parathyroid hormone 1 receptor directly binds to the FERM domain of ezrin, an interaction that supports apical receptor localization and signaling in LLC-PK1 cells. <b>2009</b> , 23, 1691-701	17

246	GABARAP deficiency modulates expression of NaPi-IIa in renal brush-border membranes. <b>2009</b> , 296, F1118-28	16
245	Tethering, recycling and activation of the epithelial sodium-proton exchanger, NHE3. <b>2009</b> , 212, 1630-7	42
244	Merlin and the ERM proteins--regulators of receptor distribution and signaling at the cell cortex. <b>2009</b> , 19, 198-206	148
243	Biological role of NHERF1 protein expression in breast cancer. <b>2009</b> , 55, 600-8	50
242	The actin-cytoskeleton linker protein ezrin is regulated during osteosarcoma metastasis by PKC. <b>2009</b> , 28, 792-802	98
241	Overexpression of Csk-binding protein contributes to renal cell carcinogenesis. <b>2009</b> , 28, 3320-31	16
240	The mechanisms used by enteropathogenic Escherichia coli to control filopodia dynamics. <b>2009</b> , 11, 309-22	52
239	The role of the NHERF family of PDZ scaffolding proteins in the regulation of salt and water transport. <b>2009</b> , 1165, 249-60	65
238	The Fanconi Syndrome. <b>2009</b> , 171-197	2
237	Properties of an ezrin mutant defective in F-actin binding. <b>2009</b> , 385, 1015-31	27
236	Ezrin induces long-range interdomain allostery in the scaffolding protein NHERF1. <b>2009</b> , 392, 166-80	41
235	The scaffold protein PDZK1 undergoes a head-to-tail intramolecular association that negatively regulates its interaction with EBP50. <b>2009</b> , 48, 2261-71	35
234	Hepatocyte Surface Polarity: Its Dynamic Maintenance and Establishment. 73-105	4
233	The adaptor protein EBP50 is important for localization of the protein kinase A-Ezrin complex in T-cells and the immunomodulating effect of cAMP. <i>Biochemical Journal</i> , <b>2009</b> , 425, 381-8	3.8 27
232	NHERF1/EBP50 in Breast Cancer: Clinical Perspectives. <b>2010</b> , 5, 86-90	29
231	Role of vasostatin-1 C-terminal region in fibroblast cell adhesion. <b>2010</b> , 67, 2107-18	15
230	Estrogens regulate the expression of NHERF1 in normal colon during the reproductive cycle of Wistar rats. <b>2010</b> , 134, 623-30	6
229	Initiation of malignancy by duodenal contents reflux and the role of ezrin in developing esophageal squamous cell carcinoma. <b>2010</b> , 101, 624-30	14

228	Binding to Na(+)/H(+) exchanger regulatory factor 2 (NHERF2) affects trafficking and function of the enteropathogenic Escherichia coli type III secretion system effectors Map, EspI and NleH. <b>2010</b> , 12, 1718-31		39
227	NHERF-1 binds to Mrp2 and regulates hepatic Mrp2 expression and function. <b>2010</b> , 285, 19299-307		46
226	Sip1, the Drosophila orthologue of EBP50/NHERF1, functions with the sterile 20 family kinase Slik to regulate Moesin activity. <i>Journal of Cell Science</i> , <b>2010</b> , 123, 1099-107	5-3	18
225	The scaffolding protein EBP50 regulates microvillar assembly in a phosphorylation-dependent manner. <i>Journal of Cell Biology</i> , <b>2010</b> , 191, 397-413	7-3	54
224	Overexpression of ezrin inactivates NF2 tumor suppressor in glioblastoma. <b>2010</b> , 12, 528-39		26
223	Apical scaffolding protein NHERF2 modulates the localization of alternatively spliced plasma membrane Ca <sup>2+</sup> pump 2B variants in polarized epithelial cells. <b>2010</b> , 285, 31704-12		27
222	Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor-1 is involved in chemokine receptor homodimer CCR5 internalization and signal transduction but does not affect CXCR4 homodimer or CXCR4-CCR5 heterodimer. <b>2010</b> , 285, 34653-64		33
221	A possible mechanism for ezrin to establish epithelial cell polarity. <b>2010</b> , 299, C431-43		22
220	Identification and functional implication of a Rho kinase-dependent moesin-EBP50 interaction in noradrenaline-stimulated artery. <b>2010</b> , 299, C1530-40		13
219	Aberrant localization of ezrin correlates with salivary acini disorganization in Sjogren's Syndrome. <b>2010</b> , 49, 915-23		17
218	A regulated complex of the scaffolding proteins PDZK1 and EBP50 with ezrin contribute to microvillar organization. <i>Molecular Biology of the Cell</i> , <b>2010</b> , 21, 1519-29	3-5	47
217	NHERF1/EBP50 is a new marker in colorectal cancer. <b>2010</b> , 12, 1013-22		64
216	Apical recycling of the gastric parietal cell H,K-ATPase. <b>2010</b> , 72, 273-96		57
215	Roles of the scaffolding proteins NHERF in liver biology. <b>2011</b> , 35, 176-81		15
214	Proteins move! Protein dynamics and long-range allostery in cell signaling. <b>2011</b> , 83, 163-221		85
213	Autoimmune Diseases of the Skin. <b>2011</b> ,		4
212	Identification of key players for colorectal cancer metastasis by iTRAQ quantitative proteomics profiling of isogenic SW480 and SW620 cell lines. <b>2011</b> , 10, 4373-87		62
211	Analysis of different complexes of type IIa sodium-dependent phosphate transporter in rat renal cortex using blue-native polyacrylamide gel electrophoresis. <b>2011</b> , 58, 140-7		7

210	The ERM protein, ezrin, regulates neutrophil transmigration by modulating the apical localization of MRP2 in response to the SipA effector protein during Salmonella Typhimurium infection. <b>2011</b> , 13, 2007-21		23
209	Ezrin, Radixin and Moesin: key regulators of membrane-cortex interactions and signaling. <b>2011</b> , 23, 377-82		196
208	Apical membrane segregation of phosphatidylinositol-4,5-bisphosphate influences parathyroid hormone 1 receptor compartmental signaling and localization via direct regulation of ezrin in LLC-PK1 cells. <b>2011</b> , 23, 1659-68		5
207	Expression of NHERF1 in colonic tumors induced by 1,2-dimethylhydrazine in rats is independent of plasma ovarian steroids. <b>2011</b> , 2, 214-23		4
206	Proteomic survey towards the tissue-specific proteins of mouse mitochondria. <b>2011</b> , 54, 3-15		5
205	Effect of knockdown of ezrin, radixin, and moesin on P-glycoprotein function in HepG2 cells. <b>2011</b> , 100, 5308-14		32
204	The neuronal protein Kidins220/ARMS associates with ICAM-3 and other uropod components and regulates T-cell motility. <b>2011</b> , 41, 1035-46		14
203	EBP50 is involved in the regulation of vascular smooth muscle cell migration and cytokinesis. <b>2011</b> , 112, 2574-84		11
202	A hierarchy of signals regulates entry of membrane proteins into the ciliary membrane domain in epithelial cells. <i>Journal of Cell Biology</i> , <b>2011</b> , 193, 219-33	7.3	87
201	Emerging role for ERM proteins in cell adhesion and migration. <b>2011</b> , 5, 199-206		168
200	Regulation of G protein-coupled receptor function by Na <sup>+</sup> /H <sup>+</sup> exchange regulatory factors. <b>2011</b> , 63, 882-900		87
199	Ezrin-mediated apical integrity is required for intestinal homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 11924-9	11.5	62
198	Emerging therapeutic targets in schwannomas and other merlin-deficient tumors. <b>2011</b> , 7, 392-9		58
197	Phosphorylation of EBP50 negatively regulates RhoA-dependent Rac1 activity in anoikis. <b>2012</b> , 19, 1027-37		13
196	Temporal and spatial regulation of ezrin-radixin-moesin-binding phosphoprotein-50-kDa (EBP50) during embryo implantation in mouse uterus. <i>International Journal of Molecular Sciences</i> , <b>2012</b> , 13, 16418-29	6.3	3
195	Dysregulation of ezrin phosphorylation prevents metastasis and alters cellular metabolism in osteosarcoma. <b>2012</b> , 72, 1001-12		44
194	EPI64 interacts with Slp1/JFC1 to coordinate Rab8a and Arf6 membrane trafficking. <i>Molecular Biology of the Cell</i> , <b>2012</b> , 23, 701-15	3.5	23
193	The scaffolding protein EBP50 promotes vascular smooth muscle cell proliferation and neointima formation by regulating Skp2 and p21(cip1). <b>2012</b> , 32, 33-41		15

192	PDZ interactions regulate rapid turnover of the scaffolding protein EBP50 in microvilli. <i>Journal of Cell Biology</i> , <b>2012</b> , 198, 195-203	7.3	37
191	Small molecule inhibitors of ezrin inhibit the invasive phenotype of osteosarcoma cells. <b>2012</b> , 31, 269-81		109
190	NHERF1/EBP50 controls lactation by establishing basal membrane polarity complexes with prolactin receptor. <b>2012</b> , 3, e391		13
189	Ezrin-anchored protein kinase A coordinates phosphorylation-dependent disassembly of a NHERF1 ternary complex to regulate hormone-sensitive phosphate transport. <b>2012</b> , 287, 24148-63		39
188	Large membrane domains in hair bundles specify spatially constricted radixin activation. <b>2012</b> , 32, 4600-9		35
187	NHE3 regulatory factor 1 (NHERF1) modulates intestinal sodium-dependent phosphate transporter (NaPi-2b) expression in apical microvilli. <b>2012</b> , 287, 35047-35056		31
186	Open conformation of ezrin bound to phosphatidylinositol 4,5-bisphosphate and to F-actin revealed by neutron scattering. <b>2012</b> , 287, 37119-33		33
185	The parathyroid hormone receptorsome and the potential for therapeutic intervention. <b>2012</b> , 13, 116-28		16
184	Involvement of nuclear NHERF1 in colorectal cancer progression. <b>2012</b> , 28, 889-94		22
183	Novel bioactivity of NHERF1 in corneal neovascularization. <b>2012</b> , 250, 1615-25		1
182	The ezrin metastatic phenotype is associated with the initiation of protein translation. <b>2012</b> , 14, 297-310		21
181	Loss of EBP50 stimulates EGFR activity to induce EMT phenotypic features in biliary cancer cells. <b>2012</b> , 31, 1376-88		43
180	Prognostic significance of peroxiredoxin 1 and ezrin-radixin-moesin-binding phosphoprotein 50 in cholangiocarcinoma. <b>2012</b> , 43, 1719-30		25
179	Rescue of internalization-defective platelet-activating factor receptor function by EBP50/NHERF1. <b>2012</b> , 6, 205-16		5
178	The Cell Biology of Gastric Acid Secretion. <b>2012</b> , 1251-1279		2
177	Vitamin A metabolism in rod and cone visual cycles. <b>2012</b> , 32, 125-45		124
176	Cell cycle dependent association of EBP50 with protein phosphatase 2A in endothelial cells. <i>PLoS ONE</i> , <b>2012</b> , 7, e35595	3.7	12
175	EGF-induced expansion of migratory cells in the rostral migratory stream. <i>PLoS ONE</i> , <b>2012</b> , 7, e46380	3.7	11

174	Ezrin is an Essential Marker for Metastasis of Gynecologic Cancer. <b>2012</b> , 18, 81	5
173	SLC9A3R1 (solute carrier family 9 (sodium/hydrogen exchanger), member 3 regulator 1). <b>2012</b> ,	
172	PTEN, NHERF1 and PHLPP form a tumor suppressor network that is disabled in glioblastoma. <b>2012</b> , 31, 1264-74	120
171	The detection of EBP50 expression using quantum dot immunohistochemistry in pancreatic cancer tissue and down-regulated EBP50 effect on PC-2 cells. <b>2012</b> , 43, 517-26	12
170	MAP17 and the double-edged sword of ROS. <b>2012</b> , 1826, 44-52	21
169	Primary Tumors of the Nervous System. <b>2013</b> , 1-22	
168	EBP50 phosphorylation by Cdc2/Cyclin B kinase affects actin cytoskeleton reorganization and regulates functions of human breast cancer cell line MDA-MB-231. <b>2013</b> , 36, 47-54	16
167	Interactome analysis reveals ezrin can adopt multiple conformational states. <b>2013</b> , 288, 35437-51	34
166	NHERF2 is crucial in ERM phosphorylation in pulmonary endothelial cells. <b>2013</b> , 11, 99	10
165	Immunohistochemical profile of ezrin and radixin in human liver epithelia during fetal development and pediatric cholestatic diseases. <b>2013</b> , 37, 142-51	6
164	Effect of VX-770 (ivacaftor) and OAG on Ca <sup>2+</sup> influx and CFTR activity in G551D and F508del-CFTR expressing cells. <b>2013</b> , 12, 584-91	12
163	Scaffolding Proteins in Transport Regulation. <b>2013</b> , 405-426	
162	Proximal Tubular Handling of Phosphate. <b>2013</b> , 2351-2368	
161	Control of actin dynamics by allosteric regulation of actin binding proteins. <b>2013</b> , 303, 1-25	15
160	Ligand-induced dynamic changes in extended PDZ domains from NHERF1. <b>2013</b> , 425, 2509-28	25
159	Model membranes to shed light on the biochemical and physical properties of ezrin/radixin/moesin. <b>2013</b> , 95, 3-11	9
158	Ezrin-radixin-moesin-binding phosphoprotein 50 (EBP50) and nuclear factor- $\kappa$ B (NF- $\kappa$ B): a feed-forward loop for systemic and vascular inflammation. <b>2013</b> , 288, 36426-36	17
157	Regulation of expression and function of scavenger receptor class B, type I (SR-BI) by Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factors (NHERFs). <b>2013</b> , 288, 11416-35	30

156	A role of intestine in hypertension: mechanism of suppression of intestinal Na-H exchanger isoform-3 in spontaneously hypertensive rats. <b>2013</b> , 35, 543-9		3
155	Cell and tissue polarity in the intestinal tract during tumourigenesis: cells still know the right way up, but tissue organization is lost. <b>2013</b> , 368, 20130014		41
154	Magazine or journal--what is the difference? The role of the monitoring editor. <i>Molecular Biology of the Cell</i> , <b>2013</b> , 24, 887-9	3.5	1
153	The role of NADRIN, a Rho GTPase-activating protein, in the morphological differentiation of astrocytes. <b>2013</b> , 153, 389-98		7
152	Subcellular redistribution of NHERF1 in response to dehydroepiandrosterone (DHEA) administration in endometrial glands of Wistar rats. <b>2013</b> , 20, 103-11		6
151	The tails of apical scaffolding proteins EBP50 and E3KARP regulate their localization and dynamics. <i>Molecular Biology of the Cell</i> , <b>2013</b> , 24, 3381-92	3.5	14
150	The ERM proteins ezrin and moesin regulate retrograde Shiga toxin transport. <b>2013</b> , 14, 839-52		15
149	Identification of PDZ Domain Containing Proteins Interacting with 1.2 and PMCA4b. <b>2013</b> , 2013, 1-16		4
148	Molecular mechanisms of cell-cell spread of intracellular bacterial pathogens. <b>2013</b> , 3, 130079		50
147	Ezrin is required for the functional regulation of the epithelial sodium proton exchanger, NHE3. <i>PLoS ONE</i> , <b>2013</b> , 8, e55623	3.7	19
146	Desmoglein 3 promotes cancer cell migration and invasion by regulating activator protein 1 and protein kinase C-dependent-Ezrin activation. <b>2014</b> , 33, 2363-74		41
145	Syntenin-1 and ezrin proteins link activated leukocyte cell adhesion molecule to the actin cytoskeleton. <b>2014</b> , 289, 13445-60		28
144	Dynamics of ezrin and EBP50 in regulating microvilli on the apical aspect of epithelial cells. <b>2014</b> , 42, 189-94		40
143	The surprising dynamics of scaffolding proteins. <i>Molecular Biology of the Cell</i> , <b>2014</b> , 25, 2315-9	3.5	48
142	Shaping the intestinal brush border. <i>Journal of Cell Biology</i> , <b>2014</b> , 207, 441-51	7.3	140
141	VIP regulates CFTR membrane expression and function in Calu-3 cells by increasing its interaction with NHERF1 and P-ERM in a VPAC1- and PKC-dependent manner. <b>2014</b> , 307, C107-19		17
140	Distribution dynamics and functional importance of NHERF1 in regulation of Mrp-2 trafficking in hepatocytes. <b>2014</b> , 307, C727-37		11
139	ERM proteins in cancer progression. <i>Journal of Cell Science</i> , <b>2014</b> , 127, 267-75	5.3	146



138	A PKA-ezrin-Cx43 signaling complex controls gap junction communication and thereby trophoblast cell fusion. <i>Journal of Cell Science</i> , <b>2014</b> , 127, 4172-85	5-3	47
137	CLIC proteins, ezrin, radixin, moesin and the coupling of membranes to the actin cytoskeleton: a smoking gun?. <b>2014</b> , 1838, 643-57		44
136	Molecular conformation of the full-length tumor suppressor NF2/Merlin--a small-angle neutron scattering study. <b>2014</b> , 426, 2755-68		14
135	NHERF1/EBP50 controls morphogenesis of 3D colonic glands by stabilizing PTEN and ezrin-radixin-moesin proteins at the apical membrane. <b>2014</b> , 16, 365-74.e1-2		27
134	[Alterations in expression and function of ABC transporters and ERM proteins in inflammation]. <b>2014</b> , 134, 925-9		3
133	Regulation of cell proliferation and adhesion by means of a novel region of drosophila merlin interacting with Sip1. <b>2014</b> , 243, 1554-70		2
132	Decreased radixin function for ATP-binding cassette transporters in liver in adjuvant-induced arthritis rats. <b>2014</b> , 103, 4058-4065		14
131	FERM family proteins and their importance in cellular movements and wound healing (review). <b>2014</b> , 34, 3-12		27
130	A novel splicing mutation in the SLC9A3R1 gene in tumors from ovarian cancer patients. <b>2015</b> , 10, 3722-3726		5
129	Mapping the H(+) (V)-ATPase interactome: identification of proteins involved in trafficking, folding, assembly and phosphorylation. <b>2015</b> , 5, 14827		65
128	Novel role of cystic fibrosis transmembrane conductance regulator in maintaining adult mouse olfactory neuronal homeostasis. <b>2015</b> , 523, 406-30		13
127	Accessory proteins for heterotrimeric G-proteins in the kidney. <b>2015</b> , 6, 219		9
126	Identification of proteins associated with amyloidosis by polarity index method. <b>2015</b> , 62, 41-55		3
125	PRL-3 Promotes the Malignant Progression of Melanoma via Triggering Dephosphorylation and Cytoplasmic Localization of NHERF1. <b>2015</b> , 135, 2273-2282		19
124	Phosphorylation dynamics of radixin in hypoxia-induced hepatocyte injury. <b>2015</b> , 308, G313-24		9
123	The function and dynamics of the apical scaffolding protein E3KARP are regulated by cell-cycle phosphorylation. <i>Molecular Biology of the Cell</i> , <b>2015</b> , 26, 3615-27	3-5	3
122	Structure, regulation, and functional diversity of microvilli on the apical domain of epithelial cells. <b>2015</b> , 31, 593-621		90
121	Moesin and myosin phosphatase confine neutrophil orientation in a chemotactic gradient. <b>2015</b> , 212, 267-80		30

120	Phosphorylation of ezrin-radixin-moesin-binding phosphoprotein 50 (EBP50) by Akt promotes stability and mitogenic function of S-phase kinase-associated protein-2 (Skp2). <b>2015</b> , 290, 2879-87		15
119	Nanoscale protein domain motion and long-range allostery in signaling proteins- a view from neutron spin echo spectrometry. <b>2015</b> , 7, 165-174		9
118	Drug Transporters and Na <sup>+</sup> /H <sup>+</sup> Exchange Regulatory Factor PSD-95/Drosophila Discs Large/ZO-1 Proteins. <b>2015</b> , 67, 656-80		14
117	Ezrin Binds to DEAD-Box RNA Helicase DDX3 and Regulates Its Function and Protein Level. <b>2015</b> , 35, 3145-62		26
116	Fine Needle Aspiration Cytology: A Tool to Study NHERF1 Expression as a Potential Marker of Aggressiveness in Lung Cancer. <b>2015</b> , 57, 549-57		15
115	NHERF1/EBP50 is an organizer of polarity structures and a diagnostic marker in ependymoma. <b>2015</b> , 3, 11		21
114	Identification of Novel Ezrin Inhibitors Targeting Metastatic Osteosarcoma by Screening Open Access Malaria Box. <b>2015</b> , 14, 2497-507		12
113	Essential Strategies for Revealing Nanoscale Protein Dynamics by Neutron Spin Echo Spectrometry. <b>2016</b> , 566, 253-70		5
112	A PDZ-Like Motif in the Biliary Transporter ABCB4 Interacts with the Scaffold Protein EBP50 and Regulates ABCB4 Cell Surface Expression. <i>PLoS ONE</i> , <b>2016</b> , 11, e0146962	3.7	6
111	SNX27, a protein involved in down syndrome, regulates GPR17 trafficking and oligodendrocyte differentiation. <b>2016</b> , 64, 1437-60		14
110	Resistin, a fat-derived secretory factor, promotes metastasis of MDA-MB-231 human breast cancer cells through ERM activation. <b>2016</b> , 6, 18923		50
109	Similar expression pattern of NHERF1 and EZRIN in papillary but not in solid areas of human serous ovarian carcinomas. <b>2016</b> , 118, 797-805		4
108	EPAC1 activation by cAMP stabilizes CFTR at the membrane by promoting its interaction with NHERF1. <i>Journal of Cell Science</i> , <b>2016</b> , 129, 2599-612	5.3	41
107	Role of Scaffolding Proteins in the Regulation of TRPC-Dependent Calcium Entry. <b>2016</b> , 898, 379-403		6
106	NHERF1 in Microvilli of Vomeronasal Sensory Neurons. <b>2017</b> , 42, 25-35		
105	Proteomic analysis of imatinib-resistant CML-T1 cells reveals calcium homeostasis as a potential therapeutic target. <b>2016</b> , 36, 1258-68		6
104	Binding of EBP50 to Nox organizing subunit p47phox is pivotal to cellular reactive species generation and altered vascular phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, E5308-17	11.5	22
103	A glimpse of the ERM proteins. <b>2016</b> , 23, 35		51

102	Cortical actin and the plasma membrane: inextricably intertwined. <b>2016</b> , 38, 81-9	63
101	Plasticity of the brush border - the yin and yang of intestinal homeostasis. <b>2016</b> , 13, 161-74	43
100	NHERF1 regulates actin cytoskeleton organization through modulation of F-actinin-4 stability. <b>2016</b> , 30, 578-89	23
99	Role of the PDZ-scaffold protein NHERF1/EBP50 in cancer biology: from signaling regulation to clinical relevance. <b>2017</b> , 36, 3067-3079	48
98	Na/H exchange regulatory factor 1 is required for ROMK1 K channel expression in the surface membrane of cultured M-1 cortical collecting duct cells. <b>2017</b> , 489, 116-122	1
97	Controllable Activation of Nanoscale Dynamics in a Disordered Protein Alters Binding Kinetics. <b>2017</b> , 429, 987-998	10
96	Regulation of merlin by protein phosphatase 1-TIMAP and EBP50 in endothelial cells. <b>2017</b> , 82, 10-17	6
95	Directional Fluid Transport across Organ-Blood Barriers: Physiology and Cell Biology. <b>2017</b> , 9,	17
94	Systematic Proteogenomic Approach To Exploring a Novel Function for NHERF1 in Human Reproductive Disorder: Lessons for Exploring Missing Proteins. <b>2017</b> , 16, 4455-4467	9
93	Ezrin directly interacts with AQP2 and promotes its endocytosis. <i>Journal of Cell Science</i> , <b>2017</b> , 130, 2914-2925	20
92	CFTR-associated ligand is a negative regulator of Mrp2 expression. <b>2017</b> , 312, C40-C46	1
91	Dynamic relocalization of NHERF1 mediates chemotactic migration of ovarian cancer cells toward lysophosphatidic acid stimulation. <b>2017</b> , 49, e351	11
90	Pathophysiological Roles of Ezrin/Radixin/Moesin Proteins. <b>2017</b> , 40, 381-390	47
89	NHERF1 Between Promises and Hopes: Overview on Cancer and Prospective Openings. <b>2018</b> , 11, 374-390	14
88	Occludin induces microvillus formation via phosphorylation of ezrin in a mouse hepatic cell line. <b>2018</b> , 366, 172-180	2
87	Encyclopedia of Signaling Molecules. <b>2018</b> , 1502-1502	
86	Encyclopedia of Signaling Molecules. <b>2018</b> , 1603-1603	
85	Encyclopedia of Signaling Molecules. <b>2018</b> , 1653-1653	

84	Ezrin-anchored PKA phosphorylates serine 369 and 373 on connexin 43 to enhance gap junction assembly, communication, and cell fusion. <i>Biochemical Journal</i> , <b>2018</b> , 475, 455-476	3.8	9
83	Regulation of actin-based apical structures on epithelial cells. <i>Journal of Cell Science</i> , <b>2018</b> , 131,	5.3	40
82	Mechanisms and Regulation of Intestinal Phosphate Absorption. <b>2018</b> , 8, 1065-1090		34
81	NF2/Merlin Inactivation and Potential Therapeutic Targets in Mesothelioma. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	37
80	Dr. Jekyll and Mr. Hyde: MAP17N up-regulation, a crosspoint in cancer and inflammatory diseases. <b>2018</b> , 17, 80		9
79	NaPi-IIa interacting partners and their (un)known functional roles. <b>2019</b> , 471, 67-82		6
78	1,25-Dihydroxyvitamin D Maintains Brush Border Membrane NaPi2a and Attenuates Phosphaturia in Hyp Mice. <b>2019</b> , 160, 2204-2214		6
77	A TR(i)P to Cell Migration: New Roles of TRP Channels in Mechanotransduction and Cancer. <b>2019</b> , 10, 757		40
76	Parathyroid hormone initiates dynamic NHERF1 phosphorylation cycling and conformational changes that regulate NPT2A-dependent phosphate transport. <b>2019</b> , 294, 4546-4571		17
75	E6 proteins from high-risk HPV, low-risk HPV, and animal papillomaviruses activate the Wnt/ $\beta$ -catenin pathway through E6AP-dependent degradation of NHERF1. <b>2019</b> , 15, e1007575		21
74	Transcytosis maintains CFTR apical polarity in the face of constitutive and mutation-induced basolateral missorting. <i>Journal of Cell Science</i> , <b>2019</b> , 132,	5.3	4
73	Identification of the multivalent PDZ protein PDZK1 as a binding partner of sodium-coupled monocarboxylate transporter SMCT1 (SLC5A8) and SMCT2 (SLC5A12). <b>2019</b> , 69, 399-408		13
72	Ablation of cytoskeletal scaffolding proteins, Band 4.1B and Whirlin, leads to cerebellar purkinje axon pathology and motor dysfunction. <b>2019</b> , 97, 313-331		2
71	Integrated Eutopic Endometrium and Non-Depleted Serum Quantitative Proteomic Analysis Identifies Candidate Serological Markers of Endometriosis. <b>2019</b> , 13, e1800153		8
70	Acetylation of ezrin regulates membrane-cytoskeleton interaction underlying CCL18-elicited cell migration. <b>2020</b> , 12, 424-437		7
69	Changes in Radixin Expression and Interaction with Efflux Transporters in the Liver of Adjuvant-Induced Arthritic Rats. <b>2020</b> , 43, 85-94		1
68	HDAC inhibition induces expression of scaffolding proteins critical for tumor progression in pediatric glioma: focus on EBP50 and IRSp53. <b>2020</b> , 22, 550-562		6
67	Mutation Status and Epithelial Differentiation Stratify Recurrence Risk in Chordoid Meningioma-A Multicenter Study with High Prognostic Relevance. <b>2020</b> , 12,		10

66	Loss-of-function of EBP50 is a new cause of hereditary peripheral neuropathy: EBP50 functions in peripheral nerve system. <b>2020</b> , 68, 1794-1809		4
65	Phosphate Transport in Epithelial and Nonepithelial Tissue. <b>2021</b> , 101, 1-35		24
64	A novel adhesive complex at the base of intestinal microvilli.		
63	Noncanonical Sequences Involving NHERF1 Interaction with NPT2A Govern Hormone-Regulated Phosphate Transport: Binding Outside the Box. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
62	Effector-mediated ERM activation locally inhibits RhoA activity to shape the apical cell domain. <i>Journal of Cell Biology</i> , <b>2021</b> , 220,	7.3	8
61	Mutated in Colorectal Cancer (MCC): a centrosomal protein that relocalizes to the ncMTOC during intestinal cell differentiation.		
60	Nuclear expression of NHERF1/EBP50 in Clear Cell Renal Cell Carcinoma. <b>2021</b> , 123, 151717		1
59	ERM-1 phosphorylation and NRFL-1 redundantly control lumen formation in the <i>C. elegans</i> intestine.		
58	Differential barcoding of opioid receptors trafficking. <b>2021</b> ,		1
57	Intestinal brush border assembly during the peri-hatch period and its contribution to surface area expansion. <b>2021</b> , 100, 101401		1
56	Ion channels as key partners of cytoskeleton in cancer disease. <b>2021</b> , 1876, 188627		1
55	MINDIN Exerts Protumorigenic Actions on Primary Prostate Tumors via Downregulation of the Scaffold Protein NHERF-1. <b>2021</b> , 13,		0
54	Regulation of the actin cytoskeleton by PI(4,5)P2 and PI(3,4,5)P3. <b>2004</b> , 282, 117-63		85
53	The PDZ-interacting Domain of Cystic Fibrosis Transmembrane Conductance Regulator Is Required for Functional Expression in the Apical Plasma Membrane. <b>2000</b> , 275, 27069-27074		131
52	The company they keep: ion channels and their intracellular regulatory partners. <b>1999</b> , 33, 203-28		9
51	The neurofibromatosis 2 protein product merlin selectively binds F-actin but not G-actin, and stabilizes the filaments through a lateral association. <i>Biochemical Journal</i> , <b>2001</b> , 356, 377-86	3.8	50
50	Regulation of cystic fibrosis transmembrane conductance regulator single-channel gating by bivalent PDZ-domain-mediated interaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 1300-5	11.5	115
49	A systematic screen for dominant second-site modifiers of Merlin/NF2 phenotypes reveals an interaction with blistered/DSRF and scribbler. <i>Genetics</i> , <b>2001</b> , 158, 667-79	4	21

48	Assembly of signaling complexes by the sodium-hydrogen exchanger regulatory factor family of PDZ-containing proteins. <i>Current Opinion in Nephrology and Hypertension</i> , <b>1999</b> , 8, 603-8	3.5	28
47	Physiology, Phylogeny, and Functions of the TRP Superfamily of Cation Channels. <i>Science Signaling</i> , <b>2001</b> , 2001, re1-re1	8.8	30
46	Loss of glomerular foot processes is associated with uncoupling of podocalyxin from the actin cytoskeleton. <i>Journal of Clinical Investigation</i> , <b>2001</b> , 108, 289-301	15.9	192
45	New functions for the NHERF family of proteins. <i>Journal of Clinical Investigation</i> , <b>2001</b> , 108, 185-186	15.9	20
44	Organization of kinases, phosphatases, and receptor signaling complexes. <i>Journal of Clinical Investigation</i> , <b>1999</b> , 103, 761-5	15.9	84
43	PDZ domains: fundamental building blocks in the organization of protein complexes at the plasma membrane. <i>Journal of Clinical Investigation</i> , <b>1999</b> , 103, 767-72	15.9	367
42	Polarization and interaction of adhesion molecules P-selectin glycoprotein ligand 1 and intercellular adhesion molecule 3 with moesin and ezrin in myeloid cells. <i>Blood</i> , <b>2000</b> , 95, 2413-2419	2.2	6
41	The neurofibromatosis-2 homologue, Merlin, and the tumor suppressor expanded function together in <i>Drosophila</i> to regulate cell proliferation and differentiation. <i>Development (Cambridge)</i> , <b>2000</b> , 127, 1315-1324	6.6	123
40	Disruption of dynamic cell surface architecture of NIH3T3 fibroblasts by the N-terminal domains of moesin and ezrin: in vivo imaging with GFP fusion proteins. <i>Journal of Cell Science</i> , <b>1999</b> , 112, 111-125	5.3	57
39	Homotypic and heterotypic interaction of the neurofibromatosis 2 tumor suppressor protein merlin and the ERM protein ezrin. <i>Journal of Cell Science</i> , <b>1999</b> , 112, 895-904	5.3	74
38	Ezrin links syndecan-2 to the cytoskeleton. <i>Journal of Cell Science</i> , <b>2000</b> , 113, 1267-1276	5.3	76
37	Rho-dependent and -independent activation mechanisms of ezrin/radixin/moesin proteins: an essential role for polyphosphoinositides in vivo. <i>Journal of Cell Science</i> , <b>2002</b> , 115, 2569-2580	5.3	182
36	The PDZ-interacting domain of TRPC4 controls its localization and surface expression in HEK293 cells. <i>Journal of Cell Science</i> , <b>2002</b> , 115, 3497-3508	5.3	100
35	Mechanisms underlying cancer progression caused by ezrin overexpression in tongue squamous cell carcinoma. <i>PLoS ONE</i> , <b>2013</b> , 8, e54881	3.7	33
34	Moesin and stress-induced phosphoprotein-1 are possible sero-diagnostic markers of psoriasis. <i>PLoS ONE</i> , <b>2014</b> , 9, e101773	3.7	15
33	The glomerular epithelial cell anti-adhesin podocalyxin associates with the actin cytoskeleton through interactions with ezrin. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2001</b> , 12, 1589-1598 <sup>12.7</sup>	12.7	132
32	Epithelial differentiation with microlumen formation in meningioma: diagnostic utility of NHERF1/EBP50 immunohistochemistry. <i>Oncotarget</i> , <b>2018</b> , 9, 28652-28665	3.3	10
31	Ras-activated RSK1 phosphorylates EBP50 to regulate its nuclear localization and promote cell proliferation. <i>Oncotarget</i> , <b>2016</b> , 7, 10283-96	3.3	11

30	Ezrin activation by LOK phosphorylation involves a PIP-dependent wedge mechanism. <i>ELife</i> , <b>2017</b> , 6,	8.9	31
29	Uptake of DNA by Keratinocytes. <b>2001</b> , 81-94		
28	Scaffold proteins and the regeneration of visual pigments. <i>Photochemistry and Photobiology</i> , <b>2006</b> , 82, 1482-8	3.6	9
27	Role of Rho A and F-actin for uropod formation in T lymphocytes. <i>Journal of Life Science</i> , <b>2007</b> , 17, 192-197		
26	Merlin; NF2 Tumor Suppressor and Regulator of Receptor Distribution/Signaling. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , <b>2011</b> , 54, 379	0.2	
25	Psoriasis Vulgaris and Arthropathica. <b>2011</b> , 325-348		
24	Encyclopedia of Signaling Molecules. <b>2016</b> , 1-9		
23	Encyclopedia of Signaling Molecules. <b>2018</b> , 1665-1673		
22	ERM proteins: The missing actin linkers in clathrin-mediated endocytosis.		
21	Transcytosis maintains CFTR apical polarity in the face of constitutive and mutation-induced basolateral missorting.		1
20	E6 proteins from high-risk HPV, low-risk HPV, and animal papillomaviruses activate the Wnt/ $\beta$ -catenin pathway through E6AP-dependent degradation of NHERF1.		
19	References. <b>2019</b> , 179-203		
18	Regulation of acid-sensing ion channels by protein binding partners. <i>Channels</i> , <b>2021</b> , 15, 635-647	3	0
17	RhoA effectors LOK/SLK activate ERM proteins to locally inhibit RhoA and define apical morphology.		
16	Psoriasis Vulgaris and Arthropathica. <b>2005</b> , 291-308		
15	New functions for the NHERF family of proteins. <i>Journal of Clinical Investigation</i> , <b>2001</b> , 108, 185-6	15.9	4
14	Meningioma. <b>2008</b> , 83-144		
13	Janus kinases and focal adhesion kinases play in the 4.1 band: a superfamily of band 4.1 domains important for cell structure and signal transduction. <i>Molecular Medicine</i> , <b>1998</b> , 4, 751-69	6.2	25

12	Detecting the location and significance of Ezrin protein expression in hepatocellular carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2018</b> , 11, 248-254	1.4	
11	The RabGAPs EPI64A and EPI64B regulate the apical structure of epithelial cells. <i>Molecular Biology of the Cell</i> , <b>2022</b> , 33, ar8	3.5	
10	Pathophysiological role of ion channels and transporters in HER2-positive breast cancer.. <i>Cancer Gene Therapy</i> , <b>2022</b> ,	5.4	1
9	ERM-1 Phosphorylation and NRFL-1 Redundantly Control Lumen Formation in the Intestine.. <i>Frontiers in Cell and Developmental Biology</i> , <b>2022</b> , 10, 769862	5.7	1
8	Cotranslational interaction of human EBP50 and ezrin overcomes masked binding site during complex assembly.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2022</b> , 119,	11.5	2
7	The Biological Relevance of NHERF1 Protein in Gynecological Tumors.. <i>Frontiers in Oncology</i> , <b>2022</b> , 12, 836630	5.3	
6	Membrane-organizing extension spike protein and its role as an emerging biomarker in oral squamous cell carcinoma.. <i>Journal of Oral and Maxillofacial Pathology</i> , <b>2022</b> , 26, 82-86	1.2	
5	Pathophysiological Roles of Actin-Binding Scaffold Protein, Ezrin.. <i>International Journal of Molecular Sciences</i> , <b>2022</b> , 23,	6.3	3
4	The Role of EBP50 in Regulating Endothelial-To-Mesenchymal Transition in Pulmonary Hypertension.		
3	iTRAQ -based quantitative proteomics reveals biomarkers/pathways in psoriasis that can predict the efficacy of methotrexate. <i>Journal of the European Academy of Dermatology and Venereology</i> ,	4.6	1
2	Intestinal brush border formation requires a TMIGD1-based intermicrovillar adhesion complex. <b>2022</b> , 15,		0
1	MCC is a centrosomal protein that relocalizes to non-centrosomal apical sites during intestinal cell differentiation. <b>2022</b> , 135,		0