

CITATION REPORT

List of articles citing

A septin-based hierarchy of proteins required for localized deposition of chitin in the *Saccharomyces cerevisiae* cell wall

DOI: 10.1083/jcb.139.1.75

Journal of Cell Biology, 1997, 139, 75-93.

Source: <https://exaly.com/paper-pdf/27857612/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
289	Molecular analysis of Chs3p participation in chitin synthase III activity. 1998 , 256, 419-26		53
288	Mutational analysis of chitin synthase 2 of <i>Saccharomyces cerevisiae</i> . Identification of additional amino acid residues involved in its catalytic activity. 1998 , 258, 941-7		30
287	Polarity and division site specification in yeast. 1998 , 1, 678-86		8
286	Morphogenesis beyond cytokinetic arrest in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 1998 , 143, 1617-34	7.3	61
285	Shs1p: a novel member of septin that interacts with spa2p, involved in polarized growth in <i>saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 1998 , 251, 732-6	3.4	87
284	Cell polarity and morphogenesis in budding yeast. 1998 , 52, 687-744		223
283	The syntaxin Tlg1p mediates trafficking of chitin synthase III to polarized growth sites in yeast. <i>Molecular Biology of the Cell</i> , 1998 , 9, 3383-97	3.5	101
282	A morphogenesis checkpoint monitors the actin cytoskeleton in yeast. <i>Journal of Cell Biology</i> , 1998 , 142, 1487-99	7.3	136
281	Role of the yeast Gin4p protein kinase in septin assembly and the relationship between septin assembly and septin function. <i>Journal of Cell Biology</i> , 1998 , 143, 719-36	7.3	183
280	The septins are required for the mitosis-specific activation of the Gin4 kinase. <i>Journal of Cell Biology</i> , 1998 , 143, 709-17	7.3	135
279	Temperature-sensitive mutations of the CKA1 gene reveal a role for casein kinase II in maintenance of cell polarity in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1998 , 273, 5869-77	5.4	65
278	Iqg1p, a yeast homologue of the mammalian IQGAPs, mediates cdc42p effects on the actin cytoskeleton. <i>Journal of Cell Biology</i> , 1998 , 142, 443-55	7.3	89
277	Involvement of an actomyosin contractile ring in <i>Saccharomyces cerevisiae</i> cytokinesis. <i>Journal of Cell Biology</i> , 1998 , 142, 1301-12	7.3	344
276	Cell integrity and morphogenesis in a budding yeast septin mutant. <i>Microbiology (United Kingdom)</i> , 1998 , 144 (Pt 12), 3463-3474	2.9	36
275	Role of polo kinase and Mid1p in determining the site of cell division in fission yeast. <i>Journal of Cell Biology</i> , 1998 , 143, 1603-16	7.3	270
274	Chs6p-dependent anterograde transport of Chs3p from the chitosome to the plasma membrane in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 1998 , 9, 1565-76	3.5	121
273	Polymerization of purified yeast septins: evidence that organized filament arrays may not be required for septin function. <i>Journal of Cell Biology</i> , 1998 , 143, 737-49	7.3	219

272	Cellularization in <i>Aspergillus nidulans</i> . 1999 , 201-228		1
271	Chitin synthase III: synthetic lethal mutants and "stress related" chitin synthesis that bypasses the CSD3/CHS6 localization pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 11206-10	11.5	56
270	KNR4, a suppressor of <i>Saccharomyces cerevisiae</i> cwh mutants, is involved in the transcriptional control of chitin synthase genes. <i>Microbiology (United Kingdom)</i> , 1999 , 145 (Pt 1), 249-258	2.9	33
269	Chs7p, a new protein involved in the control of protein export from the endoplasmic reticulum that is specifically engaged in the regulation of chitin synthesis in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 1999 , 145, 1153-63	7.3	133
268	Cell cycle-regulated attachment of the ubiquitin-related protein SUMO to the yeast septins. <i>Journal of Cell Biology</i> , 1999 , 147, 981-94	7.3	333
267	The Yck2 yeast casein kinase 1 isoform shows cell cycle-specific localization to sites of polarized growth and is required for proper septin organization. <i>Molecular Biology of the Cell</i> , 1999 , 10, 1077-92	3.5	58
266	Phospholipase C binds to the receptor-like GPR1 protein and controls pseudohyphal differentiation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1999 , 274, 30052-8	5.4	69
265	The Cdc42p GTPase is involved in a G2/M morphogenetic checkpoint regulating the apical-isotropic switch and nuclear division in yeast. <i>Journal of Biological Chemistry</i> , 1999 , 274, 16861-70	5.4	80
264	A novel healing filament in ciliate regeneration. 1999 , 46, 507-15		4
263	Septins: a highly conserved family of membrane-associated GTPases with functions in cell division and beyond. 1999 , 169, 75-81		95
262	Cytokinesis: an emerging unified theory for eukaryotes?. 1999 , 11, 717-25		95
261	Septins: cytoskeletal polymers or signalling GTPases?. <i>Trends in Cell Biology</i> , 1999 , 9, 387-94	18.3	226
260	Characterization of the mammalian septin H5: distinct patterns of cytoskeletal and membrane association from other septin proteins. 1999 , 43, 52-62		73
259	Mutants of <i>Kluyveromyces lactis</i> with altered protein glycosylation are affected in cell wall morphogenesis. 1999 , 150, 5-12		13
258	Identification of a novel alternatively spliced septin. 1999 , 451, 203-8		17
257	Chitin synthase genes of <i>Aspergillus</i> species. 1999 , 2, 193-204		10
256	Hsl7 localizes to a septin ring and serves as an adapter in a regulatory pathway that relieves tyrosine phosphorylation of Cdc28 protein kinase in <i>Saccharomyces cerevisiae</i> . 1999 , 19, 7123-37		164
255	Relationships between Metabolism of Cell Walls and Morphogenesis in Fungi. 2000 , 95, 867-877		

254	Differential localization of septins in the mouse brain. 2000 , 428, 223-39		99
253	Protein localisation approaches for understanding yeast cell wall biogenesis. 2000 , 51, 601-12		24
252	The 'SUN' family: yeast SUN4/SCW3 is involved in cell septation. 2000 , 16, 905-19		50
251	Gene disruption and basic phenotypic analysis of nine novel yeast genes from chromosome XIV. 2000 , 16, 1089-97		10
250	Roles of Hof1p, Bni1p, Bnr1p, and myo1p in cytokinesis in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2000 , 11, 593-611	3.5	195
249	A novel family of cell wall-related proteins regulated differently during the yeast life cycle. 2000 , 20, 3245-55		114
248	Septin-dependent assembly of a cell cycle-regulatory module in <i>Saccharomyces cerevisiae</i> . 2000 , 20, 4049-61		232
247	Identification of novel, evolutionarily conserved Cdc42p-interacting proteins and of redundant pathways linking Cdc24p and Cdc42p to actin polarization in yeast. <i>Molecular Biology of the Cell</i> , 2000 , 11, 773-93	3.5	81
246	Dynamic localization of protein phosphatase type 1 in the mitotic cell cycle of <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 2000 , 149, 125-40	7.3	59
245	Evidence for functional differentiation among <i>Drosophila</i> septins in cytokinesis and cellularization. <i>Molecular Biology of the Cell</i> , 2000 , 11, 3123-35	3.5	104
244	Sbe2p and sbe22p, two homologous Golgi proteins involved in yeast cell wall formation. <i>Molecular Biology of the Cell</i> , 2000 , 11, 435-52	3.5	35
243	Characterization of Yeast Yea4p, a uridine diphosphate-N-acetylglucosamine transporter localized in the endoplasmic reticulum and required for chitin synthesis. <i>Journal of Biological Chemistry</i> , 2000 , 275, 13580-7	5.4	42
242	Reciprocal expression of infant- and adult-preferring transcripts of CDCrel-1 septin gene in the rat neocortex. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 273, 723-8	3.4	22
241	G proteins mediate changes in cell shape by stabilizing the axis of polarity. 2000 , 5, 853-64		78
240	Cell-cycle checkpoints that ensure coordination between nuclear and cytoplasmic events in <i>Saccharomyces cerevisiae</i> . 2000 , 10, 47-53		92
239	Characterization of the chitin biosynthesis process as a compensatory mechanism in the fks1 mutant of <i>Saccharomyces cerevisiae</i> . 2000 , 478, 84-8		69
238	Metabolic engineering of the morphology of <i>Aspergillus</i> . 2001 , 73, 103-28		35
237	Animal cell cytokinesis. 2001 , 17, 351-86		275

236	Fungal Cells and Vegetative Growth. 2001 , 85-184		5
235	The septin cortex at the yeast mother-bud neck. 2001 , 4, 681-9		282
234	Roles of septins in the mammalian cytokinesis machinery. <i>Cell Structure and Function</i> , 2001 , 26, 667-70	2.2	64
233	Expression and analysis of properties of septin CDCrel-1 in exocytosis. 2001 , 329, 499-510		22
232	The germ tubes of <i>Candida albicans</i> hyphae and pseudohyphae show different patterns of septin ring localization. <i>Molecular Microbiology</i> , 2001 , 41, 19-31	4.1	129
231	Constitutive promoter modules for PCR-based gene modification in <i>Saccharomyces cerevisiae</i> . 2001 , 18, 723-8		6
230	<i>Saccharomyces cerevisiae</i> cell wall chitin, the <i>Kluyveromyces lactis</i> zymocin receptor. 2001 , 18, 1285-99		67
229	Genomic organization, complex splicing pattern and expression of a human septin gene on chromosome 17q25.3. 2001 , 20, 5930-9		74
228	The dynamics of filamentous structures in the apical band, oral crescent, fission line and the postoral meridional filament in <i>Tetrahymena thermophila</i> revealed by monoclonal antibody 12G9. 2001 , 152, 53-67		19
227	A novel function of <i>Saccharomyces cerevisiae</i> CDC5 in cytokinesis. <i>Journal of Cell Biology</i> , 2001 , 152, 451-69	7.3	102
226	<i>Candida albicans</i> Int1p interacts with the septin ring in yeast and hyphal cells. <i>Molecular Biology of the Cell</i> , 2001 , 12, 3538-49	3.5	69
225	<i>Saccharomyces cerevisiae</i> Mob1p is required for cytokinesis and mitotic exit. 2001 , 21, 6972-83		124
224	A protein interaction map for cell polarity development. <i>Journal of Cell Biology</i> , 2001 , 154, 549-71	7.3	268
223	The yeast cell wall and septum as paradigms of cell growth and morphogenesis. <i>Journal of Biological Chemistry</i> , 2001 , 276, 19679-82	5.4	242
222	Dynamic localization of the Swe1 regulator Hsl7 during the <i>Saccharomyces cerevisiae</i> cell cycle. <i>Molecular Biology of the Cell</i> , 2001 , 12, 1645-69	3.5	75
221	A Gip1p-Glc7p phosphatase complex regulates septin organization and spore wall formation. <i>Journal of Cell Biology</i> , 2001 , 155, 797-808	7.3	78
220	Differential regulation of cell wall biogenesis during growth and development in yeast. <i>Microbiology (United Kingdom)</i> , 2001 , 147, 781-794	2.9	142
219	N-ethylmaleimide sensitive factor (NSF) structure and function. 2001 , 207, 71-112		94

218	Septin function in <i>Candida albicans</i> morphogenesis. <i>Molecular Biology of the Cell</i> , 2002 , 13, 2732-46	3.5	153
217	The septation apparatus, an autonomous system in budding yeast. <i>Molecular Biology of the Cell</i> , 2002 , 13, 2747-59	3.5	59
216	Cytokinesis in eukaryotes. <i>Microbiology and Molecular Biology Reviews</i> , 2002 , 66, 155-78	13.2	207
215	<i>Aspergillus nidulans</i> septin AspB plays pre- and postmitotic roles in septum, branch, and conidiophore development. <i>Molecular Biology of the Cell</i> , 2002 , 13, 110-8	3.5	93
214	Microtubule capture by the cleavage apparatus is required for proper spindle positioning in yeast. 2002 , 16, 1627-39		113
213	GTPase-activating proteins for Cdc42. <i>Eukaryotic Cell</i> , 2002 , 1, 469-80		92
212	Bni5p, a septin-interacting protein, is required for normal septin function and cytokinesis in <i>Saccharomyces cerevisiae</i> . 2002 , 22, 6906-20		61
211	Novel interactions of <i>Saccharomyces cerevisiae</i> type 1 protein phosphatase identified by single-step affinity purification and mass spectrometry. 2002 , 41, 2409-20		49
210	The yeast clathrin adaptor protein complex 1 is required for the efficient retention of a subset of late Golgi membrane proteins. <i>Developmental Cell</i> , 2002 , 2, 283-94	10.2	182
209	Stage-specific expression of the chitin synthase DmeChSA and DmeChSB genes during the onset of <i>Drosophila</i> metamorphosis. 2002 , 32, 141-6		89
208	Septins: a ring to part mother and daughter. <i>Current Genetics</i> , 2002 , 41, 123-31	2.9	106
207	The genetic complexity of chitin synthesis in fungi. <i>Current Genetics</i> , 2002 , 41, 367-78	2.9	264
206	Control of chitin synthesis through Shc1p, a functional homologue of Chs4p specifically induced during sporulation. <i>Molecular Microbiology</i> , 2002 , 43, 1183-95	4.1	36
205	Maintenance of cell integrity in the <i>gas1</i> mutant of <i>Saccharomyces cerevisiae</i> requires the Chs3p-targeting and activation pathway and involves an unusual Chs3p localization. 2002 , 19, 1113-24		42
204	Regulation of septin organization and function in yeast. <i>Trends in Cell Biology</i> , 2003 , 13, 403-9	18.3	189
203	Global analysis of protein localization in budding yeast. 2003 , 425, 686-91		3330
202	Nanoscale Mapping of the Elasticity of Microbial Cells by Atomic Force Microscopy. 2003 , 19, 4539-4543		375
201	Septation and cytokinesis in fungi. <i>Fungal Genetics and Biology</i> , 2003 , 40, 187-96	3.9	54

200	The septins. 2003 , 4, 236		97
199	The role of Cdc42p GTPase-activating proteins in assembly of the septin ring in yeast. <i>Molecular Biology of the Cell</i> , 2003 , 14, 4051-66	3.5	197
198	Molecular dissection of a yeast septin: distinct domains are required for septin interaction, localization, and function. 2003 , 23, 2762-77		148
197	<i>Candida albicans</i> septin mutants are defective for invasive growth and virulence. 2003 , 71, 4045-51		73
196	Chitin synthesis in <i>Saccharomyces cerevisiae</i> in response to supplementation of growth medium with glucosamine and cell wall stress. <i>Eukaryotic Cell</i> , 2003 , 2, 886-900		121
195	Cdc50p, a conserved endosomal membrane protein, controls polarized growth in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2003 , 14, 730-47	3.5	42
194	A Bni4-Glc7 phosphatase complex that recruits chitin synthase to the site of bud emergence. <i>Molecular Biology of the Cell</i> , 2003 , 14, 26-39	3.5	60
193	Septins, under Cla4p regulation, and the chitin ring are required for neck integrity in budding yeast. <i>Molecular Biology of the Cell</i> , 2003 , 14, 2128-41	3.5	72
192	A cytokinetic function of <i>Drosophila</i> ORC6 protein resides in a domain distinct from its replication activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 9150-5	11.5	91
191	The yeasts Rho1p and Pkc1p regulate the transport of chitin synthase III (Chs3p) from internal stores to the plasma membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 10287-92	11.5	129
190	The majority of the <i>Saccharomyces cerevisiae</i> septin complexes do not exchange guanine nucleotides. <i>Journal of Biological Chemistry</i> , 2004 , 279, 3111-8	5.4	61
189	<i>Candida albicans</i> mutants in the BNI4 gene have reduced cell-wall chitin and alterations in morphogenesis. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 3243-52	2.9	10
188	Identification and functional analysis of the essential and regulatory light chains of the only type II myosin Myo1p in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 2004 , 165, 843-55	7.3	54
187	Septin ring assembly requires concerted action of polarisome components, a PAK kinase Cla4p, and the actin cytoskeleton in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2004 , 15, 5329-45	3.5	87
186	<i>Saccharomyces cerevisiae</i> Bni4p directs the formation of the chitin ring and also participates in the correct assembly of the septum structure. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 3229-41	2.9	23
185	Stable and dynamic axes of polarity use distinct formin isoforms in budding yeast. <i>Molecular Biology of the Cell</i> , 2004 , 15, 4971-89	3.5	130
184	Comparative analysis of cytokinesis in budding yeast, fission yeast and animal cells. <i>Current Biology</i> , 2004 , 14, R806-18	6.3	259
183	The pathobiology of the septin gene family. 2004 , 204, 489-505		224

182	Biochemistry and Molecular Biology. 2004 ,		2
181	The septation apparatus, a chitin-requiring machine in budding yeast. 2004 , 426, 201-7		55
180	Severing all ties between mother and daughter: cell separation in budding yeast. <i>Molecular Microbiology</i> , 2005 , 55, 1325-31	4.1	31
179	Split decisions: coordinating cytokinesis in yeast. <i>Trends in Cell Biology</i> , 2005 , 15, 10-8	18.3	84
178	An interactional network of genes involved in chitin synthesis in <i>Saccharomyces cerevisiae</i> . 2005 , 6, 8		89
177	SKG1, a suppressor gene of synthetic lethality of <i>kex2Delta</i> <i>gas1Delta</i> mutations, encodes a novel membrane protein that affects cell wall composition. 2005 , 22, 141-55		5
176	Role of the septin ring in the asymmetric localization of proteins at the mother-bud neck in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2005 , 16, 3455-66	3.5	44
175	Septin-dependent compartmentalization of the endoplasmic reticulum during yeast polarized growth. <i>Journal of Cell Biology</i> , 2005 , 169, 897-908	7.3	122
174	Cell cycle dynamics and quorum sensing in <i>Candida albicans</i> chlamydozoospores are distinct from budding and hyphal growth. <i>Eukaryotic Cell</i> , 2005 , 4, 1191-202		46
173	Inp1p is a peroxisomal membrane protein required for peroxisome inheritance in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 2005 , 169, 765-75	7.3	86
172	Interplay between septin organization, cell cycle and cell shape in yeast. <i>Journal of Cell Science</i> , 2005 , 118, 1617-28	5.3	105
171	A chitin synthase and its regulator protein are critical for chitosan production and growth of the fungal pathogen <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2005 , 4, 1902-12		157
170	An <i>Ustilago maydis</i> septin is required for filamentous growth in culture and for full symptom development on maize. <i>Eukaryotic Cell</i> , 2005 , 4, 2044-56		49
169	Ascospore formation in the yeast <i>Saccharomyces cerevisiae</i> . <i>Microbiology and Molecular Biology Reviews</i> , 2005 , 69, 565-84	13.2	162
168	A role for the <i>Saccharomyces cerevisiae</i> regulation of Ace2 and polarized morphogenesis signaling network in cell integrity. <i>Genetics</i> , 2005 , 171, 443-55	4	39
167	The kinetochore protein Ndc10p is required for spindle stability and cytokinesis in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 5408-13	11.5	47
166	Synthase III-dependent chitin is bound to different acceptors depending on location on the cell wall of budding yeast. <i>Journal of Biological Chemistry</i> , 2005 , 280, 9170-9	5.4	46
165	Septin function in yeast model systems and pathogenic fungi. <i>Eukaryotic Cell</i> , 2005 , 4, 1503-12		92

164	Regulation of chitin synthesis in the larval midgut of <i>Manduca sexta</i> . 2005 , 35, 515-27		76
163	Probing the role of septins in cardiomyocytes. 2006 , 312, 1598-609		19
162	The Fungal Cell Wall. 2006 , 73-104		16
161	Crystallization and preliminary crystallographic studies of human septin 1 with site-directed mutations. 2006 , 62, 128-32		3
160	A class Vb chitin synthase in <i>Colletotrichum graminicola</i> is localized in the growing tips of multiple cell types, in nascent septa, and during septum conversion to an end wall after hyphal breakage. 2006 , 227, 155-64		15
159	Insect chitin synthases: a review. 2006 , 176, 1-15		311
158	Role of cell cycle-regulated expression in the localized incorporation of cell wall proteins in yeast. <i>Molecular Biology of the Cell</i> , 2006 , 17, 3267-80	3.5	28
157	Chs5/6 complex: a multiprotein complex that interacts with and conveys chitin synthase III from the trans-Golgi network to the cell surface. <i>Molecular Biology of the Cell</i> , 2006 , 17, 4157-66	3.5	62
156	Characterization of the yeast amphiphysins Rvs161p and Rvs167p reveals roles for the Rvs heterodimer in vivo. <i>Molecular Biology of the Cell</i> , 2006 , 17, 1306-21	3.5	46
155	Cell wall assembly in <i>Saccharomyces cerevisiae</i> . <i>Microbiology and Molecular Biology Reviews</i> , 2006 , 70, 317-43	13.2	570
154	Chitin synthase III requires Chs4p-dependent translocation of Chs3p into the plasma membrane. <i>Journal of Cell Science</i> , 2007 , 120, 1998-2009	5.3	38
153	Chitosan, the deacetylated form of chitin, is necessary for cell wall integrity in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2007 , 6, 855-67		242
152	Cellular processes and pathways that protect <i>Saccharomyces cerevisiae</i> cells against the plasma membrane-perturbing compound chitosan. <i>Eukaryotic Cell</i> , 2007 , 6, 600-8		51
151	Adjacent positioning of cellular structures enabled by a Cdc42 GTPase-activating protein-mediated zone of inhibition. <i>Journal of Cell Biology</i> , 2007 , 179, 1375-84	7.3	87
150	Prenylation of <i>Saccharomyces cerevisiae</i> Chs4p Affects Chitin Synthase III activity and chitin chain length. <i>Eukaryotic Cell</i> , 2007 , 6, 328-36		16
149	Symmetry of septin hourglass and ring structures. 2007 , 372, 37-49		34
148	Central roles of small GTPases in the development of cell polarity in yeast and beyond. <i>Microbiology and Molecular Biology Reviews</i> , 2007 , 71, 48-96	13.2	338
147	The <i>Caenorhabditis elegans</i> septin complex is nonpolar. 2007 , 26, 3296-307		112

146	Structural insight into filament formation by mammalian septins. 2007 , 449, 311-5		334
145	Crh1p and Crh2p are required for the cross-linking of chitin to beta(1-6)glucan in the <i>Saccharomyces cerevisiae</i> cell wall. <i>Molecular Microbiology</i> , 2007 , 63, 921-35	4.1	108
144	The PKC, HOG and Ca ²⁺ signalling pathways co-ordinately regulate chitin synthesis in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2007 , 63, 1399-413	4.1	233
143	Sel1-like repeat proteins in signal transduction. 2007 , 19, 20-31		115
142	Role of Septin cytoskeleton in spine morphogenesis and dendrite development in neurons. <i>Current Biology</i> , 2007 , 17, 1752-8	6.3	212
141	Mutations in the RAM network confer resistance to the thiol oxidant 4,4'-dipyridyl disulfide. 2008 , 279, 629-42		0
140	Control of 5-FOA and 5-FU resistance by <i>Saccharomyces cerevisiae</i> YJL055W. 2008 , 25, 155-60		13
139	Structure, cell wall elasticity and polysaccharide properties of living yeast cells, as probed by AFM. 2008 , 19, 384005		67
138	Structural insights shed light onto septin assemblies and function. 2008 , 20, 12-8		47
137	Mammalian septins are required for phagosome formation. <i>Molecular Biology of the Cell</i> , 2008 , 19, 1717-35		72
136	From pull-down data to protein interaction networks and complexes with biological relevance. 2008 , 24, 979-86		110
135	Role of nucleotide binding in septin-septin interactions and septin localization in <i>Saccharomyces cerevisiae</i> . 2008 , 28, 5120-37		39
134	<i>Saccharomyces cerevisiae</i> Afr1 protein is a protein phosphatase 1/Glc7-targeting subunit that regulates the septin cytoskeleton during mating. <i>Eukaryotic Cell</i> , 2008 , 7, 1246-55		12
133	Protein phosphatase type 1 directs chitin synthesis at the bud neck in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2008 , 19, 3040-51	3.5	22
132	A novel septin-associated protein, Syp1p, is required for normal cell cycle-dependent septin cytoskeleton dynamics in yeast. <i>Genetics</i> , 2008 , 180, 1445-57	4	21
131	Biochemical Properties and Supramolecular Architecture of Septin Hetero-Oligomers and Septin Filaments. 47-100		5
130	The fission yeast SEL1 domain protein Cfh3p: a novel regulator of the glucan synthase Bgs1p whose function is more relevant under stress conditions. <i>Journal of Biological Chemistry</i> , 2009 , 284, 11070-9	5.4	7
129	Class III chitin synthase ChsB of <i>Aspergillus nidulans</i> localizes at the sites of polarized cell wall synthesis and is required for conidial development. <i>Eukaryotic Cell</i> , 2009 , 8, 945-56		46

128	The Ccr4-Pop2-NOT mRNA deadenylase contributes to septin organization in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2009 , 182, 955-66	4	21
127	Regulation of cell polarity through phosphorylation of Bni4 by Pho85 G1 cyclin-dependent kinases in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2009 , 20, 3239-50	3.5	27
126	Slt2 and Rim101 contribute independently to the correct assembly of the chitin ring at the budding yeast neck in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2009 , 8, 1449-59		16
125	The evolution, complex structures and function of septin proteins. 2009 , 66, 3309-23		53
124	Septins: molecular partitioning and the generation of cellular asymmetry. 2009 , 4, 18		102
123	Septins and the lateral compartmentalization of eukaryotic membranes. <i>Developmental Cell</i> , 2009 , 16, 493-506	10.2	219
122	Loss of mitochondrial DNA in the yeast cardiolipin synthase <i>crd1</i> mutant leads to up-regulation of the protein kinase Swe1p that regulates the G2/M transition. <i>Journal of Biological Chemistry</i> , 2010 , 285, 10397-407	5.4	30
121	Changes in Bni4 localization induced by cell stress in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Science</i> , 2010 , 123, 1050-9	5.3	4
120	A novel role of the yeast CaaX protease Ste24 in chitin synthesis. <i>Molecular Biology of the Cell</i> , 2010 , 21, 2425-33	3.5	22
119	Phosphorylation regulates polarisation of chitin synthesis in <i>Candida albicans</i> . <i>Journal of Cell Science</i> , 2010 , 123, 2199-206	5.3	27
118	Heterogeneous distribution of <i>Candida albicans</i> cell-surface antigens demonstrated with an Als1-specific monoclonal antibody. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 3645-3659	2.9	28
117	The annulus of the mouse sperm tail is required to establish a membrane diffusion barrier that is engaged during the late steps of spermiogenesis. 2010 , 82, 669-78		69
116	Function of protein phosphatase-1, Glc7, in <i>Saccharomyces cerevisiae</i> . 2010 , 73, 27-59		28
115	Chitin synthesis and fungal pathogenesis. 2010 , 13, 416-23		266
114	Amino acid divergence between the CHS domain contributes to the different intracellular behaviour of Family II fungal chitin synthases in <i>Saccharomyces cerevisiae</i> . <i>Fungal Genetics and Biology</i> , 2010 , 47, 1034-43	3.9	5
113	Septin filament formation is essential in budding yeast. <i>Developmental Cell</i> , 2011 , 20, 540-9	10.2	111
112	Differential localization patterns of septins during growth of the human fungal pathogen <i>Aspergillus fumigatus</i> reveal novel functions. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 405, 238-43	3.4	16
111	Identification of an amphipathic helix important for the formation of ectopic septin spirals and axial budding in yeast axial landmark protein Bud3p. <i>PLoS ONE</i> , 2011 , 6, e16744	3.7	11

110	Septin structure and function in yeast and beyond. <i>Trends in Cell Biology</i> , 2011 , 21, 141-8	18.3	160
109	The cellular basis of chitin synthesis in fungi and insects: common principles and differences. 2011 , 90, 759-69		179
108	The FN3 and BRCT motifs in the exomer component Chs5p define a conserved module that is necessary and sufficient for its function. 2011 , 68, 2907-17		9
107	The genetic interaction network of CCW12, a <i>Saccharomyces cerevisiae</i> gene required for cell wall integrity during budding and formation of mating projections. 2011 , 12, 107		27
106	Septin localization in the dimorphic fungus <i>Paracoccidioides brasiliensis</i> . 2011 , 28, 843-54		1
105	Septin pairs, a complex choreography. <i>Journal of Cell Biology</i> , 2011 , 193, 959-61	7.3	1
104	Sporulation in the budding yeast <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2011 , 189, 737-65	4	237
103	Evidence that a septin diffusion barrier is dispensable for cytokinesis in budding yeast. <i>Biological Chemistry</i> , 2011 , 392, 813-29	4.5	56
102	Transport to the plasma membrane is regulated differently early and late in the cell cycle in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Science</i> , 2011 , 124, 1055-66	5.3	25
101	Rapid redistribution of phosphatidylinositol-(4,5)-biphosphate and septins during the <i>Candida albicans</i> response to caspofungin. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 4614-24	5.9	25
100	Crosslinks in the cell wall of budding yeast control morphogenesis at the mother-bud neck. <i>Journal of Cell Science</i> , 2012 , 125, 5781-9	5.3	26
99	Architecture and biosynthesis of the <i>Saccharomyces cerevisiae</i> cell wall. <i>Genetics</i> , 2012 , 192, 775-818	4	266
98	New phenotypes generated by the G57R mutation of BUD23 in <i>Saccharomyces cerevisiae</i> . 2012 , 29, 537-46		2
97	Cell polarization and cytokinesis in budding yeast. <i>Genetics</i> , 2012 , 191, 347-87	4	221
96	Regulation of expression, activity and localization of fungal chitin synthases. <i>Medical Mycology</i> , 2012 , 50, 2-17	3.9	30
95	Membrane and walls: who is master, who is servant?. 2012 , 15, 608-17		25
94	Mammalian septins: dynamic heteromers with roles in cellular morphogenesis and compartmentalization. 2012 , 226, 287-99		41
93	Mechanisms of cytokinesis in budding yeast. <i>Cytoskeleton</i> , 2012 , 69, 710-26	2.4	58

92	Neck compartmentalization as the molecular basis for the different endocytic behaviour of Chs3 during budding or hyperpolarized growth in yeast cells. <i>Molecular Microbiology</i> , 2012 , 83, 1124-35	4.1	14
91	How carbohydrates sculpt cells: chemical control of morphogenesis in the yeast cell wall. 2013 , 11, 648-55		100
90	Oligomerization of the chitin synthase Chs3 is monitored at the Golgi and affects its endocytic recycling. <i>Molecular Microbiology</i> , 2013 , 90, 252-66	4.1	19
89	The Coprinopsis cinerea septin Cc.Cdc3 is involved in stipe cell elongation. <i>Fungal Genetics and Biology</i> , 2013 , 58-59, 80-90	3.9	15
88	Proteins involved in building, maintaining and remodeling of yeast cell walls. <i>Current Genetics</i> , 2013 , 59, 171-85	2.9	29
87	Biopolymers from Animals. 2013 , 109-142		
86	The art of choreographing asymmetric cell division. <i>Developmental Cell</i> , 2013 , 25, 439-50	10.2	56
85	Distinct roles of Rho1, Cdc42, and Cyk3 in septum formation and abscission during yeast cytokinesis. <i>Journal of Cell Biology</i> , 2013 , 202, 311-29	7.3	48
84	Cell wall stress induces alternative fungal cytokinesis and septation strategies. <i>Journal of Cell Science</i> , 2013 , 126, 2668-77	5.3	28
83	Synergy of the antibiotic colistin with echinocandin antifungals in Candida species. <i>Journal of Antimicrobial Chemotherapy</i> , 2013 , 68, 1285-96	5.1	37
82	Microcompartments within the yeast plasma membrane. <i>Biological Chemistry</i> , 2013 , 394, 189-202	4.5	17
81	Distinct N-terminal regions of the exomer secretory vesicle cargo Chs3 regulate its trafficking itinerary. <i>Frontiers in Cell and Developmental Biology</i> , 2014 , 2, 47	5.7	9
80	Using Aspergillus nidulans to identify antifungal drug resistance mutations. <i>Eukaryotic Cell</i> , 2014 , 13, 288-94		8
79	Plant surface cues prime Ustilago maydis for biotrophic development. <i>PLoS Pathogens</i> , 2014 , 10, e1004278		69
78	Cell and molecular biology of septins. <i>International Review of Cell and Molecular Biology</i> , 2014 , 310, 289-339		75
77	A visual screen of protein localization during sporulation identifies new components of prospore membrane-associated complexes in budding yeast. <i>Eukaryotic Cell</i> , 2014 , 13, 383-91		19
76	Dissecting the function of the different chitin synthases in vegetative growth and sexual development in Neurospora crassa. <i>Fungal Genetics and Biology</i> , 2015 , 75, 30-45	3.9	40
75	Rho1- and Pkc1-dependent phosphorylation of the F-BAR protein Syp1 contributes to septin ring assembly. <i>Molecular Biology of the Cell</i> , 2015 , 26, 3245-62	3.5	13

74	Identification of Cell Cycle Dependent Interaction Partners of the Septins by Quantitative Mass Spectrometry. <i>PLoS ONE</i> , 2016 , 11, e0148340	3.7	13
73	Septins are involved in nuclear division, morphogenesis and pathogenicity in <i>Fusarium graminearum</i> . <i>Fungal Genetics and Biology</i> , 2016 , 94, 79-87	3.9	22
72	Tpd3-Pph21 phosphatase plays a direct role in Sep7 dephosphorylation in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2016 , 101, 109-21	4.1	13
71	Highly Dynamic and Specific Phosphatidylinositol 4,5-Bisphosphate, Septin, and Cell Wall Integrity Pathway Responses Correlate with Caspofungin Activity against <i>Candida albicans</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 3591-600	5.9	12
70	'Strengthening the fungal cell wall through chitin-glucan cross-links: effects on morphogenesis and cell integrity'. <i>Cellular Microbiology</i> , 2016 , 18, 1239-50	3.9	59
69	Phosphorylation of Bni4 by MAP kinases contributes to septum assembly during yeast cytokinesis. <i>FEMS Yeast Research</i> , 2016 , 16,	3.1	2
68	Chitosan. 2016 , 86-89		
67	Sensing a bud in the yeast morphogenesis checkpoint: a role for Elm1. <i>Molecular Biology of the Cell</i> , 2016 , 27, 1764-75	3.5	19
66	Distinct Elements in the Proteasomal β Subunit Propeptide Required for Autocatalytic Processing and Proteasome Assembly. <i>Journal of Biological Chemistry</i> , 2016 , 291, 1991-2003	5.4	11
65	Spatial landmarks regulate a Cdc42-dependent MAPK pathway to control differentiation and the response to positional compromise. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E2019-28	11.5	13
64	9 Chitin Synthesis and Fungal Cell Morphogenesis. 2016 , 167-190		8
63	Regulatory roles of phosphorylation in model and pathogenic fungi. <i>Medical Mycology</i> , 2016 , 54, 333-52	3.9	14
62	Caspofungin exposure alters the core septin AspB interactome of <i>Aspergillus fumigatus</i> . <i>Biochemical and Biophysical Research Communications</i> , 2017 , 485, 221-226	3.4	5
61	The Fungal Cell Wall: Structure, Biosynthesis, and Function. <i>Microbiology Spectrum</i> , 2017 , 5,	8.9	412
60	Hof1 and Chs4 Interact via F-BAR Domain and Sel1-like Repeats to Control Extracellular Matrix Deposition during Cytokinesis. <i>Current Biology</i> , 2017 , 27, 2878-2886.e5	6.3	11
59	Long-Chain Polyprenols Promote Spore Wall Formation in. <i>Genetics</i> , 2017 , 207, 1371-1386	4	10
58	The septins FaCdc3 and FaCdc12 are required for cytokinesis and affect asexual and sexual development, lipid metabolism and virulence in <i>Fusarium asiaticum</i> . <i>Molecular Plant Pathology</i> , 2017 , 18, 1282-1294	5.7	11
57	The Fungal Cell Wall: Structure, Biosynthesis, and Function. 2017 , 267-292		43

56	Chitin and N-acetylglucosamine Metabolism in Fungi - A Complex Machinery Harnessed for the Design of Chitin-Based High Value Products. <i>Current Biotechnology</i> , 2017 , 6,	0.6	6
55	In Vitro and In Vivo Studies on the Structural Organization of Chs3 from <i>Saccharomyces cerevisiae</i> . <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	14
54	Imaging the secretory compartments involved in the intracellular traffic of CHS-4, a class IV chitin synthase, in <i>Neurospora crassa</i> . <i>Fungal Genetics and Biology</i> , 2018 , 117, 30-42	3.9	7
53	The chaperone Chs7 forms a stable complex with Chs3 and promotes its activity at the cell surface. <i>Traffic</i> , 2018 , 19, 285-295	5.7	4
52	Septin-associated protein kinase Gin4 affects localization and phosphorylation of Chs4, the regulatory subunit of the Baker's yeast chitin synthase III complex. <i>Fungal Genetics and Biology</i> , 2018 , 117, 11-20	3.9	6
51	Temporal regulation of morphogenetic events in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2018 , 29, 2069-2083	3.5	17
50	Architecture, remodeling, and functions of the septin cytoskeleton. <i>Cytoskeleton</i> , 2019 , 76, 7-14	2.4	33
49	Off the wall: The rhyme and reason of hyphal morphogenesis. <i>Cell Surface</i> , 2019 , 5, 100020	4.8	8
48	Chitin: A "Hidden Figure" in the Fungal Cell Wall. <i>Current Topics in Microbiology and Immunology</i> , 2020 , 425, 83-111	3.3	5
47	Using Atomic Force Microscopy To Illuminate the Biophysical Properties of Microbes. <i>ACS Applied Bio Materials</i> , 2020 , 3, 143-155	4.1	4
46	Chitin and chitosan important structural components in <i>Trichoderma</i> cell wall remodeling. 2020 , 243-280		1
45	The LKB1-like Kinase Elm1 Controls Septin Hourglass Assembly and Stability by Regulating Filament Pairing. <i>Current Biology</i> , 2020 , 30, 2386-2394.e4	6.3	3
44	Chitin and chitosan remodeling defines vegetative development and <i>Trichoderma</i> biocontrol. <i>PLoS Pathogens</i> , 2020 , 16, e1008320	7.6	16
43	Chemical rescue of mutant proteins in living cells by naturally occurring small molecules.		
42	Decreasing Mitochondrial RNA Polymerase Activity Reverses Biased Inheritance of Hypersuppressive mtDNA.		
41	A gene duplication of a septin provides a developmentally-regulated filament length control mechanism.		
40	Spatial regulation of microtubule-dependent transport by septin GTPases. <i>Trends in Cell Biology</i> , 2021 , 31, 979-993	18.3	5
39	Chemical rescue of mutant proteins in living <i>Saccharomyces cerevisiae</i> cells by naturally occurring small molecules. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	0

38	The Role of the Cell Integrity Pathway in Septum Assembly in Yeast. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	2
37	Septin proteins and their role in fungi and yeast. 2021 , 131-143		
36	Cell Division Septins and Cytokinesis. 2021 , 57-67		
35	Chitin synthases in yeast and fungi. <i>Exs</i> , 1999 , 87, 55-69		34
34	Control of Cell Polarity and Shape. 2001 , 19-53		1
33	Masters of asymmetry - lessons and perspectives from 50 years of septins. <i>Molecular Biology of the Cell</i> , 2020 , 31, 2289-2297	3.5	14
32	Characterization of the <i>Aspergillus nidulans</i> septin (asp) gene family. <i>Genetics</i> , 2001 , 157, 969-77	4	43
31	The <i>Saccharomyces cerevisiae</i> suppressor of choline sensitivity (SCS2) gene is a multicopy Suppressor of mec1 telomeric silencing defects. <i>Genetics</i> , 2001 , 158, 145-54	4	15
30	Loss of CDC5 function in <i>Saccharomyces cerevisiae</i> leads to defects in Swe1p regulation and Bfa1p/Bub2p-independent cytokinesis. <i>Genetics</i> , 2003 , 163, 21-33	4	31
29	The yeast Chs4 protein stimulates the trypsin-sensitive activity of chitin synthase 3 through an apparent protein-protein interaction. <i>Microbiology (United Kingdom)</i> , 2000 , 146 (Pt 2), 385-391	2.9	43
28	Cell cycle control of septin ring dynamics in the budding yeast. <i>Microbiology (United Kingdom)</i> , 2001 , 147, 1437-1450	2.9	79
27	Forging the ring: from fungal septins' divergent roles in morphology, septation and virulence to factors contributing to their assembly into higher order structures. <i>Microbiology (United Kingdom)</i> , 2016 , 162, 1527-1534	2.9	4
26	The Cell Wall of <i>Cryptococcus</i> . 67-79		3
25	Cdc42: An essential Rho-type GTPase controlling eukaryotic cell polarity. <i>Microbiology and Molecular Biology Reviews</i> , 1999 , 63, 54-105	13.2	414
24	Life cycle and morphogenesis. 2004 , 1-19		4
23	Molecular organization and biogenesis of the cell wall. 2004 , 117-139		1
22	The <i>C. elegans</i> septin genes, unc-59 and unc-61, are required for normal postembryonic cytokineses and morphogenesis but have no essential function in embryogenesis. <i>Journal of Cell Science</i> , 2000 , 113, 3825-3837	5.3	85
21	A PAK-like protein kinase is required for maturation of young hyphae and septation in the filamentous ascomycete <i>Ashbya gossypii</i> . <i>Journal of Cell Science</i> , 2000 , 113, 4563-4575	5.3	65

20	Polarization of cell growth in yeast. I. Establishment and maintenance of polarity states. <i>Journal of Cell Science</i> , 2000 , 113, 365-375	5.3	316
19	Polarization of cell growth in yeast. <i>Journal of Cell Science</i> , 2000 , 113, 571-585	5.3	377
18	Regulation of cytokinesis by the Elm1 protein kinase in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Science</i> , 2000 , 113, 1435-1445	5.3	85
17	Novel roles for mammalian septins: from vesicle trafficking to oncogenesis. <i>Journal of Cell Science</i> , 2001 , 114, 839-844	5.3	137
16	Mechanisms for targeting of the <i>Saccharomyces cerevisiae</i> GPI-anchored cell wall protein Crh2p to polarised growth sites. <i>Journal of Cell Science</i> , 2002 , 115, 2549-2558	5.3	37
15	Identification of septin-interacting proteins and characterization of the Smt3/SUMO-conjugation system in <i>Drosophila</i> . <i>Journal of Cell Science</i> , 2002 , 115, 1259-1271	5.3	20
14	Cytokinesis in budding yeast: the relationship between actomyosin ring function and septum formation. <i>Cell Structure and Function</i> , 2001 , 26, 529-37	2.2	62
13	The GTPase-activating protein Rga1 interacts with Rho3 GTPase and may regulate its function in polarized growth in budding yeast. <i>PLoS ONE</i> , 2015 , 10, e0123326	3.7	6
12	Decreasing mitochondrial RNA polymerase activity reverses biased inheritance of hypersuppressive mtDNA. <i>PLoS Genetics</i> , 2021 , 17, e1009808	6	1
11	Chitin Biosynthesis and Morphogenetic Processes. 2004 , 275-290		
10	Actin Doesn't Do the Locomotion: Secretion Drives Cell Polarization. 2009 , 388-404		1
9	Signaling of Infectious Growth in <i>Fusarium oxysporum</i> . <i>Topics in Current Genetics</i> , 2012 , 61-79		
8	Hof1 and Chs4 interact via F-BAR domain and Sel1-like repeats to control extracellular matrix deposition during cytokinesis in budding yeast. <i>SSRN Electronic Journal</i> ,	1	
7	Genetic contribution to high temperature tolerance in <i>Cryptococcus neoformans</i> . <i>Genetics</i> , 2021 , 217, 1-15	4	3
6	Redundancy or specificity? The role of the CDK Pho85 in cell cycle control. <i>International Journal of Biochemistry and Molecular Biology</i> , 2013 , 4, 140-9	0.4	9
5	Chitin in insect cuticle. <i>Advances in Insect Physiology</i> , 2022 ,	2.5	0
4	Stage-Specific Genetic Interaction between FgYCK1 and FgBNI4 during Vegetative Growth and Conidiation in <i>Fusarium graminearum</i> . 2022 , 23, 9106		0
3	Chitin Synthesis in Yeast: A Matter of Trafficking. 2022 , 23, 12251		0

2 Transient septin sumoylation steers a Fir1-Skt5 protein complex between the split septin ring. 0

1 A gene duplication of a septin reveals a developmentally regulated filament length control mechanism. **2023**, 222, 1