## Association of Coronary Heart Disease Incidence with C Major Risk Factors: The Atherosclerosis Risk in Commu

American Journal of Epidemiology

146, 483-494

DOI: 10.1093/oxfordjournals.aje.a009302

**Citation Report** 

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | 7 Prevention and treatment of adverse effects of corticosteroids in systemic lupus erythematosus.<br>Bailliere's Clinical Rheumatology, 1998, 12, 495-510.  | 1.0 | 22        |
| 2  | Automated intima-media thickness: the Los Angeles atherosclerosis study. Ultrasound in Medicine and<br>Biology, 1998, 24, 981-987.<br>Prevention of coronary heart disease in clinical practice: Recommendations of the Second Joint Task   | 0.7 | 40        |
| 3  | Force of European and other Societies on Coronary Prevention1European Society of Cardiology,<br>European Atherosclerosis Society, European Society of Hypertension, International Society of<br>Behavioural Medicine, European Society of General Practice/Family Medicine, European Heart<br>Network,1,2Published simultaneously in the European Heart Journal 1998;19:1434–1503 and the Journal | 0.4 | 760       |
| 4  | of Hypertension (Summary only) 1998. Atherosclerosis, 1998, 140, 199-270.<br>Hyperinsulinemia and Carotid Atherosclerosis in Hypertensive and Control Subjects. Diabetes Care,<br>1998, 21, 1188-1193.  | 4.3 | 32        |
| 5  | Circulating Cell Adhesion Molecules Are Correlated With Ultrasound-Based Assessment of Carotid<br>Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 1998, 18, 1765-1770.   | 1.1 | 255       |
| 6  | Cigarette Smoking and Progression of Atherosclerosis. JAMA - Journal of the American Medical<br>Association, 1998, 279, 119.  | 3.8 | 604       |
| 7  | Prevention of coronary heart disease in clinical practice Recommendations of the Second Joint Task<br>Force of European and other Societies on Coronary Prevention. European Heart Journal, 1998, 19,<br>1434-1503.   | 1.0 | 1,014     |
| 8  | Carotid Arterial Intimal-Medial Thickening and Plaque Formation in NIDDM. Diabetes Care, 1998, 21, 323-324.   | 4.3 | 15        |
| 9  | General Practitioners Are the Most Important Conveyors of Information to Their Patients Regarding<br>Diabetic Retinopathy. Diabetes Care, 1998, 21, 324-325.  | 4.3 | 5         |
| 10 | Response to Minamikawa et al Diabetes Care, 1998, 21, 324-324.  | 4.3 | 4         |
| 11 | Stress-Induced Pulse Pressure Change Predicts Women's Carotid Atherosclerosis. Stroke, 1998, 29,<br>1525-1530.  | 1.0 | 146       |
| 13 | Are Hostility and Anxiety Associated With Carotid Atherosclerosis in Healthy Postmenopausal<br>Women?. Psychosomatic Medicine, 1998, 60, 633-638.   | 1.3 | 160       |
| 14 | Ethnic Differences in Cerebral Atherosclerosis. , 1998, , 94-105.   |     | 2         |
| 15 | Environmental tobacco smoke and measures of subclinical vascular disease Environmental Health<br>Perspectives, 1999, 107, 837-840.  | 2.8 | 15        |
| 16 | Endogenous Androgens and Carotid Intimal-Medial Thickness in Women. Journal of Clinical<br>Endocrinology and Metabolism, 1999, 84, 2008-2012.   | 1.8 | 130       |
| 17 | Correlation Between Flow-Mediated Vasodilatation of the Brachial Artery and Intima-Media Thickness<br>in the Carotid Artery in Men. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 2795-2800.  | 1.1 | 138       |
| 18 | Carotid Plaque, Intima Media Thickness, Cardiovascular Risk Factors, and Prevalent Cardiovascular<br>Disease in Men and Women. Stroke, 1999, 30, 841-850.   | 1.0 | 695       |
| 19 | LDL Particle Size Distribution Is Associated With Carotid Intima-Media Thickness in Healthy 50-Year-Old<br>Men. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 2422-2430   | 1.1 | 99        |

ARTICLE IF CITATIONS # Risk Factors for Popliteal and Carotid Wall Thicknesses In the Atherosclerosis Risk in Communities 20 55 1.6 (ARIC) Study. American Journal of Epidemiology, 1999, 150, 1055-1067. Common Carotid Intima-Media Thickness and Arterial Stiffness. Circulation, 1999, 100, 951-957. 1.6 334 Alimentary Lipemia, Postprandial Triglyceride-Rich Lipoproteins, and Common Carotid Intima-Media 22 229 1.6 Thickness in Healthy, Middle-Aged Men. Circulation, 1999, 100, 723-728. Effect of intensive diabetes treatment on carotid artery wall thickness in the epidemiology of diabetes interventions and complications. Epidemiology of Diabetes Interventions and Complications (EDIC) Research Group. Diabetes, 1999, 48, 383-390. 0.3 Coronary and Aortic Calcification Among Women 8 Years After Menopause and Their Premenopausal 24 1.1 146 Risk Factors. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 2189-2198. Rising Tide of Cardiovascular Disease in American Indians. Circulation, 1999, 99, 2389-2395. 1.6 399 Crossâ€sectionally assessed carotid intima–media thickness relates to longâ€term risk of stroke, coronary heart disease and death as estimated by available risk functions. Journal of Internal 26 2.7 111 Medicine, 1999, 245, 269-276. Increasing maximal carotid artery intimaâ€<sup>e</sup>media thickness was associated with increasing risk of CV events. Evidence-Based Healthcare and Public Health, 1999, 3, 47-48. Prevalence and risk factors of carotid plaque in women with systemic lupus erythematosus. Arthritis 28 488 6.7 and Rheumatism, 1999, 42, 51-60. Family history of coronary heart disease and pre-clinical carotid artery atherosclerosis in African Americans and whites: The ARIC study. Genetic Epidemiology, 1999, 16, 165-178. Carotid Artery Disease as a Marker for the Presence of Severe Coronary Artery Disease in Patients 30 1.0 161 Evaluated for Chest Pain. Stroke, 1999, 30, 1002-1007. Carotid-Artery Intima and Media Thickness as a Risk Factor for Myocardial Infarction and Stroke in 4,291 Older Adults. New England Journal of Medicine, 1999, 340, 14-22. Increasing maximal carotid artery intima–media thickness was associated with increasing risk of CV 32 0.0 0 events. Evidence-based Cardiovascular Medicine, 1999, 3, 47-48. The Relationship Between Lipids/Lipoproteins and Atherosclerosis in African Americans and Whites. Annals of Epidemiology, 1999, 9, 149-158. Short- and Long-Term Prediction of Clinical and Subclinical Atherosclerosis by Traditional Risk 34 32 2.4 Factors. Journal of Clinical Epidemiology, 1999, 52, 559-567. Carotid intima-media thickness: influence of drug treatment and clinical implications. Netherlands Journal of Medicine, 1999, 55, 188-195. Environmental Tobacco Smoke and Measures of Subclinical Vascular Disease. Environmental Health 36 2.8 0 Perspectives, 1999, 107, 837. AGING AND CARDIOVASCULAR DISEASE. Cardiology Clinics, 1999, 17, 51-65.

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 38 | Common carotid intima-media thickness in patients with peripheral arterial disease or abdominal aortic aneurysm: the SMART study. Atherosclerosis, 1999, 146, 243-248.  | 0.4 | 36        |
| 39 | Dental infections and atherosclerosis. American Heart Journal, 1999, 138, S528-S533.  | 1.2 | 144       |
| 40 | Noninvasive procedures for subclinical atherosclerosis risk assessment. American Journal of Medicine, 1999, 107, 25-27.   | 0.6 | 9         |
| 41 | Traditional Risk Factors and Subclinical Disease Measures as Predictors of First Myocardial<br>Infarction in Older Adults. Archives of Internal Medicine, 1999, 159, 1339.                                    | 4.3 | 151       |
| 42 | High resolution ultrasound assessment of the carotid artery: its relevance in postmenopausal women and the effects of tibolone on carotid artery ultrastructure. Climacteric, 1999, 2, 13-20.                 | 1.1 | 13        |
| 43 | Carotid intima-media thickness and coronary heart disease risk factors in a low-risk population.<br>Journal of Hypertension, 1999, 17, 743-748.   | 0.3 | 68        |
| 44 | Increased Carotid Intimal-Medial Thickness and Coronary Calcification Are Related in Young and Middle-Aged Adults. Circulation, 1999, 100, 838-842.   | 1.6 | 184       |
| 45 | White-Coat Hypertension and Carotid Artery Atherosclerosis. Archives of Internal Medicine, 2000, 160, 1507.   | 4.3 | 76        |
| 46 | Risk of cardiovascular disease measured by carotid intima-media thickness at age 49-51: lifecourse<br>study. BMJ: British Medical Journal, 2000, 320, 273-278.  | 2.4 | 148       |
| 47 | Chlamydia pneumoniaeSeropositivity Is Associated With Carotid Artery Intima-Media Thickness. Stroke, 2000, 31, 1526-1531.   | 1.0 | 45        |
| 49 | Coronary Artery Calcification in Older Adults with Minimal Clinical or Subclinical Cardiovascular<br>Disease. Journal of the American Geriatrics Society, 2000, 48, 256-263.                                  | 1.3 | 36        |
| 50 | Dyslipidemia in women with diabetes. Current Opinion in Endocrinology, Diabetes and Obesity, 2000, 7, 38-43.  | 0.6 | Ο         |
| 51 | Ultrasound Assessment of Atherosclerotic Vessel Wall Changes. Investigative Radiology, 2000, 35,<br>699-706.  | 3.5 | 51        |
| 52 | Nephroticâ€range proteinuria, the major risk factor for early atherosclerosis in juvenileâ€onset systemic<br>lupus erythematosus. Arthritis and Rheumatism, 2000, 43, 1405-1409.                              | 6.7 | 103       |
| 53 | Relation between insulin resistance and carotid intima-media thickness and stenosis in non-diabetic<br>subjects. Results from a cross-sectional study in Malmo, Sweden. Diabetic Medicine, 2000, 17, 299-307. | 1.2 | 283       |
| 54 | Dissociation between microalbuminuria and common carotid thickness in essential hypertensive men.<br>Journal of Human Hypertension, 2000, 14, 831-835.  | 1.0 | 16        |
| 55 | Carotid Atherosclerosis in Relation to Symptoms from theTerritory Supplied by the Carotid Artery.<br>European Journal of Vascular and Endovascular Surgery, 2000, 19, 356-361.                                | 0.8 | 9         |
| 56 | Atherosclerotic changes of extracoronary arteries are associated with the extent of coronary atherosclerosis. American Journal of Cardiology, 2000, 85, 949-952.  | 0.7 | 173       |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 57 | Hostility, social support, and carotid artery atherosclerosis in The National Heart, Lung, and Blood<br>Institute Family Heart Study. American Journal of Cardiology, 2000, 86, 1086-1089.   | 0.7 | 68        |
| 58 | Diabetes and cardiovascular disease. Current Atherosclerosis Reports, 2000, 2, 476-481.  | 2.0 | 281       |
| 59 | Global risk assessment for lipid therapy to prevent coronary heart disease. Current Cardiology<br>Reports, 2000, 2, 424-432.   | 1.3 | 0         |
| 60 | Imaging techniques to predict cardiovascular risk. Current Cardiology Reports, 2000, 2, 300-307.   | 1.3 | 6         |
| 61 | Carotid atherosclerosis and cerebral white matter lesions in a population based magnetic resonance imaging study. Journal of Neurology, 2000, 247, 291-296.  | 1.8 | 135       |
| 62 | Strong and Significant Relationships Between Aggregation of Major Coronary Risk Factors and the<br>Acceleration of Carotid Atherosclerosis in the General Population of a Japanese City. Archives of<br>Internal Medicine, 2000, 160, 2297.                          | 4.3 | 72        |
| 63 | Vascular imaging: changing the face of cardiovascular research. Lupus, 2000, 9, 176-182.   | 0.8 | 19        |
| 65 | Blood Pressure, LDL Cholesterol, and Intima-Media Thickness. Arteriosclerosis, Thrombosis, and<br>Vascular Biology, 2000, 20, 2005-2010.   | 1.1 | 59        |
| 66 | Carotid Artery Disease and the Risk of Ischaemic Stroke and Coronary Vascular Events.<br>Cerebrovascular Diseases, 2000, 10, 21-33.  | 0.8 | 54        |
| 67 | Carotid Wall Thickness is Predictive of Incident Clinical Stroke: The Atherosclerosis Risk in<br>Communities (ARIC) Study. American Journal of Epidemiology, 2000, 151, 478-487.   | 1.6 | 673       |
| 68 | Coronary Heart Disease Epidemiology in the 21st Century. Epidemiologic Reviews, 2000, 22, 7-13.  | 1.3 | 33        |
| 69 | Effects of Stress Reduction on Carotid Atherosclerosis in Hypertensive African Americans. Stroke, 2000, 31, 568-573.   | 1.0 | 197       |
| 70 | Carotid intima-media thickness in Japanese type 2 diabetic subjects: predictors of progression and relationship with incident coronary heart disease. Diabetes Care, 2000, 23, 1310-1315.  | 4.3 | 161       |
| 71 | Effect of Amlodipine on the Progression of Atherosclerosis and the Occurrence of Clinical Events.<br>Circulation, 2000, 102, 1503-1510.  | 1.6 | 598       |
| 72 | Feasibility and Reliability of Ankle/Arm Blood Pressure Index in Preventive Medicine. Angiology, 2000,<br>51, 463-471.   | 0.8 | 10        |
| 73 | Common Carotid Intima-Media Thickness Predicts Occurrence of Carotid Atherosclerotic Plaques.<br>Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 1622-1629.  | 1.1 | 218       |
| 74 | Occupational Status, Educational Level, and the Prevalence of Carotid Atherosclerosis in a General<br>Population Sample of Middle-aged Swedish Men and Women: Results from the Malmo Diet and Cancer<br>Study. American Journal of Epidemiology, 2000, 152, 334-346. | 1.6 | 115       |
| 75 | Carotid artery distensibility and cardiac function in adolescents with type 1 diabetes. Journal of Pediatrics, 2000, 137, 465-469.   | 0.9 | 63        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 76 | Antiplatelet Drugs Attenuate Progression of Carotid Intima-Media Thickness in Subjects with Type 2<br>Diabetes. Thrombosis Research, 2000, 97, 239-245.   | 0.8 | 66        |
| 77 | Searching for answers to ethnic disparities in cardiovascular risk. Lancet, The, 2000, 356, 266-267.  | 6.3 | 25        |
| 78 | Differences in risk factors, atherosclerosis, and cardiovascular disease between ethnic groups in<br>Canada: the Study of Health Assessment and Risk in Ethnic groups (SHARE). Lancet, The, 2000, 356,<br>279-284.  | 6.3 | 866       |
| 79 | A central role for the endothelial NADPH oxidase in atherosclerosis. FEBS Letters, 2000, 472, 1-4.  | 1.3 | 126       |
| 80 | Evidence for Association Between Polycystic Ovary Syndrome and Premature Carotid Atherosclerosis<br>in Middle-Aged Women. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 2414-2421.  | 1.1 | 475       |
| 81 | Epidemiology of cardiovascular disease in systemic lupus erythematosus. Lupus, 2000, 9, 166-169.  | 0.8 | 104       |
| 82 | Common Carotid Artery Intima-Media Thickness and Brain Infarction. Circulation, 2000, 102, 313-318.   | 1.6 | 239       |
| 83 | Developments in imaging techniques—Identifying the early lesions. Journal of Vascular Surgery, 2000,<br>31, 1274-1276.  | 0.6 | 0         |
| 84 | Rationale, Design and Baseline Characteristics of a Clinical Trial Comparing the Effects of Robust vs<br>Conventional Cholesterol Lowering and Intima Media Thickness in Patients with Familial<br>Hypercholesterolaemia. Clinical Drug Investigation, 2000, 20, 67-79. | 1.1 | 28        |
| 85 | The Effect of Short-term Lipid Lowering with Atorvastatin on Carotid Artery Intima Media Thickness in<br>Patients with Peripheral Vascular Disease: A Pilot Study. Current Medical Research and Opinion, 2000,<br>16, 198-204.  | 0.9 | 36        |
| 86 | Effect of hormone replacement therapy on age-related increase in carotid artery intima-media thickness in postmenopausal women. Atherosclerosis, 2000, 153, 81-88.  | 0.4 | 34        |
| 87 | Are predictors of coronary heart disease and lower-extremity arterial disease in type 1 diabetes the same?. Atherosclerosis, 2000, 148, 159-169.  | 0.4 | 138       |
| 88 | Correlations between measures of atherosclerosis change using carotid ultrasonography and coronary angiography. Atherosclerosis, 2000, 150, 371-379.  | 0.4 | 95        |
| 89 | Intima–media thickness of peripheral arteries in asymptomatic cigarette smokers. Atherosclerosis,<br>2000, 150, 397-401.  | 0.4 | 36        |
| 90 | Ultrasound determined carotid and femoral atherosclerosis in Lithuanian and Swedish men: the<br>LiVicordia study. Atherosclerosis, 2000, 151, 501-508.  | 0.4 | 9         |
| 91 | Lack of association of lipoprotein(a) levels with coronary calcium deposits in asymptomatic postmenopausal women. Journal of the American College of Cardiology, 2000, 35, 314-320.   | 1.2 | 39        |
| 92 | Mild-to-moderate hypertriglyceridemia in young men is associated with endothelial dysfunction and<br>increased plasma concentrations of asymmetric dimethylarginine. Journal of the American College of<br>Cardiology, 2001, 38, 111-116.                               | 1.2 | 223       |
| 93 | CAROTID ULTRASOUND. Radiologic Clinics of North America, 2001, 39, 569-589.   | 0.9 | 30        |

ARTICLE IF CITATIONS # Associations of Subclinical Cardiovascular Disease With Frailty. Journals of Gerontology - Series A 1.7 659 94 Biological Sciences and Medical Sciences, 2001, 56, M158-M166. A Comparison of NCEP and Absolute Risk Stratification Methods for Lipid-Lowering Therapy in 1.1 Middle-Aged Adults: The ARIC Study. Preventive Cardiology, 2001, 4, 148-157. The smooth muscle cell membrane during atherogenesis: A potential target for amlodipine in 96 1.2 24 atheroprotection. American Heart Journal, 2001, 141, S1-S11. Pediatric hypertension. American Heart Journal, 2001, 142, 422-432. 1.2 Genetic and metabolic factors predicting risk of cardiovascular disease in familial 98 0.6 25 hypercholesterolemia. Netherlands Journal of Medicine, 2001, 59, 184-195. Body Fatness and Fat Distribution as Predictors of Metabolic Abnormalities and Early Carotid Atherosclerosis. Diabetes Care, 2001, 24, 1248-1252. 99 4.3 87 Effect of aggressive versus conventional lipid lowering on atherosclerosis progression in familial hypercholesterolemia (ASAP): a prospective, randomised, double-blind trial. Lancet, The, 2001, 357, 100 6.3 901 577-581. Measurement of atherosclerosis progression. Lancet, The, 2001, 358, 329. 6.3 Risk factors, atherosclerosis, and cardiovascular disease among Aboriginal people in Canada: the 102 Study of Health Assessment and Risk Evaluation in Aboriginal Peoples (SHARE-AP). Lancet, The, 2001, 358, 257 6.3 1147-1153. Antiatherosclerotic Effects of ACE Inhibitors. American Journal of Cardiovascular Drugs, 2001, 1, 1.0 315-320. Antioxidant vitamin status and carotid atherosclerosis in the elderly. American Journal of Clinical 106 2.2 77 Nutrition, 2001, 74, 402-408. Racism and tPA Use in African-Americans. Stroke, 2001, 32, 2439-2439. 1.0 Re: Utilization of Intravenous Tissue-Type Plasminogen Activator for Ischemic Stroke at Academic 108 1.0 2 Medical Centers. Stroke, 2001, 32, 2440-2440. Inflammation, Statins, and Outcome After Ischemic Stroke. Stroke, 2001, 32, 2446-2447. 109 1.0 23 Retinal and Cerebral Artery Embolism After "Shiatsu―on the Neck. Stroke, 2001, 32, 2441-2441. 110 20 1.0 A Novel TCD Grading System for Residual Flow in Stroke Patients. Stroke, 2001, 32, 2446-2446. 28 Surrogate End Points of Antihypertensive Treatment: Left Ventricular Hypertrophy and Structural 112 0.3 2 Alteration of Carotid Arteries. Cardiology, 2001, 1, 89-95. IMT for the Elderly?. Stroke, 2001, 32, 2443-2445.

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 114 | Biomarkers in disease and health. British Journal of Nutrition, 2001, 86, S55-S92.   | 1.2 | 40        |
| 115 | Influence of 17Î <sup>2</sup> -oestradiol on blood pressure of postmenopausal women at high vascular risk. Journal of Hypertension, 2001, 19, 2135-2142.   | 0.3 | 16        |
| 116 | Cardiovascular Risk Factors in Young Adult Survivors of Childhood Acute Lymphoblastic Leukemia.<br>The American Journal of Pediatric Hematology/oncology, 2001, 23, 424-430.   | 1.3 | 161       |
| 117 | Influence of endogenous androgens on carotid wall in postmenopausal women. Menopause, 2001, 8,<br>43-50.   | 0.8 | 60        |
| 118 | Elevated White Blood Cell Count and Carotid Plaque Thickness. Stroke, 2001, 32, 842-849.   | 1.0 | 138       |
| 119 | Effects of blood pressure lowering with amlodipine or lisinopril on vascular structure of the common carotid artery. Clinical Science, 2001, 101, 455-464.   | 1.8 | 35        |
| 120 | Radial artery hypertrophy occurs in coronary atherosclerosis and is independent of blood pressure.<br>Clinical Science, 2001, 100, 509.  | 1.8 | 4         |
| 121 | Effects of blood pressure lowering with amlodipine or lisinopril on vascular structure of the common carotid artery. Clinical Science, 2001, 101, 455.   | 1.8 | 16        |
| 122 | Radial artery hypertrophy occurs in coronary atherosclerosis and is independent of blood pressure.<br>Clinical Science, 2001, 100, 509-516.  | 1.8 | 17        |
| 123 | Site-Specific Atherosclerotic Plaques in the Carotid Arteries of Middle-Aged Women From Southern<br>Italy. Stroke, 2001, 32, 1953-1959.  | 1.0 | 49        |
| 124 | Effect of Oral Postmenopausal Hormone Replacement on Progression of Atherosclerosis.<br>Arteriosclerosis, Thrombosis, and Vascular Biology, 2001, 21, 262-268.   | 1.1 | 230       |
| 125 | ls Carotid Intima-Media Thickness Useful in Cardiovascular Disease Risk Assessment?. Stroke, 2001, 32,<br>1532-1538.   | 1.0 | 221       |
| 128 | Acoustic shadowing on B-mode ultrasound of the carotid artery predicts CHD. Ultrasound in Medicine and Biology, 2001, 27, 357-365.   | 0.7 | 57        |
| 129 | Factors Associated with Healthy Aging: The Cardiovascular Health Study. Journal of the American<br>Geriatrics Society, 2001, 49, 254-262.  | 1.3 | 151       |
| 130 | Insulin resistance and intima-media thickness in the carotid and femoral arteries of clinically healthy<br>58-year-old men. The Atherosclerosis and Insulin Resistance Study (AIR). Journal of Internal Medicine,<br>2001, 249, 59-67. | 2.7 | 62        |
| 131 | Carotid and femoral atherosclerosis, cardiovascular risk factors and C-reactive protein in relation<br>to smokeless tobacco use or smoking in 58-year-old men. Journal of Internal Medicine, 2001, 250,<br>492-501.                    | 2.7 | 88        |
| 132 | Assessment of subclinical atherosclerosis and cardiovascular risk. Clinical Cardiology, 2001, 24, 642-650.   | 0.7 | 9         |
| 133 | Association of C-reactive protein with markers of prevalent atherosclerotic disease. American<br>Journal of Cardiology, 2001, 88, 112-117.   | 0.7 | 221       |

|     |   | INEPORT |           |
|-----|---|---------|-----------|
| #   | Article   | IF      | Citations |
| 134 | Predictive value of carotid 2-dimensional ultrasound. American Journal of Cardiology, 2001, 88, 27-30.  | 0.7     | 26        |
| 135 | Morphological differences of the internal thoracic artery in patients with and without coronary<br>artery disease – evaluation by duplex-scanning. European Journal of Cardio-thoracic Surgery, 2001, 20,<br>755-759. | 0.6     | 5         |
| 136 | C-Reactive Protein Is an Independent Predictor of the Rate of Increase in Early Carotid Atherosclerosis. Circulation, 2001, 104, 63-67.   | 1.6     | 189       |
| 137 | Relationship of Periodontal Disease to Carotid Artery Intima-Media Wall Thickness. Arteriosclerosis,<br>Thrombosis, and Vascular Biology, 2001, 21, 1816-1822.  | 1.1     | 358       |
| 138 | The Interrelation between carotid, femoral and coronary artery disease. European Heart Journal, 2001, 22, 11-14.  | 1.0     | 35        |
| 139 | Carotid Intimal-Medial Thickness Is Related to Cardiovascular Risk Factors Measured From Childhood<br>Through Middle Age. Circulation, 2001, 104, 2815-2819.  | 1.6     | 795       |
| 140 | Estrogen in the Prevention of Atherosclerosis. Annals of Internal Medicine, 2001, 135, 939.   | 2.0     | 607       |
| 142 | Elevated C-Reactive Protein Constitutes an Independent Predictor of Advanced Carotid Plaques in<br>Dyslipidemic Subjects. Arteriosclerosis, Thrombosis, and Vascular Biology, 2001, 21, 1962-1968.                    | 1.1     | 115       |
| 143 | Relationship Between Coronary Artery Calcification and Other Measures of Subclinical<br>Cardiovascular Disease in Older Adults. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22,<br>1674-1679.           | 1,1     | 93        |
| 144 | Is Cardiovascular Reactivity Associated With Atherosclerosis Among Hypertensives?. Hypertension, 2002, 40, 742-747.   | 1.3     | 30        |
| 145 | Life-Course Perspective on Socioeconomic Differences in Carotid Atherosclerosis. Arteriosclerosis,<br>Thrombosis, and Vascular Biology, 2002, 22, 1704-1711.  | 1.1     | 32        |
| 146 | Does the coronary risk factor low density lipoprotein alter growth and signaling in vascular smooth<br>muscle cells?. FASEB Journal, 2002, 16, 1477-1487.   | 0.2     | 23        |
| 147 | Multi-Ethnic Study of Atherosclerosis: Objectives and Design. American Journal of Epidemiology, 2002, 156, 871-881.   | 1.6     | 3,068     |
| 148 | Heritability of Carotid Artery Structure and Function. Arteriosclerosis, Thrombosis, and Vascular<br>Biology, 2002, 22, 1698-1703.  | 1.1     | 107       |
| 149 | Carotid intima-media thickness at different sites: relation to incident myocardial infarction. The<br>Rotterdam Study. European Heart Journal, 2002, 23, 934-940.   | 1.0     | 186       |
| 150 | Coronary calcification detected by electron-beam computed tomography and myocardial infarction.<br>The Rotterdam Coronary Calcification Study. European Heart Journal, 2002, 23, 1596-1603.                           | 1.0     | 134       |
| 151 | The effect of 17β-estradiol on MCP-1 serum levels in postmenopausal women. Cardiovascular Research, 2002, 53, 642-649.  | 1.8     | 68        |
| 152 | Heritability of Subclinical Atherosclerosis in Latino Families Ascertained Through a Hypertensive<br>Parent. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22, 843-848.                                   | 1.1     | 74        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 153 | Work-related psychosocial factors and carotid atherosclerosis. International Journal of Epidemiology, 2002, 31, 1169-1178.   | 0.9 | 57        |
| 154 | Association of Carotid Artery Intima-Media Thickness with Complex Aortic Atherosclerosis in Patients with Recent Stroke. Angiology, 2002, 53, 185-189.   | 0.8 | 20        |
| 155 | Intima-Media Thickness of the Common Carotid Arteries Is Related to Coronary Atherosclerosis and left Ventricular Hypertrophy in Older Adults. Angiology, 2002, 53, 569-574.                       | 0.8 | 34        |
| 156 | Risk Factor Groupings Related to Insulin Resistance and Their Synergistic Effects on Subclinical<br>Atherosclerosis: The Atherosclerosis Risk in Communities Study. Diabetes, 2002, 51, 3069-3076. | 0.3 | 174       |
| 158 | Endogenous Postmenopausal Hormones and Carotid Atherosclerosis: A Case-Control Study of the<br>Atherosclerosis Risk in Communities Cohort. American Journal of Epidemiology, 2002, 155, 437-445.   | 1.6 | 115       |
| 159 | Carotid Wall Thickness and Years Since Bilateral Oophorectomy: The Los Angeles Atherosclerosis<br>Study. American Journal of Epidemiology, 2002, 156, 438-444.                                     | 1.6 | 17        |
| 160 | ls Carotid Artery Intima-Media Thickening a Reliable Marker of Early Atherosclerosis?. European<br>Journal of Cardiovascular Prevention and Rehabilitation, 2002, 9, 77-81.                        | 3.1 | 11        |
| 161 | Risk Factors for Progression of Common Carotid Atherosclerosis: The Atherosclerosis Risk in<br>Communities Study, 1987-1998. American Journal of Epidemiology, 2002, 155, 38-47.                   | 1.6 | 281       |
| 162 | Declaring War on Undertreatment: Rationale for an Aggressive Approach to Lowering Cholesterol.<br>European Journal of Cardiovascular Prevention and Rehabilitation, 2002, 9, 89-95.                | 3.1 | 9         |
| 163 | Undertreatment of dyslipidemia in peripheral arterial disease and other high-risk populations: an opportunity for cardiovascular disease reduction. Vascular Medicine, 2002, 7, 323-331.           | 0.8 | 36        |
| 164 | Coronary Artery Disease and Carotid Artery Intima-Media Thickness in Japanese Type 2 Diabetic Patients.<br>Diabetes Care, 2002, 25, 1308-1312.   | 4.3 | 52        |
| 165 | Association Between Behavior-Dependent Cardiovascular Risk Factors and Asymptomatic Carotid Atherosclerosis in a General Population. Stroke, 2002, 33, 2929-2935.                                  | 1.0 | 89        |
| 166 | Does carotid intima media thickness indicate coronary atherosclerosis?. Current Opinion in Cardiology, 2002, 17, 526-530.  | 0.8 | 31        |
| 167 | Ethnic differences in carotid and left ventricular hypertrophy. Journal of Hypertension, 2002, 20, 539-543.  | 0.3 | 4         |
| 168 | Title is missing!. European Journal of Cardiovascular Prevention and Rehabilitation, 2002, 9, 77-81.   | 1.5 | 15        |
| 169 | Title is missing!. European Journal of Cardiovascular Prevention and Rehabilitation, 2002, 9, 89-95.   | 1.5 | 12        |
| 170 | Intima–media thickness: a new tool for diagnosis and treatment of cardiovascular risk. Journal of<br>Hypertension, 2002, 20, 159-169.  | 0.3 | 499       |
| 171 | Measurement of subclinical atherosclerosis: beyond risk factor assessment. Current Opinion in Lipidology, 2002, 13, 595-603.   | 1.2 | 37        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 172 | Carotid intima–media thickness, arterial stiffness and risk of cardiovascular disease. Journal of<br>Hypertension, 2002, 20, 2317-2325.  | 0.3 | 197       |
| 173 | Beyond Traditional Risk Factor Analysis for Coronary Artery Disease: The Case for Coronary Artery<br>Calcium Assessment With Electron Beam Computed Tomography. Preventive Cardiology, 2002, 5, 62-67.   | 1.1 | 4         |
| 175 | The association between coronary calcification assessed by electron beam computed tomography and measures of extracoronary atherosclerosis. Journal of the American College of Cardiology, 2002, 39, 1745-1751.  | 1.2 | 154       |
| 176 | Subclinical atherosclerosis in multiple vascular beds: an index of atherosclerotic burden evaluated in postmenopausal women. Atherosclerosis, 2002, 160, 407-416.  | 0.4 | 53        |
| 177 | Carotid artery intima-media thickness in Finnish families with familial combined hyperlipidemia.<br>Atherosclerosis, 2002, 162, 171-178.   | 0.4 | 22        |
| 178 | Soluble intercellular adhesion molecule-1 is associated with carotid and femoral atherosclerosis but not with intima-media thickness in a population-based sample. Atherosclerosis, 2002, 164, 297-304.  | 0.4 | 28        |
| 179 | Association between increased arterial-wall thickness and impairment in ABCA1-driven cholesterol efflux: an observational study. Lancet, The, 2002, 359, 37-41.  | 6.3 | 186       |
| 180 | Noninvasive surrogate markers of atherosclerosis. American Journal of Cardiology, 2002, 89, 31-43.   | 0.7 | 64        |
| 181 | Assessment of clinically silent atherosclerotic disease and established and novel risk factors for predicting myocardial infarction and cardiac death in healthy middle-aged subjects: Rationale and design of the Heinz Nixdorf RECALL Study. American Heart Journal, 2002, 144, 212-218. | 1.2 | 516       |
| 182 | C-reactive protein and incident coronary heart disease in the Atherosclerosis Risk In Communities<br>(ARIC) study. American Heart Journal, 2002, 144, 233-238.   | 1.2 | 194       |
| 183 | Accuracy of Lipoprotein Lipids and Apoproteins in Predicting Coronary Heart Disease in Diabetic<br>American Indians. Annals of Epidemiology, 2002, 12, 79-85.  | 0.9 | 10        |
| 184 | Greater intima-media thickness in the carotid bulb is associated with reduced baroreflex sensitivity.<br>American Journal of Hypertension, 2002, 15, 486-491.  | 1.0 | 61        |
| 186 | Técnicas de diagnóstico de aterosclerosis preclÃnica y su utilización para mejorar la predicción de<br>riesgo cardiovascular. ClÃnica E Investigación En Arteriosclerosis, 2002, 14, 187-197.  | 0.4 | 4         |
| 187 | Differential hs-CRP reduction in patients with familial hypercholesterolemia treated with aggressive or conventional statin therapy. Atherosclerosis, 2002, 165, 361-366.  | 0.4 | 111       |
| 189 | New Tools for Coronary Risk Assessment. Circulation, 2002, 105, 886-892.   | 1.6 | 184       |
| 190 | Carotid Artery Intima-Media Thickness and Lacunar Versus Nonlacunar Infarcts. Stroke, 2002, 33,<br>689-694.  | 1.0 | 89        |
| 191 | Risk Factors for Coronary Heart Disease in African Americans. Archives of Internal Medicine, 2002, 162, 2565.  | 4.3 | 135       |
| 192 | Genetic Basis of Variation in Carotid Artery Plaque in the San Antonio Family Heart Study. Stroke, 2002, 33, 2775-2780.  | 1.0 | 66        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 193 | Severity of Angina Pectoris and Risk of Ischemic Stroke. Stroke, 2002, 33, 245-250.   | 1.0 | 22        |
| 194 | Atherosclerosis imaging to detect and monitor cardiovascular risk. American Journal of Cardiology, 2002, 90, L8-L11.  | 0.7 | 16        |
| 195 | Intima-media thickness. American Journal of Cardiology, 2002, 90, L18-L21.  | 0.7 | 328       |
| 196 | Arterial wall properties in patients with renal failure. American Journal of Kidney Diseases, 2002, 39, 1206-1212.  | 2.1 | 56        |
| 197 | The Early Effect of Lipid-lowering Treatment on Carotid and Femoral Intima Media Thickness (IMT).<br>European Journal of Vascular and Endovascular Surgery, 2002, 23, 358-364.  | 0.8 | 71        |
| 198 | The epidemiology of atherosclerosis and its risk factors among Native Americans. Current Diabetes<br>Reports, 2002, 2, 274-281.   | 1.7 | 14        |
| 199 | A phosphodiesterase inhibitor, cilostazol, prevents the onset of silent brain infarction in Japanese<br>subjects with Type II diabetes. Diabetologia, 2002, 45, 188-194.  | 2.9 | 76        |
| 200 | The correlation of irregularities in carotid arterial intima-media thickness with coronary artery disease. Heart and Vessels, 2002, 17, 1-6.  | 0.5 | 28        |
| 201 | Insulin, insulin propeptides and intima-media thickness in the carotid artery in 58-year-old clinically<br>healthy men. The Atherosclerosis and Insulin Resistance study (AIR). Diabetic Medicine, 2002, 19, 144-151. | 1.2 | 45        |
| 202 | Impact of Body Mass Index on Changes in Common Carotid Artery Wall Thickness. Obesity, 2002, 10, 1000-1007.   | 4.0 | 10        |
| 203 | Intima media thickness as a surrogate marker for generalised atherosclerosis. Cardiovascular Drugs and Therapy, 2002, 16, 341-351.  | 1.3 | 163       |
| 204 | The Atherosclerosis Risk in Young Adults (ARYA) study: Rationale and design. European Journal of<br>Epidemiology, 2002, 18, 715-728.  | 2.5 | 21        |
| 205 | Relationships of Differential Leukocyte and Lymphocyte Subpopulations with Carotid Atherosclerosis<br>in Elderly Men. Journal of Clinical Immunology, 2003, 23, 469-476.  | 2.0 | 28        |
| 206 | HIV-associated Lipodystrophy Syndrome: Assessment and Management. Journal of Infection, 2003, 46, 87-93.  | 1.7 | 8         |
| 207 | Dyslipidemia in the era of HIV protease inhibitors. Progress in Cardiovascular Diseases, 2003, 45, 293-304.   | 1.6 | 43        |
| 208 | The Osteoporosis Prevention and Arterial effects of tiboLone (OPAL) study: design and baseline characteristics. Contemporary Clinical Trials, 2003, 24, 752-775.  | 2.0 | 34        |
| 209 | Coronary artery angiography in systemic lupus erythematosus patients with abnormal myocardial perfusion scintigraphy. Arthritis and Rheumatism, 2003, 48, 3168-3175.  | 6.7 | 41        |
| 210 | Equivalence of plaque score and intima-media thickness of carotid ultrasonography for predicting severe coronary artery lesion. Ultrasound in Medicine and Biology, 2003, 29, 367-371.                                | 0.7 | 76        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 211 | Impact of carotid atherosclerosis on long-term mortality in chronic hemodialysis patients. Kidney<br>International, 2003, 64, 1472-1479.   | 2.6 | 97        |
| 212 | Aortic pulse wave velocity index and mortality in end-stage renal disease. Kidney International, 2003, 63, 1852-1860.  | 2.6 | 446       |
| 213 | Surrogate measures of atherosclerosis and implications for evaluating cardiovascular risk. Diabetes,<br>Obesity and Metabolism, 2003, 5, 73-80.  | 2.2 | 5         |
| 214 | Relationship of lipoprotein(a) with intimal medial thickness of the carotid artery in Type 2 diabetic patients in south India. Diabetic Medicine, 2003, 20, 455-461.   | 1.2 | 19        |
| 215 | Prevalence of diabetes and/or ischaemic heart disease in classes of increasing carotid artery atherosclerosis: an ultrasonographic study. Diabetic Medicine, 2003, 20, 670-676.  | 1.2 | 11        |
| 216 | Analysis of associations with change in a multivariate outcome variable when baseline is subject to measurement error. Statistics in Medicine, 2003, 22, 1041-1067.  | 0.8 | 14        |
| 217 | Free testosterone plasma levels are negatively associated with the intima-media thickness of the common carotid artery in overweight and obese glucose-tolerant young adult men. International Journal of Obesity, 2003, 27, 803-807.  | 1.6 | 61        |
| 219 | The prevalence and severity of coronaryartery calcification on coronary arterycomputed tomography in black and white subjects. Journal of the American College of Cardiology, 2003, 41, 39-44.   | 1.2 | 153       |
| 220 | Raised serum levels of soluble CD40 ligand in patients with familial hypercholesterolemia:<br>downregulatory effect of statin therapy. Journal of the American College of Cardiology, 2003, 41,<br>275-279.  | 1.2 | 88        |
| 221 | Task force #3—what is the spectrum of current and emerging techniques for the noninvasive<br>measurement of atherosclerosis?. Journal of the American College of Cardiology, 2003, 41, 1886-1898.  | 1.2 | 118       |
| 222 | Task force #4—how do we select patients for atherosclerosis imaging?. Journal of the American<br>College of Cardiology, 2003, 41, 1898-1906.   | 1.2 | 61        |
| 223 | European guidelines on cardiovascular disease prevention in clinical practice: Third Joint Task Force<br>of European and other Societies on Cardiovascular Disease Prevention in Clinical Practice<br>(constituted by representatives of eight societies and by invited experts). European Journal of<br>Cardiovascular Prevention and Rehabilitation. 2003. 10. S1-S78. | 3.1 | 52        |
| 224 | Statin Treatment and Progression of Atherosclerotic Plaque Burden. Drugs, 2003, 63, 893-911.   | 4.9 | 25        |
| 225 | Arterial media calcification in end-stage renal disease: impact on all-cause and cardiovascular mortality. Nephrology Dialysis Transplantation, 2003, 18, 1731-1740.   | 0.4 | 1,554     |
| 226 | Plasma tissue-type plasminogen activator, fibrinogen, and time on dialysis prior to transplantation are related to carotid intima media thickness in renal transplant recipients. Transplantation Proceedings, 2003, 35, 2931-2934.  | 0.3 | 7         |
| 227 | Relationship between carotid atherosclerosis and erythrocyte membrane cholesterol oxidation products in type 2 diabetic patients. Diabetes Research and Clinical Practice, 2003, 61, 81-88.  | 1.1 | 21        |
| 228 | Early vascular damage in primary hypoalphalipoproteinemia. Metabolism: Clinical and Experimental, 2003, 52, 328-332.   | 1.5 | 9         |
| 229 | Coronary artery disease: New insights into the pathophysiology, prevalence and early detection of a monster menace. Seminars in Ultrasound, CT and MRI, 2003, 24, 114-122.   | 0.7 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 230 | Coronary heart disease risk prediction in the Atherosclerosis Risk in Communities (ARIC) study.<br>Journal of Clinical Epidemiology, 2003, 56, 880-890.  | 2.4 | 276       |
| 231 | Carotid ultrasound findings as a predictor of long-term survival after abdominal aortic aneurysm repair: a 14-year prospective study. Journal of Vascular Surgery, 2003, 38, 1220-1225.  | 0.6 | 24        |
| 232 | Early vascular benefits of statin therapy. Current Medical Research and Opinion, 2003, 19, 540-556.  | 0.9 | 159       |
| 233 | Mild Renal Dysfunction and Subclinical Cardiovascular Damage in Primary Hypertension.<br>Hypertension, 2003, 42, 14-18.  | 1.3 | 69        |
| 234 | Prognostic Value of Cardiac Risk Factors and Coronary Artery Calcium Screening for All-Cause<br>Mortality. Radiology, 2003, 228, 826-833.  | 3.6 | 824       |
| 235 | Effect of Family History of Type 2 Diabetes on the Intima-Media Thickness of the Common Carotid<br>Artery in Normal-Weight, Overweight, and Obese Glucose-Tolerant Young Adults. Diabetes Care, 2003,<br>26, 1230-1234.                              | 4.3 | 95        |
| 236 | Radical-Trapping Activity, Blood Pressure, and Carotid Enlargement in Women. Hypertension, 2003, 41, 289-296.  | 1.3 | 9         |
| 237 | Carotid Intima-Media Thickness and Coronary Artery Disease: An Indian Perspective. Asian<br>Cardiovascular and Thoracic Annals, 2003, 11, 217-221.   | 0.2 | 45        |
| 238 | Carotid Artery Intimal-Medial Thickness and Left Ventricular Hypertrophy in Children With Elevated<br>Blood Pressure. Pediatrics, 2003, 111, 61-66.  | 1.0 | 452       |
| 239 | Diabetes and Progression of Carotid Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular<br>Biology, 2003, 23, 1035-1041.   | 1.1 | 141       |
| 240 | Elevated Carotid Artery Intima-Media Thickness Levels in Individuals Who Subsequently Develop Type 2<br>Diabetes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2003, 23, 1845-1850.   | 1.1 | 58        |
| 241 | The Emergence of the Metabolic Syndrome with Menopause. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 2404-2411.   | 1.8 | 1,115     |
| 242 | Approaches to Cardiovascular Disease and Its Treatment. Diabetes Care, 2003, 26, 3342-3348.  | 4.3 | 10        |
| 243 | Childhood Cardiovascular Risk Factors and Carotid Vascular Changes in Adulthood. JAMA - Journal of the American Medical Association, 2003, 290, 2271.  | 3.8 | 878       |
| 244 | The significance of femoral intima-media thickness and plaque scoring in the Atorvastatin versus<br>Simvastatin on Atherosclerosis Progression (ASAP) study. European Journal of Cardiovascular<br>Prevention and Rehabilitation, 2003, 10, 451-455. | 3.1 | 21        |
| 245 | Insulin Sensitivity, Insulin Secretion, and Glucose ToleranceVersusIntima-Media Thickness in<br>Nondiabetic Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 2003, 88,<br>4791-4797.  | 1.8 | 17        |
| 246 | Carotid Intima-Media Thickness Measurements in Intervention Studies. Stroke, 2003, 34, 2985-2994.  | 1.0 | 318       |
| 247 | Promoter Polymorphism in the Endotoxin Receptor (CD14) Is Associated With Increased Carotid<br>Atherosclerosis Only in Smokers. Stroke, 2003, 34, 600-604.   | 1.0 | 50        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 248 | Cardiovascular Risk Factors in Childhood and Carotid Artery Intima-Media Thickness in Adulthood.<br>JAMA - Journal of the American Medical Association, 2003, 290, 2277.   | 3.8  | 1,483     |
| 249 | Lifetime History of Depression and Carotid Atherosclerosis in Middle-aged Women. Archives of<br>General Psychiatry, 2003, 60, 153.   | 13.8 | 112       |
| 250 | Marital Status, Marital Quality, and Atherosclerotic Burden in Postmenopausal Women.<br>Psychosomatic Medicine, 2003, 65, 952-962.   | 1.3  | 95        |
| 251 | Title is missing!. Epidemiology, 2003, 14, 321-327.  | 1.2  | 14        |
| 252 | Risk of Atherosclerosis: Interaction of Smoking and Glutathione S-Transferase Genes. Epidemiology, 2003, 14, 321-327.  | 1.2  | 48        |
| 253 | Risk of Fatal Stroke in Patients With Treated Familial Hypercholesterolemia. Stroke, 2003, 34, 22-25.  | 1.0  | 46        |
| 254 | Occupation and subclinical carotid artery disease in women: Are clerical workers at greater risk?.<br>Health Psychology, 2003, 22, 19-29.  | 1.3  | 13        |
| 255 | Circulating adhesion molecules are correlated with ultrasonic assessment of carotid plaques.<br>Clinical Science, 2003, 104, 521-527.  | 1.8  | 9         |
| 256 | Chronic stress burden, discrimination, and subclinical carotid artery disease in African American and<br>Caucasian women Health Psychology, 2003, 22, 300-309.   | 1.3  | 264       |
| 257 | Noninvasive Ultrasound Techniques for the Assessment of Atherosclerosis in Coronary Artery Disease. Circulation Journal, 2003, 67, 177-186.  | 0.7  | 10        |
| 258 | Correlation between Intima-Media Thickness in Carotid Artery and the Extent of Coronary<br>Atherosclerosis. Sunhwan'gi, 2003, 33, 401.   | 0.3  | 13        |
| 259 | Carotid Intima-Media Thickness Is Correlated with Impairment of Coronary Flow Reserve in<br>Hypertensive Patients without Coronary Artery Disease. Hypertension Research, 2003, 26, 945-951.   | 1.5  | 36        |
| 260 | Investigation and Treatment of Subclinical Coronary Atherosclerosis. Cardiology, 2003, 3, 97-106.  | 0.3  | 0         |
| 263 | The Metabolic Syndrome is associated with advanced vascular damage in patients with coronary heart<br>disease, stroke, peripheral arterial disease or abdominal aortic aneurysm. European Heart Journal,<br>2004, 25, 342-348.       | 1.0  | 231       |
| 264 | Risk factors for coronary calcification in older subjects The Rotterdam Coronary Calcification<br>Study. European Heart Journal, 2004, 25, 48-55.  | 1.0  | 75        |
| 265 | Carotid Intima Media Thickness and Beyond. Current Drug Targets Cardiovascular & Haematological<br>Disorders, 2004, 4, 129-145.  | 2.0  | 18        |
| 267 | What Vascular Ultrasound Testing Has Revealed about Pediatric Atherogenesis, and a Potential<br>Clinical Role for Ultrasound in Pediatric Risk Assessment. Journal of Clinical Endocrinology and<br>Metabolism, 2004, 89, 3089-3095. | 1.8  | 68        |
| 268 | Evidence for an Association between Metabolic Cardiovascular Syndrome and Coronary and Aortic Calcification among Women with Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 5454-5461.       | 1.8  | 249       |

|     |  | 15  | <b>C</b>  |
|-----|--|-----|-----------|
| #   | ARTICLE  | IF  | CITATIONS |
| 269 | Using MRI to Assess Aortic Wall Thickness in the Multiethnic Study of Atherosclerosis: Distribution by Race, Sex, and Age. American Journal of Roentgenology, 2004, 182, 593-597.  | 1.0 | 115       |
| 270 | Predictive Value of Noninvasive Measures of Atherosclerosis for Incident Myocardial Infarction.<br>Circulation, 2004, 109, 1089-1094.  | 1.6 | 562       |
| 271 | Thyroid Function and Carotid Wall Thickness. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 2145-2149.  | 1.8 | 136       |
| 272 | The Continuum of Risk. Circulation, 2004, 110, 2774-2777.  | 1.6 | 13        |
| 273 | Lipid Profiles in HIVâ€Infected Patients Receiving Combination Antiretroviral Therapy: Are Different<br>Antiretroviral Drugs Associated with Different Lipid Profiles?. Journal of Infectious Diseases, 2004,<br>189, 1056-1074.   | 1.9 | 318       |
| 274 | Prediction of Ischemic Stroke Risk in the Atherosclerosis Risk in Communities Study. American Journal of Epidemiology, 2004, 160, 259-269.   | 1.6 | 145       |
| 275 | Carotid Artery Plaque Burden, Stiffness, and Mortality Risk in Elderly Men. Circulation, 2004, 110, 344-348.   | 1.6 | 201       |
| 276 | The Relationship between C-Reactive Protein and Carotid Intima-Media Wall Thickness in Middle-Aged<br>Women with Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2004, 89,<br>6061-6067.  | 1.8 | 95        |
| 277 | Two-Year Statin Therapy Does Not Alter the Progression of Intima-Media Thickness in Patients With<br>Type 2 Diabetes Without Manifest Cardiovascular Disease. Diabetes Care, 2004, 27, 2887-2892.  | 4.3 | 94        |
| 278 | Efficacy and Safety of Statin Therapy in Children With Familial Hypercholesterolemia. JAMA - Journal of the American Medical Association, 2004, 292, 331.  | 3.8 | 534       |
| 279 | Surrogate Markers for Cardiovascular Disease: Structural Markers. Circulation, 2004, 109, IV-22-IV-30.   | 1.6 | 175       |
| 280 | Deleterious Impact of "High Normal―Glucose Levels and Other Metabolic Syndrome Components on<br>Arterial Endothelial Function and Intima-Media Thickness in Apparently Healthy Chinese Subjects: The<br>CATHAY Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 739-743. | 1.1 | 103       |
| 281 | Observational Study on the Efficacy of Tibolone in Counteracting Early Carotid Atherosclerotic Lesions in Postmenopausal Women. Hormone Research in Paediatrics, 2004, 61, 47-52.  | 0.8 | 4         |
| 282 | Progression of Atherosclerosis as Assessed by Carotid Intima-Media Thickness in Patients With HIV<br>Infection. Circulation, 2004, 109, 1603-1608.   | 1.6 | 552       |
| 283 | Familial Hypercholesterolemia, Peripheral Arterial Disease, and Stroke: A HuGE Minireview. American<br>Journal of Epidemiology, 2004, 160, 430-435.  | 1.6 | 63        |
| 284 | ldentifying patients at risk: novel diagnostic techniques. European Heart Journal Supplements, 2004, 6, C15-C20.   | 0.0 | 5         |
| 285 | Mathematical estimation of the potential effect of vascular remodelling/dilatation on B-mode<br>ultrasound intima-medial thickness. QJM - Monthly Journal of the Association of Physicians, 2004, 97,<br>729-737.  | 0.2 | 11        |
| 286 | Intima-media thickness: indicator of cardiovascular risk and measure of the extent of atherosclerosis.<br>Vascular Medicine, 2004, 9, 46-54.   | 0.8 | 122       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 287 | Carotid Atherosclerosis is Correlated with Extent and Severity of Coronary Artery Disease Evaluated by Myocardial Perfusion Scintigraphy. Angiology, 2004, 55, 281-288.   | 0.8 | 37        |
| 288 | Intima-Media Thickness and Arterial Distensibility in Behçet's Disease. Angiology, 2004, 55, 413-419.   | 0.8 | 46        |
| 289 | Is Carotid Ultrasound a Useful Tool in Assessing Cardiovascular Disease in Individuals with Diabetes?.<br>Diabetes Technology and Therapeutics, 2004, 6, 65-69.   | 2.4 | 17        |
| 290 | The Women's Health Initiative: A Potential Resource for Future Studies of Autoimmune Diseases.<br>Autoimmunity, 2004, 37, 265-268.  | 1.2 | 0         |
| 291 | C-Reactive Protein as a Screening Test for Cardiovascular Risk in a Multiethnic Population.<br>Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 1509-1515.   | 1.1 | 179       |
| 292 | Lack of concordance between plasma markers of cardiovascular risk and intima-media thickness in patients with type 2 diabetes. Diabetes, Obesity and Metabolism, 2004, 6, 69-77.  | 2.2 | 22        |
| 293 | Carotid haemodynamic parameters as risk factors for cerebral infarction in Type 2 diabetic patients.<br>Diabetic Medicine, 2004, 21, 223-229.   | 1.2 | 31        |
| 294 | Rationale, design and methods of the CASHMERE study+. Fundamental and Clinical Pharmacology, 2004, 18, 131-138.   | 1.0 | 19        |
| 295 | Renal artery calcified plaque associations with subclinical renal and cardiovascular disease. Kidney<br>International, 2004, 65, 2262-2267.   | 2.6 | 23        |
| 296 | The relation of obesity throughout life to carotid intima-media thickness in adulthood: the Bogalusa<br>Heart Study. International Journal of Obesity, 2004, 28, 159-166.   | 1.6 | 190       |
| 297 | The association of personal and neighborhood socioeconomic indicators with subclinical cardiovascular disease in an elderly cohort. The cardiovascular health study. Social Science and Medicine, 2004, 59, 2139-2147.  | 1.8 | 114       |
| 298 | Genetic risk factors for stroke and carotid atherosclerosis: insights into pathophysiology from candidate gene approaches. Lancet Neurology, The, 2004, 3, 227-236.   | 4.9 | 193       |
| 299 | Clinical findings in patients with cardiac troponin T elevation and end-stage renal disease without acute coronary syndrome. American Journal of Cardiology, 2004, 94, 831-834.   | 0.7 | 14        |
| 300 | Prevalence of coronary heart disease and carotid arterial thickening in patients with the metabolic syndrome (The ARIC Study). American Journal of Cardiology, 2004, 94, 1249-1254.                                     | 0.7 | 156       |
| 302 | Detection of subclinical atherosclerosis: implications for evaluating cardiovascular risk. ACC<br>Current Journal Review, 2004, 13, 30-35.  | 0.1 | 3         |
| 303 | Measuring Effects on Intima Media Thickness: An Evaluation of Rosuvastatin in Subclinical<br>Atherosclerosis—The Rationale and Methodology of the METEOR Study. Cardiovascular Drugs and<br>Therapy, 2004, 18, 231-238. | 1.3 | 66        |
| 304 | Vascular age: Integrating carotid intima-media thickness measurements with global coronary risk assessment. Clinical Cardiology, 2004, 27, 388-392.   | 0.7 | 133       |
| 305 | Common carotid intima-media thickness in peripheral arterial disease. International Journal of Angiology, 2004, 13, 27-30.  | 0.2 | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 306 | Effect of age on carotid arterial intima-media thickness in childhood. Heart and Vessels, 2004, 19, 189-95.   | 0.5 | 53        |
| 307 | Cardiovascular risk assessment in individual patients from carotid intimal-medial thickness measurements. Current Atherosclerosis Reports, 2004, 6, 225-231.  | 2.0 | 23        |
| 308 | Noninvasive atherosclerosis imaging for predicting cardiovascular events and assessing therapeutic interventions. Current Atherosclerosis Reports, 2004, 6, 20-26.  | 2.0 | 29        |
| 309 | Association of the Lewis genotype with cardiovascular risk factors and subclinical carotid<br>atherosclerosis: the Atherosclerosis Risk in Communities (ARIC) study. Journal of Internal Medicine,<br>2004, 255, 40-51.               | 2.7 | 20        |
| 310 | Relationship between vertebral bone marrow blood perfusion and common carotid intima-media thickness in aging adults. Journal of Magnetic Resonance Imaging, 2004, 20, 811-816.   | 1.9 | 15        |
| 311 | Job-Related Anxiety and Carotid Atherosclerosis. High Blood Pressure and Cardiovascular Prevention, 2004, 11, 99-105.   | 1.0 | 0         |
| 312 | Coronary atherosclerosis in diabetic subjects: clinical significance, anatomic characteristics, and identification with in vivo imaging. Cardiology Clinics, 2004, 22, 527-540.   | 0.9 | 7         |
| 313 | Measurement of Arterial Wall Thickness as a Surrogate Marker for Atherosclerosis. Circulation, 2004, 109, III-33-III-38.  | 1.6 | 399       |
| 314 | American Society of Echocardiography recommendations for use of echocardiography in clinical trials. Journal of the American Society of Echocardiography, 2004, 17, 1086-1119.  | 1.2 | 533       |
| 315 | The metabolic syndrome is associated with advanced vascular damage in patients with coronary heart<br>disease, stroke, peripheral arterial disease or abdominal aortic aneurysm. Journal of Vascular<br>Surgery, 2004, 40, 1060-1061. | 0.6 | 1         |
| 316 | Carotid intima-media thickness and vascular age: you are only as old as your arteries look. Journal of<br>the American Society of Echocardiography, 2004, 17, 686-689.  | 1.2 | 44        |
| 317 | Investigating cardiovascular risk reduction – the Rosuvastatin GALAXY Programme™. Expert Opinion on Pharmacotherapy, 2004, 5, 1187-1200.  | 0.9 | 34        |
| 318 | Using imaging for cardiovascular risk prediction: an overview. Journal of the American Society of<br>Echocardiography, 2004, 17, 682-685.   | 1.2 | 4         |
| 319 | Coronary artery disease: new insights into the pathophysiology, prevalence, and early detection of a monster menace. Seminars in Ultrasound, CT and MRI, 2004, 25, 113-121.   | 0.7 | 8         |
| 320 | Carotid artery disease and risk of ischaemic stroke and coronary events. International Congress<br>Series, 2004, 1262, 474-477.   | 0.2 | 0         |
| 321 | Apolipoprotein E polymorphism and carotid atherosclerosis in patients with coronary disease.<br>International Journal of Cardiology, 2004, 94, 209-212.   | 0.8 | 17        |
| 322 | Atherosclerotic disease regression with statins: studies using vascular markers. International<br>Journal of Cardiology, 2004, 96, 447-459.   | 0.8 | 33        |
| 323 | Ultrasound diagnosis of carotid artery lesions in a population of asymptomatic subjects presenting atherosclerosis risk factors. Journal of Stroke and Cerebrovascular Diseases, 2004, 13, 95-98.                                     | 0.7 | 7         |

ARTICLE IF CITATIONS Correlation between some metabolic markers of vascular risk and carotid artery intima-media 324 1.0 0 thickness in postmenopausal women. Maturitas, 2004, 49, 134-139. Comparison of arterial assessments in low and high vascular disease risk groups. American Journal of 1.0 Hypertension, 2004, 17, 285-291. Atherosclerosis measured by B-Mode ultrasonography: effect of statin therapy on disease 326 0.6 54 progression. American Journal of Medicine, 2004, 116, 31-36. Birth weight and carotid intima-media thickness: new perspectives from the atherosclerosis risk in 0.9 young adults (ARYA) study. Annals of Epidemiology, 2004, 14, 8-16. The influence of lifestyle modification on carotid artery intima-media thickness in a suburban Japanese 328 0.4 29 population. Atherosclerosis, 2004, 173, 327-335. Associations of plasma homocysteine and the methylenetetrahydrofolate reductase C677T polymorphism with carotid intíma media thickness among South Asian, Chinese and European 0.4 56 Canadians. Atherosclerosis, 2004, 176, 361-370. Carotid intima-media thickness, cardiovascular risk factors and albuminuria in a remote Australian 330 0.4 37 Aboriginal community. Atherosclerosis, 2004, 177, 423-431. Effects of statin therapy on the progression of carotid atherosclerosis: a systematic review and 331 0.4 124 meta-analysis. Atherosclerosis, 2004, 177, 433-442. Elevated subclinical atherosclerosis associated with oophorectomy is related to time since 332 0.5 86 menopause rather than type of menopause. Fertility and Sterility, 2004, 82, 391-397. The Relation Between Birth Weight and Intima-Media Thickness in Middle-Aged Adults. Epidemiology, 1.2 34 2004, 15, 557-564. Distribution and Cross-Sectional Age-Related Increases of Carotid Artery Intima-Media Thickness in 334 1.0 71 Young Adults. Stroke, 2004, 35, 2782-2787. Anger-Related Personality Traits and Carotid Artery Atherosclerosis in Untreated Hypertensive Men. 1.3 Psychosomatic Medicine, 2004, 66, 633-639. Trait Anger and the Metabolic Syndrome Predict Progression of Carotid Atherosclerosis in Healthy 336 1.3 56 Middle-Aged Women. Psychosomatic Medicine, 2004, 66, 903-908. Association of cardiovascular risk factors with intima-media thickness of the carotid arteries in 0.8 early postmenopausal women. Menopause, 2004, 11, 323-330. C-reactive protein, cardiovascular risk, and renal disease in a remote Australian Aboriginal 338 1.8 46 community. Clinical Science, 2004, 106, 121-128. American Society of Echocardiography recommendations for use of echocardiography in clinical trialsA report from the american society of echocardiography's guidelines and standards committee 1.2 and the task force on echocardiography in clinical trials. Journal of the American Society of Echocardiography, 2004, 17, 1086-1119. 340 Bidirectional Impact of Oral Health and General Health., 2005, , 63-85. 2 341 White-coat hypertension in adults. Blood Pressure Monitoring, 2005, 10, 301-305.

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 342 | May subclinical arterial disease help to better detect and treat high-risk asymptomatic individuals?.<br>Journal of Hypertension, 2005, 23, 1939-1945.   | 0.3 | 38        |
| 343 | Effects of the Long-Term Administration of Nicorandil on Vascular Endothelial Function and the<br>Progression of Arteriosclerosis. Journal of Cardiovascular Pharmacology, 2005, 46, 63-67.          | 0.8 | 61        |
| 344 | Postmenopausal oral estrogen therapy and blood pressure in normotensive and hypertensive subjects:<br>the Estrogen in the Prevention of Atherosclerosis Trial. Menopause, 2005, 12, 728-733.         | 0.8 | 35        |
| 345 | Surrogate markers for atherosclerotic disease. Current Opinion in Lipidology, 2005, 16, 434-441.   | 1.2 | 47        |
| 346 | Psychological Perspectives on the Development of Coronary Heart Disease American Psychologist, 2005, 60, 783-796.  | 3.8 | 63        |
| 347 | Atherosclerotic Plaque Imaging. Archives of Internal Medicine, 2005, 165, 2345.  | 4.3 | 30        |
| 348 | Decreased carotid intima???media thickness in patients with coronary artery ectasia compared with patients with coronary artery disease. Coronary Artery Disease, 2005, 16, 495-498.                 | 0.3 | 20        |
| 349 | New carotid plaque formation is very common in adult patients with Type 2 diabetes mellitus. Diabetic<br>Medicine, 2005, 22, 355-356.  | 1.2 | 4         |
| 350 | Urinary albumin levels in the normal range determine arterial wall thickness in adults with Type 2<br>diabetes: a FIELD substudy. Diabetic Medicine, 2005, 22, 1558-1565.                            | 1.2 | 26        |
| 351 | Renal transplant recipients with coronary artery disease exhibit impairment in fibrinolysis and structural changes in carotid arteries. Transplant International, 2005, 18, 256-259.                 | 0.8 | 11        |
| 352 | Homocysteine, renal disease and cardiovascular disease in a remote Australian Aboriginal community.<br>Internal Medicine Journal, 2005, 35, 289-294.   | 0.5 | 9         |
| 353 | Metabolic syndrome is associated with early signs of organ damage in nondiabetic, hypertensive patients. Journal of Internal Medicine, 2005, 257, 454-460.   | 2.7 | 117       |
| 354 | Incident coronary events and case fatality in relation to common carotid intima-media thickness.<br>Journal of Internal Medicine, 2005, 257, 430-437.  | 2.7 | 232       |
| 355 | Biological foundation for periodontitis as a potential risk factor for atherosclerosis. Journal of<br>Periodontal Research, 2005, 40, 87-95.   | 1.4 | 80        |
| 356 | The Effect of Pravastatin on Intima Media Thickness of the Carotid Artery in Patients with Normal<br>Cholesterol. European Journal of Vascular and Endovascular Surgery, 2005, 30, 464-468.          | 0.8 | 22        |
| 357 | Depressive symptoms are independently predictive of carotid atherosclerosis. American Journal of Cardiology, 2005, 95, 547-550.  | 0.7 | 53        |
| 358 | Non-invasive cardiovascular risk assessment in women with type 2 diabetes. Journal of Vascular<br>Nursing, 2005, 23, 2-7.  | 0.2 | 1         |
| 359 | Chronic compensatory increase in ulnar flow and accelerated atherosclerosis after radial artery removal for coronary artery bypass. Journal of Thoracic and Cardiovascular Surgery, 2005, 130, 9-12. | 0.4 | 37        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 360 | The impact of ethnicity and sex on subclinical cardiovascular disease: the Diabetes Heart Study.<br>Diabetologia, 2005, 48, 2511-2518.   | 2.9 | 74        |
| 361 | Increased augmentation of central blood pressure is associated with increases in carotid<br>intima–media thickness in type 2 diabetic patients. Diabetologia, 2005, 48, 1654-1662.                                     | 2.9 | 44        |
| 363 | Cardiovascular disease in women: Sex differences in presentation, risk factors, and evaluation.<br>Current Cardiology Reports, 2005, 7, 166-172.   | 1.3 | 40        |
| 364 | Intima–media Thickness Score from Carotid and Femoral Arteries Predicts the Extent of Coronary<br>Artery Disease. International Journal of Cardiovascular Imaging, 2005, 21, 495-501.                                  | 0.7 | 53        |
| 365 | Ultra-sonography of Peripheral Arteries Predicts Coronary Atherosclerosis and Adverse Coronary<br>Events. International Journal of Cardiovascular Imaging, 2005, 21, 503-504.  | 0.7 | 1         |
| 366 | Carotid intimal-media thickness as a surrogate for cardiovascular disease events in trials of HMG-CoA reductase inhibitors. Current Controlled Trials in Cardiovascular Medicine, 2005, 6, 3.                          | 1.5 | 198       |
| 367 | Examining the Brachial Artery Reactivity Curve Measured by B-Mode Ultrasound in the Buffalo<br>Cardio-Metabolic Occupational Police Stress (BCOPS) Pilot Study. Journal for Vascular Ultrasound,<br>2005, 29, 199-206. | 0.2 | 3         |
| 368 | Analysis of Korean Carotid Intima-Media Thickness in Korean Healthy Subjects and Patients with Risk<br>Factors: Korea Multi-Center Epidemiological Study. Korean Circulation Journal, 2005, 35, 513.                   | 0.7 | 26        |
| 369 | Clinical Significance of B-Mode Ultrasound of Common Carotid Artery for Prediction of Severity of<br>Coronary Artery Disease: Important Parameters on Hand Measurement. Korean Circulation Journal,<br>2005, 35, 467.  | 0.7 | 7         |
| 370 | Impact of Left Ventricular Ejection Fraction on Endothelial Function and Carotid Intima-Media<br>Thickness in Patients with Coronary Artery Disease. Korean Circulation Journal, 2005, 35, 375.                        | 0.7 | 3         |
| 371 | POLYMORPHISMS OF APOLIPOPROTEIN E AND ANGIOTENSIN-CONVERTING ENZYME GENES AND CAROTID ATHEROSCLEROSIS IN HEAVY DRINKERS. Alcohol and Alcoholism, 2005, 40, 274-282.  | 0.9 | 11        |
| 373 | Low-Density Lipoprotein Receptor Genotype and Response to Pravastatin in Children With Familial<br>Hypercholesterolemia. Circulation, 2005, 112, 3168-3173.  | 1.6 | 74        |
| 374 | Association of genes of lipid metabolism with measures of subclinical cardiovascular disease in the<br>Diabetes Heart Study. Journal of Medical Genetics, 2005, 42, 720-724.   | 1.5 | 19        |
| 375 | The assessment of the aging artery. Reviews in Clinical Gerontology, 2005, 15, 71-82.  | 0.5 | 1         |
| 376 | Glycemic Control, Atherosclerosis, and Risk Factors for Cardiovascular Disease in Individuals With<br>Diabetes: The Atherosclerosis Risk in Communities study. Diabetes Care, 2005, 28, 1965-1973.                     | 4.3 | 123       |
| 378 | lschemia Imaging and Plaque Imaging in Diabetes: Complementary tools to improve cardiovascular risk<br>management. Diabetes Care, 2005, 28, 2787-2794.   | 4.3 | 29        |
| 379 | Incremental Predictive Value of Carotid Ultrasonography in the Assessment of Coronary Risk in a Cohort of Asymptomatic Type 2 Diabetic Subjects. Diabetes Care, 2005, 28, 1158-1162.                                   | 4.3 | 117       |
| 380 | Peripheral vascular ARFI imaging: phantom and clinical results. , 0, , .   |     | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 381 | Clinical Research in Primary Stroke Prevention: Needs, Opportunities, and Challenges.<br>Neuroepidemiology, 2005, 25, 91-104.  | 1.1 | 15        |
| 382 | Associations of Serum IL-18 Levels With Carotid Intima-Media Thickness. Arteriosclerosis, Thrombosis, and Vascular Biology, 2005, 25, 1458-1462.   | 1.1 | 117       |
| 383 | Association Between Alcohol Consumption and Subclinical Carotid Atherosclerosis. Stroke, 2005, 36, 1746-1752.  | 1.0 | 56        |
| 384 | Carotid Intima-Media Thickness, Plaques, and Framingham Risk Score as Independent Determinants of<br>Stroke Risk. Stroke, 2005, 36, 1741-1745.   | 1.0 | 172       |
| 385 | Disparate Associations of a Functional Promoter Polymorphism in PCK1 With Carotid Wall<br>Ultrasound Traits. Stroke, 2005, 36, 2566-2570.  | 1.0 | 24        |
| 386 | Platelets and new antiplatelet drugs. Therapy: Open Access in Clinical Medicine, 2005, 2, 465-502.   | 0.2 | 8         |
| 387 | Common carotid intima-media thickness is predictive of all-cause and cardiovascular mortality in elderly community-dwelling people: Longitudinal Investigation for the Longevity and Aging in Hokkaido County (LILAC) study. Biomedicine and Pharmacotherapy, 2005, 59, S49-S53. | 2.5 | 45        |
| 389 | Differences between carotid wall morphological phenotypes measured by ultrasound in one, two and three dimensions. Atherosclerosis, 2005, 178, 319-325.  | 0.4 | 91        |
| 390 | Incidence of stroke is related to carotid IMT even in the absence of plaque. Atherosclerosis, 2005, 179, 325-331.  | 0.4 | 184       |
| 391 | Apolipoprotein A-I/C-III/A-IV SstI and apolipoprotein B XbaI polymorphisms and their association with carotid artery intima-media thickness in the Finnish population. Atherosclerosis, 2005, 180, 79-86.  | 0.4 | 17        |
| 392 | Angiopoietin-1 and angiopoietin-2 in diabetes mellitus: relationship to VEGF, glycaemic control, endothelial damage/dysfunction and atherosclerosis. Atherosclerosis, 2005, 180, 113-118.  | 0.4 | 123       |
| 393 | Tracking atherosclerosis regression: a clinical tool in preventive cardiology. Atherosclerosis, 2005, 180, 1-10.   | 0.4 | 41        |
| 394 | High cumulative insulin exposure: a risk factor of atherosclerosis in type 1 diabetes?. Atherosclerosis, 2005, 181, 185-192.   | 0.4 | 35        |
| 395 | Associations between IgG antibody to oral organisms and carotid intima–medial thickness in community-dwelling adults. Atherosclerosis, 2005, 183, 342-348.   | 0.4 | 110       |
| 396 | A semiautomated ultrasound border detection program that facilitates clinical measurement of<br>ultrasound carotid intima-media thickness. Journal of the American Society of Echocardiography,<br>2005, 18, 244-251.  | 1.2 | 99        |
| 397 | Role of Noninvasive Testing in the Clinical Evaluation of Women With Suspected Coronary Artery Disease. Circulation, 2005, 111, 682-696.   | 1.6 | 425       |
| 398 | Low-density lipoprotein size and subclasses are markers of clinically apparent and non-apparent atherosclerosis in type 2 diabetes. Metabolism: Clinical and Experimental, 2005, 54, 227-234.  | 1.5 | 79        |
| 399 | Efficacy and safety of statin therapy in children with familial hypercholesterolemia: A randomized controlled trial. Journal of Pediatrics, 2005, 146, 144-145.  | 0.9 | 2         |

|          | CITATION  | Report    |                |
|----------|---|-----------|----------------|
| #<br>400 | ARTICLE<br>Early Carotid Atherosclerosis in Women: Results of an Ultrasonographic Study Measuring Carotid<br>Artery Intima-Media Thickness. Journal of Stroke and Cerebrovascular Diseases, 2005, 14, 162-166.  | IF<br>0.7 | Citations<br>8 |
| 401      | Distinguishing between ischemic and non-ischemic dilated cardiomyopathy based on non-invasive ultrasonic evaluation of peripheral arteries. European Journal of Internal Medicine, 2005, 16, 41-46.   | 1.0       | 0              |
| 402      | Risk factors for cardiovascular event recurrence in the Atherosclerosis Risk in Communities (ARIC)<br>study. American Heart Journal, 2005, 149, 606-612.  | 1.2       | 118            |
| 403      | Skin cholesterol content identifies increased carotid intima–media thickness in asymptomatic adults.<br>American Heart Journal, 2005, 150, 1135-1139.   | 1.2       | 12             |
| 404      | Ultrasound-detected carotid plaque as a screening tool for advanced subclinical atherosclerosis.<br>American Heart Journal, 2005, 150, 1081-1085.   | 1.2       | 60             |
| 405      | Cardiovascular Health Among American Indians and Alaska Natives. American Journal of Preventive Medicine, 2005, 29, 11-17.  | 1.6       | 60             |
| 406      | Noninvasive Methods to Assess Vascular Function and Pathophysiology. , 2005, , 431-449.   |           | 0              |
| 407      | The apolipoprotein CI content of triglyceride-rich lipoproteins independently predicts early<br>atherosclerosis in healthy middle-aged men. Journal of the American College of Cardiology, 2005, 45,<br>1013-1017.  | 1.2       | 41             |
| 408      | Relationship Between Carotid Artery Intima-Media Thickness and Brachial Artery Flow-Mediated<br>Dilation in Middle-Aged Healthy Men. Journal of the American College of Cardiology, 2005, 45,<br>1980-1986.   | 1.2       | 141            |
| 409      | Improved Visualization of Aortic Intima-media Thickening with the Use of Perflutren Lipid<br>Microspheres. Journal of the American Society of Echocardiography, 2005, 18, 1329-1334.  | 1.2       | 2              |
| 411      | Charles G. Gross: Award for Distinguished Scientific Contributions American Psychologist, 2005, 60, 753-755.  | 3.8       | 0              |
| 412      | Biomarkers of Cardiovascular Disease. Circulation, 2006, 113, 2335-2362.  | 1.6       | 1,030          |
| 413      | Clinical Application of Noninvasive Vascular Ultrasound in Cardiovascular Risk Stratification: A<br>Report from the American Society of Echocardiography and the Society of Vascular Medicine and<br>Biology. Journal of the American Society of Echocardiography, 2006, 19, 943-954.                   | 1.2       | 173            |
| 414      | Use of Hand-held Ultrasound by a Nonsonographer Clinician to Measure Carotid Intima-Media<br>Thickness. Journal of the American Society of Echocardiography, 2006, 19, 1286-1292.   | 1.2       | 9              |
| 415      | Effect of diet or very long chain Â-3 fatty acids on progression of atherosclerosis, evaluated by carotid plaques, intima-media thickness and by pulse wave propagation in elderly men with hypercholesterolaemia. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 325-333. | 3.1       | 47             |
| 416      | Improving macrovascular outcomes in type 2 diabetes: outcome studies in cardiovascular risk and metabolic control. Current Medical Research and Opinion, 2006, 22, S15-S26.   | 0.9       | 9              |
| 417      | Effects of tibolone on blood flow resistance and intima-media thickness of the carotid arteries:<br>effect of time since menopause. Climacteric, 2006, 9, 59-65.  | 1.1       | 8              |
| 418      | The effect of medroxyprogesterone acetate on estrogen-dependent risks and benefits – an attempt to interpret the Women's Health Initiative results. Gynecological Endocrinology, 2006, 22, 303-317.   | 0.7       | 25             |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 419 | Twenty-four-hour ambulatory blood pressure and duration of hypertension as major determinants for intima-media thickness and atherosclerosis of carotid arteries. Atherosclerosis, 2006, 184, 151-156.  | 0.4 | 51        |
| 420 | Correlation between coronary artery disease and aortic arch plaque thickness measured by non-invasive B-mode ultrasonography. Atherosclerosis, 2006, 185, 159-164.  | 0.4 | 20        |
| 421 | Metabolic syndrome is associated with markers of subclinical atherosclerosis in a French population-based sample. Atherosclerosis, 2006, 186, 345-353.  | 0.4 | 84        |
| 422 | The role of preclinical atherosclerosis in the explanation of educational differences in incidence of coronary events. Atherosclerosis, 2006, 187, 251-256.   | 0.4 | 7         |
| 423 | Age and sex modulate metabolic and cardiovascular risk markers of patients after 1 year of highly active antiretroviral therapy (HAART). Atherosclerosis, 2006, 187, 177-185.   | 0.4 | 15        |
| 424 | Prediction of major adverse cardiovascular events by age-normalized carotid intimal medial thickness.<br>Atherosclerosis, 2006, 187, 186-190.   | 0.4 | 62        |
| 425 | Serum uric acid and risk of ischemic stroke: The ARIC Study. Atherosclerosis, 2006, 187, 401-407.   | 0.4 | 137       |
| 426 | Polymorphism of the angiotensin-converting enzyme (ACE) and angiotesinogen (ACT) genes and their associations with blood pressure and carotid artery intima media thickness among healthy Finnish young adults—the Cardiovascular Risk in Young Finns Study. Atherosclerosis, 2006, 188, 316-322. | 0.4 | 22        |
| 427 | Interleukin-18 levels are not associated with subclinical carotid atherosclerosis in a community population. Atherosclerosis, 2006, 189, 414-419.   | 0.4 | 30        |
| 428 | Correlation of Achilles tendon thickness evaluated by ultrasonography with carotid intima-media thickness in patients with familial hypercholesterolemia. Atherosclerosis, 2006, 186, 228-229.  | 0.4 | 20        |
| 429 | Meeting AHA/ACC secondary prevention goals in a vascular surgery practice: An opportunity we cannot afford to miss. Journal of Vascular Surgery, 2006, 43, 781-787.   | 0.6 | 23        |
| 430 | Use of Carotid Intima-Media Thickness and Vascular Age to Modify Cardiovascular Risk Prediction.<br>Journal of the American Society of Echocardiography, 2006, 19, 1170-1174.   | 1.2 | 69        |
| 431 | Validation of a Carotid Intima-Media Thickness Border Detection Program for Use in an Office Setting.<br>Journal of the American Society of Echocardiography, 2006, 19, 223-228.  | 1.2 | 55        |
| 432 | Subclinical Atherosclerosis and Incipient Regional Myocardial Dysfunction in Asymptomatic<br>Individuals. Journal of the American College of Cardiology, 2006, 47, 2420-2428.   | 1.2 | 93        |
| 433 | Cardiovascular Risk Among Adults With Chronic Kidney Disease, With or Without Prior Myocardial<br>Infarction. Journal of the American College of Cardiology, 2006, 48, 1183-1189.   | 1.2 | 54        |
| 434 | An evaluation of the International Diabetes Federation definition of metabolic syndrome in Chinese patients older than 30 years and diagnosed with type 2 diabetes mellitus. Metabolism: Clinical and Experimental, 2006, 55, 1088-1096.  | 1.5 | 50        |
| 435 | Aortic Stiffness, Flow-Mediated Dilatation and Carotid Intima-Media Thickness in Obstructive Sleep<br>Apnea. Respiration, 2006, 73, 741-750.  | 1.2 | 72        |
| 436 | Examination of lower targets for low-density lipoprotein cholesterol and blood pressure in<br>diabetes—the Stop Atherosclerosis in Native Diabetics Study (SANDS). American Heart Journal, 2006,<br>152, 867-875  | 1.2 | 26        |

|     |  | CITATION RE         | PORT |           |
|-----|--|---------------------|------|-----------|
| #   | Article  |                     | IF   | CITATIONS |
| 437 | Prediction of Mortality Risk in the Elderly. American Journal of Medicine, 2006, 119, 519  | ∂-525.              | 0.6  | 122       |
| 438 | The Buffalo Cardio-Metabolic Occupational Police Stress (BCOPS) Pilot Study: Methods Participant Characteristics. Annals of Epidemiology, 2006, 16, 148-156.                           | and                 | 0.9  | 162       |
| 439 | Variants of the CD40 gene but not of the CD40L gene are associated with coronary art calcification in the Diabetes Heart Study (DHS). American Heart Journal, 2006, 151, 70            |                     | 1.2  | 35        |
| 440 | Protective effect of the G-765C COX-2 polymorphism on subclinical atherosclerosis and markers in asymptomatic subjects with cardiovascular risk factors. Clinica Chimica Acta 138-143. |                     | 0.5  | 52        |
| 441 | Association of the endothelial nitric oxide synthase (ecNOS) gene polymorphism with c<br>atherosclerosis in type 2 diabetes. Diabetes Research and Clinical Practice, 2006, 72, 32     | arotid<br>22-327.   | 1.1  | 7         |
| 442 | Early atherosclerosis in childhood: Diagnostic approaches and therapeutic strategies. Ir<br>Journal of Cardiology, 2006, 109, 152-159.   | iternational        | 0.8  | 20        |
| 443 | Current possibilities for detecting high risk of cardiovascular disease. International Jour<br>Cardiology, 2006, 110, 146-152.   | nal of              | 0.8  | 10        |
| 444 | Insulin resistance/compensatory hyperinsulinemia predict carotid intimal medial thickne<br>with essential hypertension. Nutrition, Metabolism and Cardiovascular Diseases, 2006,       |                     | 1.1  | 19        |
| 445 | Assessment of carotid intima–media thickness in subjects with ischemic cerebrovasc<br>undergoing endarterectomy. Nutrition, Metabolism and Cardiovascular Diseases, 2006               |                     | 1.1  | 2         |
| 446 | Interventional Strategies in early Atherosclerosis. Monaldi Archives for Chest Disease, 2  | 006, 66, 54-62.     | 0.3  | 8         |
| 447 | Effects of Pioglitazone on Cerebral Hemodynamics in Patients of Type 2 Diabetes. The J<br>Korean Diabetes Association, 2006, 30, 96.   | ournal of           | 0.1  | 0         |
| 448 | Espessamento médio-intimal na origem da artéria subclávia direita como marcado<br>cardiovascular. Arquivos Brasileiros De Cardiologia, 2006, 87, 609-614.                              | or precoce de risco | 0.3  | 11        |
| 449 | Can measurement of the intima-media thickness pf the carotid artery improve the diag<br>exercise stress tests?. Acta Cardiologica, 2006, 61, 501-506.                                  | nostic value of     | 0.3  | 2         |
| 450 | Vascular imaging and the clinical development of new pharmaceuticals. , 2006, , 418-4  | 29.                 |      | 0         |
| 451 | Monitoring pharmaceutical interventions with conventional ultrasound (IMT). , 0, , 430   | -450.               |      | 0         |
| 452 | Positive and Negative Attributes and Risk for Coronary and Aortic Calcification in Healt<br>Psychosomatic Medicine, 2006, 68, 355-361.   | ny Women.           | 1.3  | 52        |
| 453 | Carotid intima-media thickness and the risk of new vascular events in patients with ma<br>atherosclerotic disease: the SMART study. European Heart Journal, 2006, 27, 1971-197         | nifest<br>8.        | 1.0  | 70        |
| 454 | Carotid intima???media thickness in coronary slow flow: relationship with plasma homo levels. Coronary Artery Disease, 2006, 17, 331-337.  | cysteine            | 0.3  | 28        |

|     | CITATION R  | EPORT |           |
|-----|---|-------|-----------|
| #   | ARTICLE   | IF    | Citations |
| 455 | Childhood Hyperactivity as a Predictor of Carotid Artery Intima Media Thickness Over a Period of 21<br>Years: The Cardiovascular Risk in Young Finns Study. Psychosomatic Medicine, 2006, 68, 509-516.  | 1.3   | 33        |
| 456 | Carotid intima–media thickness. Journal of Cardiovascular Medicine, 2006, 7, 555-559.   | 0.6   | 2         |
| 457 | Preclinical Carotid Atherosclerosis in Patients with Rheumatoid Arthritis. Annals of Internal<br>Medicine, 2006, 144, 249.  | 2.0   | 241       |
| 458 | Common carotid arterial interadventitial distance (diameter) as an indicator of the damaging effects<br>of age and atherosclerosis, a cross-sectional study of the Atherosclerosis Risk in Community Cohort<br>Limited Access Data (ARICLAD), 1987–89. Cardiovascular Ultrasound, 2006, 4, 1. | 0.5   | 44        |
| 459 | Association analysis of genes in the renin-angiotensin system with subclinical cardiovascular disease<br>in families with Type 2 diabetes mellitus: The Diabetes Heart Study. Diabetic Medicine, 2006, 23, 228-234.   | 1.2   | 15        |
| 460 | Quantitative analysis of carotid atherosclerotic lesions and high-sensitivity C-reactive protein in community-dwelling elderly 80 years or older. Geriatrics and Gerontology International, 2006, 6, 186-193.   | 0.7   | 2         |
| 461 | Prospective study of subclinical atherosclerosis as a risk factor for venous thromboembolism.<br>Journal of Thrombosis and Haemostasis, 2006, 4, 1909-1913.   | 1.9   | 123       |
| 462 | Application of intravascular ultrasound in anti-atherosclerotic drug development. Nature Reviews<br>Drug Discovery, 2006, 5, 485-492.   | 21.5  | 43        |
| 463 | The combined effect of augmentation index and carotid intima-media thickness on cardiovascular risk<br>in young and middle-aged men without cardiovascular disease. Journal of Human Hypertension, 2006,<br>20, 273-279.  | 1.0   | 30        |
| 464 | Carotid artery intima-media thickness and reactive oxygen species formation by monocytes in hypertensive patients. Journal of Human Hypertension, 2006, 20, 336-340.  | 1.0   | 31        |
| 465 | Clinical value of carotid intima-media thickness testing. Journal of Nuclear Cardiology, 2006, 13, 710-718.   | 1.4   | 46        |
| 466 | ARFI imaging for noninvasive material characterization of atherosclerosis. Ultrasound in Medicine and Biology, 2006, 32, 1703-1711.   | 0.7   | 61        |
| 467 | Atherosclerosis imaging and heart failure. Heart Failure Reviews, 2006, 11, 279-288.  | 1.7   | 6         |
| 468 | Elevated plasma homocysteine in obese schoolchildren with early atherosclerosis. European Journal of Pediatrics, 2006, 165, 326-331.  | 1.3   | 26        |
| 469 | Coronary Atherosclerosis and Cardiovascular Risk in Masters Male Marathon Runners. Herz, 2006, 31, 575-585.   | 0.4   | 25        |
| 470 | Cardiovascular risk assessment in type 2 diabetes mellitus. Current Diabetes Reports, 2006, 6, 333-336.   | 1.7   | 0         |
| 471 | From Vulnerable Plaque to Vulnerable Patient—Part III: Executive Summary of the Screening for Heart<br>Attack Prevention and Education (SHAPE) Task Force Report. American Journal of Cardiology, 2006, 98,<br>2-15.  | 0.7   | 594       |
| 472 | Association Between the Ankle-Brachial Index and Carotid Intimal Medial Thickness in the Rancho<br>Bernardo Study. American Journal of Cardiology, 2006, 98, 1105-1109.   | 0.7   | 17        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 473 | Socioeconomic differences in the progression of carotid atherosclerosis in middle-aged men and women with subclinical atherosclerosis in Sweden. Social Science and Medicine, 2006, 62, 1785-1798.   | 1.8 | 26        |
| 474 | Increased carotid intima-media thickness in HIV patients is associated with increased cytomegalovirus-specific T-cell responses. Aids, 2006, 20, 2275-2283.  | 1.0 | 239       |
| 475 | Subclinical Carotid Atherosclerosis in HIV-Infected Patients. Stroke, 2006, 37, 812-817.   | 1.0 | 91        |
| 476 | Common Carotid Artery Intima-Media Thickness and the Risk of Stroke Recurrence. Stroke, 2006, 37, 1913-1916.   | 1.0 | 94        |
| 477 | The effect of tibolone and continuous combined conjugated equine oestrogens plus<br>medroxyprogesterone acetate on progression of carotid intima–media thickness: the Osteoporosis<br>Prevention and Arterial effects of tiboLone (OPAL) study. European Heart Journal, 2006, 27, 746-755. | 1.0 | 67        |
| 478 | Recent Advances of Intervention to Inhibit Progression of Carotid Intima-Media Thickness in Patients<br>With Type 2 Diabetes Mellitus. Stroke, 2006, 37, 2420-2427.  | 1.0 | 89        |
| 479 | Carotid Intimal Medial Thickness in Human Immunodeficiency Virus-Infected Women: Effects of<br>Protease Inhibitor Use, Cardiac Risk Factors, and the Metabolic Syndrome. Journal of Clinical<br>Endocrinology and Metabolism, 2006, 91, 4916-4924.   | 1.8 | 80        |
| 480 | Carotid intima-media thickness as a surrogate marker for cardiovascular disease in intervention studies. Current Medical Research and Opinion, 2006, 22, 2181-2190.  | 0.9 | 99        |
| 481 | The effects of apoA-I/C-III/A-IV, apoE and apoB polymorphisms on carotid artery intima–media thickness.<br>Future Cardiology, 2006, 2, 179-186.  | 0.5 | 6         |
| 482 | What Is the Significance of Increased Carotid Intima Media Thickness in Hypertensive Adolescents?.<br>Hypertension, 2006, 48, 23-24.   | 1.3 | 14        |
| 483 | Carotid Intima-Media Thickening Indicates a Higher Vascular Risk Across a Wide Age Range. Stroke,<br>2006, 37, 87-92.  | 1.0 | 594       |
| 484 | Hyperandrogenism, Insulin Resistance and Hyperinsulinemia as Cardiovascular Risk Factors in Diabetes<br>Mellitus. Current Diabetes Reviews, 2006, 2, 39-49.  | 0.6 | 16        |
| 485 | Thematic review series: Patient-Oriented Research. Imaging atherosclerosis: state of the art. Journal of Lipid Research, 2006, 47, 1677-1699.  | 2.0 | 60        |
| 488 | Risk of Cardiovascular Disease in a Cohort of HIV-Infected Adults: A Study Using Carotid Intima-Media<br>Thickness and Coronary Artery Calcium Score. Clinical Infectious Diseases, 2006, 43, 1482-1489.   | 2.9 | 107       |
| 489 | Ultrasound-detected carotid plaque as a predictor of cardiovascular events. Vascular Medicine, 2006, 11, 123-130.  | 0.8 | 83        |
| 490 | Noninvasive Imaging of Atherosclerosis Among Asymptomatic Individuals. Archives of Internal<br>Medicine, 2006, 166, 1068.  | 4.3 | 4         |
| 491 | Apolipoprotein E Polymorphisms Predict Low Density Lipoprotein Cholesterol Levels and Carotid<br>Artery Wall Thickness but Not Incident Coronary Heart Disease in 12,491 ARIC Study Participants.<br>American Journal of Epidemiology, 2006, 164, 342-348.                                 | 1.6 | 116       |
| 492 | Characteristics and Baseline Clinical Predictors of Future Fatal Versus Nonfatal Coronary Heart Disease Events in Older Adults. Circulation, 2006, 113, 2177-2185.   | 1.6 | 52        |

ARTICLE IF CITATIONS Effects of Obesity, Body Composition, and Adiponectin on Carotid Intima-Media Thickness in Healthy 493 1.8 99 Women. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 1677-1682. Association of Protein Tyrosine Phosphatase-N1 Polymorphisms With Coronary Calcified Plaque in the 494 0.3 Diabetes Heart Study. Diabetes, 2006, 55, 651-658. Carotid Intima-Media Thickness in HIV-Infected Individuals: Relationship of Premature Atherosclerosis 495 0.6 11 to Neuropsychological Deficits?. European Neurology, 2006, 55, 166-171. Determinants of Carotid Plaque Occurrence. Cerebrovascular Diseases, 2006, 22, 416-422. 496 0.8 Performance of Subclinical Arterial Disease Detection as a Screening Test for Coronary Heart Disease. 497 1.3 76 Hypertension, 2006, 48, 392-396. Socioeconomic Differences in Progression of Carotid Intima-Media Thickness in the Atherosclerosis Risk in Communities Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2006, 26, 411-416. 498 1.1 Atherosclerosis in Asian Indians with systemic lupus erythematosus. Scandinavian Journal of 499 0.6 27 Rheumatology, 2006, 35, 128-132. Prognostic value of coronary artery calcium screening in asymptomatic smokers and non-smokers. European Heart Journal, 2006, 27, 968-975. 1.0 501 American Society of Echocardiography Report. Vascular Medicine, 2006, 11, 201-211. 0.8 120 Combination of Multiple Genetic Risk Factors Is Synergistically Associated With Carotid 4.3 Atherosclerosis in Japanese Subjects With Type 2 Diabetes. Diabetes Care, 2006, 29, 2445-2451. Cardiometabolic Risk in Impaired Fasting Glucose and Impaired Glucose Tolerance: The Atherosclerosis 503 4.381 Risk in Communities Study. Diabetes Care, 2007, 30, 325-331. Kidney function and thickness of carotid intimaâ€media complex in patients with treated arterial hypertension. Blood Pressure, 2007, 16, 367-374. Carotid Intima-Media Thickness in Confirmed Prehypertensive Subjects. Arteriosclerosis, Thrombosis, 505 1.1 43 and Vascular Biology, 2007, 27, 2244-2249. Vascular disease in paediatric type 2 diabetes: the state of the art. Diabetes and Vascular Disease Research, 2007, 4, 297-304. Exploring the natural history of atherosclerosis with intravascular ultrasound. Expert Review of 507 7 0.6 Cardiovascular Therapy, 2007, 5, 295-306. Carotid Artery Atherosclerosis: What is the Evidence for Drug Action?. Current Pharmaceutical 508 23 Design, 2007, 13, 1141-1159. The relationship between carotid intima-media thickness and coronary atherosclerosis revisited. 509 1.0 13 European Heart Journal, 2007, 28, 2049-2050. Reduced coronary flow reserve in young adults with renal transplant. Nephrology Dialysis Transplantation, 2007, 22, 2328-2333.

| #   | Article   | IF        | CITATIONS                  |
|-----|---|-----------|----------------------------|
| 511 | Atherosclerosis imaging in statin intervention trials. QJM - Monthly Journal of the Association of Physicians, 2007, 100, 253-262.  | 0.2       | 8                          |
| 512 | Habitual Physical Activity and Vascular Aging in a Young to Middle-Age Population at Low<br>Cardiovascular Risk. Stroke, 2007, 38, 2549-2555.   | 1.0       | 47                         |
| 513 | Carotid Atherosclerosis Is a Stronger Predictor of Myocardial Infarction in Women Than in Men.<br>Stroke, 2007, 38, 2873-2880.  | 1.0       | 347                        |
| 514 | Long-term Exposure to Ambient Particulate Matter and Prevalence of Subclinical Atherosclerosis in the Multi-Ethnic Study of Atherosclerosis. American Journal of Epidemiology, 2007, 167, 667-675.                          | 1.6       | 158                        |
| 515 | Circulating homocysteine and large arterial stiffness and thickness in a population-based sample of middle-aged and elderly men. Journal of Human Hypertension, 2007, 21, 942-948.  | 1.0       | 27                         |
| 516 | Comparative performance of subclinical atherosclerosis tests in predicting coronary heart disease in asymptomatic individuals. European Heart Journal, 2007, 28, 2967-2971.   | 1.0       | 105                        |
| 517 | Atherosclerosis imaging in drug development. Expert Opinion on Drug Discovery, 2007, 2, 1241-1250.  | 2.5       | 0                          |
| 518 | Associations of Brachial-Ankle Pulse Wave Velocity and Carotid Atherosclerotic Lesions with Silent<br>Cerebral Lesions. Hypertension Research, 2007, 30, 767-773.   | 1.5       | 53                         |
| 519 | Negative Emotions and 3-Year Progression of Subclinical Atherosclerosis. Archives of General Psychiatry, 2007, 64, 225.   | 13.8      | 119                        |
| 520 | Impact of statins on atherosclerotic plaque. Future Cardiology, 2007, 3, 157-164.   | 0.5       | 1                          |
| 523 | Carotid intima-media thickness and coronary atherosclerosis: weak or strong relations?. European<br>Heart Journal, 2007, 28, 398-406.   | 1.0       | 175                        |
| 524 | Fourth Joint Task Force of the European Society of Cardiology and other Societies on Cardiovascular<br>Disease Prevention in Clinical Practice (constituted by representatives of nine societies and by invited) Tj ETQq1 1 | L 0378431 | 4 <mark>gg</mark> BT /Over |
| 525 | Biomarkers in the Prevention and Treatment of Atherosclerosis: Need, Validation, and Future.<br>Pharmacological Reviews, 2007, 59, 40-53.   | 7.1       | 61                         |
| 526 | Kidney Function and Risk of Peripheral Arterial Disease: Results from the Atherosclerosis Risk in<br>Communities (ARIC) Study. Journal of the American Society of Nephrology: JASN, 2007, 18, 629-636.                      | 3.0       | 201                        |
| 527 | Aortic Arch Atheroma Progression and Recurrent Vascular Events in Patients With Stroke or<br>Transient Ischemic Attack. Circulation, 2007, 116, 928-935.  | 1.6       | 74                         |
| 528 | New Concepts for Early Diagnosis of Coronary Artery Disease. , 2007, , 52-64.   |           | 0                          |
| 529 | Race-Gender Differences in the Association of Trait Anger with Subclinical Carotid Artery<br>Atherosclerosis: The Atherosclerosis Risk in Communities Study. American Journal of Epidemiology,<br>2007, 165, 1296-1304.     | 1.6       | 16                         |
| 530 | Relationship between carotid intima-media thickness and arterial stiffness in children after Kawasaki<br>disease. Archives of Disease in Childhood, 2007, 92, 43-47.  | 1.0       | 103                        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 531 | A Direct Comparison of Intravascular Ultrasound and Quantitative Coronary Arteriography.<br>Circulation, 2007, 115, 1824-1826.  | 1.6 | 13        |
| 532 | Carotid Intima-Media Thickness and Risk of Cardiovascular Events in High-Risk Patients.<br>Cerebrovascular Diseases, 2007, 24, 35-42.   | 0.8 | 87        |
| 533 | Prevalence and Prognostic Impact of Subclinical Cardiovascular Disease in Individuals With the<br>Metabolic Syndrome and Diabetes. Diabetes, 2007, 56, 1718-1726.   | 0.3 | 101       |
| 534 | Review: Imaging to assess effect of medical therapy in patients with diabetes mellitus. British Journal of Diabetes and Vascular Disease, 2007, 7, 157-164.   | 0.6 | 0         |
| 535 | Patients at High Risk for Ischemic Stroke: Identification and Actions. Cerebrovascular Diseases, 2007, 24, 49-63.   | 0.8 | 12        |
| 536 | Burden and Prognostic Importance of Subclinical Cardiovascular Disease in Overweight and Obese<br>Individuals. Circulation, 2007, 116, 375-384.   | 1.6 | 55        |
| 537 | Apolipoprotein A-I/C-III/A-IV SstI and Apolipoprotein B Xbal Polymorphisms Do not Affect Early<br>Functional and Structural Changes in Atherosclerosis The Cardiovascular Risk in Young Finns Study.<br>Circulation Journal, 2007, 71, 741-745.                         | 0.7 | 13        |
| 538 | What is the role of non-invasive measurements of atherosclerosis in individual cardiovascular risk prediction?. Clinical Science, 2007, 112, 507-516.   | 1.8 | 72        |
| 539 | Associations between markers of subclinical atherosclerosis and dietary patterns derived by principal components analysis and reduced rank regression in the Multi-Ethnic Study of Atherosclerosis (MESA). American Journal of Clinical Nutrition, 2007, 85, 1615-1625. | 2.2 | 120       |
| 540 | 3.0 T Plaque Imaging. Topics in Magnetic Resonance Imaging, 2007, 18, 389-400.  | 0.7 | 8         |
| 541 | Atherosclerosis imaging as a benchmark in the development of novel cardiovasular drugs. Current<br>Opinion in Lipidology, 2007, 18, 613-621.  | 1.2 | 26        |
| 542 | Associations of isoprostanes-related oxidative stress with surrogate subclinical indices and angiographic measures of atherosclerosis. Coronary Artery Disease, 2007, 18, 615-620.  | 0.3 | 18        |
| 543 | Dyslipidemia Management in Patients With Human Immunodeficiency Virus. Infectious Diseases in<br>Clinical Practice, 2007, 15, 7-16.   | 0.1 | 1         |
| 544 | Reduced low-frequency heart rate variability relates to greater intimal???medial thickness of the carotid wall in two samples. Coronary Artery Disease, 2007, 18, 97-104.   | 0.3 | 15        |
| 545 | The Effects of an Intensive Lifestyle Modification Program on Carotid Artery Intima-Media Thickness: A<br>Randomized Trial. American Journal of Health Promotion, 2007, 21, 510-516.  | 0.9 | 85        |
| 546 | Impact Of Statin Therapy On The Artery Wall In The Low-Risk Patient: Implications From The METEOR<br>Study. Future Lipidology, 2007, 2, 595-601.  | 0.5 | 0         |
| 547 | Home-measured blood pressure is more strongly associated with atherosclerosis than clinic blood pressure: the Finn–HOME Study. Journal of Hypertension, 2007, 25, 1225-1231.  | 0.3 | 48        |
| 549 | The role of low grade inflammation as measured by C-reactive protein levels in the explanation of socioeconomic differences in carotid atherosclerosis. European Journal of Public Health, 2007, 17, 340-347.   | 0.1 | 18        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 550 | Whole grain intake and its cross-sectional association with obesity, insulin resistance, inflammation, diabetes and subclinical CVD: The MESA Study. British Journal of Nutrition, 2007, 98, 397-405.                    | 1.2 | 184       |
| 551 | Clues to Cardiovascular Risk: An Office-Based Approach. Preventive Cardiology, 2007, 10, 36-41.  | 1.1 | 3         |
| 552 | Distribution and Predictors of Carotid Intimaâ€Media Thickness in Young Adults. Preventive Cardiology,<br>2007, 10, 181-189.   | 1.1 | 55        |
| 553 | Carotid Intima-Media Thickness as a Marker of Cardiovascular Risk in Hypertensive Patients With<br>Coronary Artery Disease. American Journal of Hypertension, 2007, 20, 1058-1064.                                       | 1.0 | 50        |
| 554 | Cumulative Socioeconomic Status Across the Life Course and Subclinical Atherosclerosis. Annals of Epidemiology, 2007, 17, 296-303.   | 0.9 | 81        |
| 555 | Both cyclooxygenase- and cytokine-mediated inflammation are associated with carotid intima–media<br>thickness. Cytokine, 2007, 38, 130-136.  | 1.4 | 36        |
| 556 | Ankle brachial index and intima media thickness predict cardiovascular events similarly and increased prediction when combined. Journal of Clinical Epidemiology, 2007, 60, 1067-1075.                                   | 2.4 | 64        |
| 557 | Measurement of carotid artery intima-media thickness in dyslipidemic patients increases the power of traditional risk factors to predict cardiovascular events. Atherosclerosis, 2007, 191, 403-408.                     | 0.4 | 74        |
| 558 | Risk for transient ischemic attacks is mainly determined by intima-media thickness and carotid plaque echogenicity. Atherosclerosis, 2007, 192, 190-196.   | 0.4 | 19        |
| 559 | Determinants of carotid intima-medial thickness in an urban Australian Aboriginal population.<br>Atherosclerosis, 2007, 192, 218-223.  | 0.4 | 12        |
| 560 | Rapid progression of carotid lesions in HAART-treated HIV-1 patients. Atherosclerosis, 2007, 192, 407-412.   | 0.4 | 28        |
| 561 | Adult-onset asthma is associated with increased carotid atherosclerosis among women in the atherosclerosis risk in communities (ARIC) study. Atherosclerosis, 2007, 195, 129-137.  | 0.4 | 75        |
| 562 | Application of Intima-media Thickness and Early Atherosclerosis at Carotid Arteries as a Window for Cardiovascular Diseases in Preventive Cardiology. Journal of Medical Ultrasound, 2007, 15, 112-125.                  | 0.2 | 3         |
| 563 | Prediction of Clinical Cardiovascular Events With Carotid Intima-Media Thickness. Circulation, 2007, 115, 459-467.   | 1.6 | 2,613     |
| 564 | Carotid intimal-media thickening indicates a higher vascular risk across a wide age range: prospective<br>data from the Carotid Atherosclerosis Progression Study (CAPS). Journal of Vascular Surgery, 2007,<br>46, 171. | 0.6 | 0         |
| 565 | Atherosclerosis Monitoring in the Elderly Using Magnetic Resonance Imaging: Is the Extra Step Needed?. The American Journal of Geriatric Cardiology, 2007, 16, 363-368.  | 0.7 | 3         |
| 566 | Insulin Sensitivity as a Risk Factor for Common Carotid Intima Media Thickness (IMT): Its Relation to Atherosclerosis. Clinical and Experimental Hypertension, 2007, 29, 445-455.  | 0.5 | 5         |
| 567 | Designs of RADIANCE 1 and 2:carotid ultrasound studies comparing the effects of torcetrapib/atorvastatin with atorvastatin alone on atherosclerosis. Current Medical Research and Opinion, 2007, 23, 885-894.            | 0.9 | 35        |

ARTICLE IF CITATIONS # European guidelines on cardiovascular disease prevention in clinical practice: executive summary: Fourth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular 568 Disease Prevention in Clinical Practice (Constituted by representatives of nine societies and by invited) Tj ETQq0 0 0 rgBT /Overlock 10 T Carotid intima-media thickness by B-mode ultrasound as surrogate of coronary atherosclerosis: correlation with quantitative coronary angiography and coronary intravascular ultrasound 1.0 findings. European Heart Journal, 2007, 28, 2094-2101. Carotid Artery Intima-Media Thickness after Raloxifene Treatment. Journal of Women's Health, 2007, 16, 570 1.5 4 370-378. Assessment of the Patient With Diabetes for Coronary Heart Disease Risk: Review and Personal Reflection. Canadian Journal of Diabetes, 2007, 31, 153-163. 571 Clinical Use of Carotid Intima-Media Thickness: Review of the Literature. Journal of the American 572 102 1.2 Society of Echocardiography, 2007, 20, 907-914. An Abbreviated Carotid Intima-Media Thickness Scanning Protocol to Facilitate Clinical Screening for Subclinical Atherosclerosis. Journal of the American Society of Echocardiography, 2007, 20, 1269-1275. 1.2 Carotid Ultrasound Imaging: An Effective Technique for Detecting Early Atherosclerosis–Vascular 574 Screening for Cardiovascular Disease has Come of Age. Journal of the American Society of 1.2 13 Echocardiography, 2007, 20, 1-3. How to monitor vascular aging with an ultrasound. Journal of the Neurological Sciences, 2007, 257, 0.3 16 139-142. Impact of low-density lipoprotein particle size on carotid intima-media thickness in patients with type 576 1.5 28 2 diabetes mellitus. Metabolism: Clinical and Experimental, 2007, 56, 608-613. The effects of pioglitazone on cerebrovascular resistance in patients with type 2 diabetes mellitus. 577 1.5 Metabolism: Clinical and Experimental, 2007, 56, 1081-1086. Assessing the clinical utility of biomarkers in medicine. Biomarkers in Medicine, 2007, 1, 419-436. 578 0.6 37 Adiponectin, obesity and atherosclerosis. Scandinavian Journal of Clinical and Laboratory Investigation, 2007, 67, 449-458. Comparing Caucasian and African American cardiovascular disease expression: What does 580 0.8 0 epidemiologic research tell us?. Current Cardiovascular Risk Reports, 2007, 1, 118-123. Arterial Ultrasonography and Tonometry as Adjuncts to Cardiovascular Risk Stratification. Journal of the American College of Cardiology, 2007, 49, 1413-1426. 1.2 Executive Summary of Japan Atherosclerosis Society (JAS) Guideline for Diagnosis and Prevention of 583 Atherosclerotic Cardiovascular Diseases for Japanese. Journal of Atherosclerosis and Thrombosis, 0.9 234 2007, 14, 45-50. Relationship of arterial wall parameters to cardiovascular risk factors and cardiovascular risk 584 assessed by SCORE system. Medicina (Lithuania), 2007, 43, 529. Primary Prevention of Ischemic Heart Disease., 2007, , 178-220. 585 1 Imaging Markers of Subclinical Atherosclerosis. Korean Circulation Journal, 2007, 37, 1.

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 587 | Comparison of atherosclerosis and atherosclerotic risk factors in patients receiving hemodialysis and Transplantation, 2007, 36, 205-216.  | 0.2 | 2         |
| 588 | Small, dense low-density-lipoproteins and the metabolic syndrome. Diabetes/Metabolism Research and Reviews, 2007, 23, 14-20.   | 1.7 | 64        |
| 589 | Assessment of the carotid artery by MRI at 3T: A study on reproducibility. Journal of Magnetic Resonance Imaging, 2007, 25, 1035-1043.   | 1.9 | 53        |
| 590 | Interleukin-18 genetics and inflammatory disease susceptibility. Genes and Immunity, 2007, 8, 91-99.   | 2.2 | 83        |
| 591 | Increased carotid intima-media thickness in remote and urban Indigenous Australians: impact of diabetes and components of the metabolic syndrome. Clinical Endocrinology, 2007, 66, 419-425.   | 1.2 | 24        |
| 592 | Carotid Intima-media Thickness in Patients with Abdominal Aortic Aneurysms. European Journal of<br>Vascular and Endovascular Surgery, 2007, 33, 149-153.   | 0.8 | 13        |
| 593 | Assessment by Cardiovascular Magnetic Resonance, Electron Beam Computed Tomography, and Carotid<br>Ultrasonography of the Distribution of Subclinical Atherosclerosis Across Framingham Risk Strata.<br>American Journal of Cardiology, 2007, 99, 310-314. | 0.7 | 51        |
| 594 | Biological Surrogates for Enhancing Cardiovascular Risk Prediction in Type 2 Diabetes Mellitus.<br>American Journal of Cardiology, 2007, 99, 80-88.  | 0.7 | 45        |
| 595 | Usefulness of Carotid Ultrasound to Improve the Ability of Stress Testing to Predict Coronary Artery<br>Disease. American Journal of Cardiology, 2007, 99, 1196-1200.  | 0.7 | 24        |
| 596 | Utility of Non–High-Density Lipoprotein Cholesterol Versus Other Lipoprotein Measures in Detecting<br>Subclinical Atherosclerosis in Young Adults (The Bogalusa Heart Study). American Journal of<br>Cardiology, 2007, 100, 64-68.                         | 0.7 | 65        |
| 597 | Increased carotid intima–media thickness in the absence of atherosclerotic plaques in an adult<br>population with Fabry disease. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 63-68.  | 0.7 | 6         |
| 598 | The level of 2-h post-challenge glucose is an independent risk factor of carotid intima-media thickness progression in Korean type 2 diabetic patients. Journal of Diabetes and Its Complications, 2007, 21, 7-12.   | 1.2 | 9         |
| 599 | Association of Carotid Intima-Medial Thickness and Indices of Arterial Stiffness With Cardiovascular<br>Disease Outcomes in CKD. American Journal of Kidney Diseases, 2007, 50, 622-630.   | 2.1 | 108       |
| 600 | Can Intensive Statin Therapy Halt the Progression of Atherosclerosis? Recent Evidence and Potential Implications for Patient Management. Progress in Cardiovascular Nursing, 2007, 22, 207-213.  | 0.5 | 4         |
| 601 | Subclinical Cardiovascular Disease Markers Applicable to Studies of Oral Health: Multiethnic Study of Atherosclerosis. Annals of the New York Academy of Sciences, 2007, 1098, 269-287.  | 1.8 | 15        |
| 602 | Flow-Mediated Vasodilation and Carotid Intima-Media Thickness in Systemic Sclerosis. Annals of the<br>New York Academy of Sciences, 2007, 1108, 283-290.   | 1.8 | 70        |
| 606 | Atherosclerosis regression: Is low-density lipoprotein or high-density lipoprotein the answer?.<br>Current Atherosclerosis Reports, 2007, 9, 266-273.  | 2.0 | 11        |
| 607 | Absolute Coronary Artery Calcium Scores are superior to MESA percentile rank in predicting obstructive coronary artery disease. International Journal of Cardiovascular Imaging, 2008, 24, 743-749.  | 0.7 | 16        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 608 | Carotid hemodynamic parameters in hemodialysis patients. International Urology and Nephrology, 2008, 40, 779-784.  | 0.6  | 8         |
| 609 | Anger is associated with subclinical atherosclerosis in low SES but not in higher SES men and<br>women. The Cardiovascular Risk in Young Finns Study. Journal of Behavioral Medicine, 2008, 31, 35-44.           | 1.1  | 34        |
| 610 | Coronary arterial atherosclerotic plaque imaging by contrast-enhanced computed tomography:<br>Fantasy or reality?. Journal of Nuclear Cardiology, 2008, 15, 818-829.   | 1.4  | 18        |
| 611 | Assessment of intima-media thickness of carotid arteries: evaluation of an automated computer software. Neuroradiology, 2008, 50, 849-853.   | 1.1  | 13        |
| 612 | Carotid intima-media thickness in pre-and postmenopausal women with suspected coronary artery disease. Heart and Vessels, 2008, 23, 295-300.   | 0.5  | 20        |
| 613 | Association of breast arterial calcification and carotid intima-media thickness. Heart and Vessels, 2008, 23, 376-382.   | 0.5  | 26        |
| 614 | Non-invasive cardiac imaging techniques and vascular tools for the assessment of cardiovascular disease in type 2 diabetes mellitus. Diabetologia, 2008, 51, 1581-1593.  | 2.9  | 60        |
| 615 | Strategies to reverse atherosclerosis: An imaging perspective. Current Treatment Options in Cardiovascular Medicine, 2008, 10, 283-293.  | 0.4  | 13        |
| 616 | Subclinical carotid atherosclerosis in patients with psoriatic arthritis. Arthritis and Rheumatism, 2008, 59, 1322-1331.   | 6.7  | 126       |
| 617 | Oxidized Low-Density Lipoproteins, Autoantibodies against Oxidized Low-Density Lipoproteins and<br>Carotid Intima Media Thickness in a Clinically Healthy Population. Cardiology, 2008, 110, 252-259.            | 0.6  | 32        |
| 618 | Rosuvastatin and progression of atherosclerosis. Expert Review of Cardiovascular Therapy, 2008, 6, 925-933.  | 0.6  | 8         |
| 619 | Form to function: current and future roles for atherosclerosis imaging in drug development. Nature<br>Reviews Drug Discovery, 2008, 7, 517-529.  | 21.5 | 68        |
| 620 | Carotid artery compliance in users of plant stanol ester margarine. European Journal of Clinical<br>Nutrition, 2008, 62, 218-224.  | 1.3  | 21        |
| 621 | The contribution of childhood obesity to adult carotid intima-media thickness: the Bogalusa Heart<br>Study. International Journal of Obesity, 2008, 32, 749-756.   | 1.6  | 159       |
| 622 | Atherosclerosis is associated with plasminogen activator inhibitor typeâ€1 in chronic haemodialysis patients. Nephrology, 2008, 13, 579-586.   | 0.7  | 21        |
| 623 | How to identify patients with vulnerable plaques. Diabetes, Obesity and Metabolism, 2008, 10, 824-833.   | 2.2  | 7         |
| 624 | Prospective analysis of carotid arterial wall structure in pediatric renal transplants with<br>ambulatory normotension and in treated hypertensive recipients*. Pediatric Transplantation, 2008, 12,<br>412-419. | 0.5  | 38        |
| 625 | Understanding carotid artery intimaâ€media thickness in childhood: Lessons from studies in children<br>with renal transplants. Pediatric Transplantation, 2008, 12, 377-380.                                     | 0.5  | 8         |

| #   | Article   | IF               | CITATIONS           |
|-----|---|------------------|---------------------|
| 626 | Coronary Artery Calcium, Carotid Artery Wall Thickness, and Cardiovascular Disease Outcomes in Adults 70 to 99 Years Old. American Journal of Cardiology, 2008, 101, 186-192.   | 0.7              | 95                  |
| 627 | Heart Failure Incidence and Survival (from the Atherosclerosis Risk in Communities Study). American<br>Journal of Cardiology, 2008, 101, 1016-1022.   | 0.7              | 587                 |
| 628 | Assessment of atherosclerotic cardiovascular risk and management of dyslipidemia in obese children.<br>Progress in Pediatric Cardiology, 2008, 25, 167-176.   | 0.2              | 2                   |
| 630 | Risk Functions and the Primary Prevention of Cardiovascular Disease. Revista Espanola De Cardiologia<br>(English Ed ), 2008, 61, 404-416.   | 0.4              | 7                   |
| 631 | A Commentary on the implications of the ENHANCE (Ezetimibe and Simvastatin in Hypercholesterolemia) Tj ETQ<br>therapy for dyslipidemia?. Journal of Clinical Lipidology, 2008, 2, 313-317.  | 0 0 0 rgB<br>0.6 | T /Overlock 1<br>19 |
| 632 | Use of Carotid Ultrasound to Identify Subclinical Vascular Disease and Evaluate Cardiovascular<br>Disease Risk: A Consensus Statement from the American Society of Echocardiography Carotid<br>Intima-Media Thickness Task Force Endorsed by the Society for Vascular Medicine. Journal of the<br>American Society of Echocardiography. 2008. 21. 93-111. | 1.2              | 1,941               |
| 633 | Late haemodynamic and functional consequences of radial artery removal on the forearm circulation. International Journal of Cardiology, 2008, 129, 255-258.   | 0.8              | 9                   |
| 634 | Can dysfunctional HDL explain high coronary artery disease risk in South Asians?. International<br>Journal of Cardiology, 2008, 129, 125-132.   | 0.8              | 57                  |
| 635 | Subclinical Atherosclerosis in Rheumatoid Arthritis and Systemic Lupus Erythematosus. American<br>Journal of Medicine, 2008, 121, S3-S8.  | 0.6              | 297                 |
| 636 | Difference in Carotid Intima-Media Thickness Between Korean and Japanese Men. Annals of Epidemiology, 2008, 18, 310-315.  | 0.9              | 14                  |
| 637 | Both long-term HIV infection and highly active antiretroviral therapy are independent risk factors for early carotid atherosclerosis. Atherosclerosis, 2008, 196, 720-726.  | 0.4              | 175                 |
| 638 | Carotid intima-media thickness is inversely associated with olive oil consumption. Atherosclerosis, 2008, 196, 742-748.   | 0.4              | 36                  |
| 639 | Carotid atherosclerosis and vascular age in the assessment of coronary heart disease risk beyond the<br>Framingham Risk Score. Atherosclerosis, 2008, 196, 803-809.   | 0.4              | 35                  |
| 640 | Coronary calcification is more predictive of carotid intimal medial thickness in black compared to white middle aged men. Atherosclerosis, 2008, 196, 913-918.  | 0.4              | 9                   |
| 641 | Uric acid level and its association with carotid intima–media thickness in patients with hypertension.<br>Atherosclerosis, 2008, 197, 159-163.  | 0.4              | 83                  |
| 642 | Prevalence and predictors of subclinical atherosclerosis among asymptomatic "low risk―individuals<br>in a multiethnic population. Atherosclerosis, 2008, 197, 435-442.  | 0.4              | 50                  |
| 643 | Brachial artery vasoreactivity is associated with cross-sectional and longitudinal anatomical measures of atherosclerosis in postmenopausal women with coronary artery disease.<br>Atherosclerosis, 2008, 196, 674-681.   | 0.4              | 9                   |
| 644 | Relationship between brachial flow-mediated dilation and carotid intima-media thickness in an elderly<br>cohort: The Cardiovascular Health Study. Atherosclerosis, 2008, 197, 840-845.  | 0.4              | 63                  |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 645 | Socioeconomic status moderates the association between carotid intima-media thickness and cognition in midlife: Evidence from the Whitehall II study. Atherosclerosis, 2008, 197, 541-548.   | 0.4 | 32        |
| 646 | Greater adverse effects of cholesterol and diabetes on carotid intima–media thickness in South Asian<br>Indians: Comparison of risk factor-IMT associations in two population-based surveys. Atherosclerosis,<br>2008, 199, 116-122.                         | 0.4 | 35        |
| 647 | Phosphorus levels are associated with subclinical atherosclerosis in the general population.<br>Atherosclerosis, 2008, 199, 424-431.   | 0.4 | 114       |
| 648 | Arachidonate 5-lipoxygenase (5-LO) promoter genotype and risk of myocardial infarction: A<br>case–control study. Atherosclerosis, 2008, 199, 328-332.  | 0.4 | 23        |
| 649 | A synergistic relationship of elevated low-density lipoprotein cholesterol levels and systolic blood pressure with coronary artery calcification. Atherosclerosis, 2008, 200, 368-373.   | 0.4 | 1         |
| 650 | Carotid artery intima-media thickness correlates with intravascular ultrasound parameters in patients with slow coronary flow. Atherosclerosis, 2008, 200, 310-314.  | 0.4 | 39        |
| 652 | Ultrasound Detection of Increased Carotid Intima-Media Thickness and Carotid Plaque in an Office<br>Practice Setting: Does It Affect Physician Behavior or Patient Motivation?. Journal of the American<br>Society of Echocardiography, 2008, 21, 1156-1162. | 1.2 | 49        |
| 653 | Carotid Intima-Media Thickness Testing by Non-Sonographer Clinicians: The Office Practice Assessment of Carotid Atherosclerosis Study. Journal of the American Society of Echocardiography, 2008, 21, 117-122.   | 1.2 | 25        |
| 654 | Osteopontin Promoter Polymorphism Is Associated With Increased Carotid Intima-Media Thickness.<br>Journal of the American Society of Echocardiography, 2008, 21, 954-960.  | 1.2 | 25        |
| 655 | Normal Value of Carotid Intima-Media Thickness–A Surrogate Marker of Atherosclersosis:<br>Quantitative Assessment by B-Mode Carotid Ultrasound. Journal of the American Society of<br>Echocardiography, 2008, 21, 112-116.                                   | 1.2 | 81        |
| 656 | Coronary arterial atherosclerotic plaque imaging by contrast-enhanced computed tomography:<br>Fantasy or reality?. Journal of Nuclear Cardiology, 2008, 15, 818-829.   | 1.4 | 1         |
| 657 | Measurement of carotid intima–media thickness to assess progression and regression of<br>atherosclerosis. Nature Clinical Practice Cardiovascular Medicine, 2008, 5, 280-288.  | 3.3 | 221       |
| 658 | The differential effects of thiazolidindiones on atherogenic dyslipidemia in type 2 diabetes: what is the clinical significance?. Expert Opinion on Pharmacotherapy, 2008, 9, 2295-2303.   | 0.9 | 18        |
| 659 | Sex Differences in Medical Care and Early Death After Acute Myocardial Infarction. Circulation, 2008, 118, 2803-2810.  | 1.6 | 455       |
| 660 | Usefulness of Childhood Non–High Density Lipoprotein Cholesterol Levels Versus Other Lipoprotein<br>Measures in Predicting Adult Subclinical Atherosclerosis: The Bogalusa Heart Study. Pediatrics, 2008,<br>121, 924-929.                                   | 1.0 | 122       |
| 661 | The association of thyroid function with carotid artery plaque burden and strokes in a population-based sample from a previously iodine-deficient area. European Journal of Endocrinology, 2008, 159, 145-152.   | 1.9 | 44        |
| 662 | Cardiovascular Diseases. , 2008, , 43-78.  |     | 2         |
| 663 | IgG Antibodies Against Food Antigens are Correlated with Inflammation and Intima Media Thickness in<br>Obese Juveniles. Experimental and Clinical Endocrinology and Diabetes, 2008, 116, 241-245.  | 0.6 | 40        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 664 | Increased High-Density Lipoprotein Cholesterol Predicts the Pioglitazone-Mediated Reduction of<br>Carotid Intima-Media Thickness Progression in Patients With Type 2 Diabetes Mellitus. Circulation,<br>2008, 117, 2123-2130.                    | 1.6 | 118       |
| 665 | Cardiovascular Effects of Antiretroviral Drugs: Clinical Review. Cardiovascular & Hematological<br>Disorders Drug Targets, 2008, 8, 238-244.   | 0.2 | 15        |
| 666 | Carotid plaque, a subclinical precursor of vascular events. Neurology, 2008, 70, 1200-1207.  | 1.5 | 262       |
| 667 | Ultrasound imaging techniques for the evaluation of cardiovascular therapies. European Heart<br>Journal, 2008, 29, 849-858.  | 1.0 | 69        |
| 668 | Carotid Intima Media Thickness and Plaques Can Predict the Occurrence of Ischemic Cerebrovascular Events. Stroke, 2008, 39, 2470-2476.   | 1.0 | 118       |
| 669 | Kidney Volume Associations with Subclinical Renal and Cardiovascular Disease: The Diabetes Heart<br>Study. American Journal of Nephrology, 2008, 28, 366-371.  | 1.4 | 7         |
| 670 | Ezetimibe plus simvastatin cardiovascular outcomes study program. Expert Review of Cardiovascular<br>Therapy, 2008, 6, 17-25.  | 0.6 | 3         |
| 671 | Surrogate Markers for Atherosclerosis in Overweight Subjects With Atherogenic Dyslipidemia: The<br>GEMS Project. Angiology, 2008, 59, 484-492.   | 0.8 | 12        |
| 672 | The Association of Coronary Artery Calcification and Carotid Artery Intima-Media Thickness With<br>Distinct, Traditional Coronary Artery Disease Risk Factors in Asymptomatic Adults. American Journal<br>of Epidemiology, 2008, 168, 1016-1023. | 1.6 | 39        |
| 673 | Calf Circumference Is Inversely Associated With Carotid Plaques. Stroke, 2008, 39, 2958-2965.  | 1.0 | 26        |
| 674 | The clinical significance of carotid intima-media thickness in cardiovascular diseases: a survey in<br>Beijing. Journal of Human Hypertension, 2008, 22, 259-265.  | 1.0 | 19        |
| 675 | Aortic Pressure Augmentation as a Marker of Cardiovascular Risk in Obstructive Sleep Apnea<br>Syndrome. Hypertension Research, 2008, 31, 1109-1114.  | 1.5 | 20        |
| 676 | Pulse Pressure Amplification and Risk of Cardiovascular Disease. American Journal of Hypertension, 2008, 21, 388-392.  | 1.0 | 41        |
| 677 | Association of Carotid Hemodynamics With Risk of Coronary Heart Disease in a Taiwanese Population<br>With Essential Hypertension. American Journal of Hypertension, 2008, 21, 696-700.   | 1.0 | 14        |
| 678 | Prevalence of and Risk Factors for Subclinical Cardiovascular Disease in Selected US Hispanic Ethnic<br>Groups: The Multi-Ethnic Study of Atherosclerosis. American Journal of Epidemiology, 2008, 167,<br>962-969.                              | 1.6 | 79        |
| 679 | Imaging biomarkers of atherosclerosis. Biomarkers in Medicine, 2008, 2, 555-565.   | 0.6 | 12        |
| 680 | Body Composition and Common Carotid Artery Remodeling in a Healthy Population. Journal of<br>Clinical Endocrinology and Metabolism, 2008, 93, 3325-3332.   | 1.8 | 43        |
| 681 | Candesartan Decreases Carotid Intima-Media Thickness by Enhancing Nitric Oxide and Decreasing Oxidative Stress in Patients with Hypertension. Hypertension Research, 2008, 31, 271-279.  | 1.5 | 45        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 682 | Cardiovascular Disease in Older Women: A Challenge in Diagnosis and Treatment. Women's Health, 2008, 4, 449-464.   | 0.7 | 9         |
| 683 | Relation of Apolipoprotein E Polymorphism to Markers of Early Atherosclerotic Changes in Young<br>Adults The Cardiovascular Risk in Young Finns Study. Circulation Journal, 2008, 72, 29-34.   | 0.7 | 16        |
| 684 | Elderly Patients With Minimal Common Carotid Atherosclerosis Not Infrequently Have Severe<br>Coronary Atherosclerosis and Myocardial Infarction. Circulation Journal, 2008, 72, 1946-1952.   | 0.7 | 9         |
| 685 | Derivation of the distensibility coefficient using tissue Doppler as a marker of arterial function.<br>Clinical Science, 2008, 114, 441-447.   | 1.8 | 2         |
| 686 | HIV-positive patients treated with protease inhibitors have vascular changes resembling those observed in atherosclerotic cardiovascular disease. Clinical Science, 2008, 115, 189-196.  | 1.8 | 39        |
| 687 | A More Accurate Approach to Molecular Genetics Analysis in Vascular Disease. Cardiovascular &<br>Hematological Disorders Drug Targets, 2008, 8, 212-227.   | 0.2 | 0         |
| 688 | Endothelial Function Assessment in Complicated Hypertension. Current Pharmaceutical Design, 2008, 14, 1761-1770.   | 0.9 | 43        |
| 689 | Use of Vascular Ultrasound in Clinical Trials to Evaluate New Cardiovascular Therapies. Journal of the National Medical Association, 2008, 100, 222-229.   | 0.6 | 5         |
| 690 | A Review of Surrogate Markers for Atherosclerosis: Flow Mediated Dilatation; Carotid Intima Media<br>Thickness; Pulse Wave Velocity; Ankle Brachial Index. Vascular Disease Prevention, 2008, 5, 234-245.  | 0.2 | 0         |
| 691 | High-density lipoprotein and atheroma monitoring. Current Opinion in Cardiology, 2008, 23, 386-392.  | 0.8 | 1         |
| 692 | Early detection and management of the high-risk patient with elevated blood pressure. Vascular<br>Health and Risk Management, 2008, Volume 4, 289-296.   | 1.0 | 27        |
| 693 | Polymorphism of the Angiotensin II Type 1 Receptor A1166C in Korean Hypertensive Adolescents. Korean<br>Circulation Journal, 2008, 38, 405.  | 0.7 | 2         |
| 694 | Effects of candesartan cilexetil on carotid remodeling in hypertensive diabetic patients: the MITEC study. Vascular Health and Risk Management, 2009, 5, 175.  | 1.0 | 28        |
| 695 | Association of Genetic Variation in Serum Amyloid-A with Cardiovascular Disease and Interactions<br>withIL6, IL1RN, IL1.BETA. and TNF Genes in the Cardiovascular Health Study. Journal of Atherosclerosis<br>and Thrombosis, 2009, 16, 419-430. | 0.9 | 32        |
| 696 | Effects of antihypertensive drugs on carotid intima-media thickness: Focus on angiotensin II receptor<br>blockers. A review of randomized, controlled trials. Integrated Blood Pressure Control, 2009,<br>Volume 2, 1-8.                         | 0.4 | 16        |
| 697 | Imaging Tools in Cardiovascular Research. , 2009, , 105-121.   |     | 0         |
| 698 | Effects of Physical Activity and Aerobic Exercise Capacity on Aortic Stiffness in Patients With<br>Untreated Hypertension. Korean Circulation Journal, 2009, 39, 52.   | 0.7 | 4         |
| 699 | Common femoral artery intima-media thickness as marker for cardiovascular disease in asymptomatic<br>adults. Vasa - European Journal of Vascular Medicine, 2009, 38, 147-154.  | 0.6 | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 700 | Comparison between automated and manual measurements of carotid intima-media thickness in clinical practice. Vascular Health and Risk Management, 0, , 811.   | 1.0 | 16        |
| 701 | Prevention of atherosclerosis in patients living with HIV. Vascular Health and Risk Management, 2009, 5, 287.   | 1.0 | 10        |
| 702 | Vascular health in children and adolescents: effects of obesity and diabetes. Vascular Health and Risk<br>Management, 2009, 5, 973.   | 1.0 | 56        |
| 703 | Baseline Values but Not Treatment-Induced Changes in Carotid Intima-Media Thickness Predict Incident<br>Cardiovascular Events in Treated Hypertensive Patients. Circulation, 2009, 120, 1084-1090.  | 1.6 | 119       |
| 704 | Carotid Intima-Media Thickness in Asymptomatic Patients With Arterial Hypertension Without Clinical<br>Cardiovascular Disease: Relation With Left Ventricular Geometry and Mass and Coexisting Risk<br>Factors. Angiology, 2009, 60, 705-713. | 0.8 | 19        |
| 705 | Effects of sources of variability on sample sizes required for RCTs, applied to trials of lipid-altering therapies on carotid artery intima-media thickness. Clinical Trials, 2009, 6, 305-319.   | 0.7 | 7         |
| 706 | Aortic Pulse Pressure Is Associated With Carotid IMT in Chronic Kidney Disease: Report From Chronic Renal Insufficiency Cohort. American Journal of Hypertension, 2009, 22, 1235-1241.  | 1.0 | 26        |
| 707 | Atherosclerosis Imaging. Circulation: Cardiovascular Imaging, 2009, 2, 150-160.   | 1.3 | 13        |
| 708 | Noninvasive Assessment of Subclinical Atherosclerosis in Children and Adolescents. Hypertension, 2009, 54, 919-950.   | 1.3 | 556       |
| 709 | Correlates of Common Carotid Artery Lumen Diameter in Black and White Younger Adults. Stroke, 2009, 40, 702-707.  | 1.0 | 38        |
| 710 | Impact of Ezetimibe on Atherosclerosis: Is the Jury Still Out?. Mayo Clinic Proceedings, 2009, 84, 353-361.   | 1.4 | 21        |
| 712 | Ultrasound molecular imaging of atherosclerosis. Cardiovascular Research, 2009, 83, 617-625.  | 1.8 | 31        |
| 713 | Cross-sectional, prospective study of MRI reproducibility in the assessment of plaque burden of the carotid arteries and aorta. Nature Reviews Cardiology, 2009, 6, 219-228.  | 6.1 | 31        |
| 714 | Role of viral replication, antiretroviral therapy, and immunodeficiency in HIV-associated atherosclerosis. Aids, 2009, 23, 1059-1067.   | 1.0 | 324       |
| 715 | Carotid and femoral arterial wall changes and the prevalence of clinical cardiovascular disease.<br>Vascular Medicine, 2009, 14, 227-232.   | 0.8 | 38        |
| 716 | Which is the best statin for the postoperative coronary artery bypass graft patient?. European Journal of Cardio-thoracic Surgery, 2009, 36, 628-632.   | 0.6 | 4         |
| 717 | The Association Between A1C and Subclinical Cardiovascular Disease. Diabetes Care, 2009, 32, 1727-1733.   | 4.3 | 59        |
| 718 | Carotid Ultrasound Screening for Coronary Heart Disease: Results Based on a meta-analysis of 18<br>Studies and 44,861 Subjects. Journal of Medical Screening, 2009, 16, 147-154.  | 1.1 | 16        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 719 | Racial and socioeconomic disparities in arterial stiffness and intima media thickness among adolescents. Social Science and Medicine, 2009, 68, 807-813.   | 1.8 | 67        |
| 720 | The Clinical Implications of the CHICAGO Study for the Management of Cardiovascular Risk in Patients<br>With Type 2 Diabetes Mellitus. Trends in Cardiovascular Medicine, 2009, 19, 94-99.   | 2.3 | 12        |
| 721 | Alcohol consumption and carotid artery structure in Korean adults aged 50 years and older. BMC<br>Public Health, 2009, 9, 358.   | 1.2 | 31        |
| 722 | Use of Carotid Ultrasound to Identify Subclinical Vascular Disease and Evaluate Cardiovascular<br>Disease Risk: Summary and Discussion of the American Society of Echocardiography Consensus<br>Statement. Preventive Cardiology, 2009, 12, 34-38. | 1.1 | 64        |
| 723 | Factors Associated With Low Levels of Subclinical Vascular Disease in Older Adults: Multiâ€Ethnic<br>Study of Atherosclerosis. Preventive Cardiology, 2009, 12, 72-79.   | 1.1 | 21        |
| 724 | How to Identify the Asymptomatic High-Risk Patient?. Current Problems in Cardiology, 2009, 34, 539-577.  | 1.1 | 3         |
| 725 | Clinical and Research Applications of Carotid Intima-Media Thickness. American Journal of Cardiology, 2009, 103, 1316-1320.  | 0.7 | 52        |
| 726 | Utility of Waist-To-Height Ratio in Detecting Central Obesity and Related Adverse Cardiovascular Risk<br>Profile Among Normal Weight Younger Adults (from the Bogalusa Heart Study). American Journal of<br>Cardiology, 2009, 104, 721-724.        | 0.7 | 82        |
| 727 | Usefulness of Carotid Intima-Media Thickness in Patients With Diabetes Mellitus as a Predictor of<br>Coronary Artery Disease. American Journal of Cardiology, 2009, 104, 1041-1046.  | 0.7 | 27        |
| 728 | Screening for Subclinical Coronary Artery Disease Measuring Carotid Intima Media Thickness.<br>American Journal of Cardiology, 2009, 104, 1383-1388.   | 0.7 | 54        |
| 729 | High-Density Lipoprotein and Progression Rate of Atherosclerosis in Intravascular Ultrasound Trials.<br>American Journal of Cardiology, 2009, 104, 16E-21E.  | 0.7 | 7         |
| 731 | Magnetic resonance imaging and threeâ€dimensional ultrasound of carotid atherosclerosis: Mapping<br>regional differences. Journal of Magnetic Resonance Imaging, 2009, 29, 901-908.  | 1.9 | 18        |
| 732 | Subclinical atherosclerosis and endothelial dysfunction in young South-Asian patients with systemic lupus erythematosus. Clinical Rheumatology, 2009, 28, 1259-1265.   | 1.0 | 27        |
| 733 | Aortic wall thickness assessed by multidetector computed tomography as a predictor of coronary atherosclerosis. International Journal of Cardiovascular Imaging, 2009, 25, 209-217.  | 0.7 | 21        |
| 734 | Relationship between carotid artery intima-media thickness and brachial artery flow-mediated dilation in peritoneal dialysis patients. International Urology and Nephrology, 2009, 41, 409-416.  | 0.6 | 9         |
| 735 | Carotid intima-media thickness and carotid plaques in cardiovascular risk assessment. Current<br>Cardiovascular Risk Reports, 2009, 3, 121-130.  | 0.8 | 1         |
| 736 | Statins and their use in preventing carotid disease. Current Atherosclerosis Reports, 2009, 11, 309-314.   | 2.0 | 6         |
| 737 | Carotid plaque compared with intima-media thickness as a predictor of coronary and cerebrovascular disease. Current Cardiology Reports, 2009, 11, 21-27.   | 1.3 | 184       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 738 | Ultrasound imaging of atherosclerotic plaques. Current Cardiovascular Imaging Reports, 2009, 2, 24-32.   | 0.4 | 4         |
| 739 | Carotid intima-media thickness and risk for coronary heart disease. Current Cardiovascular Imaging<br>Reports, 2009, 2, 350-355.   | 0.4 | 2         |
| 740 | Comparison of brachial and carotid artery ultrasound for assessing extent of subclinical atherosclerosis in HIV: a prospective cohort study. AIDS Research and Therapy, 2009, 6, 11.   | 0.7 | 7         |
| 741 | Brachial artery diameter is related to cardiovascular risk factors and intimaâ€media thickness.<br>European Journal of Clinical Investigation, 2009, 39, 554-560.  | 1.7 | 31        |
| 742 | Migration at early age from a high to a lower coronary heart disease risk country lowers the risk of<br>subclinical atherosclerosis in middleâ€aged men. Journal of Internal Medicine, 2009, 265, 345-358.                     | 2.7 | 7         |
| 743 | Intimaâ€Media Thickness and Flowâ€Mediated Vasodilation in Asymptomatic Subjects with Newly Detected<br>Severe Hypercholesterolemia. Echocardiography, 2009, 26, 1060-1068.  | 0.3 | 15        |
| 744 | Change of glomerular filtration rate in healthy adults with aging. Nephrology, 2009, 14, 506-513.  | 0.7 | 19        |
| 745 | Improvement of cardiovascular risk assessment in Type 2 diabetes by the addition of carotid artery<br>intima–media thickness to Framingham risk score: A retrospective cohort study. Journal of Diabetes,<br>2009, 1, 188-193. | 0.8 | 9         |
| 746 | Lower-limb vascular imaging with acoustic radiation force elastography: Demonstration of in vivo feasibility. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2009, 56, 931-944.                      | 1.7 | 43        |
| 747 | Acrylic Copolymers as Candidates for Drug-Eluting Coating of Vascular Stents. Journal of Biomaterials Applications, 2009, 24, 353-383.   | 1.2 | 5         |
| 748 | Risk Factor Treatment in Veteran Women at Risk for Cardiovascular Disease. Journal of Surgical<br>Research, 2009, 157, 175-180.  | 0.8 | 19        |
| 749 | Antibodies to Chlamydia pneumoniae are Associated with Increased Intima Media Thickness in<br>Asymptomatic Indian Individuals. Journal of Stroke and Cerebrovascular Diseases, 2009, 18, 190-194.                              | 0.7 | 6         |
| 751 | Additional prognostic value of physical examination, exercise testing, and arterial ultrasonography for coronary risk assessment in primary prevention. American Heart Journal, 2009, 158, 845-851.                            | 1.2 | 31        |
| 752 | HIV-1 antiretrovirals induce oxidant injury and increase intima–media thickness in an atherogenic<br>mouse model. Toxicology Letters, 2009, 187, 164-171.  | 0.4 | 18        |
| 753 | Differences in subclinical cardiovascular disease between African American and Caucasian women with systemic lupus erythematosus. Translational Research, 2009, 153, 51-59.  | 2.2 | 32        |
| 754 | Carotid intima-media thickness measurement in cardiovascular screening programmes. European<br>Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 639-644.   | 3.1 | 33        |
| 755 | Serum total homocysteine, folate, 5,10-methylenetetrahydrofolate reductase (MTHFR) 677C→T genotype<br>and subclinical atherosclerosis. Expert Opinion on Therapeutic Targets, 2009, 13, 1-11.                                  | 1.5 | 13        |
| 756 | Metabolic syndrome and carotid intima media thickness in the Health 2000 Survey. Atherosclerosis, 2009, 204, 276-281.  | 0.4 | 37        |

| ~      |      |     | ~     |     |
|--------|------|-----|-------|-----|
|        | ΙΤΑΤ | ION | Rep   | ORT |
| $\sim$ | /    |     | I CLI |     |

| #   | ARTICLE   | IF               | CITATIONS         |
|-----|---|------------------|-------------------|
| 757 | Carotid intima–media thickness in patients with cardiac syndrome X and its association with high circulating levels of asymmetric dimethylarginine. Atherosclerosis, 2009, 204, e82-e85.  | 0.4              | 24                |
| 758 | Carotid atherosclerotic disease following childhood scalp irradiation. Atherosclerosis, 2009, 204, 556-560.   | 0.4              | 14                |
| 759 | Shift work in young adults and carotid artery intima–media thickness: The Cardiovascular Risk in<br>Young Finns study. Atherosclerosis, 2009, 205, 608-613.   | 0.4              | 95                |
| 760 | The differential association between various anthropometric indices of obesity and subclinical atherosclerosis. Atherosclerosis, 2009, 207, 232-238.  | 0.4              | 38                |
| 761 | Novel uses for statins in surgical patients. International Journal of Surgery, 2009, 7, 285-290.  | 1.1              | 10                |
| 762 | Polymorphisms of the methylenetetrahydrofolate reductase, vascular endothelial growth factor,<br>endothelial nitric oxide synthase, monocyte chemoattractant protein-1 and apolipoprotein E genes are<br>not associated with carotid intima-media thickness. Canadian Journal of Cardiology, 2009, 25, e1-e5. | 0.8              | 11                |
| 763 | Fonction artérielle et risque cardiovasculaire. Medecine Des Maladies Metaboliques, 2009, 3, 267-271.   | 0.1              | 0                 |
| 764 | Carotid Intima-Media Thickness and Coronary Artery Calcium Score as Indications of Subclinical Atherosclerosis. Mayo Clinic Proceedings, 2009, 84, 229-233.   | 1.4              | 89                |
| 765 | Impact of Ezetimibe on Atherosclerosis: Is the Jury Still Out?. Mayo Clinic Proceedings, 2009, 84, 353-361.   | 1.4              | 17                |
| 766 | Police Work and Subclinical Atherosclerosis. Journal of Occupational and Environmental Medicine, 2009, 51, 700-707.   | 0.9              | 52                |
| 767 | Body mass index, metabolic syndrome and carotid atherosclerosis. Coronary Artery Disease, 2009, 20,<br>94-99.   | 0.3              | 30                |
| 768 | Multicenter Epidemiological Studies of Atherosclerosis Imaging. Topics in Magnetic Resonance<br>Imaging, 2009, 20, 239-246.   | 0.7              | 1                 |
| 769 | Usefulness of ultrasonographic markers of carotid atherosclerosis (intima–media thickness,) Tj ETQq0 0 0 rgBT<br>artery disease. Journal of Cardiovascular Medicine, 2009, 10, 906-912.   | /Overlock<br>0.6 | 10 Tf 50 26<br>14 |
| 770 | Endpoints in clinical trials: does evidence only originate from â€~hard' or mortality endpoints?. Journal of Hypertension, 2009, 27, S45-S50.   | 0.3              | 11                |
| 771 | Relationship between carotid intima-media thickness and coronary angiographic findings: a prospective study. Cardiovascular Ultrasound, 2009, 7, 59.  | 0.5              | 39                |
| 772 | Using Nontraditional Risk Factors in Coronary Heart Disease Risk Assessment: U.S. Preventive Services<br>Task Force Recommendation Statement. Annals of Internal Medicine, 2009, 151, 474.  | 2.0              | 157               |
| 773 | Emerging Risk Factors for Coronary Heart Disease: A Summary of Systematic Reviews Conducted for the U.S. Preventive Services Task Force. Annals of Internal Medicine, 2009, 151, 496.   | 2.0              | 305               |
| 774 | Regression and shift in composition of coronary atherosclerotic plaques by pioglitazone: insight from an intravascular ultrasound analysis. Journal of Cardiovascular Medicine, 2009, 10, 231-237.  | 0.6              | 14                |

|     |  | 15  |           |
|-----|--|-----|-----------|
| #   | Article  | IF  | CITATIONS |
| 775 | Arterial Wall Structure and Dynamics in Type 2 Diabetes Mellitus Methodological Aspects and Pathophysiological Findings. Current Diabetes Reviews, 2010, 6, 367-377.   | 0.6 | 39        |
| 776 | Increased Prevalence of Carotid Artery Atherosclerosis in Rheumatoid Arthritis Is Artery-specific.<br>Journal of Rheumatology, 2010, 37, 730-739.  | 1.0 | 58        |
| 777 | Dietary zinc intake is inversely related to subclinical atherosclerosis measured by carotid intima-media thickness. British Journal of Nutrition, 2010, 104, 1202-1211.  | 1.2 | 31        |
| 778 | Associations of Carotid Artery Intima-Media Thickness (IMT) With Risk Factors and Prevalent<br>Cardiovascular Disease. Journal of Ultrasound in Medicine, 2010, 29, 1759-1768.   | 0.8 | 121       |
| 779 | Asymptomatic carotid lesions add to cardiovascular risk prediction. European Journal of<br>Cardiovascular Prevention and Rehabilitation, 2010, 17, 514-518.  | 3.1 | 20        |
| 780 | Regulation of subcutaneous adipose tissue blood flow is related to measures of vascular and autonomic function. Clinical Science, 2010, 119, 313-322.  | 1.8 | 10        |
| 781 | Metabolic Syndrome and Carotid Artery Parameter in Koreans Aged 50 Years and Older. Circulation<br>Journal, 2010, 74, 560-566.   | 0.7 | 10        |
| 782 | Molecular imaging in atherosclerosis. European Journal of Nuclear Medicine and Molecular Imaging, 2010, 37, 2381-2397.   | 3.3 | 35        |
| 783 | Identification of asymptomatic type 2 diabetes mellitus patients with a low, intermediate and high risk of ischaemic heart disease: is there an algorithm?. Diabetologia, 2010, 53, 659-667.   | 2.9 | 9         |
| 784 | Lipoprotein(a) predicts progression of carotid artery intima-media thickening in patients with type 2<br>diabetes: A four-year follow-up. Wiener Klinische Wochenschrift, 2010, 122, 159-164.  | 1.0 | 11        |
| 785 | Prevalence and Significance of Obstructive Coronary Artery Disease in Patients with Zero Coronary<br>Artery Calcium Score. Current Cardiovascular Imaging Reports, 2010, 3, 350-354.   | 0.4 | 0         |
| 786 | Protective modulation of carotid atherosclerosis in hyperalphalipoproteinemic individuals.<br>International Journal of Cardiovascular Imaging, 2010, 26, 27-34.  | 0.7 | 6         |
| 787 | Rationale, design and population baseline characteristics of the PERFORM Vascular Project: an ancillary study of the Prevention of cerebrovascular and cardiovascular Events of ischemic origin with teRutroban in patients with a history oF ischemic strOke or tRansient ischeMic attack (PERFORM) trial. Cardiovascular Drugs and Therapy, 2010, 24, 175-180. | 1.3 | 10        |
| 788 | Atherosclerotic Plaque Regression: Fact or Fiction?. Cardiovascular Drugs and Therapy, 2010, 24, 311-317.  | 1.3 | 19        |
| 789 | Diagnostic and prognostic testing to evaluate coronary artery disease in patients with diabetes mellitus. Reviews in Endocrine and Metabolic Disorders, 2010, 11, 11-20.   | 2.6 | 9         |
| 790 | A Review of Noninvasive Ultrasound Image Processing Methods in the Analysis of Carotid Plaque<br>Morphology for the Assessment of Stroke Risk. IEEE Transactions on Information Technology in<br>Biomedicine, 2010, 14, 1027-1038.   | 3.6 | 67        |
| 791 | Carotid intima-media thickness, dietary intake, and cardiovascular phenotypes in adolescents: relation<br>to metabolic syndrome. Metabolism: Clinical and Experimental, 2010, 59, 533-539.   | 1.5 | 5         |
| 792 | Bio-psychosocial determinants of cardiovascular disease in a rural population on Crete, Greece:<br>formulating a hypothesis and designing the SPILI-III study. BMC Research Notes, 2010, 3, 258.   | 0.6 | 7         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 793 | Relation of Serum Phosphorus Levels to Carotid Intima–Media Thickness in Asymptomatic Young<br>Adults (from the Bogalusa Heart Study). American Journal of Cardiology, 2010, 106, 793-797.   | 0.7 | 35        |
| 795 | Independent Determinants of Coronary Artery Disease in Erectile Dysfunction Patients. Journal of Sexual Medicine, 2010, 7, 1478-1487.  | 0.3 | 19        |
| 796 | Subclinical Atherosclerosis: Evolving Role of Carotid Intima-Media Thickness. Preventive Cardiology, 2010, 13, 186-197.  | 1.1 | 29        |
| 797 | Sonographically measured perirenal fat thickness: An early predictor of atherosclerosis in<br>HIVâ€lâ€infected patients receiving highly active antiretroviral therapy?. Journal of Clinical Ultrasound,<br>2010, 38, 190-195.                   | 0.4 | 24        |
| 798 | Ultrasound-assessed perirenal fat is related to increased ophthalmic artery resistance index in HIV-1 patients. Cardiovascular Ultrasound, 2010, 8, 24.  | 0.5 | 8         |
| 799 | Relation between serum osteoprotegerin and carotid intima media thickness in a general population –<br>the TromsÃ, Study. Journal of Thrombosis and Haemostasis, 2010, 8, 2133-2139.   | 1.9 | 45        |
| 800 | Predictors of the intimaâ€media thickness of carotid artery in asymptomatic newly detected severe hypercholesterolemic patients. Clinical Physiology and Functional Imaging, 2010, 30, 250-259.  | 0.5 | 6         |
| 801 | Should we measure routinely oxidised and atherogenic dense low-density lipoproteins in subjects with type 2 diabetes?. International Journal of Clinical Practice, 2010, 64, 1632-1642.  | 0.8 | 27        |
| 802 | Association between alcohol consumption and carotid intima–media thickness in a healthy<br>population: data of the STRATEGY study (Stress, Atherosclerosis and ECG Study). European Journal of<br>Clinical Nutrition, 2010, 64, 1199-1206.       | 1.3 | 32        |
| 803 | Prehypertension is associated with atherosclerosis in Type 2 diabetes. Journal of Diabetes, 2010, 2, 56-63.  | 0.8 | 11        |
| 804 | Effect of Harmonic and Compound Imaging on Estimates of Carotid Artery Intima-Media Thickness.<br>Journal for Vascular Ultrasound, 2010, 34, 185-188.  | 0.2 | 1         |
| 805 | Genetic Risk Factors and the Anti-Atherosclerotic Effect of Pioglitazone on Carotid Atherosclerosis<br>of Subjects with Type 2 Diabetes —A Retrospective Study—. Journal of Atherosclerosis and Thrombosis,<br>2010, 17, 386-394.                | 0.9 | 10        |
| 807 | Slightly Elevated High-Sensitivity C-Reactive Protein (hsCRP) Concentrations Are Associated With<br>Carotid Atherosclerosis in Women With Varying Degrees of Glucose Tolerance. Angiology, 2010, 61,<br>793-801.                                 | 0.8 | 7         |
| 808 | Effects of Statins on Progression of Carotid Atherosclerosis as Measured By Carotid Intimal—Medial<br>Thickness: A Meta-Analysis of Randomized Controlled Trials. Journal of Cardiovascular Pharmacology<br>and Therapeutics, 2010, 15, 268-273. | 1.0 | 52        |
| 809 | Tumor Necrosis Factor-α Antagonists Improve Aortic Stiffness in Patients With Inflammatory<br>Arthropathies. Hypertension, 2010, 55, 333-338.  | 1.3 | 144       |
| 810 | The Value of Carotid Intima-Media Thickness for Predicting Cardiovascular Risk. Arteriosclerosis,<br>Thrombosis, and Vascular Biology, 2010, 30, 182-185.  | 1.1 | 236       |
| 811 | "Vascular Age―Is Advanced in Children With Atherosclerosis-Promoting Risk Factors. Circulation:<br>Cardiovascular Imaging, 2010, 3, 8-14.  | 1.3 | 53        |
| 812 | Lifetime cardiovascular risk of childhood obesity. American Journal of Clinical Nutrition, 2010, 91, 1514S-1519S.  | 2.2 | 59        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 813 | Tobacco or Health?. , 2010, , .  |     | 8         |
| 814 | Assessing individual cardiac risk using extra-cardiac arterial imaging. Expert Review of<br>Cardiovascular Therapy, 2010, 8, 529-543.  | 0.6 | 0         |
| 815 | 2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults. Circulation, 2010, 122, e584-636.  | 1.6 | 1,009     |
| 816 | Cross-sectional analysis of baseline data to identify the major determinants of carotid intima–media thickness in a European population: the IMPROVE study. European Heart Journal, 2010, 31, 614-622.               | 1.0 | 117       |
| 817 | Imaging of atherosclerosis: carotid intima-media thickness. European Heart Journal, 2010, 31, 1682-1689.   | 1.0 | 213       |
| 818 | The association of carotid artery disease with snoring and obstructive sleep apnoea: definitions, pathogenesis and treatment. Australasian Journal of Ultrasound in Medicine, 2010, 13, 27-31.                       | 0.3 | 0         |
| 819 | Coronary Heart Disease Risk Stratification: Pitfalls And Possibilities. Methodist DeBakey<br>Cardiovascular Journal, 2010, 6, 26-32.   | 0.5 | 1         |
| 820 | Biomarkers of Vulnerable Atheromatous Plaques. Advances in Clinical Chemistry, 2010, 50, 1-22.   | 1.8 | 16        |
| 821 | Incremental predictive value of carotid intima–media thickness to arterial stiffness for impaired coronary flow reserve in untreated hypertensives. Hypertension Research, 2010, 33, 367-373.                        | 1.5 | 20        |
| 822 | Segment-Specific Associations of Carotid Intima-Media Thickness With Cardiovascular Risk Factors.<br>Stroke, 2010, 41, 9-15.   | 1.0 | 134       |
| 823 | METEOR Trial Reports on the Effect of Rosuvastatin on Progression of Carotid Intima-Media Thickness<br>in Low-Risk Individuals with Subclinical Atherosclerosis. Physician and Sportsmedicine, 2010, 38,<br>180-182. | 1.0 | 2         |
| 824 | Carotid Intima-Media Thickness: Knowledge and Application to Everyday Practice. Postgraduate Medicine, 2010, 122, 10-18.   | 0.9 | 93        |
| 825 | Rationale and approach to evaluation of the impact of medical therapies on progression of atherosclerosis with arterial wall imaging. Current Medical Research and Opinion, 2010, 26, 737-744.                       | 0.9 | 1         |
| 826 | Adiponectin is related with carotid artery intima-media thickness and brachial flow-mediated<br>dilatation in young adults—The Cardiovascular Risk in Young Finns Study. Annals of Medicine, 2010,<br>42, 603-611.   | 1.5 | 33        |
| 827 | Association between Carotid Intima-Media Thickness and Aortic Arch Plaques. Journal of the American<br>Society of Echocardiography, 2010, 23, 772-777.   | 1.2 | 11        |
| 828 | Initial Clinical Encounter with the Patient with Established Hypertension. Cardiology Clinics, 2010, 28, 587-595.  | 0.9 | 4         |
| 829 | Carotid Ultrasound Identifies High Risk Subclinical Atherosclerosis in Adults with Low Framingham<br>Risk Scores. Journal of the American Society of Echocardiography, 2010, 23, 802-808.                            | 1.2 | 50        |
| 830 | Carotid Intima-Media Thickness and Presence or Absence of Plaque Improves Prediction of Coronary<br>Heart Disease Risk. Journal of the American College of Cardiology, 2010, 55, 1600-1607.                          | 1.2 | 794       |

| щ   |  | IF         | CITATIONS    |
|-----|--|------------|--------------|
| #   | ARTICLE  | IF         | CITATIONS    |
| 831 | Does Carotid Intima-Media Thickness Regression Predict Reduction of Cardiovascular Events?. Journal of the American College of Cardiology, 2010, 56, 2006-2020.  | 1.2        | 210          |
| 832 | 2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults. Journal of the American College of Cardiology, 2010, 56, e50-e103.   | 1.2        | 1,150        |
| 833 | Carotid intima-media thickness for the practicing lipidologist. Journal of Clinical Lipidology, 2010, 4, 24-35.  | 0.6        | 31           |
| 834 | The effect of smoking on arterial stiffness. Hypertension Research, 2010, 33, 398-410.   | 1.5        | 163          |
| 835 | Carotid Intima-Media Thickness in Subjects With No Cardiovascular Risk Factors. Revista Espanola De<br>Cardiologia (English Ed ), 2010, 63, 97-102.  | 0.4        | 35           |
| 836 | Carotid Hemodynamic Parameters Are Useful forÂDiscriminating Between Atherothrombotic Infarction<br>andÂLacunar Infarction. Journal of Stroke and Cerebrovascular Diseases, 2010, 19, 441-449.   | 0.7        | 7            |
| 837 | Psychological factors and subclinical atherosclerosis in postmenopausal Chinese women in Hong<br>Kong. Maturitas, 2010, 67, 186-191.   | 1.0        | 19           |
| 838 | Plasma interleukin-18 levels are increased in the polycystic ovary syndrome: relationship of carotid intima-media wall thickness and cardiovascular risk factors. Fertility and Sterility, 2010, 93, 1200-1207.  | 0.5        | 56           |
| 839 | Microangiopathy is independently associated with presence, severity and composition of carotid atherosclerosis in type 2 diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2010, 21, 286-93.  | 1.1        | 34           |
| 840 | Military combat and burden of subclinical atherosclerosis in middle aged men: The ARIC Study.<br>Preventive Medicine, 2010, 50, 277-281.   | 1.6        | 12           |
| 841 | Individual progression of carotid intima media thickness as a surrogate for vascular risk (PROC-IMT):<br>Rationale and design of a meta-analysis project. American Heart Journal, 2010, 159, 730-736.e2.   | 1.2        | 37           |
| 842 | Normal intima-media thickness on carotid ultrasound reliably excludes an ischemic cause of cardiomyopathy. American Heart Journal, 2010, 159, 1059-1066.   | 1.2        | 9            |
| 843 | Are changes in carotid intima-media thickness related to risk of nonfatal myocardial infarction? A critical review and meta-regression analysis. American Heart Journal, 2010, 160, 701-714.   | 1.2        | 79           |
| 844 | ORIGINAL ARTICLE: Morphometric evaluation for relationship of atherosclerosis developed in coronary and peripheral muscular arteries: An autopsy study. Basic and Applied Pathology, 2010, 3, 93-97.   | 0.2        | 0            |
| 845 | Cardiovascular computed tomographic assessment of the effect of combination lipoprotein therapy<br>on coronary arterial plaque: Rationale and design of the AFRICA (Atorvastatin plus Fenofibric acid in) Tj ETQq0 0 (   | ) rgBT /Ov | erlock 10 Tf |
| 010 | Tomography, 2010, 4, 164-172.  | 0.7        | ,            |
| 846 | Cardiovascular risk factors and non-invasive assessment of subclinical atherosclerosis in youth.<br>Atherosclerosis, 2010, 208, 501-505.   | 0.4        | 65           |
| 847 | Normative values and correlates of carotid artery intima-media thickness and carotid atherosclerosis in Andean-Hispanics: The Prevencion Study. Atherosclerosis, 2010, 211, 499-505.   | 0.4        | 25           |
| 850 | High Prevalence of Ultrasound Detected Carotid Atherosclerosis in Subjects with Low Framingham<br>Risk Score: Potential Implications for Screening for Subclinical Atherosclerosis. Journal of the<br>American Society of Echocardiography, 2010, 23, 809-815. | 1.2        | 67           |

| #   | Article  | IF              | CITATIONS         |
|-----|--|-----------------|-------------------|
| 851 | A new gradient-based algorithm for edge detection in ultrasonic carotid artery images. , 2010, 2010, 5165-8.   |                 | 6                 |
| 852 | Atherosclerosis lesion progression during inhalation exposure to environmental tobacco smoke: A comparison to concentrated ambient air fine particles exposure. Inhalation Toxicology, 2010, 22, 449-459.            | 0.8             | 39                |
| 853 | Attenuation of Rate of Change in Carotid Intima-Media Thickness by Lipid-Modifying Drugs. American<br>Journal of Cardiovascular Drugs, 2011, 11, 253-263.  | 1.0             | 31                |
| 854 | A Longitudinal Study of Carotid Plaque and Risk of Ischemic Cardiovascular Disease in the Chinese<br>Population. Journal of the American Society of Echocardiography, 2011, 24, 729-737.                             | 1.2             | 29                |
| 856 | Ultrasound Evaluation of Carotid Intima Media Thickness: The Hows and Whys. Ultrasound Clinics, 2011, 6, 445-461.  | 0.2             | 2                 |
| 857 | Clinical experience with rosuvastatin in the management of hyperlipidemia and the reduction of cardiovascular risk. Expert Review of Cardiovascular Therapy, 2011, 9, 1383-1390.                                     | 0.6             | 7                 |
| 858 | Ultrasonography. , 2011, , 831-869.  |                 | 1                 |
| 859 | Common Carotid Artery Intima-Media Thickness: The Cardiovascular Risk Factor Multiple Evaluation in<br>Latin America (CARMELA) Study Results. Cerebrovascular Diseases, 2011, 31, 43-50.                             | 0.8             | 33                |
| 860 | Enfermedad arterial periférica e infección por virus inmunodeficiencia humana. Angiologia, 2011, 63,<br>243-249.   | 0.0             | 0                 |
| 861 | Segment-Specific Association Between Plasma Homocysteine Level and Carotid Artery Intima-Media<br>Thickness in the Framingham Offspring Study. Journal of Stroke and Cerebrovascular Diseases, 2011,<br>20, 155-161. | 0.7             | 20                |
| 864 | Carotid artery intima-media thickness: normal and percentile values in the Italian population (camp) Tj ETQq0 0 C  | ) rgBT /Ove     | erlgçk 10 Tf 5    |
| 865 | Impact of statins on progression of atherosclerosis: rationale and design of SATURN (Study of) Tj ETQq1 1 0.784<br>Current Medical Research and Opinion, 2011, 27, 1119-1129.  | 314 rgBT<br>0.9 | Overlock 10<br>43 |
| 866 | Tobacco smoking and long-lasting symptoms from the bowel and the anal-sphincter region after radiotherapy for prostate cancer. Radiotherapy and Oncology, 2011, 101, 495-501.  | 0.3             | 58                |
| 867 | Carotid Intima-Media Thickness in Diabetics and Hypertensive Patients. Revista Espanola De Cardiologia<br>(English Ed ), 2011, 64, 622-625.  | 0.4             | 6                 |
| 868 | Factors influencing hemodynamic and morphological indicators of carotid arteries atherosclerosis in treated hypertensive patients. Artery Research, 2011, 5, 1.  | 0.3             | 1                 |
| 869 | Atherosclerotic vascular disorders in HIV infected patients. Artery Research, 2011, 5, 81.   | 0.3             | 3                 |
| 870 | Abdominal aortic calcium and multi-site atherosclerosis: The Multiethnic Study of Atherosclerosis.<br>Atherosclerosis, 2011, 214, 436-441.   | 0.4             | 77                |
| 871 | Appropriate use criteria for carotid intima media thickness testing. Atherosclerosis, 2011, 214, 43-46.  | 0.4             | 41                |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 872 | Serum apolipoprotein B-48 levels are correlated with carotid intima-media thickness in subjects with normal serum triglyceride levels. Atherosclerosis, 2011, 218, 226-232.  | 0.4 | 28        |
| 873 | Novel associations for coronary artery disease derived from genome wide association studies are not associated with increased carotid intima-media thickness, suggesting they do not act via early atherosclerosis or vessel remodeling. Atherosclerosis, 2011, 219, 684-689.            | 0.4 | 16        |
| 874 | Carotid intima-media thickness in plaque-free site, carotid plaques and coronary heart disease risk prediction in older adults. The Three-City Study. Atherosclerosis, 2011, 219, 917-924.   | 0.4 | 117       |
| 875 | Normative Values and Correlates of Mean Common Carotid Intima-Media Thickness in the Korean Rural<br>Middle-aged Population: The Atherosclerosis RIsk of Rural Areas iN Korea General Population<br>(ARIRANG) Study. Journal of Korean Medical Science, 2011, 26, 365.                   | 1.1 | 33        |
| 876 | Integrated Evaluation of Age-Related Changes in Structural and Functional Vascular Parameters Used<br>to Assess Arterial Aging, Subclinical Atherosclerosis, and Cardiovascular Risk in Uruguayan Adults:<br>CUiiDARTE Project. International Journal of Hypertension, 2011, 2011, 1-12. | 0.5 | 29        |
| 877 | Interâ€Reader Differences in Common Carotid Artery Intimaâ€Media Thickness. Journal of Ultrasound in<br>Medicine, 2011, 30, 915-920.   | 0.8 | 27        |
| 878 | Perfil de riesgo cardiovascular en adultos jóvenes asintomáticos con grosor Ãntima media carotÃdeo<br>elevado. Revista Medica De Chile, 2011, 139, 1322-1329.  | 0.1 | 12        |
| 879 | Cardiovascular Risk Assessment with Vascular Function, Carotid Atherosclerosis and the UKPDS Risk<br>Engine in Korean Patients with Newly Diagnosed Type 2 Diabetes. Diabetes and Metabolism Journal, 2011,<br>35, 619.  | 1.8 | 12        |
| 880 | Association of plasma fibrinogen, C-reactive protein and G-455>A polymorphism with early atherosclerosis in the VITA Project cohort. Thrombosis and Haemostasis, 2011, 105, 329-335.   | 1.8 | 12        |
| 881 | Carotid intima media thickness and cardiometabolic risk associates in Turkish adults. Acta<br>Cardiologica, 2011, 66, 759-764.   | 0.3 | 0         |
| 882 | Ultrasound Imaging in Vascular Diseases. , 2011, , .   |     | 0         |
| 883 | The Effect of a One-Year Lifestyle Intervention Program on Carotid Intima Media Thickness. Military<br>Medicine, 2011, 176, 798-804.   | 0.4 | 7         |
| 884 | Elevated serum retinol-binding protein 4 concentrations are associated with chronic kidney disease<br>but not with the higher carotid intima-media thickness in type 2 diabetic subjects. Endocrine Journal,<br>2011, 58, 841-847.   | 0.7 | 18        |
| 885 | Effects of hypolipidemic and hypoglycemic agents on atherogenic small, dense LDL in Type 2 diabetes.<br>Clinical Lipidology, 2011, 6, 539-547.   | 0.4 | 1         |
| 886 | The IMPROVE-IT trial: current status and potential clinical implications of ezetimibe. Clinical Investigation, 2011, 1, 137-144.   | 0.0 | 0         |
| 887 | Carotid intima-media thickness as a screening tool in cardiovascular primary prevention. European<br>Journal of Clinical Investigation, 2011, 41, 521-526.   | 1.7 | 11        |
| 888 | Improvement of postprandial hyperglycemia and arterial stiffness upon switching from premixed<br>human insulin 30/70 to biphasic insulin aspart 30/70. Metabolism: Clinical and Experimental, 2011, 60,<br>78-85.  | 1.5 | 42        |
| 889 | Surrogate Markers of Cardiovascular Disease in CKD: What's Under the Hood?. American Journal of<br>Kidney Diseases, 2011, 57, 488-497.   | 2.1 | 27        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 890 | A Lesion-Specific Coronary Artery Calcium Quantification Framework for the Prediction of Cardiac Events. IEEE Transactions on Information Technology in Biomedicine, 2011, 15, 673-680.   | 3.6 | 11        |
| 891 | The Editor's Roundtable: Closing the Clinical Practice Gap—Using Evidence-Based Treatments for<br>Managing Lipids. American Journal of Cardiology, 2011, 107, 230-242.  | 0.7 | 1         |
| 892 | Carotid Intima-Media Thickness Measurement: A Suitable Alternative for Cardiovascular Risk?. , 2011, , 379-395.   |     | 0         |
| 893 | Intima-Media Thickness and Carotid Plaques in Cardiovascular Risk Assessment. , 2011, , 397-418.  |     | 0         |
| 894 | The Prognostic Value of Early Left Ventricular Longitudinal Systolic Dysfunction in Asymptomatic<br>Subjects With Cardiovascular Risk Factors. Clinical Cardiology, 2011, 34, 500-506.  | 0.7 | 9         |
| 895 | Imaging of Subclinical Atherosclerosis: Questions and Answers. Current Problems in Diagnostic Radiology, 2011, 40, 116-126.   | 0.6 | 5         |
| 896 | Intima-Media Thickness of the Common Carotid Artery Is Not Significantly Higher in Crohn's Disease<br>Patients Compared to Healthy Population. Digestive Diseases and Sciences, 2011, 56, 197-202.  | 1.1 | 22        |
| 897 | Carotid and brachial artery intima-media thickness is related to coronary atherosclerotic burden and<br>may also represent high cardiovascular risk in patients with normal coronary angiograms. Journal of<br>Medical Ultrasonics (2001), 2011, 38, 187-194. | 0.6 | 1         |
| 898 | Carotid Intima Media Thickness Versus Carotid Plaque in Cardiovascular Risk Evaluation. Current<br>Cardiovascular Risk Reports, 2011, 5, 149-158.   | 0.8 | 0         |
| 899 | Measurement of carotid intima-media thickness and carotid plaque detection for cardiovascular risk assessment. Journal of Nuclear Cardiology, 2011, 18, 153-162.  | 1.4 | 11        |
| 900 | Noninvasive Assessment of HIV-related Coronary Artery Disease. Current HIV/AIDS Reports, 2011, 8, 114-121.  | 1.1 | 4         |
| 901 | Heart-Type Fatty Acid Binding Protein (H-FABP): Relationship with arterial ıntima-media thickness and<br>role as diagnostic marker for atherosclerosis in patients with ımpaired glucose metabolism.<br>Cardiovascular Diabetology, 2011, 10, 37.             | 2.7 | 25        |
| 902 | Correlation between coronary artery disease severity, left ventricular mass index and carotid intima media thickness, assessed by radio-frequency. Cardiovascular Ultrasound, 2011, 9, 32.  | 0.5 | 31        |
| 903 | Comparison of intima-media thickness and ophthalmic artery resistance index for assessing subclinical atherosclerosis in HIV-1-infected patients. Cardiovascular Ultrasound, 2011, 9, 9.  | 0.5 | 10        |
| 904 | Intraoperator and interoperator repeatability of manual and semiâ€automated measurement of<br>increased fetal nuchal translucency according to the operator's experience. Prenatal Diagnosis, 2011,<br>31, 1229-1233.   | 1.1 | 7         |
| 905 | Questioning the predictive role of carotid intima–media thickness. Future Cardiology, 2011, 7, 651-656.   | 0.5 | 10        |
| 906 | Relationship between mean platelet volume levels and subclinical target organ damage in newly<br>diagnosed hypertensive patients. Blood Pressure, 2011, 20, 92-97.  | 0.7 | 49        |
| 907 | Relationship of reduced cerebral blood flow and heart failure severity in elderly males. Aging Male, 2011, 14, 59-65.   | 0.9 | 50        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 908 | Subclinical Atherosclerosis and Metabolic Risk: Role of Body Mass Index and Waist Circumference.<br>Metabolic Syndrome and Related Disorders, 2011, 9, 119-125.   | 0.5  | 5         |
| 909 | Relation between carotid intima-media thickness and aortic knob width in patients with essential hypertension. Blood Pressure Monitoring, 2011, 16, 282-284.  | 0.4  | 8         |
| 910 | Vascular ultrasound for atherosclerosis imaging. Interface Focus, 2011, 1, 565-575.   | 1.5  | 121       |
| 911 | Prevalence and Predictors of Carotid Wall Triple Line Pattern in a General Population Sample.<br>Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 1682-1688.   | 1.1  | 6         |
| 912 | Correlation of Femoral Intima-Media Thickness and the Severity of Coronary Artery Disease.<br>Angiology, 2011, 62, 134-139.   | 0.8  | 26        |
| 913 | Imaging Biomarkers in Atherosclerosis Trials. Circulation: Cardiovascular Imaging, 2011, 4, 319-333.  | 1.3  | 63        |
| 914 | Association of Vitamin D Insufficiency with Carotid Intima-Media Thickness in HIV-Infected Persons.<br>Clinical Infectious Diseases, 2011, 52, 941-944.   | 2.9  | 44        |
| 915 | Combination of carotid intima-media thickness and plaque for better predicting risk of ischaemic cardiovascular events. Heart, 2011, 97, 1326-1331.   | 1.2  | 58        |
| 916 | Hyperlipidemia in Primary Care. , 2011, , .   |      | 2         |
| 917 | Blood Pressure and Vascular Alterations with Growth in Childhood. Current Pharmaceutical Design, 2011, 17, 3045-3061.   | 0.9  | 7         |
| 918 | Associations of Edge-Detected and Manual-Traced Common Carotid Intima-Media Thickness<br>Measurements With Framingham Risk Factors. Stroke, 2011, 42, 1912-1916.  | 1.0  | 48        |
| 919 | Association of a fat-derived plasma protein omentin with carotid artery intima-media thickness in apparently healthy men. Hypertension Research, 2011, 34, 1309-1312.   | 1.5  | 64        |
| 920 | Carotid-Wall Intima–Media Thickness and Cardiovascular Events. New England Journal of Medicine,<br>2011, 365, 213-221.  | 13.9 | 678       |
| 921 | Complications associated with chemotherapy in testicular cancer management. Nature Reviews Urology, 2011, 8, 213-222.   | 1.9  | 53        |
| 922 | Wall stress of the cervical carotid artery in patients with carotid dissection: a case-control study.<br>American Journal of Physiology - Heart and Circulatory Physiology, 2011, 300, H1451-H1458.                                       | 1.5  | 23        |
| 923 | From circulating biomarkers to genomics and imaging in the prediction of cardiovascular events in the general population. Annals of Medicine, 2012, 44, 433-447.  | 1.5  | 5         |
| 924 | The Carotid Artery Atherosclerosis Burden and Its Relation to Cardiovascular Risk Factors in Black<br>and White Africans with Established Rheumatoid Arthritis: A Cross-sectional Study. Journal of<br>Rheumatology, 2012, 39, 1798-1806. | 1.0  | 24        |
| 925 | Carotid Artery Imaging: Insights Into Inflammation and Cardiovascular Disease Risk in Patients With<br>HIV Infection. Journal of the American Heart Association, 2012, 1, e001396.  | 1.6  | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 926 | Carotid Intimaâ€Media Thickness Progression in HIVâ€Infected Adults Occurs Preferentially at the Carotid Bifurcation and Is Predicted by Inflammation. Journal of the American Heart Association, 2012, 1, .  | 1.6 | 87        |
| 927 | Carotid Intima-Media Thickness in Children with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 1930-1937.   | 2.2 | 93        |
| 928 | Arterial Ultrasound Screening as a Tool for Coronary Risk Assessment in Asymptomatic Men and Women. Angiology, 2012, 63, 282-288.   | 0.8 | 13        |
| 929 | Carotid intima–media thickness: ultrasound measurement, prognostic value and role in clinical<br>practice. Postgraduate Medical Journal, 2012, 88, 694-699.   | 0.9 | 37        |
| 931 | Displacement and strain estimation for evaluation of arterial wall stiffness using a familial hypercholesterolemia swine model of atherosclerosis. Medical Physics, 2012, 39, 4483-4492.  | 1.6 | 10        |
| 932 | Non-invasive imaging of atherosclerosis. European Heart Journal Cardiovascular Imaging, 2012, 13, 205-218.  | 0.5 | 45        |
| 933 | Carotid intima media thickness among young males with cardiovascular risk factors. , 2012, , .  |     | 0         |
| 934 | Aging-related changes and reference values for the carotid intima-media thickness in a Uruguayan<br>Population. , 2012, 2012, 5622-5.   |     | 1         |
| 935 | Common carotid artery intima-media thickness is as good as carotid intima-media thickness of all<br>carotid artery segments in improving prediction of coronary heart disease risk in the Atherosclerosis<br>Risk in Communities (ARIC) study. European Heart Journal, 2012, 33, 183-190. | 1.0 | 149       |
| 936 | Higher anthocyanin intake is associated with lower arterial stiffness and central blood pressure in women. American Journal of Clinical Nutrition, 2012, 96, 781-788.   | 2.2 | 219       |
| 937 | Alcohol consumption and carotid atherosclerosis in China: the Cardiovascular Risk Survey. European<br>Journal of Preventive Cardiology, 2012, 19, 314-321.  | 0.8 | 28        |
| 938 | Carotid intima–media thickness and the prediction of vascular events. Vascular Medicine, 2012, 17, 239-248.   | 0.8 | 47        |
| 939 | Evaluation of Clinical Variables Associated with Increased Carotid Intima-Media Thickness in<br>Middle-Aged Hypertensive Women. International Journal of Hypertension, 2012, 2012, 1-6.   | 0.5 | 6         |
| 940 | Carotid Intima-Media Thickness Provides Evidence that Ascending Aortic Aneurysm Protects against<br>Systemic Atherosclerosis. Cardiology, 2012, 123, 71-77.   | 0.6 | 29        |
| 941 | Carotid artery intima-media thickness and plaque score can predict the SYNTAX score. European Heart<br>Journal, 2012, 33, 113-119.  | 1.0 | 104       |
| 943 | Cardiovascular risk assessment in the asymptomatic individual. Coronary Artery Disease, 2012, 23, 298-302.  | 0.3 | 0         |
| 944 | Associations of Anger, Anxiety, and Depressive Symptoms With Carotid Arterial Wall Thickness.<br>Psychosomatic Medicine, 2012, 74, 517-525.   | 1.3 | 30        |
| 945 | Effects of red ginseng supplementation on menopausal symptoms and cardiovascular risk factors in postmenopausal women. Menopause, 2012, 19, 461-466.  | 0.8 | 61        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 946 | Progress towards identifying biomarkers of vascular aging for total cardiovascular risk prediction.<br>Journal of Hypertension, 2012, 30, S19-S26.   | 0.3 | 23        |
| 947 | Weight is an independent predictor of vascular injury in healthy volunteers with aspartate allele.<br>Journal of Cardiovascular Medicine, 2012, 13, 307-312.   | 0.6 | 0         |
| 948 | Risk Factors for Subclinical Atherosclerosis in Firefighters. Journal of Occupational and Environmental Medicine, 2012, 54, 328-335.   | 0.9 | 17        |
| 949 | Rate of change in carotid intima–media thickness and vascular events. Journal of Hypertension, 2012, 30, 1690-1696.  | 0.3 | 13        |
| 950 | Carotid intima media thickness in patients with sporadic idiopathic hypoparathyroidism: a pilot study.<br>Endocrine Journal, 2012, 59, 555-559.  | 0.7 | 7         |
| 951 | Effect of Intensive Lipid-Lowering Therapy With Rosuvastatin on Progression of Carotid Intima-Media<br>Thickness in Japanese Patients. Circulation Journal, 2012, 76, 221-229.   | 0.7 | 51        |
| 952 | Carotid intima-media thickness progression to predict cardiovascular events in the general<br>population (the PROG-IMT collaborative project): a meta-analysis of individual participant data. Lancet,<br>The, 2012, 379, 2053-2062.   | 6.3 | 506       |
| 953 | The Association between Severity of Atherosclerosis and Lower Urinary Tract Function in Male<br>Patients with Lower Urinary Tract Symptoms. LUTS: Lower Urinary Tract Symptoms, 2012, 4, 9-13.   | 0.6 | 24        |
| 954 | Carotid Intima-media Thickness in the Spanish Population: Reference Ranges and Association With<br>Cardiovascular Risk Factors. Revista Espanola De Cardiologia (English Ed ), 2012, 65, 1086-1093.  | 0.4 | 3         |
| 955 | Measurements of Carotid Intima-Media Thickness and of Interadventitia Common Carotid Diameter<br>Improve Prediction of Cardiovascular Events. Journal of the American College of Cardiology, 2012, 60,<br>1489-1499.   | 1.2 | 204       |
| 956 | Demonstration of the Glagov phenomenon in vivo by CT coronary angiography in subjects with<br>elevated Framingham risk. International Journal of Cardiovascular Imaging, 2012, 28, 1589-1599.  | 0.7 | 9         |
| 957 | Study Design, Rationale, and Baseline Characteristics: Evaluation of Fenofibric Acid on Carotid<br>Intima-Media Thickness in Patients with Type IIb Dyslipidemia with Residual Risk in Addition to<br>Atorvastatin Therapy (FIRST) Trial. Cardiovascular Drugs and Therapy, 2012, 26, 349-358. | 1.3 | 14        |
| 958 | Recently postmenopausal women have the same prevalence of subclinical carotid atherosclerosis as age and traditional risk factor matched men. Atherosclerosis, 2012, 221, 508-513.   | 0.4 | 25        |
| 959 | "InÂvivo―imaging of atherosclerosis. Atherosclerosis, 2012, 224, 25-36.  | 0.4 | 56        |
| 960 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012).<br>Atherosclerosis, 2012, 223, 1-68.   | 0.4 | 414       |
| 961 | Does oxidized LDL contribute to atherosclerotic plaque formation and microvascular complications in patients with type 1 diabetes?. Clinical Biochemistry, 2012, 45, 1620-1623.  | 0.8 | 11        |
| 962 | Premature Subclinical Atherosclerosis in Pediatric Inflammatory Bowel Disease. Journal of Pediatrics, 2012, 161, 589-594.e1.   | 0.9 | 63        |
| 963 | Imaging atherosclerosis in HIV: carotid intima-media thickness and beyond. Translational Research, 2012, 159, 127-139.   | 2.2 | 19        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 964 | Serum Uric Acid. Angiology, 2012, 63, 420-428.  | 0.8 | 28        |
| 965 | Measuring Carotid Artery Intima-Media Thickness: Simplicity Versus Complexity?. Journal of the American Society of Echocardiography, 2012, 25, 101-104.   | 1.2 | 6         |
| 966 | Variations in Common Carotid Artery Intima-Media Thickness during the Cardiac Cycle: Implications<br>for Cardiovascular Risk Assessment. Journal of the American Society of Echocardiography, 2012, 25,<br>1023-1028.   | 1.2 | 20        |
| 967 | Carotid intima-media thickness (cIMT) and plaque from risk assessment and clinical use to genetic discoveries. Perspectives in Medicine, 2012, 1, 139-145.  | 0.4 | 28        |
| 968 | Grosor Ãntima-media carotÃdeo en población española: valores de referencia y asociación con los<br>factores de riesgo cardiovascular. Revista Espanola De Cardiologia, 2012, 65, 1086-1093.   | 0.6 | 56        |
| 969 | Measuring Carotid Intima-Media Thickness: Simple Protocols Have Advantages. Journal of the American<br>Society of Echocardiography, 2012, 25, 1131-1134.  | 1.2 | О         |
| 970 | Measuring Carotid Intima-Media Thickness: Extensive Ultrasound Protocols Have Value. Journal of the<br>American Society of Echocardiography, 2012, 25, 1128-1130.   | 1.2 | 2         |
| 972 | European Guidelines on cardiovascular disease prevention in clinical practice (version 2012): The Fifth<br>Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease<br>Prevention in Clinical Practice (constituted by representatives of nine societies and by invited experts)<br>* Developed with the special contribution of the European Association for Cardiovascular Prevention | 1.0 | 5,247     |
| 973 | Camp, Rehabilitation (CACPR), European Meart Journal, 2012, 33, 1635-1701.<br>European Guidelines on cardiovascular disease prevention in clinical practice (version 2012).<br>European Journal of Preventive Cardiology, 2012, 19, 585-667.  | 0.8 | 359       |
| 974 | Cellular cardiomyoplasty: current state of the field. Regenerative Medicine, 2012, 7, 571-582.  | 0.8 | 15        |
| 975 | Rationale and design of a trial on the effect of high dose statins on cardiovascular risk in adults after successful coarctation repair. Contemporary Clinical Trials, 2012, 33, 410-416.   | 0.8 | 4         |
| 976 | Maximum carotid artery wall thickness and risk factors in a young primary prevention population.<br>Brain and Behavior, 2012, 2, 590-594.   | 1.0 | Ο         |
| 977 | The association of insulin resistance and carotid atherosclerosis with thigh and calf circumference in patients with type 2 diabetes. Cardiovascular Diabetology, 2012, 11, 62.   | 2.7 | 38        |
| 978 | Role of HDL-C as a cardiovascular risk factor: clinical relevance of pitavastatin. Clinical Lipidology, 2012, 7, 17-24.   | 0.4 | Ο         |
| 979 | Cerebral blood flow in the chronic heart failure patients. Perspectives in Medicine, 2012, 1, 304-308.  | 0.4 | 15        |
| 980 | Association of glycated hemoglobin with carotid intimal medial thickness in Asian Indians with normal glucose tolerance. Journal of Diabetes and Its Complications, 2012, 26, 526-530.  | 1.2 | 13        |
| 981 | Semiautomatic carotid lumen segmentation for quantification of lumen geometry in multispectral MRI. Medical Image Analysis, 2012, 16, 1202-1215.  | 7.0 | 47        |
| 982 | Extensive or Restricted Ultrasound Protocols to Measure Carotid Intima-Media Thickness: Analysis of<br>Completeness Rates and Impact on Observed Rates of Change Over Time. Journal of the American<br>Society of Echocardiography, 2012, 25, 91-100.   | 1.2 | 24        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 983  | Cardiovascular Risk in Children and Adolescents with Type 1 and Type 2 Diabetes Mellitus. Current Cardiovascular Risk Reports, 2012, 6, 591-600.  | 0.8 | 10        |
| 984  | European Guidelines on Cardiovascular Disease Prevention in Clinical Practice (Version 2012).<br>International Journal of Behavioral Medicine, 2012, 19, 403-488.   | 0.8 | 224       |
| 985  | GuÃa europea sobre prevención de la enfermedad cardiovascular en la práctica clÃnica (versión 2012).<br>Revista Espanola De Cardiologia, 2012, 65, 937.e1-937.e66.  | 0.6 | 30        |
| 986  | Clinical determinants of carotid intima-media thickness in patients with diabetes mellitus type 2.<br>Neurologia I Neurochirurgia Polska, 2012, 46, 519-528.  | 0.6 | 3         |
| 987  | Carotid Plaque, Carotid Intima-Media Thickness, and Coronary Calcification Equally Discriminate<br>Prevalent Cardiovascular Disease in Kidney Disease. American Journal of Nephrology, 2012, 36, 342-347.   | 1.4 | 24        |
| 988  | Measurement of Atherosclerosis Markers in Patients With Periodontitis: A Caseâ€Control Study.<br>Journal of Periodontology, 2012, 83, 690-698.  | 1.7 | 30        |
| 989  | Ultrasonography (US) and non-invasive diagnostic methods for non-alcoholic fatty liver disease<br>(NAFLD) and early vascular damage. Possible application in a population study on the metabolic<br>syndrome (MS). Internal and Emergency Medicine, 2012, 7, 283-290. | 1.0 | 10        |
| 990  | Gender differences in association between metabolic syndrome and carotid intima media thickness.<br>Journal of Diabetes and Metabolic Disorders, 2012, 11, 13.  | 0.8 | 10        |
| 991  | Cardiovascular Disease in Children and Adolescents with Diabetes: Where Are We, and Where Are We Going?. Diabetes Technology and Therapeutics, 2012, 14, S-11-S-21.   | 2.4 | 16        |
| 993  | Evaluation of body fat distribution in PCOS and its association with carotid atherosclerosis and insulin resistance. Gynecological Endocrinology, 2012, 28, 111-114.  | 0.7 | 49        |
| 994  | Inflammation and Atherosclerosis. , 2012, , .   |     | 6         |
| 995  | T-Cell Phenotypes, Apoptosis and Inflammation in HIV+ Patients on Virologically Effective cART with<br>Early Atherosclerosis. PLoS ONE, 2012, 7, e46073.  | 1.1 | 61        |
| 996  | Hypertension and Endothelial Dysfunction: Therapeutic Approach. Current Vascular Pharmacology, 2012, 10, 42-60.   | 0.8 | 123       |
| 997  | Cholesterol and Triglyceride Concentrations in Lipoproteins as Related to Carotid Intima-Media<br>Thickness. International Heart Journal, 2012, 53, 29-34.  | 0.5 | 11        |
| 998  | The Assessment of Atherosclerosis in Erectile Dysfunction Subjects Using Photoplethysmography. ,<br>2012, , .   |     | 0         |
| 999  | Intravascular Ultrasound (IVUS) and Clinical Applications. , 2012, , .  |     | 0         |
| 1000 | Relationship between Fetuin-A and Systemic Lupus Erythematosus as a Predictor Marker for<br>Atherosclerosis. American Medical Journal, 2012, 3, 249-254.  | 1.0 | 1         |
| 1001 | Asymptomatic Hyperuricemia. , 2012, , 226-238.  |     | 5         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1003 | The Role of Carotid Intimal Thickness and Plaque Imaging in Risk Stratification for Coronary Heart<br>Disease. Current Atherosclerosis Reports, 2012, 14, 115-123.   | 2.0 | 24        |
| 1004 | Does Cardiovascular Ultrasound Have a Role in Assessment of Cardiovascular Risk in Asymptomatic<br>Persons?. Current Cardiovascular Risk Reports, 2012, 6, 164-175.  | 0.8 | 0         |
| 1005 | Evaluation of carotid intima-media thickness, a marker of subclinical atherosclerosis, in children with cerebral palsy. Pediatric Radiology, 2012, 42, 679-684.  | 1.1 | 3         |
| 1006 | Coronary artery calcification score and carotid intima–media thickness in patients with hemophilia.<br>Journal of Thrombosis and Haemostasis, 2012, 10, 23-29.   | 1.9 | 45        |
| 1007 | Age Modification of the Association of Lipoprotein, Lipid, and Lipoprotein Ratio With Carotid<br>Intima–Media Thickness (from the Multi-Ethnic Study of Atherosclerosis [MESA]). American Journal of<br>Cardiology, 2012, 109, 658-664.  | 0.7 | 2         |
| 1008 | Carotid Intima-Media Thickness Among Human Immunodeficiency Virus–Infected Patients Without<br>Coronary Calcium. American Journal of Cardiology, 2012, 109, 742-747.   | 0.7 | 46        |
| 1009 | Reduced artery diameters in Klinefelter syndrome. Journal of Developmental and Physical Disabilities, 2012, 35, 720-725.   | 3.6 | 39        |
| 1010 | Carotid Intimaâ€Media Thickness Measurements Are Not Affected by the Ultrasound Frequency.<br>Echocardiography, 2012, 29, 354-357.   | 0.3 | 3         |
| 1011 | Can Metabolic Syndrome Presence Predict Carotid Intimaâ€Media Thickness?. Journal of Clinical<br>Hypertension, 2012, 14, 507-513.  | 1.0 | 8         |
| 1012 | Higher Carotid Intima Media Thickness Predicts Extracranial Vascular Events and Not Stroke<br>Recurrence among Transient Ischemic Attack Patients. International Journal of Stroke, 2012, 7, 125-132.  | 2.9 | 4         |
| 1013 | Integrated e-Health Approach Based on Vascular Ultrasound and Pulse Wave Analysis for<br>Asymptomatic Atherosclerosis Detection and Cardiovascular Risk Stratification in the Community.<br>IEEE Transactions on Information Technology in Biomedicine, 2012, 16, 287-294.         | 3.6 | 34        |
| 1014 | Increased serum concentrations of adhesion molecules but not of chemokines in patients with Typeâ $\in f2$ diabetes compared with patients with Typeâ $\in f1$ diabetes and latent autoimmune diabetes in adult age: Action LADAâ $\in f5$ . Diabetic Medicine, 2012, 29, 470-478. | 1.2 | 37        |
| 1015 | Use of atorvastatin in systemic lupus erythematosus in children and adolescents. Arthritis and Rheumatism, 2012, 64, 285-296.  | 6.7 | 142       |
| 1016 | Use of Carotid Intima-Media Thickness Regression to Guide Therapy and Management of Cardiac Risks.<br>Current Treatment Options in Cardiovascular Medicine, 2012, 14, 50-56.   | 0.4 | 5         |
| 1017 | Pathophysiology and early diagnosis of diabetic macroangiopathy. Diabetology International, 2013, 4, 205-220.  | 0.7 | 0         |
| 1018 | Association between conventional risk factors and different ultrasound-based markers of atherosclerosis at carotid and femoral levels in a middle-aged population. International Journal of Cardiovascular Imaging, 2013, 29, 589-599.   | 0.7 | 25        |
| 1019 | The Norwegian Stroke in the Young Study (NOR-SYS): Rationale and design. BMC Neurology, 2013, 13, 89.  | 0.8 | 21        |
| 1020 | Metabolic fuel utilization and subclinical atherosclerosis in overweight/obese subjects. Endocrine, 2013, 44, 380-385.   | 1.1 | 11        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1021 | Depressive symptoms and carotid artery intima-media thickness in police officers. International Archives of Occupational and Environmental Health, 2013, 86, 931-942.  | 1.1 | 11        |
| 1022 | Advances in Molecular Imaging: Plaque Imaging. Current Cardiovascular Imaging Reports, 2013, 6, 358-368.   | 0.4 | 3         |
| 1023 | Atherosclerosis in male patients with ankylosing spondylitis: the relation with<br>methylenetetrahydrofolate reductase (C677T) gene polymorphism and plasma homocysteine levels.<br>Rheumatology International, 2013, 33, 1519-1524.                         | 1.5 | 15        |
| 1024 | The predictive value of retinal vascular findings for carotid artery atherosclerosis: are further recommendations with regard to carotid atherosclerosis screening needed?. Heart and Vessels, 2013, 28, 369-376.  | 0.5 | 20        |
| 1025 | Increased H-FABP concentrations in nonalcoholic fatty liver disease. Herz, 2013, 38, 417-422.  | 0.4 | 32        |
| 1026 | Survey of atherosclerotic disease in Asian subjects with cardiovascular disease risk factors who<br>were not receiving lipid-lowering agents. International Journal of Cardiology, 2013, 168, 2761-2766.   | 0.8 | 8         |
| 1027 | Evaluation of association between atherogenic index of plasma and intimaâ€media thickness of the carotid artery for subclinic atherosclerosis in patients on maintenance hemodialysis. Hemodialysis International, 2013, 17, 397-405.                        | 0.4 | 51        |
| 1028 | Carotid Artery Atherosclerotic Profile as a Predictor of the Aorta Atherosclerotic Profile in Patients with Cerebrovascular Events. Cerebrovascular Diseases, 2013, 36, 26-32.   | 0.8 | 4         |
| 1029 | High field carotid vessel wall imaging: A study on reproducibility. European Journal of Radiology,<br>2013, 82, 680-685.   | 1.2 | 15        |
| 1031 | Arsenic Exposure From Drinking Water, Arsenic Methylation Capacity, and Carotid Intima-Media<br>Thickness in Bangladesh. American Journal of Epidemiology, 2013, 178, 372-381.   | 1.6 | 81        |
| 1032 | Coronary and carotid atherosclerosis: How useful is the imaging?. Atherosclerosis, 2013, 231, 323-333.   | 0.4 | 45        |
| 1033 | Efficacy of combined use of three non-invasive atherosclerosis tests to predict vascular events in the elderly; carotid intima-media thickness, flow-mediated dilation of brachial artery and pulse wave velocity. Atherosclerosis, 2013, 231, 365-370.      | 0.4 | 42        |
| 1034 | Measures of cardiovascular risk and subclinical atherosclerosis in a cohort of women with a remote history of preeclampsia. Atherosclerosis, 2013, 229, 234-239.   | 0.4 | 51        |
| 1035 | Association between presence of the metabolic syndrome and its components with carotid<br>intima-media thickness and carotid and femoral plaque area: a population study. Diabetology and<br>Metabolic Syndrome, 2013, 5, 44.                                | 1.2 | 18        |
| 1036 | The utilization of carotid artery imaging beyond metabolic scores and high-sensitivity CRP in<br>screening intermediate-to-high Framingham risk of asymptomatic Taiwanese population. International<br>Journal of Cardiovascular Imaging, 2013, 29, 765-775. | 0.7 | 3         |
| 1037 | Dyslipidemia, atherosclerosis and cardiovascular disease: an increasingly important triad in an aging population living with HIV. Future Virology, 2013, 8, 1021-1034.   | 0.9 | 8         |
| 1038 | Evidence that periodontal treatment improves biomarkers and CVD outcomes. Journal of Periodontology, 2013, 84, S85-S105.   | 1.7 | 68        |
| 1039 | Arterial stiffness, carotid atherosclerosis and left ventricular diastolic dysfunction in postmenopausal women. European Journal of Internal Medicine, 2013, 24, 250-254.  | 1.0 | 12        |

| ~      |      |    | _      |     |
|--------|------|----|--------|-----|
| Cr     | ΓΔΤΙ | ON | 12 F C | ORT |
| $\sim$ |      |    | IVEL   |     |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1040 | Relation of Carotid Intima-Media Thickness and Plaque With Incident Cardiovascular Events in Women<br>With Systemic Lupus Erythematosus. American Journal of Cardiology, 2013, 112, 1025-1032.                               | 0.7 | 80        |
| 1041 | Ultrasound in Cardiovascular Risk Prediction: Don't Forget the Plaque!. Journal of the American<br>Heart Association, 2013, 2, e000180.  | 1.6 | 16        |
| 1042 | Evidence that periodontal treatment improves biomarkers and <scp>CVD</scp> outcomes. Journal of<br>Clinical Periodontology, 2013, 40, S85-105.   | 2.3 | 156       |
| 1043 | Plasma Klotho Levels Were Inversely Associated with Subclinical Carotid Atherosclerosis in<br>HIV-Infected Patients Receiving Combined Antiretroviral Therapy. AIDS Research and Human<br>Retroviruses, 2013, 29, 1575-1581. | 0.5 | 12        |
| 1044 | Effect of magnetic field on temperature distribution of atherosclerotic plaques in coronary artery under pulsatile blood flow condition. International Journal of Thermal Sciences, 2013, 64, 40-52.                         | 2.6 | 7         |
| 1045 | Carotid intima-media thickness for cardiovascular risk assessment: Systematic review and meta-analysis. Atherosclerosis, 2013, 228, 1-11.  | 0.4 | 239       |
| 1046 | Oxidized LDL and AGE-LDL in circulating immune complexes strongly predict progression of carotid artery IMT in type 1 diabetes. Atherosclerosis, 2013, 231, 315-322.   | 0.4 | 34        |
| 1047 | Predictors of obstructive coronary artery disease in otherwise â€~healthy' individuals with ST-segment<br>depression during paroxysms of atrial fibrillation. International Journal of Cardiology, 2013, 170,<br>e25-e27.    | 0.8 | 0         |
| 1048 | Single Risk Factors Have Greater Impact on Intima-Media Thickness thanÂthe Metabolic Syndrome.<br>Journal of Pediatrics, 2013, 163, 314-315.   | 0.9 | 0         |
| 1049 | Increased carotid intima-media thickness in the physiologic range is associated with impaired postprandial glucose metabolism, insulin resistance and beta cell dysfunction. Atherosclerosis, 2013, 229, 277-281.            | 0.4 | 16        |
| 1050 | Aneurysmal disease is associated with lower carotid intima-media thickness than occlusive arterial disease. Journal of Vascular Surgery, 2013, 57, 642-647.  | 0.6 | 4         |
| 1052 | Carotid Intima-Media Thickness and Plaque Assessment by Trained Medical Residents: Validation and Preliminary Testing of a Training Protocol. Journal of the American Society of Echocardiography, 2013, 26, 1457-1464.      | 1.2 | 13        |
| 1053 | Carotid plaque is associated with increased cardiac mortality in patients with coronary artery disease. International Journal of Cardiology, 2013, 166, 658-663.   | 0.8 | 32        |
| 1054 | Early Detection of Subclinical Atherosclerosis in Asymptomatic Patients Assessed by Carotid Duplex and Coronary Computed Tomography. International Journal of Gerontology, 2013, 7, 27-34.                                   | 0.7 | 0         |
| 1055 | The Role of Carotid Intimal Thickness Testing and Risk Prediction in the Development of Coronary Atherosclerosis. Current Atherosclerosis Reports, 2013, 15, 306.  | 2.0 | 62        |
| 1056 | Both Serum Apolipoprotein B and the Apolipoprotein B/Apolipoprotein A-I Ratio Are Associated with Carotid Intima-Media Thickness. PLoS ONE, 2013, 8, e54628.   | 1.1 | 31        |
| 1057 | Waist circumference is associated with carotid intima media thickness in peritoneal dialysis patients.<br>International Urology and Nephrology, 2013, 45, 1437-1443.   | 0.6 | 8         |
| 1058 | Cardiovascular abnormalities in Klinefelter Syndrome. International Journal of Cardiology, 2013, 168, 754-759.   | 0.8 | 89        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1059 | Comparing measurement error correction methods for rate-of-change exposure variables in survival analysis. Statistical Methods in Medical Research, 2013, 22, 583-597.  | 0.7 | 6         |
| 1060 | Chronic exposure to biomass fuel is associated with increased carotid artery intima-media thickness and a higher prevalence of atherosclerotic plaque. Heart, 2013, 99, 984-991.  | 1.2 | 79        |
| 1061 | Carotid Intima–Media Thickness and Carotid Plaques Improves Prediction of Obstructive Angiographic<br>Coronary Artery Disease in Women. Angiology, 2013, 64, 57-63.   | 0.8 | 21        |
| 1062 | Control of Home Blood Pressure with an Amlodipine- or Losartan-Based Regimen and Progression of<br>Carotid Artery Intima-media Thickness in Hypertensive Patients: The HOSP Substudy. Clinical and<br>Experimental Hypertension, 2013, 35, 279-284. | 0.5 | 7         |
| 1063 | Serum 25-Hydroxyvitamin D Concentration in Subclinical Carotid Atherosclerosis. Arteriosclerosis,<br>Thrombosis, and Vascular Biology, 2013, 33, 2633-2638.   | 1.1 | 33        |
| 1064 | Assessment of subclinical atherosclerosis using contrast-enhanced ultrasound. European Heart<br>Journal Cardiovascular Imaging, 2013, 14, 56-61.  | 0.5 | 17        |
| 1065 | Traditional Risk Factors Are Not Major Contributors to the Variance in Carotid Intima-Media<br>Thickness. Stroke, 2013, 44, 2101-2108.  | 1.0 | 75        |
| 1066 | Ultrasonography of carotid plaque for the prevention of stroke. Expert Review of Cardiovascular Therapy, 2013, 11, 1425-1440.   | 0.6 | 3         |
| 1067 | Carotid Artery Intima-Media Thickness and the Renin-Angiotensin System. Hospital Practice (1995), 2013, 41, 54-61.  | 0.5 | 6         |
| 1068 | Sleep Apnea Is Associated with Subclinical Myocardial Injury in the Community. The ARIC-SHHS Study.<br>American Journal of Respiratory and Critical Care Medicine, 2013, 188, 1460-1465.  | 2.5 | 77        |
| 1069 | Can single cIMT measurement during echocardiography affect further investigation decision for coronary artery disease?. Anatolian Journal of Cardiology, 2013, 13, 473-9.   | 0.4 | 1         |
| 1070 | Patients with Obstructive Sleep Apnea Display Increased Carotid Intima Media: A Meta-Analysis.<br>International Journal of Vascular Medicine, 2013, 2013, 1-8.  | 0.4 | 33        |
| 1071 | Determination of site-specific carotid-intima media thickness: common –carotid artery and carotid<br>bifurcation in hypercholesterolemia patients. Pakistan Journal of Medical Sciences, 2013, 29, 1249-52.   | 0.3 | 3         |
| 1072 | Association of Systolic Blood Pressure and Pulse Pressure with Carotid Intima Thickness in Elderly Japanese Patients. Clinical and Experimental Hypertension, 2013, 35, 273-278.  | 0.5 | 3         |
| 1073 | Long-term Exposure to Black Carbon and Carotid Intima-Media Thickness: The Normative Aging Study.<br>Environmental Health Perspectives, 2013, 121, 1061-1067.   | 2.8 | 67        |
| 1074 | Association of genotypes at the matrix metalloproteinase (MMP) loci with carotid IMT and presence of carotid and femoral atherosclerotic plaques. Vascular Medicine, 2013, 18, 298-306.   | 0.8 | 14        |
| 1075 | Impact of Human Immunodeficiency Virus Infection on Measures of Cardiovascular Disease in<br>Long-Term Nonprogressors. Infectious Diseases in Clinical Practice, 2013, 21, 177-180.   | 0.1 | 1         |
| 1076 | Increased Carotid and Brachial Intima–Media Thickness is Related to Diffuse Coronary Involvement<br>Rather Than Focal Lesions. Angiology, 2013, 64, 356-363.  | 0.8 | 5         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1077 | Causal Relevance of Blood Lipid Fractions in the Development of Carotid Atherosclerosis.<br>Circulation: Cardiovascular Genetics, 2013, 6, 63-72.   | 5.1 | 36        |
| 1078 | Increased Carotid Intima-Media Thickness and Plasma Homocysteine Levels Predict Cardiovascular and All-Cause Death: A Population-Based Cohort Study. European Neurology, 2013, 70, 1-5.   | 0.6 | 16        |
| 1079 | Ideal Cardiovascular Health in Young Adult Populations From the United States, Finland, and<br>Australia and Its Association With cIMT: The International Childhood Cardiovascular Cohort<br>Consortium. Journal of the American Heart Association, 2013, 2, e000244. | 1.6 | 68        |
| 1080 | Low Bone Mass is Associated with Increased Carotid Intima Media Thickness in Men with Type 2<br>Diabetes Mellitus. Clinical Medicine Insights: Endocrinology and Diabetes, 2013, 6, CMED.S11843.  | 1.0 | 11        |
| 1081 | The relationship between subclinic atherosclerosis and red cell distribution width in patients with metabolic syndrome. Dicle Medical Journal, 2013, 40, 579-584.   | 0.2 | 0         |
| 1082 | Association of Fitness With Vascular Intima-Media Thickness and Elasticity in Adolescence. Pediatrics, 2013, 132, e77-e84.  | 1.0 | 45        |
| 1083 | Arterial function and anatomy in obese children with cardiovascular risk factors. Pediatrics<br>International, 2013, 55, 696-702.   | 0.2 | 6         |
| 1084 | Adiposity, blood pressure, and carotid intimaâ€media thickness in greek adolescents. Obesity, 2013, 21,<br>1013-1017.   | 1.5 | 35        |
| 1085 | The relationship between carotid intima-media thickness and endogenous androgens in young women with polycystic ovary syndrome in Taiwan. Gynecological Endocrinology, 2013, 29, 238-241.   | 0.7 | 11        |
| 1086 | Simultaneous assessment of endothelial function and morphology in the brachial artery using a new semiautomatic ultrasound system. Hypertension Research, 2013, 36, 691-697.  | 1.5 | 6         |
| 1088 | Arterial stiffness changes in patients with cardiovascular risk factors but normal carotid<br>intima–media thickness. Journal of Cardiovascular Medicine, 2013, 14, 622-628.  | 0.6 | 13        |
| 1089 | Small artery structure during antihypertensive therapy is an independent predictor of cardiovascular events in essential hypertension. Journal of Hypertension, 2013, 31, 791-797.  | 0.3 | 68        |
| 1090 | Risk of first-time heart disease higher for hormone therapy users with metabolic syndrome.<br>Menopause, 2013, 20, 244-247.   | 0.8 | 1         |
| 1091 | Carotid intima-media thickness and plaque occurrence in predicting stable angiographic coronary artery disease. Clinical Interventions in Aging, 2013, 8, 1283.   | 1.3 | 8         |
| 1092 | Association of Carotid Artery Parameters of Atherosclerosis in Coronary Artery Disease. Journal of Cardiovascular Imaging, 2013, 21, 72.  | 0.8 | 15        |
| 1093 | Clinical Factors Associated with Carotid Plaque and Intima-Medial Thickness in HIV-Infected Patients.<br>Yonsei Medical Journal, 2013, 54, 990.   | 0.9 | 12        |
| 1094 | Carotid Intima Media-thickness and Genes Involved in Lipid Metabolism in Diabetic Patients using<br>Statins – a Pathway Toward Personalized Medicine. Cardiovascular and Hematological Agents in<br>Medicinal Chemistry, 2013, 11, 3-8.                               | 0.4 | 14        |
| 1095 | The Correlation Between Achilles Tendon Thickness and Cardiovascular Risk Factors. Journal of Lipid and Atherosclerosis, 2013, 2, 77.   | 1.1 | 2         |

|      |  | CITATION REPO | RT |           |
|------|--|---------------|----|-----------|
| #    | Article  | IF            | -  | Citations |
| 1096 | Small, Dense LDL Particles Predict Changes in Intima Media Thickness and Insulin Resistance in Men with Type 2 Diabetes and Prediabetes – A Prospective Cohort Study. PLoS ONE, 2013, 8, e72763.   | 1.            | .1 | 48        |
| 1097 | PNPLA3 GG Genotype and Carotid Atherosclerosis in Patients with Non-Alcoholic Fatty Liver Disease PLoS ONE, 2013, 8, e74089.   | • 1.          | .1 | 59        |
| 1098 | Association between Cardiac Autonomic Neuropathy, Diabetic Retinopathy and Carotid<br>Atherosclerosis in Patients with Type 2 Diabetes. Endocrinology and Metabolism, 2013, 28, 309.   | 1.            | .3 | 24        |
| 1099 | Carotid Intima-Media Thickness and Plaque in Apparently Healthy Japanese Individuals with an<br>Estimated 10-Year Absolute Risk of CAD Death According to the Japan Atherosclerosis Society (JAS)<br>Guidelines 2012: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). Journal of<br>Atherosclerosis and Thrombosis. 2013. 20. 755-766. | 0             | .9 | 43        |
| 1100 | Anti-Atherosclerotic Therapy Based on Botanicals. Recent Patents on Cardiovascular Drug Discovery 2013, 8, 56-66.  | , 1.          | .5 | 44        |
| 1101 | A Cross-Sectional Analysis of Femoral Artery Intima-Media Thickness. Journal for Vascular<br>Ultrasound, 2013, 37, 203-208.  | 0             | .2 | 0         |
| 1102 | Use of Natural Products for Direct Anti-Atherosclerotic Therapy. , 2013, , .   |               |    | 1         |
| 1103 | High Prevalence of Carotid Plaque Identified Using Standard Carotid Ultrasound Techniques in<br>HIV-Positive Patients with Low to Moderate Vascular Risk. Journal of AIDS & Clinical Research, 2014,   | 05, 0         | .5 | 0         |
| 1104 | Evaluation of penile cavernosal artery intima-media thickness in patients with erectile dysfunction. A new parameter in the diagnosis of vascular erectile dysfunction. Our experience on 59 cases. ArchivItaliano Di Urologia Andrologia, 2014, 86, 9.  | o 0           | .4 | 9         |
| 1105 | Association of Gestational Diabetes Mellitus (GDM) with subclinical atherosclerosis: a systemic review and meta-analysis. BMC Cardiovascular Disorders, 2014, 14, 132.   | 0.            | .7 | 44        |
| 1106 | Association Between Ideal Cardiovascular Health and Carotid Intimaâ€Media Thickness: A Twin Stuc<br>Journal of the American Heart Association, 2014, 3, e000282.   | ly. 1.        | .6 | 42        |
| 1107 | Psoriasis as a risk factor of cardiovascular diseases. Przeglad Dermatologiczny, 2014, 6, 500-506.   | 0             | .0 | 4         |
| 1108 | Multisite artery disease: a common and challenging clinical condition calling for specific management. Future Cardiology, 2014, 10, 395-407.   | 0             | .5 | 2         |
| 1109 | Increased Epicardial Fat Tissue Is a Marker of Subclinic Atherosclerosis in Ankylosing Spondylitis.<br>Archives of Rheumatology, 2014, 29, 267-272.  | 0             | .3 | 4         |
| 1110 | Automatic Characterization of the Physiological Condition of the Carotid Artery in 2D Ultrasound<br>Image Sequences Using Spatiotemporal and Spatiospectral 2D Maps. International Journal of<br>Biomedical Imaging, 2014, 2014, 1-14.   | 3.            | .0 | 1         |
| 1111 | Relation of age and sex with carotid intima media thickness in healthy children. Turkish Journal of<br>Medical Sciences, 2014, 44, 422-426.  | 0.            | .4 | 7         |
| 1112 | The effect of hormone therapy on biochemical and ultrasound parameters associated with atherosclerosis in 46,XY DSD individuals with female phenotype. Gynecological Endocrinology, 2014 30, 721-725.  | ł, o          | .7 | 4         |
| 1113 | New frontiers in obstructive sleep apnoea. Clinical Science, 2014, 127, 209-216.   | 1.            | .8 | 46        |

| #    | Article  | IF  | Citations |
|------|--|-----|-----------|
| 1114 | Nontraditional Cardiovascular Biomarkers and Estimation of Cardiovascular Risk in Predialysis<br>Chronic Kidney Disease Patients and Their Correlations With Carotid Intima Media Thickness.<br>Nephro-Urology Monthly, 2014, 6, e22112. | 0.0 | 9         |
| 1115 | Carotid intima-media thickness: Current evidence, practices, and Indian experience. Indian Journal of<br>Endocrinology and Metabolism, 2014, 18, 13.   | 0.2 | 40        |
| 1116 | A Case of Severe Carotid Stenosis in a Patient with Familial Hypercholesterolemia without Significant<br>Coronary Artery Disease. Case Reports in Cardiology, 2014, 2014, 1-5.   | 0.1 | 1         |
| 1117 | Long-term exposure to traffic-related air pollution and progression of carotid artery atherosclerosis: a prospective cohort study. BMJ Open, 2014, 4, e004743.   | 0.8 | 45        |
| 1118 | ECG-based frame selection and curvature-based ROI detection for measuring carotid intima-media thickness. , 2014, , .  |     | 0         |
| 1119 | Obstructive Sleep Apnea: Role of Intermittent Hypoxia and Inflammation. Seminars in Respiratory and Critical Care Medicine, 2014, 35, 531-544.   | 0.8 | 56        |
| 1120 | Carotid Artery Ultrasonographic Assessment in Patients from the Fremantle Diabetes Study Phase II<br>with Carotid Bruits Detected by Electronic Auscultation. Diabetes Technology and Therapeutics, 2014,<br>16, 604-610.                | 2.4 | 3         |
| 1121 | Clinical significance of brachial flow-mediated dilation in patients with rheumatoid arthritis.<br>International Journal of Rheumatic Diseases, 2014, 17, 26-33.   | 0.9 | 7         |
| 1122 | Carotid Intima-Media Thickness – A Potential Predictor for Rupture Risk of Intracranial Aneurysms.<br>International Journal of Stroke, 2014, 9, 866-872.   | 2.9 | 2         |
| 1123 | The relationship between carotid intima–media thickness and global atherosclerosis. Clinical Physiology and Functional Imaging, 2014, 34, 457-462.   | 0.5 | 13        |
| 1124 | Carotid ultrasonography: A potent tool for better clinical practice in diagnosis of atherosclerosis in diabetic patients. Journal of Diabetes Investigation, 2014, 5, 3-13.  | 1.1 | 54        |
| 1125 | Markers of cardiovascular risk in patients with antiphospholipid syndrome: A meta-analysis of literature studies. Annals of Medicine, 2014, 46, 693-702.   | 1.5 | 43        |
| 1126 | Association between betel quid chewing and carotid intima-media thickness in rural Bangladesh.<br>International Journal of Epidemiology, 2014, 43, 1174-1182.  | 0.9 | 13        |
| 1127 | Carotid Intima-media Thickness. American Journal of Therapeutics, 2014, 21, 535-539.   | 0.5 | 2         |
| 1128 | Long-Term Morbidity: Cardiovascular Disease, Cancer, and Depression in PCOS. , 2014, , 303-316.  |     | 1         |
| 1129 | Comparison of Carotid Intima-Media Thickness in Pediatric Patients with Metabolic Syndrome,<br>Heterozygous Familial Hyperlipidemia and Normals. Journal of Lipids, 2014, 2014, 1-7.   | 1.9 | 4         |
| 1130 | Depletion of B ells With Rituximab Improves Endothelial Function and Reduces Inflammation Among<br>Individuals With Rheumatoid Arthritis. Journal of the American Heart Association, 2014, 3, e001267.                                   | 1.6 | 55        |
| 1131 | Proactive Medicine. Academic Medicine, 2014, 89, 984-989.  | 0.8 | 69        |

| #    | Article   | IF         | CITATIONS   |
|------|---|------------|-------------|
| 1132 | Individual-Level Concentrations of Fine Particulate Matter Chemical Components and Subclinical<br>Atherosclerosis: A Cross-Sectional Analysis Based on 2 Advanced Exposure Prediction Models in the<br>Multi-Ethnic Study of Atherosclerosis. American Journal of Epidemiology, 2014, 180, 718-728. | 1.6        | 36          |
| 1133 | Quantitative imaging biomarkers for the evaluation of cardiovascular complications in type 2 diabetes mellitus. Journal of Diabetes and Its Complications, 2014, 28, 234-242.   | 1.2        | 7           |
| 1134 | Differential associations of central and brachial blood pressure with carotid atherosclerosis and microvascular complications in patients with type 2 diabetes. BMC Cardiovascular Disorders, 2014, 14, 23.   | 0.7        | 18          |
| 1135 | Cardiovascular Risk in Children and Adolescents with Type 2 Diabetes Mellitus. Current Diabetes Reports, 2014, 14, 454.   | 1.7        | 13          |
| 1136 | Assessment of early atherosclerotic findings in patients with nasal polyposis. Auris Nasus Larynx, 2014, 41, 179-184.   | 0.5        | 2           |
| 1137 | Screening Strategies for Cardiovascular Disease in Asymptomatic Adults. Primary Care - Clinics in Office Practice, 2014, 41, 371-397.   | 0.7        | 36          |
| 1138 | From the Medical Board of the National Psoriasis Foundation: The risk of cardiovascular disease in<br>individuals with psoriasis and the potential impact ofÂcurrent therapies. Journal of the American<br>Academy of Dermatology, 2014, 70, 168-177.   | 0.6        | 135         |
| 1139 | Secondary analysis of APPLE study suggests atorvastatin may reduce atherosclerosis progression in pubertal lupus patients with higher C reactive protein. Annals of the Rheumatic Diseases, 2014, 73, 557-566.  | 0.5        | 65          |
| 1140 | Polygenic risk for hypertriglyceridemia is attenuated in Japanese men with high fitness levels.<br>Physiological Genomics, 2014, 46, 207-215.   | 1.0        | 8           |
| 1141 | Sudden Cardiac Death From the Perspective of Coronary Artery Disease. Mayo Clinic Proceedings, 2014, 89, 1685-1698.   | 1.4        | 36          |
| 1142 | Carotid Intima-Media Thickness and PlaqueÂin Cardiovascular Risk Assessment. JACC: Cardiovascular<br>Imaging, 2014, 7, 1025-1038.   | 2.3        | 455         |
| 1143 | Carotid Artery Plaque Morphology and Composition in Relation to Incident Cardiovascular Events:<br>The Multi-Ethnic Study of Atherosclerosis (MESA). Radiology, 2014, 271, 381-389.   | 3.6        | 105         |
| 1144 | Lipoprotein-Associated Phospholipase A2, a Novel Cardiovascular Inflammatory Marker, in HIV-Infected<br>Patients. Clinical Infectious Diseases, 2014, 58, 893-900.  | 2.9        | 23          |
| 1145 | Impaired coronary microvascular function and increased intima–media thickness in preeclampsia.<br>Journal of the American Society of Hypertension, 2014, 8, 820-826.  | 2.3        | 30          |
| 1146 | Intima media thickness, pulse wave velocity, and flow mediated dilation. Cardiovascular Ultrasound, 2014, 12, 34.   | 0.5        | 57          |
| 1147 | A serum 25-hydroxyvitamin D concentration-associated genetic variant in DHCR7 interacts with type 2 diabetes status to influence subclinical atherosclerosis (measured by carotid intima–media) Tj ETQq1 1 0.7843   | 14.ngBT /( | Dverlock 10 |
| 1148 | MRI-based Determination of Reference Values of Thoracic Aortic Wall Thickness in a General<br>Population. European Radiology, 2014, 24, 2038-2044.  | 2.3        | 34          |
| 1149 | Carotid Intima Media Thickness in Patients with Obstructive Sleep Apnea: Comparison with a Community-Based Cohort. Lung, 2014, 192, 297-303.  | 1.4        | 17          |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1150 | Atherosclerotic plaques occur in absence of intima-media thickening in both systemic sclerosis and systemic lupus erythematosus: a duplexsonography study of carotid and femoral arteries and follow-up for cardiovascular events. Arthritis Research and Therapy, 2014, 16, R54. | 1.6 | 49        |
| 1151 | Influence of a family history of type 2 diabetes, demographic and clinical data on carotid intima-media thickness in patients with type 1 diabetes: a cross-sectional study. Cardiovascular Diabetology, 2014, 13, 87.  | 2.7 | 16        |
| 1152 | Risk factors and their impact on carotid intima-media thickness in young and middle-aged ischemic<br>stroke patients and controls: The Norwegian Stroke in the Young Study. BMC Research Notes, 2014, 7,<br>176.  | 0.6 | 11        |
| 1153 | What Do Carotid Intima-Media Thickness and Plaque Add to the Prediction of Stroke and Cardiovascular Disease Risk in Older Adults? The Cardiovascular Health Study. Journal of the American Society of Echocardiography, 2014, 27, 998-1005.e2.                                   | 1.2 | 36        |
| 1154 | Biomarkers of Cardiovascular Stress and Subclinical Atherosclerosis in the Community. Clinical Chemistry, 2014, 60, 1402-1408.  | 1.5 | 24        |
| 1155 | Interaction between arsenic exposure from drinking water and genetic susceptibility in carotid<br>intima–media thickness in Bangladesh. Toxicology and Applied Pharmacology, 2014, 276, 195-203.  | 1.3 | 27        |
| 1156 | The effect of aging on the association between coronary heart disease risk factors and carotid intima media thickness: An analysis of the Atherosclerosis Risk in Communities (ARIC) cohort.<br>Atherosclerosis, 2014, 233, 441-446.  | 0.4 | 15        |
| 1157 | Rationale and design of a study to evaluate the effects of sitagliptin on atherosclerosis in patients with diabetes mellitus: PROLOGUE study. International Journal of Cardiology, 2014, 174, 383-384.  | 0.8 | 11        |
| 1158 | Normative and mean carotid intima-media thickness values according to metabolic syndrome in<br>Koreans: The Namwon Study. Atherosclerosis, 2014, 234, 230-236.  | 0.4 | 16        |
| 1159 | Healthy Lifestyle Change and Subclinical Atherosclerosis in Young Adults. Circulation, 2014, 130, 10-17.  | 1.6 | 164       |
| 1160 | Improvement in the estimation of cardiovascular risk by carotid intima-medial thickness: A report from the Dublin Cardiohealth station study. Preventive Medicine Reports, 2015, 2, 725-729.  | 0.8 | 11        |
| 1161 | The hypertriglyceridemic-waist phenotype is associated with the Framingham risk score and subclinical atherosclerosis in Canadian Cree. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 1050-1055.   | 1.1 | 10        |
| 1162 | Clinical implications of carotid artery intima media thickness assessment on cardiovascular risk<br>stratification in hyperlipidemic Korean adults with diabetes: the ALTO study. BMC Cardiovascular<br>Disorders, 2015, 15, 114.   | 0.7 | 7         |
| 1163 | Non-invasive assessment of vascular alteration using ultrasound. Clinical Hypertension, 2015, 21, 25.   | 0.7 | 5         |
| 1164 | Subclinical atherosclerosis in patients with rheumatoid arthritis. Thrombosis and Haemostasis, 2015, 113, 916-930.  | 1.8 | 125       |
| 1165 | Early atherosclerosis in ulcerative colitis: crossâ€sectional caseâ€control study. Journal of Digestive<br>Diseases, 2015, 16, 656-664.   | 0.7 | 3         |
| 1166 | Nonalcoholic fatty liver disease and age are strong indicators for atherosclerosis in morbid obesity.<br>Clinical Endocrinology, 2015, 83, 180-186.   | 1.2 | 16        |
| 1167 | Change of carotid intimaâ€media thickness is associated with age in elderly <scp>J</scp> apanese patients<br>without a history of cardiovascular disease. Geriatrics and Gerontology International, 2015, 15,<br>1023-1030.   | 0.7 | 6         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1168 | Measures of atherosclerotic burden are associated with clinically manifest cardiovascular disease in type 2 diabetes: a European crossâ€sectional study. Journal of Internal Medicine, 2015, 278, 291-302.                  | 2.7 | 38        |
| 1169 | Carotid Ultrasound Phenotypes Are Biologically Distinct. Arteriosclerosis, Thrombosis, and Vascular<br>Biology, 2015, 35, 1910-1913.  | 1.1 | 49        |
| 1171 | Association of Exposure to Particular Matter and Carotid Intima-Media Thickness: A Systematic Review and Meta-Analysis. Journal of Environmental Analytical Chemistry, 2015, 02, .  | 0.3 | 0         |
| 1172 | The Correlation between Hemoglobin A1c and Common Carotid Artery Intima Medial Thickness of Both<br>Genders with Less Than 6.5% HbA1c Based on Ultrasound Measurement. Korean Journal of Health<br>Promotion, 2015, 15, 47. | 0.1 | 1         |
| 1173 | Associations between the Serum 25(OH)D Concentration and Lipid Profiles in Japanese Men. Journal of Atherosclerosis and Thrombosis, 2015, 22, 355-362.  | 0.9 | 32        |
| 1174 | Association of Exposure to Particular Matter and Carotid Intima-Media Thickness: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2015, 12, 12924-12940.           | 1.2 | 25        |
| 1175 | Associations between Carotid Artery Plaque Score, Carotid Hemodynamics and Coronary Heart<br>Disease. International Journal of Environmental Research and Public Health, 2015, 12, 14275-14284.                             | 1.2 | 13        |
| 1176 | Short- and Long-Term Major Cardiovascular Adverse Events in Carotid Artery Interventions: A<br>Nationwide Population-Based Cohort Study in Taiwan. PLoS ONE, 2015, 10, e0121016.  | 1.1 | 14        |
| 1177 | Carotid Intima-Media Thickness, a Marker of Subclinical Atherosclerosis, and Particulate Air<br>Pollution Exposure: the Meta-Analytical Evidence. PLoS ONE, 2015, 10, e0127014.   | 1.1 | 66        |
| 1178 | Analysis of Carotid Ultrasound Findings on Cardiovascular Events in Patients with Coronary Artery<br>Disease during Seven-Year Follow-Up. Korean Circulation Journal, 2015, 45, 28.   | 0.7 | 10        |
| 1179 | Atherogenic Dyslipidemia and Cardiovascular Risk Factors in Obese Children. International Journal of Endocrinology, 2015, 2015, 1-9.  | 0.6 | 38        |
| 1180 | Assessment and Relevance of Carotid Intima-Media Thickness (C-IMT) in Primary and Secondary Cardiovascular Prevention. Current Pharmaceutical Design, 2015, 21, 1164-1171.  | 0.9 | 35        |
| 1181 | Cardiovascular risk markers in patients with psoriatic arthritis: A meta-analysis of literature studies.<br>Annals of Medicine, 2015, 47, 346-353.  | 1.5 | 49        |
| 1182 | Dyslipidemia: Relationship to Insulin Resistance, Fatty Liver, and Sub-Clinical Atherosclerosis. , 2015, , 65-79.   |     | 0         |
| 1183 | Can and should carotid ultrasound be used in cardiovascular risk assessment?. European Journal of<br>Internal Medicine, 2015, 26, 112-117.  | 1.0 | 5         |
| 1184 | Could there be an association between chronic brucellosis and endothelial damage?. Journal of Infection in Developing Countries, 2015, 9, 048-054.  | 0.5 | 2         |
| 1185 | Residual Cardiovascular Risk in Individuals on Blood Pressure–Lowering Treatment. Journal of the<br>American Heart Association, 2015, 4, .  | 1.6 | 39        |
| 1186 | Cardiovascular effects of Etanercept in patients with psoriatic arthritis: evidence from the cardiovascular risk in rheumatic diseases database. Expert Opinion on Drug Safety, 2015, 14, 1905-1913.                        | 1.0 | 11        |

IF

CITATIONS

Imaging Biomarkers., 2015, , 225-238. 0 1187 Can aortic atherosclerosis or epicardial adipose tissue volume be used as a marker for predicting 1189 0.8 9 coronary artery disease?. Journal of Cardiology, 2015, 65, 143-149. Untreated masked hypertension and carotid atherosclerosis: A meta-analysis. Blood Pressure, 2015, 24, 1190 0.7 30 65-71. Establishment and ultrasound characteristics of atherosclerosis in rhesus monkey. BioMedical 1191 1.3 Engineering OnLine, 2015, 14, S13. Plasma adiponectin and carotid intima–media thickness in non-obese patients with type 2 diabetes. 1192 1.2 4 Journal of Diabetes and Its Complications, 2015, 29, 808-810. Longitudinal Association Between Endothelial Dysfunction, Inflammation, and Clotting Biomarkers With Subclinical Atherosclerosis in Type 1 Diabetes: An Evaluation of the DCCT/EDIC Cohort. Diabetes 4.3 29 Care, 2015, 38, 1281-1289. Inflammatory burden interacts with conventional cardiovascular risk factors for carotid plaque 1194 0.9 43 formation in rheumatoid arthritis. Rheumatology, 2015, 54, 808-815. Sleep, cardiac autonomic function, and carotid atherosclerosis in patients with cardiovascular risks: 0.4 36 HSCAA study. Atherosclerosis, 2015, 238, 409-414. Racial Differences in the Ability of Subclinical Atherosclerosis Testing to Predict CVD. Current 1196 0.8 0 Cardiovascular Risk Reports, 2015, 9, 1. The Atherosclerosis Burden Score (ABS): a Convenient Ultrasound-Based Score of Peripheral Atherosclerosis for Coronary Artery Disease Prediction. Journal of Cardiovascular Translational 1.1 Research, 2015, 8, 138-147. The value of the apoB/apoAΙ ratio and the non-HDL-C/HDL-C ratio in predicting carotid atherosclerosis among Chinese individuals with metabolic syndrome: a cross-sectional study. Lipids in Health and 1198 21 1.2 Disease, 2015, 14, 24. Left carotid adventitial vasa vasorum signal correlates directly with age and with left carotid intima-media thickness in individuals without atheromatous risk factors. Cardiovascular Ultrasound, 0.5 2015, 13, 20. Negative Associations Between Arterial Stiffness Parameter Evaluated by Cardio-Ankle Vascular Index 1201 and Serum Low-Density Lipoprotein Cholesterol Concentration in Early-Stage Atherosclerosis. 0.8 8 Angiology, 2015, 66, 143-149. Quantifying Atherosclerosis by  $\hat{a} \in \mathbb{C}^3$  D $\hat{a} \in \mathbb{C}^4$ Ultrasound Works!. Journal of the American College of Cardiology, 2015, 65, 1075-1077. 1.2 Emerging Risk Factors as Markers for Carotid Intima Media Thickness Scores. Journal of the American 1203 20 1.1 College of Nutrition, 2015, 34, 100-107. Is white-coat hypertension a risk factor for carotid atherosclerosis? A review and meta-analysis. 1204 Blood Pressure Monitoring, 2015, 20, 57-63. Retinopathy is a Strong Determinant of Atherosclerosis in Type 2 Diabetes: Correlation with Carotid 1205 1.1 9 Intima Media Thickness. Endocrine Practice, 2015, 21, 226-230. Ultrasound analysis of grayâ€scale median value of carotid plaques is a useful reference index for

ARTICLE

ARTICLE IF CITATIONS Cardiovascular Imaging for the Primary Prevention of Atherosclerotic Cardiovascular Disease 1207 0.4 24 Events. Current Cardiovascular Imaging Reports, 2015, 8, 36. Sex-Specific Association of Sleep Apnea Severity With Subclinical Myocardial Injury, Ventricular 1208 1.6 Hypertrophy, and Heart Failure Risk in a Community-Dwelling Cohort. Circulation, 2015, 132, 1329-1337. The Association of Elevated HDL Levels With Carotid Atherosclerosis in Middle-Aged Women With 1209 0.8 10 Untreated Essential Hypertension. Angiology, 2015, 66, 904-910. Assessment of vascular function in Mexican women exposed to polycyclic aromatic hydrocarbons 2.0 44 from wood smoke. Environmental Toxicology and Pharmacology, 2015, 40, 423-429. Identification by Ultrasound Evaluation of the Carotid and Femoral Arteries of High-Risk Subjects Missed by Three Validated Cardiovascular Disease Risk Algorithms. American Journal of Cardiology, 1211 0.7 15 2015, 116, 1617-1623. Visceral adiposity and subclinical atherosclerosis in healthy young men. International Journal of 1.3 Food Sciences and Nutrition, 2015, 66, 466-470 1213 Clinical imaging in anti-atherosclerosis drug development. Drug Discovery Today, 2015, 20, 1317-1327. 3.2 4 Amino Acid Intakes Are Inversely Associated with Arterial Stiffness and Central Blood Pressure in 1214 1.3 Relationship between different cardiovascular risk scores and measures of subclinical 1215 0.2 31 atherosclerosis in an Indian population. Indian Heart Journal, 2015, 67, 332-340. Risk Stratification for Cardiovascular Disease inÂWomen in the Primary Care Setting, Journal of the 1.2 American Society of Echocardiography, 2015, 28, 1232-1239. Nicotinic acid and derivatives as multifunctional pharmacophores for medical applications. European 1217 47 1.6 Food Research and Technology, 2015, 240, 1-17. Carotid Artery Intima-Media Thickness Measurements in the Youth: Reproducibility and Technical 1.2 Considerations. Journal of the American Society of Echocardiography, 2015, 28, 309-316. Carotid Intimal Thickness and Plaque Predict Prevalence and Severity of Coronary Atherosclerosis. 1219 0.8 33 Angiology, 2015, 66, 65-69. Semi-automatic MRI segmentation and volume quantification of intra-plaque hemorrhage. International Journal of Computer Assisted Radiology and Surgery, 2015, 10, 67-74. 1220 1.7 The Effect of Sitagliptin on Carotid Artery Atherosclerosis in Type 2 Diabetes: The PROLOGUE 1221 3.9 57 Randomized Controlled Trial. PLoS Medicine, 2016, 13, e1002051. Alterations in Serum Polyunsaturated Fatty Acids and Eicosanoids in Patients with Mild to Moderate Chronic Obstructive Pulmonary Disease (COPD). International Journal of Molecular Sciences, 2016, 17, 1.8 34 1583. The Value of Subclinical Carotid Atherosclerosis for Primary Prevention of Cardiovascular Diseases. 1223 0.3 3 Review of the Main International Studies. Rational Pharmacotherapy in Cardiology, 2016, 12, 558-566. Reply to the Letter by Uzun and Pehlivan Entitled †Characteristics of Hyperautofluorescent Choroidal 1224 Vessels within the Macular Atrophic Area Using Spectral-Domain Optical Coherence Tomography'.

CITATION REPORT

Ophthalmologica, 2016, 236, 60-60.

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1225 | Current status of carotid ultrasound in atherosclerosis. Quantitative Imaging in Medicine and Surgery, 2016, 6, 285-296.   | 1.1 | 37        |
| 1226 | An Anthropometric Risk Index Based on Combining Height, Weight, Waist, and Hip Measurements.<br>Journal of Obesity, 2016, 2016, 1-9.   | 1.1 | 69        |
| 1227 | Effect of comprehensive cardiovascular disease risk management on longitudinal changes in carotid<br>artery intima-media thickness in a community-based prevention clinic. Archives of Medical Science,<br>2016, 4, 728-735. | 0.4 | 13        |
| 1228 | Anti-Atherosclerotic Effects of a Phytoestrogen-Rich Herbal Preparation in Postmenopausal Women.<br>International Journal of Molecular Sciences, 2016, 17, 1318.   | 1.8 | 39        |
| 1229 | Carotid Intima-Media Thickness for Atherosclerosis. Journal of Atherosclerosis and Thrombosis, 2016, 23, 18-31.  | 0.9 | 213       |
| 1230 | The Combined Impact of Neutrophil-to-Lymphocyte Ratio and Type 2 Diabetic Mellitus on Significant<br>Coronary Artery Disease and Carotid Artery Atherosclerosis. Journal of Cardiovascular Imaging, 2016,<br>24, 115.        | 0.8 | 23        |
| 1231 | Screening for asymptomatic coronary artery disease in patients with type 2 diabetes mellitus. Archives of Endocrinology and Metabolism, 2016, 60, 143-151.   | 0.3 | 9         |
| 1232 | The relation between serum cathepsin D level and carotid intima-media thickness in nondiabetic hypertensive patients. Turkish Journal of Medical Sciences, 2016, 46, 13-17.  | 0.4 | 2         |
| 1233 | Carotid Intima-media Thickness Measurements. Chinese Medical Journal, 2016, 129, 215-226.  | 0.9 | 59        |
| 1234 | Carotid Intima Media Thickness and Its Utility as a Predictor of Cardiovascular Disease. Cardiology in<br>Review, 2016, 24, 70-75.   | 0.6 | 53        |
| 1235 | Associations of Psychological Well-Being With Carotid Intima Media Thickness in African American and White Middle-Aged Women. Psychosomatic Medicine, 2016, 78, 511-519.   | 1.3 | 8         |
| 1236 | Childhood Psychosocial Cumulative Risks and Carotid Intima-Media Thickness in Adulthood.<br>Psychosomatic Medicine, 2016, 78, 171-181.   | 1.3 | 27        |
| 1237 | Plasma IL-6 levels are independently associated with atherosclerosis and mortality in HIV-infected individuals on suppressive antiretroviral therapy. Aids, 2016, 30, 2065-2074.   | 1.0 | 79        |
| 1238 | Association of endogenous testosterone with subclinical atherosclerosis in men: the multiâ€ethnic<br>study of atherosclerosis. Clinical Endocrinology, 2016, 84, 700-707.  | 1.2 | 25        |
| 1239 | Ultrasound measurements of carotid intima–media thickness by two semiâ€automated analysis systems.<br>Clinical Physiology and Functional Imaging, 2016, 36, 389-395.   | 0.5 | 9         |
| 1240 | The relationships between alcohol, wine andÂcardiovascular diseases –A review. Nutrition and Aging<br>(Amsterdam, Netherlands), 2016, 3, 55-88.  | 0.3 | 3         |
| 1241 | Estimated incidence and risk factors of sudden unexpected death. Open Heart, 2016, 3, e000321.   | 0.9 | 23        |
| 1242 | Multiple large xanthomas: A case report. Oncology Letters, 2016, 12, 4327-4332.  | 0.8 | 12        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1243 | Rationale and design of a multicenter randomized study for evaluating vascular function under uric<br>acid control using the xanthine oxidase inhibitor, febuxostat: the PRIZE study. Cardiovascular<br>Diabetology, 2016, 15, 87.           | 2.7 | 28        |
| 1244 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Heart<br>Journal, 2016, 37, 2315-2381.  | 1.0 | 5,370     |
| 1245 | Echoing Plaque Activity of the Coronary and Intracranial Arteries in Patients With Stroke. Stroke, 2016, 47, 1527-1533.  | 1.0 | 12        |
| 1246 | Carotid Intima-Media Thickness and Incident ESRD: The Atherosclerosis Risk in Communities (ARIC)<br>Study. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 1197-1205.   | 2.2 | 14        |
| 1247 | Estudio de intervención aleatorizado para evaluar la prevalencia de enfermedad ateromatosa y renal<br>ocultas y su impacto en la morbimortalidad: Proyecto ILERVAS. Nefrologia, 2016, 36, 389-396.   | 0.2 | 20        |
| 1248 | Carotid Atherosclerotic Plaque Characteristics on Magnetic Resonance Imaging Relate With History of Stroke and Coronary Heart Disease. Stroke, 2016, 47, 1542-1547.  | 1.0 | 50        |
| 1249 | Smoking, Smoking Cessation, and Measures of Subclinical Atherosclerosis in Multiple Vascular Beds<br>in Japanese Men. Journal of the American Heart Association, 2016, 5, .  | 1.6 | 39        |
| 1251 | Which body composition measures are associated with cardiovascular function and structure in adolescence?. Obesity Medicine, 2016, 3, 20-27.   | 0.5 | 4         |
| 1252 | Treatment with aromatase inhibitors and markers of cardiovascular disease. Breast Cancer Research and Treatment, 2016, 160, 261-267.   | 1.1 | 7         |
| 1253 | Vascular or chronological age: which is the better marker to estimate the cardiovascular risk in patients with type 1 diabetes?. Acta Diabetologica, 2016, 53, 925-933.  | 1.2 | 5         |
| 1254 | Predictive validity of the ACC/AHA pooled cohort equations in predicting residual-specific mortality<br>in a national prospective cohort study of adults in the United States. Postgraduate Medicine, 2016, 128,<br>865-868.                 | 0.9 | 2         |
| 1255 | Association of a Biomarker of Glucose Peaks, 1,5-Anhydroglucitol, With Subclinical Cardiovascular<br>Disease. Diabetes Care, 2016, 39, 1752-1759.  | 4.3 | 20        |
| 1256 | Multiterritory Atherosclerosis and Carotid Intimaâ€Media Thickness as Cardiovascular Risk Predictors<br>After Percutaneous Angioplasty of Symptomatic Subclavian Artery Stenosis. Journal of Ultrasound in<br>Medicine, 2016, 35, 1977-1984. | 0.8 | 8         |
| 1257 | Bone Mineral Density Is Positively Related to Carotid Intima-Media Thickness: Findings From a<br>Population-Based Study in Adolescents and Premenopausal Women. Journal of Bone and Mineral<br>Research, 2016, 31, 2139-2148.                | 3.1 | 14        |
| 1258 | Early morphologic and functional changes of atherosclerosis in systemic sclerosis <i>—</i> a<br>systematic review and meta-analysis. Rheumatology, 2016, 55, 2119-2130.  | 0.9 | 28        |
| 1259 | Peripheral artery disease patients may benefit more from aggressive secondary prevention than aneurysm patients to improve survival. Atherosclerosis, 2016, 252, 147-152.  | 0.4 | 4         |
| 1260 | Stroke symptoms and risk for incident coronary heart disease in the REasons for Geographic And<br>Racial Differences in Stroke (REGARDS) study. International Journal of Cardiology, 2016, 220, 122-128.                                     | 0.8 | 13        |
| 1262 | Markers of subclinical atherosclerosis in patients with aortic valve sclerosis: A meta-analysis of<br>literature studies. International Journal of Cardiology, 2016, 223, 364-370.   | 0.8 | 22        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1263 | Cardiovascular Consequences of Childhood Secondhand Tobacco Smoke Exposure: Prevailing<br>Evidence, Burden, and Racial and Socioeconomic Disparities: A Scientific Statement From the American<br>Heart Association. Circulation, 2016, 134, e336-e359. | 1.6 | 135       |
| 1264 | Biomarkers and degree of atherosclerosis are independently associated with incident atherosclerotic cardiovascular disease in a primary prevention cohort: The ARIC study. Atherosclerosis, 2016, 253, 156-163.   | 0.4 | 15        |
| 1265 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice. Atherosclerosis, 2016, 252, 207-274.  | 0.4 | 415       |
| 1266 | Different associations between blood pressure indices and carotid artery damages in a community-based population of China. Journal of Human Hypertension, 2016, 30, 750-754.  | 1.0 | 15        |
| 1267 | The changes of individual carotid artery wall layer by aging and carotid intimaâ€media thickness value<br>for high risk. Cardiovascular Therapeutics, 2016, 34, 397-403.  | 1.1 | 11        |
| 1268 | Periodontal diseases and carotid intimaâ€media thickness in Bangladesh. Journal of Clinical<br>Periodontology, 2016, 43, 909-917.   | 2.3 | 4         |
| 1269 | Adiposity during adolescence and carotid intima-media thickness in adulthood: Results from the 1993<br>Pelotas Birth Cohort. Atherosclerosis, 2016, 255, 25-30.   | 0.4 | 9         |
| 1270 | ULTRASOUND B-MODE DESCRIPTORS AND THEIR ASSOCIATION TO AGE AND AUTOMATED IMT AND IMT VARIABILITY. Journal of Mechanics in Medicine and Biology, 2016, 16, 1640007.  | 0.3 | 1         |
| 1271 | Randomised intervention study to assess the prevalence of subclinical vascular disease and hidden<br>kidney disease and its impact on morbidity and mortality: The ILERVAS project. Nefrologia, 2016, 36,<br>389-396.                                   | 0.2 | 13        |
| 1272 | Multimodality ultrasound imaging in stroke: current concepts and future focus. Expert Review of Cardiovascular Therapy, 2016, 14, 1325-1333.  | 0.6 | 10        |
| 1273 | Short-term change of carotid intima-media thickness after treatment of hyperglycemia in patients with diabetes: a cross-sectional study. BMC Research Notes, 2016, 9, 281.  | 0.6 | 4         |
| 1274 | Association between Plaque Score of the Carotid Artery and the Severity of Sleep Apnea Syndrome in Patients with Chronic Kidney Disease. CardioRenal Medicine, 2016, 6, 159-168.  | 0.7 | 7         |
| 1275 | Fluorescence multispectral imaging-based diagnostic system for atherosclerosis. BioMedical<br>Engineering OnLine, 2016, 15, 98.   | 1.3 | 0         |
| 1276 | Carotid Intima-Media Thickness as a Cardiovascular Risk Factor and Imaging Pathway of Atherosclerosis. Critical Pathways in Cardiology, 2016, 15, 152-160.  | 0.2 | 16        |
| 1277 | Impact of carotid atherosclerosis detection on physician and patient behavior in the management of type 2 diabetes mellitus: a prospective, observational, multicenter study. BMC Cardiovascular Disorders, 2016, 16, 220.                              | 0.7 | 11        |
| 1278 | Influence of blood pressure variability on early carotid atherosclerosis in hypertension with and without diabetes. Medicine (United States), 2016, 95, e3864.  | 0.4 | 13        |
| 1279 | High levels of thyroid-stimulating hormone are associated with aortic wall thickness in the general population. European Radiology, 2016, 26, 4490-4496.  | 2.3 | 8         |
| 1280 | Atherosclerosis is Evident in Treated HIV-Infected Subjects With Low Cardiovascular Risk by Carotid<br>Cardiovascular Magnetic Resonance. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 71,<br>514-521.                                 | 0.9 | 16        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1281 | Cardiovascular Risk in Women With Premature Ovarian Insufficiency Compared to Premenopausal<br>Women at Middle Age. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 3306-3315.   | 1.8 | 58        |
| 1282 | Intima–Media Thickness Is Linearly and Continuously Associated With Systolic Blood Pressure in a<br>Populationâ€Based Cohort (STANISLAS Cohort Study). Journal of the American Heart Association, 2016, 5,  | 1.6 | 62        |
| 1284 | A Study to derive distribution of carotid intima media thickness and to determine its COrrelation with cardiovascular Risk factors in asymptomatic nationwidE Indian population (SCORE-India). Indian Heart Journal, 2016, 68, 821-827.             | 0.2 | 25        |
| 1285 | Effects of exercise training on carotid intima-media thickness in patients with type 2 diabetes and coronary artery disease. Influence of carotid plaques. Cardiovascular Diabetology, 2016, 15, 13.  | 2.7 | 50        |
| 1286 | Circulating Levels of the Adipokines Monocyte Chemotactic Protein-4 (MCP-4), Macrophage<br>Inflammatory Protein-1β (MIP-1β), and Eotaxin-3 in Severe Obesity and Following Bariatric Surgery.<br>Hormone and Metabolic Research, 2016, 48, 847-853. | 0.7 | 19        |
| 1287 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Journal of Preventive Cardiology, 2016, 23, NP1-NP96.  | 0.8 | 683       |
| 1288 | Chronotropic response during treadmill exercise and subclinical carotid atherosclerosis after<br>adjusting for the calibrated SCORE risk classification: a cross-sectional study. Heart and Vessels, 2016,<br>31, 129-136.                          | 0.5 | 7         |
| 1289 | Biomarkers of Metabolic Syndrome: Biochemical Background and Clinical Significance. Metabolic<br>Syndrome and Related Disorders, 2016, 14, 47-93.   | 0.5 | 26        |
| 1290 | Persistent Immune Activation and Carotid Atherosclerosis in HIV-Infected Ugandans Receiving Antiretroviral Therapy. Journal of Infectious Diseases, 2016, 213, 370-378.   | 1.9 | 69        |
| 1291 | Ultrasonography. , 2016, , 733-750.e8.  |     | 0         |
| 1292 | Carotid intima media thickness in obese children: is there an association with hyperlipidemia?. Journal of Pediatric Endocrinology and Metabolism, 2016, 29, 157-62.  | 0.4 | 7         |
| 1293 | Coronary, Carotid, and Lower-extremity Atherosclerosis and Their Interrelationship in Danish<br>Patients with Systemic Lupus Erythematosus. Journal of Rheumatology, 2016, 43, 315-322.   | 1.0 | 24        |
| 1294 | Circulating adiponectin and carotid intima-media thickness: A systematic review and meta-analysis.<br>Metabolism: Clinical and Experimental, 2016, 65, 968-986.   | 1.5 | 39        |
| 1295 | Effect of metabolic syndrome components and their clustering on carotid atherosclerosis in a sample of the general Japanese population. Hypertension Research, 2016, 39, 362-366.   | 1.5 | 11        |
| 1296 | Alterations of carotid arterial mechanics preceding the wall thickening in patients with hypertension. Atherosclerosis, 2016, 248, 84-90.   | 0.4 | 12        |
| 1297 | Predictors of Increased Carotid Intima-Media Thickness in Youth With Type 1 Diabetes: The SEARCH CVD<br>Study. Diabetes Care, 2016, 39, 418-425.  | 4.3 | 36        |
| 1298 | Cardiovascular risk markers in patients with primary aldosteronism: A systematic review and meta-analysis of literature studies. International Journal of Cardiology, 2016, 208, 46-55.   | 0.8 | 30        |
| 1299 | Noninvasive Cardiovascular Risk Assessment of the Asymptomatic DiabeticÂPatient. JACC:<br>Cardiovascular Imaging, 2016, 9, 176-192.   | 2.3 | 80        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1300 | Diabetes complications in childhood and adolescent onset type 2 diabetes—a review. Journal of<br>Diabetes and Its Complications, 2016, 30, 951-957.   | 1.2 | 38        |
| 1301 | MANAGEMENT OF ENDOCRINE DISEASE: Klinefelter syndrome, cardiovascular system, and thromboembolic disease: review of literature and clinical perspectives. European Journal of Endocrinology, 2016, 175, R27-R40.  | 1.9 | 79        |
| 1302 | Plasma Proprotein Convertase Subtilisin Kexin Type 9 as a Predictor of Carotid Atherosclerosis in Asymptomatic Adults. Heart Lung and Circulation, 2016, 25, 520-525.   | 0.2 | 50        |
| 1303 | Effects of bariatric surgery on markers of subclinical atherosclerosis and endothelial function: a meta-analysis of literature studies. International Journal of Obesity, 2016, 40, 395-402.  | 1.6 | 66        |
| 1304 | Novel markers of endothelial dysfunction and inflammation in Behçet's disease patients with ocular<br>involvement: epicardial fat thickness, carotid intima media thickness, serum ADMA level, and<br>neutrophil-to-lymphocyte ratio. Clinical Rheumatology, 2016, 35, 701-708. | 1.0 | 37        |
| 1305 | Associations Between Cardio–Ankle Vascular Index and Aortic Structure and Sclerosis Using<br>Multidetector Computed Tomography. Angiology, 2017, 68, 330-338.   | 0.8 | 5         |
| 1306 | Morphological Changes in the Carotid Artery Intima after Gastric Bypass for Morbid Obesity. Obesity Surgery, 2017, 27, 357-363.   | 1.1 | 25        |
| 1307 | Assessment of carotid artery intimaâ€media thickness in patients with obstructive sleep apnoea. Clinical<br>Otolaryngology, 2017, 42, 974-978.  | 0.6 | 9         |
| 1308 | A Noninvasive Sonographic Study of Multisite Atherosclerosis in an Elderly Chinese Population.<br>Journal of Ultrasound in Medicine, 2017, 36, 639-647.   | 0.8 | 3         |
| 1309 | Traditional cardiovascular risk factors or inflammation: Which factors accelerate atherosclerosis in arthritis patients?. International Journal of Cardiology, 2017, 236, 488-492.  | 0.8 | 38        |
| 1310 | Carotid Intimaâ€Media Thickness and Prediction of Cardiovascular Disease. Journal of the American<br>Heart Association, 2017, 6, .  | 1.6 | 51        |
| 1311 | Diagnostic accuracy of carotid intima media thickness in predicting coronary plaque burden on coronary computed tomography angiography in patients with obstructive sleep apnoea. Journal of Cardiovascular Computed Tomography, 2017, 11, 227-233.                             | 0.7 | 6         |
| 1312 | Differences between Metabolically Healthy vs Unhealthy Obese Children and Adolescents. Journal of the National Medical Association, 2017, 109, 203-210.   | 0.6 | 24        |
| 1313 | Vascular and Endothelial Function in Youth with Type 2 Diabetes Mellitus. Current Diabetes Reports, 2017, 17, 36.   | 1.7 | 21        |
| 1314 | Evaluation of carotid intima-media thickness with vascular endothelial growth factor and<br>malondialdehyde levels in patients with sarcoidosis. Diagnostic and Interventional Imaging, 2017, 98,<br>557-561.   | 1.8 | 6         |
| 1315 | Cardiovascular risk assessment in patients with diabetes. Diabetology and Metabolic Syndrome, 2017, 9, 25.  | 1.2 | 154       |
| 1316 | Elevated Circulating PCSK9 Concentrations Predict Subclinical Atherosclerotic Changes in Low Risk<br>Obese and Non-Obese Patients. Cardiology and Therapy, 2017, 6, 281-289.  | 1.1 | 27        |
| 1317 | Body mass index, carotid plaque, and clinical outcomes in patients with coronary artery disease.<br>Coronary Artery Disease, 2017, 28, 278-286.   | 0.3 | 18        |

| #    | Article   | IF       | Citations      |
|------|---|----------|----------------|
| 1318 | Subclinical carotid atherosclerosis in patients with chronic obstructive pulmonary disease: a meta-analysis of literature studies. Annals of Medicine, 2017, 49, 513-524.   | 1.5      | 23             |
| 1319 | Morning blood pressure surge is associated with carotid intima-media thickness in prehypertensive patients. Blood Pressure Monitoring, 2017, 22, 131-136.   | 0.4      | 17             |
| 1320 | Contrastâ€enhanced ultrasonography vs Bâ€mode ultrasound for visualization of intimaâ€media thickness<br>and detection of plaques in human carotid arteries. Echocardiography, 2017, 34, 723-730.   | 0.3      | 14             |
| 1321 | 2016 European Guidelines on cardiovascular disease prevention in clinical practice. International<br>Journal of Behavioral Medicine, 2017, 24, 321-419.   | 0.8      | 84             |
| 1322 | Cardiovascular risk assessment in patients with rheumatoid arthritis: a correlative study of noninvasive arterial health testing. Clinical Rheumatology, 2017, 36, 763-771.   | 1.0      | 8              |
| 1323 | Carotid atherosclerosis and its relationship to coronary heart disease and stroke risk in patients with type 2 diabetes mellitus. Medicine (United States), 2017, 96, e8151.  | 0.4      | 10             |
| 1324 | Eslicarbazepine acetate and carotid intima-media thickness in epileptic patients. Epilepsy Research, 2017,<br>138, 81-87.   | 0.8      | 3              |
| 1325 | Endogenous Cholesterol Excretion Is Negatively Associated With Carotid Intima–Media Thickness in<br>Humans. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 2364-2369.  | 1.1      | 18             |
| 1326 | A Pilot Trial of a Lifestyle Intervention for Stroke Survivors: Design of Healthy Eating and Lifestyle<br>after Stroke (HEALS). Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 2806-2813.  | 0.7      | 12             |
| 1327 | Design and Rationale of the Intima-Medial Thickness Sub-Study of the P revent I on of CA rdiovascular<br>Events in i S chemic S troke Patients with High Risk of Cerebral hem O rrhage (PICASSO-IMT) Study.<br>Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 1892-1898. | 0.7      | 3              |
| 1328 | Most advisable strategy in search of asymptomatic target organ damage in hypertensive patients.<br>Hipertension Y Riesgo Vascular, 2017, 34, 149-156.   | 0.3      | 5              |
| 1329 | Carotid artery intimal medial thickness and carotid artery plaques in hypertensive patients with non-arteritic anterior ischaemic optic neuropathy. Graefe's Archive for Clinical and Experimental Ophthalmology, 2017, 255, 2037-2043.   | 1.0      | 3              |
| 1330 | The association of night-time systolic blood pressure with ultrasound markers of subclinical cardiac and vascular disease. Blood Pressure Monitoring, 2017, 22, 18-26.  | 0.4      | 8              |
| 1331 | Allicin improves carotid artery intima-media thickness in coronary artery disease patients with hyperhomocysteinemia. Experimental and Therapeutic Medicine, 2017, 14, 1722-1726.   | 0.8      | 19             |
| 1332 | Relation of Carotid Intima-Media Thickness to Cardiovascular Events in Black Americans (From the) Tj ETQq0 0 0  | rgBT/Ove | erlogk 10 Tf 5 |
| 1333 | Dietary inflammatory index in relation to sub-clinical atherosclerosis and atherosclerotic vascular disease mortality in older women. British Journal of Nutrition, 2017, 117, 1577-1586.   | 1.2      | 33             |
| 1334 | Impact of Vitamin D Deficiency on Subclinical Carotid Atherosclerosis: A Pooled Analysis of Cohort<br>Studies. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2146-2153.  | 1.8      | 27             |
| 1335 | Ideal Cardiovascular Health and Carotid Atherosclerosis in a Mixed Cohort of HIV-Infected and Uninfected Ugandans. AIDS Research and Human Retroviruses, 2017, 33, 49-56.   | 0.5      | 33             |

|      |   | CITATION RE                      | IPORT |           |
|------|---|----------------------------------|-------|-----------|
| #    | Article   |                                  | IF    | Citations |
| 1336 | The Role of Sleeve Gastrectomy in Reducing Cardiovascular Risk. Obesity Surgery, 201  | 7, 27, 1145-1151.                | 1.1   | 15        |
| 1337 | Severity of Alopecia Predicts Coronary Changes and Arterial Stiffness in Untreated Hyp<br>Journal of Clinical Hypertension, 2017, 19, 51-57.  | ertensive Men.                   | 1.0   | 9         |
| 1338 | Lipoprotein-associated phospholipase A <sub>2</sub> : a new marker to determine car<br>in hypercholesterolemic dyslipidaemic children. Annals of Clinical Biochemistry, 2017, 5                                   |                                  | 0.8   | 6         |
| 1339 | Carotid Artery Intima–Media Thickness Predicts Major Cardiovascular Events During<br>in 64-Year-Old Women Irrespective of Other Glucometabolic Factors. Angiology, 2017,  |                                  | 0.8   | 2         |
| 1340 | Perinatal microbial exposure may influence aortic intima-media thickness in early infand<br>International Journal of Epidemiology, 2017, 46, 209-218.   | cy.                              | 0.9   | 16        |
| 1341 | Coronary Artery Calcium and Carotid Artery Intima Media Thickness and Plaque: Clinica of Clarification. Journal of Atherosclerosis and Thrombosis, 2017, 24, 227-239.   | al Use in Need                   | 0.9   | 38        |
| 1342 | Diet quality and carotid atherosclerosis in intermediate cardiovascular risk individuals.<br>Journal, 2017, 16, 40.   | Nutrition                        | 1.5   | 2         |
| 1343 | Associations of Cardiovascular Risk Factors with Carotid Intima-Media Thickness in Mic<br>and Elders. Journal of Atherosclerosis and Thrombosis, 2017, 24, 677-686.   | Idle-Age Adults                  | 0.9   | 28        |
| 1344 | Association of Kidney Dysfunction With Asymptomatic Cerebrovascular Abnormalities<br>Population With Health Checkups. Circulation Journal, 2017, 81, 1191-1197.   | in a Japanese                    | 0.7   | 4         |
| 1345 | Ultrasound evaluation of carotid artery intima-media thickness in patients with risk fac<br>cardiovascular disease. International Journal of Diagnostic Imaging, 2017, 4, 16.                                     | tors for                         | 0.1   | 3         |
| 1346 | Impact of high serum Immunoglobulin E levels on the risk of atherosclerosis in humans<br>Allergy, 2017, 7, 74-81.   | . Asia Pacific                   | 0.6   | 14        |
| 1347 | 24â€hour aortic blood pressure variability showed a stronger association with carotid<br>24â€hour brachial blood pressure variability: The <scp>SAFAR</scp> study. Journal of<br>Hypertension, 2018, 20, 499-507. | damage than<br>Clinical          | 1.0   | 8         |
| 1348 | Impact of Lipid Measurements in Youth in Addition to Conventional Clinic-Based Risk F<br>Predicting Preclinical Atherosclerosis in Adulthood. Circulation, 2018, 137, 1246-1255                                   |                                  | 1.6   | 53        |
| 1349 | Carotid Bifurcation Geometry as Assessed by Ultrasound is Associated with Early Carol<br>Atherosclerosis. Annals of Vascular Surgery, 2018, 51, 207-216.  | id                               | 0.4   | 7         |
| 1350 | Hepatitis C virus eradication by direct-acting antiviral agents improves carotid atheroso<br>patients with severe liver fibrosis. Journal of Hepatology, 2018, 69, 18-24.   | lerosis in                       | 1.8   | 98        |
| 1351 | Ultrasound-assessed visceral fat and associations with glucose homeostasis and cardic<br>in clinical practice. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 610-6                                 | vascular risk<br>517.            | 1.1   | 4         |
| 1352 | Prospective Study of Epigenetic Age Acceleration and Incidence of Cardiovascular Dise<br>in the ARIC Study (Atherosclerosis Risk in Communities). Circulation Genomic and Prec<br>2018, 11, e001937.              | ase Outcomes<br>cision Medicine, | 1.6   | 97        |
| 1353 | Association of carotid atherosclerosis and stiffness with abdominal aortic aneurysm: The atherosclerosis risk in communities (ARIC) study. Atherosclerosis, 2018, 270, 110-116                                    |                                  | 0.4   | 24        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1354 | Carotid intima-media thickness and anti-hypertensive treatment: Focus on angiotensin II receptor blockers. Pharmacological Research, 2018, 129, 20-26.  | 3.1 | 5         |
| 1355 | Impact of different antihypertensives on carotid arterial wall thickness. Journal of Clinical<br>Hypertension, 2018, 20, 248-254.   | 1.0 | 7         |
| 1356 | Cardiovascular Assessment in Human Research. Methods in Molecular Biology, 2018, 1735, 297-310.   | 0.4 | 3         |
| 1358 | Association Between Carotid Intima Media Thickness, Age, and Cardiovascular Risk Factors in Children and Adolescents. Metabolic Syndrome and Related Disorders, 2018, 16, 122-126.                                    | 0.5 | 26        |
| 1359 | Association of Prostatic Volume and Carotid Intima-media Thickness in Patients With Benign Prostatic<br>Hyperplasia. Urology, 2018, 113, 166-170.   | 0.5 | 2         |
| 1360 | Small and large vessel disease in persons with unrecognized compared to recognized myocardial infarction: The TromsÃ, Study 2007–2008. International Journal of Cardiology, 2018, 253, 14-19.                         | 0.8 | 12        |
| 1361 | Stroke Minimization through Additive Anti-atherosclerotic Agents in Routine Treatment (SMAART):<br>study protocol for a randomized controlled trial. Trials, 2018, 19, 181.   | 0.7 | 19        |
| 1362 | Associations of Common Genetic Variants on <i>IL-17</i> Genes and Carotid Intima-Media<br>Thickness. Journal of Atherosclerosis and Thrombosis, 2018, 25, 1156-1167.  | 0.9 | 8         |
| 1363 | Non-invasive markers of cardiovascular risk in patients with subclinical hypothyroidism: A systematic review and meta-analysis of 27 case control studies. Scientific Reports, 2018, 8, 4579.                         | 1.6 | 21        |
| 1364 | Systemic inflammation as a function of the individual and combined associations of sedentary behaviour, physical activity and cardiorespiratory fitness. Clinical Physiology and Functional Imaging, 2018, 38, 93-99. | 0.5 | 14        |
| 1365 | Carotid Artery Plaques, Carotid Intima–Media Thickness, and Risk of Cardiovascular Events and<br>All-Cause Death in Older Adults: A 5-Year Prospective, Community-Based Study. Angiology, 2018, 69,<br>120-129.       | 0.8 | 35        |
| 1366 | Aortic, carotid intima-media thickness and flow- mediated dilation as markers of early atherosclerosis in a cohort of pediatric patients with rheumatic diseases. Clinical Rheumatology, 2018, 37, 1675-1682.         | 1.0 | 15        |
| 1367 | A systematic review of the associations between HIV/HCV coinfection and biomarkers of cardiovascular disease. Reviews in Medical Virology, 2018, 28, e1953.   | 3.9 | 9         |
| 1368 | Underestimation of Risk of Carotid Subclinical Atherosclerosis by Cardiovascular Risk Scores in Patients with Psoriatic Arthritis. Journal of Rheumatology, 2018, 45, 218-226.  | 1.0 | 23        |
| 1369 | The Markers of Endothelial Activation. , 2018, , .  |     | 3         |
| 1370 | Screening for Atherosclerotic Cardiovascular Disease in Asymptomatic Individuals. , 2018, , 459-478.  |     | 2         |
| 1371 | Cardiovascular Risk Markers and Major Adverse Cardiovascular Events in Psoriatic Arthritis Patients.<br>Reviews on Recent Clinical Trials, 2018, 13, 199-209.   | 0.4 | 25        |
| 1372 | A body shape index and vascular structure and function in Spanish adults (MARK study). Medicine<br>(United States), 2018, 97, e13299.   | 0.4 | 10        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1373 | Association between number of children and carotid intima-media thickness in Bangladesh. PLoS ONE, 2018, 13, e0208148.  | 1.1 | 6         |
| 1374 | Imaging atherosclerosis for cardiovascular risk prediction- in search of the holy grail!. Indian Heart<br>Journal, 2018, 70, 587-592.   | 0.2 | 6         |
| 1375 | Cardiovascular Implications of the Menopause Transition. Obstetrics and Gynecology Clinics of North America, 2018, 45, 641-661.   | 0.7 | 73        |
| 1376 | Carotid intima-media thickening predicts negative stress test in chest pain patients in an emergency department observation unit. American Journal of Emergency Medicine, 2018, 37, 1385-1387.  | 0.7 | 1         |
| 1377 | Erectile dysfunction is associated with subclinical carotid vascular disease in young men lacking<br>widely-known risk factors. Asian Journal of Andrology, 2018, 20, 400.  | 0.8 | 8         |
| 1378 | Brick and mortar IMT core lab goes automated and online. European Journal of Preventive Cardiology, 2018, 25, 150-153.  | 0.8 | 1         |
| 1379 | Genetic and environmental contributions to the association between mood disorder and periodontal<br>disease: A crossâ€sectional study among female twins in the UK. Journal of Clinical Periodontology,<br>2019, 46, 40-50.                                   | 2.3 | 9         |
| 1380 | ls There an Association of Vascular Disease and Atherosclerosis in Children and Adolescents With<br>Obesity and Non-alcoholic Fatty Liver Disease?. Frontiers in Pediatrics, 2018, 6, 345.  | 0.9 | 4         |
| 1381 | Progression of subclinical and clinical cardiovascular disease in a UK SLE cohort: the role of classic and SLE-related factors. Lupus Science and Medicine, 2018, 5, e000267.   | 1.1 | 19        |
| 1382 | Usefulness of carotid ultrasonography in the diagnosis of coronary artery disease in patients undergoing exercise echocardiography. Cardiovascular Ultrasound, 2018, 16, 26.  | 0.5 | 1         |
| 1383 | Screening Validity of Arterial Pressure–Volume Index and Arterial Velocity–Pulse Index for<br>Preclinical Atherosclerosis in Japanese Community-Dwelling Adults: the Nagasaki Islands Study.<br>Journal of Atherosclerosis and Thrombosis, 2018, 25, 792-798. | 0.9 | 11        |
| 1384 | Association between Obesity and Carotid Intima-Media Thickness in Korean Office Workers: The<br>Mediating Effect of Physical Activity. BioMed Research International, 2018, 2018, 1-10.   | 0.9 | 19        |
| 1385 | Genetic profiling of young and aged endothelial progenitor cells in hypoxia. PLoS ONE, 2018, 13, e0196572.  | 1.1 | 8         |
| 1386 | Cardio-Ankle Vascular Index as a Surrogate Marker of Early Atherosclerotic Cardiovascular Disease<br>in Koreans with Type 2 Diabetes Mellitus. Diabetes and Metabolism Journal, 2018, 42, 285.  | 1.8 | 20        |
| 1387 | Carotid artery stenosis screening: where are we now?. British Journal of Radiology, 2018, 91, 20170380.   | 1.0 | 24        |
| 1388 | Atteinte des vaisseaux dans les spondyloarthrites axiales. Revue Du Rhumatisme (Edition Francaise),<br>2018, 85, 448-452.   | 0.0 | 0         |
| 1389 | Predictive value for cardiovascular events of common carotid intima media thickness and its rate of change in individuals at high cardiovascular risk – Results from the PROG-IMT collaboration. PLoS ONE, 2018, 13, e0191172.                                | 1.1 | 51        |
| 1390 | Predictors of subclinical carotid atherosclerosis in middle-aged women. PLoS ONE, 2018, 13, e0197582.   | 1.1 | 10        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1391 | Metabolically healthy and metabolically unhealthy obese children both have increased carotid intima-media thickness: a case control study. BMC Cardiovascular Disorders, 2018, 18, 140.  | 0.7 | 17        |
| 1392 | Pediatric Markers of Adult Cardiovascular Disease. Current Pediatric Reviews, 2018, 13, 255-259.   | 0.4 | 27        |
| 1393 | Carotid Artery Atherosclerosis: A Review on Heritability and Genetics. Twin Research and Human Genetics, 2018, 21, 333-346.  | 0.3 | 25        |
| 1394 | Diabetic retinopathy is associated with the presence and burden of subclinical carotid atherosclerosis in type 1 diabetes. Cardiovascular Diabetology, 2018, 17, 66.   | 2.7 | 36        |
| 1395 | Visceral adipose tissue and carotid intima-media thickness in HIV-infected patients undergoing cART: a prospective cohort study. BMC Infectious Diseases, 2018, 18, 32.  | 1.3 | 12        |
| 1396 | Orthostatic Hypotension and Risk of Clinical and Subclinical Cardiovascular Disease in Middleâ€Aged<br>Adults. Journal of the American Heart Association, 2018, 7, .   | 1.6 | 50        |
| 1397 | Target Organ Abnormalities in Pediatric Hypertension. Journal of Pediatrics, 2018, 202, 14-22.   | 0.9 | 30        |
| 1398 | Carotid intima-media thickness and coronary artery Disease. Nepalese Heart Journal, 2018, 15, 9-15.  | 0.0 | 2         |
| 1399 | Risk factors and determinants of carotid intima-media thickness in children: protocol for a systematic<br>review and meta-analysis. BMJ Open, 2018, 8, e019644.  | 0.8 | 6         |
| 1400 | Evaluation of relationship between common carotid artery intima-media thickness and coronary in-stent restenosis: A case-control study. Interventional Medicine & Applied Science, 2018, 10, 38-44.  | 0.2 | 2         |
| 1401 | The Relationship Between Aspirin Resistance and Carotid Imaging in Young Patients With ST-Segment<br>Elevated Myocardial Infarction: A Cross-Sectional Study. Clinical and Applied Thrombosis/Hemostasis,<br>2018, 24, 1358-1364.  | 0.7 | 0         |
| 1402 | Prognostic value of carotid intimaâ€media in the short―and longâ€ŧerm mortality in the Strategy of<br>Registry of Acute Coronary Syndrome (ERICO) study. Echocardiography, 2018, 35, 1351-1361.  | 0.3 | 2         |
| 1403 | Elevated N -acetyl-β- d -glucosaminidase, a urinary tubular damage marker, is a significant predictor of<br>carotid artery atherosclerosis in type 1 diabetes, independent of albuminuria: A cross-sectional study.<br>Journal of Diabetes and Its Complications, 2018, 32, 777-783. | 1.2 | 6         |
| 1404 | Vascular involvement in axial spondyloarthropathies. Joint Bone Spine, 2019, 86, 159-163.  | 0.8 | 15        |
| 1405 | The Growing Field of Imaging of Atherosclerosis in Peripheral Arteries. Angiology, 2019, 70, 20-34.  | 0.8 | 7         |
| 1406 | Carotid Intima-Media Thickness in Patients with Ankylosing Spondylitis: A Systematic Review and Updated Meta-Analysis. Journal of Atherosclerosis and Thrombosis, 2019, 26, 260-271.   | 0.9 | 19        |
| 1407 | Subclinical atherosclerosis in asymptomatic carriers of persistent antiphospholipid antibodies positivity: A cross-sectional study. International Journal of Cardiology, 2019, 274, 1-6.   | 0.8 | 32        |
| 1408 | Associations of circulating cell-free microRNA with vasculopathy and vascular events in systemic lupus erythematosus patients. Scandinavian Journal of Rheumatology, 2019, 48, 32-41.  | 0.6 | 14        |

|           | CHANON RE  |            |                  |
|-----------|--|------------|------------------|
| #<br>1409 | ARTICLE<br>The "All of Us―Research Program. New England Journal of Medicine, 2019, 381, 668-676.   | lF<br>13.9 | Citations<br>955 |
| 1410      | Management of patients with concomitant coronary and carotid artery disease. Expert Review of<br>Cardiovascular Therapy, 2019, 17, 575-583.  | 0.6        | 11               |
| 1411      | Cardiac Manifestations of Antiphospholipid Syndrome: Clinical Presentation, Role of Cardiac Imaging, and Treatment Strategies. Seminars in Thrombosis and Hemostasis, 2019, 45, 468-477.   | 1.5        | 19               |
| 1412      | Évaluation et quantification d'une sténose carotidienne par échographie-Doppler. Journal D'imagerie<br>Diagnostique Et Interventionnelle, 2019, 2, 204-216.  | 0.0        | 1                |
| 1413      | >Decreased GFR and its joint association with type 2 diabetes and hypertension with prevalence and<br>severity of carotid plaque in a community population in China. Diabetes, Metabolic Syndrome and<br>Obesity: Targets and Therapy, 2019, Volume 12, 1263-1273. | 1.1        | 4                |
| 1414      | Gender Specificity and Interpretation of Functional Cardiac Imaging: Let's Talk about Sex. Thrombosis and Haemostasis, 2019, 119, 1379-1381.   | 1.8        | 2                |
| 1415      | Low CD4 Cell Counts Are Associated with Carotid Plaque and Intima–Media Thickness in Virologically<br>Suppressed HIV-Infected Asians Older Than 50 Years. AIDS Research and Human Retroviruses, 2019, 35,<br>1160-1169.  | 0.5        | 7                |
| 1416      | Youth-Onset Type 2 Diabetes and the Developing Brain. Current Diabetes Reports, 2019, 19, 3.   | 1.7        | 2                |
| 1417      | 3-D Flow Reconstruction Using Divergence-Free Interpolation of Multiple 2-D Contrast-Enhanced<br>Ultrasound Particle Imaging Velocimetry Measurements. Ultrasound in Medicine and Biology, 2019, 45,<br>795-810.   | 0.7        | 14               |
| 1418      | The effectiveness of high-resolution ultrasound in the assessment of the carotid intima–media<br>thickness for postirradiated neck. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1167-1173.  | 0.8        | 5                |
| 1419      | Anatomy of the Heart and Great Arteries. Contemporary Cardiology, 2019, , 51-75.   | 0.0        | 0                |
| 1420      | Advances in cardiovascular imaging. Current Opinion in Biomedical Engineering, 2019, 9, A3.  | 1.8        | 0                |
| 1421      | Carnitine Is Associated With Atherosclerotic Risk and Myocardial Infarction in HIVâ€Infected Adults.<br>Journal of the American Heart Association, 2019, 8, e011037.   | 1.6        | 15               |
| 1422      | Hypertension and Target Organ Damage. , 2019, , 406-414.   |            | 0                |
| 1423      | A Special Report on Changing Trends in Preventive Stroke/Cardiovascular Risk Assessment Via B-Mode<br>Ultrasonography. Current Atherosclerosis Reports, 2019, 21, 25.  | 2.0        | 33               |
| 1424      | Common Genetic Variants on Bone Morphogenetic Protein Receptor Type IB ( <i>BMPR1B</i> )<br>Gene Are Predictive for Carotid Intima-Media Thickness. Circulation Journal, 2019, 83, 749-756.  | 0.7        | 3                |
| 1425      | Association between resting heart rate, VO2max and carotid intima-media thickness in middle-aged men. IJC Heart and Vasculature, 2019, 23, 100347.   | 0.6        | 6                |
| 1426      | Effect of carotid image-based phenotypes on cardiovascular risk calculator: AECRS1.0. Medical and<br>Biological Engineering and Computing, 2019, 57, 1553-1566.  | 1.6        | 33               |

| #    | Article  | IF  | Citations |
|------|--|-----|-----------|
| 1427 | Carotid Ultrasound. Radiologic Clinics of North America, 2019, 57, 501-518.  | 0.9 | 15        |
| 1428 | Risk of Ischemic Stroke and Peripheral Arterial Disease in Heterozygous Familial<br>Hypercholesterolemia: A Meta-Analysis. Angiology, 2019, 70, 726-736. | 0.8 | 23        |
|      | Deletion Detruces Circuits Creating and User's Failure (from the Multisthesis Study of   |     |           |

Relation Between Cigarette Smoking and Heart Failure (from the Multiethnic Study of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 662 Td (Atl

| 1430 | The combined effect of physical activity and sedentary behavior on subclinical atherosclerosis: a cross-sectional study among Mexican Americans. BMC Public Health, 2019, 19, 161.                            | 1.2 | 10 |
|------|---|-----|----|
| 1431 | Evaluation of Vascular Event Risk while on Long-term Anti-retroviral Suppressive Therapy [EVERLAST]:<br>Protocol for a prospective observational study. ENeurologicalSci, 2019, 15, 100189.                   | 0.5 | 7  |
| 1432 | Clinical utility of carotid ultrasonography: Application for the management of patients with diabetes.<br>Journal of Diabetes Investigation, 2019, 10, 883-898.   | 1.1 | 27 |
| 1433 | Usability of Achilles tendon strain elastography for the diagnosis of coronary artery disease. Journal of Medical Ultrasonics (2001), 2019, 46, 343-351.  | 0.6 | 5  |
| 1434 | Management of cardiovascular complications in Klinefelter syndrome patients. Expert Review of<br>Endocrinology and Metabolism, 2019, 14, 145-152.   | 1.2 | 5  |
| 1435 | Genetic determinants of blood pressure traits are associated with carotid arterial thickening and plaque formation in patients with type 2 diabetes. Diabetes and Vascular Disease Research, 2019, 16, 13-21. | 0.9 | 3  |
| 1436 | The association of dietary patterns and carotid intima-media thickness: A synthesis of current evidence. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 1273-1287.                              | 1.1 | 13 |
| 1437 | A real-life correlation between clinical SYNTAX score II and carotid intima-media thickness in patients with stable coronary artery disease. Journal of the Saudi Heart Association, 2019, , .                | 0.2 | 0  |
| 1438 | Expectations of Racism and Carotid Intima-Media Thickness in African American Women. Psychosomatic<br>Medicine, 2019, 81, 759-768.  | 1.3 | 27 |
| 1439 | Complex contaminant mixtures and their associations with intima-media thickness. BMC Cardiovascular Disorders, 2019, 19, 289.   | 0.7 | 13 |
| 1440 | The association between carotid intima-media thickness and new-onset hypertension in a Chinese community-based population. BMC Cardiovascular Disorders, 2019, 19, 269.                                       | 0.7 | 15 |
| 1441 | Association between serum uric acid and carotid disease in patients with atherosclerotic acute ischemic stroke. Vascular, 2019, 27, 19-26.  | 0.4 | 13 |
| 1442 | Early and late childhood telomere length predict subclinical atherosclerosis at age 14†yrs. – The CardioCAPS study. International Journal of Cardiology, 2019, 278, 250-253.                                  | 0.8 | 9  |
| 1443 | Usefulness of carotid ultrasonography in the assessment of coronary artery disease extension in patients undergoing exercise echocardiography. Echocardiography, 2019, 36, 336-344.                           | 0.3 | 1  |
| 1444 | Women with Preterm Birth Have Evidence of Subclinical Atherosclerosis a Decade After Delivery.<br>Journal of Women's Health, 2019, 28, 621-627.   | 1.5 | 10 |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1445 | The role of gut microbiome and its interaction with arsenic exposure in carotid intima-media thickness in a Bangladesh population. Environment International, 2019, 123, 104-113.  | 4.8 | 30        |
| 1446 | Association of epistaxis with atherosclerotic cardiovascular disease. Laryngoscope, 2019, 129, 783-787.  | 1.1 | 8         |
| 1447 | Has carotid intimaâ€media thickness prognostic impact in patients with high cardiovascular risk? A<br>longâ€ŧerm cohort study. Echocardiography, 2019, 36, 125-132.  | 0.3 | 4         |
| 1448 | Markers of Atherosclerosis: Part 2 – Genetic and Imaging Markers. Heart Lung and Circulation, 2019, 28, 678-689.   | 0.2 | 36        |
| 1449 | Carotid Intima-Media Thickness as Surrogate for and Predictor of CVD. Global Heart, 2016, 11, 295.   | 0.9 | 85        |
| 1450 | Time in Range Is Associated with Carotid Intima-Media Thickness in Type 2 Diabetes. Diabetes Technology<br>and Therapeutics, 2020, 22, 72-78.  | 2.4 | 148       |
| 1451 | Progression of conventional cardiovascular risk factors and vascular disease risk in individuals:<br>insights from the PROG-IMT consortium. European Journal of Preventive Cardiology, 2020, 27, 234-243.  | 0.8 | 10        |
| 1452 | <i>Lumos</i> for the long trail: Strategies for clinical diagnosis and severity staging for diabetic polyneuropathy and future directions. Journal of Diabetes Investigation, 2020, 11, 5-16.  | 1.1 | 27        |
| 1453 | Race and sex-based disparities associated with carotid endarterectomy in the Atherosclerosis Risk in<br>Communities (ARIC) study. Atherosclerosis, 2020, 292, 10-16.   | 0.4 | 17        |
| 1454 | Carotid Intima-Media Thickness and Circulation Markers of Inflammation in Patients With Depression.<br>Journal of Diagnostic Medical Sonography, 2020, 36, 111-119.  | 0.1 | 3         |
| 1455 | Plasma tissue factor and immune activation are associated with carotid intima–media thickness progression in treated HIV infection. Aids, 2020, 34, 519-528.   | 1.0 | 4         |
| 1456 | Artificial intelligence framework for predictive cardiovascular and stroke risk assessment models: A narrative review of integrated approaches using carotid ultrasound. Computers in Biology and Medicine, 2020, 126, 104043.                           | 3.9 | 34        |
| 1457 | Carotid intima-media thickness and metabolic syndrome in a rural population: Results from the<br>Baependi Heart Study. International Journal of Cardiology: Hypertension, 2020, 6, 100043.   | 2.2 | 4         |
| 1458 | Impact of bariatric surgery on carotid intima-medial thickness and cardiovascular risk: results of a prospective study. Surgical Endoscopy and Other Interventional Techniques, 2020, 35, 6006-6012.   | 1.3 | 14        |
| 1459 | Progression in risk factors during 36 years of follow-up and prediction of carotid intima-media<br>thickness in a large cohort of adults with and without diabetes. Scandinavian Journal of Clinical and<br>Laboratory Investigation, 2020, 80, 491-499. | 0.6 | 2         |
| 1460 | Systemic Lupus Erythematosus, Its Impact on Selected Cardiovascular Risk Factors, and Correlation with Duration of Illness: A Pilot Study. Cardiology Research and Practice, 2020, 2020, 1-8.  | 0.5 | 7         |
| 1461 | The Role of Carotid and Femoral Plaque Burden in the Diagnosis of Coronary Artery Disease. Current<br>Cardiology Reports, 2020, 22, 121.   | 1.3 | 14        |
| 1462 | The effect of metformin on carotid intima-media thickness (CIMT): A systematic review and meta-analysis of randomized clinical trials. European Journal of Pharmacology, 2020, 886, 173458.  | 1.7 | 17        |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1463 | Correlation of Pre-Hypertension with Carotid Artery Damage in Middle-Aged and Older Adults.<br>International Journal of Environmental Research and Public Health, 2020, 17, 7686.                         | 1.2 | 3         |
| 1464 | Serum phosphorus levels are associated with carotid intima-media thickness in asymptomatic postmenopausal women. Menopause, 2020, 27, 1042-1046.  | 0.8 | 3         |
| 1465 | Carotid Intimaâ€Media Thickness and the Risk of Sudden Cardiac Death: The ARIC Study and the CHS.<br>Journal of the American Heart Association, 2020, 9, e016981.   | 1.6 | 13        |
| 1466 | The Performance of Vascular Age in the Assessment of Cardiovascular Risk of Patients with<br>Rheumatoid Arthritis. Journal of Clinical Medicine, 2020, 9, 4065.   | 1.0 | 2         |
| 1467 | Regional Variation in Genetic Control of Atherosclerosis in Hyperlipidemic Mice. G3: Genes, Genomes,<br>Genetics, 2020, 10, 4679-4689.  | 0.8 | 5         |
| 1468 | Periodontal therapy and cardiovascular risk. Periodontology 2000, 2020, 83, 107-124.  | 6.3 | 79        |
| 1469 | Association between Serum Mg2+ Concentrations and Cardiovascular Organ Damage in a Cohort of Adult Subjects. Nutrients, 2020, 12, 1264.   | 1.7 | 3         |
| 1470 | Cardiovascular risk assessment: The foundation of preventive cardiology. American Journal of<br>Preventive Cardiology, 2020, 1, 100008.   | 1.3 | 13        |
| 1471 | <b><i>APOL1</i></b> Genetic Variants Are Associated with Serum-Oxidized Low-Density Lipoprotein<br>Levels and Subclinical Atherosclerosis in South African CKD Patients. Nephron, 2020, 144, 331-340.     | 0.9 | 2         |
| 1472 | A special report on changing trends in preventive stroke/cardiovascular risk assessment via B-mode ultrasonography. , 2020, , 291-318.  |     | 4         |
| 1473 | Assessment of traditional and non-traditional risk factors for premature atherosclerosis in children with juvenile dermatomyositis and pediatric controls. Pediatric Rheumatology, 2020, 18, 25.          | 0.9 | 8         |
| 1474 | Diagnostic Role of Carotid Intima-Media Thickness for Coronary Artery Disease: A Meta-Analysis.<br>BioMed Research International, 2020, 2020, 1-7.  | 0.9 | 21        |
| 1475 | Carotid Atherosclerosis Evolution When Targeting a Low-Density Lipoprotein Cholesterol<br>Concentration <70 mg/dL After an Ischemic Stroke of Atherosclerotic Origin. Circulation, 2020, 142,<br>748-757. | 1.6 | 21        |
| 1476 | Current status of white coat hypertension: where are we?. Therapeutic Advances in Cardiovascular Disease, 2020, 14, 175394472093163.  | 1.0 | 20        |
| 1477 | Do antiâ€ŧumour necrosis factorâ€Î± biologics affect subclinical measures of atherosclerosis and<br>arteriosclerosis? A systematic review. British Journal of Clinical Pharmacology, 2020, 86, 837-851.   | 1.1 | 16        |
| 1478 | Proteinuria Is Associated with Carotid Artery Atherosclerosis in Non-Albuminuric Type 2 Diabetes: A<br>Cross-Sectional Study. Journal of Clinical Medicine, 2020, 9, 136.                                 | 1.0 | 6         |
| 1479 | Evaluating Multisite Atherosclerosis and its Progression. Journal of the American College of Cardiology, 2020, 75, 1628-1630.   | 1.2 | 2         |
| 1480 | Carotid intima-media thickness in polycystic ovary syndrome and its association with hormone and lipid profiles. PLoS ONE, 2020, 15, e0232299.  | 1.1 | 20        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1481 | Prediction and early detection of cardiovascular disease in South Asians with diabetes mellitus.<br>Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2020, 14, 385-393.   | 1.8 | 5         |
| 1482 | Evaluation of single nucleotide polymorphisms in 6 candidate genes and carotid intima-media thickness in community-dwelling residents. PLoS ONE, 2020, 15, e0230715.   | 1.1 | 3         |
| 1483 | To fast or not to fast: Lipid measurement and cardiovascular disease risk estimation in rural sub-Saharan Africa. Journal of Global Health, 2020, 10, 010407.  | 1.2 | 6         |
| 1484 | Effects of ultrasound technology advances on measurement of carotid intima–media thickness: A<br>review. Vascular Medicine, 2021, 26, 81-85.   | 0.8 | 4         |
| 1485 | Association between uric acid and atherosclerosis in communityâ€dwelling older people: The SONIC study. Geriatrics and Gerontology International, 2021, 21, 94-101.  | 0.7 | 5         |
| 1486 | Impact of Increased Oxidative Stress on Cardiovascular Diseases in Women With Polycystic Ovary<br>Syndrome. Frontiers in Endocrinology, 2021, 12, 614679.  | 1.5 | 20        |
| 1487 | ROLE OF GRAY-SCALE AND DOPPLER ULTRASOUND OF CAROTID ARTERY IN RISK STRATIFICATION OF STABLE ISCHEMIC HEART DISEASE AND ITS CORRELATION WITH CORONARY ANGIOGRAPHY. , 2021, , 69-72.  |     | 0         |
| 1488 | Carotid intima–media thickness and cardiovascular risk factors in healthy volunteers. Ultrasound<br>Journal, 2021, 13, 17.   | 1.3 | 11        |
| 1489 | Prediction of cardiovascular risk by measuring carotid intima media thickness from an ultrasound<br>image for type II diabetic mellitus subjects using machine learning and transfer learning techniques.<br>Journal of Supercomputing, 2021, 77, 10289-10306.             | 2.4 | 10        |
| 1490 | Intima Media Thickness of Carotid and Femoral Artery as predictor of Cardiovascular Events. Pakistan<br>Journal of Surgery and Medicine, 2021, 1, e149.  | 0.4 | 0         |
| 1491 | Overlapping Genetic Background of Coronary Artery and Carotid/Femoral Atherosclerotic<br>Calcification. Medicina (Lithuania), 2021, 57, 252.   | 0.8 | 2         |
| 1492 | Subclinical atherosclerosis in the carotid artery: can the ankle-brachial index predict it in type 2 diabetes patients?. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 237-243.   | 0.6 | 2         |
| 1493 | Puberty timing and markers of cardiovascular structure and function at 25Âyears: a prospective cohort study. BMC Medicine, 2021, 19, 78.   | 2.3 | 10        |
| 1494 | Carotid intima–media thickness (IMT) in patients with severe familial and non-familial hypercholesterolemia: The effect of measurement site on the IMT correlation with traditional cardiovascular risk factors and calcium scores. Cardiology Journal, 2021, 28, 271-278. | 0.5 | 9         |
| 1495 | Assessment of Individual Cardiovascular Risk Among Population in Public Pharmacies Using the<br>Heart-Score Questionnaire. Serbian Journal of Experimental and Clinical Research, 2021, .  | 0.2 | 0         |
| 1496 | Remnant Cholesterol and Common Carotid Artery Intima-Media Thickness in Patients With Ischemic Stroke. Circulation: Cardiovascular Imaging, 2021, 14, e010953.   | 1.3 | 36        |
| 1497 | Cardiovascular Disease in Type 1 Diabetes Mellitus: Epidemiology and Management of Cardiovascular<br>Risk. Journal of Clinical Medicine, 2021, 10, 1798.   | 1.0 | 21        |
| 1498 | Serum metabolic signatures of subclinical atherosclerosis in patients with type 2 diabetes mellitus: a preliminary study. Acta Diabetologica, 2021, 58, 1217-1224.   | 1.2 | 5         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1499 | Serum lipocalinâ€⊋ and carotid artery intima–media thickness in relation to obesity in eugonadal males over forty with venogenic erectile dysfunction. Andrologia, 2021, 53, e14127.   | 1.0 | 4         |
| 1500 | General Perspectives for the Treatment of Atherosclerosis. Letters in Drug Design and Discovery, 2021, 18, 314-324.  | 0.4 | 0         |
| 1501 | Cumulative Marijuana Use and Carotid Intima-Media Thickness at Middle Age: The CARDIA Study.<br>American Journal of Medicine, 2021, 134, 777-787.e9.   | 0.6 | 7         |
| 1502 | Direct antiviral agents in hepatitis C virus related liver disease: Don't count the chickens before<br>they're hatched. World Journal of Gastroenterology, 2021, 27, 2771-2783.  | 1.4 | 5         |
| 1503 | Methodological Challenges in Estimating the Lifetime Medical Care Cost Externality of Obesity.<br>Journal of Benefit-Cost Analysis, 2021, 12, 441-465.   | 0.6 | 2         |
| 1504 | Electrocardiographic abnormalities, preclinical carotid atherosclerosis and cardiovascular risk in<br>an apparently healthy real-world population. Data from the "No Stroke, No Infarction" project of the<br>Rotary International - district 2110 (Sicily and Malta). International Angiology, 2021, 40, 470-477. | 0.4 | 1         |
| 1505 | Preclinical carotid atherosclerosis as an indicator of polyvascular disease: a narrative review.<br>Annals of Translational Medicine, 2021, 9, 1204-1204.  | 0.7 | 11        |
| 1506 | Vascular target organ damage in patients with Philadelphia negative myeloproliferative syndrome: A<br>propensity score analysis. Medicina ClÃnica, 2021, , .   | 0.3 | 1         |
| 1507 | The Effects of Long-Term High Water Iodine Levels in the External Environment on the Carotid Artery.<br>Biological Trace Element Research, 2021, , 1.  | 1.9 | 0         |
| 1508 | Abdominal aorta plaques are better in predicting future cardiovascular events compared to carotid intima-media thickness: A 20-year prospective study. Atherosclerosis, 2021, 330, 36-42.  | 0.4 | 8         |
| 1509 | The Predictive Value of Carotid Ultrasonography With Cardiovascular Risk Factors—A "SPIDER―<br>Promoting Atherosclerosis. Frontiers in Cardiovascular Medicine, 2021, 8, 706490.   | 1.1 | 12        |
| 1510 | Medical and Surgical Obesity Treatments and Atherosclerosis: Mechanisms beyond Typical Risk<br>Factors. Current Atherosclerosis Reports, 2021, 23, 60.   | 2.0 | 3         |
| 1511 | Cardiovascular Disease Risk Assessment in Diabetes. Journal of Korean Diabetes, 2021, 22, 168-173.   | 0.1 | 0         |
| 1512 | Prevalence of Microalbuminuria and Its Association with Subclinical Carotid Atherosclerosis in<br>Middle Aged, Nondiabetic, Low to Moderate Cardiovascular Risk Individuals with or without<br>Hypertension. Diagnostics, 2021, 11, 1716.  | 1.3 | 3         |
| 1513 | Mukozal ve Kutanöz Tutulum ile Seyreden Liken Planus Hastalarında Subklinik Kardiyovasküler Hastalık<br>Riskinin Değerlendirilmesi. Bozok Tıp Dergisi, 0, , .  | 0.0 | 0         |
| 1515 | Combined Effects of Insulin Resistance and Inflammation on Comorbidities of Type 2 Diabetes. Journal of Korean Diabetes, 2021, 22, 207-219.  | 0.1 | 0         |
| 1516 | Relationship between life-time exposure to ambient fine particulate matter and carotid artery<br>intima-media thickness in Australian children aged 11–12 years. Environmental Pollution, 2021, 291,<br>118072.  | 3.7 | 6         |
| 1517 | Ultrasonography. , 2022, , 641-659.e8.   |     | ο         |

| CITATION REPORT |
|-----------------|
|-----------------|

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1518 | Risk of coronary heart disease among cancer survivors with different prediagnosis body mass index.<br>Scientific Reports, 2021, 11, 2453.  | 1.6 | 3         |
| 1519 | Subclinical Vascular Disease Burden and Premature Mortality Among Middle-aged Adults: the<br>Atherosclerosis Risk in Communities Study. Journal of General Internal Medicine, 2021, 36, 2048-2054.   | 1.3 | 4         |
| 1521 | B-Mode Ultrasound: A Noninvasive Method for Assessing Atherosclerosis. , 2007, , 1783-1796.  |     | 2         |
| 1522 | Childhood Obesity, Atherogenesis, and Adult Cardiovascular Disease. Contemporary Endocrinology, 2018, , 527-538.   | 0.3 | 2         |
| 1523 | Target Organ Damage Related to Cardiovascular Risk Factors in Youth. , 2011, , 99-131.   |     | 1         |
| 1524 | Atherosclerosis in Systemic Lupus Erythematosus. , 2001, , 255-265.  |     | 5         |
| 1525 | Long-Term Prognostic Value of Simultaneous Assessment of Atherosclerosis and Ischemia in Patients<br>with Suspected Angina: Implications for Routine Use of Carotid Ultrasound during Stress<br>Echocardiography. Journal of the American Society of Echocardiography, 2020, 33, 559-569.  | 1.2 | 6         |
| 1526 | "Sound―Advice—Let's "Stress―the Importance of Prevention: Combining Carotid Ultrasound and<br>Stress Echocardiography for Cardiovascular Risk Assessment. Journal of the American Society of<br>Echocardiography, 2020, 33, 570-572.   | 1.2 | 1         |
| 1527 | Stroke minimization through additive anti-atherosclerotic agents in routine treatment (SMAART): A<br>pilot trial concept for improving stroke outcomes in sub-Saharan Africa. Journal of the Neurological<br>Sciences, 2017, 377, 167-173.   | 0.3 | 12        |
| 1528 | Carotid intima-media thickness and coronary artery calcium score as indications of subclinical atherosclerosis. Mayo Clinic Proceedings, 2009, 84, 229-33.   | 1.4 | 37        |
| 1529 | Carotid artery intimal-medial thickness: Indicator of atherosclerotic burden and response to risk factor modification. American Heart Journal, 2002, 144, 753-759.   | 1.2 | 65        |
| 1530 | Vascular stiffness and aging in HIV. Sexual Health, 2011, 8, 474.  | 0.4 | 8         |
| 1531 | Increased carotid intima–media thickness in the absence of atherosclerotic plaques in an adult<br>population with Fabry disease. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 63-68.  | 0.7 | 40        |
| 1532 | Risk factors in the elderly. , 2005, , 606-628.  |     | 1         |
| 1533 | Pre-adult influences on cardiovascular disease. , 2004, , 41-76.   |     | 12        |
| 1534 | PPARÎ <sup>3</sup> -Ligands Inhibit Migration Mediated by Multiple Chemoattractants in Vascular Smooth Muscle<br>Cells. Journal of Cardiovascular Pharmacology, 1999, 33, 798-806.   | 0.8 | 186       |
| 1535 | European guidelines on cardiovascular disease prevention in clinical practice Third Joint Task Force of European and other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of eight societies and by invited experts). European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, S1-S78. | 3.1 | 174       |
| 1536 | Effect of diet or very long chain ??-3 fatty acids on progression of atherosclerosis, evaluated by carotid plaques, intima???media thickness and by pulse wave propagation in elderly men with hypercholesterolaemia. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 325-333.   | 3.1 | 18        |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1537 | Association of general and abdominal obesities and metabolic syndrome with subclinical atherosclerosis in asymptomatic Chinese postmenopausal women. Menopause, 2008, 15, 185-192.   | 0.8 | 23        |
| 1538 | Non-alcoholic fatty liver disease, bulb carotid intima-media thickness and obesity phenotypes: results of a prospective observational study. Medical Ultrasonography, 2017, 19, 265.   | 0.4 | 5         |
| 1539 | Closed Relation Between Carotid and Ascending Aortic Atherosclerosis in Cardiac Patients.<br>Circulation, 2000, 102, III-263-III-268.  | 1.6 | 53        |
| 1540 | Closed Relation Between Carotid and Ascending Aortic Atherosclerosis in Cardiac Patients.<br>Circulation, 2000, 102, .   | 1.6 | 6         |
| 1541 | Sex Differences in Longitudinal Determinants of Carotid Intima Medial Thickening With Aging in a<br>Communityâ€Đwelling Population: The Baltimore Longitudinal Study on Aging. Journal of the American<br>Heart Association, 2020, 9, e015396. | 1.6 | 12        |
| 1542 | Hypercholesterolemia, lipid-lowering agents, and the risk for brain infarction. Neurology, 2001, 57, S35-44.   | 1.5 | 68        |
| 1543 | Predictors of Subclinical Atherosclerosis in Women With Spinal Cord Injury. Topics in Spinal Cord<br>Injury Rehabilitation, 2014, 20, 90-95.   | 0.8 | 4         |
| 1544 | Carotid Artery Intima-Media Thickness, Carotid Plaque and Coronary Heart Disease and Stroke in<br>Chinese. PLoS ONE, 2008, 3, e3435.   | 1.1 | 66        |
| 1545 | Genotype at the P554L Variant of the Hexose-6 Phosphate Dehydrogenase Gene Is Associated with<br>Carotid Intima-Medial Thickness. PLoS ONE, 2011, 6, e23248.   | 1.1 | 6         |
| 1546 | Invariant Natural Killer T (iNKT) Cells in HAART-Treated, HIV-Positive Patients with Bone and<br>Cardiovascular Impairment. PLoS ONE, 2014, 9, e110287.  | 1.1 | 6         |
| 1547 | Carotid Atherosclerotic Disease Predicts Cardiovascular Events in Hemodialysis Patients: A<br>Prospective Study. PLoS ONE, 2015, 10, e0127344.   | 1.1 | 13        |
| 1548 | Peripheral Endothelial (Dys)Function, Arterial Stiffness and Carotid Intima-Media Thickness in Patients after Kawasaki Disease: A Systematic Review and Meta-Analyses. PLoS ONE, 2015, 10, e0130913.   | 1.1 | 32        |
| 1549 | A Family History of Stroke Is Associated with Increased Intima-Media Thickness in Young Ischemic<br>Stroke - The Norwegian Stroke in the Young Study (NOR-SYS). PLoS ONE, 2016, 11, e0159811.  | 1.1 | 5         |
| 1550 | HCV Extrahepatic Manifestations. Journal of Clinical and Translational Hepatology, 2019, 7, 1-11.  | 0.7 | 44        |
| 1551 | Effects of Long-Term Supplementation of Blue-Green Algae on Lipid Metabolism in C57BL/6J mice.<br>Journal of Nutritional Health & Food Science, 2014, 2, .   | 0.3 | 8         |
| 1552 | Effects of a Single of Bout Exercise on the Macrophage Phenotypic Ratio in the Adipose Tissue of<br>High-Fat Diet-Induced Obese Mice. Exercise Science, 2018, 27, 232-243.   | 0.1 | 5         |
| 1553 | Métodos por imagem da aterosclerose em estudos de progressão/regressão: marcador substituto ou<br>janela direta para o processo patológico da aterosclerose?. Arquivos Brasileiros De Cardiologia, 2008,<br>91, 418-431.                       | 0.3 | 5         |
| 1554 | Cholesteryl ester transfer protein, low density lipoprotein particle size and intima media thickness in patients with coronary heart disease. Bosnian Journal of Basic Medical Sciences, 2011, 11, 169.  | 0.6 | 7         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1555 | DNA hydroxymethylation combined with carotid plaques as a novel biomarker for coronary atherosclerosis. Aging, 2019, 11, 3170-3181.  | 1.4 | 14        |
| 1556 | The association between elevated fasting plasma glucose levels and carotid intima-media thickness in non-diabetic adults: a population-based cross-sectional study. Oncotarget, 2017, 8, 111053-111063.                            | 0.8 | 4         |
| 1557 | Effets des inhibiteurs calciques sur la progression de l??ath??roscl??rose et de l????paisseur intima<br>m??dia. Drugs, 2000, 59, 39-46.   | 4.9 | 5         |
| 1558 | Antiatherosclerotic and Cardioprotective Effects of Time-Released Garlic Powder Pills. Current<br>Pharmaceutical Design, 2015, 22, 196-213.  | 0.9 | 17        |
| 1559 | Cardiovascular Consequences of Autoimmune Rheumatic Diseases. Current Vascular Pharmacology, 2020, 18, 566-579.  | 0.8 | 13        |
| 1560 | Cardiac Morbidity in an HIV-1 Lipodystrophy Patient Cohort Expressing the TNF-α-238 G/A Single<br>Nucleotide Gene Polymorphism. Current HIV Research, 2015, 13, 98-108.  | 0.2 | 4         |
| 1561 | Imaging of Coronary Arteries Aid in Prevention of Atherosclerosis and Clinical Coronary Heart<br>Disease. The Open Epidemiology Journal, 2011, 4, 152-164.   | 1.0 | 4         |
| 1562 | Global perspective on carotid intima-media thickness and plaque: should the current measurement guidelines be revisited?. International Angiology, 2020, 38, 451-465.  | 0.4 | 39        |
| 1563 | Carotid intima-media thickness and paraoxonase activity in patients with ankylosing spondylitis.<br>Clinical and Investigative Medicine, 2011, 34, 225.  | 0.3 | 29        |
| 1564 | Bariatric surgery decreases carotid intima-media thickness in obese subjects. Nutricion Hospitalaria, 2013, 28, 1102-8.  | 0.2 | 21        |
| 1565 | Gender Differences in the Association between Depressive Symptoms and Carotid Atherosclerosis<br>among Middle-Aged and Older Koreans: The Namwon Study. Journal of Korean Medical Science, 2014,<br>29, 1507.                      | 1.1 | 9         |
| 1567 | Hepatic steatosis is associated with an increased risk of carotid atherosclerosis. World Journal of Gastroenterology, 2005, 11, 1848.  | 1.4 | 220       |
| 1570 | Hipertensión arterial: el factor de riesgo más importante para grosor Ãntima media carotÃdeo elevado<br>y placa carotÃdea en adultos de Santiago. Revista Medica De Chile, 2011, 139, 290-297.                                     | 0.1 | 4         |
| 1571 | Carotid Intima Media Thickness is Associated with the Framingham Risk Score in Korean Patients with<br>Coronary Arteriosclerosis - Association between IMT and Framingham Risk Score Korean Circulation<br>Journal, 2007, 37, 425. | 0.7 | 5         |
| 1572 | Carotid intima-media thickness as a marker of atherosclerosis in hemodialysis patients. Indian Journal of Nephrology, 2016, 26, 97.  | 0.2 | 8         |
| 1573 | Circulating CD34+ Cell Count is Associated with Extent of Subclinical Atherosclerosis in<br>Asymptomatic Amish Men, Independent of 10-Year Framingham Risk. Clinical Medicine Cardiology, 2009,<br>3, CMC.S2111.                   | 0.1 | 24        |
| 1574 | Relationship between plasma adipokines, inflammation, insulin resistance and subclinical<br>atherosclerosis in newly diagnosed type 2 diabetes. Journal of Diabetes Mellitus, 2011, 01, 17-25.                                     | 0.1 | 6         |
| 1575 | Subclinical carotid atherosclerosis predicts all-cause mortality and cardiovascular events in obese patients with negative exercise echocardiography. World Journal of Cardiology, 2019, 11, 24-37.                                | 0.5 | 4         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1576 | Carotid intima-media thickness as a biomarker of subclinical atherosclerosis. Swiss Medical Weekly, 2012, 142, w13705.  | 0.8 | 87        |
| 1577 | Association between carotid intima-media thickness and presence of coronary artery disease in chronic obstructive pulmonary disease patients. Anatolian Journal of Cardiology, 2015, 16, 601-607.   | 0.5 | 8         |
| 1578 | Occupational physical activity, energy expenditure and 11-year progression of carotid atherosclerosis.<br>Scandinavian Journal of Work, Environment and Health, 2007, 33, 405-424.  | 1.7 | 124       |
| 1579 | Standing at work and progression of carotid atherosclerosis. Scandinavian Journal of Work,<br>Environment and Health, 2000, 26, 227-236.  | 1.7 | 89        |
| 1580 | Association of carotid intima-media thickness with cardiovascular risk factors and patient outcomes in advanced chronic kidney disease: the RRI-CKD study. Clinical Nephrology, 2015, 84 (2015), 10-20.                                     | 0.4 | 25        |
| 1581 | Clinical Significance of Carotid Intima-Media Complex and Carotid Plaque Assessment by Ultrasound for the Prediction of Adverse Cardiovascular Events in Primary and Secondary Care Patients. Journal of Clinical Medicine, 2021, 10, 4628. | 1.0 | 30        |
| 1582 | Cardiovascular Risk Calculators and their Applicability to South Asians. Current Diabetes Reviews, 2021, 17, e100120186497.   | 0.6 | 2         |
| 1583 | Nutrition and Antioxidants. Developments in Cardiovascular Medicine, 2000, , 85-100.  | 0.1 | 0         |
| 1584 | Effects of Stress Reduction on Carotid Atherosclerosis in Hypertensive African Americans. Journal of<br>Cardiopulmonary Rehabilitation and Prevention, 2000, 20, 395.   | 0.5 | 1         |
| 1585 | Glycated Haemoglobin: A Predictor of Vascular Risk?. International Journal of Diabetes and<br>Metabolism, 2001, 9, 3-7.   | 0.7 | 0         |
| 1587 | Passive Smoking. , 2003, , 248-284.   |     | 0         |
| 1588 | Coronary Calcium Screening. , 2004, , 149-157.  |     | 0         |
| 1589 | Sequelae of Hypertension in Children and Adolescents. , 2004, , 213-223.  |     | 0         |
| 1591 | Women and cardiovascular heart disease. , 2005, , 331-347.  |     | 0         |
| 1592 | Immunovospalitel'nye markery ateroskleroza u patsientov s narushennoy tolerantnost'yu k glyukoze i<br>sakharnym diabetom 2 tipa. Diabetes Mellitus, 2005, 8, 54-58.   | 0.5 | 0         |
| 1594 | Noninvasive Assessment of Asymptomatic Individuals at Risk of Coronary Heart Disease. Part a. , 2006, , 107-136.  |     | 0         |
| 1596 | Evaluating High-Risk, Vulnerable Plaques with Integrated PET/CT. , 2007, , 347-359.   |     | 1         |
| 1598 | Es Iohnt sich, gesund zu leben: Evidenzbasierte Empfehlungen zur Präention von Krankheiten. , 2008, ,<br>15-26.   |     | 0         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1599 | Usefulness of right subclavian artery intima-media thickness and carotid artery intima-media thickness measurements in predicting cerebral infarction and coronary events. Choonpa Igaku, 2008, 35, 545-552. | 0.0 | 0         |
| 1600 | Does ultrasonogram of common carotid artery really reflect a condition of coronary arteries?.<br>Choonpa Igaku, 2008, 35, 553-559.   | 0.0 | 0         |
| 1601 | Biochemical Aspects, Laboratory Diagnosis and Follow-Up of High Blood Cholesterol: NCEP ATP III<br>Guidelines. Journal of Medical Biochemistry, 2008, 27, 64-85.   | 0.7 | 0         |
| 1602 | Carotid Ultrasound in One, Two and Three Dimensions. Vascular Disease Prevention, 2008, 2, 87-91.  | 0.2 | 0         |
| 1603 | Cardiovascular Risk Prediction by Measurement of Arterial Elastic Properties and Wall Thickness. ,<br>2009, , 399-421.   |     | 2         |
| 1604 | Non-invasive Methods for Cardiovascular Risk Assessment in Asymptomatic Type 2 Diabetes Mellitus.<br>Korean Diabetes Journal, 2009, 33, 267.   | 0.8 | 1         |
| 1605 | Noninvasive Assessments of Atherosclerosis for Risk Stratification. , 2009, , 184-198.   |     | 0         |
| 1606 | Noninvasive Imaging Modalities and Atherosclerosis: The Role of Ultrasound. , 2009, , 420-431.   |     | 1         |
| 1608 | Passive Smoking. , 2010, , 247-288.  |     | 1         |
| 1609 | Marker dell'aterosclerosi. , 2010, , 77-87.  |     | 0         |
| 1610 | Athérosclérose. , 2010, , 287-491.   |     | 0         |
| 1611 | Monitoring of Subclinical Atherosclerotic Disease. , 2011, , 549-567.  |     | 0         |
| 1612 | From Vulnerable Plaque to Vulnerable Patient – Part III. , 2011, , 517-535.  |     | 0         |
| 1614 | Atherothrombosis in South Asians: Implications of Atherosclerotic and Inflammatory<br>Markers~!2009-11-05~!2009-12-04~!2010-02-22~!. Open Cardiovascular Medicine Journal, 2010, 4, 45-50.                   | 0.6 | 1         |
| 1615 | Atherothrombosis in South Asians: Implications of Atherosclerotic and Inflammatory Markers. Open<br>Cardiovascular Medicine Journal, 2010, 4, 45-50.   | 0.6 | 4         |
| 1616 | The Role of Imaging in Cardiovascular Risk Assessment. , 2011, , 41-55.  |     | 0         |
| 1618 | Impact of vessel diameter on plaque formation in carotid sinus. Choonpa Igaku, 2011, 38, 267-272.  | 0.0 | 0         |
| 1620 | Carotid Scanning. , 2012, , 305-310.   |     | Ο         |

| #    | Article  | IF                    | CITATIONS |
|------|--|-----------------------|-----------|
| 1621 | Imaging of Atherosclerosis. , 2012, , 583-611.   |                       | 0         |
| 1622 | Atherosclerosis in Rheumatic Diseases. , 2012, , 497-512.  |                       | 1         |
| 1624 | Variation of Carotid Intima - Media Thickness in Hypercholesterolemia Patients on Atorvastatin and<br>Rosuvastatin Therapy. Journal of Clinical & Experimental Cardiology, 2012, 03, .                         | 0.0                   | 0         |
| 1625 | Endothelial Function and Carotid Intimal Medial Thickness in Asymptomatic Subjects With and<br>Without Cardiovascular Risk Factors. Cardiology Research, 2012, 3, 180-186.                                     | 0.5                   | 0         |
| 1626 | Stress Echocardiography and Carotid Intima-Media Thickness in Diabetic Patients. Journal of Korean<br>Diabetes, 2012, 13, 187.   | 0.1                   | 0         |
| 1627 | The Relationship of the Abdominal Aortic Calcification Index to Carotid Intima Media Thickness for<br>Early Diagnosis of Ischemic Cerebral Disease. Journal of the Korean Society of Radiology, 2012, 66, 321. | 0.1                   | 0         |
| 1628 | Atherosclerosis: Clinical Perspectives Through Imaging Carotid Intima-Media Thickness. , 2013, , 163-171.  |                       | 0         |
| 1630 | Multisite Atherosclerotic Disease: State of Art and Review of Literature. Journal of Clinical & Experimental Cardiology, 2013, 01, .   | 0.0                   | 1         |
| 1631 | Organ Damage in HIV-Positive Patients with High Blood Pressure. Journal of AIDS & Clinical Research, 2013, 4, .  | 0.5                   | 0         |
| 1632 | Noninvasive Diagnosis of Coronary Artery Disease in Women. , 2014, , 61-81.  |                       | 0         |
| 1633 | Demonstration of Early Endothelial Dysfunction in Diabetics with Normal Exercise<br>Electrocardiogram. International Journal of Cardiovascular Research, 2014, 03, .   | 0.1                   | 0         |
| 1635 | Carotid intima-media thickness measurement: predictor of future cardiovascular disease.<br>Developments in Cardiovascular Medicine, 1998, , 391-400.   | 0.1                   | 0         |
| 1636 | The Role of Imaging Techniques in the Diagnosis of Atherosclerosis. Developments in Cardiovascular<br>Medicine, 1998, , 67-99.   | 0.1                   | 0         |
| 1637 | Hyperlipidaemia and cardiovascular disease. Current Opinion in Lipidology, 1998, 9, 375-377.   | 1.2                   | 2         |
| 1638 | Impact of Prehypertension on Carotid Artery Intima Media Thickness. IOSR Journal of Pharmacy, 2014,<br>04, 08-10.  | 0.1                   | 0         |
| 1639 | Carotid arteries ultrasound for predicting coronary artery disease. International Journal of Clinical<br>Neurosciences and Mental Health, 2014, , S06.   | 0.7                   | 0         |
| 1640 | Romatoid Artritli Hastalarda Ortak Carotid Arteri Intima-Media Kalınlığının Ultrasonografi ile ÖlçümÅ<br>Çukurova Üniversitesi Tıp Fakültesi Dergisi, 2014, 39, .  | <sup>1/4</sup><br>0.0 | 0         |
| 1641 | Association between carotid intima-media thickness and Ankle-Brachial Index in patients with ischemic stroke. Journal of Biomedical Research, 2014, 15, 68-71.   | 0.1                   | 0         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1642 | White Coat Hypertension and Target Organ Damage. , 2015, , 79-96.   |     | 0         |
| 1643 | Cocaine Use and Subclinical Coronary Artery Disease in Caucasians. Journal of Clinical & Experimental Cardiology, 2015, 06, .   | 0.0 | 0         |
| 1645 | CARDIOVASCULAR LESIONS IN CHILDREN WITH OBESITY. Arterial Hypertension (Russian Federation), 2015, 21, 6-15.  | 0.1 | 3         |
| 1646 | Echocardiographic Assessment of the Aorta and Coronary Arteries in Hypertensive Patients. , 2015, , 51-62.  |     | 0         |
| 1647 | The Prevalence of Extra-cranial Carotid Artery Disease in Chronic Heart Failure. Cardiology and Angiology, 2015, 3, 17-26.  | 0.0 | 1         |
| 1648 | Screening Asymptomatic Subjects. , 2015, , 333-364.   |     | 0         |
| 1649 | A Study on the Relationship between Carotid Artery Intima-Media Thickness and Clinical Chemistry<br>Tests. Korean Journal of Clinical Laboratory Science, 2015, 47, 188-193.  | 0.1 | 1         |
| 1650 | Diferença entre Gêneros no Teste de Reatividade Vascular com Termografia por Radiação<br>Infravermelha. Pan American Journal of Medical Thermology, 2015, 2, 78-85.   | 0.1 | 0         |
| 1651 | A Cross-Sectional Survey to Determine the Prevalence of Cardiovascular Disease Risk Factors in an<br>Understudied Population in Sierra Leone. World Journal of Cardiovascular Diseases, 2016, 06, 21-29.            | 0.0 | 0         |
| 1652 | Echocardiographic Assessment of Hypertensive Patients. , 2016, , 137-150.   |     | 0         |
| 1653 | Relationship between Retinal Vein Occlusion and Carotid Artery Hemodynamic. Hans Journal of Ophthalmology, 2016, 05, 49-57.   | 0.0 | 0         |
| 1654 | Mesure de l'épaisseur intima-media. , 2016, , 153-156.  |     | 0         |
| 1655 | Role of Aging, Hypertension and Dyslipidaemia in Carotid Intimal Medial Thickness among Patients with<br>Ischemic Stroke Proven By Computed Tomography. Journal of Medical Science and Clinical Research, 0,<br>, . | 0.0 | 0         |
| 1656 | Investigation of Retinal Microvascular Findings in patients with Coronary Artery Disease. Journal of Cardiology and Cardiovascular Medicine, 2017, 2, .   | 0.1 | 0         |
| 1657 | The Relation between the New Clinical Parameter "Oscillatory Gap―and Carotid Intima Media<br>Thickness as a Marker for Atherosclerosis. Archives of Clinical Hypertension, 2017, 3, 005-009.                        | 0.0 | 0         |
| 1659 | Correlation between Carotid Intimal-Media Thickness and Coronary Artery Disease Severity in Stable<br>Coronary Artery Disease Patients. ACI (Acta Cardiologia Indonesiana), 2018, 3, 81.                            | 0.0 | 3         |
| 1660 | Predictor Factors of Atherosclerosis and Atherosclerosis Plaque in Rheumatoid Arthritis Patients.<br>Indonesian Journal of Rheumatology, 2016, 8, .   | 0.1 | 0         |
| 1661 | Carotid Ultrasound: Imaging and Interpretation for Clinicians. Journal of Clinical Ultrasound, 2018, 3,<br>1-7  | 0.0 | 0         |

ARTICLE IF CITATIONS The effects of the elastin polymorphisms on carotid intima-media thickness in women aged 30 – 70. 1.3 0 1662 Journal of Exercise Nutrition & Biochemistry, 2018, 22, 18-22. The progression of carotid vascular remodeling risk factors in patients with arterial hypertension. 0.1 Systemic Hypertension, 2018, 15, 32-38. Extracranial Carotid Duplex Ultrasonography. Part II - Clinical Utility of Carotid Duplex Ultrasound. 1665 0.0 3 Journal of Neurosonology and Neuroimaging, 2018, 10, 61-79. CAROTID ARTERY INTIMA-MEDIA THICKNESS AND 10-YEAR RISK OF HEART DISEASE IN DIABETIC PATIENTS: A 1666 COMPARATIVE STUDY. Asian Journal of Pharmaceutical and Clinical Research, 0, , 115-118. Association of cardiovascular risk estimate with degree of atherosclerosis in patients with type 2 1667 0.4 0 diabetes mellitus. Journal of Current Research in Scientific Medicine, 2019, 5, 94. Lipid and apoprotein markers and carotid intima-media thickness among hypertensive Nigerians. 1668 0.2 Nigerian Journal of Cardiology, 2019, 16, 93. Association of Pediatric Obesity with Adult Cardiovascular Disease: A Narrative Review of Published 1669 0.0 0 Evidence. Interventions in Obesity & Diabetes, 2019, 3, . Interpretation of the Results of Arterial Stiffness Tests. Korean Journal of Medicine, 2019, 94, 500-510. 0.1 1671 Intima-Media Thickness (IMT)., 2020, , 1243-1243. 0 1672 Ultrasound and MRI Assessment of Cardiovascular Risk. Contemporary Cardiology, 2021, , 391-415. The Clinical Use of Ultrasound for Atherosclerosis Imaging. Contemporary Cardiology, 2021, , 605-614. 1674 0.0 1 The impact of high-intensity interval training versus moderate-intensity continuous training on carotid intima-media thickness and ankle-brachial index in middle-aged women. International Journal of Preventive Medicine, 2020, 11, 62. A real-life correlation between clinical syntax score II and carotid intima-media thickness in patients 1676 0.2 2 with stable coronary artery disease. Journal of the Saudi Heart Association, 2020, 32, 8-11. Detection and Quantification of Coronary Calcium with MDCT., 2006, , 309-326. 1677 Exercise Testing and Other Tools for Risk Stratification in~Asymptomatic Patients., 2009, , 203-216. 1678 0 Platelets and new antiplatelet drugs. Therapy: Open Access in Clinical Medicine, 2005, 2, 465-502. 0.2 Passivrauchen (ETS)., 2008, , 411-456. 1680 0 Cardiovascular Disease in Juvenile Idiopathic Arthritis. Current Vascular Pharmacology, 2020, 18, 580-591.

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1684 | Carotid intima-media thickness in Chinese Type 2 diabetic subjects with or without microalbuminuria.<br>Journal of Endocrinological Investigation, 2012, 35, 254-9.  | 1.8 | 2         |
| 1685 | Carotid atherosclerosis, coronary atherosclerosis and carotid intima-media thickness in patients with ischemic cerebral disease: Is there any link?. Experimental and Clinical Cardiology, 2006, 11, 102-6.                                | 1.3 | 3         |
| 1687 | Comparison between automated and manual measurements of carotid intima-media thickness in clinical practice. Vascular Health and Risk Management, 2009, 5, 811-7.  | 1.0 | 32        |
| 1690 | Endothelial dysfunction in experimental atherosclerosis in the rabbit with extraction of instantaneous changes in the arterial wall. The Journal of Tehran Heart Center, 2012, 7, 128-35.  | 0.3 | 2         |
| 1691 | Imaging Atherosclerosis by Carotid Intima-media Thickness in vivo: How to, Where and in Whom ?.<br>Mædica, 2012, 7, 153-62.  | 0.4 | 13        |
| 1692 | Correlation between the intima-media thickness and Framingham risk score in patients with sleep apnea syndrome. Journal of Thoracic Disease, 2013, 5, 751-7.   | 0.6 | 7         |
| 1693 | Association between Framingham risk score and subclinical atherosclerosis among elderly with both<br>type 2 diabetes mellitus and healthy subjects. American Journal of Cardiovascular Disease, 2014, 4, 14-9.                             | 0.5 | 14        |
| 1694 | C-reactive Protein as Predict of Increased Carotid Intima Media Thickness in Patients with Chronic Periodontitis. Journal of International Oral Health, 2014, 6, 47-52.  | 0.0 | 4         |
| 1695 | Lipoprotein-associated phospholipase A2 and carotid intima-media thickness in individuals classified as low-risk according to Framingham. Cardiovascular Diagnosis and Therapy, 2014, 4, 487-94.   | 0.7 | 2         |
| 1698 | The Relationship between Lichen Planus and Carotid Intima Media Thickness. Acta Cardiologica Sinica, 2016, 32, 738-743.  | 0.1 | 3         |
| 1699 | Atherosclerosis is associated with a higher risk of hepatic steatosis in HIV-infected patients. Journal of Preventive Medicine and Hygiene, 2017, 58, E219-E224.   | 0.9 | 2         |
| 1700 | PeRiodontal Treatment to Eliminate Minority Inequality and Rural Disparities in Stroke (PREMIERS): A<br>Multicenter, Randomized, Controlled Study. , 2019, 2, .  |     | 1         |
| 1701 | Periodontal disease among non-diabetic Coronary Heart Disease patients. A case-control study. Acta<br>Biomedica, 2021, 92, e2021030.   | 0.2 | 0         |
| 1702 | Association between the Plasma-Glycosylated Hemoglobin A1c/High-Density Lipoprotein Cholesterol<br>Ratio and Carotid Atherosclerosis: A Retrospective Study. Journal of Diabetes Research, 2021, 2021, 1-10.                               | 1.0 | 6         |
| 1703 | The optimal WC cut-off points for the prediction of subclinical CVD as measured by carotid<br>intima-media thickness among African adults: a cross-sectional study. BMC Cardiovascular Disorders,<br>2021, 21, 575.                        | 0.7 | 1         |
| 1704 | Inflammation and Its Determinants in Patients With Chronic Kidney Disease: A Study From North<br>Eastern Region of India. Cureus, 2022, 14, e20917.  | 0.2 | 1         |
| 1705 | Prevalence and correlates of vascular plaques and high intima thickness in a group of patients with<br>high cardiovascular risk in Cameroon. Pan African Medical Journal, 2022, 41, 80.  | 0.3 | 0         |
| 1706 | Synergistic Effects of Inflammation and Atherogenic Dyslipidemia on Subclinical Carotid<br>Atherosclerosis Assessed by Ultrasound in Patients with Familial Hypercholesterolemia and Their<br>Family Members. Biomedicines, 2022, 10, 367. | 1.4 | 1         |

| #    | Article   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1708 | Blood-based and Imaging Biomarkers of Atherosclerosis. Cardiology in Review, 2022, Publish Ahead of<br>Print, .   | 0.6 | 1         |
| 1709 | KD Diagnosis Does Not Increase Cardiovascular Risk in Children According to Dynamic Intima–Media<br>Roughness Measurements. Journal of Clinical Medicine, 2022, 11, 1177.   | 1.0 | 0         |
| 1710 | A Bibliometric Analysis of Familial Hypercholesterolemia From 2011 to 2021. Current Problems in Cardiology, 2023, 48, 101151.   | 1.1 | 13        |
| 1712 | A Case Series Assessing the Effects of Lomitapide on Carotid Intima-Media Thickness in Adult Patients<br>with Homozygous Familial Hypercholesterolaemia in a Real-World Setting. Advances in Therapy, 2022,<br>39, 1857-1870.                                       | 1.3 | 7         |
| 1713 | Assessment of subclinical atherosclerosis with carotid intima-media thickness in patients with<br>scleroderma. Genel Tıp Dergisi, 2022, 32, 67-73.  | 0.1 | 0         |
| 1714 | Triglyceride-glucose index and common carotid artery intima-media thickness in patients with ischemic stroke. Cardiovascular Diabetology, 2022, 21, 43.   | 2.7 | 36        |
| 1715 | Impact of Bariatric Surgery on Carotid Intima-Media Thickness in Patients with Morbid Obesity: a<br>Prospective Study and Review of the Literature. Obesity Surgery, 2022, 32, 1563-1569.   | 1.1 | 11        |
| 1716 | Elevated Serum Uric Acid Was Associated with Pre-inflammatory State and Impacted the Role of HDL-C on Carotid Atherosclerosis. Nutrition, Metabolism and Cardiovascular Diseases, 2022, , .   | 1.1 | 9         |
| 1717 | Association between Non-HDL-C/HDL-C Ratio and Carotid Intima–Media Thickness in Post-Menopausal<br>Women. Journal of Clinical Medicine, 2022, 11, 78.   | 1.0 | 13        |
| 1718 | Combined effects of vitamin D supplementation and endurance exercise training on insulin resistance in newly diagnosed type 2 diabetes mellitus patients with vitamin D deficiency: study protocol for a randomized controlled trial. Trials, 2021, 22, 888.        | 0.7 | 1         |
| 1719 | Sonographic Tophi and Inflammation Are Associated With Carotid Atheroma Plaques in Gout.<br>Frontiers in Medicine, 2021, 8, 795984.   | 1.2 | 10        |
| 1720 | Diagnostic and prognostic significance of miR-451a in patients with atherosclerosis. Vascular, 2021, , 170853812110585.   | 0.4 | 7         |
| 1721 | Innovative Approaches to Assess Intermediate Cardiovascular Risk Subjects: A Review From Clinical to<br>Metabolomics Strategies. Frontiers in Cardiovascular Medicine, 2021, 8, 788062.   | 1.1 | 9         |
| 1722 | Plasma CD16 <sup>+</sup> Extracellular Vesicles Associate with Carotid Artery Intima-Media Thickness<br>in HIV <sup>+</sup> Adults on Combination Antiretroviral Therapy. MBio, 2022, 13, e0300521.   | 1.8 | 6         |
| 1724 | The Clinical Significance of Small, Dense Low-Density Lipoproteins. , 2006, , 168-185.  |     | 0         |
| 1727 | Vascular Ultrasound Imaging in Children. , 0, , 745-753.  |     | Ο         |
| 1728 | Carotid Atherosclerosis, Microalbuminuria, and Estimated 10-Year Atherosclerotic Cardiovascular<br>Disease Risk in Sub-Saharan Africa. JAMA Network Open, 2022, 5, e227559.   | 2.8 | 8         |
| 1733 | Risk Analysis and Classification of Myocardial Infarction from Carotid Intima Media Thickness of<br>B-Mode Ultrasound Image Using Various Machine Learning and Deep Learning Techniques. Biomedical<br>Engineering - Applications, Basis and Communications, 0, , . | 0.3 | Ο         |

| $\sim$   |   |    | DEDO | DT   |
|----------|---|----|------|------|
| ι.       |   | ON | REPC | ו או |
| <u> </u> | / |    |      |      |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1734 | The effects of lateral pharyngoplasty on carotid intima-media thickness in patients with obstructive sleep apnoea. Sleep Science, 2022, 15, .  | 0.4 | 0         |
| 1735 | Carotid ultrasonography improves residual risk stratification in guidelines-defined high<br>cardiovascular risk patients. European Journal of Preventive Cardiology, 2022, 29, 1773-1784.  | 0.8 | 8         |
| 1736 | Carotid Intima-Media Thickness and Plaque Assessment. Contemporary Cardiology, 2022, , 487-503.  | 0.0 | 1         |
| 1738 | Vascular target organ damage in patients with Philadelphia negative myeloproliferative syndrome: A<br>propensity score analysis. Medicina ClÂnica (English Edition), 2022, 158, 503-508.   | 0.1 | 0         |
| 1739 | Vasculome. , 2022, , 441-451.  |     | 0         |
| 1740 | Crossâ€sectional analysis of the association of periodontitis with carotid intima media thickness and atherosclerotic plaque in the Hamburg City health study. Journal of Periodontal Research, 0, , .   | 1.4 | 8         |
| 1741 | Regional and demographic variations of Carotid artery Intima and Media Thickness (CIMT): A Systematic review and meta-analysis. PLoS ONE, 2022, 17, e0268716.  | 1.1 | 7         |
| 1742 | Intima media thickness of common carotid arteries is associated with traditional risk factors and presence of ischemic heart disease in hemodialysis patients Physiological Research, 2005, , 497-504.   | 0.4 | 16        |
| 1743 | Chronic cigarette smoking is associated with increased arterial stiffness in men and women: evidence from a large population-based cohort. Clinical Research in Cardiology, 2023, 112, 270-284.  | 1.5 | 6         |
| 1744 | B-mode ultrasound assessment of carotid intima–media thickness among adult diabetics and normal adults in Gombe, Northeastern Nigeria. , 2020, 1, 84.  |     | 0         |
| 1745 | Female Reproductive Events and Subclinical Atherosclerosis of the Brain and Carotid Arteriopathy:<br>the Ohasama Study. Journal of Atherosclerosis and Thrombosis, 2022, , .   | 0.9 | 1         |
| 1749 | Heterogeneous Carotid Plaque Predicts Cardiovascular Events after Percutaneous Coronary<br>Intervention. Journal of Atherosclerosis and Thrombosis, 2022, , .  | 0.9 | 2         |
| 1750 | Effects of Atorvastatin and Simvastatin on Low-Density Lipoprotein Subtraction Profile, Low-Density<br>Lipoprotein Oxidizability, and Antibodies to Oxidized Low-Density Lipoprotein in Relation to Carotid<br>Intima Media Thickness in Familial Hypercholesterolemia. Journal of Investigative Medicine, 2004, 52,<br>177-184. | 0.7 | 18        |
| 1751 | Independent Relevance of Different Measures of Adiposity for Carotid Intimaâ€Media Thickness in 40 000<br>Adults inÂUK Biobank. Journal of the American Heart Association, 2023, 12, .   | 1.6 | 3         |
| 1752 | Reduced progression of carotid intima media thickness by personalised pictorial presentation of subclinical atherosclerosis in VIPVIZA—A randomised controlled trial. Clinical Physiology and Functional Imaging, 2023, 43, 232-241.   | 0.5 | 0         |
| 1753 | Risk of Subclinical Atherosclerosis in Patients with Antiphospholipid Syndrome and Subjects With<br>Antiphospholipid Antibody Positivity: A Systematic Review and Meta-analysis. Current Problems in<br>Cardiology, 2023, 48, 101672.  | 1.1 | 8         |
| 1754 | Associations of childhood adiposity with adult intima–media thickness and inflammation: a 20-year<br>longitudinal population-based cohort. Journal of Hypertension, 2023, 41, 402-410.   | 0.3 | 0         |
| 1755 | Impact of carotid atherosclerosis on arrhythmia recurrence following atrial fibrillation catheter ablation. PACE - Pacing and Clinical Electrophysiology, 2023, 46, 332-340.   | 0.5 | 0         |

| #    | Article  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1756 | A utility-based machine learning-driven personalized lifestyle recommendation for cardiovascular disease prevention. Journal of Biomedical Informatics, 2023, 141, 104342. | 2.5 | 3         |
| 1757 | Sonographie bei Arteriitis. , 2023, , 257-262.   |     | Ο         |
| 1770 | Asthma as a Systemic Disease: Cardiovascular Effects Associated with Asthma. Advances in Experimental Medicine and Biology, 2023, , 77-100.                                | 0.8 | 1         |
| 1790 | Imaging Biomarkers: Carotid Intima-Media Thickness and Aortic Stiffness as Predictors of Cardiovascular Disease. , 2024, , 323-342.  |     | 0         |