

CITATION REPORT

List of articles citing

The role of conceptual frameworks in epidemiological analysis: a hierarchical approach

DOI: 10.1093/ije/26.1.224

International Journal of Epidemiology, 1997, 26, 224-7.

Source: <https://exaly.com/paper-pdf/27908348/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1573	[Women's opinion on abortion legalization in a middle size county in southern Brazil]. 1997 , 31, 566-71		7
1572	Postnatal growth patterns of full-term low birth weight infants in Northeast Brazil are related to socioeconomic status. 1997 , 127, 1950-6		27
1571	Socioeconomic characteristics and melanoma incidence. 1998 , 8, 327-33		51
1570	Determinants of abortion among women admitted to hospitals in Fortaleza, North Eastern Brazil. <i>International Journal of Epidemiology</i> , 1998 , 27, 833-9	7.8	20
1569	Risk factors for dehydrating diarrhoea among Brazilian infants: A case-control study. 1998 , 36, 46-53		
1568	Caffeine intake and low birth weight: a population-based case-control study. 1998 , 147, 620-7		52
1567	[Association between individual and socioeconomic characteristics and work-related accidents in Pelotas, Southern Brazil]. 1999 , 15, 569-80		7
1566	[Workers' perception of exposure to workload and risks of accidents in a southern Brazilian city]. 1999 , 33, 137-46		0
1565	Influence of heavy agricultural work during pregnancy on birthweight in northeast Brazil. <i>International Journal of Epidemiology</i> , 1999 , 28, 469-74	7.8	28
1564	Sticky webs, hungry spiders, buzzing flies, and fractal metaphors: on the misleading juxtaposition of "risk factor" versus "social" epidemiology. 1999 , 53, 678-80		21
1563	Determining causation in epidemiology. 1999 , 27, 161-70		16
1562	Back pain and agricultural work among farmers: an analysis of the Colorado Farm Family Health and Hazard Surveillance Survey. 1999 , 35, 310-6		48
1561	Impact of breast feeding on admission for pneumonia during postneonatal period in Brazil: nested case-control study. 1999 , 318, 1316-20		165
1560	Physical and nonphysical partner abuse and other risk factors for low birth weight among full term and preterm babies: a multiethnic case-control study. 1999 , 150, 714-26		129
1559	Tend [^] fcia secular do peso ao nascer na cidade de S [^] o Paulo (1976-1998). 2000 , 34, 26-40		35
1558	Risk of cardiovascular disease measured by carotid intima-media thickness at age 49-51: lifecourse study. 2000 , 320, 273-8		127
1557	Evaluating effectiveness of syringe exchange programmes: current issues and future prospects. 2000 , 51, 1771-82		142

1556	Tendêcia secular da doençã respiratã na infãcia na cidade de Sã Paulo (1984-1996). 2000 , 34, 91-101	14
1555	Tendêcia secular das parasitoses intestinais na infãcia na cidade de Sã Paulo (1984-1996). 2000 , 34, 73-82	39
1554	[Hospitalization for bronchiolitis: a risk factor for recurrent wheezing]. 2000 , 16, 1049-57	3
1553	AIDS e pauperizaçã: principais conceitos e evidêcias empêricas. 2000 , 16, S65-S76	49
1552	Tendêcia secular da doençã diarrêica na infãcia na cidade de Sã Paulo (1984-1996). 2000 , 34, 83-90	17
1551	Researching the changing social pattern of cardiovascular diseases. 2000 , 54, 804-5	2
1550	Epidemiology and social sciences: towards a critical reengagement in the 21st century. 2000 , 22, 155-63	99
1549	[Physical growth in schoolchildren from Florianãpolis, Santa Catarina State, Brazil: a case-control study]. 2001 , 17, 79-87	4
1548	[Epidemiological research trends in chronic diseases]. 2001 , 17, 697-703	1
1547	A posture and load sampling approach to determining low-back pain risk in occupational settings. 2001 , 27, 65-77	34
1546	Risk factors for postoperative anxiety in adults. 2001 , 56, 720-8	74
1545	Irrigation water as a source of drinking water: is safe use possible?. 2001 , 6, 46-54	37
1544	Risk factors for preoperative anxiety in adults. 2001 , 45, 298-307	185
1543	Dentistsãperceived stress and its relation to perceptions about anxious patients. 2001 , 29, 73-80	79
1542	Caries in populations--a theoretical, causal approach. 2001 , 109, 143-8	64
1541	Decreased attendance at routine health activities mediates deterioration in nutritional status of young African children under worsening socioeconomic conditions. <i>International Journal of Epidemiology</i> , 2001 , 30, 493-500	7.8 11
1540	Effects of malaria during pregnancy on infant mortality in an area of low malaria transmission. 2001 , 154, 459-65	105
1539	Ethnicity and infant health in Southern Brazil. A birth cohort study. <i>International Journal of Epidemiology</i> , 2001 , 30, 1001-8	7.8 44

1538	Independent effects of reported sexually transmitted infections and sexual behavior on HIV-1 prevalence among adult women, men, and teenagers in rural Uganda. 2002 , 29, 174-80		17
1537	Commentary: estimating direct and indirect effects-fallible in theory, but in the real world?. <i>International Journal of Epidemiology</i> , 2002 , 31, 166-7	7.8	41
1536	Factors associated with risk behaviors for sexually transmitted disease/AIDS among urban Brazilian women: a population-based study. 2002 , 29, 536-41		10
1535	Contacts with varicella or with children and protection against herpes zoster in adults: a case-control study. 2002 , 360, 678-82		231
1534	[Mother's ability of childcare and children malnutrition]. 2002 , 36, 188-97		35
1533	Prevalência de distúrbios psiquiátricos menores na cidade de Pelotas, RS. 2002 , 5, 164-173		14
1532	Doença aguda das vias aéreas inferiores em menores de cinco anos: influência do ambiente doméstico e do tabagismo materno. 2002 , 78, 415-422		9
1531	[Use of health service to children under five years of age in Southern Brazil]. 2002 , 18, 299-305		6
1530	Risk and prognostic factors for diarrheal disease in Brazilian infants: a special case-control design application. 2002 , 18, 773-82		12
1529	Risk factors for hepatitis C virus infection among blood donors in southern Brazil: a case-control study. 2002 , 2, 18		32
1528	Educational attainment and HIV-1 infection in developing countries: a systematic review. 2002 , 7, 489-98		196
1527	Socioeconomic status and risk of HIV infection in an urban population in Kenya. 2002 , 7, 793-802		109
1526	Alcohol consumption and nearly lethal suicide attempts. 2001 , 32, 30-41		67
1525	The relation between anti-hepatitis A virus antibodies and residence water access in Rio de Janeiro, Brazil. 2003 , 206, 575-82		5
1524	High prevalence of asthma in preschool children in Southern Brazil: a population-based study. 2003 , 35, 296-301		36
1523	Commentary: What can we make of an association between human immunodeficiency virus prevalence and population mobility?. <i>International Journal of Epidemiology</i> , 2003 , 32, 753-4	7.8	19
1522	Risk factors of obesity among Brazilian adolescents: a case-control study. 2003 , 6, 743-9		21
1521	Physical inactivity: prevalence and associated variables in Brazilian adults. 2003 , 35, 1894-900		211

1520	Risk factors for undernutrition of young children in a rural area of South Africa. 2003 , 6, 645-52	49
1519	Prevalence of and risk factors for HIV infection in individuals testing for HIV at counseling centers in Brazil. 2003 , 30, 166-73	18
1518	Risk factors for infection with <i>Giardia duodenalis</i> in pre-school children in the city of Salvador, Brazil. 2003 , 131, 899-906	41
1517	Does racism harm health? Did child abuse exist before 1962? On explicit questions, critical science, and current controversies: an ecosocial perspective. 2003 , 93, 194-9	196
1516	[Respiratory illnesses in children younger than 5 years of age in southern Brazil: the influence of the home environment]. 2003 , 13, 303-10	4
1515	[Risk factors for hospitalization due to acute diarrhea in children under two years old: a case-control study]. 2003 , 19, 455-63	9
1514	Diretrizes metodol ^ó gicas para investigar estados alterados de consci ^ê ncia e experi ^ê ncias an ^í micas. 2003 , 30, 21-28	7
1513	[Factors associated with non-participation in screening for cervical cancer in Southern Brazil]. 2003 , 19, 1365-72	15
1512	[Pap test coverage in the city of Pelotas, Rio Grande do Sul, Brazil]. 2003 , 19, 191-7	8
1511	[Prevalence of near vision deficiency and related factors: a population-based study]. 2003 , 19, 551-9	35
1510	[Determinant factors of functional status among the elderly]. 2003 , 37, 40-8	135
1509	Voluntary HIV counseling and testing during prenatal care in Brazil. 2003 , 37, 552-8	23
1508	Outpatient health service utilization and associated factors: a population-based study. 2003 , 37, 372-8	41
1507	Prevalence of having a regular doctor, associated factors, and the effect on health services utilization: a population-based study in Southern Brazil. 2003 , 19, 1257-66	21
1506	Cobertura do exame f ^{ís} ico de mama: estudo de base populacional em Pelotas, RS. 2003 , 6, 39-48	1
1505	Estudo transversal sobre fatores associados ao baixo peso ao nascer a partir de informa ^ç ões obtidas em sala de vacina ^ç ão. 2003 , 3, 37-42	3
1504	[Depressive symptoms and associated factors in an elderly population in southern Brazil]. 2004 , 38, 365-71	38
1503	Determinants of growth retardation in Southern Brazil. 2004 , 20, 1182-90	16

1502	[Sexually transmitted diseases symptoms in adults: prevalence and risk factors]. 2004 , 38, 76-84	17
1501	[Drug utilization in adults: prevalence and individuals determinants]. 2004 , 38, 228-38	47
1500	[Perinatal mortality research in Brazil: review of methodology and results]. 2004 , 20 Suppl 1, S7-19	14
1499	Fatores determinantes dos n ^o s de hemoglobina em crian ^ç as aos 12 meses de vida na Zona da Mata Meridional de Pernambuco. 2004 , 4, 35-43	7
1498	An ^l ise hierarquizada dos fatores de risco para pneumonia em crian ^ç as. 2004 , 30, 445-451	17
1497	[Behavioral characteristics of the only child vs first-born and children with siblings]. 2004 , 26, 17-23	4
1496	[Heavy alcohol consumption and associated factors: a population-based study]. 2004 , 38, 284-91	51
1495	[Chronic low back pain in a Southern Brazilian adult population: prevalence and associated factors]. 2004 , 20, 377-85	76
1494	Commentary: vaccines and unexpected events. <i>International Journal of Epidemiology</i> , 2004 , 33, 381	7.8
1493	Do circumstances in early life contribute to tooth retention in middle age?. 2004 , 83, 562-6	51
1492	Seroepidemiology and risk factors for sporadic norovirus/Mexico strain. 2004 , 189, 2027-36	32
1491	Nine months postpartum weight retention predictors for Brazilian women. 2004 , 7, 621-8	44
1490	Review of evidence from risk factor analyses associating HIV infection in African adults with medical injections and multiple sexual partners. 2004 , 15, 222-33	35
1489	Childhood mortality among former Mozambican refugees and their hosts in rural South Africa. <i>International Journal of Epidemiology</i> , 2004 , 33, 1271-8	7.8 42
1488	Crowding: risk factor or protective factor for lower respiratory disease in young children?. 2004 , 4, 19	95
1487	Effect of pretreatment with statins on the severity of acute ischemic cerebrovascular events. 2004 , 221, 5-10	91
1486	Factors associated with Hb concentration in children aged 6-59 months in the State of Pernambuco, Brazil. 2004 , 91, 307-15	53
1485	Waist circumference as a determinant of hypertension and diabetes in Brazilian women: a population-based study. 2004 , 7, 629-35	41

1484	Compliance With Vigorous Physical Activity Guidelines in Brazilian Adults: Prevalence and Correlates. 2004 , 1, 389-397	6
1483	Child labor and musculoskeletal disorders: the Pelotas (Brazil) epidemiological survey. 2005 , 120, 665-73	26
1482	Effect of the interpregnancy interval on perinatal outcomes in Latin America. 2005 , 106, 359-66	70
1481	Prevalence of, and risk factors for, hepatitis C virus infection among recent initiates to injecting in London and Glasgow: cross sectional analysis. 2005 , 12, 655-62	54
1480	A shift in the epidemiology of low body mass index in Brazilian adults. 2005 , 59, 1002-6	7
1479	The social determinants of oral health: new approaches to conceptualizing and researching complex causal networks. 2005 , 33, 25-34	164
1478	Social and biological early life influences on severity of dental caries in children aged 6 years. 2005 , 33, 53-63	122
1477	Prevalence of <i>Helicobacter pylori</i> infection and associated factors among adults in Southern Brazil: a population-based cross-sectional study. 2005 , 5, 118	45
1476	Relationship between sitting-height-to-stature ratio and adiposity in Brazilian women. 2005 , 17, 646-53	24
1475	Lifecourse determinants of fasting and post-challenge glucose at age 50 years: the Newcastle Thousand Families Study. 2005 , 20, 915-23	8
1474	[Knowledge about contraceptives in a population 15 years or older in a southern Brazilian city]. 2005 , 21, 1747-60	5
1473	[Dropout from tuberculosis treatment in Nicaragua: the results of a comparative study]. 2005 , 17, 271-8	8
1472	Major depression and its correlates in primary care settings in six countries. 9-month follow-up study. 2005 , 186, 41-7	39
1471	Epidemiology of leisure-time physical activity: a population-based study in southern Brazil. 2005 , 21, 275-82	56
1470	[Predictive model for cocaine use in prisons in Rio de Janeiro, Brazil]. 2005 , 39, 824-31	6
1469	Hepatitis C virus infection, HIV co-infection, and associated risk among injecting drug users in Togliatti, Russia. 2005 , 16, 749-54	30
1468	Maternal education, lone parenthood, material hardship, maternal smoking, and longstanding respiratory problems in childhood: testing a hierarchical conceptual framework. 2005 , 59, 842-6	29
1467	Risks for Ross River virus disease in tropical Australia. <i>International Journal of Epidemiology</i> , 2005 , 34, 548-55	7.8 24

1466	Amyloid mediates the association of apolipoprotein E e4 allele to cognitive function in older people. 2005 , 76, 1194-9	69
1465	Lifecourse study of bone health at age 49-51 years: the Newcastle thousand families cohort study. 2005 , 59, 475-80	25
1464	Thrombus in transit through a patent foramen ovale: paradoxical embolism. 2005 , 76, 1199	4
1463	The acceptability of male circumcision as an HIV intervention among a rural Zulu population, Kwazulu-Natal, South Africa. 2005 , 17, 304-13	76
1462	What is the contribution of smoking and socioeconomic position to ethnic inequalities in mortality in New Zealand?. 2006 , 368, 44-52	85
1461	Minor psychiatric disorders among Brazilian ragpickers: a cross-sectional study. 2006 , 5, 17	29
1460	Socioeconomic factors in the prognosis of heart failure in a Brazilian cohort. 2006 , 113, 181-7	19
1459	Smoking in early adolescence: evidence from the 1993 Pelotas (Brazil) Birth Cohort Study. 2006 , 39, 669-77	23
1458	[Use of condoms during sexual intercourse: a population-based study]. 2006 , 40, 720-6	11
1457	[Prevalence of sedentary lifestyle and associated factors in adolescents 10 to 12 years of age]. 2006 , 22, 1277-87	72
1456	[Prevalence of overweight in adolescents: a population-based study in a southern Brazilian city]. 2006 , 22, 151-62	33
1455	[Household smoking and respiratory disease in under-five children]. 2006 , 22, 579-86	8
1454	Determinantes sociales, pr�cticas de alimentaci�n y consecuencias nutricionales del parasitismo intestinal en ni�os de 7 a 18 meses de edad en Guapi, Cauca.. 2006 , 26, 82	16
1453	Modelo hier�rquico multivariado da inatividade f�sica em crian�as de escolas p�blicas. 2006 , 82, 302-307	
1452	[Factors associated with minor psychiatric disorders among women selected from a healthcare center in Rio de Janeiro, Brazil]. 2006 , 22, 999-1007	2
1451	[Teenagers and condom use: choices by young Brazilians from three Brazilian State capitals in their first and last sexual intercourse]. 2006 , 22, 1385-96	33
1450	[Intervention levels for abdominal obesity: prevalence and associated factors]. 2006 , 22, 1207-15	21
1449	Early life factors are determinants of female height at age 19 years in a population-based birth cohort (Pelotas, Brazil). 2006 , 136, 473-8	24

1448	[Non-pharmacological management of hypertension in Southern Brazil]. 2006 , 22, 1727-37	8
1447	Factors associated with cesarean sections in a public hospital in Rio de Janeiro, Brazil. 2006 , 22, 2067-78	22
1446	Exame citopatológico de colo uterino em mulheres com idade entre 20 e 59 anos em Pelotas, RS: prevalência, foco e fatores associados à sua não realização. 2006 , 9, 103-111	12
1445	Individual and contextual determinants of exclusive breast-feeding in São Paulo, Brazil: a multilevel analysis. 2006 , 9, 40-6	48
1444	Risk factors for childhood diarrhea incidence: dynamic analysis of a longitudinal study. 2006 , 17, 658-67	58
1443	On the comparison of artificial network and interpretation systems based on genotype resistance mutations in HIV-1-infected patients. 2006 , 20, 2118-20	
1442	Factors associated with adolescents' physical inactivity in Xi'an City, China. 2006 , 38, 2075-85	48
1441	Risk factors and immunological pathways for asthma and other allergic diseases in children: background and methodology of a longitudinal study in a large urban center in Northeastern Brazil (Salvador-SCAALA study). 2006 , 6, 15	85
1440	Prevalence of HIV, hepatitis C and syphilis among injecting drug users in Russia: a multi-city study. 2006 , 101, 252-66	95
1439	Maternal caffeine consumption and fetal death: a case-control study in Uruguay. 2006 , 20, 100-9	24
1438	A high prevalence of HIV-1 infection among pregnant women living in a rural district of north Uganda severely affected by civil strife. 2006 , 100, 586-93	25
1437	Child Mortality and Environment in Developing Countries. 2006 , 27, 263-284	13
1436	Child maltreatment in the "children of the nineties": a cohort study of risk factors. 2006 , 30, 497-522	250
1435	Explaining the social gradient in smoking in pregnancy: early life course accumulation and cross-sectional clustering of social risk exposures in the 1958 British national cohort. 2006 , 62, 1250-9	26
1434	Should structural interventions be evaluated using RCTs? The case of HIV prevention. 2006 , 63, 1135-42	47
1433	Life course determinants of insulin secretion and sensitivity at age 50 years: the Newcastle thousand families study. 2006 , 22, 118-25	20
1432	Musculoskeletal pain in ragpickers in a southern city in Brazil. 2006 , 49, 327-36	15
1431	Evaluation of a participatory ergonomic intervention aimed at improving musculoskeletal health. 2006 , 49, 801-10	44

1430	High HIV prevalence among injecting drug users in Estonia: implications for understanding the risk environment. 2006 , 20, 2120-3	51
1429	Access to adequate nutrition is a major potential obstacle to antiretroviral adherence among HIV-infected individuals in Rwanda. 2006 , 20, 2116-8	87
1428	Patterns of primary antiretroviral drug resistance in antiretroviral-naive HIV-1-infected individuals in a midwest university clinic. 2006 , 20, 2115-6	19
1427	Human T lymphotropic virus type I/II infection: prevalence and risk factors in individuals testing for HIV in counseling centers from Southern Brazil. 2006 , 33, 302-6	15
1426	Process evaluation in randomised controlled trials of complex interventions. 2006 , 332, 413-6	786
1425	Early determinants of physical activity in adolescence: prospective birth cohort study. 2006 , 332, 1002-7	94
1424	Healthy behavior change of adults with mental retardation: attendance in a health promotion program. 2006 , 111, 62-73	73
1423	An investigation of psychological, social and environmental correlates of obesity and weight gain in young women. 2006 , 30, 1240-9	57
1422	Gender disadvantage and reproductive health risk factors for common mental disorders in women: a community survey in India. 2006 , 63, 404-13	176
1421	How do factors at different stages of the lifecourse contribute to oral-health-related quality of life in middle age for men and women?. 2006 , 85, 257-61	51
1420	Investigating vomiting and/or bloody diarrhoea in Campylobacter jejuni infection. 2006 , 55, 741-746	22
1419	Faith-placed cardiovascular health promotion: a framework for contextual and organizational factors underlying program success. 2007 , 22, 619-29	14
1418	Methicillin resistance and its relation to prognosis in patients with ventilator-associated pneumonia: still an unsolved issue. 2006 , 42, 1343	1
1417	Polymorphonuclear leukocytes mainly contribute to human herpesvirus-6 load in the peripheral blood of patients. 2006 , 42, 1342-3	10
1416	Integrating Process with Outcome Data in a Randomized Controlled Trial of Sex Education. 2006 , 12, 330-352	10
1415	Statistical issues in life course epidemiology. 2006 , 163, 84-96	189
1414	Risk factors for overweight among Brazilian adolescents of low-income families: a case-control study. 2006 , 9, 421-8	27
1413	The influence of metallo-beta-lactamase production on mortality in nosocomial Pseudomonas aeruginosa infections. 2006 , 58, 387-92	74

1412	Response to "Factors associated with self-efficacy for condom use and sexual negotiation among South African youth". 2007 , 45, 254-5; author reply 255	
1411	Authors' Response to Letter to the Editor Regarding "Factors Associated With Self-Efficacy for Condom Use and Sexual Negotiation Among South African Youth" 2007 , 45, 255	0
1410	Parental bonding and emotional response to trauma: A study of rape victims. 2007 , 17, 83-90	12
1409	Outcome measurements in wound healing are not inclusive: a way forward. 2007 , 6, 284-90	6
1408	Does psychological stress mediate social deprivation in tooth loss?. 2007 , 86, 1166-70	43
1407	Lack of evidence for prolonged double-long terminal repeat episomal HIV DNA stability in vivo. 2007 , 45, 247-9	8
1406	Investigating iatrogenic HIV transmission in Ugandan children. 2007 , 45, 253-4	10
1405	High prevalence of primary antiretroviral resistance among HIV-1-infected adults and children in Bahia, a northeast state of Brazil. 2007 , 45, 251-3	35
1404	The role of perceived personal barriers to engagement in leisure-time physical activity. 2007 , 97, 515-9	229
1403	Effects of sex work on the prevalence of syphilis among injection drug users in 3 Russian cities. 2007 , 97, 478-85	43
1402	The effect of lamivudine therapy and M184V on the antiretroviral activity of didanosine. 2007 , 45, 249-51	6
1401	Race and parity as risk factors for obesity among low-income women in Brazil. 2007 , 27, 27-32	8
1400	Mother-child immunological interactions in early life affect long-term humoral autoreactivity to heat shock protein 60 at age 18 years. 2007 , 29, 38-43	12
1399	Prevalence and associated factors with sunscreen use in Southern Brazil: A population-based study. 2007 , 57, 73-80	23
1398	Socioeconomic determinants of infant mortality: a worldwide study of 152 low-, middle-, and high-income countries. 2007 , 35, 288-97	128
1397	Stages of change for physical activity in adults from Southern Brazil: a population-based survey. 2007 , 4, 25	23
1396	Hypertension prevalence and its associated risk factors in adults: a population-based study in Pelotas. 2007 , 88, 59-65	34
1395	Common mental disorders in adolescents: a population based cross-sectional study. 2007 , 29, 241-5	16

- 1394 The relationship between body mass index and lifestyle in a Brazilian adult population: a cross-sectional survey. **2007**, 23, 2694-740 13
- 1393 Determinantes do ganho ponderal excessivo durante a gesta^o em servi^o p^u blico de pr^o-natal de baixo risco. **2007**, 10, 99-108 18
- 1392 [Risk factors for acute respiratory disease hospitalization in children under one year of age]. **2007**, 41, 351-8 26
- 1391 [Prevalence of overweight and obesity and associated factors among schoolchildren in a southern Brazilian city]. **2007**, 23, 1361-71 38
- 1390 [Inequalities in clinical breast examination in S^o Leopoldo, Rio Grande do Sul, Brazil]. **2007**, 23, 1603-12 5
- 1389 [Prevalence and determinants of medication during pregnancy by risk class among mothers of liveborn infants]. **2007**, 23, 2351-62 8
- 1388 [Risk factors for asthma in adults in Pelotas, Rio Grande do Sul State, Brazil]. **2007**, 23, 863-74 9
- 1387 [Factors associated to the evolution of gestational weight of pregnant women: a multilevel analysis]. **2007**, 41, 995-1002 9
- 1386 Early determinants of smoking in adolescence: a prospective birth cohort study. **2007**, 23, 347-54 19
- 1385 [Prevention of neural tube defects: prevalence of folic acid supplementation during pregnancy and associated factors in Pelotas, Rio Grande do Sul State, Brazil]. **2007**, 23, 2716-26 18
- 1384 Fatores demogr^{af}icos e comportamentais associados ^a obesidade abdominal em usu^{arias} de centro de sa^{de} de Belo Horizonte, Minas Gerais, Brasil. **2007**, 20, 361-369 7
- 1383 Maternal oral health status and preterm low birth weight at Muhimbili National Hospital, Tanzania: a case-control study. **2007**, 7, 8 21
- 1382 HIV-1 prevalence and factors associated with infection in the conflict-affected region of North Uganda. **2007**, 1, 3 29
- 1381 Maternal cultural capital: what is being measured and how important is it as a determinant of child health?. **2007**, 33, 126-7 2
- 1380 Maternal cultural participation and child health status in a Middle Eastern context: evidence from an urban health study. **2007**, 33, 117-25 8
- 1379 Social and biological early life influences on the prevalence of open bite in Brazilian 6-year-olds. **2007**, 17, 41-9 54
- 1378 Dental caries in 0- to 5-year-old Brazilian children: prevalence, severity, and associated factors. **2007**, 17, 289-96 73
- 1377 Explaining differences in birthweight between ethnic populations. The Generation R Study. **2007**, 114, 1557-65 56

1376	Periodontal disease and perinatal outcomes: a case-control study. 2007 , 34, 31-9	63
1375	Clinical, social and psychosocial factors associated with self-rated oral health in Brazilian adolescents. 2007 , 35, 377-86	65
1374	Socioeconomic and racial/ethnic differentials of C-reactive protein levels: a systematic review of population-based studies. 2007 , 7, 212	172
1373	Influence of socio-economic and lifestyle factors on overweight and nutrition-related diseases among Tunisian migrants versus non-migrant Tunisians and French. 2007 , 7, 265	22
1372	A guide to modern statistical analysis of immunological data. 2007 , 8, 27	83
1371	Early life determinants of musculoskeletal sickness absence in a cohort of Norwegians born in 1967-1976. 2007 , 64, 646-55	16
1370	Life satisfaction of workers with work-related musculoskeletal disorders in Brazil: associations with symptoms, functional limitation and coping. 2007 , 17, 33-46	7
1369	Spatial vulnerability to dengue in a Brazilian urban area during a 7-year surveillance. 2007 , 84, 334-45	70
1368	Postnatal depression in Southern Brazil: prevalence and its demographic and socioeconomic determinants. 2008 , 8, 1	180
1367	Exploring the association of dental caries with social factors and nutritional status in Brazilian preschool children. 2008 , 116, 37-43	147
1366	Toothache prevalence and associated factors: a life course study from birth to age 12 yr. 2008 , 116, 458-66	45
1365	Toothache prevalence and associated factors: a population based study in southern Brazil. 2008 , 14, 320-6	39
1364	Factors associated with adolescents' overweight and obesity at community, school and household levels in Xi'an City, China: results of hierarchical analysis. 2008 , 62, 635-43	38
1363	Maternal employment and early childhood overweight: findings from the UK Millennium Cohort Study. 2008 , 32, 30-8	99
1362	The social determinants of being an Indigenous non-smoker. 2008 , 32, 110-6	55
1361	The impact of maternal depression in pregnancy on early child development. 2008 , 115, 1043-51	309
1360	Impulsivity, age of first alcohol use and substance use disorders among male adolescents: a population based case-control study. 2008 , 103, 1198-205	65
1359	Associated factors and consequences of late preterm births: results from the 2004 Pelotas birth cohort. 2008 , 22, 350-9	48

1358	The role of context: neighbourhood characteristics strongly influence HIV risk in young women in Ndola, Zambia. 2008 , 13, 162-70		22
1357	High HIV risk among Uigur minority ethnic drug users in northwestern China. 2008 , 13, 814-7		9
1356	Determinants of cognitive function in childhood: a cohort study in a middle income context. 2008 , 8, 202		71
1355	Determinants of neonatal mortality in Indonesia. 2008 , 8, 232		131
1354	Determinants of infant growth in Eastern Uganda: a community-based cross-sectional study. 2008 , 8, 418		54
1353	The role of psychosocial, behavioural and emotional factors on self-reported major injuries in Brazilian adolescents: a case-control study. 2008 , 39, 561-9		9
1352	Access to syringes in three Russian cities: implications for syringe distribution and coverage. 2008 , 19 Suppl 1, S25-36		40
1351	Pulmonary function, muscle strength and mortality in old age. 2008 , 129, 625-31		66
1350	Risk factors for hepatitis C virus infection in individuals infected with the HIV. 2008 , 40, 460-7		9
1349	Stillbirth rates in Peruvian populations at high altitude. 2008 , 100, 221-7		15
1348	Impact of a city-wide sanitation intervention in a large urban centre on social, environmental and behavioural determinants of childhood diarrhoea: analysis of two cohort studies. <i>International Journal of Epidemiology</i> , 2008 , 37, 831-40	7.8	41
1347	No midpregnancy fall in diastolic blood pressure in women with a low educational level: the Generation R Study. 2008 , 52, 645-51		29
1346	Social inequality in fetal and perinatal mortality in the Nordic countries. 2008 , 36, 635-49		20
1345	Maternal educational level and risk of gestational hypertension: the Generation R Study. 2008 , 22, 483-92		33
1344	The association between school attendance, HIV infection and sexual behaviour among young people in rural South Africa. 2008 , 62, 113-9		105
1343	Risk factors of visceral leishmaniasis in East Africa: a case-control study in Pokot territory of Kenya and Uganda. <i>International Journal of Epidemiology</i> , 2008 , 37, 344-52	7.8	52
1342	Latin American critical ('Social') epidemiology: new settings for an old dream. <i>International Journal of Epidemiology</i> , 2008 , 37, 745-50	7.8	47
1341	Socioeconomic determinants of children's environmental tobacco smoke exposure and family's home smoking policy. 2009 , 19, 52-8		75

1340	Demographic determinants for Campylobacter infection in England and Wales: implications for future epidemiological studies. 2008 , 136, 1717-25	41
1339	Hepatitis B virus transmission in The Netherlands: a population-based, hierarchical case-control study in a very low-incidence country. 2008 , 136, 184-95	18
1338	Does racism harm health? Did child abuse exist before 1962? On explicit questions, critical science, and current controversies: an ecosocial perspective. 2008 , 98, S20-5	36
1337	[Exploring multiple trajectories of causality: collaboration between Anthropology and Epidemiology in the 1982 birth cohort, Pelotas, Southern Brazil]. 2008 , 42 Suppl 2, 115-23	3
1336	Access to and use of health services among undocumented Mexican immigrants in a US urban area. 2008 , 98, 2011-20	87
1335	Widening ethnic disparities in infant mortality in southern Brazil: comparison of 3 birth cohorts. 2008 , 98, 692-68	39
1334	Changes in HIV prevalence and risk among new injecting drug users in a Russian city of high HIV prevalence. 2008 , 47, 623-31	18
1333	Low socioeconomic status is a risk factor for preeclampsia: the Generation R Study. 2008 , 26, 1200-8	121
1332	[Avoidable infant mortality and associated factors in Porto Alegre, Southern Brazil, 2000-2003]. 2008 , 24, 179-87	11
1331	[Factors associated to functional limitations in elderly of low income]. 2008 , 54, 430-5	12
1330	[Factors that affect time between birth and first breastfeeding]. 2008 , 24, 2681-94	25
1329	[Use of outpatient health services by women: a population-based study in southern Brazil]. 2008 , 24, 2843-51	6
1328	[Prevalence and factors associated with behavioral disorders in adolescents: a population-based study]. 2008 , 24, 2013-20	13
1327	Acute lower respiratory illness in under-five children in Rio Grande, Rio Grande do Sul State, Brazil: prevalence and risk factors. 2008 , 24, 1429-38	22
1326	[Physical activity in young adults and the elderly in areas covered by primary health care units in municipalities in the South and Northeast of Brazil]. 2008 , 24, 39-54	40
1325	[Association between dietary patterns and body mass index and waist circumference in women living in Southern Brazil]. 2008 , 24, 2427-39	21
1324	Factors associated with cigarette experimentation among adolescents. 2008 , 34, 927-35	16
1323	[Self-reported vaginal discharge among pregnant women in an urban area in Southern Brazil: prevalence and associated factors]. 2008 , 24, 558-66	6

1322	[Self-perceived health and associated factors in industrial workers from Santa Catarina State, Brazil]. 2008 , 24, 567-76		19
1321	[Epidemiology of elevated tricipital and subscapular skinfolds in adolescents]. 2008 , 24, 113-21		11
1320	[Use of outpatient services in Pelotas, Rio Grande do Sul State, Brazil: factors related to above-average number of physician visits]. 2008 , 24, 353-63		9
1319	[Proposal for a hierarchical framework applied to investigation of risk factors for neonatal mortality]. 2008 , 24, 1910-6		27
1318	[Effects of different home visit strategies on prenatal care in Southern Brazil]. 2008 , 24, 2614-22		8
1317	[The decision of women for cesarean birth: a case study in two units of the supplementary health care system of the State of Rio de Janeiro]. 2008 , 13, 1521-34		31
1316	Anthropology and Epidemiology: learning epistemological lessons through a collaborative venture. 2008 , 13, 1701-10		27
1315	[Coverage of Pap smear tests in the city of S ^ˆ ˆ Leopoldo, Rio Grande do Sul State, Brazil]. 2008 , 24, 2511-20		8
1314	[Prevalence of obesity and potential causal factors among adults in southern Brazil]. 2008 , 52, 1156-62		16
1313	Human helminth co-infection: analysis of spatial patterns and risk factors in a Brazilian community. <i>PLoS Neglected Tropical Diseases</i> , 2008 , 2, e352	4.8	60
1312	Clustering of risk factors for cardiovascular disease among women in Southern Brazil: a population-based study. 2008 , 24 Suppl 2, S285-93		19
1311	[Lower back pain in health insurance policyholders: prevalence and associated factors]. 2008 , 24, 2115-22		11
1310	Implementa ^ˆ ˆ da estrat ^ˆ ˆ gia Aten ^ˆ ˆ Integrada ^ˆ s Doen ^ˆ ˆ s Prevalentes na Inf ^ˆ ˆˆˆˆˆˆˆˆ no Nordeste, Brasil. 2008 , 42, 598-606		1
1309	[Clinical breast examination during prenatal visits: analysis of coverage and associated factors in a city in the State of Rio Grande do Sul, Brazil]. 2008 , 24, 1783-90		3
1308	Neonatal mortality: description and effect of hospital of birth after risk adjustment. 2008 , 42, 1-9		52
1307	MOTIVA ^ˆ ˆˆ DE PACIENTES HOSPITALIZADOS PARA EVITAR O CONSUMO EXCESSIVO DE BEBIDAS ALCO ^ˆ ˆˆˆˆˆˆˆˆ. 2009 , 14,		
1306	Prevalence of high blood pressure levels and associated factors among adults in Southern Brazil. 2009 , 93, 387-94, 380-6		16
1305	Socioeconomic, demographic and lifestyle factors associated with dietary patterns of women living in Southern Brazil. 2009 , 25, 1297-306		28

1304	Prevalence of arterial hypertension in young military personnel and associated factors. 2009 , 43, 789-95	17
1303	Inappropriate use of emergency services: a systematic review of prevalence and associated factors. 2009 , 25, 7-28	163
1302	Non classical risk factors for gestational diabetes mellitus: a systematic review of the literature. 2009 , 25 Suppl 3, S341-59	24
1301	Fatores de risco para sobrepeso entre adolescentes: an�lise de tr�s cidades brasileiras. 2009 , 22, 503-515	2
1300	Conhecimento sobre asma das m�es de crian�as acometidas pela patologia, em �rea coberta pelo Programa Sa�de da Fam�lia. 2009 , 12, 671-679	2
1299	Dental caries risk studies revisited: causal approaches needed for future inquiries. <i>International Journal of Environmental Research and Public Health</i> , 2009 , 6, 2992-3009	4.6 16
1298	[Factors associated with intimate partner violence against Brazilian women]. 2009 , 43, 299-311	47
1297	[Factors associated with oral health habits and use of dental services by adolescents]. 2009 , 25, 655-67	13
1296	Factors related to inadequate cervical cancer screening in two Brazilian state capitals. 2009 , 43, 318-25	16
1295	[Contraceptive practices and sexual initiation among young people in three Brazilian State capitals]. 2009 , 25 Suppl 2, S227-39	8
1294	Preval�ncia de inatividade f�sica e fatores associados em estudantes do ensino m�dio de escolas p�blicas estaduais. 2009 , 85, 301-306	30
1293	[Physical activity among health professionals from south and northeast Brazil]. 2009 , 25, 1917-28	6
1292	[Prevalence of overweight and obesity and associated factors among public high school students in Pernambuco State, Brazil]. 2009 , 25, 2639-52	26
1291	[Prevalence of self-reported vaginal discharge and associated factors in pregnant women]. 2009 , 25, 2705-14	7
1290	[Prevalence of physical inactivity and associated factors in adolescents]. 2009 , 55, 523-8	31
1289	[Risk factors for neonatal mortality among children with low birth weight]. 2009 , 43, 246-55	24
1288	[Factors associated with subjective need for dental treatment in elderly Brazilians]. 2009 , 25, 2661-71	6
1287	[Body mass index increase after the age of 20 and associations with risk or protection factors for chronic non-communicable diseases]. 2009 , 53, 1146-56	4

1286	[Violence and post-traumatic stress disorder in childhood]. 2009 , 14, 417-33	4
1285	Infant feeding practices, childhood growth and obesity in adult life. 2009 , 53, 528-39	4
1284	A population based study on health conditions associated with the use of benzodiazepines among older adults (The Bambu ^u Health and Aging Study). 2009 , 25, 605-12	12
1283	Leisure-time physical inactivity in adults and factors associated. 2009 , 43, 814-24	7
1282	Smoker interest in lower harm alternatives to cigarettes: national survey data. 2009 , 11, 1467-73	7
1281	Effect of village income and household income on sanitation facilities, hygiene behaviours and child undernutrition during rapid economic growth in a rural cross-border area, Yunnan, China. 2009 , 63, 403-7	6
1280	The burden and determinants of HIV and sexually transmitted infections in a population-based sample of female sex workers in Goa, India. 2009 , 85, 50-9	46
1279	HIV and other sexually transmitted infections among men, transgenders and women selling sex in two cities in Pakistan: a cross-sectional prevalence survey. 2009 , 85 Suppl 2, ii8-16	48
1278	Gender inequality in health among elderly people in a combined framework of socioeconomic position, family characteristics and social support. 2009 , 29, 625-647	21
1277	Prevalence of physical inactivity and associated factors among high school students from state's public schools. 2009 , 85, 301-6	12
1276	Bacterial vaginosis in female facility workers in north-western Tanzania: prevalence and risk factors. 2009 , 85, 370-5	44
1275	Maternal employment and indicators of child health: a systematic review in pre-school children in OECD countries. 2009 , 63, 340-50	34
1274	Dental health and disease determinants among 35-year-olds in Oslo, Norway. 2009 , 67, 50-6	13
1273	The wisdom of whores: Bureaucrats, brothels and the business of AIDS. 2009 , 4, 624-626	
1272	Variation in subjective oral health indicators of 65-year-olds in Norway and Sweden. 2009 , 67, 222-32	23
1271	Maternal anthropometry is associated with the body mass index and waist:height ratio of offspring at 23 years of age. 2009 , 139, 750-4	30
1270	Factors associated with non-utilisation of postnatal care services in Indonesia. 2009 , 63, 827-31	76
1269	Cohort profile: the Newcastle Thousand Families 1947 birth cohort. <i>International Journal of Epidemiology</i> , 2009 , 38, 932-7	7.8 37

1268	Misperceptions of "light" cigarettes abound: national survey data. 2009 , 9, 126	18
1267	Inequities in maternal postnatal visits among public and private patients: 2004 Pelotas cohort study. 2009 , 9, 335	28
1266	Depression in Mongolian women over the first 2 months after childbirth: prevalence and risk factors. 2009 , 116, 126-33	15
1265	The role of early life variables on the risk of fractures from birth to early adolescence: a prospective birth cohort study. 2009 , 20, 1873-9	17
1264	Toothache and associated factors in Brazilian adults: a cross-sectional population-based study. 2009 , 9, 7	12
1263	Comparison of injecting drug users who obtain syringes from pharmacies and syringe exchange programs in Tallinn, Estonia. 2009 , 6, 3	20
1262	Factors associated with caregivers' perception of children's health and oral health status: a study of 6- to 36-month-olds in Uganda. 2009 , 19, 251-62	27
1261	Epidemiology of early and late growth in height, leg and trunk length: findings from a birth cohort of Brazilian males. 2009 , 63, 375-81	24
1260	Life course dental caries determinants and predictors in children aged 12 years: a population-based birth cohort. 2009 , 37, 123-33	35
1259	Prevalence of obesity and associated socioeconomic factors among Tunisian women from different living environments. 2009 , 10, 145-53	25
1258	Is breech presentation a risk factor for cerebral palsy? A Norwegian birth cohort study. 2009 , 51, 860-5	21
1257	Factors associated with deaths among pulmonary tuberculosis patients: a case-control study with secondary data. 2009 , 63, 233-8	34
1256	Social and dental status along the life course and oral health impacts in adolescents: a population-based birth cohort. 2009 , 7, 95	56
1255	Prevalence of HIV, HCV and sexually transmitted infections among injecting drug users in Rawalpindi and Abbottabad, Pakistan: evidence for an emerging injection-related HIV epidemic. 2009 , 85 Suppl 2, ii17-22	28
1254	Risk factors for HIV incidence in women participating in an HSV suppressive treatment trial in Tanzania. 2009 , 23, 415-22	36
1253	Epidemiology of leisure, transportation, occupational, and household physical activity: prevalence and associated factors. 2009 , 6, 625-32	81
1252	Factors associated with physical inactivity in adolescents in Ho Chi Minh City, Vietnam. 2009 , 41, 1374-83	32
1251	Hypoactive sexual desire disorder in a population-based study of Brazilian women: associated factors classified according to their importance. 2010 , 17, 1114-21	25

1250	Risk factors for long-term absence due to psychiatric sickness: a register-based 5-year follow-up from the Oslo health study. 2010 , 52, 698-705	37
1249	Determinants of preterm birth: Pelotas, Rio Grande do Sul State, Brazil, 2004 birth cohort. 2010 , 26, 185-94	23
1248	Climate change and health: a challenge for epidemiology and public health. 2010 , 55, 83-4	12
1247	Nutrition-related habits and associated factors of Brazilian adolescents. 2010 , 55, 661-7	4
1246	Body weight and fat-free mass changes in a cohort of patients receiving chemotherapy. 2010 , 18, 617-25	20
1245	Impact of socioeconomic and clinical factors on child oral health-related quality of life (COHRQoL). 2010 , 19, 1359-66	99
1244	Factors associated with adolescent overweight/obesity in Ho Chi Minh city. 2010 , 5, 396-403	35
1243	Contrasting predictors of poor antiretroviral therapy outcomes in two South African HIV programmes: a cohort study. 2010 , 10, 430	27
1242	Factors associated with underutilization of antenatal care services in Indonesia: results of Indonesia Demographic and Health Survey 2002/2003 and 2007. 2010 , 10, 485	120
1241	What is behind smoker support for new smokefree areas? National survey data. 2010 , 10, 498	9
1240	HIV infection and risk behaviour of primary fentanyl and amphetamine injectors in Tallinn, Estonia: implications for intervention. 2010 , 21, 56-63	42
1239	Determinants of leptospirosis in Sri Lanka: study protocol. 2010 , 10, 332	12
1238	Population-based type-specific prevalence of high-risk human papillomavirus infection in Estonia. 2010 , 10, 63	15
1237	Contextual and individual assessment of dental pain period prevalence in adolescents: a multilevel approach. 2010 , 10, 20	38
1236	Satisfaction with teeth and life-course predictors: a prospective study of a Swedish 1942 birth cohort. 2010 , 118, 66-74	7
1235	Self-rated oral health and associated factors in Brazilian elders. 2010 , 38, 348-59	60
1234	Risk factors for suspected developmental delay at age 2 years in a Brazilian birth cohort. 2010 , 24, 211-21	41
1233	Recurrent sores by ill-fitting dentures and intra-oral squamous cell carcinoma in smokers. 2010 , 70, 52-7	16

1232	Natural history of suspected developmental delay between 12 and 24 months of age in the 2004 Pelotas birth cohort. 2010 , 46, 329-36	11
1231	Well-being in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. 2010 , 26, 1887-94	4
1230	Fatores determinantes da capacidade funcional em idosos longevos. 2010 , 14, 322-329	35
1229	Prevalence of hospitalization and associated factors in Pelotas, Southern Brazil. 2010 , 44, 923-33	6
1228	Physical activity during pregnancy and fetal outcomes: a case-control study. 2010 , 44, 90-101	34
1227	Blood donation prevalence and associated factors in Pelotas, Southern Brazil. 2010 , 44, 112-20	18
1226	[Prevalence of depressive symptoms and associated factors among southern Brazilian adults: cross-sectional population-based study]. 2010 , 13, 620-9	15
1225	[Prevalence of poor self-rated mastication and associated factors in Brazilian elderly]. 2010 , 26, 79-88	10
1224	Insatisfaç ^õ es com o peso corporal e fatores associados em adolescentes. 2010 , 28, 340-346	11
1223	[Sexual risk behavior: factors associated to the number of sexual partners and condom use in adolescents]. 2010 , 15 Suppl 1, 1149-58	17
1222	Experimental use of alcohol in early adolescence: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. 2010 , 26, 1937-44	5
1221	[Binge eating and associated factors among teenagers in Cuiab ^a (Mato Grosso State, Brazil)]. 2010 , 26, 337-46	13
1220	Sedentary behavior in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. 2010 , 26, 1928-36	26
1219	Early determinants of attention and hyperactivity problems in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. 2010 , 26, 1954-62	19
1218	[Risk factors associated with non-adherence to anti-hypertensive medication among patients treated in family health care facilities]. 2010 , 26, 2389-98	21
1217	[Physical activity and sedentary behavior among adolescent high school students]. 2010 , 13, 105-17	43
1216	Socioeconomic status, birth weight, maternal smoking during pregnancy and adiposity in early adult life: an analysis using structural equation modeling. 2010 , 26, 15-29	12
1215	Risk factors for cesarean section by category of health service. 2010 , 44, 80-9	21

1214	[Risk factors for fetal mortality in a public maternity hospital in Rio de Janeiro, Brazil: a case-control study]. 2010 , 26, 240-52		10
1213	[Regional inequalities in the prevalence of asthma diagnosis in children: an analysis of the Brazilian National Household Sample Survey, 2003]. 2010 , 26, 1839-52		6
1212	[Physical inactivity among adults and elderly living in areas covered by primary healthcare units with and without the Family Health Program in Pernambuco State, Brazil]. 2010 , 26, 543-56		10
1211	Factors associated with weight loss dieting among adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. 2010 , 26, 1912-20		7
1210	[Epidemiological characteristics, functional capacity and factors associated with elders in a private health insurance]. 2010 , 15, 2871-8		9
1209	Medicine use among adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. 2010 , 26, 1945-53		4
1208	[Health status determinants among river-dwelling children under two years of age in Par� State, Brazil: a cross-sectional study]. 2010 , 26, 273-85		6
1207	[Common mental disorders and self-esteem in pregnancy: prevalence and associated factors]. 2010 , 26, 1832-8		9
1206	Depression during pregnancy in the Brazilian public health care system. 2010 , 32, 139-44		28
1205	Prevalence, correlates of, and reasons for using roll-your-own tobacco in a high RYO use country: findings from the ITC New Zealand survey. 2010 , 12, 1089-98		34
1204	Association of socio-economic, gender and health factors with common mental disorders in women: a population-based study of 5703 married rural women in India. <i>International Journal of Epidemiology</i> , 2010 , 39, 1510-21	7.8	97
1203	Prevalence of hepatitis C virus among users attending a voluntary testing centre in Rio Grande, southern Brazil: predictive factors and hepatitis C virus genotypes. 2010 , 21, 466-71		5
1202	The association between graded physical activity in postmenopausal British women, and the prevalence and incidence of hip and wrist fractures. 2010 , 39, 565-74		18
1201	Asymptomatic rotavirus infections in England: prevalence, characteristics, and risk factors. 2010 , 171, 1023-30		40
1200	Characteristics of smoker support for increasing a dedicated tobacco tax: national survey data from New Zealand. 2010 , 12, 168-73		20
1199	The use of remote sensing in the identification of the eco-environmental factors associated with the risk of human visceral leishmaniasis (kala-azar) on the Gangetic plain, in north-eastern India. 2010 , 104, 35-53		28
1198	Causes of acute hospitalization in adolescence: burden and spectrum of HIV-related morbidity in a country with an early-onset and severe HIV epidemic: a prospective survey. 2010 , 7, e1000178		86
1197	Use of a national quitline and variation in use by smoker characteristics: ITC Project New Zealand. 2010 , 12 Suppl, S78-84		15

1196	A hierarchical analysis of social determinants of measles vaccination coverage in Austrian schoolchildren. 2010 , 20, 354-9	11
1195	Smoking in prison: a hierarchical approach at the crossroad of personality and childhood events. 2010 , 20, 470-4	17
1194	Physical activity and common mental disorders. 2010 , 197, 357-64	141
1193	Effect of supporter characteristics on expression of negative social reactions toward rape survivors in Dar Es Salaam, Tanzania. 2010 , 31, 668-85	1
1192	Use of prenatal corticosteroids for preterm birth in three Latin American countries. 2010 , 108, 52-7	7
1191	Sexual risk behaviour of rural-to-urban migrant taxi drivers in Dhaka, Bangladesh: a cross-sectional behavioural survey. 2010 , 124, 648-58	14
1190	Tooth loss in Brazilian middle-aged adults: multilevel effects. 2010 , 68, 269-77	16
1189	Does money matter for mental health? Evidence from the Child Support Grants in Johannesburg, South Africa. 2011 , 6, 760-76	33
1188	Evaluation of adherence to drug treatment in patients with systemic lupus erythematosus in Brazil. 2011 , 20, 320-9	37
1187	Prevalence and associated factors with body image dissatisfaction among adults in southern Brazil: a population-based study. 2011 , 8, 427-31	53
1186	Risk factors for symptomatic and asymptomatic norovirus infection in the community. 2011 , 139, 1676-86	43
1185	Cumulative coffee consumption and reduced risk of oral and oropharyngeal cancer. 2011 , 63, 350-6	13
1184	Influence of contextual and individual level risk factors on adiposity in a preschool child cohort in Ho Chi Minh City, Vietnam. 2011 , 6, e487-500	9
1183	Myopia over the lifecourse: prevalence and early life influences in the 1958 British birth cohort. 2011 , 118, 797-804	113
1182	Smokers have varying misperceptions about the harmfulness of menthol cigarettes: national survey data. 2011 , 35, 364-7	4
1181	Conhecimento sobre atividade física dos estudantes de uma cidade do sul do Brasil. 2011 , 17, 456-467	3
1180	[Prevalence and determinants of obesity and overweight among reproductive age women living in the semi-arid region of Brazil]. 2011 , 16, 133-45	21
1179	[Challenges in definition of gestational age in population studies on birth preterm: the case of a study in Campina Grande (PB), Brazil]. 2011 , 14, 455-66	3

1178	[Social inequalities in post-cesarean complication rates: a hierarchical analysis]. 2011 , 27, 2009-20	6
1177	[Maternal smoking during pregnancy and anthropometric measurements of newborns: a population-based study in southern of Brazil]. 2011 , 27, 1768-76	20
1176	Using bayesian networks to model hierarchical relationships in epidemiological studies. 2011 , 33, e2011006	14
1175	Incidence of visceral leishmaniasis in the Vaishali district of Bihar, India: spatial patterns and role of inland water bodies. 2011 , 5, 205-15	21
1174	[Survival and risk factors for neonatal mortality in a cohort of very low birth weight infants in the southern region of S ^o Paulo city, Brazil]. 2011 , 27, 1088-98	12
1173	[Spatial risk and factors associated with edentulism among elderly persons in Southeast Brazil]. 2011 , 27, 2041-54	22
1172	Satisfa ^o com o peso corporal e fatores associados em estudantes do ensino m ^o dio. 2011 , 29, 214-223	15
1171	Factors associated with central obesity in adults from Florian ^o polis, Santa Catarina: a population based-study. 2011 , 14, 296-309	16
1170	Determinants of stunting in children under five in Pernambuco, northeastern Brazil. 2011 , 45, 1079-87	26
1169	[Cognitive development of premature children at school age: a proposal for a hierarchical model to investigate risk factors]. 2011 , 27, 1154-64	8
1168	Respiratory symptoms as health status indicators in workers at ceramics manufacturing facilities. 2011 , 37, 36-45	6
1167	Social and biological determinants of iron deficiency anemia. 2011 , 27 Suppl 2, S309-20	23
1166	Factors associated with medicine use and self medication are different in adolescents. 2011 , 66, 1149-55	26
1165	[Functional incapacity among low-income elderly women]. 2011 , 16, 2541-8	8
1164	Fatores associados ^a capacidade para o trabalho e percep ^o de fadiga em trabalhadores de enfermagem da Amaz ^o nia ocidental. 2011 , 14, 688-697	15
1163	[Mental common disorders and quality of life in young adulthoods: a population-based sample in Pelotas, Rio Grande do Sul State, Brazil]. 2011 , 27, 440-8	28
1162	Factors associated to relapse of leprosy in Mato Grosso, Central-Western Brazil. 2011 , 45, 756-64	19
1161	Prevalence and incidence of HIV in a rural community-based HIV vaccine preparedness cohort in Masaka, Uganda. 2011 , 6, e20684	25

1160	Estimated deaths attributable to social factors in the United States. 2011 , 101, 1456-65	299
1159	Determinants of delayed initiation of breastfeeding in rural Ethiopia: programmatic implications. 2011 , 32, 94-102	20
1158	Delays in seeking treatment for symptomatic tuberculosis in Sabah, East Malaysia: factors for patient delay. 2011 , 15, 1231-8, i	12
1157	Rates and intensity of re-infection with human helminths after treatment and the influence of individual, household, and environmental factors in a Brazilian community. 2011 , 138, 1406-16	31
1156	Sporadic Cryptosporidium infection in Nigerian children: risk factors with species identification. 2011 , 139, 946-54	20
1155	Resilience and self-perceived oral health: a hierarchical approach. 2011 , 59, 725-31	29
1154	Induction of labor and cerebral palsy: a population-based study in Norway. 2011 , 90, 83-91	10
1153	Socio-economic position, smoking, and plaque: a pathway to severe chronic periodontitis. 2011 , 38, 229-35	24
1152	Impact of oral diseases and disorders on oral health-related quality of life of preschool children. 2011 , 39, 105-14	200
1151	Socio-behavioral predictors of changes in dentition status: a prospective analysis of the 1942 Swedish birth cohort. 2011 , 39, 300-10	10
1150	Ethnic inequity in neonatal survival: a case-referent study in northern Vietnam. 2011 , 100, 340-6	27
1149	Difficulties leaving home: a cross-sectional study of delays in seeking emergency obstetric care in Herat, Afghanistan. 2011 , 73, 1003-13	31
1148	Undernutrition as a major risk factor for death among older Brazilian adults in the community-dwelling setting: SABE survey. 2011 , 27, 1017-22	38
1147	Utilization of village midwives and other trained delivery attendants for home deliveries in Indonesia: results of Indonesia Demographic and Health Survey 2002/2003 and 2007. 2011 , 15, 1400-15	8
1146	Epidemiology of whole body, peripheral, and central adiposity in adolescents from a Brazilian state capital. 2011 , 170, 1541-50	8
1145	Factors associated with paradoxical immune response to antiretroviral therapy in HIV infected patients: a case control study. 2011 , 11, 306	11
1144	Increased risk of miscarriage among women experiencing physical or sexual intimate partner violence during pregnancy in Guatemala City, Guatemala: cross-sectional study. 2011 , 11, 49	40
1143	Who attends antenatal care and expanded programme on immunization services in Chad, Mali and Niger? The implications for insecticide-treated net delivery. 2011 , 10, 341	12

1142	Nutrition transition among adolescents of a south-Mediterranean country: dietary patterns, association with socio-economic factors, overweight and blood pressure. A cross-sectional study in Tunisia. 2011 , 10, 38	67
1141	Prevalence of under-nutrition and its correlates among under 3 year-old children in rural areas of Andhra Pradesh, India. 2011 , 38, 93-101	16
1140	Drinking water quality, feeding practices, and diarrhea among children under 2 years of HIV-positive mothers in peri-urban Zambia. 2011 , 85, 318-26	22
1139	Risk indicators for erosive tooth wear in Brazilian preschool children. 2011 , 45, 121-9	53
1138	Sociodemographic and lifestyle characteristics in relation to dietary patterns among young Brazilian adults. 2011 , 14, 150-9	63
1137	Glyburide is anti-inflammatory and associated with reduced mortality in melioidosis. 2011 , 52, 717-25	89
1136	Determinants of differential HIV incidence among women in three southern African locations. 2011 , 58, 89-99	21
1135	How much do smoking and alcohol consumption explain socioeconomic inequalities in head and neck cancer risk?. 2011 , 65, 709-14	46
1134	Neonatal mortality: an invisible and marginalised trauma. 2011 , 4,	24
1133	Conceptual framework for understanding the bidirectional links between food insecurity and HIV/AIDS. 2011 , 94, 1729S-1739S	279
1132	Pregnancy and contraceptive use among women participating in an HIV prevention trial in Tanzania. 2012 , 88, 436-43	15
1131	Socioeconomic inequalities and vaccination coverage: results of an immunisation coverage survey in 27 Brazilian capitals, 2007-2008. 2012 , 66, 934-41	67
1130	Factors associated with metabolic syndrome in climacteric women of southern Brazil. 2013 , 16, 96-103	10
1129	Impact of nightshift work on overweight and abdominal obesity among workers of a poultry processing plant in southern Brazil. 2012 , 29, 336-43	60
1128	The Convergence Communication Scale: Development and evaluation of an assessment of interpersonal submission. 2012 , 29, 1036-1057	6
1127	Depressive symptoms and untreated dental caries in older independently living South Brazilians. 2012 , 46, 376-84	16
1126	Antenatal iron/folic acid supplements, but not postnatal care, prevents neonatal deaths in Indonesia: analysis of Indonesia Demographic and Health Surveys 2002/2003-2007 (a retrospective cohort study). 2012 , 2,	16
1125	Iron and vitamin status biomarkers and its association with physical fitness in adolescents: the HELENA study. 2012 , 113, 566-73	18

1124	Religiosity, spirituality, social support, health behaviour and dental caries among 35- to 44-year-old Jerusalem adults: a proposed conceptual model. 2012 , 46, 368-75	18
1123	The social and behavioural pathway of dental caries experience among Jewish adults in Jerusalem. 2012 , 46, 47-54	8
1122	Predictors of physical activity change during adolescence: a 3.5-year follow-up. 2012 , 15, 2237-45	19
1121	Why are women with cervical cancer not being diagnosed in preinvasive phase? An analysis of risk factors using a hierarchical model. 2012 , 22, 645-53	9
1120	The association between Mycoplasma genitalium and HIV-1 acquisition in African women. 2012 , 26, 617-24	62
1119	Delayed diagnosis of leukemia and association with morbid-mortality in children in Pernambuco, Brazil. 2012 , 34, e271-6	14
1118	Factors that mediate racial/ethnic disparities in US fetal death rates. 2012 , 102, 1902-10	16
1117	The social determinants of health and pandemic H1N1 2009 influenza severity. 2012 , 102, e51-8	76
1116	In the critically ill patient, diabetes predicts mortality independent of statin therapy but is not associated with acute lung injury: a cohort study. 2012 , 40, 1835-43	19
1115	Individual and contextual determinants of the duration of diarrhoeal episodes in preschool children: a longitudinal study in an urban setting. 2012 , 140, 689-96	12
1114	Do tobacco and alcohol modify protective effects of diet on oral carcinogenesis?. 2012 , 64, 1182-9	9
1113	Assessment on the Approaches Used for Water and Sanitation Programs in Southern Ethiopia. 2012 , 26, 4295-4309	3
1112	Health inequalities among older adults in Spain: the importance of gender, the socioeconomic development of the region of residence, and social support. 2012 , 22, e483-90	5
1111	Sociodemographic risk factors of perinatal depression: a cohort study in the public health care system. 2012 , 34, 143-148	1
1110	Prevalence of suicide risk and comorbidities in postpartum women in Pelotas. 2012 , 34, 270-6	40
1109	Factors associated with rotavirus diarrhoea in children living in a socially diverse urban centre in Brazil. 2012 , 106, 445-51	9
1108	Active commuting to school among adolescents in Ho Chi Minh City, Vietnam: change and predictors in a longitudinal study, 2004 to 2009. 2012 , 42, 120-8	37
1107	How the Newcastle Thousand Families birth cohort study has contributed to the understanding of the impact of birth weight and early life socioeconomic position on disease in later life. 2012 , 72, 23-8	8

1106	Food restrictions of patients who are undergoing treatment for oral and oropharyngeal cancer. 2012 , 16, 253-7	7
1105	Determinants of unwanted pregnancies in India using matched case-control designs. 2012 , 12, 84	21
1104	Determinants of linear growth from infancy to school-aged years: a population-based follow-up study in urban Amazonian children. 2012 , 12, 265	21
1103	Causes and determinants of inequity in maternal and child health in Vietnam. 2012 , 12, 641	34
1102	The severity of dental caries in adults aged 35 to 44 years residing in the metropolitan area of a large city in Brazil: a cross-sectional study. 2012 , 12, 25	15
1101	Inequity in maternal health care utilization in Vietnam. 2012 , 11, 24	49
1100	Is income area level associated with blood pressure in adults regardless of individual-level characteristics? A multilevel approach. 2012 , 18, 971-7	7
1099	CHILDHOOD DEPRESSION. Exploring the association between family violence and other psychosocial factors in low-income Brazilian schoolchildren. 2012 , 6, 26	9
1098	Factors associated with physician agreement on verbal autopsy of over 11,500 injury deaths in India. 2012 , 7, e30336	9
1097	Underlying factors associated with anemia in Amazonian children: a population-based, cross-sectional study. 2012 , 7, e36341	71
1096	Prevalence of falls and associated factors in elderly individuals. 2012 , 46, 138-46	48
1095	Risk factors for vascular occlusive events and death due to bleeding in trauma patients; an analysis of the CRASH-2 cohort. 2012 , 7, e50603	7
1094	[Pap smears among pregnant women in Southern Brazil: a representative cross-sectional survey]. 2012 , 34, 518-23	1
1093	[Contextual and individual inequalities in dental pain prevalence among Brazilian adults and elders]. 2012 , 28 Suppl, s114-23	11
1092	Perinatal Outcomes of Multiple Births in Southwest Nigeria. 2012 , 29,	2
1091	Malnutrition among children under 60 months of age in two cities of the state of Acre, Brazil: prevalence and associated factors. 2012 , 15, 211-21	16
1090	[Differences in risk factors for infant mortality in five Brazilian cities: a case-control study based on the Mortality Information System and Information System on Live Births]. 2012 , 28, 2163-76	18
1089	[Regular consumption of fruits and vegetables by university students in Rio Branco, Acre State, Brazil: prevalence and associated factors]. 2012 , 28, 1405-13	14

1088	Delimitation of kala-azar risk areas in the district of Vaishali in Bihar (India) using a geo-environmental approach. 2012 , 107, 609-20	20
1087	[Previous history of Pap smears and cervical cancer: a case-control study in the Baixada Fluminense, Rio de Janeiro State, Brazil]. 2012 , 28, 1841-53	2
1086	Prevalence and associated factors with alcohol use disorders among adults: a population-based study in southern Brazil. 2012 , 15, 582-94	23
1085	Sociodemographic risk factors of perinatal depression: a cohort study in the public health care system. 2012 , 34, 143-8	49
1084	[Factors associated with psychological distress among military police in Rio de Janeiro, Brazil]. 2012 , 28, 1297-311	12
1083	[Characteristics associated with the use of dental services by the adult Brazilian population]. 2012 , 17, 531-44	25
1082	[Factors associated with the use of the Papanicolaou smear screening among older women in the interior of Brazil]. 2012 , 34, 432-7	1
1081	[Factors associated with preterm birth in Campina Grande, Para�ba State, Brazil: a case-control study]. 2012 , 28, 1078-90	9
1080	Pr� hipertens� e hipertens� em adultos de Florian�polis: estudo de base populacional. 2012 , 46, 988-998	12
1079	[Socioeconomic and demographic inequalities as risk factors for self-reported arthritis: a population-based study in southern Brazil]. 2012 , 28, 1506-16	3
1078	[Nutritional status of children attended in day-care-centers and food (in)security of their families]. 2012 , 17, 3425-36	9
1077	Factors associated to medicine use among children from the 2004 Pelotas Birth Cohort (Brazil). 2012 , 46, 487-96	3
1076	[Family environment and attention-deficit hyperactivity disorder]. 2012 , 46, 624-32	6
1075	Periodontitis-associated risk factors in pregnant women. 2012 , 67, 27-33	27
1074	Type of delivery attendant, place of delivery and risk of early neonatal mortality: analyses of the 1994-2007 Indonesia Demographic and Health Surveys. 2012 , 27, 405-16	54
1073	Early respiratory morbidity in a multicultural birth cohort: the Generation R Study. 2012 , 27, 453-62	6
1072	Prevalence and factors associated with high body fat in adolescents from a region of Brazil. 2012 , 37, 791-8	5
1071	Acute low back pain in high school adolescents in Southern Brazil: prevalence and associated factors. 2012 , 21, 1234-40	23

1070	Is religiosity related to periodontal health among the adult Jewish population in Jerusalem?. 2012 , 47, 418-25	16
1069	The impacts of gingivitis and calculus on Thai children's quality of life. 2012 , 39, 834-43	23
1068	Tooth loss is associated with increased blood pressure in adults--a multidisciplinary population-based study. 2012 , 39, 824-33	45
1067	Anemia prevalence and its determinants in Brazilian institutionalized elderly. 2012 , 28, 640-3	10
1066	The role of care-seeking delays in intrauterine fetal deaths among 'near-miss' women in Herat, Afghanistan. 2012 , 26, 388-97	8
1065	Regression analysis and causal inference: cause for concern?. 2012 , 44, 134-7	6
1064	Breastfeeding duration, age of starting solids and high BMI risk and adiposity in Indian children. 2013 , 9, 199-216	22
1063	Assessing changes in oral health-related quality of life and its factors in community-dwelling older Brazilians. 2013 , 30, 176-86	11
1062	Severe maternal morbidity: a case-control study in Maranhao, Brazil. 2013 , 10, 11	15
1061	Prevalence, comorbidity and predictors of anxiety disorders in children and adolescents in rural north-eastern Uganda. 2013 , 7, 21	45
1060	Socioeconomic inequalities in abdominal obesity in Brazilian female adolescents: a national-based study. 2013 , 172, 1665-70	17
1059	Neonatal mortality in Ethiopia: trends and determinants. 2013 , 13, 483	105
1058	Increase of chronic low back pain prevalence in a medium-sized city of southern Brazil. 2013 , 14, 155	43
1057	The impact of socioenvironmental characteristics on domains of oral health-related quality of life in Brazilian schoolchildren. 2013 , 13, 10	36
1056	A cross-sectional analysis of women's mental health problems: examining the association with different types of violence among a sample of Brazilian mothers. 2013 , 13, 20	13
1055	Prevalence and risk factors of depression in childhood and adolescence as seen in four districts of North-Eastern Uganda. 2013 , 13, 19	38
1054	Prevalence of anemia and associated factors among indigenous children in Brazil: results from the First National Survey of Indigenous People's Health and Nutrition. 2013 , 12, 69	49
1053	Nutritional status of indigenous children: findings from the First National Survey of Indigenous People's Health and Nutrition in Brazil. 2013 , 12, 23	46

1052	Exploring the impact of oral diseases and disorders on quality of life of preschool children. 2013 , 41, 327-35	121
1051	Sociodemographic, anthropometric and dietary determinants of dyslipidemia in preschoolers. 2013 , 89, 462-469	
1050	Blood transfusion reactions in children: associated factors. 2013 , 89, 400-6	19
1049	Sociodemographic, anthropometric and dietary determinants of dyslipidemia in preschoolers. 2013 , 89, 462-9	13
1048	Intimate partner violence against women during and after pregnancy: a cross-sectional study in Mumbai slums. 2013 , 13, 817	54
1047	Association between family environment and attention deficit hyperactivity disorder in children--mothers' and teachers' views. 2013 , 13, 215	19
1046	Nutritional status of children under 5 years of age in the Brazilian Western Amazon before and after the Inter-oceanic highway paving: a population-based study. 2013 , 13, 1098	16
1045	Gender differences in the association of perceived social support and social network with self-rated health status among older adults: a population-based study in Brazil. 2013 , 13, 122	77
1044	Advising mothers about breastfeeding and weaning reduced pacifier use in the first year of life: a randomized trial. 2013 , 41, 317-26	18
1043	Epidemiology of ocular surface squamous neoplasia in Africa. 2013 , 18, 1424-43	110
1042	Condom use among female sex workers in Uganda. 2013 , 25, 767-74	32
1041	Associations of individual, household and environmental characteristics with carbon dioxide emissions from motorised passenger travel. 2013 , 104, 158-169	84
1040	Blood transfusion reactions in children: Associated factors. 2013 , 89, 400-406	1
1039	Major depressive episode among Brazilian adults: a cross-sectional population-based study. 2013 , 150, 401-7	19
1038	Impact of early childhood caries on the oral health-related quality of life of preschool children and their parents. 2013 , 47, 211-8	128
1037	The prevalence and correlates of meeting the current physical activity for health guidelines in older people: a cross-sectional study in Brazilian women. 2013 , 56, 492-500	13
1036	Risk factors for unplanned pregnancy among young women in Tanzania. 2013 , 39, e2	36
1035	Socioeconomic inequalities in youth smoking in Brazil. 2013 , 3, e003538	31

1034	Increased health risks of children with single mothers: the impact of socio-economic and environmental factors. 2013 , 23, 469-75		48
1033	Mediators of the association between pre-eclampsia and cerebral palsy: population based cohort study. 2013 , 347, f4089		40
1032	Inequity in maternal health care service utilization in Gujarat: analyses of district-level health survey data. 2013 , 6, 1-9		41
1031	Misclassification of the mediator matters when estimating indirect effects. 2013 , 67, 458-66		49
1030	Mediation analysis in epidemiology: methods, interpretation and bias. <i>International Journal of Epidemiology</i> , 2013 , 42, 1511-9	7.8	366
1029	Lifestyle factors and socioeconomic variables associated with abdominal obesity in Brazilian adolescents. 2013 , 40, 1-8		21
1028	Food expenditures, cariogenic dietary practices and childhood dental caries in southern Brazil. 2013 , 47, 373-81		2
1027	Early life influences on the risk of injecting drug use: case control study based on the Edinburgh Addiction Cohort. 2013 , 108, 743-50		12
1026	Risk factors for hospital admission due to acute lower respiratory tract infection in Guarani indigenous children in southern Brazil: a population-based case-control study. 2013 , 18, 596-607		25
1025	Effect of HSV-2 on population-level trends in HIV incidence in Uganda between 1990 and 2007. 2013 , 18, 1257-66		7
1024	Multilevel analysis of the association between posterior restorations and gingival health in young adults: a population-based birth cohort. 2013 , 40, 1126-31		11
1023	Predictive factors for pulp necrosis in traumatized primary incisors: a longitudinal study. 2013 , 23, 460-9		8
1022	Support for a tobacco endgame and increased regulation of the tobacco industry among New Zealand smokers: results from a National Survey. 2013 , 22, e86-93		17
1021	Factors associated with physical inactivity in transportation in Brazilian adults living in a low socioeconomic area. 2013 , 10, 856-62		10
1020	IMPACT OF ENVIRONMENTAL AND SOCIAL FACTORS ON ROSS RIVER VIRUS OUTBREAKS. 2013 , 419-432		
1019	A Formal Approach to the Study of the Evolution and Commonality of Patterns. 2013 , 40, 23-42		3
1018	Alcohol use, mycoplasma genitalium, and other STIs associated With HIV incidence among women at high risk in Kampala, Uganda. 2013 , 62, 119-26		44
1017	[Healthy eating, schooling and being overweight among low-income women]. 2013 , 18, 357-66		16

1016	[Factors associated with the quality of life of elderly men]. 2013 , 47, 678-85	5
1015	[Knowledge about pharmacotherapy among hypertensive patients]. 2013 , 18, 2263-74	4
1014	The outcome of tuberculosis treatment in subjects with chronic kidney disease in Brazil: a multinomial analysis. 2013 , 39, 585-94	11
1013	Associa�� entre as orienta��es pr��natais em aleitamento materno e a satisfa��o com o apoio para amamentar. 2013 , 13, 147-159	7
1012	Iron supplementation among pregnant women: results from a population-based survey study. 2013 , 16, 729-36	6
1011	Prevalence of anxiety in patients admitted to a university hospital in southern Brazil and associated factors. 2013 , 16, 644-57	15
1010	HIV/AIDS transmission knowledge among adolescents aged 11 years from Southern Brazil. 2013 , 16, 420-31	5
1009	Chronic Post-traumatic Stress Following a Myocardial Infarction: Prevalence and Detection in Hospital Setting. 2013 , 02,	
1008	Sexual dysfunction symptoms in men age 40 or older: prevalence and associated factors. 2013 , 16, 444-53	8
1007	Dying in their prime: determinants and space-time risk of adult mortality in rural South Africa. 2013 , 7, 237-49	20
1006	[Knowledge of condom among adolescents: a population-based study in the semiarid region of Northeast Brazil]. 2013 , 29, 2297-306	2
1005	Fatores associados � qualidade de vida de Agentes Comunit�rios de Sa�de. 2013 , 18, 1375-1386	11
1004	[Determinants of dental services utilization by adults: a population-based study in Florian�polis, Santa Catarina State, Brazil]. 2013 , 29, 2319-32	8
1003	[Psychic suffering among civil police officers in Rio de Janeiro State]. 2013 , 18, 633-44	5
1002	Preditores do desconhecimento do status sorol�gico de HIV entre pu�lperas submetidas ao teste r�pido anti-HIV na interna��o para o parto. 2013 , 18, 1313-1320	1
1001	[High blood pressure in adolescents: prevalence and associated factors]. 2013 , 18, 3391-400	9
1000	[Factors associated with the use of supplements among newborns in communal wards in Rio de Janeiro, 2009]. 2013 , 18, 431-9	4
999	Inequalities in self-rated oral health in adults. 2013 , 47, 740-51	21

998	Soil-transmitted helminthiasis in Latin America and the Caribbean: modelling the determinants, prevalence, population at risk and costs of control at sub-national level. 2013 , 7, 321-40	9
997	Full-term newborns with normal birth weight requiring special care in a resource-constrained setting. 2013 , 15, 36	2
996	Are recurrent denture-related sores associated with the risk of oral cancer? A case control study. 2013 , 16, 705-15	15
995	Access to and utilization of prenatal care services in the Unified Health System of the city of Rio de Janeiro, Brazil. 2013 , 16, 953-65	16
994	Prevalence of HIV and other sexually transmitted infections among female sex workers in Kisumu, Western Kenya, 1997 and 2008. 2013 , 8, e54953	24
993	HIV-1 transmission within marriage in rural Uganda: a longitudinal study. 2013 , 8, e55060	26
992	Independent and combined effects of physical activity and sedentary behavior on blood pressure in adolescents: gender differences in two cross-sectional studies. 2013 , 8, e62006	23
991	Impact of Indian Total Sanitation Campaign on latrine coverage and use: a cross-sectional study in Orissa three years following programme implementation. 2013 , 8, e71438	127
990	Prevalence and correlates of alcohol dependence disorder among TB and HIV infected patients in Zambia. 2013 , 8, e74406	17
989	Association between socioeconomic position and tuberculosis in a large population-based study in rural Malawi. 2013 , 8, e77740	13
988	HIV Infection among Young People in Northwest Tanzania: The Role of Biological, Behavioural and Socio-Demographic Risk Factors. 2013 , 8, e66287	8
987	Factors related to the use of dental services among adolescents from Gravata [^] -RS, Brazil, in 2005. 2013 , 16, 546-54	8
986	Predicting Self-Initiated Marijuana Use Cessation among Youth at Continuation High Schools. 2013 , 4, 69	9
985	Intimate partner violence and unintended pregnancy: prevalence and associated factors. 2013 , 29, 2394-404	13
984	Association of blood pressure and hypertension with alcohol consumption in HIV-infected white and nonwhite patients. 2013 , 2013, 169825	3
983	Factors related to oral health-related quality of life of independent brazilian elderly. 2013 , 2013, 705047	33
982	Risk of coronary heart disease among HIV-infected patients: a multicenter study in Brazil. 2013 , 2013, 163418	3
981	[Prevalence and associated factors with hospitalization for treatment of urinary tract infection during pregnancy]. 2013 , 35, 199-204	6

980	[Self-perceived oral health among adults in Northeastern Brazil]. 2013 , 47 Suppl 3, 98-108		13
979	Factors associated to breastfeeding in the first hour of life: systematic review. 2014 , 48, 697-708		74
978	Qualidade da dieta e fatores associados em crian [^] as matriculadas em uma escola municipal de Itaja [^] [Santa Catarina. 2014 , 22, 32-39		10
977	Association of traumatic dental injuries with individual-, sociodemographic- and school-related factors among schoolchildren in midwest Brazil. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 9885-96	4.6	11
976	Social inequalities and women's satisfaction with childbirth care in Brazil: a national hospital-based survey. 2014 , 30 Suppl 1, S1-15		33
975	[Factors associated with excess weight in Brazilian children under five years of age]. 2014 , 19, 943-55		5
974	Pre-frailty and frailty of elderly residents in a municipality with a low Human Development Index. 2014 , 22, 654-61		13
973	Prevalence of chlamydia in young adulthood and association with life course socioeconomic position: birth cohort study. 2014 , 9, e104943		7
972	Impact of co-infections and BCG immunisation on immune responses among household contacts of tuberculosis patients in a Ugandan cohort. 2014 , 9, e111517		18
971	Short sleep duration and childhood obesity: cross-sectional analysis in Peru and patterns in four developing countries. 2014 , 9, e112433		13
970	Television time among Brazilian adolescents: correlated factors are different between boys and girls. 2014 , 2014, 794539		10
969	The role of the neighborhood, family and peers regarding Colombian adolescents' social context and aggressive behavior. 2014 , 16, 208-20		5
968	Risk factors for episiotomy: a case-control study. 2014 , 60, 465-472		9
967	[Physical inactivity among non-institutionalized elderly individuals: a population-based study]. 2014 , 19, 3489-96		4
966	Prevalence and factors associated with sedentary behavior in adolescents. 2014 , 48, 266-74		31
965	Prevalence and determinants of child undernutrition and stunting in semiarid region of Brazil. 2014 , 48, 19-28		32
964	Independent risk factors associated with infant deaths. 2014 , 27, 48-55		1
963	Assist [^] ncia [^] crian [^] as: preenchimento da caderneta de sa [^] de em munic [^] pios do semi [^] rido brasileiro. 2014 , 14, 219-227		5

962	Factors associated with the feeding practices of the adult population of Goi�bia, Goi�s, Brazil. 2014 , 17, 267-80	4
961	[Factors associated with use of oral health services: a population-based study in municipalities of the state of Maranh�o, Brazil]. 2014 , 19, 629-40	8
960	AVALIA�O DA QUALIDADE DA DIETA DE ESCOLARES POR SEUS PAIS E/OU RESPONS�VEIS. 2014 , 8,	
959	Prevalence of comorbidities between mood and anxiety disorders: associated factors in a population sample of young adults in southern Brazil. 2014 , 30, 2413-2422	5
958	Overweight among children under five years of age in municipalities of the semiarid region. 2014 , 17, 860-72	5
957	Relationship between maternal depression as a risk factor for childhood trauma and mood disorders in young adults. 2014 , 41, 72-76	2
956	[Anemia and vitamin A deficiency in children under five years old attended under the Family Health Program in the State of Pernambuco, Brazil]. 2014 , 19, 1209-22	5
955	[Risk factors of stunting in preschool children: a case-control study]. 2014 , 19, 1495-502	7
954	[Dental spacing problems and associated factors among Brazilian adolescents]. 2014 , 19, 4555-68	2
953	[Avoidable infant deaths in the 1993 and 2004 Pelotas birth cohorts, Rio Grande do Sul State, Brazil.]. 2014 , 30, 2331-2343	3
952	[Factors associated with participation in sports and physical education among students from Londrina, Paran� state, Brazil]. 2014 , 30, 533-45	4
951	Compara�o de m�todos de regress�o multivariada no estudo de determinantes da c�rie dent�ria em crian�as. 2014 , 14, 343-352	1
950	Atividade f�sica e fatores associados em doentes arteriais coronarianos. 2014 , 24, 46	1
949	Tooth Loss in Adult Workers According Different Indicators in a Hierarchical Approach. 2014 , 5, 28-35	
948	[Factors associated with low levels of lumbar strength in adolescents in Southern Brazil]. 2014 , 32, 360-6	0
947	Correlates of cardiorespiratory and muscular fitness among Brazilian adolescents. 2014 , 38, 42-52	13
946	Factors underlying the polarization of early childhood caries within a high-risk population. 2014 , 14, 988	17
945	Factors associated with remission of eczema in children: a population-based follow-up study. 2014 , 94, 179-84	11

944	Experiences of stigma and discrimination of people with schizophrenia in India. 2014 , 123, 149-59		84
943	Prospective study of leptospirosis transmission in an urban slum community: role of poor environment in repeated exposures to the <i>Leptospira</i> agent. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e2927	4.8	101
942	Epidemiology of disappearing <i>Plasmodium vivax</i> malaria: a case study in rural Amazonia. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e3109	4.8	75
941	The contribution of unimproved water and toilet facilities to pregnancy-related mortality in Afghanistan: analysis of the Afghan Mortality Survey. 2014 , 19, 1488-99		8
940	Prevalence of high blood pressure in 122,053 adolescents: a systematic review and meta-regression. 2014 , 93, e232		64
939	[The impact of migration background on children's secondhand smoke exposure. A cross-sectional study within the health monitoring units (GME) in Bavaria, Germany]. 2014 , 76, e14-22		7
938	Reliability of demographic and socioeconomic variables in predicting early initiation of breastfeeding: a replication analysis using the Kenya Demographic and Health Survey data. 2014 , 4, e005194		11
937	Determinants of Diarrhoea in Urban Slums of Dhaka and Adjacent Rural Areas: a Household-level Analysis. 2014 , 20, 498-511		8
936	Severe events in the first 6 months of life in a cohort of HIV-unexposed infants from South Africa: effects of low birthweight and breastfeeding status. 2014 , 19, 1162-9		7
935	Socioeconomic, behavioral, and anthropometric risk factors for traumatic dental injuries in childhood: a cohort study. 2014 , 24, 234-43		19
934	Impact of untreated dental caries on quality of life of preschool children: different stages and activity. 2014 , 42, 311-22		68
933	Development of socioeconomic inequalities in obesity among Dutch pre-school and school-aged children. 2014 , 22, 2230-7		41
932	Ophthalmic abnormalities in children with developmental coordination disorder. 2014 , 56, 164-70		16
931	Leprosy in Brazil and its association with characteristics of municipalities: ecological study, 2009-2011. 2014 , 19, 1216-25		30
930	Determinants of falls in community-dwelling elderly: hierarchical analysis. 2014 , 31, 290-7		19
929	Medication use in adults living in Brasilia, Brazil: a cross-sectional, population-based study. 2014 , 23, 507-14		12
928	Still in the first steps of a barefoot knowledge engineering. 2014 ,		
927	Green tobacco sickness among tobacco farmers in southern Brazil. 2014 , 57, 726-35		28

926	Does history of childhood maltreatment make a difference in prison? A hierarchical approach on early family events and personality traits. 2014 , 220, 1064-70	12
925	Factors associated with parent support for condom education and availability. 2014 , 41, 207-15	7
924	Dental caries is associated with dental fear in childhood: findings from a birth cohort study. 2014 , 48, 263-70	37
923	Risk pathways for gonorrhea acquisition in sex workers: can we distinguish confounding from an exposure effect using a priori hypotheses?. 2014 , 210 Suppl 2, S579-85	2
922	Longitudinal study of dental caries increment in Malaysian school children: a 5-year cohort study. 2014 , 26, 260-7	7
921	The Canadian STOP-PAIN project: the burden of chronic pain-does sex really matter?. 2014 , 30, 443-52	17
920	Association between social determinants of health and functional dentition in 35-year-old to 44-year-old Brazilian adults: a population-based analytical study. 2014 , 42, 503-16	14
919	Factors associated with stunting and overweight in Amazonian children: a population-based, cross-sectional study. 2014 , 17, 551-60	12
918	Prevalence of post-mastectomy pain syndrome and associated risk factors: a cross-sectional cohort study. 2014 , 15, 731-7	36
917	Preterm premature rupture of the fetal membranes: association with sociodemographic factors and maternal genitourinary infections. 2014 , 90, 197-202	
916	Cross-border activities and association with current methamphetamine use among Chinese injection drug users (IDUs) in a China-Myanmar border region. 2014 , 138, 48-53	21
915	Prevalence of cardiovascular risk factors among Latin American adolescents: a multilevel analysis. 2014 , 28, 206-9	2
914	Epidemiology of extrapulmonary tuberculosis in Brazil: a hierarchical model. 2014 , 14, 9	46
913	Social determinants of childhood asthma symptoms: an ecological study in urban Latin America. 2014 , 39, 355-62	6
912	Factors associated with the utilisation of postnatal care services among the mothers of Nepal: analysis of Nepal demographic and health survey 2011. 2014 , 14, 19	93
911	Associations between perceived needs for dental treatment, oral health-related quality of life and oral diseases in school-aged Thai children. 2014 , 42, 323-32	13
910	Prevalence of facial trauma and associated factors in victims of road traffic accidents. 2014 , 32, 1382-6	13
909	Traditional oral remedies and perceived breast milk insufficiency are major barriers to exclusive breastfeeding in rural Zimbabwe. 2014 , 144, 1113-9	21

908	Factors associated with tuberculosis by HIV status in the Brazilian national surveillance system: a cross sectional study. 2014 , 14, 415	15
907	Association between parental guilt and oral health problems in preschool children: a hierarchical approach. 2014 , 14, 854	16
906	Comparing adult users of public and private dental services in the state of Minas Gerais, Brazil. 2014 , 14, 100	18
905	Sexual risk behavior, alcohol use, and social media use among secondary school students in informal settlements in Cape Town and Port Elizabeth, South Africa. 2014 , 18, 1661-74	16
904	Do the omeprazole family compounds exert a protective effect against influenza-like illness?. 2014 , 14, 297	3
903	Duration of exclusive breastfeeding in a Brazilian population: new determinants in a cohort study. 2014 , 14, 175	42
902	Predictors of acute undernutrition among children aged 6 to 36 months in east rural Ethiopia: a community based nested case - control study. 2014 , 14, 91	44
901	Impact of oral health conditions on the quality of life of preschool children and their families: a cross-sectional study. 2014 , 12, 55	94
900	Childhood trauma and suicide risk in a sample of young individuals aged 14-35 years in southern Brazil. 2014 , 38, 1191-6	48
899	Vitamins and iron blood biomarkers are associated with blood pressure levels in European adolescents. The HELENA study. 2014 , 30, 1294-300	8
898	Predictors of psychological distress among postnatal mothers in rural Nepal: a cross-sectional community-based study. 2014 , 156, 76-86	37
897	Impact of low birthweight on early childhood caries in 6-36 months old infants in Uganda: A cross-sectional study. 2014 , 72, 312-20	4
896	Preterm premature rupture of the fetal membranes: association with sociodemographic factors and maternal genitourinary infections. 2014 , 90, 197-202	21
895	Association between coverage of maternal and child health interventions, and under-5 mortality: a repeated cross-sectional analysis of 35 sub-Saharan African countries. 2014 , 7, 24765	18
894	Physical inactivity and associated factors among women from a municipality in southern Brazil. 2014 , 11, 777-83	8
893	Impact of risk factors on the timing of first postpartum venous thromboembolism: a population-based cohort study from England. 2014 , 124, 2872-80	50
892	Socio-economic and environmental effects influencing the development of leprosy in Bahia, north-eastern Brazil. 2014 , 19, 1504-14	23
891	How much do preexisting chronic conditions contribute to age differences in health care expenditures after a work-related musculoskeletal injury?. 2014 , 52, 71-7	13

890	Factors associated with low levels of lumbar strength in adolescents in Southern Brazil* **Study conducted at Universidade Federal de Santa Catarina, Florianópolis, SC, Brazil.. 2014 , 32, 360-366	1
889	Community mobilization and empowerment of female sex workers in Karnataka State, South India: associations with HIV and sexually transmitted infection risk. 2014 , 104, 1516-25	51
888	Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. 2015 , 12 Suppl 2, S8	104
887	Association between depression and glycemic control among type 2 diabetes patients in Lima, Peru. 2015 , 7, 419-26	11
886	Workplace climate, employee actions, work injury and structural equation modelling. 2015 , 72, 465-6	4
885	Excessive TV Viewing Time and Associated Factors in Brazilian Adolescents from a Rural Area. 2015 , 16,	
884	HIV testing in the maternity ward and the start of breastfeeding: a survival analysis. 2015 , 91, 397-404	
883	Association between socioeconomic and biological factors and infant weight gain: Brazilian Demographic and Health Survey â[PND5-2006/07. 2015 , 91, 284-291	
882	An investigation on factors associated with malnutrition among underfive children in Nakaseke and Nakasongola districts, Uganda. 2015 , 15, 134	18
881	Maternal Blood Pressure During Pregnancy and Early Childhood Blood Pressures in the Offspring: The GUSTO Birth Cohort Study. 2015 , 94, e1981	7
880	Under-utilization of antenatal care services in Timor-Leste: results from Demographic and Health Survey 2009-2010. 2015 , 15, 211	16
879	The effect of mother's educational status on early initiation of breastfeeding: further analysis of three consecutive Nepal Demographic and Health Surveys. 2015 , 15, 1069	46
878	Correction. 2015 , 91, 382-382	
877	Factors Associated With Muscle Strength Among Rural Community-Dwelling Older Women in Southern Brazil. 2015 , 38, 162-8	5
876	Lifestyle and dental attendance as predictors of oral health-related quality of life. 2015 , 21, 659-66	19
875	Love, Trust, and HIV Risk Among Female Sex Workers and Their Intimate Male Partners. 2015 , 105, 1667-74	21
874	The association of depression and anxiety with dental caries and periodontal disease among Finnish adults. 2015 , 43, 540-9	27
873	Perceived barriers to leisure-time physical activity and associated factors in adolescents. 2015 , 20, 3339-50	17

872	Declines in violence and police arrest among female sex workers in Karnataka state, south India, following a comprehensive HIV prevention programme. 2015 , 18, 20079		29
871	[Tooth loss classification: factors associated with a new classification in an adult population group]. 2015 , 20, 2825-35		9
870	Pit latrine emptying behavior and demand for sanitation services in Dar Es Salaam, Tanzania. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 2588-611	4.6	59
869	[Use of different criteria to assess inadequate prenatal care: a population-based study in Southern Brazil]. 2015 , 31, 1003-14		4
868	Breast cancer survival and health inequities. 2015 , 31, 1673-84		12
867	Prevalence and associated factors of stunting among primary school children in Eastern Ethiopia. 2015 , 61		15
866	Self-reported dyslipidemia in central-west Brazil: prevalence and associated factors. 2015 , 20, 1815-24		2
865	Características das crianças menores de cinco anos atendidas em serviços de atenção básica em dois municípios do nordeste brasileiro. 2015 , 15, 33-46		2
864	[Domains of physical activity in slave-descendant communities in Southwest Bahia State, Brazil: a population-based study]. 2015 , 31, 1213-24		1
863	2010 A(H1N1) vaccination in pregnant women in Brazil: identifying coverage and associated factors. 2015 , 31, 1247-56		8
862	Incidence and risk factors for intimate partner violence during the postpartum period. 2015 , 49, 46		18
861	Asthenopia in schoolchildren. 2015 , 9, 1595-603		19
860	Diferenças entre sexos nos determinantes da obesidade abdominal em adultos de 40 anos ou mais: estudo de base populacional. 2015 , 28, 485-496		3
859	Depressive symptoms in elderly living in areas covered by Primary Health Care Units in urban area of Bagé, RS. 2015 , 18, 1-12		22
858	Vitamin A status and associated factors in infants attending at Primary Health Care in Goiânia, Goiás, Brazil. 2015 , 18, 490-502		7
857	Dental caries and periodontal disease in Brazilian children and adolescents with cerebral palsy. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 12, 335-53	4.6	25
856	25-Hydroxyvitamin D3 Levels, Bsm1 Polymorphism and Insulin Resistance in Brazilian Amazonian Children. 2015 , 16, 12531-46		17
855	Factors associated with exclusive breastfeeding in the first six months of life in Brazil: a systematic review. 2015 , 49,		66

854	Social determinants of nonadherence to tuberculosis treatment in Buenos Aires, Argentina. 2015 , 31, 1983-94	5
853	Dental caries in 12-year-old schoolchildren: multilevel analysis of individual and school environment factors in Goi�nia. 2015 , 18, 642-54	8
852	Socioeconomic position early in adolescence and mode of delivery later in life: findings from a Portuguese birth cohort. 2015 , 10, e0119517	2
851	Anemia among Primary School Children in Eastern Ethiopia. 2015 , 10, e0123615	25
850	Do Maternal Living Arrangements Influence the Vaccination Status of Children Age 12-23 Months? A Data Analysis of Demographic Health Surveys 2010-11 from Zimbabwe. 2015 , 10, e0132357	13
849	Factors Associated with Mortality and Graft Failure in Liver Transplants: A Hierarchical Approach. 2015 , 10, e0134874	17
848	Microbiological Evaluation of Household Drinking Water Treatment in Rural China Shows Benefits of Electric Kettles: A Cross-Sectional Study. 2015 , 10, e0138451	16
847	Inequality of Experience of Dental Caries between Different Ethnic Groups of Brazilians Aged 15 to 19 Years. 2015 , 10, e0145553	11
846	Dental pain and associated factors in 2 to 4-year-old children in Goi�nia. 2015 , 18, 630-41	6
845	Association between anterior open bite and impact on quality of life of preschool children. 2015 , 29, 46	23
844	Factors Associated with the Presence of Teeth in the Adult and Elderly Xukuru Indigenous Population in Ororub�. 2015 ,	0
843	Geschlecht in der Public-Health-Forschung zu gesundheitlichen Ungleichheiten: Potenziale und Begrenzungen des Intersektionalit�tsansatzes. 2015 , 7, 51-67	8
842	Self-rated health in urban adults, perceptions of the physical and social environment, and reported comorbidities: The BH Health Study. 2015 , 31 Suppl 1, 120-35	17
841	Association of perceived neighborhood problems and census tract income with poor self-rated health in adults: a multilevel approach. 2015 , 31 Suppl 1, 79-91	7
840	Delays in tuberculosis suspicion and diagnosis and related factors. 2015 , 18, 809-23	7
839	Metabolic syndrome in fixed-shift workers. 2015 , 49, 30	10
838	Pr�natal em mulheres usu�rias do Sistema�nico de Sa�de em duas maternidades no Estado do Rio de Janeiro, Brasil: a cor importa?. 2015 , 15, 209-217	7
837	Childhood tuberculosis and human immunodeficiency virus status in Brazil: a hierarchical analysis. 2015 , 19, 1305-11	5

836	Influence of feeding practices and associated factors on the nutritional status of infants in rural areas of Madhya Pradesh state, India. 2015 , 27, NP1345-61	21
835	Depression among Brazilian adolescents: a cross-sectional population-based study. 2015 , 175, 281-6	7
834	Selective disclosure of HIV status in egocentric support networks of people living with HIV/AIDS. 2015 , 19, 72-80	16
833	Factors associated with tuberculosis infection, and with anti-mycobacterial immune responses, among five year olds BCG-immunised at birth in Entebbe, Uganda. 2015 , 33, 796-804	20
832	Dietary protein and amino acids intake and its relationship with blood pressure in adolescents: the HELENA STUDY. 2015 , 25, 450-6	17
831	Association between oral conditions and functional limitations in childhood. 2015 , 42, 420-9	14
830	Population and dyadic-based seroincidence of herpes simplex virus-2 and syphilis in southern India. 2015 , 91, 375-82	5
829	Body size dissatisfaction among young adults from the 1982 Pelotas birth cohort. 2015 , 69, 55-61	16
828	Adolescent cannabis and tobacco use and educational outcomes at age 16: birth cohort study. 2015 , 110, 658-68	67
827	Antenatal Iron-Folic Acid Supplementation Reduces Neonatal and Under-5 Mortality in Nepal. 2015 , 145, 1873-83	15
826	Association between plasma adiponectin and arteriolar vessel caliber among elderly hypertensive subjects. 2015 , 9, 620-627.e1	10
825	Anthropometric Characterization of Impaired Fetal Growth: Risk Factors for and Prognosis of Newborns With Stunting or Wasting. 2015 , 169, e151431	42
824	HIV testing in the maternity ward and the start of breastfeeding: a survival analysis. 2015 , 91, 397-404	1
823	Risk factors for hospital admission of Brazilian children with non-rotavirus diarrhoea: a case control-study. 2015 , 109, 454-61	3
822	Does different wording of a global oral health question provide different results?. 2015 , 73, 250-7	3
821	Gait parameters predicted by Timed Up and Go performance in stroke patients. 2015 , 36, 73-80	15
820	[Evaluation of knowledge on blood pressure levels and chronicity of hypertension among users of a public pharmacy in Southern Brazil]. 2015 , 31, 395-404	3
819	The combined effect of physical activity and sedentary behaviors on a clustered cardio-metabolic risk score: The Helena study. 2015 , 186, 186-95	28

818	The increasing trend in preterm birth in public hospitals in northern Argentina. 2015 , 130, 137-41	6
817	Sexual Violence Against Men Who Have Sex with Men in Brazil: A Respondent-Driven Sampling Survey. 2015 , 19, 1630-41	27
816	Family socioeconomic factors are negatively associated with blood pressure in European boys, but not girls, and Brazilian adolescents: Results from two observational studies. 2015 , 24, 250-7	
815	Diarrhea and health inequity among Indigenous children in Brazil: results from the First National Survey of Indigenous People's Health and Nutrition. 2015 , 15, 191	18
814	Why language matters: insights and challenges in applying a social determination of health approach in a North-South collaborative research program. 2015 , 11, 9	42
813	Migration, urbanisation and mortality: 5-year longitudinal analysis of the PERU MIGRANT study. 2015 , 69, 715-8	12
812	Deciduous-dentition malocclusion predicts orthodontic treatment needs later: findings from a population-based birth cohort study. 2015 , 147, 492-8	24
811	Impact of dental caries on quality of life among preschool children: emphasis on the type of tooth and stages of progression. 2015 , 123, 88-95	36
810	Social support and social network as intermediary social determinants of dental caries in adolescents. 2015 , 43, 172-82	20
809	Clarifying the effect of behavioral and clinical factors on traumatic dental injuries in childhood: a hierarchical approach. 2015 , 31, 177-83	18
808	Directly observed therapy of tuberculosis in Brazil: associated determinants and impact on treatment outcome. 2015 , 19, 1188-93	14
807	Hospital of Delivery and the Racial Differences in Late Preterm and Early-Term Labor Induction. 2015 , 32, 952-9	2
806	High prevalence of hypertension and of risk factors for non-communicable diseases (NCDs): a population based cross-sectional survey of NCDs and HIV infection in Northwestern Tanzania and Southern Uganda. 2015 , 13, 126	109
805	Is the sexual behaviour of young people in sub-Saharan Africa influenced by their peers? A systematic review. 2015 , 146, 62-74	32
804	Mother's Perception of General Family Functioning and Sugar Consumption of 3- and 4-Year-Old Children: The East London Family Study. 2015 , 49, 515-22	4
803	Association between socioeconomic and biological factors and infant weight gain: Brazilian Demographic and Health Survey--PNDS-2006/07. 2015 , 91, 284-91	6
802	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. 2015 , 187, 179-82	10
801	The current deconstruction of paradoxes: one sign of the ongoing methodological "revolution". 2015 , 30, 1079-87	20

800	Sero-prevalence and associated risk factors of <i>Toxoplasma gondii</i> infection among pregnant women attending antenatal care at Felege Hiwot Referral Hospital, northwest Ethiopia. 2015 , 8, 549-54	20
799	<i>Mycoplasma genitalium</i> is associated with increased genital HIV type 1 RNA in Zimbabwean women. 2015 , 211, 1388-98	21
798	Maternal outcomes according to mode of delivery in women with severe preeclampsia: a cohort study. 2015 , 28, 654-60	14
797	Incidence of high blood pressure in children - effects of physical activity and sedentary behaviors: the IDEFICS study: High blood pressure, lifestyle and children. 2015 , 180, 165-70	61
796	Meal patterns in healthy adults: Inverse association of eating frequency with subclinical atherosclerosis indexes. 2015 , 34, 302-8	10
795	Depressive Mood Among Within-Country Migrants in Periurban Shantytowns of Lima, Peru. 2015 , 17, 1635-42	8
794	Impact of oral mucosal conditions on oral health-related quality of life in preschool children: a hierarchical approach. 2015 , 25, 117-26	11
793	Evaluaci³n de factores de riesgo para anticipar el desempe±o ante la Prueba Nacional de Pesquisa del Desarrollo en ni±os de un ±rea desfavorecida. 2016 , 114,	
792	Abordaje multidimensional de la anemia por deficiencia de hierro en ni±os menores de dos a±os de edad del Noreste Argentino. A±os 2004-2005. 2016 , 114,	
791	Patterns and determinants of antenatal care utilization: analysis of national survey data in seven countdown countries. 2016 , 6, 010404	68
790	[Practice of physical activity among youths in a city in the semiarid region of Brazil]. 2016 , 21, 1083-93	2
789	[Telephone monitoring service for pregnant women and impact on prevalence of prematurity and associated risk factors in Piracicaba, S±o Paulo State, Brazil]. 2016 , 32,	0
788	Trends and Predictors of Prolactal Feeding Practices in Nigeria (2003-2013). 2016 , 8,	28
787	[Depressive symptoms among the elderly: a cross-sectional population-based study]. 2016 , 21, 3575-3584	9
786	Depression among the elderly: a population-based study in Southern Brazil. 2016 , 19, 691-701	13
785	Association between institutional factors, birth care profile, and cesarean section rates in Santa Catarina. 2016 , 19, 525-538	5
784	Decreased Time to Treatment Initiation for Multidrug-Resistant Tuberculosis Patients after Use of Xpert MTB/RIF Test, Latvia. 2016 , 22, 482-90	16
783	[Inadequacy of the content of prenatal care and associated factors in a cohort in the northeast of Brazil]. 2016 , 21, 1227-38	9

782	Suicidal behaviour in adolescents: Characteristics and prevalence. 2016 , 26, 88	1
781	Risk factor assessment to anticipate performance in the National Developmental Screening Test in children from a disadvantaged area. 2016 , 114, 44-51	
780	[Difficulties in ensuring a healthy diet among primary health care users and associated factors]. 2016 , 21, 599-610	6
779	[Knowledge of modifiable risk factors for cardiovascular disease among women and the associated factors: a population-based study]. 2016 , 21, 293-302	4
778	Sero-prevalence and risk factors associated with toxoplasma gondii infection among pregnant women in Alexandria, Egypt. 2016 , 4220-4227	5
777	Factors associated with disease-specific survival of patients with non-small cell lung cancer. 2016 , 42, 317-325	5
776	[General and abdominal obesity among the elderly from Southern Brazil: results of the HOW ARE YOU DOING? (COMO VAI?) study]. 2016 , 21, 3585-3596	6
775	Social vulnerability effect over obesity anthropometric indexes: results from population-based epidemiological study. 2016 , 19, 433-50	2
774	Contextual and individual factors associated with dissatisfaction with the Brazilian Unified National Health System, 2011-2012. 2016 , 32, e00065015	4
773	Factors associated with the use of antihypertensives among seniors. 2016 , 50, 75	2
772	Iron-Folic Acid Supplementation During Pregnancy Reduces the Risk of Stunting in Children Less Than 2 Years of Age: A Retrospective Cohort Study from Nepal. 2016 , 8, 67	15
771	Relevance of Morning and Evening Energy and Macronutrient Intake during Childhood for Body Composition in Early Adolescence. 2016 , 8,	6
770	Acquired and Transmitted Multidrug Resistant Tuberculosis: The Role of Social Determinants. 2016 , 11, e0146642	16
769	Differences in Influenza Vaccination Coverage between Adult Immigrants and Italian Citizens at Risk for Influenza-Related Complications: A Cross-Sectional Study. 2016 , 11, e0166517	14
768	Factors associated to fetal death in Cuiabá - Mato Grosso. 2016 , 16, 353-361	0
767	Maternal and neonatal factors related to prematurity. 2016 , 50, 382-9	16
766	Association Among Periodontitis and the Use of Crack Cocaine and Other Illicit Drugs. 2016 , 87, 1396-1405	18
765	Risk factors for traumatic dental injuries in the primary dentition: concepts, interpretation, and evidence. 2016 , 32, 429-437	14

764	Factors associated with cesarean delivery during labor in primiparous women assisted in the Brazilian Public Health System: data from a National Survey. 2016 , 13, 114		15
763	Iron/folic acid supplementation during pregnancy prevents neonatal and under-five mortality in Pakistan: propensity score matched sample from two Pakistan Demographic and Health Surveys. 2016 , 9, 29621		8
762	Prevalence and factors associated with cracked nipples in the first month postpartum. 2016 , 16, 209		22
761	Population attributable risk estimates for factors associated with non-use of postnatal care services among women in Nigeria. 2016 , 6, e010493		15
760	Impact of Haemophilus influenzae Type B Conjugate Vaccines on Nasopharyngeal Carriage in HIV-infected Children and Their Parents From West Bengal, India. <i>Pediatric Infectious Disease Journal</i> , 2016 , 35, e339-e347	3-4	6
759	Long-term outcomes of dose-escalated intensity modulated radiation therapy alone without androgen deprivation therapy for patients with intermediate and high-risk prostate cancer. 2016 , 1, 300-309		5
758	Predisposing, enabling and need-for-care predictors of adolescents' intention to use sexual health services. 2016 , 13, 540-548		2
757	Factors associated with maternal near miss in childbirth and the postpartum period: findings from the birth in Brazil National Survey, 2011-2012. 2016 , 13, 115		28
756	An assessment of the herd-level impact of the Theileria orientalis (Ikeda) epidemic of cattle in New Zealand, 2012-2013: a mixed methods approach. 2016 , 64, 48-54		22
755	Soccer practice is associated with health-related behaviours among Brazilian male adolescents. 2016 , 12, 167-174		
754	Aerobic fitness in adolescents in southern Brazil: Association with sociodemographic aspects, lifestyle and nutritional status. 2016 , 9, 17-22		4
753	Achieving maternal and child health gains in Afghanistan: a Countdown to 2015 country case study. 2016 , 4, e395-413		56
752	[Factors associated with low levels of aerobic fitness among adolescents]. 2016 , 34, 141-7		7
751	[Incidence of community-acquired infections of lower airways among infants]. 2016 , 34, 204-9		2
750	Prevalence of abdominal obesity in adolescents: association between sociodemographic factors and lifestyle. 2016 , 34, 343-51		9
749	Factors associated with nutritional outcomes in the mother-child dyad: a population-based cross-sectional study. 2016 , 19, 2725-33		11
748	Development and validation of cardiovascular risk scores for haemodialysis patients. 2016 , 216, 68-77		30
747	Dietary patterns, nutrition knowledge and lifestyle: associations with blood pressure in a sample of Australian adults (the Food BP study). 2016 , 30, 581-90		15

746	The effect of education on household food security in two informal urban settlements in Kenya: a longitudinal analysis. 2016 , 8, 743-756	47
745	Oral conditions and trouble sleeping among preschool children. 2016 , 24, 395-400	6
744	Prevalence of abdominal obesity in adolescents: association between sociodemographic factors and lifestyle. 2016 , 34, 343-351	5
743	Early determinants of vagal activity at preschool age - With potential dependence on sex. 2016 , 103, 167-174	1
742	Factors associated with low levels of aerobic fitness among adolescents. 2016 , 34, 141-147	7
741	Prevalence of intestinal parasitic infections and associated risk factors among pregnant women attending antenatal care center at Felege Hiwot Referral Hospital, northwest Ethiopia. 2016 , 16, 530	37
740	Results of clubfoot treatment after manipulation and casting using the Ponseti method: experience in Harare, Zimbabwe. 2016 , 21, 1311-1318	16
739	Factors associated with deterioration of self-rated chewing ability among adults aged 60 years and older over a 6-year period. 2016 , 16, 46-54	9
738	Clarifying the Impact of Untreated and Treated Dental Caries on Oral Health-Related Quality of Life among Adolescents. 2016 , 50, 414-21	38
737	Correlates of self-reported weekday sleep duration in adolescents: the 18-year follow-up of the 1993 Pelotas (Brazil) Birth Cohort Study. 2016 , 23, 81-88	11
736	Sedentary lifestyle and its associated factors among adolescents from public and private schools of a Brazilian state capital. 2016 , 16, 1177	18
735	Childhood diarrhea in high and low hotspot districts of Amhara Region, northwest Ethiopia: a multilevel modeling. 2016 , 35, 13	31
734	Primary school students' mental health in Uganda and its association with school violence, connectedness, and school characteristics: a cross-sectional study. 2016 , 16, 662	12
733	Childhood pneumonia and crowding, bed-sharing and nutrition: a case-control study from The Gambia. 2016 , 20, 1405-1415	7
732	Prevalence and correlates of psychological distress symptoms among patients with substance use disorders in drug rehabilitation centers in urban Nepal: a cross-sectional study. 2016 , 16, 314	16
731	Stages of Behavioral Change for Physical Activity in High School Students: Prevalence and Associated Sociodemographic Factors. 2016 , 123, 526-42	3
730	Prevalence and risk factors related to preterm birth in Brazil. 2016 , 13, 127	56
729	History of childhood trauma as risk factors to suicide risk in major depression. 2016 , 246, 612-616	32

728	Premature adult mortality in urban Zambia: a repeated population-based cross-sectional study. 2016 , 6, e010801	2
727	Sedative use: its association with harmful alcohol use, harmful tobacco use and quality of life among health care workers in Thailand. 2016 , 21, 414-422	3
726	Factors associated with different types of birth attendants for home deliveries: an analysis of the cross-sectional 2010 South Sudan household survey. 2016 , 9, 29693	7
725	Prevalence of physical inactivity and associated socioeconomic indicators in indigenous Xavante communities in Central Brazil. 2016 , 2,	0
724	Factors Associated With Intestinal Constipation in Chronic Patients With Stroke Sequelae Undergoing Rehabilitation. 2016 , 39, 432-442	2
723	The baby-friendly hospital initiative and breastfeeding at birth in Brazil: a cross sectional study. 2016 , 13, 119	8
722	Psychiatric disorders and menopause symptoms in Brazilian women. 2016 , 23, 433-40	4
721	Rapid Infancy Weight Gain and 7- to 9-year Childhood Obesity Risk: A Prospective Cohort Study in Rural Western China. 2016 , 95, e3425	19
720	The impact of maternal factors on mortality rates among children under the age of five years in a rural Ugandan population between 2002 and 2012. 2016 , 105, 191-9	5
719	Do self-efficacy and depression predict oral impacts on daily performances across time? A 2-yr follow-up of students in Tanzania. 2016 , 124, 358-67	3
718	Factors associated with leisure time physical activity among ELSA-Brasil participants: Ecological model. 2016 , 90, 17-25	9
717	Incidence of community-acquired infections of lower airways among infants. 2016 , 34, 204-209	2
716	Towards better guidance on caseload thresholds to promote positive tuberculosis treatment outcomes: a cohort study. 2016 , 14, 52	1
715	Childhood trauma, family history, and their association with mood disorders in early adulthood. 2016 , 134, 281-6	47
714	High prevalence of Chlamydia trachomatis and Neisseria gonorrhoeae infections in anal and pharyngeal sites among a community-based sample of men who have sex with men and transgender women in Lima, Peru. 2016 , 6, e008245	23
713	HIV, antiretroviral treatment, hypertension, and stroke in Malawian adults: A case-control study. 2016 , 86, 324-33	89
712	Bacterial vaginosis among women at high risk for HIV in Uganda: high rate of recurrent diagnosis despite treatment. 2016 , 92, 142-8	16
711	Social inequalities in oral cancer literacy in an adult population in a multicultural deprived area of the UK. 2016 , 38, 474-482	4

710	A nationwide population-based study of depression in Brazil. 2016 , 192, 226-33	57
709	Personality traits in the differentiation of major depressive disorder and bipolar disorder during a depressive episode. 2016 , 236, 75-79	1
708	Effects of clustering of multiple lifestyle-related behaviors on blood pressure in adolescents from two observational studies. 2016 , 82, 111-7	5
707	Short Sleep Duration in the First Years of Life and Obesity/Overweight at Age 4 Years: A Birth Cohort Study. 2016 , 168, 99-103.e3	38
706	Wealth index and risk of childhood overweight and obesity: evidence from four prospective cohorts in Peru and Vietnam. 2016 , 61, 475-85	7
705	Clinical Characteristics and Lung Function in Older Children Vertically Infected With Human Immunodeficiency Virus in Malawi. 2016 , 5, 161-9	31
704	Different Patterns in Health Care Use Among Immigrants in Spain. 2016 , 18, 318-29	8
703	Mortality due to Respiratory Syncytial Virus. Burden and Risk Factors. 2017 , 195, 96-103	76
702	High Blood Pressure and Self-Reported Systemic Hypertension in Elderly Enrolled in the Family Health Strategy Program. 2017 , 29, 708-728	
701	Decline in HIV seroprevalence in street youth 2006-2012, St. Petersburg, Russia: moving toward an AIDS-free generation. 2017 , 28, 345-356	3
700	Association of maternal characteristics and behaviours with 4-year-old children's dietary patterns. 2017 , 13,	24
699	Factors behind the success story of under-five stunting in Peru: a district ecological multilevel analysis. 2017 , 17, 29	27
698	Experiences of stigma and discrimination faced by family caregivers of people with schizophrenia in India. 2017 , 178, 66-77	53
697	Risk factors for nonmelanoma skin cancer in renal transplant recipients: a case-control study from a reference outpatient clinic in Southeast Brazil. 2017 , 56, 154-160	3
696	Major depressive disorder and suicidality in early HIV infection and its association with risk factors and negative outcomes as seen in semi-urban and rural Uganda. 2017 , 212, 117-127	17
695	Climate change and the geographical distribution of infectious diseases. 2017 , 470-480	3
694	Methodological guidelines to investigate altered states of consciousness and anomalous experiences. 2017 , 29, 283-292	15
693	Source of Sex Information and Condom Use Intention Among Latino Adolescents. 2017 , 44, 439-447	12

692	Spillovers between siblings and from offspring to parents are understudied: A review and future directions for research. 2017 , 183, 56-61	35
691	Do maternal depression and anxiety influence children's oral health-related quality of life?. 2017 , 45, 398-406	9
690	Genetic variation in the promoter region of the TNF rs1800629 gene is not associated with adiposity index, but AA genotype is more likely to have low cellular membrane integrity. 2017 , 13, 85-91	0
689	Racial/ethnic disparities in prior mental health service use among incarcerated adolescents. 2017 , 78, 23-31	9
688	Prevalence and factors associated with breast milk donation in banks that receive human milk in primary health care units. 2017 , 93, 382-388	16
687	Perturbations in the apoptotic pathway and mitochondrial network dynamics in peripheral blood mononuclear cells from bipolar disorder patients. 2017 , 7, e1111	42
686	Risk factors for developing acute kidney injury in older people with diabetes and community-acquired pneumonia: a population-based UK cohort study. 2017 , 18, 142	14
685	Predictors of Drinking Water Boiling and Bottled Water Consumption in Rural China: A Hierarchical Modeling Approach. 2017 , 51, 6945-6956	14
684	Perinatal and postnatal risk factors for disruptive mood dysregulation disorder at age 11: 2004 Pelotas Birth Cohort Study. 2017 , 215, 263-268	18
683	Risk factors for infant mortality in rural and urban Nigeria: evidence from the national household survey. 2017 , 45, 543-554	15
682	Foot ulceration in patients with diabetes: a risk analysis. 2017 , 26, S6-S14	8
681	Determinants of neonatal mortality in rural and urban Nigeria: Evidence from a population-based national survey. 2017 , 59, 190-200	14
680	Blood cadmium concentrations and environmental exposure sources in newcomer South and East Asian women in the Greater Toronto Area, Canada. 2017 , 154, 19-27	9
679	Ethnic variations in sexual behaviours and sexual health markers: findings from the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). 2017 , 2, e458-e472	19
678	Relationship between overweight/obesity in the first year of age and traumatic dental injuries in early childhood: Findings from a birth cohort study. 2017 , 33, 465-471	6
677	Perinatal health and malocclusions in preschool children: Findings from a cohort of adolescent mothers in Southern Brazil. 2017 , 152, 613-621	3
676	Exploring the impact of malocclusion and dentofacial anomalies on the occurrence of traumatic dental injuries in adolescents. 2017 , 87, 816-823	8
675	School staff perpetration of physical violence against students in Uganda: a multilevel analysis of risk factors. 2017 , 7, e015567	8

674	Injecting drug use predicts active tuberculosis in a national cohort of people living with HIV. 2017 , 31, 2403-2413	5
673	Dietary Patterns, Nutrition Knowledge, Lifestyle, and Health-Related Quality of Life: Associations with Anti-Hypertension Medication Adherence in a Sample of Australian Adults. 2017 , 24, 453-462	10
672	Population-attributable risk estimates for factors associated with inappropriate complementary feeding practices in The Gambia. 2017 , 20, 3135-3144	3
671	Piloting water quality testing coupled with a national socioeconomic survey in Yogyakarta province, Indonesia, towards tracking of Sustainable Development Goal 6. 2017 , 220, 1141-1151	20
670	Progress and priorities for reproductive, maternal, newborn, and child health in Kenya: a Countdown to 2015 country case study. 2017 , 5, e782-e795	44
669	Prevalence and factors associated with breast milk donation in banks that receive human milk in primary health care units. 2017 , 93, 382-388	0
668	Sleep-related problems and minor psychiatric disorders among Brazilian shift workers. 2017 , 257, 412-417	6
667	Drug addiction and alcoholism as predictors for tuberculosis treatment default in Brazil: a prospective cohort study. 2017 , 145, 3516-3524	8
666	Prevalence of health services usage and associated factors in the Amazon region of Brazil: a population-based cross-sectional study. 2017 , 7, e017966	15
665	Alcohol use disorders among people living with HIV/AIDS in Southern Brazil: prevalence, risk factors and biological markers outcomes. 2017 , 17, 263	13
664	Burden and characteristics of HIV infection among female sex workers in Kampala, Uganda - a respondent-driven sampling survey. 2017 , 17, 565	37
663	Why are some people more fit than others? Correlates and determinants of cardiorespiratory fitness in adults: protocol for a systematic review. 2017 , 6, 102	6
662	Correlates of child undernutrition in Yemen. 2017 , 4, 1-27	3
661	Food Insecurity, Prenatal Care and Other Anemia Determinants in Pregnant Women from the NISAMI Cohort, Brazil: Hierarchical Model Concept. 2017 , 39, 384-396	4
660	Risk factors for severe acute malnutrition in under-five children: a case-control study in a rural part of India. 2017 , 142, 136-143	25
659	Serum Markers of Neurodegeneration in Maple Syrup Urine Disease. 2017 , 54, 5709-5719	14
658	How functional disability relates to dentition in community-dwelling older adults in Brazil. 2017 , 23, 97-101	4
657	Incidence and Persistence of Major Depressive Disorder Among People Living with HIV in Uganda. 2017 , 21, 1641-1654	17

656	Antibiotic Prescribing for Adults Hospitalized in the Etiology of Pneumonia in the Community Study. 2017 , 4, ofx088	7
655	Factors associated with high levels of glycated haemoglobin in patients with type 1 diabetes: a multicentre study in Brazil. 2017 , 7, e018094	19
654	Prevalence and Associated Factors of Tooth Erosion in 8 -12-Year-Old Brazilian Schoolchildren. 2017 , 41, 343-350	12
653	Violência conjugal: mapeamento do fenômeno no Rio Grande do Sul. 2017 , 48, 120	4
652	Trends and population-attributable risk estimates for predictors of early neonatal mortality in Nigeria, 2003-2013: a cross-sectional analysis. 2017 , 7, e013350	13
651	Reception of nutrition information by adult and older adult users of Primary Healthcare: Occurrence, associated factors, and sources of information. 2017 , 30, 489-498	1
650	Individual factors associated to malocclusion in adolescents. 2017 , 22, 3723-3732	3
649	PREVALENCE AND FACTORS ASSOCIATED WITH ANEMIA IN CHILDREN ENROLLED IN DAYCARE CENTERS: A HIERARCHICAL ANALYSIS. 2017 , 35, 281-288	5
648	Factors associated with risk of malnutrition in the elderly in south-eastern Brazil. 2017 , 20, 598-610	15
647	Carbohydrates from Sources with a Higher Glycemic Index during Adolescence: Is Evening Rather than Morning Intake Relevant for Risk Markers of Type 2 Diabetes in Young Adulthood?. 2017 , 9,	12
646	[Coverage by health insurance or discount cards: a household survey in the coverage area of the Family Health Strategy]. 2017 , 33, e00141515	3
645	Social determinants of leprosy in a hyperendemic State in North Brazil. 2017 , 51, 70	9
644	Socioeconomic determinants of access to health services among older adults: a systematic review. 2017 , 51, 50	35
643	Cesarean section on demand: a population-based study in Southern Brazil. 2017 , 17, 99-105	4
642	FACTORS ASSOCIATED WITH THE PREVALENCE AND INTENSITY OF DENTAL PAIN IN CHILDREN IN THE MUNICIPALITIES OF THE CAMPINAS REGION, SˆO PAULO. 2017 , 35, 322-330	9
641	Factors influencing the preference for purchasing generic drugs in a Southern Brazilian city. 2017 , 51, 59	5
640	Role of Primary Health Care in child hospitalization due to pneumonia: a case-control study. 2017 , 25, e2892	4
639	Pregnancy recurrence in adolescents in Southern Brazil. 2017 , 63, 628-635	5

638	Socio-economic predictors of stillbirths in Nepal (2001-2011). 2017 , 12, e0181332		15
637	Poor efficacy of preemptive amoxicillin clavulanate for preventing secondary infection from Bothrops snakebites in the Brazilian Amazon: A randomized controlled clinical trial. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005745	4.8	40
636	Determinants of overweight with concurrent stunting among Ghanaian children. 2017 , 17, 177		17
635	Determinants of treatment completion among rural smear positive pulmonary tuberculosis patients: a cross-sectional survey conducted in south-western Uganda. 2017 , 6, 104		1
634	Prevalence and correlates for ADHD and relation with social and academic functioning among children and adolescents with HIV/AIDS in Uganda. 2017 , 17, 336		14
633	Suplementa ^ç ões com ^o ácido fólico entre gestantes no extremo Sul do Brasil: preval ^ê ncia e fatores associados. 2017 , 22, 535-542		6
632	Population-based study on infant mortality. 2017 , 22, 931-939		7
631	Factors associated with Specific Hypertensive Gestation Syndrome (SHGS) in postpartum adolescent and young adult mothers in the Northeast of Brazil: a multiple analysis of hierarchical models. 2017 , 17, 673-681		0
630	Associated factors of malnutrition among African children under five years old, Bom Jesus, Angola. 2017 , 30, 33-44		4
629	[Factors associated with cross-nursing]. 2017 , 22, 1673-1682		4
628	Social inequalities in the prevalence of common mental disorders in adults: a population-based study in Southern Brazil. 2017 , 20, 43-56		8
627	[Quality of life with Obsessive-Compulsive Disorder: a study among Primary Care users]. 2017 , 22, 1353-1360		4
626	SECULAR CHANGES IN AEROBIC FITNESS LEVELS IN BRAZILIAN CHILDREN. 2017 , 23, 450-454		3
625	Women's knowledge of methods for secondary prevention of breast cancer. 2017 , 22, 4073-4082		2
624	[Factors associated with cross-nursing in two cities in Southeast Brazil]. 2017 , 33, e00038516		
623	Child mortality inequalities across Rwanda districts: a geospatial continuous-time survival analysis. 2017 , 12, 450		
622	Well-being and associated factors among elementary school teachers in southern Brazil. 2017 , 19, 812-820		2
621	Fatores de risco para absente ^í smo de curta dura ^ç ões em um hospital de m ^é dio porte. 2017 , 25, 405-413		2

620	Sociodemographic factors, level of physical activity and health-related quality of life in adults from the north-east of S ^ˆ ̃ Paulo, Brazil: a cross-sectional population study. 2018 , 8, e017804	7
619	Socioeconomic, religious, spiritual and health factors associated with symptoms of common mental disorders: a cross-sectional secondary analysis of data from Bhutan's Gross National Happiness Study, 2015. 2018 , 8, e018202	4
618	Bayesian spatial models of the association between interpersonal violence, animal abuse and social vulnerability in S ^ˆ ̃ Paulo, Brazil. 2018 , 152, 48-55	7
617	Military Service, Childhood Socio-Economic Status, and Late-Life Lung Function: Korean War Era Military Service Associated with Smaller Disparities. 2018 , 183, e576-e582	7
616	Subjective oral symptoms associated with self-rated oral health among Indigenous groups in Central-West Brazil. 2018 , 46, 352-359	7
615	Risk Factors for Antisocial Behavior in Low- and Middle-Income Countries: A Systematic Review of Longitudinal Studies. 2018 , 47, 255-364	18
614	Sexually Transmitted Bedfellows: Exquisite Association Between HIV and Herpes Simplex Virus Type 2 in 21 Communities in Southern Africa in the HIV Prevention Trials Network 071 (PopART) Study. 2018 , 218, 443-452	10
613	Status and drivers of maternal, newborn, child and adolescent health in the Islamic world: a comparative analysis. 2018 , 391, 1493-1512	20
612	Aggression Using a Knife or Other Sharp Instruments and Oral-Maxillofacial Trauma: Incidence, Risk Factors, and Epidemiologic Trends. 2018 , 76, 1953.e1-1953.e11	0
611	Lifestyle and self-management determinants of hypertension control in a sample of Australian adults. 2018 , 16, 229-236	4
610	Inequalities in zoster disease burden: a population-based cohort study to identify social determinants using linked data from the U.K. Clinical Practice Research Datalink. 2018 , 178, 1324-1330	8
609	Geospatial inequalities and determinants of nutritional status among women and children in Afghanistan: an observational study. 2018 , 6, e447-e459	30
608	Effectiveness of a stunting recovery program for children treated in a specialized center. 2018 , 83, 851-857	1
607	Environmental factors associated with blood lead among newcomer women from South and East Asia in the Greater Toronto Area. 2018 , 624, 558-566	7
606	Oral diseases associated with condition-specific oral health-related quality of life and school performance of Thai primary school children: A hierarchical approach. 2018 , 46, 270-279	9
605	Prevalence and correlates of non-adherence to immunosuppressants and to health behaviours in patients after kidney transplantation in Brazil - the ADHERE BRAZIL multicentre study: a cross-sectional study protocol. 2018 , 19, 41	10
604	Prevalence of chronic musculoskeletal conditions and associated factors in Brazilian adults - National Health Survey. 2018 , 18, 287	15
603	Role of health determinants in a measles outbreak in Ecuador: a case-control study with aggregated data. 2018 , 18, 269	5

602	Determinants of neonatal, infant and under-five mortality in a war-affected country: analysis of the 2010 Household Health Survey in South Sudan. 2018 , 3, e000510	13
601	Nordic Pharmacy Students' Opinions of their Patient Communication Skills Training. 2018 , 82, 6208	7
600	Early childhood undernutrition increases risk of hearing loss in young adulthood in rural Nepal. 2018 , 107, 268-277	6
599	The antepartum stillbirth syndrome: risk factors and pregnancy conditions identified from the INTERGROWTH-21 Project. 2018 , 125, 1145-1153	40
598	Environmental factors explain socioeconomic prevalence differences in myopia in 6-year-old children. 2018 , 102, 243-247	42
597	Early childhood caries and psychological perceptions on child's oral health increase the feeling of guilt in parents: an epidemiological survey. 2018 , 28, 23-32	6
596	Towards a capability approach to child growth: A theoretical framework. 2018 , 14, e12534	18
595	Factors associated with hospitalization during neonatal period. 2018 , 94, 390-398	4
594	Clinical, laboratory, and demographic determinants of hospitalization due to dengue in 7613 patients: A retrospective study based on hierarchical models. 2018 , 177, 25-31	8
593	Access to and use of health services as factors associated with neonatal mortality in the North, Northeast, and Vale do Jequitinhonha regions, Brazil. 2018 , 94, 293-299	2
592	Factors associated with postpartum depression in women from low socioeconomic level in Argentina: A hierarchical model approach. 2018 , 227, 731-738	12
591	Presence of Initial Caries Lesions as a Risk Factor for Caries in Preschool Children: A Cohort Study. 2018 , 52, 32-41	9
590	Mothers' willingness to pay for daughters' HPV vaccine in northern Vietnam. 2018 , 39, 450-462	5
589	Factors Associated With Body Image Perception Among Brazilian Students From Low Human Development Index Areas. 2018 , 34, 449-457	4
588	Practice of exclusive breastfeeding and its associated factors in a suburban area in Angola: a cross-sectional study. 2018 , 136, 533-542	5
587	Physical activity in the rural population of Pelotas, Brazil. 2018 , 52, 9s	3
586	Retention strategies in longitudinal cohort studies: a systematic review and meta-analysis. 2018 , 18, 151	103
585	Prevalence and factors associated with illicit drug use throughout life: National School Health Survey 2015. 2018 , 21, e180007	1

584	Social inequalities in the self-rated health of the elderly people in the city of S ^ˆ ˆ Paulo, Brazil. 2019 , 21Suppl 02, e180010	4
583	Engagement in HIV Care Among Young Female Sex Workers in Zimbabwe. 2018 , 79, 358-366	17
582	Unmet need for assistance with activities of daily life among older adults in Brazil. 2018 , 52, 75	4
581	LEVEL OF KNOWLEDGE OF PHYSICAL EDUCATION PROFESSIONALS ABOUT AEROBIC AND RESISTANCE EXERCISE PRESCRIPTION FOR ELDERLY PEOPLE. 2018 , 24, 465-470	
580	Cost Analysis of Cervical Cancer Patients with Different Medical Payment Modes Based on Gamma Model within a Grade A Tertiary Hospital. 2018 , 131, 389-394	4
579	Prevalence and correlates of common mental disorders among dental students in Brazil. 2018 , 13, e0204558	5
578	Zoster vaccination inequalities: A population based cohort study using linked data from the UK Clinical Practice Research Datalink. 2018 , 13, e0207183	6
577	Non-performance of Pap smears among pregnant women in the Extreme South of Brazil: prevalence and associated factors. 2018 , 23, 3557-3566	0
576	Health status of returning refugees, internally displaced persons, and the host community in a post-conflict district in northern Sri Lanka: a cross-sectional survey. 2018 , 12, 41	11
575	Determinants of body mass index by gender in the Dikgale Health and Demographic Surveillance System site, South Africa. 2018 , 11, 1537613	10
574	HIERARCHICAL ANALYSIS OF THE FACTORS ASSOCIATED WITH ANEMIA IN INFANTS. 2018 , 36, 275-285	3
573	Understanding drivers of domestic public expenditure on reproductive, maternal, neonatal and child health in Peru at district level: an ecological study. 2018 , 18, 833	
572	Overweight and associated factors in Quilombolas from the middle San Francisco, Bahia, Brazil. 2018 , 23, 1193-1200	3
571	Prevalence and patterns of multimorbidity in Amazon Region of Brazil and associated determinants: a cross-sectional study. 2018 , 8, e023398	14
570	Exclusive breastfeeding changes in Brazil attributable to pacifier use. 2018 , 13, e0208261	8
569	Social, Environmental and Behavioral Determinants of Asthma Symptoms in Brazilian Middle School Students-A National School Health Survey (Pense 2012). <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6 2
568	Oral health-related quality of life in patients with disorders of nutrition. 2019 , 46, 355-368	3
567	Offer of primary care services and detection of tuberculosis incidence in Brazil. 2018 , 52, 53	11

566	[Guidance on breastfeeding in primary health care and the association with exclusive breastfeeding]. 2018 , 23, 1077-1088	7
565	Risk factors of pre-hypertension and hypertension among non-pregnant women of reproductive age in northeastern Tanzania: a community based cross-sectional study. 2018 , 23, 1176-1187	5
564	Overnutrition and Scholastic Achievement: Is There a Relationship? An 8-Year Follow-Up Study. 2018 , 11, 344-359	7
563	Alcohol-related disorders and associated factors in a rural area in Brazil. 2018 , 52, 8s	6
562	Mother's education and late-life disparities in memory and dementia risk among US military veterans and non-veterans. 2018 , 72, 1162-1167	11
561	Identifying mothers' intention to place infant in supine sleep position: a population-based study. 2018 , 23, 501-508	2
560	Gender differences in sociodemographic and behavioural factors associated with BMI in an adult population in rural Burkina Faso - an AWI-Gen sub-study. 2018 , 11, 1527557	4
559	Contextual and individual factors associated with dissatisfaction with public emergency health services in Brazil, 2011-2012. 2018 , 34, e00175416	
558	Association between Anaemia in Children 6 to 23 Months Old and Child, Mother, Household and Feeding Indicators. 2018 , 10,	13
557	[Racial disparity in 10-year breast cancer survival: a mediation analysis using potential responses approach]. 2018 , 34, e00211717	6
556	Parents Matter: Associations of Parental BMI and Feeding Behaviors With Child BMI in Brazilian Preschool and School-Aged Children. 2018 , 5, 69	10
555	Factors associated with submission to HIV rapid test in childbirth care. 2018 , 23, 575-584	1
554	Postnatal depression and intimate partner violence: a nationwide clinic-based cross-sectional study in Malaysia. 2018 , 8, e020649	17
553	In adolescence a higher 'eveningness in energy intake' is associated with higher total daily energy intake. 2018 , 128, 159-166	6
552	Access to and use of health services as factors associated with neonatal mortality in the North, Northeast, and Vale do Jequitinhonha regions, Brazil. 2018 , 94, 293-299	
551	Importance of contextual variables related to cavitated lesions in 5-year-old children. 2018 , 28, 504	1
550	The Placenta in Neonatal Encephalopathy: A Case-Control Study. 2018 , 202, 77-85.e3	32
549	Sociodemographic and behavioural factors associated with body mass index among men and women in Nairobi slums: AWI-Gen Project. 2018 , 11, 1470738	13

548	Socio-demographic and behavioural determinants of body mass index among an adult population in rural Northern Ghana: the AWI-Gen study. 2018 , 11, 1467-588		12
547	Disability relating to basic and instrumental activities of daily living: a population-based study with elderly in Pelotas, Rio Grande do Sul, Brazil, 2014. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2018 , 27, e2017290	1.2	6
546	Social, behavioral and biological correlates of cardiorespiratory fitness according to sex, nutritional status and maturity status among adolescents. A cross-sectional study. 2018 , 136, 237-244		4
545	The role of contextual and individual factors on periodontal disease in Uruguayan adults. 2018 , 32, e62		1
544	Factors associated with the maintenance of breastfeeding for 6, 12, and 24 months in adolescent mothers. 2018 , 18, 675		23
543	Prevalence and factors associated with underutilization of antenatal care services in Nigeria: A comparative study of rural and urban residences based on the 2013 Nigeria demographic and health survey. 2018 , 13, e0197324		70
542	Habitual Flavonoid Intake from Fruit and Vegetables during Adolescence and Serum Lipid Levels in Early Adulthood: A Prospective Analysis. 2018 , 10,		12
541	Association of Depression and Anxiety With the 10-Year Risk of Cardiovascular Mortality in a Primary Care Population of Latvia Using the SCORE System. 2018 , 9, 276		10
540	Ethnic group inequalities in coverage with reproductive, maternal and child health interventions: cross-sectional analyses of national surveys in 16 Latin American and Caribbean countries. 2018 , 6, e902-e913		29
539	[Low back pain among adolescents in the semiarid region: results of a population census in the city of Caracol, State of Piau^ [Brazil]. 2018 , 23, 733-740		4
538	Risk factors for peripartum hysterectomy among women with postpartum haemorrhage: analysis of data from the WOMAN trial. 2018 , 18, 186		29
537	Dental caries in schoolchildren: influence of inattention, hyperactivity and executive functions. 2018 , 32, e52		0
536	Evaluation of plasma biomarkers of inflammation in patients with maple syrup urine disease. 2018 , 41, 631		9
535	Factors associated with uptake of home-based HIV counselling and testing and HIV care services among identified HIV-positive persons in Masaka, Uganda. 2018 , 30, 879-887		1
534	Risk factors for stillbirths: how much can a responsive health system prevent?. 2018 , 18, 33		16
533	Distant and proximate factors associated with maternal near-miss: a nested case-control study in selected public hospitals of Addis Ababa, Ethiopia. 2018 , 18, 28		10
532	Socioeconomic inequalities in the use of dental care services during early childhood: an epidemiological survey. 2018 , 28, 400-409		12
531	Predicting acute renal failure in Bothrops snakebite patients in a tertiary reference center, Western Brazilian Amazon. 2018 , 13, e0202361		30

530	The perception of parental bonding in pregnant adolescents and its association with generalized anxiety disorder. 2018 , 54, 51-56	4
529	Factors associated with hospitalization during neonatal period. 2018 , 94, 390-398	
528	Non-syndromic tooth agenesis patterns and their association with other dental anomalies: A retrospective study. 2018 , 96, 26-32	7
527	Comparative Models of Biological and Social Pathways to Predict Child Growth through Age 2 Years from Birth Cohorts in Brazil, India, the Philippines, and South Africa. 2018 , 148, 1364-1371	12
526	Trends and factors associated with pregnancies among adolescent women in Nepal: Pooled analysis of Nepal Demographic and Health Surveys (2006, 2011 and 2016). 2018 , 13, e0202107	15
525	[Severe low back pain among pregnant women in Southern Brazil]. 2018 , 23, 2487-2494	3
524	Virological failure on first-line antiretroviral therapy; associated factors and a pragmatic approach for switching to second line therapy-evidence from a prospective cohort study in rural South-Western Uganda, 2004-2011. 2018 , 29, 191	13
523	Accelerating Kenya's progress to 2030: understanding the determinants of under-five mortality from 1990 to 2015. 2018 , 3, e000655	15
522	Association between health service use and diarrhoea management approach among caregivers of under-five children in Nepal. 2018 , 13, e0191988	7
521	Maternal Knowledge and Unsafe Baby Sleep Position: A Cross-Sectional Survey in Southern Brazil. 2019 , 23, 183-190	6
520	Discharge against medical advice in culturally and linguistically diverse Australian children. 2019 , 104, 1150-1154	4
519	Fluoroquinolones and isoniazid-resistant tuberculosis: implications for the 2018 WHO guidance. 2019 , 54,	6
518	Early determinants of linear growth and weight attained in the first year of life in a malaria endemic region. 2019 , 14, e0220513	4
517	The effect of maternal health service utilization in early initiation of breastfeeding among Nepalese mothers. 2019 , 14, 33	13
516	The epidemiology of undernutrition and its determinants in children under five years in Ghana. 2019 , 14, e0219665	26
515	Detection and characterization of hepatitis E virus genotype 3 in HIV-infected patients and blood donors from southern Brazil. 2019 , 86, 114-121	7
514	Prevalence and determinants of the use of pacifiers and feedingbottle: a study in Southwest Bahia. 2019 , 19, 311-321	3
513	Breastfeeding in Rural Niger. 2019 ,	

512	Distinct mortality patterns at 0-2 days versus the remaining neonatal period: results from population-based assessment in the Indian state of Bihar. 2019 , 17, 140	3
511	Factors associated with the use of health services by elderly men in Brazil: a cross-sectional study. 2019 , 19, 859	3
510	Inequities in access to mammographic screening in Brazil. 2019 , 35, e00099817	2
509	Effectiveness of an Educational Manual to Promote Infant Feeding Practices in Primary Health Care. 2019 , 40, 544-561	0
508	A comparison of the pharmacologic and nonpharmacologic strategies used to manage chronic pain: Opioid users versus nonusers. 2019 , 59, 691-697	0
507	Risk factors for tooth loss in adults: A population-based prospective cohort study. 2019 , 14, e0219240	11
506	Social, biological, behavioural and psychological factors related to physical activity during early pregnancy in the Screening for Pregnancy Endpoints (Cork, Ireland) cohort study. 2019 , 9, e025003	5
505	Socioeconomic factors contributing to under-five mortality in sub-Saharan Africa: a decomposition analysis. 2019 , 19, 760	45
504	The periodic table of the elements of green and sustainable chemistry. 2019 , 21, 6545-6566	57
503	Reducing agate dust exposure in Khambhat, India: Protective practices, barriers, and opportunities. 2019 , 61, 442-452	2
502	Factors associated with unsafe abortion practices in Nepal: Pooled analysis of the 2011 and 2016 Nepal Demographic and Health Surveys. 2019 , 14, e0223385	6
501	A logistic regression analysis of risk factors in ME/CFS pathogenesis. 2019 , 19, 275	8
500	Home deaths of children under 5 years in rural South Africa: a population-based longitudinal study. 2019 , 24, 862-878	7
499	Urban violence and risk factors for femicide in the Brazilian Amazon. 2019 , 35, e00230418	2
498	Geographic and socioeconomic factors associated with leprosy treatment default: An analysis from the 100 Million Brazilian Cohort. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007714	4.8 10
497	Epidemiological survey and risk factors associated with hydrometra in dairy goat herds. 2019 , 178, 79-84	2
496	Dietary and non-dietary determinants of linear growth status of infants and young children in Ethiopia: Hierarchical regression analysis. 2019 , 14, e0209220	9
495	Early childhood maltreatment experience and later sexual behavior in Brazilian adults undergoing treatment for substance dependence. 2019 , 41, 199-207	8

494	A new look at population health through the lenses of cognitive, functional and social disability clustering in eastern DR Congo: a community-based cross-sectional study. 2019 , 19, 93		6
493	Risk factors for reproductive disorders and major infectious causes of abortion in sheep in the highlands of Ethiopia. 2019 , 177, 1-9		8
492	Prevalence of Hypertension and Associated Factors in Dire Dawa City, Eastern Ethiopia: A Community-Based Cross-Sectional Study. 2019 , 2019, 9878437		21
491	Differential associations between state-level educational quality and cardiovascular health by race: Early-life exposures and late-life health. 2019 , 8, 100418		6
490	Prevalence and Determinants of Painful and Painless Neuropathy in Type 1 Diabetes Mellitus. 2019 , 10, 402		9
489	What explains wage differences between male and female Brazilian physicians? A cross-sectional nationwide study. 2019 , 9, e023811		15
488	Under-Five Mortality and Associated Factors: Evidence from the Nepal Demographic and Health Survey (2001?2016). <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
487	Impact of maternal depression trajectories on offspring socioemotional competences at age 11: 2004 Pelotas Birth Cohort. 2019 , 253, 8-17		8
486	Prevalence of chewing difficulty among adults and associated factors. 2019 , 24, 1101-1110		4
485	Household, maternal, and child related determinants of hemoglobin levels of Ethiopian children: hierarchical regression analysis. 2019 , 19, 113		14
484	Skipping breakfast is associated with adiposity markers especially when sleep time is adequate in adolescents. 2019 , 9, 6380		11
483	[Analysis of the prevalence of cardiovascular diseases and associated factors among the elderly, 2000-2010]. 2019 , 24, 105-114		15
482	Household socio-economic position and individual infectious disease risk in rural Kenya. 2019 , 9, 2972		8
481	Factors associated with preterm birth: from logistic regression to structural equation modeling. 2019 , 35, e00211917		2
480	Is it possible to overcome the 'long arm' of childhood socioeconomic disadvantage through upward socioeconomic mobility?. 2019 , 41, 566-574		2
479	Prevalence of high blood pressure and associated factors among adolescents and young people in Tanzania and Uganda. 2019 , 21, 470-478		9
478	Deferred and referred deliveries contribute to stillbirths in the Indian state of Bihar: results from a population-based survey of all births. 2019 , 17, 28		6
477	Food Security in the Context of Paternal Incarceration: Family Impact Perspectives. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3

476	Dietary patterns and their association with sociodemographic and behavioral factors: 2015 Women's Health Research, S ^ˆ b Leopoldo (RS). 2019 , 22, e190026	3
475	A Cohort Study of the Impact of Carbapenem-Resistant Infections on Mortality of Patients Presenting with Sepsis. 2019 , 4,	15
474	Anemia in late pregnancy induces an adaptive response in fetoplacental vascularization. 2019 , 80, 49-58	3
473	What determines violence among female sex workers in an intimate partner relationship? Findings from North Karnataka, south India. 2019 , 19, 350	9
472	Factors associated with perinatal mortality in Nepal: evidence from Nepal demographic and health survey 2001-2016. 2019 , 19, 88	12
471	Concurrent anemia and stunting in young children: prevalence, dietary and non-dietary associated factors. 2019 , 18, 10	28
470	Malnutrition and its associated factors: a cross-sectional study with children under 2 years in a suburban area in Angola. 2019 , 19, 220	4
469	Understanding country-specific determinants of stillbirth using household surveys: The case of Afghanistan. 2019 , 33, 28-44	8
468	An Evaluation of Healthcare Use and Child Morbidity 4 Years After User Fee Removal in Rural Burkina Faso. 2019 , 23, 777-786	2
467	Smoking cessation during pregnancy: a population-based study. 2018 , 53, 03	4
466	Sociodemographic, behavioral, and health-related risk factors for depression among men and women in a southern Brazilian city. 2019 , 41, 396-402	4
465	Maternity leave and exclusive breastfeeding. 2019 , 53, 10	6
464	Assisted reproductive technology: prevalence and associated factors in Southern Brazil. 2019 , 53, 13	14
463	Non-performance of urinalysis among pregnant women in Brazil. 2019 , 32, 224-232	
462	Impact of molar incisor hypomineralization on quality of life in children with early mixed dentition: A hierarchical approach. 2019 , 29, 496-506	28
461	(childhood growth & development) study protocol: factors that impact linear growth in children 9 to 15 years of age in Matiari, Pakistan. 2019 , 9, e028343	2
460	Factors Associated with the Caregivers' Perception of the Oral Health of Individuals with Cerebral Palsy. 2019 , 19, 1-10	
459	Trends in prevalence and determinants of stunting in Tanzania: an analysis of Tanzania demographic health surveys (1991-2016). 2019 , 18, 85	18

458	Non-use of sunscreen among adults and the elderly in southern Brazil. 2019 , 94, 567-573	0
457	High Prevalence of Sexually Transmitted Infections, and High-Risk Sexual Behaviors Among Indigenous Adolescents of the Comarca Ng [^] Be-Bugl [^] ; Panama. 2019 , 46, 780-787	9
456	Dyslipidemias and cardiovascular risk scores in urban and rural populations in north-western Tanzania and southern Uganda. 2019 , 14, e0223189	3
455	Mortality Associated With Acute Respiratory Infections Among Children at Home. 2019 , 219, 358-364	22
454	Complications after discharge predict readmission after colorectal surgery. 2019 , 33, 1216-1224	3
453	TSPO upregulation in bipolar disorder and concomitant downregulation of mitophagic proteins and NLRP3 inflammasome activation. 2019 , 44, 1291-1299	35
452	Infant and young child feeding practices, sociodemographic factors and their association with nutritional status of children aged <3 years in India: findings of the National Nutrition Monitoring Bureau survey, 2011-2012. 2019 , 22, 104-114	15
451	Predictors of vitamin A status among pregnant women in Western Brazilian Amazon. 2019 , 121, 202-211	4
450	Shift work, sleep duration, and body image dissatisfaction among female workers in southern Brazil. 2019 , 22, 583-592	1
449	Length of stay following vaginal deliveries: A population based study in the Friuli Venezia Giulia region (North-Eastern Italy), 2005-2015. 2019 , 14, e0204919	9
448	Breastfeeding outcomes among early-term and full-term infants. 2019 , 71, 71-76	7
447	Napping, functional capacity and satisfaction with life in older adults: A population-based study. 2019 , 28, 1568-1576	3
446	Conceptualizing globalization for mental health research. 2019 , 65, 87-91	4
445	The Association between Sense of Coherence and Dental Caries in Low Social Status Schoolchildren. 2019 , 53, 314-321	12
444	Muscle tenderness score in temporomandibular disorders patients: A case-control study. 2019 , 46, 209-218	6
443	Thrombocytopenia Impairs Host Defense Against Burkholderia pseudomallei (Meloidosis). 2019 , 219, 648-659	6
442	Serological surveillance and factors associated with influenza A virus in backyard pigs in Southern Brazil. 2019 , 66, 125-132	2
441	How do energy balance-related behaviors cluster in adolescents?. 2019 , 64, 195-208	3

440	Seasonal and spatial distribution of <i>Aedes aegypti</i> and <i>Aedes albopictus</i> in a municipal urban park in S ^ˆ ̃ Paulo, SP, Brazil. 2019 , 189, 104-113	26
439	Factors associated with spontaneous perineal lacerations in deliveries without episiotomy in a university maternity hospital in the city of Recife, Brazil: a cohort study. 2019 , 32, 3062-3067	3
438	Selenium intake and metabolic syndrome: A systematic review. 2019 , 38, 603-614	11
437	Framework for Infectious Disease Analysis: A comprehensive and integrative multi-modeling approach to disease prediction and management. 2019 , 25, 1170-1187	19
436	Low back pain and some associated factors: is there any difference between genders?. 2020 , 24, 79-87	36
435	Socio-economic vulnerability assessment of female children to malnutrition in rural Baramulla district of Kashmir Himalayas, India. 2020 , 85, 535-549	2
434	Using the ICF framework to evaluate the effects of environmental factors on physical disability among people with diabetes mellitus. 2020 , 36, 424-431	4
433	Suicidal thought in southern Brazil: Who are the most susceptible?. 2020 , 260, 610-616	6
432	Prevalence of major depression and associated correlates in Latvian primary care population: results from the National Research Program BIOMEDICINE 2014-2017. 2020 , 74, 60-68	2
431	Determinants of early breastfeeding initiation and exclusive breastfeeding in Colombia. 2020 , 23, 496-505	6
430	Influence of socioeconomic inequalities on levels of dental caries in adolescents: A cohort study. 2020 , 30, 42-49	15
429	Vitamin D sufficiency in young Brazilian children: associated factors and relationship with vitamin A corrected for inflammatory status. 2020 , 23, 1226-1235	1
428	Periodontitis is associated with oral health-related quality of life in individuals with end-stage renal disease. 2020 , 47, 319-329	5
427	A Multi-causal Model for Chronic Malnutrition and Anemia in a Population of Rural Coastal Children in Ecuador. 2020 , 24, 472-482	1
426	Psychostimulant Use for Neuroenhancement (Smart Drugs) among College Students in Brazil. 2020 , 55, 613-621	5
425	Childhood trauma and depressive symptoms in pregnant adolescents in Southern Brazil. 2020 , 65, 197-205	1
424	Non-performance of serological tests for syphilis during prenatal care: prevalence and associated factors. 2020 , 23, e200012	1
423	Drivers of stunting reduction in Ethiopia: a country case study. 2020 , 112, 875S-893S	11

422	Does the Type and Timing of Educational Attainment Influence Physical Health? A Novel Application of Sequence Analysis. 2020 , 189, 1389-1401	5
421	The role of individual, household, and area of residence factors on self-rated health in Colombian adults: A multilevel study. 2020 , 40, 296-308	4
420	Can Meals Outside Homes Impact Sodium Intake?. 2020 , 4, nzaa091	1
419	Seroprevalence, spatial dispersion and factors associated with flavivirus and chikungunha infection in a risk area: a population-based seroprevalence study in Brazil. 2020 , 20, 881	7
418	Examining the Association of Socioeconomic Position with Microcephaly and Delayed Childhood Neurodevelopment among Children with Prenatal Zika Virus Exposure. 2020 , 12,	4
417	Drivers of stunting reduction in Senegal: a country case study. 2020 , 112, 860S-874S	5
416	Perceived discrimination in health services and preventive dental attendance in Brazilian adults. 2020 , 48, 533-539	4
415	Drivers of stunting reduction in the Kyrgyz Republic: A country case study. 2020 , 112, 830S-843S	9
414	Association between HIV stigma and antiretroviral therapy adherence among adults living with HIV: baseline findings from the HPTN 071 (PopART) trial in Zambia and South Africa. 2020 , 25, 1246-1260	6
413	Maternal depression trajectories and offspring positive attributes and social aptitudes at early adolescence: 2004 Pelotas birth cohort. 2021 , 30, 1939-1948	0
412	Water, sanitation, and hygiene (WASH) factors associated with growth between birth and 1 year of age in children in Soweto, South Africa: results from the Soweto Baby WASH study. 2020 , 18, 798-819	2
411	Rural-urban differentials in the determinants of under-five mortality in Bhutan. 2020 , ahead-of-print,	
410	Postgraduate education among family and community physicians in Brazil: the project. 2020 , 8,	0
409	Drivers of stunting reduction in Peru: a country case study. 2020 , 112, 816S-829S	12
408	Drivers of stunting reduction in Nepal: a country case study. 2020 , 112, 844S-859S	10
407	A conceptual model for understanding the rapid COVID-19-related increase in food insecurity and its impact on health and healthcare. 2020 , 112, 1162-1169	84
406	Determinants of exclusive breast-feeding discontinuation in southeastern Brazil, 2008-2013: a pooled data analysis. 2021 , 24, 3116-3123	2
405	Efficacy of deep learning methods for predicting under-five mortality in 34 low-income and middle-income countries. 2020 , 10, e034524	3

404	Validation of a roadmap for mainstreaming nutrition-sensitive interventions at state level in Nigeria. 2020 , 19, 96	1
403	Maternal satisfaction with breastfeeding in the first month postpartum and associated factors. 2020 , 15, 72	3
402	Baixo peso ao nascer, prematuridade e restrição de crescimento intra-uterino: resultados dos dados de base da primeira coorte de nascimentos indígenas no Brasil (coorte de nascimentos Guarani). 2020 , 20, 748	0
401	The impact of HIV infection on tuberculosis transmission in a country with low tuberculosis incidence: a national retrospective study using molecular epidemiology. 2020 , 18, 385	0
400	The effects of everyday-life exposure to polycyclic aromatic hydrocarbons on biological age indicators. 2020 , 19, 128	13
399	Socio-demographic determinants of low sexual desire and hypoactive sexual desire disorder: a population-based study in Iran. 2020 , 20, 233	2
398	Total antibiotic use in a state-wide area and resistance patterns in Brazilian hospitals: an ecologic study. 2020 , 24, 479-488	
397	Association between common mental disorders, sleep quality, and menopausal symptoms: a population-based study in Southern Brazil. 2020 , 27, 463-472	6
396	Early life factors and their relevance to intima-media thickness of the common carotid artery in early adulthood. 2020 , 15, e0233227	1
395	The influence of breastfeeding and pacifier use on the association between preterm birth and primary-dentition malocclusion: A population-based birth cohort study. 2020 , 157, 754-763	4
394	Determinants of unintended pregnancies among nursing mothers in southwest Nigeria. 2020 , 14, 1-17	1
393	Increasing non-susceptibility to antibiotics within carried pneumococcal serotypes - Alaska, 2008-2015. 2020 , 38, 4273-4280	1
392	Gingival inflammation influences oral health-related quality of life in individuals living in a rural area of southern Brazil. 2020 , 47, 1028-1039	2
391	Urinary incontinence among pregnant women in Southern Brazil: A population-based cross-sectional survey. 2020 , 15, e0234338	0
390	General and Central Adiposity in Older Adults in Palmas (TO): Prevalence and Associated Factors. 2020 , 39, 739-746	
389	Clinical correlates and adverse outcomes of ADHD, disruptive behavior disorder and their co-occurrence among children and adolescents with HIV in Uganda. 2020 , 32, 1429-1437	1
388	Maternal Antenatal Depression and Early Childhood Sleep: Potential Pathways Through Infant Temperament. 2020 , 45, 203-217	7
387	Breastfeeding in the First Hours of Life Protects Against Pacifier Use: A Birth Cohort Study. 2020 , 15, 516-521	2

386	Early Pandemic Evaluation and Enhanced Surveillance of COVID-19 (EAVE II): protocol for an observational study using linked Scottish national data. 2020 , 10, e039097	30
385	Ecological correlates of sport and exercise participation among Thai adolescents: A hierarchical examination of a cross-sectional population survey. 2020 ,	3
384	Understanding multifactorial drivers of child stunting reduction in Exemplar countries: a mixed-methods approach. 2020 , 112, 792S-805S	9
383	Feeding practices of low birth weight Brazilian infants and associated factors. 2020 , 54, 14	4
382	Changes in Infant and Neonatal Mortality and Associated Factors in Eight Cohorts from Three Brazilian Cities. 2020 , 10, 3249	6
381	Multilevel factors associated with perpetration of five types of intimate partner violence among men who have sex with men in China: an ecological model-informed study. 2020 , 32, 1544-1555	4
380	Part II: Statistics in practice: Statistics overview. 2020 , 3, 554-559	
379	Maternal factors associated with prematurity in public maternity hospitals at the Brazilian Western Amazon. 2020 , 85, 102670	1
378	Ethnic inequalities in child stunting and feeding practices: results from surveys in thirteen countries from Latin America. 2020 , 19, 53	5
377	Epidemiology of Alcohol Misuse and Illicit Drug Use Among Young People Aged 15-24 Years in Fishing Communities in Uganda. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6 9
376	Risk factors for Epstein Barr virus-associated cancers: a systematic review, critical appraisal, and mapping of the epidemiological evidence. 2020 , 10, 010405	21
375	Maternal perinatal depression and infant sleep problems at 1 year of age: Subjective and actigraphy data from a population-based birth cohort study. 2021 , 30, e13047	7
374	Swallowing impairment in older adults: association with sensorimotor peripheral nerve function from the Health, Aging and Body Composition study. 2021 , 33, 165-173	1
373	Consumption of ultra-processed foods at 11, 22 and 30 years at the 2004, 1993 and 1982 Pelotas Birth Cohorts. 2021 , 24, 299-308	1
372	Factors associated with a positive childbirth experience in Brazilian women: A cross-sectional study. 2021 , 34, e337-e345	1
371	Epidemiology of chronic back pain among adults and elderly from Southern Brazil: a cross-sectional study. 2021 , 25, 344-351	4
370	Relationship of work-related stress with obesity among Brazilian female shift workers. 2021 , 24, 260-266	0
369	Oral health and happiness in adolescents: A cohort study. 2021 , 49, 176-185	1

368	Prevalence and determinants of genital among school-going, sexually experienced adolescents in urban and rural Indigenous regions of Panama. 2021 , 97, 304-311	5
367	Suicide Risk and Mood Disorders in Women in the Postpartum Period: a Longitudinal Study. 2021 , 92, 513-522	3
366	[Association between exclusive breastfeeding and obesity in children: a cross-sectional study of three Latin American countries]. 2021 , 35, 168-176	2
365	[Sexually transmissible infections in African-descendant women in maroon communities in Brazil: prevalence and associated factors]. 2021 , 37, e00174919	0
364	Determinants of fruits, vegetables, and ultra-processed foods consumption among infants. 2021 , 26, 209-220	0
363	Socio-environmental determinants of the delay in the first dental visit: results of two population-based cohort studies in Brazil. 2020 , 54, e10161	1
362	Determinants of nutritional status during the first 1000 days of life in Lebanon: Sex of the child matters. 2021 , 35, 501-510	1
361	Ethnic Inequalities in Health Intervention Coverage Among Mexican Women at the Individual and Municipality Levels.	
360	Effect of individual and neighborhood social capital on gingival bleeding in children: A 7-year cohort study. 2021 , 92, 1430-1440	2
359	Clinical and echocardiographic predictors of left ventricular remodeling following anterior acute myocardial infarction. 2021 , 76, e2732	
358	Who are the people with Alzheimer's disease in Brazil? Findings from the Brazilian Longitudinal Study of Aging. 2021 , 24, e210018	1
357	Prevalence and associated factors of hypertension in selected urban and rural areas of Dhaka, Bangladesh: findings from SHASTO baseline survey. 2021 , 11, e038975	2
356	Relevance of fructose intake in adolescence for fatty liver indices in young adulthood. 2021 , 60, 3029-3041	3
355	Use of dental services by the Brazilian elderly: latent class analysis. 2021 , 24, e210024	
354	Adequacy of prenatal care considering nutritional assistance in Southern Brazil: Maternal Cohort Study. 2021 , 37, e00130320	1
353	High blood pressure levels and cardiovascular risk among Mundurucu indigenous people. 2021 , 29, e3477	1
352	Factors affecting Brazilians' self-rated health during the COVID-19 pandemic. 2021 , 37, e00182720	6
351	Incidence of delirium following hospitalization of elderly people with fractures: risk factors and mortality. 2021 , 55, e20200467	0

350	Association of sense of coherence with oral health behaviors and gingival bleeding among adolescents. 2021 , 25, 150-155		
349	Risk Factors for Explantation of Breast Implants: A Cross-Sectional Study. 2021 , 41, 923-928		3
348	Stillbirth maternity care measurement and associated factors in population-based surveys: EN-INDEPTH study. 2021 , 19, 11		3
347	Prevalence of processed and ultra-processed food intake in Brazilian children (6-24 months) is associated with maternal consumption and breastfeeding practices. 2021 , 72, 978-988		0
346	Neck pain and associated factors in a sample of high school students in the city of Bauru, S ^ˆ ˆ Paulo, Brazil: cross-sectional study. 2021 , 139, 38-45		1
345	Uptake of and factors associated with testing for sexually transmitted infections in community-based settings among youth in Zimbabwe: a mixed-methods study. 2021 , 5, 122-132		6
344	Periodontitis is a factor associated with dyslipidemia. 2021 ,		3
343	Maternal-fetal attachment and perceived parental bonds of pregnant women. 2021 , 154, 105310		7
342	Trends and determinants of newborn mortality in Kyrgyzstan: a Countdown country case study. 2021 , 9, e352-e360		3
341	Predictive Factors for Severe Maternal Morbidity in Brazil: A Case-Control Study. 2021 , 9,		2
340	The influence of diet quality on depression among adults and elderly: A population-based study. 2021 , 282, 1076-1081		10
339	Demographic, socioeconomic, and sociocultural factors associated with any breastfeeding in homeless mothers. 2021 , 17, e13167		1
338	Association between motor proficiency and oral health in people with intellectual disabilities. 2021 , 65, 489-499		
337	Factors associated with maternal tetanus vaccination in Myanmar: An analysis of Demographic and Health Survey data.		
336	Percep ^ˆ ˆo do medo de ser contaminado pelo novo coronav ^ˆ ˆus. <i>Jornal Brasileiro De Psiquiatria</i> , 2021 , 70, 3-11	0.5	0
335	Dor lombar cr ^ˆ ˆnica em uma popula ^ˆ ˆo de mulheres do Sul do Brasil: preval ^ˆ ˆncia e fatores associados. 2021 , 28, 9-17		
334	Intimate partner violence against women and child maltreatment in a Brazilian birth cohort study: co-occurrence and shared risk factors. 2021 , 6,		5
333	Periodontitis and its higher levels of severity are associated with the triglyceride/high density lipoprotein cholesterol ratio. 2021 , 92, 1509-1521		0

332	Uso de club drugs entre estudantes de gradua ^o : preval ^o ncia, caracter ^o sticas associadas e a influ ^o ncia dos pares. <i>Jornal Brasileiro De Psiquiatria</i> , 2021 , 70, 108-116	0.5	
331	Characterizing Micronutrient Status and Risk Factors among Late Adolescent and Young Women in Rural Pakistan: A Cross-Sectional Assessment of the MaPPS Trial. 2021 , 13,		2
330	Identifying Risk Factors for Lower Reproductive Tract Infections among Women Using Reusable Absorbents in Odisha, India. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	0
329	Family Health Strategy, Primary Health Care, and Social Inequalities in Mortality Among Older Adults in Bag ^o , Southern Brazil. 2021 , 111, 927-936		4
328	Risk Factors for Cerebral Palsy in Moldova. 2021 , 57,		1
327	Alcohol use disorders are associated with higher prevalence of periodontitis in a rural area of Brazil. 2021 , 56, 940-950		0
326	Factors associated with hypertensive pregnancy syndrome: analysis multiple in hierarchical models / Fatores associados ^a s ^o s ^o ndrome hipertensiva da gesta ^o : an ^l ise m ^l tipla em modelos hierarquizados. 13, 626-633		
325	Low serum lycopene, and adequate β -tocopherol levels in patients with psoriasis: A cross-sectional study. 2021 , 2601060211014127		0
324	Physical Activity Counseling among Adults in Primary Health Care Centers in Brazil. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
323	Community transmission of rotavirus infection in a vaccinated population in Blantyre, Malawi: a prospective household cohort study. 2021 , 21, 731-740		6
322	The prevalence of malocclusion is higher in schoolchildren with signs of hyperactivity. 2021 , 159, 653-659		0
321	Changes in characteristics and case-severity in patients hospitalised with influenza A (H1N1) pdm09 infection between two epidemic waves-England, 2009-2010. 2021 , 15, 599-607		1
320	Self-Perceived Impact of Oral Health on the Quality of Life of Women Deprived of Their Liberty. 2021 , 2021, 5520652		1
319	Factors Associated with the Occurrence of Arterial Hypertension in Industry Workers of State of Rio Grande do Sul, Brazil. 2021 , 117, 484-491		0
318	Risky Sexual Behavior Among Street Children, Adolescents, and Young People Living on the street in southern Brazil. 2021 , 46, 1188-1196		0
317	Common Mental Disorder and early interruption of exclusive maternal breastfeeding in Quilombola women: a population-based study. 2021 , 21, 485-496		
316	Iron deficiency anemia among children aged 2-5 years in southern Ethiopia: a community-based cross-sectional study. 2021 , 9, e11649		0
315	Estimation of country-level incidence of early-onset invasive Group B Streptococcus disease in infants using Bayesian methods. 2021 , 17, e1009001		0

314	Associations of Sociodemographic Factors and Health Behaviors with the Emotional Well-Being of Adolescents during the COVID-19 Pandemic in Brazil. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	9
313	Social determinants of pertussis and influenza vaccine uptake in pregnancy: a national cohort study in England using electronic health records. 2021 , 11, e046545		2
312	Factors associated with HIV infection among children in Larkana District, Pakistan: a matched case-control study. 2021 , 8, e342-e352		1
311	Prevalence, pattern and determinants of chronic disease multimorbidity in Nepal: secondary analysis of a national survey. 2021 , 11, e047665		3
310	Incidence and associated factors of type 2 diabetes mellitus onset in the Brazilian HIV/AIDS cohort study. 2021 , 25, 101608		0
309	Low-level Plasmodium vivax exposure, maternal antibodies, and anemia in early childhood: Population-based birth cohort study in Amazonian Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009568	4.8	0
308	Psychosocial and peripartum determinants of postpartum depression: Findings from a prospective population-based cohort. The ABCD study. 2021 , 108, 152239		4
307	Association between crack cocaine use and dental caries experience: a cross-sectional study in southern Brazil. 2021 , 1		2
306	Acute and chronic back pain in adults and elderly in southern Brazil. 2021 , 31, e39824		0
305	Sexual Prejudice and Comfort to Provide Services to Men Who Have Sex with Men Among HIV Healthcare Workers in Western Kenya: Role of Interpersonal Contact. 2021 , 1		4
304	Lifecourse Educational Trajectories and Hypertension in Midlife: An Application of Sequence Analysis. 2021 ,		1
303	Dietary diversity and social determinants of nutrition among late adolescent girls in rural Pakistan. 2021 , e13265		1
302	Prediction Models of Early Childhood Caries Based on Machine Learning Algorithms. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
301	Concerns Regarding P Value-Based Variable Selection of Exposure Variables and Confounding Factors: Comment on the Article by Hawker et al. 2021 , 73, 1946-1947		
300	Understanding the benefits of different types and timing of education for mental health: A sequence analysis approach. 2021 ,		1
299	Intergenerational Association of Short Maternal Stature with Stunting in Yanomami Indigenous Children from the Brazilian Amazon. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
298	[Sociodemographic and lifestyle factors related to violent behaviors among university students]. 2021 , 26, 3311-3322		
297	Multisystem inflammatory syndrome in children: a cross-sectional study of cases and factors associated with deaths during the COVID-19 pandemic in Brazil, 2020. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2021 , 30, e2021267	1.2	1

296	Antibiotic Use for Febrile Illness among Under-5 Children in Bangladesh: A Nationally Representative Sample Survey. 2021 , 10,	0
295	Incision Location Predicts 30-Day Major Adverse Events after Cosmetic Breast Augmentation: An Analysis of the Tracking Outcomes and Operations for Plastic Surgeons Database. 2021 , 148, 1014-1019	1
294	Development of a Revised Conceptual Framework of Physical Training for Use in Research and Practice. 2021 , 1	14
293	Community Mortality Due to Respiratory Syncytial Virus in Argentina: Population-based Surveillance Study. 2021 , 73, S210-S217	4
292	Binge Drinking Among Public Sector Food Service Workers in Brazil: Physical and Psychosocial Demands on Focus. 2021 , 63, e801-e806	
291	How does women's education influence infant survival? A structural equation model using aggregate data from 95 low- and middle-income countries. 2021 , 86, 102465	0
290	Trends and risk factors for non-communicable diseases mortality in Nairobi slums (2008-2017).. 2021 , 3, 100049	
289	Malocclusion and Associated Factors in Early Childhood and Knowledge Level of Mothers from Childcare Groups. 21,	
288	Concurrence of stunting and overweight/obesity among children: Evidence from Ethiopia. 2021 , 16, e0245456	4
287	Trajectories of maternal depressive symptoms and offspring's risk behavior in early adolescence: data from the 2004 Pelotas birth cohort study. 2021 , 21, 18	1
286	Causal ordering among risk factors in the PURE study. 2021 , 397, 278	1
285	Breathing problems, being an only child and having parents with possible sleep bruxism are associated with probable sleep bruxism in preschoolers: a population-based study. 2021 , 25, 1677-1684	0
284	Use of dental services by disability status in Brazil in 2013. 2021 , 49, 471-477	1
283	Climate Change and the Geographical Distribution of Infectious Diseases. 414-423	2
282	Drivers and Consequences of Food Insecurity Among Illicit Drug Users. 2015 , 359-385	4
281	Behavioural characteristics and abdominal obesity among Brazilian shift working women. 2021 , 24, 253-259	1
280	Risk for Mania and its Relationship to Implicit and Explicit Achievement Motivation. 2013 , 34, 214-221	3
279	Respiratory Failure and Death in Vulnerable Premature Children With Lower Respiratory Tract Illness. 2020 , 222, 1129-1137	4

278	HIV and Other Sexually Transmitted Infections in a Cohort of Women Involved in High-Risk Sexual Behavior in Kampala, Uganda. 2011 , 38, 316-323		84
277	Multilevel Correlates of Immunosuppressive Nonadherence in Kidney Transplant Patients: The Multicenter ADHERE BRAZIL Study. 2021 , 105, 255-266		15
276	Diagnosed and undiagnosed Diabetes mellitus among urban adults: a population based cross-sectional study.		4
275	Understanding and responding to COVID-19 in Wales: protocol for a privacy-protecting data platform for enhanced epidemiology and evaluation of interventions. 2020 , 10, e043010		17
274	Perioperative anxiety: psychobiology and effects in postoperative recovery. 2003 , 15, 87-101		25
273	Prelabor rupture of membranes and the association with cerebral palsy in term born children: a national registry-based cohort study. 2020 , 20, 67		5
272	Is there an association between full IQ score and mental health problems in young adults? A study with a convenience sample. 2020 , 8, 7		5
271	Correlates and Determinants of Cardiorespiratory Fitness in Adults: a Systematic Review. 2019 , 5, 39		37
270	Prevalence and factors associated with <i>Leishmania infantum</i> infection of dogs from an urban area of Brazil as identified by molecular methods. <i>PLoS Neglected Tropical Diseases</i> , 2011 , 5, e1291	4.8	98
269	Determinants of the relationship between cytokine production in pregnant women and their infants. 2009 , 4, e7711		26
268	Factors associated with physician agreement on verbal autopsy of over 27000 childhood deaths in India. 2010 , 5, e9583		24
267	The association between household socioeconomic position and prevalent tuberculosis in Zambia: a case-control study. 2011 , 6, e20824		48
266	Prevalence, types, risk factors and clinical correlates of anaemia in older people in a rural Ugandan population. 2013 , 8, e78394		29
265	Factors associated with problem drinking among women employed in food and recreational facilities in northern Tanzania. 2013 , 8, e84447		10
264	Treatment outcomes in tuberculosis patients with diabetes: a polytomous analysis using Brazilian surveillance system. 2014 , 9, e100082		11
263	Factors associated with four or more antenatal care visits and its decline among pregnant women in Tanzania between 1999 and 2010. 2014 , 9, e101893		99
262	Factors associated to vaccination against influenza among elderly in a large Brazilian metropolis. 2015 , 10, e0123840		17
261	Prevalence and Determinants of Unintended Pregnancy in Mchinji District, Malawi; Using a Conceptual Hierarchy to Inform Analysis. 2016 , 11, e0165621		33

260	Food Insecurity and Common Mental Disorders among Ethiopian Youth: Structural Equation Modeling. 2016 , 11, e0165931	19
259	Comparison of rubella immunization rates in immigrant and Italian women of childbearing age: Results from the Italian behavioral surveillance system PASSI (2011-2015). 2017 , 12, e0178122	5
258	Piped water supply interruptions and acute diarrhea among under-five children in Addis Ababa slums, Ethiopia: A matched case-control study. 2017 , 12, e0181516	34
257	Methodological description and preliminary results of a cohort study on the influence of the first 1,000 days of life on the children's future health. 2018 , 90, 3105-3114	5
256	Dental caries in Uruguayan adults and elders: findings from the first Uruguayan National Oral Health Survey. 2015 , 31, 1663-72	9
255	[Estimated prevalence of hypertension and associated factors in Krenak indigenous adults in the state of Minas Gerais, Brazil]. 2019 , 36, e00206818	3
254	Vaccination against influenza among pregnant women in southern Brazil and associated factors. 2019 , 24, 4655-4664	5
253	Factors associated with unspecified and ill-defined causes of death in the State of Amazonas, Brazil, from 2006 to 2012. 2020 , 25, 339-352	3
252	Depression in the elderly of a rural region in Southern Brazil. 2020 , 25, 2083-2092	7
251	Oral health condition and the use of dental services among the older adults living in the rural area in the south of Brazil. 2020 , 25, 2093-2102	4
250	Food insecurity in rural families in the extreme south of Brazil. 2020 , 25, 2605-2614	0
249	Body image dissatisfaction and associated factors in adolescents. 2020 , 25, 2769-2782	3
248	Prevalência de sobrepeso e obesidade e fatores associados em mulheres de S ^o Leopoldo, Rio Grande do Sul: um estudo de base populacional. 2019 , 27, 380-389	2
247	Low aerobic fitness in Brazilian adolescents. 2015 , 21, 94-98	6
246	Human papillomavirus and risk factors for cervical adenocarcinoma in the state of Pernambuco, Brazil. 2019 , 19, 641-649	1
245	Prevalência do risco de queda e fatores associados em idosos residentes na comunidade. 2020 , 23,	0
244	[Risk factors for persistent diarrhea in infants]. 2003 , 40, 239-46	3
243	[Sociodemographic and clinical aspects of quality of life related to oral health in adolescents]. 2013 , 47 Suppl 3, 19-28	31

242	[Epidemiological pattern of severe malocclusions in Brazilian adolescents]. 2013 , 47 Suppl 3, 109-17	8
241	[Seroprevalence of rubella in Colombia: a birth-year cohort analysis]. 2013 , 47, 1080-91	2
240	[Asthmatic children's risk factors for emergency room visits, Brazil]. 2000 , 34, 491-8	25
239	Tendência secular da anemia na infância na cidade de São Paulo (1984-1996). 2000 , 34, 62-72	65
238	[Impact of health services delivery on hospital admission utilization in Brazil]. 2005 , 39, 277-84	13
237	Barriers for HIV testing during pregnancy in Southern Brazil. 2006 , 40, 220-5	8
236	[Individual factors associated with medical consultation by adults]. 2006 , 40, 436-43	30
235	[Health care and mortality of very-low-birth-weight neonates]. 2007 , 41, 1003-12	12
234	[Sunburn in young people: population-based study in Southern Brazil]. 2008 , 42, 26-33	18
233	Self-rated health and associated factors, Brazil, 2006. 2009 , 43 Suppl 2, 27-37	48
232	Health service use in a population covered by the Estratégia de Saúde da Família (Family Health Strategy). 2009 , 43, 595-603	34
231	Alcohol use among adolescents: a population-based study. 2009 , 43, 647-55	36
230	[Household smoking and stunting for children under five years]. 2005 , 21, 1540-9	14
229	[Prevalence of physical inactivity in adult women in São Leopoldo, Rio Grande do Sul, Brazil]. 2005 , 21, 1685-95	11
228	Risk factors for infant mortality in a municipality in southern Brazil: a comparison of two cohorts using hierarchical analysis. 2012 , 28, 1915-26	6
227	Fatores associados aos problemas de saúde mental em adolescentes. 2007 , 23, 287-294	9
226	Fatores de risco associados ao desmame precoce e ao período de desmame em lactentes matriculados em creches. 2009 , 27, 272-281	6
225	Fatores associados ao sobrepeso e à obesidade em estudantes do ensino médio da rede pública estadual do município de Caruaru (PE). 2011 , 29, 536-545	6

224	Perspectivas da investiga��o sobre determinantes sociais em c�ber. 2008 , 18, 427-450	10
223	Factors associated with exclusive breastfeeding in children under four months old in Botucatu-SP, Brazil. 2007 , 15, 62-9	17
222	[Missed opportunities for cervical cancer prevention during prenatal care]. 2011 , 16, 2501-10	3
221	Tabagismo no domic�lio e desnutri�o em lactentes. 2009 , 22, 19-27	1
220	Alguns pilares para a aprecia��o da validade de estudos epidemiol�gicos. 1998 , 1, 131-148	10
219	Reflex�es sobre o uso do conceito de g�nero e/ou sexo na epidemiologia: um exemplo nos modelos hierarquizados de an�lise. 1998 , 1, 161-169	9
218	Fatores de risco associados ao sobrepeso e a obesidade em mulheres de S�o Leopoldo, RS. 2006 , 9, 360-373	20
217	Epidemiologia das atividades f�sicas praticadas no tempo de lazer por adultos do Sul do Brasil. 2009 , 12, 646-656	9
216	Fatores associados � ocorr�ncia de ces�rea e aborto em mulheres selecionadas em um centro de sa�de no munic�pio do Rio de Janeiro, Brasil. 2007 , 7, 271-280	6
215	Inadequa��o do pr�tatal em �guas pobres no Nordeste do Brasil: preval�ncia e alguns fatores associados. 2013 , 13, 101-109	4
214	Preval�ncia e fatores associados a n�veis insuficientes de atividade f�sica em jovens estudantes de duas cidades Brasileiras: �ltimos sete dias e semana t�pica ou normal. 2011 , 25, 619-629	3
213	Preval�ncia e fatores associados � capacidade funcional de idosos na Estrat�gia Sa�de da Fam�lia em Montes Claros, Minas Gerais, Brasil. 2014 , 17, 153-163	5
212	Maternal Employment and Child Survival During the Era of Sustainable Development Goals: Insights from Proportional Hazards Modelling of Nigeria Birth History Data. 2018 , 84, 15-30	9
211	Exploring causal pathways for factors associated with neonatal, infant and under-five mortality, analysis of 2015-2016 Myanmar Demographic Health Survey. 3,	2
210	Predictors of health-related absenteeism, presenteeism and sick leave among brazilian elementary school teachers: A cross-sectional study. 2020 , 67, 709-719	4
209	Nutritional status and the characteristics related to malnutrition in children under five years of age in Nghean, Vietnam. 2008 , 41, 232-40	96
208	Menopausal Status and Metabolic Syndrome in Women in Climacteric Period Treated at a Clinic in Southern Brazil. 2013 , 03, 31-41	5
207	The Hidden Burden of Malaria in Pregnancy in the Amazon: An Observational Study in Northwestern Brazil. 2018 , 99, 73-83	25

206	Sanitation Practices during Early Phases of COVID-19 Lockdown in Peri-Urban Communities in Tamil Nadu, India. 2020 , 103, 2012-2018	7
205	Delivery by caesarean section and risk of childhood obesity: analysis of a Peruvian prospective cohort. 2015 , 3, e1046	14
204	Factors associated with leisure time physical inactivity in black individuals: hierarchical model. 2014 , 2, e577	2
203	Insulin resistance and associated factors in female adolescents from two capital cities in the north and south of Brazil. 2021 , 13, 113	
202	Prevalence and correlates of common mental health problems and recent suicidal thoughts and behaviours among female sex workers in Nairobi, Kenya. 2021 , 21, 503	0
201	Quality of antenatal care and its sociodemographic determinants: results of the 2015 Pelotas birth cohort, Brazil. 2021 , 21, 1070	2
200	Social inequalities in maternal depressive symptomatology after childbirth: Comparison across birth cohorts in Brazil. 2021 , 6, 100247	
199	Automedica ^o em menores de cinco anos em munic ^{ipios} do Par ^{ab} e Piau ^o [preval ^{encia} e fatores associados. 2012 , 12, 165-172	
198	Excesso de adiposidade corporal em adolescentes: associa ^o com fatores sociodemogr ^{aficos} e aptid ^o f ^{isica} . 2013 , 19, 114-125	2
197	Determining causation in epidemiology. 1998 , 27, 161-170	
196	Factors associated with low levels of lumbar strength in adolescents in Southern Brazil. 2014 , 32, 360-366	1
195	Correlates of unprotected sex by client type among female sex workers that inject drugs in Tijuana and Ciudad Juarez, Mexico. 2015 , 4, 159-169	1
194	Influ ^{encia} da organiza ^o do trabalho sobre a preval ^{encia} de transtornos mentais comuns dos agentes comunit ^{arios} de sa ^{ude} de Belo Horizonte. 2016 , 41,	1
193	Causal diagrams: back to the future for Brazilian epidemiology. 2016 , 32, e00120416	3
192	Capacidade para o trabalho de cirurgi ^{es} -dentistas da aten ^o b ^{asica} : preval ^{encia} e fatores associados. 2016 , 41,	
191	Quality of life among young adults with obsessive compulsive disorder: a population-based study. 2017 , 1,	1
190	Effect of inpatient and outpatient care on treatment outcome in tuberculosis: a cohort study. 2018 , 42, e112	1
189	How health care may modify the effects of illness determinants on population outcomes: the Leicester SEARCH conceptual framework for primary care. 2018 , 2, bjgpopen18X101603	1

188	Oral Manifestation as the Main Sign of an Advanced Stage Acute Promyelocytic Leukemia. 2018 , 52, 358-362	3
187	Exploring Ecology and Associated Disease Pattern. 2019 , 139-198	
186	Health inequalities: child development in different social groups. 2019 , 53, e03499	4
185	Research Methods and Data Sources. 2019 , 9-42	
184	[Determinants of exclusive breastfeeding in low birthweight infants under six months of age]. 2019 , 35, e00124618	2
183	Why Promote Early Initiation of Breastfeeding?. 2019 , 1-7	
182	Predicting Under-five mortality across 21 Low and Middle-Income Countries using Deep Learning Methods.	1
181	Postgraduate education among family and community physicians in Brazil: the Trajet ^o ^o MFC project.	1
180	[Non-performance of dental consultation among pregnant women in southern Brazil: a population-based study]. 2019 , 24, 3889-3896	1
179	Urinary incontinence among pregnant women in Southern Brazil: a population-based cross-sectional survey.	
178	Changing of risk factors related to diarrhoea among children aged under 5 within ten years in Turkey. 2020 , 28, 135-142	0
177	Preval ^o ^o de alto risco para a s ^o ^o ndrome da apneia obstrutiva do sono na popula ^o ^o idosa residente na ^o ^o rea rural de Rio Grande-RS. 2020 , 28, 241-250	
176	Oral health-related quality of life among 12-year-olds. 19, e207981	
175	Folate Nutritional Status among Psoriasis Patients not Exposed to Antifolate Drug. 2020 , 16, 543-553	
174	[Epidemiology of Common Mental Disorders among women in the rural zones of Rio Grande, RS, Brazil]. 2020 , 25, 3087-3095	1
173	Family Socioecological Correlates of Lifestyle Patterns in Early Childhood: A Cross-Sectional Study from the EDEN Mother-Child Cohort. 2021 , 13,	1
172	Prevalence of depressive and anxiety symptoms and their relationship with life-threatening events, tobacco dependence and hazardous alcohol drinking: a population-based study in the Brazilian Amazon. 2022 , 298, 224-231	1
171	Access to Primary Health Care by older adults from rural areas in Southern Brazil. 2020 , 54, 149	2

- 170 Hospitalizations due to Congenital Syphilis in Neonates: Associated Factors from the Prenatal Care Process. **2020**, 20, 1-11
- 169 Hierarchical analysis of determinants of HIV vertical transmission: a case-control study. **2020**, 20, 985-995 1
- 168 Factors associated with feeding practices among Brazilian children aged 12 to 23 months old. **2020**, 20, 1025-1040
- 167 Iniquidade social e c^onc^older de mama feminino: an^olise da mortalidade. **2020**, 28, 465-476
- 166 Vaccine coverage and factors associated with influenza vaccination in the elderly in the city of S^o Paulo, Brazil: SABE Study 2015. **2020**, 36 Suppl 2, e00237419 1
- 165 Factors associated with the need for a complete denture in one arch or both arches among the elderly population. **2020**, 34, e040 2
- 164 Dor na coluna tor^oca e fatores associados em fumicultores. 45, 1
- 163 Risk factors for death of trauma patients admitted to an Intensive Care Unit. **2020**, 28, e3236 2
- 162 Impaction of mandibular third molars after orthodontic treatment by the edgewise method: a retrospective study. **2020**, 34, e065
- 161 Simultaneity of risk factors for chronic non-communicable diseases in a rural population of a Southern Brazilian city. **2020**, 23, e200066 2
- 160 Under pressure: non-medical use of prescription drugs among undergraduate students. *Jornal Brasileiro De Psiquiatria*, **2020**, 69, 23-30 0.5 1
- 159 Factors associated with the impact of oral health conditions on daily activities of adolescents, S^o Paulo State, 2015. **2020**, 23, e200098
- 158 Risk factors for common mental disorders in health care workers in the city of Diamantina, state of Minas Gerais. **2021**, 18, 293-301 1
- 157 Concurrent of stunting and overweight/obesity among children: evidence from Ethiopia.
- 156 [Unhealthy eating habits and associated risk factors among truck drivers]. **2020**, 25, 1011-1023 1
- 155 Community transmission of rotavirus infection in a vaccinated population in Malawi: a prospective household cohort study.
- 154 Course of maternal anxiety disorders and their impact on child development in toddlers: a study with young mothers. *Early Child Development and Care*, 1-13 0.9
- 153 Are Primary Health Care Features Associated with Reduced Late Neonatal Mortality in Brazil? An Ecological Study. **2021**, 1

152	[Neck pain among tobacco farm workers in Southern Brazil]. 2020 , 16, e2307	1
151	Traumatic Dental Injuries. 2021 , 133-158	0
150	Human mobility and urban malaria risk in the main transmission hotspot of Amazonian Brazil. 2020 , 15, e0242357	6
149	Prevalence and Risk Factors for Infection Among Adolescents in Rural South Africa. 2021 , 8, ofaa520	1
148	Perinatal outcomes of multiple births in southwest Nigeria. 2011 , 29, 639-47	24
147	Tuberculosis infection in Zambia: the association with relative wealth. 2009 , 80, 1004-11	19
146	HIV and other sexually transmitted infections in a cohort of women involved in high-risk sexual behavior in Kampala, Uganda. 2011 , 38, 316-23	77
145	[Breastfeeding-Friendly Primary Care Unit Initiative and the relationship with exclusive breastfeeding]. 2013 , 47, 1130-40; discussion 1140	4
144	[Chewing impairment and associated factors among adults]. 2013 , 47, 1028-38	2
143	Socioeconomic and Environmental Determinants to Preterm Birth in Tibetan Women: An Analysis Based on the Hierarchically Conceptual Frame. 2017 , 130, 2307-2315	1
142	Postneonatal under-5 mortality in peri-urban and rural Eastern Uganda, 2005-2015. 2020 , 5,	
141	Postpartum Depression and Quality of Life: A Path Analysis. 2021 , 94, 85-94	1
140	Factors associated with the incomplete opportune vaccination schedule up to 12 months of age, Rondonópolis, Mato Grosso. 2021 , 40, e2020300	
139	Ethnic inequalities in health intervention coverage among Mexican women at the individual and municipality levels.. 2022 , 43, 101228	
138	Fatores associados à intensidade e a frequência de dor lombar em estudantes do ensino médio.	
137	Factors associated with breastfeeding continuation for 12 months or more among working mothers in a general hospital. 2021 , 26, 5851-5860	3
136	[Sexual exploitation of homeless children and adolescents living on the streets in Southern Brazil]. 2021 , 26, 5701-5710	
135	Evaluation of dietary folate in children assisted in Family Health Strategy units: A cross-sectional study.. 2022 , 47, 375-382	

- 134 Behavioral and environmental determinants of acute diarrhea among under-five children from public health facilities of Siyadebirena Wayu district, north Shoa zone, Amhara regional state, Ethiopia: Unmatched case-control study. **2021**, 16, e0259828
- 133 Prevalence and factors associated with excessive and severe daytime sleepiness among healthcare university students in the Brazilian Midwest. **2021**, e13524
- 132 Mothers' high glycemic levels and the association between periodontitis and low birth weight. **2021**, 0
- 131 Incidence and factors associated with low back pain in adolescents: A prospective study. **2021**, 25, 864-864 2
- 130 The relationship between diet and sleep in 2-y-old children: Results from Growing Up in New Zealand.. **2021**, 95, 111560
- 129 Hypertension, lifestyle, and nutritional status of participants in the Study of Cardiovascular Risks in Adolescents in the Federal District. 34,
- 128 [Periodic occupational examination: an opportunity for diagnosis and monitoring of chronic noncommunicable diseases in men]. **2021**, 37, e00298320
- 127 Factors associated with early childhood development in municipalities of Cear  Brazil: a hierarchical model of contexts, environments, and nurturing care domains in a cross-sectional study. **2022**, 5, 100139 1
- 126 Changing Epidemiology of Acute Respiratory Infections in Under-Two Children in Dhaka, Bangladesh.. **2021**, 9, 728382 0
- 125 Assessment of standard precaution related to infection prevention readiness of healthcare facilities in Bangladesh: Findings from a national cross-sectional survey. **2021**, 1, 0
- 124 Epidemiology of interleukin-6: the 30-year follow-up of the 1982 Pelotas (Brazil) birth cohort study.. **2021**, 48, 525-533
- 123 Factors associated with long intensive care unit (ICU) admission among inpatients with and without diabetes in South Western Sydney public hospitals using the New South Wales admission patient data collection (2014-2017).. **2022**, 22, 27
- 122 Factors associated with maternal tetanus vaccination in Myanmar: An analysis of demographic and health survey data.. **2022**, 40, 1135-1135 1
- 121 Street scars: Suicide ideation and suicide attempt among street-involved adolescents and youth in southern Brazil.. **2022**, 105490
- 120 The Determinants of Complementary Feeding Introduction Vary According to the Type of Food and Infants' Ages: A Cohort Study-ClaB, Brazil.. **2022**, 1
- 119 Autoavalia  o ruim do estado de sa de: preval ncia e fatores associados em mulheres privadas de liberdade. 26,
- 118 FACTORS ASSOCIATED WITH NORMAL-WEIGHT OBESITY IN ADOLESCENTS.. **2022**, 1-32 0
- 117 Obesity Among Industrial Workers in Brazil: A Cross-sectional Study on Prevalence and Associated Factors.. **2022**,

116	Consumption of ultra-processed foods during the first year of life and associated factors in Cruzeiro do Sul, Brazil.. 2022 , 27, 725-736	1
115	[Factors associated infant development in Brazilian children: baseline of the impact assessment of the Happy Child Program].. 2022 , 38, e00316920	2
114	Depression and a lack of socialization are associated with high levels of boredom during stroke rehabilitation: An exploratory study using a new conceptual framework.. 2022 , 1-31	0
113	Does Mothers' Awareness of Health and Nutrition Matter? A Case Study of Child Malnutrition in Marginalized Rural Community of Punjab, Pakistan.. 2022 , 10, 792164	0
112	Vitamin A deficiency and associated risk factors in children aged 12-59 months living in poorest municipalities in the South Region of Brazil.. 2022 , 1-26	
111	Predictors of treatment limitations in Finnish intensive care units.. 2022 ,	0
110	Exploring the temporal patterns and crisis-related risk factors for population displacement in Somalia (2016-2018).. 2022 , 5, 100095	0
109	[Longitudinal care: factors associated with adherence to postpartum follow-up according to data from PMAQ-AB].. 2022 , 38, e00103221	0
108	Enhanced peri-operative care to improve outcomes for high-risk surgical patients in Brazil: a single-centre before-and-after cohort study.. 2022 ,	1
107	Predictors of 25-hydroxyvitamin D concentrations during pregnancy: A longitudinal analysis in the Brazilian Amazon.. 2022 ,	
106	Women empowerment and sexually transmitted infections: Evidence from Bangladesh demographic and health survey 2014.. 2022 , 17, e0263958	
105	Prevalence of Premenstrual Syndrome and Associated Factors Among Academics of a University in Midwest Brazil.. 2022 , 44, 133-141	1
104	Population-based rates, risk factors and consequences of preterm births in South-Asia and sub-Saharan Africa: A multi-country prospective cohort study.. 2022 , 12, 04011	0
103	Does Gender Moderate the Relationship Between Chronic Pain and Substance Use Disorder? Insights From a National Canadian Population Survey.. 2022 , 13, 799655	
102	Family-focused contextual factors associated with lifestyle patterns in young children from two mother-offspring cohorts: GUSTO and EDEN.. 2022 , 19, 26	
101	Socio-demographic, maternal, and infant characteristics associated with early childhood development delays among children of young mothers in Bras' lla, Brazil.. 2022 , 17, e0266018	0
100	Factors Associated with Overweight and Obesity in Adults from Rio Branco, Acre in the Western Brazilian Amazon.. 2022 , 14,	1
99	Association of sFlt-1 and C-reactive protein with outcomes in severe preeclampsia: A cohort study.. 2022 , 101,	

98	Alcohol Consumption and Smoking During Covid-19 Pandemic: Association with Sociodemographic, Behavioral, and Mental Health Characteristics.. 2022 , 1	2
97	Suicide attempt, impulsivity, and exposure to trauma in college students.. 2022 ,	0
96	Relationship between sleep duration and quality and mental health before and during COVID-19 pandemic: Results of population-based studies in Brazil.. 2022 , 158, 110910	1
95	Peripartum hysterectomy due to severe postpartum hemorrhage: A hospital-based study.. 2022 ,	
94	Molar-incisor hypomineralization and dental caries: A hierarchical approach in a populational-based study.. 2021 , 32, 74-82	0
93	Thoracic Spine Pain and Factors Associated in High School Students.. 2021 ,	0
92	Cognitive and language development in preschoolers is related to maternal cognitive performance: A study of young mothers in an urban area of a city in Southern Brazil. 2021 , 15, 233-245	
91	Part II : Statistics in practice: Comparing three or more groups. 2021 , 4, 413-417	
90	A Scoping Review and Narrative Synthesis Comparing the Constructs of Social Determinants of Health and Social Determinants of Mental Health: Matryoshka or Two Independent Constructs?. 2022 , 13, 848556	
89	Factors associated with women's healthcare decision-making during and after pregnancy in urban slums in Mumbai, India: a cross-sectional analysis.. 2022 , 22, 743	
88	Lifestyle, high Body Mass Index, and markers of socioeconomic conditions associated with multimorbidity in women.. 2022 , 25, e220007	0
87	Risk indicators of untreated dental caries incidence among preschoolers: a prospective longitudinal study. 36,	
86	Factors associated with perinatal mortality in a Brazilian Northeastern capital.. 2022 , 27, 1513-1524	2
85	Uso de suplementos alimentares combinado com a prática de atividade física entre universitários do extremo sul do Brasil.	
84	Prevalence, Risk Factors, and Negative Outcomes of Anxiety and Depressive Disorders among HIV-Infected Children and Adolescents in Uganda: CHAKA Study 2014-2017.. 2022 , 2022, 8975704	0
83	[Introduction of ultra-processed foods and associated factors among children under six months of age in the Southwest of the state of Bahia, Brazil].. 2022 , 27, 2087-2098	0
82	Fear of Covid-19 and health-related outcomes: results from two Brazilian population-based studies.. 2022 , 313, 114596	1
81	Does sleep quality modify the relationship between common mental disorders and chronic low back pain in adult women?. 2022 ,	

80	Intimate partner violence against women with disability and associated mental health concerns: a cross-sectional survey in Mumbai, India.. 2022 , 12, e056475		o
79	Guidance relevant to the reporting of health equity in observational research: a scoping review protocol.. 2022 , 12, e056875		o
78	Breastfeeding and its relationship with motor development of infants at 3â€ months of age. <i>Early Child Development and Care</i> , 1-12	0.9	
77	Prevalêªcia e fatores associados à polifarmácia e potenciais interações medicamentosas em adultos na cidade de Manaus: estudo transversal de base populacional, 2019. <i>Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil</i> , 2022 , 31,	1.2	
76	Tentativa de suicídio: prevalêªcia e fatores associados entre usuários da Atenção Primária Saúde. <i>Jornal Brasileiro De Psiquiatria</i> ,	0.5	
75	Suicide risk among undergraduate students in Brazil in the periods before and during the COVID-19 pandemic: results of the SABES-Grad national survey. <i>Psychological Medicine</i> , 1-13	6.9	o
74	A comparison of risk factors for cryptosporidiosis and non-cryptosporidiosis diarrhoea: A case-case-control study in Ethiopian children. <i>PLoS Neglected Tropical Diseases</i> , 2022 , 16, e0010508	4.8	o
73	Harmful Alcohol and Drug Use Is Associated with Syndemic Risk Factors among Female Sex Workers in Nairobi, Kenya. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 7294	4.6	1
72	Prolonged Breastfeeding and the Risk of Plasmodium vivax Infection and Clinical Malaria in Early Childhood. <i>Pediatric Infectious Disease Journal</i> , Publish Ahead of Print,	3.4	
71	Prevalence of and factors associated with high atherogenic index among adults in Nairobi urban informal settlements: The AWI-Gen study. <i>PLOS Global Public Health</i> , 2022 , 2, e0000224		
70	SARS-CoV-2 seropositivity and COVID-19 among 5 years-old Amazonian children and their association with poverty and food insecurity. <i>PLoS Neglected Tropical Diseases</i> , 2022 , 16, e0010580	4.8	
69	Mother's education and family relations protect children from dental caries experience: a salutogenic approach. 36,		
68	Association between dental caries and molar-incisor hypomineralisation in first permanent molars: A hierarchical model.		
67	Relationship between oral health literacy of caregivers and the oral health-related quality of life of children: a cross-sectional study. 2022 , 20,		
66	Study protocol for UNICEF and WHO estimates of global, regional, and national low birthweight prevalence for 2000 to 2020. 6, 80		
65	Association between bone mineral density and content and physical growth parameters among children and adolescents diagnosed with HIV: a cross-sectional study.		
64	Pattern of caries lesions and oral health-related quality of life throughout early childhood: A birth cohort study.		
63	Sedentary Behavior Counseling Received from Healthcare Professionals: An Exploratory Analysis in Adults at Primary Health Care in Brazil. 2022 , 19, 9963		

- 62 Time trends in the prevalence and determinants of age-appropriate breast feeding among children aged 0–23 months in Ghana: a pooled analysis of population-based surveys, 2003–2017. **2022**, 12, e059928
- 61 Are adolescents more likely to have antenatal anxiety disorders than adult women? A comparison between two samples. **2022**, 316, 50-55
- 60 The Relationship Between Intimate Partner Violence and Unintended Pregnancy: Eastern Sub Saharan African Countries—Analysis of Demographic and Health Surveys. 088626052211208 ○
- 59 Influência do sono e da crononutrição na hipertensão e diabetes: um estudo de base populacional. **2022**, 38, 1
- 58 Cash Transfer Program and Food Security: a Comparative Study Between Quilombola Communities and the General Population of Alagoas, Brazil. ○
- 57 Double-, single- and none-carbapenem-containing regimens for the treatment of carbapenem-resistant Enterobacterales (CRE) bloodstream infections: a retrospective cohort. ○
- 56 Global patterns of prescription pain medication usage in disorders of gut–brain interactions. ○
- 55 Barriers to healthcare access and healthcare seeking for childhood illnesses among childbearing women in Burundi. **2022**, 17, e0274547 ○
- 54 Associations of chronotype and social jetlag with eating jetlag and their changes among German students during the first COVID-19 lockdown. The Chronotype and Nutrition study. **2022**, 106333 ○
- 53 Daily screen time, sleep pattern and probable sleep bruxism in children: a cross-sectional study. ○
- 52 Sintomas de ansiedade generalizada entre estudantes de graduação: prevalência, fatores associados e possíveis consequências. **2022**, 71, 193-203 ○
- 51 Association between water, sanitation and hygiene (WASH) and child undernutrition in Ethiopia: a hierarchical approach. **2022**, 22, 2
- 50 High prevalence of chronic malnutrition in indigenous children under 5 years of age in Chimborazo-Ecuador: multicausal analysis of its determinants. **2022**, 22, ○
- 49 Inter-epidemic Rift Valley fever virus infection incidence and risks for zoonotic spillover in northern Tanzania. **2022**, 16, e0010871 ○
- 48 Impact of Drinking Water Source and Sanitation Facility on Malnutrition Prevalence in Children under Three: A Gender-Disaggregated Analysis Using PDHS 2017–18. **2022**, 9, 1674 ○
- 47 Punitive school discipline as a mechanism of structural marginalization with implications for health inequity: A systematic review of quantitative studies in the health and social sciences literature. ○
- 46 Risk factors for natural menopause before the age of 45: evidence from two British population-based birth cohort studies. **2022**, 22, ○
- 45 Prevalence and factors associated with anxiety and depressive symptoms in women deprived of liberty in Juiz de Fora-MG, Brazil. **2022**, 27, 4493-4509 ○

- 44 Prevalência e fatores associados a sintomas ansiosos e depressivos em mulheres privadas de liberdade em Juiz de Fora-MG, Brasil. **2022**, 27, 4493-4509 ○
- 43 Utilização de serviços odontológicos por pacientes em tratamento oncológico. 51, ○
- 42 Factors associated with the occurrence of upright birth in Brazil. 25, ○
- 41 Fatores associados à ocorrência de parto em posição vertical no Brasil. 25, ○
- 40 Age-specific neonatal mortality and associated factors in the 2021 state of Rio de Janeiro (Brazil) birth cohort. 25, ○
- 39 Mortalidade neonatal específica por idade e fatores associados na coorte de nascidos vivos em 2021, no estado do Rio de Janeiro, Brasil. 25, ○
- 38 Prevalence of depressive disorders in a primary care setting in Ho Chi Minh City, Vietnam: A cross-sectional epidemiological study. 009121742211417 ○
- 37 Associação entre vínculo parental e qualidade da vinculação amorosa em universitários no sul do Brasil. **2022**, 53, e38132 ○
- 36 Realização de medidas preventivas contra SARS-CoV-2/Covid-19: um estudo transversal em Passo Fundo, RS. ○
- 35 Association between cash transfer programs and oral health: a scoping review. ○
- 34 The Effects of Financial Stress and Household Socio-Economic Deprivation on the Malnutrition Statuses of Children under Five during the COVID-19 Lockdown in a Marginalized Region of South Punjab, Pakistan. **2023**, 10, 12 ○
- 33 Prevalence of self-reported lifetime medical diagnosis of depression in Brazil: analysis of data from the 2019 Brazilian National Health Survey. **2022**, 12, e063902 ○
- 32 Risk factors associated with under-five stunting, wasting, and underweight in four provinces of the Democratic Republic of Congo: analysis of the ASSP project baseline data. **2022**, 22, ○
- 31 Maternal-fetal attachment and social-emotional development in infants at 3 months of age: A population-based study in southern Brazil. **2022**, 16, 260-276 ○
- 30 Factors associated with stunting among children 0 to 59 months of age in Angola: A cross-sectional study using the 2015-2016 Demographic and Health Survey. **2022**, 2, e0000983 ○
- 29 Thoracic Spine Pain in High School Adolescents: A One-Year Longitudinal Study. **2023**, 11, 196 ○
- 28 Determinants of hair cortisol in preschool children and their mothers: A Brazilian birth cohort study. **2023**, 106027 ○
- 27 Household food insecurity before and during COVID-19 pandemic and its association with perceived stress: population-based studies. **2023**, 39, ○

- 26 The effect of high polycyclic aromatic hydrocarbon exposure on biological aging indicators. ○
- 25 Impact of Antenatal Care on Perinatal Outcomes in New South Wales, Australia: A Decade-Long Regional Perspective. **2023**, 20, 977 ○
- 24 Quality of care for children under two years of age in Brazil's basic network in 2018: indicators and associated factors. 26, ○
- 23 Qualidade da atenção à criança menores de dois anos na rede básica do Brasil em 2018: indicadores e fatores associados. 26, ○
- 22 Framework for Refugee and Migrant Health Research in the WHO European Region. ○
- 21 Sleep Bruxism in Puerperal Women: Data from a Population-Based Survey. ○
- 20 Association between maternal stature and household-level double burden of malnutrition: findings from a comprehensive analysis of Ethiopian Demographic and Health Survey. **2023**, 42, 1
- 19 Family income modifies the association between frequent sugar intake and dental caries. ○
- 18 Breastfeeding in the first hour of life in Brazilian private hospitals participating in a quality-of-care improvement project. **2022**, 20, ○
- 17 Fatores associados a multimorbidades autorreferidas em trabalhadores da rede de saúde municipal. 48, ○
- 16 Determinants of COVID-19 vaccine uptake in the Netherlands: an ecological analysis. ○
- 15 Experiência de relação sexual forçada entre estudantes de graduação: fatores associados e possíveis consequências. **2023**, 28, 1241-1251 ○
- 14 Factors associated with attendance to a participatory gender training programme – A secondary analysis of data from the MAISHA study. **2023**, 97, 102248 ○
- 13 Suicide ideation among Brazilian college students: Relationship with academic factors, mental health, and sexual abuse. **2023**, 329, 324-334 ○
- 12 Disability types, determinants and healthcare utilisation amongst Afghan adults: a secondary analysis of the Model Disability Survey of Afghanistan. **2023**, 13, e062362 ○
- 11 Overweight and obesity among Brazilian healthcare university students: prevalence and associated factors. **2023**, ○
- 10 Fatores associados às desigualdades das condições sociais na saúde de idosos brancos, pardos e pretos na cidade de São Paulo, Brasil. **2023**, 28, 897-907 ○
- 9 Unravelling the potential of social prescribing in individual-level type 2 diabetes prevention: a mixed-methods realist evaluation. **2023**, 21, ○

- 8 Factors associated with incomplete vaccination and negative antibody test results for measles, mumps, and hepatitis A among children followed in the MINA-BRAZIL cohort. 65,
- 7 Course of depression during the first 2 years postpartum among Brazilian women enrolled in a conditional cash transfer program. 002076402311543
- 6 The effect of high polycyclic aromatic hydrocarbon exposure on biological aging indicators. **2023**, 22,
- 5 Burden and determinants of anaemia among in-school young adolescents in Ethiopia, Sudan and Tanzania.
- 4 Mortality was predicted by depression and functional dependence in a cohort of elderly adults of Italian descent from southern Brazil. **2023**, 13,
- 3 Risk factors for perinatal death in high-risk pregnant women at a tertiary hospital in Curitiba-PR, Brazil: a case-control study. **2023**, 28, 1043-1058
- 2 Factors associated with skin-to-skin contact less than 180 min/day in newborns weighing up to 1,800 g: multicenter study. **2023**, 28, 1021-1029
- 1 Fatores de risco para óbito perinatal em gestantes de alto risco de um hospital terciário de Curitiba-PR, Brasil: estudo caso-controle. **2023**, 28, 1043-1058