

Differential Utilization of ShcA Tyrosine Residues and F  
Transduction of Epidermal Growth Factor-induced Mit  
Activation in 293T Cells and Nerve Growth Factor-induc  
Cells

Journal of Biological Chemistry

272, 22293-22299

DOI: 10.1074/jbc.272.35.22293

Citation Report

#	ARTICLE	IF	CITATIONS
1	Emerging roles for SH2/PTB-containing Shc adaptor proteins in the developing mammalian brain. Trends in Neurosciences, 1998, 21, 476-481.	4.2	102
2	c-Src and Phosphatidylinositol 3-Kinase Are Involved in NGF-Dependent Tyrosine Phosphorylation of Shc in PC12 Cells. Biochemical and Biophysical Research Communications, 1998, 250, 223-228.	1.0	22
3	Relative Involvement of Shc Tyrosine 239/240 and Tyrosine 317 on Insulin Induced Mitogenic Signaling in Rat1 Fibroblasts Expressing Insulin Receptors. Biochemical and Biophysical Research Communications, 1998, 252, 139-144.	1.0	20
4	N-Shc and Sck, Two Neuronally Expressed Shc Adapter Homologs. Journal of Biological Chemistry, 1998, 273, 6960-6967.	1.6	84
5	Insulin Receptor Substrate 2 And Shc Play Different Roles In Insulin-like Growth Factor I Signaling. Journal of Biological Chemistry, 1998, 273, 34543-34550.	1.6	66
6	Bifurcation of Cell Migratory and Proliferative Signaling by the Adaptor Protein Shc. Journal of Cell Biology, 1999, 147, 1561-1568.	2.3	37
7	Comparison of the intracellular signaling responses by three chimeric fibroblast growth factor receptors in PC12 cells. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 7178-7183.	3.3	68
8	Shc Regulates Epidermal Growth Factor-induced Activation of the JNK Signaling Pathway. Journal of Biological Chemistry, 1999, 274, 20139-20143.	1.6	49
9	Role of tyrosine residues and protein interaction domains of SHC adaptor in VEGF Receptor 3 signaling. Oncogene, 1999, 18, 507-514.	2.6	26
10	Activation of Vav and Ras through the Nerve Growth Factor and B Cell Receptors by Different Kinases. Cellular Immunology, 1999, 191, 83-89.	1.4	21
11	Activation of tyrosine kinases by $\beta$ 1A-adrenergic and growth factor receptors in transfected PC12 cells. Biochemical Journal, 1999, 344, 889-894.	1.7	24
12	Phosphorylation and nuclear exclusion of the forkhead transcription factor FKHR after epidermal growth factor treatment in human breast cancer cells. Oncogene, 2000, 19, 4574-4581.	2.6	83
13	Discoidin domain receptor 1 (DDR1) signaling in PC12 cells: activation of juxtamembrane domains in PDGFR/DDR/TrkA chimeric receptors. FASEB Journal, 2000, 14, 973-981.	0.2	37
14	NF- $\kappa$ B Signaling Promotes Both Cell Survival and Neurite Process Formation in Nerve Growth Factor-Stimulated PC12 Cells. Journal of Neuroscience, 2000, 20, 7556-7563.	1.7	138
15	Activation of the Stat3 Signaling Pathway Is Required for Differentiation by Interleukin-6 in PC12-E2 Cells. Journal of Biological Chemistry, 2000, 275, 2147-2156.	1.6	57
16	The NF- $\kappa$ B-inducing Kinase Induces PC12 Cell Differentiation and Prevents Apoptosis. Journal of Biological Chemistry, 2000, 275, 34021-34024.	1.6	47
17	A TVA $\alpha$ -Single-Chain Antibody Fusion Protein Mediates Specific Targeting of a Subgroup A Avian Leukosis Virus Vector to Cells Expressing a Tumor-Specific Form of Epidermal Growth Factor Receptor. Journal of Virology, 2000, 74, 9540-9545.	1.5	31
18	Shc Mediates Ligand-Induced Internalization of Epidermal Growth Factor Receptors. Biochemical and Biophysical Research Communications, 2001, 282, 1154-1160.	1.0	19

#	ARTICLE	IF	CITATIONS
19	Key role of Shc signaling in the transforming pathway triggered by Ret/ptc2 oncoprotein. <i>Oncogene</i> , 2001, 20, 3475-3485.	2.6	23
20	Cellular Mechanism of Nutritionally Induced Insulin Resistance in Psammomys Obesus: Overexpression of Protein Kinase C $\alpha$ in Skeletal Muscle Precedes the Onset of Hyperinsulinemia and Hyperglycemia. <i>Diabetes</i> , 2001, 50, 584-592.	0.3	88
21	Tyrosine Phosphorylation-Dependent and -Independent Role of Shc in the Regulation of IGF-1-Induced Mitogenesis and Glycogen Synthesis. <i>Endocrinology</i> , 2001, 142, 5226-5235.	1.4	22
22	Biological activity of the thyroid TRK-T3 oncogene requires signalling through Shc. <i>British Journal of Cancer</i> , 2002, 87, 645-653.	2.9	30
23	p53-mediated induction of Cox-2 counteracts p53- or genotoxic stress-induced apoptosis. <i>EMBO Journal</i> , 2002, 21, 5635-5644.	3.5	192
24	Discrimination between phosphotyrosine-mediated signaling properties of conventional and neuronal Shc adapter molecules. <i>Oncogene</i> , 2002, 21, 22-31.	2.6	33
25	Grb2 SH2 domain-binding peptide analogs as potential anticancer agents. <i>Biopolymers</i> , 2003, 71, 132-140.	1.2	14
26	The critical role of c-Src and the Shc/Grb2/ERK2 signaling pathway in angiotensin II-dependent VSMC proliferation. <i>Experimental Cell Research</i> , 2003, 287, 339-349.	1.2	47
27	Association of the Atypical Protein Kinase C-interacting Protein p62/ZIP with Nerve Growth Factor Receptor TrkA Regulates Receptor Trafficking and Erk5 Signaling. <i>Journal of Biological Chemistry</i> , 2003, 278, 4730-4739.	1.6	51
28	ShcA regulates neurite outgrowth stimulated by neural cell adhesion molecule but not by fibroblast growth factor 2: evidence for a distinct fibroblast growth factor receptor response to neural cell adhesion molecule activation. <i>Journal of Neurochemistry</i> , 2004, 91, 694-703.	2.1	26
29	Domain-specific function of ShcC docking protein in neuroblastoma cells. <i>Oncogene</i> , 2005, 24, 3206-3215.	2.6	24
30	Distinct Turnover of Alternatively Spliced Isoforms of the RET Kinase Receptor Mediated by Differential Recruitment of the Cbl Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2005, 280, 13442-13449.	1.6	64
31	Analysis of a Shc Family Adaptor Protein, ShcD/Shc4, That Associates with Muscle-Specific Kinase. <i>Molecular and Cellular Biology</i> , 2007, 27, 4759-4773.	1.1	53
32	TGF- $\beta$ 2 activates Erk MAP kinase signalling through direct phosphorylation of ShcA. <i>EMBO Journal</i> , 2007, 26, 3957-3967.	3.5	479
33	Expression of the human $\beta$ 3 integrin subunit in mouse smooth muscle cells enhances IGF-1-stimulated signaling and proliferation. <i>Journal of Cellular Physiology</i> , 2008, 214, 306-315.	2.0	10
34	p66shc Negatively Regulates Insulin-Like Growth Factor I Signal Transduction via Inhibition of p52shc Binding to Src Homology 2 Domain-Containing Protein Tyrosine Phosphatase Substrate-1 Leading to Impaired Growth Factor Receptor-Bound Protein-2 Membrane Recruitment. <i>Molecular Endocrinology</i> , 2008, 22, 2162-2175.	3.7	43
35	A novel role of Shc adaptor proteins in steroid hormone-regulated cancers. <i>Endocrine-Related Cancer</i> , 2009, 16, 1-16.	1.6	33
36	Neuro2A Differentiation by G $\beta$ Pathway. <i>Science Signaling</i> , 2009, 2, cm1.	1.6	29

#	ARTICLE	IF	CITATIONS
37	Src-dependent TrkA Transactivation Is Required for Pituitary Adenylate Cyclase-activating Polypeptide 38-mediated Rit Activation and Neuronal Differentiation. <i>Molecular Biology of the Cell</i> , 2010, 21, 1597-1608.	0.9	26
38	Brain-Derived Neurotrophic Factor and Epidermal Growth Factor Activate Neuronal m-Calpain via Mitogen-Activated Protein Kinase-Dependent Phosphorylation. <i>Journal of Neuroscience</i> , 2010, 30, 1086-1095.	1.7	113
39	Teaching an old dogma new tricks: twenty years of Shc adaptor signalling. <i>Biochemical Journal</i> , 2012, 447, 1-16.	1.7	74
40	Molecular Basis of Signaling Specificity of Insulin and IGF Receptors: Neglected Corners and Recent Advances. <i>Frontiers in Endocrinology</i> , 2012, 3, 34.	1.5	128
41	Insights into the Shc Family of Adaptor Proteins. <i>Journal of Molecular Signaling</i> , 2017, 12, 2.	0.5	34
42	Sex-Steroid Rapid Action and Its Role in Invasiveness and Metastasis of Breast Cancer. , 2012, , 95-114.		0
43	Activation of tyrosine kinases by alpha1A-adrenergic and growth factor receptors in transfected PC12 cells. <i>Biochemical Journal</i> , 1999, 344 Pt 3, 889-94.	1.7	1
44	Calpain Inhibitors as Potential Therapeutic Modulators in Neurodegenerative Diseases. <i>Neurochemical Research</i> , 2022, 47, 1125-1149.	1.6	22