

CITATION REPORT

List of articles citing

Heart rate and the cardiovascular risk

DOI: 10.1097/00004872-199715010-00001
Journal of Hypertension, 1997, 15, 3-17.

Source: <https://exaly.com/paper-pdf/28054367/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
375	Differential properties of mibefradil in hypertension and angina. <i>Journal of Hypertension</i> , 1997 , 15, S33-40		1
374	Cardiovascular care with the new T-type calcium channel antagonist: possible role of attendant sympathetic nervous system inhibition. <i>Journal of Hypertension</i> , 1997 , 15, S3-7	1.9	15
373	How strong is the evidence that recommendations to reduce population average salt intake will reduce mortality from cardiovascular disease?Viewpoint. 1997 , 22, 178-186		
372	Comparison of effects of controlled onset extended release verapamil at bedtime and nifedipine gastrointestinal therapeutic system on arising on early morning blood pressure, heart rate, and the heart rate-blood pressure product. 1998 , 81, 424-31		80
371	Comparison of effects of quinapril and metoprolol on glycaemic control, serum lipids, blood pressure, albuminuria and quality of life in non-insulin-dependent diabetes mellitus patients with hypertension. Swedish Quinapril Group. 1998 , 244, 95-107		15
370	Neuropathy as an extrahepatic manifestation of chronic liver diseases. 1998 , 228, 130-2		11
369	Clinical Advantages of Lipophilic Dihydropyridines. 1998 , 7, 23-26		5
368	Consequences of the increased autonomic nervous drive in hypertension, heart failure and diabetes. 1998 , 3, 5-13		26
367	Anti-anginal and anti-ischemic effects of mibefradil, a new T-type calcium channel antagonist. 1998 , 89 Suppl 1, 23-32		11
366	Altered cardiovascular variability in obstructive sleep apnea. 1998 , 98, 1071-7		438
365	Clinical Consequences of the Autonomic Imbalance in Hypertension and Congestive Heart Failure. 1998 , 32, 23-30		1
364	Adverse prognostic value of a blunted circadian rhythm of heart rate in essential hypertension. <i>Journal of Hypertension</i> , 1998 , 16, 1335-43	1.9	66
363	Insulin resistance: site of the primary defect or how the current and the emerging therapies work. 1998 , 9, 281-94		6
362	Blood pressure and heart rate development in young spontaneously hypertensive rats. 1998 , 274, H794-800		52
361	Association of heart rate and heart-rate variability with scores on the emotion profile index in patients with acute coronary heart disease. 1999 , 84, 433-42		9
360	The renin-angiotensin system in essential hypertension: associations with cardiovascular risk. 1999 , 8, 70-8		15
359	Influence of heart rate on mortality in a French population: role of age, gender, and blood pressure. 1999 , 33, 44-52		301

358	Heart rate and subsequent blood pressure in young adults: the CARDIA study. 1999 , 33, 640-6		70
357	Need for a revision of the normal limits of resting heart rate. 1999 , 33, 622-5		103
356	Interactive effect of heart rate and muscle sympathetic nerve activity on blood pressure. 1999 , 100, 2514-8		28
355	Clonidine prevents insulin resistance and hypertension in obese dogs. 1999 , 33, 548-53		84
354	Impact of cardiovascular reactions using the impedance cardiography method in borderline hypertension. 1999 , 873, 174-81		1
353	Relevance of heart rate as a risk factor in hypertension. 1999 , 1, 219-24		22
352	Obstructive sleep apnea as a cause of neurogenic hypertension. 1999 , 1, 268-73		28
351	Mechanism of action of angiotensin-receptor blocking agents. 1999 , 1, 289-95		20
350	Spectrum of use for the angiotensin-receptor blocking drugs. 1999 , 1, 394-401		14
349	Borderline hypertension. 1999 , 21, 741-7		10
348	Heart rate as a risk factor for atherosclerosis and cardiovascular mortality: the effect of antihypertensive drugs. 1999 , 57, 713-24		43
347	Elevated plasma immunoreactive leptin levels preexist in healthy offspring of patients with essential hypertension. 1999 , 138, 922-5		30
346	An independent relationship between plasma leptin and heart rate in untreated patients with essential hypertension. <i>Journal of Hypertension</i> , 1999 , 17, 245-9	1.9	46
345	Debating sympathetic overactivity as a hallmark of human obesity: an opposing position. <i>Journal of Hypertension</i> , 1999 , 17, 1061-4	1.9	11
344	Associations between heart rate and other risk factors in a large French population. <i>Journal of Hypertension</i> , 1999 , 17, 1671-6	1.9	51
343	Reply. <i>Journal of Hypertension</i> , 1999 , 17, 149	1.9	
342	No vasoactive role of the angiotensin II type 2 receptor in normotensive Wistar rats. <i>Journal of Hypertension</i> , 1999 , 17, 1879-84	1.9	22
341	Parental hyperdynamic circulation predicts insulin resistance in offspring: The Tecumseh Offspring Study. 1999 , 33, 769-74		24

340	Determinants of left ventricular structure and mass in young subjects with sympathetic over-activity. The Tecumseh Offspring Study. <i>Journal of Hypertension</i> , 2000 , 18, 769-75	1.9	19
339	Reproducibility of radial pulse wave analysis in healthy subjects. <i>Journal of Hypertension</i> , 2000 , 18, 1033-40		71
338	Heart rate and mortality. 2000 , 247, 231-9		95
337	Failure of magnesium to protect isolated cardiomyocytes from effects of hypoxia or metabolic poisoning. 2000 , 23, 530-4		6
336	Physical training improves flow-mediated dilation in patients with the polymetabolic syndrome. 2000 , 20, 551-5		128
335	Measurement and interpretation of blood pressure. 2000 , 82, 261-5		39
334	Prognostic value of ambulatory blood pressure : current evidence and clinical implications. 2000 , 35, 844-51		463
333	The changing face of sympathetic overactivity in hypertension. 2000 , 32, 365-70		79
332	Sublingual nitroglycerin delays arterial wave reflections despite increased aortic "stiffness" in patients with hypertension: a Doppler echocardiography study. 2000 , 13, 1100-8		9
331	[Validation of the quality of life questionnaire in arterial hypertension (HQALY) for its use in Spain. Relationship between clinical variables and quality of life. Investigator Group of the HQALY study]. 2000 , 26, 96-103		11
330	Hypertension and the risk of acute myocardial infarction in Argentina. The Argentine Factores de Riesgo Coronario en America del Sur (FRICAS) Investigators.. 2001 , 4, 57-64		5
329	Heart rate and mortality in a Japanese general population: an 18-year follow-up study. 2001 , 54, 495-500		76
328	Pulse pressure and heart rate: independent risk factors for cancer?. 2001 , 54, 735-40		22
327	Heart rate as a cardiovascular risk factor: do women differ from men?. 2001 , 33, 213-21		46
326	Blood pressure response to standing in the diagnosis of autonomic neuropathy: the EURODIAB IDDM Complications Study. 2001 , 109, 215-22		22
325	Ambulatory blood pressure monitoring and clinical characteristics of the true and white-coat resistant hypertension. 2001 , 23, 203-11		34
324	Ambulatory heart rate is underestimated when measured by an ambulatory blood pressure device. <i>Journal of Hypertension</i> , 2001 , 19, 1301-7	1.9	2
323	Relation between clinical and therapeutic variables and quality of life in hypertension. <i>Journal of Hypertension</i> , 2001 , 19, 1913-9	1.9	34

322	Combined effects of heart rate and pulse pressure on cardiovascular mortality according to age. <i>Journal of Hypertension</i> , 2001 , 19, 863-9	1.9	50
321	Leptin interacts with heart rate but not sympathetic nerve traffic in healthy male subjects. <i>Journal of Hypertension</i> , 2001 , 19, 1089-94	1.9	50
320	Base heart rate during sleep in hypertensive and normotensive subjects. <i>Journal of Hypertension</i> , 2001 , 19, 1131-7	1.9	12
319	A multicenter, randomized double-blind study of valsartan/hydrochlorothiazide combination versus amlodipine in patients with mild to moderate hypertension. <i>Journal of Hypertension</i> , 2001 , 19, 1691-6	1.9	18
318	Use of ambulatory blood pressure monitoring data to predict left ventricular mass in hypertension. 2001 , 6, 73-80		1
317	Clinic and ambulatory heart rate in sustained and white-coat hypertension. 2001 , 6, 239-44		5
316	High heart rate relates to clustering of cardiovascular risk factors in a screened cohort. 2001 , 65, 969-73		22
315	Comparison of the acute effects of salbutamol and terbutaline on heart rate variability in adult asthmatic patients. 2001 , 17, 863-7		17
314	Gender and the relationship between resting heart rate and left ventricular geometry. <i>Journal of Hypertension</i> , 2001 , 19, 367-73	1.9	12
313	Transient but not sustained blood pressure increments by occupational noise. An ambulatory blood pressure measurement study. <i>Journal of Hypertension</i> , 2001 , 19, 1021-7	1.9	40
312	Efficacy, tolerability, and impact on quality of life of long-term treatment with manidipine or amlodipine in patients with essential hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2001 , 38, 642-50	3.1	43
311	Heart rate as a predictor of mortality: the MATISS project. 2001 , 91, 1258-63		129
310	Do most antihypertensive agents have a sympatholytic action?. 2001 , 3, 305-13		12
309	Sleep disturbance in association with elevated pulse rate for prediction of mortality--consequences of mental strain?. 2001 , 250, 521-9		123
308	Heart rate-lowering and -regulating effects of once-daily sustained-release diltiazem. 2001 , 24, 73-9		9
307	Sympathetic overactivity in hypertension: a risk factor for cardiovascular disease. 2001 , 3 Suppl 1, S3-9		39
306	Prognostic significance of blood pressure measured on rising. <i>Journal of Human Hypertension</i> , 2001 , 15, 413-7	2.6	25
305	Aortic pulse wave velocity predicts cardiovascular mortality in subjects >70 years of age. 2001 , 21, 2046-50		615

304	Heart rate, arterial stiffness, and wave reflections in paced patients. 2001 , 38, 949-52		96
303	Inhibitory effect of telmisartan on the blood pressure response to angiotensin II challenge. <i>Journal of Cardiovascular Pharmacology</i> , 2001 , 38, 672-85	3.1	38
302	Independent association between plasma leptin levels and heart rate in heart transplant recipients. 2001 , 104, 384-6		44
301	Sociocultural influences in genetic designs of aging: unexplored perspectives. 2002 , 28, 391-405		5
300	Blood pressure variability and organ damage in a general population: results from the PAMELA study (Pressioni Arteriose Monitorate E Loro Associazioni). 2002 , 39, 710-4		228
299	Perceived mental stress and mortality from cardiovascular disease among Japanese men and women: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk Sponsored by Monbusho (JACC Study). 2002 , 106, 1229-36		197
298	Determinants of accelerated progression of arterial stiffness in normotensive subjects and in treated hypertensive subjects over a 6-year period. 2002 , 105, 1202-7		431
297	Exercise capacity and mortality. 2002 , 347, 288-90; author reply 288-90		
296	Weak effect of hypertension and other classic risk factors in the elderly who have already paid their toll. <i>Journal of Human Hypertension</i> , 2002 , 16, 21-31	2.6	38
295	Chronically inhaled salmeterol improves pulmonary function in heart failure. <i>Journal of Cardiovascular Pharmacology</i> , 2002 , 40, 140-5	3.1	22
294	Reduced arterial distensibility is a predictor of cardiovascular disease in patients after renal transplantation. <i>Journal of Hypertension</i> , 2002 , 20, 79-84	1.9	98
293	Autonomic effects of vasoactive drugs: physiological insights and clinical implications. <i>Journal of Hypertension</i> , 2002 , 20, 1057-60	1.9	3
292	Heart rate in hypertensive patients treated with ACE inhibitors and long-acting dihydropyridine calcium antagonists. <i>Journal of Cardiovascular Pharmacology</i> , 2002 , 40, 288-95	3.1	5
291	Smooth blood pressure control obtained with extended-release felodipine in elderly patients with hypertension: evaluation by 24-hour ambulatory blood pressure monitoring. 2002 , 19, 541-51		7
290	Young men with high-normal blood pressure have lower serum adiponectin, smaller LDL size, and higher elevated heart rate than those with optimal blood pressure. 2002 , 25, 971-6		231
289	The association of tachycardia with obesity and elevated blood pressure. 2002 , 140, 643-5		4
288	[Analysis of heart rate as a risk factor associated with the progression of chronic renal failure]. 2002 , 119, 245-8		0
287	Autonomic neuropathy is associated with increased cardiovascular risk factors: the EURODIAB IDDM Complications Study. 2002 , 19, 900-9		120

286	Optimization and validation of a capillary zone electrophoretic method for the analysis of several angiotensin-II-receptor antagonists. 2002 , 979, 323-33		73
285	Long-term prognosis after normal dobutamine stress echocardiography. 2003 , 92, 1267-70		26
284	Relation of heart rate at rest and mortality in the Women's Health and Aging Study. 2003 , 92, 1294-9		36
283	Optimization and validation of a micellar electrokinetic chromatographic method for the analysis of several angiotensin-II-receptor antagonists. 2003 , 984, 135-46		62
282	Resting heart rate in older people: a predictor of survival to age 85. 2003 , 51, 284-5		34
281	Isolated systolic hypertension: data on a cohort of young subjects from a French working population (IHPAF). <i>Journal of Human Hypertension</i> , 2003 , 17, 93-100	2.6	27
280	Parental history of hypertension is associated with coagulation-fibrinolytic balance disorders. 2003 , 111, 45-9		6
279	Heart rate response is longer after negative emotions than after positive emotions. 2003 , 50, 181-7		135
278	Pulse rate in childhood: reference limits. 2003 , 13, 287-90		1
277	Electrophysiological effects of a single intravenous administration of ivabradine (S 16257) in adult patients with normal baseline electrophysiology. 2003 , 4, 83-9		107
276	Hypertension, blood pressure, and heart rate variability: the Atherosclerosis Risk in Communities (ARIC) study. 2003 , 42, 1106-11		269
275	Effects of heart rate changes on arterial distensibility in humans. 2003 , 42, 253-6		70
274	Review: Autonomic neuropathy: a marker of cardiovascular risk. 2003 , 3, 84-90		8
273	Effect of chronic heart rate reduction with ivabradine on carotid and aortic structure and function in normotensive and hypertensive rats. 2003 , 40, 320-8		41
272	Ambulatory blood pressure monitoring and prognosis in the management of essential hypertension. 2003 , 1, 79-89		8
271	Fasting blood glucose is independently associated with resting and exercise blood pressures and development of elevated blood pressure. <i>Journal of Hypertension</i> , 2003 , 21, 1383-9	1.9	23
270	Heart rate measurement and outcome. 2003 , 8, 53-5		11
269	Weight loss and weight maintenance, ambulatory blood pressure and cardiac autonomic tone in obese persons with the metabolic syndrome. <i>Journal of Hypertension</i> , 2003 , 21, 371-8	1.9	48

268	Pharmacological profiles and clinical effects of azelnidipine, a long-acting calcium channel blocker. 2003 , 122, 539-47		11
267	Candesartan Antihypertensive Survival Evaluation in Japan (CASE-J) trial of cardiovascular events in high-risk hypertensive patients: rationale, design, and methods. <i>Hypertension Research</i> , 2003 , 26, 979-90 ⁴⁻⁷		46
266	Major quantitative trait locus for resting heart rate maps to a region on chromosome 4. 2004 , 43, 1146-51		38
265	Adiponectin concentrations in sera from patients with type 2 diabetes are negatively associated with sympathovagal balance as evaluated by power spectral analysis of heart rate variation. 2004 , 27, 2392-7		40
264	Elevated heart rate: a major risk factor for cardiovascular disease. 2004 , 26, 637-44		201
263	Job characteristics, occupational status, and ambulatory cardiovascular activity in women. 2004 , 28, 62-73		37
262	Therapeutic profile of manidipine and lercanidipine in hypertensive patients. 2004 , 21, 357-69		5
261	Pulse pressure, heart rate, and drug treatment of hypertension. 2004 , 6, 190-4		12
260	Incidence and predictors of heart failure during long-term follow-up after stress Tc-99m sestamibi tomography in patients with suspected coronary artery disease. 2004 , 11, 527-33		11
259	Synthesis and pharmacological evaluation of N-acyl-1,2,3,4-tetrahydroisoquinoline derivatives as novel specific bradycardic agents. 2004 , 12, 871-82		12
258	Association of beta-adrenoceptor single nucleotide polymorphisms with resting heart rate. 2004 , 2004, 2948-51		
257	Prognostic value of dobutamine stress echocardiography in patients with normal left ventricular systolic function. 2004 , 17, 739-43		16
256	Regular exercise as an effective approach in antihypertensive therapy. 2004 , 36, 4-8		40
255	Selective reduction of heart rate by ivabradine: effect on the visco-elastic arterial properties in rats. <i>Journal of Hypertension</i> , 2004 , 22, 1739-45	1.9	22
254	Relations between insulin sensitivity, fitness and autonomic cardiac regulation in healthy, young men. <i>Journal of Hypertension</i> , 2004 , 22, 2007-15	1.9	22
253	A polymorphism in the endothelin-A receptor gene is linked to baroreflex sensitivity. <i>Journal of Hypertension</i> , 2005 , 23, 2019-26	1.9	18
252	Heart rate variability analysis: a tool to assess cardiac autonomic function. 2005 , 23, 335-41		15
251	Controlled-release nifedipine and candesartan low-dose combination therapy in patients with essential hypertension: the NICE Combi (Nifedipine and Candesartan Combination) Study. <i>Journal of Hypertension</i> , 2005 , 23, 445-53	1.9	57

250	Influence of fibrillin-1 genotype on the aortic stiffness in men. 2005 , 99, 1036-40	14
249	Relationship of office, home, and ambulatory blood pressure to blood glucose and lipid variables in the PAMELA population. 2005 , 45, 1072-7	84
248	Long-term prognostic value of resting heart rate in patients with suspected or proven coronary artery disease. 2005 , 26, 967-74	595
247	Mechanism of fatty acids induced suppression of cardiovascular reflexes in rats. 2005 , 314, 1328-37	30
246	Impaired vascular growth in late adolescence after intrauterine growth restriction. 2005 , 111, 2623-8	85
245	Prognostic value of ambulatory and home blood pressures compared with office blood pressure in the general population: follow-up results from the Pressioni Arteriose Monitorate e Loro Associazioni (PAMELA) study. 2005 , 111, 1777-83	754
244	Comparison of the short-term effects of salmeterol and formoterol on heart rate variability in adult asthmatic patients. 2005 , 128, 1136-9	13
243	Heart rate reduction through lifestyle modification: reply. 2005 , 26, 1808-1808	2
242	Fixed combination of manidipine and delapril in the treatment of mild to moderate essential hypertension: evaluation by 24-hour ambulatory blood pressure monitoring. 2005 , 1, 6-13	14
241	Influence of intensive coronary care acoustics on the quality of care and physiological state of patients. 2005 , 98, 267-70	110
240	Clinic blood pressure responses to two amlodipine salt formulations, adipate and besylate, in adult Korean patients with mild to moderate hypertension: a multicenter, randomized, double-blind, parallel-group, 8-week comparison. 2005 , 27, 728-39	15
239	Hypertension and cardiovascular disease in women: progress towards better understanding of gender-specific differences?. 2006 , 15, 68-70	16
238	Cardiovascular risk markers associated with the metabolic syndrome in a large French population: the "SYMFONIE" study. 2006 , 32, 467-74	37
237	Impact of increased heart rate on clinical outcomes in hypertension: implications for antihypertensive drug therapy. 2006 , 66, 133-44	97
236	Effect of a short-term diet and exercise intervention on metabolic syndrome in overweight children. 2006 , 55, 871-8	89
235	Can we improve cardiovascular risk prediction beyond risk equations in the physician's office?. 2006 , 59, 547-58	48
234	The perseverative cognition hypothesis: a review of worry, prolonged stress-related physiological activation, and health. 2006 , 60, 113-24	980
233	Autonomic nervous system control of the cardiovascular and respiratory systems in asthma. 2006 , 100, 1688-705	65

232	Autonomic cardiac modulation in obstructive sleep apnea: effect of an oral jaw-positioning appliance. 2006 , 130, 1362-8		40
231	Enhancement of cardiac oxidative stress by tachycardia and its critical role in cardiac hypertrophy and fibrosis. <i>Journal of Hypertension</i> , 2006 , 24, 2057-69	1.9	50
230	Heart rate as a predictor of development of sustained hypertension in subjects screened for stage 1 hypertension: the HARVEST Study. <i>Journal of Hypertension</i> , 2006 , 24, 1873-80	1.9	106
229	Spatial and phasic oscillation of non-Newtonian wall shear stress in human left coronary artery bifurcation: an insight to atherogenesis. 2006 , 17, 351-8		51
228	Moderate or vigorous exercise? Which best helps prolong life?. 2006 , 7, 721-5		3
227	Identification and management of the hypertensive patient with elevated heart rate: statement of a European Society of Hypertension Consensus Meeting. <i>Journal of Hypertension</i> , 2006 , 24, 603-10	1.9	148
226	Evidence for a gene influencing heart rate on chromosome 5p13-14 in a meta-analysis of genome-wide scans from the NHLBI Family Blood Pressure Program. 2006 , 7, 17		10
225	QTc interval and resting heart rate as long-term predictors of mortality in type 1 and type 2 diabetes mellitus: a 23-year follow-up. 2007 , 50, 186-94		66
224	Antihypertensive efficacy of zofenopril and hydrochlorothiazide combination on ambulatory blood pressure. 2006 , 15, 7-17		17
223	Neurovegetative disturbances in workers exposed to 50 Hz electromagnetic fields. 2006 , 19, 53-60		17
222	Naturally occurring hypertension in New World nonhuman primates: Potential role of the perifornical hypothalamus. 2007 , 292, R937-45		15
221	Impact of resting heart rate on outcomes in hypertensive patients with coronary artery disease: findings from the INternational VERapamil-SR/trandolapril STudy (INVEST). 2008 , 29, 1327-34		226
220	Lower birth weight is associated with higher resting heart rate during boyhood. <i>Hypertension Research</i> , 2007 , 30, 945-50	4.7	9
219	Mortality and heart rate in the elderly: role of cognitive impairment. 2007 , 33, 127-44		11
218	A prospective cohort study of perceived noise exposure at work and cerebrovascular diseases among male workers in Japan. 2007 , 49, 382-8		11
217	Higher heart rate predicts the risk of developing hypertension in a normotensive screened cohort. 2007 , 71, 1755-60		39
216	Daily worry is related to low heart rate variability during waking and the subsequent nocturnal sleep period. 2007 , 63, 39-47		318
215	Heart rate as an independent risk factor for cardiovascular disease: current evidence and basic mechanisms. 2007 , 67 Suppl 2, 3-13		65

214	Selenofonsartan analogues: novel selenium-containing antihypertensive compounds. 2007 , 48, 6301-6303	25
213	Treating patients with overactive bladder syndrome with antimuscarinics: heart rate considerations. 2007 , 100, 1007-14	22
212	Telomere length and cardiovascular risk factors in a middle-aged population free of overt cardiovascular disease. 2007 , 6, 639-47	260
211	Importancia pronóstica de la frecuencia cardiaca en la población general y en pacientes con enfermedad arterial coronaria e hipertensión arterial. Posibles mecanismos. 2007 , 7, 2D-8D	
210	Ivabradina, un bloqueador selectivo de la corriente If. Aspectos farmacológicos y tolerabilidad. 2007 , 7, 32D-45D	
209	Differential effects of urapidil and doxazosin on heart rate. 2007 , 63, 259-62	7
208	Discrepancies in office and ambulatory blood pressure in adolescents: help or hindrance?. 2008 , 23, 341-5	8
207	Selenosartans: novel selenophene analogues of milfasartan and eprosartan. 2008 , 18, 1241-4	49
206	Relation of heart rate with cardiovascular disease in normal-weight individuals: the Chicago Heart Association Detection Project in Industry. 2008 , 11, 141-7	12
205	Relation of beta-blocker-induced heart rate lowering and cardioprotection in hypertension. 2008 , 52, 1482-9	162
204	Elevated heart rate and atherosclerosis: an overview of the pathogenetic mechanisms. 2008 , 126, 302-12	167
203	HIV-infected mothers' foci of concern during the viral testing of their infants. 2008 , 19, 114-26	6
202	Cardiovascular activity during laboratory tasks in women with high and low worry. 2008 , 79, 287-93	34
201	High-normal blood pressure, impaired glucose regulation and metabolic syndrome have variable impact on central artery stiffness. <i>Diabetes Research and Clinical Practice</i> , 2008 , 81, 72-8	7-4 10
200	Effects of metoprolol succinate extended release vs. amlodipine besylate on the blood pressure, heart rate, and the rate-pressure product in patients with hypertension. 2008 , 2, 378-84	5
199	Effects on plasma noradrenaline may explain some of the improved insulin sensitivity seen by AT-1 receptor blockade. 2008 , 17, 156-63	3
198	Heightened acute circulatory responses to smoking in women. 2008 , 17, 141-6	10
197	Adiponectin--insulin and resistin plasma levels in young healthy offspring of patients with essential hypertension. 2008 , 17, 50-4	18

196	Determinants of self-measured pulse rate profile in medicated hypertensives: the Jichi Morning Surge-1 (JMS-1) study. 2008 , 30, 255-65		2
195	Sex differences in blood pressure response to antihypertensive therapy in Chinese patients with hypertension. 2008 , 42, 1772-81		14
194	Prognostic value of ambulatory heart rate revisited in 6928 subjects from 6 populations. 2008 , 52, 229-35		73
193	Office and out of office heart rate measurements: which clinical value?. <i>Journal of Hypertension</i> , 2008 , 26, 1540-5	1.9	3
192	Ambulatory heart rate and target organ damage in never-treated essential hypertensives. <i>Journal of Human Hypertension</i> , 2008 , 22, 89-95	2.6	7
191	Incidence of atrial fibrillation in relation to changing heart rate over time in hypertensive patients: the LIFE study. 2008 , 1, 337-43		46
190	The pivotal role of heart rate in clinical practice: from atherosclerosis to acute coronary syndrome. 2008 , 10, F11-F16		0
189	Association between heart rate and multiple risk factor syndrome: cross-sectional analysis of a screened cohort in Okinawa, Japan. 2008 , 72, 454-7		12
188	Association of heart rate with microalbuminuria in cardiovascular risk patients: data from I-SEARCH. <i>Journal of Hypertension</i> , 2008 , 26, 18-25	1.9	51
187	Heart rate as predictor of outcome. 2008 , 13, 167-8		5
186	Resting heart rate as a low tech predictor of coronary events in women: prospective cohort study. 2009 , 338, b219		94
185	Considering the inclusion of metabolic and cardiovascular markers in the Panel Study of Income Dynamics. 2009 , 55, 140-58		1
184	Heart rate and atherosclerosis. 2009 , 11, D8-D12		6
183	Rationale, design and patient baseline characteristics of OlmeSartan and calcium antagonists randomized (OSCAR) study: a study comparing the incidence of cardiovascular events between high-dose angiotensin II receptor blocker (ARB) monotherapy and combination therapy of ARB with calcium channel blocker in Japanese elderly high risk hypertensive patients (ClinicalTrials.gov no. NCT00134160). <i>Hypertension Research</i> , 2009 , 32, 575-80	4.7	17
182	Effect of heart rate on the risk of developing metabolic syndrome. <i>Hypertension Research</i> , 2009 , 32, 801-6	4.7	19
181	Heart rate as a risk factor for cardiovascular disease. 2009 , 52, 6-10		131
180	Variables influencing heart rate. 2009 , 52, 11-9		102
179	Elevated heart rate in cardiovascular diseases: a target for treatment?. 2009 , 52, 46-60		49

178	High heart rate as predictor of essential hypertension: the hyperkinetic state, evidence of prediction of hypertension, and hemodynamic transition to full hypertension. 2009 , 52, 20-5		14
177	Elevated heart rate: a "new" cardiovascular risk factor?. 2009 , 52, 1-5		60
176	Tachycardia in hypertension: a saga of progress despite prejudice, confusion, and inertia. 2009 , 52, 26-30		7
175	Heart rate as a risk factor for developing chronic kidney disease: longitudinal analysis of a screened cohort. 2009 , 13, 487-493		23
174	The role of cardiac autonomic function in hypertension and cardiovascular disease. 2009 , 11, 199-205		145
173	T-channels and Na ⁺ ,Ca ²⁺ -exchangers as components of the Ca ²⁺ -system of regulation of activity of the heart myocardium of the frog <i>Rana temporaria</i> . 2009 , 45, 389-399		0
172	Efficacy and safety of two treatment combinations of hypertension in very elderly patients. 2009 , 48, 401-5		26
171	The pulse of cardiology: quo vadis?. 2009 , 54, 714-7		3
170	Beta-blockers as first-line antihypertensive therapy the crumbling continues. 2009 , 54, 1162-4		15
169	Taurine as the nutritional factor for the longevity of the Japanese revealed by a world-wide epidemiological survey. <i>Advances in Experimental Medicine and Biology</i> , 2009 , 643, 13-25	3.6	49
168	Interactive effect of long-term mental stress and cardiac stress reactivity on carotid intima-media thickness: the Cardiovascular Risk in Young Finns study. 2009 , 12, 283-93		13
167	Higher heart rate may predispose to obesity and diabetes mellitus: 20-year prospective study in a general population. <i>American Journal of Hypertension</i> , 2009 , 22, 151-5	2.3	105
166	The complex interaction between overweight, hypertension, and sympathetic overactivity. 2009 , 3, 353-65		29
165	Nocturnal nondipping of heart rate predicts cardiovascular events in hypertensive patients. <i>Journal of Hypertension</i> , 2009 , 27, 2265-70	1.9	60
164	An independent relationship between muscle sympathetic nerve activity and pulse wave velocity in normal humans. <i>Journal of Hypertension</i> , 2010 , 28, 979-84	1.9	119
163	The prognostic significance of heart rate for cardiovascular disease and hypertension. 2010 , 12, 162-9		17
162	Anti-hypertensive drugs and left ventricular hypertrophy: a clinical update. 2010 , 5, 469-79		12
161	Usefulness of postoperative heart rate as an independent predictor of mortality after coronary bypass grafting. 2010 , 106, 958-62		8

160	Taurine in health and diseases: consistent evidence from experimental and epidemiological studies. 2010 , 17 Suppl 1, S6		115
159	Physiological stress responses in defensive individuals: age and sex matter. 2010 , 47, 332-41		19
158	Continuous hypertension and tachycardia after resection of a hemangioblastoma behind the dorsal medulla oblongata: relationship to sympathetic overactivity at the neurogenic vasomotor center. 2010 , 113, 369-73		12
157	Twenty-four-hour ambulatory heart rate and organ damage in primary hypertension. 2010 , 19, 104-9		13
156	Targeted ablation of mesenteric projecting sympathetic neurons reduces the hemodynamic response to pain in conscious, spinal cord-transected rats. 2010 , 298, R1358-65		14
155	Relationship of body mass index with haemodynamic variables and abnormalities in young adults. <i>Journal of Human Hypertension</i> , 2010 , 24, 230-6	2.6	4
154	Target organ damage in patients with rheumatoid arthritis: the role of blood pressure and heart rate. 2010 , 209, 255-60		27
153	Admission heart rate as a predictor of mortality in patients with acute coronary syndromes. 2011 , 13, 205-10		9
152	Frecuencia cardíaca y riesgo cardiovascular. 2011 , 28, 9-15		
151	Differences in central systolic blood pressure and aortic stiffness between aerobically trained and sedentary individuals. 2011 , 5, 85-93		33
150	Primary hypertension and special aspects of hypertension in older children and adolescents. 2011 , 2, 45-62		5
149	Effects of 1-year administration of olmesartan on portal pressure and TGF-beta1 in selected patients with cirrhosis: a randomized controlled trial. 2011 , 46, 1316-23		17
148	Effect of pioglitazone on cardiac sympathovagal modulation in patients with type 2 diabetes. 2011 , 48, 283-290		5
147	Effects of calcium channel blockers on glucose tolerance, inflammatory state, and circulating progenitor cells in non-diabetic patients with essential hypertension: a comparative study between azelnidipine and amlodipine on glucose tolerance and endothelial function--a crossover trial (AGENT). 2011 , 18, 73		38
146	Evening heart rate measured at home is associated with visceral obesity and abnormal fat distribution in patients with hypertension. <i>American Journal of Hypertension</i> , 2011 , 24, 783-8	2.3	3
145	Intervisit blood pressure variability and outcome: is heart rate a missing confounder?. 2011 , 58, e1; author reply e2		2
144	Resting heart rate and coronary artery calcium in postmenopausal women. 2011 , 20, 661-9		4
143	The enhanced effect of atenolol on hypertension in metabolic syndrome. 2011 , 9, 369-73		1

142	Brachial-ankle pulse wave velocity and systolic time intervals in risk stratification for progression of renal function decline. <i>American Journal of Hypertension</i> , 2012 , 25, 1002-10	2.3	11
141	Health risk factors in caregivers of terminal cancer patients: a pilot study. 2012 , 35, 38-47		40
140	The combination of OLmesartan and a CALcium channel blocker (azelnidipine) or candesartan and a calcium channel blocker (amlodipine) in type 2 diabetic hypertensive patients: the OLCA study. 2012 , 9, 280-6		7
139	Elevated resting heart rate is associated with white blood cell count in middle-aged and elderly individuals without apparent cardiovascular disease. <i>Angiology</i> , 2012 , 63, 541-6	2.1	14
138	Nocturnal cardiovascular activity in essential hypotension: evidence of differential autonomic regulation. 2012 , 74, 952-60		10
137	Elevated resting heart rate is an independent predictor of all-cause death and cardiovascular events in Japanese ambulatory hemodialysis patients. 2012 , 16, 938-44		5
136	Long-acting dihydropyridine calcium-channel blockers and sympathetic nervous system activity in hypertension: a literature review comparing amlodipine and nifedipine GITS. 2012 , 21 Suppl 1, 3-10		33
135	Association of serum adipocytokine levels with cardiac autonomic neuropathy in type 2 diabetic patients. 2012 , 11, 24		29
134	Effect of early bereavement on heart rate and heart rate variability. 2012 , 110, 1378-83		30
133	The combined dexamethasone/TSST paradigm--a new method for psychoneuroendocrinology. 2012 , 7, e38994		26
132	Usefulness of heart rate to predict cardiac events in treated patients with high-risk systemic hypertension. 2012 , 109, 685-92		131
131	Intolerance to physiologic pacing following upgrade of long term ventricular pacing: A drawback of routine upgrade. 2012 , 64, 49-53		
130	Heart rate and the cardiometabolic risk. 2013 , 15, 253-9		32
129	Assessing treatments used to reduce rumination and/or worry: a systematic review. 2013 , 33, 996-1009		132
128	Effect of naproxen and acetaminophen on blood pressure lowering by ramipril, valsartan and aliskiren in hypertensive patients. 2013 , 14, 1875-84		11
127	Association of resting heart rate with cardiovascular function: a cross-sectional study in 522 Finnish subjects. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 102	2.3	37
126	Resting heart rate and risk of sudden cardiac death in the general population: influence of left ventricular systolic dysfunction and heart rate-modulating drugs. 2013 , 10, 1153-8		17
125	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. 2013 , 168, 1490-5		60

124	Ivabradine: potential clinical applications in critically ill patients. 2013 , 102, 171-8		19
123	Enhanced blood pressure-lowering effect of olmesartan in hypertensive patients with chronic kidney disease-associated sympathetic hyperactivity: HONEST study. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 555-61	2.3	6
122	Ivabradine but not propranolol delays the time to onset of ischaemia-induced ventricular fibrillation by preserving myocardial metabolic energy status. 2013 , 84, 384-90		7
121	Dysregulation of the autonomic nervous system predicts the development of the metabolic syndrome. 2013 , 98, 2484-93		92
120	Low testosterone and hyperkinetic blood pressure responses in a cohort of South African men: the SABPA Study. 2013 , 35, 228-35		5
119	Improved Hypertension Control with the Imidazoline Agonist Moxonidine in a Multinational Metabolic Syndrome Population: Principal Results of the MERSY Study. 2013 , 2013, 541689		39
118	Association of resting heart rate with carotid and aortic arterial stiffness: multi-ethnic study of atherosclerosis. 2013 , 62, 477-84		71
117	An elevated systolic blood pressure response at 8 minutes in full contact exercise may identify hypertensive subjects. 2013 , 21, 1-11		
116	Heart rate as a possible therapeutic guide for the prevention of cardiovascular disease. <i>Hypertension Research</i> , 2013 , 36, 838-44	4.7	11
115	Cardio-respiratory fitness markers among Kenyan university students using a 20m shuttle run test (SRT). 2013 , 13, 10-6		6
114	Sleep efficiency and nocturnal hemodynamic dipping in young, normotensive adults. 2014 , 307, R888-92		21
113	Psychological morbidity and autonomic reactivity to emotional stimulus in parental cancer: a study with adult children caregivers. 2014 , 23, 129-39		7
112	Apelin and relaxin plasma levels in young healthy offspring of patients with essential hypertension. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 198-201	2.3	6
111	Cardiovascular risk in a rural adult West African population: is resting heart rate also relevant?. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 584-91	3.9	4
110	Elevated resting heart rate and reduced orthostatic tolerance in obese humans. 2014 , 24, 39-46		17
109	Low admission heart rate is a marker rather than a mediator of increased in-hospital mortality for patients with acute heart failure syndromes in sinus rhythm. 2014 , 171, 98-100		8
108	Autonomic arousal during actigraphically estimated waking and sleep in male veterans with PTSD. 2014 , 27, 610-7		12
107	Resting heart rate: an independent predictor of congestive heart failure. 2014 , 64, 421-2		6

106	[Predictive factors of all-cause mortality in patients attending the medical emergency unit of Kinshasa University Hospital]. 2014 , 62, 15-25			4
105	Characteristics and Risk Factors of Out-of-Hospital Cardiac Arrest Within 72 Hours After Discharge. 2015 , 350, 272-8			2
104	Increased cardiovascular risk without generalized arterial dilating diathesis in persons who do not have abdominal aortic aneurysm but who are first-degree relatives of abdominal aortic aneurysm patients. 2015 , 42, 576-81			
103	Recreational football for disease prevention and treatment in untrained men: a narrative review examining cardiovascular health, lipid profile, body composition, muscle strength and functional capacity. 2015 , 49, 568-76			85
102	Plasma Renin Activity and Resting Heart Rate in a Population of Community-Dwelling Japanese: The Tanushimaru Study. <i>American Journal of Hypertension</i> , 2015 , 28, 894-9	2.3		10
101	The relationship between vitamin D status and cardiac autonomic neuropathy in patients with type 2 diabetes mellitus. 2015 , 12, 342-51			14
100	Combined effects of hypertension and heart rate on the risk of stroke and coronary heart disease: a population-based prospective cohort study among Inner Mongolians in China. <i>Hypertension Research</i> , 2015 , 38, 883-8	4.7		20
99	Increased sympathetic modulation and decreased response of the heart rate variability in controlled asthma. 2015 , 52, 246-53			14
98	Effect of a Long-Term Physical Activity Intervention on Resting Pulse Rate in Older Persons: Results from the Lifestyle Interventions and Independence for Elders Study. 2016 , 64, 2511-2516			4
97	Sympathetic Activation in Chronic Heart Failure: Potential Benefits of Interventional Therapies. 2016 , 18, 51			6
96	Circadian Contrasts in Heart Rate Variability Associated With Posttraumatic Stress Disorder Symptoms in a Young Adult Cohort. 2016 , 29, 415-421			10
95	Reducing worry and subjective health complaints: A randomized trial of an internet-delivered worry postponement intervention. 2016 , 21, 318-35			6
94	Hemodynamic, management, and outcomes of patients admitted to emergency department with heart failure. 2016 , 24, 132			2
93	Reference values of one-point carotid stiffness parameters determined by carotid echo-tracking and brachial pulse pressure in a large population of healthy subjects. <i>Hypertension Research</i> , 2017 , 40, 685-695	4.7		9
92	Resting Heart Rate Percentiles and Associated Factors in Children and Adolescents. 2017 , 187, 174-181.e3			21
91	Relation of Resting Heart Rate to Incident Atrial Fibrillation (From ARIC [Atherosclerosis Risk in Communities] Study). 2018 , 121, 1169-1176			10
90	Nervous System. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 67-79	0.1		1
89	Isolated systolic hypertension in the young: a position paper endorsed by the European Society of Hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1222-1236	1.9		36

88	Cardiovascular effects of antimuscarinic agents and beta3-adrenergic receptor agonist for the treatment of overactive bladder. 2018 , 17, 487-497		15
87	Supporting users to take informed decisions on privacy settings of personal devices. 2018 , 22, 345-364		11
86	Gender-related differences in the progression of carotid stiffness with age and in the influence of risk factors on carotid stiffness. 2018 , 13, 1183-1191		11
85	Night-time heart rate nondipping: clinical and prognostic significance in the general population. <i>Journal of Hypertension</i> , 2018 , 36, 1311-1317	1.9	15
84	An Algorithm for Heart Rate Extraction From Acoustic Recordings at the Neck. 2019 , 66, 246-256		16
83	Nondipping heart rate and associated factors in patients with chronic kidney disease. 2019 , 23, 1298-1305		5
82	Habitual coffee intake reduces all-cause mortality by decreasing heart rate. 2019 , 34, 1823-1829		3
81	Accuracy of PurePulse photoplethysmography technology of Fitbit Charge 2 for assessment of heart rate during sleep. <i>Chronobiology International</i> , 2019 , 36, 927-933	3.6	31
80	The impact of informal cancer caregiving: A literature review on psychophysiological studies. 2019 , 28, e13042		14
79	Predicting blood pressure from physiological index data using the SVR algorithm. 2019 , 20, 109		14
78	6-year change in resting heart rate is associated with incident type 2 diabetes mellitus. 2019 , 29, 236-243		5
77	Resting heart rate and relation to disease and longevity: past, present and future. 2019 , 79, 108-116		13
76	Resting heart rate in the supine and sitting positions as predictors of mortality in an elderly Chinese population. <i>Journal of Hypertension</i> , 2019 , 37, 2024-2031	1.9	6
75	Nocturnal pulse rate correlated with ambulatory blood pressure and target organ damage in patients with chronic kidney disease. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 77-87	2.3	5
74	Neurogenic Mechanisms in Pre-hypertension and Pharmacologic Approaches to the Prevention and Treatment of Hypertension: Highlights of Professor Stevo Julius Scientific Contributions. 2019 , 275-289		
73	Development of Electrocardiographic Left Ventricular Hypertrophy and Resting Heart Rate Over Time: Findings From the OGHMA Study. <i>Angiology</i> , 2020 , 71, 70-76	2.1	3
72	Resting heart rate and its dynamic change and the risk of hypertension: The Rural Chinese Cohort Study. <i>Journal of Human Hypertension</i> , 2020 , 34, 528-535	2.6	4
71	Performance assessment of new-generation Fitbit technology in deriving sleep parameters and stages. <i>Chronobiology International</i> , 2020 , 37, 47-59	3.6	24

70	Evaluation of elevated heart rate as a sympathetic nervous system biomarker in essential hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 1488-1495	1.9	14
69	The effect of acute, moderate intensity indoor cycling on the temporal resolution of human vision system, measured by critical fusion frequency. <i>Physiological Reports</i> , 2020 , 8, e14618	2.6	2
68	Transduction Mechanisms, Micro-Structuring Techniques, and Applications of Electronic Skin Pressure Sensors: A Review of Recent Advances. <i>Sensors</i> , 2020 , 20,	3.8	12
67	Emergency data detection using Hidden Markov Model during temporary disconnection of Wireless Body Area Networks. 2020 ,		0
66	Early drop in systolic blood pressure, heart rate at admission, and their effects on worsening renal function in elderly patients with acute heart failure. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 366	2.3	0
65	Effect of heart rate on hospital mortality in critically ill patients may be modified by age: a retrospective observational study from large database. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1325-1335	4.8	1
64	Assessing the Feasibility of a Novel mHealth App in Hematopoietic Stem Cell Transplant Patients. <i>Transplantation and Cellular Therapy</i> , 2021 , 27, 181.e1-181.e9		2
63	Reduced heart-rate variability and increased risk of hypertension-a prospective study of the ELSA-Brasil. <i>Journal of Human Hypertension</i> , 2021 , 35, 1088-1097	2.6	8
62	High heart rate amplifies the risk of cardiovascular mortality associated with elevated uric acid. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	2
61	Hidden Markov Model energy conservation approach for continuous monitoring of vital signs in geriatric care applications. <i>Journal of Physics: Conference Series</i> , 2021 , 1921, 012031	0.3	0
60	Perturbations of Adjuvant Chemotherapy on Cardiovascular Responses and Exercise Tolerance in Patients with Early-Stage Breast Cancer. <i>Biology</i> , 2021 , 10,	4.9	
59	Hypertensive heart disease, ventricular dysrhythmias, and sudden death. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 432, 263-72	3.6	4
58	Prognostic Value of Ambulatory Blood Pressure Monitoring. 2001 , 191-218		2
57	The Role of Ambulatory Blood Pressure Monitoring in Diagnosis of Hypertension and Evaluation of Target Organ Damage. 2011 , 517-528		2
56	Neurogenic Mechanisms in Prehypertension and Pharmacologic Approaches to the Prevention and Treatment of Hypertension: Highlights of Professor Stevo Julius Scientific Contributions. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019 , 553-569	0.1	1
55	Pathophysiology of Hypertension. 2009 , 1485-1518		10
54	Epidemiology and Consequences of Childhood Hypertension. 2008 , 637-644		5
53	Alters- und geschlechtsspezifische Aspekte. 2016 , 13-28		2

52	Genes, environment, and race: quantitative genetic approaches. <i>American Psychologist</i> , 2005 , 60, 104-149.5		15
51	Weak effect of hypertension and other classic risk factors in the elderly who have already paid their toll.		1
50	Resting Heart Rate as a Cardiovascular Risk Factor in Hypertensive Patients: An Update. <i>American Journal of Hypertension</i> , 2021 , 34, 307-317	2.3	4
49	Effects of angiotensin II type 1 receptor antagonist on nitric oxide synthase expression and myocardial remodeling in Goldblatt hypertensive rats. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 35, 564-71	3.1	26
48	Antihypertensive efficacy of manidipine and enalapril in hypertensive diabetic patients. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 35, 926-31	3.1	21
47	Can angiotensin-converting enzyme inhibitors reverse atherosclerosis?. <i>Southern Medical Journal</i> , 2003 , 96, 569-79	0.6	8
46	Comparative pharmacology of angiotensin II (AT1) receptor antagonists. 2006 , 13-30		1
45	Cardiovascular risk factors associated with pulse pressure in a screened cohort in Okinawa, Japan. <i>Hypertension Research</i> , 2003 , 26, 153-8	4.7	17
44	Association of dental status with blood pressure and heart rate in 80-year-old Japanese subjects. <i>International Heart Journal</i> , 2003 , 44, 943-51		6
43	Causes and consequences of sympathetic overactivity in hypertension. <i>Arterial Hypertension (Russian Federation)</i> , 2003 , 9, 81-88	0.7	7
42	Tachycardia: The hidden cardiovascular risk factor in uncomplicated arterial hypertension. <i>Cardiology Journal</i> , 2020 , 27, 857-867	1.4	3
41	Importance of Heart Rate in Determining Cardiovascular Risk. 2001 , 159-170		
40	Role of the Nervous System in Human Hypertension. 2001 , 34-58		
39	Role of the Nervous System in Human Hypertension. 2003 , 37-62		
38	Cardiac Autonomic Neuropathy: Is it a Cardiovascular Risk Factor in Type 2 Diabetes. 2003 , 181-192		1
37	Alters- und geschlechtsspezifische Aspekte der Sportmedizin. 2006 , 11-26		
36	Heart Rate As A Risk Factor for Development of Cardiovascular DiseasesA Review. <i>Arterial Hypertension (Russian Federation)</i> , 2008 , 14, 324-331	0.7	3
35	Cardiovascular and Autonomic Responses to Stress. 2011 , 31-53		

34	Prehypertension: Definitions, Clinical Significance and Therapeutic Approaches To Treat or not to Treat?. 2012 , 3-12			1
33	The Role of ABPM in Evaluation of Hypertensive Target-Organ Damage. 2013 , 505-515			
32	Heart Rate, Synchrony and Arterial Hemodynamics. 2014 , 267-279			1
31	Heart rate in patients with arterial hypertension:a possible marker of high risk or independent therapeutic target?. <i>Systemic Hypertension</i> , 2015 , 12, 13-18		1.6	
30	Systemic Hemodynamics in Hypertension. 2016 , 75-96			
29	Phenotypic Changes in the Transition from Prehypertension to Established Hypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 587-598		0.1	
28	Tachycardia in Prehypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019 , 319-339		0.1	
27	Prognostic Value of Ambulatory Blood Pressure Monitoring. 2007 , 225-252			
26	Importance of Heart Rate in Determining Cardiovascular Risk. 2007 , 187-201			
25	Frequency matching and arterial transverse kinetic energy. 2007 , 3500-3503			
24	1999 Canadian recommendations for the management of hypertension. Task Force for the Development of the 1999 Canadian Recommendations for the Management of Hypertension. <i>Cmaj</i> , 1999 , 161 Suppl 12, S1-17	3.5		38
23	Clinical problem solving based on the 1999 Canadian recommendations for the management of hypertension. <i>Cmaj</i> , 1999 , 161 Suppl 12, S18-22	3.5		2
22	Diagnosis and treatment of high blood pressure. New directions and new approaches: 1999 Canadian recommendations for management of hypertension. <i>Canadian Family Physician</i> , 2000 , 46, 1479-84	0.9		1
21	Angiotensin II receptor antagonists (AT-blockers, ARBs, sartans): similarities and differences. <i>Netherlands Heart Journal</i> , 2006 , 14, 381-387	2.2		8
20	Associated influence of hypertension and heart rate greater than 80 beats per minute on mortality rate in patients with anterior wall STEMI. <i>International Journal of Clinical and Experimental Medicine</i> , 2013 , 6, 358-66			5
19	When heart goes "BOOM" to fast. Heart rate greater than 80 as mortality predictor in acute myocardial infarction. <i>American Journal of Cardiovascular Disease</i> , 2013 , 3, 120-8	0.9		4
18	Nocturnal pulse rate and symptomatic response in patients with obstructive sleep apnoea treated with continuous positive airway pressure for one year. <i>Journal of Thoracic Disease</i> , 2014 , 6, 598-605	2.6		7
17	Acute Modification of Cardiac Autonomic Function of High-Intensity Interval Training in Collegiate Male Soccer Players with Different Chronotype: A Cross-Over Study. <i>Journal of Sports Science and Medicine</i> , 2017 , 16, 286-294	2.7		27

16	Development of a New Submaximal Walk Test to Predict Maximal Oxygen Consumption in Healthy Adults. <i>Sensors</i> , 2021 , 21,	3.8	0
15	A case of complete atrioventricular block with extremely high blood concentration of azelnidipine. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2021 , 7, 48	1.8	1
14	Regular physical activity: a major component of isolated systolic hypertension in the young. <i>Minerva Medica</i> , 2021 ,	2.2	0
13	Development of a New Submaximal Walk Test to Predict Maximal Oxygen Consumption in Healthy Adults. <i>Sensors</i> , 2021 , 21, 5726	3.8	0
12	Association between circadian variation of heart rate and mortality among critically ill patients: a retrospective cohort study.. <i>BMC Anesthesiology</i> , 2022 , 22, 45	2.4	
11	Isolierte systolische Hypertonie beim jungen Menschen. <i>CardioVasc</i> , 2022 , 22, 30-33	0	
10	Heart Rate Variability, Blood Pressure Variability: What Is Their Significance in Hypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2022 , 139-147	0.1	
9	A Soft and Skin-Interfaced Smart Patch Based on Fiber Optics for Cardiorespiratory Monitoring. <i>Biosensors</i> , 2022 , 12, 363	5.9	0
8	A normal pattern of mitral inflow predicts a better prognosis following cardiovascular events in early advanced-age patients. <i>Scientific Reports</i> , 2022 , 12,	4.9	
7	Correlation of serum HDL level with HRV indices using multiple linear regression analysis in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2022 , 190, 109988	7.4	0
6	Assessment of body composition, metabolism, and pulmonary function in patients with myotonic dystrophy type 1. 2022 , 101, e30412		0
5	A Nomogram for Predicting the Risk of Critical Limb Ischemia in Adults with Hypertension: A Retrospective Study. Volume 15, 8205-8216		0
4	Measurement of Wrist Pulse Using Fiber Optic MZI for Analysis of Heart Rate and Respiration Rate. 2022 ,		0
3	Childhood trauma and college student health: a review of the literature. 1-15		0
2	Alters- und geschlechtsspezifische Aspekte. 2022 , 13-30		0
1	Signal Preprocessing for Heartbeat Detection Using Continuous-Wave Doppler Radar. 2023 , 33, 479-482		0