

CITATION REPORT

List of articles citing

Participation of the nuclear cap binding complex in pre-mRNA 3rprocessing

DOI: 10.1073/pnas.94.22.11893

Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 11893-8.

Source: <https://exaly.com/paper-pdf/28086056/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
191	mRNA capping enzyme is recruited to the transcription complex by phosphorylation of the RNA polymerase II carboxy-terminal domain. <i>Genes and Development</i> , 1997 , 11, 3319-26	12.6	363
190	Transcription units as RNA processing units. <i>Genes and Development</i> , 1997 , 11, 3279-85	12.6	94
189	RNA polymerase II is an essential mRNA polyadenylation factor. 1998 , 395, 93-6		304
188	The cellular organization of gene expression. 1998 , 10, 323-31		202
187	Nucleocytoplasmic transport: the soluble phase. 1998 , 67, 265-306		1035
186	DSEF-1 is a member of the hnRNP H family of RNA-binding proteins and stimulates pre-mRNA cleavage and polyadenylation in vitro. <i>Nucleic Acids Research</i> , 1998 , 26, 5343-50	20.1	77
185	Accelerated mRNA decay in conditional mutants of yeast mRNA capping enzyme. <i>Nucleic Acids Research</i> , 1998 , 26, 2050-7	20.1	81
184	Transcriptional termination in the Balbiani ring 1 gene is closely coupled to 3'-end formation and excision of the 3'-terminal intron. <i>Genes and Development</i> , 1998 , 12, 2759-69	12.6	70
183	Mammalian capping enzyme binds RNA and uses protein tyrosine phosphatase mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 12226-31	11.5	59
182	The pre-mRNA 5' cap determines whether U6 small nuclear RNA succeeds U1 small nuclear ribonucleoprotein particle at 5' splice sites. <i>Molecular and Cellular Biology</i> , 1998 , 18, 7510-20	4.8	30
181	Formation of mRNA 3' ends in eukaryotes: mechanism, regulation, and interrelationships with other steps in mRNA synthesis. 1999 , 63, 405-45		810
180	Differential regulation of transcription termination occurring at two different sites on the micro-delta gene complex. 1999 , 11, 813-24		6
179	The nuclear cap-binding complex is a novel target of growth factor receptor-coupled signal transduction. <i>Journal of Biological Chemistry</i> , 1999 , 274, 4166-73	5.4	35
178	3'-End processing of pre-mRNA in eukaryotes. 1999 , 23, 277-95		241
177	Mechanism of tissue-specific alternative RNA processing of the calcitonin CGRP gene. 1999 , 25, 18-33		7
176	Genetic and physical interactions involving the yeast nuclear cap-binding complex. <i>Molecular and Cellular Biology</i> , 1999 , 19, 6543-53	4.8	73
175	Utilization of splicing elements and polyadenylation signal elements in the coupling of polyadenylation and last-intron removal. <i>Molecular and Cellular Biology</i> , 1999 , 19, 4971-9	4.8	76

174	The ends of the affair: capping and polyadenylation. 2000 , 7, 838-42		245
173	Structural basis of mRNA cap recognition by proteins. 2000 , 10, 78-86		71
172	Novel eIF4G domain homologues linking mRNA translation with nonsense-mediated mRNA decay. 2000 , 25, 423-6		75
171	Cdc42 stimulates RNA splicing via the S6 kinase and a novel S6 kinase target, the nuclear cap-binding complex. <i>Journal of Biological Chemistry</i> , 2000 , 275, 37307-10	5.4	65
170	Nuclear eukaryotic initiation factor 4E (eIF4E) colocalizes with splicing factors in speckles. 2000 , 148, 239-47		114
169	A novel shuttling protein, 4E-T, mediates the nuclear import of the mRNA 5' cap-binding protein, eIF4E. <i>EMBO Journal</i> , 2000 , 19, 3142-56	13	141
168	The role of nuclear cap binding protein Cbc1p of yeast in mRNA termination and degradation. <i>Molecular and Cellular Biology</i> , 2000 , 20, 2827-38	4.8	58
167	The box C/D motif directs snoRNA 5'-cap hypermethylation. <i>Nucleic Acids Research</i> , 2000 , 28, 4467-73	20.1	23
166	Signal transduction and post-transcriptional gene expression. 2000 , 381, 357-65		20
165	Interaction between a poly(A)-specific ribonuclease and the 5' cap influences mRNA deadenylation rates in vitro. <i>Molecular Cell</i> , 2000 , 5, 479-88	17.6	154
164	Viral and cellular mRNA capping: past and prospects. 2000 , 55, 135-84		291
163	Crystal structure of the human nuclear cap binding complex. <i>Molecular Cell</i> , 2001 , 8, 383-96	17.6	115
162	An mRNA cap binding protein, ABH1, modulates early abscisic acid signal transduction in Arabidopsis. 2001 , 106, 477-87		369
161	Interaction of eukaryotic translation initiation factor 4G with the nuclear cap-binding complex provides a link between nuclear and cytoplasmic functions of the m(7) guanosine cap. <i>Molecular and Cellular Biology</i> , 2001 , 21, 3632-41	4.8	101
160	The evolutionarily conserved region of the U snRNA export mediator PHAX is a novel RNA-binding domain that is essential for U snRNA export. <i>Rna</i> , 2001 , 7, 351-60	5.8	33
159	Mechanism of poly(A) signal transduction to RNA polymerase II in vitro. <i>Molecular and Cellular Biology</i> , 2001 , 21, 7495-508	4.8	31
158	Capping, splicing, and 3' processing are independently stimulated by RNA polymerase II: different functions for different segments of the CTD. <i>Genes and Development</i> , 2001 , 15, 1783-95	12.6	180
157	SRm160 splicing coactivator promotes transcript 3'-end cleavage. <i>Molecular and Cellular Biology</i> , 2002 , 22, 148-60	4.8	84

156	Integrating mRNA processing with transcription. 2002 , 108, 501-12		830
155	Cloning and characterization of two subunits of Arabidopsis thaliana nuclear cap-binding complex. 2002 , 283, 171-83		44
154	RNA polymerase II conducts a symphony of pre-mRNA processing activities. 2002 , 1577, 308-24		70
153	The emerging roles of translation factor eIF4E in the nucleus. 2002 , 70, 10-22		104
152	Intron-dependent stimulation of marker gene expression in cultured insect cells. 2002 , 11, 87-95		22
151	Structural basis of m7GpppG binding to the nuclear cap-binding protein complex. 2002 , 9, 912-7		122
150	Distribution of the small molecular weight GTP-binding proteins Rac1, Cdc42, RhoA and RhoB in the developing chick retina. 2002 , 31, 149-59		15
149	Large-scale induced fit recognition of an m(7)GpppG cap analogue by the human nuclear cap-binding complex. <i>EMBO Journal</i> , 2002 , 21, 5548-57	13	154
148	Nuclear mRNA surveillance. 2003 , 15, 332-7		57
147	Dual roles for Spt5 in pre-mRNA processing and transcription elongation revealed by identification of Spt5-associated proteins. <i>Molecular and Cellular Biology</i> , 2003 , 23, 1368-78	4.8	210
146	The Chironomus tentans translation initiation factor eIF4H is present in the nucleus but does not bind to mRNA until the mRNA reaches the cytoplasmic perinuclear region. 2003 , 116, 4521-32		12
145	Transcriptional activators control splicing and 3'-end cleavage levels. <i>Journal of Biological Chemistry</i> , 2003 , 278, 43034-40	5.4	53
144	Two aromatic residues in the PB2 subunit of influenza A RNA polymerase are crucial for cap binding. <i>Journal of Biological Chemistry</i> , 2003 , 278, 20381-8	5.4	117
143	The interaction of the cap-binding complex (CBC) with eIF4G is dispensable for translation in yeast. <i>Rna</i> , 2003 , 9, 654-62	5.8	18
142	An evolutionarily conserved role for SRm160 in 3'-end processing that functions independently of exon junction complex formation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 44153-60	5.4	31
141	3'-box-dependent processing of human pre-U1 snRNA requires a combination of RNA and protein co-factors. <i>Nucleic Acids Research</i> , 2004 , 32, 2987-94	20.1	13
140	Novel cap analogs for in vitro synthesis of mRNAs with high translational efficiency. <i>Rna</i> , 2004 , 10, 1479-88	5.8	58
139	Distinct sequence motifs within the 68-kDa subunit of cleavage factor Im mediate RNA binding, protein-protein interactions, and subcellular localization. <i>Journal of Biological Chemistry</i> , 2004 , 279, 35788-97	5.4	114

138	Lesions in the mRNA cap-binding gene ABA HYPERSENSITIVE 1 suppress FRIGIDA-mediated delayed flowering in Arabidopsis. 2004 , 40, 112-9		87
137	'Cap-tabolism'. 2004 , 29, 436-44		87
136	A mutation in the Cap Binding Protein 20 gene confers drought tolerance to Arabidopsis. <i>Plant Molecular Biology</i> , 2004 , 55, 679-86	4.6	116
135	Splicing of a cap-proximal human Papillomavirus 16 E6E7 intron promotes E7 expression, but can be restrained by distance of the intron from its RNA 5' cap. <i>Journal of Molecular Biology</i> , 2004 , 337, 1091-108	6.5	52
134	Translation initiation: structures, mechanisms and evolution. 2004 , 37, 197-284		173
133	Npl3 is an antagonist of mRNA 3' end formation by RNA polymerase II. <i>EMBO Journal</i> , 2005 , 24, 2150-60	13	71
132	Linking nuclear mRNP assembly and cytoplasmic destiny. 2005 , 97, 469-78		9
131	Role of the 5' cap in the biogenesis of spliceosomal snRNPs. 2005 , 179-204		4
130	Functional coupling of cleavage and polyadenylation with transcription of mRNA. <i>Journal of Biological Chemistry</i> , 2005 , 280, 32262-71	5.4	30
129	Novel and essential subunits in the 300-kilodalton nuclear cap binding complex of Trypanosoma brucei. <i>Molecular and Cellular Biology</i> , 2005 , 25, 2216-26	4.8	29
128	Specificity of recognition of mRNA 5' cap by human nuclear cap-binding complex. <i>Rna</i> , 2005 , 11, 1355-63	5.8	55
127	The RNA tether from the poly(A) signal to the polymerase mediates coupling of transcription to cleavage and polyadenylation. <i>Molecular Cell</i> , 2005 , 20, 733-45	17.6	31
126	Ribozyme cleavage reveals connections between mRNA release from the site of transcription and pre-mRNA processing. <i>Molecular Cell</i> , 2005 , 20, 747-58	17.6	42
125	Inhibition of mRNA deadenylation by the nuclear cap binding complex (CBC). <i>Journal of Biological Chemistry</i> , 2006 , 281, 4517-22	5.4	52
124	Dcs2, a novel stress-induced modulator of m7GpppX pyrophosphatase activity that locates to P bodies. <i>Journal of Molecular Biology</i> , 2006 , 363, 370-82	6.5	33
123	[Synergy between transcription and mRNA processing events]. 2006 , 22, 626-32		2
122	Pre-messenger RNA processing and its regulation: a genomic perspective. <i>Cellular and Molecular Life Sciences</i> , 2006 , 63, 796-819	10.3	61
121	The conserved AAUAAA hexamer of the poly(A) signal can act alone to trigger a stable decrease in RNA polymerase II transcription velocity. <i>Rna</i> , 2006 , 12, 1534-44	5.8	27

120	Protein composition of human mRNPs spliced in vitro and differential requirements for mRNP protein recruitment. <i>Rna</i> , 2007 , 13, 116-28	5.8	130
119	Distal regulation of alternative splicing by splicing enhancer in equine beta-casein intron 1. <i>Rna</i> , 2006 , 12, 498-507	5.8	25
118	A multifunctional RNA recognition motif in poly(A)-specific ribonuclease with cap and poly(A) binding properties. <i>Journal of Biological Chemistry</i> , 2007 , 282, 32902-11	5.4	28
117	Cross-talks between transcription and post-transcriptional events within a 'mRNA factory'. 2007 , 142, 11-5		21
116	The interaction between cap-binding complex and RNA export factor is required for intronless mRNA export. <i>Journal of Biological Chemistry</i> , 2007 , 282, 15645-51	5.4	74
115	Subnuclear localization and dynamics of the Pre-mRNA 3' end processing factor mammalian cleavage factor I 68-kDa subunit. 2007 , 18, 1282-92		68
114	Noncoding RNAs and gene silencing. 2007 , 128, 763-76		327
113	NELF interacts with CBC and participates in 3' end processing of replication-dependent histone mRNAs. <i>Molecular Cell</i> , 2007 , 26, 349-65	17.6	165
112	Regulation of Gene Expression in Plants. 2007 ,		3
111	Synthesis and NMR spectral properties of spin-labelled mRNA 5' cap analogue: a new tool for biochemical studies of cap binding proteins. 2007 , 19, 285202		3
110	The poly(A)-dependent transcriptional pause is mediated by CPSF acting on the body of the polymerase. <i>Nature Structural and Molecular Biology</i> , 2007 , 14, 662-9	17.6	57
109	mRNA metabolism of flowering-time regulators in wild-type Arabidopsis revealed by a nuclear cap binding protein mutant, abh1. 2007 , 50, 1049-62		46
108	Arabidopsis mRNA polyadenylation machinery: comprehensive analysis of protein-protein interactions and gene expression profiling. 2008 , 9, 220		72
107	RNA stability regulates differential expression of the metastasis protein, osteopontin, in hepatocellular cancer. 2008 , 143, 803-12		10
106	Nuclear pre-mRNA Processing in Plants. <i>Current Topics in Microbiology and Immunology</i> , 2008 ,	3.3	3
105	Cotranscriptional splicing potentiates the mRNA production from a subset of estradiol-stimulated genes. <i>Molecular and Cellular Biology</i> , 2008 , 28, 5811-24	4.8	23
104	Two cap-binding proteins CBP20 and CBP80 are involved in processing primary MicroRNAs. 2008 , 49, 1634-44		144
103	DcpS, a general modulator of cap-binding protein-dependent processes?. <i>RNA Biology</i> , 2008 , 5, 216-9	4.8	28

102	Alternative splicing of the mouse embryonic poly(A) binding protein (Epub) mRNA is regulated by an exonic splicing enhancer: a model for post-transcriptional control of gene expression in the oocyte. 2008 , 14, 393-8		8
101	Functional coupling of last-intron splicing and 3'-end processing to transcription in vitro: the poly(A) signal couples to splicing before committing to cleavage. <i>Molecular and Cellular Biology</i> , 2008 , 28, 849-62	4.8	80
100	A compartmentalized phosphorylation/dephosphorylation system that regulates U snRNA export from the nucleus. <i>Molecular and Cellular Biology</i> , 2008 , 28, 487-97	4.8	20
99	Du3, a mRNA cap-binding protein gene, regulates amylose content in Japonica rice seeds. 2008 , 25, 483-487		27
98	Processing of adeno-associated virus RNA. 2008 , 13, 3101-15		24
97	Stem Cells in Human Reproduction. 2009 ,		
96	Polyadenylation releases mRNA from RNA polymerase II in a process that is licensed by splicing. <i>Rna</i> , 2009 , 15, 823-36	5.8	34
95	Interaction of yeast eIF4G with spliceosome components: implications in pre-mRNA processing events. <i>RNA Biology</i> , 2009 , 6, 563-74	4.8	11
94	FRIGIDA delays flowering in Arabidopsis via a cotranscriptional mechanism involving direct interaction with the nuclear cap-binding complex. 2009 , 150, 1611-8		94
93	Cellular dynamics of the negative transcription elongation factor NELF. <i>Experimental Cell Research</i> , 2009 , 315, 1693-705	4.2	7
92	The Arabidopsis CBP20 targets the cap-binding complex to the nucleus, and is stabilized by CBP80. 2009 , 59, 814-25		37
91	The molecular basis for the regulation of the cap-binding complex by the importins. <i>Nature Structural and Molecular Biology</i> , 2009 , 16, 930-7	17.6	69
90	Diverse role of three tyrosines in binding of the RNA 5' cap to the human nuclear cap binding complex. <i>Journal of Molecular Biology</i> , 2009 , 385, 618-27	6.5	19
89	Fast ribozyme cleavage releases transcripts from RNA polymerase II and aborts co-transcriptional pre-mRNA processing. <i>Nature Structural and Molecular Biology</i> , 2009 , 16, 916-22	17.6	32
88	Subnuclear compartmentalization of transiently expressed polyadenylated pri-microRNAs: processing at transcription sites or accumulation in SC35 foci. <i>Cell Cycle</i> , 2009 , 8, 345-56	4.7	24
87	Regulation of mRNA cap methylation. <i>Biochemical Journal</i> , 2009 , 425, 295-302	3.8	108
86	FRIGIDA and related proteins have a conserved central domain and family specific N- and C-terminal regions that are functionally important. <i>Plant Molecular Biology</i> , 2010 , 73, 493-505	4.6	27
85	Heterogeneity in mammalian RNA 3' end formation. <i>Experimental Cell Research</i> , 2010 , 316, 1357-64	4.2	30

84	Nuclear deadenylation/polyadenylation factors regulate 3' processing in response to DNA damage. <i>EMBO Journal</i> , 2010 , 29, 1674-87	13	57
83	Molecular mechanisms of eukaryotic pre-mRNA 3' end processing regulation. <i>Nucleic Acids Research</i> , 2010 , 38, 2757-74	20.1	283
82	Involvement of the nuclear cap-binding protein complex in alternative splicing in <i>Arabidopsis thaliana</i> . <i>Nucleic Acids Research</i> , 2010 , 38, 265-78	20.1	72
81	Binding properties and dynamic localization of an alternative isoform of the cap-binding complex subunit CBP20. <i>Nucleus</i> , 2010 , 1, 412-21	3.9	14
80	RNA processing and export. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010 , 2, a000752	10.2	108
79	Processing of mRNA and Quality Control. 2011 , 255-278		
78	Updating the CTD Story: From Tail to Epic. <i>Genetics Research International</i> , 2011 , 2011, 623718	0	26
77	New phenotypes of the drought-tolerant <i>cbp20 Arabidopsis thaliana</i> mutant have changed epidermal morphology. <i>Plant Biology</i> , 2011 , 13, 78-84	3.7	16
76	Cap and cap-binding proteins in the control of gene expression. <i>Wiley Interdisciplinary Reviews RNA</i> , 2011 , 2, 277-98	9.3	260
75	Cell-to-cell trafficking of RNA and RNA silencing through plasmodesmata. <i>Protoplasma</i> , 2011 , 248, 101-114	15.4	47
74	The structure of human cleavage factor I(m) hints at functions beyond UGUA-specific RNA binding: a role in alternative polyadenylation and a potential link to 5' capping and splicing. <i>RNA Biology</i> , 2011 , 8, 748-53	4.8	41
73	The mRNA cap-binding complex stimulates the formation of pre-initiation complex at the promoter via its interaction with Mot1p in vivo. <i>Nucleic Acids Research</i> , 2011 , 39, 2188-209	20.1	25
72	Cap-binding protein complex links pre-mRNA capping to transcription elongation and alternative splicing through positive transcription elongation factor b (P-TEFb). <i>Journal of Biological Chemistry</i> , 2011 , 286, 22758-68	5.4	52
71	A novel synthesis and detection method for cap-associated adenosine modifications in mouse mRNA. <i>Scientific Reports</i> , 2011 , 1, 126	4.9	40
70	Nucleophosmin deposition during mRNA 3' end processing influences poly(A) tail length. <i>EMBO Journal</i> , 2011 , 30, 3994-4005	13	25
69	Affinity resins containing enzymatically resistant mRNA cap analogs--a new tool for the analysis of cap-binding proteins. <i>Rna</i> , 2012 , 18, 1421-32	5.8	12
68	Recombinant and In Vitro RNA Synthesis. <i>Methods in Molecular Biology</i> , 2012 ,	1.4	0
67	RNA biology in a test tube--an overview of in vitro systems/assays. <i>Wiley Interdisciplinary Reviews RNA</i> , 2012 , 3, 509-27	9.3	7

66	Structural basis of high-affinity nuclear localization signal interactions with importin- β <i>Traffic</i> , 2012 , 13, 532-48	5.7	70
65	A mammalian pre-mRNA 5' end capping quality control mechanism and an unexpected link of capping to pre-mRNA processing. <i>Molecular Cell</i> , 2013 , 50, 104-15	17.6	104
64	The human cap-binding complex is functionally connected to the nuclear RNA exosome. <i>Nature Structural and Molecular Biology</i> , 2013 , 20, 1367-76	17.6	157
63	Putting an 'End' to HIV mRNAs: capping and polyadenylation as potential therapeutic targets. <i>AIDS Research and Therapy</i> , 2013 , 10, 31	3	11
62	Human Gametes and Preimplantation Embryos. 2013 ,		5
61	The yeast cap binding complex modulates transcription factor recruitment and establishes proper histone H3K36 trimethylation during active transcription. <i>Molecular and Cellular Biology</i> , 2013 , 33, 785-94	4.8	28
60	In vitro transcription of modified RNAs. <i>Methods in Molecular Biology</i> , 2012 , 941, 171-80	1.4	6
59	Alterations in polyadenylation and its implications for endocrine disease. <i>Frontiers in Endocrinology</i> , 2013 , 4, 53	5.7	26
58	CBC-ARS2 stimulates 3'-end maturation of multiple RNA families and favors cap-proximal processing. <i>Nature Structural and Molecular Biology</i> , 2013 , 20, 1358-66	17.6	102
57	The nuclear cap-binding complex interacts with the U4/U6/U5 tri-snRNP and promotes spliceosome assembly in mammalian cells. <i>Rna</i> , 2013 , 19, 1054-63	5.8	42
56	Look Ma, no PCNA: how DNA polymerase β synthesizes long stretches of DNA without a processivity factor. <i>Nature Structural and Molecular Biology</i> , 2014 , 21, 12-4	17.6	2
55	A novel role for Cet1p mRNA 5'-triphosphatase in promoter proximal accumulation of RNA polymerase II in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2014 , 196, 161-76	4	13
54	Good cap/bad cap: how the cap-binding complex determines RNA fate. <i>Nature Structural and Molecular Biology</i> , 2014 , 21, 9-12	17.6	21
53	Cap-binding complex (CBC). <i>Biochemical Journal</i> , 2014 , 457, 231-42	3.8	117
52	Efficient preparation and properties of mRNAs containing a fluorescent cap analog: Anthraniloyl-m(7)GpppG. <i>Translation</i> , 2015 , 3, e988538		6
51	The end of the message: multiple protein-RNA interactions define the mRNA polyadenylation site. <i>Genes and Development</i> , 2015 , 29, 889-97	12.6	170
50	Mutagenesis of ARS2 Domains To Assess Possible Roles in Cell Cycle Progression and MicroRNA and Replication-Dependent Histone mRNA Biogenesis. <i>Molecular and Cellular Biology</i> , 2015 , 35, 3753-67	4.8	12
49	DRN and TRAMP degrade specific and overlapping aberrant mRNAs formed at various stages of mRNP biogenesis in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2016 , 16,	3.1	6

48	Rrp6: Integrated roles in nuclear RNA metabolism and transcription termination. <i>Wiley Interdisciplinary Reviews RNA</i> , 2016 , 7, 91-104	9.3	24
47	mRNA capping: biological functions and applications. <i>Nucleic Acids Research</i> , 2016 , 44, 7511-26	20.1	291
46	Characterization of nuclear cap binding complex protein genes (CBP20 and CBP80) from <i>Brassica juncea</i> . <i>Plant Gene</i> , 2016 , 5, 87-99	3.1	
45	The mRNA cap-binding protein Cbc1 is required for high and timely expression of genes by promoting the accumulation of gene-specific activators at promoters. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016 , 1859, 405-19	6	8
44	Post-transcriptional Regulation by Proteins and Non-coding RNAs. 2016 , 153-171		
43	The code and beyond: transcription regulation by the RNA polymerase II carboxy-terminal domain. <i>Nature Reviews Molecular Cell Biology</i> , 2017 , 18, 263-273	48.7	217
42	Lariat capping as a tool to manipulate the 5' end of individual yeast mRNA species in vivo. <i>Rna</i> , 2017 , 23, 683-695	5.8	2
41	Subgenic Pol II interactomes identify region-specific transcription elongation regulators. <i>Molecular Systems Biology</i> , 2017 , 13, 900	12.2	20
40	Cleavage and polyadenylation: Ending the message expands gene regulation. <i>RNA Biology</i> , 2017 , 14, 865-890	4.8	62
39	Mutually Exclusive CBC-Containing Complexes Contribute to RNA Fate. <i>Cell Reports</i> , 2017 , 18, 2635-2650	10.6	45
38	ALYREF mainly binds to the 5' and the 3' regions of the mRNA in vivo. <i>Nucleic Acids Research</i> , 2017 , 45, 9640-9653	20.1	56
37	Structural basis for mutually exclusive co-transcriptional nuclear cap-binding complexes with either NELF-E or ARS2. <i>Nature Communications</i> , 2017 , 8, 1302	17.4	14
36	From intronization to intron loss: How the interplay between mRNA-associated processes can shape the architecture and the expression of eukaryotic genes. <i>International Journal of Biochemistry and Cell Biology</i> , 2017 , 91, 136-144	5.6	7
35	The <i>Arabidopsis thaliana</i> F-box gene HAWAIIAN SKIRT is a new player in the microRNA pathway. <i>PLoS ONE</i> , 2017 , 12, e0189788	3.7	13
34	The RNA binding protein Ars2 supports hematopoiesis at multiple levels. <i>Experimental Hematology</i> , 2018 , 64, 45-58.e9	3.1	8
33	RNA Metabolism in Neurodegenerative Diseases. <i>Advances in Neurobiology</i> , 2018 ,	2.1	2
32	Targeting the Polyadenylation Signal of Pre-mRNA: A New Gene Silencing Approach for Facioscapulohumeral Dystrophy. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	8
31	RNA Degradation in Neurodegenerative Disease. <i>Advances in Neurobiology</i> , 2018 , 20, 103-142	2.1	14

30	Writing a wrong: Coupled RNA polymerase II transcription and RNA quality control. <i>Wiley Interdisciplinary Reviews RNA</i> , 2019 , 10, e1529	9.3	22
29	The coming-of-age of nucleocytoplasmic transport in motor neuron disease and neurodegeneration. <i>Cellular and Molecular Life Sciences</i> , 2019 , 76, 2247-2273	10.3	16
28	Translational activation of maternally derived mRNAs in oocytes and early embryos and the role of embryonic poly(A) binding protein (EPAB). <i>Biology of Reproduction</i> , 2019 , 100, 1147-1157	3.9	6
27	Distinct Functions of the Cap-Binding Complex in Stimulation of Nuclear mRNA Export. <i>Molecular and Cellular Biology</i> , 2019 , 39,	4.8	11
26	A recap of RNA recapping. <i>Wiley Interdisciplinary Reviews RNA</i> , 2019 , 10, e1504	9.3	27
25	RNA processing in skeletal muscle biology and disease. <i>Transcription</i> , 2019 , 10, 1-20	4.8	14
24	Translational Regulation of Gene Expression During Oogenesis and Preimplantation Embryo Development. 2019 , 221-239		1
23	The DEAD-box RNA helicase SHI2 functions in repression of salt-inducible genes and regulation of cold-inducible gene splicing. <i>Journal of Experimental Botany</i> , 2020 , 71, 1598-1613	7	7
22	The nuclear cap-binding complex as choreographer of gene transcription and pre-mRNA processing. <i>Genes and Development</i> , 2020 , 34, 1113-1127	12.6	10
21	NCBP3 positively impacts mRNA biogenesis. <i>Nucleic Acids Research</i> , 2020 , 48, 10413-10427	20.1	6
20	Cytoplasmic mRNA Recapping: An Unexpected Form of RNA Repair. 2021 , 109-130		
19	The MYB33, MYB65, and MYB101 transcription factors affect Arabidopsis and potato responses to drought by regulating the ABA signaling pathway.		1
18	Messenger RNA 3'-end Formation and the Regulation of Gene Expression. 2007 , 101-122		5
17	Regulation of Gene Expression in the Oocyte and Early Embryo: Implications for Transcriptomic and Proteomic Embryo Assessment. 2013 , 163-171		1
16	mRNA cap binding proteins: effects on abscisic acid signal transduction, mRNA processing, and microarray analyses. <i>Current Topics in Microbiology and Immunology</i> , 2008 , 326, 139-50	3.3	28
15	The carboxyl terminus of vertebrate poly(A) polymerase interacts with U2AF 65 to couple 3'-end processing and splicing. <i>Genes and Development</i> , 2000 , 14, 403-413	12.6	75
14	Complex processing patterns of mRNAs of the large ATP synthase operon in Arabidopsis chloroplasts. <i>PLoS ONE</i> , 2013 , 8, e78265	3.7	10
13	RNA binding proteins in spermatogenesis: an in depth focus on the Musashi family. <i>Asian Journal of Andrology</i> , 2015 , 17, 529-36	2.8	17

12	mRNA polyadenylation. 1. 3'-end formation of vertebrates' mRNAs. <i>Biopolymers and Cell</i> , 2001 , 17, 93-108	3	4
11	Cap-Binding Proteins.		
10	RNA Cap.		
9	Molecular Biology of the Gamete. <i>Reproductive Medicine and Assisted Reproductive Techniques Series</i> , 2009 , 22-34		
8	Molecular Biology of the Gamete. <i>Reproductive Medicine and Assisted Reproductive Techniques Series</i> , 2009 , 22-34		
7	NCBP3 is a productive mRNP component.		
6	The carboxyl terminus of vertebrate poly(A) polymerase interacts with U2AF 65 to couple 3'-end processing and splicing. <i>Genes and Development</i> , 2000 , 14, 403-13	12.6	114
5	RNA polymerase II and the integration of nuclear events. <i>Genes and Development</i> , 2000 , 14, 1415-1429	12.6	280
4	Anomalous HIV-1 RNA, How Cap-Methylation Segregates Viral Transcripts by Form and Function. <i>Viruses</i> , 2022 , 14, 935	6.2	3
3	The Role of RNA-Binding Proteins in Hematological Malignancies. 2022 , 23, 9552		0
2	The MYB33 , MYB65 , and MYB101 transcription factors affect Arabidopsis and potato responses to drought by regulating the ABA signaling pathway. 2022 , 174,		1
1	mRNA-Based Therapeutics in Cancer Treatment. 2023 , 15, 622		0