

CITATION REPORT

List of articles citing

Comparison of mid-lobe versus lateral systematic sextant biopsies in the detection of prostate cancer

DOI: 10.1159/000283071

Urologia Internationalis, 1997, 59, 239-42.

Source: <https://exaly.com/paper-pdf/28087148/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
106	Sensitivity and specificity of sextant biopsies in the detection of prostate cancer: preliminary report. 1999 , 54, 486-9		69
105	Biopsy protocol stability in a three-dimensional model of prostate cancer: changes in cancer yield after adjustment of biopsy positions. 1999 , 54, 862-8		9
104	Diagnostic dilemmas in detection of prostate cancer in patients undergoing transrectal ultrasound-guided needle biopsy of the prostate. 2000 , 3, 13-20		15
103	Extended field prostate biopsies: too much of a good thing?. 2000 , 55, 457-60		26
102	Prostate cancer detection, characterization, and clinical outcomes in men aged 70 years and older referred for transrectal ultrasound and prostate biopsies. 2000 , 56, 295-301		12
101	Detection of prostate cancer: a comparative study of the diagnostic efficacy of sextant transrectal versus sextant transperineal biopsy. 2000 , 56, 617-21		67
100	BACTEREMIA AND BACTERIURIA AFTER TRANSRECTAL ULTRASOUND GUIDED PROSTATE BIOPSY. 2000 , 164, 76-80		127
99	Importance of posterolateral needle biopsies in the detection of prostate cancer. 2001 , 57, 1112-6		73
98	PROSTATE CANCER DIAGNOSIS USING A SATURATION NEEDLE BIOPSY TECHNIQUE AFTER PREVIOUS NEGATIVE SEXTANT BIOPSIES. 2001 , 166, 86-92		315
97	Preoperative prediction of extracapsular tumor extension at radical retropubic prostatectomy in Taiwanese patients with T1c prostate cancer. 2002 , 32, 172-6		10
96	The pursuit of prostate cancer in patients with a rising prostate-specific antigen and multiple negative transrectal ultrasound-guided prostate biopsies. 2002 , 1, 172-6		24
95	Increasing the number of core samples taken at prostate needle biopsy enhances the detection of clinically significant prostate cancer. 2002 , 60, 841-5		37
94	Predictors of cancer in repeat extended multisite prostate biopsy in men with previous negative extended multisite biopsy. 2002 , 60, 836-40		99
93	Prostatic Transrectal Ultrasound (TRUS) Guided Biopsy Schemes and TRUS Prostatic Lesion-Guided Biopsies. 2002 , 1, 28-34		14
92	Prostate biopsy strategies: past, present, and future. 2002 , 29, 205-12, xi		24
91	Increasing prostate biopsy cores based on volume vs the sextant biopsy: a prospective randomized controlled clinical study on cancer detection rates and morbidity. 2004 , 94, 307-10		47
90	Increasing prostate biopsy cores based on volume vs the sextant biopsy: a prospective randomized controlled clinical study on cancer detection rates and morbidity. 2004 , 94, 1145		

89	Effects of sextant transrectal prostate biopsy plus additional far lateral cores in improving cancer detection rates in men with large prostate glands. 2004 , 11, 392-6	14
88	Transrectal ultrasound-guided biopsy of the prostate gland: value of 12 versus 6 cores. 2004 , 29, 132-6	20
87	Magnetic resonance-guided prostate interventions. 2005 , 16, 355-68	23
86	Efficacy and morbidity of transrectal ultrasound-guided 12-core biopsy for detection of prostate cancer in Japanese men. 2005 , 12, 353-60	25
85	Prostate gland volume is a strong predictor of biopsy results in men 70 years or older with prostate-specific antigen levels of 2.0-10.0 ng/mL. 2005 , 12, 969-75	9
84	Can we obtain better specimens with an end-cutting prostatic biopsy device?. 2005 , 47, 297-301	16
83	RE: INDIVIDUALIZATION OF THE BIOPSY PROTOCOL ACCORDING TO THE PROSTATE GLAND VOLUME FOR PROSTATE CANCER DETECTION. 2005 , 174, 2068-2068	
82	RE: INDIVIDUALIZATION OF THE BIOPSY PROTOCOL ACCORDING TO THE PROSTATE GLAND VOLUME FOR PROSTATE CANCER DETECTION. 2005 , 174, 2068-2068	1
81	Surgical management of prostate cancer: advances based on a rational approach to the data. 2005 , 41, 888-907	26
80	Comment nous faisons une biopsie de prostate. 2005 , 45, 297-307	0
79	A System for MRI-guided Prostate Interventions.	18
78	Diagnostic value of systematic biopsy methods in the investigation of prostate cancer: a systematic review. 2006 , 175, 1605-12	343
77	Current status of transrectal ultrasound-guided prostate biopsy in the diagnosis of prostate cancer. 2006 , 61, 142-53	77
76	Comparative Analysis of the Prostate Cancer Detection Rate according to Region and Number of Biopsy in Patient with Elevated Serum PSA. 2006 , 47, 591	1
75	Contemporary issues in the diagnosis of prostate cancer for the radiologist. 2006 , 16, 1580-90	1
74	Needle core length is a quality indicator of systematic transperineal prostate biopsy. 2006 , 50, 266-71	28
73	Abstracts for the ASM, Manchester, 12-14 December 2006. 2006 , 14, 251-272	
72	Evaluation of a contralateral biopsy specimen in prostate cancer patients with unilateral suspicious lesions. <i>Urologia Internationalis</i> , 2006 , 76, 112-7	1.9 2

71	Design of a Robot for Transperineal Prostate Needle Placement in MRI Scanner. 2006,		16
70	Impact of additional sampling in the TRUS-guided biopsy for the diagnosis of prostate cancer. <i>Urologia Internationalis</i> , 2007 , 78, 313-7	1.9	30
69	Robot-assisted needle placement in open MRI: system architecture, integration and validation. 2007 , 12, 15-24		64
68	Role of Transurethral Resection of the Prostate in the Diagnosis of Prostate Cancer for Patients with Lower Urinary Tract Symptoms and Serum PSA 4-10ng/ml with a Negative Repeat Transrectal Needle Biopsy of Prostate. 2007 , 48, 1010		2
67	Transperineal TRUS-Guided Prostate Biopsy. 2007 , 74, 1-7		3
66	Transrectal ultrasound-guided biopsy of prostate voxels identified as suspicious of malignancy on three-dimensional (1)H MR spectroscopic imaging in patients with abnormal digital rectal examination or raised prostate specific antigen level of 4-10 ng/ml. 2007 , 20, 11-20		45
65	Significance of lateral biopsy specimens during transrectal ultrasound-guided prostate biopsies in Japanese men. 2007 , 14, 935-8		4
64	Extended 21-sample needle biopsy protocol for diagnosis of prostate cancer in 1000 consecutive patients. 2007 , 52, 430-5		120
63	Role of magnetic resonance methods in the evaluation of prostate cancer: an Indian perspective. 2008 , 21, 393-407		13
62	Transient impotence after transrectal ultrasound-guided prostate biopsy. 2008 , 36, 33-4		5
61	MR-guided biopsy of the prostate: an overview of techniques and a systematic review. 2008 , 54, 517-27		135
60	Indications for extended 14-core transrectal ultrasound-guided prostate biopsy. 2008 , 71, 23-7		11
59	MRI-Compatible Pneumatic Robot for Transperineal Prostate Needle Placement. 2008 , 13, 295-305		201
58	Systematic lateral prostate biopsy--are the benefits worth the costs?. 2008 , 179, 1321-6		12
57	Strategy for repeat prostate biopsy: predictors of positive biopsy and additional biopsy location. <i>Urologia Internationalis</i> , 2008 , 81, 173-8	1.9	2
56	Transrectal ultrasound-guided biopsy of the prostate: development of the procedure, current clinical practice, and introduction of self-embedding as a new way of processing biopsy cores. 2008 , 22, 1321-9		7
55	Pneumatically Operated MRI-Compatible Needle Placement Robot for Prostate Interventions. 2008 , 2008, 2489-2495		14
54	Retrospective study comparing six- and twelve-core prostate biopsy in detection of prostate cancer. 2008 , 34, 9-14		9

53	A prospective randomised trial of extended core prostate biopsy protocols utilizing 12 versus 15 cores. <i>Urologia Internationalis</i> , 2009 , 83, 155-9	1.9	6
52	Utility of a 3-dimensional transrectal ultrasound-guided prostate biopsy system for prostate cancer detection. 2009 , 8, 99-104		4
51	Prostate cancer diagnosis: should patients with prostate specific antigen >10ng/mL have stratified prostate biopsy protocols?. 2009 , 32, 314-8		5
50	Optimal biopsy strategies for the diagnosis and staging of prostate cancer. 2009 , 19, 232-7		53
49	Management of rising prostate-specific antigen following a negative biopsy. 2010 , 20, 198-203		7
48	Quality in cancer diagnosis. 2010 , 60, 139-65		45
47	Development and preliminary evaluation of an actuated MRI-compatible robotic device for MRI-guided prostate intervention. 2010 ,		24
46	The influence of ultrasound probe orientation on prostate cancer detection rate during transrectal ultrasonography-guided prostate biopsy. 2010 , 24, 2075-81		3
45	Accuracy validation for MRI-guided robotic prostate biopsy. 2010 , 7625, 762517-762518		10
44	Haptic system design for MRI-guided needle based prostate brachytherapy. 2010 ,		7
43	Importance of additional "extreme" anterior apical needle biopsies in the initial detection of prostate cancer. 2010 , 75, 1034-9		84
42	Preliminary Evaluation of a MRI-compatible Modular Robotic System for MRI-guided Prostate Interventions. 2010 , 2010, 796-801		7
41	Development of a Pneumatic Robot for MRI-guided Transperineal Prostate Biopsy and Brachytherapy: New Approaches. 2010 , 2010, 2580-2585		38
40	Utility of percent free prostate-specific antigen in repeat prostate biopsy. 2011 , 78, 386-91		4
39	An MRI-compatible robotic system with hybrid tracking for MRI-guided prostate intervention. 2011 , 58, 3049-60		73
38	Design of a Teleoperated Needle Steering System for MRI-guided Prostate Interventions. 2012 , 2012, 793-798		22
37	Robotic system for MRI-guided prostate biopsy: feasibility of teleoperated needle insertion and ex vivo phantom study. 2012 , 7, 181-90		39
36	MR to ultrasound registration for image-guided prostate interventions. 2012 , 16, 687-703		123

35	Accuracy analysis in MRI-guided robotic prostate biopsy. 2013 , 8, 937-44	17
34	Contemporary pathologic characteristics and oncologic outcomes of prostate cancers missed by 6- and 12-core biopsy and diagnosed with a 21-core biopsy protocol. 2013 , 31, 869-74	6
33	Prostate: MRI-Guided Biopsy. 2013 , 1831-1838	
32	Development and Evaluation of an Actuated MRI-Compatible Robotic System for MRI-Guided Prostate Intervention. 2012 , 18, 273-284	79
31	The importance of prostate volume in prostate needle biopsy. 2013 , 39, 74-7	
30	The diagnostic accuracy and cost-effectiveness of magnetic resonance spectroscopy and enhanced magnetic resonance imaging techniques in aiding the localisation of prostate abnormalities for biopsy: a systematic review and economic evaluation. 2013 , 17, vii-xix, 1-281	85
29	Comparison of 8, 10, 12, 16, 20 cores prostate biopsies in the determination of prostate cancer and the importance of prostate volume. 2014 , 8, E81-5	11
28	Biopsy sampling and histopathological markers for diagnosis of prostate cancer. 2014 , 14, 1323-36	2
27	Magnetic resonance spectroscopy imaging-directed transrectal ultrasound biopsy increases prostate cancer detection in men with prostate-specific antigen between 4-10 ng/mL and normal digital rectal examination. 2014 , 21, 257-62	19
26	Prostate cancer detection rates in different biopsy schemes. Which cores for which patients?. 2014 , 32, 341-6	25
25	A prostate biopsy strategy based on a new clinical nomogram reduces the number of biopsy cores required in high-risk patients. 2014 , 14, 8	9
24	Systematic 12- and 13-core transrectal ultrasound- or magnetic resonance imaging-guided biopsies significantly improve prostate cancer detection rate: A single-center 13-year experience. 2014 , 8, 1834-1838	2
23	Design of an MRI-compatible modularized needle driver for In-bore MRI-guided prostate interventions. 2015 ,	4
22	2D Ultrasound and 3D MR Image Registration of the Prostate for Brachytherapy Surgical Navigation. 2015 , 94, e1643	9
21	Multi-slice-to-volume registration for MRI-guided transperineal prostate biopsy. 2015 , 10, 563-72	5
20	Selective Low-Dose Spinal Anesthesia for Transrectal Prostate Biopsy: A Prospective and Randomized Study. 2015 , 29, 1412-7	6
19	Additional Mid-Peripheral Biopsies to the Systematic Lateral-Peripheral Sextant Biopsy Provides an Improvement in Prostate Cancer Detection in Japanese Men. 2021 , 12, 1-8	
18	Development and placement accuracy evaluation of an MR conditional robot for prostate intervention. 2021 , 59, 1023-1034	1

17	Attitude is everything: keep probe pitch neutral during side-fire prostate biopsy. A simulator study. 2021 , 128, 615-624		1
16	Optimum Prostate Biopsy: Techniques and Strategies. 2012 , 177-200		1
15	Robotic assistant for transperineal prostate interventions in 3T closed MRI. 2007 , 10, 425-33		25
14	MRI-guided robotic prostate biopsy: a clinical accuracy validation. 2010 , 13, 383-91		14
13	PROSTATE CANCER DIAGNOSIS USING A SATURATION NEEDLE BIOPSY TECHNIQUE AFTER PREVIOUS NEGATIVE SEXTANT BIOPSIES. 2001 , 86-92		21
12	The diagnostic ability of an additional midline peripheral zone biopsy in transrectal ultrasonography-guided 12-core prostate biopsy to detect midline prostate cancer. 2016 , 35, 61-8		1
11	Prostate Biopsy Using Transrectal Ultrasonography; The Optimal Number of Cores Regarding Cancer Detection Rate and Complications. 2015 , 12, e13257		17
10	BACTEREMIA AND BACTERIURIA AFTER TRANSRECTAL ULTRASOUND GUIDED PROSTATE BIOPSY. 2000 , 76-80		1
9	Prostate Cancer: Detection and Biopsy Strategies. 2003 , 129-136		0
8	Concordance of Gleason Scores between Prostate Needle Biopsy and Radical Prostatectomy Specimens according to the Number of Biopsy Cores. 2006 , 47, 482		5
7	Contemporary TRUS-Guided Prostate Biopsy for Screening and Staging. 2009 , 49-62		2
6	The Efficacy of Prostate Biopsy by Use of the Vienna Nomogram. <i>Korean Journal of Urology</i> , 2009 , 50, 1168		
5	Changing Landscape of Prostate Cancer Favoring Low-Risk Prostate Cancer: Implications for Active Surveillance Versus Focal Therapy. 2013 , 17-36		
4	MR Imaging and the Biopsy of Prostate Cancer. 2014 , 739-756		
3	Optimizing prostate biopsy strategies for the diagnosis of prostate cancer. <i>Reviews in Urology</i> , 2003 , 5, 149-55	1	1
2	Prostate biopsy: targeting cancer for detection and therapy. <i>Reviews in Urology</i> , 2006 , 8, 173-82	1	9
1	Does Periprostatic Block Increase the Transrectal Ultrasound (TRUS) Biopsy Sepsis Rate in Men with Elevated PSA?. 2013 , 42, 168-172		0