

East Gondwana ancestry of the sunflower alliance of far

Proceedings of the National Academy of Sciences of the United States of America
94, 9188-9190

DOI: [10.1073/pnas.94.17.9188](https://doi.org/10.1073/pnas.94.17.9188)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Molecular evidence for an African origin of the Hawaiian endemic <i>Hesperomannia</i> (Asteraceae). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 15440-15445.	7.1	82
2	Evolution of the Australasian Families <i>Alseuosmiaceae</i> , <i>Argophyllaceae</i> , and <i>Phellinaceae</i> . <i>Systematic Botany</i> , 1999, 24, 660.	0.5	38
3	Phylogenetics and evolution of the aphid genus <i>Uroleucon</i> based on mitochondrial and nuclear DNA sequences. <i>Systematic Entomology</i> , 1999, 24, 85-93.	3.9	80
4	Early Cretaceous lineages of monocot flowering plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 4707-4711.	7.1	163
5	Timing Transantarctic Disjunctions in the <i>Atherospermataceae</i> (Laurales): Evidence from Coding and Noncoding Chloroplast Sequences. <i>Systematic Biology</i> , 2000, 49, 579-591.	5.6	95
6	Phylogeny and biogeography of <i>Eupatorium</i> (Asteraceae: Eupatorieae) based on nuclear ITS sequence data. <i>American Journal of Botany</i> , 2000, 87, 716-726.	1.7	74
7	Molecular Phylogeny and Biogeography of the Genus <i>Ilex</i> L. (Aquifoliaceae). <i>Annals of Botany</i> , 2000, 85, 111-122.	2.9	87
8	Phylogeny of the Eudicots: A Nearly Complete Familial Analysis Based on <i>rbcl</i> Gene Sequences. <i>Kew Bulletin</i> , 2000, 55, 257.	0.9	383
9	Divergence estimates of <i>tetrachondra hamiltonii</i> and <i>T. Patagonica</i> (tetrachondraceae) and their implications for austral biogeography. <i>New Zealand Journal of Botany</i> , 2000, 38, 587-596.	1.1	22
10	Pollen of the Asteraceae from the Paleocene-Eocene of South Africa. <i>Grana</i> , 2000, 39, 39-45.	0.8	46
11	New hypotheses of phylogenetic relationships in <i>Barnadesioideae</i> (Asteraceae) based on morphology. <i>Taxon</i> , 2001, 50, 1043-1066.	0.7	22
12	The asteralean affinity of the Mauritian <i>Roussea</i> (Rousseaceae). <i>Botanical Journal of the Linnean Society</i> , 2001, 137, 267-276.	1.6	15
13	Flavonoids of the Sunflower Family (Asteraceae). , 2001, , .		79
14	Chemical Mediation of Coevolution: Phylogenetic Evidence for <i>Apiaceae</i> and Associates. <i>Annals of the Missouri Botanical Garden</i> , 2001, 88, 45.	1.3	58
15	Age and biogeography of major clades in <i>Liliales</i> . <i>American Journal of Botany</i> , 2001, 88, 1695-1703.	1.7	99
16	Patterns of diversification in New Zealand <i>Stylidiaceae</i> . <i>American Journal of Botany</i> , 2002, 89, 865-874.	1.7	37
17	Molecular phylogeny and biogeography of the Qinghai-Tibet Plateau endemic <i>Nannoglottis</i> (Asteraceae). <i>Molecular Phylogenetics and Evolution</i> , 2002, 23, 307-325.	2.7	141
18	Phylogenetic dating with confidence intervals using mean path lengths. <i>Molecular Phylogenetics and Evolution</i> , 2002, 24, 58-65.	2.7	78

#	ARTICLE	IF	CITATIONS
19	Centaureinae (Asteraceae) in the Mediterranean ? history of ecogeographical radiation. <i>Plant Systematics and Evolution</i> , 2003, -1, 1-1.	0.9	40
20	ITS secondary structure derived from comparative analysis: implications for sequence alignment and phylogeny of the Asteraceae. <i>Molecular Phylogenetics and Evolution</i> , 2003, 29, 216-234.	2.7	141
21	The radiation of the Cape flora, southern Africa. <i>Biological Reviews</i> , 2003, 78, 597-638.	10.4	462
22	A Phylogenetic Study of the Order Asterales Using One Morphological and Three Molecular Data Sets. <i>International Journal of Plant Sciences</i> , 2003, 164, 553-578.	1.3	102
24	Molecular Phylogenetic Dating of Asterid Flowering Plants Shows Early Cretaceous Diversification. <i>Systematic Biology</i> , 2004, 53, 496-505.	5.6	226
25	Chloroplast DNA rearrangements in Campanulaceae: phylogenetic utility of highly rearranged genomes. <i>BMC Evolutionary Biology</i> , 2004, 4, 27.	3.2	173
26	Estimation of molecular clocks for ITS and 28S rDNA in Erysiphales. <i>Mycoscience</i> , 2004, 45, 340-344.	0.8	62
27	Phylogeny and host-plant association in the leaf beetle genus <i>Trihabda</i> LeConte (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 107	2.7	22
28	A transitional-combinational theory for the origin of angiosperms. <i>Taxon</i> , 2004, 53, 3-16.	0.7	15
29	A dated molecular phylogeny of the Proctolabinae (Orthoptera, Acrididae), especially the Lithoscirtae, and the evolution of their adaptive traits and present biogeography. <i>Journal of Orthoptera Research</i> , 2004, 13, 35-56.	1.0	15
30	Molecular evidence on plant divergence times. <i>American Journal of Botany</i> , 2004, 91, 1656-1665.	1.7	256
31	A Transitional-Combinational Theory for the Origin of Angiosperms. <i>Taxon</i> , 2004, 53, 3.	0.7	46
32	Dating Lineages: Molecular and Paleontological Approaches to the Temporal Framework of Clades. <i>International Journal of Plant Sciences</i> , 2004, 165, S7-S21.	1.3	152
33	Nuclear ribosomal DNA and karyotypes indicate a NW African origin of South American <i>Hypochoeris</i> (Asteraceae, Cichorieae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 102-116.	2.7	56
34	Phylogenetic implications of corolla morphology in subfamily Barnadesioideae (Asteraceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2006, 201, 340-352.	1.2	9
35	Molecular dating of phylogenetic trees: A brief review of current methods that estimate divergence times. <i>Diversity and Distributions</i> , 2006, 12, 35-48.	4.1	211
36	Enhanced subunit interactions with gemcitabine-5â€²-diphosphate inhibit ribonucleotide reductases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14324-14329.	7.1	98
37	Improving Divergence Time Estimation in Phylogenetics: More Taxa vs. Longer Sequences. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2007, 6, Article35.	0.6	2

#	ARTICLE	IF	CITATIONS
38	Compositae. , 2007, , 61-588.		46
39	Campanulaceae. , 2007, , 26-56.		33
40	Ecological correlates of diversification in New Zealand angiosperm lineages. <i>New Zealand Journal of Botany</i> , 2007, 45, 35-51.	1.1	8
41	Asterales: Introduction and Conspectus. , 2007, , 1-6.		7
42	A phylogeny of the "evil tribe" (Vernonieae: Compositae) reveals Old/New World long distance dispersal: Support from separate and combined congruent datasets (trnL-F, ndhF, ITS). <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 89-103.	2.7	93
43	Phylogenetic analysis of chloroplast DNA matK gene and ITS of nrDNA sequences reveals polyphyly of the genus <i>Sonchus</i> and new relationships among the subtribe Sonchinae (Asteraceae: Cichorieae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 578-597.	2.7	66
44	Classification, diversity, and distribution of Chilean Asteraceae: implications for biogeography and conservation. <i>Diversity and Distributions</i> , 2007, 13, 818-828.	4.1	26
45	Estimating Divergence Times in Large Phylogenetic Trees. <i>Systematic Biology</i> , 2007, 56, 741-752.	5.6	265
46	The Subfamily Mutisioideae (Asteraceae). <i>Botanical Review</i> , The, 2008, 74, 469-716.	3.9	74
47	Does plasticity drive speciation? Host-plant shifts and diversification in nymphaline butterflies (Lepidoptera: Nymphalidae) during the tertiary. <i>Biological Journal of the Linnean Society</i> , 0, 94, 115-130.	1.6	58
48	Generic Circumscription in Menyanthaceae: A Phylogenetic Evaluation. <i>Systematic Botany</i> , 2008, 33, 598-612.	0.5	33
49	Consistent Estimation of Divergence Times in Phylogenetic Trees with Local Molecular Clocks. <i>Systematic Biology</i> , 2008, 57, 947-954.	5.6	8
50	Reciprocity between biology and geology: Reconstructing polar Gondwana. <i>Gondwana Research</i> , 2009, 16, 655-668.	6.0	17
51	Comparisons of breeding systems between two sympatric species, <i>Nastanthus spathulatus</i> (Calyceae) and <i>Rhodophiala rhodolirion</i> (Amaryllidaceae), in the high Andes of central Chile. <i>Plant Species Biology</i> , 2009, 24, 2-10.	1.0	14
52	Cape diversification and repeated out-of-southern-Africa dispersal in paper daisies (Asteraceae " Gnaphalieae). <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 5-18.	2.7	82
53	Phylogeny of Barnadesioideae (Asteraceae) inferred from DNA sequence data and morphology. <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 572-587.	2.7	54
54	Reconstructing the history of Campanulaceae with a Bayesian approach to molecular dating and dispersal " vicariance analyses. <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 575-587.	2.7	84
55	Class Magnoliopsida (Dicotyledons). , 2009, , 7-588.		3

#	ARTICLE	IF	CITATIONS
56	Reproductive Ecology of the Endangered Enigmatic Mauritian Endemic <i>Roussea simplex</i> (Rousseaceae). <i>International Journal of Plant Sciences</i> , 2009, 170, 42-52.	1.3	37
57	Time Tree of Rubiaceae: Phylogeny and Dating the Family, Subfamilies, and Tribes. <i>International Journal of Plant Sciences</i> , 2009, 170, 766-793.	1.3	222
58	Echinate fossil pollen of Asteraceae from the Late Oligocene of Patagonia: an assessment of its botanical affinity. <i>Plant Systematics and Evolution</i> , 2010, 285, 75-81.	0.9	12
59	Fossil pollen indicates an explosive radiation of basal Asteracean lineages and allied families during Oligocene and Miocene times in the Southern Hemisphere. <i>Review of Palaeobotany and Palynology</i> , 2010, 160, 102-110.	1.5	38
60	Comparative pollen morphology of <i>Brachylena</i> , <i>Tarchananthus</i> and two species of <i>Tubulifloridites</i> (Asteraceae) from the Eocene, Knysna Lignite of South Africa. <i>Review of Palaeobotany and Palynology</i> , 2010, 162, 183-192.	1.5	14
61	Asteraceae, Chile's Richest Family. <i>Plant and Vegetation</i> , 2011, , 221-247.	0.6	1
62	Extreme habitats that emerged in the Pleistocene triggered divergence of weedy <i>Youngia</i> (Asteraceae) in Taiwan. <i>Molecular Phylogenetics and Evolution</i> , 2012, 63, 486-499.	2.7	18
63	Southern (Austral) Ecosystems. , 2013, , 612-619.		5
64	A Southern Hemisphere origin for campanulid angiosperms, with traces of the break-up of Gondwana. <i>BMC Evolutionary Biology</i> , 2013, 13, 80.	3.2	122
65	Identifying Hidden Rate Changes in the Evolution of a Binary Morphological Character: The Evolution of Plant Habit in Campanulid Angiosperms. <i>Systematic Biology</i> , 2013, 62, 725-737.	5.6	306
66	Determinants of root-associated fungal communities within <i>Asteraceae</i> in a semi-arid grassland. <i>Journal of Ecology</i> , 2014, 102, 425-436.	4.0	62
67	<i>Formae speciales</i> of cereal powdery mildew: close or distant relatives?. <i>Molecular Plant Pathology</i> , 2014, 15, 304-314.	4.2	52
68	Modern Phylogenetic Comparative Methods and Their Application in Evolutionary Biology. , 2014, , .		241
69	Hidden Markov Models for Studying the Evolution of Binary Morphological Characters. , 2014, , 395-408.		17
70	Nested radiations and the pulse of angiosperm diversification: increased diversification rates often follow whole genome duplications. <i>New Phytologist</i> , 2015, 207, 454-467.	7.3	315
71	Evolutionary significance of exine ultrastructure in the subfamily Barnadesioideae (Asteraceae) in the light of molecular phylogenetics. <i>Review of Palaeobotany and Palynology</i> , 2015, 221, 32-46.	1.5	5
72	Late Cenozoic diversification of the austral genus <i>Lagenophora</i> (Astereae, Asteraceae). <i>Botanical Journal of the Linnean Society</i> , 2015, 177, 78-95.	1.6	7
73	A global perspective on Campanulaceae: Biogeographic, genomic, and floral evolution. <i>American Journal of Botany</i> , 2016, 103, 233-245.	1.7	37

#	ARTICLE	IF	CITATIONS
74	Comparative analysis of chloroplast DNA sequences of <i>Codonopsis lanceolata</i> and <i>Platycodon grandiflorus</i> and application in development of molecular markers. <i>Applied Biological Chemistry</i> , 2017, 60, 23-31.	1.9	2
75	In and out of Madagascar: Dispersal to Peripheral Islands, Insular Speciation and Diversification of Indian Ocean Daisy Trees (<i>Psiadia</i> , Asteraceae). <i>PLoS ONE</i> , 2012, 7, e42932.	2.5	58
76	The Impact of Reconstruction Methods, Phylogenetic Uncertainty and Branch Lengths on Inference of Chromosome Number Evolution in American Daisies (<i>Melampodium</i> , Asteraceae). <i>PLoS ONE</i> , 2016, 11, e0162299.	2.5	16
77	Morfologia polêmica do gênero <i>Pluchea</i> Cass. (Asteraceae), no Rio Grande do Sul, Brasil. <i>Revista Brasileira De Paleontologia</i> , 2006, 9, 149-156.	0.4	1
78	Biogeography of Flowering Plants: A Case Study in Mignonettes (<i>Resedaceae</i>) and Sedges (<i>Carex</i>), Tj ETQq0 0 0 rgBT /Overlogk 10 Tf 50		
79	Southern (Austral) Ecosystems. , 2001, , 361-370.		0