

CITATION REPORT

List of articles citing

Ballistic Hall micromagnetometry

DOI: 10.1063/1.120034

Applied Physics Letters, 1997, 71, 2379-2381.

Source: <https://exaly.com/paper-pdf/28186526/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 189 | Magnetization of Mesoscopic Superconducting Disks. <i>Physical Review Letters</i> , 1997 , 79, 4653-4656 | 7.4 | 161 |
| 188 | Phase transitions in individual sub-micrometre superconductors. 1997 , 390, 259-262 | | 353 |
| 187 | Paramagnetic Meissner effect in small superconductors. 1998 , 396, 144-146 | | 204 |
| 186 | Induced magnetoresistance in semiconductor devices due to single sub-micron magnetic barriers. 1998 , 256-258, 380-383 | | 6 |
| 185 | Hall magnetometer in the ballistic regime. <i>Applied Physics Letters</i> , 1998 , 72, 572-574 | 3.4 | 111 |
| 184 | A technique for positioning nanoparticles using an atomic force microscope. <i>Nanotechnology</i> , 1998 , 9, 337-342 | 3.4 | 106 |
| 183 | Phase transitions in thin mesoscopic superconducting disks. <i>Physical Review B</i> , 1998 , 57, 13817-13832 | 3.3 | 187 |
| 182 | Miniature high-sensitivity quartz tuning fork alternating gradient magnetometry. <i>Applied Physics Letters</i> , 1998 , 73, 3595-3597 | 3.4 | 25 |
| 181 | Memory effects in individual submicrometer ferromagnets. <i>Physical Review B</i> , 1998 , 58, 12201-12206 | 3.3 | 46 |
| 180 | Hybrid ferromagnet/semiconductor devices. 1998 , 16, 1806-1811 | | 18 |
| 179 | Temperature dependence of large positive magnetoresistance in hybrid ferromagnetic/semiconductor devices. <i>Applied Physics Letters</i> , 1998 , 72, 1724-1726 | 3.4 | 52 |
| 178 | Quantum transmission in narrow ballistic wires containing a superconductor island. <i>Applied Physics Letters</i> , 1998 , 73, 205-207 | 3.4 | 1 |
| 177 | Magnetization of small arrays of interacting single-domain particles. <i>Journal of Applied Physics</i> , 1999 , 85, 6175-6177 | 2.5 | 36 |
| 176 | Magnetism of nanometer-scale iron particles arrays (invited). <i>Journal of Applied Physics</i> , 1999 , 85, 5249-5254 | 2.5 | 59 |
| 175 | Magnetoresistance of a two-dimensional electron gas due to a single magnetic barrier and its use for nanomagnetometry. <i>Applied Physics Letters</i> , 1999 , 74, 2507-2509 | 3.4 | 178 |
| 174 | Hysteresis in mesoscopic superconducting disks: The Bean-Livingston barrier. <i>Physical Review B</i> , 1999 , 59, 6039-6042 | 3.3 | 55 |
| 173 | Mesoscopic superconducting disc with short-range columnar defects. <i>Physical Review B</i> , 1999 , 59, 12039-12047 | 3.3 | 111 |

| | | | |
|-----|---|-----|------|
| 172 | Dimensional crossover in a mesoscopic superconducting loop of finite width. <i>Physical Review B</i> , 1999 , 60, 10468-10476 | 3.3 | 44 |
| 171 | Thermally activated annihilation of an individual domain in submicrometer nickel particles. <i>Journal of Magnetism and Magnetic Materials</i> , 1999 , 204, 159-164 | 2.8 | 15 |
| 170 | Flux confinement in mesoscopic superconductors. 1999 , 25, 1185-1193 | | |
| 169 | Quantum states in a magnetic antidot. <i>Physical Review B</i> , 1999 , 59, 2817-2823 | 3.3 | 89 |
| 168 | InAs/Al _{0.2} Ga _{0.8} Sb quantum well Hall sensors with improved temperature stability. <i>Review of Scientific Instruments</i> , 1999 , 70, 2715-2718 | 1.7 | 3 |
| 167 | Scanning Hall probe microscopy with shear force distance control. <i>Journal of Applied Physics</i> , 2000 , 87, 6496-6498 | 2.5 | 24 |
| 166 | Magneto-electronic latching Boolean gate. 2000 , 44, 1099-1104 | | 26 |
| 165 | The transport of 2D electrons through magnetic barriers. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2000 , 7, 997-1000 | 3 | 6 |
| 164 | Scattering of electrons at a magnetic protuberance of submicron size. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2000 , 6, 746-750 | 3 | 13 |
| 163 | Non-quantized penetration of magnetic field in the vortex state of superconductors. 2000 , 407, 55-7 | | 148 |
| 162 | Nanomechanical oscillations in a single-C60 transistor. 2000 , 407, 57-60 | | 1530 |
| 161 | Effect of tilted magnetic fields on bistable nanomagnets in hybrid semiconductor/ferromagnet devices. <i>Journal of Magnetism and Magnetic Materials</i> , 2000 , 210, 138-142 | 2.8 | 15 |
| 160 | Spin-dependent electronic states and magnetoconductance in a magnetic quantum antidot. <i>Journal of Physics Condensed Matter</i> , 2000 , 12, 3359-3367 | 1.8 | 4 |
| 159 | Ginzburg-Landau calculations for a superconducting cylinder in a magnetic field. <i>Physical Review B</i> , 2000 , 61, 12293-12301 | 3.3 | 28 |
| 158 | Magnetic measurements on a single Co cluster. | | |
| 157 | Magnetic barrier in confined two-dimensional electron gases: Nanomagnetometers and magnetic switches. <i>Applied Physics Letters</i> , 2000 , 77, 3215-3217 | 3.4 | 43 |
| 156 | Magnetization switching of a magnetic wire with trilayer structure using giant magnetoresistance effect. <i>Journal of Applied Physics</i> , 2000 , 88, 6636-6644 | 2.5 | 18 |
| 155 | Dual point description of mesoscopic superconductors. <i>Physical Review B</i> , 2000 , 62, 12427-12439 | 3.3 | 14 |

| | | | |
|-----|---|-----|----|
| 154 | Magnetoresistance and Hall magnetometry of single submicron ferromagnetic structures. <i>Journal of Applied Physics</i> , 2000 , 87, 5986-5988 | 2.5 | 31 |
| 153 | Fine structure in magnetization of individual fluxoid states. <i>Physical Review Letters</i> , 2000 , 85, 1528-31 | 7.4 | 79 |
| 152 | Structure and magnetism of well defined cobalt nanoparticles embedded in a niobium matrix. <i>Physical Review B</i> , 2000 , 62, 493-499 | 3.3 | 79 |
| 151 | Confinement of two-dimensional excitons in a nonhomogeneous magnetic field. <i>Physical Review B</i> , 2000 , 61, 2895-2903 | 3.3 | 19 |
| 150 | Switching behavior of vortex structures in nanodisks. <i>IEEE Transactions on Magnetics</i> , 2001 , 37, 2076-2078 | | 42 |
| 149 | Stray-field investigation on permalloy nanodisks. <i>Journal of Applied Physics</i> , 2001 , 90, 6542-6544 | 2.5 | 24 |
| 148 | Hall-magnetometry on ferromagnetic micro-rhombs. <i>IEEE Transactions on Magnetics</i> , 2001 , 37, 2085-2087 | | 9 |
| 147 | Electrical transport of 2D electrons in non-uniform magnetic fields. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2001 , 11, 171-176 | 3 | 9 |
| 146 | Electrodeposition of NiFe and Fe nanopillars. <i>IEEE Transactions on Magnetics</i> , 2001 , 37, 2094-2097 | 2 | 18 |
| 145 | Hall-magnetometry on ferromagnetic dots and dot arrays. <i>IEEE Transactions on Magnetics</i> , 2001 , 37, 2091-2093 | 2.2 | 22 |
| 144 | Dilation of the giant vortex state in a mesoscopic superconducting loop. <i>Physical Review B</i> , 2001 , 64, | 3.3 | 42 |
| 143 | Hall detection of magnetic resonance. <i>Applied Physics Letters</i> , 2001 , 79, 1498-1500 | 3.4 | 32 |
| 142 | Planar Hall sensors for micro-Hall magnetometry. <i>Journal of Applied Physics</i> , 2002 , 91, 7980 | 2.5 | 11 |
| 141 | Noninvasive magnetic imaging and magnetization measurement of isolated mesoscopic Co rings. <i>Applied Physics Letters</i> , 2002 , 81, 3413-3415 | 3.4 | 38 |
| 140 | Hall magnetometry on a single iron nanoparticle. <i>Applied Physics Letters</i> , 2002 , 80, 4644-4646 | 3.4 | 56 |
| 139 | Three-terminal gated magnetoelectronic device. <i>Applied Physics Letters</i> , 2002 , 80, 3204-3206 | 3.4 | 7 |
| 138 | Sample-detector coupling in atomic resolution magnetic resonance diffraction. <i>Journal of Applied Physics</i> , 2002 , 92, 7345-7354 | 2.5 | 8 |
| 137 | Scattering of ballistic electrons at a mesoscopic spot of strong magnetic field. <i>Physical Review B</i> , 2002 , 65, | 3.3 | 41 |

| | | | |
|-----|--|-----|-----|
| 136 | Response function of a Hall magnetosensor in the diffusive regime. <i>Journal of Applied Physics</i> , 2002 , 92, 2006-2012 | 2.5 | 24 |
| 135 | Hall micromagnetometry on iron electrodes suitable for spin-polarized transport. <i>Journal of Applied Physics</i> , 2002 , 92, 7296-7301 | 2.5 | 15 |
| 134 | Spontaneous magnetization changes and nonlocal effects in mesoscopic ferromagnet-superconductor structures. <i>Physical Review B</i> , 2002 , 65, | 3.3 | 32 |
| 133 | Domain wall propagation on nanometer scale: coercivity of a single pinning center. <i>IEEE Transactions on Magnetics</i> , 2002 , 38, 2583-2585 | 2 | 12 |
| 132 | Hall and bend-resistance magnetometry on two-micromagnet systems. <i>IEEE Transactions on Magnetics</i> , 2002 , 38, 2535-2537 | 2 | 5 |
| 131 | Hybrid magnetic-semiconductor nanostructures. 2002 , 247-328 | | 1 |
| 130 | Temperature dependence of switching field distribution in a NiFe wire with a pad. <i>Journal of Magnetism and Magnetic Materials</i> , 2002 , 240, 301-304 | 2.8 | 9 |
| 129 | Quasi-ballistic transport of 2D electrons through magnetic barriers. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 12, 229-232 | 3 | 4 |
| 128 | Resonance-like giant magnetotransport anomaly in GaAs/AlGaAs heterostructures with a single Ni dot. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 12, 233-236 | 3 | |
| 127 | Quenching of the Hall effect in localised high magnetic field regions. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 12, 244-247 | 3 | 2 |
| 126 | Bend-resistance nanomagnetometry: spatially resolved magnetization studies in a ferromagnet/semiconductor hybrid structure. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 12, 248-251 | 3 | 7 |
| 125 | Electrical rectification by magnetic edge states. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2002 , 13, 699-702 | 3 | 23 |
| 124 | Magnetic wires in MEMS and bio-medical applications. <i>Journal of Magnetism and Magnetic Materials</i> , 2002 , 249, 357-367 | 2.8 | 34 |
| 123 | Ordered magnetic nanostructures: fabrication and properties. <i>Journal of Magnetism and Magnetic Materials</i> , 2003 , 256, 449-501 | 2.8 | 801 |
| 122 | Flux quantization in a superconducting microdisk. <i>Physica C: Superconductivity and Its Applications</i> , 2003 , 388-389, 719-720 | 1.3 | 10 |
| 121 | Ferromagnet-semiconductor hybrid structures: Hall devices and tunnel junctions. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2003 , 16, 137-146 | 3 | 4 |
| 120 | Micro-Hall devices: performance, technologies and applications. 2003 , 106, 314-320 | | 95 |
| 119 | Subatomic movements of a domain wall in the Peierls potential. 2003 , 426, 812-6 | | 85 |

| | | | |
|-----|---|-----|-----|
| 118 | Submicron probes for Hall magnetometry over the extended temperature range from helium to room temperature. <i>Journal of Applied Physics</i> , 2003 , 93, 10053-10057 | 2.5 | 36 |
| 117 | Multiple flux jumps and irreversible behavior of thin Al superconducting rings. <i>Physical Review B</i> , 2003 , 67, | 3.3 | 47 |
| 116 | Hall anomaly of diffusive magnetic waveguides. <i>Physical Review B</i> , 2003 , 67, | 3.3 | 41 |
| 115 | Design of a multiple ring AharonovBohm gradiometer. 2004 , 19, 342-346 | | 3 |
| 114 | Superconducting vortex state in a mesoscopic disk containing a blind hole. <i>Physical Review B</i> , 2004 , 70, | 3.3 | 35 |
| 113 | Spontaneous supercurrent induced by ferromagnetic pi junctions. <i>Physical Review Letters</i> , 2004 , 92, 217601 | 3.3 | 111 |
| 112 | Anisotropic magnetoresistance in a two-dimensional electron gas in a quasirandom magnetic field. <i>Physical Review B</i> , 2004 , 70, | 3.3 | 6 |
| 111 | Influence of sample geometry on vortex matter in superconducting microstructures. <i>Physical Review B</i> , 2004 , 70, | 3.3 | 28 |
| 110 | Current-carrying Andreev bound states in a superconductor-ferromagnet proximity system. <i>Physical Review B</i> , 2004 , 70, | 3.3 | 22 |
| 109 | Micro-Hall Magnetic Sensors: Physics, Technologies and Applications. 2004 , 229-253 | | |
| 108 | Smart Sensors and MEMS. 2004 , | | 10 |
| 107 | METALLIC AND SEMICONDUCTOR HALL MICROPROBES FOR WIDE TEMPERATURE RANGE APPLICATIONS. 2004 , 03, 123-130 | | 0 |
| 106 | COERCIVITY OF SINGLE PINNING CENTER MEASURED BY HALL MICROMAGNETOMETRY. 2004 , 03, 87-94 | | 2 |
| 105 | Broader digital electronics applications of magnetoelectronics. 2004 , 273-383 | | 8 |
| 104 | Room temperature performance of submicron bismuth Hall probes. 2004 , 151, 127-130 | | 8 |
| 103 | Magnetization reversal measurements in mesoscopic amorphous magnets by magneto-optical Kerr effect. 2004 , 40, 463-470 | | 11 |
| 102 | Hall magnetometry of superconducting microstructures. <i>Physica C: Superconductivity and Its Applications</i> , 2004 , 404, 44-49 | 1.3 | 1 |
| 101 | Transport in ferromagnet/semiconductor 2DEG hybrid network structure. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004 , 22, 345-348 | 3 | 2 |

| | | | |
|-----|--|-----|----|
| 100 | Microscopic view on a single domain wall moving through ups and downs of an atomic washboard potential. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2004 , 22, 406-409 | 3 | 2 |
| 99 | Second law implications of a magnetocaloric effect adiabatic phase transition of type I superconductor particles. 2004 , 51, 2727-2730 | | 2 |
| 98 | Barkhausen effect in a garnet film studied by ballistic hall micromagnetometry. <i>Journal of Physics: Conference Series</i> , 2005 , 15, 125-130 | 0.3 | |
| 97 | Intrinsic pinning of a ferromagnetic domain wall in yttrium iron garnet films with strong uniaxial anisotropy. <i>Journal of Low Temperature Physics</i> , 2005 , 139, 65-72 | 1.3 | 2 |
| 96 | Intrinsic Pinning of a Ferromagnetic Domain Wall in Yttrium Iron Garnet Films with Strong Uniaxial Anisotropy. <i>Journal of Low Temperature Physics</i> , 2005 , 139, 65-72 | 1.3 | 4 |
| 95 | Measurement of single electron spin with submicron Hall magnetometer. <i>Applied Physics Letters</i> , 2005 , 86, 143504 | 3.4 | 11 |
| 94 | Cryogenic scanning Hall-probe microscope with centimeter scan range and submicron resolution. <i>Review of Scientific Instruments</i> , 2005 , 76, 103702 | 1.7 | 30 |
| 93 | Manipulating the transmission of a two-dimensional electron gas via spatially varying magnetic fields. <i>Applied Physics Letters</i> , 2005 , 86, 062106 | 3.4 | 18 |
| 92 | Ferromagnetic domain wall on nanometer scale. <i>Journal of Physics: Conference Series</i> , 2005 , 17, 101-107 | 0.3 | 1 |
| 91 | Low-Temperature Experiments and Proposals. 2005 , 117-143 | | |
| 90 | Hall nano-probes fabricated by focused ion beam. <i>Nanotechnology</i> , 2006 , 17, 2105-2109 | 3.4 | 15 |
| 89 | Fabrication and Magnetic Properties of Nanometer-Scale Particle Arrays. 2006 , 294-338 | | 4 |
| 88 | Charge distribution in thin mesoscopic superconducting rings with enhanced surface superconductivity. <i>Physical Review B</i> , 2006 , 73, | 3.3 | 15 |
| 87 | Possible mechanism for fractional and negative magnetic flux in mesoscopic superconductors. <i>Physical Review B</i> , 2006 , 73, | 3.3 | 10 |
| 86 | Barkhausen statistics from a single domain wall in thin films studied with ballistic Hall magnetometry. <i>Physical Review B</i> , 2006 , 74, | 3.3 | 17 |
| 85 | Detection of magnetic state in a nanoscale ferromagnetic ring by using ballistic semiconductor two-dimensional electron gas. <i>Applied Physics Letters</i> , 2006 , 88, 082501 | 3.4 | 24 |
| 84 | Influence of de Gennes boundary conditions on the charge distributions of the Meissner state and the single-vortex state in thin mesoscopic rings. <i>Physical Review B</i> , 2006 , 74, | 3.3 | 15 |
| 83 | Large hysteretic magnetoresistance in high-mobility semiconductor quantum wires bridged by single-domain nanomagnets. <i>Applied Physics Letters</i> , 2007 , 91, 022105 | 3.4 | 13 |

| | | | |
|----|---|-----|----|
| 82 | Tilted vortices in a superconducting mesoscopic cylinder. <i>Physical Review B</i> , 2007 , 75, | 3.3 | 17 |
| 81 | Micro-Hall bar as a sensor to detect the interaction of nanoscale ferromagnetic disks and columns. <i>Journal of Applied Physics</i> , 2007 , 101, 123718 | 2.5 | |
| 80 | Giant Vortex States in a Long Superconducting Cylinder with a Hole in Center. <i>Communications in Theoretical Physics</i> , 2007 , 47, 728-732 | 2.4 | 1 |
| 79 | Electric control of spin polarization orientation in a magnetic-electric barrier structure. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2007 , 369, 498-502 | 2.3 | 4 |
| 78 | Half-Integer Flux Quantization in a Superconducting Loop with a Ferromagnetic Junction. <i>Journal of Low Temperature Physics</i> , 2007 , 147, 431-439 | 1.3 | |
| 77 | Magnetization of a few-fluxoid lead crystal. <i>Physica C: Superconductivity and Its Applications</i> , 2007 , 460-462, 793-794 | 1.3 | 1 |
| 76 | Focused ion beam patterned Hall nano-sensors. <i>Journal of Magnetism and Magnetic Materials</i> , 2007 , 310, 2752-2754 | 2.8 | 3 |
| 75 | Detection of paired domain walls in a ferromagnetic ring by a bend resistance measurement. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008 , 40, 1108-1110 | 3 | 2 |
| 74 | Magnetic field sensitivity of In _{0.75} Ga _{0.25} As Hall nanoprobe. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008 , 147, 148-151 | 3.1 | 2 |
| 73 | Characterization of Nanomagnet Fringing Fields in Hybrid Semiconductor/Ferromagnetic Devices. <i>IEEE Transactions on Magnetics</i> , 2008 , 44, 4706-4710 | 2 | 3 |
| 72 | Stray field of a Landau magnetization pattern. <i>Journal of Applied Physics</i> , 2008 , 104, 083909 | 2.5 | 7 |
| 71 | Nonlinear characteristics of the hysteretic magnetoresistance of a hybrid nanomagnetic field-effect transistor. <i>Applied Physics Letters</i> , 2008 , 93, 143109 | 3.4 | 6 |
| 70 | Fabrication and use of a nanoscale Hall probe for measurements of the magnetic field induced by MFM tips. <i>Nanotechnology</i> , 2008 , 19, 475502 | 3.4 | 15 |
| 69 | Temperature dependence of domain-wall depinning fields in constricted Permalloy nanowires. <i>Journal of Applied Physics</i> , 2008 , 103, 073909 | 2.5 | 16 |
| 68 | Gap theory of rectification in ballistic three-terminal conductors. <i>Physical Review B</i> , 2008 , 77, | 3.3 | 14 |
| 67 | Bistability in superconducting rings containing an inhomogeneous Josephson junction. <i>Physical Review B</i> , 2008 , 77, | 3.3 | 1 |
| 66 | Detecting superconducting states in nanoscale superconductors using multiple-small-tunnel-junction method. <i>Journal of Physics: Conference Series</i> , 2008 , 109, 012016 | 0.3 | |
| 65 | Effect of microwaves on the current-phase relation of superconductor-normal-metal-superconductor Josephson junctions. <i>Physical Review Letters</i> , 2009 , 102, 127001 | 7.4 | 25 |

| | | | |
|----|---|------|-----|
| 64 | Barnett effect in thin magnetic films and nanostructures. <i>Applied Physics Letters</i> , 2009 , 95, 122504 | 3.4 | 15 |
| 63 | REEXAMINATION OF SPIN TRANSPORT THROUGH A DOUBLE-MAGNETIC BARRIER WITH SPIN-ORBIT INTERACTIONS. <i>Modern Physics Letters B</i> , 2009 , 23, 3631-3642 | 1.6 | 1 |
| 62 | ESR imaging in solid phase down to sub-micron resolution: methodology and applications. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 6689-99 | 3.6 | 40 |
| 61 | Field- and current controlled switching between vortex states in a mesoscopic superconductor. <i>Journal of Physics: Conference Series</i> , 2009 , 153, 012027 | 0.3 | 2 |
| 60 | Synthesis, magnetic properties, and STM spectroscopy of cobalt(II) Cubanes [Co(II) (4)(Cl)(4)(HL)(4)]. <i>Chemistry - A European Journal</i> , 2010 , 16, 4784-92 | 4.8 | 32 |
| 59 | Hall micromagnetometry of domain-wall depinning in Permalloy nanowires. <i>Journal of Magnetism and Magnetic Materials</i> , 2010 , 322, 1399-1401 | 2.8 | 1 |
| 58 | Magnetoresistance in a hybrid ferromagnetic/semiconductor device. <i>Journal of Applied Physics</i> , 2010 , 107, 063718 | 2.5 | 10 |
| 57 | Dipolar spin waves of lateral magnetic superlattices. <i>Physical Review B</i> , 2010 , 82, | 3.3 | 12 |
| 56 | In-plane stray field induced spin-filtering in a two-dimensional electron gas under the modulation of surface ferromagnetic dual-gate. <i>Journal of Applied Physics</i> , 2010 , 108, 073703 | 2.5 | 6 |
| 55 | Tunable nanoscale graphene magnetometers. <i>Nano Letters</i> , 2010 , 10, 341-6 | 11.5 | 52 |
| 54 | Fundamental studies of superconductors using scanning magnetic imaging. <i>Reports on Progress in Physics</i> , 2010 , 73, 126501 | 14.4 | 107 |
| 53 | Feasibility of Magnetically Functionalised Carbon Nanotubes for Biological Applications: From Fundamental Properties of Individual Nanomagnets to Nanoscaled Heaters and Temperature Sensors. 2011 , 97-124 | | 1 |
| 52 | RANDOM WALK TO GRAPHENE. <i>International Journal of Modern Physics B</i> , 2011 , 25, 4055-4080 | 1.1 | 10 |
| 51 | Nobel Lecture: Random walk to graphene*. <i>Reviews of Modern Physics</i> , 2011 , 83, 851-862 | 40.5 | 286 |
| 50 | A new family of 1D exchange biased heterometal single-molecule magnets: observation of pronounced quantum tunneling steps in the hysteresis loops of quasi-linear {Mn ₂ Ni ₃ } clusters. <i>Journal of the American Chemical Society</i> , 2011 , 133, 3433-43 | 16.4 | 64 |
| 49 | Field-Tuneable Diamagnetism in Ferromagnetic-Superconducting Core-Shell Structures. <i>Advanced Functional Materials</i> , 2011 , 21, 1874-1880 | 15.6 | 2 |
| 48 | Zufallswege zum Graphen (Nobel-Aufsatz). <i>Angewandte Chemie</i> , 2011 , 123, 7100-7122 | 3.6 | 21 |
| 47 | Random walk to graphene (Nobel lecture). <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 6966-85 | 16.4 | 118 |

| | | | |
|----|--|-----|----|
| 46 | Correction factor in nondiffusive Hall magnetometry. <i>Applied Physics Letters</i> , 2011 , 98, 232111 | 3.4 | 6 |
| 45 | Two-dimensional Bloch electrons under strong magnetic modulation. <i>Physical Review B</i> , 2011 , 83, | 3.3 | 3 |
| 44 | Spatial gradient of dynamic nuclear spin polarization induced by breakdown of the quantum Hall effect. <i>Physical Review B</i> , 2011 , 83, | 3.3 | 3 |
| 43 | Quantum mechanics and the second law of thermodynamics: an insight gleaned from magnetic hysteresis in the first order phase transition of an isolated mesoscopic-size type I superconductor. <i>Physica Scripta</i> , 2012 , T151, 014029 | 2.6 | 2 |
| 42 | Temperature-dependent dynamics of stochastic domain-wall depinning in nanowires. <i>Journal of Physics Condensed Matter</i> , 2012 , 24, 024207 | 1.8 | 16 |
| 41 | Magnetization measurements and Ginzburg-Landau simulations of micron-size Bi_2Se_3 samples: evidence for an unusual critical behavior of mesoscopic type-I superconductors. <i>Physical Review Letters</i> , 2012 , 109, 197003 | 7.4 | 19 |
| 40 | Synthesis, magnetic properties, and STM spectroscopy of an unprecedented octanuclear chloro-bridged nickel(II) double cubane. <i>Dalton Transactions</i> , 2012 , 41, 3553-61 | 4.3 | 20 |
| 39 | Universal aspects of localized excitations in graphene. <i>Journal of Applied Physics</i> , 2013 , 114, 073302 | 2.5 | 10 |
| 38 | Quantum Bohm correction to polarization spectrum of graphene. <i>Physics of Plasmas</i> , 2013 , 20, 102115 | 2.1 | 18 |
| 37 | Detection of edge magnetic state by a ballistic bend resistance measurement. <i>Applied Physics Letters</i> , 2013 , 102, 252405 | 3.4 | 3 |
| 36 | Diffraction-wave guiding of surface electrons on Au(111) by the herringbone reconstruction potential. <i>Physical Review B</i> , 2014 , 90, | 3.3 | 2 |
| 35 | Coupled Langmuir oscillations in 2-dimensional quantum plasmas. <i>Physics of Plasmas</i> , 2014 , 21, 032110 | 2.1 | 24 |
| 34 | Scattering of massless Dirac fermions in circular p-n junctions with and without magnetic field. <i>Journal of Physics Condensed Matter</i> , 2014 , 26, 155301 | 1.8 | 4 |
| 33 | Quantum stream instability in coupled two-dimensional plasmas. <i>Physica Scripta</i> , 2014 , 89, 085604 | 2.6 | 3 |
| 32 | Commensurability resonances in two-dimensional magnetoelectric lateral superlattices. <i>Physical Review B</i> , 2015 , 91, | 3.3 | 10 |
| 31 | References. 572-624 | | |
| 30 | Magnetometry of micro-magnets with electrostatically defined Hall bars. <i>Applied Physics Letters</i> , 2015 , 107, 223103 | 3.4 | 3 |
| 29 | Optimization of the Synthesis Procedures of Graphene and Graphite Oxide. 2016 , | | 2 |

| | | | |
|----|--|------|----|
| 28 | Probe of local impurity states by bend resistance measurements in graphene cross junctions. <i>Nanotechnology</i> , 2016 , 27, 245204 | 3.4 | 2 |
| 27 | A scanning Hall probe microscope for high resolution, large area, variable height magnetic field imaging. <i>Review of Scientific Instruments</i> , 2016 , 87, 113702 | 1.7 | 26 |
| 26 | 3D scanning Hall probe microscopy with 700 nm resolution. <i>Applied Physics Letters</i> , 2016 , 109, 182407 | 3.4 | 6 |
| 25 | Probing magnetic microstructures with quasi-ballistic Hall crosses. <i>Journal of Applied Physics</i> , 2016 , 119, 094302 | 2.5 | 2 |
| 24 | Solvent-Based Exfoliation via Sonication of Graphitic Materials for Graphene Manufacture. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 845-855 | 3.9 | 43 |
| 23 | Single nanoparticles magnetization curves by controlled tip magnetization magnetic force microscopy. <i>Nanoscale</i> , 2017 , 9, 18000-18011 | 7.7 | 17 |
| 22 | Commensurability oscillations by snake-orbit magnetotransport in two-dimensional electron gases. <i>Physical Review B</i> , 2017 , 95, | 3.3 | 5 |
| 21 | Stationary nano-SQUID: theoretical investigation and feasibility analysis. <i>Journal of Physics Condensed Matter</i> , 2017 , 29, 29LT01 | 1.8 | 1 |
| 20 | The Stationary SQUID. <i>Journal of Low Temperature Physics</i> , 2018 , 191, 330-343 | 1.3 | 0 |
| 19 | Anomalously large spin-current voltages on the surface of SmB6. <i>Physical Review B</i> , 2019 , 100, | 3.3 | 2 |
| 18 | Current filamentation in a cylindrical nanomembrane placed in a magnetic field. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2021 , 127, 114572 | 3 | |
| 17 | van der Waals Magnets: Material Family, Detection and Modulation of Magnetism, and Perspective in Spintronics. <i>Advanced Science</i> , 2021 , 8, 2002488 | 13.6 | 16 |
| 16 | Ballistic Hall Photovoltammetry of Magnetic Resonance in Individual Nanomagnets. <i>Physical Review Letters</i> , 2021 , 126, 207701 | 7.4 | |
| 15 | Stray fields of iron electrodes for spin-polarized transport. <i>Journal of Applied Physics</i> , 2003 , 93, 8400-8402 | 2.5 | 13 |
| 14 | Random walk to graphene. <i>Uspekhi Fizicheskikh Nauk</i> , 2011 , 181, 1284 | 0.5 | 20 |
| 13 | Switching Field Distributions in Submicron Magnetic Wires Connecting to Square Pads.. <i>Journal of the Magnetics Society of Japan</i> , 2002 , 26, 388-391 | | |
| 12 | Arrays of ferromagnetic dots and antidots. <i>Rivista Del Nuovo Cimento</i> , 2002 , 25, 1-39 | 3.5 | |
| 11 | Hall magnetic sensors. <i>Series in Sensors</i> , 2003 , | | |

| | | | |
|----|--|--|---|
| 10 | Fabrication and Characterization of Magnetic Nanostructures. 2004 , 21-34 | | |
| 9 | 7.4 Sample geometry. 144-157 | | |
| 8 | 7.10 Localization. 212-224 | | |
| 7 | 7.11 References for Section 7. 214-223 | | |
| 6 | Reference key and author index for Part III. 307-328 | | |
| 5 | Zero Set of the Order Parameter, Especially in Rings. 2000 , 138-173 | | |
| 4 | Magnetic two-dimensional chromium trihalides: structure, properties and modulation. <i>Rare Metals</i> , 5.5 | | 0 |
| 3 | Atomic Force Manipulation of Single Magnetic Nanoparticles for Spin-Based Electronics. | | 0 |
| 2 | Electrical detection of domain evolution in magnetic Weyl semimetal Co ₃ Sn ₂ S ₂ submicrometer-wide wire devices. 2022 , 6, | | 1 |
| 1 | The effects of the electric-magnetic barrier on the spin transmission in the multibarrier semiconductor heterostructures. 2023 , 98, 31 | | 0 |