

A neurologic basis for the overactive bladder

Urology

50, 36-52

DOI: [10.1016/s0090-4295\(97\)00587-6](https://doi.org/10.1016/s0090-4295(97)00587-6)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Discussion: A neurologic basis for the overactive bladder: Focus on brain function. <i>Urology</i> , 1997, 50, 53.	0.5	67
2	Discussion: A link between peripheral and central neural mechanisms: Nerve growth factor. <i>Urology</i> , 1997, 50, 54-55.	0.5	1
3	Discussion: C-fiber afferents and reflex processing in the rat. <i>Urology</i> , 1997, 50, 55-56.	0.5	9
4	Discussion: Potential future pharmacologic approaches. <i>Urology</i> , 1997, 50, 87-89.	0.5	63
5	A myogenic basis for the overactive bladder. <i>Urology</i> , 1997, 50, 57-67.	0.5	494
6	Desensitization of bladder sensory fibers by intravesical capsaicin or capsaicin analogs. A new strategy for treatment of urge incontinence in patients with spinal detrusor hyperreflexia or bladder hypersensitivity disorders. <i>International Urogynecology Journal</i> , 1998, 9, 214-220.	0.7	32
7	PATHOPHYSIOLOGY OF FEMALE LOWER URINARY TRACT DYSFUNCTION. <i>Obstetrics and Gynecology Clinics of North America</i> , 1998, 25, 747-756.	0.7	11
8	The Mechanism of Action of Drugs Affecting the Lower Urinary Tract in the Treatment of Female Urinary Incontinence. <i>The Journal of the British Menopause Society</i> , 1998, 4, 114-121.	1.3	0
9	Lower Urinary Tract Function After Intra-arterial Chemotherapy with Concurrent Pelvic Radiotherapy for Invasive Bladder Cancer. <i>Japanese Journal of Clinical Oncology</i> , 1999, 29, 479-484.	0.6	5
10	Structure of the intramural nerves of the rat bladder. , 1999, 28, 615-637.		31
11	Vasoactive intestinal polypeptide in sacral primary sensory pathways in the cat. , 1999, 407, 381-394.		23
12	A Computer Model for Describing the Effect of Urethral Afferents on Simulated Lower Urinary Tract Function. <i>Archives of Physiology and Biochemistry</i> , 1999, 107, 223-235.	1.0	14
13	Novel natural vanilloid receptor agonists: new therapeutic targets for drug development. <i>Trends in Pharmacological Sciences</i> , 1999, 20, 459-465.	4.0	119
14	THE BLADDER COOLING REFLEX AND THE USE OF COOLING AS STIMULUS TO THE LOWER URINARY TRACT. <i>Journal of Urology</i> , 1999, 162, 1890-1896.	0.2	86
15	EFFECTS OF INTRAVESICAL ADMINISTRATION OF THE K + CHANNEL OPENER, ZD6169, IN CONSCIOUS RATS WITH AND WITHOUT BLADDER OUTFLOW OBSTRUCTION. <i>Journal of Urology</i> , 1999, 162, 943-948.	0.2	35
16	DIFFERENTIAL EFFECTS OF SEX HORMONES AND PHYTOESTROGENS ON PEAK AND STEADY STATE CONTRACTIONS IN ISOLATED RABBIT DETRUSOR. <i>Journal of Urology</i> , 1999, 162, 1821-1828.	0.2	34
17	Influence of Glutamate Receptor Antagonists on Micturition in Rats with Spinal Cord Injury. <i>Experimental Neurology</i> , 1999, 159, 250-257.	2.0	34
18	MUSCARINIC RECEPTOR ANTAGONISTS IN THE TREATMENT OF OVERACTIVE BLADDER. <i>BJU International</i> , 2000, 85, 33-46.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Desensitization of Bladder Sensory Fibers by Intravesical Resiniferatoxin, a Capsaicin Analog: Long-Term Results for the Treatment of Detrusor Hyperreflexia. <i>European Urology</i> , 2000, 38, 444-452.	0.9	115
20	Female urinary incontinence: aetiology and pathophysiology. <i>British Journal of Hospital Medicine</i> , 2000, 61, 84-89.	0.3	1
21	Role of supraspinal tachykinins for volume- and L-dopa-induced bladder activity in normal conscious rats. <i>Neurourology and Urodynamics</i> , 2000, 19, 101-109.	0.8	22
22	Comparison of different computer models of the neural control system of the lower urinary tract. <i>Neurourology and Urodynamics</i> , 2000, 19, 289-310.	0.8	13
23	New roles for muscarinic receptors in the pathophysiology of lower urinary tract symptoms. <i>BJU International</i> , 2000, 86, 36-43.	1.3	23
24	The contribution of cholinergic detrusor excitation in a pig model of bladder hypocompliance. <i>BJU International</i> , 2000, 86, 538-543.	1.3	22
25	Structural and Functional Denervation of Human Detrusor after Spinal Cord Injury. <i>Laboratory Investigation</i> , 2000, 80, 1491-1499.	1.7	51
26	Drug therapy for urinary incontinence. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2000, 14, 291-313.	1.4	28
27	Pharmacological and molecular analysis of ATP-sensitive K ⁺ channels in the pig and human detrusor. <i>European Journal of Pharmacology</i> , 2000, 400, 287-295.	1.7	63
28	Sensory Fibers of the Pelvic Nerve Innervating the Rat's Urinary Bladder. <i>Journal of Neurophysiology</i> , 2000, 84, 1924-1933.	0.9	162
29	Modern pharmacotherapy of urge urinary incontinence in the USA: tolterodine and oxybutynin. <i>BJU International</i> , 2000, 86, 44-54.	1.3	17
30	NONPHARMACOLOGIC TREATMENTS FOR OVERACTIVE BLADDER—PELVIC FLOOR EXERCISES. <i>BJU International</i> , 2000, 85, 7-11.	1.3	4
31	Ein standardisiertes In-vivo-Modell zur Evaluierung anticholinergischer Effekte auf die Blasenkontraktion, den Speichelfluss und auf das Elektromyogramm der Harnblase - A standardized Model for in vivo Investigations of Anticholinergic Effects on Bladder Function, Salivation and Electromyographic Characteristics of the Detrusor -- C. E. Alken-Preisarbeit 2000 -. <i>Aktuelle Urologie</i> , 2000, 31, 311-316.	0.3	7
32	Influences of external urethral sphincter relaxation induced by alpha-bungarotoxin, a neuromuscular junction blocking agent, on voiding dysfunction in the rat with spinal cord injury. <i>Urology</i> , 2000, 55, 956-960.	0.5	72
33	Nonpharmacologic treatments for overactive bladder—pelvic floor exercises. <i>Urology</i> , 2000, 55, 7-11.	0.5	70
34	Muscarinic receptor antagonists in the treatment of overactive bladder. <i>Urology</i> , 2000, 55, 33-46.	0.5	260
35	CYSTOMETRIC EVALUATION OF BLADDER FUNCTION IN NON-ANESTHETIZED MICE WITH AND WITHOUT BLADDER OUTLET OBSTRUCTION. <i>Journal of Urology</i> , 2000, 164, 1385-1389.	0.2	91
36	Intravesical Neuromodulatory Drugs: Capsaicin and Resiniferatoxin to Treat the Overactive Bladder. <i>Journal of Endourology</i> , 2000, 14, 97-103.	1.1	40

#	ARTICLE	IF	CITATIONS
37	DIAGNOSTIC VALUE OF INTRAVESICAL LIDOCAINE FOR OVERACTIVE BLADDER. <i>Journal of Urology</i> , 2000, 164, 340-343.	0.2	75
38	Bladder instillation of α - hSlo/pcDNA3 ameliorates detrusor hyperactivity in obstructed rats in vivo. <i>Urology</i> , 2001, 57, 111.	0.5	11
39	Model of peripheral autonomous modules and a myovesical plexus in normal and overactive bladder function. <i>Lancet, The</i> , 2001, 358, 401-403.	6.3	153
40	PERCUTANEOUS AFFERENT NEUROMODULATION FOR THE REFRACTORY OVERACTIVE BLADDER: RESULTS OF A MULTICENTER STUDY. <i>Journal of Urology</i> , 2001, 165, 1193-1198.	0.2	239
41	Pharmacological agents for the treatment of urinary incontinence due to overactive bladder. <i>Expert Opinion on Investigational Drugs</i> , 2001, 10, 65-83.	1.9	55
43	Bladder injection of α - hSlo/pcDNA3 ameliorates detrusor hyperactivity in obstructed rats in vivo. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 281, R1699-R1709.	0.9	66
44	Effects of Tolterodine, Trosipium Chloride, and Oxybutynin on the Central Nervous System. <i>Journal of Clinical Pharmacology</i> , 2001, 41, 636-644.	1.0	236
45	The Epidemiology of Overactive Bladder among Females in Asia: A Questionnaire Survey. <i>International Urogynecology Journal</i> , 2001, 12, 226-231.	0.7	73
46	The pharmacological treatment of urinary incontinence. <i>BJU International</i> , 2001, 84, 923-947.	1.3	141
47	Effect of different 5-hydroxytryptamine receptor subtype antagonists on the micturition reflex in rats. <i>BJU International</i> , 2001, 87, 256-264.	1.3	27
48	A quantitative analysis of purinoceptor expression in the bladders of patients with symptomatic outlet obstruction. <i>BJU International</i> , 2001, 87, 617-622.	1.3	90
49	Bladder instability: a re-appraisal of classical experimental approaches and development of new therapeutic strategies. <i>Autonomic and Autacoid Pharmacology</i> , 2001, 21, 219-229.	0.7	22
50	Influence of gender on the diurnal variation of urine production and micturition characteristics of the rat. <i>Neurourology and Urodynamics</i> , 2001, 20, 287-295.	0.8	32
51	Does the method of cystometry affect the incidence of involuntary detrusor contractions? A prospective randomized urodynamic study. <i>Neurourology and Urodynamics</i> , 2001, 20, 141-145.	0.8	28
52	PHARMACOLOGY OF THE LOWER URINARY TRACT. <i>Annual Review of Pharmacology and Toxicology</i> , 2001, 41, 691-721.	4.2	299
53	Dependency of detrusor contractions on calcium sensitization and calcium entry through LOE-908-sensitive channels. <i>British Journal of Pharmacology</i> , 2001, 134, 78-87.	2.7	55
54	Brain responses to changes in bladder volume and urge to void in healthy men. <i>Brain</i> , 2001, 124, 369-377.	3.7	326
55	($\hat{\alpha}$)-(9S)-9-(3-Bromo-4-fluorophenyl)-2,3,5,6,7,9-hexahydrothieno[3,2-b]quinolin-8(4H)-one 1,1-Dioxide (A-278637): A Novel ATP-Sensitive Potassium Channel Opener Efficacious in Suppressing Urinary Bladder Contractions. I. In Vitro Characterization. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 303, 379-386.	1.3	34

#	ARTICLE	IF	CITATIONS
56	Pelvic Floor Muscle Re-education Treatment of the Overactive Bladder and Painful Bladder Syndrome. <i>Clinical Obstetrics and Gynecology</i> , 2002, 45, 273-285.	0.6	26
57	Continence Nursing. <i>Holistic Nursing Practice</i> , 2002, 16, 14-31.	0.3	14
58	Anticholinergic drugs versus placebo for overactive bladder syndrome in adults. , 2002, , CD003781.		35
59	Effect of Bilateral Hypogastric Nerve Transection on Voiding Dysfunction in Rats with Spinal Cord Injury. <i>Experimental Neurology</i> , 2002, 175, 191-197.	2.0	31
60	Change of Vanilloid Receptor 1 Following Neuromodulation in Rats with Spinal Cord Injury. <i>Journal of Surgical Research</i> , 2002, 107, 140-144.	0.8	20
61	Vanilloid receptor and detrusor instability. <i>Urology</i> , 2002, 59, 51-60.	0.5	75
62	The microvascular frontal-subcortical syndrome of aging. <i>Neurobiology of Aging</i> , 2002, 23, 421-431.	1.5	217
63	The inhibitory effect of acupuncture on l-dopa-induced hyperactivity of rat's bladder. <i>International Congress Series</i> , 2002, 1238, 171-177.	0.2	6
64	Magnetic Stimulation of the Sacral Roots for the Treatment of Urinary Frequency and Urge Incontinence: An Investigational Study and Placebo Controlled Trial. <i>Journal of Urology</i> , 2002, 168, 1036-1039.	0.2	69
66	The Effect Of Intravesical Resiniferatoxin In Patients With Idiopathic Detrusor Instability Suggests That Involuntary Detrusor Contractions Are Triggered By C-Fiber Input. <i>Journal of Urology</i> , 2002, 168, 575-579.	0.2	148
67	Overactive Bladder (OAB): What We Thought We Knew and What We Know Today. <i>European Urology Supplements</i> , 2002, 1, 3-10.	0.1	17
69	Evaluation and treatment of the overactive bladder. <i>Revista Do Hospital Das Clinicas</i> , 2002, 57, 39-48.	0.5	28
70	After a decade of intravesical vanilloid therapy: still more questions than answers. <i>Lancet Neurology</i> , The, 2002, 1, 167-172.	4.9	59
71	Botulinum A Toxin and Detrusor Sphincter Dyssynergia: A Double-Blind Lidocaine-Controlled Study in 13 Patients with Spinal Cord Disease. <i>European Urology</i> , 2002, 42, 56-62.	0.9	142
72	The risk of lower urinary tract symptoms five years after the first delivery. <i>Neurourology and Urodynamics</i> , 2002, 21, 2-29.	0.8	112
73	Conservative therapy for overactive bladder: Pelvic floor exercises. <i>Current Urology Reports</i> , 2002, 3, 458-462.	1.0	7
74	Role of behavioral changes and biofeedback in urology. <i>World Journal of Urology</i> , 2002, 20, 302-305.	1.2	10
75	Aktuelle Möglichkeiten zur Rekompensation des Urogenitaltrakts bei Querschnittlähmung. <i>Trauma Und Berufskrankheit</i> , 2002, 4, s240-s244.	0.0	0

#	ARTICLE	IF	CITATIONS
76	The pharmacological treatment of nocturia. <i>BJU International</i> , 2002, 90, 25-27.	1.3	15
77	Spontaneous phasic activity of the pig urinary bladder smooth muscle: characteristics and sensitivity to potassium channel modulators. <i>British Journal of Pharmacology</i> , 2002, 135, 639-648.	2.7	89
80	Current perception threshold evaluation of the female urethra. <i>International Urogynecology Journal</i> , 2003, 14, 133-135.	0.7	20
81	Sacral neuromodulation in patients with interstitial cystitis: a multicenter clinical trial. <i>International Urogynecology Journal</i> , 2003, 14, 305-309.	0.7	90
82	Overactive bladder inhibition in response to pelvic floor muscle exercises. <i>World Journal of Urology</i> , 2003, 20, 374-377.	1.2	125
83	Effects of Tramadol on Rat Detrusor Overactivity Induced by Experimental Cerebral Infarction. <i>European Urology</i> , 2003, 44, 495-499.	0.9	37
84	Clinical pharmacology of old age syndromes. <i>British Journal of Clinical Pharmacology</i> , 2003, 56, 261-272.	1.1	5
85	The basics behind bladder pain: A review of data on lower urinary tract sensations. <i>International Journal of Urology</i> , 2003, 10, S49-S55.	0.5	34
86	Effects of intravenous and infravesical administration of suramin, terazosin and BMY 7378 on bladder instability in conscious rats with bladder outlet obstruction. <i>BJU International</i> , 2003, 92, 131-136.	1.3	27
87	Autonomous Activity in the Isolated Guinea Pig Bladder. <i>Experimental Physiology</i> , 2003, 88, 19-30.	0.9	129
88	An Artificial Somatic-Central Nervous System-Autonomic Reflex Pathway for Controllable Micturition After Spinal Cord Injury: Preliminary Results in 15 Patients. <i>Journal of Urology</i> , 2003, 170, 1237-1241.	0.2	104
89	Partial Outlet Obstruction Enhances Modular Autonomous Activity in the Isolated Rat Bladder. <i>Journal of Urology</i> , 2003, 170, 276-279.	0.2	93
90	Urodynamic Classification of Patients With Symptoms of Overactive Bladder. <i>Journal of Urology</i> , 2003, 169, 529-534.	0.2	54
91	Using external anal sphincter activity to detect the onset of bladder contractions. , 0, , .		2
93	Recent developments in the management of detrusor overactivity. <i>Current Opinion in Urology</i> , 2003, 13, 285-291.	0.9	44
94	Nerve regeneration: might this be the only solution for functional problems of the urinary tract?. <i>Current Opinion in Urology</i> , 2003, 13, 495-500.	0.9	9
95	Urinary incontinence: newer pharmacotherapeutic trends. <i>Current Opinion in Obstetrics and Gynecology</i> , 2003, 15, 419-427.	0.9	10
96	Disruption of bladder epithelium barrier function after spinal cord injury. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, F966-F976.	1.3	98

#	ARTICLE	IF	CITATIONS
97	Increased connexin43-mediated intercellular communication in a rat model of bladder overactivity in vivo. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2003, 284, R1241-R1248.	0.9	98
99	Resiniferatoxin for detrusor instability refractory to anticholinergics. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2004, 30, 53-58.	0.7	13
100	The association of diet and other lifestyle factors with the onset of overactive bladder: a longitudinal study in men. Public Health Nutrition, 2004, 7, 885-891.	1.1	86
101	Modulation of autonomous contractile activity in the isolated whole bladder of the guinea pig. BJU International, 2004, 93, 393-400.	1.3	49
102	Noradrenaline inhibits autonomous activity in the isolated guinea pig bladder. BJU International, 2004, 93, 401-409.	1.3	41
103	The autonomous bladder: a view of the origin of bladder overactivity and sensory urge. BJU International, 2004, 93, 478-483.	1.3	149
104	Prevalence of overactive bladder in Asian men: an epidemiological survey. BJU International, 2004, 93, 528-531.	1.3	58
105	Volume-induced effects on the isolated bladder: a possible local reflex. BJU International, 2004, 94, 1356-1365.	1.3	33
106	Overactive bladder: prevalence, risk factors and relation to stress incontinence in middle-aged women. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 600-604.	1.1	90
107	Interstitial cells of the bladder: the missing link?. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 57-60.	1.1	16
108	Changes in the Biaxial Viscoelastic Response of the Urinary Bladder Following Spinal Cord Injury. Annals of Biomedical Engineering, 2004, 32, 1409-1419.	1.3	72
109	Can quality of life be improved by pelvic floor muscle training in women with urinary incontinence after ischemic stroke? A randomised, controlled and blinded study. International Urogynecology Journal, 2004, 15, 117-123.	0.7	33
110	Gene therapy treatments for erectile and bladder dysfunction. Current Urology Reports, 2004, 5, 52-60.	1.0	16
111	Effects of high frequency deep brain stimulation on urine storage and voiding function in conscious minipigs. Neurourology and Urodynamics, 2004, 23, 265-272.	0.8	51
112	Nutrient composition of the diet and the development of overactive bladder: A longitudinal study in women. Neurourology and Urodynamics, 2004, 23, 204-210.	0.8	82
114	An appraisal of recently patented compounds for bladder overactivity and urinary incontinence. Expert Opinion on Therapeutic Patents, 2004, 14, 1041-1060.	2.4	3
115	Potential therapeutic targets for the treatment of detrusor overactivity. Expert Opinion on Therapeutic Targets, 2004, 8, 95-106.	1.5	23
116	Detecting the onset of hyper-reflexive bladder contractions from pudendal nerve electrical activity. , 2004, 2004, 4213-6.		5

#	ARTICLE	IF	CITATIONS
117	Rehabilitaci3n de las vejigas neur3genas del adulto. EMC - Kinesiterapia - Medicina F3sica, 2004, 25, 1-20.	0.1	0
118	TROSPIUM CHLORIDE IMPROVES OVERACTIVE BLADDER SYMPTOMS: A MULTICENTER PHASE III TRIAL. Journal of Urology, 2004, 171, 2311-2315.	0.2	212
119	Pharmacologic management of urinary incontinence. Clinics in Geriatric Medicine, 2004, 20, 511-523.	1.0	5
120	OUTCOME OF THE BLADDER COOLING TEST IN CHILDREN WITH NONNEUROGENIC BLADDER PROBLEMS. Journal of Urology, 2004, 172, 1095-1098.	0.2	13
121	Drug Treatment of Overactive Bladder. Drugs, 2004, 64, 1643-1656.	4.9	70
122	Comparison of Peripherally Acting Substance for Treatment of Detrusor Overactivity: What is New; What is in the Pipeline?. EAU Update Series, 2004, 2, 161-169.	0.5	10
123	Mechanisms involved in new therapies for overactive bladder. Urology, 2004, 63, 65-73.	0.5	72
124	Behavioral Therapies at the Primary Care Level. Journal of Wound, Ostomy and Continence Nursing, 2004, 31, 367-376.	0.6	17
125	Sacral Neuromodulation in Lower Urinary Tract Dysfunction. Advances and Technical Standards in Neurosurgery, 2005, 30, 177-224.	0.2	15
126	Overactive Bladder. Journal of Wound, Ostomy and Continence Nursing, 2005, 32, S1-S5.	0.6	0
127	Inhibitory actions of calcitonin gene-related peptide and capsaicin: evidence for local axonal reflexes in the bladder wall. BJU International, 2005, 95, 149-156.	1.3	44
128	Overactive bladder. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2005, 19, 829-841.	1.4	18
129	Detecting the onset of hyper-reflexive bladder contractions from the electrical activity of the pudendal nerve. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2005, 13, 428-435.	2.7	50
130	Pelvic floor muscle training is effective in women with urinary incontinence after stroke: A randomised, controlled and blinded study. Neurourology and Urodynamics, 2005, 24, 348-357.	0.8	63
131	Quantification of Bladder Smooth Muscle Orientation in Normal and Spinal Cord Injured Rats. Annals of Biomedical Engineering, 2005, 33, 1078-1089.	1.3	44
132	Urodynamic effects of oxybutynin and tolterodine in conscious and anesthetized rats under different cystometrographic conditions. BMC Pharmacology, 2005, 5, 14.	0.4	24
133	Vanilloids and the VR1 Receptor. , 2005, , 507-518.		0
134	Placebo controlled, randomised, double blind study of the effects of botulinum A toxin on detrusor sphincter dyssynergia in multiple sclerosis patients. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 1670-1676.	0.9	128

#	ARTICLE	IF	CITATIONS
135	Overactive bladder. Perspectives in Public Health, 2005, 125, 176-180.	0.5	3
136	An fMRI study of the role of suprapontine brain structures in the voluntary voiding control induced by pelvic floor contraction. NeuroImage, 2005, 24, 174-180.	2.1	130
137	DECREASE IN BLADDER OVERACTIVITY WITH REN1820 IN RATS WITH CYCLOPHOSPHAMIDE INDUCED CYSTITIS. Journal of Urology, 2005, 173, 1016-1021.	0.2	78
138	Trospium chloride for the treatment of overactive bladder with urge incontinence. Clinical Therapeutics, 2005, 27, 511-530.	1.1	24
139	Increased prevalence of interstitial cystitis in women with detrusor overactivity refractory to anticholinergic therapy. Urology, 2005, 66, 702-706.	0.5	42
140	Pathophysiology of urinary incontinence. Reviews in Gynaecological Practice, 2005, 5, 65-70.	0.1	2
141	Treatment of overactive bladder syndrome and detrusor overactivity. Reviews in Gynaecological Practice, 2005, 5, 243-250.	0.1	3
142	TRYPANOSOMA CRUZI INFECTION INDUCED CHANGES IN THE INNERVATION, STRUCTURE AND FUNCTION OF THE MURINE BLADDER. Journal of Urology, 2005, 173, 1784-1788.	0.2	14
143	Overactive Bladder in the Elderly. Drugs and Aging, 2005, 22, 1013-1028.	1.3	60
144	Anticholinergic drugs versus non-drug active therapies for overactive bladder syndrome in adults. , 2006, , CD003193.		78
145	The overactive bladder: review of current pharmacotherapy in adults. Part 1: pathophysiology and anticholinergic therapy. Expert Opinion on Pharmacotherapy, 2006, 7, 509-527.	0.9	7
146	Overactive Bladder: A Better Understanding of Pathophysiology, Diagnosis and Management. Journal of Urology, 2006, 175, S5-10.	0.2	165
147	Pharmacological Management of Women with Mixed Urinary Incontinence. Drugs, 2006, 66, 591-606.	4.9	23
148	Anticholinergic drugs versus placebo for overactive bladder syndrome in adults. The Cochrane Library, 2006, , CD003781.	1.5	215
149	The Causes and Consequences of Overactive Bladder. Journal of Women's Health, 2006, 15, 251-260.	1.5	35
150	Effects of Substitution on 9-(3-Bromo-4-fluorophenyl)-5,9-dihydro-3H,4H-2,6-dioxo-4-azacyclopenta[b]naphthalene-1,8-dione, a Dihydropyridine ATP-Sensitive Potassium Channel Opener. Journal of Medicinal Chemistry, 2006, 49, 6869-6887.	2.9	25
151	Spinal ERK activation contributes to the regulation of bladder function in spinal cord injured rats. Experimental Neurology, 2006, 200, 66-73.	2.0	26
152	Solifenacin succinate for the treatment of symptoms of overactive bladder. Clinical Therapeutics, 2006, 28, 1247-1272.	1.1	50

#	ARTICLE	IF	CITATIONS
153	Major classes of sensory neurons to the urinary bladder. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2006, 126-127, 390-397.	1.4	63
154	Autonomic dysfunction. , 0, , 368-399.		0
156	Tropium chloride: a different anticholinergic. <i>Expert Review of Obstetrics and Gynecology</i> , 2006, 1, 29-39.	0.4	1
158	Oxybutynin and its New Transdermal Application for the Treatment of Overactive Bladder. <i>Women's Health</i> , 2006, 2, 225-230.	0.7	0
159	A double-blind randomized dose-response study comparing daily doses of 5, 10 and 15 mg controlled-release oxybutynin: balancing efficacy with severity of dry mouth. <i>BJU International</i> , 2006, 97, 520-527.	1.3	39
160	Muscarinic stimulation of the rat isolated whole bladder: pathophysiological models of detrusor overactivity. <i>Autonomic and Autacoid Pharmacology</i> , 2006, 26, 261-266.	0.5	21
161	Muscarinic receptors in the bladder: from basic research to therapeutics. <i>British Journal of Pharmacology</i> , 2006, 147, S80-S87.	2.7	195
162	Integrated control of lower urinary tract - clinical perspective. <i>British Journal of Pharmacology</i> , 2006, 147, S14-S24.	2.7	87
163	Muscarinic receptors: their distribution and function in body systems, and the implications for treating overactive bladder. <i>British Journal of Pharmacology</i> , 2006, 148, 565-578.	2.7	491
164	Inhibitory effects of various L-type and T-type calcium antagonists on electrically generated, potassium-induced and carbachol-induced contractions of porcine detrusor muscle. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2006, 176, 429-439.	0.7	8
166	TRPV1 (vanilloid receptor) in the urinary tract: expression, function and clinical applications. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 373, 287-299.	1.4	152
168	Refractory overactive bladder in men: Update on novel therapies. <i>Current Urology Reports</i> , 2006, 7, 456-461.	1.0	6
169	Pharmacological characterization of urinary bladder smooth muscle contractility following partial bladder outlet obstruction in pigs. <i>European Journal of Pharmacology</i> , 2006, 532, 107-114.	1.7	14
170	Detection of neurogenic detrusor contractions from the activity of the external anal sphincter in cat and human. <i>Neurourology and Urodynamics</i> , 2006, 25, 140-147.	0.8	33
171	Comparison study of autonomous activity in bladders from normal and paraplegic rats. <i>Neurourology and Urodynamics</i> , 2006, 25, 368-378.	0.8	19
172	Tropium chloride: over 20 years of clinical use. <i>Therapy: Open Access in Clinical Medicine</i> , 2006, 3, 215-226.	0.2	1
173	Urinary storage symptoms and comorbidities: a prospective population cohort study in middle-aged and older women. <i>Age and Ageing</i> , 2006, 35, 16-24.	0.7	127
175	Changes of gap junctional cell-cell communication in overactive detrusor in rats. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C1627-C1635.	2.1	39

#	ARTICLE	IF	CITATIONS
176	Involvement of reflex urethral closure mechanisms in urethral resistance under momentary stress condition induced by electrical stimulation of rat abdomen. American Journal of Physiology - Renal Physiology, 2007, 293, F920-F926.	1.3	18
177	Overactive bladder: an update. Current Opinion in Urology, 2007, 17, 231-236.	0.9	78
178	Developments in the pharmacotherapy of the overactive bladder. Current Opinion in Urology, 2007, 17, 223-230.	0.9	18
179	Anticholinergic drugs versus other medications for overactive bladder syndrome in adults. , 2007, , CD003190.		13
180	Neural mechanisms of pelvic organ cross-sensitization. Neuroscience, 2007, 149, 660-672.	1.1	220
181	TRPs in bladder diseases. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2007, 1772, 879-884.	1.8	50
182	Pelvic floor dysfunction and evidence-based physical therapy. , 2007, , 161-315.		0
183	Expression and distribution of cholinergic receptors in the human urothelium. Life Sciences, 2007, 80, 2303-2307.	2.0	125
184	Anticholinergic drugs versus other medications for overactive bladder syndrome in adults. The Cochrane Library, 2007, , CD003190.	1.5	32
185	Transdermal oxybutynin: a review. Expert Opinion on Drug Metabolism and Toxicology, 2007, 3, 435-439.	1.5	6
186	Urethral and Bladder Current Perception Thresholds: Normative Data in Women. Journal of Urology, 2007, 178, 189-192.	0.2	33
187	A standardised mini pig model for in vivo investigations of anticholinergic effects on bladder function and salivation. Pharmacological Research, 2007, 55, 450-454.	3.1	6
189	Early versus late treatment of voiding dysfunction with pelvic neuromodulation. Canadian Urological Association Journal, 2007, 1, 106-10.	0.3	6
190	Autonomous contractile activity in the isolated rat bladder is modulated by a TRPV1 dependent mechanism. Neurourology and Urodynamics, 2007, 26, 424-432.	0.8	19
191	Changes in T-type calcium channel and its subtypes in overactive detrusor of the rats with partial bladder outflow obstruction. Neurourology and Urodynamics, 2007, 26, 870-878.	0.8	20
192	The extracorporeal perfusion of the female pig detrusor as an experimental model for the study of bladder contractility. Neurourology and Urodynamics, 2007, 26, 1024-1029.	0.8	5
193	Resiniferatoxin and botulinum toxin type A for treatment of lower urinary tract symptoms. Neurourology and Urodynamics, 2007, 26, 920-927.	0.8	67
194	Properties of the major classes of mechanoreceptors in the guinea pig bladder. Journal of Physiology, 2007, 585, 147-163.	1.3	81

#	ARTICLE	IF	CITATIONS
195	Damage to the bladder neck alters autonomous activity and its sensitivity to cholinergic agonists. <i>BJU International</i> , 2007, 100, 919-929.	1.3	21
196	The differential contractile responses to capsaicin and anandamide in muscle strips isolated from the rat urinary bladder. <i>European Journal of Pharmacology</i> , 2007, 570, 182-187.	1.7	34
197	Relaxation of Phasic Contractile Activity of Human Detrusor Strips by Cyclic Nucleotide Phosphodiesterase Type 4 Inhibition. <i>European Urology</i> , 2007, 51, 772-781.	0.9	36
198	The Influence of Alpha1-Adrenoreceptors on Neuropeptide Release from Primary Sensory Neurons of the Lower Urinary Tract. <i>European Urology</i> , 2007, 52, 901-908.	0.9	52
201	Combination antimuscarinics and alpha-blockers for benign prostatic hyperplasia. <i>Current Prostate Reports</i> , 2007, 5, 71-77.	0.1	0
202	Male overactive bladder: The role of urodynamics and anticholinergics. <i>Current Urology Reports</i> , 2007, 8, 66-73.	1.0	6
204	Alternative therapies for overactive bladder: Cannabis and urge incontinence. <i>Current Bladder Dysfunction Reports</i> , 2008, 3, 224-229.	0.2	0
205	Combination antimuscarinics and α -blockers for benign prostatic hyperplasia. <i>Current Urology Reports</i> , 2008, 9, 265-271.	1.0	5
206	The Effects of Long-Term Spinal Cord Injury on Mechanical Properties of the Rat Urinary Bladder. <i>Annals of Biomedical Engineering</i> , 2008, 36, 1470-1480.	1.3	37
207	Urgency assessment in the evaluation of overactive bladder (OAB). <i>Neurourology and Urodynamics</i> , 2008, 27, 13-21.	0.8	57
208	Altered distribution of interstitial cells in the guinea pig bladder following bladder outlet obstruction. <i>Neurourology and Urodynamics</i> , 2008, 27, 330-340.	0.8	64
209	On the origin of bladder sensing: Tr(i)ps in urology. <i>Neurourology and Urodynamics</i> , 2008, 27, 264-273.	0.8	117
210	Bladder control, urgency, and urge incontinence: Evidence from functional brain imaging. <i>Neurourology and Urodynamics</i> , 2008, 27, 466-474.	0.8	262
211	Goshal's work reduces transmitter proteins and sensory receptors associated with C fiber activation induced by acetic acid in rat urinary bladder. <i>Neurourology and Urodynamics</i> , 2008, 27, 832-837.	0.8	33
212	The neural control of micturition. <i>Nature Reviews Neuroscience</i> , 2008, 9, 453-466.	4.9	1,171
213	Urinary Complaints in Nondisabled Elderly People with Age-Related White Matter Changes: The Leukoaraiosis And Disability (LADIS) Study. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1638-1643.	1.3	81
214	The concept of neurogenic inflammation. <i>BJU International</i> , 2008, 101, 2-6.	1.3	199
215	Emerging drugs for treatment of overactive bladder and detrusor overactivity. <i>Expert Opinion on Emerging Drugs</i> , 2008, 13, 431-446.	1.0	19

#	ARTICLE	IF	CITATIONS
216	Trospium 60 mg Once Daily (QD) for Overactive Bladder Syndrome: Results from a Placebo-Controlled Interventional Study. <i>Urology</i> , 2008, 71, 449-454.	0.5	88
217	Intrathecal delivery of resiniferatoxin (RTX) reduces detrusor overactivity and spinal expression of TRPV1 in spinal cord injured animals. <i>Experimental Neurology</i> , 2008, 214, 301-308.	2.0	32
218	Applications of Neurostimulation for Urinary Storage and Voiding Dysfunction in Neurological Patients. <i>Urologia Internationalis</i> , 2008, 81, 373-378.	0.6	23
219	PATHOPHYSIOLOGY OF OVERACTIVE BLADDER. , 2008, , 204-212.		0
220	Pharmacologic Targets on the Female Urethra. <i>Urologia Internationalis</i> , 2008, 80, 341-354.	0.6	30
221	Bladder Training versus Combination of Propiverine with Bladder Training for Female Urinary Frequency. <i>Gynecologic and Obstetric Investigation</i> , 2008, 65, 123-127.	0.7	8
222	A survey of commonalities relevant to function and dysfunction in pelvic and sexual organs. <i>International Journal of Impotence Research</i> , 2008, 20, 1-16.	1.0	11
223	Cerebral control of bladder storage in patients with detrusor overactivity. <i>Nuclear Medicine Communications</i> , 2008, 29, 1081-1085.	0.5	6
224	Characteristics of Detrusor Overactivity Induced by Intravesical Instillation of Adenosine 5'-Triphosphate. <i>Korean Journal of Urology</i> , 2008, 49, 424.	0.2	1
225	BEHAVIORAL MODIFICATION AND CONSERVATIVE MANAGEMENT OF OVERACTIVE BLADDER. , 2008, , 213-232.		2
226	Sensitization of pelvic afferent nerves in the in vitro rat urinary bladder-pelvic nerve preparation by purinergic agonists and cyclophosphamide pretreatment. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F1146-F1156.	1.3	75
227	Urotheliogenic modulation of intrinsic activity in spinal cord-transected rat bladders: role of mucosal muscarinic receptors. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F454-F461.	1.3	63
228	Oxybutynin extended release for the management of overactive bladder: a clinical review. <i>Drug Design, Development and Therapy</i> , 2009, 3, 151.	2.0	13
229	Tolterodine extended-release for overactive bladder. <i>Expert Opinion on Pharmacotherapy</i> , 2009, 10, 2181-2194.	0.9	8
230	The Role of Melanin-Concentrating Hormone-1 Receptors in the Voiding Reflex in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 328, 165-173.	1.3	3
231	Bladder dysfunction in multiple sclerosis. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 331-340.	1.4	32
232	Bladder-Relaxant Properties of the Novel Benzofuroindole Analogue LDD175. <i>Pharmacology</i> , 2009, 83, 367-378.	0.9	17
233	Adaptation of the length-active tension relationship in rabbit detrusor. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F1119-F1128.	1.3	34

#	ARTICLE	IF	CITATIONS
234	Basic fibroblast growth factor causes urinary bladder overactivity through gap junction generation in the smooth muscle. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F46-F54.	1.3	34
235	Aberrant Ca ²⁺ oscillations in smooth muscle cells from overactive human bladders. <i>Cell Calcium</i> , 2009, 45, 456-464.	1.1	37
236	Pharmacological properties of TD-6301, a novel bladder selective muscarinic receptor antagonist. <i>European Journal of Pharmacology</i> , 2009, 605, 145-152.	1.7	6
237	The Loss and Progressive Recovery of Voiding after Spinal Cord Interruption in Rats is Associated with Simultaneous Changes in Autonomous Contractile Bladder Activity. <i>European Urology</i> , 2009, 56, 168-176.	0.9	7
238	A Refocus on the Bladder as the Originator of Storage Lower Urinary Tract Symptoms: A Systematic Review of the Latest Literature. <i>European Urology</i> , 2009, 56, 810-820.	0.9	107
240	Long-term implantation of deep brain stimulation electrodes in the pontine micturition centre of the C57Bl/6J mouse. <i>Acta Neurochirurgica</i> , 2009, 151, 785-794.	0.9	26
241	The evolving physiology of the lower urinary tract: What we are learning and where we need to go. <i>Current Bladder Dysfunction Reports</i> , 2009, 4, 81-85.	0.2	0
242	Overactive bladder symptoms following urethrolisis procedures. <i>Current Bladder Dysfunction Reports</i> , 2009, 4, 160-167.	0.2	0
243	The association between overactive bladder and diuretic use in the elderly. <i>Current Urology Reports</i> , 2009, 10, 434-440.	1.0	22
245	Comparison between sensory testing modalities for the evaluation of afferent nerve functioning in the genital area. <i>International Urogynecology Journal</i> , 2009, 20, 83-87.	0.7	11
246	<i>In vivo</i> and <i>in vitro</i> pharmacological characterization of SVT40776, a novel M ₃ muscarinic receptor antagonist, for the treatment of overactive bladder. <i>British Journal of Pharmacology</i> , 2009, 156, 807-817.	2.7	17
247	Release of ATP from rat urinary bladder mucosa: role of acid, vanilloids and stretch. <i>British Journal of Pharmacology</i> , 2009, 158, 1655-1662.	2.7	69
248	Fesoterodine. <i>Drugs</i> , 2009, 69, 731-738.	4.9	13
249	Spontaneous Contractions Evoke Afferent Nerve Firing in Mouse Bladders With Detrusor Overactivity. <i>Journal of Urology</i> , 2009, 181, 1459-1466.	0.2	70
250	Preclinical compounds for the treatment of overactive bladder. <i>Expert Opinion on Therapeutic Patents</i> , 2009, 19, 107-117.	2.4	0
251	Pharmacologic Management of Urinary Incontinence, Voiding Dysfunction, and Overactive Bladder. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009, 36, 493-507.	0.7	11
253	Mechanisms of action of sacral neuromodulation. <i>International Urogynecology Journal</i> , 2010, 21, 439-446.	0.7	58
254	Length Adaptation of the Passive-to-Active Tension Ratio in Rabbit Detrusor. <i>Annals of Biomedical Engineering</i> , 2010, 38, 2594-2605.	1.3	14

#	ARTICLE	IF	CITATIONS
255	COX Inhibitors and Overactive Bladder: The Potential for Future Therapy. <i>Current Bladder Dysfunction Reports</i> , 2010, 5, 4-12.	0.2	1
256	Update on Uro pharmacology: Bladder Dysfunction, Nitric Oxide, and Reactive Oxygen Species. <i>Current Bladder Dysfunction Reports</i> , 2010, 5, 150-156.	0.2	1
257	Physiopathologie de l'hyperactivité vésicale. <i>Lettre De Medecine Physique Et De Readaptation</i> , 2010, 26, 69-73.	0.1	2
258	The paradoxical role of the transient receptor potential vanilloid 1 receptor in inflammation. , 2010, 125, 181-195.		147
259	Effects of stimulation of muscarinic receptors on bladder afferent nerves in the in vitro bladder-pelvic afferent nerve preparation of the rat. <i>Brain Research</i> , 2010, 1361, 43-53.	1.1	23
260	Tolterodine causes measurable restoration of urethral sensation in women with urge urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010, 29, 555-557.	0.8	20
261	The role of the transient receptor potential (TRP) superfamily of cation-selective channels in the management of the overactive bladder. <i>BJU International</i> , 2010, 106, 1114-1127.	1.3	95
263	The Scientific Basis of Urology. , 0, , .		18
264	The overactive bladder. <i>Therapeutic Advances in Urology</i> , 2010, 2, 147-155.	0.9	13
265	New insights into molecular targets for urinary incontinence. <i>Indian Journal of Pharmacology</i> , 2010, 42, 261.	0.4	3
266	Bladder symptoms in multiple sclerosis: a review of pathophysiology and management. <i>Expert Opinion on Drug Safety</i> , 2010, 9, 905-915.	1.0	18
267	Role of TREK-1 Potassium Channel in Bladder Overactivity After Partial Bladder Outlet Obstruction in Mouse. <i>Journal of Urology</i> , 2010, 183, 793-800.	0.2	32
268	Bladder Afferent Signaling: Recent Findings. <i>Journal of Urology</i> , 2010, 183, 1288-1295.	0.2	146
269	Management of overactive bladder. <i>Nature Reviews Urology</i> , 2010, 7, 572-582.	1.9	44
270	A noninvasive evaluation of autonomic nervous system dysfunction in women with an overactive bladder. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 110, 12-17.	1.0	23
271	Overactive bladder. <i>Maturitas</i> , 2010, 66, 257-262.	1.0	23
272	Pelvic floor exercise for urinary incontinence: A systematic literature review. <i>Maturitas</i> , 2010, 67, 309-315.	1.0	132
273	Fesoterodine for overactive bladder: A review of the literature. <i>Current Therapeutic Research</i> , 2010, 71, 273-288.	0.5	7

#	ARTICLE	IF	CITATIONS
274	The medical management of urinary incontinence. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010, 152, 4-10.	1.4	25
275	The physiological function of lower urinary tract smooth muscle. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010, 154, 3-13.	1.4	79
276	Efficacy and Safety of Tolterodine Extended Release and Dutasteride in Male Overactive Bladder Patients With Prostates >30 Grams. <i>Urology</i> , 2010, 75, 1144-1148.	0.5	44
277	Cortical substrate of bladder control in SCI and the effect of peripheral pudendal stimulation. <i>NeuroImage</i> , 2010, 49, 2983-2994.	2.1	24
278	Urinary Incontinence. <i>Primary Care - Clinics in Office Practice</i> , 2010, 37, 599-612.	0.7	11
279	Hyperosmolarity alters micturition: a comparison of urinary bladder motor activity in hyperosmolar and cyclophosphamide-induced models of overactive bladder. <i>Canadian Journal of Physiology and Pharmacology</i> , 2010, 88, 899-906.	0.7	14
280	Urinary Tract. <i>Handbook of Experimental Pharmacology</i> , 2011, , .	0.9	8
281	Urethral Sensations are Related to the Development of Detrusor Overactivity. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2011, 3, 59-63.	0.6	6
282	Pathophysiological Studies of Overactive Bladder and Bladder Motor Dysfunction in a Rat Model of Metabolic Syndrome. <i>Journal of Urology</i> , 2011, 186, 318-325.	0.2	36
283	Overactive Bladder: Pathophysiology, Diagnostics, and Therapies. <i>Advances in Urology</i> , 2011, 2011, 1-1.	0.6	5
284	Understanding stress urinary incontinence. <i>Nurse Practitioner</i> , 2011, 36, 24-36.	0.2	8
285	Characterization of upper lamina propria interstitial cells in bladders from patients with neurogenic detrusor overactivity and bladder pain syndrome. <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 2586-2593.	1.6	60
286	The relationship between the Trp 64 Arg polymorphism of the beta 3 α adrenoceptor gene and idiopathic overactive bladder. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 82.e10-82.e14.	0.7	19
287	Afferent Mechanism in the Urinary Tract. <i>Handbook of Experimental Pharmacology</i> , 2011, , 171-205.	0.9	35
289	Posterior tibial nerve stimulation and faecal incontinence: a review. <i>International Journal of Colorectal Disease</i> , 2011, 26, 265-273.	1.0	55
290	Examining the Role of Mechanosensitive Ion Channels in Pressure Mechanotransduction in Rat Bladder Urothelial Cells. <i>Annals of Biomedical Engineering</i> , 2011, 39, 688-697.	1.3	55
292	Overactive Bladder and Outlet Obstruction in Men. <i>Current Urology Reports</i> , 2011, 12, 77-85.	1.0	15
293	The role of urgency, frequency, and nocturia in defining overactive bladder adaptive behavior. <i>Neurourology and Urodynamics</i> , 2011, 30, 406-411.	0.8	9

#	ARTICLE	IF	CITATIONS
294	Is there an association between female urinary incontinence and decreased genital sensation?. <i>Neurourology and Urodynamics</i> , 2011, 30, 1291-1294.	0.8	12
295	Researching bladder afferentsâ€”determining the effects of $\hat{1}^2 ₃$ â€™adrenergic receptor agonists and botulinum toxin typeâ€™A. <i>Neurourology and Urodynamics</i> , 2011, 30, 684-691.	0.8	41
296	Sophisticated models and methods for studying neurogenic bladder dysfunction. <i>Neurourology and Urodynamics</i> , 2011, 30, 658-667.	0.8	18
297	Distribution of interstitial cells of cajal and expression of nitric oxide synthase after experimental bladder outlet obstruction in a rat model of bladder overactivity. <i>Neurourology and Urodynamics</i> , 2011, 30, 1639-1645.	0.8	37
299	Role of KIT-Positive Interstitial Cells of Cajal in the Urinary Bladder and Possible Therapeutic Target for Overactive Bladder. <i>Advances in Urology</i> , 2011, 2011, 1-7.	0.6	29
300	Comparative Analysis of the Effects of Antimuscarinic Agents on Bladder Functions in Both Nonhuman Primates and Rodents. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 338, 220-227.	1.3	10
301	Intradetrusor botulinum toxin type A in refractory overactive bladder: A potential future treatment. <i>International Journal of Applied & Basic Medical Research</i> , 2011, 1, 67.	0.2	1
303	The management of overactive bladder syndrome. <i>BMJ, The</i> , 2012, 344, e2365-e2365.	3.0	49
304	Muscarinic Agonists and Antagonists: Effects on the Urinary Bladder. <i>Handbook of Experimental Pharmacology</i> , 2012, , 375-400.	0.9	37
305	Effect of OnabotulinumtoxinA on Intramural Parasympathetic Ganglia: An Experimental Study in the Guinea Pig Bladder. <i>Journal of Urology</i> , 2012, 187, 1121-1126.	0.2	30
306	<i>Bryophyllum pinnatum</i> inhibits detrusor contractility in porcine bladder stripsâ€™”A pharmacological study towards a new treatment option of overactive bladder. <i>Phytomedicine</i> , 2012, 19, 947-951.	2.3	24
307	An osteopathic approach to the renal and urinary system. <i>Osteopathic Family Physician</i> , 2012, 4, 101-109.	0.2	6
308	Intravesical therapy for lower urinary tract symptoms. <i>Urological Science</i> , 2012, 23, 70-77.	0.2	15
309	Management of urinary incontinence in women and men. , 2012, , 382-394.		0
310	Anticholinergic drugs versus non-drug active therapies for non-neurogenic overactive bladder syndrome in adults. <i>The Cochrane Library</i> , 2014, 2014, CD003193.	1.5	60
311	Survey on the Prevalence of Overactive Bladder in Healthy Korean Postmenopausal Women. <i>The Journal of Korean Society of Menopause</i> , 2012, 18, 60.	0.6	5
312	Sacral Neuromodulation in the Treatment of Interstitial Cystitis/Painful Bladder Syndrome: Should It Be Off Label?. <i>Current Bladder Dysfunction Reports</i> , 2012, 7, 120-124.	0.2	2
313	Pelvic floor muscle training for urgency urinary incontinence in women: a systematic review. <i>International Urogynecology Journal</i> , 2012, 23, 687-697.	0.7	29

#	ARTICLE	IF	CITATIONS
314	Effects of phosphate glass fiberâ€“collagen scaffolds on functional recovery of completely transected rat spinal cords. <i>Acta Biomaterialia</i> , 2012, 8, 1802-1812.	4.1	42
315	Realâ€“time magnetic resonance imaging (MRI): anatomical changes during physiological voiding in men. <i>BJU International</i> , 2012, 109, 234-239.	1.3	28
316	Pathophysiology of Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 48-55.	0.6	49
317	Detrusor Overactivity in Hypercholesterolemia Rats. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 16-20.	0.6	2
318	Biofeedback Treatment for Overactive Bladder. <i>Current Bladder Dysfunction Reports</i> , 2012, 7, 7-13.	0.2	5
319	Summary of Anticholinergic Pharmacotherapy Available for Overactive Bladder. <i>Current Bladder Dysfunction Reports</i> , 2012, 7, 40-50.	0.2	1
320	The association between overactive bladder and fibromyalgia syndrome: A community survey. <i>Neurourology and Urodynamics</i> , 2013, 32, 66-69.	0.8	17
321	Oxybutynin: past, present, and future. <i>International Urogynecology Journal</i> , 2013, 24, 595-604.	0.7	30
322	Understanding Clinic Options for Overactive Bladder. <i>Current Urology Reports</i> , 2013, 14, 541-548.	1.0	21
323	Overactive bladder syndrome: Current pathophysiological concepts and therapeutic approaches. <i>Arab Journal of Urology Arab Association of Urology</i> , 2013, 11, 313-318.	0.7	11
324	Randomized, double-blind placebo-controlled trial with <i>Bryophyllum pinnatum</i> versus placebo for the treatment of overactive bladder in postmenopausal women. <i>Phytomedicine</i> , 2013, 20, 351-358.	2.3	28
325	Lower urinary tract symptoms in patients with <i>Nigella arvensis</i> disease: A caseâ€“control study 50 years after methyl mercury pollution. <i>International Journal of Urology</i> , 2013, 20, 610-615.	0.5	8
326	Principios de acciÃ³n e indicaciones de la toxina botulÃ©nica en el tratamiento de la hiperactividad vesical del adulto. <i>EMC - UrologÃ­a</i> , 2013, 45, 1-12.	0.0	0
327	Organization of the neural switching circuitry underlying reflex micturition. <i>Acta Physiologica</i> , 2013, 207, 66-84.	1.8	102
328	Common theme for drugs effective in overactive bladder treatment: Inhibition of afferent signaling from the bladder. <i>International Journal of Urology</i> , 2013, 20, 21-27.	0.5	30
329	Myocardin and microRNAâ€“1 modulate bladder activity through connexin 43 expression during postâ€“natal development. <i>Journal of Cellular Physiology</i> , 2013, 228, 1819-1826.	2.0	24
330	Sex Differences in the Physiology and Pharmacology of the Lower Urinary Tract. <i>Current Urology</i> , 2013, 6, 179-188.	0.4	35
331	The pharmacokinetic evaluation of mirabegron as an overactive bladder therapy option. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2013, 9, 617-627.	1.5	21

#	ARTICLE	IF	CITATIONS
332	Novel role for the transient potential receptor melastatin 4 channel in guinea pig detrusor smooth muscle physiology. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 304, C467-C477.	2.1	31
333	SK channel-selective opening by SKA-31 induces hyperpolarization and decreases contractility in human urinary bladder smooth muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013, 304, R155-R163.	0.9	24
334	New developments in the diagnosis and management of overactive bladder. <i>Clinical Practice (London, England)</i> , 2013, 13, 101-106.	0.1	0
335	Evaluation of fesoterodine fumarate for the treatment of an overactive bladder. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2013, 9, 1659-1666.	1.5	8
336	New therapies in the treatment of overactive bladder. <i>Expert Opinion on Emerging Drugs</i> , 2013, 18, 319-337.	1.0	10
337	Intravesical Resiniferatoxin for the Treatment of Storage Lower Urinary Tract Symptoms in Patients with Either Interstitial Cystitis or Detrusor Overactivity: A Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e82591.	1.1	27
338	The therapeutic promise of ATP antagonism at P2X3 receptors in respiratory and urological disorders. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 267.	1.8	73
341	Autonomic dysfunction. <i>Journal of Urology</i> , 2013, 189, 415-436.		0
342	Experience with botulinum toxin type A in the treatment of neurogenic detrusor overactivity in clinical practice. <i>Therapeutic Advances in Urology</i> , 2014, 6, 34-42.	0.9	17
343	Connection between expression of inducible nitric oxide synthase (iNOS) in skull base chordoma and lower urinary tract symptoms. <i>International Urology and Nephrology</i> , 2014, 46, 2109-2116.	0.6	0
344	Neural Control of the Lower Urinary Tract. <i>Journal of Urology</i> , 2015, 193, 327-396.		337
345	Protocol for a prospective neuroimaging study investigating the supraspinal control of lower urinary tract function in healthy controls and patients with non-neurogenic lower urinary tract symptoms. <i>BMJ Open</i> , 2014, 4, e004357.	0.8	5
346	TRP channels in lower urinary tract dysfunction. <i>British Journal of Pharmacology</i> , 2014, 171, 2537-2551.	2.7	54
347	Is Urodynamic Study a Good Witness to the Progression of Ketamine-Associated Cystitis?. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2014, 6, 98-102.	0.6	10
348	Pharmacological Treatment of Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014, 20, 185-202.	0.6	14
349	Pathophysiology and animal modeling of underactive bladder. <i>International Urology and Nephrology</i> , 2014, 46, 11-21.	0.6	54
350	Pharmacological approach to overactive bladder and urge urinary incontinence in women: an overview. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 174, 27-34.	0.5	13
351	The Effectiveness of Bladder Training in Overactive Bladder. <i>Current Bladder Dysfunction Reports</i> , 2014, 9, 63-70.	0.2	5

#	ARTICLE	IF	CITATIONS
352	Effects of Duloxetine and WAY100635 on Pudendal Inhibition of Bladder Overactivity in Cats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 349, 402-407.	1.3	12
353	Diffusion Tensor Magnetic Resonance Imaging and Fiber Tractography of the Sacral Plexus in Children with Spina Bifida. <i>Journal of Urology</i> , 2014, 192, 927-933.	0.2	17
354	Pelvic Floor Muscle Training in Males: Practical Applications. <i>Urology</i> , 2014, 84, 1-7.	0.5	50
356	Protocol for a prospective magnetic resonance imaging study on supraspinal lower urinary tract control in healthy subjects and spinal cord injury patients undergoing intradetrusor onabotulinumtoxinA injections for treating neurogenic detrusor overactivity. <i>BMC Urology</i> , 2014, 14, 68.	0.6	11
358	The Influence of Skull Base Chordoma on Lower Urinary Tract Symptoms. <i>Urology</i> , 2014, 83, 756-761.	0.5	4
361	Enhanced expression of TWIK-related arachidonic acid-activated K ⁺ channel in the spinal cord of detrusor overactivity rats after partial bladder outlet obstruction. <i>BMC Urology</i> , 2015, 15, 100.	0.6	3
362	Improvement in Spinal Cord Injury-Induced Bladder Fibrosis Using Mesenchymal Stem Cell Transplantation into the Bladder Wall. <i>Cell Transplantation</i> , 2015, 24, 1253-1263.	1.2	26
363	Associations between individual lower urinary tract symptoms and bacteriuria in random urine samples in women. <i>Neurourology and Urodynamics</i> , 2015, 34, 429-433.	0.8	19
364	Association between polymorphism of β ² -adrenoceptor gene and overactive bladder: a meta-analysis. <i>Genetics and Molecular Research</i> , 2015, 14, 2495-2501.	0.3	16
365	Overactive bladder. <i>F1000Research</i> , 2015, 4, 1406.	0.8	12
366	Bladder Recovery by Stem Cell Based Cell Therapy in the Bladder Dysfunction Induced by Spinal Cord Injury: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0113491.	1.1	15
367	Urinary Retention, Incontinence, and Dysregulation of Muscarinic Receptors in Male Mice Lacking <i>Mras</i> . <i>PLoS ONE</i> , 2015, 10, e0141493.	1.1	9
368	Anatomy and physiology of the lower urinary tract. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2015, 130, 61-108.	1.0	113
369	Protein kinase C modulates frequency of micturition and non-voiding contractions in the urinary bladder via neuronal and myogenic mechanisms. <i>BMC Urology</i> , 2015, 15, 34.	0.6	8
370	Conscious voiding during bladder obstruction in guinea pigs correlates with contractile activity of isolated bladders. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015, 193, 74-83.	1.4	2
371	Female pelvic floor dysfunctions and evidence-based physical therapy. , 2015, , 131-270.		2
372	Physiological and pathophysiological implications of micromotion activity in urinary bladder function. <i>Acta Physiologica</i> , 2015, 213, 360-370.	1.8	39
373	Research Findings on Overactive Bladder. <i>Current Urology</i> , 2015, 8, 1-21.	0.4	25

#	ARTICLE	IF	CITATIONS
374	Intravesical Capsaicin and Resiniferatoxin for Bladder Disorders. , 2015, , 119-127.		0
375	Role of liposome in treatment of overactive bladder and interstitial cystitis. Urological Science, 2015, 26, 3-6.	0.2	9
377	Intracellular Bacterial Communities: A Potential Etiology for Chronic Lower Urinary Tract Symptoms. Urology, 2015, 86, 425-431.	0.5	73
379	Prevalence and impact of urinary incontinence in men with cystic fibrosis. Physiotherapy, 2015, 101, 166-170.	0.2	10
380	Original Research: Combined model of bladder detrusor smooth muscle and interstitial cells. Experimental Biology and Medicine, 2016, 241, 1853-1864.	1.1	4
381	Neuromodulation of the neural circuits controlling the lower urinary tract. Experimental Neurology, 2016, 285, 182-189.	2.0	34
382	The combination of herbal medicine Weng-li-tong with Tolterodine may be better than Tolterodine alone in the treatment of overactive bladder in women: a randomized placebo-controlled prospective trial. BMC Urology, 2016, 16, 49.	0.6	11
383	Inhibitory effects of tibial nerve stimulation on bladder neurophysiology in rats. SpringerPlus, 2016, 5, 35.	1.2	17
384	Pre-and postoperative cerebral blood flow changes in patients with idiopathic normal pressure hydrocephalus measured by computed tomography (CT)-perfusion. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 1755-1766.	2.4	33
385	Conservative interventions for urinary incontinence in women: an Overview of Cochrane systematic reviews. The Cochrane Library, 0, , .	1.5	9
386	Neurogenic lower urinary tract dysfunction: evaluation and management. Journal of Neurology, 2016, 263, 2555-2564.	1.8	34
387	Central control of visceral pain and urinary tract function. Autonomic Neuroscience: Basic and Clinical, 2016, 200, 35-42.	1.4	31
388	Pathophysiology and Animal Modeling of Underactive Bladder. , 2016, , 51-68.		1
389	Posterior tibial nerve stimulation in the management of lower urinary tract symptoms in patients with multiple sclerosis. International Urogynecology Journal, 2016, 27, 521-527.	0.7	22
390	Risk factors and functional abnormalities associated with adult onset secondary nocturnal enuresis in women. Neurourology and Urodynamics, 2017, 36, 188-191.	0.8	18
391	Pathophysiology of Overactive Bladder: Current Understanding. Current Bladder Dysfunction Reports, 2017, 12, 74-79.	0.2	9
392	The Impact of Duration of Complaints on Successful Outcome of Sacral Neuromodulation. Urologia Internationalis, 2017, 99, 51-55.	0.6	5
393	Effects of pulsed-radiofrequency neuromodulation on the rat with overactive bladder. Neurourology and Urodynamics, 2017, 36, 1734-1741.	0.8	7

#	ARTICLE	IF	CITATIONS
394	Clinical epidemiological insights into urinary incontinence. <i>International Urogynecology Journal</i> , 2017, 28, 687-696.	0.7	85
395	Partial bladder outlet obstruction is associated with decreased expression and function of the small-conductance Ca ²⁺ -activated K ⁺ channel in guinea pig detrusor smooth muscle. <i>International Urology and Nephrology</i> , 2017, 49, 17-26.	0.6	8
396	A Method for the Analysis of AP Foot Convexity: Insights into Smooth Muscle Biophysics. <i>Frontiers in Bioengineering and Biotechnology</i> , 2017, 5, 64.	2.0	2
397	Incidence and risk factors of recurrence of overactive bladder symptoms after discontinuation of successful medical treatment. <i>Investigative and Clinical Urology</i> , 2017, 58, 42.	1.0	9
398	Efficacy of pelvic floor muscle training in women with overactive bladder syndrome: a systematic review. <i>International Urogynecology Journal</i> , 2018, 29, 1565-1573.	0.7	27
399	Adult and Pediatric Neuromodulation. , 2018, , .		2
400	Is there "brain OAB" and how can we recognize it? International Consultation on Incontinence Research Society (ICIERS) 2017. <i>Neurourology and Urodynamics</i> , 2018, 37, S38-S45.	0.8	13
401	Basic and clinical aspects of antimuscarinic agents used to treat overactive bladder. , 2018, 189, 130-148.		68
402	Overactive Bladder Syndrome: Evaluation and Management. <i>Current Urology</i> , 2018, 11, 117-125.	0.4	79
403	Predictors for detrusor overactivity following extensive vaginal pelvic reconstructive surgery. <i>Neurourology and Urodynamics</i> , 2018, 37, 192-199.	0.8	20
404	BDNF overexpression in the bladder induces neuronal changes to mediate bladder overactivity. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F45-F56.	1.3	24
405	Effectiveness and safety of moxibustion for alleviating symptoms of overactive bladder. <i>Medicine (United States)</i> , 2018, 97, e12016.	0.4	9
406	Understanding overactive bladder and urgency incontinence: what does the brain have to do with it? <i>F1000Research</i> , 2018, 7, 1869.	0.8	11
407	A biophysically detailed computational model of urinary bladder small DRG neuron soma. <i>PLoS Computational Biology</i> , 2018, 14, e1006293.	1.5	28
408	Urinary Urgency in the Elderly. <i>Gerontology</i> , 2018, 64, 541-550.	1.4	8
409	Minimally Invasive Treatments. , 2018, , 387-404.		0
410	Lower Urinary Tract Symptoms in Subjects with Subclinical Cerebral White Matter Lesions. <i>Journal of Aging Research</i> , 2018, 2018, 1-5.	0.4	6
411	Position statement: a clinical approach to the management of adult non-neurogenic overactive bladder. <i>Medical Journal of Australia</i> , 2018, 208, 41-45.	0.8	11

#	ARTICLE	IF	CITATIONS
412	Non-invasive Neuromodulation of Spinal Cord Restores Lower Urinary Tract Function After Paralysis. <i>Frontiers in Neuroscience</i> , 2018, 12, 432.	1.4	58
413	Management of Overactive Bladder in the Young Man. <i>Current Bladder Dysfunction Reports</i> , 2019, 14, 205-213.	0.2	0
414	Hydrogen sulfide-induced relaxation of the bladder is attenuated in spontaneously hypertensive rats. <i>International Urology and Nephrology</i> , 2019, 51, 1507-1515.	0.6	8
415	Is nocturnal enuresis a predisposing factor for the overactive bladder?. <i>Turkish Journal of Medical Sciences</i> , 2019, 49, 703-709.	0.4	1
416	Urinary dysfunction in transgenic sickle cell mice: model of idiopathic overactive bladder syndrome. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F540-F546.	1.3	4
417	The relationship between sarcopenia and urinary incontinence. <i>European Geriatric Medicine</i> , 2019, 10, 923-929.	1.2	24
418	Would early removal of indwelling catheter effectively prevent urinary retention after hip fracture surgery in elderly patients?. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 315.	0.9	8
420	The Management of Urine Storage Dysfunction in the Neurological Patient. <i>SN Comprehensive Clinical Medicine</i> , 2019, 1, 160-182.	0.3	7
421	Functional changes in low- and high-threshold afferents in obstruction-induced bladder overactivity. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, F1103-F1113.	1.3	7
422	Drug Treatment. , 2019, , 231-259.		0
423	Development and validation of a dynamic delirium prediction rule in patients admitted to the Intensive Care Units (DYNAMIC-ICU): A prospective cohort study. <i>International Journal of Nursing Studies</i> , 2019, 93, 64-73.	2.5	26
424	Involvement of transient receptor potential melastatin 4 channels in the resting membrane potential setting and cholinergic contractile responses in mouse detrusor and ileal smooth muscles. <i>Journal of Veterinary Medical Science</i> , 2019, 81, 217-228.	0.3	8
425	Neurogenic Bladder: Epidemiology, Diagnosis, and Management. <i>Seminars in Neurology</i> , 2020, 40, 569-579.	0.5	50
426	Therapeutic Effect of Botulinum Toxin A on Sensory Bladder Disordersâ€™From Bench to Bedside. <i>Toxins</i> , 2020, 12, 166.	1.5	10
427	Transcutaneous Electrical Spinal Cord Neuromodulator (TESCoN) Improves Symptoms of Overactive Bladder. <i>Frontiers in Systems Neuroscience</i> , 2020, 14, 1.	1.2	54
428	Effect of amniotic fluid stem cell transplantation on the recovery of bladder dysfunction in spinal cord-injured rats. <i>Scientific Reports</i> , 2020, 10, 10030.	1.6	9
429	An Efficient Noninvasive Neuromodulation Modality for Overactive Bladder Using Time Interfering Current Method. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 214-224.	2.5	7
430	Physiopathology of Overactive Bladder. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2021, , 1-11.	0.0	0

#	ARTICLE	IF	CITATIONS
431	Asiatic Acid, a Natural Compound that Exerts Beneficial Effects on the Cystometric and Biochemical Parameters in the Retinyl Acetate-Induced Model of Detrusor Overactivity. <i>Frontiers in Pharmacology</i> , 2020, 11, 574108.	1.6	6
432	Association of decreased grip strength with lower urinary tract symptoms in women: a cross-sectional study from Korea. <i>BMC Women's Health</i> , 2021, 21, 96.	0.8	2
434	The First Female Dry Immersion (NAIAD-2020): Design and Specifics of a 3-Day Study. <i>Frontiers in Physiology</i> , 2021, 12, 661959.	1.3	13
435	Chronic psychological stress and lower urinary tract symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021, 13, 414-424.	0.6	27
436	Molecular and functional characterization of detrusor PDGFR α positive cells in spinal cord injury-induced detrusor overactivity. <i>Scientific Reports</i> , 2021, 11, 16268.	1.6	2
437	Voiding behavior in awake unrestrained untethered spontaneously hypertensive and Wistar control rats. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 321, F195-F206.	1.3	2
438	The innervation of the bladder, the pelvic floor, and emotion: A review. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 235, 102868.	1.4	6
439	Lower urinary tract function and disorders. , 2022, , 461-494.e6.		0
440	Native tissue repair of cardinal/uterosacral ligaments cures overactive bladder and prolapse, but only in pre-menopausal women. <i>Central European Journal of Urology</i> , 2021, 74, 372-378.	0.2	12
443	Intercellular Communication and Bladder Function. , 2003, 539, 239-254.		8
444	Current Pharmacologic Treatment of Lower Urinary Tract Symptoms. <i>Current Clinical Urology</i> , 2014, , 121-222.	0.0	1
445	Behavioral Treatments for Urge Incontinence. , 2009, , 179-189.		1
446	Modulation of Urinary Bladder Innervation: TRPV1 and Botulinum Toxin A. <i>Handbook of Experimental Pharmacology</i> , 2011, , 345-374.	0.9	9
447	Animal Models in Overactive Bladder Research. <i>Handbook of Experimental Pharmacology</i> , 2011, , 15-43.	0.9	59
448	Pharmakologie des Harntraktes. , 2004, , 17-33.		6
449	Overactive Bladder. , 2012, , 1947-1957.e2.		5
450	Spinal cord stimulation for the restoration of bladder function after spinal cord injury. <i>Healthcare Technology Letters</i> , 2020, 7, 87-92.	1.9	13
451	The overactive bladder: neuropharmacological basis of clinical management. <i>Current Opinion in Obstetrics and Gynecology</i> , 1999, 11, 477-483.	0.9	2

#	ARTICLE	IF	CITATIONS
452	DIAGNOSTIC VALUE OF INTRAVESICAL LIDOCAINE FOR OVERACTIVE BLADDER. Journal of Urology, 2000, , 340-343.	0.2	4
453	PERCUTANEOUS AFFERENT NEUROMODULATION FOR THE REFRACTORY OVERACTIVE BLADDER: RESULTS OF A MULTICENTER STUDY. Journal of Urology, 2001, , 1193-1198.	0.2	4
454	The Effect Of Intravesical Resiniferatoxin In Patients With Idiopathic Detrusor Instability Suggests That Involuntary Detrusor Contractions Are Triggered By C-Fiber Input. Journal of Urology, 2002, , 575-579.	0.2	8
455	Magnetic Stimulation of the Sacral Roots for the Treatment of Urinary Frequency and Urge Incontinence: An Investigational Study and Placebo Controlled Trial. Journal of Urology, 2002, , 1036-1039.	0.2	3
456	Overactive detrusor. Current Opinion in Urology, 1999, 9, 291-296.	0.9	2
457	Neurogenic bladder dysfunction. Current Opinion in Urology, 1999, 9, 303-307.	0.9	32
458	Baseline Brain Segmental Volumes in Responders and Nonresponders to Anticholinergic Therapy for Overactive Bladder Syndrome. Female Pelvic Medicine and Reconstructive Surgery, 2021, 27, e399-e407.	0.6	2
459	Urinary bladder instability induced by selective suppression of the murine small conductance calcium-activated potassium (SK3) channel. Journal of Physiology, 2003, 551, 893-903.	1.3	112
460	Structural and Chemical Organization of the Autonomic Neuroeffector System. , 2002, , 1-53.		7
461	Increased Expression of TREK-1 K+ Channel in the Dorsal Root Ganglion of Rats with Detrusor Overactivity After Partial Bladder Outlet Obstruction. Medical Science Monitor, 2018, 24, 1064-1071.	0.5	6
462	Analysis of the prevalence of and factors associated with overactive bladder in adult Korean women. PLoS ONE, 2017, 12, e0185592.	1.1	13
463	The Ameliorating Effect of Exogenous Melatonin on Urinary Bladder Function in Hyperosmolar Bladder Overactivity and its Influence on the Autonomic Nervous System Activity. Acta Medica (Hradec) Tj ETQq1 1oQz784314 rgBT /Ove		
464	Physiological Properties of the Lower Urinary Tract. , 2010, , 244-265.		2
465	Posterior Tibial Nerve Stimulation in Fecal Incontinence: A Systematic Review and Meta-analysis. Basic and Clinical Neuroscience, 2019, 10, 419-432.	0.3	13
466	Medical management of overactive bladder. Indian Journal of Urology, 2010, 26, 270.	0.2	12
467	Bibliometric profile of neurogenic bladder in the literature: a 20-year bibliometric analysis. Neural Regeneration Research, 2015, 10, 797.	1.6	13
468	Overactive Bladder. Korean Journal of Urology, 2007, 48, 1191.	0.2	16
469	Prevalence of Spina Bifida Occulta and Its Relationship With Overactive Bladder in Middle-Aged and Elderly Chinese People. International Neurourology Journal, 2016, 20, 151-158.	0.5	13

#	ARTICLE	IF	CITATIONS
470	Intravesical PGE2 Administration in Conscious Rats as an Experimental Model of Detrusor Overactivity Observed by Simultaneous Registrations of Intravesical and Intraabdominal Pressures. International Neurourology Journal, 2010, 14, 69.	0.5	3
471	Alteration of Autonomic Function in Female Urinary Incontinence. International Neurourology Journal, 2010, 14, 232-237.	0.5	21
472	Development and Changes with Age of Detrusor Overactivity in Spontaneous Hypertensive Rats as Observed by Simultaneous Registrations of Intravesical and Intraabdominal Pressures. International Neurourology Journal, 2011, 15, 192.	0.5	10
473	Effects of Bladder Function by Early Tamsulosin Treatment in a Spinal Cord Injury Rat Model. Annals of Rehabilitation Medicine, 2014, 38, 433.	0.6	8
475	Bladder. , 2003, , 323-333.		0
476	Vanilloids. , 2003, , .		0
477	Chronic Pelvic Pain in Interstitial Cystitis. , 2004, , 903-917.		0
478	TRPV1 agonist therapies in bladder diseases. , 2005, , 211-225.		1
479	Treatment options for the overactive bladder syndrome. Therapy: Open Access in Clinical Medicine, 2005, 2, 921-936.	0.2	0
480	Treatment options for the overactive bladder syndrome. Therapy: Open Access in Clinical Medicine, 2005, 2, 921-936.	0.2	0
481	Pathophysiology of incontinence. , 2006, , 15-20.		0
482	The Effect of Botulinum Toxin and Resiniferatoxin on the Detrusor Overactivity Induced by Cyclophosphamide in Rat Bladder. Korean Journal of Urology, 2006, 47, 47.	0.2	0
484	Electrical Stimulation for Refractory Overactive Bladder. Journal of the Korean Medical Association, 2008, 51, 255.	0.1	2
485	50Radiologic assessment of bladder disorders. , 2008, , 169-170.		0
486	Application and Limitations of Awake Cystometry in Sprague-Dawley Rats with Partial Bladder Outlet Obstruction as a Model of Overactive Bladder or Obstruction. Korean Journal of Urology, 2009, 50, 486.	1.2	4
488	Efficacy and Safety of Solifenacin Succinate for Urinary Difficulty in Brain Lesion -Multicenter Prospective Study-. Brain & Neurorehabilitation, 2012, 5, 75.	0.4	0
489	Pharmakologie des Harntraktes. , 2012, , 17-36.		0
490	Neurostimulation for Bladder Pain Syndrome. , 2013, , 329-342.		1

#	ARTICLE	IF	CITATIONS
492	Other Varieties of Dysfunction. <i>Current Clinical Urology</i> , 2014, , 65-73.	0.0	0
493	Sphincter exercises for people with urinary incontinence. , 2014, 2, 178-179.		0
495	Urination disorders occurring in the elderly – point of view of a physiotherapist. <i>Medical and Biological Sciences</i> , 2015, 29, 17.	0.2	0
496	Pathophysiologie von Blasenfunktionsst�rungen. , 2016, , 1005-1009.		0
497	Sacral Neuromodulation for Overactive Bladder. , 2018, , 25-46.		2
498	Urinary incontinence and female urology. , 2019, , 129-192.		0
500	Symptoms Complexes in Urology. , 2020, , 87-96.		1
501	Reduced Ca ²⁺ spark activity contributes to detrusor overactivity of rats with partial bladder outlet obstruction. <i>Aging</i> , 2020, 12, 4163-4177.	1.4	1
504	Overactive Bladder and Outlet Obstruction in Men. <i>Current Urology Reports</i> , 0, , .	1.0	0
505	Pharmacologic Approach to Urinary Incontinence and Voiding Disorders. , 2003, , 245-267.		0
507	Trospium chloride: over 20 years of clinical use. <i>Therapy: Open Access in Clinical Medicine</i> , 2006, 3, 215-226.	0.2	0
508	Pharmakologie des Harntraktes. , 2007, , 17-33.		0
509	Transcutaneous tibial nerve stimulation for the treatment of bladder storage symptoms in people with multiple sclerosis: Protocol of a single-arm feasibility study. <i>HRB Open Research</i> , 2020, 3, 66.	0.3	5
511	Pathophysiology of overactive bladder and urge urinary incontinence. <i>Reviews in Urology</i> , 2002, 4 Suppl 4, S7-S18.	0.9	78
512	Survey of spinal cord injury-induced neurogenic bladder studies using the Web of Science. <i>Neural Regeneration Research</i> , 2012, 7, 1832-9.	1.6	0
513	Large conductance voltage and Ca-activated K channels affect the physiological characteristics of human urine-derived stem cells. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 1876-1885.	0.0	3
514	Daily symptom associations for urinary urgency and anxiety, depression and stress in women with overactive bladder. <i>International Urogynecology Journal</i> , 2022, 33, 841-850.	0.7	4
515	Perspectives of Medical Treatment for Overactive Bladder. <i>Urological Science</i> , 2020, 31, 91-98.	0.2	8

#	ARTICLE	IF	CITATIONS
516	Heart rate variability dynamics in women with urinary incontinence: a systematic review. <i>International Urogynecology Journal</i> , 2022, 33, 1145-1155.	0.7	1
517	<i>Ophiocordyceps sinensis</i> : a prominent source of bioactive components for alleviating overactive bladder. <i>Life Sciences Medicine and Biomedicine</i> , 2020, 4, .	0.1	1
518	Prolonged Inhibitory Effects of Repeated Tibial Nerve Stimulation on the Micturition Reflex in Decorticated Rats. <i>Neuromodulation</i> , 2022, 25, 1115-1121.	0.4	2
520	Frequency of overactive bladder (OAB) and the factors affecting it in patients with obstructive sleep apnea syndrome (OSAS). <i>Urologia</i> , 2022, , 039156032210782.	0.3	1
521	Network-Based Differences in the Vaginal and Bladder Microbial Communities Between Women With and Without Urgency Urinary Incontinence. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 759156.	1.8	12
522	Advances in Assistive Electronic Device Solutions for Urology. <i>Micromachines</i> , 2022, 13, 551.	1.4	3
523	Overactive Bladder Symptoms Within Nervous System: A Focus on Etiology. <i>Frontiers in Physiology</i> , 2021, 12, 747144.	1.3	3
524	Clinical Report of Baliao Electroacupuncture Treatment on a Stroke Patient Suffering from a Neurogenic Overactive Bladder. <i>The Journal of Internal Korean Medicine</i> , 2022, 43, 90-103.	0.0	2
525	Behavioral Treatments for Urge Incontinence. , 2009, , 179-189.		0
527	Urodynamic classification of patients with symptoms of overactive bladder. <i>Journal of Urology</i> , 2003, 169, 529-33; discussion 533-4.	0.2	20
530	Continuous administration of mirabegron has advantages in inhibition of central sensitization compared with short-term treatment cessation in a mouse model of overactive bladder. <i>Neurourology and Urodynamics</i> , 2022, 41, 1355-1363.	0.8	5
532	Stimulation of the tibial nerve—a randomised trial for urinary problems associated with Parkinson’s—the STARTUP trial. <i>Age and Ageing</i> , 2022, 51, .	0.7	5
533	Conservative interventions for treating urinary incontinence in women: an Overview of Cochrane systematic reviews. <i>The Cochrane Library</i> , 2022, 2022, .	1.5	14
534	Acute Intravesical Capsaicin for the Study of TRPV1 in the Lower Urinary Tract: Clinical Relevance and Potential for Innovation. <i>Medical Sciences (Basel, Switzerland)</i> , 2022, 10, 50.	1.3	0
535	Microhematuria in Women Presenting for Overactive Bladder. <i>Current Urology Reports</i> , 0, , .	1.0	0
536	Intrathecal Baclofen for Spasticity: Is There an Effect on Bladder Function? Report of Three Cases and Review of the Literature. <i>Biomedicines</i> , 2022, 10, 3266.	1.4	0
537	Molecular Mechanism Operating in Animal Models of Neurogenic Detrusor Overactivity: A Systematic Review Focusing on Bladder Dysfunction of Neurogenic Origin. <i>International Journal of Molecular Sciences</i> , 2023, 24, 3273.	1.8	0
538	Current and Emerging Pharmacological Targets and Treatments of Urinary Incontinence and Related Disorders. <i>Pharmacological Reviews</i> , 2023, 75, 554-674.	7.1	14

#	ARTICLE	IF	CITATIONS
540	Drug Treatment. , 2023, , 1-35.		0
541	Pathophysiologie von Blasenfunktionsstörungen. Springer Reference Medizin, 2023, , 1911-1915.	0.0	0
543	Drug Treatment. , 2023, , 281-315.		0