

CMOS active pixel image sensors for highly integrated i

IEEE Journal of Solid-State Circuits

32, 187-197

DOI: 10.1109/4.551910

Citation Report

#	ARTICLE	IF	CITATIONS
1	A low power current-mode pixel with on-chip FPN cancellation and digital shutter. , 0, , .		0
2	CMOS APS imager employing 3.3 V 12 bit 6.3 MS/s pipelined ADC. , 0, , .		4
3	Standard CMOS active pixel image sensors for multimedia applications. , 0, , .		21
4	A 128Å—128-pixel standard-CMOS image sensor with electronic shutter. IEEE Journal of Solid-State Circuits, 1996, 31, 1922-1930.	5.4	45
5	256Å—256 CMOS active pixel sensor camera-on-a-chip. IEEE Journal of Solid-State Circuits, 1996, 31, 2046-2050.	5.4	122
6	<title>Recent experimental results from a CMOS active pixel image sensor with photodiode and photogate pixels</title>. , 1996, 2950, 18.		2
7	Optimization of noise and responsivity in CMOS active pixel sensors for detection of ultralow-light levels. , 1997, , .		45
8	Image Capture Circuits in CMOS. , 0, , .		1
9	TFA image sensors: from the one transistor cell to a locally adaptive high dynamic range sensor. , 0, , .		15
10	CMOS image sensors-recent advances and device scaling considerations. , 0, , .		31
11	A CMOS image sensor with analog two-dimensional DCT-based compression circuits for one-chip cameras. IEEE Journal of Solid-State Circuits, 1997, 32, 2030-2041.	5.4	114
12	Event recognition hardware based on neuron MOS soft-computing circuits. Computers and Electrical Engineering, 1997, 23, 415-429.	4.8	0
13	CMOS image sensors: electronic camera-on-a-chip. IEEE Transactions on Electron Devices, 1997, 44, 1689-1698.	3.0	989
14	Design and analysis of a 512Å—768 current-mediated active pixel array image sensor. IEEE Transactions on Electron Devices, 1997, 44, 1706-1715.	3.0	23
15	Wide intrascene dynamic range CMOS APS using dual sampling. IEEE Transactions on Electron Devices, 1997, 44, 1721-1723.	3.0	178
16	On-focal-plane signal processing for current-mode active pixel sensors. IEEE Transactions on Electron Devices, 1997, 44, 1747-1758.	3.0	54
17	CMOS active pixel sensor with on-chip successive approximation analog-to-digital converter. IEEE Transactions on Electron Devices, 1997, 44, 1759-1763.	3.0	74
18	Frame-transfer CMOS active pixel sensor with pixel binning. IEEE Transactions on Electron Devices, 1997, 44, 1764-1768.	3.0	54

#	ARTICLE	IF	CITATIONS
19	A bipolar image detector with smart functions. IEEE Transactions on Electron Devices, 1997, 44, 1769-1776.	3.0	2
20	CMOS active pixel image sensors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 395, 291-297.	1.6	20
21	Microchannel gate temperature analysis. Microelectronics Reliability, 1998, 38, 1823-1827.	1.7	0
22	Properties and design optimization of photo-diodes available in a current CMOS technology. , 1998, , .		5
23	A CMOS imager with on-chip variable resolution for light-adaptive imaging. , 0, , .		12
24	CMOS active pixel image sensor with combined linear and logarithmic mode operation. , 0, , .		14
25	Technologies for high performance CMOS active pixel imaging system-on-a-chip. , 0, , .		1
26	A snap-shot CMOS active pixel imager for low-noise, high-speed imaging. , 0, , .		12
27	Integration of sensor/processor under cellular neural networks paradigm for multimedia applications. , 0, , .		5
28	Design and fabrication of a high dynamic range image sensor in TFA technology. , 0, , .		3
29	Active pixel sensor (APS) based star tracker. , 0, , .		35
30	A single-chip CMOS 306/spl times/244-pixel NTSC video camera and a descendant coprocessor device. IEEE Journal of Solid-State Circuits, 1998, 33, 2104-2111.	5.4	17
31	Scalable image sensor/processor architecture with frame memory buffer and 2-D cellular neural network. , 0, , .		0
32	Low power salient integration mode image sensor with a low voltage mixed-signal readout architecture. , 1998, , .		2
33	A real-time center-of-mass tracker circuit implemented by neuron MOS technology. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 1998, 45, 495-503.	2.2	25
34	An all CMOS foveal image sensor chip. , 0, , .		4
35	CMOS image sensors with video compression. , 0, , .		0
36	A novel, high resolution, non-contact channel temperature measurement technique. , 1998, , .		4

#	ARTICLE	IF	CITATIONS
37	<title>Next-generation CMOS active pixel sensors for satellite hybrid optical communications/imaging sensor systems</title>. , 1998, 3498, 255.		7
38	Image Sensors in Tfa Technology - Status and Future Trends. Materials Research Society Symposia Proceedings, 1998, 507, 327.	0.1	17
39	Non-stationary noise responses of some fully differential on-chip readout circuits suitable for CMOS image sensors. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 1999, 46, 1461-1474.	2.2	14
40	Integrating ADC using a single transistor as integrator and amplifier for very low (1 fA minimum) input currents. , 1999, , .		6
41	Application specific spectral response with CMOS compatible photodiodes. IEEE Transactions on Electron Devices, 1999, 46, 905-913.	3.0	35
42	256 Å— 256-pixel CMOS digital camera for computer vision with 32 algorithmic ADCs on board. IET Circuits, Devices and Systems, 1999, 146, 184.	0.6	5
43	A parallel analog intelligent vision sensor with a variable receptive field. Systems and Computers in Japan, 1999, 30, 60-69.	0.2	17
44	A single chip CMOS APS camera with direct frame difference output. , 0, , .		1
45	A new design for a 1280Å—1024 digital CMOS image sensor with enhanced sensitivity, dynamic range and FPN. , 0, , .		3
46	Creating 35 mm camera active pixel sensors. , 0, , .		12
47	Analysis and characterization of the spectral response of CMOS based integrated circuit (IC) photodetectors. , 0, , .		2
48	A low-power digital camera-on-a-chip implemented in CMOS active pixel approach. , 1999, , .		10
49	Design and fabrication of a high-dynamic-range image sensor in TFA technology. IEEE Journal of Solid-State Circuits, 1999, 34, 704-711.	5.4	42
50	A single-chip CMOS APS camera with direct frame difference output. IEEE Journal of Solid-State Circuits, 1999, 34, 1415-1418.	5.4	60
51	A novel optical Bi-Cell with integrated readout circuitry. , 0, , .		2
52	<title>Pixel-level processing: why, what, and how?</title>. , 1999, , .		61
53	<title>Analysis of temporal noise in CMOS APS</title>. , 1999, , .		33
54	Column readout circuit with global charge amplifier for CMOS APS imagers. Electronics Letters, 2000, 36, 1457.	1.0	14

#	ARTICLE	IF	CITATIONS
55	Analysis and reduction of signal readout circuitry temporal noise in CMOS image sensors for low-light levels. IEEE Transactions on Electron Devices, 2000, 47, 949-962.	3.0	57
56	Sensitivity of CMOS based imagers and scaling perspectives. IEEE Transactions on Electron Devices, 2000, 47, 2110-2122.	3.0	146
57	Solid-State Image Sensing. , 2000, , 111-151.		9
58	How small should pixel size be?. , 2000, 3965, 451.		63
59	Radiation effects on active pixel sensors. , 0, , .		9
60	A single-chip programmable digital CMOS imager with enhanced low-light detection capability. , 0, , .		6
61	Radiation-induced dark current in CMOS active pixel sensors. IEEE Transactions on Nuclear Science, 2000, 47, 2485-2491.	2.0	48
62	High responsivity CMOS imager pixel implemented in SOI technology. , 0, , .		13
63	Switched-current filter design for image processing systems. , 0, , .		1
64	Vertically integrated sensors for advanced imaging applications. IEEE Journal of Solid-State Circuits, 2000, 35, 939-945.	5.4	21
65	<title>CMOS active pixel sensor specific performance effects on star tracker/imager position accuracy</title>. , 2001, , .		49
66	A programmable focal-plane MIMD image processor chip. IEEE Journal of Solid-State Circuits, 2001, 36, 64-73.	5.4	48
67	Analysis of temporal noise in CMOS photodiode active pixel sensor. IEEE Journal of Solid-State Circuits, 2001, 36, 92-101.	5.4	303
68	Design and characterization of ionizing radiation-tolerant CMOS APS image sensors up to 30 Mrd (Si) total dose. IEEE Transactions on Nuclear Science, 2001, 48, 1796-1806.	2.0	70
69	Smart sensors for 3D digitization. , 0, , .		2
70	CMOS imager with charge-leakage compensated frame difference and sum output. , 0, , .		0
71	A correlation retina for real-time pattern recognition. , 0, , .		0
72	Theoretical analysis of hybrid flat-panel detector arrays for digital x-ray fluoroscopy: general sys. IEEE Sensors Journal, 2001, 1, 168.	4.7	4

#	ARTICLE	IF	CITATIONS
73	CMOS image sensor camera with focal plane edge detection. , 0, , .		14
74	A dual pixel-type imager for imaging and motion centroid localization. , 0, , .		3
75	A wide dynamic range CMOS imager with extended shunting inhibition image processing capabilities. , 0, , .		8
76	Avalanche photodiode image sensor in standard silicon BiCMOS technology. Sensors and Actuators A: Physical, 2001, 90, 82-88.	4.1	6
77	IC-compatible optical sensor for adaptive optics. , 0, , .		0
78	Modelling, calibration and correction of nonlinear illumination dependent fixed pattern noise in logarithmic CMOS image sensors. , 0, , .		8
79	Light and sound data fusion in analog VLSI. , 0, , .		0
80	Switched-current implementation of two-dimensional DCT for image processing. , 0, , .		3
81	A dual pixel-type array for imaging and motion centroid localization. IEEE Sensors Journal, 2002, 2, 529-548.	4.7	16
82	Implementation of steerable spatiotemporal image filters on the focal plane. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2002, 49, 233-244.	2.2	63
83	A differential summing amplifier for analog VLSI systems. , 0, , .		0
84	New pixel-shared design and split-path readout of CMOS image sensor circuits. , 0, , .		0
85	A CMOS imager with real-time frame differencing and centroid computation. , 0, , .		6
86	Dynamically reconfigurable vision with high performance CMOS active pixel sensors (APS). , 0, , .		10
87	A pipelined temporal difference imager. , 0, , .		3
88	Shunting inhibition-based on-chip processing for CMOS imagers. , 0, , .		1
89	Empirical dark current modeling for complementary metal oxide semiconductor active pixel sensor. Optical Engineering, 2002, 41, 1216.	1.0	22
90	Development of high-performance monolithic CMOS detectors for space applications. , 2002, , .		3

#	ARTICLE	IF	CITATIONS
91	Calculating direction of motion with sustained and transient responses of silicon retina. , 0, , .		2
92	Precise FPN compensation circuit for CMOS APS. Electronics Letters, 2002, 38, 1078.	1.0	4
93	<title>Customized CMOS wavefront sensor</title>. , 2002, 4493, 88.		2
94	<title>Active-area shape influence on the dark current of CMOS imagers</title>. , 2002, , .		2
95	Reset noise suppression in two-dimensional CMOS photodiode pixels through column-based feedback-reset. , 0, , .		24
96	Novel CMOS image sensor with a 132-dB dynamic range. IEEE Journal of Solid-State Circuits, 2002, 37, 1846-1852.	5.4	68
97	Single-chip CMOS image sensor for mobile applications. IEEE Journal of Solid-State Circuits, 2002, 37, 1839-1845.	5.4	45
98	An ultra-low dark current CMOS image sensor cell using n/sup +/- ring reset. IEEE Electron Device Letters, 2002, 23, 538-540.	3.9	25
99	Low-power motion vector estimation using iterative search block-matching methods and a high-speed non-destructive CMOS image sensor. IEEE Transactions on Circuits and Systems for Video Technology, 2002, 12, 1084-1092.	8.3	15
100	A biologically-motivated CMOS vision chip for edge detection robust to device mismatches. , 0, , .		0
101	High dynamic range CMOS image sensor with conditional reset. , 0, , .		15
102	Modeling, calibration, and correction of nonlinear illumination-dependent fixed pattern noise in logarithmic CMOS image sensors. IEEE Transactions on Instrumentation and Measurement, 2002, 51, 996-1001.	4.7	48
103	Active pixel circuits and signal processing techniques for a chopperless pyroelectric infrared image sensor. Sensors and Actuators A: Physical, 2002, 97-98, 184-192.	4.1	1
104	Transversal-readout architecture for CMOS active pixel image sensors. IEEE Transactions on Electron Devices, 2003, 50, 121-129.	3.0	8
105	A CMOS image sensor with dark-current cancellation and dynamic sensitivity operations. IEEE Transactions on Electron Devices, 2003, 50, 91-95.	3.0	20
106	Photoresponse analysis and pixel shape optimization for CMOS active pixel sensors. IEEE Transactions on Electron Devices, 2003, 50, 12-18.	3.0	50
107	A CMOS image sensor with a double-junction active pixel. IEEE Transactions on Electron Devices, 2003, 50, 32-42.	3.0	19
108	CMOS APS crosstalk characterization via a unique submicron scanning system. IEEE Transactions on Electron Devices, 2003, 50, 1994-1997.	3.0	18

#	ARTICLE	IF	CITATIONS
109	Current-mode CMOS image sensor using lateral bipolar phototransistors. IEEE Transactions on Electron Devices, 2003, 50, 2570-2573.	3.0	20
110	Sensors optimized for 3-D digitization. IEEE Transactions on Instrumentation and Measurement, 2003, 52, 903-908.	4.7	3
111	A cmos chip for individual cell manipulation and detection. IEEE Journal of Solid-State Circuits, 2003, 38, 2297-2305.	5.4	260
112	A CMOS image sensor (CIS) architecture with low power motion detection for portable security camera applications. IEEE Transactions on Consumer Electronics, 2003, 49, 1227-1233.	3.6	14
113	An analog vlsi chip emulating sustained and transient response channels of the vertebrate retina. IEEE Transactions on Neural Networks, 2003, 14, 1405-1412.	4.2	86
114	CMOS digital imager design from a system-on-a-chip perspective. , 0, , .		0
115	A novel ultra-low power reset/read-out technique for megapixels current-mode CMOS imagers. , 0, , .		0
116	A photocell-array with on-chip normalisation and mismatch compensation. , 2003, , .		0
117	Unique sub-micron scanning system use for CMOS APS crosstalk characterization. , 2003, 5017, 136.		12
118	A silicon retina system that calculates direction of motion. , 0, , .		8
119	Accurate estimation of conversion gain and quantum efficiency in CMOS imagers. , 2003, 5017, 94.		20
120	An analog silicon retina with multi-chip configuration. , 0, , .		5
121	Edge and motion detection using a bio-inspired CMOS vision chip robust to device mismatches. , 2003, , .		1
122	Design and optimization of 0.25/ $\mu\text{m}$ technology low-voltage low-power CMOS APS with device scaling considerations. , 2003, , .		0
123	Photoresponse Analysis and Pixel Shape Optimization for CMOS APS. , 2004, , 75-98.		0
124	Focal-Plane Analog Image Processing. , 2004, , 141-202.		1
125	CMOS SOI image sensor. , 0, , .		6
126	Complimentary metal-oxide semiconductor linear photosensor array for 3-D reconstruction applications. Optical Engineering, 2004, 43, 2448.	1.0	2



#	ARTICLE	IF	CITATIONS
127	Active Pixel Sensor Design: From Pixels to Systems. , 2004, , 99-139.		1
128	<title>Noise modeling for design and simulation of computational imaging systems</title> . , 2004, 5438, 159.		18
129	A Comprehensive CMOS APS Crosstalk Study: Photoresponse Model, Technology, and Design Trends. IEEE Transactions on Electron Devices, 2004, 51, 2033-2041.	3.0	30
130	Advanced output chains for CMOS image sensors based on an active column sensor approachâ€”a detailed comparison. Sensors and Actuators A: Physical, 2004, 116, 304-311.	4.1	3
131	Modelling of high dynamic range logarithmic CMOS image sensors. , 0, , .		10
132	Motion detection sensor based on CMOS floating-gate devices. , 0, , .		1
133	Chemical Sensing Systems Using Xerogel-Based Sensor Elements and CMOS Photodetectors. IEEE Sensors Journal, 2004, 4, 180-188.	4.7	24
134	A CMOS/LCOS Image Transceiver Chip for Smart Goggle Applications. IEEE Transactions on Circuits and Systems for Video Technology, 2004, 14, 269-273.	8.3	10
135	High-speed CMOS image sensor circuits with in situ frame storage. IEEE Transactions on Nuclear Science, 2004, 51, 1648-1656.	2.0	42
136	Correlated double sample design for CMOS image readout IC. , 0, , .		9
137	Model for electrical simulation of photogate active pixel sensor. , 0, , .		0
138	Noise response in a CMOS active pixel sensor due to the radiation effects. , 0, , .		1
139	An FPGA controller for the image transceiver device. , 0, , .		1
140	An ultra-low power operating technique for mega-pixels current-mediated CMOS imagers. IEEE Transactions on Consumer Electronics, 2004, 50, 46-53.	3.6	14
141	An embedded analog spatial filter design of the current-mode CMOS image sensor. IEEE Transactions on Consumer Electronics, 2004, 50, 945-951.	3.6	9
142	When are smart sensors smart? An example of an illuminationâ€”adaptive image sensor. Sensor Review, 2004, 24, 156-166.	1.8	4
143	Prototype robotic arm assisted by smart CMOS vision chips. , 0, , .		0
144	CMOS active pixel image sensor with in-pixel CDS for high-speed cameras. , 2005, , .		9

#	ARTICLE	IF	CITATIONS
145	The fabrication of filter-less fluorescence detection sensor array using CMOS image sensor technique. , 0, , .		0
146	A Complementary Metal-Oxide-Semiconductor Vision Chip for Edge and Motion Detection with a Function for Output Offset Cancellation. Optical Review, 2005, 12, 15-19.	2.0	4
147	Efficiency Analysis for a Mixed-Signal Focal Plane Processing Architecture. Journal of Signal Processing Systems, 2005, 41, 65-80.	1.0	1
148	Study of CMOS APS responsivity enhancement: ring-shaped photodiode. IEEE Transactions on Electron Devices, 2005, 52, 126-129.	3.0	2
149	Exact Noise Analysis of a CMOS BDJ APS. , 0, , .		4
150	An image pre-processing system employing neuromorphic 100 x 100 pixel silicon retina. , 0, , .		18
151	Pixel noise suppression via SoC management of tapered reset in a 1920/spl times/1080 CMOS image sensor. IEEE Journal of Solid-State Circuits, 2005, 40, 2766-2776.	5.4	24
152	Second Generation Current Mode Active Pixel Sensor. , 0, , .		0
153	The computational current mediated CMOS imager based on local threshold algorithm for low-cost consumer applications. , 0, , .		3
154	Noise analysis of a CMOS active pixel sensor for tomographic mammography. , 2005, , .		1
155	A head-mounted, image transceiver-based, low vision aid. International Congress Series, 2005, 1282, 512-516.	0.2	0
156	Self-Powered Active Pixel Sensors for Ultra Low-Power Applications. , 0, , .		9
157	Adaptive Edge-Preserving Filter for CMOS Image Sensor Cross-Talk Compensation. , 2006, , .		1
158	CMOS Image Sensors With Self-Powered Generation Capability. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2006, 53, 1210-1214.	2.2	43
159	CMOS Image Sensor with Analog Gamma Correction using Nonlinear Single-Slope ADC. , 0, , .		9
160	An Analog Silicon Retina With Multichip Configuration. IEEE Transactions on Neural Networks, 2006, 17, 197-210.	4.2	14
161	A 100dB dynamic range CMOS image sensor with global shutter. , 2006, , .		2
162	A New Spatiotemporal CMOS Imager With Analog Accumulation Capability for Nanosecond Low-Power Pulse Detections. IEEE Sensors Journal, 2006, 6, 1200-1208.	4.7	11

#	ARTICLE	IF	CITATIONS
163	A single chip image sensor embedded smooth spatial filter with A/D conversion. , 0, , .		0
164	A novel scalable spiking pixel architecture for deep submicron CMOS technologies. , 2006, , .		0
165	A simplified normal optical flow measurement CMOS camera. IEEE Transactions on Circuits and Systems Part 1: Regular Papers, 2006, 53, 1223-1234.	0.1	24
166	A 120dB CMOS Imager with a Light Adaptive System and Digital Outputs. , 0, , .		1
167	A highly sensitive microsystem based on nanomechanical biosensors for genomics applications. Sensors and Actuators B: Chemical, 2006, 118, 2-10.	7.8	68
168	Review of CMOS image sensors. Microelectronics Journal, 2006, 37, 433-451.	2.0	445
169	A Bio-Inspired 128 Å— 128 Complementary Metal-Oxide-Semiconductor Vision Chip for Edge Detection with Signal Processing Circuit Separated from Photo-Sensing Circuit. Optical Review, 2006, 13, 320-325.	2.0	8
170	Analysis of noise characteristics for the active pixels in CMOS image sensors for X-ray imaging. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 565, 263-267.	1.6	5
171	A pixelated MIMO wireless optical communication system. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 859-874.	2.9	127
172	A novel filterless fluorescence detection sensor for DNA analysis. IEEE Transactions on Electron Devices, 2006, 53, 553-558.	3.0	46
173	Analysis and Optimization of Signal-to-Noise Ratio in CMOS Active Pixels for High Resolution X-ray Imaging. , 2006, , .		0
174	A Complementary Metal-Oxide-Semiconductor Image Sensor with Analog Gamma Correction Using a Nonlinear Single-Slope Analog-to-Digital Converter. Japanese Journal of Applied Physics, 2006, 45, 2522-2524.	1.5	4
175	Ramp Slope Built-in-Self-Calibration Scheme for Single-Slope Column Analog-to-Digital Converter Complementary Metal-Oxide-Semiconductor Image Sensor. Japanese Journal of Applied Physics, 2006, 45, L201-L203.	1.5	4
176	Neuromorphic Vision Systems for Mobile Applications. , 2006, , .		9
177	Signal and noise modeling and analysis of complementary metal-oxide semiconductor active pixel sensors. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2006, 24, 879-882.	2.1	6
178	A 120-dB Dynamic Range CMOS Image Sensor with Programmable Power Responsivity. , 2006, , .		7
179	LOW VOLTAGE SOI CMOS IMAGE SENSOR WITH PINNED PHOTODIODE ON HANDLE WAFER. International Journal of Modern Physics B, 2006, 20, 4207-4212.	2.0	0
180	Impact of Substrate Bias on Fixed-Pattern-Noise in Active Pixel Sensor Cells. Japanese Journal of Applied Physics, 2007, 46, 7303.	1.5	0

#	ARTICLE	IF	CITATIONS
181	Transient Response and Fixed Pattern Noise in Logarithmic CMOS Image Sensors. IEEE Sensors Journal, 2007, 7, 1191-1199.	4.7	10
182	CMOS Image Sensors: Two-Dimensional MTF for Anisotropic Resolution Characterization. IEEE Sensors Journal, 2007, 7, 947-952.	4.7	2
183	Fixed pattern noise correction for wide dynamic range linear-logarithmic pixels. Midwest Symposium on Circuits and Systems, 2007, , .	1.0	5
184	Back-illuminated three-dimensionally integrated CMOS image sensors for scientific applications. Proceedings of SPIE, 2007, , .	0.8	8
185	A Portable Surveillance Camera Architecture using One-bit Motion Detection. IEEE Transactions on Consumer Electronics, 2007, 53, 1254-1259.	3.6	13
186	Surveillance camera SOC architecture using one-bit motion detection for portable applications. , 2007, , .		1
187	An Extremely Low-Power CMOS Glare Sensor. IEEE Sensors Journal, 2007, 7, 1145-1151.	4.7	9
188	An on-pixel FPN reduction method for a high dynamic range CMOS imager. Solid-State Circuits Conference, 2008 ESSCIRC 2008 34th European, 2007, , .	0.0	13
189	Signal Processing Architectures for Low-Noise High-Resolution CMOS Image Sensors. , 2007, , .		14
190	Design and Implementation of the Image Quality Analyzing System of CMOS Camera. , 2007, , .		2
191	CMOS Camera With In-Pixel Temporal Change Detection and ADC. IEEE Journal of Solid-State Circuits, 2007, 42, 2187-2196.	5.4	68
192	The design of an active pixel sensor test structure optimised for the read out of scintillator screens. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 573, 30-33.	1.6	0
193	High speed SOI CMOS image sensor with pinned photodiode on handle wafer. Microelectronics Journal, 2007, 38, 102-107.	2.0	8
194	CMOS image sensor employing 3.3V 12bit 6.3MS/s pipelined ADC. Sensors and Actuators A: Physical, 2007, 135, 119-125.	4.1	10
195	Design and Characterization of CMOS/SOI Image Sensors. IEEE Transactions on Electron Devices, 2007, 54, 468-475.	3.0	17
196	32 Å— 32 SOI CMOS image sensor with pinned photodiode on handle wafer. Optical Review, 2007, 14, 125-130.	2.0	3
197	A CMOS optical PSD with submicrometer resolution. Analog Integrated Circuits and Signal Processing, 2007, 53, 109-118.	1.4	5
198	Design and implementation of CMOS image sensor. Journal of Electronics, 2007, 24, 95-99.	0.2	1

#	ARTICLE	IF	CITATIONS
199	Characterization of the PHOCla,ç data integrated video sensor technology. Analog Integrated Circuits and Signal Processing, 2008, 56, 61-69.	1.4	0
200	Low-Noise In-Pixel Comparing Active Pixel Sensor Using Column-Level Single-Slope ADC. IEEE Transactions on Electron Devices, 2008, 55, 3383-3388.	3.0	23
201	A CMOS Image Sensor for Multi-Level Focal Plane Image Decomposition. IEEE Transactions on Circuits and Systems I: Regular Papers, 2008, 55, 2561-2572.	5.4	35
202	A Low-Light CMOS Contact Imager With an Emission Filter for Biosensing Applications. IEEE Transactions on Biomedical Circuits and Systems, 2008, 2, 193-203.	4.0	35
203	A Study of Stray Minority Carrier Diffusion in CMOS Image Sensors. IEEE Electron Device Letters, 2008, 29, 341-343.	3.9	2
204	Noise Analysis and Simulation Method for a Single-Slope ADC With CDS in a CMOS Image Sensor. IEEE Transactions on Circuits and Systems I: Regular Papers, 2008, 55, 2980-2987.	5.4	39
205	A logarithmic CMOS digital pixel sensor. , 2008, , .		1
206	An auto-switched mode CMOS image sensor for high dynamic range scientific imaging applications. , 2008, , .		2
207	Light detecting devices: their use for colour measurement and image capture. Review of Progress in Coloration and Related Topics, 2004, 34, 72-85.	0.2	3
208	The Image Transceiver Device: Studies of Improved Physical Design. Sensors, 2008, 8, 4350-4364.	3.8	6
209	A novel digital pixel sensor system. , 2009, , .		1
210	Robust Real-Time Super-Resolution on FPGA and an Application to Video Enhancement. ACM Transactions on Reconfigurable Technology and Systems, 2009, 2, 1-29.	2.5	12
211	Wide-Dynamic-Range CMOS Image Sensorsâ€”Comparative Performance Analysis. IEEE Transactions on Electron Devices, 2009, 56, 2446-2461.	3.0	101
212	Smart optical CMOS sensor for endoluminal applications. Procedia Chemistry, 2009, 1, 1271-1274.	0.7	4
213	New CMOS readout circuit with background suppression and CDS for infrared focal plane array applications. Optoelectronics Letters, 2009, 5, 108-111.	0.8	0
214	A High Dynamic Range CMOS Image Sensor for Scientific Imaging Applications. IEEE Sensors Journal, 2009, 9, 1209-1218.	4.7	23
215	Focal-Plane Algorithmically-Multiplying CMOS Computational Image Sensor. IEEE Journal of Solid-State Circuits, 2009, 44, 1829-1839.	5.4	56
216	An Activity-Triggered 95.3 dB DR \$-75.6 dB THD CMOS Imaging Sensor With Digital Calibration. IEEE Journal of Solid-State Circuits, 2009, 44, 2834-2843.	5.4	24

#	ARTICLE	IF	CITATIONS
217	Area-efficient low power CMOS image sensor readout circuit with fixed pattern noise cancellation. Transactions of Tianjin University, 2010, 16, 342-347.	6.4	0
218	Quantified Temperature Effect in a CMOS Image Sensor. IEEE Transactions on Electron Devices, 2010, 57, 422-428.	3.0	15
219	Simulation and Measurements of Stray Minority Carrier Protection Structures in CMOS Image Sensors. IEEE Transactions on Electron Devices, 2010, 57, 2213-2220.	3.0	3
220	Smart optical CMOS sensor for endoluminal applications. Sensors and Actuators A: Physical, 2010, 162, 297-303.	4.1	21
221	A variable topology partitioned pixel amplifier for low and high light level detection in a CMOS imager. , 2010, , .		2
222	Intensity histogram CMOS image sensor for adaptive optics. , 2010, , .		1
223	Temperature compensation method for logarithmic CMOS vision sensor using CMOS voltage reference Bandgap technique. , 2010, , .		1
224	Integrated Bio-Imaging Sensor Array with Complementary Metalâ€“Oxideâ€“Semiconductor Cascode Sourceâ€“Drain Follower. Japanese Journal of Applied Physics, 2010, 49, 04DL01.	1.5	3
225	Standard linear CMOS image sensor insensitive to temperature variations. , 2010, , .		1
226	Light-adaptive vision system for remote surveillance using a smart vision chip. , 2010, , .		1
227	X-axis spatial redundancy suppression: Contribution to the integration of smart reading techniques in a standard CMOS vision sensor. , 2010, , .		3
228	A 192&#x00D7;108 pixel ToF-3D image sensor with single-tap concentric-gate demodulation pixels in 0.13 &#x00B5;m technology. , 2011, , .		1
229	In-pixel implementation of an area-efficient analog-signal-processing for CMOS-3D image sensor. , 2011, , .		1
230	CMOS image sensor binning circuit for low-light imaging. , 2011, , .		5
232	Performance Improvement of CMOS APS Pixels using Photodiode Peripheral Utilization Method. , 2011, , .		0
233	Analysis and estimation of NEP and DR in CMOS TOF-3D image sensor based on MDSI. Sensors and Actuators A: Physical, 2011, 169, 66-73.	4.1	6
234	Wide-Dynamic-Range APS-Based Silicon Retina With Brightness Constancy. IEEE Transactions on Neural Networks, 2011, 22, 1482-1493.	4.2	19
235	Autonomous low-power glare sensing chip. Electronics Letters, 2011, 47, 508.	1.0	0

#	ARTICLE	IF	CITATIONS
236	CMOS 3-T digital pixel sensor with in-pixel shared comparator. , 2012, , .		2
237	A double-delta compensating technique for pulse-frequency modulation CMOS image sensor. , 2012, , .		0
238	An 8-segmented 256x512 CMOS image sensor for processing element-coupled unified system in machine vision application. , 2012, , .		1
239	High and Low Light CMOS Imager Employing Wide Dynamic Range Expansion and Low Noise Readout. IEEE Sensors Journal, 2012, 12, 2172-2179.	4.7	8
240	A CMOS-Microfluidic Chemiluminescence Contact Imaging Microsystem. IEEE Journal of Solid-State Circuits, 2012, 47, 2822-2833.	5.4	20
241	Noise Performance of Time-Domain CMOS Image Sensors. , 0, , .		0
242	A 1500 fps Highly Sensitive 256x256 CMOS Imaging Sensor With In-Pixel Calibration. IEEE Journal of Solid-State Circuits, 2012, 47, 1408-1418.	5.4	49
243	A Low-Noise Dual-Stage a-Si:H Active Pixel Sensor. IEEE Transactions on Electron Devices, 2012, 59, 1679-1685.	3.0	2
244	A CMOS image sensor with low-complexity video compression for wireless sensor networks. , 2013, , .		2
245	Contribution to the design of a CMOS image sensor with low-complexity video compression for wireless sensor networks. Journal of Systems Architecture, 2013, 59, 818-825.	4.3	7
246	CMOS Tunable-Wavelength Multi-Color Photogate Sensor. IEEE Transactions on Biomedical Circuits and Systems, 2013, 7, 805-819.	4.0	9
247	Tri-Mode Smart Vision Sensor With 11-Transistors/Pixel for Wireless Sensor Networks. IEEE Sensors Journal, 2013, 13, 2102-2108.	4.7	9
248	A Quad-Sampling Wide-Dynamic-Range Pulse-Frequency Modulation Pixel. IEEE Transactions on Electron Devices, 2013, 60, 805-811.	3.0	10
249	An event-detection high dynamic range CMOS image sensor. , 2013, , .		1
250	A low power multi-mode CMOS image sensor with integrated on-chip motion detection. , 2013, , .		2
251	A CURRENT SOURCE WITH IMMUNITY FROM IR-DROP FOR HIGH-RESOLUTION CMOS IMAGE SENSORS. Journal of Circuits, Systems and Computers, 2013, 22, 1250076.	1.5	2
252	Circuits for high performance complementary metal-oxide-semiconductor (CMOS) image sensors. , 2014, , 124-164.		2
253	A Low-Power Multifunctional CMOS Sensor Node for an Electronic Facade. IEEE Transactions on Circuits and Systems I: Regular Papers, 2014, 61, 2550-2559.	5.4	14

#	ARTICLE	IF	CITATIONS
254	A Time-of-Flight 3-D Image Sensor With Concentric-Photogates Demodulation Pixels. IEEE Transactions on Electron Devices, 2014, 61, 870-877.	3.0	11
255	Thirty Two-Stage CMOS TDI Image Sensor With On-Chip Analog Accumulator. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2014, 22, 951-956.	3.1	23
257	An Ultrahigh-Resolution Digital Image Sensor with Pixel Size of 50 nm by Vertical Nanorod Arrays. Advanced Materials, 2015, 27, 4454-4460.	21.0	45
258	An Analog Front-End IC Design for 320 $\times$ 240 Microbolometer Array Applications. IEEE Transactions on Circuits and Systems II: Express Briefs, 2015, 62, 1048-1052.	3.0	4
259	Machine vision for airport runway identification. , 2015, , .		1
260	Microsystem for remote sensing of high energy radiation with associated extremely low photon flux densities. Proceedings of SPIE, 2015, , .	0.8	1
261	Sub-500-ps Temporal Resolution Streak-Mode Optical Sensor. IEEE Sensors Journal, 2015, 15, 6570-6583.	4.7	5
262	Amorphous InSnZnO Thin-Film Transistor Voltage-Mode Active Pixel Sensor Circuits for Indirect X-Ray Imagers. IEEE Transactions on Electron Devices, 2016, 63, 4802-4810.	3.0	15
263	A vector light detector for proximity sensing applications. , 2016, , .		4
264	Direct Electron Detectors. Methods in Enzymology, 2016, 579, 1-17.	1.0	158
265	CMOS image sensor with lateral electric field modulation pixels for fluorescence lifetime imaging with sub-nanosecond time response. Japanese Journal of Applied Physics, 2016, 55, 04EM06.	1.5	8
266	Machine Vision Identification of Airport Runways with Visible and Infrared Videos. Journal of Aerospace Computing, Information, and Communication, 2016, 13, 266-277.	0.8	3
267	Organic Photodiodes: The Future of Full Color Detection and Image Sensing. Advanced Materials, 2016, 28, 4766-4802.	21.0	599
268	Dynamic Range Extension of a SPAD Imager Using Non-Uniformity Correction Techniques. IEEE Sensors Journal, 2016, 16, 2988-2992.	4.7	4
269	A SPAD-Based QVGA Image Sensor for Single-Photon Counting and Quanta Imaging. IEEE Transactions on Electron Devices, 2016, 63, 189-196.	3.0	95
270	Design and Demonstration of 820-GHz Array Using Diode-Connected NMOS Transistors in 130-nm CMOS for Active Imaging. IEEE Transactions on Terahertz Science and Technology, 2016, 6, 306-317.	3.1	63
271	A 128-Stage CMOS TDI Image Sensor With On-Chip Digital Accumulator. IEEE Sensors Journal, 2016, 16, 1319-1324.	4.7	16
273	Image acquisition and motion positioning system design based on the projection lens wavefront aberration measurement. Proceedings of SPIE, 2017, , .	0.8	0



#	ARTICLE	IF	CITATIONS
274	A silicon vector light sensor for proximity sensing applications. , 2017, , .		3
275	G-Channel Restoration for RWB CFA with Double-Exposed W Channel. <i>Sensors</i> , 2017, 17, 293.	3.8	6
276	Suppression method of low-frequency noise for two-dimensional integrated magnetic sensor. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 04CF05.	1.5	2
278	O(N)-Space Spatiotemporal Filter for Reducing Noise in Neuromorphic Vision Sensors. <i>IEEE Transactions on Emerging Topics in Computing</i> , 2018, , 1-1.	4.6	36
279	Integrated Silicon Photodetectors. <i>Springer Series in Advanced Microelectronics</i> , 2018, , 25-104.	0.3	0
280	Integration of 555 temperature sensors into a 64 Å— 192 CMOS image sensor. <i>Sensors and Actuators A: Physical</i> , 2018, 282, 243-250.	4.1	5
281	Multi-Aperture-Based Probabilistic Noise Reduction of Random Telegraph Signal Noise and Photon Shot Noise in Semi-Photon-Counting Complementary-Metal-Oxide-Semiconductor Image Sensor. <i>Sensors</i> , 2018, 18, 977.	3.8	1
282	2D organic semiconductors, the future of green nanotechnology. <i>Nano Materials Science</i> , 2019, 1, 246-259.	8.8	45
283	Four-Dimensional Scanning Transmission Electron Microscopy (4D-STEM): From Scanning Nanodiffraction to Ptychography and Beyond. <i>Microscopy and Microanalysis</i> , 2019, 25, 563-582.	0.4	470
284	A high-dynamic range CMOS camera based on dual-gain channels. <i>Journal of Real-Time Image Processing</i> , 2020, 17, 703-712.	3.5	4
285	CMOS circuits for high-performance imaging. , 2020, , 119-160.		1
286	Memristive GAN in Analog. <i>Scientific Reports</i> , 2020, 10, 5838.	3.3	35
287	Complementary Metalâ€“Oxideâ€“Semiconductor Potentiometric Field-Effect Transistor Array Platform Using Sensor Learning for Multi-ion Imaging. <i>Analytical Chemistry</i> , 2020, 92, 5276-5285.	6.5	34
288	A Single Slope ADC With Row-Wise Noise Reduction Technique for CMOS Image Sensor. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020, 67, 2873-2882.	5.4	33
289	Surface plasmon enhanced Organic color image sensor with Ag nanoparticles coated with silicon oxynitride. <i>Scientific Reports</i> , 2020, 10, 219.	3.3	7
290	A Compressive Sensing CMOS Image Sensor With Partition Sampling Technique. <i>IEEE Transactions on Industrial Electronics</i> , 2021, 68, 8874-8884.	7.9	5
291	Advances and Applications of Atomic-Resolution Scanning Transmission Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2021, 27, 943-995.	0.4	14
292	Trilayer organic narrowband photodetector with electrically-switchable spectral range and color sensing ability. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3814-3819.	5.5	8

#	ARTICLE	IF	CITATIONS
293	Active Pixel Sensor Multielectrode Array for High Spatiotemporal Resolution. , 2014, , 207-238.		8
294	Image Sensor Technology. Springer Series in Optical Sciences, 2011, , 27-47.	0.7	1
295	A Chopperless Pyroelectric Active Pixel Infrared Image Sensor Using Chip Shift Operation. , 2001, , 574-577.		1
296	Vision chip for edge detection with a function of pixel FPN reduction. Journal of Sensor Science and Technology, 2005, 14, 191-197.	0.2	4
297	Optimization of in vivo Cherenkov imaging dosimetry via spectral choices for ambient background lights and filtering. Journal of Biomedical Optics, 2021, 26, .	2.6	3
298	Title is missing!. Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 2000, 54, 286-289.	0.1	0
299	A Method for Integrating Gamma Correction and Gain Control Functions Using a Logarithmic Compression CMOS Image Sensor. IEEJ Transactions on Electronics, Information and Systems, 2001, 121, 1312-1317.	0.2	0
300	Design of a Fast CMOS APS Imager for High Speed Laser Detections. IFIP Advances in Information and Communication Technology, 2002, , 449-460.	0.7	0
301	An Improved Image Reconstruction Method for a Chopperless Pyroelectric Infrared Image Sensor. IEEJ Transactions on Sensors and Micromachines, 2002, 122, 166-171.	0.1	0
302	Design of a Vision Chip for Edge Detection with an Elimination Function of Output Offset due to MOSFET Mismatch. Journal of Sensor Science and Technology, 2002, 11, 255-262.	0.2	0
303	Trend of the study about analog integrated vision circuits.. The Brain & Neural Networks, 2003, 10, 62-67.	0.1	2
304	Integrated Silicon Photodetectors. Springer Series in Advanced Microelectronics, 2004, , 25-86.	0.3	0
305	Tracking a Moving Object Employing a Silicon Retina and FPGA Circuits. Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 2004, 58, 61-68.	0.1	0
306	Resolution improvement of a CMOS vision chip for edge detection by separating photo-sensing and edge detection circuits. Journal of Sensor Science and Technology, 2006, 15, 112-119.	0.2	2
307	SOI CMOS image sensor with pinned photodiode on handle wafer. Journal of Sensor Science and Technology, 2006, 15, 341-346.	0.2	0
308	Real Time Parallel Image Processing Using a Silicon Retina and FPGA Circuits. Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 2007, 61, 316-324.	0.1	2
309	Relationship between electrical stimulus strength and contraction force from the inside of small intestine. Journal of Sensor Science and Technology, 2008, 17, 1-8.	0.2	0
310	Vision chip for edge detection with resolution improvement through simplification of unit-pixel circuit. Journal of Sensor Science and Technology, 2008, 17, 15-22.	0.2	0

#	ARTICLE	IF	CITATIONS
311	Dynamic range expansion of active pixel sensor with output voltage feedback. Journal of Sensor Science and Technology, 2009, 18, 274-279.	0.2	4
312	Wide Dynamic Range Silicon Retina with Photodiode Capacitance Modulation. Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 2010, 64, 358-364.	0.1	1
313	Dynamic range extension of the n-well/gate-tied PMOSFET-type photodetector with a built-in transfer gate. Journal of Sensor Science and Technology, 2010, 19, 328-335.	0.2	4
314	Photon Detector Focal Plane Arrays. , 2010, , 715-775.		0
315	A Standard 3.5T CMOS Imager Including a Light Adaptive System for Integration Time Optimization. Lecture Notes in Electrical Engineering, 2011, , 81-93.	0.4	0
316	Light-Adaptive Vision System for Remote Surveillance Using an Edge Detection Vision Chip. Journal of Sensor Science and Technology, 2011, 20, 162-167.	0.2	0
317	Design of Current-Type Readout Integrated Circuit for 160 Å– 120 Pixel Array Applications. Journal of Electrical Engineering and Technology, 2012, 7, 221-224.	2.0	4
318	Response Mode Detection of a Linear-Logarithmic Image Sensor Using a Current-Mode Readout Circuit. Science Journal of Circuits Systems and Signal Processing, 2013, 2, 16.	0.1	0
320	Extension of the Dynamic Range in the CMOS Active Pixel Sensor Using a Stacked Photodiode and Feedback Structure. Journal of Sensor Science and Technology, 2013, 22, 256-261.	0.2	1
321	High Dynamic Range Image Sensors in Thin Film on ASIC Technology for Automotive Applications. , 1998, , 157-172.		2
322	Solid State Imaging Techniques. A CMOS Image Sensor for Focal-plane Compression using Analog 2-D DCT Circuits and an Adaptive Resolution A/D Converter.. Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 1998, 52, 206-213.	0.1	0
323	High Dynamic Range Image Sensors in Thin Film on ASIC Technology for Automotive Applications. , 1998, , 157-172.		3
324	Solid State Imaging Techniques. A method for Integration of Gamma Correction and Gain Control Circuits on a CMOS Image Sensor.. Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 1998, 52, 214-216.	0.1	0
325	CMOS Image Sensor Dreams of Intelligent Sensors. Image Sensors with Analog Image Processing Function.. Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 1999, 53, 166-171.	0.1	0
326	Microlens Array based on SiNx Metasurface for CMOS Image Sensor. , 2020, , .		0
328	Toward color-selective printed organic photodetectors for high-resolution image sensors: From fundamentals to potential commercialization. Materials Science and Engineering Reports, 2022, 147, 100660.	31.8	28
329	A 2.44 $\hat{1}$ / <sub>4</sub> s row conversion time 12-bit high-speed differential single-slope ADC with TDC applied to CMOS image sensor. Microelectronics Journal, 2022, 120, 105322.	2.0	5
330	A real-time high dynamic range intensified complementary metal oxide semiconductor camera based on FPGA. Optical and Quantum Electronics, 2022, 54, 1.	3.3	4

#	ARTICLE	IF	CITATIONS
331	Image Sensorâ€”CCD and CMOS. Lecture Notes in Electrical Engineering, 2023, , 455-484.	0.4	2
332	Thermodynamic Equilibriumâ€”Nonequilibrium Competition in Nanofilaments for Achieving Complementary Electronic Synapses. Advanced Functional Materials, 2022, 32, .	14.9	1
333	Tuneable Breakdown Voltage in Amorphous Silicon P-I-N Photo-detectors for Single Photon Imaging. , 2022, , .		0
334	Active pixel sensor matrix based on monolayer MoS2 phototransistor array. Nature Materials, 2022, 21, 1379-1387.	27.5	51
335	2 <sup>1</sup> / <sub>4</sub> s row time 12-bit column-parallel single slope ADC for high-speed CMOS image sensor. Microelectronics Journal, 2023, 135, 105768.	2.0	3
336	The Principle and Design of CMOS Active Pixel Sensor. , 0, 32, 143-149.		1
337	Self-adaptive fusion method for scientific CMOS image sensors with variable gain ratios and background values. Review of Scientific Instruments, 2023, 94, .	1.3	0
338	CCD Sensor Based Cameras for Sustainable Streaming IoT Applications With Compressed Sensing. IEEE Access, 2023, 11, 67882-67892.	4.2	1
339	Ambient Light Sensor with 358pW / cm <sup>2</sup> equivalent noise floor for behind screen operation. , 2023, , .		0
340	Doubleâ€”ended passivator enables <scp>darkâ€”currentâ€”suppressed</scp> colloidal quantum dot photodiodes for <scp>CMOSâ€”integrated</scp> infrared imagers. InformaÃƒnÃƒ-MateriÃƒly, 0, , .	17.3	0