

CITATION REPORT

List of articles citing

Effects of diet and exercise in preventing NIDDM in people with impaired glucose tolerance. The Da Qing IGT and Diabetes Study

DOI: 10.2337/diacare.20.4.537
Diabetes Care, 1997, 20, 537-44.

Source: <https://exaly.com/paper-pdf/28250216/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2333	Non-Caucasian North American Populations: African Americans. 155-179		
2332	Physical activity, obesity, and diabetes in pregnancy. 1997 , 146, 961-5		136
2331	The Fasting Hyperglycaemia Study: II. Randomized controlled trial of reinforced healthy-living advice in subjects with increased but not diabetic fasting plasma glucose. 1997 , 46, 50-5		49
2330	The changing face of macrovascular disease in non-insulin-dependent diabetes mellitus: an epidemic in progress. 1997 , 350 Suppl 1, S11-4		81
2329	Recurrence of gestational diabetes. 1998 , 38, 384-7		21
2328	Understanding the underlying metabolic abnormalities of polycystic ovary syndrome and their implications. 1998 , 179, S94-S100		19
2327	Impaired glucose tolerance â not a diagnosis. 1998 , 14, S5-S12		
2326	Type 2 diabetes mellitus: the grand overview. 1998 , 15, S4-S7		2
2325	No excess 12-year mortality in men with impaired glucose tolerance who participated in the Malm� Preventive Trial with diet and exercise. 1998 , 41, 1010-6		152
2324	The effects of exercise on cardiovascular risk factors in Type 2 diabetes mellitus. 1998 , 15, 151-156		5
2323	High prevalence of abnormal glucose tolerance and metabolic disturbances in first degree relatives of NIDDM patients. A study in Catalonia, a mediterranean community. 1998 , 41, 191-6		17
2322	The effect of occult diabetic status and oral glucose intake on brachial artery vasoactivity in patients with peripheral vascular disease. 1998 , 6, 584-9		3
2321	Prevention of type 2 diabetes. 1998 , 82, 805-21		14
2320	The STOP-NIDDM Trial: an international study on the efficacy of an alpha-glucosidase inhibitor to prevent type 2 diabetes in a population with impaired glucose tolerance: rationale, design, and preliminary screening data. Study to Prevent Non-Insulin-Dependent Diabetes Mellitus. <i>Diabetes Care</i> , 1998 , 21, 1720-5	14.6	150
2319	REFERENCE LIST. 1998 , 6, 183S-209S		
2318	Le diab�e de type 2 vu par lâidmiologiste. 1998 , 4, 1-12		2
2317	Lifestyle intervention in overweight individuals with a family history of diabetes. <i>Diabetes Care</i> , 1998 , 21, 350-9	14.6	322

2316	Aerobic endurance exercise or circuit-type resistance training for individuals with impaired glucose tolerance?. 1998 , 30, 37-41		102
2315	Variation of postprandial plasma glucose, palatability, and symptoms associated with a standardized mixed test meal versus 75 g oral glucose. <i>Diabetes Care</i> , 1998 , 21, 336-40	14.6	106
2314	Pharmacological intervention: the antidiabetic approach. 1998 , 28 Suppl 2, 23-5; discussion 25-6		2
2313	Early intervention in obesity: implications for impaired glucose tolerance and type II diabetes. 1998 , 28 Suppl 2, 1		
2312	Diabetes: a time for excitement-and concern. Hopeful signs exist that the ravages of diabetes can be tamed. 1998 , 317, 691-2		12
2311	Health promotion for coronary heart disease: past, present and future. 1998 , 19, 1751-7		9
2310	Multiple risk factor interventions for primary prevention of coronary heart disease. 2000 , CD001561		19
2309	The Diabetes Prevention Program. Design and methods for a clinical trial in the prevention of type 2 diabetes. <i>Diabetes Care</i> , 1999 , 22, 623-34	14.6	576
2308	Diabetes and exercise. 1999 , 33, 161-72; quiz 172-3, 222		63
2307	Walking compared with vigorous physical activity and risk of type 2 diabetes in women: a prospective study. 1999 , 282, 1433-9		575
2306	Diabetes mellitus in the family: perceptions of offspring's risk. 1999 , 16, 431-6		22
2305	Is insulin resistance the principal cause of type 2 diabetes?. 1999 , 1, 257-63		42
2304	Impact of cigarette smoking on the incidence of Type 2 diabetes mellitus in middle-aged Japanese men: the Osaka Health Survey. 1999 , 16, 951-5		74
2303	Modifiable risk factors for Type 2 diabetes mellitus in a peri-urban community in South Africa. 1999 , 16, 946-50		51
2302	A trial of simple versus intensified dietary modification for prevention of progression to diabetes mellitus in women with impaired glucose tolerance. 1999 , 39, 162-6		56
2301	Steps towards the prevention of obesity and associated complications. 1999 , 23 Suppl 4, S20-2		2
2300	Prevention of Type II diabetes in subjects with impaired glucose tolerance: the Diabetes Prevention Study (DPS) in Finland. Study design and 1-year interim report on the feasibility of the lifestyle intervention programme. 1999 , 42, 793-801		284
2299	Diabetes epidemiology as a tool to trigger diabetes research and care. 1999 , 42, 499-518		190

2298	Is fasting glucose sufficient to define diabetes? Epidemiological data from 20 European studies. The DECODE-study group. European Diabetes Epidemiology Group. <i>Diabetes Epidemiology: Collaborative analysis of Diagnostic Criteria in Europe</i> . 1999 , 42, 647-54	235
2297	Gestational diabetes mellitus and its complications. 1999 , 8, 82-9	1
2296	Decisional balance and stage of change in relation to weight loss, exercise and dietary fat reduction among Pacific Islands people. 1999 , 8, 39-45	10
2295	Changes induced by sucrose administration upon the morphology and function of pancreatic islets in the normal hamster. 1999 , 15, 106-12	15
2294	Physical activity, cardiometabolic health and older adults: recent findings. 1999 , 28, 315-23	9
2293	Clinical efficacy of metformin against insulin resistance parameters: sinking the iceberg. 1999 , 58 Suppl 1, 21-8; discussion 75-82	14
2292	High prevalence of impaired fasting glucose and type 2 diabetes mellitus in Penghu Islets, Taiwan: evidence of a rapidly emerging epidemic?. 1999 , 44, 59-69	18
2291	Serum fatty acid composition as a marker of eating habits in normal and diabetic subjects. 1999 , 46, 115-20	2
2290	Nutrition and exercise in individuals with diabetes. 1999 , 18, 585-606, vii-viii	19
2289	The retardation of vasculopathy induced by attenuation of insulin resistance in the corpulent JCR:LA-cp rat is reflected by decreased vascular smooth muscle cell proliferation in vivo. 1999 , 143, 245-51	33
2288	The protective effect of good physical fitness when young on the risk of impaired glucose tolerance when old. 1999 , 28, 14-9	14
2287	Long-term beta-carotene supplementation and risk of type 2 diabetes mellitus: a randomized controlled trial. 1999 , 282, 1073-5	96
2286	Interaction of physical activity and diet: implications for insulin-glucose dynamics. 1999 , 2, 363-8	22
2285	Type 2 diabetes in children and adolescents. American Diabetes Association. 2000 , 105, 671-80	447
2284	Interventions aimed at dietary and lifestyle changes to promote healthy aging. 2000 , 54 Suppl 3, S148-56	29
2283	Primary prevention of type 2 diabetes in high-risk populations. <i>Diabetes Care</i> , 2000 , 23, 879-81	14.6 37
2282	Using hospitalization rates to track the economic costs and benefits of improved diabetes care in the Americas: a proposal for health policy makers. <i>Diabetes Care</i> , 2000 , 23, 1844-6	14.6 7
2281	Lifestyle changes to reduce obesity. 2000 , 7, 240-246	

2280	American College of Sports Medicine position stand. Exercise and type 2 diabetes. 2000 , 32, 1345-60	404
2279	Effects of exercise on insulin resistance syndrome. 2000 , 11, 103-9	14
2278	The benefits of exercise for the health of older people. 2000 , 10, 17-31	25
2277	Dietary carbohydrates and insulin action in humans. 2000 , 83 Suppl 1, S97-102	80
2276	The Finnish Diabetes Prevention Study. 2000 , 83 Suppl 1, S137-42	113
2275	Can dietary intervention produce long-term reduction in insulin resistance?. 2000 , 83 Suppl 1, S169-72	20
2274	What can industry do to facilitate dietary and behavioural changes?. 2000 , 83 Suppl 1, S173-80	2
2273	Diabetes risk score: towards earlier detection of type 2 diabetes in general practice. 2000 , 16, 164-71	253
2272	Globalization, coca-colonization and the chronic disease epidemic: can the Domsday scenario be averted?. 2000 , 247, 301-10	283
2271	Effectiveness of a community-directed 'healthy lifestyle' program in a remote Australian aboriginal community. 2000 , 24, 136-44	136
2270	Clinicians changing individual food habits. 2000 , 9 Suppl 1, S55-9	1
2269	Cigarette smoking and risk for impaired fasting glucose and type 2 diabetes in middle-aged Japanese men. 2000 , 133, 183-91	90
2268	Tratamento do diabetes mellitus do tipo 2: novas opções. 2000 , 44, 509-518	4
2267	Diagnosing Australians at risk of diabetes mellitus in general practice. 2000 , 173, 61-2	3
2266	Increase in prevalence of obesity and diabetes and decrease in plasma cholesterol in a central Australian aboriginal community. 2000 , 172, 480-4	63
2265	Combined use of fasting plasma glucose and HbA1c predicts the progression to diabetes in Chinese subjects. <i>Diabetes Care</i> , 2000 , 23, 1770-3	14.6 49
2264	The Diabetes Prevention Program: baseline characteristics of the randomized cohort. The Diabetes Prevention Program Research Group. <i>Diabetes Care</i> , 2000 , 23, 1619-29	14.6 220
2263	Prevalence of diabetes among Native Americans and Alaska Natives, 1990-1997: an increasing burden. <i>Diabetes Care</i> , 2000 , 23, 1786-90	14.6 143

2262	Insulin resistance is not necessarily an essential component of type 2 diabetes. 2000 , 85, 2113-5	44
2261	Glucose intolerance and physical inactivity: the relative importance of low habitual energy expenditure and cardiorespiratory fitness. 2000 , 152, 132-9	82
2260	Can Nutrition and Exercise Prevent Chronic Disease States? Getting Back to the Basics of Healthcare Part 2: Exercise and Physical Activity. 2000 , 3, 35-49	
2259	Possible relationship between changes in islet neogenesis and islet neogenesis-associated protein-positive cell mass induced by sucrose administration to normal hamsters. 2000 , 165, 725-33	47
2258	Pathophysiology and pharmacological treatment of insulin resistance. 2000 , 21, 585-618	222
2257	Exercise behavior in a community sample with diabetes: understanding the determinants of exercise behavioral change. 2000 , 26, 450-9	75
2256	The role of exercise in type II diabetes mellitus. 2000 , 3, 77-82	10
2255	Diabetes--a common, growing, serious, costly, and potentially preventable public health problem. 2000 , 50 Suppl 2, S77-84	183
2254	Stemming the tide of diabetes mellitus. 2000 , 356, 1454-5	15
2253	Reduced or modified dietary fat for prevention of cardiovascular disease. 2000 , CD002137	56
2252	Physical activity and the prevention of type 2 diabetes mellitus: how much for how long?. 2000 , 29, 147-51	29
2251	Cost Estimates for Chronic Diseases. 2000 , 8, 29-41	6
2250	[ADA criteria undervalues the impact of diabetes in a high-risk Spanish population]. 2000 , 26, 517-24	2
2249	[Evidence for the benefits of moderated weight loss]. 2000 , 200, 349-50	
2248	Protocolo de prevención de la diabetes mellitus tipo 2. 2000 , 8, 1034-1035	
2247	[Undiagnosed diabetes and impaired glucose metabolism on high risk Spanish population. The IGT study]. 2000 , 114, 601-8	1
2246	Relationship of dietary fat to glucose metabolism. 2000 , 150, 227-43	184
2245	Optimizing the Delivery of Effective Diabetes Care. 2001 , 9, 683-690	

2244	Impaired fasting glucose and impaired glucose tolerance - lack of agreement between the two categories in a North Indian population. 2001 , 51, 145-9	9
2243	Randomised controlled trial evaluating the effectiveness of behavioural interventions to modify cardiovascular risk factors in men and women with impaired glucose tolerance: outcomes at 6 months. 2001 , 52, 29-43	55
2242	Diabetes mellitus--a special medical challenge from a Chinese perspective. 2001 , 54 Suppl 1, S19-27	30
2241	Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. 2001 , 344, 1343-50	7577
2240	Diet, lifestyle, and the risk of type 2 diabetes mellitus in women. 2001 , 345, 790-7	1935
2239	Early recognition and treatment of glucose abnormalities to prevent type 2 diabetes mellitus and coronary heart disease. 2001 , 76, 1137-43	10
2238	Exercise in weight management of obesity. 2001 , 19, 459-70	169
2237	[Watchwords for type-2 diabetes prevention in primary health care. The dilemma of the pre-diabetic status]. 2001 , 28, 193-200	1
2236	Diabetes gestacional. 2001 , 8, 587-596	
2235	Diabetes prevalence and risk factors in polycystic ovary syndrome. 2001 , 28, 99-109	33
2234	Behavioral science research in diabetes: lifestyle changes related to obesity, eating behavior, and physical activity. <i>Diabetes Care</i> , 2001 , 24, 117-23	14.6 300
2233	Non-industrialised countries and affluence. 2001 , 60, 33-50	93
2232	Role of physical activity in ensuring nutritional well-being in the elderly. 2001 , 90, 102-9	
2231	China. 247-251	2
2230	Diabetes mellitus type II. 2001 , 508-528	
2229	Type 2 Diabetes: Aetiology and Environmental Factors. 133-140	0
2228	. 2001 ,	16
2227	Screening the Population. 67-83	

- 2226 Gestational diabetes: universal or selective screening?. **2001**, 174, 113-4 3
- 2225 References. **2001**, 173-216
- 2224 An evolutionary history of human disease. **2001**, 9-22
- 2223 Depression and stress. **2001**, 136-152
- 2222 Preface. **2001**, xi-xii
- 2221 Introduction. **2001**, 1-8
- 2220 Obesity, type 2 diabetes and cardiovascular disease. **2001**, 23-49
- 2219 The thrifty genotype versus thrifty phenotype debate: efforts to explain between population variation in rates of type 2 diabetes and cardiovascular disease. **2001**, 50-74 1
- 2218 Reproductive cancers. **2001**, 75-98
- 2217 Reproductive function, breastfeeding and the menopause. **2001**, 99-119
- 2216 Asthma and allergic disease. **2001**, 120-135
- 2215 Conclusion. **2001**, 153-172
- 2214 Type 2 diabetes in First Nation children: A collaborative effort to assess and prevent disease. **2001**, 6, 755-9 2
- 2213 End-Stage Renal Disease Attributed to Diabetes Among American Indians/Alaska Natives With Diabetes—United States, 1990-1996. **2001**, 285, 37
- 2212 Health benefits of physical activity with special reference to interaction with diet. **2001**, 4, 517-28 71
- 2211 Effects of exercise on glucose homeostasis in Type 2 diabetes mellitus. **2001**, 33, S495-501; discussion S528-9 101
- 2210 Nonpharmacologic therapy in the treatment of insulin resistance. **2001**, 8, 219-225
- 2209 Epidemiology, Evidence for Prevention: Type 2 Diabetes. 41-49 2

2208	Polycystic Ovary Syndrome and Insulin Resistance: New Approaches to Management, including Exercise. 2001 , 23, 306-312	
2207	Is Obesity Realistically Treatable in Type 2 Diabetes?. 73-87	
2206	Unpowered Scooter-Related Injuries—United States, 1998-2000. 2001 , 285, 36	
2205	Should we screen for type 2 diabetes? Evaluation against National Screening Committee criteria. 2001 , 322, 986-8	97
2204	Prevention of type 2 diabetes. 2001 , 323, 63-4	18
2203	Obesity and sedentary lifestyle: modifiable risk factors for prevention of type 2 diabetes. 2001 , 1, 170-6	27
2202	Effects of changes in obesity and exercise on the development of diabetes and return to normal fasting plasma glucose levels at one-year follow-up in middle-aged subjects with impaired fasting glucose. 2001 , 6, 127-31	5
2201	Treating type 2 diabetes —today’s targets, tomorrow’s goals. 2001 , 3, 3-10	11
2200	Insulin resistance and associated metabolic abnormalities in muscle: effects of exercise. 2001 , 2, 47-59	39
2199	Globalization, coca-colonization and the chronic disease epidemic: can the Doomsday scenario be averted?. 2001 , 249, 17-26	8
2198	Change of glycaemic status in Chinese subjects with impaired fasting glycaemia. 2001 , 18, 745-8	14
2197	Reducing the risk of type 2 diabetes —covering all bases. 2001 , 18, S13-S15	
2196	Effect of an acute glucose overload on Islet cell morphology and secretory function in the toad. 2001 , 122, 130-8	8
2195	A screening procedure detecting high-yield candidates for OGTT. The Women’s Health in the Lund Area (WHILA) study: a population based study of middle-aged Swedish women. 2001 , 17, 943-51	25
2194	Global and societal implications of the diabetes epidemic. 2001 , 414, 782-7	4193
2193	Outcome success in obesity. 2001 , 9 Suppl 4, 354S-358S	68
2192	Modest lifestyle intervention and glucose tolerance in obese African Americans. 2001 , 9, 348-55	32
2191	Central obesity predicts the worsening of glycemia in southern Chinese. 2001 , 25, 1789-93	46

2190	Ethnicity and type 2 diabetes: focus on Asian Indians. 2001 , 15, 320-7		108
2189	Nutritional modulation of acute- and "chronic"-phase responses. 2001 , 17, 489-5		21
2188	Nutrition and diabetes in the Asia-Pacific region with reference to cardiovascular disease. 2001 , 10, 90-6		8
2187	Lifecycle nutrition and cardiovascular health: the aged. 2001 , 10, 118-21		
2186	Ramipril and the development of diabetes. 2001 , 286, 1882-5		390
2185	Hours of work and the risk of developing impaired fasting glucose or type 2 diabetes mellitus in Japanese male office workers. 2001 , 58, 569-74		33
2184	Mediators of lifestyle behavior change in Native Hawaiians: initial findings from the Native Hawaiian Diabetes Intervention Program. <i>Diabetes Care</i> , 2001 , 24, 1770-5	14.6	49
2183	Long-term (5-year) effects of a reduced-fat diet intervention in individuals with glucose intolerance. <i>Diabetes Care</i> , 2001 , 24, 619-24	14.6	183
2182	Glycated haemoglobin, diabetes, and mortality in men in Norfolk cohort of european prospective investigation of cancer and nutrition (EPIC-Norfolk). 2001 , 322, 15-8		641
2181	Diabetes Prevention: How About NOW?. 2001 , 19, 34-38		3
2180	Physical activity, physical fitness, and insulin and glucose concentrations in an isolated Native Canadian population experiencing rapid lifestyle change. <i>Diabetes Care</i> , 2001 , 24, 1787-92	14.6	64
2179	Potential for the prevention of type 2 diabetes. 2001 , 60, 183-99		37
2178	American Diabetes Association 60th Scientific Sessions, 2000: thiazolidinediones, obesity, and related topics. <i>Diabetes Care</i> , 2001 , 24, 162-6	14.6	4
2177	Epidemiologic data on the relationships of caloric intake, energy balance, and weight gain over the life span with longevity and morbidity. 2001 , 56 Spec No 1, 7-19		34
2176	Lifecycle nutrition and cardiovascular health: the aged. 2001 , 10, 118-121		
2175	The Diabetes Prevention Program: headline results. 2001 , 1, 62-64		6
2174	Low-fat diets for diabetes prevention. <i>Diabetes Care</i> , 2001 , 24, 613-4	14.6	4
2173	Translating wish lists to blueprints: A National Service Framework for diabetes. 2001 , 1, 57-61		0

2172	Development and validation of a questionnaire for the assessment of physical activity in epidemiological studies in Sub-Saharan Africa. 2001 , 30, 1361-8		52
2171	Changing habits to delay diabetes. 2001 , 344, 1390-2		17
2170	Muscle sodium, potassium, and [(3)H]ouabain binding in identical twins, discordant for type 2 diabetes. 2001 , 86, 859-66		15
2169	Lifestyles matter in the prevention of type 2 diabetes. <i>Diabetes Care</i> , 2002 , 25, 1650-1	14.6	29
2168	A lifestyle intervention or metformin prevented or delayed the onset of type 2 diabetes in people at risk. 2002 , 7, 139-139		
2167	Preservation of pancreatic beta-cell function and prevention of type 2 diabetes by pharmacological treatment of insulin resistance in high-risk hispanic women. 2002 , 51, 2796-803		1132
2166	Diabetes and nutrition. <i>Diabetes Care</i> , 2002 , 25, 1869-75	14.6	2
2165	Standards of Medical Care for Patients With Diabetes Mellitus. <i>Diabetes Care</i> , 2002 , 25, S33-S49	14.6	237
2164	Dietary fat and the development of type 2 diabetes. <i>Diabetes Care</i> , 2002 , 25, 620-2	14.6	39
2163	The rising prevalence of diabetes and impaired glucose tolerance: the Australian Diabetes, Obesity and Lifestyle Study. <i>Diabetes Care</i> , 2002 , 25, 829-34	14.6	640
2162	European Association for the Study of Diabetes (EASD) 2001 meeting. <i>Diabetes Care</i> , 2002 , 25, 1229-36	14.6	2
2161	Nateglinide improves early insulin secretion and controls postprandial glucose excursions in a prediabetic population. <i>Diabetes Care</i> , 2002 , 25, 2141-6	14.6	29
2160	Distrust, race, and research. 2002 , 162, 2458-63		682
2159	The Prevention or Delay of Type 2 Diabetes. 2002 , 20, 109-116		3
2158	Evidence-Based Trends for Achieving Weight Loss and Increased Physical Activity: Applications for Diabetes Prevention and Treatment. 2002 , 15, 183-189		12
2157	Exercise and insulin signaling: a historical perspective. 2002 , 93, 765-72		29
2156	Effects of lifestyle modifications on patients with type 2 diabetes: the Japan Diabetes Complications Study (JDCCS) study design, baseline analysis and three year-interim report. 2002 , 34, 509-15		85
2155	Clinical review 146: The impact of clinical trials on the treatment of diabetes mellitus. 2002 , 87, 1929-37		8

2154	American association of clinical endocrinologists meeting, may 2002. <i>Diabetes Care</i> , 2002 , 25, 1464-71	14.6	2
2153	Association of the Pro12Ala polymorphism in the PPAR-gamma2 gene with 3-year incidence of type 2 diabetes and body weight change in the Finnish Diabetes Prevention Study. 2002 , 51, 2581-6		162
2152	The Diabetes Prevention Program: will it really change the way we manage glycaemia?. 2002 , 2, 319-322		1
2151	Identifying the target population for primary prevention: the trade-offs. <i>Diabetes Care</i> , 2002 , 25, 2098-9	14.6	10
2150	Multiple drug targets in the management of type 2 diabetes. 2002 , 3, 203-21		25
2149	Improvement of BMI, body composition, and body fat distribution with lifestyle modification in Japanese Americans with impaired glucose tolerance. <i>Diabetes Care</i> , 2002 , 25, 1504-10	14.6	56
2148	The prevention or delay of type 2 diabetes. <i>Diabetes Care</i> , 2002 , 25, 742-9	14.6	452
2147	The Prevention or Delay of Type 2 Diabetes. 2002 , 15, 147-157		2
2146	Intensive lifestyle changes are necessary to improve insulin sensitivity: a randomized controlled trial. <i>Diabetes Care</i> , 2002 , 25, 445-52	14.6	155
2145	Prevalence of the metabolic syndrome among US adults: findings from the third National Health and Nutrition Examination Survey. 2002 , 287, 356-9		4711
2144	Standards of medical care for patients with diabetes mellitus. <i>Diabetes Care</i> , 2002 , 25, 213-29	14.6	175
2143	Fatty acid binding protein-2 gene variants and insulin resistance: gene and gene-environment interaction effects. 2002 , 10, 145-57		79
2142	Community-based exercise assessment in children with high risk for type 2 diabetes. 2002 , 12, 379-86		4
2141	Should we consider performing oral glucose tolerance tests more frequently in postmenopausal women for optimal screening of impaired glucose tolerance?. 2002 , 9, 296-301		2
2140	Role of insulin resistance and insulin secretory dysfunction in the pathogenesis of type 2 diabetes mellitus: lessons from cross-sectional, prospective, and longitudinal studies in Pima Indians. 2002 , 9, 130-138		7
2139	Therapy and clinical trials: type 2 diabetes: lifestyle and beyond. 2002 , 13, 351-3		1
2138	Diabetes and cardiovascular diseases. 2002 , 9, 510-5		39
2137	Healthy diet and lifestyle clustering and glucose intolerance. 2002 , 61, 543-51		13

2136	Non-esterified fatty acid levels and physical inactivity: the relative importance of low habitual energy expenditure and cardio-respiratory fitness. 2002 , 88, 307-13		93
2135	Choosing your carbohydrates to prevent diabetes. 2002 , 88, 107-108		2
2134	A conceptual model for a culturally responsive community-based diabetes prevention programme. 2002 , 15, 1-11		1
2133	Diabetes and behavioral medicine: The second decade.. 2002 , 70, 611-625		138
2132	Impaired glucose tolerance: qualitative and quantitative study of general practitioners' knowledge and perceptions. 2002 , 324, 1190		41
2131	THE USE OF COMPLEMENTARY AND ALTERNATIVE THERAPIES IN DIABETES. 2002 , 4, 911-928		2
2130	Mechanisms in the development of type 2 diabetes mellitus. 2002 , 16, 1-16		15
2129	Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications. <i>Diabetes Care</i> , 2002 , 25, 148-98	14.6	527
2128	Behavioral science research in the prevention of diabetes : status and opportunities. <i>Diabetes Care</i> , 2002 , 25, 599-606	14.6	78
2127	AGA technical review on obesity. 2002 , 123, 882-932		195
2126	Impaired glucose tolerance: is there a case for pharmacologic intervention?. 2002 , 1, 205-10		11
2125	Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. 2002 , 346, 393-403		13212
2124	Acarbose for prevention of type 2 diabetes mellitus: the STOP-NIDDM randomised trial. 2002 , 359, 2072-7		1933
2123	Diet and risk of coronary heart disease and type 2 diabetes. 2002 , 360, 783-9		177
2122	Single nucleotide polymorphisms of thrifty genes for energy metabolism: evolutionary origins and prospects for intervention to prevent obesity-related diseases. 2002 , 295, 207-22		64
2121	Gestational diabetes and the incidence of type 2 diabetes: a systematic review. <i>Diabetes Care</i> , 2002 , 25, 1862-8	14.6	1633
2120	Comparison of metabolic risk profiles between subjects with fasting and 2-hour plasma glucose impairment: The Kinmen Study. 2002 , 55, 19-24		18
2119	Recommendations for healthcare system and self-management education interventions to reduce morbidity and mortality from diabetes. 2002 , 22, 10-4		56

2118	Striving for a more active community. Lessons from the diabetes prevention program and beyond. 2002 , 22, 6-7	3
2117	The role of lifestyle modification in polycystic ovary syndrome. 2002 , 13, 251-7	217
2116	Decreased insulin secretion and dyslipidemia coexist in subjects with impaired fasting glucose. 2002 , 55, 159-64	5
2115	Diabetic foot disease and foot care in a Caribbean community. 2002 , 56, 35-40	24
2114	Alcohol consumption and the risk of diabetes by body mass index levels in a cohort of 5,636 Japanese. 2002 , 57, 191-7	31
2113	Effects of insulin resistance and insulin secretion on the efficacy of interventions to retard development of type 2 diabetes mellitus: the DA Qing IGT and Diabetes Study. 2002 , 58, 193-200	73
2112	The metabolic syndrome in long-term cancer survivors, an important target for secondary preventive measures. 2002 , 28, 195-214	95
2111	[Type 2 diabetes prevention: education, or medication too?]. 2002 , 119, 613-5	1
2110	Establishing the role of gene-environment interactions in the etiology of type 2 diabetes. 2002 , 31, 553-66	25
2109	[Treatment of diabetes mellitus: general goals, and clinical practice management]. 2002 , 55, 845-60	19
2108	[Significant incidence of type 2 diabetes on high-risk Spanish population. The IGT Study (2)]. 2002 , 118, 287-93	5
2107	The Diabetes Prevention Program (DPP): description of lifestyle intervention. <i>Diabetes Care</i> , 2002 , 25, 2165-71	14.6 1382
2106	Pathophysiology of Activity Intolerance. 2002 , 101-126	1
2105	Prevention of Type 2 Diabetes. 75-176	4
2104	Physical exercise prevents the development of type 2 diabetes mellitus in <i>Psammomys obesus</i> . 2002 , 282, E370-5	16
2103	Insulin resistance: concepts, controversies, and the role of nutrition. 2002 , 63, 20-32	19
2102	Targeting people with pre-diabetes. 2002 , 325, 403-4	28
2101	Impact of Self-Monitoring of Blood Glucose on the Lifestyles of Subjects with Fasting Hyperglycemia: A Randomized Controlled Trial. 2002 , 44, 28-33	2

2100	An integral role of the dietitian: implications of the Diabetes Prevention Program. 2002 , 102, 1065-8	41
2099	Macronutrient innovations: The role of fats and sterols in human health. 2002 , 11, S155-S162	15
2098	Sustaining dietary changes for preventing obesity and diabetes: lessons learned from the successes of other epidemic control programs. 2002 , 11 Suppl 3, S598-606	12
2097	Addressing the insulin resistance syndrome: a role for the thiazolidinediones. 2002 , 12, 354-62	36
2096	White blood-cell count and the risk of impaired fasting glucose or Type II diabetes in middle-aged Japanese men. 2002 , 45, 42-8	90
2095	Dietary patterns and risk of hypertension, type 2 diabetes mellitus, and coronary heart disease. 2002 , 4, 462-7	83
2094	The influence of dietary fat on insulin resistance. 2002 , 2, 435-40	102
2093	Preventing diabetes by treating aspects of the metabolic syndrome. 2002 , 2, 416-22	13
2092	[Primary prevention of cardiovascular diseases by nonpharmacological means]. 2002 , 97, 77-87	2
2091	Addressing the epidemic: pharmacotherapeutic management of diabetes in women. 2002 , 47, 471-86	
2090	Redefining the clinical management of type 2 diabetes: matching therapy to pathophysiology. 2002 , 32 Suppl 3, 46-53	23
2089	Cardiovascular risk profile assessment in glucose-intolerant Asian individuals--an evaluation of the World Health Organization two-step strategy: the DECODA Study (Diabetes Epidemiology: Collaborative Analysis of Diagnostic Criteria in Asia). 2002 , 19, 549-57	44
2088	Impaired glucose tolerance and impaired fasting glycaemia: the current status on definition and intervention. 2002 , 19, 708-23	821
2087	IGT and IFG. Time for revision?. 2002 , 19, 707	12
2086	Obesity, coronary heart disease risk factors and diabetes in Chinese: an approach to the criteria of obesity in the Chinese population. 2002 , 3, 167-72	106
2085	Life is sweet in Fiji: the availability of diabetes healthcare and health education, and diabetes awareness amongst diabetic patients in Fiji. 2002 , 19, 160-163	2
2084	The diagnosis of gestational diabetes in a multiethnic population: which diagnostic criteria should be used with respect to maternal outcome?. 2002 , 19, 279-282	0
2083	Nutritional habits in the Mediterranean Basin. The macronutrient composition of diet and its relation with the traditional Mediterranean diet. Multi-centre study of the Mediterranean Group for the Study of Diabetes (MGSD). 2002 , 56, 983-91	66

2082	Physical activity and its relationship with obesity, hypertension and diabetes in urban and rural Cameroon. 2002 , 26, 1009-16	159
2081	Predicting incident diabetes in Jamaica: the role of anthropometry. 2002 , 10, 792-8	85
2080	Cardiovascular outcomes for obesity and metabolic syndrome. 2002 , 10 Suppl 1, 27S-32S	10
2079	Obesity, diabetes and associated cardiovascular risk factors among Torres Strait Islander people. 2002 , 26, 144-9	60
2078	The epidemiology of lifestyle and risk for type 2 diabetes. 2003 , 18, 1115-25	65
2077	Searching for the exercise factor: is IL-6 a candidate?. 2003 , 24, 113-9	313
2076	Evaluation of insulin sensitivity in clinical practice and in research settings. 2003 , 61, 397-412	180
2075	Insulin resistance and maximal oxygen uptake. 2003 , 26, 515-20	30
2074	The relative contributions of insulin resistance and beta-cell dysfunction to the pathophysiology of Type 2 diabetes. 2003 , 46, 3-19	1500
2073	Occupational, commuting, and leisure-time physical activity in relation to risk for Type 2 diabetes in middle-aged Finnish men and women. 2003 , 46, 322-9	262
2072	[Progress in the prevention of type 2 diabetes]. 2003 , 115, 745-57	5
2071	Sedentary lifestyle and risk of obesity and type 2 diabetes. 2003 , 38, 103-8	168
2070	Dietary intake of fruits and vegetables and risk of cardiovascular disease. 2003 , 5, 492-9	296
2069	Physical activity and the prevention of cardiovascular disease. 2003 , 5, 299-307	100
2068	Lessons learned from young-onset diabetes in China. 2003 , 3, 101-7	12
2067	The major diabetes prevention trials. 2003 , 3, 115-22	34
2066	Epidemiology of the insulin resistance syndrome. 2003 , 3, 73-9	57
2065	Prevention of type 2 diabetes. 2003 , 3, 235-41	28

2064	Nationale Gesundheitsziele: Diabetes mellitus Typ 2 als Zielbereich. 2003 , 46, 134-143	1
2063	[Acarbose for prevention of diabetes mellitus. STOP-NIDDM]]. 2003 , 44, 491-3	2
2062	Post-challenge hyperglycaemia is associated with premature death and macrovascular complications. 2003 , 46 Suppl 1, M17-21	61
2061	Age, body mass index and Type 2 diabetes-associations modified by ethnicity. 2003 , 46, 1063-70	158
2060	Prevalence of diabetes and impaired fasting glucose in the Chinese adult population: International Collaborative Study of Cardiovascular Disease in Asia (InterASIA). 2003 , 46, 1190-8	334
2059	The impact of ethnicity on type 2 diabetes. 2003 , 17, 39-58	169
2058	Predialysis psychoeducational intervention and coping styles influence time to dialysis in chronic kidney disease. 2003 , 42, 693-703	146
2057	Prevalence and profile of metabolic syndrome in patients following acute coronary events and effects of therapeutic lifestyle change with cardiac rehabilitation. 2003 , 92, 50-4	111
2056	Diagnosis, prevention, and intervention for the metabolic syndrome. 2003 , 92, 35i-42i	133
2055	Look AHEAD (Action for Health in Diabetes): design and methods for a clinical trial of weight loss for the prevention of cardiovascular disease in type 2 diabetes. 2003 , 24, 610-28	591
2054	Prevention of type 2 diabetes in young people: a theoretical perspective. 2003 , 4, 38-56	30
2053	Metabolic syndrome and type 2 diabetes mellitus: focus on peroxisome proliferator activated receptors (PPAR). 2003 , 2, 4	57
2052	Genotype, obesity and cardiovascular disease--has technical and social advancement outstripped evolution?. 2003 , 254, 114-25	55
2051	Reduction of risk factors following lifestyle modification programme in subjects with type 2 (non-insulin dependent) diabetes mellitus. 2003 , 23, 21-30	32
2050	High incidence of Type 2 diabetes mellitus in South African Indians: a 10-year follow-up study. 2003 , 20, 23-30	35
2049	Screening for Type 2 diabetes--should it be now?. 2003 , 20, 175-81	40
2048	The impact of screening for Type 2 diabetes in siblings of patients with established diabetes. 2003 , 20, 996-1004	16
2047	Preventing Type 2 diabetes and the dysmetabolic syndrome in the real world: a realistic view. 2003 , 20, 693-702	118

2046	Highlights of the Autumn 2002 meeting of the Association of British Clinical Diabetologists. 2003 , 20, 73-76	
2045	Lifestyle intervention according to general recommendations improves glucose tolerance. 2003 , 11, 1588-96	87
2044	Study on Lifestyle Intervention and Impaired Glucose Tolerance Maastricht (SLIM): preliminary results after one year. 2003 , 27, 377-84	69
2043	Progression to clinically diagnosed and treated diabetes from impaired glucose tolerance and impaired fasting glycaemia. 2003 , 20, 1027-33	41
2042	Prevention of type 2 diabetes in youth: etiology, promising interventions and recommendations. 2003 , 4, 174-209	14
2041	Obesity and type 2 diabetes. 2003 , 32, 805-22, viii	142
2040	Prevention of type 2 diabetes: data from recent trials. 2003 , 30, 511-26	24
2039	[Metabolic syndrome, resistance to insulin and diabetes. What is hidden beneath the tip of the iceberg?]. 2003 , 31, 436-45	1
2038	European guidelines on cardiovascular disease prevention in clinical practice: Third Joint Task Force of European and other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of eight societies and by invited experts). 2003 , 10, S1-S78	44
2037	Hyperglycemia as a cardiovascular risk factor. 2003 , 115 Suppl 8A, 6S-11S	84
2036	A lifestyle intervention improves plasma insulin levels among Native American high school youth. 2003 , 36, 309-19	69
2035	Physical activity and prevention of type 2 diabetes. 2003 , 361, 87-8	29
2034	Incidence and treatment of metabolic syndrome in newly referred women with confirmed polycystic ovarian syndrome. 2003 , 52, 908-15	311
2033	The impact of an insulin sensitizer, troglitazone, on glucose metabolism in African Americans at risk for type 2 diabetes mellitus: a placebo-controlled, 24-month randomized study. 2003 , 52, 1211-7	7
2032	[Pathogenesis of type 2 diabetes mellitus]. 2003 , 24, 730-7	11
2031	[Type 2 diabetes mellitus pathogenesis: new therapeutic managements?]. 2003 , 24, 709-10	
2030	The prevention of type 2 diabetes--lifestyle change or pharmacotherapy? A challenge for the 21st century. 2003 , 59, 165-80	62
2029	Study on lifestyle-intervention and impaired glucose tolerance Maastricht (SLIM): design and screening results. 2003 , 61, 49-58	47

2028	Efficacy of acarbose in Chinese subjects with impaired glucose tolerance. 2003 , 61, 183-90		39
2027	Lifestyle modification to prevent type 2 diabetes. 2003 , 1253, 231-236		1
2026	Dietary therapy of the metabolic syndrome. 2003 , 1253, 237-241		3
2025	Lifestyle risk factors and chronic kidney disease. 2003 , 13, 712-20		54
2024	The potential of metformin for diabetes prevention. 2003 , 29, 6S104-11		9
2023	[French diabetologists' standpoint on the prevention of type 2 diabetes. A survey carried out during the ALFEDIAM Convention Bordeaux 2003]. 2003 , 29, 307-14		1
2022	[Should type 2 diabetes prevention pharmacological studies prompt us to change our prescription habits?]. 2003 , 29, 547-53		2
2021	Lifestyle changes can be achieved through counseling and follow-up in first-degree relatives of patients with type 2 diabetes. 2003 , 103, 835-43		29
2020	Prevalence of the metabolic syndrome among Omani adults. <i>Diabetes Care</i> , 2003 , 26, 1781-5	14.6	179
2019	The diabetes risk score: a practical tool to predict type 2 diabetes risk. <i>Diabetes Care</i> , 2003 , 26, 725-31	14.6	1143
2018	Contributions of insulin-resistance and insulin-secretory defects to the pathogenesis of type 2 diabetes mellitus. 2003 , 78, 447-56		135
2017	The metabolic syndrome as predictor of type 2 diabetes: the San Antonio heart study. <i>Diabetes Care</i> , 2003 , 26, 3153-9	14.6	635
2016	Lifestyle intervention for the prevention of type 2 diabetes mellitus: putting theory to practice. 2003 , 2, 315-20		15
2015	Importance of weight management in type 2 diabetes: review with meta-analysis of clinical studies. 2003 , 22, 331-9		322
2014	Battling insulin resistance in elderly obese people with type 2 diabetes: bring on the heavy weights. <i>Diabetes Care</i> , 2003 , 26, 1580-8	14.6	112
2013	Nutrition and prevention of type 2 diabetes. 2003 , 23, 147-70		75
2012	Physical activity, obesity, and the incidence of type 2 diabetes in a high-risk population. 2003 , 158, 669-75		152
2011	The metabolic syndrome: prevalence and associated risk factor findings in the US population from the Third National Health and Nutrition Examination Survey, 1988-1994. 2003 , 163, 427-36		1495

2010	Within-trial cost-effectiveness of lifestyle intervention or metformin for the primary prevention of type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26, 2518-23	14.6	237
2009	The Singapore impaired glucose tolerance follow-up study: does the ticking clock go backward as well as forward?. <i>Diabetes Care</i> , 2003 , 26, 3024-30	14.6	26
2008	Alcohol consumption and risk for development of impaired fasting glucose or type 2 diabetes in middle-aged Japanese men. <i>Diabetes Care</i> , 2003 , 26, 48-54	14.6	87
2007	Challenges to Health Care for Diabetes in Africa. 2003 , 10, 103-110		21
2006	Estimated number of adults with prediabetes in the US in 2000: opportunities for prevention. <i>Diabetes Care</i> , 2003 , 26, 645-9	14.6	152
2005	Enhanced fat oxidation through physical activity is associated with improvements in insulin sensitivity in obesity. 2003 , 52, 2191-7		288
2004	Promoting healthy weight--the new environmental frontier. 2003 , 18, 1-4		13
2003	Did publication of a clinical practice guideline recommendation to screen for type 2 diabetes in women with gestational diabetes change practice?. <i>Diabetes Care</i> , 2003 , 26, 265-8	14.6	54
2002	The prevention of type 2 diabetes mellitus. 2003 , 3, 470-4		3
2001	C-reactive protein predicts the deterioration of glycemia in chinese subjects with impaired glucose tolerance. <i>Diabetes Care</i> , 2003 , 26, 2323-8	14.6	77
2000	Standards of medical care for patients with diabetes mellitus. <i>Diabetes Care</i> , 2003 , 26 Suppl 1, S33-50	14.6	495
1999	The prevention or delay of type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26 Suppl 1, S62-9	14.6	44
1998	Physical activity/exercise and diabetes mellitus. <i>Diabetes Care</i> , 2003 , 26 Suppl 1, S73-7	14.6	125
1997	Diabetes and impaired fasting glycemia in a rural population of Bangladesh. <i>Diabetes Care</i> , 2003 , 26, 1034-9	14.6	75
1996	Applying the Lessons of the DPP to Clinical Practice. 2003 , 21, 91-92		
1995	The diabetes prevention program and its global implications. 2003 , 14, S103-7		36
1994	Addressing the burden of diabetes in the 21st century: better care and primary prevention. 2003 , 14, S88-91		40
1993	A randomized non-pharmacological intervention study for prevention of ischaemic heart disease: baseline results Inter99. 2003 , 10, 377-86		366

1992	Is treatment of insulin resistance beneficial independent of glycemia?. <i>Diabetes Care</i> , 2003 , 26, 3184-6	14.6	15
1991	American Association of Clinical Endocrinologists (AACE) consensus conference on the insulin resistance syndrome: 25-26 August 2002, Washington, DC. <i>Diabetes Care</i> , 2003 , 26, 933-9	14.6	50
1990	Prevention of diabetes mellitus in subjects with impaired glucose tolerance in the Finnish Diabetes Prevention Study: results from a randomized clinical trial. 2003 , 14, S108-13		158
1989	Prevalence of a metabolic syndrome phenotype in adolescents: findings from the third National Health and Nutrition Examination Survey, 1988-1994. 2003 , 157, 821-7		1490
1988	Clinical significance, pathogenesis, and management of postprandial hyperglycemia. 2003 , 163, 1306-16		226
1987	Relationship of walking to mortality among US adults with diabetes. 2003 , 163, 1440-7		259
1986	Elevated carotid artery intima-media thickness levels in individuals who subsequently develop type 2 diabetes. 2003 , 23, 1845-50		54
1985	Clinical impact of the new criteria for the diagnosis of diabetes mellitus. 2003 , 41, 1239-45		9
1984	Community-based lifestyle interventions to prevent type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26, 2643-52	14.6	98
1983	Detection of undiagnosed diabetes and other hyperglycemia states: the Atherosclerosis Risk in Communities Study. <i>Diabetes Care</i> , 2003 , 26, 1338-43	14.6	33
1982	Types of carbohydrates and risk of cardiovascular disease. 2003 , 12, 115-22		20
1981	The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. <i>Diabetes Care</i> , 2003 , 26, 3230-6	14.6	879
1980	Costs of screening for pre-diabetes among US adults: a comparison of different screening strategies. <i>Diabetes Care</i> , 2003 , 26, 2536-42	14.6	62
1979	Diagnostic strategies to detect glucose intolerance in a multiethnic population. <i>Diabetes Care</i> , 2003 , 26, 290-6	14.6	63
1978	Randomized controlled trial of a new dietary education program to prevent type 2 diabetes in a high-risk group of Japanese male workers. <i>Diabetes Care</i> , 2003 , 26, 3209-14	14.6	44
1977	Predictive properties of impaired glucose tolerance for cardiovascular risk are not explained by the development of overt diabetes during follow-up. <i>Diabetes Care</i> , 2003 , 26, 2910-4	14.6	146
1976	Epidemiological support for the protection of whole grains against diabetes. 2003 , 62, 143-9		108
1975	Metabolic predictors of 5-year change in weight and waist circumference in a triethnic population: the insulin resistance atherosclerosis study. 2003 , 157, 592-601		22

1974	Age- and sex-specific prevalence of diabetes and impaired glucose regulation in 11 Asian cohorts. <i>Diabetes Care</i> , 2003 , 26, 1770-80	14.6	270
1973	Prevalences of diabetes and impaired glucose regulation in a Danish population: the Inter99 study. <i>Diabetes Care</i> , 2003 , 26, 2335-40	14.6	227
1972	Randomized controlled community-based nutrition and exercise intervention improves glycemia and cardiovascular risk factors in type 2 diabetic patients in rural Costa Rica. <i>Diabetes Care</i> , 2003 , 26, 24-9	14.6	114
1971	Dietary fat intake as risk factor for the development of diabetes: multinational, multicenter study of the Mediterranean Group for the Study of Diabetes (MGSD). <i>Diabetes Care</i> , 2003 , 26, 302-7	14.6	70
1970	"We Make the Road by Walking" With the People. 2003 , 16, 213-215		1
1969	Are exercise social-cognitive factors and behaviours different for adults with diabetes? A randomized community sample. 2003 , 8, 465-71		20
1968	Reaching hard-to-reach, high-risk populations: piloting a health promotion and diabetes disease prevention programme on an urban marae in New Zealand. 2003 , 18, 41-50		26
1967	Long-term improvement in insulin sensitivity by changing lifestyles of people with impaired glucose tolerance: 4-year results from the Finnish Diabetes Prevention Study. 2003 , 52, 2532-8		166
1966	Sweet blood and social suffering: rethinking cause-effect relationships in diabetes, distress, and duress. 2003 , 22, 131-74		76
1965	Thiazolidinediones -- some recent developments. 2003 , 12, 1179-87		52
1964	Insulin resistance: a global epidemic in need of effective therapies. 2003 , 5, C13-C18		15
1963	Intensive education for lifestyle change in diabetes. 2003 , 327, 1120-1		14
1962	Can a physically active lifestyle prevent type 2 diabetes?. 2003 , 31, 132-7		31
1961	Dietary advice given by a dietitian versus other health professional or self-help resources to reduce blood cholesterol. 2003 ,		21
1960	Use of medications and dietary supplements in later years among male former top-level athletes. 2003 , 163, 1064-8		23
1959	Das Metabolische Syndrom aus ernährungsmedizinischer Sicht. 2003 , 18, 124-128		
1958	Lack of association between serum paraoxonase 1 activities and increased oxidized low-density lipoprotein levels in impaired glucose tolerance and newly diagnosed diabetes mellitus. 2003 , 88, 1711-6		39
1957	Diabetes-Screening in der Schwangerschaft. 2003 , 63, 223-229		1

1956	Insulin resistance in type 2 diabetes: association with truncal obesity, impaired fitness, and atypical malonyl coenzyme A regulation. 2003 , 88, 82-7	44
1955	Is glycosylated hemoglobin A1c a surrogate for metabolic syndrome in nondiabetic, first-degree relatives of African-American patients with type 2 diabetes?. 2003 , 88, 4596-601	63
1954	Blood flow and muscle metabolism: a focus on insulin action. 2003 , 284, E241-58	257
1953	Diabetology for cardiologists. 2003 , 5, B5-B13	11
1952	Prevention of Type 2 Diabetes. 2003 , 34, 790-795	
1951	Early and more vigorous detection of diabetes. 2003 , 18, 103-7	5
1950	Single nucleotide polymorphism and lifestyle-related diseases in the Asia-Pacific region: comparative study in Okinawa, Palau and Thailand. 2003 , 15 Suppl, S10-4	3
1949	Prevention of type 2 diabetes and its macrovascular complications: whom, when, and how should we treat?. 2003 , 10, 229-236	2
1948	High- versus low-fat diets in human diseases. 2003 , 6, 151-5	27
1947	Translating the science of primary, secondary, and tertiary prevention to inform the public health response to diabetes. 2003 , Suppl, S8-14	22
1946	Learning From Listening. 2003 , 9, S56-S63	15
1945	Behavior and biology: the prevention of type 2 diabetes. 2003 , 18, 62-8	6
1944	Cardiovascular disease prevention and lifestyle interventions: effectiveness and efficacy. 2003 , 18, 245-55	73
1943	. 2003 , 10, 103-110	42
1942	Diabetes and heart disease an evidence-driven guide to risk factors management in diabetes. 2003 , 11, 262-74	23
1941	[Trends in diabetes mellitus in Brazil: the role of the nutritional transition]. 2003 , 19 Suppl 1, S29-36	48
1940	Physical exercise improves glucose metabolism in lifestyle-related diseases. 2003 , 228, 1208-12	54
1939	Screening adults for type 2 diabetes: a review of the evidence for the U.S. Preventive Services Task Force. 2003 , 138, 215-29	75

1938	Intentional weight loss and death in overweight and obese U.S. adults 35 years of age and older. 2003 , 138, 383-9	169
1937	Is there any conclusive evidence that exercise alone reduces glucose intolerance?. 2003 , 3, S18-S23	
1936	Impaired glucose tolerance: do pharmacological therapies correct the underlying metabolic disturbance?. 2003 , 3, S24-S40	4
1935	. 2003 ,	4
1934	. 2003 ,	4
1933	Preventing type 2 diabetes: what have we learned?. 2003 , 3, S6-S11	1
1932	Pre-diabetes: to treat or not to treat?. 2003 , 3, S2-S5	
1931	1: Epidemiology and prevention of type 2 diabetes and the metabolic syndrome. 2003 , 179, 379-383	54
1930	Epidemic of diabetes in China. 2003 , 179, 586	2
1929	Le diabète non-insulinodépendant : une affection en expansion. Importance d'une approche multidisciplinaire. 2003 , 187, 1307-1316	
1928	Diabetes mellitus tipo 2: fatores preditivos na população nipo-brasileira. 2003 , 47, 584-592	0
1927	Insulin resistance syndrome: the public health challenge. 2003 , 9 Suppl 2, 23-5	7
1926	Using the Essential Public Health Services as strategic leverage to strengthen the public health response to diabetes. 2004 , 119, 311-21	9
1925	Alpha-glucosidase inhibitors for people with impaired glucose tolerance or impaired fasting blood glucose. 2004 ,	3
1924	. 2004 ,	7
1923	. 2004 ,	15
1922	Glycosylated hemoglobin: finally ready for prime time as a cardiovascular risk factor. 2004 , 141, 475-6	48
1921	Physical Activity and Weight Loss. 2004 , 315-332	2

1920	The metabolic syndrome ? a growing problem. 2004 , 6, A37-A42		11
1919	Physical activity and type 2 diabetes: tailoring exercise to optimize fitness and glycemic control. 2004 , 32, 13-7		7
1918	Gesundheitsvorsorge und Diabetes-Frñberkennung. 2004 , 80, 229-232		
1917	Cost-effectiveness studies of diabetes prevention in high-risk patients. 2004 , 4, 393-402		5
1916	Effects of obesity surgery on the metabolic syndrome. 2004 , 139, 1088-92		112
1915	Undue increase in insulin resistance during pregnancy may manifest pregnancy-induced hypertension and gestational diabetes. 2004 , 36, 655-61		3
1914	[Structured concept for the establishment of a broad and ambulatory care of patients with type 2 diabetes: one-year evaluation of a regional teaching organization]. 2004 , 129, 547-51		0
1913	Epidemiology of diabetes. 2004 , 44, 397-405		159
1912	Durability of glycemic control: a feature of the thiazolidinediones. 2004 , 6, 179-89		4
1911	The Role of the Optimal Healing Environment in the Care of Patients with Diabetes Mellitus Type II. 2004 , 10, S-223-S-229		3
1910	Effects of a brief tailored intervention on the process and predictors of lifestyle behaviour change in patients with type 2 diabetes. 2004 , 9, 440-449		20
1909	Dietary fat and the risk of clinical type 2 diabetes: the European prospective investigation of Cancer-Norfolk study. 2004 , 159, 73-82		78
1908	Lowering the criterion for impaired fasting glucose: impact on disease prevalence and associated risk of diabetes and ischemic heart disease. <i>Diabetes Care</i> , 2004 , 27, 1728-34	14.6	69
1907	Standards of medical care in diabetes. <i>Diabetes Care</i> , 2004 , 27 Suppl 1, S15-35	14.6	503
1906	Relationship of physical activity vs body mass index with type 2 diabetes in women. 2004 , 292, 1188-94		236
1905	Preventing cancer, cardiovascular disease, and diabetes: a common agenda for the American Cancer Society, the American Diabetes Association, and the American Heart Association. <i>Diabetes Care</i> , 2004 , 27, 1812-24	14.6	109
1904	Prevalence of the metabolic syndrome and its relation to all-cause and cardiovascular mortality in nondiabetic European men and women. 2004 , 164, 1066-76		707
1903	Physical activity, body mass index, and risk of type 2 diabetes in patients with normal or impaired glucose regulation. 2004 , 164, 892-6		212

1902	Opportunistic screening for diabetes in routine clinical practice. <i>Diabetes Care</i> , 2004 , 27, 9-12	14.6	114
1901	Supplementation of wheat fibre can improve risk profile in patients with dysmetabolic cardiovascular syndrome. 2004 , 11, 144-8		6
1900	Peroxisome proliferator-activated receptor ligand bezafibrate for prevention of type 2 diabetes mellitus in patients with coronary artery disease. 2004 , 109, 2197-202		139
1899	Review: Preventing diabetes in the obese: the XENDOS study and its context. 2004 , 4, 22-27		3
1898	Changes in body weight and body fat distribution as risk factors for clinical diabetes in US men. 2004 , 159, 1150-9		246
1897	Prevention Conference VII: Obesity, a worldwide epidemic related to heart disease and stroke: Group III: worldwide comorbidities of obesity. 2004 , 110, e476-83		125
1896	The BBZDR/Wor rat model for investigating the complications of type 2 diabetes mellitus. 2004 , 45, 292-302		31
1895	Diagnosis, epidemiology and pathogenesis of diabetes mellitus: an update for psychiatrists. 2004 , 47, S55-63		30
1894	Temporal trends in the prevalence of diabetes mellitus in a rural community in Sri Lanka. 2004 , 124, 92-4		26
1893	Review: Mechanisms contributing to the development of type 2 diabetes. 2004 , 4, 227-231		0
1892	A prospective study of fruit and vegetable intake and the risk of type 2 diabetes in women. <i>Diabetes Care</i> , 2004 , 27, 2993-6	14.6	155
1891	Using metabolic syndrome traits for efficient detection of impaired glucose tolerance. <i>Diabetes Care</i> , 2004 , 27, 1417-26	14.6	63
1890	Cardiovascular disease risk factors predict the development of type 2 diabetes: the insulin resistance atherosclerosis study. <i>Diabetes Care</i> , 2004 , 27, 2234-40	14.6	91
1889	Effects of Glycemic Control on Diabetes Complications and on the Prevention of Diabetes. 2004 , 22, 162-166		30
1888	Diagnostic and therapeutic implications of relationships between fasting, 2-hour postchallenge plasma glucose and hemoglobin a1c values. 2004 , 164, 1627-32		91
1887	The clinical impact of screening for gestational diabetes. 2004 , 42, 1036-42		6
1886	Exposure over the life course to an urban environment and its relation with obesity, diabetes, and hypertension in rural and urban Cameroon. 2004 , 33, 769-76		136
1885	The effect of exercise and diet on glucose intolerance and substrate utilization?. 2004 , 9, 93-109		1

1884	Glycemic index and dietary fiber and the risk of type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 2701-6	14.6	317
1883	Comparison of the [13C]glucose breath test to the hyperinsulinemic-euglycemic clamp when determining insulin resistance. <i>Diabetes Care</i> , 2004 , 27, 441-7	14.6	34
1882	Screening for IGT and diabetes. 2004 , 4, 254-258		0
1881	Intensive integrated therapy of type 2 diabetes: implications for long-term prognosis. 2004 , 53 Suppl 3, S39-47		77
1880	Diabetes and impaired fasting glycemia in the tribes of Khagrachari hill tracts of Bangladesh. <i>Diabetes Care</i> , 2004 , 27, 1054-9	14.6	22
1879	Preventing cancer, cardiovascular disease, and diabetes: a common agenda for the American Cancer Society, the American Diabetes Association, and the American Heart Association. 2004 , 109, 3244-55		298
1878	Management of type 2 diabetes mellitus: is it time for a paradigm shift?. 2004 , 2, 251-62		2
1877	Health-Promotion Behaviors That Promote Self-Healing. 2004 , 10, S-49-S-60		4
1876	Prevention of type 2 diabetes: issues and strategies for identifying persons for interventions. 2004 , 6, 874-82		19
1875	Diabetes and hypertension: pathogenesis, prevention and treatment. 2004 , 26, 621-8		65
1874	Diabetes: preventing coronary heart disease in a high risk group. 2004 , 90 Suppl 4, iv18-21		11
1873	Principles of Diabetes Mellitus. 2004 ,		
1872	Physical activity/exercise and diabetes. <i>Diabetes Care</i> , 2004 , 27 Suppl 1, S58-62	14.6	253
1871	Physical training may enhance beta-cell function in type 2 diabetes. 2004 , 287, E1024-31		115
1870	[A participatory approach for the prevention of type 2 diabetes for francophone youth of New Brunswick]. 2004 , 65, 15-21		4
1869	Tale of two churches: differential impact of a church-based diabetes control programme among Pacific Islands people in New Zealand. 2004 , 21, 122-8		44
1868	Prevention of Type 2 diabetes mellitus. A review of the evidence and its application in a UK setting. 2004 , 21, 403-14		55
1867	A clinical research network in diabetes for the UK. 2004 , 21, 1061-3		3

1866	Oral glucose tolerance test in children and adolescents: positives and pitfalls. 2004 , 40, 620-6	9
1865	High incidence of type 2 diabetes and increasing conversion rates from impaired fasting glucose and impaired glucose tolerance to diabetes in Mauritius. 2004 , 256, 37-47	63
1864	Utility of hemoglobin A1c in predicting diabetes risk. 2004 , 19, 1175-80	142
1863	Preliminary testing of a program to prevent type 2 diabetes among high-risk youth. 2004 , 74, 10-5	62
1862	Obesity in youth: implications for the advanced practice nurse in primary care. 2004 , 16, 326-34	4
1861	Evidence for exercise therapy in the treatment of chronic disease based on at least three randomized controlled trials--summary of published systematic reviews. 2004 , 14, 339-45	40
1860	AMP kinase and malonyl-CoA: targets for therapy of the metabolic syndrome. 2004 , 3, 340-51	335
1859	Insulin sensitivity in Chinese ovo-lactovegetarians compared with omnivores. 2004 , 58, 312-6	39
1858	Effect of taurine treatment on insulin secretion and action, and on serum lipid levels in overweight men with a genetic predisposition for type II diabetes mellitus. 2004 , 58, 1239-47	73
1857	Cereal grains, legumes and diabetes. 2004 , 58, 1443-61	298
1856	Energetic determinants of glucose tolerance status in Jamaican adults. 2004 , 58, 1666-8	6
1855	Short-term effects of weight loss on the cardiovascular risk factors in morbidly obese patients. 2004 , 12, 1256-63	34
1854	Achieving weight and activity goals among diabetes prevention program lifestyle participants. 2004 , 12, 1426-34	412
1853	Insulin resistance syndrome (metabolic syndrome) and obesity in Asian Indians: evidence and implications. 2004 , 20, 482-91	249
1852	Updating the evidence that physical activity is good for health: an epidemiological review 2000-2003. 2004 , 7, 6-19	489
1851	Insulin resistance syndrome, pre-diabetes, and the prevention of type 2 diabetes mellitus. 2004 , 6, 7-6	26
1850	Using motivational interviewing to reduce diabetes risk. 2004 , 19, 149-54	5
1849	The ProActive trial protocol - a randomised controlled trial of the efficacy of a family-based, domiciliary intervention programme to increase physical activity among individuals at high risk of diabetes [ISRCTN61323766]. 2004 , 4, 48	55

1848	Delaying the onset of type 2 diabetes mellitus in patients with prediabetes. 2004 , 24, 362-71	18
1847	Preventing cancer, cardiovascular disease, and diabetes: a common agenda for the American Cancer Society, the American Diabetes Association, and the American Heart Association. 2004 , 54, 190-207	114
1846	Insulin resistance syndrome: a potent culprit in cardiovascular disease. 2004 , 104, 176-9	1
1845	Advice that includes food sources of unsaturated fat supports future risk management of gestational diabetes mellitus. 2004 , 104, 1863-7	15
1844	Chemistry and biochemistry of type 2 diabetes. 2004 , 104, 1255-82	277
1843	Effects of a tailored lifestyle self-management intervention in patients with type 2 diabetes. 2004 , 9, 365-79	111
1842	Integrating Behavior into Health Research and Health Care: One Psychologist's Journey. 2004 , 11, 91-99	3
1841	Type 2 diabetes mellitus is becoming the most common type of diabetes in school children. 2004 , 41, 85-90	44
1840	[Risk management of coronary heart disease-prevention]. 2004 , 154, 257-65	6
1839	[Primary prevention of diabetes mellitus type 2]. 2004 , 45 Suppl 1, S15-22	
1838	Hyperglycaemia and mortality from all causes and from cardiovascular disease in five populations of Asian origin. 2004 , 47, 385-394	267
1837	Decreased beta-cell mass in diabetes: significance, mechanisms and therapeutic implications. 2004 , 47, 581-589	319
1836	Common polymorphisms in the genes regulating the early insulin signalling pathway: effects on weight change and the conversion from impaired glucose tolerance to Type 2 diabetes. The Finnish Diabetes Prevention Study. 2004 , 47, 871-7	50
1835	Creating a pandemic of prediabetes: the proposed new diagnostic criteria for impaired fasting glycaemia. 2004 , 47, 1396-402	84
1834	TRAF4 functions as an intermediate of GITR-induced NF-kappaB activation. 2004 , 61, 3087-92	50
1833	Are there specific components of the insulin resistance syndrome that predict the increased atherosclerosis seen in type 2 diabetes mellitus?. 2004 , 4, 26-30	4
1832	Beta-cell failure in the pathogenesis of type 2 diabetes mellitus. 2004 , 4, 169-75	34
1831	The metabolic syndrome and type 2 diabetes: what has gone wrong in type 2 diabetes care?. 2004 , 4, 395-6	1

1830	Lifestyle intervention for the prevention of type 2 diabetes: translation and future recommendations. 2004 , 4, 113-8		24
1829	Exercise as a therapeutic intervention for the prevention and treatment of insulin resistance. 2004 , 20, 383-93		211
1828	Postprandial hyperglycaemia in type 2 diabetes: pathophysiological aspects, teleological notions and flags for clinical practice. 2004 , 20 Suppl 2, S13-23		14
1827	Is weight loss a realistic goal of treatment in type 2 diabetes? The implications of restraint theory. 2004 , 53, 277-83		15
1826	Weight management through lifestyle modification for the prevention and management of type 2 diabetes: rationale and strategies: a statement of the American Diabetes Association, the North American Association for the Study of Obesity, and the American Society for Clinical Nutrition. <i>Diabetes Care</i> , 2004 , 27, 2067-73	14.6	362
1825	Impaired glucose metabolism in patients with heart failure: pathophysiology and possible treatment strategies. 2004 , 4, 269-80		28
1824	Translating lifestyle intervention to practice in obese patients with type 2 diabetes: Improving Control with Activity and Nutrition (ICAN) study. <i>Diabetes Care</i> , 2004 , 27, 1570-6	14.6	187
1823	Barriers to physical activity in patients with diabetes. 2004 , 80, 287-91		187
1822	XENical in the prevention of diabetes in obese subjects (XENDOS) study: a randomized study of orlistat as an adjunct to lifestyle changes for the prevention of type 2 diabetes in obese patients. <i>Diabetes Care</i> , 2004 , 27, 155-61	14.6	1334
1821	Prevention of type 2 diabetes: insulin resistance and beta-cell function. 2004 , 53 Suppl 3, S34-8		111
1820	Prevention or delay of type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27 Suppl 1, S47-54	14.6	108
1819	Nutritional aspects in the causation and management of the metabolic syndrome. 2004 , 33, 483-92, v		15
1818	Glitazones and the management of insulin resistance: what they do and how might they be used. 2004 , 33, 595-616, vii-viii		21
1817	Obesity, metabolic syndrome, and type 2 diabetes: emerging epidemics and their cardiovascular implications. 2004 , 22, 485-504		143
1816	Diabetes mellitus y riesgo cardiovascular. Recomendaciones del Grupo de Trabajo Diabetes Mellitus y Enfermedad Cardiovascular de la Sociedad Española de Diabetes. 2004 , 16, 74-78		2
1815	Focus on lifestyle change and the metabolic syndrome. 2004 , 33, 493-508, v-vi		21
1814	Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. <i>Diabetes Care</i> , 2004 , 27, 1047-53	14.6	10509
1813	New aspects in the pathogenesis of diabetic atherothrombosis. 2004 , 44, 2293-300		263

1812	Body adiposity, insulin, and leptin in subgroups of Peruvian Amerindians. 2004 , 5, 27-31		43
1811	Role of a critical visceral adipose tissue threshold (CVATT) in metabolic syndrome: implications for controlling dietary carbohydrates: a review. 2004 , 1, 12		177
1810	Review on "Atkins Diabetes Revolution: The Groundbreaking Approach to Preventing and Controlling Type 2 Diabetes" by Mary C. Vernon and Jacqueline A. Eberstein. 2004 , 1, 14		6
1809	What is the relationship between exercise and metabolic abnormalities? A review of the metabolic syndrome. 2004 , 34, 371-418		201
1808	Reducing the Incidence of Type 2 Diabetes Mellitus. 2004 , 12, 249-258		1
1807	Should the insulin resistance syndrome be treated in the elderly?. 2004 , 21, 141-51		11
1806	Modest weight loss and physical activity in overweight patients with chronic liver disease results in sustained improvements in alanine aminotransferase, fasting insulin, and quality of life. 2004 , 53, 413-9		310
1805	Nonalcoholic fatty liver disease: a review of current understanding and future impact. 2004 , 2, 1048-58		294
1804	Treatment of metabolic syndrome. 2004 , 2, 213-28		59
1803	Physical activity/exercise and type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 2518-39	14.6	513
1802	Impaired insulin sensitivity, insulin secretion, and glucose effectiveness predict future development of impaired glucose tolerance and type 2 diabetes in pre-diabetic African Americans: implications for primary diabetes prevention. <i>Diabetes Care</i> , 2004 , 27, 1439-46	14.6	102
1801	Clustering of components of the metabolic syndrome and risk for development of type 2 diabetes in Japanese male office workers. 2004 , 63, 185-94		11
1800	Lifestyle change after gestational diabetes. 2004 , 63, 67-72		62
1799	Effects of impaired fasting glucose and impaired glucose tolerance on predicting incident type 2 diabetes in a Chinese population with high post-prandial glucose. 2004 , 66, 183-91		22
1798	Comparing the ADA 1997 and the WHO 1999 criteria: Prevalence of Diabetes in India Study. 2004 , 66, 309-15		16
1797	Use of mapping technology in health intervention research. 2004 , 52, 142-6		33
1796	Nutritional fats and the risk of type 2 diabetes and cancer. 2004 , 83, 611-5		22
1795	The metabolic syndrome in treatment-seeking obese persons. 2004 , 53, 435-40		46

1794	Beneficial metabolic effects of chronic glipizide in obese African Americans with impaired glucose tolerance: implications for primary prevention of type 2 diabetes. 2004 , 53, 414-22	5
1793	Physical exercise enhances hepatic insulin signaling and inhibits phosphoenolpyruvate carboxykinase activity in diabetes-prone <i>Psammomys obesus</i> . 2004 , 53, 836-41	21
1792	Effects of weight loss in obese subjects with normal fasting plasma glucose or impaired glucose tolerance on insulin release and insulin resistance according to a minimal model analysis. 2004 , 53, 1095-100	10
1791	Recent lifestyle trials in the prevention of type 2 diabetes. 2004 , 1262, 328-331	
1790	Should oral glucose tolerance test be a routine examination after a myocardial infarction?. 2004 , 97, 21-4	11
1789	Macrovascular complications of metabolic syndrome: an early intervention is imperative. 2004 , 97, 167-72	35
1788	Frequent and occasional physical activity in the elderly: a 12-year follow-up study of mortality. 2004 , 27, 22-7	88
1787	SCREENING FOR DIABETES IN GENERAL PRACTICE. 2004 , 7, 142-143	
1786	Prudent diet and the risk of insulin resistance. 2004 , 14, 334-43	55
1785	Evidence-based nutritional approaches to the treatment and prevention of diabetes mellitus. 2004 , 14, 373-94	362
1784	Self-rated measures of physical activity and cardiovascular risk in a sample of Southern Italian male workers: the Olivetti heart study. 2004 , 14, 143-9	10
1783	[Can type II diabetes be avoided?]. 2004 , 33, 77-9	
1782	[Treatment principles for the metabolic syndrome]. 2004 , 33, 673-81	0
1781	Comparison of men with impaired fasting glycaemia to controls and to diabetic subjects with fasting glycaemia from 7.0 to 7.7 mmol/l: clinical, nutritional and biological status. 2004 , 30, 167-74	6
1780	Initiating oral glucose-lowering therapy with metformin in type 2 diabetic patients: an evidence-based strategy to reduce the burden of late-developing diabetes complications. 2004 , 30, 509-16	38
1779	Orthodontic considerations in the diabetic patient. 2004 , 10, 252-258	7
1778	Diabetes mellitus tipo 2. Manifestaciones clínicas y seguimiento. Referencia a la medicina especializada. 2004 , 9, 981-989	
1777	Intensive lifestyle changes or metformin in patients with impaired glucose tolerance: modeling the long-term health economic implications of the diabetes prevention program in Australia, France, Germany, Switzerland, and the United Kingdom. 2004 , 26, 304-21	106

1776	Weight management through lifestyle modification for the prevention and management of type 2 diabetes: rationale and strategies. A statement of the American Diabetes Association, the North American Association for the Study of Obesity, and the American Society for Clinical Nutrition. 2004, 80, 257-63	162
1775	Maternal plasma ascorbic Acid (vitamin C) and risk of gestational diabetes mellitus. 2004, 15, 597-604	54
1774	Preventing type II diabetes mellitus. 2004, 44, 406-13	46
1773	Preventing Cancer, Cardiovascular Disease, and Diabetes. 2004, 35, 1999-2010	95
1772	Physiopathologie des obésités et du diabète de type 2. 2004, 1, 1-11	
1771	The prevention of type 2 diabetes mellitus: recent advances. 2004, 97, 451-5	24
1770	Diet composition and the risk of type 2 diabetes: epidemiological and clinical evidence. 2004, 92, 7-19	129
1769	Non-pharmacological management of type 2 diabetes. 2004, 59, 14-9	7
1768	Differences in food habits and cardiovascular disease risk factors among Native Americans with and without diabetes: the Inter-Tribal Heart Project. 2004, 7, 1025-32	7
1767	A life course approach to diet, nutrition and the prevention of chronic diseases. 2004, 7, 101-21	237
1766	Diet, nutrition and the prevention of type 2 diabetes. 2004, 7, 147-65	234
1765	The evolution of the nutritional management of diabetes. 2004, 63, 615-20	10
1764	COMMENTARY ON: The U.S. Preventive Services Task Force Recommendations for Screening for Type 2 Diabetes Mellitus in Adults. 2004, 104, 93-94	
1763	Screening for type 2 diabetes mellitus in adults: recommendations and rationale. 2004, 104, 83-7, 89-90, 92; discussion 93-4	7
1762	Epidemiology and treatment of the metabolic syndrome. 2004, 36, 332-46	82
1761	Application of economic analysis to diabetes and diabetes care. 2004, 140, 972-7	64
1760	Primary prevention of type 2 diabetes mellitus by lifestyle intervention: implications for health policy. 2004, 140, 951-7	97
1759	Practical Approach to the Diagnosis and Management of People With Fatty Liver Diseases. 181-193	

1758	Nash As Part of the Metabolic (Insulin Resistance) Syndrome. 55-65	1
1757	As campanhas nacionais para detecção das doenças crônicas não-transmissíveis: diabetes e hipertensão arterial. 2004 , 9, 885-895	16
1756	Diabetes and Physical Activity. 2004 , 19-31	
1755	Primary prevention of type 2 diabetes: lifestyle intervention works and saves money, but what should be done with smokers?. 2005 , 142, 381-3	10
1754	Management of the metabolic syndrome. 2005 , 330, 343-51	14
1753	Strategies for the prevention of type 2 diabetes and cardiovascular disease. 2005 , 7, D18-D22	5
1752	The Behaviour Change Process. 2005 , 169-177	
1751	Prevention of Obesity and Lipid Disorders. 2005 , 203-243	
1750	Type 2 Diabetes Mellitus: Primary and Secondary Prevention the Vision of the International Diabetes Federation. 2005 , 15-20	1
1749	A Paradigm Shift is Needed in the Primary Prevention of Type 2 Diabetes. 2005 , 153-168	4
1748	Ecological approaches to self-management: the case of diabetes. 2005 , 95, 1523-35	216
1747	Therapeutic Strategies for Insulin Resistance. 2005 , 535-560	
1746	A successful diabetes prevention study in Eskimos: the Alaska Siberia project. 2005 , 64, 409-24	40
1745	Physical activity and diabetes prevention. 2005 , 99, 1205-13	220
1744	You Asked For It. 2005 , 9, 6-7	
1743	What is the relationship between risk factor reduction and degree of weight loss?. 2005 , 7, L21-L26	71
1742	Increasing lifestyle physical activity in patients with depression or other serious mental illness. 2005 , 11, 379-88	49
1741	Outcome and cost of a statewide diabetes screening and awareness initiative in New York. 2005 , 11, 59-64	9

1740	The optimal diet for women with polycystic ovary syndrome?. 2005 , 94, 154-65	53
1739	Report of the International Conference on Diabetes and Obesity. 2005 , 2, 693-697	2
1738	The cost-effectiveness of lifestyle modification or metformin in preventing type 2 diabetes in adults with impaired glucose tolerance. 2005 , 142, 323-32	477
1737	Urinary incontinence: an important and underrecognized complication of type 2 diabetes mellitus. 2005 , 53, 2028-9	14
1736	Impact of generalist care managers on patients with diabetes. 2005 , 40, 1400-21	43
1735	The global challenge of chronic kidney disease. 2005 , 68, 2918-29	110
1734	What have we learned from clinical trials on prevention?. 2005 , S101-6	2
1733	An algorithm for the treatment of type 2 diabetes in Latin America. 2005 , 7, 148-60	7
1732	Association between Pro12Ala polymorphism of the PPAR-gamma2 gene and insulin sensitivity in Brazilian patients with type-2 diabetes mellitus. 2005 , 7, 605-11	26
1731	Relationship between pedometer-registered activity, aerobic capacity and self-reported activity and fitness in patients with type 2 diabetes. 2005 , 7, 737-44	41
1730	Role of skeletal muscle-fibre type in regulation of glucose metabolism in middle-aged subjects with impaired glucose tolerance during a long-term exercise and dietary intervention. 2005 , 7, 745-54	24
1729	A multivariate logistic regression equation to screen for dysglycaemia: development and validation. 2005 , 22, 599-605	23
1728	Interleukin-12B gene polymorphism is associated with circulating oxidized LDL levels in Japanese Type 2 diabetic patients. 2005 , 22, 661-2	1
1727	Reply. 2005 , 22, 667-667	
1726	Type 2 diabetes and hearing loss in black Africans. 2005 , 22, 664-5	9
1725	Cardiovascular therapies and their role in diabetic eye disease. 2005 , 22, 665-6	3
1724	Rosiglitazone improves insulin sensitivity, glucose tolerance and ambulatory blood pressure in subjects with impaired glucose tolerance: does it really work? If yes, is it a novelty?. 2005 , 22, 666-7; author reply 667	2
1723	Prevalence of Type 2 diabetes in urban and rural Chinese populations in Qingdao, China. 2005 , 22, 1427-33	73

1722	Weight change and risk of developing type 2 diabetes. 2005 , 13, 945-51	79
1721	Urinary F2-isoprostanes are not associated with increased risk of type 2 diabetes. 2005 , 13, 1638-44	34
1720	The effects of physical activity and body mass index on cardiovascular, cancer and all-cause mortality among 47 212 middle-aged Finnish men and women. 2005 , 29, 894-902	200
1719	Glucose clearance is higher in arm than leg muscle in type 2 diabetes. 2005 , 565, 555-62	46
1718	Structured dietary advice incorporating walnuts achieves optimal fat and energy balance in patients with type 2 diabetes mellitus. 2005 , 105, 1087-96	35
1717	The role of diet and lifestyle modifications in the statin era. 2005 , 105, 1718-21	5
1716	Approach to treatment of the patient with metabolic syndrome: lifestyle therapy. 2005 , 96, 15E-21E	52
1715	Pathogenesis of type 2 diabetes mellitus. 2005 , 36, 197-209	321
1714	Cardiometabolic risk assessment: an approach to the prevention of cardiovascular disease and diabetes mellitus. 2005 , 7, 7-16	23
1713	Predialysis psychoeducational intervention extends survival in CKD: a 20-year follow-up. 2005 , 46, 1088-98	148
1712	The metabolic syndrome and high C-reactive protein: prevalence and differences by sex in a southern-European population-based cohort. 2005 , 21, 515-24	59
1711	Leisure time physical activity and the risk of type 2 diabetes in men and women from the general population. The MONICA/KORA Augsburg Cohort Study. 2005 , 48, 27-34	167
1710	Urinary sodium and potassium excretion and the risk of type 2 diabetes: a prospective study in Finland. 2005 , 48, 1477-83	74
1709	Prevention of type 2 diabetes: what challenges do we have to address?. 2005 , 13, 303-308	5
1708	Caloric restriction versus drug therapy to delay the onset of aging diseases and extend life. 2005 , 27, 39-48	14
1707	Role of impaired insulin secretion and insulin resistance in the pathogenesis of type 2 diabetes mellitus. 2005 , 31, 106-12	16
1706	Treatment of the metabolic syndrome: the impact of lifestyle modification. 2005 , 7, 95-102	36
1705	Prevention of T2DM in women with a previous history of GDM. 2005 , 5, 272-7	8

1704	Evaluation of epidemiologic evidence on the role of nutrition in the development of diabetes and its complications. 2005 , 5, 366-73	2
1703	Understanding the complex associations between patient-provider relationships, self-care behaviours, and health-related quality of life in type 2 diabetes: a structural equation modeling approach. 2005 , 14, 1489-500	59
1702	. 2005 ,	9
1701	Screening for Undiagnosed Diabetes: Whom, Where, When and How. 2005 , 41-79	
1700	. 2005 ,	3
1699	The Diabetes Prevention Program: A Worksite Experience. 2005 , 53, 499-505	32
1698	. 2005 ,	17
1697	References. 312-370	
1696	. 2005 ,	1
1695	Findings from Preventive Type 2 Diabetes Trials. 2005 , 125-151	
1694	A Preventable Epidemic of Coronary Heart Disease in Modern China. 2005 , 12, 1-4	4
1693	Guidelines and Classifications. 2005 , 13-25	
1692	Prevention of Metabolic Syndrome. 2005 , 48, 1188	1
1691	Psychosocial factors and diabetes mellitus: evidence-based treatment guidelines. 2005 , 1, 255-70	37
1690	Effect of depression on self-management behaviors and health outcomes in adults with type 2 diabetes. 2005 , 1, 235-43	66
1689	Efficacy of lifestyle education to prevent type 2 diabetes: a meta-analysis of randomized controlled trials. <i>Diabetes Care</i> , 2005 , 28, 2780-6	14.6 181
1688	Preventing type 2 diabetes mellitus. 2005 , 18, 37-43	22
1687	Prevention of type 2 diabetes. 2005 , 5, 365-74	23

1686	Use of the diabetes risk score for opportunistic screening of undiagnosed diabetes and impaired glucose tolerance: the IGLOO (Impaired Glucose Tolerance and Long-Term Outcomes Observational) study. <i>Diabetes Care</i> , 2005 , 28, 1187-94	14.6	121
1685	Diabetes and ethnic minorities. 2005 , 81, 486-90		96
1684	The metabolic syndrome and cardiovascular risk. 2005 , 1, 137-43		22
1683	Fishes, Whales, and Fishing Tips: Hooking an Active Lifestyle. 2005 , 18, 114-118		
1682	A preventable epidemic of coronary heart disease in modern China. 2005 , 12, 1-4		
1681	Effects of exercise training on glucose homeostasis: the HERITAGE Family Study. <i>Diabetes Care</i> , 2005 , 28, 108-14	14.6	265
1680	Standards of Medical Care in Diabetes. <i>Diabetes Care</i> , 2005 , 28, S4-S36	14.6	815
1679	Impaired glucose tolerance and impaired fasting glucose--a review of diagnosis, clinical implications and management. 2005 , 2, 9-15		109
1678	Prevention of type 2 diabetes with troglitazone in the Diabetes Prevention Program. 2005 , 54, 1150-6		384
1677	Strategies to identify adults at high risk for type 2 diabetes: the Diabetes Prevention Program. <i>Diabetes Care</i> , 2005 , 28, 138-44	14.6	69
1676	Obesity, inactivity, and the prevalence of diabetes and diabetes-related cardiovascular comorbidities in the U.S., 2000-2002. <i>Diabetes Care</i> , 2005 , 28, 1599-603	14.6	251
1675	A causal modelling approach to the development of theory-based behaviour change programmes for trial evaluation. 2005 , 20, 676-87		209
1674	Prävention des Diabetes mellitus Typ 2. 2005 , 31, 20-27		
1673	Evidenz der Ernährung in der Therapie und Prävention des Diabetes mellitus. 2005 , 30, 197-203		5
1672	Screening for type 2 diabetes mellitus to prevent vascular complications: updated recommendations from the Canadian Task Force on Preventive Health Care. 2005 , 172, 177-80		26
1671	Prävention des Diabetes mellitus Typ 2. 2005 , 31, 20-27		
1670	Einfluss von Widerstandstraining auf Parameter des Glukosestoffwechsels bei Gesunden, Typ-2-Diabetikern und Individuen mit Anzeichen einer Insulinresistenz. 2005 , 30, 261-272		1
1669	Strategies to prevent type 2 diabetes. 2005 , 21, 1107-14		33

1668	The prevalence of the metabolic syndrome in a danish population of women with previous gestational diabetes mellitus is three-fold higher than in the general population. 2005 , 90, 4004-10		207
1667	Evaluating the cardiovascular effects of the thiazolidinediones and their place in the management of type 2 diabetes in relation to the metabolic syndrome. 2005 , 3, 147-73		3
1666	Diabetes Mellitus. 2005 , 203-218		
1665	A cohort study of the impact of a national disease management program on HEDIS diabetes outcomes. 2005 , 8, 86-92		12
1664	Physical activity, physical fitness, and risk of type 2 diabetes mellitus. 2005 , 3, 35-44		7
1663	Identifying individuals at high risk for diabetes: The Atherosclerosis Risk in Communities study. <i>Diabetes Care</i> , 2005 , 28, 2013-8	14.6	339
1662	Lifestyle intervention, glucose tolerance, and risk of developing type 2 diabetes mellitus. 2005 , 3, 26-34		14
1661	Rapid Progression From Pre-diabetes to Severely Ill Diabetes While Under "Expert Care": Suggestions for Improved Screening for Disease Progression. 2005 , 18, 229-239		2
1660	Role of insulin secretion and sensitivity in the evolution of type 2 diabetes in the diabetes prevention program: effects of lifestyle intervention and metformin. 2005 , 54, 2404-14		348
1659	A walking program for outpatients in psychiatric rehabilitation: pilot study. 2005 , 7, 87-97		29
1658	Prevalence of impaired fasting glucose and its relationship with cardiovascular disease risk factors in US adolescents, 1999-2000. 2005 , 116, 1122-6		130
1657	Primary prevention of diabetes: what can be done and how much can be prevented?. 2005 , 26, 445-67		188
1656	A reduced-fat diet and aerobic exercise in Japanese Americans with impaired glucose tolerance decreases intra-abdominal fat and improves insulin sensitivity but not beta-cell function. 2005 , 54, 340-7		53
1655	A systematic review of drug therapy to delay or prevent type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 736-44	14.6	130
1654	Leisure time physical activity is associated with poor glycemic control in type 1 diabetic women: the FinnDiane study. <i>Diabetes Care</i> , 2005 , 28, 777-82	14.6	62
1653	End-stage renal disease due to diabetes among southwestern American Indians, 1990-2001. <i>Diabetes Care</i> , 2005 , 28, 1041-4	14.6	25
1652	Efficient cutoff points for three screening tests for detecting undiagnosed diabetes and pre-diabetes: an economic analysis. <i>Diabetes Care</i> , 2005 , 28, 1321-5	14.6	56
1651	Weight Management Using Lifestyle Modification in the Prevention and Management of Type 2 Diabetes: Rationale and Strategies. 2005 , 23, 130-136		3

1650	Epidemiological evidence for the role of physical activity in reducing risk of type 2 diabetes and cardiovascular disease. 2005 , 99, 1193-204	473
1649	Dietary patterns and the incidence of type 2 diabetes. 2005 , 161, 219-27	175
1648	Insulin resistance and inflammation in the early phase of type 2 diabetes: potential for therapeutic intervention. 2005 , 240, 30-40	25
1647	The SCOUT study: risk-benefit profile of sibutramine in overweight high-risk cardiovascular patients. 2005 , 7, L44-L48	45
1646	Physical activity for health: an overview. 2005 , 95, 62-72	4
1645	Effect of bezafibrate on incidence of type 2 diabetes mellitus in obese patients. 2005 , 26, 2032-8	66
1644	Type 2 diabetes: principles of pathogenesis and therapy. 2005 , 365, 1333-46	1618
1643	Obesity. 2005 , 366, 1197-209	3045
1642	La cintura hipertrigliceridmica. 2005 , 17, 286-296	
1641	Pre-diabetes essential action: a European perspective. 2005 , 31, 606-20	50
1640	Patients with Type 2 diabetes treated with metformin: prevalence of contraindications and their correlation with discontinuation. 2005 , 22, 662-4	10
1639	Long-term AICAR administration and exercise prevents diabetes in ZDF rats. 2005 , 54, 928-34	183
1638	The prevention of type 2 diabetes mellitus. 2005 , 34, 199-219, viii	36
1637	The renin angiotensin system as a therapeutic target to prevent diabetes and its complications. 2005 , 23, 165-83	22
1636	Physical activity in the prevention of type 2 diabetes: the Finnish diabetes prevention study. 2005 , 54, 158-65	434
1635	Postpartum physical activity and related psychosocial factors among women with recent gestational diabetes mellitus. <i>Diabetes Care</i> , 2005 , 28, 2650-4	14.6 81
1634	The validity of the Finnish Diabetes Risk Score for the prediction of the incidence of coronary heart disease and stroke, and total mortality. 2005 , 12, 451-8	54
1633	Effects of exercise and diet on chronic disease. 2005 , 98, 3-30	351

1632	JBS 2: Joint British Societies' guidelines on prevention of cardiovascular disease in clinical practice. 2005 , 91 Suppl 5, v1-52	523
1631	Effectiveness of weight loss in the elderly with type 2 diabetes mellitus. 2005 , 28, 973-7	14
1630	Effect of the peroxisome proliferator-activated receptor-gamma C161T polymorphism on lipid profile in Brazilian patients with Type 2 diabetes mellitus. 2005 , 28, 129-36	19
1629	Differential regulation of insulin action and tumor necrosis factor alpha system activity by metformin. 2005 , 54, 235-9	10
1628	Preventive effects of a soy-based diet supplemented with stevioside on the development of the metabolic syndrome and type 2 diabetes in Zucker diabetic fatty rats. 2005 , 54, 1181-8	54
1627	Diagnostic accuracy of glycohemoglobin A1c (HbA1c) for postprandial hyperglycemia was equivalent to that of fasting blood glucose. 2005 , 58, 1052-7	14
1626	Prevention of type 2 diabetes by lifestyle intervention: a Japanese trial in IGT males. 2005 , 67, 152-62	449
1625	Can type 2 diabetes mellitus be considered preventable?. 2005 , 68 Suppl1, S73-81	21
1624	Long-term risk reduction: who needs treatment?. 2005 , 68 Suppl 2, S15-22	3
1623	Long-term (1- and 2-year) effects of lifestyle intervention in type 2 diabetes relatives. 2005 , 70, 225-34	27
1622	Dysglycemia in suspected acute coronary syndromes. 2005 , 16, 29-33	7
1621	Management of hypertension in low and middle income countries: Challenges and opportunities. 2005 , 1, 275-284	9
1620	Physical activity, dietary intake and metabolic risk factors in non-diabetic daughters of patients with type II diabetes. 2005 , 40, 145-51	7
1619	The long-term effect of physical activity on incidence of coronary heart disease: a 12-year follow-up study. 2005 , 41, 219-25	64
1618	Prevalence of the metabolic syndrome among Italian adults according to ATP III definition. 2005 , 15, 250-4	142
1617	Gene-diet interaction in relation to the prevention of obesity and type 2 diabetes: evidence from the Finnish Diabetes Prevention Study. 2005 , 15, 225-33	36
1616	Long-term effectiveness of weight-loss interventions in adults with pre-diabetes: a review. 2005 , 28, 126-39	97
1615	The malignment of metaphor: silos revisited--repositories and sanctuaries for these times. 2005 , 29, 240-1	3

1614	Stroke prevention, treatment, and rehabilitation in sub-saharan Africa. 2005 , 29, 95-101		72
1613	Diabetes, prediabetes, and cardiovascular risk: shifting the paradigm. 2005 , 118, 939-47		70
1612	Prevalence, predisposition and prevention of type II diabetes. 2005 , 2, 29		83
1611	Mechanisms, significance and treatment of vascular dysfunction in type 2 diabetes mellitus: focus on lipid-regulating therapy. 2005 , 65, 31-74		57
1610	Modest weight loss improves insulin action in obese African Americans. 2005 , 54, 960-5		10
1609	Oral antihyperglycemic therapy for type 2 diabetes mellitus. 2005 , 172, 213-26		293
1608	Long-term non-pharmacological weight loss interventions for adults with prediabetes. 2005 , CD005270		92
1607	Oxidative stress in insulin-resistant conditions: cardiovascular implications. 2005 , 4, 343-51		26
1606	Cross-sectional evaluation of the Finnish Diabetes Risk Score: a tool to identify undetected type 2 diabetes, abnormal glucose tolerance and metabolic syndrome. 2005 , 2, 67-72		219
1605	Prevention of type 2 diabetes by diet and lifestyle modification. 2005 , 24, 310-9		76
1604	The Metabolic Syndrome: Lifestyle, Drugs, or Both?. 2005 , 463-474		
1603	Primary Prevention of Type 2 Diabetes Mellitus. 2006 , 239-251		0
1602	Exercise in Diabetes. 2006 , 281-291		0
1601	Is there a rationale for insulin therapy in pre-diabetic individuals?. 2006 , 5, 385-93		5
1600	Use of HbA1c in predicting progression to diabetes in French men and women: data from an Epidemiological Study on the Insulin Resistance Syndrome (DESIR). <i>Diabetes Care</i> , 2006 , 29, 1619-25	14.6	137
1599	Effects of exercise and nutritional counseling in women with polycystic ovary syndrome. 2006 , 31, 384-91		71
1598	Physical activity/exercise and type 2 diabetes: a consensus statement from the American Diabetes Association. <i>Diabetes Care</i> , 2006 , 29, 1433-8	14.6	693
1597	Chronic non-communicable diseases. 2006 , 100, 455-64		74

1596	Antioxidants and Cardiovascular Disease. 2006,	3
1595	Development of impaired glucose tolerance and diabetes in follow-up offspring of Caribbean patients with type 2 diabetes: analysis of 5-year follow-up study. 2006, 112, 158-65	1
1594	ECSS position statement: Exercise and obesity. 2006, 6, 15-24	33
1593	Síndrome metabólico: ¿cómo diagnosticarlo y cómo tratarlo?. 2006, 18, 49-55	
1592	Lifestyle interventions to prevent type 2 diabetes. 2006, 368, 1634-6	6
1591	Sustained reduction in the incidence of type 2 diabetes by lifestyle intervention: follow-up of the Finnish Diabetes Prevention Study. 2006, 368, 1673-9	1234
1590	Epidemic obesity and type 2 diabetes in Asia. 2006, 368, 1681-8	1137
1589	Epidemiology of diabetes. 2006, 34, 57-60	5
1588	Diabetes and the metabolic syndrome--when is it best to intervene to prevent?. 2006, 7, 3-10	16
1587	Diabetes and cardiovascular disease. Introduction. 2006, 7, 1-4	36
1586	Lifestyle intervention for prevention and treatment of type 2 diabetes. 2006, 41, 567-88, vii	4
1585	Diabetes Screening Among High-risk Participants in the Quebec Health Survey. 2006, 30, 30-37	
1584	Physical Activity in the Management of Diabetes: Population-based Perspectives and Strategies. 2006, 30, 52-62	36
1583	Physician Treatment Practices for Patients With Fasting Plasma Glucose Levels Between 6.1 and 6.9 mmol/L. 2006, 30, 1-8	1
1582	[New concepts in dietary treatment of metabolic syndrome]. 2006, 206, 100-2	1
1581	[Pre-diabetes in primary care: diagnosis... and treatment?]. 2006, 37, 400-6	0
1580	Targeting postprandial hyperglycemia. 2006, 55, 1263-81	62
1579	A lifestyle intervention for older schizophrenia patients with diabetes mellitus: a randomized controlled trial. 2006, 86, 36-44	148

1578	A risk score for predicting incident diabetes in the Thai population. <i>Diabetes Care</i> , 2006 , 29, 1872-7	14.6	191
1577	Effect of acute prior exercise on glycemc and insulinemic indices. 2006 , 25, 195-202		8
1576	Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007 , 28, 88-136		889
1575	Changes in incidence of diabetes in U.S. adults, 1997-2003. 2006 , 30, 371-7		176
1574	Risk constellations in patients with the metabolic syndrome: epidemiology, diagnosis, and treatment patterns. 2006 , 119, S3-9		45
1573	The obese patient with diabetes mellitus: from research targets to treatment options. 2006 , 119, S17-23		29
1572	Predictors for erectile dysfunction among diabetics. 2006 , 71, 313-9		38
1571	Insulin resistance and impaired glucose metabolism in a predominantly Maori community. 2006 , 72, 68-74		9
1570	Randomised controlled trial evaluating lifestyle interventions in people with impaired glucose tolerance. 2006 , 72, 117-27		79
1569	Persistent impaired glucose tolerance has similar rate of risk factors as for diabetes--results of Indian diabetes prevention programme (IDPP). 2006 , 73, 100-3		4
1568	Metabolic syndrome and prediabetes. 2006 , 52, 55-144		15
1567	Childhood obesity and the metabolic syndrome. 2006 , 53, 23-53		11
1566	Using population health surveys to provide information on access to and use of quality primary health care. 2006 , 30, 485-95		5
1565	Physical Activity and Type 2 Diabetes Mellitus. 2006 , 30, 1		1
1564	Can the Glycemic Index (GI) be used as a tool in the prevention and management of Type 2 diabetes?. 2006 , 3, 61-71		12
1563	An intervention to reduce excess body weight in adults with or at risk for type 2 diabetes. 2006 , 171, 409-14		4
1562	Diabetes in Older Adults. 2006 , 522-534		
1561	Relationship between metabolic syndrome and familial history of hypertension/stroke, diabetes, and cardiovascular disease. 2006 , 21, 701-8		12

1560	Postprandial hyperglycemia and cardiovascular disease. 2006 , 12 Suppl 1, 47-51	18
1559	[Nutritional intervention and primary prevention of type 2 diabetes mellitus: a systematic review]. 2006 , 22, 7-18	9
1558	[Prevention of type 2 diabetes mellitus]. 2006 , 50, 239-49	29
1557	Type 2 Diabetes. 2006 ,	
1556	Physical activity, fitness and cardiovascular disease risk in adults: interactions with insulin resistance and obesity. 2006 , 110, 409-25	112
1555	Adipocytokines and incident diabetes mellitus in older adults: the independent effect of plasminogen activator inhibitor 1. 2006 , 166, 350-6	75
1554	Obesity and Prevention of Type 2 Diabetes. 2006 , 79-97	
1553	Treatments for the Metabolic Syndrome. 2006 , 381-406	1
1552	Multiple risk factor interventions for primary prevention of coronary heart disease. 2006 , CD001561	75
1551	LMC International Food Congress 2006: Nutrigenomics and Health âFrom Vision to Food. 2006 , 50, 3-53	
1550	Applying comprehensive community-based approaches in diabetes prevention: rationale, principles, and models. 2006 , 12, 545-55	12
1549	Evidence-based nutrition recommendations for the treatment and prevention of type 2 diabetes and the metabolic syndrome. 2006 , 27, 161-6	8
1548	The answer to diabetes prevention: science, surgery, service delivery, or social policy?. 2006 , 96, 1562-9	33
1547	Preventing type 2 diabetes in high risk patients: an overview of lifestyle and pharmacological measures. 2006 , 7, 211-28	63
1546	Prevalence and associated risk factors of undiagnosed diabetes among adult Moroccan Sahraoui women. 2006 , 9, 722-7	10
1545	Diabetes: what about patterns, fruits, and vegetables?. 2006 , 9, 276	
1544	Rates of postpartum glucose testing after gestational diabetes mellitus. 2006 , 108, 1456-62	115
1543	The influence of age on the effects of lifestyle modification and metformin in prevention of diabetes. 2006 , 61, 1075-81	174

1542	Activit ^é physique, diabète et autres facteurs de risque cardiovasculaire. 2006 , 1, 1-6	
1541	Exercise and people with serious, persistent mental illness. 2006 , 106, 50-4	8
1540	Obesity and type 2 diabetes mellitus in adolescents: what is new?. 2006 , 13, 111-118	
1539	Alpha-glucosidase inhibitors for people with impaired glucose tolerance or impaired fasting blood glucose. 2006 , CD005061	49
1538	Effects of a controlled program of moderate physical exercise on insulin sensitivity in nonobese, nondiabetic subjects. 2006 , 16, 46-50	12
1537	Lifestyle intervention to prevent diabetes: intensive and cost effective. 2006 , 17, 37-44	37
1536	The use of oral glucose tolerance tests to risk stratify for new-onset diabetes after transplantation: An underdiagnosed phenomenon. 2006 , 82, 1667-72	66
1535	High prevalence of the metabolic syndrome among a Swedish cohort of patients with schizophrenia. 2006 , 21, 93-8	109
1534	Burnout and Health Review: Current Knowledge and Future Research Directions. 2006 , 269-308	27
1533	A review of the economic evidence for acarbose in the prevention of diabetes and cardiovascular events in individuals with impaired glucose tolerance. 2006 , 60, 847-55	11
1532	Diabetes prevention: is there more to it than lifestyle changes?. 2006 , 60, 590-4	10
1531	The metabolic syndrome: evolving evidence that thiazolidinediones provide rational therapy. 2006 , 8, 365-80	5
1530	Preventing type 2 diabetes using combination therapy: design and methods of the CANadian Normoglycaemia Outcomes Evaluation (CANOE) trial. 2006 , 8, 531-7	22
1529	Association of leisure time physical activity and abdominal obesity with fasting serum insulin and 2-h postchallenge plasma glucose levels. 2006 , 23, 1025-8	14
1528	Nutrition recommendations for the treatment and prevention of type 2 diabetes and the metabolic syndrome: an evidenced-based review. 2006 , 64, 422-7	51
1527	Are physician reimbursement strategies associated with processes of care and patient satisfaction for patients with diabetes in managed care?. 2006 , 41, 1221-41	12
1526	Preventing diabetes in the clinical setting. 2006 , 21, 84-93	21
1525	Development of food groupings to guide dietary advice for people with diabetes. 2006 , 63, 36-47	9

1524	Evidence for prescribing exercise as therapy in chronic disease. 2006 , 16 Suppl 1, 3-63	814
1523	Drug therapy of the metabolic syndrome: minimizing the emerging crisis in polypharmacy. 2006 , 5, 295-309	195
1522	Lifestyle intervention in obese patients with type 2 diabetes: impact of the patient's educational background. 2006 , 14, 1085-92	22
1521	A primary care weight management intervention for low-income African-American women. 2006 , 14, 1412-20	75
1520	The Look AHEAD study: a description of the lifestyle intervention and the evidence supporting it. 2006 , 14, 737-52	576
1519	Le syndrome métabolique. 2006 , 20, 114-117	9
1518	Inflammation in metabolic syndrome and type 2 diabetes: Impact of dietary glucose. 2006 , 1084, 30-48	30
1517	Comparing Self-Rated Health, Satisfaction and Quality of Life Scores Between Diabetics and Others Living in The Bella Coola Valley. 2006 , 76, 263-281	9
1516	Public health aspects of diabetes mellitus--epidemiology, prevention strategies, policy implications: the first Austrian diabetes report. 2006 , 118, 513-9	23
1515	[Diabetes and heart transplantation]. 2006 , 95 Suppl 1, i48-53	
1514	[Prevention of type 2 diabetes in Germany. Ideas, evidence, implementation]. 2006 , 101, 730-6	9
1513	[Nonpharmacological diabetes therapy]. 2006 , 101, 973-89; quiz 990-1	
1512	The Indian Diabetes Prevention Programme shows that lifestyle modification and metformin prevent type 2 diabetes in Asian Indian subjects with impaired glucose tolerance (IDPP-1). 2006 , 49, 289-97	1260
1511	How much might achievement of diabetes prevention behaviour goals reduce the incidence of diabetes if implemented at the population level?. 2006 , 49, 905-11	48
1510	The threshold for diagnosing impaired fasting glucose: a position statement by the European Diabetes Epidemiology Group. 2006 , 49, 822-7	87
1509	Ethnicity modifies the association between diabetes mellitus and ischaemic heart disease in Chinese, Malays and Asian Indians living in Singapore. 2006 , 49, 2866-73	54
1508	Diabetes, aging and physical activity. 2006 , 3, 63-73	4
1507	A public health approach to the diabetes epidemic: New York City's diabetes registry. 2006 , 6, 169-71	2

1506	Identifying diabetes knowledge network nodes as sites for a diabetes prevention program. 2006 , 12, 449-64	11
1505	Psychological predictors of physical activity in the diabetes prevention program. 2006 , 106, 698-705	121
1504	Diabetes prevention program strategies and tools could be translated to practice setting. 2006 , 106, 705-8	3
1503	Outcome research in obesity: lessons from the QUOVADIS study. 2006 , 67, 260-270	1
1502	Postprandial hyperglycemia: Why do we care about it? What should we do?. 2006 , 67, 582-586	
1501	Energy well spent fighting the diabetes epidemic. 2006 , 22, 11-9	16
1500	Phenotypic and genetic clustering of diabetes and metabolic syndrome in Chinese families with type 2 diabetes mellitus. 2006 , 22, 46-52	70
1499	Low-intensity exercise increases skeletal muscle protein expression of PPARdelta and UCP3 in type 2 diabetic patients. 2006 , 22, 492-8	87
1498	Do meal replacement drinks have a role in diabetes management?. 2006 , 11, 171-181	8
1497	Optimal diet for glycemia and lipids. 2006 , 11, 97-105	
1496	Critical review of the international guidelines: what is agreed upon--what is not?. 2006 , 11, 207-218	5
1495	Can thiazolidinediones delay disease progression in type 2 diabetes?. 2006 , 22, 1193-201	11
1494	Prevalence of impaired glucose tolerance 6 years after gestational diabetes. 2006 , 114, 11-7	24
1493	Strukturierte Adipositas therapie. 2006 , 21, 163-172	
1492	Diabetes prevention--from physiology to implementation. 2006 , 38, 460-4	34
1491	A randomised control trial comparing lifestyle groups, individual counselling and written information in the management of weight and health outcomes over 12 months. 2006 , 30, 1557-64	47
1490	A worksite diabetes prevention program: two-year impact on employee health. 2006 , 54, 389-95	39
1489	Impact of exercise training on insulin sensitivity, physical fitness, and muscle oxidative capacity in first-degree relatives of type 2 diabetic patients. 2006 , 290, E998-1005	65

1488	All pre-diabetes is not the same: metabolic and vascular risks of impaired fasting glucose at 100 versus 110 mg/dl: the Screening for Impaired Glucose Tolerance study 1 (SIGT 1). <i>Diabetes Care</i> , 2006 , 29, 1405-7	14.6	19
1487	Medical management of obesity. 2006 , 61, 286-94		5
1486	Prevalence of obesity in type 2 diabetes in secondary care: association with cardiovascular risk factors. 2006 , 82, 280-4		185
1485	Liposuction. 2006 ,		18
1484	Should an oral glucose tolerance test be performed routinely in all renal transplant recipients?. 2006 , 1, 100-8		42
1483	Diet, exercise and the metabolic syndrome. 2006 , 3, 118-26		99
1482	Prospects for the prevention of allergy: a losing battle or a battle still worth fighting?. 2006 , 160, 552-4		9
1481	Obesity and Diabetes. 2006 ,		4
1480	Implications for primary care of diabetes and impaired fasting glucose prevalence in adolescents. 2006 , 160, 550-2		1
1479	Trends in hyperinsulinemia among nondiabetic adults in the U.S. <i>Diabetes Care</i> , 2006 , 29, 2396-402	14.6	89
1478	Effect of weight loss with lifestyle intervention on risk of diabetes. <i>Diabetes Care</i> , 2006 , 29, 2102-7	14.6	851
1477	Diabetes mellitus in older men. 2006 , 9, 139-47		26
1476	Lifestyle management in the metabolic syndrome. 2006 , 4, 270-86		8
1475	Disease management of the metabolic syndrome in a community: study design and process analysis on baseline data. 2006 , 4, 7-16		8
1474	High-risk individuals' willingness to pay for diabetes risk-reduction programs. <i>Diabetes Care</i> , 2006 , 29, 1351-6	14.6	66
1473	Nutrition: It's Relevance in Development and Treatment of the Metabolic Syndrome. 2006 , 333-352		
1472	Predictors of postpartum diabetes in women with gestational diabetes mellitus. 2006 , 55, 792-7		176
1471	Standards of medical care in diabetes--2007. <i>Diabetes Care</i> , 2007 , 30 Suppl 1, S4-S41	14.6	1171

1470	Rationale and public health implications of changing CHD risk factor definitions. 2007 , 28, 321-44		24
1469	Treating the metabolic syndrome. 2007 , 5, 491-506		41
1468	High risk of cardiovascular mortality in individuals with impaired fasting glucose is explained by conversion to diabetes: the Hoorn study. <i>Diabetes Care</i> , 2007 , 30, 332-6	14.6	82
1467	Gestational diabetes after delivery. Short-term management and long-term risks. <i>Diabetes Care</i> , 2007 , 30 Suppl 2, S225-35	14.6	105
1466	Costs of a self-selected, health-promoting diet among the participants of the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2007 , 30, 1275-7	14.6	14
1465	Racial and ethnic variation in access to health care, provision of health care services, and ratings of health among women with histories of gestational diabetes mellitus. <i>Diabetes Care</i> , 2007 , 30, 1459-65	14.6	29
1464	Transplant-associated hyperglycemia: a new look at an old problem. 2007 , 2, 343-55		69
1463	Integrating Depression Care With Diabetes Care in Real-World Settings: Lessons From the Robert Wood Johnson Foundation Diabetes Initiative. 2007 , 20, 10-16		20
1462	Epidemiological studies of exercise in diabetes prevention. 2007 , 32, 583-95		47
1461	A conceptual framework for targeting prediabetes with lifestyle, clinical, and behavioral management interventions. 2007 , 10, 6-15		17
1460	Glucose intolerance in polycystic ovary syndrome--a position statement of the Androgen Excess Society. 2007 , 92, 4546-56		253
1459	Physical Activity and Insulin Resistance. 2007 , 3, 157-160		3
1458	Etiology and effect on outcomes of hyperglycemia in hospitalized patients. 2007 , 64, S4-8		18
1457	Reducing the risk of type 2 diabetes: early identification of high-risk individuals and treatment with acarbose. 2007 , 3, 141-8		6
1456	The measurement of physical activity in children. 2007 , 12, 52-58		18
1455	Physical activity, obesity status, and glycemic control: The ATTICA study. 2007 , 39, 606-11		54
1454	Ethnicity and cardiovascular disease prevention in the United Kingdom: a practical approach to management. 2007 , 21, 183-211		94
1453	Diabetes mellitus Typ 2 - Bedeutung der Fette in der Prävention. 2007 , 5, 116-122		

1452	Genetic variations in PPARD and PPARGC1A determine mitochondrial function and change in aerobic physical fitness and insulin sensitivity during lifestyle intervention. 2007 , 92, 1827-33		107
1451	Finding GAD: early detection of beta-cell injury. 2007 , 148, 4568-71		10
1450	Effects of the type 2 diabetes-associated PPARG P12A polymorphism on progression to diabetes and response to troglitazone. 2007 , 92, 1502-9		113
1449	Prvention des Diabetes mellitus - Im Fokus die Rolle der Apotheken. 2007 , 5, 70-73		
1448	Chapter 1: Introduction. 2007 , 14, S2-S113		
1447	A simplified Finnish diabetes risk score to predict type 2 diabetes risk and disease evolution in a German population. 2007 , 39, 677-82		79
1446	The Metabolic Syndrome - a global challenge for prevention. 2007 , 39, 777-80		45
1445	[Prevention of type 2 diabetes mellitus: proven and new aspects]. 2007 , 132, 1057-61		2
1444	The importance and effect of dietary fiber in diabetes prevention with particular consideration of whole grain products. 2007 , 39, 687-93		53
1443	Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: full text: The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). 2007 , 9, C3-C74		25
1442	Prevention of Type 2 diabetes: fact or fiction?. 2007 , 8, 3147-58		26
1441	Population-based incidence of type 2 diabetes in northern Spain: the Asturias Study. <i>Diabetes Care</i> , 2007 , 30, 2258-63	14.6	93
1440	Waking up from the DREAM of preventing diabetes with drugs. 2007 , 334, 882-4		25
1439	Treatment and awareness of type 2 diabetes in Beijing, China, compared to New York. 2007 , 33, 282-90		6
1438	Physical activity and type 2 diabetes: exploring the role of gender and income. 2007 , 33, 128-43		33
1437	The European perspective on diabetes prevention: development and Implementation of A European Guideline and training standards for diabetes prevention (IMAGE). 2007 , 4, 353-7		41
1436	Dietary patterns and diabetes incidence in the Melbourne Collaborative Cohort Study. 2007 , 165, 603-10		93
1435	Diabetes epidemiology: guiding clinical and public health practice: the Kelly West Award Lecture, 2006. <i>Diabetes Care</i> , 2007 , 30, 1912-9	14.6	37

1434	Voluntary running improves in vivo insulin resistance in high-salt diet fed rats. 2007 , 232, 1330-7		5
1433	Impact of energy intake, physical activity, and population-wide weight loss on cardiovascular disease and diabetes mortality in Cuba, 1980-2005. 2007 , 166, 1374-80		97
1432	Counterpoint: Evidence-based prevention of type 2 diabetes: the power of lifestyle management. <i>Diabetes Care</i> , 2007 , 30, 435-8	14.6	24
1431	Type 2 diabetes in people of South Asian origin: potential strategies for prevention. 2007 , 7, 279-282		10
1430	State of the Art Reviews: Relationship Between Diet/ Physical Activity and Health. 2007 , 1, 457-481		12
1429	The Evidence Is In: Lifestyle Interventions Can Prevent Diabetes. 2007 , 1, 113-121		8
1428	Fiber and magnesium intake and incidence of type 2 diabetes: a prospective study and meta-analysis. 2007 , 167, 956-65		386
1427	SCreening for Occult REnal Disease (SCORED): a simple prediction model for chronic kidney disease. 2007 , 167, 374-81		101
1426	Impaired fasting glucose and impaired glucose tolerance: implications for care. <i>Diabetes Care</i> , 2007 , 30, 753-9	14.6	928
1425	Prospective study of dietary carbohydrates, glycemic index, glycemic load, and incidence of type 2 diabetes mellitus in middle-aged Chinese women. 2007 , 167, 2310-6		285
1424	Changes in vigorous physical activity and incident diabetes in male runners. <i>Diabetes Care</i> , 2007 , 30, 2838-44		22
1423	Physical Activity: The Role of Physical Activity and Fitness in the Prevention and Management of Type 2 Diabetes Mellitus. 2007 , 1, 344-350		1
1422	Comparison of the Atkins, Zone, Ornish, and LEARN diets for change in weight and related risk factors among overweight premenopausal women: the A TO Z Weight Loss Study: a randomized trial. 2007 , 297, 969-77		702
1421	Changing patterns of type 2 diabetes incidence among Pima Indians. <i>Diabetes Care</i> , 2007 , 30, 1758-63	14.6	88
1420	Is family history a useful tool for detecting children at risk for diabetes and cardiovascular diseases? A public health perspective. 2007 , 120 Suppl 2, S78-86		49
1419	Prevention of type 2 diabetes--lessons we have learnt for implementation. 2007 , 39, 636-41		28
1418	Prevention and treatment of type 2 diabetes in youth. 2007 , 67, 22-34		31
1417	Vascular inflammatory markers in early-onset obese and type 2 diabetes subjects before and after three months' aerobic exercise training. 2007 , 4, 231-4		28

1416	Review: Pre-diabetes: clinical relevance and therapeutic approach. 2007 , 7, 120-129		15
1415	Body size and shape changes and the risk of diabetes in the diabetes prevention program. 2007 , 56, 1680-5		86
1414	Lifestyle interventions are cost-effective in people with different levels of diabetes risk: results from a modeling study. <i>Diabetes Care</i> , 2007 , 30, 128-34	14.6	101
1413	Progression from newly acquired impaired fasting glucose to type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 228-33	14.6	176
1412	Development of diabetes in Chinese with the metabolic syndrome: a 6-year prospective study. <i>Diabetes Care</i> , 2007 , 30, 1430-6	14.6	83
1411	Point: If it is important to prevent type 2 diabetes, it is important to consider all proven therapies within a comprehensive approach. <i>Diabetes Care</i> , 2007 , 30, 432-4	14.6	12
1410	Metabolic syndrome and the older male population. 2007 , 10, 3-8		15
1409	Combined use of fasting plasma glucose and glycated hemoglobin A1c in a stepwise fashion to detect undiagnosed diabetes mellitus. 2007 , 213, 25-32		3
1408	Chinese herbal medicines for people with impaired glucose tolerance or impaired fasting blood glucose. 2007 ,		3
1407	National type 2 diabetes prevention programme in Finland: FIN-D2D. 2007 , 66, 101-12		131
1406	Development of a diabetes prevention management program for clinical practice. 2007 , 122, 258-63		74
1405	Whole Grains and Diabetes. 29-46		6
1404	Optimizing the therapeutic benefits of exercise in Type 2 diabetes. 2007 , 103, 1113-20		77
1403	What Does Justice have to do with It? A Bioethical and Sociological Perspective on the Diabetes Epidemic. 2007 , 269-300		9
1402	Intake of fruit, vegetables, and antioxidants and risk of type 2 diabetes: systematic review and meta-analysis. 2007 , 25, 2361-9		170
1401	Novel approaches to diabetes care: a population perspective. 2007 , 14, 158-65		4
1400	Decreased insulin secretion and insulin sensitivity are associated with liver function in subjects with fasting glucose between 100 and 109 mg/dL in Taiwanese population. 2007 , 35, 343-7		8
1399	HIV-positive patients with nonalcoholic fatty liver disease have a lower body mass index and are more physically active than HIV-negative patients. 2007 , 45, 432-8		56

1398	Changing horizons: approaches to diabetes care, current and future. 2007 , 14, 95-7	1
1397	Obesity and cardiovascular disease. 2007 , 10, 1156-63	44
1396	Activit� physique, diab�e et autres facteurs de risque cardiovasculaire. 2007 , 3, 1-6	
1395	Lifestyle intervention to prevent diabetes in men and women with impaired glucose tolerance is cost-effective. 2007 , 23, 177-83	62
1394	The relative contributions of different levels of overweight and obesity to the increased prevalence of diabetes in the United States: 1976-2004. 2007 , 45, 348-52	116
1393	Discontinuing hormone replacement therapy: attenuating the effect on CVD risk with lifestyle changes. 2007 , 32, 483-9	14
1392	Prevalence of the metabolic syndrome in individuals with hyperuricemia. 2007 , 120, 442-7	418
1391	Effect of insulin resistance, dyslipidemia, and intra-abdominal adiposity on the development of cardiovascular disease and diabetes mellitus. 2007 , 120, S12-8	209
1390	Entra�nement � l'effort au cours des pathologies cardiovasculaires. 2007 , 50, 386-402	11
1389	Comparison of usability and patient preference for the new disposable insulin device Solostar versus Flexpen, lilly disposable pen, and a prototype pen: an open-label study. 2007 , 29, 650-60	58
1388	A simple nurse-based prompt increases screening and prevention counseling for diabetes. 2007 , 75, 81-7	9
1387	Fasting cut-points in determining prevalence of diabetes in an Arab population of the Middle East. 2007 , 75, 241-5	5
1386	Beta-cell preservation with thiazolidinediones. 2007 , 76, 163-76	44
1385	High prevalence of glucose intolerance even among young adults in south India. 2007 , 77, 269-79	25
1384	Clinical aspects of physical exercise for diabetes/metabolic syndrome. 2007 , 77 Suppl 1, S87-91	47
1383	Using common clinical data improves the prediction of abnormal glucose tolerance by the new criteria of impaired fasting glucose: Tehran lipid and glucose study. 2007 , 77, 459-64	3
1382	Perturbation of erythrocyte antioxidant barrier, lipid peroxidation and protein carbonylation in non-diabetic first degree relatives of patients with type 2 diabetes. 2007 , 78, 171-5	10
1381	Annual incidence and relative risk of diabetes in people with various categories of dysglycemia: a systematic overview and meta-analysis of prospective studies. 2007 , 78, 305-12	384

1380	Scaling up interventions for chronic disease prevention: the evidence. 2007 , 370, 1939-46	149
1379	Guías de práctica clínica sobre diabetes, prediabetes y enfermedades cardiovasculares: versión resumida. 2007 , 60, 525.e1-525.e64	7
1378	Diabetes mellitus y riesgo cardiovascular. Recomendaciones del grupo de trabajo Diabetes mellitus y enfermedad cardiovascular de la Sociedad Española de Diabetes 2006. 2007 , 19, 147-152	0
1377	Exercise training for patients with cardiovascular disease. 2007 , 50, 403-18, 386-402	25
1376	Pharmacoepidemiology of Diabetes. 2007 , 3-8	3
1375	Traitement médicamenteux du diabète de type 2 recommandation de bonne pratique. 2007 , 33, S26-S105	5
1374	Physical activity in prevention and treatment of the metabolic syndrome. 2007 , 32, 76-88	287
1373	Combined diet and exercise intervention reverses the metabolic syndrome in middle-aged males: results from the Oslo Diet and Exercise Study. 2007 , 17, 687-95	91
1372	Diet and the metabolic syndrome. 2007 , 5, 291-6	30
1371	The effect of exercise, training, and inactivity on insulin sensitivity in diabetics and their relatives: what is new?. 2007 , 32, 541-8	22
1370	Actividad física, diabetes y otros factores de riesgo cardiovascular. 2007 , 11, 1-6	
1369	The effects of exercise training on insulin resistance in patients with coronary artery disease. 2007 , 14, 803-8	7
1368	After pregnancy complicated by diabetes: postpartum care and education. 2007 , 34, 335-49, x	14
1367	Treatment of the Obese Patient. 2007 ,	3
1366	Physical activity and health: Metabolic and cardiovascular issues. 2007 , 9, 50-64	11
1365	Contraction-mediated glucose uptake is increased in men with impaired glucose tolerance. 2007 , 32, 115-24	13
1364	Circulating lipids are lowered but pancreatic islet lipid metabolism and insulin secretion are unaltered in exercise-trained female rats. 2007 , 32, 241-8	8
1363	Noninvasive type 2 diabetes screening: superior sensitivity to fasting plasma glucose and A1C. <i>Diabetes Care</i> , 2007 , 30, 1120-4	14.6 66

1362	Non-obese patients with type 2 diabetes and prediabetic subjects: distinct phenotypes requiring special diabetes treatment and (or) prevention?. 2007 , 32, 912-20		50
1361	Physical activity of moderate intensity and risk of type 2 diabetes: a systematic review. <i>Diabetes Care</i> , 2007 , 30, 744-52	14.6	509
1360	Metabolic syndrome and cardiovascular disease. 2007 , 44, 232-63		69
1359	Sport en bewegen voor mensen met DM2. 2007 , 2, 87-89		
1358	An accurate risk score based on anthropometric, dietary, and lifestyle factors to predict the development of type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 510-5	14.6	283
1357	Type 2 diabetes-associated missense polymorphisms KCNJ11 E23K and ABCC8 A1369S influence progression to diabetes and response to interventions in the Diabetes Prevention Program. 2007 , 56, 531-6		105
1356	Controversy in diagnosis and management of the metabolic syndrome. 2007 , 91, 1041-61, vii-viii		14
1355	Physical Activity Advisement Practices in Diabetes Education Centres across Canada. 2007 , 31, 131-139		6
1354	Attivit� fisica, diabete ed altri fattori di rischio cardiovascolare. 2007 , 9, 1-6		
1353	Attivit� fisica, diabete e altri fattori di rischio cardiovascolare. 2007 , 14, 1-6		
1352	Medical management of the athlete: evaluation and treatment of important issues in sports medicine. 2007 , 24, 127-58		6
1351	Actividad f�sica, diabetes y otros factores de riesgo cardiovascular. 2007 , 28, 1-7		
1350	Dietary advice for treatment of type 2 diabetes mellitus in adults. 2007 , CD004097		47
1349	Treatment of hypertension and other cardiovascular risk factors in patients with metabolic syndrome. 2007 , 91, 1211-23, x		6
1348	The increasing prevalence of diabetes in pregnancy. 2007 , 34, 173-99, vii		323
1347	Healthcare Professional Bias Against the Obese: How Do We Know If We Have a Problem?. 2007 , 31, 365-370		18
1346	Lifestyle Intervention for Type 2 Diabetes Risk Reduction: Using the Diabetes Prevention Program to Inform New Directions in Pediatric Research. 2007 , 31, 242-251		7
1345	Association of the peroxisome proliferator-activated receptor gamma gene with type 2 diabetes mellitus varies by physical activity among non-Hispanic whites from Colorado. 2007 , 56, 388-93		35

- 1344 Recurrent intermittent restraint delays fed and fasting hyperglycemia and improves glucose return to baseline levels during glucose tolerance tests in the Zucker diabetic fatty rat--role of food intake and corticosterone. **2007**, 56, 1065-75 20
- 1343 Is prevention of Type-2 diabetes feasible and efficient in primary care? A systematic PubMed review. **2007**, 1, 5-11 27
- 1342 An insight into undiagnosed impaired glucose regulation. **2007**, 1, 155-8
- 1341 [Primary prevention of type 2 diabetes using lifestyle intervention on high risk subjects in Catalonia, Spain]. **2007**, 128, 699-704 5
- 1340 Post-marketing surveillance of acarbose treatment in patients with type 2 diabetes mellitus and subjects with impaired glucose tolerance in China. **2007**, 27, 397-405 18
- 1339 Components of the metabolic syndrome (MTS), hyperinsulinemia, and insulin resistance in obese Israeli children and adolescents. **2007**, 1, 97-103 1
- 1338 The epidemiology of congestive heart failure in hyperglycemia below the threshold for diabetes: A critical review. **2007**, 1, 273-278
- 1337 Lifestyle and outcome among patients with type 2 diabetes. **2007**, 1303, 160-171 6
- 1336 Stable isotope breath tests in clinical medicine: a review. **2007**, 1, 014003 53
- 1335 Oxidative stress, glucose metabolism, and the prevention of type 2 diabetes: pathophysiological insights. **2007**, 9, 911-29 77
- 1334 The relationship between IMPS-measured stress score and biomedical parameters regarding health status among public school workers. **2007**, 26, 149-58 9
- 1333 Diabetes/Syndrome X. **2007**, 417-458 3
- 1332 Impaired Glucose Regulation and Neuropathy. **2007**, 849-858
- 1331 GUIDELINES ON DIABETES, PRE-DIABETES, AND CARDIOVASCULAR DISEASES. **2007**, 3, 71-99 1
- 1330 [Low-fat and light-products--old hat?]. **2007**, 64, 147-52
- 1329 Cardiometabolic risk factors and their treatment in patients with Type 2 diabetes. **2007**, 2, 331-339
- 1328 Diabetes mellitus do tipo 2, síndrome metabólica e modificação no estilo de vida. **2007**, 20, 515-524 10
- 1327 Prediabetes: a position statement from the Australian Diabetes Society and Australian Diabetes Educators Association. **2007**, 186, 461-5 94

1326	. 2007,	2
1325	Type 2 diabetes mellitus. 344-358	
1324	Prevention of Diabetes as a Means of Preventing Cardiovascular Disease. 240-257	1
1323	Prevalence of the metabolic syndrome in patients with gout: the Third National Health and Nutrition Examination Survey. 2007, 57, 109-15	316
1322	Predicting the 20-year diabetes incidence rate. 2007, 23, 551-8	36
1321	Circulating adiponectin and adiponectin receptor expression in skeletal muscle: effects of exercise. 2007, 23, 600-11	43
1320	Sibutramine plus meal replacement therapy for body weight loss and maintenance in obese patients. 2007, 15, 1464-72	14
1319	Physical activity and health. 2007, 32, 314-363	118
1318	Screening and diagnosis of prediabetes: where are we headed?. 2007, 9 Suppl 1, 12-6	21
1317	Pharmacological intervention in prediabetes: considering the risks and benefits. 2007, 9 Suppl 1, 17-22	9
1316	Reflecting on type 2 diabetes prevention: more questions than answers!. 2007, 9 Suppl 1, 3-11	12
1315	Long-term effects of leisure time physical activity on risk of insulin resistance and impaired glucose tolerance, allowing for body weight history, in Danish men. 2007, 24, 63-72	10
1314	HbA(1c) as a screening tool for detection of Type 2 diabetes: a systematic review. 2007, 24, 333-43	353
1313	Clinical and cost-effectiveness of primary prevention of Type 2 diabetes in a 'real world' routine healthcare setting: model based on the KORA Survey 2000. 2007, 24, 473-80	28
1312	Development of an educational 'toolkit' for health professionals and their patients with prediabetes: the WAKEUP study (Ways of Addressing Knowledge Education and Understanding in Pre-diabetes). 2007, 24, 770-7	36
1311	International Diabetes Federation: a consensus on Type 2 diabetes prevention. 2007, 24, 451-63	463
1310	Researching how to realize the potential of diabetes prevention. 2007, 24, 1055-7	6
1309	Diabetes: advances in treatment. 2007, 37, 383-8	9

1308	Lifestyle intervention in individuals with normal versus impaired glucose tolerance. 2007 , 37, 535-43	86
1307	Should oral glucose tolerance testing be mandatory following acute myocardial infarction?. 2007 , 61, 680-3	9
1306	The importance of beta-cell management in type 2 diabetes. 2007 , 61, 10-9	26
1305	Health-related behaviours of people with diabetes and those with cardiometabolic risk factors: results from SHIELD. 2007 , 61, 1791-7	29
1304	We have the evidence, we need to act to improve diabetes care. 2007 , 61, 9-15	6
1303	Partnering with governments and other institutions: driving change in diabetes care. 2007 , 61, 38-46	2
1302	The 'Women's Lifestyle Study', 2-year randomized controlled trial of physical activity counselling in primary health care: rationale and study design. 2007 , 7, 166	12
1301	Prevention of type 2 diabetes by lifestyle intervention in an Australian primary health care setting: Greater Green Triangle (GGT) Diabetes Prevention Project. 2007 , 7, 249	175
1300	Dipeptidyl peptidase IV inhibitors and the incretin system in type 2 diabetes mellitus. 2007 , 27, 1163-80	39
1299	2006-2007 American Diabetes Association Nutrition Recommendations: issues for practice translation. 2007 , 107, 1296-304	17
1298	Effects of lifestyle intervention on health care costs: Improving Control with Activity and Nutrition (ICAN). 2007 , 107, 1365-73	50
1297	Role of lifestyle and oral anti-diabetic agents to prevent type 2 diabetes mellitus and cardiovascular disease. 2007 , 99, 726-31	10
1296	Prediabetes in rural and urban children in 3 states in Mexico. 2007 , 2, 35-9	7
1295	The metabolic syndrome in East Asians. 2007 , 2, 276-82	39
1294	How much can a large population study on genes, environments, their interactions and common diseases contribute to the health of the American people?. 2007 , 65, 1730-41	24
1293	References. 2007 , 49, S160-S179	
1292	Dyslipidemia and glucose dysregulation in overweight and obese patients. 2007 , 8, 38-52	12
1291	Identification and treatment of prediabetes to prevent progression to type 2 diabetes. 2007 , 8, 10-8; discussion 19-20	24

1290	A comparative study on the effects of diet and exercise, metformin and metformin+pioglitazone treatment on NIDDM patients. 2007 , 22, 65-9	6
1289	Low levels of awareness of suboptimal health conditions in a high-risk working population: the "better health for better Hong Kong" health promotion campaign. 2007 , 14, 63-9	14
1288	[Gene-environment interactions in the pathogenesis and prevention of type 2 diabetes mellitus]. 2007 , 48, 669-70, 672, 674-5	0
1287	Effect of genotype on success of lifestyle intervention in subjects at risk for type 2 diabetes. 2007 , 85, 107-17	21
1286	Progression from impaired fasting glucose and impaired glucose tolerance to diabetes in a high-risk screening programme in general practice: the ADDITION Study, Denmark. 2007 , 50, 293-7	32
1285	Patients with type 2 diabetes have normal mitochondrial function in skeletal muscle. 2007 , 50, 790-6	401
1284	The role of physical activity in the management of impaired glucose tolerance: a systematic review. 2007 , 50, 1116-26	108
1283	Early-onset type 2 diabetes in obese white subjects is characterised by a marked defect in beta cell insulin secretion, severe insulin resistance and a lack of response to aerobic exercise training. 2007 , 50, 1500-8	61
1282	Increased physical activity is a cornerstone in the prevention of type 2 diabetes in high-risk individuals. 2007 , 50, 2607-8; author reply 2609-10	11
1281	Increased physical activity is a cornerstone in the prevention of type 2 diabetes in high-risk individuals. Reply to Laaksonen DE, Lindström J, Tuomilehto J, Uusitupa M [letter]. 2007 , 50, 2609-2610	1
1280	Prevalence of Diabetes in Persons with Disabilities in Primary Care. 2007 , 19, 263-271	14
1279	Development and Implementation of A European Guideline and Training Standards for Diabetes Prevention-The IMAGE project. 2007 , 15, 353-360	
1278	Deutsche Leitlinie zur Rehabilitation von Patienten mit Herz-Kreislaufkrankungen (DLL-KardReha). 2007 , 2, 1-54	24
1277	Exercise for prevention and treatment of cardiovascular disease, type 2 diabetes, and metabolic syndrome. 2007 , 7, 14-9	50
1276	The DREAM Trial: using ramipril and rosiglitazone to prevent diabetes. 2007 , 7, 53-5	1
1275	Efficacy of lifestyle behavior change programs in diabetes. 2007 , 7, 123-7	10
1274	Prevention of type 2 diabetes: an update. 2007 , 7, 200-7	9
1273	How should the clinician most effectively prevent type 2 diabetes in the obese person at high risk?. 2007 , 7, 353-62	3

1272	Prvention des Diabetes mellitus. 2007 , 1, 108-115	0
1271	Effectiveness of a lifestyle intervention on metabolic syndrome. A randomized controlled trial. 2007 , 22, 1695-703	145
1270	Primprvention. 2007 , 3, 120-125	
1269	Primprvention des Diabetes mellitus. 2007 , 3, 86-95	0
1268	Diabetesprimprvention. 2007 , 3, 105-112	
1267	Piloting a behavioral intervention delivered through interactive voice response telephone messages to promote weight loss in a pre-diabetic population. 2008 , 72, 34-41	56
1266	Early diagnosis and prevention of diabetes in developing countries. 2008 , 9, 193-201	28
1265	Metabolomics as a tool to evaluate exercise-induced improvements in insulin sensitivity. 2008 , 4, 273-282	16
1264	Cardiovascular prevention in patients with diabetes and prediabetes. 2008 , 33, 170-7	13
1263	[Prevention in occupational health care--a societal challenge]. 2008 , 103, 210-6	5
1262	Determinants of progression from impaired fasting glucose and impaired glucose tolerance to diabetes in a high-risk screened population: 3 year follow-up in the ADDITION study, Denmark. 2008 , 51, 249-57	74
1261	Wie aktive Intervention dauerhaft effektiv bleibt. 2008 , 4, 376-377	
1260	Lifestyle approach for type 2 diabetes and metabolic syndrome. 2008 , 10, 523-8	18
1259	Optimizing management of metabolic syndrome to reduce risk: focus on life-style. 2008 , 3, 87-98	19
1258	Exploring refinements in targeted behavioral medicine intervention to advance public health. 2008 , 35, 251-60	38
1257	Therapie des Diabetes mellitus Typ 2 und kardiovaskulre Komplikationen. 2008 , 2, 417-429	
1256	Long-term effects of non-surgical therapy for obesity on cardiovascular risk management: a weighted empirical review. 2008 , 16, 21-29	3
1255	Impact of lowering the criterion for impaired fasting glucose on identification of individuals with insulin resistance. The GISIR database. 2008 , 24, 130-6	5

1254	A study of the effects of acarbose on glucose metabolism in patients predisposed to developing diabetes: the Dutch acarbose intervention study in persons with impaired glucose tolerance (DAISI). 2008 , 24, 611-6	27
1253	Supporting the lifestyle modification and treatment of type 2 diabetes for people with severe mental illness. 2008 , 5, 58-63	3
1252	Restoration of acute insulin response in T2DM subjects 1 month after biliopancreatic diversion. 2008 , 16, 77-81	50
1251	Who returns for postpartum glucose screening following gestational diabetes mellitus?. 2008 , 198, 404.e1-6	93
1250	Update on diabetes mellitus: prevention, treatment, and association with oral diseases. 2008 , 14, 105-14	67
1249	Closing the gap between clinical research and clinical practice: can outcome studies with thiazolidinediones improve our understanding of type 2 diabetes?. 2006 , 60, 873-83	1
1248	Prediabetes: a must to recognise disease state. 2008 , 62, 642-8	19
1247	Weight loss maintenance following a primary care intervention for low-income minority women. 2008 , 16, 2462-7	74
1246	Central obesity as a precursor to the metabolic syndrome in the AusDiab study and Mauritius. 2008 , 16, 2707-16	79
1245	BMI compared with central obesity indicators in relation to diabetes and hypertension in Asians. 2008 , 16, 1622-35	143
1244	Weight reduction modulates expression of genes involved in extracellular matrix and cell death: the GENOBIN study. 2008 , 32, 292-303	59
1243	How effective are lifestyle changes in the prevention of type 2 diabetes mellitus?. 2007 , 65, 101-10	26
1242	The population distributions, upper normal limits and correlations between liver tests among Australian adolescents. 2008 , 44, 579-85	10
1241	Burden of obesity--lessons learnt from Hong Kong Chinese. 2008 , 9 Suppl 1, 35-40	88
1240	Economic burden of obesity-related chronic diseases in Mainland China. 2008 , 9 Suppl 1, 62-7	96
1239	A systematic review of the evidence regarding efficacy of obesity prevention interventions among adults. 2008 , 9, 446-55	153
1238	Weight changes in type 2 diabetes and the impact of gender. 2008 , 10, 726-32	6
1237	Detection of impaired glucose tolerance and undiagnosed type 2 diabetes in UK South Asians: an effective screening strategy. 2008 , 10, 755-62	21

1236	Persistence of improvement in insulin sensitivity following a dietary weight loss programme. 2008 , 10, 1186-94	16
1235	Incidence of type 2 diabetes in southern Spain (Pizarra Study). 2008 , 38, 126-33	53
1234	Cardiovascular disease in type 2 diabetes: challenge for treatment and prevention. 2008 , 249, 225-235	5
1233	An integrative literature review of lifestyle interventions for the prevention of type II diabetes mellitus. 2008 , 17, 2243-56	35
1232	Participants' perspective on maintaining behaviour change: a qualitative study within the European Diabetes Prevention Study. 2008 , 8, 235	99
1231	High prevalence of obesity, central obesity and abnormal glucose tolerance in the middle-aged Finnish population. 2008 , 8, 423	47
1230	Role of physical activity in diabetes management and prevention. 2008 , 108, S19-23	89
1229	Identification and treatment of prediabetes to prevent progression to type 2 diabetes. 2008 , 9, 51-9; discussion 60-1	17
1228	Metabolic syndrome resolution in children and adolescents after 10 weeks of weight loss. 2008 , 3, 205-10	20
1227	Transplant-associated hyperglycemia. 2008 , 22, 39-51	28
1226	Does the new American Diabetes Association definition for impaired fasting glucose improve its ability to predict type 2 diabetes mellitus in Spanish persons? The Asturias Study. 2008 , 57, 399-403	18
1225	Preventing type 2 diabetes: genes or lifestyle?. 2008 , 2, 65-6	6
1224	Impact of obesity on cardiovascular disease. 2008 , 37, 663-84, ix	83
1223	[The effectiveness in type 2 diabetes prevention: a forced landing to reality]. 2008 , 130, 295-7	2
1222	Impact of metformin on peak aerobic capacity. 2008 , 33, 61-7	58
1221	Inhibidores de las disacaridasas. 2008 , 55, 13-16	1
1220	Assessing the combined impact of 18 common genetic variants of modest effect sizes on type 2 diabetes risk. 2008 , 57, 3129-35	245
1219	Exercise or exercise and diet for preventing type 2 diabetes mellitus. 2008 , CD003054	170

1218	Exercise: the data on its role in health, mental health, disease prevention, and productivity. 2008 , 35, 803-16	10
1217	Exercise and the treatment of diabetes and obesity. 2008 , 37, 887-903	26
1216	Physical activity and prevention of type 2 diabetes mellitus. 2008 , 38, 807-24	144
1215	Interaction Between Physical Activity and Genetic Factors in Complex Metabolic Disease. 2007 , 155-173	
1214	Nutritional assessment and hepatic fatty acid composition in non-alcoholic fatty liver disease (NAFLD): a cross-sectional study. 2008 , 48, 300-7	169
1213	Meta-analysis: metformin treatment in persons at risk for diabetes mellitus. 2008 , 121, 149-157.e2	175
1212	Normal fasting plasma glucose and risk of type 2 diabetes diagnosis. 2008 , 121, 519-24	92
1211	Protection of pancreatic beta-cells: is it feasible?. 2008 , 18, 74-83	62
1210	Exercise and Fitness. 2008 , 393-418	
1209	Use of insulin-sensitizing agents in the treatment of polycystic ovary syndrome. 2008 , 90, S69-73	18
1208	Gender modulates the relationship between body weight and plasma glucose in overweight or obese subjects. 2008 , 80, 134-8	3
1207	Short-term reproducibility of impaired fasting glycaemia, impaired glucose tolerance and diabetes The ADDITION study, DK. 2008 , 80, 146-52	5
1206	Leisure time physical activity in individuals with screen-detected type 2 diabetes compared to those with known type 2 diabetes. 2008 , 81, 110-6	11
1205	Glucagon-like peptide-1 in type 2 diabetes: the β cell and beyond. 2008 , 10, 2-13	11
1204	Tratamiento de la diabetes. Criterios de control. Objetivos terap?uticos. Medidas generales. Factores diet?ticos. 2008 , 10, 1184-1187	
1203	Lifestyle intervention, diabetes, and cardiovascular disease. 2008 , 371, 1731-3	8
1202	The long-term effect of lifestyle interventions to prevent diabetes in the China Da Qing Diabetes Prevention Study: a 20-year follow-up study. 2008 , 371, 1783-9	1087
1201	The prevention of type 2 diabetes. 2008 , 4, 382-93	170

1200	Preventing type 2 diabetes. 2008 , 35, 645-62		5
1199	Insulin resistance syndrome and glucose dysregulation in the elderly. 2008 , 24, 437-54, vi		2
1198	Diabetes and aging: epidemiologic overview. 2008 , 24, 395-405, v		99
1197	Sibutramine: current status as an anti-obesity drug and its future perspectives. 2008 , 9, 2161-73		22
1196	Obesity and T2DM in youth. 2008 , 33, 59-72		4
1195	Prevention and screening for type 2 diabetes in youth. 2008 , 33, 73-91		
1194	General effect on high-risk persons when general practitioners are trained in intensive treatment of type 2 diabetes. 2008 , 26, 166-73		4
1193	Determinants for the effectiveness of lifestyle intervention in the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2008 , 31, 857-62	14.6	113
1192	Dietary advice for the prevention of type 2 diabetes mellitus in adults. 2008 , CD005102		38
1191	The prevalence of the metabolic syndrome among the multiethnic population of the United Arab Emirates: a report of a national survey. 2008 , 6, 177-86		45
1190	Approach to the patient with prediabetes. 2008 , 93, 3259-65		52
1189	Type 2 diabetes: Primary prevention, screening and health care approach for diagnosis in South Africa. 2008 , 50, 14-20		
1188	Gestational diabetes mellitus: postpartum opportunities for the diagnosis and prevention of type 2 diabetes mellitus. 2008 , 4, 552-8		53
1187	A randomized multifactorial intervention study for prevention of ischaemic heart disease (Inter99): the long-term effect on physical activity. 2008 , 36, 380-8		16
1186	Effect of lifestyle intervention on the occurrence of metabolic syndrome and its components in the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2008 , 31, 805-7	14.6	145
1185	Effect of a low-resource-intensive lifestyle modification program incorporating gymnasium-based and home-based resistance training on type 2 diabetes risk in Australian adults. <i>Diabetes Care</i> , 2008 , 31, 2244-50	14.6	36
1184	Screening for type 2 diabetes mellitus in children and adolescents. 2008 , 8, 163-168		1
1183	Variations in PPARD determine the change in body composition during lifestyle intervention: a whole-body magnetic resonance study. 2008 , 93, 1497-500		61

1182	Physical activity and pancreatic cancer risk: a systematic review. 2008 , 17, 2671-82		45
1181	Obesity/Overweight: Health Consequences of. 2008 , 589-602		1
1180	The impact of comorbidity burden on the cardiovascular risk in the Peripheral Arteriopathy and Cardiovascular Events study. 2008 , 101, 575-82		5
1179	Low-fat dietary pattern and risk of treated diabetes mellitus in postmenopausal women: the Women's Health Initiative randomized controlled dietary modification trial. 2008 , 168, 1500-11		111
1178	Is the obesity epidemic exaggerated? No. 2008 , 336, 245		34
1177	Clinical measures of physical fitness predict insulin resistance in people at risk for diabetes. 2008 , 88, 1355-64		42
1176	Restorative yoga in adults with metabolic syndrome: a randomized, controlled pilot trial. 2008 , 6, 223-9		52
1175	Reduced progression to type 2 diabetes from impaired glucose tolerance after a 2-day in-hospital diabetes educational program: the Joetsu Diabetes Prevention Trial. <i>Diabetes Care</i> , 2008 , 31, 1949-54	14.6	22
1174	Sex differences in diabetes risk and the effect of intensive lifestyle modification in the Diabetes Prevention Program. <i>Diabetes Care</i> , 2008 , 31, 1416-21	14.6	88
1173	Standards of medical care in diabetes--2008. <i>Diabetes Care</i> , 2008 , 31 Suppl 1, S12-54	14.6	1381
1172	Beneficial effects of strategies for primary prevention of diabetes on cardiovascular risk factors: results of the Indian Diabetes Prevention Programme. 2008 , 5, 25-9		26
1171	The importance of treating cardiometabolic risk factors in patients with type 2 diabetes. 2008 , 5, 9-14		16
1170	A two-year clinical lifestyle intervention program for weight loss in obesity. 2008 , 52,		9
1169	Dietary intake and physical activity in a Canadian population sample of male patients with HIV infection and metabolic abnormalities. 2008 , 6, 82-90		14
1168	A simple risk score identifies individuals at high risk of developing Type 2 diabetes: a prospective cohort study. 2008 , 25, 191-6		91
1167	Acquired obesity and poor physical fitness impair expression of genes of mitochondrial oxidative phosphorylation in monozygotic twins discordant for obesity. 2008 , 295, E148-54		59
1166	Epidemiologic evidence for the effect of fruit and vegetables on cardiovascular diseases, diabetes and obesity. 2008 , 119-144		2
1165	Tool to assess likelihood of fasting glucose impairment (TAG-IT). 2008 , 6, 555-61		17

1164	Pathogenesis of Type 2 Diabetes Mellitus. 2008 , 17-33	5
1163	Metabolic syndrome and the menopause. 2008 , 14, 21-5	51
1162	Physical activity and diabetes: opportunities for prevention through policy. 2008 , 88, 1425-35	21
1161	Perspectives and challenges to undertake diabetes prevention in clinical practice. 2008 , 8, 295-298	1
1160	A Lifestyle Approach for Primary Cardiovascular Disease Prevention in Perimenopausal to Early Postmenopausal Women. 2008 , 2, 421-431	2
1159	The economic imperative to conquer diabetes. <i>Diabetes Care</i> , 2008 , 31, 624-5	14.6 9
1158	Primary prevention of cardiovascular disease and type 2 diabetes in patients at metabolic risk: an endocrine society clinical practice guideline. 2008 , 93, 3671-89	128
1157	Diabetesrisiko früh erkennen - FINDRISK früh Hausfrzte. 2008 , 6, 58-64	2
1156	Hypertension as part of the metabolic syndrome. 2008 , 22, 871-4	8
1155	The European perspective of type 2 diabetes prevention: diabetes in Europe--prevention using lifestyle, physical activity and nutritional intervention (DE-PLAN) project. 2008 , 116, 167-72	129
1154	The potential beneficial role of glucagon-like peptide-1 in endothelial dysfunction and heart failure associated with insulin resistance. 2008 , 40, 593-606	56
1153	The increasing prevalence of metabolic syndrome among Finnish men and women over a decade. 2008 , 93, 832-6	52
1152	Exercise on prescription for women aged 40-74 recruited through primary care: two year randomised controlled trial. 2008 , 337, a2509	109
1151	Development and piloting of a community health worker-based intervention for the prevention of diabetes among New Zealand Maori in Te Wai o Rona: Diabetes Prevention Strategy. 2008 , 11, 1318-25	41
1150	Motivational interviewing for modifying diabetes risk: a randomised controlled trial. 2008 , 58, 535-40	84
1149	Screening adults for type 2 diabetes: a review of the evidence for the U.S. Preventive Services Task Force. 2008 , 148, 855-68	114
1148	Can type 2 diabetes be prevented in UK general practice? A lifestyle-change feasibility study (ISAIAH). 2008 , 58, 541-7	18
1147	Genes, environment, and interactions in prevention of type 2 diabetes: a focus on physical activity and lifestyle changes. 2008 , 8, 519-32	105

1146	Possible benefit of nuts in type 2 diabetes. 2008 , 138, 1752S-1756S	67
1145	Glucose metabolism and hyperglycemia. 2008 , 87, 217S-222S	136
1144	Vegetable but not fruit consumption reduces the risk of type 2 diabetes in Chinese women. 2008 , 138, 574-80	113
1143	Influence of lifestyle modification in renal transplant recipients with postprandial hyperglycemia. 2008 , 85, 353-8	102
1142	Addressing cardiometabolic risk during treatment with antipsychotic medications. 2008 , 21, 613-8	22
1141	Epidemiology of walking and type 2 diabetes. 2008 , 40, S519-28	23
1140	Diabetes prevention in a faith-based setting: results of translational research. 2008 , 14, 29-32	123
1139	Lifestyle and gout. 2008 , 20, 179-86	35
1138	Health-related factors associated with the healthcare costs of office workers. 2008 , 50, 593-601	11
1137	Erratum. 2008 , 50, 601	
1136	Nutritional Management and Physical Activity. 57-68	
1135	Mission: halt diabetes momentum and stop growing epidemic. 2008 , 121, 2115-2118	0
1134	Relation of central adiposity and body mass index to the development of diabetes in the Diabetes Prevention Program. 2008 , 87, 1212-8	177
1133	Project HEAL: peer education leads to weight loss in Harlem. 2008 , 19, 180-92	61
1132	Resposta glicêmica de diabéticos tipo 2 durante e após exercícios realizados em intensidades acima e abaixo do limiar anaeróbio. 2008 , 10, 8	1
1131	The effectiveness of a brief intervention using a pedometer and step-recording diary in promoting physical activity in people diagnosed with type 2 diabetes or impaired glucose tolerance. 2008 , 19, 189-95	22
1130	Review of type 2 diabetes mellitus prevention. 2008 , 46,	
1129	Pharmacological Treatment of Obesity. 2008 , 23, 223	9

1128	Obesity and diabetes. 2008 , 21-49	1
1127	Peroxisome proliferator-activated receptor-gamma agonists and diabetes: current evidence and future perspectives. 2008 , 4, 297-304	82
1126	Vildagliptin: the evidence for its place in the treatment of type 2 diabetes mellitus. 2008 ,	
1125	Presentation, Diagnosis and Classification of Diabetes. 5-36	
1124	Chronic disease and labour force participation among older Australians. 2008 , 189, 447-50	111
1123	Orlistat in the prevention of diabetes in the obese patient. 2008 , 4, 325-36	21
1122	Predicting risk for diabetes: choosing (or building) the right model. 2009 , 150, 812-4	12
1121	Risk factors of hypertension, diabetes and obesity in Italian psoriasis patients: a survey on socio-demographic characteristics, smoking habits and alcohol consumption. 2009 , 19, 252-6	25
1120	The influence of depression and anxiety on outcomes after an intervention for prediabetes. 2009 , 190, S81-5	13
1119	Non classical risk factors for gestational diabetes mellitus: a systematic review of the literature. 2009 , 25 Suppl 3, S341-59	24
1118	The effect of physical exercise and caloric restriction on the components of metabolic syndrome. 2009 , 45, 379-399	9
1117	Concepts and new frontiers for development - What role should health promoters play in lifestyle-based diabetes prevention programs in Australia?. 2009 , 20, 86-91	3
1116	[Oral hypoglycaemic agents in 2009]. 2009 , 66, 677-84	2
1115	[Reflection about Japanese immigration to Brazil under the light of body adiposity]. 2009 , 53, 175-82	6
1114	Preventing and managing cardiometabolic risk: the logic for intervention. 2009 , 6, 2568-84	28
1113	Ten-year mortality and cardiovascular morbidity in the Finnish Diabetes Prevention Study--secondary analysis of the randomized trial. 2009 , 4, e5656	128
1112	Targeting the AMPK pathway for the treatment of Type 2 diabetes. 2009 , 14, 3380-400	198
1111	Diagnosing and Classifying Diabetes. 1-35	

1110	Preventing Diabetes: Lessons Learned from the Diabetes Prevention Program and Its Follow-Up. 2009 , 5, 273-276		
1109	Topics in type 2 diabetes and insulin resistance. <i>Diabetes Care</i> , 2009 , 32, e13-9	14.6	1
1108	Impaired glucose tolerance and endothelial damage, as assessed by levels of von Willebrand factor and circulating endothelial cells, following acute myocardial infarction. 2009 , 41, 608-18		6
1107	Genetic susceptibility to type 2 diabetes and implications for therapy. 2009 , 3, 690-6		6
1106	Physical activity may facilitate diabetes prevention in adolescents. <i>Diabetes Care</i> , 2009 , 32, 9-13	14.6	30
1105	Effects of glycemic load on metabolic health and type 2 diabetes mellitus. 2009 , 3, 697-704		15
1104	Food intake patterns associated with incident type 2 diabetes: the Insulin Resistance Atherosclerosis Study. <i>Diabetes Care</i> , 2009 , 32, 263-8	14.6	76
1103	Alternative Forms of Exercise Training as Complementary Therapy in the Prevention and Management of Type 2 Diabetes. 2009 , 22, 220-225		5
1102	Effect of physical activity and obesity on type 2 diabetes in a middle-aged population. 2009 , 2009, 195285		15
1101	Combined pharmacologic/nonpharmacologic intervention in individuals at high risk of developing type 2 diabetes: pro pharmacologic therapy. <i>Diabetes Care</i> , 2009 , 32 Suppl 2, S184-8	14.6	4
1100	Diabetes in Asia: epidemiology, risk factors, and pathophysiology. 2009 , 301, 2129-40		1394
1099	Pharmacist Scope of Practice, Standards of Practice, and Standards of Professional Performance for Diabetes Educators. 2009 , 35, 69S-84S		8
1098	The value of early detection of type 2 diabetes. 2009 , 16, 95-9		23
1097	Strukturierte Intervention - Ein Diabetespräventionsprogramm wird umgesetzt. 2009 , 7, 82-87		
1096	The DiabetAction program: implementation in community-based settings. 2009 , 80, 583-92		
1095	Tools for predicting the risk of type 2 diabetes in daily practice. 2009 , 41, 86-97		165
1094	Kognitive Verhaltenstherapie bei Typ-2-Diabetes: Ergebnisse einer Pilotstudie mit dem strukturierten Programm Da Vinci Diabetes. 2009 , 4, 370-373		4
1093	Changes in insulin secretion and insulin sensitivity in relation to the glycemic outcomes in subjects with impaired glucose tolerance in the Indian Diabetes Prevention Programme-1 (IDPP-1). <i>Diabetes Care</i> , 2009 , 32, 1796-801	14.6	44

1092	Wireless solutions for managing diabetes: A review and future prospects. 2009 , 17, 353-67		8
1091	Physical activity and incident diabetes in American Indians: the Strong Heart Study. 2009 , 170, 632-9		33
1090	The prevention of type 2 diabetes: an overview. 2009 , 3, 756-60		16
1089	AMPK and the biochemistry of exercise: implications for human health and disease. 2009 , 418, 261-75		296
1088	Beneficial effects of individualized physical activity on prescription on body composition and cardiometabolic risk factors: results from a randomized controlled trial. 2009 , 16, 80-4		54
1087	Hepatic fatty acid composition differs between chronic hepatitis C patients with and without steatosis. 2009 , 139, 691-5		18
1086	Emergency care practitioners: shaping a new type of practitioner from existing NHS clinical roles. 2009 , 26, 9-9		
1085	Preventing type 2 diabetes: can we make the evidence work?. 2009 , 85, 475-80		21
1084	Nonpharmacologic therapy and exercise in the prevention of type 2 diabetes. <i>Diabetes Care</i> , 2009 , 32 Suppl 2, S189-93	14.6	35
1083	Effect of moderate alcoholic beverage consumption on insulin sensitivity in insulin-resistant, nondiabetic individuals. 2009 , 58, 387-92		32
1082	An update on preventive and regenerative therapies in diabetes mellitus. 2009 , 121, 317-31		36
1081	Long-term benefits of insulin therapy and glycemic control in overweight and obese adults with type 2 diabetes. 2009 , 23, 143-52		6
1080	Prevention of type 2 diabetes in adults with impaired glucose tolerance: the European Diabetes Prevention RCT in Newcastle upon Tyne, UK. 2009 , 9, 342		96
1079	Are we losing the battle against cardiometabolic disease? The case for a paradigm shift in primary prevention. 2009 , 9, 64		18
1078	Nurse-led motivational interviewing to change the lifestyle of patients with type 2 diabetes (MILD-project): protocol for a cluster, randomized, controlled trial on implementing lifestyle recommendations. 2009 , 9, 19		27
1077	Do postal reminders increase postpartum screening of diabetes mellitus in women with gestational diabetes mellitus? A randomized controlled trial. 2009 , 200, 634.e1-7		92
1076	Approach to dysglycemia: Do we need to treat impaired glucose tolerance and impaired fasting glucose?. 2009 , 1, 22-25		2
1075	Investing time in health: do socioeconomically disadvantaged patients spend more or less extra time on diabetes self-care?. 2009 , 18, 645-63		26

1074	Independent effects of physical activity in patients with nonalcoholic fatty liver disease. 2009 , 50, 68-76	216
1073	Differences in cardiovascular risk profile based on relationship between post-load plasma glucose and fasting plasma levels. 2009 , 25, 351-6	6
1072	Physical inactivity and obesity: links with insulin resistance and type 2 diabetes mellitus. 2009 , 25 Suppl 1, S18-23	65
1071	Physical activity, a key factor to quality of life in type 2 diabetic patients. 2009 , 25 Suppl 1, S24-8	20
1070	Physical activity/exercise training in type 2 diabetes. The role of the Italian Diabetes and Exercise Study. 2009 , 25 Suppl 1, S29-33	14
1069	Patients with Type 2 Diabetes experiences of making multiple lifestyle changes: a qualitative study. 2009 , 74, 258-63	51
1068	Leitlinie körperliche Aktivität zur Sekundärprävention und Therapie kardiovaskulärer Erkrankungen. 2009 , 4, 1-44	26
1067	Prävention des Diabetes mellitus Typ 2. 2009 , 5, 471-486	
1066	Rolle der Selbstmessung der Blutglukose (SMBG) bei Diabetes mellitus. 2009 , 5, 460-470	1
1065	[Individualized prevention of type 2 diabetes]. 2009 , 52, 677-82	5
1064	Anti-inflammatory effect of lifestyle changes in the Finnish Diabetes Prevention Study. 2009 , 52, 433-42	121
1063	Pioglitazone does not enhance the effectiveness of lifestyle modification in preventing conversion of impaired glucose tolerance to diabetes in Asian Indians: results of the Indian Diabetes Prevention Programme-2 (IDPP-2). 2009 , 52, 1019-26	59
1062	Management of progressive type 2 diabetes: role of insulin therapy. 2009 , 3, 5	1
1061	Metabolic diseases and associated complications: sex and gender matter!. 2009 , 39, 631-48	96
1060	Which are the greatest recent discoveries and the greatest future challenges in nutrition?. 2009 , 63, 2-10	27
1059	BMI compared with central obesity indicators as a predictor of diabetes incidence in Mauritius. 2009 , 17, 342-8	46
1058	The utility of physical activity in the management of global cardiometabolic risk. 2009 , 17 Suppl 3, S3-S14	43
1057	Effects of lifestyle changes to reduce risks of diabetes and associated cardiovascular risks: results from large scale efficacy trials. 2009 , 17 Suppl 3, S43-8	71

1056	Biological mechanisms of stroke prevention by physical activity in type 2 diabetes. 2009 , 119, 213-23	15
1055	Long-term effectiveness of diet-plus-exercise interventions vs. diet-only interventions for weight loss: a meta-analysis. 2009 , 10, 313-23	352
1054	Effect of a lifestyle intervention in patients with abnormal liver enzymes and metabolic risk factors. 2009 , 24, 399-407	74
1053	Evidence of an accelerating increase in prevalence of diagnosed Type 2 diabetes in British men, 1978-2005. 2009 , 26, 766-72	15
1052	Risk factors associated with the dramatic increase in the prevalence of diabetes in the adult Chinese population in Qingdao, China. 2009 , 26, 855-63	40
1051	Performance of HbA(1c) for detecting newly diagnosed diabetes and pre-diabetes in Chinese communities living in Beijing. 2009 , 26, 1262-8	32
1050	Progress in diabetes research in China. 2009 , 1, 163-72	28
1049	Lifestyle intervention for prevention of diabetes: determinants of success for future implementation. 2009 , 67, 132-46	62
1048	Cardiometabolic health of Chinese older adults with diabetes living in Beijing, China. 2009 , 26, 500-11	12
1047	Diabetes, Cardiovascular Disease and Labour Force Participation in Australia: An Endogenous Multivariate Probit Analysis of Clinical Prevalence Data*. 2009 , 85, 472-484	10
1046	Preventing type 2 diabetes: public health implications for women with a history of gestational diabetes mellitus. 2009 , 200, 365.e1-8	76
1045	Genetic architecture of type 2 diabetes: recent progress and clinical implications. <i>Diabetes Care</i> , 2009 , 32, 1107-14	14.6 51
1044	The Finnish Diabetes Risk Score is associated with insulin resistance and progression towards type 2 diabetes. 2009 , 94, 920-6	76
1043	Healthy lifestyle interventions in general practice Part 4: Lifestyle and diabetes mellitus. 2009 , 51, 19-25	1
1042	Risk perception for developing diabetes among pharmacists. 2009 , 43, 1050-6	7
1041	Fruits, vegetables and coronary heart disease. 2009 , 6, 599-608	204
1040	Impact of short-duration lifestyle intervention in collaboration with general practitioners in patients with the metabolic syndrome. 2009 , 35, 185-91	19
1039	Two-year results from a community-wide diabetes prevention intervention in a high risk indigenous community: the Ngati and Healthy project. 2009 , 85, 220-7	40

1038	Effects and clinical potential of very-low-calorie diets (VLCDs) in type 2 diabetes. 2009 , 85, 235-42	41
1037	Survey of cardiovascular risk factors in overweight and obese patients (SCOOP study) six-month changes in risk factor levels and cardiovascular risk. 2009 , 20, 280-8	3
1036	Pilot study: association of traditional and genetic risk factors and new-onset diabetes mellitus following kidney transplantation. 2009 , 41, 4172-7	27
1035	Energy balance and type 2 diabetes: a report from the Shanghai Women's Health Study. 2009 , 19, 190-7	18
1034	Are behavioural approaches feasible and effective in the treatment of type 2 diabetes? A propensity score analysis vs. prescriptive diet. 2009 , 19, 313-20	15
1033	Predictors of aerobic physical activity and resistance training among Canadian adults with type 2 diabetes: An application of the Protection Motivation Theory. 2009 , 10, 320-328	39
1032	Functional foods for health: focus on diabetes. 2009 , 62, 263-9	42
1031	Hypoglycemic pharmacological treatment of type 2 diabetes: targeting the endothelium. 2009 , 297, 112-26	39
1030	[Effectiveness of physical exercise programs in patients with diabetes mellitus]. 2009 , 132, 188-94	2
1029	Late effect of treatment for reducing cardiovascular risk--a hypothesis on cardiometabolic therapeutic memory. 2009 , 73, 73-9	3
1028	Physical activity levels in American-Indian adults: the Strong Heart Family Study. 2009 , 37, 481-7	29
1027	Translating the Diabetes Prevention Program: a comprehensive model for prevention training and program delivery. 2009 , 37, 505-11	241
1026	Effective recruitment of minority populations through community-led strategies. 2009 , 37, S195-200	73
1025	Comparison of metabolic syndrome with glucose measurement for prediction of type 2 diabetes: The Isfahan Diabetes Prevention Study. 2009 , 3, 84-89	1
1024	Exercise for prevention of obesity and diabetes in children and adolescents. 2009 , 28, 393-421	24
1023	Cardiovascular disease, diabetes and established risk factors among populations of sub-Saharan African descent in Europe: a literature review. 2009 , 5, 7	113
1022	'Diabetology & Metabolic Syndrome: providing an open access future for diabetes research'. 2009 , 1, 1	11
1021	Management of the metabolic syndrome and type 2 diabetes through lifestyle modification. 2009 , 29, 223-56	107

1020	Diagnosis and Management of Polycystic Ovary Syndrome. 2009,	0
1019	Insulin Resistance. 2009,	
1018	Prevention of Obesity. 543-561	
1017	Hepatitis C Virus infection in apparently healthy individuals with family history of diabetes in Vom, Plateau State Nigeria. 2009, 6, 110	7
1016	Exercise, vascular wall and cardiovascular diseases: an update (part 2). 2009, 39, 45-63	63
1015	Standards of medical care in diabetes--2009. <i>Diabetes Care</i> , 2009, 32 Suppl 1, S13-61	14.6 1378
1014	Differences in body composition and risk of lifestyle-related diseases between young and older male rowers and sedentary controls. 2009, 27, 1027-34	19
1013	Antioxidants prevent health-promoting effects of physical exercise in humans. 2009, 106, 8665-70	1108
1012	Voglibose for prevention of type 2 diabetes mellitus: a randomised, double-blind trial in Japanese individuals with impaired glucose tolerance. 2009, 373, 1607-14	232
1011	10-year follow-up of diabetes incidence and weight loss in the Diabetes Prevention Program Outcomes Study. 2009, 374, 1677-86	2008
1010	Activit� physique et diab�e de type 2. 2009, 3, 31-38	3
1009	The use of exercise in the management of type 1 and type 2 diabetes. 2009, 28, 423-39	10
1008	Diabetes and cardiovascular disease prevention in older adults. 2009, 25, 607-41, vii-viii	34
1007	Effects of physical activity on cardiovascular and noncardiovascular outcomes in older adults. 2009, 25, 677-702, viii-ix	57
1006	Diab�e et cancer: Diabetes mellitus and cancer. 2009, 3, 320-327	5
1005	Cost and policy implications from the increasing prevalence of obesity and diabetes mellitus. 2009, 6 Suppl 1, 86-108	32
1004	Strategies to enhance cardiovascular disease prevention in patients with diabetes. 2009, 24, 461-7	3
1003	Signs of improvement: diabetes update 2009. 2009, 34, 12-22, quiz 23	1

1002	Translating the diabetes prevention program to primary care: a pilot study. 2009 , 58, 2-12	134
1001	Bariatric surgery for diabetes management. 2009 , 16, 119-24	20
1000	Improved cardio-respiratory fitness correlates with changes in the number and size of small dense LDL: randomized controlled trial with exercise training and dietary instruction. 2009 , 48, 25-32	12
999	Optimal waist cutpoint for screening for dysglycaemia and metabolic risk: evidence from a Maori cohort. 2009 , 102, 786-91	7
998	Glucose Metabolism Disorders and Risk Factors of Type 2 Diabetes in 45-74-Years-old Population in Rīga, Latvia. 2009 , 63, 141-146	
997	Conference on "Multidisciplinary approaches to nutritional problems". Symposium on "Diabetes and health". Nutrition interventions for the prevention of type 2 diabetes. 2009 , 68, 55-70	21
996	Lifestyle management: preventing Type 2 diabetes and cardiovascular complications. 2009 , 6, 489-496	0
995	Preventing Type 2 Diabetes Mellitus. 2009 , 29-48	0
994	The current unmet need in type 2 diabetes mellitus: addressing glycemia and cardiovascular disease. 2009 , 121, 7-12	29
993	The hypertension-diabetes continuum. 2010 , 55, 333-9	50
992	A systematic review of lifestyle modification and glucose intolerance in the prevention of type 2 diabetes. 2010 , 6, 378-87	27
991	Difficulté des états diabétiques. 2010 , 7, 1-12	
990	Preventing type 2 diabetes mellitus: room for residual risk reduction after lifestyle changes?. 2010 , 16, 3939-847	8
989	Assessing dietary intake in a population undergoing a rapid transition in diet and lifestyle: the Arctic Inuit in Nunavut, Canada. 2010 , 103, 749-59	73
988	High processed meat consumption is a risk factor of type 2 diabetes in the Alpha-Tocopherol, Beta-Carotene Cancer Prevention study. 2010 , 103, 1817-22	46
987	Know your diabetes risk project: Student pharmacists educating adults about diabetes risk in a community pharmacy setting. 2010 , 50, 188-94	13
986	Results of a pilot diabetes prevention intervention in East Harlem, New York City: Project HEED. 2010 , 100 Suppl 1, S232-9	99
985	Interactions between genetic factors that predict diabetes and dietary factors that ultimately impact on risk of diabetes. 2010 , 21, 31-7	25

984	Barriers and enhancers to dietary behaviour change for Aboriginal people attending a diabetes cooking course. 2010 , 21, 33-8	28
983	Therapeutic options for the prevention of type 2 diabetes mellitus in the metabolic syndrome. 2010 , 77, 524-32	4
982	A personalized approach to metabolic aspects of obesity. 2010 , 77, 499-510	2
981	San Antonio heart study diabetes prediction model applicable to a Middle Eastern population? Tehran glucose and lipid study. 2010 , 55, 315-23	7
980	[Coffee and diabetes]. 2010 , 105, 910-5	3
979	Differential relationship between physical activity and progression to diabetes by glucose tolerance status: the Inter99 Study. 2010 , 53, 70-8	24
978	Long-term lifestyle intervention lowers the incidence of stroke in Japanese patients with type 2 diabetes: a nationwide multicentre randomised controlled trial (the Japan Diabetes Complications Study). 2010 , 53, 419-28	101
977	Optimal dietary approaches for prevention of type 2 diabetes: a life-course perspective. 2010 , 53, 406-18	75
976	Sex differences in glucose levels: a consequence of physiology or methodological convenience? The Inter99 study. 2010 , 53, 858-65	83
975	Leisure-time physical activity and type 2 diabetes during a 28 year follow-up in twins. 2010 , 53, 2531-7	46
974	"It makes you feel so full of life" LiveWell, a feasibility study of a personalised lifestyle programme for colorectal cancer survivors. 2010 , 18, 409-15	52
973	Risk factors preceding type 2 diabetes and cardiomyopathy. 2010 , 3, 580-96	25
972	Sedentary behavior and depression among adults: a review. 2010 , 17, 246-54	309
971	Activit� physique et diab�e chez les sujets g�s. 2010 , 2, 36-44	1
970	Prim�e Pr�vention des Typ-2-Diabetes. 2010 , 5, 319-325	
969	Postpartum screening following GDM: how well are we doing?. 2010 , 10, 235-41	56
968	Health-enhancing physical activity behaviour and related factors in postpartum women with recent gestational diabetes mellitus. 2010 , 13, 42-5	32
967	Should triglycerides and the triglycerides to high-density lipoprotein cholesterol ratio be used as surrogates for insulin resistance?. 2010 , 59, 299-304	110

966	Association of central adiposity with prediabetes and decreased insulin sensitivity in rural Chinese normal-weight and overweight women. 2010 , 59, 1047-53	6
965	Dietary omega-3 fatty acid and omega-3: omega-6 fatty acid ratio predict improvement in glucose disturbances in Japanese Brazilians. 2010 , 26, 184-91	11
964	In search of quality evidence for lifestyle management and glycemic control in children and adolescents with type 2 diabetes: A systematic review. 2010 , 10, 97	14
963	The Sydney Diabetes Prevention Program: a community-based translational study. 2010 , 10, 328	40
962	Reduction of diabetes risk in routine clinical practice: are physical activity and nutrition interventions feasible and are the outcomes from reference trials replicable? A systematic review and meta-analysis. 2010 , 10, 653	106
961	Could pre-diabetes be considered a clinical condition? opinions from an endocrinologist and a cardiologist. 2010 , 2, 2	8
960	Medical management of the patient considering bariatric surgery. 2010 , 21, 3-8	3
959	Health improvement and prevention study (HIPS) - evaluation of an intervention to prevent vascular disease in general practice. 2010 , 11, 57	24
958	ABCD position statement on physical activity and exercise in diabetes. 2010 , 27, 158-163a	13
957	Effectiveness of a lifestyle intervention program among persons at high risk for cardiovascular disease and diabetes in a rural community. 2010 , 26, 266-72	50
956	Diet and exercise in the prevention of diabetes. 2010 , 23, 344-52	56
955	Research charting a course for evidence-based clinical dietetic practice in diabetes. 2010 , 23, 360-70	7
954	Inflexibility in intramuscular triglyceride fractional synthesis distinguishes prediabetes from obesity in humans. 2010 , 18, 1524-31	28
953	The optimal cutoff values and their performance of waist circumference and waist-to-hip ratio for diagnosing type II diabetes. 2010 , 64, 23-9	50
952	Is the association of type II diabetes with waist circumference or waist-to-hip ratio stronger than that with body mass index?. 2010 , 64, 30-4	132
951	Ethnic comparison of the association of undiagnosed diabetes with obesity. 2010 , 34, 332-9	41
950	Distinctions between islet neogenesis and β cell replication: implications for reversal of Type 1 and 2 diabetes. 2010 , 2, 76-84	13
949	A low carbohydrate Mediterranean diet improves cardiovascular risk factors and diabetes control among overweight patients with type 2 diabetes mellitus: a 1-year prospective randomized intervention study. 2010 , 12, 204-9	195

948	A one-year study to assess the safety and efficacy of the CB1R inverse agonist taranabant in overweight and obese patients with type 2 diabetes. 2010 , 12, 517-31		38
947	Implementation and effectiveness of the first community lifestyle intervention programme to prevent Type 2 diabetes in Greece. The DE-PLAN study. 2010 , 27, 459-65		60
946	Prediction models for incident type 2 diabetes mellitus?in the older population: KORA S4/F4 cohort study. 2010 , 27, 1116-23		55
945	Who can prevent diabetes? Current issues in the prevention of type 2 diabetes. 2010 , 40, 5-11		1
944	Improving health outcomes with better patient understanding and education. 2010 , 3, 61-72		182
943	An outpatient-based clinical program for type 2 diabetes prevention. 2010 , 16, 21-9		8
942	Adapted diabetes prevention program lifestyle intervention can be effectively delivered through telehealth. 2010 , 36, 651-6		38
941	Health Benefits of Berries for Potential Management of Hyperglycemia and Hypertension. 2010 , 121-137		2
940	Implementation of the fit body and soul, a church-based life style program for diabetes prevention in high-risk African Americans: a feasibility study. 2010 , 36, 465-72		71
939	Effects of exenatide and lifestyle modification on body weight and glucose tolerance in obese subjects with and without pre-diabetes. <i>Diabetes Care</i> , 2010 , 33, 1173-5	14.6	164
938	Retinopathy in prediabetes. 2010 , 10, 155-156		2
937	TRAQ-D (Trinidad Risk Assessment Questionnaire for Type 2 Diabetes Mellitus): a cheap, reliable, non-invasive screening tool for diabetes. 2010 , 10, 187-192		4
936	Efficacy of primary prevention interventions when fasting and postglucose dysglycemia coexist: analysis of the Indian Diabetes Prevention Programmes (IDPP-1 and IDPP-2). <i>Diabetes Care</i> , 2010 , 33, 2164-8	14.6	27
935	The feasibility of a home-based moderate-intensity physical activity intervention in obese children and adolescents. 2010 , 44, 250-5		11
934	Translating the diabetes prevention program for Northern Plains Indian youth through community-based participatory research methods. 2010 , 36, 924-35		40
933	Advances in the treatment of prediabetes. 2010 , 1, 5-14		16
932	Exercise and type 2 diabetes: American College of Sports Medicine and the American Diabetes Association: joint position statement. Exercise and type 2 diabetes. 2010 , 42, 2282-303		363
931	Nutritional intervention programme among a Japanese-Brazilian community: procedures and results according to gender. 2010 , 13, 1453-61		5

930	Maternal metabolism and obesity: modifiable determinants of pregnancy outcome. 2010 , 16, 255-75	236
929	Long-term effects of a lifestyle intervention on weight and cardiovascular risk factors in individuals with type 2 diabetes mellitus: four-year results of the Look AHEAD trial. 2010 , 170, 1566-75	580
928	Nuts, metabolic syndrome and diabetes. 2010 , 104, 465-73	88
927	Diabetes in Women. 2010 ,	1
926	Principles and practice of nonpharmacological interventions to reduce cardiometabolic risk. 2010 , 19, 167-75	38
925	Prediabetes: the importance of early identification and intervention. 2010 , 122, 129-43	35
924	Lifestyle Interventions and the Prevention and Treatment of Type 2 Diabetes. 2010 , 4, 468-480	9
923	Prevalence of metabolic syndrome in a rural community in Nigeria. 2010 , 8, 59-62	36
922	Lifestyle changes are related to reductions in depression in persons with elevated coronary risk factors. 2010 , 25, 1077-100	20
921	The genetics of type 2 diabetes: what have we learned from GWAS?. 2010 , 1212, 59-77	264
920	Prevençã de diabetes mellitus 2. 2010 , 21, 741-748	
919	Effect of valsartan on the incidence of diabetes and cardiovascular events. 2010 , 362, 1477-90	493
918	Current procedures for managing polycystic ovary syndrome. 2010 , 5, 77-91	4
917	Dietary patterns are associated with lower incidence of type 2 diabetes in middle-aged women: the Shanghai Women's Health Study. 2010 , 39, 889-99	72
916	Physical activity preferences and type 2 diabetes: exploring demographic, cognitive, and behavioral differences. 2010 , 36, 801-15	27
915	A European evidence-based guideline for the prevention of type 2 diabetes. 2010 , 42 Suppl 1, S3-36	317
914	Barriers to follow-up for women with a history of gestational diabetes. 2010 , 27, 705-10	39
913	Impact of interpersonal counseling on the blood sugar and lipid profile of type 2 diabetes mellitus subjects (nutrition health education and diabetes mellitus). 2010 , 30, 129	

912	Long-term trends in cardiorespiratory fitness and the incidence of type 2 diabetes. <i>Diabetes Care</i> , 2010 , 33, 1353-7	14.6	55
911	Relationship between inpatient hyperglycemia and insulin treatment after kidney transplantation and future new onset diabetes mellitus. 2010 , 5, 1669-75		60
910	Diabetes: a pandemic, a development issue or both?. 2010 , 8, 305-9		21
909	Effect of nateglinide on the incidence of diabetes and cardiovascular events. 2010 , 362, 1463-76		358
908	Gestational diabetes mellitus: an opportunity to prevent type 2 diabetes and cardiovascular disease in young women. 2010 , 6, 97-105		25
907	Fruit and vegetable intake and incidence of type 2 diabetes mellitus: systematic review and meta-analysis. 2010 , 341, c4229		492
906	In patients with HIV-infection, chromium supplementation improves insulin resistance and other metabolic abnormalities: a randomized, double-blind, placebo controlled trial. 2010 , 8, 113-20		27
905	Aptitude physique versus adiposité: impacts métaboliques respectifs chez le sujet avec une diminution de la tolérance au glucose ou un diabète de type 2. 2010 , 4, 673-680		2
904	Importancia del control del peso en el deterioro metabólico de la diabetes tipo 2. 2010 , 26, 151-155		1
903	Activité physique et prévention du diabète de type 2. 2010 , 4, 147-151		2
902	Prevention of Type 2 and Gestational Diabetes. 49-110		
901	Exercise and type 2 diabetes: the American College of Sports Medicine and the American Diabetes Association: joint position statement. <i>Diabetes Care</i> , 2010 , 33, e147-67	14.6	839
900	Commonly consumed Indian plant food materials in the management of diabetes mellitus. 2010 , 4, 21-40		50
899	Awareness of risk factors for type 2 diabetes in women with current and former gestational diabetes mellitus (GDM): Implications for future primary diabetes prevention. 2010 , 4, 89-94		3
898	Comparison of body mass index with abdominal obesity indicators and waist-to-stature ratio for prediction of type 2 diabetes: The Isfahan diabetes prevention study. 2010 , 4, e1-e82		9
897	Suboptimal quality of type 2 diabetes care discovered through electronic feedback led to increased nurse-GP cooperation. A qualitative study. 2010 , 4, 33-9		8
896	A large-scale diabetes prevention program in real-life settings in Qingdao of China (2006-2012). 2010 , 4, 99-103		16
895	Cardiometabolic profile of people screened for high risk of type 2 diabetes in a national diabetes prevention programme (FIN-D2D). 2010 , 4, 231-9		22

894	Type 2 Diabetes Prevention: A Review. 2010 , 28, 53-59	43
893	Role of Nutrition in the Pathophysiology, Prevention, and Treatment of Type 2 Diabetes and the Spectrum of Cardiometabolic Disease. 2010 , 371-387	
892	Diabetes mellitus, hyperglycaemia and cancer. 2010 , 36, 182-91	56
891	Physical exercise for the prevention and treatment of type 2 diabetes. 2010 , 36, 346-51	75
890	The Kathmandu Declaration: "Life Circle" approach to prevention and care of diabetes mellitus. 2010 , 87, 20-6	10
889	Global estimates of the prevalence of diabetes for 2010 and 2030. 2010 , 87, 4-14	4608
888	Physical activity and health-related quality of life in individuals with prediabetes. 2010 , 90, 15-21	31
887	Effect of a continuous diabetes lifestyle intervention program on male workers in Korea. 2010 , 90, 26-33	21
886	Diabetes incidence for all possible combinations of metabolic syndrome components. 2010 , 90, 115-21	17
885	Predictors of success to weight-loss intervention program in individuals at high risk for type 2 diabetes. 2010 , 90, 147-53	38
884	Perceived risk and the willingness to enroll in a diabetes prevention lifestyle intervention in Arab-Americans. 2010 , 90, e27-9	19
883	Weight loss goals of patients in a health maintenance organization. 2010 , 11, 74-8	21
882	Randomized, controlled trial promotes physical activity and reduces consumption of sweets and sodium among overweight and obese adults. 2010 , 30, 541-9	15
881	Diabetes risk reduction behaviors among U.S. adults with prediabetes. 2010 , 38, 403-9	119
880	Reduction in incidence of type 2 diabetes by lifestyle intervention in a middle eastern community. 2010 , 38, 628-636.e1	58
879	The diabetes primary prevention initiative interventions focus area: a case study and recommendations. 2010 , 39, 235-42	3
878	Physiopathologie des tats diabtiques. 2010 , 11-36	
877	Low-dose combination therapy with rosiglitazone and metformin to prevent type 2 diabetes mellitus (CANOE trial): a double-blind randomised controlled study. 2010 , 376, 103-11	178

876	Rosiglitazone plus metformin to prevent type 2 diabetes mellitus. 2010 , 376, 1387; author reply 1388		1
875	Standards of medical care in diabetes--2010. <i>Diabetes Care</i> , 2010 , 33 Suppl 1, S11-61	14.6	2438
874	Evidence-based nutrition: Does it differ from evidence-based medicine?. 2010 , 42, 475-86		21
873	Economic evaluation of lifestyle interventions for preventing diabetes and cardiovascular diseases. 2010 , 7, 3150-95		75
872	ROSSO-in-praxi: a self-monitoring of blood glucose-structured 12-week lifestyle intervention significantly improves glucometabolic control of patients with type 2 diabetes mellitus. 2010 , 12, 547-53		51
871	Almond consumption and cardiovascular risk factors in adults with prediabetes. 2010 , 29, 189-97		86
870	Evidence-based risk assessment and recommendations for physical activity clearance: diabetes mellitus and related comorbidities. 2011 , 36 Suppl 1, S154-89		37
869	Prevention of diabetes and reduction in major cardiovascular events in studies of subjects with prediabetes: meta-analysis of randomised controlled clinical trials. 2011 , 18, 813-23		103
868	Long-term benefits from lifestyle interventions for type 2 diabetes prevention: time to expand the efforts. <i>Diabetes Care</i> , 2011 , 34 Suppl 2, S210-4	14.6	113
867	Reduced or modified dietary fat for preventing cardiovascular disease. 2011 , CD002137		55
866	Reduction in the incidence of type 2 diabetes with the Mediterranean diet: results of the PREDIMED-Reus nutrition intervention randomized trial. <i>Diabetes Care</i> , 2011 , 34, 14-9	14.6	576
865	Aspects épidémiologiques de l'association diabète et cancer: Epidemiological features of the diabetes-cancer association. 2011 , 5, 12-18		
864	The economics of diabetes prevention. 2011 , 95, 373-84, viii		37
863	Public health implications: translation into diabetes prevention initiatives--four-level public health concept. 2011 , 95, 397-407, ix		10
862	AMP-activated protein kinase and metabolic control. 2011 , 303-30		81
861	Diabetes prevention programs. 2011 , 95, 353-72, viii		25
860	Multiple risk factor interventions for primary prevention of coronary heart disease. 2011 , CD001561		173
859	Exercise and the treatment of diabetes and obesity. 2011 , 95, 953-69		27

858	Pioglitazone for diabetes prevention in impaired glucose tolerance. 2011 , 364, 1104-15	537
857	Treatment recommendations for prediabetes. 2011 , 95, 385-95, viii-ix	11
856	Globalization of diabetes: the role of diet, lifestyle, and genes. <i>Diabetes Care</i> , 2011 , 34, 1249-57	14.6 1175
855	Impact of obesity on cardiovascular disease. 2011 , 95, 919-37	140
854	Identification of those at risk for diabetes mellitus can comparative effectiveness research provide the answer?. 2011 , 40, 101-3	
853	Qi-gong mind-body therapy and diabetes control. A randomized controlled trial. 2011 , 41, 152-8	27
852	Initial combination therapy for type 2 diabetes mellitus: is it ready for prime time?. 2011 , 124, S19-34	54
851	The preventable proportion of type 2 diabetes by ethnicity: the multiethnic cohort. 2011 , 21, 526-35	42
850	Cardiometabolic risk in Canada: a detailed analysis and position paper by the cardiometabolic risk working group. 2011 , 27, e1-e33	116
849	Identification and management of cardiometabolic risk in Canada: a position paper by the cardiometabolic risk working group (executive summary). 2011 , 27, 124-31	41
848	A cost-effective moderate-intensity interdisciplinary weight-management programme for individuals with prediabetes. 2011 , 37, 410-8	23
847	The effects of adding group-based lifestyle counselling to individual counselling on changes in plasma glucose levels in a randomized controlled trial: the Inter99 study. 2011 , 37, 546-52	11
846	Behavioral strategies in diabetes prevention programs: a systematic review of randomized controlled trials. 2011 , 91, 1-12	102
845	Feasibility of group lifestyle intervention for diabetes prevention in Arab Americans. 2011 , 91, 307-15	48
844	Factors associated with the maintenance or achievement of the weight loss goal at follow-up among participants completing an adapted diabetes prevention program. 2011 , 91, 141-7	11
843	Evaluation of the Finnish Diabetes Risk Score as a screening tool for impaired fasting glucose, impaired glucose tolerance and undetected diabetes. 2011 , 92, 46-52	63
842	Comparison of different anthropometric measures as predictors of diabetes incidence in a Chinese population. 2011 , 92, 265-71	38
841	Progression of glycaemia and cardiovascular risk factors in patients of different age groups with new type 2 diabetes over 5 years of follow-up in a diabetes quality improvement initiative. 2011 , 93, 357-62	3

840	What are the barriers to primary prevention of type 2 diabetes in black and minority ethnic groups in the UK? A qualitative evidence synthesis. 2011 , 93, 150-158	17
839	Cardiovascular health, risks and diseases in contemporary China. 2011 , 152, 285-94	4
838	The role of thiazolidinediones in non-alcoholic steatohepatitis - a systematic review and meta analysis. 2011 , 55, 1383-90	120
837	Home-based exercise for middle-aged Chinese at diabetic risk: a randomized controlled trial. 2011 , 52, 337-43	11
836	Are we really active in the prevention of obesity and type 2 diabetes at the community level?. 2011 , 21, 380-9	30
835	The role of diet in the prevention of type 2 diabetes. 2011 , 21 Suppl 2, B32-48	229
834	Prevençã de la diabetes mellitus 2. 2011 , 37, 496-503	0
833	Lifestyle Intervention for the Prevention of Diabetes in Women With Previous Gestational Diabetes Mellitus: A Systematic Review and Meta-Analysis. 2018 , 9, 583	47
832	The Glucose-Lowering Effect of Foxtail Millet in Subjects with Impaired Glucose Tolerance: A Self-Controlled Clinical Trial. 2018 , 10,	26
831	Antioxidant Supplements in Obesity and Metabolic Syndrome. 2018 , 263-275	0
830	Protocol for a clinical trial of text messaging in addition to standard care versus standard care alone in prevention of type 2 diabetes through lifestyle modification in India and the UK. 2018 , 18, 63	2
829	The role of physical activity in the development of first cardiovascular disease event: a tree-structured survival analysis of the Danish ADDITION-PRO cohort. 2018 , 17, 126	12
828	Biotin and chromium histidinate improve glucose metabolism and proteins expression levels of IRS-1, PPAR- α and NF- κ B in exercise-trained rats. 2018 , 15, 45	11
827	Prevention of type 2 diabetes-success story that is waiting for next steps. 2018 , 72, 1260-1266	6
826	Dietary Interventions for the Prevention of Type 2 Diabetes in High-Risk Groups: Current State of Evidence and Future Research Needs. 2018 , 10,	27
825	How effective are interventions in improving dietary behaviour in low- and middle-income countries? A systematic review and meta-analysis. 2018 , 12, 312-331	3
824	The post-trial analysis of the Indian SMS diabetes prevention study shows persistent beneficial effects of lifestyle intervention. 2018 , 142, 213-221	9
823	Association between physical activity and abnormal glucose metabolism-A population-based cross-sectional study in China. 2018 , 32, 746-752	6

822	Evaluation of the Long-Term Impact of Improving Care for People with Type 2 Diabetes in China. 2018 , 15, 169-174	1
821	Prevalence of prediabetes by the fasting plasma glucose and HbA1c screening criteria among the children and adolescents of Shenzhen, China. 2018 ,	5
820	Targeting Prediabetes to Preempt Diabetes. 2018 , 33-42	0
819	Influence of improvement or worsening of glucose tolerance on risk of stroke in persons with impaired glucose tolerance. 2018 , 13, 941-948	
818	The Constellation of Macrovascular Risk Factors in Early Onset T2DM: A Cross-Sectional Study in Xinjiang Province, China. 2018 , 2018, 3089317	4
817	Gene-Environment Interaction in the Pathogenesis of Type 2 Diabetes. 2018 , 193-205	
816	Prevalence of Prediabetes, Diabetes, and Its Associated Risk Factors among Males in Saudi Arabia: A Population-Based Survey. 2018 , 2018, 2194604	28
815	A weight loss intervention delivered by peer coaches in primary care: Rationale and study design of the PROMISE trial. 2018 , 72, 53-61	4
814	Diabetic assistant tool. 2018 ,	0
813	Cardiorespiratory responses during aquatic treadmill exercise and land treadmill exercise in older adults with type 2 diabetes. 2018 , 58, 1331-1338	
812	A Simple Model for Predicting Two-Year Risk of Diabetes Development in Individuals with Prediabetes. 2018 , 22, 17-050	11
811	Effects of lifestyle changes on adults with prediabetes: A systematic review and meta-analysis. 2018 , 12, 393-408	60
810	The 2017 Dutch Physical Activity Guidelines. 2018 , 15, 58	70
809	A Review of the Impacts of Different Approaches for Diabetes Prevention and a Framework for Making Investment Decisions. 2018 , 15,	2
808	The impact of structured physical activity on glycaemic control in diabetes prevention programmes: A systematic review. 2018 , 27, 193-204	7
807	Perceived Benefits and Barriers of a Community-Based Diabetes Prevention and Management Program. 2018 , 7,	11
806	Post-Exercise Carbohydrate-Energy Replacement Attenuates Insulin Sensitivity and Glucose Tolerance the Following Morning in Healthy Adults. 2018 , 10,	15
805	Effects of Different Dietary and Lifestyle Modification Therapies on Metabolic Syndrome in Prediabetic Arab Patients: A 12-Month Longitudinal Study. 2018 , 10,	17

804	HbA1c Cutoff Point of 5.9% Better Identifies High Risk of Progression to Diabetes among Chinese Adults: Results from a Retrospective Cohort Study. 2018 , 2018, 7486493	7
803	A randomized placebo-controlled clinical trial of nicotinamide riboside in obese men: safety, insulin-sensitivity, and lipid-mobilizing effects. 2018 , 108, 343-353	121
802	Perceived Barriers to Physical Activity Among Low-Income Latina Women at Risk for Type 2 Diabetes. 2018 , 44, 444-453	20
801	A group-based lifestyle intervention for diabetes prevention in low- and middle-income country: implementation evaluation of the Kerala Diabetes Prevention Program. 2018 , 13, 97	18
800	Lifestyle Medicine: The Health Promoting Power of Daily Habits and Practices. 2018 , 12, 499-512	30
799	Type 2 Diabetes Leads to Axon Initial Segment Shortening in Mice. 2018 , 12, 146	11
798	Determinants of weight outcomes in type 2 diabetes prevention intervention in primary health care setting (the DE-PLAN project). 2018 , 18, 97	8
797	Economic evaluation of type 2 diabetes prevention programmes: Markov model of low- and high-intensity lifestyle programmes and metformin in participants with different categories of intermediate hyperglycaemia. 2018 , 16, 16	19
796	Healthcare Expenditure and Productivity Cost Savings from Reductions in Cardiovascular Disease and Type 2 Diabetes Associated with Increased Intake of Cereal Fibre among Australian Adults: A Cost of Illness Analysis. 2018 , 10,	6
795	mDiabetes initiative using text messages to improve lifestyle and health-seeking behaviour in India. 2018 , 4, 155-162	7
794	Higher Protein Intake Is Not Associated with Decreased Kidney Function in Pre-Diabetic Older Adults Following a One-Year Intervention-A Preview Sub-Study. 2018 , 10,	14
793	Making dietary changes following a diagnosis of prediabetes: a qualitative exploration of barriers and facilitators. 2018 , 35, 1693-1699	16
792	Diagnostic accuracy of the Finnish Diabetes Risk Score (FINDRISC) for undiagnosed T2DM in Peruvian population. 2018 , 12, 517-525	33
791	Recomendaciones preventivas cardiovasculares. Actualizaci3n PAPPs 2018. 2018 , 50 Suppl 1, 4-28	10
790	Reducing diabetes risk at an early age. 2018 , 24, 708-710	2
789	Basic lifestyle advice to individuals at high risk of type 2 diabetes: a 2-year population-based diabetes prevention study. The DE-PLAN intervention in the HUNT Study, Norway. 2018 , 6, e000509	2
788	A peer-support lifestyle intervention for preventing type 2 diabetes in India: A cluster-randomized controlled trial of the Kerala Diabetes Prevention Program. 2018 , 15, e1002575	64
787	Long-term Outcomes of Lifestyle Intervention to Prevent Diabetes in American Indian and Alaska Native Communities: The Special Diabetes Program for Indians Diabetes Prevention Program. <i>Diabetes Care</i> , 2018 , 41, 1462-1470	14.6 23

786	The impact of major dietary patterns on glycemic control, cardiovascular risk factors, and weight loss in patients with type 2 diabetes: A network meta-analysis. 2019 , 12, 29-39	33
785	Lifestyle Diabetes Prevention. 2019 , 148-159	3
784	Plasma tyrosine and its interaction with low high-density lipoprotein cholesterol and the risk of type 2 diabetes mellitus in Chinese. 2019 , 10, 491-498	17
783	Public Health Approaches to Type 2 Diabetes Prevention: the US National Diabetes Prevention Program and Beyond. 2019 , 19, 78	41
782	Process evaluation of a community-based diabetes prevention program in China: the Pathway to Health (PATH). 2019 , 34, 521-531	
781	Primary Prevention of ASCVD and T2DM in Patients at Metabolic Risk: An Endocrine Society* Clinical Practice Guideline. 2019 ,	25
780	Economic impact of disease prevention in a morbidity-based financing system: does prevention pay off for a statutory health insurance fund in Germany?. 2019 , 20, 1181-1193	
779	Effects of Lifestyle Modification and Anti-diabetic Medicine on Prediabetes Progress: A Systematic Review and Meta-Analysis. 2019 , 10, 455	7
778	Prediabetes: lifestyle, pharmacotherapy or regulation?. 2019 , 10, 2042018819863020	5
777	Health risks and interventions in prediabetes: A review. 2019 , 13, 2803-2811	13
776	Effect of voluntary exercise on intracellular signalling pathways of angiogenesis in the sciatic nerve of type 1 diabetic castrated male rats. 2019 , 106, 39-47	3
775	Natural Hydrogen Sulfide Donors from sp. as a Nutraceutical Approach in Type 2 Diabetes Prevention and Therapy. 2019 , 11,	15
774	Life Style Intervention Improves Retinopathy Status-The Finnish Diabetes Prevention Study. 2019 , 11,	7
773	Assessment of clinical and biochemical profile of prediabetic subject in Bangladesh, attending in BIRDEM and results of intervention by lifestyle modification, metformin, and DPP4 inhibitor. 2019 , 13, 1603-1608	4
772	Treated Sewage Effluents as a Source of Microbiological Contamination on Receiving Watersheds. 2019 , 69-79	
771	Comparison of the Effectiveness of Lifestyle Modification with Other Treatments on the Incidence of Type 2 Diabetes in People at High Risk: A Network Meta-Analysis. 2019 , 11,	7
770	Favorable Changes in Fasting Glucose in a 6-month Self-Monitored Lifestyle Modification Programme Inversely Affects Spexin Levels in Females with Prediabetes. 2019 , 9, 9454	12
769	The Ecological Approach to Self-Management in Diabetes. 2019 , 33-59	

768	Does diabetes prevention translate into reduced long-term vascular complications of diabetes?. 2019 , 62, 1319-1328	24
767	Dietary instructions focusing on meal-sequence and nutritional balance for prediabetes subjects: An exploratory, cluster-randomized, prospective, open-label, clinical trial. 2019 , 33, 107450	6
766	Fasting Glucose State Determines Metabolic Response to Supplementation with Insoluble Cereal Fibre: A Secondary Analysis of the Optimal Fibre Trial (OptiFiT). 2019 , 11,	13
765	Influences of added sugar consumption in adults with type 2 diabetes risk: A principle-based concept analysis. 2019 , 54, 698-706	1
764	Prevention of Type 2 Diabetes by Lifestyle Changes: A Systematic Review and Meta-Analysis. 2019 , 11,	60
763	Metabolite Profiles of Incident Diabetes and Heterogeneity of Treatment Effect in the Diabetes Prevention Program. 2019 , 68, 2337-2349	13
762	Obesity Does Not Modulate the Glycometabolic Benefit of Insoluble Cereal Fibre in Subjects with Prediabetes-A Stratified Post Hoc Analysis of the Optimal Fibre Trial (OptiFiT). 2019 , 11,	8
761	Score clinique finlandais de risque de diab�e de type 2 et facteurs de risque en milieu estudiantin au Burkina Faso. 2019 , 13, 459-463	1
760	Implementation of a group-based diabetes prevention program within a healthcare delivery system. 2019 , 19, 694	1
759	Outcomes of a Weight Loss Intervention to Prevent Diabetes Among Low-Income Residents of East Harlem, New York. 2019 , 46, 1073-1082	4
758	From Pre-Diabetes to Diabetes: Diagnosis, Treatments and Translational Research. 2019 , 55,	66
757	National Survey of Primary Care Physicians' Knowledge, Practices, and Perceptions of Prediabetes. 2019 , 34, 2475-2481	17
756	Assessment of Knowledge, Attitude and Practices of Medical Officers in Primary Health Centres Regarding Type 2 Diabetes Mellitus. 2019 , 20, 63-67	
755	Posttraumatic Stress Disorder and Incident Type 2 Diabetes: Is Obesity to Blame?. 2019 , 3,	
754	Advancing an Integrative Framework to Evaluate Sustainability in National Dietary Guidelines. 2019 , 3,	14
753	Ethnicity and Type 2 diabetes in the UK. 2019 , 36, 927-938	39
752	Cancer-related gene expression is associated with disease severity and modifiable lifestyle factors in non-alcoholic fatty liver disease. 2019 , 62, 100-107	15
751	Effects of dietary and physical activity interventions on the risk of type 2 diabetes in South Asians: meta-analysis of individual participant data from randomised controlled trials. 2019 , 62, 1337-1348	21

750	Environmental Biotechnology For Soil and Wastewater Implications on Ecosystems. 2019 ,		3
749	Type 2 diabetes and physical activity: barriers and enablers to diabetes control in Eastern India. 2019 , 20,		6
748	Association of Habitual Daily Physical Activity With Glucose Tolerance and β Cell Function in Adults With Impaired Glucose Tolerance or Recently Diagnosed Type 2 Diabetes From the Restoring Insulin Secretion (RISE) Study. <i>Diabetes Care</i> , 2019 , 42, 1521-1529	14.6	5
747	Regression to Normal Glucose Regulation in American Indians and Alaska Natives of a Diabetes Prevention Program. <i>Diabetes Care</i> , 2019 , 42, 1209-1216	14.6	8
746	arly Lifestyle Interventions in People with Impaired Glucose Tolerance in Northern Colombia: The DEMOJUAN Project. 2019 , 16,		2
745	The Impact of Dairy Products in the Development of Type 2 Diabetes: Where Does the Evidence Stand in 2019?. 2019 , 10, 1066-1075		29
744	Identification of Education Models to Improve Health Outcomes in Arab Women with Pre-Diabetes. 2019 , 11,		9
743	Referral of patients to diabetes prevention programmes from community campaigns and general practices: mixed-method evaluation using the RE-AIM framework and Normalisation Process Theory. 2019 , 19, 321		6
742	Assessing the Impact of Lifestyle Interventions on Diabetes Prevention in China: A Modeling Approach. 2019 , 16,		4
741	Prevention and Treatment of Alzheimer's Disease: Biological Mechanisms of Exercise. 2019 , 69, 311-338		24
740	Evaluation of a Community-Based Diabetes Prevention Program in Thailand: A Cluster Randomized Controlled Trial. 2019 , 10, 2150132719847374		8
739	Reach and Use of Diabetes Prevention Services in the United States, 2016-2017. 2019 , 2, e193160		38
738	Morbidity and mortality after lifestyle intervention for people with impaired glucose tolerance: 30-year results of the Da Qing Diabetes Prevention Outcome Study. 2019 , 7, 452-461		155
737	Nutrition Therapy for Adults With Diabetes or Prediabetes: A Consensus Report. <i>Diabetes Care</i> , 2019 , 42, 731-754	14.6	356
736	Glucose screening within six months postpartum among Chinese mothers with a history of gestational diabetes mellitus: a prospective cohort study. 2019 , 19, 134		6
735	Premature death and risk of cardiovascular disease in young-onset diabetes: a 23-year follow-up of the Da Qing Diabetes Study. 2019 , 65, 46-52		6
734	More Evidence for a Prevention-Related Indication for Metformin: Let the Arguments Resume!. <i>Diabetes Care</i> , 2019 , 42, 499-501	14.6	12
733	Physical Activity, Cardiorespiratory Fitness, and the Diabetes Spectrum. 2019 , 191-206		2

732	Potential Cellular and Biochemical Mechanisms of Exercise and Physical Activity on the Ageing Process. 2019 , 91, 311-338	8
731	The Continuing Evolution of Precision Health in Type 2 Diabetes: Achievements and Challenges. 2019 , 19, 16	2
730	Diabetes in developing countries. 2019 , 11, 522-539	61
729	Intermediate hyperglycaemia to predict progression to type 2 diabetes (ELSA-Brasil): an occupational cohort study in Brazil. 2019 , 7, 267-277	34
728	Hospital-Based Korean Diabetes Prevention Study: A Prospective, Multi-Center, Randomized, Open-Label Controlled Study. 2019 , 43, 49-58	9
727	Relationship between fasting plasma glucose and incidence of diabetes in children and adolescents. 2019 , 36, 633-643	2
726	Two-year-supervised resistance training prevented diabetes incidence in people with prediabetes: A randomised control trial. 2019 , 35, e3143	11
725	Performance of HbA1c versus oral glucose tolerance test (OGTT) as a screening tool to diagnose dysglycemic status in high-risk Thai patients. 2019 , 19, 23	7
724	The effect of community-based programs on diabetes prevention in low- and middle-income countries: a systematic review and meta-analysis. 2019 , 15, 10	22
723	Randomized Controlled Trial of Physical Exercise in Diabetic Veterans With Length-Dependent Distal Symmetric Polyneuropathy. 2019 , 13, 51	11
722	Intervention of Prediabetes by Flavonoids From <i>Oroxylum indicum</i> . 2019 , 559-575	7
721	Evaluating Community-Based Translational Interventions Using Historical Controls: Propensity Score vs. Disease Risk Score Approach. 2019 , 20, 598-608	1
720	Type 2 Diabetes. 2019 , 171, ITC65-ITC80	22
719	Intensity and duration of lifestyle interventions for long-term weight loss and association with mortality: a meta-analysis of randomised trials. 2019 , 9, e029966	15
718	Objectively Measured Physical Activity in Older Adults With and Without Diabetes. 2019 , 37, 142-149	7
717	Physical activity, sedentary leisure-time and risk of incident type 2 diabetes: a prospective study of 512 000 Chinese adults. 2019 , 7, e000835	9
716	Diabetes in Normal-Weight Individuals: High Susceptibility in Nonwhite Populations. <i>Diabetes Care</i> , 2019 , 42, 2164-2166	14.6 8
715	Validity of the FINDRISC as a prediction tool for diabetes in a contemporary Norwegian population: a 10-year follow-up of the HUNT study. 2019 , 7, e000769	12

714	Good news from the Da Qing Diabetes Prevention Outcome Study-healthy lifestyles result in long-term cardiovascular benefits. 2019 , 7, S368	1
713	What predicts regression from pre-diabetes to normal glucose regulation following a primary care nurse-delivered dietary intervention? A study protocol for a prospective cohort study. 2019 , 9, e033358	3
712	Effectiveness of digital health using the transtheoretical model to prevent or delay type 2 diabetes in impaired glucose tolerance patients: protocol for a randomized control trial. 2019 , 19, 1550	5
711	References. 2019 , 415-510	
710	Effect of 12-Month Resistance Training on Changes in Abdominal Adipose Tissue and Metabolic Variables in Patients with Prediabetes: A Randomized Controlled Trial. 2019 , 2019, 8469739	12
709	The community-based prevention of diabetes (ComPoD) study: a randomised, waiting list controlled trial of a voluntary sector-led diabetes prevention programme. 2019 , 16, 112	4
708	Machine Learning For Tuning, Selection, And Ensemble Of Multiple Risk Scores For Predicting Type 2 Diabetes. 2019 , 12, 189-198	7
707	Effectiveness of lifestyle interventions on preventing diabetes in adults at high risk of type 2 diabetes: a systematic review protocol. 2019 , 17, 273-280	
706	Homogeneity in the association of body mass index with type 2 diabetes across the UK Biobank: A Mendelian randomization study. 2019 , 16, e1002982	15
705	Improvement of pulse wave velocity and metabolic cardiovascular risk parameters through egg protein hydrolysate intake: A randomized trial in overweight or obese subjects with impaired glucose tolerance or type 2 diabetes. 2019 , 52, 418-423	9
704	Higher blood pressure predicts diabetes and enhances long-term risk of cardiovascular disease events in individuals with impaired glucose tolerance: Twenty-three-year follow-up of the Daqing diabetes prevention study. 2019 , 11, 593-598	10
703	Efficacy of lifestyle interventions in the reversion to normoglycemia in Korean prediabetics: One-year results from a randomised controlled trial. 2019 , 13, 212-220	3
702	A simple to implement and low-cost supervised walking programme in highly motivated individuals with or at risk for type 2 diabetes: An observational study with a pre-post design. 2019 , 13, 30-36	2
701	The Screening and Prevention of Diabetes Mellitus. 2019 , 46, 41-52	13
700	How do we identify people at high risk of Type 2 diabetes and help prevent the condition from developing?. 2019 , 36, 316-325	4
699	Economic Impact of Diabetes in Japan. 2019 , 19, 2	8
698	Development and validation of a non-invasive assessment tool for screening prevalent undiagnosed diabetes in middle-aged and elderly Chinese. 2019 , 119, 145-152	5
697	What protects against pre-diabetes progressing to diabetes? Observational study of integrated health and social data. 2019 , 148, 119-129	6

696	Type 2 diabetes mellitus and osteoarthritis. 2019 , 49, 9-19	43
695	Physical Exercise in Chronic Diseases. 2019 , 217-266	4
694	Diabetes knowledge of primary health care and specialist nurses in a major urban area. 2019 , 28, 125-137	5
693	Nutrition Interventions for Type 2 Diabetes in Chinese Populations: A Scoping Review. 2019 , 21, 1416-1431	2
692	Towards Point-of-Care Insulin Detection. 2019 , 4, 3-19	21
691	Prediction Model for Prevalence of Type-2 Diabetes Complications with ANN Approach Combining with K-Fold Cross Validation and K-Means Clustering. 2019 , 451-467	
690	Management of Diabetes Mellitus. 2019 , 113-177	
689	Levels of adherence needed to achieve significant weight loss. 2019 , 43, 125-131	6
688	A thorough analysis of diabetes research in China from 1995 to 2015: current scenario and future scope. 2019 , 62, 46-62	4
687	Alendronate improves fasting plasma glucose and insulin sensitivity, and decreases insulin resistance in prediabetic osteopenic postmenopausal women: A randomized triple-blind clinical trial. 2019 , 10, 731-737	19
686	Effectiveness of high-intensity interval training combined with resistance training versus continuous moderate-intensity training combined with resistance training in patients with type 2 diabetes: A one-year randomized controlled trial. 2019 , 21, 550-559	14
685	Evolution of non-communicable disease prevention and control in China. 2019 , 26, 90-95	3
684	Large-Scale Epidemiologic Studies of Cardiovascular Diseases in China: Need for Improved Data Collection, Methods, Transparency, and Documentation. 2018 , 13, 3-12.e4	2
683	Estimates of prediabetes and undiagnosed type 2 diabetes in Denmark: The end of an epidemic or a diagnostic artefact?. 2020 , 48, 106-112	15
682	Prediction Model for Prevalence of Type-2 Diabetes Complications with ANN Approach Combining with K-Fold Cross Validation and K-Means Clustering. 2020 , 1031-1045	0
681	Efficacy of metformin in preventing progression to diabetes in a Chinese population with impaired glucose regulation: Protocol for a multicentre, open-label, randomized controlled clinical study. 2020 , 22, 158-166	3
680	Ultra-broadband low scattering metasurface utilizing mixed-elements based on phase cancellation. 2020 , 53, 025102	8
679	Synergistic effects of depression and obesity on type 2 diabetes incidence in Chinese adults. 2020 , 12, 142-150	5

678	Do Cultural and Psychosocial Factors Contribute to Type 2 Diabetes Risk? A Look Into Vancouver's South Asian Community. 2020 , 44, 14-21	1
677	Pharmacological intervention for diabetes after pregnancy prevention in women with prior gestational diabetes: A scoping review. 2020 , 160, 107998	4
676	Genetic Risk, a Healthy Lifestyle, and Type 2 Diabetes: the Dongfeng-Tongji Cohort Study. 2020 , 105,	6
675	The combination of linagliptin, metformin and lifestyle modification to prevent type 2 diabetes (PRELLIM). A randomized clinical trial. 2020 , 104, 154054	10
674	A randomized controlled study of dose-finding, efficacy, and safety of mulberry leaves on glycemic profiles in obese persons with borderline diabetes. 2020 , 49, 102292	16
673	The Jiangnan diet, a healthy diet pattern for Chinese. 2020 , 12, 365-371	19
672	Dietary intake in cystic fibrosis and its role in glucose metabolism. 2020 , 39, 2495-2500	1
671	Erythrocytosis and Performance of HbA1c in Detecting Diabetes on an Oxygen-Deficient Plateau: A Population-based Study. 2020 , 105,	0
670	Does the design of the NHS Diabetes Prevention Programme intervention have fidelity to the programme specification? A document analysis. 2020 , 37, 1357-1366	11
669	A winning combination: Collaborating with stakeholders throughout the process of planning and implementing a type 2 diabetes prevention programme in the community. 2020 , 28, 681-689	7
668	Tea consumption and risk of diabetes in the Chinese population: a multi-centre, cross-sectional study. 2020 , 123, 428-436	9
667	GLP-1 secretion is regulated by IL-6 signalling: a randomised, placebo-controlled study. 2020 , 63, 362-373	19
666	Prevalence of Prediabetes Among Adolescents and Young Adults in the United States, 2005-2016. 2020 , 174, e194498	95
665	Human clinical trial to assess the effect of consumption of multigrain Indian bread on glycemic regulation in type 2 diabetic participants. 2020 , 44, e13465	5
664	Nutritional Strategies in Prediabetes: A Scoping Review of Recent Evidence. 2020 , 12,	6
663	Impact of combined training with different exercise intensities on inflammatory and lipid markers in type 2 diabetes: a secondary analysis from a 1-year randomized controlled trial. 2020 , 19, 169	11
662	Elevated triglyceride-glucose (TyG) index predicts incidence of Prediabetes: a prospective cohort study in China. 2020 , 19, 226	12
661	Diet and exercise in the prevention and treatment of type 2 diabetes mellitus. 2020 , 16, 545-555	51

660	Influence of Cinnamon on Glycemic Control in Individuals With Prediabetes: A Randomized Controlled Trial. 2020 , 4, bvaa094	2
659	A Factorial Experiment to Optimize Remotely Delivered Behavioral Treatment for Obesity: Results of the Opt-IN Study. 2020 , 28, 1652-1662	16
658	Physical Activity in Adults With an Amputation as Assessed With a Self-Reported Exercise Vital Sign. 2020 , 12, 861-869	2
657	Effectiveness of the Healthy Lifestyle Promotion Program for Yaquis with Obesity and Risk of Diabetes in the Short and Medium Term: A Translational Study. 2020 , 2020, 6320402	
656	Diet and exercise interventions for individuals at risk for type 2 diabetes: a scoping review protocol. 2020 , 10, e039532	0
655	Additional Benefit of Chinese Medicine Formulae Including for Diabetes Mellitus: Current State of Evidence. 2020 , 11, 553288	1
654	Prediction of type 2 diabetes risk in people with non-diabetic hyperglycaemia: model derivation and validation using UK primary care data. 2020 , 10, e037937	1
653	Daily step count and incident diabetes in community-dwelling 70-year-olds: a prospective cohort study. 2020 , 20, 1830	11
652	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. 2021 , 396, 2019-2082	90
651	The Natural Course of Impaired Fasting Glucose. 2021 , 1324, 41-50	5
650	Manifest diabetes after gestational diabetes: a double-cohort, long-term follow-up in a Danish population. 2020 , 302, 1271-1278	5
649	Barriers and Facilitators of National Diabetes Prevention Program Engagement Among Women of Childbearing Age: A Qualitative Study. 2020 , 46, 279-288	4
648	RSSDI-ESI Clinical Practice Recommendations for the Management of Type 2 Diabetes Mellitus 2020. 2020 , 40, 1-122	8
647	Pregnancy and metabolic syndrome of obesity. 2020 , 137-148	
646	The Challenges in the Development of Diabetes Prevention and Care Models in Low-Income Settings. 2020 , 11, 518	11
645	How valid are projections of the future prevalence of diabetes? Rapid reviews of prevalence-based and Markov chain models and comparisons of different models' projections for England. 2020 , 10, e033483	0
644	The Smart Life Stay (SLS) program: effects of a lifestyle intervention program in combination with health tourism and health guidance for type 2 diabetes. 2020 , 10, 33	2
643	Diet Quality among Women with Previous Gestational Diabetes Mellitus in Rural Areas of Hunan Province. 2020 , 17,	3

642	Early beta cell dysfunction vs insulin hypersecretion as the primary event in the pathogenesis of dysglycaemia. 2020 , 63, 2007-2021		31
641	Benchmarking the Cost-Effectiveness of Interventions Delaying Diabetes: A Simulation Study Based on NAVIGATOR Data. <i>Diabetes Care</i> , 2020 , 43, 2485-2492	14.6	2
640	Reduction in saturated fat intake for cardiovascular disease. 2020 , 8, CD011737		18
639	The Association Between Dietary Habits and Other Lifestyle Indicators and Dysglycemia in Saudi Adults Free of Previous Diagnosis of Diabetes. 2020 , 13, 1178638820965258		1
638	Four weeks exercise training enhanced the hepatic insulin sensitivity in high fat- and high carbohydrate-diet fed hyperinsulinemic rats. 2020 , 19, 1583-1592		1
637	Non-pharmacological interventions for the prevention of type 2 diabetes mellitus in low and middle-income countries: protocol for a systematic review and meta-analysis of randomized controlled trials. 2020 , 9, 288		0
636	Reduction in saturated fat intake for cardiovascular disease. 2020 , 5, CD011737		27
635	Regression from prediabetes to normal glucose regulation: State of the science. 2020 , 245, 889-896		10
634	A systematic review of the behaviour change techniques and digital features in technology-driven type 2 diabetes prevention interventions. 2020 , 6, 2055207620914427		27
633	Effects of total fat intake on body fatness in adults. 2020 , 6, CD013636		5
632	Community-based weight loss programme targeting overweight Chinese adults with pre-diabetes: study protocol of a randomised controlled trial. 2020 , 10, e035196		3
631	The Efficacy of New Chinese Diabetes Risk Score in Screening Undiagnosed Type 2 Diabetes and Prediabetes: A Community-Based Cross-Sectional Study in Eastern China. 2020 , 2020, 7463082		1
630	Impact of high-intensity interval training and sprint interval training on peripheral markers of glycemic control in metabolic syndrome and type 2 diabetes. 2020 , 1866, 165820		3
629	Metabolomics and Proteomics in Type 2 Diabetes. 2020 , 126, 1613-1627		21
628	Pathobiology and Reversibility of Prediabetes in a Biracial Cohort (PROP-ABC) Study: design of lifestyle intervention. 2020 , 8,		0
627	Neighborhood walkability and risk of gestational diabetes. 2020 , 8,		3
626	Goal achievement and adaptive goal adjustment in a behavioral intervention for participants with prediabetes. 2021 , 26, 2743-2755		
625	Design of a cluster-randomized trial of the effectiveness and cost-effectiveness of metformin on prevention of type 2 diabetes among prediabetic Mexican adults (the PRuDENTE initiative of Mexico City). 2020 , 95, 106067		1

624	Effects of resistant starch on the indicators of glucose regulation in persons diagnosed with type 2 diabetes and those at risk: A meta-analysis. 2020 , 44, e14594	2
623	Evaluation of risk factors for insulin resistance: a cross sectional study among employees at a private university in Lebanon. 2020 , 20, 85	7
622	Study protocol for a nationwide Knowledge, Attitudes and Practices (KAP) survey on diabetes in Singapore's general population. 2020 , 10, e037125	6
621	Prevention of type 2 diabetes by physical activity: What has history taught us?. 2020 , 36, e3308	4
620	Evaluation and Treatment of Prediabetes in Youth. 2020 , 219, 11-22	10
619	Langzeiteffekte von Diabetespräventionsmaßnahmen. 2020 , 16, 215-219	1
618	Reversal of Prediabetes in Saudi Adults: Results from an 18 Month Lifestyle Intervention. 2020 , 12,	9
617	Obtaining evidence base for the development of Feel4Diabetes intervention to prevent type 2 diabetes - a narrative literature review. 2020 , 20, 140	7
616	Time-efficient and computer-guided sprint interval exercise training for improving health in the workplace: a randomised mixed-methods feasibility study in office-based employees. 2020 , 20, 313	18
615	A systematic review of pharmacist input to metabolic syndrome screening, management and prevention. 2020 , 42, 995-1015	3
614	A systematic review of recruitment strategies and behaviour change techniques in group-based diabetes prevention programmes focusing on uptake and retention. 2020 , 166, 108273	2
613	Scale-up of the Kerala Diabetes Prevention Program (K-DPP) in Kerala, India: implementation evaluation findings. 2020 , 10, 5-12	6
612	Effects of A 12-Month Intensive Lifestyle Monitoring Program in Predominantly Overweight/Obese Arab Adults with Prediabetes. 2020 , 12,	7
611	Effectiveness of Yoga as the Public Health Intervention Module in the Management of Diabetes and Diabetes Associated Dementia in South East Asia: A Narrative Review. 2020 , 54, 287-303	9
610	Evidence and Challenges for Translation and Population Impact of the Diabetes Prevention Program. 2020 , 20, 9	13
609	Angiotensin-(1-7) Participates in Enhanced Skeletal Muscle Insulin Sensitivity After a Bout of Exercise. 2020 , 4, bvaa007	13
608	Exercise Training Results in Lower Amyloid Plaque Load and Greater Cognitive Function in an Intensity Dependent Manner in the Tg2576 Mouse Model of Alzheimer's Disease. 2020 , 10,	5
607	Benefit of lifestyle-based T2DM prevention is influenced by prediabetes phenotype. 2020 , 16, 395-400	29

606	Adapting a Family-Focused Diabetes Prevention Program for a Federally Qualified Health Center: A Qualitative Report. 2020 , 46, 161-168	3
605	Dysglycemia risk score in Saudi Arabia: A tool to identify people at high future risk of developing type 2 diabetes. 2020 , 11, 844-855	8
604	Effect of a family and interdisciplinary intervention to prevent T2D: randomized clinical trial. 2020 , 20, 97	3
603	Evaluation of Fasting Capillary Glucose and Fasting Plasma Glucose as Screening Tests for Diabetes and Prediabetes among Adults in a Semi-Urban Area in the Kathmandu District, Nepal. 2020 , 21, 265-275	0
602	Management of NCD in low- and middle-income countries. 2014 , 9, 431-43	69
601	Participation and weight loss in online National Diabetes Prevention Programs: a comparison of age and gender subgroups. 2021 , 11, 342-350	6
600	Integrative transcriptomic analysis of pancreatic islets from patients with prediabetes/type 2 diabetes. 2021 , 37, e3359	3
599	Modulation of Insulin Sensitivity by Exercise Training: Implications for Cardiovascular Prevention. 2021 , 14, 256-270	15
598	The PREVIEW intervention study: Results from a 3-year randomized 2 x 2 factorial multinational trial investigating the role of protein, glycaemic index and physical activity for prevention of type 2 diabetes. 2021 , 23, 324-337	18
597	Simple risk score to screen for prediabetes: A cross-sectional study from the Qatar Biobank cohort. 2021 , 12, 988-997	2
596	The effects of dapagliflozin, metformin or exercise on glycaemic variability in overweight or obese individuals with prediabetes (the PRE-D Trial): a multi-arm, randomised, controlled trial. 2021 , 64, 42-55	11
595	Risk Prediction of the Diabetes Missing Million: Identifying Individuals at High Risk of Diabetes and Related Complications. 2021 , 12, 87-105	5
594	The Impact of Physical Activity on the Prevention of Type 2 Diabetes: Evidence and Lessons Learned From the Diabetes Prevention Program, a Long-Standing Clinical Trial Incorporating Subjective and Objective Activity Measures. <i>Diabetes Care</i> , 2021 , 44, 43-49	14.6 13
593	Comparing the effects of 12 months aerobic exercise and resistance training on glucose metabolism among prediabetes phenotype: A explorative randomized controlled trial. 2021 , 15, 340-346	0
592	Report from an effort to prevent type 2 diabetes development in primary care. 2021 , 15, 240-244	1
591	Interactive Process Mining in Healthcare. 2021 ,	7
590	Pharmacotherapeutic options for prediabetes. 2021 , 22, 45-54	0
589	Diabetes mellitus und Metabolisches Syndrom bei Erwachsenen âPrvalenz, Bedeutung und Implikationen fr die Prvention und Gesundheitsfrderung. 2021 , 841-854	

588	Interaction of diabetes genetic risk and successful lifestyle modification in the Diabetes Prevention Programme. 2021 , 23, 1030-1040	3
587	Diabetes Prevention With Lifestyle: Omics of Exercise and Nutrition Behaviors. 2021 , 650-657	
586	Effects of rs1440581 and rs7678928 on serum branched-chain amino acid levels and risk of cardiovascular disease. 2021 , 53, 1316-1326	0
585	Low-carbohydrate dietary pattern on glycemic outcomes trial (ADEPT) among individuals with elevated hemoglobin A1c: study protocol for a randomized controlled trial. 2021 , 22, 108	1
584	The Impact of Diet and Fibre Fractions on Plasma Adipocytokine Levels in Prediabetic Adults. 2021 , 13,	
583	Associations of progression to diabetes and regression to normal glucose tolerance with development of cardiovascular and microvascular disease among people with impaired glucose tolerance: a secondary analysis of the 30 year Da Qing Diabetes Prevention Outcome Study. 2021 , 61, 1278-1287	6
582	Application of the Ottawa Charter Five Priority Areas of Action for Public Health to an Institution-Wide Diabetes Care Promotion. 2021 , 18,	
581	Long-Term Weight Loss Strategies for Obesity. 2021 , 106, 1854-1866	5
580	The Fidelity of Training in Behaviour Change Techniques to Intervention Design in a National Diabetes Prevention Programme. 2021 , 28, 671-682	7
579	Greater and More Focused Measures Are Needed to Tackle Diabetes and Obesity Epidemics in the Nations of the Gulf Cooperation Council. 2021 , 2021, 6661346	0
578	Modulation of insulin resistance by renin angiotensin system inhibitors: implications for cardiovascular prevention. 2021 , 91,	2
577	Prediction of 10-year mortality using hs-CRP in Chinese people with hyperglycemia: Findings from the Da Qing diabetes prevention outcomes study. 2021 , 173, 108668	3
576	Short-Term Effects of the Internet-Based Korea Diabetes Prevention Study: 6-Month Results of a Community-Based Randomized Controlled Trial. 2021 , 45, 960-965	2
575	Proteomic profiling reveals biomarkers and pathways in type 2 diabetes risk. 2021 , 6,	6
574	Predicting the risk of developing type 2 diabetes in Chinese people who have coronary heart disease and impaired glucose tolerance. 2021 , 13, 817-826	0
573	Lifestyle modification program, LIFE is LIGHT, in patients with type 2 diabetes mellitus and obesity: Results from a 48-week, multicenter, non-randomized, parallel-group, open-label study. 2021 , 7, 368-378	
572	Identification of Novel Biomarkers for Pre-diabetic Diagnosis Using a Combinational Approach. 2021 , 12, 641336	2
571	Risk of Progression to Diabetes Among Older Adults With Prediabetes. 2021 , 181, 511-519	24

570	Providing diagnosis on diabetes using cloud computing environment to the people living in rural areas of India. 1	22
569	Prediabetes, undiagnosed diabetes and diabetes risk in Italy in 2017-2018: results from the first National screening campaign in community pharmacies. 2021,	
568	Skin diseases in the Da Qing Diabetes Study: a cross-sectional study. 2021, 134, 1191-1198	
567	Prediabetes and What It Means: The Epidemiological Evidence. 2021, 42, 59-77	11
566	Effects of Insoluble Cereal Fibre on Body Fat Distribution in the Optimal Fibre Trial. 2021, 65, e2000991	1
565	Prediabetes ¿de qu'estamos hablando?. 2021, 2, 309-312	
564	Effects of Gynura bicolor on Glycemic Control and Antioxidant Ability in Prediabetes. 2021, 11, 5066	0
563	Proximal and distal influences on dietary change among a diverse group with prediabetes participating in a pragmatic, primary care nurse-led intervention: a qualitative study. 2021, 24, 6015-6026	0
562	Effects of exercise on cellular and tissue aging. 2021, 13, 14522-14543	7
561	Type 2 diabetes mellitus in older adults: clinical considerations and management. 2021, 17, 534-548	20
560	Changes in Body Weight, Dysglycemia, and Dyslipidemia After Moderately Low-Carbohydrate Diet Education (LOCABO Challenge Program) Among Workers in Japan. 2021, 14, 2863-2870	1
559	Effectiveness of a Yoga-Based Lifestyle Protocol (YLP) in Preventing Diabetes in a High-Risk Indian Cohort: A Multicenter Cluster-Randomized Controlled Trial (NMB-Trial). 2021, 12, 664657	2
558	Renin Angiotensin Aldosterone System, Glucose Homeostasis, and Prevention of Type 2 Diabetes: Mechanistic Insights and Evidence from Major Clinical Trials.	
557	Comparative Effectiveness of Lifestyle Intervention on Fasting Plasma Glucose in Normal Weight Versus Overweight and Obese Adults With Prediabetes. 155982762110190	
556	Impact of Maintenance Session Attendance and Early Weight Loss Goal Achievement on Weight Loss Success in a Community-Based Diabetes Prevention Program Intervention. 2021, 47, 279-289	0
555	Obesity and physical exercise. 2021, 46, 131-144	3
554	Long-term outcomes of lifestyle intervention to prevent type 2 diabetes in people at high risk in primary health care. 2021, 15, 444-450	4
553	2021 Clinical Practice Guidelines for Diabetes Mellitus of the Korean Diabetes Association. 2021, 45, 461-481	31

552	Adapting Diabetes Risk Scores for Jordan. 2021 , 14, 4011-4016	
551	A randomized trial to decrease risk for diabetes among Cambodian Americans with depression: Intervention development, baseline characteristics and process outcomes. 2021 , 106, 106427	3
550	Dose-dependent effects of insoluble fibre on glucose metabolism: a stratified post hoc analysis of the Optimal Fibre Trial (OptiFiT). 2021 , 58, 1649-1658	1
549	Therapeutic Exercise Platform for Type-2 Diabetic Mellitus. 2021 , 10, 1820	1
548	Efficacy of lifestyle intervention in adults with impaired glucose tolerance with and without impaired fasting plasma glucose: A post hoc analysis of Da Qing Diabetes Prevention Outcome Study. 2021 , 23, 2385-2394	3
547	Functional Role of miR-155 in the Pathogenesis of Diabetes Mellitus and Its Complications. 2021 , 7,	8
546	Benefits of Low Carbohydrate Diets: a Settled Question or Still Controversial?. 2021 , 10, 409-422	1
545	Prediabetes: how pathophysiology drives potential intervention on a subclinical disease with feared clinical consequences. 2021 , 46, 272-292	0
544	Long Term Exercise Engagement of Adults Living With Type Two Diabetes Is Enhanced by a Person-Centred Care Approach Delivered by Knowledgeable, Well Trained Health Care Professionals. 2,	0
543	Prediabetes: what are we talking about?. 2021 , 2, 305-308	
542	Diabetes education in pediatrics: How to survive diabetes. 2021 , 67, 101153	4
541	Associations of changes in reported and estimated protein and energy intake with changes in insulin resistance, glycated hemoglobin, and BMI during the PREVIEW lifestyle intervention study. 2021 , 114, 1847-1858	1
540	Three weeks of interrupting sitting lowers fasting glucose and glycemic variability, but not glucose tolerance, in free-living women and men with obesity. 2021 , 321, E203-E216	1
539	The Pre-Diabetes Interventions and Continued Tracking to Ease-out Diabetes (Pre-DICTED) program: study protocol for a randomized controlled trial. 2021 , 22, 522	1
538	Network Meta-analysis of the Therapeutic Effects of Hypoglycemic Drugs and Intensive Lifestyle Modification on Impaired Glucose Tolerance. 2021 , 43, 1524-1556	1
537	Prevalence of type 2 diabetes mellitus in a representative sample of Greek adults and its association with modifiable risk factors: results from the Hellenic National Nutrition and Health Survey. 2021 , 197, 75-82	1
536	Physical Exercise Modulates Brain Physiology Through a Network of Long- and Short-Range Cellular Interactions. 2021 , 14, 710303	1
535	Does exercise prevent major non-communicable diseases and premature mortality? A critical review based on results from randomized controlled trials. 2021 , 290, 1112-1129	3

534	Exercise induces favorable metabolic changes in white adipose tissue preventing high-fat diet obesity. 2021 , 9, e14929	1
533	Screening for Prediabetes and Type 2 Diabetes: Updated Evidence Report and Systematic Review for the US Preventive Services Task Force. 2021 , 326, 744-760	8
532	Development and validation of a new diabetes index for the risk classification of present and new-onset diabetes: multicohort study. 2021 , 11, 15748	2
531	Procyanidin B1 and p-Coumaric Acid from Highland Barley Grain Showed Synergistic Effect on Modulating Glucose Metabolism via IRS-1/PI3K/Akt Pathway. 2021 , 65, e2100454	3
530	Prevention of Type 2 Diabetes. 2021 , 50, 387-400	1
529	Population-Level Approaches to Preventing Type 2 Diabetes Globally. 2021 , 50, 401-414	0
528	Ethnic differences in response to lifestyle intervention for the prevention of type 2 diabetes in adults: A systematic review and meta-analysis. 2022 , 23, e13340	0
527	Nutritional Interventions: Diet Modifications, Nutritional Supplements, Complementary and Alternative Medicine.	
526	Exercise as Treatment for Neuropathy in the Setting of Diabetes and Pre-diabetic Metabolic Syndrome: a Review of Animal Models and Human Trials. 2021 ,	1
525	Screening for Diabetes and Prediabetes. 2021 , 50, 369-385	2
524	Evidence gaps and potential roles of intermittent fasting in the prevention of chronic diseases. 2021 , 153, 111506	0
523	Tawazon- An Intensive Lifestyle Diabetes Prevention Program: The Saudi Arabian Pilot. 2021 , 14, 2767-2775	1
522	Extracellular vesicle-shuttled miRNAs: a critical appraisal of their potential as nano-diagnostics and nano-therapeutics in type 2 diabetes mellitus and its cardiovascular complications. 2021 , 11, 1031-1045	20
521	Performance of the Finnish Diabetes Risk Score (FINDRISC) in the Identification of Dysglycemia in an Urban Population in Ouagadougou (Burkina Faso). 2021 , 11, 39-54	2
520	Epidemiology and Geography of Type 2 Diabetes Mellitus.	1
519	What Do We Know About Recruitment and Retention in Diabetes Prevention Programs? An Australian Perspective. 47-69	2
518	Lifestyle Issues: Exercise. 358-379	2
517	Epidemiology of Type 2 Diabetes. 45-68	5

516	Cardiovascular Risk Profile Improvement with Large-Volume Liposuction. 2006 , 451-459	2
515	Medical Treatment. 2009 , 209-232	2
514	Epidemiology of Diabetes. 2014 , 2429-2467	2
513	The Main Events in the History of Diabetes Mellitus. 2010 , 3-16	16
512	Weight reduction in diabetes. 2012 , 771, 438-58	6
511	Epidemiology of Diabetes and its Burden in the World and in the United States. 2004 , 107-121	1
510	Obesity and Chronic Disease. 2005 , 383-401	3
509	Epidemiology of Obesity and Diabetes. 2006 , 15-36	8
508	Diet and Lifestyle in Prevention and Management of Type 2 Diabetes. 2006 , 429-443	2
507	Effects of Exercise in Metabolic Syndrome and Diabetes: A Central Role for Insulin Sensitivity. 2008 , 265-299	1
506	The Epidemic of Type 2 Diabetes Mellitus: Its Links to Obesity, Insulin Resistance, and Lipotoxicity. 2009 , 3-54	4
505	Behavior Change Strategies for Increasing Exercise in Diabetes. 2009 , 209-229	1
504	Exercise Performance and Effects of Exercise Training in Diabetes. 2009 , 85-107	1
503	Exercise Training in Cardiac Rehabilitation. 2010 , 89-119	3
502	Diabetes Management in Asia. 2019 , 239-253	3
501	Exercise in Metabolic Syndrome and Diabetes: A Central Role for Insulin Sensitivity. 2020 , 293-323	1
500	Prediction Model for Prevalence of Type-2 Diabetes Mellitus Complications Using Machine Learning Approach. 2020 , 103-116	3
499	Type 2 Diabetes: An Unresolved Disease. 2020 , 567-578	2

498	The Main Events in the History of Diabetes Mellitus. 2017 , 3-19	1
497	The Global Burden of Diabetes: An Overview. 2017 , 1-5	19
496	Diabetes in Native Populations and Underserved Communities in the USA. 2017 , 251-284	4
495	The Role of Behavioral Medicine in Integrated Healthcare. 2018 , 9-27	3
494	In Vivo Biomarkers for Detection of Beta Cell Death. 2013 , 1-14	1
493	Exercise and Insulin Resistance. 2020 , 1228, 137-150	9
492	The interaction between metformin and physical activity on postprandial glucose and glucose kinetics: a randomised, clinical trial. 2021 , 64, 397-409	6
491	Diabetes. 2002 , 165-190	2
490	The Metabolic Syndrome. 2010 , 822-839	2
489	Difficulté des faits diabétiques. 2010 , 101-118	1
488	Western Diseases: An Evolutionary Perspective. 2001 ,	24
487	Effect of Varying Accelerometry Criteria on Physical Activity: The Look AHEAD Study. 2013 , 21, 32-44	36
486	Exercise, genetics and prevention of type 2 diabetes. 2006 , 42, 177-92	7
485	Cardiovascular disease in type 2 diabetes: challenge for treatment and prevention. 2001 , 249, 225-35	132
484	Consulting consumers to develop marketing and recruitment strategies for a diabetes prevention program. 2009 , 15, 173	2
483	Type 2 Diabetes and Persons at High Risk of Diabetes. 2010 , 15-32	1
482	Diabetes Prevention and Control Programs in Developing Countries. 2010 , 603-622	2
481	Metabolic syndrome, diabetes, and coronary heart disease. 2005 , 311-330	1

480	Diabetes Mellitus and Metabolic Syndrome. 2009 , 465-496	4
479	Postpartum care of the woman with diabetes. 2000 , 43, 75-86	23
478	Effect of laparoscopic Roux-en Y gastric bypass on type 2 diabetes mellitus. 2003 , 238, 467-84; discussion 84-5	875
477	Type 2 diabetes: epidemiologic trends, evolving pathogenetic [corrected] concepts, and recent changes in therapeutic approach. 2004 , 97, 1079-87	24
476	Enforced inactivity in the elderly and diabetes risk: initial estimates of the burden of an unintended consequence of COVID-19 lockdown.	1
475	Treatment of Obesity in Mitigating Metabolic Risk. 2020 , 126, 1646-1665	18
474	2-Aminoadipic acid is a biomarker for diabetes risk. 2013 , 123, 4309-17	281
473	Obesity and Type 2 Diabetes. 2007 , 139-154	2
472	Preparticipation Screening Prior to Physical Activity in Community Lifestyle Interventions. 2018 , 3, 176-180	3
471	Obesity in hospitalized type 2 diabetes patients: a descriptive study. 2013 , 19, 359-65	10
470	Cardiovascular risk assessment in South and Middle-East Asians living in the Western countries. 2020 , 36, 1719-1725	4
469	Prevalence and correlates of diabetes mellitus in a screened cohort in Okinawa, Japan. 2002 , 25, 185-90	20
468	Detecting Dysglycemia Using the 2015 United States Preventive Services Task Force Screening Criteria: A Cohort Analysis of Community Health Center Patients. 2016 , 13, e1002074	21
467	Screening for Dysglycemia: Connecting Supply and Demand to Slow Growth in Diabetes Incidence. 2016 , 13, e1002084	3
466	Cardiometabolic Risk Factor Changes Observed in Diabetes Prevention Programs in US Settings: A Systematic Review and Meta-analysis. 2016 , 13, e1002095	85
465	The impact of diabetes on the labour force participation and income poverty of workers aged 45-64 years in Australia. 2014 , 9, e89360	13
464	The single nucleotide polymorphism Gly482Ser in the PGC-1 β gene impairs exercise-induced slow-twitch muscle fibre transformation in humans. 2015 , 10, e0123881	17
463	Modelling the Interplay between Lifestyle Factors and Genetic Predisposition on Markers of Type 2 Diabetes Mellitus Risk. 2015 , 10, e0131681	5

462	High Intensity Interval Training Improves Glycaemic Control and Pancreatic β Cell Function of Type 2 Diabetes Patients. 2015 , 10, e0133286	61
461	A Dietary Supplement Containing Cinnamon, Chromium and Carnosine Decreases Fasting Plasma Glucose and Increases Lean Mass in Overweight or Obese Pre-Diabetic Subjects: A Randomized, Placebo-Controlled Trial. 2015 , 10, e0138646	40
460	Stress Induced Hyperglycemia and the Subsequent Risk of Type 2 Diabetes in Survivors of Critical Illness. 2016 , 11, e0165923	31
459	The Effect of Individual and Neighbourhood Socioeconomic Status on Diabetes Mellitus Survival in Working Age Patients in Taiwan. 2017 , 12, e0169550	3
458	Effect of lifestyle interventions on cardiovascular risk factors among adults without impaired glucose tolerance or diabetes: A systematic review and meta-analysis. 2017 , 12, e0176436	47
457	A long-term mechanistic computational model of physiological factors driving the onset of type 2 diabetes in an individual. 2018 , 13, e0192472	10
456	Physical activity and type 2 diabetes mellitus risk: population studies review. 2016 , 19, 486-493	1
455	Adherence to Medication, Physical Activity and Diet in Older Adults With Diabetes: Its Association With Cognition, Anxiety and Depression. 2019 , 11, 583-592	20
454	A Consensus of Key Opinion Leaders on the Management of Pre-diabetes in the Asia-Pacific Region. 2017 , 32, 6-12	4
453	The prevalence of glucose metabolism disturbances in Chinese Muslims and possible risk factors: a study from northwest China. 2014 , 58, 715-23	3
452	[Interventions on the prevention of type 2 diabetes mellitus: is it feasible a population-based program in our country?]. 2005 , 49, 479-83	4
451	Diabetes: An Update on the Pandemic and Potential Solutions. 2017 , 209-234	9
450	Exercise is Medicine - The Importance of Physical Activity, Exercise Training, Cardiorespiratory Fitness and Obesity in the Prevention and Treatment of Type 2 Diabetes. 2014 , 10, 18-22	14
449	Protective effect of vitamin E on oxidative stress and sperm apoptosis in diabetic Mice. 2019 , 17,	11
448	Comparison of fasting glucose with post-load glucose values and glycated hemoglobin for prediction of type 2 diabetes: the Isfahan diabetes prevention study. 2009 , 6, 117-23	14
447	Incretin therapy--present and future. 2011 , 8, 307-22	21
446	The role of incretin therapy at different stages of diabetes. 2011 , 8, 323-38	20
445	Normal fasting plasma glucose and risk of prediabetes and type 2 diabetes: the Isfahan Diabetes Prevention Study. 2011 , 8, 490-8	14

444	Chapter 10Diabetes. 2010 ,	1
443	Long-term care in developed countries and recommendations for Slovak Republic. 2008 , 16, 21-5	6
442	Dietary approaches that delay age-related diseases. 2006 , 1, 11-31	108
441	Plant- and Nutraceutical-based Approach for the Management of Diabetes and its Neurological Complications: A Narrative Review. 2019 , 25, 3536-3549	4
440	Fighting Diabetes Mellitus: Pharmacological and Non-pharmacological Approaches. 2020 , 26, 4992-5001	5
439	A Wearable Technology Delivering a Web-Based Diabetes Prevention Program to People at High Risk of Type 2 Diabetes: Randomized Controlled Trial. 2020 , 8, e15448	6
438	Women veterans' experience with a web-based diabetes prevention program: a qualitative study to inform future practice. 2015 , 17, e127	36
437	Using Feedback to Promote Physical Activity: The Role of the Feedback Sign. 2017 , 19, e192	5
436	A Novel Approach for Fully Automated, Personalized Health Coaching for Adults with Prediabetes: Pilot Clinical Trial. 2018 , 20, e72	33
435	Mobile Health Technology (mDiab) for the Prevention of Type 2 Diabetes: Protocol for a Randomized Controlled Trial. 2017 , 6, e242	16
434	Treating prediabetes: why and how should we do it?. 2019 , 110, 52-61	14
433	Comparison of the Effects of Impaired Fasting Glucose and Impaired Glucose Tolerance on Diabetic Development Risks on HbA1c Levels: A Retrospective Study. 2017 , 1, 1-4	1
432	Overview of the Obesity Epidemic and Its Relationship to Cardiovascular Disease. 2006 , 1-32	2
431	Prevention and Screening for Type 2 Diabetes in Youth. 2008 , 201-216	2
430	Obesity and T2DM in Youth. 2008 , 125-137	1
429	Prevention of Obesity. 2008 , 157-175	2
428	Diabetes mellitus and the metabolic syndrome after gestational diabetes. 2008 , 379-384	1
427	Glucose metabolism among residents in Shanghai: natural outcome of a 5-year follow-up study. 2012 , 35, 453-8	5

426	Enhanced motivational interviewing for reducing weight and increasing physical activity in adults with high cardiovascular risk: the MOVE IT three-arm RCT. 2019 , 23, 1-144	7
425	A community-based primary prevention programme for type 2 diabetes mellitus integrating identification and lifestyle intervention for prevention: a cluster randomised controlled trial. 2017 , 5, 1-290	5
424	Peer-led walking programme to increase physical activity in inactive 60- to 70-year-olds: Walk with Me pilot RCT. 2019 , 7, 1-124	50
423	Optimal body mass index for minimizing the risk for osteoporosis and type 2 diabetes. 2020 , 35, 1432-1442	4
422	Type 2 diabetes in children: oxymoron or medical metamorphosis?. 2005 , 34, 686-97	10
421	[A factor of fasting blood glucose and dietary patterns in Korean adults using data from the 2007, 2008 and 2009 Korea National Health and Nutrition Examination Survey]. 2011 , 44, 93-100	8
420	Health Behavior and Metabolic Syndrome. 2009 , 30, 120	10
419	Multiple Biomarkers Improved Prediction for the Risk of Type 2 Diabetes Mellitus in Singapore Chinese Men and Women. 2020 , 44, 295-306	2
418	The Appropriate Distance and Duration of Walking for Exercise in Patients with Type 2 Diabetes Mellitus. 2007 , 31, 157	4
417	Knowledge and practices related to diabetes mellitus among adults with diabetes in the Mopani District, Limpopo Province, South Africa. 2016 , 75,	1
416	Risk factors of type-2 diabetes mellitus in rural Wardha: A community based study. 2008 , 28, 79-82	11
415	Prevalence of diagnosed diabetes in an urban area of Puducherry, India: Time for preventive action. 2009 , 29, 6-11	14
414	Prevalence of diabetes mellitus amongst rural hilly population of North Eastern India and its relationship with associated risk factors and related co-morbidities. 2014 , 5, 383-8	6
413	The prevention and control the type-2 diabetes by changing lifestyle and dietary pattern. 2014 , 3, 1	162
412	RSSDI-ESI Clinical Practice Recommendations for the Management of Type 2 Diabetes Mellitus 2020. 2020 , 24, 1-122	33
411	Mobile Health Technology in the Prevention and Management of Type 2 Diabetes. 2017 , 21, 334-340	27
410	Effect of an Integrated Naturopathy and Yoga Program on Long-Term Glycemic Control in Type 2 Diabetes Mellitus Patients: A Prospective Cohort Study. 2020 , 13, 42-49	2
409	Risk perceptions, nutrition, and physical activity among South Asian women in the US: Does history of gestational diabetes mellitus (GDM) matter?. 2012 , 04, 1263-1270	4

408	Obesity and type 2 diabetes. 2011 , 01, 79-95	28
407	Comparative efficacy between glimepiride and metformin in preventing progression of prediabetes to type 2 diabetes. 2013 , 03, 129-133	3
406	Towards more effective strategies for management of diabetes in Mauritius. 2012 , 02, 257-264	2
405	Effects of lifestyle interventions on rural patients with type 2 diabetes mellitus. 2020 , 11, 261-268	4
404	Mechanistic studies of lifestyle interventions in type 2 diabetes. 2012 , 3, 201-7	19
403	Evidence based review of type 2 diabetes prevention and management in low and middle income countries. 2016 , 7, 209-29	24
402	Exercise in Diabetes Mellitus. 2005 , 48, 822	1
401	Cardiometabolic risk among Saudi children and adolescents: Saudi childrens overweight, obesity, and lifestyles (S.Ch.O.O.Ls) study. 2014 , 34, 46-53	11
400	Prevalence of Prediabetes, Diabetes and Its Predictors among Females in Alkharj, Saudi Arabia: A Cross-Sectional Study. 2019 , 85,	7
399	Beta-cell age calculator, a translational yardstick to communicate diabetes risk with patients: tehran lipid and glucose study. 2013 , 2013, 541091	3
398	Exercise Training for Ameliorating Cardiovascular Risk Factors-focusing on Exercise Intensity and Amount. 2006 , 4, 325-338	4
397	Potential of some traditionally used edible plants for prevention and cure of diabetes associated comorbidities. 2015 , 5, 8.1-8.22	2
396	Prevalence of Metabolic Syndrome and Its Associated Factors among Health Checkup Examinees in a University Hospital. 2012 , 13, 5317-5325	11
395	Prevalence and Associated Characteristics of Metabolically Healthy Obese Phenotypes in a Community Dwelling Population. 2017 , 26, 130-137	2
394	Preventing type 2 diabetes mellitus: a call for personalized intervention. 2013 , 17, 74-9	15
393	Clinical Significance. 2021 , 97-124	0
392	Hypothesized Pathway and Bias. 2021 , 69-96	
391	Effect of Metformin and Lifestyle Interventions on Mortality in the Diabetes Prevention Program and Diabetes Prevention Program Outcomes Study. <i>Diabetes Care</i> , 2021 , 44, 2775-2782	14.6 6

- 390 Role of Vitamin B12 and Folate in Metabolic Syndrome. **2021**, 13, e18521 0
- 389 Associations between device-measured physical activity and glycemic control and variability indices under free-living condition. **2021**, 1 1
- 388 A pilot of a modified diabetes prevention program in Quito, Ecuador. **2021**, 121, 905-911
- 387 Diabetes Prevention. **2021**,
- 386 NAFLD and Physical Exercise: Ready, Steady, Go!. **2021**, 8, 734859 5
- 385 (-)-Epicatechin and β-glucan from highland barley grain modulated glucose metabolism and showed synergistic effect via Akt pathway. **2021**, 87, 104793 1
- 384 New risk score model for identifying individuals at risk for diabetes in southwest China.. **2021**, 24, 101618 0
- 383 Diabetes and Exercise. **2000**, 227-238 1
- 382 Carbohydrate Metabolism and Aging. **2000**, 205-236
- 381 National and international strategies to prevent obesity and diabetes. **2001**, 498, 393-400
- 380 Detection and Diagnosis of Syndromes of Insulin Resistance and of Diabetes Mellitus. **2002**, 137-148
- 379 The 2000sâ€ˆdecade of prevention. **2002**, 9, 127-129
- 378 ?????????????????????? : Japan Diabetes Complications Study(JDCS)???????(7.????????????????)(?66?????????????). **2002**, 10, 309-313
- 377 The Impact of Poor Health Behaviors on Workforce Disability.
- 376 Diabetes Mellitus. 191 1
- 375 Obesity. **2003**, 3-13
- 374 Type 2 diabetes in children and adolescents in North America. **2003**, 37-49
- 373 Introduction â€ˆglobal evolution of diabetes in children and adolescents. **2003**, 1-8

372 Screening for Diabetes and Glucose Intolerance.

371 Inhibitors of the RAS: Evidence-Based Medicine. **2004**, 545-592

370 Cardiovascular Disease, Genes, and Nutrition: Gender Matters. **2004**, 737-751

369 Therapy of Type 2 Diabetes Mellitus. **2004**, 593-618

368 Körperliche Bewegung und Sport in der Behandlung des Diabetes mellitus. **2004**, 171-181

367 Exercise in the Therapy of Diabetes Mellitus. **2004**, 543-567

366 The Main Events in the History of Diabetes Mellitus. **2004**, 19-37

365 Dietary Management of Diabetes Mellitus in Sub-Saharan Africa.

364 Should We Treat Impaired Glucose Tolerance and Impaired Fasting Glycemia?.

363 Exercise.

362 Weight Loss and Metabolic Diseases. **2004**, 195-215

361 Efficacy of Different Antiobesity Interventions. **2004**, 435-448

360 Changes of Gene Expression in INS-1 cells. **2004**, 357-380

359 The Importance of Lifestyle in the Prevention and Treatment of Diabetes. **2005**, 48, 703

1

358 Screening for type 2 diabetes. **2005**, 714-750

357 Nutrition policy: national strategies for dietary change. **2005**, 805-818

356 Synergy of Portfolio Diet Components and Drugs in Coronary Heart Disease. **2005**, 63-76

355 Type 2 Diabetes in Childhood. **2005**, 177-204

354 Preventive Nutritional Strategies in Diabetic and Prediabetic Patients. **2006**, 45-54

353 Dietary fatty acids, insulin resistance and diabetes. **2006**, 25-48

1

352 Medical Nutrition Therapy For Patients With Type-2 Diabetes. **2006**, 81-104

351 The Metabolic Syndrome: Identification and Management of the Patient at High Risk for Cardiovascular Disease. **2006**, 409-440

350 Metabolic Syndrome and Type 2 Diabetes Mellitus. **2006**, 41-78

349 Evaluation, Prevention, and Introduction to Treatment. **2007**, 123-145

348 New Definitions of Diabetes: Consequences. **2007**, 9-16

347 Diabetes in the Bariatric Surgery Patient. **2007**, 449-459

346 Multifactorial Intervention in Type 2 Diabetes. **2007**, 153-163

345 Glucose Intolerance. **2007**, 223-239

344 Prevention of Type 2 Diabetes Mellitus. **2007**, 13, 13-16

1

343 Predicting glucose intolerance with normal fasting plasma glucose by the components of the metabolic syndrome. **2007**, 27, 339-46

342 Diabetes and Exercise. **2007**, 73-82

341 Epidemiology of Type 2 Diabetes. **2007**, 1-11

1

340 Psychosocial Issues and Type 2 Diabetes. **2007**, 83-95

339 The Metabolic Syndrome and Type 2 Diabetes Mellitus. **2007**,

338 Weight Loss in Type 2 Diabetic Patients. **2008**, 201-231

337 Polypills for Treatment of Type 2 Diabetes. **2008**, 317-330

336 Comorbid Depression and Diabetes. **2008**, 331-352

335 General Principles for Diabetes Mellitus Management. **2008**, 51, 806

1

334 Physical Activity, Fitness, and the Prevention of Cardiovascular Disease. **2008**, 158-177

333 Diabetes, Obesity, and the Metabolic Syndrome. **2009**, 111-130

332 Physical Activity, Fitness, and the Prevention of Type 2 Diabetes. **2008**, 201-224

331 Chapter 10: Animal Models of Visceral Obesity. **2008**, 89-94

330 The Epidemiology of Diabetes in Women and the Looming Epidemic of GDM in the Third World. **2009**, 223-238

329 Double Diabetes. **2009**, 33, 1

328 Diabète de type II et activité physique. **2009**, 93-110

327 Prevention of Type 2 Diabetes. **2009**, 55-62

326 Literatur. **2009**, 31-36

325 Gout Epidemiology. **2009**, 355-359

324 Prevention of Type 2 Diabetes Mellitus. **2010**, 821-832

323 Exercise in the Therapy of Diabetes Mellitus. **2010**, 687-708

322 Facteurs motivant ou décourageant à pratiquer de l'activité physique chez des patients souffrant de maladies cardio-vasculaires et de diabète. **2009**, 1, S119-S125

0

321 Common pancreatic disease. **2010**, 690, 29-51

1

320 Épidémiologie des états diabétiques. **2010**, 3-10

319 The Metabolic Syndrome, Obesity, and Insulin Resistance. **2010**, 705-721

- 318 Childhood Obesity. 530-558
- 317 The Metabolic Syndrome: 2009. **2011**, 137-163
- 316 Guidelines and Classifications. **2011**, 15-32
- 315 Prevention of Type 2 Diabetes. **2010**, 311-318
- 314 Importance and Benefits of Lifestyles Changes Versus Diabetes Drugs in Effective Management of Diabetes. **2011**, 425-456
- 313 Prevalence/Incidence, Risk Factors, and Future Burden of Type 1, Type 2, and Gestational Diabetes in Developing Countries. **2010**, 553-580
- 312 Dietary Assessment and Effectiveness of Dietary Education Based on Randomized Controlled Trial. **2011**, 38, 107-116
- 311 Diabete. **2011**, 183-200
- 310 The Use of a Cognitive Behavioral Program for Diabetes and Cardiovascular Risk Reduction. **2011**, 3361-3374
- 309 Interaction Between Exercise and Genetics in Type 2 Diabetes Mellitus: An Epidemiological Perspective. **2011**, 73-100
- 308 Dietary Lifestyle Interventions of Energy Restriction for Weight Control and Salt Reduction for Prevention of Hypertensive Risk in Asian Adults. **2011**, 307-316
- 307 Diabetes and Cardiovascular Disease. **2011**, 345-370
- 306 Is Prediabetes a Risk Factor or is it a Disease?. 1-10
- 305 New-onset diabetes after transplantation: focus on strategies to reduce risk. **2011**, 1, 271-280
- 304 References, Bibliography & Further Reading. **2012**, 287-306
- 303 The Pre-Diabetic, Insulin-Resistant State. **2012**, 433-452
- 302 Metabolic Cardiovascular Risk Factors. **2012**, 155-170
- 301 Diet and the Prevention of Type 2 Diabetes. **2012**, 127-142

300 Public Health - Pages e1-e91. **2012**, e1-e91

299 Alcohol Consumption, Lifestyle Factors, and Type 2 Diabetes. **2013**, 357-369

298 The "metabolic syndrome index" a novel, comprehensive method for evaluating the efficacy of diabetes prevention programs. **2013**, 03, 96-99

0

297 Pr vention des Typ-2-Diabetes. **2013**, 31-46

1

296 Epidemiology and Prevention of Type 2 Diabetes. **2013**, 1281-1288

295 Diabetes Tipo 2 e Estilo de Vida: O Papel do Exerc cio F sico na Aten o Prim ria e na Secund ria. **2013**, 13, 67-75

294 What Have We Learned from the Number of Clinical Trials?. 1-14

293 Chapter 1 Introduction. **2013**, 1-10

292 Homeostasis. **2014**, 1-92

291 Posttransplant Diabetes Mellitus: Monitoring, Prevention, and Management Guidelines. 215-224

290 Nutritional Management of Cardiovascular Complications Caused by Diabetes. **2014**, 397-412

289 Diabetes-Specific Nutrition Algorithm. **2013**, 209-239

288 Dietary Quality and Comorbidities of Adults at Medical Risk for Diabetes. **2014**, 04, 138-144

287 Physiopathologie des tats diabtiques. **2014**, 11-32

286 The Effects of Therapeutic Lifestyle Change on Cardiovascular Disease and Mortality in Diabetic Patients. **2014**, 15, 129

1

285  pidmiologie des tats diabtiques. **2014**, 3-9

284 L'altra met . Del diabete. **2014**, 58-74

283 In Vivo Biomarkers for Detection of  Cell Death. **2015**, 1115-1129

- 282 Diabetes. **2014**, 101-132 1
- 281 Screening, diagnosis, and management of type II diabetes: A review of the 2014 American Diabetes Association guidelines. **2014**, 4, 107-113
- 280 The Effects of 12-Weeks of Vitamin D Supplementation and Circuit Training on Skeletal Muscle Mass in Elderly Women with Type-2 Diabetes Mellitus and Vitamin D Deficiency. **2014**, 25, 202-214
- 279 Treadmill Exercise Reduces Endoplasmic Reticulum Stress in High-Fat Diet-Induced Obese Rats Partially by Regulating Unfolded Protein Response. **2014**, 25, 389-398
- 278 Metabolic Syndrome. **2014**, 69-114
- 277 Diabetes and Pregnancy. **2015**, 61-78
- 276 Prevention of Type 2 Diabetes Mellitus. **2015**, 1-14 1
- 275 Role of Fiber in the Prevention of Type 2 Diabetes. **2015**, 371-398
- 274 The Relations between Diabetic Dietary Compliance, Dietary Intake, and Physical Activity and the Prevalence of Metabolic Syndrome (MS) in Type 2 Diabetic Patients. **2015**, 20, 351 3
- 273 IMPAIRED GLUCOSE TOLERANCE AND ROLE OF VOGLIBOSE : AN OBSERVATIONAL STUDY. **2015**, 4, 217-222
- 272 The Main Events in the History of Diabetes Mellitus. **2015**, 1-17
- 271 Evaluating the Effect of Standard Nutrition-Exercise on Glucose and Lipids Level on Type 2 Diabetic Patients: An Intervention Study. **2015**, 3,
- 270 Optimizing the Exercise Drug for Metabolic Rehabilitation. **2015**, 4, 107-112
- 269 Physical Activity. **2015**, 439-470
- 268 Lifestyle Changes and Physical Activity in Metabolic Syndrome. **2015**, 172-185
- 267 Diabetes mellitus. **2016**, 319-332
- 266 The Mediating Effect of Self-efficacy in the Relationship between Diabetes Knowledge and Health Promoting Behaviors: Focus on Gender Differentiation. **2015**, 21, 509-517 1
- 265 Effectiveness of nutrition and physical activity interventions in women with impaired fasting glucose: A randomized controlled trial in the community/Bozulmu^{TA} Glukozu G^{TE}en Kad^{IN}larda Beslenme ve Fiziksel Aktiviteye Y^{IL}elik Giri^{ML}lerinin Etkinli^Ğ **2013**, 11, 23-23

264 Diabète de type II et activité physique. **2016**, 121-142

263 Exercise in the Therapy of Diabetes Mellitus. **2016**, 1-24

262 Exercise in the Therapy of Diabetes Mellitus. **2016**, 1-24

261 12. Diabetes. **2016**,

260 Diabetes mellitus. **2016**, 93-120

259 Interventions for the prevention of type 2 diabetes mellitus in women with previous gestational diabetes.

258 Importance of Rational Screening for Type 2 Diabetes. **2016**, 3,

257 Primärpräventiver Nutzen regelmäßiger körperlicher Aktivität **2017**, 11-28

256 BCELL FAILURE AND PRESERVATION IN TYPE 2 DIABETES MELLITUS: A REVIEW. **2016**, 5, 5315-5321

255 STUDY OF EFFECT OF CHANGE OF DIET AND EXERCISE ON THE SUBJECT OF IMPAIRED GLUCOSE TOLERANCE. **2016**, 3, 4423-4425

254 Prevention of Type 2 Diabetes Mellitus. **2017**, 1031-1044

253 Exercise preserves pancreatic b-cell mass and function in obese OLETF rats in payment. **2017**, 2, 022-029

252 Comparing Self-rated Health, Satisfaction and Quality of Life Scores Between Diabetics and Others Living in the Bella Coola Valley. **2017**, 137-150

251 Exercise Training in Cardiac Rehabilitation. **2017**, 91-136

250 20 Physical Activity. **2017**, 439-470

249 A STUDY ON ORAL GLUCOSE TOLERANCE TEST IN CIRRHOSIS. **2017**, 4, 3724-3726

248 Determining primary school teachers' type 2 diabetes risk and healthy lifestyle behaviors. 70-83

1

247 [Prediabetes, definition and treatment]. **2017**, 62, 11-16

- 246 Behavioral Management of Obesity: Enduring Models, Applications to Diabetes Prevention and Management, and Global Dissemination. **2018**, 835-860
- 245 Diet and lifestyle-related factors associated with (type 2 diabetes): A cross-sectional survey study. **2018**, 39, 199-207 1
- 244 Screening Strategies for Type 2 Diabetes and Risk Stratification in Minorities. **2018**, 217-233
- 243 Prevention of Type 2 Diabetes. **2018**, 465-484
- 242 Treatment of Diabetes with Lifestyle Changes: Diet. **2018**, 497-512
- 241 Large Cohort Data Based Cost-Effective Disease Prevention Design Strategy: Strong Heart Study. **2018**, 8, 588-601
- 240 GENİYETKİN KADINLARDA DZENLİ AEROBİK EGZERSİZLERİN İNFLAMATUAR BELİRTİLER İZERİNE ETKİSİ 26-35
- 239 Effectiveness of Lifestyle Modification Counseling on Glycemic Control in Type 2 Diabetes Mellitus Patients. **2018**, 6, 70-82 1
- 238 Diabetes mellitus und metabolisches Syndrom bei Erwachsenen âPrâvalenz, Bedeutung und Implikationen fîr die Prâvention und Gesundheitsfîrderung. **2019**, 1-15
- 237 Mesures hygiêno-diétiques et tats diabétiques. **2019**, 113-140
- 236 Épidémiologie des tats diabétiques. **2019**, 3-11
- 235 Physiopathologie des tats diabétiques. **2019**, 13-35
- 234 Ernâhrungstherapie bei Diabetes: Neue Evidenzen beflûgeln die Remissionstherapie.
- 233 Diabetes mellitus und Metabolisches Syndrom bei Erwachsenen âPrâvalenz, Bedeutung und Implikationen fîr die Prâvention und Gesundheitsfîrderung. **2020**, 1-14
- 232 Diabetes mellitus and osteoarthritis. **2020**, 285-315
- 231 Encyclopedia of Behavioral Medicine. **2020**, 644-645
- 230 Fundamentals about onset and progressive disease character of type 2 diabetes mellitus. **2020**, 11, 165-181 1
- 229 Effects of a Lifestyle-Modification Program on Blood-Glucose Regulation and Health Promotion in Diabetic Patients: A Randomized Controlled Trial. **2020**, 10, 77-91

- 228 Diyabetli Hastaların Ayak Bakım ve Diyabetik Ayak Hakkındaki Bilgi, Tutum ve Davranışlarının Değerlendirilmesi. **2020**, 4, 98-107 2
- 227 Diabetes Drivers. **2021**, 13-24
- 226 Development and testing of a digital health acceptability model to explain the intention to use a digital diabetes prevention programme. **2021**, 0
- 225 DNA Methylation and Type 2 Diabetes: Novel Biomarkers for Risk Assessment?. **2021**, 22, 2
- 224 Hemirelik Bencilerinde Diyabet Riski ve Sağlık Yaşam Bilimi Davranışlarının Belirlenmesi. **2020**, 4, 230-238 0
- 223 Exercise and Prediabetes after Renal Transplantation (EXPRED): Protocol Description. **2021**, 145, 55-62 0
- 222 Risk Factors for Progression From Gestational Diabetes to Postpartum Type 2 Diabetes: A Review. **2021**, 64, 234-243 1
- 221 Cost-effectiveness of the Da Qing diabetes prevention program: A modelling study. **2020**, 15, e0242962 1
- 220 Impact of Health Insurance Policy on Diabetes Management. **2020**, 491-504
- 219 Prevention of Type 2 Diabetes. **2020**, 2, 63
- 218 Prediabetes in sub-saharan Africa: Pathophysiology, predictors, and prevalence. **2020**, 29, 343
- 217 Scale Development and Model Validation for the Process of Exercise Engagement for People with Prediabetes. **2020**, 50, 298-312 0
- 216 Development and Validation of a New Risk Prediction Model for New-Onset Diabetes: Multicohort Study.
- 215 Enhancing Peer Support Interventions in Diabetes Care. **2020**, 417-437 1
- 214 Effect of Nutrition Counseling by Nutrition Care Process on Diet Therapy Practice and Glycemic Control in Type 2 Diabetic Patients. **2020**, 25, 214 1
- 213 Chapter 1:Diabetes and Obesity: An Overview of Nutritional Effects. **2020**, 1-23
- 212 Optimizing Diet in Patients with Diabetes. **2021**, 124-132
- 211 â Prediabetes a Risk Factor or Is It a Disease?â **2021**, 1-16

- 210 Prevention. **2003**, 169-184 1
- 209 Treatment of Diabetes. **2003**, 681-694 0
- 208 Oxidative Stress in the Development of Diabetes and its Complications. **2006**, 381-397
- 207 Ernährung. **2005**, 328-342
- 206 Obesity, Diabetes, and Endothelial Dysfunction. **2006**, 213-219
- 205 Diet, Exercise, and Behavioral Treatment of Obesity. **2006**, 445-455
- 204 An Evidence-Based Approach to Type 2 Diabetes. **2006**, 303-321
- 203 Insulin Resistance and Cardiovascular Disease. **2008**, 207-228
- 202 Weight Management in Diabetes Prevention. **2007**, 243-263 1
- 201 Therapies for Delay or Prevention of Type 2 Diabetes. **2008**, 85-96 1
- 200 Prevention: Educating Those at Risk for Diabetes. **2009**, 309-320
- 199 Report of the International Conference on Diabetes and Obesity. **2005**, 2, 693-697
- 198 Interactive Process Mining in Type 2 Diabetes Mellitus. **2021**, 203-215 1
- 197 Trajectories of Body Weight and Fat Mass in Relation to Incident Prediabetes in a Biracial Cohort of Free-Living Adults. **2021**, 5, bvaa164 2
- 196 National Health Examination Metabolic Syndrome Item and Health Behavior Analysis. **2020**, 22, 1-10
- 195 [Cardiovascular preventive recommendations. PAPPS 2020 update]. **2020**, 52 Suppl 2, 5-31 0
- 194 Association of BMI with glycemic control in type 2 diabetes mellitus patients. **2020**, 7, 277-279
- 193 Lifestyle changes can prevent the development of diabetes mellitus. **2001**, 164, 1885 2

- 192 Screening for type 2 diabetes. Undiagnosed diabetes must be detected. **2001**, 323, 453-4; author reply 454-5
- 191 Call for action: preventing and managing the expansive and expensive obesity epidemic. **1999**, 160, 503-6 8
- 190 More good than harm: a randomised controlled trial of the effect of education about familial risk of diabetes on psychological outcomes. **2000**, 50, 867-71 27
- 189 Risk and prevention of type II diabetes: offspring's views. **2001**, 51, 194-9 29
- 188 Family history, diabetes, and other demographic and risk factors among participants of the National Health and Nutrition Examination Survey 1999-2002. **2005**, 2, A19 42
- 187 Identifying supports and barriers to physical activity in patients at risk for diabetes. **2006**, 3, A119 23
- 186 The epidemic of extreme obesity among American Indian and Alaska Native adults with diabetes. **2007**, 4, A06 10
- 185 Lifestyle interventions for type 2 diabetes. Relevance for clinical practice. **2003**, 49, 1618-25 25
- 184 Lifestyle management for type 2 diabetes. Are family physicians ready and willing?. **2004**, 50, 1235-43 25
- 183 The burden of type 2 diabetes: strategies to prevent or delay onset. **2007**, 3, 511-20 13
- 182 The changing shape of type 2 diabetes. **2008**, 10, 143; quiz 143 4
- 181 Diabetic nephropathy--a review of the natural history, burden, risk factors and treatment. **2004**, 96, 1445-54 71
- 180 Primary prevention of type-2 diabetes in developing countries. **2006**, 98, 415-9 26
- 179 Preventing diabetes-related morbidity and mortality in the primary care setting. **2002**, 94, 549-60 25
- 178 Prevalence of diabetes mellitus and impaired glucose tolerance in a group of urban adults in Nigeria. **1998**, 90, 293-301 21
- 177 A project to reduce the burden of diabetes in the African-American Community: Project DIRECT. **1998**, 90, 605-13 22
- 176 Prevalence of self-reported prediabetes among adults participating in a community-based health awareness program, New York State. **2009**, 6, A48 4
- 175 Vildagliptin: the evidence for its place in the treatment of type 2 diabetes mellitus. **2008**, 3, 13-30 3

174	Cost-effectiveness analysis of efforts to reduce risk of type 2 diabetes and cardiovascular disease in southwestern Pennsylvania, 2005-2007. 2010 , 7, A109	30
173	Is Diabetes Becoming the Biggest Epidemic of the Twenty-first Century?. 2007 , 1, V-VIII	69
172	Glycemia and cardiovascular risk: challenging evidence based medicine. 2011 , 15, 199-204	3
171	A community-based screening campaign for the detection of diabetes mellitus and hypertension in the eastern province, saudi arabia: methods and participation rates. 2007 , 14, 91-7	7
170	Association of physical activity with risk of type 2 diabetes. 2011 , 40, 86-93	10
169	Diabetes education & prevention. 2013 , 138, 820-3	1
168	What do primary care prediabetes patients need? A baseline assessment of patients engaging in a technology-enhanced lifestyle intervention. 2014 , 1, 4	4
167	Diabetes and cardiovascular risk factors in Native Hawaiians. 2009 , 68, 152-7	18
166	A Case Of Metabolic Syndrome. 2006 , 1, 58-61	
165	Computer-Assisted Diabetes Risk Assessment and Education (CADRAE) for Medically Vulnerable Populations in the Middle East: a Novel and Practical Method for Prevention. 2015 , 2015,	2
164	Prevention of Type 2 Diabetes Requires BOTH Intensive Lifestyle Interventions and Population-Wide Approaches. 2015 , 21, S238-S239	3
163	Development and validation of prediabetes risk score for predicting prediabetes among Indonesian adults in primary care: Cross-sectional diagnostic study. 2017 , 9, 76-85	5
162	Correlation of Body Mass Index and Waist/Hip Ratio with Glycated Hemoglobin in Prediabetes. 2019 , 30, 317-324	4
161	Personalising Exercise and Nutrition Behaviours in Diabetes Lifestyle Prevention. 67-77	2
160	Retrospection of Analytical Data Collected through Smart Devices for Diseases and Disability Caused by Physical Inactivity. 2021 , 2021, 4731281	
159	Long-Term Physical Activity Participation and Subsequent Incident Type 2 Diabetes Mellitus: A Population-Based Cohort Study.. 2021 , 12, 769549	
158	The Effect of Lifestyle Intervention on Diabetes Prevention by Ethnicity: A Systematic Review of Intervention Characteristics Using the TIDieR Framework. 2021 , 13,	0
157	A Prediction Model for Prediabetes Risk in Middle-Aged and Elderly Populations: A Prospective Cohort Study in China. 2021 , 2021, 2520806	

156	Standards of Medical Care in Diabetes—2006. <i>Diabetes Care</i> , 2006 , 29, s4-s42	14.6	350
155	mHealth prompts within diabetes prevention programs: a scoping review.. 2022 , 8, 20		3
154	Prognostic Significance of HbA1c Level in Asian Patients with Prediabetes and Coronary Artery Disease. 2021 ,		0
153	Reversible insulin resistance in muscle and fat unrelated to the metabolic syndrome in patients with acromegaly.. 2021 , 75, 103763		2
152	Lebensstil und Typ-2-Diabetes: Zeit zum Umdenken.		
151	A Decision Support System Proposition for Type-2 Diabetes Mellitus Treatment Using Spherical Fuzzy AHP Method. 2022 , 749-756		
150	Effectiveness and Cost-Effectiveness of Non-Pharmacological Interventions among Chinese Adults with Prediabetes: A Protocol for Network Meta-Analysis and CHIME-Modeled Cost-Effectiveness Analysis.. 2022 , 19,		
149	Prevention of Post-Transplant Diabetes Mellitus: Towards a Personalized Approach.. 2022 , 12,		0
148	Evaluation of a Web Platform to Record Lifestyle Habits in Subjects at Risk of Developing Type 2 Diabetes in a Middle-Income Population: Prospective Interventional Study.. 2022 , 7, e25105		0
147	Amount and intensity effects of exercise training alone versus a combined diet and exercise lifestyle intervention on health-related quality of life in the STRRIDE-PD randomized trial.. 2022 , 10,		1
146	Metabolite Signature of Physical Activity and the Risk of Type 2 Diabetes in 7271 Men.. 2022 , 12,		0
145	A Randomized Controlled Clinical Trial of Lifestyle Intervention and Pioglitazone for Normalization of Glucose Status in Chinese with Prediabetes.. 2022 , 2022, 2971382		0
144	Exercise is medicine for type 2 diabetes: An interview with Dr. Sheri R. Colberg.. 2022 ,		1
143	Lifestyle Modification in the Management of Metabolic Syndrome: Statement From Korean Society of CardioMetabolic Syndrome (KSCMS).. 2022 , 52, 93-109		0
142	Mobile Health Technology in the Primary Prevention of Type 2 Diabetes: a Systematic Review.. 2022 , 22, 1		0
141	A Role for Fatty Acids in Peripheral Neuropathy Associated with Type 2 Diabetes and Prediabetes.. 2022 ,		0
140	Syndrome Differentiation and Treatment Regularity in Traditional Chinese Medicine for Type 2 Diabetes: A Text Mining Analysis.. 2021 , 12, 728032		0
139	Developing Mobile Health Interventions With Implementation in Mind: Application of the Multiphase Optimization Strategy (MOST) Preparation Phase to Diabetes Prevention Programming.. 2022 , 6, e36143		1

- 138 The effect of long working hours on developing type 2 diabetes in adults with prediabetes: The Kangbuk Samsung Cohort Study.. **2022**, 34, e4 0
- 137 The relationship between the elevation of haemoglobin A1c level, sleep quality and sleep duration in clinically diagnosed pre-diabetic patients in a nationally representative sample.. **2022**, 19, 14791641211067421 0
- 136 Blood DNA methylation at TXNIP and glycemic changes in response to weight-loss diet interventions: the POUNDS lost trial.. **2022**, 0
- 135 Effects of Diet, Lifestyle, Chrononutrition and Alternative Dietary Interventions on Postprandial Glycemia and Insulin Resistance.. **2022**, 14, 3
- 134 A mobile phone application for the prevention of type 2 diabetes in Malaysian women with gestational diabetes mellitus: a protocol for a feasibility randomized controlled trial (Preprint).
- 133 Facilitators and Barriers to Uptake of Community-Based Diabetes Prevention Program Among Multi-Ethnic Asian Patients With Prediabetes.. **2022**, 13, 816385 0
- 132 Healthcare Professionals' Views of Factors Influencing Diabetes Self-Management and the Utility of a mHealth Application and Its Features to Support Self-Care.. **2022**, 13, 793473 0
- 131 Cell function and body mass index are predictors of exercise response in elderly patients with pre-diabetes.. **2022**,
- 130 The Long-Term Effects of Non-Pharmacological Interventions on Diabetes and Chronic Complication Outcomes in Patients With Hyperglycemia: A Systematic Review and Meta-Analysis.. **2022**, 13, 838224
- 129 Evaluation of a Type 2 diabetes risk reduction online program for women with recent gestational diabetes: a randomised trial.. **2022**, 19, 35
- 128 Estimating the Direct Effect between Dietary Macronutrients and Cardiometabolic Disease, Accounting for Mediation by Adiposity and Physical Activity.. **2022**, 14, 1
- 127 Development of Various Diabetes Prediction Models Using Machine Learning Techniques.. **2022**, 1
- 126 Effects of lifestyle interventions on glucose regulation and diabetes risk in adults with impaired glucose tolerance or prediabetes: a meta-analysis.. **2022**,
- 125 Obesity, Ectopic Fat and Type 2 Diabetes. **2022**, 129-147
- 124 Maternal low protein diet and fetal programming of lean type 2 diabetes.. **2022**, 13, 185-202 1
- 123 Effect of socioeconomic status on survival in patients on the Diabetes Shared Care Program: Finding from a Taiwan nationwide cohort.. **2022**, 85, 311-316 2
- 122 Relationship between body mass index and masticatory factors evaluated with a wearable device.. **2022**, 12, 4117 1
- 121 Outcome of lifestyle intervention in relation to duration of pre-diabetes: the Pathobiology and Reversibility of Prediabetes in a Biracial Cohort (PROP-ABC) study.. **2022**, 10, 0

120	Serological Phenotyping Analysis Uncovers a Unique Metabolomic Pattern Associated With Early Onset of Type 2 Diabetes Mellitus.. 2022 , 9, 841209	0
119	Association Between Anthropometric Indices and Nonanthropometric Components of Metabolic Syndrome in Saudi Adults.. 2022 , 6, bvac055	0
118	Understanding engagement with Brown Buttabea Motivation, an Auckland grassroots, Pacific-led holistic health programme: a qualitative study.. 2022 , 12, e059854	0
117	Bibliometric and Visualized Analysis of 2011-2020 Publications on Physical Activity Therapy for Diabetes.. 2022 , 9, 807411	0
116	testing indicates an accelerated rate of digestion of starch into glucose of cooked rice with the development of low amylose rice in China.. 2022 , 14, 100278	0
115	Astaxanthin as a Novel Mitochondrial Regulator: A New Aspect of Carotenoids, beyond Antioxidants.. 2021 , 14,	4
114	In Vitro and In Vivo Antidiabetic Potential of Monoterpenoids: An Update.. 2021 , 27,	1
113	Mediterranean diet and diabetes risk in a cohort study of individuals with prediabetes: propensity score analyses.. 2021 , e14768	0
112	Neighbourhood Walkability and Risk of Diabetes: Causal Relationship or Epidemiologic Association?. 2021 , 21, 57	0
111	Glucose Concentrations from Continuous Glucose Monitoring Devices Compared to Those from Blood Plasma during an Oral Glucose Tolerance Test in Healthy Young Adults.. 2021 , 18,	1
110	A diagnosis of prediabetes when combined with lifestyle advice and support is considered helpful rather than a negative label by a demographically diverse group: A qualitative study.. 2021 ,	2
109	The Role of Physical Activity in Nonalcoholic and Metabolic Dysfunction Associated Fatty Liver Disease.. 2021 , 9,	1
108	Effect of electroacupuncture on glucose and lipid metabolism in type 2 diabetes: A protocol for systematic review and meta-analysis. 2021 , 100, e27762	0
107	Cardiorespiratory Fitness is Associated with Better White Matter Integrity in Persons Living with HIV.. 2021 ,	
106	The Effects of Freshwater Clam () Extract on Serum Tumor Necrosis Factor-Alpha (TNF- α) in Prediabetic Patients in Taiwan.. 2022 , 20,	0
105	Systematic comparison of Mendelian randomization studies and randomized controlled trials using electronic databases.	0
104	Associations of steps per day and step intensity with the risk of diabetes: the Hispanic Community Health Study / Study of Latinos (HCHS/SOL).. 2022 , 19, 46	0
103	Female infertility and the evaluation of an infertile couple. 865-883	

102 Polycystic ovary syndrome. 1024-1046

1

101 Role of Impaired Insulin Secretion and Insulin Resistance in the Pathogenesis of Type 2 Diabetes Mellitus. **2005**, 31, 106-112

100 Data_Sheet_1.xlsx. **2019**,

99 Image_1.pdf. **2019**,

98 Image_2.pdf. **2019**,

97 Image_1.PDF. **2018**,

96 Data_Sheet_1.PDF. **2019**,

95 Data_Sheet_2.PDF. **2019**,

94 Data_Sheet_3.PDF. **2019**,

93 Data_Sheet_4.PDF. **2019**,

92 Table_1.DOCX. **2019**,

91 Concordance in incidence of diabetes among persons with prediabetes detected using either oral glucose tolerance test or glycated haemoglobin.. **2022**,

90 Metabolic syndrome, new onset diabetes, and new end points in cardiovascular trials. **2006**, 47, 469-75

19

89 A randomised controlled trial of a probiotic and a prebiotic examining metabolic and mental health outcomes in adults with pre-diabetes.. **2022**, 12, e055214

0

88 Evidence in Primary Prevention of Type 2 Diabetes MellitusâWhat It Means for Primary Prevention of Type 2 Diabetes Mellitus Epidemic in Papua New Guinea. **2022**, 12, 87-97

87 A mobile phone application for the prevention of type 2 diabetes in Malaysian women with gestational diabetes mellitus: a protocol for a feasibility randomized controlled trial (Preprint).

86 Effects of exercise on reducing diabetes risk in Korean women according to menopausal status. **2022**, 4, 75-86

85 Type 2 Diabetes is a Preventable, Possibly Remittable and Mostly Controllable Disease. The Time to Change the Paradigm.. **2022**,

84	Glucocorticosteroids and the Risk of NAFLD in Inflammatory Bowel Disease. 2022 , 2022, 1-13		2
83	The Effect of Interventions to Prevent Type 2 Diabetes on the Development of Diabetic Retinopathy: The DPP/DPPOS Experience. <i>Diabetes Care</i> ,	14.6	1
82	Interventions to prevent or manage obesity in Māori and Pacific adults: a systematic review and narrative synthesis. 1-24		0
81	Predicting the Risk of Incident Type 2 Diabetes Mellitus in Chinese Elderly Using Machine Learning Techniques. 2022 , 12, 905		0
80	Effects of self-care programs on the incidence of diabetes among adults with prediabetes: A systematic review and meta-analysis of randomised controlled trials.		
79	Uncertainty and certainty: perceptions and experiences of prediabetes in New Zealand primary care – a qualitative study. 2022 ,		0
78	Resistin As a Biomarker and Applications to PreDiabetes. 2022 , 1-16		
77	A Genome-Wide Association Study of Prediabetes Status Change. 13,		
76	Non-pharmacological interventions for the prevention of type 2 diabetes in low-income and middle-income countries: a systematic review of randomised controlled trials. 2022 , 12, e062671		0
75	Oral glucose tolerance testing as a complement to fasting plasma glucose in screening for type 2 diabetes: population-based cross-sectional analyses of 146 000 health examinations in Västerbotten, Sweden. 2022 , 12, e062172		0
74	Diabetes Prevention at Work: 10-Year Results of Health Coaching and Monetary Incentives. 2022 , 64, e387-e388		
73	Improved Aerobic Capacity and Adipokine Profile Together with Weight Loss Improve Glycemic Control without Changes in Skeletal Muscle GLUT-4 Gene Expression in Middle-Aged Subjects with Impaired Glucose Tolerance. 2022 , 19, 8327		0
72	Effects of serum branched-chain amino acids on nonalcoholic fatty liver disease and subsequent cardiovascular disease.		
71	Lifetime risk of developing diabetes in Chinese people with normoglycemia or prediabetes: A modeling study. 2022 , 19, e1004045		0
70	Long-term influence of type 2 diabetes and metabolic syndrome on all-cause and cardiovascular death, and microvascular and macrovascular complications in Chinese adults – A 30-year follow-up of the Da Qing Diabetes Study. 2022 , 110048		
69	WITHDRAWN: American Association of Clinical Endocrinology Clinical Practice Guideline: Developing a Diabetes Mellitus Comprehensive Care Plan – 2022 Update. 2022 ,		8
68	Recent Progress in the Diagnosis and Management of Type 2 Diabetes Mellitus in the Era of COVID-19 and Single Cell Multi-Omics Technologies. 2022 , 12, 1205		
67	Personalised prevention of type 2 diabetes.		1

- 66 Ambient air pollution, lifestyle, and genetic predisposition associated with type 2 diabetes: findings from a national prospective cohort study. **2022**, 849, 157838 ○
- 65 Diseño y desarrollo de una intervención dietética en niños con prediabetes. **2022**, 48, 101814 ○
- 64 The effectiveness of lifestyle interventions on type 2 diabetes and gestational diabetes incidence and cardiometabolic outcomes: A systematic review and meta-analysis of evidence from low- and middle-income countries. **2022**, 53, 101650 1
- 63 Prediabetes awareness is not associated with lower consumption of self-reported added sugar in U.S. adults. **2022**, 75, 21-24 ○
- 62 PAMS - A Personalized Automatic Messaging System for User Engagement with a Digital Diabetes Prevention Program. **2022**, ○
- 61 They're sicker than we think: an exploratory study profiling the cardio-metabolic health in a sample of adults with pre-diabetes in Aotearoa New Zealand. **2022**, 14, 221-228 ○
- 60 Are Current Guidelines Perpetuating Weight Stigma? A Weight-Skeptical Approach to the Care of Patients with Obesity. ○
- 59 Trends in adherence to recommended physical activity and its effects on cardiometabolic markers in US adults with pre-diabetes. **2022**, 10, e002981 ○
- 58 The beneficial effect of a comprehensive diabetes care model on high-risk relatives accompanying patients with type 2 diabetes. **2022**, ○
- 57 Continuous Glucose Monitoring and Physical Activity. **2022**, 19, 12296 1
- 56 Ameliorating Effect of the Total Flavonoids of *Morus nigra* L. on Prediabetic Mice Based on Regulation of Inflammation and Insulin Sensitization. **2022**, 70, 12484-12501 ○
- 55 The Progression of Prediabetes to Type 2 Diabetes in Children and Adolescents in the United States: Current Challenges and Solutions. **2022**, 3, 545-551 ○
- 54 Modifiable risk factors and long term risk of type 2 diabetes among individuals with a history of gestational diabetes mellitus: prospective cohort study. e070312 2
- 53 Resistin as a Biomarker and Applications to Prediabetes. **2023**, 67-82 ○
- 52 HEMBELE BENCUEREN DĀBĀBĀT RSKLERĀNĀ BELRLENMESĀ ○
- 51 Fasting plasma glucose and HbA1c levels predict the risk of type 2 diabetes and diabetic retinopathy in a Thai high-risk population with prediabetes. 13, ○
- 50 Differential associations between pre-diabetes, diabetes and stroke occurrence among West Africans. **2022**, 31, 106805 ○
- 49 Diabetes and Cardiovascular Disease. **2022**, 1393-1414 ○

- 48 Fidelity and maintenance of motivational interviewing skills in diabetes prevention program coaches: a pilot study. 1-13
- 47 Effects of a Low-Carbohydrate Dietary Intervention on Hemoglobin A1c. **2022**, 5, e2238645
- 46 Modifiable predictors of type 2 diabetes mellitus and roles of insulin resistance and β cell function over a 6-year study and 30-year follow-up.
- 45 Baseline characteristics of participants in the Pre-Diabetes Interventions and Continued Tracking to Ease-out Diabetes (Pre-DICTED) Program. **2022**, 10, e002966
- 44 Long-term Effect of Lifestyle Interventions on the Cardiovascular and All-Cause Mortality of Subjects With Prediabetes and Type 2 Diabetes: A Systematic Review and Meta-analysis. **2022**, 45, 2787-2795
- 43 The role of cereal soluble fiber in the beneficial modulation of glycometabolic gastrointestinal hormones. 1-17
- 42 Predicting Factors for Metabolic Non-Response to a Complex Lifestyle Intervention—A Replication Analysis to a Randomized-Controlled Trial. **2022**, 14, 4721
- 41 Epidemiology of Diabetes. **2022**, 1-49
- 40 Hyperinsulinemia and plasma glucose level independently associated with all-cause and cardiovascular mortality in Chinese people without diabetes—a post-hoc analysis of the 30-year follow-up of Da Qing diabetes and IGT study. **2023**, 195, 110199
- 39 Effects of dietary and lifestyle management on type 2 diabetes development among ethnic minority adults living in the UK: A generational shift. **2023**, 31, 100634
- 38 Recomendaciones preventivas cardiovasculares. Actualizaci3n PAPPs 2022. **2022**, 54, 102444
- 37 The effect of vitamin D and Physical exercise on glycaemic control in patients with Type 2 Diabetes Mellitus(DM). **2022**, 4697-4700
- 36 Glycated Proteins, Glycine, Acetate, and Monounsaturated Fatty Acids May Act as New Biomarkers to Predict the Progression of Type 2 Diabetes: Secondary Analyses of a Randomized Controlled Trial. **2022**, 14, 5165
- 35 Therapeutics in Metabolic Diseases. **2023**, 255-273
- 34 Inflammatory potential of diet and risk of mortality in normal-weight adults with central obesity. **2022**,
- 33 Benefits of herbal formulae containing Poria cocos (Fuling) for type 2 diabetes mellitus: A systematic review and meta-analysis. **2022**, 17, e0278536
- 32 Decreased cardiovascular risk factors and inflammation with remission of type 2 diabetes in adults with obesity using a high protein diet: Randomized control trial. **2022**, 4, 100047
- 31 Root Cause for Metabolic Syndrome and Type 2 Diabetes. **2022**,

- 30 Maximizing the Utility and Comparability of Accelerometer Data From Large-Scale Epidemiologic Studies. **2023**, 1-7 ○
- 29 Addressing the Continuum of Dysglycaemia and Vascular Complications in Prediabetes and Type 2 Diabetes: Need for Early and Intensive Treatment. Volume 16, 105-115 ○
- 28 The gestational diabetes future diabetes prevention study (GODDESS): A partially randomised feasibility controlled trial. **2022**, 17, e0273992 ○
- 27 Chinese diabetes datasets for data-driven machine learning. **2023**, 10, 1 ○
- 26 Rising trends in the predicted 10-year risk of cardiovascular diseases among Royal Thai Army personnel from 2017 to 2021. **2023**, 13, ○
- 25 Dietary pattern scores in relation to pre-diabetes regression to normal glycemia or progression to type 2 diabetes: a 9-year follow-up. **2023**, 23, ○
- 24 The Early Impact of the People-centred Integrated Care on the Hypertension Management in Shenzhen. **2023**, 23, ○
- 23 Precision medicine in diabetes - current trends and future directions. Is the future now?. **2023**, ○
- 22 The fundamental role of obesity management in cardiometabolic risk reduction: nonpharmacological, pharmacological, and surgical approaches. **2023**, 273-309 ○
- 21 Optimizing Lifestyle Behaviors in Preventing Multiple Long-Term Conditions. **2023**, 3, 468-477 ○
- 20 Healthcare workersâ perspectives on barriers and facilitators to referral and recruitment to diabetes prevention programmes: a systematic review protocol. 6, 23 ○
- 19 Diagnosis and Management of Prediabetes. **2023**, 329, 1206 ○
- 18 The dose-response relationship of fruit and vegetable intake and risk of type 2 diabetes among rural China: The Henan Rural Cohort study. **2023**, 17, 161-167 ○
- 17 Perspectives on Prediabetes and Aging. **2023**, 52, 377-388 ○
- 16 Yetiin YaGrubunda Kan keri ve Kan BascKorelasyonu Delendirmesi. ○
- 15 Exercise and prediabetes after renal transplantation: - The EXPRED-I study. ○
- 14 Knowledge, attitude, and practice toward pre-diabetes among the public, patients with pre-diabetes and healthcare professionals: a systematic review. **2023**, 11, e003203 ○
- 13 The Evolution of Diabetes Treatment Through the Ages: From Starvation Diets to Insulin, Incretins, SGLT2-Inhibitors and Beyond. ○

- 12 Referral to the NHS Diabetes Prevention Programme and conversion from nondiabetic hyperglycaemia to type 2 diabetes mellitus in England: A matched cohort analysis. **2023**, 20, e1004177 ○
- 11 A multicentric, randomized, controlled trial of yoga and fenugreek in prevention of type 2 diabetes mellitus: methodological details—the Indian Prevention of Diabetes Study (IPDS). ○
- 10 Type 2 Diabetes Prevention Programs—from Proof-of-Concept Trials to National Intervention and Beyond. **2023**, 12, 1876 ○
- 9 Pharmacological approaches to the prevention of type 2 diabetes mellitus. 14, ○
- 8 Soy Consumption and the Risk of Type 2 Diabetes and Cardiovascular Diseases: A Systematic Review and Meta-Analysis. **2023**, 15, 1358 ○
- 7 Diabetes-Treiber. **2023**, 15-28 ○
- 6 Investigation of risk factors associated with impaired glucose regulation: Using the momentum equation to assess the impact of risk factors on community residents. 14, ○
- 5 Long-Term Effect of Weight Regain Following Behavioral Weight Management Programs on Cardiometabolic Disease Incidence and Risk: Systematic Review and Meta-Analysis. **2023**, 16, 1 ○
- 4 The triglyceride glucose-waist-to-height ratio outperforms obesity and other triglyceride-related parameters in detecting prediabetes in normal-weight Qatari adults: A cross-sectional study. 11, ○
- 3 Evidence-based European recommendations for the dietary management of diabetes. ○
- 2 Weight self-perception and weight loss attempts in Chinese cardiovascular patients and non-cardiovascular patients: evidence from a population-based study. **2023**, 23, ○
- 1 Ernährungsempfehlungen für Menschen mit Diabetes (Update 2023). **2023**, 135, 62-77 ○