

CITATION REPORT

List of articles citing

Caveolin-3 associates with developing T-tubules during muscle differentiation

DOI: 10.1083/jcb.136.1.137

Journal of Cell Biology, 1997, 136, 137-54.

Source: <https://exaly.com/paper-pdf/28269654/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
305	Dynamic targeting of the agonist-stimulated m2 muscarinic acetylcholine receptor to caveolae in cardiac myocytes. 1997 , 272, 17744-8		221
304	Identification of caveolin and caveolin-related proteins in the brain. 1997 , 17, 9520-35		149
303	Caveolae and Endoplasmic Reticulum: Immunofluorescence Microscopy and Time-Lapse Analysis.. 1997 , 30, 593-599		6
302	Mouse adhalin: primary structure and expression during late stages of muscle differentiation in vitro. 1997 , 235, 227-35		25
301	Caveolae, DIGs, and the dynamics of sphingolipid-cholesterol microdomains. 1997 , 9, 534-42		725
300	Downregulation of caveolin by chronic beta-adrenergic receptor stimulation in mice. 1997 , 273, C1957-62		87
299	Robert Feulgen Lecture 1997. Lipid microdomains and membrane trafficking in mammalian cells. 1997 , 108, 211-20		66
298	Crowded little caves: structure and function of caveolae. 1998 , 10, 457-63		159
297	Freeze-fracture studies of muscle plasma membranes in myopathic patients with hypo-and hyperthyroidism. 1998 , 31, 135-141		
296	Molecular cloning of human caveolin 3. 1998 , 1406, 5-9		7
295	Increased caveolin-3 levels in mdx mouse muscles. 1998 , 431, 125-7		62
294	Lipids, lipid domains and lipid-protein interactions in endocytic membrane traffic. 1998 , 9, 517-26		95
293	Role of nitric oxide in ventricular dysfunction. 1998 , 4, 249-60		2
292	The caveolae membrane system. 1998 , 67, 199-225		1713
291	A novel synaptobrevin/VAMP homologous protein (VAMP5) is increased during in vitro myogenesis and present in the plasma membrane. 1998 , 9, 2423-37		58
290	Caveolins, a family of scaffolding proteins for organizing "preassembled signaling complexes" at the plasma membrane. 1998 , 273, 5419-22		1213
289	Functional analysis and intracellular localization of the human menkes protein (MNK) stably expressed from a cDNA construct in Chinese hamster ovary cells (CHO-K1). 1998 , 7, 1293-300		71

288	T-cadherin is a major glycoposphoinositol-anchored protein associated with noncaveolar detergent-insoluble domains of the cardiac sarcolemma. 1998 , 273, 6937-43	57
287	Mitsugumin29, a novel synaptophysin family member from the triad junction in skeletal muscle. 1998 , 331 (Pt 1), 317-22	84
286	Role of plasmalemmal caveolae in signal transduction. 1998 , 275, L843-51	223
285	Molecular characterization of caveolin association with the Golgi complex: identification of a cis-Golgi targeting domain in the caveolin molecule. <i>Journal of Cell Biology</i> , 1999 , 145, 1443-59	73 107
284	The class B, type I scavenger receptor promotes the selective uptake of high density lipoprotein cholesterol ethers into caveolae. 1999 , 274, 12043-8	135
283	Dominant-negative caveolin inhibits H-Ras function by disrupting cholesterol-rich plasma membrane domains. 1999 , 1, 98-105	386
282	The ins and outs of caveolar signaling. m2 muscarinic cholinergic receptors and eNOS activation versus neuregulin and ErbB4 signaling in cardiac myocytes. 1999 , 874, 11-9	18
281	Calcium signal transduction from caveolae. 1999 , 26, 201-8	133
280	Membrane microdomains and caveolae. 1999 , 11, 424-31	514
279	Expression of thrombomodulin, caveolin-3, and desmin on muscle fibers in neuromuscular diseases. 1999 , 22, 1713-6	6
278	Muscarinic cholinergic signaling in cardiac myocytes: dynamic targeting of M2AChR to sarcolemmal caveolae and eNOS activation. 1999 , 64, 471-7	22
277	Cellular uptake of cationic lipid/DNA complexes by cultured myoblasts and myotubes. 1999 , 1418, 165-75	11
276	Caveolin-3 is associated with the T-tubules of mature skeletal muscle fibers. 1999 , 246, 510-5	52
275	Increased number of caveolae and caveolin-3 overexpression in Duchenne muscular dystrophy. 1999 , 261, 547-50	85
274	Caveolins, liquid-ordered domains, and signal transduction. 1999 , 19, 7289-304	913
273	Characterization of caveolae from rat heart: Localization of postreceptor signal transduction molecules and their rearrangement after norepinephrine stimulation. 2000 , 77, 529-539	16
272	Role of cholesterol in developing T-tubules: analogous mechanisms for T-tubule and caveolae biogenesis. 2000 , 1, 326-41	80
271	Lipid rafts and signal transduction. 2000 , 1, 31-9	4950

270	Caves and labyrinths: caveolae and transverse tubules in skeletal muscle. 2000 , 212, 15-23		3
269	The basic helix-loop-helix transcription factors myogenin and Id2 mediate specific induction of caveolin-3 gene expression during embryonic development. 2000 , 275, 26245-51		43
268	Syntaxin 7 is localized to late endosome compartments, associates with Vamp 8, and is required for late endosome-lysosome fusion. 2000 , 11, 3137-53		132
267	Dystrophin associates with caveolae of rat cardiac myocytes: relationship to dystroglycan. 2000 , 87, 480-8		32
266	Expression and partial characterization of kinesin-related proteins in differentiating and adult skeletal muscle. 2000 , 11, 4143-58		23
265	Assembly of myelin by association of proteolipid protein with cholesterol- and galactosylceramide-rich membrane domains. <i>Journal of Cell Biology</i> , 2000 , 151, 143-54	7:3	240
264	Caveolae: uniform structures with multiple functions in signaling, cell growth, and cancer. 2000 , 261, 111-8		38
263	Cholesterol and caveolae: structural and functional relationships. 2000 , 1529, 210-22		157
262	H-ras but not K-ras traffics to the plasma membrane through the exocytic pathway. 2000 , 20, 2475-87		358
261	Biological basket weaving: formation and function of clathrin-coated vesicles. 2001 , 17, 517-68		533
260	Interaction of caveolin with 7-ketocholesterol. 2001 , 159, 49-55		19
259	Protein targeting to the plasma membrane of adult skeletal muscle fiber: an organized mosaic of functional domains. 2001 , 267, 61-72		22
258	Caveolin-3 null mice show a loss of caveolae, changes in the microdomain distribution of the dystrophin-glycoprotein complex, and t-tubule abnormalities. 2001 , 276, 21425-33		336
257	Caveolae and caveolin-3 in muscular dystrophy. 2001 , 7, 435-41		126
256	cav-p60 expression in rat muscle tissues. Distribution of caveolar proteins. 2001 , 306, 265-76		39
255	Membrane traffic in myelinating oligodendrocytes. 2001 , 52, 656-71		72
254	Muscle plasma membrane changes in dystrophin gene exon 52 knockout mouse. 2001 , 197, 441-7		4
253	A novel clathrin homolog that co-distributes with cytoskeletal components functions in the trans-Golgi network. 2001 , 20, 272-84		52

252	Potocytosis. Robert Feulgen Lecture. 2001 , 116, 109-18		69
251	The role of caveolae and caveolin in vesicle-dependent and vesicle-independent trafficking. 2001 , 49, 237-50		83
250	Effect of the toxic milk mutation (tx) on the function and intracellular localization of Wnd, the murine homologue of the Wilson copper ATPase. 2001 , 10, 361-70		81
249	Caveolae-deficient endothelial cells show defects in the uptake and transport of albumin in vivo. 2001 , 276, 48619-22		251
248	Flotillin-1-enriched lipid raft domains accumulate on maturing phagosomes. 2001 , 276, 18507-12		232
247	A novel 14-kilodalton protein interacts with the mitogen-activated protein kinase scaffold mp1 on a late endosomal/lysosomal compartment. <i>Journal of Cell Biology</i> , 2001 , 152, 765-76	7-3	172
246	Compartmentation of G protein-coupled signaling pathways in cardiac myocytes. 2001 , 41, 751-73		326
245	Gaining respectability: membrane-delimited, caveolar-restricted activation of ion channels. 2002 , 90, 369-70		12
244	Flotillin-1/reggie-2 traffics to surface raft domains via a novel golgi-independent pathway. Identification of a novel membrane targeting domain and a role for palmitoylation. 2002 , 277, 48834-41		159
243	Intracellular retention of glycosylphosphatidyl inositol-linked proteins in caveolin-deficient cells. 2002 , 22, 3905-26		80
242	Inhibition of lipid raft-dependent signaling by a dystrophy-associated mutant of caveolin-3. 2002 , 277, 17944-9		42
241	Caveolin-3 knock-out mice develop a progressive cardiomyopathy and show hyperactivation of the p42/44 MAPK cascade. 2002 , 277, 38988-97		224
240	Molecular cloning and developmental expression of the caveolin gene family in the amphibian <i>Xenopus laevis</i> . 2002 , 41, 7914-24		22
239	Amphiphysin 2 (Bin1) and T-tubule biogenesis in muscle. 2002 , 297, 1193-6		327
238	Impairment of caveolae formation and T-system disorganization in human muscular dystrophy with caveolin-3 deficiency. 2002 , 160, 265-70		104
237	Caveolae: from cell biology to animal physiology. 2002 , 54, 431-67		758
236	Ontogeny of excitation-contraction coupling in the mammalian heart. 2002 , 132, 691-8		23
235	Localization of caveolin-3 in the sinus endothelial cells of the rat spleen. 2002 , 307, 329-36		10

234	Endocytosis via caveolae. 2002 , 3, 311-20	550
233	The distribution of caveolin-3 immunofluorescence in skeletal muscle fibre membrane defined by dual channel confocal laser scanning microscopy, fast Fourier transform and image modelling. 2002 , 206, 93-105	7
232	Glycolipid-enriched caveolae and caveolae-like domains in the nervous system. 1999 , 73, 1-11	94
231	Caveolae: anchored, multifunctional platforms in the lipid ocean. 2003 , 13, 92-100	241
230	Caveolin-3 expression during early chicken development. 2003 , 141, 83-9	8
229	Function of caveolae in Ca ²⁺ entry and Ca ²⁺ -dependent signal transduction. 2003 , 4, 717-23	105
228	Caveolae--from ultrastructure to molecular mechanisms. 2003 , 4, 162-7	138
227	Membrane segregation and downregulation of raft markers during sarcolemmal differentiation in skeletal muscle cells. 2003 , 262, 324-34	24
226	A caveolin-3 mutant that causes limb girdle muscular dystrophy type 1C disrupts Src localization and activity and induces apoptosis in skeletal myotubes. 2003 , 116, 4739-49	57
225	Concentration of caveolin-3 at the neuromuscular junction in young and old rat skeletal muscle fibers. 2003 , 51, 1113-8	17
224	Adenovirus-mediated overexpression of caveolin-3 inhibits rat cardiomyocyte hypertrophy. 2003 , 42, 213-9	46
223	Phenotypic behavior of caveolin-3 R26Q, a mutant associated with hyperCKemia, distal myopathy, and rippling muscle disease. 2003 , 285, C1150-60	33
222	Caveolinopathies: mutations in caveolin-3 cause four distinct autosomal dominant muscle diseases. 2004 , 62, 538-43	149
221	Clathrin isoform CHC22, a component of neuromuscular and myotendinous junctions, binds sorting nexin 5 and has increased expression during myogenesis and muscle regeneration. 2004 , 15, 3181-95	38
220	Echovirus 1 endocytosis into caveosomes requires lipid rafts, dynamin II, and signaling events. 2004 , 15, 4911-25	121
219	Insulin resistance in skeletal muscles of caveolin-3-null mice. 2004 , 101, 12670-5	77
218	The caveolin scaffolding domain modifies 2-amino-3-hydroxy-5-methyl-4-isoxazole propionate receptor binding properties by inhibiting phospholipase A2 activity. 2004 , 279, 356-62	41
217	Caveolin-3 and SAP97 form a scaffolding protein complex that regulates the voltage-gated potassium channel Kv1.5. 2004 , 287, H681-90	50

216	Limb-girdle muscular dystrophies--from genetics to molecular pathology. 2004 , 30, 91-105	109
215	Membrane traffic in skeletal muscle. 2004 , 5, 129-39	39
214	Regulation of Bin1 SH3 domain binding by phosphoinositides. 2004 , 23, 4413-22	58
213	Membrane cholesterol modulates dihydropyridine receptor function in mice fetal skeletal muscle cells. 2004 , 555, 365-81	40
212	Caveolae: biochemical analysis. 2004 , 31, 67-84	18
211	Functional efficiency of the senescent cells: replace or restore?. 2004 , 1019, 309-16	13
210	Role of caveolae and caveolins in health and disease. 2004 , 84, 1341-79	693
209	The caveolin proteins. 2004 , 5, 214	335
208	Cardiac ion channel expression and regulation: the role of innervation. 2004 , 37, 439-48	19
207	Vesicle budding from endoplasmic reticulum is involved in calsequestrin routing to sarcoplasmic reticulum of skeletal muscles. 2004 , 379, 505-12	20
206	Caveolin-3 at the T-tubule Colocalizes with .ALPHA.-actinin in the Adult Murine Cardiac Muscle. 2004 , 37, 373-378	
205	Chapter 9 Caveolin-3, Caveolae, and Hereditary Muscle Diseases. 2005 , 171-186	
204	Chapter 3 The Caveolae Internalization Machinery. 2005 , 36, 57-77	
203	Compartmentation of G-protein-coupled receptors and their signalling components in lipid rafts and caveolae. 2005 , 33, 1131-1134	71
202	Compartmentation of G-protein-coupled receptors and their signalling components in lipid rafts and caveolae. 2005 , 33, 1131-4	93
201	Growth factor receptors, lipid rafts and caveolae: an evolving story. 2005 , 1746, 260-73	206
200	Getting rid of caveolins: phenotypes of caveolin-deficient animals. 2005 , 1746, 322-33	119
199	Structure of caveolae. 2005 , 1746, 334-48	201

198	Protective effects of Ca ²⁺ handling drugs against abnormal Ca ²⁺ homeostasis and cell damage in myopathic skeletal muscle cells. 2005 , 70, 740-51	43
197	Caveolin-1 as a prime modulator of aging: a new modality for phenotypic restoration?. 2005 , 126, 105-10	36
196	Recent advances in the understanding of the role of nitric oxide in cardiovascular homeostasis. 2005 , 108, 225-56	112
195	Rippling muscle disease may be caused by "silent" action potentials in the tubular system of skeletal muscle fibers. 2005 , 31, 652-8	36
194	Caveolin-3 knockout mice show increased adiposity and whole body insulin resistance, with ligand-induced insulin receptor instability in skeletal muscle. 2005 , 288, C1317-31	85
193	Caveolin-3: Its Importance in Muscle Function and Pathology. 2005 , 6, 293-314	1
192	Zebrafish as a model for caveolin-associated muscle disease; caveolin-3 is required for myofibril organization and muscle cell patterning. 2005 , 14, 1727-43	79
191	G-protein-coupled receptor signaling components localize in both sarcolemmal and intracellular caveolin-3-associated microdomains in adult cardiac myocytes. 2005 , 280, 31036-44	173
190	Viral entry, lipid rafts and caveosomes. 2005 , 37, 394-403	45
189	Chapter 8 Insulin Signaling and Caveolae. 2005 , 141-169	4
188	Muscle-specific interaction of caveolin isoforms: differential complex formation between caveolins in fibroblastic vs. muscle cells. 2005 , 288, C677-91	52
187	Molecular and muscle pathology in a series of caveolinopathy patients. 2005 , 25, 82-9	57
186	Sub-cellular distribution of endothelin signaling pathway components in ventricular myocytes and heart: lack of preformed caveolar signalosomes. 2005 , 38, 665-76	33
185	Caveolin-3 is adjacent to a group of extradyadic ryanodine receptors. 2005 , 89, 1893-901	71
184	Cytoskeletal basis of ion channel function in cardiac muscle. 2006 , 2, 467-76	11
183	New molecular target for modulation of aging process. 2006 , 8, 620-7	7
182	A new paradigm for membrane-organizing and -shaping scaffolds. 2006 , 580, 5559-64	87
181	Statin therapy induces ultrastructural damage in skeletal muscle in patients without myalgia. 2006 , 210, 94-102	129

180	Autonomic regulation of voltage-gated cardiac ion channels. 2006 , 17 Suppl 1, S34-S42	39
179	Ganglioside GD1a regulation of caveolin-1 and Stim1 expression in mouse FBJ cells: augmented expression of caveolin-1 and Stim1 in cells with increased GD1a content. 2006 , 23, 303-15	21
178	Association between the muscle-specific proteins desmin and caveolin-3 in muscle cells. 2007 , 327, 343-51	10
177	Therapeutic DNA Delivery to Skeletal Muscle. 2006 , 7, 179-190	1
176	Biogenesis of caveolae: a structural model for caveolin-induced domain formation. 2006 , 119, 787-96	224
175	Aberrant dysferlin trafficking in cells lacking caveolin or expressing dystrophy mutants of caveolin-3. 2006 , 15, 129-42	60
174	Microtubules and actin microfilaments regulate lipid raft/caveolae localization of adenylyl cyclase signaling components. 2006 , 281, 26391-9	215
173	From T-tubule to sarcolemma: damage-induced dysferlin translocation in early myogenesis. 2007 , 21, 1768-76	74
172	Caveolin proteins are essential for distinct effects of membrane estrogen receptors in neurons. 2007 , 27, 9941-50	166
171	Caveolin-1 is required for lateral line neuromast and notochord development. 2007 , 120, 2151-61	49
170	Increased smooth muscle cell expression of caveolin-1 and caveolae contribute to the pathophysiology of idiopathic pulmonary arterial hypertension. 2007 , 21, 2970-9	111
169	Voltage-dependent Na ⁺ channel phenotype changes in myoblasts. Consequences for cardiac repair. 2007 , 76, 430-41	9
168	A new role for caveolae as metabolic platforms. 2007 , 18, 344-9	38
167	Mechanisms of cardiac protection from ischemia/reperfusion injury: a role for caveolae and caveolin-1. 2007 , 21, 1565-74	112
166	Loss of caveolin-3 induced by the dystrophy-associated P104L mutation impairs L-type calcium channel function in mouse skeletal muscle cells. 2007 , 580, 745-54	26
165	Mechanosensitive channel properties and membrane mechanics in mouse dystrophic myotubes. 2007 , 581, 369-87	85
164	Dysferlin in membrane trafficking and patch repair. 2007 , 8, 785-94	113
163	T-tubule formation in cardiacmyocytes: two possible mechanisms?. 2007 , 28, 231-41	45

162	Na(+)-K (+) pump location and translocation during muscle contraction in rat skeletal muscle. 2008 , 456, 979-89	25
161	Expression of the muscular dystrophy-associated caveolin-3(P104L) mutant in adult mouse skeletal muscle specifically alters the Ca(2+) channel function of the dihydropyridine receptor. 2008 , 457, 361-75	15
160	Membrane traffic and muscle: lessons from human disease. 2008 , 9, 1035-43	37
159	Lipid imaging of human skeletal muscle using TOF-SIMS with bismuth cluster ion as a primary ion source. 2008 , 28, 202-9	35
158	Caveolae, ion channels and cardiac arrhythmias. 2008 , 98, 149-60	119
157	Two-way traffic on the road to plasma membrane repair. 2008 , 18, 552-9	110
156	Ca2+ sparks and cellular distribution of ryanodine receptors in developing cardiomyocytes from rat. 2008 , 44, 1032-44	10
155	Caveolae as organizers of pharmacologically relevant signal transduction molecules. 2008 , 48, 359-91	356
154	AAV-mediated intramuscular delivery of myotubularin corrects the myotubular myopathy phenotype in targeted murine muscle and suggests a function in plasma membrane homeostasis. 2008 , 17, 2132-43	97
153	Substrate uptake and metabolism are preserved in hypertrophic caveolin-3 knockout hearts. 2008 , 295, H657-66	16
152	Immunohistochemical evidence of caveolin-1 expression in the human fetal and neonatal striated muscle and absence in the adult. 2008 , 16, 267-73	2
151	MG53 regulates membrane budding and exocytosis in muscle cells. 2009 , 284, 3314-3322	79
150	T-tubule disorganization and defective excitation-contraction coupling in muscle fibers lacking myotubularin lipid phosphatase. 2009 , 106, 18763-8	138
149	eNOS activation by physical forces: from short-term regulation of contraction to chronic remodeling of cardiovascular tissues. 2009 , 89, 481-534	317
148	Molecular diagnosis of muscular dystrophies, focused on limb girdle muscular dystrophies. 2009 , 3, 631-47	
147	MURC/Cavin-4 and cavin family members form tissue-specific caveolar complexes. <i>Journal of Cell Biology</i> , 2009 , 185, 1259-73	73 207
146	Plasma membrane removal in rat skeletal muscle fibers reveals caveolin-3 hot-spots at the necks of transverse tubules. 2009 , 315, 1015-28	48
145	Altered stored calcium release in skeletal myotubes deficient of triadin and junctin. 2009 , 45, 29-37	29

144	Agonist-induced internalization of mGluR1alpha is mediated by caveolin. 2009 , 111, 61-71	22
143	Caveolins in the development and diseases of musculoskeletal system. 2009 , 284, 113-21	7
142	Chapter 6: cubic membranes the missing dimension of cell membrane organization. 2009 , 274, 275-342	98
141	SRBC/cavin-3 is a caveolin adapter protein that regulates caveolae function. 2009 , 28, 1001-15	159
140	Accumulation of caveolin-3 protein is limited in damaged muscle in chicken muscular dystrophy. 2010 , 157, 68-72	3
139	Dysferlin associates with the developing T-tubule system in rodent and human skeletal muscle. 2010 , 41, 166-73	75
138	FYN-dependent muscle-immune interaction after sciatic nerve injury. 2010 , 42, 70-7	9
137	The rate of loss of T-tubules in cultured adult ventricular myocytes is species dependent. 2010 , 95, 518-27	30
136	The Rap1 guanine nucleotide exchange factor C3G is required for preservation of larval muscle integrity in <i>Drosophila melanogaster</i> . 2010 , 5, e9403	12
135	Cellular endocytosis and gene delivery. 2010 , 16, 222-9	77
134	Membrane cholesterol depletion by methyl-beta-cyclodextrin enhances the expression of cardiac differentiation markers. 2010 , 192, 187-99	11
133	The nicotinic acetylcholine receptor and the Na,K-ATPase alpha2 isoform interact to regulate membrane electrogenesis in skeletal muscle. 2010 , 285, 28614-26	39
132	Silencing of <i>Mustn1</i> inhibits myogenic fusion and differentiation. 2010 , 298, C1100-8	33
131	There goes the neighborhood: pathological alterations in T-tubule morphology and consequences for cardiomyocyte Ca ²⁺ handling. 2010 , 2010, 503906	73
130	Caveolin 3 is associated with the calcium release complex and is modified via in vivo triadin modification. 2010 , 49, 6130-5	15
129	Excitation-contraction coupling changes during postnatal cardiac development. 2010 , 48, 379-86	107
128	Dysferlinopathies. 2011 , 101, 111-8	30
127	Nuclear barrier hypothesis of aging as mechanism for trade-off growth to survival. 2011 , 720, 3-13	6

126	Caveolin-3 is a direct molecular partner of the Cav1.1 subunit of the skeletal muscle L-type calcium channel. 2011 , 43, 713-20	11
125	Dysferlin, annexin A1, and mitsugumin 53 are upregulated in muscular dystrophy and localize to longitudinal tubules of the T-system with stretch. 2011 , 70, 302-13	63
124	Cardiomyocytes derived from human embryonic and induced pluripotent stem cells: comparative ultrastructure. 2011 , 15, 2539-51	115
123	Role of caveolae in cardiac protection. 2011 , 32, 329-33	27
122	T-tubule biogenesis and triad formation in skeletal muscle and implication in human diseases. 2011 , 1, 26	104
121	MicroRNA miR-199a-3p regulates cell proliferation and survival by targeting caveolin-2. 2011 , 124, 2826-36	127
120	Caveolar domain organization and trafficking is regulated by Abl kinases and mDia1. 2012 , 125, 3097-113	48
119	Cholesterol depletion uncouples β -dystroglycans from discrete sarcolemmal domains, reducing the mechanical activity of skeletal muscle. 2012 , 29, 905-18	16
118	The role of decreased levels of Niemann-Pick C1 intracellular cholesterol transport on obesity is reversed in the C57BL/6J, metabolic syndrome mouse strain: a metabolic or an inflammatory effect?. 2012 , 53, 323-30	7
117	Receptor activator of NF- κ B ligand-dependent expression of caveolin-1 in osteoclast precursors, and high dependency of osteoclastogenesis on exogenous lipoprotein. 2012 , 50, 226-36	24
116	Genetic variation in the mouse model of Niemann Pick C1 affects female, as well as male, adiposity, and hepatic bile transporters but has indeterminate effects on caveolae. 2012 , 491, 128-34	9
115	Caveolins and caveolae, roles in insulin signalling and diabetes. 2012 , 729, 111-26	37
114	Caveolae-Dependent Endocytosis in Viral Infection. 2012 ,	4
113	Stimulated emission depletion live-cell super-resolution imaging shows proliferative remodeling of T-tubule membrane structures after myocardial infarction. 2012 , 111, 402-14	139
112	Regulation of the cardiac sodium pump. 2013 , 70, 1357-80	50
111	Effect of ischemia post-conditioning on skeletal muscle oxidative injury, mTOR, Bax, Bcl-2 proteins expression, and HIF-1 β / β -actin mRNA, IL-6/ β -actin mRNA and caveolin-3/ β -actin mRNA expression in ischemia-reperfusion rabbits. 2013 , 40, 507-14	28
110	The transverse-axial tubular system of cardiomyocytes. 2013 , 70, 4695-710	42
109	Evolving form to fit function: cardiomyocyte intercalated disc and transverse-tubule membranes. 2013 , 72, 121-58	10

108	Spatial control of the Ca^{2+} system in heart failure: the transverse tubule and beyond. 2013 , 98, 216-24	39
107	Caveolae as plasma membrane sensors, protectors and organizers. 2013 , 14, 98-112	595
106	Critical roles of junctophilin-2 in T-tubule and excitation-contraction coupling maturation during postnatal development. 2013 , 100, 54-62	67
105	Pharmacoelectrophysiology of viral-free induced pluripotent stem cell-derived human cardiomyocytes. 2013 , 131, 458-69	44
104	Gestational undernourishment modifies the composition of skeletal muscle transverse tubule membranes and the mechanical properties of muscles in newborn rats. 2013 , 32, 1024-39	2
103	Annexin A1 is a biomarker of T-tubular repair in skeletal muscle of nonmyopathic patients undergoing statin therapy. 2013 , 27, 2156-64	14
102	Effects of 5-fluorouracil in nuclear and cellular morphology, proliferation, cell cycle, apoptosis, cytoskeletal and caveolar distribution in primary cultures of smooth muscle cells. 2013 , 8, e63177	19
101	Adult-onset autosomal dominant centronuclear myopathy due to BIN1 mutations. 2014 , 137, 3160-70	65
100	Dysferlin and myoferlin regulate transverse tubule formation and glycerol sensitivity. 2014 , 184, 248-59	43
99	Vesicular transport system in myotubes: ultrastructural study and signposting with vesicle-associated membrane proteins. 2014 , 141, 441-54	6
98	Caveolin-3 regulates compartmentation of cardiomyocyte beta2-adrenergic receptor-mediated cAMP signaling. 2014 , 67, 38-48	76
97	Syncytin-1 in differentiating human myoblasts: relationship to caveolin-3 and myogenin. 2014 , 357, 355-62	19
96	Polymorphisms in twelve candidate genes are associated with growth, muscle lipid profile and meat quality traits in eleven European cattle breeds. 2014 , 41, 4721-31	13
95	Emerging roles of junctophilin-2 in the heart and implications for cardiac diseases. 2014 , 103, 198-205	46
94	N-WASP is required for Amphiphysin-2/BIN1-dependent nuclear positioning and triad organization in skeletal muscle and is involved in the pathophysiology of centronuclear myopathy. 2014 , 6, 1455-75	64
93	Functional Role of Membrane Lipids in EGF Receptor Dynamics and Regulation. 2014 , 62-79	1
92	Structural insights into the cooperative remodeling of membranes by amphiphysin/BIN1. 2015 , 5, 15452	32
91	Oxidative stress induces caveolin 1 degradation and impairs caveolae functions in skeletal muscle cells. 2015 , 10, e0122654	29

90	Cholesterol removal from adult skeletal muscle impairs excitation-contraction coupling and aging reduces caveolin-3 and alters the expression of other triadic proteins. 2015 , 6, 105	9
89	Targeting caveolin-3 for the treatment of diabetic cardiomyopathy. 2015 , 151, 50-71	14
88	Physiologic force-frequency response in engineered heart muscle by electromechanical stimulation. 2015 , 60, 82-91	103
87	Microdomain-specific localization of functional ion channels in cardiomyocytes: an emerging concept of local regulation and remodelling. 2015 , 7, 43-62	16
86	Caveolae - mechanosensitive membrane invaginations linked to actin filaments. 2015 , 128, 2747-58	120
85	Cholesterol segregates into submicrometric domains at the living erythrocyte membrane: evidence and regulation. 2015 , 72, 4633-51	30
84	Targeted disruption of PDE3B, but not PDE3A, protects murine heart from ischemia/reperfusion injury. 2015 , 112, E2253-62	51
83	Caveolae and signalling in cancer. 2015 , 15, 225-37	135
82	Optogenetic induction of contractile ability in immature C2C12 myotubes. 2015 , 5, 8317	34
81	Caveolins in cardioprotection - translatability and mechanisms. 2015 , 172, 2114-25	21
80	The caveolin-cavin system plays a conserved and critical role in mechanoprotection of skeletal muscle. <i>Journal of Cell Biology</i> , 2015 , 210, 833-49	7-3 94
79	The Popeye Domain Containing Genes and their Function in Striated Muscle. 2016 , 3,	8
78	Isolation and Mechanical Measurements of Myofibrils from Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes. 2016 , 6, 885-896	53
77	Genetically Encoded Biosensors Reveal PKA Hyperphosphorylation on the Myofilaments in Rabbit Heart Failure. 2016 , 119, 931-43	29
76	The molecular and functional identities of atrial cardiomyocytes in health and disease. 2016 , 1863, 1882-93	31
75	The plasma membrane as a capacitor for energy and metabolism. 2016 , 310, C181-92	39
74	Recent progress on lipid lateral heterogeneity in plasma membranes: From rafts to submicrometric domains. 2016 , 62, 1-24	101
73	T-tubule remodelling disturbs localized β -adrenergic signalling in rat ventricular myocytes during the progression of heart failure. 2017 , 113, 770-782	37

72	Progressive Structural Defects in Canine Centronuclear Myopathy Indicate a Role for HACD1 in Maintaining Skeletal Muscle Membrane Systems. 2017 , 187, 441-456	9
71	MG53 is dispensable for T-tubule maturation but critical for maintaining T-tubule integrity following cardiac stress. 2017 , 112, 123-130	15
70	Caveolae in Rabbit Ventricular Myocytes: Distribution and Dynamic Diminution after Cell Isolation. 2017 , 113, 1047-1059	23
69	Mitsugumin 29 regulates t-tubule architecture in the failing heart. 2017 , 7, 5328	6
68	Lipid modulation of skeletal muscle mass and function. 2017 , 8, 190-201	88
67	Recent Advances in Comprehending the Signaling Pathways Involved in the Progression of Breast Cancer. 2017 , 18,	6
66	Myocyte membrane and microdomain modifications in diabetes: determinants of ischemic tolerance and cardioprotection. 2017 , 16, 155	19
65	Caveolin 3-dependent loss of t-tubular I during hypertrophy and heart failure in mice. 2018 , 103, 652-665	16
64	The Effects of Aging on the Regulation of T-Tubular I _{Ca} by Caveolin in Mouse Ventricular Myocytes. 2018 , 73, 711-719	12
63	Helium alters the cytoskeleton and decreases permeability in endothelial cells cultured in vitro through a pathway involving Caveolin-1. 2018 , 8, 4768	7
62	Molecular mechanism of lipid-induced cardiac insulin resistance and contractile dysfunction. 2018 , 136, 131-141	16
61	Passive Stretch Induces Structural and Functional Maturation of Engineered Heart Muscle as Predicted by Computational Modeling. 2018 , 36, 265-277	74
60	Dyadic Plasticity in Cardiomyocytes. 2018 , 9, 1773	32
59	Identification of Novel Antisense-Mediated Exon Skipping Targets in DYSF for Therapeutic Treatment of Dysferlinopathy. 2018 , 13, 596-604	18
58	Molecular and Cellular Biology of the Right Heart. 2018 , 57-89	1
57	Caveolin-3 KO disrupts t-tubule structure and decreases t-tubular I density in mouse ventricular myocytes. 2018 , 315, H1101-H1111	21
56	Abnormal Excitation-Contraction Coupling and Calcium Homeostasis in Myopathies and Cardiomyopathies. 2019 , 6, 289-305	8
55	Distribution and activation of matrix metalloproteinase-2 in skeletal muscle fibers. 2019 , 317, C613-C625	11

54	Mouse HSA+ immature cardiomyocytes persist in the adult heart and expand after ischemic injury. 2019 , 17, e3000335	4
53	Helium-Induced Changes in Circulating Caveolin in Mice Suggest a Novel Mechanism of Cardiac Protection. 2019 , 20,	9
52	Cardiac-specific overexpression of caveolin-3 preserves t-tubular I during heart failure in mice. 2019 , 104, 654-666	6
51	Absence of full-length dystrophin impairs normal maturation and contraction of cardiomyocytes derived from human-induced pluripotent stem cells. 2020 , 116, 368-382	29
50	Mechanisms of Cav3-associated arrhythmia: Protein or microdomain dysfunction?. 2020 , 320, 97-99	1
49	Recent Advances in β Agonists for Treatment of Chronic Respiratory Diseases and Heart Failure. 2020 , 63, 15218-15242	4
48	A Role for Caveolin-3 in the Pathogenesis of Muscular Dystrophies. 2020 , 21,	7
47	Caveolin-3: A Causative Process of Chicken Muscular Dystrophy. 2020 , 10,	
46	Unconventional roles for membrane traffic proteins in response to muscle membrane stress. 2020 , 65, 42-49	5
45	Cardiomyocyte Maturation: New Phase in Development. 2020 , 126, 1086-1106	131
44	Molecular cloning, tissue expression and polymorphism analysis of the Caveolin-3 gene in ducks. 2021 , 62, 17-24	
43	Muscle-specific Cavin4 interacts with Bin1 to promote T-tubule formation and stability in developing skeletal muscle.	1
42	Pharmacological Conditioning of the Heart: An Update on Experimental Developments and Clinical Implications. 2021 , 22,	6
41	Loss of dysferlin or myoferlin results in differential defects in excitation-contraction coupling in mouse skeletal muscle. 2021 , 11, 15865	1
40	The Physiology and Pathophysiology of T-Tubules in the Heart. 2021 , 12, 718404	12
39	Cholesterol, Cell Signaling, and Prostate Cancer. 2007 , 119-137	1
38	Regulation of Cardiac Function by Nitric Oxide. 2000 , 207-234	4
37	Muscular Dystrophies. 2012 , 1570-1606	1

36	The cloning and molecular analysis of pawn-B in <i>Paramecium tetraurelia</i> . 2000 , 155, 1105-17	33
35	Cardioprotective trafficking of caveolin to mitochondria is Gi-protein dependent. 2014 , 121, 538-48	23
34	Respiratory syncytial virus assembly occurs in GM1-rich regions of the host-cell membrane and alters the cellular distribution of tyrosine phosphorylated caveolin-1. 2002 , 83, 1841-1850	72
33	Caveolin-deficient mice: insights into caveolar function human disease. 2001 , 108, 1553-61	77
32	Caveolin-deficient mice: insights into caveolar function human disease. 2001 , 108, 1553-1561	168
31	Gaseous mediators: an updated review on the effects of helium beyond blowing up balloons. 2019 , 7, 73	9
30	Expression of caveolin-1 and polarized formation of invaginated caveolae in Caco-2 and MDCK II cells. 1998 , 111, 825-832	133
29	PETA-3/CD151, a member of the transmembrane 4 superfamily, is localised to the plasma membrane and endocytic system of endothelial cells, associates with multiple integrins and modulates cell function. 1999 , 112, 833-844	137
28	Caveolin proteins in signaling, oncogenic transformation and muscular dystrophy. 2000 , 113, 2103-2109	82
27	Cell-specific targeting of caveolin-1 to caveolae, secretory vesicles, cytoplasm or mitochondria. 2001 , 114, 1397-1408	139
26	Immunolocalization of caveolin-1 and caveolin-3 in monkey skeletal, cardiac and uterine smooth muscles. 2002 , 27, 375-82	32
25	Cavin4b/Murcb Is Required for Skeletal Muscle Development and Function in Zebrafish. 2016 , 12, e1006099	7
24	Palmitate diet-induced loss of cardiac caveolin-3: a novel mechanism for lipid-induced contractile dysfunction. 2013 , 8, e61369	29
23	Caveolin-3 promotes glycometabolism, growth and proliferation in muscle cells. 2017 , 12, e0189004	8
22	Muscle differentiation induced up-regulation of calcium-related gene expression in quail myoblasts. 2018 , 31, 1507-1515	14
21	Cavin4 interacts with Bin1 to promote T-tubule formation and stability in developing skeletal muscle. <i>Journal of Cell Biology</i> , 2021 , 220,	7-3 3
20	Caveolins.	
19	Caveolae. 39-60	

18	Caveolae and Arrhythmogenesis. 2013 , 299-315	
17	HSA+ immature cardiomyocytes persist in the adult heart and expand after ischemic injury.	0
16	Caveolae and Arrhythmogenesis. 2008 , 232-246	
15	Nanobulges: A Duplex Nanosystem for Multidimensional Applications. 2020 , 16, 668-675	0
14	Expression levels of sarcolemmal membrane repair proteins following prolonged exercise training in mice. 2013 , 50, 428-35	2
13	Cardiac Transverse Tubules in Physiology and Heart Failure. 2021 ,	3
12	Region-specific distribution of transversal-axial tubule system organization underlies heterogeneity of calcium dynamics in the right atrium.. 2021 ,	1
11	Caveolin-3 and Arrhythmias: Insights into the Molecular Mechanisms.. 2022 , 11,	0
10	The Sarcoplasmic Reticulum of Skeletal Muscle Cells: A Labyrinth of Membrane Contact Sites.. 2022 , 12,	3
9	Caveolar disruption with methyl- β -cyclodextrin causes endothelium-dependent contractions in Wistar rat carotid arteries.. 2022 , 1	1
8	Transcriptional Effects of Candidate COVID-19 Treatments on Cardiac Myocytes. 2022 , 9,	
7	nNOS-derived NO modulates force production and iNO-derived NO the excitability in C2C12-derived 3D tissue engineering skeletal muscle via different NO signaling pathways. 13,	
6	Caveolin-3 regulates the activity of Ca ²⁺ /calmodulin-dependent protein kinase II in C2C12 cells.	0
5	Chapter 8. Role of Topographic Cues in Engineering the Muscle Niche. 2022 , 152-183	0
4	Organization of Ca ²⁺ Signaling Microdomains in Cardiac Myocytes. 2022 , 39-66	0
3	The importance of caveolin as a target in the prevention and treatment of diabetic cardiomyopathy. 13,	0
2	Caveolae and Bin1 form ring-shaped platforms for T-tubule initiation.	0
1	Caveolae Mechanotransduction at the Interface between Cytoskeleton and Extracellular Matrix. 2023 , 12, 942	0

