

Budhead, a Fork Head/HNF-3 Homologue, Is Expressed in Hydra and Controls Head Specification in Hydra

Developmental Biology

192, 523-536

DOI: [10.1006/dbio.1997.8715](https://doi.org/10.1006/dbio.1997.8715)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Over one-half billion years of head conservation? Expression of an <i>ems</i> class gene in <i>Hydractinia symbiolongicarpus</i> (Cnidaria: Hydrozoa). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 3673-3678.	3.3	52
2	Head-specific gene expression in <i>Hydra</i> : Complexity of DNA- protein interactions at the promoter of <i>ks1</i> is inversely correlated to the head activation potential. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 1445-1450.	3.3	49
3	Appearance and disappearance of Syk family protein-tyrosine kinase genes during metazoan evolution. <i>Gene</i> , 1999, 239, 91-97.	1.0	35
4	Evolution of Head Development. <i>Biological Bulletin</i> , 1999, 196, 408-410.	0.7	5
5	Expression and Developmental Regulation of the <i>Hydra</i> -RFamide and <i>Hydra</i> -LWamide Preprohormone Genes in <i>Hydra</i> : Evidence for Transient Phases of Head Formation. <i>Developmental Biology</i> , 1999, 207, 189-203.	0.9	51
6	Developmental Competence of the Gut Endoderm: Genetic Potentiation by GATA and HNF3/Fork Head Proteins. <i>Developmental Biology</i> , 1999, 209, 1-10.	0.9	202
7	Interactions between the Foot and Bud Patterning Systems in <i>Hydra vulgaris</i> . <i>Developmental Biology</i> , 1999, 209, 399-408.	0.9	6
8	Interactions between the Foot and the Head Patterning Systems in <i>Hydra vulgaris</i> . <i>Developmental Biology</i> , 1999, 210, 351-366.	0.9	6
9	Silencing of Developmental Genes in <i>Hydra</i> . <i>Developmental Biology</i> , 1999, 214, 211-214.	0.9	173
10	An <i>Amphioxus</i> <i>Emx</i> Homeobox Gene Reveals Duplication During Vertebrate Evolution. <i>Molecular Biology and Evolution</i> , 2000, 17, 1520-1528.	3.5	28
11	Homeobox Gene Diversification in the Calcareous Sponge, <i>Sycon raphanus</i> . <i>Molecular Phylogenetics and Evolution</i> , 2000, 17, 97-107.	1.2	75
12	The <i>Src/Csk</i> regulatory circuit arose early in metazoan evolution. <i>Oncogene</i> , 2000, 19, 3925-3930.	2.6	27
13	Selective protein kinase inhibitors block head-specific differentiation in <i>hydra</i> . <i>Cellular Signalling</i> , 2000, 12, 649-658.	1.7	26
14	Origin of anterior patterning. <i>Trends in Genetics</i> , 2000, 16, 1-5.	2.9	66
15	The new animal phylogeny: Reliability and implications. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 4453-4456.	3.3	487
16	The novel peptide HEADY specifies apical fate in a simple radially symmetric metazoan. <i>Genes and Development</i> , 2000, 14, 2771-2777.	2.7	54
17	Sweet Tooth, a Novel Receptor Protein-tyrosine Kinase with C-type Lectin-like Extracellular Domains. <i>Journal of Biological Chemistry</i> , 2000, 275, 10323-10330.	1.6	37
18	Expression of a Novel Receptor Tyrosine Kinase Gene and a paired-like Homeobox Gene Provides Evidence of Differences in Patterning at the Oral and Aboral Ends of <i>Hydra</i> . <i>Developmental Biology</i> , 2000, 220, 253-262.	0.9	36

#	ARTICLE	IF	CITATIONS
19	Lemon Encodes an Unusual Receptor Protein-Tyrosine Kinase Expressed during Gametogenesis in Hydra. <i>Developmental Biology</i> , 2000, 224, 286-298.	0.9	48
20	Oocyte Development in Hydra Involves Selection from Competent Precursor Cells. <i>Developmental Biology</i> , 2000, 224, 326-338.	0.9	76
21	Planaria FoxA (HNF3) homologue is specifically expressed in the pharynx-forming cells. <i>Gene</i> , 2000, 259, 171-176.	1.0	37
22	A gene whose major transcript encodes only the substrate-binding domain of a protein-tyrosine kinase. <i>Gene</i> , 2000, 241, 317-324.	1.0	7
23	Body-plan evolution in the Bilateria: early antero-posterior patterning and the deuterostome-protostome dichotomy. <i>Current Opinion in Genetics and Development</i> , 2000, 10, 434-442.	1.5	56
24	Conserved and divergent genes in apex and axis development of cnidarians. <i>Current Opinion in Genetics and Development</i> , 2000, 10, 629-637.	1.5	51
25	Models for organizer and notochord formation. <i>Comptes Rendus De L'Académie Des Sciences Série 3, Sciences De La Vie</i> , 2000, 323, 23-30.	0.8	8
26	Hydra constitutively expresses transcripts involved in vertebrate neural differentiation. <i>Journal of Biosciences</i> , 2001, 26, 153-155.	0.5	5
27	Polyps, peptides and patterning. <i>BioEssays</i> , 2001, 23, 420-427.	1.2	68
28	Diversification of the Metazoa: Ediacarans, colonies, and the origin of eumetazoan complexity by nested modularity. <i>Historical Biology</i> , 2001, 15, 193-218.	0.7	14
29	The Role of Hox Genes in Axial Patterning in Hydra1. <i>American Zoologist</i> , 2001, 41, 621-628.	0.7	8
30	The Role of Hox Genes in Axial Patterning in Hydra. <i>American Zoologist</i> , 2001, 41, 621-628.	0.7	5
32	It Takes Guts: The Drosophila Hindgut as a Model System for Organogenesis. <i>Developmental Biology</i> , 2002, 243, 1-19.	0.9	135
33	Patterning and cell differentiation in Hydra: novel genes and the limits to conservation. <i>Canadian Journal of Zoology</i> , 2002, 80, 1670-1677.	0.4	31
34	Selective inhibition of protein kinases blocks the formation of a new axis, the beginning of budding, in Hydra. <i>Mechanisms of Development</i> , 2002, 119, 157-164.	1.7	20
35	Structure and function of an early divergent form of laminin in hydra: a structurally conserved ECM component that is essential for epithelial morphogenesis. <i>Development Genes and Evolution</i> , 2002, 212, 159-172.	0.4	34
36	Expression of the ctenophore Brain Factor 1 forkhead gene ortholog (ctenoBF-1) mRNA is restricted to the presumptive mouth and feeding apparatus: implications for axial organization in the Metazoa. <i>Development Genes and Evolution</i> , 2002, 212, 338-348.	0.4	23
37	Expression patterns of fork head and gooseoid homologues in the mollusc <i>Patella vulgata</i> supports the ancestry of the anterior mesendoderm across Bilateria. <i>Development Genes and Evolution</i> , 2002, 212, 551-561.	0.4	65

#	ARTICLE	IF	CITATIONS
38	Isolation of a putative peroxidase, a target for factors controlling foot-formation in the coelenterate hydra. FEBS Journal, 2002, 269, 4597-4606.	0.2	24
39	Regulatory phases of early liver development: paradigms of organogenesis. Nature Reviews Genetics, 2002, 3, 499-512.	7.7	459
40	Control of head morphogenesis in an invertebrate asexually produced larva-like bud (Cassiopea Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50 60)	0.4	7
41	Expression of developmental genes during early embryogenesis of Hydra. Development Genes and Evolution, 2003, 213, 445-455.	0.4	32
42	Head regeneration in Hydra. Developmental Dynamics, 2003, 226, 225-236.	0.8	137
43	Cnidarians: An evolutionarily conserved model system for regeneration?. Developmental Dynamics, 2003, 226, 257-267.	0.8	198
44	STK, the src homologue, is responsible for the initial commitment to develop head structures in Hydra. Developmental Biology, 2003, 264, 495-505.	0.9	26
45	Function and regulation of FoxF1 during Xenopus gut development. Development (Cambridge), 2004, 131, 3637-3647.	1.2	55
46	Investigating the origins of triploblasty: 'mesodermal' gene expression in a diploblastic animal, the sea anemone Nematostella vectensis (phylum, Cnidaria; class, Anthozoa). Development (Cambridge), 2004, 131, 2463-2474.	1.2	365
47	Variations on a theme? Polyp and medusa development in Podocoryna carnea. , 2004, , 299-307.		1
48	The development and evolution of hydrozoan polyp and colony form. , 2004, , 309-317.		4
49	A Dickkopf - 3 -related gene is expressed in differentiating nematocytes in the basal metazoan Hydra. Development Genes and Evolution, 2004, 214, 72-80.	0.4	53
50	The development and evolution of hydrozoan polyp and colony form. Hydrobiologia, 2004, 530-531, 309-317.	1.0	5
51	Variations on a theme? Polyp and medusa development in Podocoryna carnea. Hydrobiologia, 2004, 530-531, 299-307.	1.0	1
52	The dynamics of multiple mouth formation in Fungia granulosa: possible patterning mechanisms. Hydrobiologia, 2004, 530-531, 275-281.	1.0	0
53	New ideas on the origin of bilateral animals. Russian Journal of Marine Biology, 2004, 30, S22-S33.	0.2	11
54	Molecular and Cellular Analysis of De Novo Pattern Formation in Hydra. , 2004, , 309-321.		0
55	Isolation and characterization of five Fox (Forkhead) genes from the sponge Suberites domuncula. Gene, 2004, 334, 35-46.	1.0	50

#	ARTICLE	IF	CITATIONS
56	HyBMP5-8b , a BMP5-8 orthologue, acts during axial patterning and tentacle formation in hydra. <i>Developmental Biology</i> , 2004, 267, 43-59.	0.9	90
57	Analysis of forkhead and snail expression reveals epithelialâ€“mesenchymal transitions during embryonic and larval development of <i>Nematostella vectensis</i> . <i>Developmental Biology</i> , 2004, 275, 389-402.	0.9	151
58	Rising starlet: the starlet sea anemone, <i>Nematostella vectensis</i> . <i>BioEssays</i> , 2005, 27, 211-221.	1.2	189
59	Genomic inventory and expression of Sox and Fox genes in the cnidarian <i>Nematostella vectensis</i> . <i>Development Genes and Evolution</i> , 2005, 215, 618-630.	0.4	152
60	Morphogens of hydra <i>Hydra</i> sp.. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2005, 41, 1-11.	0.2	0
61	Inhibition of signal transduction pathways prevents head regeneration in hydra. , 2005, , 67-76.		0
62	Hym-301, a novel peptide, regulates the number of tentacles formed in hydra. <i>Development (Cambridge)</i> , 2005, 132, 2225-2234.	1.2	35
63	Formation of the head organizer in hydra involves the canonical Wnt pathway. <i>Development (Cambridge)</i> , 2005, 132, 2907-2916.	1.2	232
64	Phylogenetic Context and Basal Metazoan Model Systems. <i>Integrative and Comparative Biology</i> , 2005, 45, 585-594.	0.9	38
65	Fission in Sea Anemones: Integrative Studies of Life Cycle Evolution. <i>Integrative and Comparative Biology</i> , 2005, 45, 615-622.	0.9	36
66	Branching in Colonial Hydroids. , 2005, , 91-112.		7
67	Control of foot differentiation in Hydra: Phylogenetic footprinting indicates interaction of head, bud and foot patterning systems. <i>Mechanisms of Development</i> , 2005, 122, 998-1007.	1.7	18
68	Hydra, a niche for cell and developmental plasticity. <i>Seminars in Cell and Developmental Biology</i> , 2006, 17, 492-502.	2.3	68
69	PI3K and ERK 1-2 regulate early stages during head regeneration in hydra. <i>Development Growth and Differentiation</i> , 2006, 48, 129-138.	0.6	22
70	Activities of the protein kinases STK, PI3K, MEK, and ERK are required for the development of the head organizer in <i>Hydra magnipapillata</i> . <i>Differentiation</i> , 2006, 74, 305-312.	1.0	17
71	Developmental expression of transcription factor genes in a demosponge: insights into the origin of metazoan multicellularity. <i>Evolution & Development</i> , 2006, 8, 150-173.	1.1	165
72	Foot differentiation and genomic plasticity in Hydra: lessons from the PPOD gene family. <i>Development Genes and Evolution</i> , 2006, 216, 57-68.	0.4	16
73	Polarised expression of FoxB and FoxQ2 genes during development of the hydrozoan <i>Clytia hemisphaerica</i> . <i>Development Genes and Evolution</i> , 2006, 216, 709-720.	0.4	72

#	ARTICLE	IF	CITATIONS
74	An ancient Wnt-Dickkopf antagonism in Hydra. <i>Development (Cambridge)</i> , 2006, 133, 901-911.	1.2	155
76	Why polyps regenerate and we don't: Towards a cellular and molecular framework for Hydra regeneration. <i>Developmental Biology</i> , 2007, 303, 421-433.	0.9	174
77	Genomic organization, gene structure, and developmental expression of three Clustered <i>dotx</i> genes in the sea anemone <i>Nematostella vectensis</i> . <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2007, 308B, 494-506.	0.6	51
78	Molecular paleoecology: using gene regulatory analysis to address the origins of complex life cycles in the late Precambrian. <i>Evolution & Development</i> , 2007, 9, 10-24.	1.1	80
79	Comparison of developmental trajectories in the starlet sea anemone <i>Nematostella vectensis</i> : embryogenesis, regeneration, and two forms of asexual fission. <i>Invertebrate Biology</i> , 2007, 126, 99-112.	0.3	62
80	Regeneration in invertebrates. <i>Rendiconti Lincei</i> , 2008, 19, 311-324.	1.0	4
81	NK homeobox genes with choanocyte-specific expression in homoscleromorph sponges. <i>Development Genes and Evolution</i> , 2008, 218, 479-489.	0.4	33
82	The evolutionary origin of the Runx/CBF-beta transcription factors - studies of the most basal metazoans. <i>BMC Evolutionary Biology</i> , 2008, 8, 228.	3.2	44
83	Detection of Expression Patterns in Hydra Pattern Formation. <i>Methods in Molecular Biology</i> , 2008, 469, 69-84.	0.4	14
84	A reverse search for antimicrobial peptides in <i>Ciona intestinalis</i> : Identification of a gene family expressed in hemocytes and evaluation of activity. <i>Developmental and Comparative Immunology</i> , 2008, 32, 286-298.	1.0	47
85	Osmotically driven prey disintegration in the gastrovascular cavity of the green hydra by a pore-forming protein. <i>FASEB Journal</i> , 2008, 22, 207-214.	0.2	35
86	Conserved and novel gene expression between regeneration and asexual fission in <i>Nematostella vectensis</i> . <i>Development Genes and Evolution</i> , 2009, 219, 79-87.	0.4	54
87	Origins of neurogenesis, a cnidarian view. <i>Developmental Biology</i> , 2009, 332, 2-24.	0.9	152
88	Wnt Signaling. <i>Methods in Molecular Biology</i> , 2009, . .	0.4	2
89	Three Homologous Subunits Form a High Affinity Peptide-gated Ion Channel in Hydra. <i>Journal of Biological Chemistry</i> , 2010, 285, 11958-11965.	1.6	54
90	β -catenin plays a central role in setting up the head organizer in hydra. <i>Developmental Biology</i> , 2010, 340, 116-124.	0.9	82
91	Injury-induced activation of the MAPK/CREB pathway triggers apoptosis-induced compensatory proliferation in hydra head regeneration. <i>Development Growth and Differentiation</i> , 2011, 53, 186-201.	0.6	72
92	Autoregulatory and repressive inputs localize Hydra <i>Wnt3</i> to the head organizer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9137-9142.	3.3	112

#	ARTICLE	IF	CITATIONS
93	Modeling pattern formation in hydra: a route to understanding essential steps in development. <i>International Journal of Developmental Biology</i> , 2012, 56, 447-462.	0.3	65
94	Hydra, the everlasting embryo, confronts aging. <i>International Journal of Developmental Biology</i> , 2012, 56, 479-487.	0.3	56
95	Hydra, a fruitful model system for 270 years. <i>International Journal of Developmental Biology</i> , 2012, 56, 411-423.	0.3	139
96	Molecular Signatures of the Three Stem Cell Lineages in Hydra and the Emergence of Stem Cell Function at the Base of Multicellularity. <i>Molecular Biology and Evolution</i> , 2012, 29, 3267-3280.	3.5	140
97	Conservation of the Nucleotide Excision Repair Pathway: Characterization of Hydra Xeroderma Pigmentosum Group F Homolog. <i>PLoS ONE</i> , 2013, 8, e61062.	1.1	16
98	Life history trade-offs and stress tolerance in green hydra (<i>Hydra viridissima</i> Pallas 1766): the importance of nutritional status and perceived population density. <i>Ecological Research</i> , 2014, 29, 867-876.	0.7	9
99	The genetics of colony form and function in Caribbean <i>Acropora</i> corals. <i>BMC Genomics</i> , 2014, 15, 1133.	1.2	46
100	Gastric pouches and the mucociliary sole: setting the stage for nervous system evolution. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20150286.	1.8	72
101	Evolution of Hox-like genes in Cnidaria: Study of Hydra Hox repertoire reveals tailor-made Hox-code for Cnidarians. <i>Mechanisms of Development</i> , 2015, 138, 87-96.	1.7	15
102	Adoption of conserved developmental genes in development and origin of the medusa body plan. <i>EvoDevo</i> , 2015, 6, 23.	1.3	36
103	Evidence that polycystins are involved in Hydra cnidocyte discharge. <i>Invertebrate Neuroscience</i> , 2017, 17, 1.	1.8	17
104	DNA repair enzyme APE1 from evolutionarily ancient Hydra reveals redox activity exclusively found in mammalian APE1. <i>DNA Repair</i> , 2017, 59, 44-56.	1.3	9
105	Analysis of the conserved NER helicases (XPB and XPD) and UV-induced DNA damage in Hydra. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018, 1862, 2031-2042.	1.1	6
106	Evolution of the bilaterian mouth and anus. <i>Nature Ecology and Evolution</i> , 2018, 2, 1358-1376.	3.4	37
107	Stem cell differentiation trajectories in <i>Hydra</i> resolved at single-cell resolution. <i>Science</i> , 2019, 365, .	6.0	253
108	Molecular signature of an ancient organizer regulated by Wnt/ β 2-catenin signalling during primary body axis patterning in Hydra. <i>Communications Biology</i> , 2019, 2, 434.	2.0	19
109	FoxA expression pattern in two polychaete species, <i>Alitta virens</i> and <i>Platynereis dumerilii</i> : Examination of the conserved key regulator of the gut development from cleavage through larval life, postlarval growth, and regeneration. <i>Developmental Dynamics</i> , 2019, 248, 728-743.	0.8	17
110	Boundary maintenance in the ancestral metazoan Hydra depends on histone acetylation. <i>Developmental Biology</i> , 2020, 458, 200-214.	0.9	4

#	ARTICLE	IF	CITATIONS
111	Epigenomic landscape of enhancer elements during Hydra head organizer formation. <i>Epigenetics and Chromatin</i> , 2020, 13, 43.	1.8	12
112	Excess hydrogen peroxide inhibits head and foot regeneration in hydra by affecting DNA repair and expression of essential genes. <i>Journal of Biochemical and Molecular Toxicology</i> , 2020, 34, e22577.	1.4	8
113	Coordinated Gene Expression and Chromatin Regulation during <i>Hydra</i> Head Regeneration. <i>Genome Biology and Evolution</i> , 2021, 13, .	1.1	12
114	Generic injuries are sufficient to induce ectopic Wnt organizers in Hydra. <i>ELife</i> , 2021, 10, .	2.8	24
116	Xeroderma pigmentosum A homolog from Hydra partially complements DNA repair defect in human XPA-deficient cells. <i>Journal of Biosciences</i> , 2021, 46, 1.	0.5	0
117	Cloning and characterization of Thioredoxin 1 from the Cnidarian <i>Hydra</i> . <i>Journal of Biochemistry</i> , 2022, 171, 41-51.	0.9	4
118	Beyond Spots and Stripes: Generation of More Complex Patterns by Modifications and Additions of the Basic Reaction. <i>The IMA Volumes in Mathematics and Its Applications</i> , 2001, , 143-164.	0.5	1
119	Signalling Systems in Cnidaria. , 2004, , 91-114.		2
122	<i>Cngsc</i> , a homologue of <i>goosecoid</i> , participates in the patterning of the head, and is expressed in the organizer region of <i>Hydra</i> . <i>Development (Cambridge)</i> , 1999, 126, 5245-5254.	1.2	83
123	The novel signal peptides, Pedibin and Hym-346, lower positional value thereby enhancing foot formation in hydra. <i>Development (Cambridge)</i> , 1999, 126, 517-524.	1.2	52
124	<i>HyBra1</i> , a <i>Brachyury</i> homologue, acts during head formation in <i>Hydra</i> . <i>Development (Cambridge)</i> , 1999, 126, 999-1010.	1.2	177
125	Molecular, biochemical and functional analysis of a novel and developmentally important fibrillar collagen (Hcol-I) in hydra. <i>Development (Cambridge)</i> , 2000, 127, 4669-4680.	1.2	58
126	A novel hydra matrix metalloproteinase (HMMP) functions in extracellular matrix degradation, morphogenesis and the maintenance of differentiated cells in the foot process. <i>Development (Cambridge)</i> , 2000, 127, 907-920.	1.2	106
127	Characterization of the head organizer in hydra. <i>Development (Cambridge)</i> , 2002, 129, 875-884.	1.2	99
128	Epithelial morphogenesis in hydra requires de novo expression of extracellular matrix components and matrix metalloproteinases. <i>Development (Cambridge)</i> , 2002, 129, 1521-1532.	1.2	70
129	FoxO and Stress Responses in the Cnidarian <i>Hydra vulgaris</i> . <i>PLoS ONE</i> , 2010, 5, e11686.	1.1	79
130	Hydra, a model system to trace the emergence of boundaries in developing eumetazoans. <i>International Journal of Developmental Biology</i> , 2012, 56, 583-591.	0.3	22
131	Suppression Subtractive Hybridization Identifies Novel Transcripts in Regenerating <i>Hydra littoralis</i> . <i>BMB Reports</i> , 2007, 40, 286-289.	1.1	3

#	ARTICLE	IF	CITATIONS
132	Identification of Components of the Hippo Pathway in Hydra and Potential Role of YAP in Cell Division and Differentiation. <i>Frontiers in Genetics</i> , 2021, 12, 676182.	1.1	5
133	Role of Fox Genes During <i>Xenopus</i> Embryogenesis. , 2004, , 41-54.		0
134	The dynamics of multiple mouth formation in <i>Fungia granulosa</i> : possible patterning mechanisms. , 2004, , 275-281.		1
136	A comprehensive study of arthropod and onychophoran Fox gene expression patterns. <i>PLoS ONE</i> , 2022, 17, e0270790.	1.1	3
137	A novel thioredoxin glutathione reductase from evolutionary ancient metazoan Hydra. <i>Biochemical and Biophysical Research Communications</i> , 2022, 637, 23-31.	1.0	3
138	H4K20me1 plays a dual role in transcriptional regulation of regeneration and axis patterning in <i>Hydra</i> . <i>Life Science Alliance</i> , 2023, 6, e202201619.	1.3	2