# CITATION REPORT List of articles citing

cDNA cloning and primary structure analysis of C1qR(P), the human C1q/MBL/SPA receptor that mediates enhanced phagocytosis in vitro

DOI: 10.1016/s1074-7613(00)80419-7 Immunity, 1997, 6, 119-29.

Source: https://exaly.com/paper-pdf/28294566/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
220	Complement receptor type 1 (CR1, CD35) is a receptor for C1q. <i>Immunity</i> , <b>1997</b> , 7, 345-55	32.3	201
219	Characterisation of the rat and mouse homologues of gC1qBP, a 33 kDa glycoprotein that binds to the globular <b>\$</b> neadsSof C1q. <b>1997</b> , 418, 111-4		20
218	C1q receptors: Opportunities for selectively regulating protective and detrimental responses. <b>1997</b> , 17, 173-177		1
217	Gene expression of C1q A-chain in the rat facial nucleus after axotomy. <b>1998</b> , 18, 179-187		
216	C1qhow many functions? How many receptors?. <b>1998</b> , 8, 428-31		72
215	Complement component C1 and the collectins: parallels between routes of acquired and innate immunity. <b>1998</b> , 19, 56-9		24
214	Structural aspects of collectins and receptors for collectins. <b>1998</b> , 199, 165-89		123
213	C1q receptors: regulating specific functions of phagocytic cells. <b>1998</b> , 199, 250-64		51
212	Structure, processing and properties of surfactant protein A. <b>1998</b> , 1408, 109-31		94
211	Regulatory mechanisms of surfactant secretion. <b>1998</b> , 1408, 226-40		89
210	Interactions of surfactant protein D with pathogens, allergens and phagocytes. <b>1998</b> , 1408, 290-5		42
209	Confrontation between intracellular bacteria and the immune system. <b>1999</b> , 71, 267-377		143
208	Evidence that C1q binds specifically to CH2-like immunoglobulin gamma motifs present in the autoantigen calreticulin and interferes with complement activation. <b>1998</b> , 37, 17865-74		57
207	Inhibition of Activation of the Classical Pathway of Complement by Human Neutrophil Defensins. <b>1998</b> , 92, 3898-3903		67
206	Surfactant protein A and surfactant protein D in health and disease. <b>1998</b> , 275, L1-13		96
205	Complement receptors. <b>1999</b> , 245-276		
204	Fc receptor-mediated phagocytosis. <b>1999</b> , 149-191		4

203	Mannose receptor and phagocytosis. <b>1999</b> , 5, 87-101	1
202	Microfibril-associated protein 4 is present in lung washings and binds to the collagen region of lung surfactant protein D. <b>1999</b> , 274, 32234-40	48
201	Antitumor activity of mannan-binding protein in vivo as revealed by a virus expression system: mannan-binding proteindependent cell-mediated cytotoxicity. <b>1999</b> , 96, 371-5	117
200	Lung surfactant proteins involved in innate immunity. <b>1999</b> , 11, 28-33	68
199	Membrane receptors for soluble defense collagens. <b>1999</b> , 11, 34-41	93
198	C1q-binding proteins and C1q receptors. <b>1999</b> , 11, 42-6	48
197	Comparison of C1q-receptors on rat microglia and peritoneal macrophages. <b>1999</b> , 94, 74-81	9
196	Complement deficiency states, disease susceptibility, and infection risk in systemic lupus erythematosus. <b>1999</b> , 42, 2023-5	17
195	Mannose-binding lectin polymorphisms and susceptibility to infection in systemic lupus erythematosus. <b>1999</b> , 42, 2145-52	187
194	Association of mannose-binding lectin gene heterogeneity with severity of lung disease and survival in cystic fibrosis. <b>1999</b> , 104, 431-7	312
193	The molecular characterization of the fetal stem cell marker AA4. <i>Immunity</i> , <b>1999</b> , 10, 691-700 32.3	141
192	Activities of the MBL-associated serine proteases (MASPs) and their regulation by natural inhibitors. <b>1999</b> , 36, 853-61	62
191	Metabolic properties of normal and mutant mannan-binding proteins in mouse plasma. <b>1999</b> , 256, 231-4	18
190	Digestion of C1q collagen-like domain with MMPs-1,-2,-3, and -9 further defines the sequence involved in the stimulation of neutrophil superoxide production. <b>1999</b> , 66, 416-22	23
189	Lung surfactant proteins (SP-A and SP-D) in non-adaptive host responses to infection. <b>1999</b> , 66, 747-52	17
188	Structural and functional evidence for microglial expression of C1qR(P), the C1q receptor that enhances phagocytosis. <b>2000</b> , 67, 109-16	64
187	Mannose-binding lectin and rheumatoid arthritis in southern Chinese. 2000, 43, 1679-87	63
186	C-Type Lectins and Collectins. 597-611	1

185	Characterization and molecular cloning of rat C1qRp, a receptor on NK cells. <b>2000</b> , 30, 3355-62	33
184	Bacterial inhibition of phagocytosis. <b>2000</b> , 2, 379-86	99
183	C1q receptors. <b>2000</b> , 120, 406-12	70
182	Mannose binding lectin polymorphisms are associated with early age of disease onset and autoimmunity in common variable immunodeficiency. <b>2000</b> , 51, 111-22	97
181	C1q: structure, function, and receptors. <b>2000</b> , 49, 159-70	368
180	Collectins and collectin receptors in innate immunity. <b>2000</b> , 108, 7-59	20
179	Pulmonary surfactant in innate immunity and the pathogenesis of tuberculosis. 2000, 80, 173-84	29
178	Detection of structural gene mutations and promoter polymorphisms in the mannan-binding lectin (MBL) gene by polymerase chain reaction with sequence-specific primers. <b>2000</b> , 241, 33-42	283
177	Apoptosis and autoimmunity: complement deficiency and systemic lupus erythematosus revisited. <b>2000</b> , 2, 32-8	20
176	Mannose-binding lectin. <b>2000</b> , 31-35	2
176 175	Mannose-binding lectin. 2000, 31-35  Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. 2000, 96, 1723-1732	1018
	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the	
175	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. <b>2000</b> , 96, 1723-1732  Porcine lung surfactant protein D: complementary DNA cloning, chromosomal localization, and	1018
175 174	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. <b>2000</b> , 96, 1723-1732  Porcine lung surfactant protein D: complementary DNA cloning, chromosomal localization, and tissue distribution. <b>2000</b> , 164, 1442-50  Molecular and cellular properties of the rat AA4 antigen, a C-type lectin-like receptor with	1018
175 174 173	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. 2000, 96, 1723-1732  Porcine lung surfactant protein D: complementary DNA cloning, chromosomal localization, and tissue distribution. 2000, 164, 1442-50  Molecular and cellular properties of the rat AA4 antigen, a C-type lectin-like receptor with structural homology to thrombomodulin. 2000, 275, 34382-92  Complement C4 inhibits systemic autoimmunity through a mechanism independent of complement	1018 42 32
175 174 173	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. 2000, 96, 1723-1732  Porcine lung surfactant protein D: complementary DNA cloning, chromosomal localization, and tissue distribution. 2000, 164, 1442-50  Molecular and cellular properties of the rat AA4 antigen, a C-type lectin-like receptor with structural homology to thrombomodulin. 2000, 275, 34382-92  Complement C4 inhibits systemic autoimmunity through a mechanism independent of complement receptors CR1 and CR2. 2000, 192, 1339-52	1018 42 32 135
175 174 173 172	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. 2000, 96, 1723-1732  Porcine lung surfactant protein D: complementary DNA cloning, chromosomal localization, and tissue distribution. 2000, 164, 1442-50  Molecular and cellular properties of the rat AA4 antigen, a C-type lectin-like receptor with structural homology to thrombomodulin. 2000, 275, 34382-92  Complement C4 inhibits systemic autoimmunity through a mechanism independent of complement receptors CR1 and CR2. 2000, 192, 1339-52  Complement receptor 1/CD35 is a receptor for mannan-binding lectin. 2000, 192, 1797-808	1018 42 32 135 213

### (2001-2000)

167	Characterization of the murine homolog of C1qR(P): identical cellular expression pattern, chromosomal location and functional activity of the human and murine C1qR(P). <b>2000</b> , 37, 377-89	21
166	Cell biology of tubotympanum in relation to pathogenesis of otitis media - a review. <b>2000</b> , 19 Suppl 1, S17-25	91
165	A macrophage invasion mechanism for mycobacteria implicating the extracellular domain of CD43. <b>2000</b> , 192, 183-92	43
164	The pulmonary collectins and surfactant metabolism. <b>2001</b> , 63, 495-519	115
163	Complement in Alzheimer's disease: opportunities for modulating protective and pathogenic events. <b>2001</b> , 22, 849-61	77
162	Biological activities of human mannose-binding lectin bound to two different ligand sugar structures, Lewis A and Lewis B antigens and high-mannose type oligosaccharides. <b>2001</b> , 1527, 39-46	15
161	Defensins and complement systems from the perspective of skin immunity and autoimmunity. <b>2001</b> , 19, 563-72	21
160	Involvement of serum mannan binding proteins and mannose receptors in uptake of mannosylated liposomes by macrophages. <b>2001</b> , 1511, 134-45	30
159	Surfactant proteins a and d and pulmonary host defense. 2001, 63, 521-54	555
158	Entry mechanisms of mycobacteria. <b>2001</b> , 6, d737-747	8
158 157	Entry mechanisms of mycobacteria. <b>2001</b> , 6, d737-747  Entry mechanisms of mycobacteria. <b>2001</b> , 6, D737-47	27
157	Entry mechanisms of mycobacteria. <b>2001</b> , 6, D737-47  The Role of the Complement Cascade in Ischemia/Reperfusion Injury: Implications for Neuroprotection. <b>2001</b> , 7, 367-382  C1q-bearing immune complexes induce IL-8 secretion in human umbilical vein endothelial cells (HUVEC) through protein tyrosine kinase- and mitogen-activated protein kinase-dependent mechanisms: evidence that the 126 kD phagocytic C1q receptor mediates immune complex	27
157 156	Entry mechanisms of mycobacteria. <b>2001</b> , 6, D737-47  The Role of the Complement Cascade in Ischemia/Reperfusion Injury: Implications for Neuroprotection. <b>2001</b> , 7, 367-382  C1q-bearing immune complexes induce IL-8 secretion in human umbilical vein endothelial cells (HUVEC) through protein tyrosine kinase- and mitogen-activated protein kinase-dependent	27 127
157 156 155	Entry mechanisms of mycobacteria. 2001, 6, D737-47  The Role of the Complement Cascade in Ischemia/Reperfusion Injury: Implications for Neuroprotection. 2001, 7, 367-382  C1q-bearing immune complexes induce IL-8 secretion in human umbilical vein endothelial cells (HUVEC) through protein tyrosine kinase- and mitogen-activated protein kinase-dependent mechanisms: evidence that the 126 kD phagocytic C1q receptor mediates immune complex activation of HUVEC. 2001, 125, 360-7 C1qRp elicits a Ca++ response in rat NK cells but does not influence NK-mediated cytotoxicity. 2001	27 127 16
157 156 155	Entry mechanisms of mycobacteria. 2001, 6, D737-47  The Role of the Complement Cascade in Ischemia/Reperfusion Injury: Implications for Neuroprotection. 2001, 7, 367-382  C1q-bearing immune complexes induce IL-8 secretion in human umbilical vein endothelial cells (HUVEC) through protein tyrosine kinase- and mitogen-activated protein kinase-dependent mechanisms: evidence that the 126 kD phagocytic C1q receptor mediates immune complex activation of HUVEC. 2001, 125, 360-7  C1qRp elicits a Ca++ response in rat NK cells but does not influence NK-mediated cytotoxicity. 2001, 53, 410-5	27 127 16
157 156 155 154 153	Entry mechanisms of mycobacteria. 2001, 6, D737-47  The Role of the Complement Cascade in Ischemia/Reperfusion Injury: Implications for Neuroprotection. 2001, 7, 367-382  C1q-bearing immune complexes induce IL-8 secretion in human umbilical vein endothelial cells (HUVEC) through protein tyrosine kinase- and mitogen-activated protein kinase-dependent mechanisms: evidence that the 126 kD phagocytic C1q receptor mediates immune complex activation of HUVEC. 2001, 125, 360-7  C1qRp elicits a Ca++ response in rat NK cells but does not influence NK-mediated cytotoxicity. 2001, 53, 410-5  The mannan-binding-lectin pathway of the innate immune response. 2001, 13, 74-8	27 127 16 6

149	Antibody-mediated phagocytosis of the amyloid beta-peptide in microglia is differentially modulated by C1q. <b>2001</b> , 166, 7496-503	83
148	Clinical biological and genetic heterogeneity of the inborn errors of pulmonary surfactant metabolism. <b>2001</b> , 39, 90-108	9
147	Molecular cloning and characterization of endosialin, a C-type lectin-like cell surface receptor of tumor endothelium. <b>2001</b> , 276, 7408-14	110
146	The globular heads of C1q specifically recognize surface blebs of apoptotic vascular endothelial cells. <b>2001</b> , 166, 3231-9	223
145	C1q and mannose binding lectin engagement of cell surface calreticulin and CD91 initiates macropinocytosis and uptake of apoptotic cells. <b>2001</b> , 194, 781-95	945
144	Surfactant protein A (SP-A): the alveolus and beyond. <b>2001</b> , 15, 59-69	89
143	Acute respiratory tract infections and mannose-binding lectin insufficiency during early childhood. <b>2001</b> , 285, 1316-21	322
142	Human C1qRp is identical with CD93 and the mNI-11 antigen but does not bind C1q. <b>2002</b> , 168, 5222-32	96
141	C1qRp defines a new human stem cell population with hematopoietic and hepatic potential. <b>2002</b> , 99, 10441-5	149
140	MBL genotype and risk of invasive pneumococcal disease: a case-control study. <b>2002</b> , 359, 1569-73	267
139	Collectins and ficolins: sugar pattern recognition molecules of the mammalian innate immune system. <b>2002</b> , 1572, 387-400	156
138	Mannose binding lectin (MBL) polymorphisms associated with low MBL production in patients with dermatomyositis. <b>2002</b> , 119, 1394-9	43
137	The genetics of systemic lupus erythematosus: putting the pieces together. <b>2002</b> , 3 Suppl 1, S71-85	112
136	Phagocytosis of microbes: complexity in action. <b>2002</b> , 20, 825-52	836
135	Functional Systems and Modular Evolution: The Relationship between Fixation of New Domain Copies and the Present Structure of the Connections in the Functional System. <b>2002</b> , 38, 454-466	1
134	Cell surface expression of C1qRP/CD93 is stabilized by O-glycosylation. <b>2003</b> , 196, 512-22	29
133	Recognition and clearance of apoptotic cells: a role for complement and pentraxins. 2003, 24, 148-54	188
132	Mannose-binding lectin is a disease modifier in clinical malaria and may function as opsonin for Plasmodium falciparum-infected erythrocytes. <b>2003</b> , 71, 5245-53	56

## (2005-2003)

131	Human cord blood leukocyte innate immune responses to defense collagens. <b>2003</b> , 54, 724-31	12
130	Surfactant protein A modulates the differentiation of murine bone marrow-derived dendritic cells. <b>2003</b> , 284, L232-41	101
129	New Insights into the Extracellular Matrix. <b>2003</b> , 3-22	3
128	The novel cyclophilin-binding drug sanglifehrin A specifically affects antigen uptake receptor expression and endocytic capacity of human dendritic cells. <b>2004</b> , 172, 6482-9	28
127	Selection and characterization of cyclic peptides that bind to a monoclonal antibody against meningococcal L3,7,9 lipopolysaccharides. <b>2004</b> , 59, 373-84	15
126	Photosensitivity in rheumatic diseases. <b>2004</b> , 9, 57-63	25
125	Immunology of cutaneous lupus erythematosus. <b>2004</b> , 22, 105-12	8
124	Complement: a unique innate immune sensor for danger signals. <b>2004</b> , 41, 1089-98	430
123	A regulatory role for complement in innate immunity and autoimmunity. 2004, 134, 310-23	52
122	Murine CD93 (C1qRp) contributes to the removal of apoptotic cells in vivo but is not required for C1q-mediated enhancement of phagocytosis. <b>2004</b> , 172, 3406-14	106
121	Modulated interaction of the ERM protein, moesin, with CD93. 2005, 115, 63-73	30
120	Immunoregulatory functions of surfactant proteins. <b>2005</b> , 5, 58-68	749
119	Ultraviolet-B recruits mannose-binding lectin into skin from non-cutaneous sources. <b>2005</b> , 125, 166-73	14
118	Innate Humoral Defense Factors. <b>2005</b> , 73-93	6
117	Mannan-binding protein blocks the activation of metalloproteases meprin alpha and beta. <b>2005</b> , 175, 3177-85	38
116	Surfactant protein A binds Mycoplasma pneumoniae with high affinity and attenuates its growth by recognition of disaturated phosphatidylglycerols. <b>2005</b> , 280, 9-17	43
115	CD93 is rapidly shed from the surface of human myeloid cells and the soluble form is detected in human plasma. <b>2005</b> , 175, 1239-47	61
114	Relative roles of complement factor 3 and mannose-binding lectin in host defense against infection. <b>2005</b> , 73, 8188-93	27

113	CD93 interacts with the PDZ domain-containing adaptor protein GIPC: implications in the modulation of phagocytosis. <b>2005</b> , 77, 80-9	31
112	Surfactant protein A without the interruption of Gly-X-Y repeats loses a kink of oligomeric structure and exhibits impaired phospholipid liposome aggregation ability. <b>2006</b> , 45, 14543-51	20
111	Surfactant proteins SP-A and SP-D: structure, function and receptors. <b>2006</b> , 43, 1293-315	406
110	Regulation of CD93 cell surface expression by protein kinase C isoenzymes. <b>2006</b> , 50, 93-103	10
109	Principles of the Complement System Central to Transfusion Medicine. <b>2007</b> , 30-42	
108	Immunomodulatory roles of surfactant proteins A and D: implications in lung disease. <b>2007</b> , 4, 252-7	194
107	Decrease in CD93 (C1qRp) expression in a human monocyte-like cell line (U937) treated with various apoptosis-inducing chemical substances. <b>2007</b> , 51, 1189-200	8
106	Complement proteins C1q and MBL are pattern recognition molecules that signal immediate and long-term protective immune functions. <b>2007</b> , 44, 33-43	156
105	Complement in lupus nephritis: the good, the bad, and the unknown. <b>2007</b> , 27, 69-80	51
104	Pathophysiology of cutaneous lupus erythematosus. <b>2007</b> , 33, 85-106	75
103	Mannose-binding lectin haplotypes influence Brucella abortus infection in the water buffalo (Bubalus bubalis). <b>2008</b> , 60, 157-65	24
102	The classical and regulatory functions of C1q in immunity and autoimmunity. 2008, 5, 9-21	90
101	Amyloid precursor protein expression is upregulated in adipocytes in obesity. <b>2008</b> , 16, 1493-500	68
100	Cutaneous lupus erythematosus: molecular and cellular basis of clinical findings. <b>2008</b> , 10, 119-40	20
99	Mannose-binding lectin enhances Toll-like receptors 2 and 6 signaling from the phagosome. <b>2008</b> , 205, 169-81	251
98	Murine low-density lipoprotein receptor-related protein 1 (LRP) is required for phagocytosis of targets bearing LRP ligands but is not required for C1q-triggered enhancement of phagocytosis. <b>2008</b> , 181, 364-73	56
97	Surfactant protein A binds to HIV and inhibits direct infection of CD4+ cells, but enhances dendritic cell-mediated viral transfer. <b>2008</b> , 181, 601-9	39
96	CD93 and related family members: their role in innate immunity. <b>2008</b> , 9, 130-8	46

# (2012-2009)

95	CD93 is required for maintenance of antibody secretion and persistence of plasma cells in the bone marrow niche. <b>2009</b> , 106, 3895-900	85
94	C1q inhibits immune complex-induced interferon-alpha production in plasmacytoid dendritic cells: a novel link between C1q deficiency and systemic lupus erythematosus pathogenesis. <b>2009</b> , 60, 3081-90	143
93	Detection and characterization of soluble CD93 released during inflammation. 2009, 58, 909-19	38
92	Phagocytosis: Early Events in Particle Recognition and Uptake. 37-64	1
91	A novel CD93 polymorphism in non-obese diabetic (NOD) and NZB/W F1 mice is linked to a CD4+ iNKT cell deficient state. <b>2010</b> , 62, 397-407	18
90	Soluble CD93 induces differentiation of monocytes and enhances TLR responses. <b>2010</b> , 185, 4921-7	32
89	CD93/AA4.1: a novel regulator of inflammation in murine focal cerebral ischemia. 2010, 184, 6407-17	30
88	Emerging Roles of the Complement System at Foeto-maternal Interface. <b>2011</b> , 2, 51-60	
87	Plasma CD93 concentration is a potential novel biomarker for coronary artery disease. <b>2011</b> , 270, 229-36	27
86	Defined particle ligands trigger specific defense mechanisms of macrophages. <b>2011</b> , 17, 388-402	12
85	Tissue Injury and the Skin. <b>2011</b> , 475-489	
84	Surfactant proteins A and D in pulmonary diseases of preterm infants. <b>2012</b> , 10, 573-84	27
83	CD93: recent advances and implications in disease. <b>2012</b> , 13, 411-20	27
82	Complement component C1q regulates macrophage expression of Mer tyrosine kinase to promote clearance of apoptotic cells. <b>2012</b> , 188, 3716-23	54
81	The C1q family of proteins: insights into the emerging non-traditional functions. 2012, 3,	64
80	Investigation of IL-6 Effects on SP-A Expression in A549 Lung Cell Line. <b>2012</b> , 26, 96-99	6
79	A C1q domain containing protein from scallop Chlamys farreri serving as pattern recognition receptor with heat-aggregated IgG binding activity. <b>2012</b> , 7, e43289	38
78	Genetic variant associations of human SP-A and SP-D with acute and chronic lung injury. <b>2012</b> , 17, 407-29	55

77	Colloidal carriers: a rising tool for therapy of tuberculosis. <b>2012</b> , 29, 299-53	8
76	Novel SNPs of the mannan-binding lectin 2 gene and their association with production traits in Chinese Holsteins. <b>2012</b> , 11, 3744-54	10
75	Ligands and receptors of lung surfactant proteins SP-A and SP-D. <b>2013</b> , 18, 1129-40	30
74	MBL2 polymorphisms in women with atypical squamous cells of undetermined significance. <b>2015</b> , 87, 851-9	2
73	Role of C1q in Efferocytosis and Self-Tolerance Links With Autoimmunity. 2015,	3
72	Regulation of miR-24, miR-30b, and miR-142-3p during macrophage and dendritic cell differentiation potentiates innate immunity. <b>2015</b> , 98, 195-207	70
71	Innate Humoral Defense Factors. <b>2015</b> , 251-270	9
70	Pulmonary surfactant protein a is expressed in mouse retina by Mller cells and impacts neovascularization in oxygen-induced retinopathy. <b>2014</b> , 56, 232-42	8
69	Complement protein C1q modulates neurite outgrowth in vitro and spinal cord axon regeneration in vivo. <b>2015</b> , 35, 4332-49	34
68	Elevated expression of the C-type lectin CD93 in the glioblastoma vasculature regulates cytoskeletal rearrangements that enhance vessel function and reduce host survival. <b>2015</b> , 75, 4504-16	33
67	CD93 gene polymorphism is associated with disseminated colorectal cancer. <b>2015</b> , 30, 883-90	17
66	CD93 Marks a Non-Quiescent Human Leukemia Stem Cell Population and Is Required for Development of MLL-Rearranged Acute Myeloid Leukemia. <b>2015</b> , 17, 412-21	68
65	Impact of Mannose-Binding Protein Gene Polymorphisms in Omani Sickle Cell Disease Patients. <b>2016</b> , 8, e2016013	2
64	Soluble CD93 as a Novel Biomarker in Asthma Exacerbation. <b>2016</b> , 8, 461-5	11
63	A comprehensive in silico analysis of non-synonymous and regulatory SNPs of human MBL2 gene. <b>2016</b> , 5, 811	28
62	Vaccinations and secondary immune thrombocytopenia with antiphospholipid antibodies by human papillomavirus vaccine. <b>2016</b> , 53 Suppl 1, S48-50	13
61	Complement in removal of the dead - balancing inflammation. <b>2016</b> , 274, 218-232	77
60	Elevated expression of CD93 promotes angiogenesis and tumor growth in nasopharyngeal carcinoma. <b>2016</b> , 476, 467-474	12

### (2021-2017)

59	From compliment to insult: genetics of the complement system in physiology and disease in the human retina. <b>2017</b> , 26, R51-R57	10
58	Structure, genetics and function of the pulmonary associated surfactant proteins A and D: The extra-pulmonary role of these C type lectins. <b>2017</b> , 211, 184-201	34
57	CD93 as a Potential Target in Neovascular Age-Related Macular Degeneration. <b>2017</b> , 232, 1767-1773	12
56	New molecular targets for the treatment of neovascular age-related macular degeneration. <b>2017</b> , 1,	
55	Soluble CD93 in Serum as a Marker of Allergic Inflammation. <b>2017</b> , 58, 598-603	8
54	Psoriasis and Pro-angiogenetic Factor CD93: Gene Expression and Association with Gene Polymorphism Suggests a Role in Disease Pathogenesis. <b>2017</b> , 97, 916-921	3
53	C1q Receptors. <b>2018</b> , 415-422	1
52	CD93 regulates central nervous system inflammation in two mouse models of autoimmune encephalomyelitis. <b>2018</b> , 155, 346-355	12
51	C-type lectin domain group 14 proteins in vascular biology, cancer and inflammation. <b>2019</b> , 286, 3299-3332	18
50	CD93 is a cell surface lectin receptor involved in the control of the inflammatory response stimulated by exogenous DNA. <b>2019</b> , 158, 85-93	6
49	C-type lectin family XIV members and angiogenesis. <b>2019</b> , 18, 3954-3962	6
48	Soluble CD93 is an apoptotic cell opsonin recognized by <b>12019</b> , 49, 600-610	12
47	A novel C1q domain containing protein in black rockfish (Sebastes schlegelii) serves as a pattern recognition receptor with immunoregulatory properties and possesses binding activity to heat-aggregated IgG. <b>2019</b> , 87, 73-81	8
46	Significance of Soluble CD93 in Type 2 Diabetes as a Biomarker for Diabetic Nephropathy: Integrated Results from Human and Rodent Studies. <b>2020</b> , 9,	1
45	CD93 negatively regulates astrogenesis in response to MMRN2 through the transcriptional repressor ZFP503 in the developing brain. <b>2020</b> , 117, 9413-9422	7
44	Toxicity in hematopoietic stem cells from bone marrow and peripheral blood in mice after benzene exposure: Single-cell transcriptome sequencing analysis. <b>2021</b> , 207, 111490	12
43	The Role of Complement System and the Immune Response to Tuberculosis Infection. 2021, 57,	3
42	Metoclopramide treatment blocks CD93-signaling-mediated self-renewal of chronic myeloid leukemia stem cells. <b>2021</b> , 34, 108663	5

41	SP-A and SP-D: Dual Functioning Immune Molecules With Antiviral and Immunomodulatory Properties. <b>2020</b> , 11, 622598	24
40	Structures and functions of mammalian collectins. <b>2001</b> , 33, 225-48	21
39	The role of complement in innate and adaptive immunity. <b>2002</b> , 266, 41-56	35
38	Family of CD93 and Recently Discovered Groups of CTLDs. <b>2012</b> , 901-930	1
37	Middle Ear and Eustachian Tube. <b>2005</b> , 1509-1516	2
36	Macrophage receptors for Mycobacterium tuberculosis. <b>1998</b> , 66, 1277-81	327
35	Regulation of protein phosphorylation and pathogen phagocytosis by surfactant protein A. <b>1999</b> , 67, 4693-9	22
34	Inhibition of Activation of the Classical Pathway of Complement by Human Neutrophil Defensins. <b>1998</b> , 92, 3898-3903	18
33	Adiponectin, a new member of the family of soluble defense collagens, negatively regulates the growth of myelomonocytic progenitors and the functions of macrophages. <b>2000</b> , 96, 1723-1732	53
32	C1qR p , a myeloid cell receptor in blood, is predominantly expressed on endothelial cells in human tissue. <b>2001</b> , 70, 793-800	12
31	Identification of human CD93 as the phagocytic C1q receptor (C1qRp) by expression cloning. <b>2002</b> , 71, 133-140	16
30	Overview of the Complement System. <b>1998</b> , 9-32	51
29	Complement Receptors. <b>1998</b> , 167-202	16
28	Calreticulin contributes to C1q-dependent recruitment of microglia in the leech Hirudo medicinalis following a CNS injury. <b>2014</b> , 20, 644-53	11
27	The epidermal growth factor-like domain of CD93 is a potent angiogenic factor. 2012, 7, e51647	32
26	The characterization of a novel monoclonal antibody against CD93 unveils a new antiangiogenic target. <b>2014</b> , 5, 2750-60	24
25	Mannose-Binding Lectin Gene and Promoter Polymorphism and Susceptibility to Renal Dysfunction in Systemic Lupus Erythematosus. <b>2007</b> , 7, 801-805	8
24	CD93 a potential player in cytotrophoblast and endothelial cell migration. <b>2021</b> , 1	1

23 C1qRp. **2000**, 176-179

22	SP-A. <b>2000</b> , 41-45		
21	Complement Protein C1q.		
20	Complement as a Part of the Skin Immune System. <b>2004</b> , 327-348		
19	C-type lectin receptors. Japanese Journal of Thrombosis and Hemostasis, 2015, 26, 29-34	О	
18	THE COMPLEMENT SYSTEM: PATHWAYS OF ACTIVATIONS AND FUNCTION. <i>Acta Medica Medianae</i> , <b>2017</b> , 56, 50-55	0	
17	Soluble CD93 is an Apoptotic Cell Opsonin Recognized by the 🛭 Integrin.		
16	Soluble Complement Component 1q Receptor 1 (sCD93) Is Associated with Graft Function in Kidney Transplant Recipients. <i>Biomolecules</i> , <b>2021</b> , 11,	5.9	O
15	Modulation of the complement system by human beta-defensin 2. <i>Journal of Burns and Wounds</i> , <b>2007</b> , 5, e10		12
14	Postural tachycardia syndrome (POTS) and antiphospholipid syndrome (APS): What do we know so far?. <i>Revue Neurologique</i> , <b>2021</b> ,	3	O
13	CD93 Correlates With Immune Infiltration and Impacts Patient Immunotherapy Efficacy: A Pan-Cancer Analysis <i>Frontiers in Cell and Developmental Biology</i> , <b>2022</b> , 10, 817965	5.7	0
12	Synergistic regulation of microglia differentiation by CD93 and integrin <b>1</b> in the rat pneumococcal meningitis model. <b>2022</b> ,		O
11	C1qRP, the C1q Receptor That Enhances Phagocytosis, Is Detected Specifically in Human Cells of Myeloid Lineage, Endothelial Cells, and Platelets. <b>1998</b> , 160, 1929-1935		28
10	Activation of Complement by Mannose-Binding Lectin on Isogenic Mutants of Neisseria meningitidis Serogroup B. <b>1998</b> , 160, 1346-1353		13
9	The Multiligand-Binding Protein gC1qR, Putative C1q Receptor, Is a Mitochondrial Protein. <b>1998</b> , 160, 3534-3542		24
8	Different Molecular Events Result in Low Protein Levels of Mannan-Binding Lectin in Populations from Southeast Africa and South America. <b>1998</b> , 161, 3169-3175		45
7	The First Subcomponent of Complement, C1q, Triggers the Production of IL-8, IL-6, and Monocyte Chemoattractant Peptide-1 by Human Umbilical Vein Endothelial Cells. <b>1998</b> , 161, 6924-6930		25
6	C1qRP Is a Heavily O-Glycosylated Cell Surface Protein Involved in the Regulation of Phagocytic Activity. <b>1999</b> , 162, 3583-3589		13
	C1qRP Is a Heavily O-Glycosylated Cell Surface Protein Involved in the Regulation of Phagocytic		

5	Pulmonary Surfactant Protein A Modulates the Cellular Response to Smooth and Rough Lipopolysaccharides by Interaction with CD14. <b>1999</b> , 163, 387-395	24
4	Surfactant Protein D Binds to Mycobacterium tuberculosis Bacilli and Lipoarabinomannan via Carbohydrate-Lectin Interactions Resulting in Reduced Phagocytosis of the Bacteria by Macrophages1. <b>1999</b> , 163, 312-321	25
3	Role of Complement Component C1q in the IgG-Independent Opsonophagocytosis of Group B Streptococcus. <b>1999</b> , 163, 2761-2768	8
2	The Rat and Mouse Homologues of MASP-2 and MAp19, components of the Lectin Activation Pathway of Complement. <b>1999</b> , 163, 6848-6859	5
1	Multi-omics profiling and digital image analysis reveal the potential prognostic and immunotherapeutic properties of CD93 in stomach adenocarcinoma. 14,	О