

CITATION REPORT

List of articles citing

Blood pressure responses to exercise as predictors of blood pressure level after 5 years

DOI: 10.1016/s0895-7061(96)00298-1
American Journal of Hypertension, 1997, 10, 106-16.

Source: <https://exaly.com/paper-pdf/28307276/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
15	AGT M235T and ACE ID polymorphisms and exercise blood pressure in the HERITAGE Family Study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 279, H368-74	5.2	62
14	Cardiovascular recovery from stress predicts longitudinal changes in blood pressure. <i>Biological Psychology</i> , 2001 , 58, 105-20	3.2	77
13	Influence of gender, training and circadian time of testing in the cardiovascular response to stress tests.		
12	Genetics and blood pressure response to exercise, and its interactions with adiposity. <i>Preventive Cardiology</i> , 2002 , 5, 138-44		11
11	Exaggerated blood pressure response to exercise is associated with augmented rise of angiotensin II during exercise. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 287-92	15.1	58
10	Ambulatory arterial stiffness index is not correlated with the pressor response to laboratory stressors in normotensive humans. <i>Journal of Hypertension</i> , 2009 , 27, 763-8	1.9	17
9	Prognostic value of an exaggerated exercise blood pressure response in patients with diabetes mellitus and known or suspected coronary artery disease. <i>American Journal of Cardiology</i> , 2010 , 105, 780-5	3	12
8	Correction of the hypertensive response in the treadmill testing by the work performance improves the prediction of hypertension by ambulatory blood pressure monitoring and incidence of cardiac abnormalities by echocardiography: results of an eight year follow-up study. <i>International Journal of Cardiology</i> , 2010 , 141, 243-9	3.2	12
7	Exaggerated blood pressure response to exercise is not associated with masked hypertension in patients with high normal blood pressure levels. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 277-82	2.3	12
6	An exaggerated blood pressure response to exercise is associated with subclinical myocardial dysfunction in normotensive individuals. <i>Journal of Hypertension</i> , 2014 , 32, 1862-9	1.9	10
5	Exaggerated exercise blood pressure response and risk of stroke in patients referred for stress testing. <i>European Journal of Internal Medicine</i> , 2014 , 25, 533-7	3.9	8
4	Impact of central haemodynamics on left ventricular function in individuals with an exaggerated blood pressure response to exercise. <i>Journal of Hypertension</i> , 2015 , 33, 612-20; discussion 620	1.9	11
3	An exaggerated increase in blood pressure with exercise does not predict mortality or severe cardiovascular events in women referred for exercise echocardiography for clinical reasons. <i>Revista Clinica Espanola</i> , 2020 , 220, 228-235	0.5	
2	Diagnostic Value of Electrocardiogram in Predicting Exaggerated Blood Pressure Response to Exercise Stress Testing. <i>Electronic Physician</i> , 2016 , 8, 2765-2771	1.8	0
1	An exaggerated increase in blood pressure with exercise does not predict mortality or severe cardiovascular events in women referred for exercise echocardiography for clinical reasons. <i>Revista Clinica Espanola</i> , 2020 , 220, 228-235	0.7	0