CITATION REPORT List of articles citing



DOI: 10.1016/s0895-7061(97)00075-7 American Journal of Hypertension, 1997, 10, 498-558.

Source: https://exaly.com/paper-pdf/28307393/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 148 | Abnormal kidney function as a cause and a consequence of obesity hypertension. 1998 , 25, 58-64 | | 78 |
| 147 | Renal endothelial and macula densa NOS: integrated response to changes in extracellular fluid volume. 1999 , 276, R1551-61 | | 22 |
| 146 | Abnormalities of Kidney Function as a Cause and a Consequence of Cardiovascular Disease. <i>American Journal of the Medical Sciences</i> , 1999 , 317, 176-182 | 2.2 | 3 |
| 145 | Enhanced vascular reactivity and Ca2+ entry with low-salt diet: effect of obesity. 1999 , 34, 882-8 | | 6 |
| 144 | Altered pressure-natriuresis in obese Zucker rats. 1999 , 33, 1470-5 | | 68 |
| 143 | State-of-the-art-lecture: Obesity-induced hypertension: new concepts from the emerging biology of obesity. 1999 , 33, 537-41 | | 151 |
| 142 | Childhood obesity. 1999 , 29, 1-29 | | 48 |
| 141 | Mechanisms of hypertension and kidney disease in obesity. 1999 , 892, 91-107 | | 163 |
| 140 | Obesity, insulin resistance, and the renal circulation. 2000 , 383-397 | | |
| 139 | Chronically increased intra-abdominal pressure produces systemic hypertension in dogs. 2000 , 24, 819- | ·24 | 29 |
| 138 | Role of sympathetic nervous system and neuropeptides in obesity hypertension. 2000 , 33, 605-18 | | 99 |
| 137 | Percentage of burned body surface area determination in obese and nonobese patients. 2000 , 91, 106- | -10 | 75 |
| 136 | Obesity-hypertension: the effects on cardiovascular and renal systems. <i>American Journal of Hypertension</i> , 2000 , 13, 1308-14 | 2.3 | 82 |
| 135 | New developments in obesity. 2000 , 11, 65-74 | | 3 |
| 134 | Obesity and hypertension. 2000 , 23, 54-62 | | 14 |
| 133 | Effects of dietary modification and treatment of obesity. Emphasis on improving vascular outcomes. <i>Medical Clinics of North America</i> , 2000 , 84, 95-122 | 7 | 16 |
| 132 | Nonesterified fatty acids in blood pressure control and cardiovascular complications. <i>Current Hypertension Reports</i> , 2001 , 3, 107-16 | 4.7 | 36 |

| 131 | Obesity in the pediatric patient: cardiovascular complications. 2001 , 12, 161-167 | | 26 |
|--------------------------|---|-----|---|
| 130 | Renal determinants of the salt sensitivity of blood pressure. 2001 , 16, 452-8 | | 34 |
| 129 | Pathophysiology of chronic progressive renal disease in the African American patient with hypertension. <i>American Journal of the Medical Sciences</i> , 2002 , 323, 72-7 | 2.2 | 10 |
| 128 | Mechanisms of obesity-associated cardiovascular and renal disease. <i>American Journal of the Medical Sciences</i> , 2002 , 324, 127-37 | 2.2 | 276 |
| 127 | Obesity and its surgical management. 2002 , 184, 103-13 | | 130 |
| 126 | Cardiovascular and sympathetic effects of leptin. Current Hypertension Reports, 2002, 4, 119-25 | 4.7 | 47 |
| 125 | Renal and cardiovascular considerations for the nonpharmacological and pharmacological therapies of obesity-hypertension. <i>Journal of Human Hypertension</i> , 2002 , 16, 819-27 | 2.6 | 15 |
| 124 | A central body fat distribution is related to renal function impairment, even in lean subjects. 2003 , 41, 733-41 | | 239 |
| 123 | Multiple mechanisms involved in obesity-induced hypertension. 2003 , 12, 84-93 | | 20 |
| | | | |
| 122 | Impaired pressure natriuresis in obese youths. 2003, 11, 745-51 | | 24 |
| 122 | Impaired pressure natriuresis in obese youths. 2003, 11, 745-51 Effects of dietary modification to reduce vascular risks and treatment of obesity. 2003, 21, 415-33 | | 24 |
| | | 2.2 | , in the second |
| 121 | Effects of dietary modification to reduce vascular risks and treatment of obesity. 2003 , 21, 415-33 Renal angiotensin II receptors, hyperinsulinemia, and obesity. <i>Clinical and Experimental</i> | 2.2 | 4 |
| 121 | Effects of dietary modification to reduce vascular risks and treatment of obesity. 2003 , 21, 415-33 Renal angiotensin II receptors, hyperinsulinemia, and obesity. <i>Clinical and Experimental Hypertension</i> , 2003 , 25, 395-403 | 2.2 | 14 |
| 121 120 119 | Effects of dietary modification to reduce vascular risks and treatment of obesity. 2003 , 21, 415-33 Renal angiotensin II receptors, hyperinsulinemia, and obesity. <i>Clinical and Experimental Hypertension</i> , 2003 , 25, 395-403 Obesity and hypertension. 2003 , 32, 823-54 | 2.2 | 4 14 60 |
| 121 120 119 | Effects of dietary modification to reduce vascular risks and treatment of obesity. 2003, 21, 415-33 Renal angiotensin II receptors, hyperinsulinemia, and obesity. <i>Clinical and Experimental Hypertension</i> , 2003, 25, 395-403 Obesity and hypertension. 2003, 32, 823-54 The kidney, hypertension, and obesity. 2003, 41, 625-33 | 2.2 | 4 14 60 634 |
| 121 120 119 118 | Effects of dietary modification to reduce vascular risks and treatment of obesity. 2003, 21, 415-33 Renal angiotensin II receptors, hyperinsulinemia, and obesity. Clinical and Experimental Hypertension, 2003, 25, 395-403 Obesity and hypertension. 2003, 32, 823-54 The kidney, hypertension, and obesity. 2003, 41, 625-33 Obesity, sleep apnea, and hypertension. 2003, 42, 1067-74 | 2.2 | 4 14 60 634 |

| 113 | Body mass index, hypertension and 5-year coronary heart disease incidence in middle aged men: the PRIME study. 2003 , 21, 519-24 | 15 |
|-----|--|-----|
| 112 | Sodium intake affects urinary albumin excretion especially in overweight subjects. 2004 , 256, 324-30 | 159 |
| 111 | Ectopic fat storage in heart, blood vessels and kidneys in the pathogenesis of cardiovascular diseases. 2004 , 28 Suppl 4, S58-65 | 180 |
| 110 | Risk factors for heart failure. <i>Medical Clinics of North America</i> , 2004 , 88, 1145-72 | 83 |
| 109 | Superoxide dismustase mimetic tempol decreases blood pressure by increasing renal medullary blood flow in hyperinsulinemic-hypertensive rats. 2004 , 53, 1305-8 | 24 |
| 108 | Oxidative stress, nitric oxide production, and renal sodium handling in leptin-induced hypertension. 2004 , 74, 2987-3000 | 78 |
| 107 | Is there a rationale for angiotensin blockade in the management of obesity hypertension?. 2004 , 44, 12-9 | 110 |
| 106 | Kidney disease and the metabolic syndrome. <i>American Journal of the Medical Sciences</i> , 2005 , 330, 319-25 _{2.2} | 22 |
| 105 | [Visceral obesity, hypertension and cardio-renal risk: a review]. 2005, 49, 196-204 | 13 |
| 104 | AT1-receptor antagonism reverses the blood pressure elevation associated with diet-induced obesity. 2005 , 289, R181-6 | 57 |
| 103 | Rosiglitazone restores renal D1A receptor-Gs protein coupling by reducing receptor hyperphosphorylation in obese rats. 2005 , 289, F298-304 | 41 |
| 102 | Melanocortin-4 receptor-deficient mice are not hypertensive or salt-sensitive despite obesity, hyperinsulinemia, and hyperleptinemia. 2005 , 46, 326-32 | 118 |
| 101 | Impact of obesity on 24-hour ambulatory blood pressure and hypertension. 2005 , 45, 602-7 | 176 |
| 100 | Bariatric surgery for morbid obesity: risks and benefits in chronic kidney disease patients. 2006 , 13, 403-17 | 13 |
| 99 | Aldosterone Levels in Obese Women with or without Hypertension. 2006, 20, 123-127 | |
| 98 | Abnormalities of renal sodium handling in the metabolic syndrome. Results of the Olivetti Heart Study. 2006 , 24, 1633-9 | 86 |
| 97 | Selective imidazoline agonist moxonidine in obese hypertensive patients. 2006 , 60, 621-9 | 26 |
| 96 | The complex role of PPARgamma in renal dysfunction in obesity: managing a Janus-faced receptor. 2006 , 45, 36-45 | 13 |

| 95 | Obesity and insulin resistance as risk factors for chronic kidney disease. 2006 , 1, 209-14; quiz 215-6 | 23 | |
|----|---|------|--|
| 94 | Phosphodiesterase 5 inhibitor ameliorates renal resistance to atrial natriuretic peptide associated with obesity and hyperleptinemia. 2006 , 37, 307-15 | 7 | |
| 93 | Autonomic contribution to blood pressure and metabolism in obesity. 2007 , 49, 27-33 | 114 | |
| 92 | [Hypertension and metabolic syndrome]. 2007 , 96, 1827-35 | | |
| 91 | SAH gene variants are associated with obesity-related hypertension in Caucasians: the PEGASE Study. 2007 , 25, 557-64 | 9 | |
| 90 | Renin-angiotensin-aldosterone system intervention in the cardiometabolic syndrome and cardio-renal protection. 2007 , 1, 27-35 | 17 | |
| 89 | Obesity and obesity-initiated metabolic syndrome: mechanistic links to chronic kidney disease. 2007 , 2, 550-62 | 354 | |
| 88 | Pathophysiology of ObesityInduced Hypertension and Target Organ Damage. 2007, 447-468 | 11 | |
| 87 | Renal Dysfunction in Hypertension and Obesity. 2007 , 575-595 | 2 | |
| 86 | Obstructive sleep apnea, hypertension, and wakefulness-promoting agents. <i>Current Hypertension Reports</i> , 2007 , 9, 329-31 | ′ 1 | |
| 85 | Secondary hypertension: obesity and the metabolic syndrome. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 567-74 | 20 | |
| 84 | Internal Medicine Corresponding to Both the Mass and Individuals - Pathophisiology and Treatment of Hypertension. 2008 , 97, 1979-1992 | | |
| 83 | Insulin Resistance and Diabetes in Chronic Renal Disease. 2009 , 383-409 | | |
| 82 | Modulation of blood pressure by central melanocortinergic pathways. 2009 , 360, 44-52 | 358 | |
| 81 | Obesity and hypertension: mechanisms, cardio-renal consequences, and therapeutic approaches. Medical Clinics of North America, 2009 , 93, 733-51 | 79 | |
| 80 | The complex interaction between overweight, hypertension, and sympathetic overactivity. 2009 , 3, 353-65 | 29 | |
| 79 | Metabolic syndrome and salt sensitivity of blood pressure in non-diabetic people in China: a dietary intervention study. 2009 , 373, 829-35 | 192 | |
| 78 | Effect of the HMG-CoA reductase inhibitor rosuvastatin on early chronic kidney injury in obese zucker rats fed with an atherogenic diet. <i>American Journal of the Medical Sciences</i> , 2009 , 338, 301-9 | . 24 | |

| 77 | The role of sympathetic nervous activity in renal injury and end-stage renal disease. <i>Hypertension Research</i> , 2010 , 33, 521-8 | 4.7 | 72 |
|----|---|-----|-----|
| 76 | Renal sinus fat and poor blood pressure control in middle-aged and elderly individuals at risk for cardiovascular events. 2010 , 56, 901-6 | | 87 |
| 75 | Mineralocorticoid receptors, salt-sensitive hypertension, and metabolic syndrome. 2010 , 55, 813-8 | | 90 |
| 74 | Mechanisms of obesity-induced hypertension. <i>Hypertension Research</i> , 2010 , 33, 386-93 | 4.7 | 375 |
| 73 | Cardiovascular consequences of obese and nonobese obstructive sleep apnea. <i>Medical Clinics of North America</i> , 2010 , 94, 465-78 | 7 | 14 |
| 72 | Management of hypertension and diabetes in obesity: non-pharmacological measures. 2011 , 2011, 398 | 065 | 14 |
| 71 | Melanocortin signalling and the regulation of blood pressure in human obesity. 2011 , 23, 186-93 | | 55 |
| 70 | Para- and perirenal fat thickness is an independent predictor of chronic kidney disease, increased renal resistance index and hyperuricaemia in type-2 diabetic patients. 2011 , 26, 892-8 | | 72 |
| 69 | Oxidative stress alters renal D1 and AT1 receptor functions and increases blood pressure in old rats. 2011 , 300, F133-8 | | 31 |
| 68 | Perinatal iron deficiency combined with a high-fat diet causes obesity and cardiovascular dysregulation. 2012 , 153, 1174-82 | | 23 |
| 67 | Pathophysiology of obesity-related renal dysfunction contributes to diabetic nephropathy. 2012 , 12, 440-6 | | 30 |
| 66 | Treatment of hypertension in obese patients. 2013 , 13, 163-75 | | 8 |
| 65 | Insulin Resistance and Hypertension. 2013 , 239-250 | | |
| 64 | Hypertension in metabolic syndrome: vascular pathophysiology. 2013 , 2013, 230868 | | 49 |
| 63 | Insulin resistance and the relationship between urinary Na(+)/K(+) and ambulatory blood pressure in a community of African ancestry. <i>American Journal of Hypertension</i> , 2013 , 26, 708-16 | 2.3 | 12 |
| 62 | The influence of high versus low sodium intake on blood pressure and haemodynamics in patients with morbid obesity. 2013 , 31, 2220-9; discussion 2229 | | 8 |
| 61 | Predicting increased blood pressure using machine learning. 2014 , 2014, 637635 | | 48 |
| 60 | Adipokines: novel players in resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 754-9 | 2.3 | 22 |

(2018-2015)

| 59 | Roux-en-Y gastric bypass alleviates hypertension and is associated with an increase in mid-regional pro-atrial natriuretic peptide in morbid obese patients. 2015 , 33, 1215-25 | | 21 |
|----|--|------|-----|
| 58 | Oxidative stress causes imbalance of renal renin angiotensin system (RAS) components and hypertension in obese Zucker rats. 2015 , 4, | | 39 |
| 57 | The associations of adipokines with selected markers of the renin-angiotensinogen-aldosterone system: the multi-ethnic study of atherosclerosis. <i>Journal of Human Hypertension</i> , 2015 , 29, 127-33 | 2.6 | 11 |
| 56 | Obesity depresses baroreflex control of renal sympathetic nerve activity and heart rate in Sprague Dawley rats: role of the renal innervation. <i>Acta Physiologica</i> , 2015 , 214, 390-401 | 5.6 | 24 |
| 55 | Arterial hypertension in diabetes: etiology and treatment. 2015 , 1079-1090 | | 1 |
| 54 | Obesity-induced hypertension: interaction of neurohumoral and renal mechanisms. 2015 , 116, 991-1000 | 6 | 571 |
| 53 | Urinary sodium or potassium excretion and blood pressure in adults of Shandong province, China: preliminary results of the SMASH project. 2015 , 9, 754-762 | | 16 |
| 52 | Ectopic Adipose Tissue Storage in the Left and the Right Renal Sinus is Asymmetric and Associated With Serum Kidney Injury Molecule-1 and Fibroblast Growth Factor-21 Levels Increase. 2016 , 13, 274-28 | 3 | 16 |
| 51 | Obesity and hypertension. 2016 , 12, 2395-2399 | | 152 |
| 50 | The Role of Aldosterone in Obesity-Related Hypertension. <i>American Journal of Hypertension</i> , 2016 , 29, 415-23 | 2.3 | 78 |
| 49 | Mediating effects of nocturnal blood pressure and morning surge on the contributions of arterial stiffness and sodium intake to morning blood pressure: A path analysis. <i>Blood Pressure</i> , 2016 , 25, 28-35 | 1.7 | 2 |
| 48 | Improvement in baroreflex control of renal sympathetic nerve activity in obese Sprague Dawley rats following immunosuppression. <i>Acta Physiologica</i> , 2017 , 221, 250-265 | 5.6 | 12 |
| 47 | Factors Responsible for Obesity-Related Hypertension. <i>Current Hypertension Reports</i> , 2017 , 19, 53 | 4.7 | 27 |
| 46 | Obesity, Hypertension, and Dyslipidemia. <i>Endocrinology</i> , 2017 , 1-15 | 0.1 | 2 |
| 45 | Obesity: A Perspective from Hypertension. <i>Medical Clinics of North America</i> , 2017 , 101, 139-157 | 7 | 29 |
| 44 | Adiposity, physical activity, and risk of hypertension: prospective data from the population-based HUNT Study, Norway. <i>Journal of Human Hypertension</i> , 2018 , 32, 278-286 | 2.6 | 7 |
| 43 | Derangements in adrenergic-adipokine signalling establish a neurohormonal basis for obesity-related heart failure with a preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2018 , 20, 873-878 | 12.3 | 25 |
| 42 | Central Blood Pressure Responses to Dietary Sodium and Potassium Interventions. <i>American Journal of Hypertension</i> , 2018 , 31, 582-589 | 2.3 | 1 |

| 41 | Physical Activity, Fitness, and Obesity in Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2018 , 6, 975-982 | 7.9 | 50 |
|----|--|-------|----|
| 40 | Insulin Resistance and the Metabolic Syndrome in Chronic Renal Disease. 2018 , 233-258 | | |
| 39 | Pathogenesis of Hypertension. 2018 , 33-51 | | 6 |
| 38 | Hypertension in childhood obesity. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 37-4 | 133.1 | 35 |
| 37 | Choice of dialysis modality prior to kidney transplantation: Does it matter?. <i>World Journal of Nephrology</i> , 2019 , 8, 1-10 | 3.6 | 14 |
| 36 | Metabolic Syndrome and Salt-Sensitive Hypertension in Polygenic Obese TALLYHO/JngJ Mice: Role of Na/K-ATPase Signaling. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 7 |
| 35 | Evaluation of the pathophysiological mechanisms of salt-sensitive hypertension. <i>Hypertension Research</i> , 2019 , 42, 1848-1857 | 4.7 | 17 |
| 34 | Obesity, Hypertension, and Dyslipidemia. <i>Endocrinology</i> , 2019 , 227-241 | 0.1 | 1 |
| 33 | Renal sinus fat and renal hemodynamics: a cross-sectional analysis. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020 , 33, 73-80 | 2.8 | 15 |
| 32 | Role of TGF-Isignalling in PCOS associated focal segmental glomerulosclerosis. <i>Clinica Chimica Acta</i> , 2020 , 510, 244-251 | 6.2 | 4 |
| 31 | Comparison among research, home, and office blood pressure measurements for pregnant women: The TMM BirThree Cohort Study. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2004-2013 | 2.3 | 5 |
| 30 | Metabolic Surgery to Treat Obesity in Diabetic Kidney Disease, Chronic Kidney Disease, and End-Stage Kidney Disease; What Are the Unanswered Questions?. <i>Frontiers in Endocrinology</i> , 2020 , 11, 289 | 5.7 | 20 |
| 29 | Increased body mass index above the upper normal limit is significantly associated with renal dysfunction among community-dwelling persons. <i>International Urology and Nephrology</i> , 2020 , 52, 1533- | 12341 | 1 |
| 28 | Impact of obesity with or without hypertension on systemic haemodynamic and renal responses to lower body negative pressure. <i>Blood Pressure</i> , 2021 , 30, 67-74 | 1.7 | 1 |
| 27 | Outcomes and Complications After Sleeve Gastrectomy. 2021 , 415-428 | | |
| 26 | Kidney and epigenetic mechanisms of salt-sensitive hypertension. <i>Nature Reviews Nephrology</i> , 2021 , 17, 350-363 | 14.9 | 7 |
| 25 | Impact of obesity on hypertension: A review. <i>IP Journal of Nutrition, Metabolism and Health Science</i> , 2021 , 4, 41-46 | О | |
| 24 | Uncontrolled hypertension in patients with type 2 diabetes: What are the correlates?. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1776-1785 | 2.3 | 6 |

| 23 | Adipose Tissue and Blood Pressure Regulation. 245-263 | | 1 |
|----|--|--------------|----|
| 22 | Tissu adipeux, inflammation et athEome. Bulletin De LpAcademie Nationale De Medecine, 2007 , 191, 897 | -9 đQ | 1 |
| 21 | The role of lifestyle management in the overall treatment plan for prevention and management of hypertension. <i>Seminars in Nephrology</i> , 2002 , 22, 35-43 | 4.8 | 7 |
| 20 | Abnormalities of kidney function as a cause and a consequence of cardiovascular disease. <i>American Journal of the Medical Sciences</i> , 1999 , 317, 176-82 | 2.2 | 38 |
| 19 | Does leptin contribute to obesity hypertension?. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 1999 , 6, 225 | | 5 |
| 18 | Critical role of dyslipidemia and angiotensin II in atherogenesis. 2006 , 390-399 | | 2 |
| 17 | The correlation of blood pressure with height and weight in Korean adolescents aged 10-19 years; The Korean National Health and Nutrition Examination Surveys (2009-2011). <i>Korean Journal of Pediatrics</i> , 2014 , 57, 35-40 | 2.4 | 2 |
| 16 | Renal changes in the early stages of diet-induced obesity in ovariectomized rats. <i>Physiological Research</i> , 2014 , 63, 723-32 | 2.1 | 8 |
| 15 | Insulin receptors in the kidneys in health and disease. World Journal of Nephrology, 2019, 8, 11-22 | 3.6 | 15 |
| 14 | Nocturnal non-dipping on 24-h Ambulatory Blood Pressure Monitoring in children and adolescents with obesity is associated with higher total cholesterol levels. <i>Clinical and Experimental Hypertension</i> , 2021 , 1-6 | 2.2 | |
| 13 | Obesity and Hypertension: Impact on Cardiovascular and Renal Systems. 2005, 464-474 | | |
| 12 | Sodium Balance in Cirrhosis. 2007 , 335-350 | | |
| 11 | De Gruyter. <i>Polski Przeglad Chirurgiczny</i> , 2009 , 81, | 0.6 | |
| 10 | Perivascular Adipose Tissue and Cardiometabolic Disease. <i>Indonesian Biomedical Journal</i> , 2013 , 5, 13 | 2.6 | |
| 9 | Glukosetoleranz und Diabetes mellitus im Alter. 1999 , 203-243 | | |
| 8 | Obesity, Cardiometabolic Risk, and Chronic Kidney Disease. 2016 , 181-198 | | |
| 7 | How far cardio metabolic and psychological factors affect salt sensitivity in normotensive adult population?. <i>World Journal of Cardiology</i> , 2017 , 9, 47-54 | 2.1 | |
| 6 | Sex Differences in the Effects of Weight Reduction on Future Blood Pressure Elevation in a Mildly Obese Middle-Aged Population. <i>Circulation Reports</i> , 2020 , 2, 385-392 | 0.7 | 1 |

| 5 | Blutdruck und kardiale Verfiderungen. 2005 , 178-183 | | О |
|---|--|-----|---|
| 4 | Obesity, Sodium Homeostasis, and Arterial Hypertension in Children and Adolescents. <i>Nutrients</i> , 2021 , 13, | 6.7 | 2 |
| 3 | Role of nutraceuticals in metabolic syndrome. 2022 , 459-467 | | 0 |
| 2 | Dietary Patterns for the Treatment of Arterial Hypertension in Patients with Metabolic Syndrome. | | O |
| 1 | Obesity and Chronic Kidney Disease. | | 2 |