

CITATION REPORT

List of articles citing

Relation between nocturnal decline in blood pressure and mortality. The Ohasama Study

DOI: 10.1016/s0895-7061(97)00274-4
American Journal of Hypertension, 1997, 10, 1201-7.

Source: <https://exaly.com/paper-pdf/28307495/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 364 | Ambulatory pulse pressure: a potent predictor of total cardiovascular risk in hypertension. <i>Hypertension</i> , 1998 , 32, 983-8 | 8.5 | 335 |
| 363 | Reference values for 24-hour ambulatory blood pressure monitoring based on a prognostic criterion: the Ohasama Study. <i>Hypertension</i> , 1998 , 32, 255-9 | 8.5 | 145 |
| 362 | Ambulatory blood pressure monitoring and stroke: more questions than answers. 1998 , 29, 1495-7 | | 6 |
| 361 | Diurnal blood pressure change varies with stroke subtype in the acute phase. 1998 , 29, 1519-24 | | 40 |
| 360 | Abnormalities of Kidney Function as a Cause and a Consequence of Cardiovascular Disease. <i>American Journal of the Medical Sciences</i> , 1999 , 317, 176-182 | 2.2 | 3 |
| 359 | Race and diurnal blood pressure patterns. A review and meta-analysis. <i>Hypertension</i> , 1999 , 33, 1099-104 | 8.5 | 169 |
| 358 | Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. 1999 , 41, 397-440 | | 12 |
| 357 | Clinical significance of nocturnal blood pressure monitoring. <i>Clinical and Experimental Hypertension</i> , 1999 , 21, 717-27 | 2.2 | 15 |
| 356 | Epidemiological and clinical studies on insulin resistance and diabetes. 2000 , 105, 135-50 | | 6 |
| 355 | Physical activity level is an independent predictor of the diurnal variation in blood pressure. <i>Journal of Hypertension</i> , 2000 , 18, 405-10 | 1.9 | 65 |
| 354 | Direct and surrogate measures of the white-coat effect: methodological aspects and clinical relevance. <i>Journal of Hypertension</i> , 2000 , 18, 379-82 | 1.9 | 11 |
| 353 | Prognostic value of ambulatory blood pressure : current evidence and clinical implications. <i>Hypertension</i> , 2000 , 35, 844-51 | 8.5 | 463 |
| 352 | Circadian Variation in Blood Pressure: Dipper or Nondipper. <i>Journal of Clinical Hypertension</i> , 2000 , 5, 3-8 | 2.3 | 3 |
| 351 | A Chronotherapeutic Approach to Effective Blood Pressure Management. <i>Journal of Clinical Hypertension</i> , 2000 , 5, 15-19 | 2.3 | |
| 350 | White coat hypertension in children with elevated casual blood pressure. 2000 , 137, 493-7 | | 128 |
| 349 | Ethnic differences in nocturnal blood pressure decline in treated hypertensives. <i>American Journal of Hypertension</i> , 2000 , 13, 884-91 | 2.3 | 41 |
| 348 | The association of blunted nocturnal blood pressure dip and stroke in a multiethnic population. <i>American Journal of Hypertension</i> , 2000 , 13, 1250-5 | 2.3 | 34 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 347 | Human G-protein beta3 subunit variant is associated with serum potassium and total cholesterol levels but not with blood pressure. <i>American Journal of Hypertension</i> , 2000 , 13, 140-5 | 2.3 | 69 |
| 346 | Gene polymorphism of the renin-angiotensin system associates with risk for lacunar infarction. The Ohasama study. <i>American Journal of Hypertension</i> , 2000 , 13, 121-7 | 2.3 | 78 |
| 345 | [Evaluation and validation of Omron Hem 705 CP and Hem 706/711 monitors for self-measurement of blood pressure]. 2000 , 25, 96-102 | | 50 |
| 344 | [Arterial pressure, the moon, the stars...]. 2000 , 114, 91-3 | | 0 |
| 343 | Prognostic significance of blood pressure and heart rate variabilities: the Ohasama study. <i>Hypertension</i> , 2000 , 36, 901-6 | 8.5 | 493 |
| 342 | Blunted nighttime blood pressure dipping in postmenopausal women. <i>American Journal of Hypertension</i> , 2001 , 14, 749-54 | 2.3 | 43 |
| 341 | Nocturnal non-dipping: what does it augur?. 2001 , 10, 611-6 | | 88 |
| 340 | Reference values for ambulatory blood pressure and self-measured blood pressure based on prospective outcome data. <i>Blood Pressure Monitoring</i> , 2001 , 6, 323-7 | 1.3 | 22 |
| 339 | Predictive values of automated blood pressure measurement: what can we learn from the Japanese population - the Ohasama study. <i>Blood Pressure Monitoring</i> , 2001 , 6, 335-9 | 1.3 | 33 |
| 338 | Task Force II: blood pressure measurement and cardiovascular outcome. <i>Blood Pressure Monitoring</i> , 2001 , 6, 355-70 | 1.3 | 141 |
| 337 | No impact of blood pressure variability on microalbuminuria and left ventricular geometry: analysis of daytime variation, diurnal variation and 'white coat' effect. <i>Blood Pressure Monitoring</i> , 2001 , 6, 125-31 ^{1.3} | | 28 |
| 336 | Aldosterone synthase gene (CYP11B2) C-334T polymorphism, ambulatory blood pressure and nocturnal decline in blood pressure in the general Japanese population: the Ohasama Study. <i>Journal of Hypertension</i> , 2001 , 19, 2179-84 | 1.9 | 41 |
| 335 | Prognostic significance of blood pressure measured on rising. 2001 , 15, 413-7 | | 25 |
| 334 | Perceived job stress but not individual cardiovascular reactivity to stress is related to higher blood pressure at work. <i>Hypertension</i> , 2001 , 38, 71-5 | 8.5 | 41 |
| 333 | Stroke prognosis and abnormal nocturnal blood pressure falls in older hypertensives. <i>Hypertension</i> , 2001 , 38, 852-7 | 8.5 | 595 |
| 332 | Circadian rhythm of atrioventricular conduction predicts long-term survival in patients with chronic atrial fibrillation. 2002 , 19, 633-48 | | 14 |
| 331 | Night-time blood pressure: dipping into the future?. <i>Journal of Hypertension</i> , 2002 , 20, 2131-3 | 1.9 | 42 |
| 330 | Usefulness of home blood pressure measurement in the morning in type 2 diabetic patients. 2002 , 25, 2218-23 | | 88 |

| | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 329 | Characterization of myocardium, isolated cardiomyocytes, and blood pressure in WKHA and WKY rats. 2002 , 282, H149-55 | | 13 |
| 328 | Angiotensin-converting enzyme I/D polymorphism and hypertension: the Ohasama study. <i>Journal of Hypertension</i> , 2002 , 20, 1121-6 | 1.9 | 47 |
| 327 | Ambulatory blood pressure monitoring in chronic renal disease: technical aspects and clinical relevance. 2002 , 11, 507-16 | | 24 |
| 326 | The majority of nondipping men do not have increased cardiovascular risk: a population-based study. <i>Journal of Hypertension</i> , 2002 , 20, 1501-6 | 1.9 | 39 |
| 325 | Prognostic significance of the nocturnal decline in blood pressure in individuals with and without high 24-h blood pressure: the Ohasama study. <i>Journal of Hypertension</i> , 2002 , 20, 2183-9 | 1.9 | 767 |
| 324 | Insufficient duration of action of antihypertensive drugs mediates high blood pressure in the morning in hypertensive population: the Ohasama study. <i>Clinical and Experimental Hypertension</i> , 2002 , 24, 261-75 | 2.2 | 53 |
| 323 | Nighttime blood pressure dipping: the role of the sympathetic nervous system. <i>American Journal of Hypertension</i> , 2002 , 15, 111-8 | 2.3 | 217 |
| 322 | Nocturnal blood pressure dipping and beta-adrenergic receptor sensitivity. <i>American Journal of Hypertension</i> , 2002 , 15, 364-6 | 2.3 | 7 |
| 321 | Neurohumoral characteristics of older hypertensive patients with abnormal nocturnal blood pressure dipping. <i>American Journal of Hypertension</i> , 2002 , 15, 531-7 | 2.3 | 35 |
| 320 | Reproductibilidad de la clasificaci3n dipper/non dipper en el paciente hipertenso. 2002 , 19, 108-113 | | |
| 319 | Descenso adecuado de presi3n arterial durante el sue3o: significado cl3nico. 2002 , 19, 101-103 | | |
| 318 | Two cases of malignant hypertension with reversible diffuse leukoencephalopathy exhibiting a reversible nocturnal blood pressure "riser" pattern. <i>Hypertension Research</i> , 2002 , 25, 467-73 | 4.7 | 15 |
| 317 | Noninvasive 24-hour ambulatory blood pressure monitoring: overview of technology and clinical applications. 2002 , 22, 597-612 | | 23 |
| 316 | Reproducibility of blood pressure variation in older ambulatory and bedridden subjects. 2002 , 50, 1069-74 | | 8 |
| 315 | Ambulatory blood pressure monitoring for cardiovascular medicine. 2003 , 22, 81-8 | | 19 |
| 314 | Effect of nortriptyline on the day-night systolic blood pressure difference in hypertensive and normotensive elderly depressed women. 2003 , 91, 1279-81 | | 4 |
| 313 | Night-time blood pressure load is associated with higher left ventricular mass index in renal transplant recipients. 2003 , 17, 239-44 | | 29 |
| 312 | Profile analysis of 24-hours measurements of blood pressure. 2003 , 59, 907-15 | | 16 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| 311 | Ambulatory blood pressure monitoring and prognosis in the management of essential hypertension. 2003 , 1, 79-89 | | 8 |
| 310 | Relationship between diurnal blood pressure, renal hemodynamic function, and the renin-angiotensin system in type 1 diabetes. 2003 , 52, 1806-11 | | 27 |
| 309 | Ambulatory blood pressure measurement as a predictor of outcome in an Irish population: methodology for ascertaining mortality outcome. <i>Blood Pressure Monitoring</i> , 2003 , 8, 143-5 | 1.3 | 12 |
| 308 | Circadian blood pressure regulation in hospitalized depressed patients and non-depressed comparison subjects. <i>Blood Pressure Monitoring</i> , 2003 , 8, 71-6 | 1.3 | 10 |
| 307 | Clinical therapeutic conference. 2003 , 10, 78-80 | | |
| 306 | Relevance of blood pressure variation in the circadian onset of cardiovascular events. <i>Journal of Hypertension</i> , 2003 , 21, S9-15 | 1.9 | 43 |
| 305 | A comparison of awake-sleep blood pressure variation between normotensive Japanese-American and Caucasian women in Hawaii. <i>Journal of Hypertension</i> , 2003 , 21, 2045-51 | 1.9 | 7 |
| 304 | Ambulatory blood pressure measurement is indispensable to good clinical practice. <i>Journal of Hypertension</i> , 2003 , 21, S11-8 | 1.9 | 22 |
| 303 | European Society of Hypertension recommendations for conventional, ambulatory and home blood pressure measurement. <i>Journal of Hypertension</i> , 2003 , 21, 821-48 | 1.9 | 1173 |
| 302 | Effects of bedtime vs. morning administration of the long-acting lipophilic angiotensin-converting enzyme inhibitortrandolapril on morning blood pressure in hypertensive patients. <i>Hypertension Research</i> , 2004 , 27, 15-20 | 4.7 | 53 |
| 301 | Black and green tea polyphenols attenuate blood pressure increases in stroke-prone spontaneously hypertensive rats. 2004 , 134, 38-42 | | 207 |
| 300 | Continuous recording of blood pressure in cerebrovascular disease: when should it be done?. 2004 , 17 Suppl 1, 34-42 | | 4 |
| 299 | Risers and extreme-dippers of nocturnal blood pressure in hypertension: antihypertensive strategy for nocturnal blood pressure. <i>Clinical and Experimental Hypertension</i> , 2004 , 26, 177-89 | 2.2 | 95 |
| 298 | The "nondipper" elderly: a clinical entity or a bias?. 2004 , 52, 967-71 | | 11 |
| 297 | Administration of tibolone decreases 24 h heart rate but not blood pressure of post-menopausal women. 2004 , 48, 155-60 | | 9 |
| 296 | Blunted nocturnal decline in blood pressure. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 594-7 | 2.3 | 12 |
| 295 | A systematic review and meta-analysis of the efficacy and safety of a fixed, low-dose perindopril-indapamide combination as first-line treatment of hypertension. 2004 , 26, 257-70 | | 24 |
| 294 | Socioeconomic status is associated with nocturnal blood pressure dipping. 2004 , 66, 651-5 | | 30 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| 293 | Prognostic significance of various characteristics of out-of-the-office blood pressure. <i>Journal of Hypertension</i> , 2004 , 22, 1663-6 | 1.9 | 25 |
| 292 | Epidemiology of Hypertension Based on Ambulatory Blood Pressure Monitoring and Self-Measurement of Blood Pressure at Home. 2004 , 50, 113-119 | | 4 |
| 291 | Practical aspect of monitoring hypertension based on self-measured blood pressure at home. 2004 , 43, 771-8 | | 28 |
| 290 | Association of blunted nocturnal blood pressure dip with intracerebral hemorrhage. <i>Blood Pressure Monitoring</i> , 2005 , 10, 189-95 | 1.3 | 24 |
| 289 | The reproducibility of dipping status: beyond the cutoff points. <i>Blood Pressure Monitoring</i> , 2005 , 10, 201-5 | 1.3 | 24 |
| 288 | Blood pressure dipping is reproducible in clinical practice. <i>Blood Pressure Monitoring</i> , 2005 , 10, 79-84 | 1.3 | 33 |
| 287 | Ethnicity, sex, trait anger, and nocturnal blood pressure decline. 2005 , 42, 290-7 | | 11 |
| 286 | Mechanisms of blood pressure variability-induced cardiac hypertrophy and dysfunction in mice with impaired baroreflex. 2005 , 288, R767-76 | | 45 |
| 285 | Recommendations for blood pressure measurement in humans and experimental animals: part 1: blood pressure measurement in humans: a statement for professionals from the Subcommittee of Professional and Public Education of the American Heart Association Council on High Blood Pressure Research. 2005 , 111, 697-716 | | 1596 |
| 284 | Proyecto CRONOPRES: un nuevo enfoque para el control de la hipertensi3n arterial. 2005 , 22, 275-283 | | 13 |
| 283 | Proyecto CRONOPRES: Un nuevo enfoque para el control de la hipertensi3n arterial. 2005 , 22, 275-283 | | |
| 282 | Coronary flow reserve in dipper and non-dipper hypertensive patients. 2005 , 14, 345-52 | | 12 |
| 281 | Recommendations for blood pressure measurement in humans and experimental animals: Part 1: blood pressure measurement in humans: a statement for professionals from the Subcommittee of Professional and Public Education of the American Heart Association Council on High Blood Pressure Research. <i>Hypertension</i> , 2005 , 45, 142-61 | 8.5 | 1743 |
| 280 | A comparison of morning blood pressure surge in African Americans and whites. <i>Journal of Clinical Hypertension</i> , 2005 , 7, 205-9; quiz 210-1 | 2.3 | 7 |
| 279 | Recommendations for blood pressure measurement in humans: an AHA scientific statement from the Council on High Blood Pressure Research Professional and Public Education Subcommittee. <i>Journal of Clinical Hypertension</i> , 2005 , 7, 102-9 | 2.3 | 269 |
| 278 | Arterial stiffness assessed by pulse wave analysis in essential hypertension: relation to 24-h blood pressure profile. 2005 , 102, 391-5 | | 61 |
| 277 | Ambulatory blood pressure monitoring and endothelium-dependent vasodilation in the elderly athletes. 2006 , 60, 443-7 | | 22 |
| 276 | Attenuation of heart rate recovery after exercise in hypertensive patients with blunting of the nighttime blood pressure fall. 2006 , 106, 238-43 | | 21 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 275 | Abnormal blood pressure circadian rhythm: a target organ damage?. 2006 , 107, 343-9 | | 81 |
| 274 | Twenty-four hour ambulatory blood pressure monitoring to evaluate effects on blood pressure of physical activity in hypertensive patients. 2006 , 16, 238-43 | | 45 |
| 273 | Rationale and methodology of monitoring ambulatory blood pressure and arterial compliance in the Hypertension in the Very Elderly Trial. <i>Blood Pressure Monitoring</i> , 2006 , 11, 3-8 | 1.3 | 11 |
| 272 | Improving patient outcomes with ambulatory blood pressure monitoring in elderly with hypertension. 2006 , 18, 104-15 | | |
| 271 | Japanese Society of Hypertension. <i>Hypertension Research</i> , 2006 , 29, S1-S105 | 4.7 | 29 |
| 270 | Blunted cardiovascular responses to daytime activities as related to reduced nocturnal blood pressure decline. 2006 , 31, 248-53 | | 5 |
| 269 | Estimation of base blood pressure by using a new device in the outpatient clinic. <i>Hypertension Research</i> , 2006 , 29, 233-41 | 4.7 | |
| 268 | The influence of circadian blood pressure changes on aortic distensibility and left ventricular diastolic function in hypertensive individuals. 2006 , 22, 157-65 | | 18 |
| 267 | Failure to decrease blood pressure during sleep: non-dippers are among us. 2006 , 22, 167-9 | | 1 |
| 266 | Utility of ambulatory blood pressure monitoring in children and adolescents. 2006 , 21, 1640-52 | | 54 |
| 265 | The relationship between beta-receptor sensitivity and nocturnal blood pressure and heart rate recovery in normotensive people. 2006 , 57, 495-500 | | 2 |
| 264 | Ethnic and gender differences in ambulatory blood pressure trajectories: results from a 15-year longitudinal study in youth and young adults. 2006 , 114, 2780-7 | | 154 |
| 263 | Perceived Racism and Ambulatory Blood Pressure in African American College Students. 2007 , 33, 404-421 | | 32 |
| 262 | Is isolated nocturnal hypertension a novel clinical entity? Findings from a Chinese population study. <i>Hypertension</i> , 2007 , 50, 333-9 | 8.5 | 97 |
| 261 | Ambulatory blood pressure, target organ damage and aortic root size in never-treated essential hypertensive patients. 2007 , 21, 531-8 | | 35 |
| 260 | Masked nocturnal hypertension and target organ damage in hypertensives with well-controlled self-measured home blood pressure. <i>Hypertension Research</i> , 2007 , 30, 143-9 | 4.7 | 57 |
| 259 | Use of plasma B-type natriuretic peptide level to identify asymptomatic hypertensive patients with abnormal diurnal blood pressure variation profiles: nondippers, extreme dippers, and risers. <i>Hypertension Research</i> , 2007 , 30, 651-8 | 4.7 | 16 |
| 258 | The impact of work on the night blood pressure dipping profile. 2007 , 16, 45-9 | | 5 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 257 | Too old to benefit from sports? The cardiovascular effects of exercise training in elderly subjects treated for isolated systolic hypertension. 2007 , 30, 240-7 | | 64 |
| 256 | Peripheral circadian clocks in the vasculature. 2007 , 27, 1694-705 | | 78 |
| 255 | Prognostic significance of variability in ambulatory and home blood pressure from the Ohasama study. 2007 , 17, 109-13 | | 42 |
| 254 | Diurnal cortisol variation is associated with nocturnal blood pressure dipping. 2007 , 69, 339-43 | | 39 |
| 253 | Reproducibility of dipping/nondipping pattern in untreated essential hypertensive patients: impact of sex and age. <i>Blood Pressure Monitoring</i> , 2007 , 12, 101-6 | 1.3 | 36 |
| 252 | Circadian blood pressure variation: relationship between dipper status and measures of arterial stiffness. <i>Journal of Hypertension</i> , 2007 , 25, 1233-9 | 1.9 | 59 |
| 251 | Mesure ambulatoire de la pression artérielle. 2007 , 2, 1-8 | | |
| 250 | Clinical assessment of early morning blood pressure in patients with hypertension. 2007 , 10, 210-4 | | 10 |
| 249 | Fine-tuning blood pressure control to minimize cardiovascular risk. 2007 , 10, 173-4 | | |
| 248 | The cardiovascular toll of stress. 2007 , 370, 1089-100 | | 469 |
| 247 | Losartan versus atenolol on 24-hour ambulatory blood pressure. A LIFE substudy. 2007 , 16, 392-7 | | 10 |
| 246 | White coat hypertension in childhood: evidence for end-organ effect. 2007 , 150, 491-7 | | 114 |
| 245 | Abnormal circadian blood pressure regulation in children born preterm. 2007 , 151, 399-403 | | 46 |
| 244 | Is there something unique about marriage? The relative impact of marital status, relationship quality, and network social support on ambulatory blood pressure and mental health. 2008 , 35, 239-44 | | 381 |
| 243 | Ambulatory blood pressure and diseases of the eye: can low nocturnal blood pressure be harmful?. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 411-4 | 2.3 | |
| 242 | Pathophysiology of Primary Hypertension. 2008 , 794-895 | | 1 |
| 241 | Italian society of hypertension guidelines for conventional and automated blood pressure measurement in the office, at home and over 24 hours. 2008 , 15, 283-310 | | 49 |
| 240 | Impaired diurnal blood pressure variation and all-cause mortality. <i>American Journal of Hypertension</i> , 2008 , 21, 92-7 | 2.3 | 143 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 239 | Prognostic value of nocturnal blood pressure and reverse-dipping status on the occurrence of cardiovascular events in hypertensive diabetic patients. 2008 , 34, 560-7 | | 75 |
| 238 | Ambulatory blood pressure is a better marker than clinic blood pressure in predicting cardiovascular events in patients with/without type 2 diabetes. <i>American Journal of Hypertension</i> , 2008 , 21, 443-50 | 2.3 | 155 |
| 237 | Relationships of cardiovascular phenotypes with healthy weight, at risk of overweight, and overweight in US youths. 2008 , 121, 115-22 | | 28 |
| 236 | Adrenergic, metabolic, and reflex abnormalities in reverse and extreme dipper hypertensives. <i>Hypertension</i> , 2008 , 52, 925-31 | 8.5 | 143 |
| 235 | Pathophysiology of Primary Hypertension. 2008 , 794-895 | | 3 |
| 234 | Volume overload in patients treated with continuous ambulatory peritoneal dialysis associated with reduced circadian blood pressure variation. 2008 , 26, 399-403 | | 11 |
| 233 | Nocturnal hypertension is associated with an exacerbation of the endothelial damage in preeclampsia. 2008 , 28, 424-30 | | 15 |
| 232 | Short sleep duration as an independent predictor of cardiovascular events in Japanese patients with hypertension. 2008 , 168, 2225-31 | | 93 |
| 231 | Factors associated with incident ischemic stroke in hospitalized heart failure patients: a pilot study. <i>Hypertension Research</i> , 2008 , 31, 289-94 | 4.7 | 12 |
| 230 | Diurnal blood pressure abnormalities are related to endothelial dysfunction in patients with non-complicated type 1 diabetes. <i>Hypertension Research</i> , 2008 , 31, 2065-73 | 4.7 | 7 |
| 229 | Association of augmentation index of radial pressure wave form with diurnal variation pattern of blood pressure in untreated patients with essential hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 535-43 | 1.9 | 11 |
| 228 | Racism and ambulatory blood pressure in a community sample. 2008 , 70, 49-56 | | 104 |
| 227 | Prognostic significance of ambulatory blood pressure in hypertensive patients with history of cardiovascular disease. <i>Blood Pressure Monitoring</i> , 2008 , 13, 325-32 | 1.3 | 57 |
| 226 | Longitudinal association of sleep-disordered breathing and nondipping of nocturnal blood pressure in the Wisconsin Sleep Cohort Study. 2008 , 31, 795-800 | | 138 |
| 225 | Can nocturnal hypertension predict cardiovascular risk?. 2009 , 2, 25-37 | | 32 |
| 224 | Home Blood Pressure Measurements Will Not Replace 24-Hour Ambulatory Blood Pressure Monitoring. <i>Hypertension</i> , 2009 , 54, 188-95 | 8.5 | 51 |
| 223 | Night time blood pressure variability is a strong predictor for cardiovascular events in patients with type 2 diabetes. <i>American Journal of Hypertension</i> , 2009 , 22, 46-51 | 2.3 | 128 |
| 222 | Effects of angiotensin II type 1 receptor blocker on ambulatory blood pressure variability in hypertensive patients with overt diabetic nephropathy. <i>Hypertension Research</i> , 2009 , 32, 950-5 | 4.7 | 38 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 221 | Loss of nocturnal decline of blood pressure in non-diabetic patients with nephrotic syndrome in the early and middle stages of chronic kidney disease. <i>Hypertension Research</i> , 2009 , 32, 364-8 | 4.7 | 8 |
| 220 | Night-day blood pressure ratio and dipping pattern as predictors of death and cardiovascular events in hypertension. 2009 , 23, 645-53 | | 199 |
| 219 | Blood pressure is elevated in children with primary snoring. 2009 , 155, 362-8.e1 | | 99 |
| 218 | Renal resistive index and nocturnal non-dipping: is there an association in essential hypertension?. 2009 , 41, 383-91 | | 7 |
| 217 | The influence of close relationships on nocturnal blood pressure dipping. 2009 , 71, 211-7 | | 23 |
| 216 | Association between white-coat effect and blunted dipping of nocturnal blood pressure. <i>American Journal of Hypertension</i> , 2009 , 22, 1054-61 | 2.3 | 10 |
| 215 | Stress, menopausal status and nocturnal blood pressure dipping patterns among hypertensive women. 2009 , 25, e157-63 | | 42 |
| 214 | Sleep-disordered breathing and 24-hour blood pressure pattern among older adults. 2009 , 64, 280-5 | | 28 |
| 213 | Influence of the Circadian System on Disease Severity. 2009 , 4, 143-163 | | 58 |
| 212 | Genetic influences on daytime and night-time blood pressure: similarities and differences. <i>Journal of Hypertension</i> , 2009 , 27, 2358-64 | 1.9 | 33 |
| 211 | [Clinical, epidemiological and pharmacological research on cardiovascular disease based on blood pressure variability]. 2009 , 129, 699-708 | | 1 |
| 210 | The circadian melatonin rhythm and its modulation: possible impact on hypertension. <i>Journal of Hypertension</i> , 2009 , 27, S17-20 | 1.9 | 89 |
| 209 | Cardiac hypertrophy and remodelling: pathophysiological consequences and protective effects of melatonin. <i>Journal of Hypertension</i> , 2010 , 28 Suppl 1, S7-12 | 1.9 | 36 |
| 208 | Sleep and cognition in older adults with cardiovascular disease. 2010 , 25, 497-502 | | 5 |
| 207 | Relationship between sleep apnea syndrome and sleep blood pressure in patients without hypertension. 2010 , 55, 92-8 | | 22 |
| 206 | Prognostic value of subdivisions of nighttime blood pressure fall in hypertensives followed up for 8.2 years. Does nondipping classification need to be redefined?. <i>Journal of Clinical Hypertension</i> , 2010 , 12, 508-15 | 2.3 | 13 |
| 205 | Ethnicity, gender, genotype, and anger as related to nocturnal dipping. 2010 , 47, 1094-101 | | 1 |
| 204 | Clinical implications of ambulatory and home blood pressure monitoring. 2010 , 40, 423-31 | | 10 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 203 | Orthostatic hypotension is a more robust predictor of cardiovascular events than nighttime reverse dipping in elderly. <i>Hypertension</i> , 2010 , 56, 56-61 | 8.5 | 85 |
| 202 | Nocturnal nondipping and left ventricular hypertrophy in hypertension: an updated review. 2010 , 8, 781-92 | | 48 |
| 201 | Ambulatory blood pressure monitoring of healthy schoolchildren with a family history of hypertension. 2010 , 32, 535-40 | | 5 |
| 200 | Glomerular filtration rate is related to dipping pattern in ambulatory blood pressure monitoring--a cross-sectional population-based study. 2010 , 24, 247-53 | | 11 |
| 199 | Diurnal blood pressure variation and cardiovascular prognosis in a community-based study of Ohasama, Japan. <i>Hypertension Research</i> , 2010 , 33, 652-6 | 4.7 | 14 |
| 198 | Reversible multifocal leukoencephalopathy associated with a nocturnal blood pressure non-dipper pattern. 2010 , 19, 267-9 | | 3 |
| 197 | Melatonin: a multitasking molecule. 2010 , 181, 127-51 | | 432 |
| 196 | Short sleep duration is an independent predictor of stroke events in elderly hypertensive patients. 2010 , 4, 255-62 | | 52 |
| 195 | Principles and techniques of blood pressure measurement. 2010 , 28, 571-86 | | 206 |
| 194 | Comparison of atrial electromechanical coupling interval and P-wave dispersion in non-dipper versus dipper hypertensive subjects. 2011 , 20, 60-6 | | 9 |
| 193 | Usefulness of the resistive index in renal Doppler ultrasonography as an indicator of vascular damage in patients with risks of atherosclerosis. 2011 , 26, 3256-62 | | 45 |
| 192 | The relationship between dipping profile in blood pressure and neurologic deficit in early acute ischemic stroke. 2011 , 20, 10-15 | | 13 |
| 191 | β adrenergic receptor polymorphisms and nocturnal blood pressure dipping status in the Wisconsin Sleep Cohort Study. 2011 , 5, 114-22 | | 11 |
| 190 | Aldosterone-to-renin ratio and nocturnal blood pressure decline in a general population: the Ohasama study. <i>Journal of Hypertension</i> , 2011 , 29, 1940-7 | 1.9 | 17 |
| 189 | Short-term reproducibility of ambulatory blood pressure monitoring in autosomal dominant polycystic kidney disease. <i>Blood Pressure Monitoring</i> , 2011 , 16, 47-54 | 1.3 | 9 |
| 188 | Effects of multiple factorial intervention on ambulatory BP profile and renal function in hypertensive type 2 diabetic patients with overt nephropathy - a pilot study. <i>Clinical and Experimental Hypertension</i> , 2011 , 33, 255-63 | 2.2 | 11 |
| 187 | Socioeconomic position is positively associated with blood pressure dipping among African-American adults: the Jackson Heart Study. <i>American Journal of Hypertension</i> , 2011 , 24, 1015-21 | 2.3 | 28 |
| 186 | Predictive role of the nighttime blood pressure. <i>Hypertension</i> , 2011 , 57, 3-10 | 8.5 | 398 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 185 | Sleep duration and ambulatory blood pressure in black and white adolescents. <i>Hypertension</i> , 2012 , 59, 747-52 | 8.5 | 68 |
| 184 | Serum gamma-glutamyl transferase (GGT) levels and inflammatory activity in patients with non-dipper hypertension. <i>Clinical and Experimental Hypertension</i> , 2012 , 34, 311-5 | 2.2 | 12 |
| 183 | "The nighttime might be the right time" for cardiovascular event prediction. <i>Hypertension</i> , 2012 , 60, 8-9 | 8.5 | 4 |
| 182 | Reverse dipper pattern of blood pressure at 3 months is associated with inflammation and outcome after renal transplantation. 2012 , 27, 2089-95 | | 33 |
| 181 | Day-night dip and early-morning surge in blood pressure in hypertension: prognostic implications. <i>Hypertension</i> , 2012 , 60, 34-42 | 8.5 | 208 |
| 180 | Short-term increase in particulate matter blunts nocturnal blood pressure dipping and daytime urinary sodium excretion. <i>Hypertension</i> , 2012 , 60, 1061-9 | 8.5 | 44 |
| 179 | The Japanese Society of Hypertension Guidelines for Self-monitoring of Blood Pressure at Home (Second Edition). <i>Hypertension Research</i> , 2012 , 35, 777-95 | 4.7 | 135 |
| 178 | Cystatin C levels in patients with dipper and nondipper hypertension. 2012 , 60, 676-9 | | 3 |
| 177 | Ambulatory blood pressure monitoring in Australia: 2011 consensus position statement. <i>Journal of Hypertension</i> , 2012 , 30, 253-66 | 1.9 | 94 |
| 176 | Guidelines for the clinical use of 24 hour ambulatory blood pressure monitoring (ABPM) (JCS 2010): Digest version 2012 , 76, 508-19 | | 69 |
| 175 | Evaluation of biochemical, hematological, and thyroid function parameters in nondipper and dipper hypertensive patients. 2012 , 124, 439-43 | | 1 |
| 174 | Non-dipping nocturnal blood pressure in psoriasis vulgaris. 2012 , 124, 822-9 | | 8 |
| 173 | Lack of nocturnal blood pressure fall in elderly bedridden hypertensive patients with cerebrovascular disease. 2012 , 29, 62-5 | | 1 |
| 172 | Social support is associated with blood pressure responses in parents caring for children with developmental disabilities. 2012 , 33, 2099-105 | | 48 |
| 171 | Clinical Significance of Home Blood Pressure and Its Possible Practical Application. 2012 , 18, 1 | | 2 |
| 170 | Out-of-office blood pressure: from measurement to control. 2012 , 5, 27-34 | | 11 |
| 169 | Visit-to-visit and ambulatory blood pressure variability as predictors of incident cardiovascular events in patients with hypertension. <i>American Journal of Hypertension</i> , 2012 , 25, 962-8 | 2.3 | 105 |
| 168 | Chronobiology of blood pressure: emerging implications of melatonin. 2012 , 42, 1252-4 | | 7 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 167 | Abnormal circadian blood pressure regulation in liver transplanted children. 2012 , 16, 160-4 | | 11 |
| 166 | 24-h-Langzeitblutdruckmessung (ABDM). 2013 , 7, 194-208 | | 3 |
| 165 | Non-dipping pattern in untreated hypertensive patients is related to increased pulse wave velocity independent of raised nocturnal blood pressure. 2013 , 22, 34-8 | | 26 |
| 164 | Reproducibility of blood pressure dipping: relation to day-to-day variability in sleep quality. 2013 , 7, 432-9 | | 34 |
| 163 | Morning pulse pressure is associated more strongly with elevated albuminuria than systolic blood pressure in patients with type 2 diabetes mellitus: post hoc analysis of a cross-sectional multicenter study. 2013 , 101, 270-7 | | 6 |
| 162 | Assessment and management of blood-pressure variability. 2013 , 10, 143-55 | | 476 |
| 161 | Ambulatory blood pressure in stroke and cognitive dysfunction. 2013 , 15, 150-9 | | 12 |
| 160 | Blood pressure variability: a novel and important risk factor. 2013 , 29, 557-63 | | 68 |
| 159 | Effect of azilsartan versus candesartan on nocturnal blood pressure variation in Japanese patients with essential hypertension. 2013 , 22 Suppl 1, 22-8 | | 14 |
| 158 | Circadian variation of blood pressure is impaired in normotensive pregnant women with gestational diabetes mellitus. <i>Clinical and Experimental Hypertension</i> , 2013 , 35, 128-33 | 2.2 | 10 |
| 157 | Correlates of isolated nocturnal hypertension and target organ damage in a population-based cohort of African Americans: the Jackson Heart Study. <i>American Journal of Hypertension</i> , 2013 , 26, 1011-6 ³ | | 44 |
| 156 | High-sensitivity cardiac troponin T predicts nondipper hypertension in newly diagnosed hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 731-6 | 2.3 | 10 |
| 155 | Differences between daytime and nighttime blood pressure variability regarding systemic atherosclerotic change and renal function. <i>Hypertension Research</i> , 2013 , 36, 232-9 | 4.7 | 34 |
| 154 | DNA damage and oxidative status in newly diagnosed, untreated, dipper and non-dipper hypertensive patients. <i>Hypertension Research</i> , 2013 , 36, 166-71 | 4.7 | 11 |
| 153 | Comparison of left atrial mechanical function in nondipper versus dipper hypertensive patients: a speckle tracking study. 2013 , 30, 164-70 | | 23 |
| 152 | A reverse dipping pattern predicts cardiovascular mortality in a clinical cohort. 2013 , 28, 1468-73 | | 17 |
| 151 | Comparison of inflammatory markers in non-dipper hypertension vs. dipper hypertension and in normotensive individuals: uric acid, C-reactive protein and red blood cell distribution width readings. 2014 , 10, 98-103 | | 7 |
| 150 | The effect of melatonin on circadian blood pressure in patients with type 2 diabetes and essential hypertension. 2014 , 10, 669-75 | | 19 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 149 | How many clinic BP readings are needed to predict cardiovascular events as accurately as ambulatory BP monitoring?. 2014 , 28, 731-5 | | 1 |
| 148 | Effect of telmisartan vs. ramipril on 'dipping' status and blood pressure variability: pooled analysis of the PRISMA studies. <i>Hypertension Research</i> , 2014 , 37, 151-7 | 4.7 | 10 |
| 147 | Peripheral and central effects of melatonin on blood pressure regulation. 2014 , 15, 17920-37 | | 93 |
| 146 | Clinical utility of ambulatory blood pressure monitoring in the management of hypertension. 2014 , 12, 623-34 | | 14 |
| 145 | Improving detection of hypertension in girls with turner syndrome using ambulatory blood pressure monitoring. 2014 , 81, 25-31 | | 19 |
| 144 | The relationship between nocturnal blood pressure and hemorrhagic stroke in Chinese hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 652-7 | 2.3 | 11 |
| 143 | Chronic aerobic exercise improves blood pressure dipping status in African American nondippers. <i>Blood Pressure Monitoring</i> , 2014 , 19, 353-8 | 1.3 | 8 |
| 142 | Association between high nocturnal blood pressure and white matter change and its interaction by obstructive sleep apnoea among normotensive adults. <i>Journal of Hypertension</i> , 2014 , 32, 2005-12; discussion 2012 | 1.9 | 17 |
| 141 | Clinical significance of home blood pressure and its possible practical application. 2014 , 18, 24-40 | | 10 |
| 140 | Melatonin secretion is impaired in women with preeclampsia and an abnormal circadian blood pressure rhythm. 2014 , 36, 1001-7 | | 25 |
| 139 | Decreased orthostatic adrenergic reactivity in non-dipping postural tachycardia syndrome. 2014 , 185, 107-11 | | 10 |
| 138 | Prospective analysis of the association of ambulatory blood pressure characteristics with incident chronic kidney disease. <i>Journal of Hypertension</i> , 2015 , 33, 1939-46; discussion 1946 | 1.9 | 19 |
| 137 | Effects of verapamil SR and atenolol on 24-hour blood pressure and heart rate in hypertension patients with coronary artery disease: an international verapamil SR-trandolapril ambulatory monitoring substudy. 2015 , 10, e0122726 | | 3 |
| 136 | Comparison of cardiovascular complications in patients with and without KCNJ5 gene mutations harboring aldosterone-producing adenomas. 2015 , 22, 191-200 | | 60 |
| 135 | Adverse prognostic value of persistent office blood pressure elevation in white coat hypertension. <i>Hypertension</i> , 2015 , 66, 437-44 | 8.5 | 33 |
| 134 | What Is the Hypertension Phenotype? 2015 , 9, 1 | | 4 |
| 133 | Prognostic significance of dipping in older hypertensive patients. 2015 , 24, 103-10 | | 9 |
| 132 | Non-Dipping Pattern and Subclinical Cardiac Damage in Untreated Hypertension: A Systematic Review and Meta-Analysis of Echocardiographic Studies. <i>American Journal of Hypertension</i> , 2015 , 28, 1392-402 | 2.3 | 22 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 131 | Clinical value of ambulatory blood pressure: evidence and limits. 2015 , 116, 1034-45 | | 120 |
| 130 | Ambulatory blood pressure monitoring: mercury rising. 2015 , 22, 81-5 | | 2 |
| 129 | Assessment of mean platelet volume and soluble CD40 ligand levels in patients with non-dipper hypertension, dippers and normotensives. <i>Clinical and Experimental Hypertension</i> , 2015 , 37, 70-4 | 2.2 | 7 |
| 128 | Association between high-sensitivity troponin T, left ventricular hypertrophy, and myocardial performance index. 2015 , 40, 1004-10 | | 9 |
| 127 | Dilemmas in diagnosing and managing hypertension: is white coat hypertension benign?. 2015 , 31, 580-2 | | 6 |
| 126 | Effects of Carotid Stenting on Nocturnal Nondipping Phenomenon. 2015 , 24, 2102-9 | | 1 |
| 125 | A retrospective review of the ambulatory blood pressure patterns and diurnal urine production in subgroups of spinal cord injured patients. 2015 , 53, 49-53 | | 12 |
| 124 | Associations between cystatin C-based eGFR, ambulatory blood pressure parameters, and in-clinic versus ambulatory blood pressure agreement in older community-living adults. <i>Blood Pressure Monitoring</i> , 2016 , 21, 87-94 | 1.3 | 1 |
| 123 | Serum uric acid levels and inflammatory markers with respect to dipping status: A retrospective analysis of hypertensive patients with or without chronic kidney disease. <i>Clinical and Experimental Hypertension</i> , 2016 , 38, 555-63 | 2.2 | 6 |
| 122 | Eplerenone restores 24-h blood pressure circadian rhythm and reduces advanced glycation end-products in rhesus macaques with spontaneous hypertensive metabolic syndrome. <i>Scientific Reports</i> , 2016 , 6, 23957 | 4.9 | 3 |
| 121 | Secondary Stroke Prevention: Improving Diagnosis and Management with Newer Technologies. 2016 , 7, 458-477 | | 12 |
| 120 | The Relationship Between Gene Polymorphisms and Dipping Profile in Patients With Coronary Heart Disease. <i>American Journal of Hypertension</i> , 2016 , 29, 1094-102 | 2.3 | 3 |
| 119 | Circadian blood pressure changes and cardiovascular risk in elderly-treated hypertensive patients. <i>Hypertension Research</i> , 2016 , 39, 805-811 | 4.7 | 32 |
| 118 | Covariates of non-dipping and elevated night-time blood pressure in ischemic stroke patients: the Norwegian Stroke in the Young Study. 2016 , 25, 212-8 | | 9 |
| 117 | Prognostic Value of Ambulatory Blood Pressure Monitoring. 2016 , 165-191 | | |
| 116 | Is Isolated Nocturnal Hypertension A Reproducible Phenotype?. <i>American Journal of Hypertension</i> , 2016 , 29, 33-8 | 2.3 | 29 |
| 115 | Patients with Parkinson disease present high ambulatory blood pressure variability. 2017 , 37, 530-535 | | 14 |
| 114 | Cardioprotective effects of SGLT2 inhibitors are possibly associated with normalization of the circadian rhythm of blood pressure. <i>Hypertension Research</i> , 2017 , 40, 535-540 | 4.7 | 24 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 113 | Diurnal blood pressure and urine production in acute spinal cord injury compared with controls. 2017 , 55, 39-46 | | 13 |
| 112 | Short-term variability and nocturnal decline in ambulatory blood pressure in normotension, white-coat hypertension, masked hypertension and sustained hypertension: a population-based study of older individuals in Spain. <i>Hypertension Research</i> , 2017 , 40, 613-619 | 4.7 | 13 |
| 111 | Associations of Blood Pressure Dipping Patterns With Left Ventricular Mass and Left Ventricular Hypertrophy in Blacks: The Jackson Heart Study. 2017 , 6, | | 19 |
| 110 | Utility of ambulatory blood pressure monitoring for the management of hypertension. 2017 , 32, 365-372 | | 5 |
| 109 | Clinical and prognostic significance of a reverse dipping pattern on ambulatory monitoring: An updated review. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 713-721 | 2.3 | 53 |
| 108 | The importance and prognostic value of nocturnal blood pressure assessments using inexpensive domestic devices. <i>Journal of Hypertension</i> , 2017 , 35, 463-465 | 1.9 | 6 |
| 107 | Profile Analysis of Repeated Measurements. 2017 , 329-346 | | |
| 106 | Racial differences in nocturnal dipping status in diabetic kidney disease: Results from the STOP-DKD (Simultaneous Risk Factor Control Using Telehealth to Slow Progression of Diabetic Kidney Disease) study. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1327-1335 | 2.3 | 8 |
| 105 | The Reproducibility of Racial Differences in Ambulatory Blood Pressure Phenotypes and Measurements. <i>American Journal of Hypertension</i> , 2017 , 30, 961-967 | 2.3 | 7 |
| 104 | Long-term metabolic risk among children born premature or small for gestational age. 2017 , 13, 50-62 | | 78 |
| 103 | Angiotensin-II regulates dosing time-dependent intratumoral accumulation of macromolecular drug formulations via 24-h blood pressure rhythm in tumor-bearing mice. 2018 , 498, 86-91 | | 1 |
| 102 | Carotid atherosclerosis and the association between nocturnal blood pressure dipping and cardiovascular events. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 450-455 | 2.3 | 6 |
| 101 | Comparison of diurnal blood pressure and urine production between people with and without chronic spinal cord injury. 2018 , 56, 847-855 | | 8 |
| 100 | Role of melatonin in blood pressure regulation: An adjunct anti-hypertensive agent. 2018 , 45, 755-766 | | 43 |
| 99 | The chronobiology of blood pressure in pregnancy. 2018 , 12, 104-109 | | 4 |
| 98 | Resistance Exercise Training Is More Effective than Interval Aerobic Training in Reducing Blood Pressure During Sleep in Hypertensive Elderly Patients. 2018 , 32, 2085-2090 | | 11 |
| 97 | Is ambulatory blood pressure measurement a new indicator for survival among advanced heart failure cases. 2018 , 70 Suppl 1, S73-S78 | | 1 |
| 96 | Blood Pressure Variability and Autonomic Dysfunction. 2018 , 18, 137 | | 21 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 95 | Understanding short-term blood-pressure-variability phenotypes: from concept to clinical practice. 2018 , 11, 241-254 | | 33 |
| 94 | The Sympathetic Nervous System in Hypertension. 2018 , 201-212 | | 2 |
| 93 | Impact of Blunted Nocturnal Blood Pressure Dipping on Cardiac Systolic Function in Community Participants Not Receiving Antihypertensive Therapy. <i>American Journal of Hypertension</i> , 2018 , 31, 1002-1012 | 2.3 | 3 |
| 92 | Association Between Amplitude of Seasonal Variation in Self-Measured Home Blood Pressure and Cardiovascular Outcomes: HOMED-BP (Hypertension Objective Treatment Based on Measurement By Electrical Devices of Blood Pressure) Study. 2018 , 7, | | 30 |
| 91 | Molecular Mechanisms Underlying the Cardiovascular Benefits of SGLT2i and GLP-1RA. 2018 , 18, 45 | | 21 |
| 90 | The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2019). <i>Hypertension Research</i> , 2019 , 42, 1235-1481 | 4.7 | 468 |
| 89 | Circadian Blood Pressure Variations Computed From 1.7 Million Measurements in an Acute Hospital Setting. <i>American Journal of Hypertension</i> , 2019 , 32, 1154-1161 | 2.3 | 6 |
| 88 | Blood pressure profile and endothelial function in restless legs syndrome. <i>Scientific Reports</i> , 2019 , 9, 15933 | 4.9 | 10 |
| 87 | Expert panel consensus recommendations for ambulatory blood pressure monitoring in Asia: The HOPE Asia Network. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1250-1283 | 2.3 | 65 |
| 86 | Extreme Dipping: Always Means Nocturnal Hypotension?. <i>American Journal of Hypertension</i> , 2019 , 32, 842-847 | 2.3 | 8 |
| 85 | Diastolic Reverse Dipping Pattern Is the Predictor for the Echocardiographic Changes in the Untreated Masked Hypertensive Patients. <i>American Journal of Hypertension</i> , 2019 , 32, 588-596 | 2.3 | 6 |
| 84 | In the Deep End of Dipping: Nocturnal Blood Pressure Fall and Surrogate Cardiovascular Risk Markers in Individuals With Optimal 24-Hour Blood Pressure. <i>American Journal of Hypertension</i> , 2019 , 32, 614-616 | 2.3 | 2 |
| 83 | The Effect of Mean Platelet Volume/Platelet Count Ratio on Dipper and Non-Dipper Blood Pressure Status. 2019 , 55, | | 3 |
| 82 | Extreme dipping: is the cardiovascular risk increased? An unsolved issue. <i>Journal of Hypertension</i> , 2019 , 37, 1917-1926 | 1.9 | 11 |
| 81 | The Prognostic Effect of Circadian Blood Pressure Pattern on Long-Term Cardiovascular Outcome is Independent of Left Ventricular Remodeling. 2019 , 8, | | 8 |
| 80 | Moderate morning rise in blood pressure has lowest risk of stroke but only in women. <i>Journal of Hypertension</i> , 2019 , 37, 1437-1447 | 1.9 | 1 |
| 79 | Blood Pressure Measurement, White-Coat and Masked Hypertension. 2019 , 383-394 | | |
| 78 | Prevalence of isolated nocturnal hypertension according to 2018 European Society of Cardiology and European Society of Hypertension office blood pressure categories. <i>Journal of Hypertension</i> , 2020 , 38, 434-440 | 1.9 | 9 |

| | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 77 | Ambulatory blood pressure monitoring and morning surge in blood pressure in adult black and white South Africans. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 21-28 | 2.3 | 4 |
| 76 | Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. <i>Hypertension</i> , 2020 , 75, 324-330 | 8.5 | 12 |
| 75 | Nighttime dipping status and risk of cardiovascular events in patients with untreated hypertension: A systematic review and meta-analysis. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1951-1959 | 2.3 | 11 |
| 74 | A comparative study for the effects of nifedipine GITS and amlodipine besylate administrated in daytime or at nighttime on recovery of blood pressure rhythm and arterial stiffness in the young and middle-aged subjects with non-dipper hypertension (NARRAS): Design and rationale. 2020 , 74, e13628 | | 1 |
| 73 | Renal Functional Reserve Is Related to the Nondipping Phenotype and to the Exercise Heart Rate Response in Patients with Essential Hypertension and Preserved Renal Function. 2020 , 45, 737-747 | | |
| 72 | The effects of stress on cardiovascular disease and Alzheimer's disease: Physical exercise as a counteract measure. 2020 , 152, 157-193 | | 1 |
| 71 | Blood Pressure Increases Before Pulse Rate During the Nocturnal Period in Hypertensive Patients. 2020 , 61, 579-584 | | |
| 70 | Abnormal blood pressure circadian rhythms are relevant to cerebral infarction and Leukoaraiosis in hypertensive patients. 2020 , 20, 36 | | 2 |
| 69 | Impact of shift work on blood pressure among emergency medical services clinicians and related shift workers: A systematic review and meta-analysis. 2020 , 6, 387-398 | | 14 |
| 68 | Prognostic Value of a Riser Pattern of Nighttime Blood Pressure in Very Elderly Adults of 80 Years: A General Practice-Based Prospective SEARCH Study. <i>American Journal of Hypertension</i> , 2020 , 33, 520-527 | 2.3 | 4 |
| 67 | Clinical correlates and subclinical cardiac organ damage in different extreme dipping patterns. <i>Journal of Hypertension</i> , 2020 , 38, 858-863 | 1.9 | 3 |
| 66 | Effectiveness of Respite Care via Short-Stay Services to Support Sleep in Family Caregivers. 2020 , 17, | | 1 |
| 65 | Association of lower nighttime diastolic blood pressure and hypoxia with silent myocardial injury: The Japan Morning Surge-Home Blood Pressure study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 272-280 | 2.3 | 1 |
| 64 | Methods of Laboratory Evaluation of the Autonomic Nervous System in Wakefulness and Sleep. 2021 , 79-98 | | |
| 63 | Value of ambulatory blood pressure monitoring in potential renal donors - A prospective observational study. <i>Indian Journal of Transplantation</i> , 2021 , 15, 215 | 0.2 | |
| 62 | Hidden hypercortisolism: a too frequently neglected clinical condition. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 1581-1596 | 5.2 | 2 |
| 61 | Ambulatory Blood Pressure Monitoring to Diagnose and Manage Hypertension. <i>Hypertension</i> , 2021 , 77, 254-264 | 8.5 | 13 |
| 60 | Napping on the night shift and its impact on blood pressure and heart rate variability among emergency medical services workers: study protocol for a randomized crossover trial. <i>Trials</i> , 2021 , 22, 212 | 2.8 | 2 |

| | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 59 | Which is responsible for target organ damage in masked hypertension? Is it an increase in blood pressure or a disruption of the circadian rhythm?. <i>Clinical and Experimental Hypertension</i> , 2021 , 43, 579-585 | 2.2 | 2 |
| 58 | Serum Uric Acid, Lipid Profile and Atherogenic Index of Plasma in Dipper and Non-dipper Normotensive Subjects. <i>Research Journal of Pharmacy and Technology</i> , 2021 , | 1.7 | |
| 57 | Prognostic value of nocturnal blood pressure dipping on cardiovascular outcomes in Chinese patients with hypertension in primary care. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1291-1299 | 2.3 | 4 |
| 56 | The relationship between mean platelet volume and reverse dipping blood pressure pattern in patients with essential hypertension. <i>Clinical and Experimental Hypertension</i> , 2021 , 43, 671-676 | 2.2 | 0 |
| 55 | Association between central non-dipping pattern and platelet morphology in adults with type 1 diabetes without cardiovascular disease: a cross-sectional study. <i>Scientific Reports</i> , 2021 , 11, 15416 | 4.9 | 1 |
| 54 | Effects of blood pressure and heart rate circadian rhythms on left atrial function. <i>Journal of Hypertension</i> , 2021 , 39, 2318-2324 | 1.9 | 1 |
| 53 | Ethnic differences and heritability of blood pressure circadian rhythm in African and European American youth and young adults. <i>Journal of Hypertension</i> , 2022 , 40, 163-170 | 1.9 | 0 |
| 52 | Non-Arteritic Anterior Ischemic Optic Neuropathy. 2021 , 7-16 | | |
| 51 | Ambulatory Monitoring of Blood Pressure. 2001 , 57-75 | | 6 |
| 50 | Prognostic Value of Ambulatory Blood Pressure Monitoring. 2001 , 191-218 | | 2 |
| 49 | Ambulatory Monitoring of Blood Pressure: An Overview of Devices, Analyses, and Clinical Utility. 2016 , 55-76 | | 1 |
| 48 | Primary and Secondary Hypertension. 2012 , 1670-1751 | | 1 |
| 47 | Abnormalities of kidney function as a cause and a consequence of cardiovascular disease. <i>American Journal of the Medical Sciences</i> , 1999 , 317, 176-82 | 2.2 | 38 |
| 46 | Ambulatory blood pressure monitoring. <i>Southern Medical Journal</i> , 2003 , 96, 563-8 | 0.6 | 16 |
| 45 | Favorable effect of catheter ablation on nocturnal hypertension in patients with paroxysmal atrial fibrillation. <i>Journal of Hypertension</i> , 2020 , 38, 1174-1182 | 1.9 | 2 |
| 44 | Role of the circadian system in cardiovascular disease. <i>Journal of Clinical Investigation</i> , 2018 , 128, 2157-2167 | 1.5 | 188 |
| 43 | Evaluation of plasma chemerin levels in patients with non-dipper blood pressure patterns. <i>Medical Science Monitor</i> , 2014 , 20, 698-705 | 3.2 | 17 |
| 42 | Assessment of the relation between mean platelet volume, non-dipping blood pressure pattern, and left ventricular mass index in sustained hypertension. <i>Medical Science Monitor</i> , 2014 , 20, 2020-6 | 3.2 | 13 |

| | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 41 | Guidelines for treatment of hypertension in the elderly--2002 revised version. <i>Hypertension Research</i> , 2003 , 26, 1-36 | 4.7 | 36 |
| 40 | Japanese Society of Hypertension guidelines for the management of hypertension (JSH 2004). <i>Hypertension Research</i> , 2006 , 29 Suppl, S1-105 | 4.7 | 190 |
| 39 | 7th Brazilian Guideline of Arterial Hypertension: Chapter 2 - Diagnosis and Classification. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 107, 7-13 | 1.2 | 58 |
| 38 | Diurnal Cortisol Slope and Nighttime Blood Pressure: A Study in European Americans and African Americans. <i>Ethnicity and Disease</i> , 2021 , 31, 481-488 | 1.8 | 0 |
| 37 | Disproportionality of daily blood pressure variations in patients with arterial hypertension and type 2 diabetes mellitus. <i>Arterial Hypertension (Russian Federation)</i> , 2003 , 9, 59-63 | 0.7 | 2 |
| 36 | White-Coat Hypertension. 2005 , 318-324 | | |
| 35 | Daily rhythm of blood pressure at patients with autoimmune thyreoiditis depending on function of the thyroid gland. <i>Bulletin of Siberian Medicine</i> , 2008 , 7, 19-26 | 0.4 | |
| 34 | Hypertension. 2009 , 437-464 | | |
| 33 | Are we on the path to solve the enigma of resistant hypertension: renal sympathetic denervation. <i>Medicinski Arhiv = Medical Archives = Archives De Medecine</i> , 2013 , 67, 454-9 | 1.2 | 1 |
| 32 | Echocardiographic Assessment of the Aorta and Coronary Arteries in Hypertensive Patients. 2015 , 51-62 | | |
| 31 | Hipertansif Hastalarda Reverse-dipper Kan Basıncı ile Nörofil Lenfosit Oranı Arasındaki İlişki. <i>Osmangaz Journal of Medicine</i> , 00, | 0.1 | |
| 30 | Improving the Quality of Life of Patients with Arterial Hypertension in Diabetes Mellitus. <i>Journal of Pharmacy and Nutrition Sciences (discontinued)</i> , 2019 , 9, 110-114 | 0.3 | |
| 29 | The condition of the cardiovascular system in patients with relapsing-remitting multiple sclerosis. <i>Russian Archives of Internal Medicine</i> , 2019 , 9, 133-139 | 0.6 | |
| 28 | Relationship of Non-Dipper and Reverse-Dipper Pattern with Sleep Quality in Normotensive Patients. <i>Journal of Sleep Medicine</i> , 2020 , 17, 58-65 | 0.5 | 0 |
| 27 | Is there a difference between normotensive and hypertensive patients in terms of blood parameters and cardiovascular diseases?. <i>The European Research Journal</i> , 2021 , 7, 593-600 | 0 | |
| 26 | Prognostic Value of Ambulatory Blood Pressure Monitoring. 2007 , 225-252 | | |
| 25 | Ambulatory Monitoring of Blood Pressure. 2007 , 73-95 | | |
| 24 | Non-dipper ve dipper normotansif bireylerde SCORE kardiyovasküler risk puanlama sisteminin değerlendirilmesi. <i>Selçuk Tıp Dergisi</i> | 0 | |

| | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 23 | Relation between nocturnal decline in blood pressure and choroidal thickness: a comparative analysis in dipper vs. non-dipper hypertensive patients. <i>Blood Pressure Monitoring</i> , 2021 , 26, 176-182 | 1.3 | |
| 22 | Author's Reply. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 79 | 0.8 | |
| 21 | Dipping pattern and short-term blood pressure variability are stronger predictors of cardiovascular events than average 24-hour blood pressure in young hypertensive subjects.. <i>European Journal of Preventive Cardiology</i> , 2022 , | 3.9 | 1 |
| 20 | Nocturnal blood pressure profile in obstructive sleep apnea syndrome patients without hypertension. <i>Pneumon</i> , 2022 , 35, 1-7 | | |
| 19 | Peptide Nucleic Acid-Based miR-122 Inhibition Rescues Vascular Endothelial Dysfunction in Mice Fed a High-Fat Diet.. <i>Journal of Medicinal Chemistry</i> , 2022 , | 8.3 | 3 |
| 18 | Circadian variation in blood pressure: dipper or nondipper. <i>Journal of Clinical Hypertension</i> , 2002 , 4, 3-8 | 2.3 | 12 |
| 17 | A chronotherapeutic approach to effective blood pressure management. <i>Journal of Clinical Hypertension</i> , 2002 , 4, 15-9 | 2.3 | 2 |
| 16 | [Arterial Hypertension].. <i>Deutsche Medizinische Wochenschrift</i> , 2022 , 147, 414-428 | 0 | 0 |
| 15 | Telehealth versus Self-Directed Lifestyle Intervention to Promote Healthy Blood Pressure: a Randomized Controlled Trial. | | 0 |
| 14 | Cardiac Remodeling According to the Nocturnal Fall of Blood Pressure in Hypertensive Subjects: The Whole Assessment of Cardiac Abnormalities in Non-Dipper Subjects with Arterial Hypertension (Wacanda) Study.. <i>Journal of Personalized Medicine</i> , 2021 , 11, | 3.6 | 0 |
| 13 | Chronic Kidney Disease and Left Ventricular Hypertrophy. Potent Modifiers of the Prognostic Impact of Circadian Blood Pressure Changes.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12218969 | 8.5 | |
| 12 | bp: Blood Pressure Analysis in R. | | |
| 11 | Twin studies of cardiorespiratory disease, daily cardiovascular activity and imaging. 2022 , 403-430 | | 0 |
| 10 | Arterielle Hypertonie [Eine Übersicht für den täglichen Alltag. 2022 , 9, 207-221 | | 0 |
| 9 | Role of sympathetic pathway in light-phase time-restricted feeding-induced blood pressure circadian rhythm alteration. 9, | | 0 |
| 8 | A personal history of research on hypertension From an encounter with hypertension to the development of hypertension practice based on out-of-clinic blood pressure measurements. | | 0 |
| 7 | bp: Blood pressure analysis in R. 2022 , 17, e0268934 | | 0 |
| 6 | Effects of a Dietitian-Led, Telehealth Lifestyle Intervention on Blood Pressure: Results of a Randomized, Controlled Trial. 2022 , 11, | | 0 |

- 5 Ambulatory Monitoring and Ecological Momentary Assessment. **2022**, 975-1003 ○
- 4 Detection of the Relationship between the Multi-Dimensional Data Sets of Serially Measured Blood Pressure and the Future Risk of Death in Healthy Elderly Japanese Population. **2022**, ○
- 3 History of cardiovascular epidemiology in Japan. **2022**, ○
- 2 Circadian aspects of mortality in hospitalized patients: A retrospective observation from a large cohort. ○
- 1 The Relationship Between the Dipping Pattern and Coronary Artery Disease Severity Assessed by the SYNTAX Score in Patients With Hypertension. **2023**, ○