

# A myogenic basis for the overactive bladder

Urology

50, 57-67

DOI: [10.1016/s0090-4295\(97\)00591-8](https://doi.org/10.1016/s0090-4295(97)00591-8)

Citation Report

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Discussion: Cellular physiology of detrusor smooth muscle and the development of bladder instability: Possible mechanisms. <i>Urology</i> , 1997, 50, 70-71.   | 0.5 | 8         |
| 2  | Discussion: The neostructural myogenic mechanism of detrusor overactivity. <i>Urology</i> , 1997, 50, 71-73.   | 0.5 | 8         |
| 3  | Discussion: Potential future pharmacologic approaches. <i>Urology</i> , 1997, 50, 87-89.   | 0.5 | 63        |
| 4  | Desensitization of bladder sensory fibers by intravesical capsaicin or capsaicin analogs. A new strategy for treatment of urge incontinence in patients with spinal detrusor hyperreflexia or bladder hypersensitivity disorders. <i>International Urogynecology Journal</i> , 1998, 9, 214-220. | 0.7 | 32        |
| 5  | PATHOPHYSIOLOGY OF FEMALE LOWER URINARY TRACT DYSFUNCTION. <i>Obstetrics and Gynecology Clinics of North America</i> , 1998, 25, 747-756.  | 0.7 | 11        |
| 6  | The Mechanism of Action of Drugs Affecting the Lower Urinary Tract in the Treatment of Female Urinary Incontinence. <i>The Journal of the British Menopause Society</i> , 1998, 4, 114-121.  | 1.3 | 0         |
| 7  | Effect of Repetitive Stimulation on the Contractile Response of Rabbit Urinary Bladder Subjected to in vitro Hypoxia or in vitro Ischemia Followed by Reoxygenation. <i>Pharmacology</i> , 1998, 57, 139-147.  | 0.9 | 51        |
| 8  | Lower Urinary Tract Function After Intra-arterial Chemotherapy with Concurrent Pelvic Radiotherapy for Invasive Bladder Cancer. <i>Japanese Journal of Clinical Oncology</i> , 1999, 29, 479-484.  | 0.6 | 5         |
| 9  | A Computer Model for Describing the Effect of Urethral Afferents on Simulated Lower Urinary Tract Function. <i>Archives of Physiology and Biochemistry</i> , 1999, 107, 223-235.   | 1.0 | 14        |
| 10 | EFFECTS OF INTRAVESICAL ADMINISTRATION OF THE K <sup>+</sup> CHANNEL OPENER, ZD6169, IN CONSCIOUS RATS WITH AND WITHOUT BLADDER OUTFLOW OBSTRUCTION. <i>Journal of Urology</i> , 1999, 162, 943-948.   | 0.2 | 35        |
| 11 | OVERACTIVITY AND STRUCTURAL CHANGES IN THE CHRONICALLY ISCHEMIC BLADDER. <i>Journal of Urology</i> , 1999, 162, 1768-1778.   | 0.2 | 231       |
| 12 | DIFFERENTIAL EFFECTS OF SEX HORMONES AND PHYTOESTROGENS ON PEAK AND STEADY STATE CONTRACTIONS IN ISOLATED RABBIT DETRUSOR. <i>Journal of Urology</i> , 1999, 162, 1821-1828.   | 0.2 | 34        |
| 13 | Correlation of EGTA and Calcium-Blocking Agents on the Response of the Bladder to in vitro Ischemia. <i>Pharmacology</i> , 1999, 58, 113-119.  | 0.9 | 16        |
| 14 | MUSCARINIC RECEPTOR ANTAGONISTS IN THE TREATMENT OF OVERACTIVE BLADDER. <i>BJU International</i> , 2000, 85, 33-46.  | 1.3 | 7         |
| 15 | Correlation of Intraurethral Ultrasonography and Needle Electromyography of the Urethra. <i>Obstetrics and Gynecology</i> , 2000, 95, 156-159.   | 1.2 | 0         |
| 16 | Comparison of different computer models of the neural control system of the lower urinary tract. <i>Neurourology and Urodynamics</i> , 2000, 19, 289-310.  | 0.8 | 13        |
| 17 | New roles for muscarinic receptors in the pathophysiology of lower urinary tract symptoms. <i>BJU International</i> , 2000, 86, 36-43.   | 1.3 | 23        |
| 18 | The contribution of cholinergic detrusor excitation in a pig model of bladder hypocompliance. <i>BJU International</i> , 2000, 86, 538-543.  | 1.3 | 22        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Drug therapy for urinary incontinence. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2000, 14, 291-313.   | 1.4 | 28        |
| 20 | Pharmacological and molecular analysis of ATP-sensitive K <sup>+</sup> channels in the pig and human detrusor. European Journal of Pharmacology, 2000, 400, 287-295.   | 1.7 | 63        |
| 21 | Gastrointestinal tissue as a substitute for the detrusor. World Journal of Urology, 2000, 18, 305-314.   | 1.2 | 4         |
| 22 | Modern pharmacotherapy of urge urinary incontinence in the USA: tolterodine and oxybutynin. BJU International, 2000, 86, 44-54.  | 1.3 | 17        |
| 23 | Regulation of urinary bladder smooth muscle contractions by ryanodine receptors and BK and SK channels. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2000, 279, R60-R68.  | 0.9 | 140       |
| 24 | Lower urinary tract symptoms, benign prostatic obstruction and the overactive bladder. BJU International, 2000, 85, 57-68.   | 1.3 | 54        |
| 25 | Ein standardisiertes In-vivo-Modell zur Evaluierung anticholinergischer Effekte auf die Blasenkontraktion, den Speichelfluss und auf das Elektromyogramm der Harnblase - A standardized Model for in vivo Investigations of Anticholinergic Effects on Bladder Function, Salivation and Electromyographic Characteristics of the Detrusor - - C. E. Alken-Preisarbeit 2000 - Aktuelle Urologie, 2000, 31, 311-316. | 0.3 | 7         |
| 26 | Alterations of the Calcium Concentration in Cultured Smooth Muscle Cells of the Lower Urinary Tract following Pharmacological Stimulation. Aktuelle Urologie, 2000, 31, 41-48.   | 0.3 | 1         |
| 27 | Correlation of intraurethral ultrasonography and needle electromyography of the urethra. Obstetrics and Gynecology, 2000, 95, 156-159.   | 1.2 | 18        |
| 28 | Ventral hernia of the urinary bladder with mixed urinary incontinence: treatment with herniorrhaphy and allograft fascial sling. Urology, 2000, 55, 145.   | 0.5 | 2         |
| 29 | Muscarinic receptor antagonists in the treatment of overactive bladder. Urology, 2000, 55, 33-46.  | 0.5 | 260       |
| 30 | CYSTOMETRIC EVALUATION OF BLADDER FUNCTION IN NON-ANESTHETIZED MICE WITH AND WITHOUT BLADDER OUTLET OBSTRUCTION. Journal of Urology, 2000, 164, 1385-1389.   | 0.2 | 91        |
| 31 | DIAGNOSTIC VALUE OF INTRAVESICAL LIDOCAINE FOR OVERACTIVE BLADDER. Journal of Urology, 2000, 164, 340-343.   | 0.2 | 75        |
| 32 | STUDIES OF THE PATHOPHYSIOLOGY OF IDIOPATHIC DETRUSOR INSTABILITY: THE PHYSIOLOGICAL PROPERTIES OF THE DETRUSOR SMOOTH MUSCLE AND ITS PATTERN OF INNERVATION. Journal of Urology, 2000, 163, 646-651.  | 0.2 | 182       |
| 33 | High caffeine consumption was associated with an increased risk of detrusor instability and urge incontinence. Evidence-Based Obstetrics and Gynecology, 2001, 3, 97-98.   | 0.3 | 0         |
| 34 | Bladder instillation of $\epsilon$ -knaked $\epsilon$ -hSlo/pcDNA3 ameliorates detrusor hyperactivity in obstructed rats in vivo. Urology, 2001, 57, 111.  | 0.5 | 11        |
| 35 | Model of peripheral autonomous modules and a myovesical plexus in normal and overactive bladder function. Lancet, The, 2001, 358, 401-403.   | 6.3 | 153       |
| 36 | EXTERNAL URETHRAL SPHINCTER DILATION FOR THE MANAGEMENT OF HIGH RISK MYELOMENINGOCELE: 15-YEAR EXPERIENCE. Journal of Urology, 2001, 165, 2383-2388.   | 0.2 | 30        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Pharmacological agents for the treatment of urinary incontinence due to overactive bladder. Expert Opinion on Investigational Drugs, 2001, 10, 65-83.   | 1.9 | 55        |
| 38 | Bladder injection of $\alpha$ -synuclein pcDNA3 ameliorates detrusor hyperactivity in obstructed rats in vivo. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2001, 281, R1699-R1709.  | 0.9 | 66        |
| 39 | Urge Incontinence and Detrusor Instability. International Urogynecology Journal, 2001, 12, 58-68.   | 0.7 | 29        |
| 40 | Focal changes in nerve, muscle and connective tissue in normal and unstable human bladder. BJU International, 2001, 84, 953-960.  | 1.3 | 64        |
| 41 | The pharmacological treatment of urinary incontinence. BJU International, 2001, 84, 923-947.  | 1.3 | 141       |
| 42 | A prospective evaluation of the pathogenesis of detrusor instability in women, using electron microscopy and immunohistochemistry. BJU International, 2001, 86, 970-976.  | 1.3 | 19        |
| 43 | Effect of different 5-hydroxytryptamine receptor subtype antagonists on the micturition reflex in rats. BJU International, 2001, 87, 256-264.   | 1.3 | 27        |
| 44 | A quantitative analysis of purinoceptor expression in the bladders of patients with symptomatic outlet obstruction. BJU International, 2001, 87, 617-622.   | 1.3 | 90        |
| 45 | Bladder instability: a re-appraisal of classical experimental approaches and development of new therapeutic strategies. Autonomic and Autacoid Pharmacology, 2001, 21, 219-229.   | 0.7 | 22        |
| 46 | Myosin isoforms in female human detrusor. Neurourology and Urodynamics, 2001, 20, 23-29.  | 0.8 | 3         |
| 47 | Dependency of detrusor contractions on calcium sensitization and calcium entry through LOE-908-sensitive channels. British Journal of Pharmacology, 2001, 134, 78-87.   | 2.7 | 55        |
| 48 | $\beta$ 1-subunit of the $Ca^{2+}$ -activated $K^{+}$ channel regulates contractile activity of mouse urinary bladder smooth muscle. Journal of Physiology, 2001, 537, 443-452.   | 1.3 | 134       |
| 49 | Origin and propagation of spontaneous excitation in smooth muscle of the guinea-pig urinary bladder. Journal of Physiology, 2001, 530, 273-286.   | 1.3 | 119       |
| 50 | Facilitation of transmitter release in the urinary bladders of neonatal and adult rats via $\beta$ 1-adrenoceptors. European Journal of Pharmacology, 2001, 414, 31-35.   | 1.7 | 18        |
| 51 | ( $\alpha$ )-9-(3-Bromo-4-fluorophenyl)-2,3,5,6,7,9-hexahydrothieno[3,2-b]quinolin-8(4H)-one 1,1-Dioxide (A-278637): A Novel ATP-Sensitive Potassium Channel Opener Efficacious in Suppressing Urinary Bladder Contractions. II. In Vivo Characterization. Journal of Pharmacology and Experimental Therapeutics, 2002, 303, 387-394. | 1.3 | 28        |
| 52 | ( $\alpha$ )-9-(3-Bromo-4-fluorophenyl)-2,3,5,6,7,9-hexahydrothieno[3,2-b]quinolin-8(4H)-one 1,1-Dioxide (A-278637): A Novel ATP-Sensitive Potassium Channel Opener Efficacious in Suppressing Urinary Bladder Contractions. I. In Vitro Characterization. Journal of Pharmacology and Experimental Therapeutics, 2002, 303, 379-386. | 1.3 | 34        |
| 55 | Pathophysiology of the Overactive Bladder. Clinical Obstetrics and Gynecology, 2002, 45, 182-192.   | 0.6 | 16        |
| 56 | Clinical Aspects of the Overactive Bladder and Detrusor Overactivity. Scandinavian Journal of Urology and Nephrology, 2002, 36, 65-71.  | 1.4 | 24        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 57 | Overactive Bladder--Pharmacological Aspects. Scandinavian Journal of Urology and Nephrology, 2002, 36, 72-81.   | 1.4 | 39        |
| 58 | Pathophysiology: the varieties of bladder overactivity. Urology, 2002, 60, 22-26.   | 0.5 | 43        |
| 60 | Current and Future Pharmacological Treatment for Overactive Bladder. Journal of Urology, 2002, 168, 1897-1913.  | 0.2 | 167       |
| 61 | The Effect Of Intravesical Resiniferatoxin In Patients With Idiopathic Detrusor Instability Suggests That Involuntary Detrusor Contractions Are Triggered By C-Fiber Input. Journal of Urology, 2002, 168, 575-579.   | 0.2 | 148       |
| 62 | P2X RECEPTORS AND THEIR ROLE IN FEMALE IDIOPATHIC DETRUSOR INSTABILITY. Journal of Urology, 2002, 167, 157-164.   | 0.2 | 179       |
| 63 | Interaction between muscarinic receptor subtype signal transduction pathways mediating bladder contraction. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2002, 283, R663-R668. | 0.9 | 32        |
| 64 | Evaluation and treatment of the overactive bladder. Revista Do Hospital Das Clinicas, 2002, 57, 39-48.  | 0.5 | 28        |
| 65 | Botulinum A Toxin and Detrusor Sphincter Dyssynergia: A Double-Blind Lidocaine-Controlled Study in 13 Patients with Spinal Cord Disease. European Urology, 2002, 42, 56-62.   | 0.9 | 142       |
| 66 | Detrusor smooth muscle cells of the guinea-pig are functionally coupled via gap junctions in situ and in cell culture. Cell and Tissue Research, 2002, 309, 301-311.  | 1.5 | 25        |
| 67 | Aktuelle Mglichkeiten zur Rekompensation des Urogenitaltrakts bei Querschnittlhmung. Trauma Und Berufskrankheit, 2002, 4, s240-s244.  | 0.0 | 0         |
| 68 | The pharmacological treatment of nocturia. BJU International, 2002, 90, 25-27.  | 1.3 | 15        |
| 69 | Spontaneous phasic activity of the pig urinary bladder smooth muscle: characteristics and sensitivity to potassium channel modulators. British Journal of Pharmacology, 2002, 135, 639-648.                           | 2.7 | 89        |
| 70 | Muscarinic receptors: What we know. Current Urology Reports, 2003, 4, 421-428.  | 1.0 | 36        |
| 71 | Antimuscarinics and the Overactive DetrusorWhich Is the Main Mechanism of Action?. European Urology, 2003, 43, 1-5.  | 0.9 | 251       |
| 72 | Voiding urgency and detrusor contractility in women with overactive bladders. Neurourology and Urodynamics, 2003, 22, 223-226.  | 0.8 | 19        |
| 73 | Clinical pharmacology of old age syndromes. British Journal of Clinical Pharmacology, 2003, 56, 261-272.  | 1.1 | 5         |
| 74 | Innervation of the detrusor muscle bundle in neurogenic detrusor overactivity. BJU International, 2003, 91, 702-710.  | 1.3 | 34        |
| 75 | Effects of intravenous and intravesical administration of suramin, terazosin and BMY 7378 on bladder instability in conscious rats with bladder outlet obstruction. BJU International, 2003, 92, 131-136.             | 1.3 | 27        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 76 | Autonomous Activity in the Isolated Guinea Pig Bladder. <i>Experimental Physiology</i> , 2003, 88, 19-30.  | 0.9 | 129       |
| 77 | Agonist- and Nerve-Induced Phasic Activity in the Isolated Whole Bladder of the Guinea Pig: Evidence for Two types of Bladder Activity. <i>Experimental Physiology</i> , 2003, 88, 343-357.  | 0.9 | 75        |
| 78 | Role of Mitochondria in the Generation of Spontaneous Activity in Detrusor Smooth Muscles of the Guinea Pig Bladder.. <i>Journal of Urology</i> , 2003, 170, 628-633.  | 0.2 | 17        |
| 79 | Partial Outlet Obstruction Enhances Modular Autonomous Activity in the Isolated Rat Bladder. <i>Journal of Urology</i> , 2003, 170, 276-279.   | 0.2 | 93        |
| 80 | Urodynamic Classification of Patients With Symptoms of Overactive Bladder. <i>Journal of Urology</i> , 2003, 169, 529-534.   | 0.2 | 54        |
| 81 | Storage and voiding symptoms: pathophysiologic aspects. <i>Urology</i> , 2003, 62, 3-10.   | 0.5 | 156       |
| 82 | Length-dependent regulation of basal myosin phosphorylation and force in detrusor smooth muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003, 284, R1063-R1070.                   | 0.9 | 32        |
| 83 | Recent developments in the management of detrusor overactivity. <i>Current Opinion in Urology</i> , 2003, 13, 285-291.   | 0.9 | 44        |
| 84 | Nerve regeneration: might this be the only solution for functional problems of the urinary tract?. <i>Current Opinion in Urology</i> , 2003, 13, 495-500.  | 0.9 | 9         |
| 86 | Increased connexin43-mediated intercellular communication in a rat model of bladder overactivity in vivo. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003, 284, R1241-R1248.          | 0.9 | 98        |
| 87 | Vesical pacing: pacing parameters required for normalization of vesical electric activity in patients with overactive bladder. <i>Frontiers in Bioscience - Landmark</i> , 2004, 9, 995.   | 3.0 | 4         |
| 88 | Resiniferatoxin for detrusor instability refractory to anticholinergics. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2004, 30, 53-58.   | 0.7 | 13        |
| 89 | The association of diet and other lifestyle factors with the onset of overactive bladder: a longitudinal study in men. <i>Public Health Nutrition</i> , 2004, 7, 885-891.  | 1.1 | 86        |
| 90 | Oxybutynin for treatment of urge urinary incontinence and overactive bladder: an updated review. <i>Expert Opinion on Pharmacotherapy</i> , 2004, 5, 2351-2359.  | 0.9 | 12        |
| 91 | The M2 muscarinic receptor mediates in vitro bladder contractions from patients with neurogenic bladder dysfunction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004, 286, R874-R880. | 0.9 | 95        |
| 92 | Modulation of autonomous contractile activity in the isolated whole bladder of the guinea pig. <i>BJU International</i> , 2004, 93, 393-400.   | 1.3 | 49        |
| 93 | Noradrenaline inhibits autonomous activity in the isolated guinea pig bladder. <i>BJU International</i> , 2004, 93, 401-409.   | 1.3 | 41        |
| 94 | The autonomous bladder: a view of the origin of bladder overactivity and sensory urge. <i>BJU International</i> , 2004, 93, 478-483.   | 1.3 | 149       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 95  | Comparison of doxazosin with or without tolterodine in men with symptomatic bladder outlet obstruction and an overactive bladder. <i>BJU International</i> , 2004, 94, 817-820.   | 1.3  | 236       |
| 96  | Interstitial cells of the bladder: the missing link?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 57-60.   | 1.1  | 16        |
| 97  | In vitro and in vivo characterization of a novel naphthylamide ATP-sensitive K <sup>+</sup> channel opener, A-151892. <i>British Journal of Pharmacology</i> , 2004, 143, 81-90.  | 2.7  | 7         |
| 98  | Role of interstitial cells and gap junctions in the transmission of spontaneous Ca <sup>2+</sup> signals in detrusor smooth muscles of the guinea-pig urinary bladder. <i>Journal of Physiology</i> , 2004, 559, 567-581.   | 1.3  | 146       |
| 99  | Bladder C-Fiber Desensitization Induces a Long-Lasting Improvement of BPH-Associated Storage LUTS: A Pilot Study. <i>European Urology</i> , 2004, 46, 88-94.  | 0.9  | 36        |
| 100 | Increased Expression of Connexin 43 in the Overactive Neurogenic Detrusor. <i>European Urology</i> , 2004, 46, 799-805.   | 0.9  | 61        |
| 101 | Vesical pacing in patients with overactive bladder: Technique and results. <i>International Urology and Nephrology</i> , 2004, 36, 29-34.   | 0.6  | 0         |
| 102 | Synthesis and Structure-Activity Relationships of a Novel Series of 2,3,5,6,7,9-Hexahydrothieno[3,2-b]quinolin-8(4H)-one 1,1-Dioxide KATP Channel Openers: A Discovery of (S)-9-(3-Bromo-4-fluorophenyl)-2,3,5,6,7,9-hexahydrothieno[3,2-b]quinolin-8(4H)-one 1,1-Dioxide (A-278637), a Potent KATP Opener That Selectively Inhibits Spontaneous Bladder Contractions. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 3163-3179. | 2.9  | 45        |
| 103 | Design and synthesis of novel cyanoguanidine ATP-sensitive potassium channel openers for the treatment of overactive bladder. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 397-400.  | 1.0  | 16        |
| 105 | The electrovesicogram in the overactive bladder: role in determining pathogenesis and diagnostic significance. <i>Urological Research</i> , 2004, 32, 290-293.  | 1.5  | 3         |
| 106 | Gene therapy treatments for erectile and bladder dysfunction. <i>Current Urology Reports</i> , 2004, 5, 52-60.  | 1.0  | 16        |
| 107 | Effects of high frequency deep brain stimulation on urine storage and voiding function in conscious minipigs. <i>Neurourology and Urodynamics</i> , 2004, 23, 265-272.  | 0.8  | 51        |
| 108 | Murine in vitro whole bladder model: A method for assessing phenotypic responses to pharmacologic stimuli and hypoxia. <i>Neurourology and Urodynamics</i> , 2004, 23, 349-354.   | 0.8  | 5         |
| 109 | Effects of metabolic stress and ischaemia on the bladder, and the relationship with bladder overactivity. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 84-92.  | 1.4  | 38        |
| 110 | Management of Overactive Bladder. <i>New England Journal of Medicine</i> , 2004, 350, 786-799.  | 13.9 | 384       |
| 111 | An appraisal of recently patented compounds for bladder overactivity and urinary incontinence. <i>Expert Opinion on Therapeutic Patents</i> , 2004, 14, 1041-1060.  | 2.4  | 3         |
| 112 | Physiology of incontinence. <i>Clinics in Geriatric Medicine</i> , 2004, 20, 409-425.   | 1.0  | 9         |
| 113 | Rehabilitaci3n de las vejigas neur3genas del adulto. <i>EMC - Kinesiterapia - Medicina F3sica</i> , 2004, 25, 1-20.   | 0.1  | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 114 | Pharmacologic management of urinary incontinence. <i>Clinics in Geriatric Medicine</i> , 2004, 20, 511-523.   | 1.0 | 5         |
| 116 | Drug Treatment of Overactive Bladder. <i>Drugs</i> , 2004, 64, 1643-1656.   | 4.9 | 70        |
| 117 | Comparison of Peripherally Acting Substance for Treatment of Detrusor Overactivity: What is New; What is in the Pipeline?. <i>EAU Update Series</i> , 2004, 2, 161-169.   | 0.5 | 10        |
| 118 | Investigation of the effect of the c-kit inhibitor Glivec on isolated guinea-pig detrusor preparations. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2004, 115, 64-73.   | 1.4 | 36        |
| 119 | (â€“)-(9S)-9-(3-Bromo-4-fluorophenyl)-2,3,5,6,7,9-hexahydrothieno[3,2-b]quinolin-8(4H)-one 1,1-dioxide (A-278637), a Novel ATP-Sensitive Potassium Channel Opener: Hemodynamic Comparison to ZD-6169, WAY-133537, and Nifedipine in the Anesthetized Canine. <i>Journal of Cardiovascular Pharmacology</i> , 2004, 44, 137-147. | 0.8 | 14        |
| 120 | Sacral Neuromodulation in Lower Urinary Tract Dysfunction. <i>Advances and Technical Standards in Neurosurgery</i> , 2005, 30, 177-224.   | 0.2 | 15        |
| 121 | Overactive Bladder. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2005, 32, S1-S5.   | 0.6 | 0         |
| 122 | Variability of detrusor overactivity on repeated filling cystometry in men with urge symptoms: comparison with spinal cord injury patients. <i>BJU International</i> , 2005, 95, 587-590.   | 1.3 | 39        |
| 123 | Loss of ryanodine receptor calcium-release channel expression associated with overactive urinary bladder smooth muscle contractions in a detrusor instability model. <i>BJU International</i> , 2005, 96, 428-433.  | 1.3 | 20        |
| 124 | Overactive bladder. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2005, 19, 829-841.   | 1.4 | 18        |
| 125 | Urgency of micturition and detrusor contractility in men with prostatic obstruction and overactive bladders. <i>Neurourology and Urodynamics</i> , 2005, 24, 202-206.   | 0.8 | 3         |
| 126 | Effects of ageing on muscarinic receptor subtypes and function in rat urinary bladder. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2005, 372, 71-78.  | 1.4 | 54        |
| 127 | Mathematical models in urinary system mechanics (review). <i>Fluid Dynamics</i> , 2005, 40, 1-19.   | 0.2 | 16        |
| 128 | Urodynamic effects of oxybutynin and tolterodine in conscious and anesthetized rats under different cystometrographic conditions. <i>BMC Pharmacology</i> , 2005, 5, 14.  | 0.4 | 24        |
| 129 | The Aging Bladder. , 0, , 1459-1467.  |     | 0         |
| 130 | Urodynamic properties and neurotransmitter dependence of urinary bladder contractility in the BK channel deletion model of overactive bladder. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, F604-F610.   | 1.3 | 78        |
| 131 | Placebo controlled, randomised, double blind study of the effects of botulinum A toxin on detrusor sphincter dyssynergia in multiple sclerosis patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 1670-1676.  | 0.9 | 128       |
| 132 | Overactive bladder. <i>Perspectives in Public Health</i> , 2005, 125, 176-180.  | 0.5 | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 133 | Increased prevalence of interstitial cystitis in women with detrusor overactivity refractory to anticholinergic therapy. <i>Urology</i> , 2005, 66, 702-706.  | 0.5 | 42        |
| 134 | Treatment of overactive bladder syndrome and detrusor overactivity. <i>Reviews in Gynaecological Practice</i> , 2005, 5, 243-250.   | 0.1 | 3         |
| 135 | The overactive bladder: review of current pharmacotherapy in adults. Part 1: pathophysiology and anticholinergic therapy. <i>Expert Opinion on Pharmacotherapy</i> , 2006, 7, 509-527.  | 0.9 | 7         |
| 136 | Bladder Volume Alters Cholinergic Responses of the Isolated Whole Mouse Bladder. <i>Journal of Urology</i> , 2006, 175, 771-776.  | 0.2 | 13        |
| 137 | When to Use Antimuscarinics in Men Who Have Lower Urinary Tract Symptoms. <i>Urologic Clinics of North America</i> , 2006, 33, 531-537.   | 0.8 | 5         |
| 138 | Pharmacological Management of Women with Mixed Urinary Incontinence. <i>Drugs</i> , 2006, 66, 591-606.  | 4.9 | 23        |
| 139 | The Causes and Consequences of Overactive Bladder. <i>Journal of Women's Health</i> , 2006, 15, 251-260.  | 1.5 | 35        |
| 140 | Effects of Substitution on 9-(3-Bromo-4-fluorophenyl)-5,9-dihydro-3H,4H-2,6-dioxo-4-azacyclopenta[b]naphthalene-1,8-dione, a Dihydropyridine ATP-Sensitive Potassium Channel Opener. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 6869-6887. | 2.9 | 25        |
| 141 | Management of Overactive Bladder and Urge Urinary Incontinence in the Elderly Patient. <i>American Journal of Medicine</i> , 2006, 119, 29-36.  | 0.6 | 124       |
| 142 | Non-neuronal cholinergic system in human bladder urothelium. <i>Urology</i> , 2006, 67, 425-430.  | 0.5 | 178       |
| 143 | Effects of potassium channel modulators on human detrusor smooth muscle myogenic phasic contractile activity: Potential therapeutic targets for overactive bladder. <i>Urology</i> , 2006, 68, 442-448.   | 0.5 | 55        |
| 145 | Tropium chloride: a different anticholinergic. <i>Expert Review of Obstetrics and Gynecology</i> , 2006, 1, 29-39.  | 0.4 | 1         |
| 147 | Oxybutynin and its New Transdermal Application for the Treatment of Overactive Bladder. <i>Women's Health</i> , 2006, 2, 225-230.   | 0.7 | 0         |
| 148 | Alterations in purinergic and cholinergic components of contractile responses of isolated detrusor contraction in a rat model of partial bladder outlet obstruction. <i>BJU International</i> , 2006, 97, 372-378.                                | 1.3 | 28        |
| 149 | Muscarinic stimulation of the rat isolated whole bladder: pathophysiological models of detrusor overactivity. <i>Autonomic and Autacoid Pharmacology</i> , 2006, 26, 261-266.   | 0.5 | 21        |
| 150 | Treatment-resistant detrusor overactivity - underlying pharmacology and potential mechanisms. <i>International Journal of Clinical Practice</i> , 2006, 60, 8-16.   | 0.8 | 31        |
| 151 | Integrated control of lower urinary tract - clinical perspective. <i>British Journal of Pharmacology</i> , 2006, 147, S14-S24.  | 2.7 | 87        |
| 152 | Animal models in urological disease and sexual dysfunction. <i>British Journal of Pharmacology</i> , 2006, 147, S62-S79.  | 2.7 | 92        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 153 | Spontaneous activity of lower urinary tract smooth muscles: correlation between ion channels and tissue function. <i>Journal of Physiology</i> , 2006, 570, 13-22.  | 1.3 | 147       |
| 154 | Interaction between interstitial cells and smooth muscles in the lower urinary tract and penis. <i>Journal of Physiology</i> , 2006, 576, 707-714.  | 1.3 | 57        |
| 155 | The puzzle of overactive bladder: controversies, inconsistencies, and insights. <i>International Urogynecology Journal</i> , 2006, 17, 650-658.   | 0.7 | 12        |
| 156 | Inhibitory effects of various L-type and T-type calcium antagonists on electrically generated, potassium-induced and carbachol-induced contractions of porcine detrusor muscle. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2006, 176, 429-439. | 0.7 | 8         |
| 159 | An update on gene therapy/transfer treatments for bladder dysfunction. <i>Current Bladder Dysfunction Reports</i> , 2006, 1, 119-125.   | 0.2 | 8         |
| 160 | Pharmacological characterization of urinary bladder smooth muscle contractility following partial bladder outlet obstruction in pigs. <i>European Journal of Pharmacology</i> , 2006, 532, 107-114.   | 1.7 | 14        |
| 161 | A Shifted Paradigm for the Further Understanding, Evaluation, and Treatment of Lower Urinary Tract Symptoms in Men: Focus on the Bladder. <i>European Urology</i> , 2006, 49, 651-659.  | 0.9 | 329       |
| 162 | Comparison study of autonomous activity in bladders from normal and paraplegic rats. <i>Neurourology and Urodynamics</i> , 2006, 25, 368-378.   | 0.8 | 19        |
| 163 | Urgency degree and bladder contraction velocity: Sequential changes in women with idiopathic detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2006, 25, 123-127.  | 0.8 | 6         |
| 164 | Effect of the potassium channel opener WAY-133537 on the overactive bladder of spinalized rats. <i>Neurourology and Urodynamics</i> , 2006, 25, 808-814.  | 0.8 | 8         |
| 165 | Trospium chloride: over 20 years of clinical use. <i>Therapy: Open Access in Clinical Medicine</i> , 2006, 3, 215-226.  | 0.2 | 1         |
| 166 | Pharmacological Treatment for Overactive Bladder in Women. <i>Women's Health</i> , 2006, 2, 239-250.  | 0.7 | 0         |
| 167 | Urinary storage symptoms and comorbidities: a prospective population cohort study in middle-aged and older women. <i>Age and Ageing</i> , 2006, 35, 16-24.  | 0.7 | 127       |
| 169 | Management of overactive bladder syndrome. <i>Postgraduate Medical Journal</i> , 2007, 83, 481-486.   | 0.9 | 35        |
| 170 | Smooth muscle and neural mechanisms contributing to the downregulation of neonatal rat spontaneous bladder contractions during postnatal development. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 292, R2100-R2112.                             | 0.9 | 24        |
| 171 | Changes of gap junctional cell-cell communication in overactive detrusor in rats. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C1627-C1635.   | 2.1 | 39        |
| 172 | Overactive bladder: an update. <i>Current Opinion in Urology</i> , 2007, 17, 231-236.   | 0.9 | 78        |
| 173 | Pelvic floor dysfunction and evidence-based physical therapy. , 2007, , 161-315.  |     | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 174 | Structure-Activity Studies of Novel Cyanoguanidine ATP-Sensitive Potassium Channel Openers for the Treatment of Overactive Bladder. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 6265-6273.   | 2.9 | 4         |
| 175 | Relationships Between Micturition Urgency and Involuntary Voiding Dynamics in Men With Urinary Incontinence From Idiopathic Detrusor Overactivity. <i>Journal of Urology</i> , 2007, 178, 563-567.   | 0.2 | 6         |
| 176 | Effects of Tolterodine on Afferent Neurotransmission in Normal and Resiniferatoxin Treated Conscious Rats. <i>Journal of Urology</i> , 2007, 178, 326-331.   | 0.2 | 40        |
| 177 | Oxidative stress reduces the muscarinic receptor function in the urinary bladder. <i>Neurourology and Urodynamics</i> , 2007, 26, 302-308.   | 0.8 | 36        |
| 178 | Changes in T-type calcium channel and its subtypes in overactive detrusor of the rats with partial bladder outflow obstruction. <i>Neurourology and Urodynamics</i> , 2007, 26, 870-878.   | 0.8 | 20        |
| 179 | The extracorporeal perfusion of the female pig detrusor as an experimental model for the study of bladder contractility. <i>Neurourology and Urodynamics</i> , 2007, 26, 1024-1029.  | 0.8 | 5         |
| 180 | Lower urinary tract symptoms (LUTS) and bladder afferent activity. <i>Neurourology and Urodynamics</i> , 2007, 26, 908-913.  | 0.8 | 59        |
| 181 | Characterization of a novel ATP-sensitive K <sup>+</sup> channel opener, A-251179, on urinary bladder relaxation and cystometric parameters. <i>British Journal of Pharmacology</i> , 2007, 151, 467-475.                                  | 2.7 | 20        |
| 182 | Damage to the bladder neck alters autonomous activity and its sensitivity to cholinergic agonists. <i>BJU International</i> , 2007, 100, 919-929.  | 1.3 | 21        |
| 183 | Muscarinic receptor antagonists for overactive bladder. <i>BJU International</i> , 2007, 100, 987-1006.  | 1.3 | 339       |
| 184 | Relaxation of Phasic Contractile Activity of Human Detrusor Strips by Cyclic Nucleotide Phosphodiesterase Type 4 Inhibition. <i>European Urology</i> , 2007, 51, 772-781.  | 0.9 | 36        |
| 185 | A prospective assessment of overactive bladder symptoms in a cohort of elderly women who underwent transvaginal surgery for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 82.e1-82.e4. | 0.7 | 77        |
| 186 | Muscarinic receptors: What we know. <i>Current Bladder Dysfunction Reports</i> , 2007, 2, 29-36.   | 0.2 | 0         |
| 187 | Combination antimuscarinics and alpha-blockers for benign prostatic hyperplasia. <i>Current Prostate Reports</i> , 2007, 5, 71-77.   | 0.1 | 0         |
| 188 | Male overactive bladder: The role of urodynamics and anticholinergics. <i>Current Urology Reports</i> , 2007, 8, 66-73.  | 1.0 | 6         |
| 189 | How to choose the initial drug treatment for overactive bladder. <i>Current Urology Reports</i> , 2007, 8, 364-369.  | 1.0 | 9         |
| 191 | Therapeutic receptor targets for lower urinary tract dysfunction. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2008, 377, 437-448.  | 1.4 | 123       |
| 192 | How to choose the initial drug treatment for overactive bladder. <i>Current Bladder Dysfunction Reports</i> , 2008, 3, 41-46.  | 0.2 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 193 | Alternative therapies for overactive bladder: Cannabis and urge incontinence. <i>Current Bladder Dysfunction Reports</i> , 2008, 3, 224-229.   | 0.2 | 0         |
| 194 | Combination antimuscarinics and $\alpha$ -blockers for benign prostatic hyperplasia. <i>Current Urology Reports</i> , 2008, 9, 265-271.  | 1.0 | 5         |
| 195 | Spontaneous activity of mouse detrusor smooth muscle and the effects of the urothelium. <i>Neurourology and Urodynamics</i> , 2008, 27, 79-87.   | 0.8 | 55        |
| 196 | Altered distribution of interstitial cells in the guinea pig bladder following bladder outlet obstruction. <i>Neurourology and Urodynamics</i> , 2008, 27, 330-340.  | 0.8 | 64        |
| 197 | Development of de novo urge incontinence in women post sling: The role of preoperative urodynamics in assessing the risk. <i>Neurourology and Urodynamics</i> , 2008, 27, 407-411.   | 0.8 | 36        |
| 198 | Change in acetylcholine release from rat bladder with partial outlet obstruction. <i>BJU International</i> , 2008, 101, 633-639.   | 1.3 | 16        |
| 199 | The neural control of micturition. <i>Nature Reviews Neuroscience</i> , 2008, 9, 453-466.  | 4.9 | 1,171     |
| 200 | Altered expression of calcium-activated K and Cl channels in detrusor overactivity of rats with partial bladder outlet obstruction. <i>BJU International</i> , 2008, 101, 1588-1594.   | 1.3 | 31        |
| 201 | Effect of phosphodiesterase type 4 inhibitor rolipram on cyclophosphamide-induced cystitis in rats. <i>European Journal of Pharmacology</i> , 2008, 586, 293-299.  | 1.7 | 16        |
| 202 | Physiological and pathological regulation of the autonomic control of urinary bladder contractility. , 2008, 117, 297-312.   |     | 79        |
| 203 | A new method for producing urinary bladder hyperactivity using a non-invasive transient intravesical infusion of acetic acid in conscious rats. <i>Journal of Pharmacological and Toxicological Methods</i> , 2008, 57, 188-193. | 0.3 | 21        |
| 204 | Emerging drugs for treatment of overactive bladder and detrusor overactivity. <i>Expert Opinion on Emerging Drugs</i> , 2008, 13, 431-446.   | 1.0 | 19        |
| 205 | Trospium 60 mg Once Daily (QD) for Overactive Bladder Syndrome: Results from a Placebo-Controlled Interventional Study. <i>Urology</i> , 2008, 71, 449-454.  | 0.5 | 88        |
| 206 | A pilot study of Connexin 43 (Cx43) in human bladder tissue in patients with idiopathic detrusor overactivity. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 141, 83-86.                    | 0.5 | 4         |
| 207 | Pharmacotherapy of overactive bladder syndrome. <i>Expert Review of Clinical Pharmacology</i> , 2008, 1, 163-175.  | 1.3 | 1         |
| 208 | A survey of commonalities relevant to function and dysfunction in pelvic and sexual organs. <i>International Journal of Impotence Research</i> , 2008, 20, 1-16.   | 1.0 | 11        |
| 209 | Basic and Clinical Aspects of Non-neuronal Acetylcholine: Expression of Non-neuronal Acetylcholine in Urothelium and Its Clinical Significance. <i>Journal of Pharmacological Sciences</i> , 2008, 106, 193-198.                 | 1.1 | 86        |
| 210 | PHARMACOLOGIC BASIS OF BLADDER AND URETHRAL FUNCTION AND DYSFUNCTION. , 2008, , 47-58.   |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 211 | Analysis of rhythmic rectal contractions during filling cystometry in women. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2009, 35, 475-483.                                      | 0.7 | 2         |
| 212 | Bladder-Relaxant Properties of the Novel Benzofuroindole Analogue LDD175. <i>Pharmacology</i> , 2009, 83, 367-378.  | 0.9 | 17        |
| 213 | Basic fibroblast growth factor causes urinary bladder overactivity through gap junction generation in the smooth muscle. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F46-F54.                       | 1.3 | 34        |
| 214 | Evaluation of the Differences between the Urodynamic Findings of Neurogenic and Idiopathic Subtypes of Detrusor Overactivity. <i>Current Urology</i> , 2009, 3, 57-61.  | 0.4 | 0         |
| 215 | Overactive bladder in males. <i>Therapeutic Advances in Urology</i> , 2009, 1, 209-221.   | 0.9 | 17        |
| 216 | Potential for control of detrusor smooth muscle spontaneous rhythmic contraction by cyclooxygenase products released by interstitial cells of Cajal. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 3236-3250. | 1.6 | 39        |
| 217 | Aberrant Ca <sup>2+</sup> oscillations in smooth muscle cells from overactive human bladders. <i>Cell Calcium</i> , 2009, 45, 456-464.  | 1.1 | 37        |
| 218 | A Refocus on the Bladder as the Originator of Storage Lower Urinary Tract Symptoms: A Systematic Review of the Latest Literature. <i>European Urology</i> , 2009, 56, 810-820.  | 0.9 | 107       |
| 219 | Effects of 17 $\beta$ -estradiol on rat urinary bladder: Gender differences in anoxia-induced glucopenia and reperfusion damage. <i>Neurourology and Urodynamics</i> , 2009, 28, 535-541.                                     | 0.8 | 7         |
| 220 | Partial bladder outlet obstruction reduces the tissue antioxidant capacity and muscle nerve density of the guinea pig bladder. <i>Neurourology and Urodynamics</i> , 2009, 28, 461-467.                                       | 0.8 | 18        |
| 221 | Modification of rat detrusor muscle contraction by ascorbic acid and citric acid involving enhanced neurotransmitter release and Ca <sup>2+</sup> influx. <i>Neurourology and Urodynamics</i> , 2009, 28, 542-548.            | 0.8 | 10        |
| 222 | Antimuscarinics and overactive bladder: other mechanism of action. <i>Neurourology and Urodynamics</i> , 2010, 29, 112-115.   | 0.8 | 52        |
| 224 | Mixed incontinence: Do we have the urge to improve the stress?. <i>Current Bladder Dysfunction Reports</i> , 2009, 4, 20-25.  | 0.2 | 0         |
| 225 | The evolving physiology of the lower urinary tract: What we are learning and where we need to go. <i>Current Bladder Dysfunction Reports</i> , 2009, 4, 81-85.  | 0.2 | 0         |
| 227 | Urinary levels of glycosaminoglycans in patients with idiopathic detrusor overactivity. <i>International Urogynecology Journal</i> , 2009, 20, 1477-1480.   | 0.7 | 10        |
| 228 | Perspectives on overactive bladder in the elderly population. <i>World Journal of Urology</i> , 2009, 27, 729-737.  | 1.2 | 11        |
| 229 | Effects of 17 $\beta$ -estradiol on rat detrusor smooth muscle contractility. <i>Experimental Physiology</i> , 2009, 94, 834-846.   | 0.9 | 11        |
| 230 | Urinary urgency - translating the evidence base into daily clinical practice. <i>International Journal of Clinical Practice</i> , 2009, 63, 1675-1682.  | 0.8 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 231 | <i>In vivo</i> and <i>in vitro</i> pharmacological characterization of SVT40776, a novel M <sub>3</sub> muscarinic receptor antagonist, for the treatment of overactive bladder. <i>British Journal of Pharmacology</i> , 2009, 156, 807-817. | 2.7 | 17        |
| 232 | Spontaneous release of acetylcholine from autonomic nerves in the bladder. <i>British Journal of Pharmacology</i> , 2009, 157, 607-619.   | 2.7 | 31        |
| 233 | Role of K <sup>+</sup> Channels in Regulating Spontaneous Activity in Detrusor Smooth Muscle In Situ in the Mouse Bladder. <i>Journal of Urology</i> , 2009, 181, 2355-2365.  | 0.2 | 38        |
| 234 | Preclinical compounds for the treatment of overactive bladder. <i>Expert Opinion on Therapeutic Patents</i> , 2009, 19, 107-117.  | 2.4 | 0         |
| 235 | Bladder Sensation Measures and Overactive Bladder. <i>Journal of Urology</i> , 2009, 182, 1050-1054.  | 0.2 | 7         |
| 236 | Pathophysiology of Urinary Incontinence, Voiding Dysfunction, and Overactive Bladder. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009, 36, 463-474.  | 0.7 | 13        |
| 237 | Rhythmic contraction generates adjustable passive stiffness in rabbit detrusor. <i>Journal of Applied Physiology</i> , 2010, 108, 544-553.  | 1.2 | 18        |
| 238 | Is the beneficial effect of antimuscarinics related to motor or sensory changes in the bladder?. <i>International Urogynecology Journal</i> , 2010, 21, 841-845.  | 0.7 | 18        |
| 239 | COX Inhibitors and Overactive Bladder: The Potential for Future Therapy. <i>Current Bladder Dysfunction Reports</i> , 2010, 5, 4-12.  | 0.2 | 1         |
| 240 | Urodynamics in the Evaluation of Overactive Bladder. <i>Current Urology Reports</i> , 2010, 11, 343-347.  | 1.0 | 33        |
| 241 | Physiopathologie de l'hyperactivité vésicale. <i>Lettre De Medecine Physique Et De Readaptation</i> , 2010, 26, 69-73.  | 0.1 | 2         |
| 242 | Detrusor myocyte activity and afferent signaling. <i>Neurourology and Urodynamics</i> , 2010, 29, 97-106.   | 0.8 | 89        |
| 243 | Effects of anterior trocar guided transvaginal mesh surgery on lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2010, 29, 1419-1423.   | 0.8 | 16        |
| 244 | Update on the management of overactive bladder: patient considerations and adherence. <i>Research and Reports in Urology</i> , 2010, Volume 3, 7-17.  | 0.6 | 0         |
| 245 | Update on the management of overactive bladder: patient considerations and adherence. <i>Open Access Journal of Urology</i> , 2010, 3, 7.   | 0.3 | 6         |
| 246 | The Scientific Basis of Urology. , 0, , .   |     | 18        |
| 247 | The overactive bladder. <i>Therapeutic Advances in Urology</i> , 2010, 2, 147-155.  | 0.9 | 13        |
| 248 | BK channel activation by NS11021 decreases excitability and contractility of urinary bladder smooth muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 298, R378-R384.                 | 0.9 | 48        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 249 | New insights into molecular targets for urinary incontinence. Indian Journal of Pharmacology, 2010, 42, 261.  | 0.4 | 3         |
| 250 | Bladder Afferent Signaling: Recent Findings. Journal of Urology, 2010, 183, 1288-1295.  | 0.2 | 146       |
| 251 | A noninvasive evaluation of autonomic nervous system dysfunction in women with an overactive bladder. International Journal of Gynecology and Obstetrics, 2010, 110, 12-17.   | 1.0 | 23        |
| 252 | Effects of Mechanical Stretch on Interstitial Cells of Cajal in Guinea Pig Bladder. Journal of Surgical Research, 2010, 164, e213-e219.   | 0.8 | 26        |
| 253 | Fesoterodine for overactive bladder: A review of the literature. Current Therapeutic Research, 2010, 71, 273-288.   | 0.5 | 7         |
| 254 | The medical management of urinary incontinence. Autonomic Neuroscience: Basic and Clinical, 2010, 152, 4-10.  | 1.4 | 25        |
| 255 | The physiological function of lower urinary tract smooth muscle. Autonomic Neuroscience: Basic and Clinical, 2010, 154, 3-13.   | 1.4 | 79        |
| 256 | New Concepts and Pathophysiology of Lower Urinary Tract Symptoms in Men. European Urology Supplements, 2010, 9, 472-476.  | 0.1 | 13        |
| 257 | Hyperosmolarity alters micturition: a comparison of urinary bladder motor activity in hyperosmolar and cyclophosphamide-induced models of overactive bladder. Canadian Journal of Physiology and Pharmacology, 2010, 88, 899-906. | 0.7 | 14        |
| 258 | From urgency to frequency: facts and controversies of TRPs in the lower urinary tract. Nature Reviews Urology, 2011, 8, 617-630.  | 1.9 | 52        |
| 259 | Physiology and Pharmacology of the Bladder. , 2011, , 123-138.  |     | 0         |
| 260 | Pathophysiological Studies of Overactive Bladder and Bladder Motor Dysfunction in a Rat Model of Metabolic Syndrome. Journal of Urology, 2011, 186, 318-325.  | 0.2 | 36        |
| 261 | OAB Update: Focus on Trosipium. Clinical Medicine Insights Urology, 2011, 5, CMU.S5068.   | 0.4 | 0         |
| 262 | Overactive Bladder: Pathophysiology, Diagnostics, and Therapies. Advances in Urology, 2011, 2011, 1-1.  | 0.6 | 5         |
| 263 | Understanding stress urinary incontinence. Nurse Practitioner, 2011, 36, 24-36.   | 0.2 | 8         |
| 264 | Influence of age and bladder dysfunction on the contractile properties of isolated human detrusor smooth muscle. BJU International, 2011, 108, E91-6.   | 1.3 | 51        |
| 265 | Large conductance Ca <sup>2+</sup> -activated K <sup>+</sup> channel activation with NS1619 decreases myogenic and neurogenic contractions of rat detrusor smooth muscle. European Journal of Pharmacology, 2011, 670, 252-259.   | 1.7 | 36        |
| 266 | Afferent Mechanism in the Urinary Tract. Handbook of Experimental Pharmacology, 2011, , 171-205.  | 0.9 | 35        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 267 | The role of urgency, frequency, and nocturia in defining overactive bladder adaptive behavior. <i>Neurourology and Urodynamics</i> , 2011, 30, 406-411.  | 0.8 | 9         |
| 268 | Sophisticated models and methods for studying neurogenic bladder dysfunction. <i>Neurourology and Urodynamics</i> , 2011, 30, 658-667.   | 0.8 | 18        |
| 269 | Distribution of interstitial cells of cajal and expression of nitric oxide synthase after experimental bladder outlet obstruction in a rat model of bladder overactivity. <i>Neurourology and Urodynamics</i> , 2011, 30, 1639-1645. | 0.8 | 37        |
| 271 | Role of KIT-Positive Interstitial Cells of Cajal in the Urinary Bladder and Possible Therapeutic Target for Overactive Bladder. <i>Advances in Urology</i> , 2011, 2011, 1-7.  | 0.6 | 29        |
| 272 | Adjustable passive stiffness in mouse bladder: regulated by Rho kinase and elevated following partial bladder outlet obstruction. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F967-F976.                   | 1.3 | 12        |
| 273 | Antimuscarinic drugs to treat overactive bladder. <i>BMJ: British Medical Journal</i> , 2012, 344, e2130-e2130.  | 2.4 | 28        |
| 274 | The management of overactive bladder syndrome. <i>BMJ, The</i> , 2012, 344, e2365-e2365.   | 3.0 | 49        |
| 275 | Alfuzosin for the treatment of storage symptoms suggestive of overactive bladder. <i>Expert Opinion on Pharmacotherapy</i> , 2012, 13, 1143-1151.  | 0.9 | 2         |
| 276 | Modulation of spontaneous activity in the overactive bladder: the role of P2Y agonists. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F1447-F1454.   | 1.3 | 43        |
| 277 | Neurogenic Lower Urinary Tract Dysfunctionâ€”Do We Need Same Session Repeat Urodynamic Investigations?. <i>Journal of Urology</i> , 2012, 187, 1318-1323.  | 0.2 | 26        |
| 278 | Bryophyllum pinnatum inhibits detrusor contractility in porcine bladder stripsâ€”A pharmacological study towards a new treatment option of overactive bladder. <i>Phytomedicine</i> , 2012, 19, 947-951.                             | 2.3 | 24        |
| 279 | Classification and analysis of electrical signals in urinary bladder smooth muscle using a modified vector quantization technique. , 2012, , .   |     | 8         |
| 280 | Effects of kinin <sc>B</sc><sub>1</sub> and <sc>B</sc><sub>2</sub> receptor antagonists on overactive urinary bladder syndrome induced by spinal cord injury in rats. <i>British Journal of Pharmacology</i> , 2012, 167, 1737-1752. | 2.7 | 19        |
| 281 | Changes in detrusor muscle oxygenation during detrusor overactivity contractions. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 163, 104-107.   | 0.5 | 10        |
| 282 | Altered Caveolar Mediated Purinergic Signaling in Spontaneously Hypertensive Rats with Detrusor Overactivity. <i>Journal of Urology</i> , 2012, 188, 1017-1026.  | 0.2 | 12        |
| 285 | Characterization of Gap Junction Proteins in the Bladder of Cx43 Mutant Mouse Models of Oculodentodigital Dysplasia. <i>Journal of Membrane Biology</i> , 2012, 245, 345-355.  | 1.0 | 14        |
| 286 | Is a sequence of tests during urethral pressure profilometry correlated with symptoms assessment in women?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2012, 38, 809-817.              | 0.7 | 3         |
| 287 | Survey on the Prevalence of Overactive Bladder in Healthy Korean Postmenopausal Women. <i>The Journal of Korean Society of Menopause</i> , 2012, 18, 60.   | 0.6 | 5         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 288 | Neuronal-derived nitric oxide modulates the activity of mouse detrusor smooth muscle. <i>Neurourology and Urodynamics</i> , 2012, 31, 572-578.   | 0.8 | 5         |
| 289 | Pathophysiology of overactive bladder. <i>International Urogynecology Journal</i> , 2012, 23, 975-982.   | 0.7 | 78        |
| 290 | Real-time magnetic resonance imaging (MRI): anatomical changes during physiological voiding in men. <i>BJU International</i> , 2012, 109, 234-239.   | 1.3 | 28        |
| 291 | Spontaneous Contractile Activity of the Detrusor Muscle and Its Role in the Pathogenesis of Overactive Bladder Syndrome. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 42-47.                         | 0.6 | 5         |
| 292 | Pathophysiology of Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 48-55.   | 0.6 | 49        |
| 293 | Detrusor Overactivity in Hypercholesterolemia Rats. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 16-20.  | 0.6 | 2         |
| 294 | Effect of silymarin on bladder overactivity in cyclophosphamide-induced cystitis rat model. <i>Phytomedicine</i> , 2012, 19, 840-845.  | 2.3 | 10        |
| 295 | Oxybutynin: past, present, and future. <i>International Urogynecology Journal</i> , 2013, 24, 595-604.   | 0.7 | 30        |
| 296 | Effects of Vitamin D Analog on Bladder Function and Sensory Signaling in Animal Models of Cystitis. <i>Urology</i> , 2013, 81, 466.e1-466.e7.  | 0.5 | 10        |
| 297 | Understanding Clinic Options for Overactive Bladder. <i>Current Urology Reports</i> , 2013, 14, 541-548.   | 1.0 | 21        |
| 298 | Obesity and the Overactive Bladder. <i>Current Bladder Dysfunction Reports</i> , 2013, 8, 62-68.   | 0.2 | 6         |
| 299 | Randomized, double-blind placebo-controlled trial with <i>Bryophyllum pinnatum</i> versus placebo for the treatment of overactive bladder in postmenopausal women. <i>Phytomedicine</i> , 2013, 20, 351-358. | 2.3 | 28        |
| 300 | Fourier Transform Analysis of Rabbit Detrusor Autonomous Contractions Reveals Length Dependent Increases in Tone and Slow Wave Development at Long Lengths. <i>Journal of Urology</i> , 2013, 190, 334-340.  | 0.2 | 12        |
| 301 | Involvement of Connexins 43 and 45 in Functional Mechanism of Human Detrusor Overactivity in Neurogenic Bladder. <i>Urology</i> , 2013, 81, 1108.e1-1108.e6.   | 0.5 | 12        |
| 302 | Principios de acción e indicaciones de la toxina botulínica en el tratamiento de la hiperactividad vesical del adulto. <i>EMC - Urología</i> , 2013, 45, 1-12.   | 0.0 | 0         |
| 303 | Latest treatment for lower urinary tract dysfunction: Therapeutic agents and mechanism of action. <i>International Journal of Urology</i> , 2013, 20, 28-39.   | 0.5 | 47        |
| 304 | Myocardin and microRNA-1 modulate bladder activity through connexin 43 expression during postnatal development. <i>Journal of Cellular Physiology</i> , 2013, 228, 1819-1826.                                | 2.0 | 24        |
| 305 | Sex Differences in the Physiology and Pharmacology of the Lower Urinary Tract. <i>Current Urology</i> , 2013, 6, 179-188.  | 0.4 | 35        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 306 | PTHrP Is Endogenous Relaxant for Spontaneous Smooth Muscle Contraction in Urinary Bladder of Female Rat. <i>Endocrinology</i> , 2013, 154, 2058-2068.  | 1.4 | 12        |
| 307 | Three-dimensional effects in the lower urinary tract. <i>IMA Journal of Applied Mathematics</i> , 2013, 78, 729-749.   | 0.8 | 8         |
| 308 | New developments in the diagnosis and management of overactive bladder. <i>Clinical Practice (London, England)</i> , 2013, 10, 10.   | 0.1 | 0         |
| 309 | New therapies in the treatment of overactive bladder. <i>Expert Opinion on Emerging Drugs</i> , 2013, 18, 319-337.   | 1.0 | 10        |
| 310 | Neurogenic Detrusor Overactivity Is Associated with Decreased Expression and Function of the Large Conductance Voltage- and Ca <sup>2+</sup> -Activated K <sup>+</sup> Channels. <i>PLoS ONE</i> , 2013, 8, e68052.  | 1.1 | 45        |
| 312 | Improved model for the establishment and evaluation of detrusor overactivity in female Wistar rats. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 414-422.      | 0.7 | 9         |
| 313 | BK channel activators and their therapeutic perspectives. <i>Frontiers in Physiology</i> , 2014, 5, 389.   | 1.3 | 120       |
| 314 | Evidence for Bladder Urothelial Pathophysiology in Functional Bladder Disorders. <i>BioMed Research International</i> , 2014, 2014, 1-15.  | 0.9 | 71        |
| 315 | Alterations of the Myovesical Plexus of the Human Overactive Detrusor. <i>BioMed Research International</i> , 2014, 2014, 1-8.   | 0.9 | 3         |
| 316 | Chapter 2: Pathophysiology of neurogenic detrusor overactivity and the symptom complex of overactive bladder. <i>Neurourology and Urodynamics</i> , 2014, 33, S6-13.   | 0.8 | 47        |
| 317 | Urinary Incontinence in the Young Woman: Treatment Plans and Options Available. <i>Women's Health</i> , 2014, 10, 201-217.   | 0.7 | 11        |
| 318 | Oestrogens and overactive bladder. <i>Neurourology and Urodynamics</i> , 2014, 33, 1086-1091.  | 0.8 | 65        |
| 319 | A new and automated method for objective analysis of detrusor rhythm during the filling phase. <i>World Journal of Urology</i> , 2014, 32, 85-90.  | 1.2 | 2         |
| 320 | The Effectiveness of Bladder Training in Overactive Bladder. <i>Current Bladder Dysfunction Reports</i> , 2014, 9, 63-70.  | 0.2 | 5         |
| 321 | Effects of Rho-kinase inhibition on myosin light chain phosphorylation and obstruction-induced detrusor overactivity. <i>International Journal of Urology</i> , 2014, 21, 319-324.                                   | 0.5 | 6         |
| 322 | NS19504: A Novel BK Channel Activator with Relaxing Effect on Bladder Smooth Muscle Spontaneous Phasic Contractions. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 350, 520-530.              | 1.3 | 29        |
| 324 | Important drug-drug interactions for treatments that target overactive bladder syndrome. <i>International Urogynecology Journal</i> , 2014, 25, 715-720.   | 0.7 | 4         |
| 328 | Enhanced expression of TWIK-related arachidonic acid-activated K <sup>+</sup> channel in the spinal cord of detrusor overactivity rats after partial bladder outlet obstruction. <i>BMC Urology</i> , 2015, 15, 100. | 0.6 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 330 | Associations between individual lower urinary tract symptoms and bacteriuria in random urine samples in women. <i>Neurourology and Urodynamics</i> , 2015, 34, 429-433.   | 0.8 | 19        |
| 331 | Characterisation of the contractile dynamics of the resting <i>in vivo</i> urinary bladder of the pig. <i>BJU International</i> , 2015, 116, 973-983.   | 1.3 | 28        |
| 333 | Overactive bladder. <i>F1000Research</i> , 2015, 4, 1406.   | 0.8 | 12        |
| 334 | Urinary Retention, Incontinence, and Dysregulation of Muscarinic Receptors in Male Mice Lacking <i>Mras</i> . <i>PLoS ONE</i> , 2015, 10, e0141493.   | 1.1 | 9         |
| 335 | Improvement of overactive bladder symptoms after tension-free vaginal mesh operation in women with pelvic organ prolapse: Correlation with preoperative urodynamic findings. <i>International Journal of Urology</i> , 2015, 22, 577-580. | 0.5 | 15        |
| 336 | Anatomy and physiology of the lower urinary tract. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2015, 130, 61-108.   | 1.0 | 113       |
| 337 | Protein kinase C modulates frequency of micturition and non-voiding contractions in the urinary bladder via neuronal and myogenic mechanisms. <i>BMC Urology</i> , 2015, 15, 34.  | 0.6 | 8         |
| 338 | Spatiotemporal dynamics of synaptic drive in urinary bladder syncytium: A computational investigation. , 2015, 2015, 8074-7.  |     | 2         |
| 339 | Conscious voiding during bladder obstruction in guinea pigs correlates with contractile activity of isolated bladders. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015, 193, 74-83.  | 1.4 | 2         |
| 340 | Physiological and pathophysiological implications of micromotion activity in urinary bladder function. <i>Acta Physiologica</i> , 2015, 213, 360-370.   | 1.8 | 39        |
| 341 | Evaluation of mouse urinary bladder smooth muscle for diurnal differences in contractile properties. <i>Frontiers in Pharmacology</i> , 2014, 5, 293.   | 1.6 | 15        |
| 342 | Research Findings on Overactive Bladder. <i>Current Urology</i> , 2015, 8, 1-21.  | 0.4 | 25        |
| 344 | Intracellular Bacterial Communities: A Potential Etiology for Chronic Lower Urinary Tract Symptoms. <i>Urology</i> , 2015, 86, 425-431.   | 0.5 | 73        |
| 345 | A computational model of urinary bladder smooth muscle syncytium. <i>Journal of Computational Neuroscience</i> , 2015, 38, 167-187.   | 0.6 | 25        |
| 346 | Original Research: Combined model of bladder detrusor smooth muscle and interstitial cells. <i>Experimental Biology and Medicine</i> , 2016, 241, 1853-1864.  | 1.1 | 4         |
| 347 | β3-Adrenoceptor agonists for overactive bladder syndrome: Role of translational pharmacology in a repositioning clinical drug development project. , 2016, 159, 66-82.  |     | 52        |
| 348 | Pharmacological methods for the preclinical assessment of therapeutics for OAB: an up-to-date review. <i>International Urogynecology Journal</i> , 2016, 27, 1633-1644.   | 0.7 | 3         |
| 349 | Effects of K <sup>+</sup> channel openers on spontaneous action potentials in detrusor smooth muscle of the guinea-pig urinary bladder. <i>European Journal of Pharmacology</i> , 2016, 789, 179-186.                                     | 1.7 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 350 | Overactive bladder in women. <i>Nursing Standard (Royal College of Nursing (Great Britain): 1987)</i> , 2016, 31, 52-63.   | 0.1 | 4         |
| 351 | The actions of isoprenaline and mirabegron in the isolated whole rat and guinea pig bladder. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2016, 198, 19-27.   | 1.4 | 2         |
| 352 | Transient contractions of urinary bladder smooth muscle are drivers of afferent nerve activity during filling. <i>Journal of General Physiology</i> , 2016, 147, 323-335.  | 0.9 | 56        |
| 353 | Pathophysiology of Overactive Bladder: Current Understanding. <i>Current Bladder Dysfunction Reports</i> , 2017, 12, 74-79.  | 0.2 | 9         |
| 354 | Finding NeMOâ€™Nerve-sparing Mid-urethral Obstruction: A Pathophysiologically Accurate Model of Rodent Partial Bladder Outlet Obstruction. <i>Urology</i> , 2017, 105, 208.e1-208.e9.  | 0.5 | 8         |
| 355 | The Impact of Duration of Complaints on Successful Outcome of Sacral Neuromodulation. <i>Urologia Internationalis</i> , 2017, 99, 51-55.   | 0.6 | 5         |
| 356 | Spatiotemporal analysis of spontaneous myogenic contractions in the urinary bladder of the rabbit: timing and patterns reflect reported electrophysiology. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F687-F698.                              | 1.3 | 15        |
| 357 | Incontinence and Nocturia in Older Adults After Hip Fracture: Analysis of a Secondary Outcome for a Parallel Group, Randomized Controlled Trial. <i>Gerontology and Geriatric Medicine</i> , 2017, 3, 233372141770957.   | 0.8 | 6         |
| 358 | Urinary Metabolic Phenotyping of Women with Lower Urinary Tract Symptoms. <i>Journal of Proteome Research</i> , 2017, 16, 4208-4216.   | 1.8 | 13        |
| 359 | Characteristics of the mechanosensitive bladder afferent activities in relation with microcontractions in male rats with bladder outlet obstruction. <i>Scientific Reports</i> , 2017, 7, 7646.  | 1.6 | 17        |
| 360 | Effects of tai chi on symptoms and quality of life in women with overactive bladder symptoms: A non-randomized clinical trial. <i>European Journal of Integrative Medicine</i> , 2017, 12, 189-195.  | 0.8 | 2         |
| 361 | Partial bladder outlet obstruction is associated with decreased expression and function of the small-conductance Ca <sup>2+</sup> -activated K <sup>+</sup> channel in guinea pig detrusor smooth muscle. <i>International Urology and Nephrology</i> , 2017, 49, 17-26. | 0.6 | 8         |
| 362 | A Method for the Analysis of AP Foot Convexity: Insights into Smooth Muscle Biophysics. <i>Frontiers in Bioengineering and Biotechnology</i> , 2017, 5, 64.  | 2.0 | 2         |
| 363 | Age Related Differences in Responsiveness to Sildenafil and Tamsulosin are due to Myogenic Smooth Muscle Tone in the Human Prostate. <i>Scientific Reports</i> , 2017, 7, 10150.   | 1.6 | 7         |
| 364 | Effects of nitric oxide inhibitors in mice with bladder outlet obstruction. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017, 43, 356-366.  | 0.7 | 6         |
| 365 | Inhibitory effects of silodosin on the bladder mechanosensitive afferent activities and their relation with bladder myogenic contractions in male rats with bladder outlet obstruction. <i>Neurourology and Urodynamics</i> , 2018, 37, 1897-1903.                       | 0.8 | 8         |
| 366 | Adult and Pediatric Neuromodulation. , 2018, , .   |     | 2         |
| 367 | Proteomic Analysis of Urothelium of Rats with Detrusor Overactivity Induced by Bladder Outlet Obstruction. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 948-960.   | 2.5 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 368 | Is there a brain OAB and how can we recognize it? International Consultation on Incontinence Research Society (ICIRS) 2017. <i>Neurourology and Urodynamics</i> , 2018, 37, S38-S45.   | 0.8 | 13        |
| 369 | Basic and clinical aspects of antimuscarinic agents used to treat overactive bladder. , 2018, 189, 130-148.  |     | 68        |
| 370 | Effect of pregnancy on cooling tone and rhythmic contractions of the rat urinary bladder. <i>International Urology and Nephrology</i> , 2018, 50, 833-838.   | 0.6 | 1         |
| 371 | Tolterodine ER reduced increased bladder wall thickness in women with overactive bladder. A randomized, placebo-controlled, double-blind, parallel group study. <i>Neurourology and Urodynamics</i> , 2018, 37, 237-243.                   | 0.8 | 7         |
| 372 | Benefits and limitations of animal models in partial bladder outlet obstruction for translational research. <i>International Journal of Urology</i> , 2018, 25, 36-44.   | 0.5 | 35        |
| 373 | Animal Models of Double Incontinence: Fecal and Urinary, , 2018, , .   |     | 0         |
| 374 | Shared Pathophysiology of Detrusor Overactivity and Detrusor Underactivity. <i>Current Bladder Dysfunction Reports</i> , 2018, 13, 267-273.  | 0.2 | 1         |
| 375 | Mirabegron, alone and in combination, in the treatment of overactive bladder: real-world evidence and experience. <i>Therapeutic Advances in Urology</i> , 2018, 10, 411-419.  | 0.9 | 12        |
| 376 | PATHOPHYSIOLOGY, MECHANISM AND MANAGEMENT OF OVERACTIVE BLADDER SYNDROME-A REVIEW. <i>International Journal of Pharmacy and Pharmaceutical Sciences</i> , 2018, 10, 1.   | 0.3 | 0         |
| 377 | Urinary Urgency in the Elderly. <i>Gerontology</i> , 2018, 64, 541-550.  | 1.4 | 8         |
| 378 | Investigation of the Syncytial Nature of Detrusor Smooth Muscle as a Determinant of Action Potential Shape. <i>Frontiers in Physiology</i> , 2018, 9, 1300.  | 1.3 | 6         |
| 379 | Lower Urinary Tract Symptoms in Subjects with Subclinical Cerebral White Matter Lesions. <i>Journal of Aging Research</i> , 2018, 2018, 1-5.   | 0.4 | 6         |
| 380 | Effects of caveolae depletion and urothelial denudation on purinergic and cholinergic signaling in healthy and cyclophosphamide-induced cystitis in the rat bladder. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018, 213, 60-70. | 1.4 | 7         |
| 381 | Position statement: a clinical approach to the management of adult non-neurogenic overactive bladder. <i>Medical Journal of Australia</i> , 2018, 208, 41-45.  | 0.8 | 11        |
| 382 | Regulation of Spontaneous Contractions in Intact Rat Bladder Strips and the Effects of Hydrogen Peroxide. <i>BioMed Research International</i> , 2018, 2018, 1-9.  | 0.9 | 4         |
| 383 | The efficacy of mirabegron in the treatment of urgency and the potential utility of combination therapy. <i>Therapeutic Advances in Urology</i> , 2018, 10, 243-256.   | 0.9 | 9         |
| 384 | Does Urodynamics Impact the Outcomes of Third-line Therapy of Refractory OAB (or Refractory) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1  | 0.2 | 0         |
| 385 | Automated quantification of low amplitude rhythmic contractions (LARC) during real-world urodynamics identifies a potential detrusor overactivity subgroup. <i>PLoS ONE</i> , 2018, 13, e0201594.  | 1.1 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 386 | What happens to urinary incontinence after pelvic organ prolapse surgery?. International Urogynecology Journal, 2019, 30, 1147-1152.  | 0.7 | 9         |
| 387 | Management of Overactive Bladder After Treatment of Bladder Outlet Obstruction. Current Bladder Dysfunction Reports, 2019, 14, 197-204.   | 0.2 | 1         |
| 388 | Is nocturnal enuresis a predisposing factor for the overactive bladder?. Turkish Journal of Medical Sciences, 2019, 49, 703-709.  | 0.4 | 1         |
| 389 | Spontaneous synaptic drive in detrusor smooth muscle: computational investigation and implications for urinary bladder function. Journal of Computational Neuroscience, 2019, 47, 167-189.  | 0.6 | 2         |
| 391 | Functional changes in low- and high-threshold afferents in obstruction-induced bladder overactivity. American Journal of Physiology - Renal Physiology, 2019, 316, F1103-F1113.   | 1.3 | 7         |
| 392 | New Diagnostics for Male Lower Urinary Tract Symptoms. Current Bladder Dysfunction Reports, 2019, 14, 90-97.  | 0.2 | 4         |
| 393 | Effect of high-fat diet-induced obesity on the small-conductance Ca <sup>2+</sup> -activated K <sup>+</sup> channel function affecting the contractility of rat detrusor smooth muscle. International Urology and Nephrology, 2019, 51, 61-72.              | 0.6 | 4         |
| 394 | Moving beyond BPH – A contemporary update on male LUTS. Asian Journal of Urology, 2019, 6, 208-209.   | 0.5 | 0         |
| 395 | Contractile elements and their sympathetic regulations in the pig urinary bladder: a species and regional comparative study. Cell and Tissue Research, 2020, 379, 373-387.  | 1.5 | 14        |
| 396 | The intracellular Ca <sup>2+</sup> release channel TRPML1 regulates lower urinary tract smooth muscle contractility. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 30775-30786.                               | 3.3 | 13        |
| 397 | Lower urinary tract dysfunction in adult patients with mitochondrial disease. Neurourology and Urodynamics, 2020, 39, 2253-2263.  | 0.8 | 5         |
| 399 | Mirabegron in the Treatment of Overactive Bladder: Safety and Efficacy in the Very Elderly Patient. Clinical Interventions in Aging, 2020, Volume 15, 575-581.  | 1.3 | 11        |
| 400 | The clinical pharmacology of the medical treatment for overactive bladder in adults. Expert Review of Clinical Pharmacology, 2020, 13, 707-720.   | 1.3 | 8         |
| 401 | Overactive bladder syndrome – focus onto detrusor overactivity. Scandinavian Journal of Urology, 2021, 55, 56-60.   | 0.6 | 5         |
| 402 | Physiopathology of Overactive Bladder. Urodynamics, Neurourology and Pelvic Floor Dysfunctions, 2021, , 1-11.   | 0.0 | 0         |
| 403 | Bladder Outlet Obstruction and Overactive Bladder in Males. Urodynamics, Neurourology and Pelvic Floor Dysfunctions, 2021, , 67-85.   | 0.0 | 1         |
| 404 | Drug Delivery Approaches for Managing Overactive Bladder (OAB): A Systematic Review. Pharmaceuticals, 2021, 14, 409.  | 1.7 | 14        |
| 405 | Comparison of Pelvic Floor Muscle Training With Connective Tissue Massage to Pelvic Floor Muscle Training Alone in Women With Overactive Bladder: A Randomized Controlled Study. Journal of Manipulative and Physiological Therapeutics, 2021, 44, 295-306. | 0.4 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 406 | Nerve transfer for restoration of lower motor neuron-lesioned bladder function. Part 1: attenuation of purinergic bladder smooth muscle contractions. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2021, 320, R885-R896. | 0.9 | 7         |
| 407 | Chronic psychological stress and lower urinary tract symptoms. LUTS: Lower Urinary Tract Symptoms, 2021, 13, 414-424.   | 0.6 | 27        |
| 408 | Overactive Bladder: Where We Are and Where We Are Going. Soci t  Internationale D'urologie Journal, 2021, , 311-322.  | 0.2 | 0         |
| 409 | Native tissue repair of cardinal/uterosacral ligaments cures overactive bladder and prolapse, but only in pre-menopausal women. Central European Journal of Urology, 2021, 74, 372-378.   | 0.2 | 12        |
| 410 | Intercellular Communication and Bladder Function. , 2003, 539, 239-254.   |     | 8         |
| 411 | Ultrastructural Diagnosis of Neuropathic Detrusor Overactivity: Validation of a Common Myogenic Mechanism. , 2003, 539, 281-291.  |     | 6         |
| 412 | Animal Models in Overactive Bladder Research. Handbook of Experimental Pharmacology, 2011, , 15-43.   | 0.9 | 59        |
| 413 | Physiology and Pharmacology of the Bladder and Urethra. , 2012, , 1786-1833.e17.  |     | 22        |
| 414 | Overactive Bladder. , 2012, , 1947-1957.e2.   |     | 5         |
| 415 | Non-Neuropathic Dysfunction of the Lower Urinary Tract in Children. , 2012, , 3411-3430.e3.   |     | 1         |
| 416 | The overactive bladder: neuropharmacological basis of clinical management. Current Opinion in Obstetrics and Gynecology, 1999, 11, 477-483.   | 0.9 | 2         |
| 417 | OVERACTIVITY AND STRUCTURAL CHANGES IN THE CHRONICALLY ISCHEMIC BLADDER. Journal of Urology, 1999, , 1768.  | 0.2 | 8         |
| 418 | STUDIES OF THE PATHOPHYSIOLOGY OF IDIOPATHIC DETRUSOR INSTABILITY:. Journal of Urology, 2000, , 646.  | 0.2 | 4         |
| 419 | DIAGNOSTIC VALUE OF INTRAVESICAL LIDOCAINE FOR OVERACTIVE BLADDER. Journal of Urology, 2000, , 340-343.   | 0.2 | 4         |
| 420 | EXTERNAL URETHRAL SPHINCTER DILATION FOR THE MANAGEMENT OF HIGH RISK MYELOMENINGOCELE: 15-YEAR EXPERIENCE. Journal of Urology, 2001, 165, 2383-2388.  | 0.2 | 10        |
| 421 | P2X RECEPTORS AND THEIR ROLE IN FEMALE IDIOPATHIC DETRUSOR INSTABILITY. Journal of Urology, 2002, , 157-164.  | 0.2 | 4         |
| 422 | The Effect Of Intravesical Resiniferatoxin In Patients With Idiopathic Detrusor Instability Suggests That Involuntary Detrusor Contractions Are Triggered By C-Fiber Input. Journal of Urology, 2002, , 575-579.  | 0.2 | 8         |
| 423 | Current and Future Pharmacological Treatment for Overactive Bladder. Journal of Urology, 2002, , 1897-1913.   | 0.2 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 424 | Overactive detrusor. <i>Current Opinion in Urology</i> , 1999, 9, 291-296.  | 0.9 | 2         |
| 425 | Urinary bladder instability induced by selective suppression of the murine small conductance calcium-activated potassium (SK3) channel. <i>Journal of Physiology</i> , 2003, 551, 893-903.  | 1.3 | 112       |
| 426 | Increased Expression of TREK-1 K+ Channel in the Dorsal Root Ganglion of Rats with Detrusor Overactivity After Partial Bladder Outlet Obstruction. <i>Medical Science Monitor</i> , 2018, 24, 1064-1071.  | 0.5 | 6         |
| 427 | Alterations in Nerve-Evoked Bladder Contractions in a Coronavirus-Induced Mouse Model of Multiple Sclerosis. <i>PLoS ONE</i> , 2014, 9, e109314.  | 1.1 | 9         |
| 428 | The Ameliorating Effect of Exogenous Melatonin on Urinary Bladder Function in Hyperosmolar Bladder Overactivity and its Influence on the Autonomic Nervous System Activity. <i>Acta Medica (Hradec Tj ETQq0 00rgBT /Overlock 10</i>                 |     |           |
| 429 | Bladder ultrasonography for diagnosing detrusor overactivity: test accuracy study and economic evaluation. <i>Health Technology Assessment</i> , 2016, 20, 1-150.   | 1.3 | 25        |
| 430 | Medical management of overactive bladder. <i>Indian Journal of Urology</i> , 2010, 26, 270.   | 0.2 | 12        |
| 431 | Overactive Bladder. <i>Korean Journal of Urology</i> , 2007, 48, 1191.  | 0.2 | 16        |
| 432 | Distribution of interstitial cells of Cajal in the bladders of fetal rats with retinoic acid induced myelomeningocele. <i>Turkish Journal of Urology</i> , 2016, 42, 285-289.   | 1.3 | 6         |
| 433 | Treatment of mixed urinary incontinence. <i>Central European Journal of Urology</i> , 2011, 64, 120-126.  | 0.2 | 12        |
| 434 | Cajal-like interstitial cells as a novel target in detrusor overactivity treatment: true or myth?. <i>Central European Journal of Urology</i> , 2013, 66, 413-7.  | 0.2 | 21        |
| 435 | Prevalence of Spina Bifida Occulta and Its Relationship With Overactive Bladder in Middle-Aged and Elderly Chinese People. <i>International Neurourology Journal</i> , 2016, 20, 151-158.   | 0.5 | 13        |
| 436 | Intravesical PGE2 Administration in Conscious Rats as an Experimental Model of Detrusor Overactivity Observed by Simultaneous Registrations of Intravesical and Intraabdominal Pressures. <i>International Neurourology Journal</i> , 2010, 14, 69. | 0.5 | 3         |
| 437 | Development and Changes with Age of Detrusor Overactivity in Spontaneous Hypertensive Rats as Observed by Simultaneous Registrations of Intravesical and Intraabdominal Pressures. <i>International Neurourology Journal</i> , 2011, 15, 192.       | 0.5 | 10        |
| 439 | Bladder. , 2003, , 323-333.   |     | 0         |
| 440 | Muscarinic receptors and the aging bladder. , 2004, , 41-51.  |     | 0         |
| 441 | Spezielle Urodynamik der Frau. , 2004, , 159-170.   |     | 0         |
| 442 | Treatment options for the overactive bladder syndrome. <i>Therapy: Open Access in Clinical Medicine</i> , 2005, 2, 921-936.   | 0.2 | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 443 | Treatment options for the overactive bladder syndrome. Therapy: Open Access in Clinical Medicine, 2005, 2, 921-936.   | 0.2 | 0         |
| 444 | GYNAECOLOGICAL CONDITIONS RELEVANT TO THE COLORECTAL SURGEON. , 2008, , 2383-2414.  |     | 0         |
| 445 | Urodynamische Evaluation der Inkontinenz. , 2009, , 31-36.  |     | 3         |
| 446 | Application and Limitations of Awake Cystometry in Sprague-Dawley Rats with Partial Bladder Outlet Obstruction as a Model of Overactive Bladder or Obstruction. Korean Journal of Urology, 2009, 50, 486. | 1.2 | 4         |
| 447 | Pathophysiologie der Harninkontinenz und des Deszensus. , 2009, , 9-13.   |     | 0         |
| 450 | Spezielle Urodynamik der Frau. , 2012, , 185-198.   |     | 4         |
| 451 | Other Varieties of Dysfunction. Current Clinical Urology, 2014, , 65-73.  | 0.0 | 0         |
| 452 | Dysfunction in Anatomic Outlet Obstruction in Men. Current Clinical Urology, 2014, , 37-50.   | 0.0 | 0         |
| 454 | Urodynamische Evaluation der Inkontinenz. , 2015, , 37-43.  |     | 1         |
| 456 | Urinary incontinence and overactive bladder. Journal of the Korean Medical Association, 2015, 58, 886.  | 0.1 | 2         |
| 457 | Sacral Neuromodulation for Overactive Bladder. , 2018, , 25-46.   |     | 2         |
| 459 | Urinary incontinence and female urology. , 2019, , 129-192.   |     | 0         |
| 460 | Morphofunctional changes of the pelvic organs under conditions of stress urinary incontinence and experimental vaginal prolapse. Reproductive Endocrinology, 2019, .                                      | 0.0 | 0         |
| 462 | Pharmacological Treatment of Urinary Incontinence and Overactive Bladder: The Evidence. , 2021, , 351-363.  |     | 0         |
| 463 | Reduced Ca <sup>2+</sup> spark activity contributes to detrusor overactivity of rats with partial bladder outlet obstruction. Aging, 2020, 12, 4163-4177.   | 1.4 | 1         |
| 464 | Pharmacologic Approach to Urinary Incontinence and Voiding Disorders. , 2003, , 245-267.  |     | 0         |
| 466 | Tropium chloride: over 20 years of clinical use. Therapy: Open Access in Clinical Medicine, 2006, 3, 215-226.   | 0.2 | 0         |
| 467 | Spezielle Urodynamik der Frau. , 2007, , 161-173.   |     | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 468 | Overactive Bladder and Chronic Pelvic Pain Syndrome. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , 2021, , 179-187.   | 0.0 | 0         |
| 469 | Neurophysiology of lower urinary tract function and dysfunction. <i>Reviews in Urology</i> , 2003, 5 Suppl 8, S3-S10.  | 0.9 | 24        |
| 470 | Large conductance voltage and Ca-activated K channels affect the physiological characteristics of human urine-derived stem cells. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 1876-1885.         | 0.0 | 3         |
| 471 | Slow development of bladder malfunction parallels spinal cord fiber sprouting and interneurons' loss after spinal cord transection. <i>Experimental Neurology</i> , 2022, 348, 113937.   | 2.0 | 7         |
| 472 | <i>Ophiocordyceps sinensis</i> : a prominent source of bioactive components for alleviating overactive bladder. <i>Life Sciences Medicine and Biomedicine</i> , 2020, 4, .   | 0.1 | 1         |
| 473 | Trypsin-induced elevated contractile responses in a rat model of interstitial cystitis/bladder pain syndrome: Involvement of PAR2 and intracellular Ca <sup>2+</sup> release pathways. <i>Life Sciences</i> , 2022, 293, 120359. | 2.0 | 2         |
| 474 | The TRPM8 channel as a potential therapeutic target for bladder hypersensitive disorders. <i>Journal of Smooth Muscle Research</i> , 2022, 58, 11-21.  | 0.7 | 1         |
| 475 | Hypothyroidism is prevalent among adult women with chronic lower urinary tract symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2022, 14, 248-254.  | 0.6 | 3         |
| 478 | Comparison of early loosening vs delayed section of mid-urethral slings for postoperative voiding dysfunction. <i>International Urogynecology Journal</i> , 2023, 34, 675-681.   | 0.7 | 2         |
| 479 | Urodynamic classification of patients with symptoms of overactive bladder. <i>Journal of Urology</i> , 2003, 169, 529-33; discussion 533-4.  | 0.2 | 20        |
| 482 | Relevance of dog as an animal model for urologic diseases. <i>Progress in Molecular Biology and Translational Science</i> , 2022, , 35-65.   | 0.9 | 5         |
| 484 | Urgency and urgency incontinence following stress urinary incontinence surgery: A review of evaluation and management. <i>Indian Journal of Urology</i> , 2022, 38, 268.   | 0.2 | 3         |
| 485 | Earth-friendly-assessed UV-spectrophotometric approaches for concurrent determination of mirabegron and solifenacin succinate in different matrices. <i>Sustainable Chemistry and Pharmacy</i> , 2023, 32, 100976.               | 1.6 | 4         |
| 486 | Overview of Diagnosis and Pharmacological Treatment of Overactive and Underactive Bladder Disorders. , 2022, , 1-13.   |     | 0         |
| 487 | Key role for Kv11.1 (etheràCaàGo related gene) channels in rat bladder contractility. <i>Physiological Reports</i> , 2023, 11, .   | 0.7 | 3         |
| 490 | Overview of Diagnosis and Pharmacological Treatment of Overactive and Underactive Bladder Disorders. , 2023, , 207-219.  |     | 0         |
| 491 | Gene Therapy and Overactive Bladder. <i>Current Bladder Dysfunction Reports</i> , 2024, 19, 37-43.   | 0.2 | 0         |