

CITATION REPORT

List of articles citing

Doppler tissue imaging: a noninvasive technique for evaluation of left ventricular relaxation and estimation of filling pressures

DOI: 10.1016/s0735-1097(97)00344-6

Journal of the American College of Cardiology, 1997, 30, 1527-

Source: <https://exaly.com/paper-pdf/28356024/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2361	The Mesozoic Flora of Graham Land. 1913 , 37, 763-764		2
2360	Gauging volcanic blast hazards not so simple. 1981 , 212, 1259		1
2359	Estimation of left and right ventricular filling pressures after heart transplantation by tissue Doppler imaging. <i>American Journal of Cardiology</i> , 1998 , 82, 352-7	3	180
2358	Evaluation of left ventricular early diastolic performance by color tissue Doppler imaging of the mitral annulus. <i>American Journal of Cardiology</i> , 1998 , 82, 1414-7	3	53
2357	[Asynchrony of ventricular contraction and relaxation--pathophysiologically recognized phenomenon, now can be clinically assessed]. 1998 , 23, 506-15		0
2356	New Doppler echocardiographic applications for the study of diastolic function. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 865-75	15.1	820
2355	Doppler estimation of left ventricular filling pressure in sinus tachycardia. A new application of tissue doppler imaging. 1998 , 98, 1644-50		487
2354	Doppler-derived mitral deceleration time: an early strong predictor of left ventricular remodeling after reperfused anterior acute myocardial infarction. 1999 , 99, 230-6		111
2353	Doppler estimation of left ventricular filling pressures in patients with hypertrophic cardiomyopathy. 1999 , 99, 254-61		413
2352	Influence of left ventricular relaxation on the pressure half time of aortic regurgitation. 1999 , 82, 607-13		13
2351	Changes in left ventricular diastolic function 6 months after nonsurgical septal reduction therapy for hypertrophic obstructive cardiomyopathy. 1999 , 99, 344-7		77
2350	Assessment of Left Ventricular Systolic Function Using Color-Coded Tissue Doppler Echocardiography. 1999 , 16, 455-463		8
2349	Quantitative Analysis of Tissue Doppler Data. 1999 , 16, 473-480		7
2348	Tissue Doppler to Assess Diastolic Left Ventricular Function. 1999 , 16, 501-508		27
2347	Effects of Low-Dose Dobutamine on Displacement of the Atrioventricular Plane and Assessment of Myocardial Viability in Patients with Acute Myocardial Infarction Treated with Thrombolysis. 1999 , 16, 17-25		4
2346	Tissue Doppler imaging (TDI) for on-line detection of regional early diastolic ventricular asynchrony in patients with coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 1999 , 15, 379-90		9
2345	[Analysis of mitral annulus excursion with tissue Doppler echocardiography (tissue Doppler echocardiography = TDE). Noninvasive assessment of left ventricular, diastolic dysfunction]. 1999 , 88, 353-62		10

2344	Doppler echocardiographic-guided diagnosis and therapy of heart failure. 1999 , 1, 55-66		9
2343	Potentials and limitations of the Valsalva maneuver as a method of differentiating between normal and pseudonormal left ventricular filling patterns. <i>American Journal of Cardiology</i> , 1999 , 84, 76-81	3	19
2342	Prognostic value of diastolic filling parameters derived using a novel image processing technique in patients > or = 70 years of age with congestive heart failure. <i>American Journal of Cardiology</i> , 1999 , 84, 82-6	3	37
2341	M-mode analysis of mitral annulus motion for detection of pseudonormalization of the mitral inflow pattern. <i>American Journal of Cardiology</i> , 1999 , 84, 692-7	3	10
2340	Estimation of mean right atrial pressure using tissue Doppler imaging. <i>American Journal of Cardiology</i> , 1999 , 84, 1448-51, A8	3	130
2339	Evaluation of left ventricular contraction abnormalities in patients with dilated cardiomyopathy with the use of pulsed tissue Doppler imaging. 1999 , 12, 913-20		65
2338	Tissue Doppler imaging in the normal fetus. 1999 , 71, 227-34		107
2337	Characteristics of mitral and tricuspid annular velocities determined by pulsed wave Doppler tissue imaging in healthy subjects. 1999 , 12, 618-28		297
2336	Left ventricular systolic wall motion velocities along the long and short axes measured by pulsed tissue Doppler imaging in patients with atrial fibrillation. 1999 , 12, 121-8		35
2335	Effect of aging on diastolic left ventricular myocardial velocities measured by pulsed tissue Doppler imaging in healthy subjects. 1999 , 12, 574-81		103
2334	Pulsed tissue Doppler imaging of left ventricular systolic and diastolic wall motion velocities to evaluate differences between long and short axes in healthy subjects. 1999 , 12, 308-13		99
2333	Mitral annulus velocity in the evaluation of left ventricular diastolic function in atrial fibrillation. 1999 , 12, 927-31		217
2332	Effect of an acute increase in afterload on left ventricular regional wall motion velocity in healthy subjects. 1999 , 12, 476-83		68
2331	Evaluation of left ventricular diastolic function when mitral E and A waves are completely fused: role of assessing mitral annulus velocity. 1999 , 12, 203-8		55
2330	Reproducibility of pulsed wave tissue Doppler echocardiography. 1999 , 12, 492-9		112
2329	Changes in left ventricular filling and left atrial function six months after nonsurgical septal reduction therapy for hypertrophic obstructive cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1123-8	15.1	77
2328	Impaired left ventricular relaxation is an early manifestation of diastolic dysfunction: can noninvasive indices be of help?. 1999 , 10, 65-74		3
2327	Pulsed Doppler tissue imaging of mitral annular motion: a new technique in the non-invasive assessment of diastolic function. 1999 , 10, 75-82		6

2326	Evaluation of the potential role of color-coded tissue Doppler echocardiography in the detection of allograft rejection in heart transplant recipients. 1999 , 138, 721-30		54
2325	Evaluation of the hemodynamic relationship between the left atrium and left ventricle during atrial systole by pulsed tissue Doppler imaging in patients with left heart failure. 1999 , 63, 763-9		19
2324	Myocardial diastolic impairment caused by left ventricular hypertrophy involves basal septum more than other walls: analysis by pulsed Doppler tissue imaging. 1999 , 17, 685-93		41
2323	Right ventricular diastolic filling assessed by conventional doppler and tissue Doppler imaging in normal children. 1999 , 189, 283-94		13
2322	Tissue doppler imaging of left and right ventricles in normal children. 2000 , 191, 21-9		57
2321	Influence of age and cardiovascular factors on regional pulsed wave Doppler myocardial imaging indices. 2000 , 1, 87-95		22
2320	Tissue Doppler echocardiography. 2000 , 15, 323-9		40
2319	Doppler tissue imaging in congestive heart failure patients due to diastolic or systolic dysfunction: a comparison with Doppler echocardiography and the atrio-ventricular plane displacement technique. 2000 , 2, 151-60		28
2318	Tissue Doppler imaging: a new technique for assessment of pseudonormalization of the mitral inflow pattern. 2000 , 17, 539-46		47
2317	Advances in echocardiography. 2000 , 30, 360-6		2
2316	Echocardiographic assessment of ventricular filling pressure during the second and third trimesters of gestation. 2000 , 16, 128-32		19
2315	Effect of volume reduction on mitral annular diastolic velocities in hemodialysis patients. <i>American Journal of Cardiology</i> , 2000 , 85, 665-8, A11	3	58
2314	Noninvasive assessment of left ventricular end-diastolic pressure by the response of the transmitral a-wave velocity to a standardized Valsalva maneuver. <i>American Journal of Cardiology</i> , 2000 , 86, 169-74	3	31
2313	Transthoracic and transesophageal echocardiography in the hemodynamic assessment of patients with congestive heart failure. <i>American Journal of Cardiology</i> , 2000 , 86, 36G-40G	3	22
2312	Assessment of Diastolic Function using Mitral Annulus Velocity by Doppler Tissue Velocity in the Patients with Hypertension. 2000 , 30, 1117		
2311	Tei-index in patients with mild-to-moderate congestive heart failure. 2000 , 21, 1888-95		200
2310	Regional myocardial function--a new approach. 2000 , 21, 1337-57		116
2309	Relaxation in hypertrophic cardiomyopathy and hypertensive heart disease: relations between hypertrophy and diastolic function. 2000 , 83, 678-84		35

2308	Detection of left ventricular regional relaxation abnormalities and asynchrony in patients with hypertrophic cardiomyopathy with the use of tissue Doppler imaging. 2000 , 139, 497-502	51
2307	Transesophageal echocardiographic evaluation of left ventricular function. 2000 , 14, 588-98	6
2306	Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave doppler tissue imaging. 2000 , 13, 343-52	121
2305	Mitral annulus velocity in the estimation of left ventricular filling pressure: prospective study in 200 patients. 2000 , 13, 980-5	98
2304	The echo-Doppler evaluation of left ventricular diastolic function. A current perspective. 2000 , 18, 513-46, ix	127
2303	Clinical utility of Doppler echocardiography and tissue Doppler imaging in the estimation of left ventricular filling pressures: A comparative simultaneous Doppler-catheterization study. 2000 , 102, 1788-94	2268
2302	[Doppler tissue imaging of the mitral annulus in patients with left ventricular systolic dysfunction. Assessment of diastolic function]. 2000 , 53, 1195-200	6
2301	Long-axis contraction of the ventricles: a modern approach, but described already by Leonardo da Vinci. 2000 , 13, 699-706	38
2300	Unsolved problems in diastole. 2000 , 18, 653-67	11
2299	Subendocardial motion in hypertrophic cardiomyopathy: assessment from long- and short-axis views by pulsed tissue Doppler imaging. 2000 , 13, 108-15	29
2298	Myocardial longitudinal motion by tissue velocity imaging in the evaluation of patients with myocardial infarction. 2000 , 13, 818-26	38
2297	Differentiation between reversible and irreversible restrictive left ventricular filling patterns with the use of mitral annulus velocity. 2000 , 13, 891-5	18
2296	Noninvasive methods for detecting elevated left-sided cardiac filling pressure. 2000 , 6, 157-164	23
2295	Relation of tissue Doppler derived myocardial velocities to myocardial structure and beta-adrenergic receptor density in humans. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 891-6	15.1 194
2294	Relationship of echocardiographic indices to pulmonary capillary wedge pressures in healthy volunteers. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1664-9	15.1 216
2293	Hemodynamic determinants of the mitral annulus diastolic velocities by tissue Doppler. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 278-85	15.1 451
2292	Pulsed Doppler tissue imaging of the velocity of tricuspid annular systolic motion; a new, rapid, and non-invasive method of evaluating right ventricular systolic function. 2001 , 22, 340-8	456
2291	Doppler myocardial imaging in patients with heart failure receiving biventricular pacing treatment. 2001 , 142, 881-96	132

2290	Diastolic dysfunction precedes myocardial hypertrophy in the development of hypertension. 2001 , 14, 106-13	112
2289	Comparison of transthoracic Doppler echocardiography and natriuretic peptides in predicting mean pulmonary capillary wedge pressure in patients with chronic atrial fibrillation. 2001 , 14, 1080-7	31
2288	Tissue Doppler imaging: a useful echocardiographic method for the cardiac sonographer to assess systolic and diastolic ventricular function. 2001 , 14, 1143-52	168
2287	Comparison of myocardial tissue Doppler with transmitral flow Doppler in left ventricular hypertrophy. 2001 , 14, 1153-60	44
2286	Strain rate imaging in normal and reduced diastolic function: comparison with pulsed Doppler tissue imaging of the mitral annulus. 2001 , 14, 264-74	69
2285	Age-dependent changes in regional diastolic function evaluated by color Doppler myocardial imaging: a comparison with pulsed Doppler indexes of global function. 2001 , 14, 959-69	28
2284	Color M-mode and pulsed wave tissue Doppler echocardiography: powerful predictors of cardiac events after first myocardial infarction. 2001 , 14, 757-63	48
2283	Estimation of left ventricular end-diastolic pressure by color M-mode Doppler echocardiography and tissue Doppler imaging. 2001 , 14, 951-8	16
2282	Differential atrial stunning after electrical cardioversion: an echo tissue Doppler case study. 2001 , 14, 834-7	4
2281	Assessment of the time constant of relaxation: insights from simulations and hemodynamic measurements. 2001 , 280, H2936-43	11
2280	Determinants of diastolic myocardial tissue Doppler velocities: influences of relaxation and preload. 2001 , 90, 299-307	147
2279	A comparison of tissue Doppler imaging and velocities of transmitral flow in children with elevated left ventricular preload. 2001 , 11, 261-8	42
2278	Recent advances in echocardiographic evaluation of left ventricular anatomy, perfusion, and function. 2001 , 9, 146-59	8
2277	Echocardiographic assessment of diastolic function. 2001 , 16, 240-5	28
2276	Effect of cilnidipine on left ventricular diastolic function in hypertensive patients as assessed by pulsed Doppler echocardiography and pulsed tissue Doppler imaging. 2001 , 65, 305-9	19
2275	Estimating pulmonary capillary wedge pressures using Doppler variables of early diastolic left ventricular inflow. 2001 , 65, 33-9	5
2274	Doppler echocardiography-derived index of myocardial performance (TEI index): comparison with brain natriuretic peptide levels in various heart disease. 2001 , 65, 637-42	31
2273	Interrogation of the tricuspid annulus by Doppler tissue imaging in patients with chronic pulmonary hypertension: implications for the assessment of right-ventricular systolic and diastolic function. 2001 , 95, 101-4	47

2272	Ultrasound Doppler tissue image analysis based on neural network. 2001 , 4555, 87		1
2271	Age-related changes in diastolic atrioventricular annular velocity: Studies using pulsed Doppler tissue imaging. 2001 , 28, 97-101		2
2270	The relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function. 2001 , 27, 499-507		46
2269	Echocardiographic assessment of the interventricular delay of activation and correlation to the QRS width in dilated cardiomyopathy. 2001 , 24, 1500-6		135
2268	Evaluation of diastolic function. 2001 , 53, 85-93		
2267	Comparison of new Doppler echocardiographic methods to differentiate constrictive pericardial heart disease and restrictive cardiomyopathy. <i>American Journal of Cardiology</i> , 2001 , 87, 86-94	3	187
2266	Mitral annulus velocity in the noninvasive estimation of left ventricular peak dP/dt. <i>American Journal of Cardiology</i> , 2001 , 87, 933-6	3	17
2265	Normal pericardial fluid in the fetus: color and spectral Doppler analysis. 2001 , 18, 248-52		15
2264	Intracellular signaling by the killer immunoglobulin-like receptors and Ly49. 2001 , 2001, re1		51
2263	Left ventricular early diastolic inflow velocity and atrial ventricular plane downward velocity: useful parameters to test diastolic function in clinical practice? Diastolic parameters tested in a clinical setting. 2001 , 2, 126-31		2
2262	Diastolic filling and pressure imaging: taking advantage of the information in a colour M-mode Doppler image. 2001 , 2, 219-33		11
2261	Left ventricular wall motion during diastolic filling in endurance-trained athletes. 2001 , 33, 189-95		23
2260	Subclinical right ventricular dysfunction in cystic fibrosis. A study using tissue Doppler echocardiography. 2001 , 163, 1212-8		68
2259	Annulus paradoxus: transmitral flow velocity to mitral annular velocity ratio is inversely proportional to pulmonary capillary wedge pressure in patients with constrictive pericarditis. 2001 , 104, 976-8		133
2258	Pulmonary venous flow velocity patterns in 404 individuals without cardiovascular disease. 2001 , 85, 23-9		41
2257	Progression of systolic abnormalities in patients with "isolated" diastolic heart failure and diastolic dysfunction. 2002 , 105, 1195-201		439
2256	Alternative Echocardiographic Methods to Assess Left Ventricular Diastolic Function. 2002 , 18, 218-230		2
2255	Adenosine provokes diastolic dysfunction in microvascular angina. 2002 , 78, 40-2		13

2254	Striking effect of left ventricular high filling pressure with mitral regurgitation on mitral annular velocity during early diastole. A study using colour M-mode tissue Doppler imaging. 2002 , 3, 52-8	8
2253	Non-invasive estimation of left ventricular filling pressures by Doppler echocardiography. 2002 , 3, 75-9	17
2252	Diagnosis of diastolic dysfunction: importance of spectral Doppler imaging. 2002 , 94, 1043-5	4
2251	Left ventricular myocardial impairment in subclinical hypothyroidism assessed by a new ultrasound tool: pulsed tissue Doppler. 2002 , 87, 4350-5	75
2250	Assessment of diastolic function with Doppler tissue imaging to predict genotype in preclinical hypertrophic cardiomyopathy. 2002 , 105, 2992-7	298
2249	Left ventricular diastolic function assessed using Doppler tissue imaging in patients with hypertrophic cardiomyopathy: relation to symptoms and exercise capacity. 2002 , 87, 247-51	129
2248	Use of echocardiography for hemodynamic monitoring. 2002 , 30, 1361-4	69
2247	Tissue Doppler imaging for the assessment of left ventricular systolic and diastolic functions. 2002 , 17, 431-42	56
2246	Echocardiography and prognosis of heart failure. 2002 , 17, 253-6	11
2245	Diagnosis of Diastolic Dysfunction: Importance of Spectral Doppler Imaging. 2002 , 94, 1044-1045	
2244	Noninvasive differentiation of normal from pseudonormal/restrictive mitral flow using TEI index combining systolic and diastolic function. 2002 , 66, 831-6	24
2243	Effect of endurance training on coronary artery size and function in healthy men: an invasive followup study. 2002 , 282, H2216-23	45
2242	Doppler echocardiographic estimation of left ventricular end-diastolic pressure after MI in rats. 2002 , 283, H346-52	74
2241	Conversion to digital technology improves efficiency in the pediatric echocardiography laboratory. 2002 , 15, 1515-22	9
2240	Quantification of left ventricular systolic function by tissue Doppler echocardiography: added value of measuring pre- and postejction velocities in ischemic myocardium. 2002 , 105, 2071-7	166
2239	Early systolic mitral annular motion velocities responses to dobutamine infusion predict myocardial viability in patients with previous myocardial infarction. 2002 , 143, 552-8	16
2238	Impact of disease activity on left ventricular performance in patients with acromegaly. 2002 , 144, 538-43	28
2237	Determinants of tissue Doppler measures of regional diastolic function during dobutamine stress echocardiography. 2002 , 144, 516-23	20

2236	Analysis of the myocardial velocities in patients with mitral stenosis. 2002 , 15, 1472-8		34
2235	Influence of body size and age on maximal diastolic velocity of mitral annulus motion. 2002 , 15, 29-35		11
2234	Mitral annulus velocities by Doppler tissue imaging: practical implications with regard to preload alterations, sample position, and normal values. 2002 , 15, 1226-31		51
2233	Acute effects of smoking on diastolic function in healthy participants: studies by conventional doppler echocardiography and doppler tissue imaging. 2002 , 15, 1232-7		41
2232	Detection of early right ventricular dysfunction in Chagas' disease using Doppler tissue imaging. 2002 , 15, 1197-201		41
2231	Comparison of Doppler echocardiography, color M-mode Doppler, and Doppler tissue imaging for the estimation of pulmonary capillary wedge pressure. 2002 , 15, 1245-50		60
2230	Are left atrial appendage flow velocities adequate surrogates of global left atrial function? A population-based transthoracic and transesophageal echocardiographic study. 2002 , 15, 433-40		44
2229	Doppler tissue echocardiographic features of cardiac amyloidosis. 2002 , 15, 1353-60		36
2228	Pulsed Doppler tissue imaging in dystrophinopathic cardiomyopathy. 2002 , 15, 891-9		33
2227	Recommendations for quantification of Doppler echocardiography: a report from the Doppler Quantification Task Force of the Nomenclature and Standards Committee of the American Society of Echocardiography. 2002 , 15, 167-84		1681
2226	The role of short- and long-axis function in determining late diastolic left ventricular filling in patients with hypertension: assessment by pulsed Doppler tissue imaging. 2002 , 15, 1211-7		9
2225	Diagnostic value of mitral annular velocity for constrictive pericarditis in the absence of respiratory variation in mitral inflow velocity. 2002 , 15, 1468-71		67
2224	Effect of Vigorous Preload Reduction on Mitral Annulus Velocity in Chronic Renal Failure. 2002 , 32, 807		
2223	Echocardiographic Indices Associated with Left Ventricular End-Diastolic Pressure. 2002 , 32, 872		1
2222	Doppler-echocardiographic indices of diastolic function in heart failure admissions with preserved left ventricular systolic function. 2002 , 4, 473-8		25
2221	Analysis of left atrial volume change rate during left ventricular diastolic phase with M-mode echocardiography for differentiation between normal and pseudonormal mitral inflow. <i>American Journal of Cardiology</i> , 2002 , 89, 552-6	3	5
2220	Usefulness of Doppler tissue imaging analysis of tricuspid annular motion for determination of right ventricular function in normal infants and children. <i>American Journal of Cardiology</i> , 2002 , 89, 610-3 ³		68
2219	Bedside balloon atrial septostomy is safe, efficacious, and cost-effective compared with septostomy performed in the cardiac catheterization laboratory. <i>American Journal of Cardiology</i> , 2002 , 89, 613-5	3	18

2218	Comparison of left ventricular systolic and diastolic function in patients with idiopathic dilated cardiomyopathy and mild heart failure versus those with severe heart failure. <i>American Journal of Cardiology</i> , 2002 , 90, 390-4	3	24
2217	Relation of tissue Doppler-derived myocardial velocities to serum levels and myocardial gene expression of tumor necrosis factor-alpha and inducible nitric oxide synthase in patients with ischemic cardiomyopathy having coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2002 , 90, 708-12	3	10
2216	Left atrial volume as a morphophysiologic expression of left ventricular diastolic dysfunction and relation to cardiovascular risk burden. <i>American Journal of Cardiology</i> , 2002 , 90, 1284-9	3	870
2215	[Usefulness of Doppler echocardiography in the diagnosis of acute diastolic heart failure in the elderly]. 2002 , 51, 282-8		1
2214	Estimation of left ventricular filling pressures by Doppler echocardiography. 2002 , 11, 41-45		2
2213	[Echocardiography diagnosis of diastolic heart failure]. 2002 , 27, 99-106		14
2212	Real-time three-dimensional echocardiography for improved evaluation of diastolic function using volume-time curves. 2002 , 27, 237-45		12
2211	Estimation of global left ventricular function from the velocity of longitudinal shortening. 2002 , 19, 177-85		41
2210	Validation of six noninvasive Doppler methods for the assessment of left ventricular filling pressure. 2002 , 19, 645-53		5
2209	Acromegaly: evidence for a direct relation between disease activity and cardiac dysfunction in patients without ventricular hypertrophy. 2002 , 56, 595-602		29
2208	Assessment of left ventricular diastolic function with Doppler tissue imaging: effects of preload and place of measurements. <i>International Journal of Cardiovascular Imaging</i> , 2002 , 18, 155-60		44
2207	Left atrial and ventricular dimensions in highly trained cyclists. <i>International Journal of Cardiovascular Imaging</i> , 2003 , 19, 211-7		34
2206	Fetal tissue Doppler echocardiography: detection rates of cardiac structures and quantitative assessment of the fetal heart. 2003 , 21, 26-32		58
2205	Measurement of tricuspid annular diastolic velocities by Doppler tissue imaging to assess right ventricular function in patients with congenital heart disease. 2003 , 24, 463-7		40
2204	Pulsed Doppler tissue imaging and myocardial function in thalassemia major. 2003 , 18, 1-6		33
2203	Usefulness of B-type natriuretic peptide in hypertensive patients with exertional dyspnea and normal left ventricular ejection fraction and correlation with new echocardiographic indexes of systolic and diastolic function. <i>American Journal of Cardiology</i> , 2003 , 92, 1434-8	3	94
2202	Effects of treadmill exercise on mitral inflow and annular velocities in healthy adults. <i>American Journal of Cardiology</i> , 2003 , 91, 114-5	3	97
2201	Influence of age on assessment of diastolic function by Doppler tissue imaging. <i>American Journal of Cardiology</i> , 2003 , 91, 254-7	3	60

2200	Impact of left ventricular ejection fraction on estimation of left ventricular filling pressures using tissue Doppler and flow propagation velocity. <i>American Journal of Cardiology</i> , 2003 , 91, 780-4	3	293
2199	Comparison of left ventricular diastolic function in obstructive hypertrophic cardiomyopathy in patients undergoing percutaneous septal alcohol ablation versus surgical myotomy/myectomy. <i>American Journal of Cardiology</i> , 2003 , 91, 817-21	3	46
2198	Usefulness of clinical variables, echocardiography, and levels of brain natriuretic peptide and norepinephrine to distinguish systolic and diastolic causes of acute heart failure. <i>American Journal of Cardiology</i> , 2003 , 91, 1140-3	3	29
2197	Relation of hemoglobin A1c to left ventricular relaxation in patients with type 1 diabetes mellitus and without overt heart disease. <i>American Journal of Cardiology</i> , 2003 , 91, 1514-7, A9	3	60
2196	Prevalence, etiology, and outcome of patients with restrictive left ventricular filling and relatively preserved systolic function. <i>American Journal of Cardiology</i> , 2003 , 91, 1517-9, A9	3	7
2195	A new device for automatic measurements of arterial stiffness and ankle-brachial index. <i>American Journal of Cardiology</i> , 2003 , 91, 1519-22, A9	3	173
2194	Effects of biventricular pacing on myocardial blood flow and oxygen consumption using carbon-11 acetate positron emission tomography in patients with heart failure. <i>American Journal of Cardiology</i> , 2003 , 92, 95-9	3	32
2193	Flow propagation velocity is not a simple index of diastolic function in early filling. A comparative study of early diastolic strain rate and strain rate propagation, flow and flow propagation in normal and reduced diastolic function. 2003 , 1, 3		12
2192	Early diastolic filling dynamics in diastolic dysfunction. 2003 , 1, 9		3
2191	Prediction of heart failure post myocardial infarction: comparison of ejection fraction, transmitral filling parameters, and the index of myocardial performance. 2003 , 20, 691-701		18
2190	Increased volume reduction of late left-atrial emptying for patients with pseudonormal mitral inflow: an analysis for differentiation between normal and pseudonormal mitral inflow. 2003 , 20, 703-9		1
2189	Prognostic value of the atrial systolic mitral annular motion velocity in patients with left ventricular systolic dysfunction. 2003 , 16, 333-9		92
2188	Assessment of left ventricular systolic and diastolic function by Doppler tissue imaging in patients with preinfarction angina. 2003 , 16, 1024-30		12
2187	Doppler tissue imaging: regional myocardial function in hypertrophic cardiomyopathy and in athlete's heart. 2003 , 16, 223-32		77
2186	Noninvasive differentiation of pseudonormal/restrictive from normal mitral flow by Tei index: a simultaneous echocardiography-catheterization study in patients with acute anteroseptal myocardial infarction. 2003 , 16, 1231-6		16
2185	Doppler tissue analysis of mitral annular velocities: evidence for systolic abnormalities in patients with diastolic heart failure. 2003 , 16, 1031-6		92
2184	[Diagnosis and therapeutic guidance of diastolic heart failure]. 2003 , 56, 396-406		7
2183	Association of newer diastolic function parameters with age in healthy subjects: a population-based study. 2003 , 16, 1049-56		143

2182	Peak early diastolic mitral annulus velocity by tissue Doppler imaging adds independent and incremental prognostic value. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 820-6	15.1	346
2181	Diastolic mitral annular velocity during the development of heart failure. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1590-7	15.1	149
2180	Myocardial velocity gradient as a noninvasively determined index of left ventricular diastolic dysfunction in patients with hypertrophic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 278-85	15.1	53
2179	Time interval between onset of mitral inflow and onset of early diastolic velocity by tissue Doppler: a novel index of left ventricular relaxation: experimental studies and clinical application. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1463-70	15.1	148
2178	The return of cardiac time intervals: the phoenix is rising. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1471-4	15.1	43
2177	Tissue Doppler, strain, and strain rate echocardiography for the assessment of left and right systolic ventricular function. 2003 , 89 Suppl 3, iii9-17		99
2176	Instantaneous assessment of left ventricular midwall mechanics with tissue Doppler tracking technique. 2003 , 9, 392-7		5
2175	A clinical approach to the assessment of left ventricular diastolic function by Doppler echocardiography: update 2003. 2003 , 89 Suppl 3, iii18-23		77
2174	Relationship of ventricular longitudinal function to contractile reserve in patients with mitral regurgitation. 2003 , 146, 183-8		68
2173	Right ventricular function before and after an uncomplicated coronary artery bypass graft as assessed by pulsed wave Doppler tissue imaging of the tricuspid annulus. 2003 , 146, 520-6		98
2172	Spectral pulsed tissue Doppler imaging in diastole: a tool to increase our insight in and assessment of diastolic relaxation of the left ventricle. 2003 , 146, 411-9		76
2171	Assessment of left ventricular function using mitral annular velocities in patients with congestive heart failure with or without the presence of significant mitral regurgitation. 2003 , 16, 240-5		42
2170	Diastolic function--is this the key to successful management of many feline cardiomyopathies?. 2003 , 5, 51-6		10
2169	Preload dependence of new Doppler techniques limits their utility for left ventricular diastolic function assessment in hemodialysis patients. 2003 , 14, 1858-62		72
2168	Subclinical hypothyroidism and Down's syndrome; studies on myocardial structure and function. 2003 , 88, 1005-8		19
2167	Comparison between invasive hemodynamic measurements and noninvasive assessment of left ventricular diastolic function by use of Doppler echocardiography in healthy anesthetized cats. 2003 , 64, 93-103		61
2166	Left ventricular mechanics during exercise: a Doppler and tissue Doppler study. 2003 , 4, 286-91		29
2165	New parameters in identification of right ventricular myocardial infarction and proximal right coronary artery lesion. 2003 , 124, 219-26		64

2164	Left ventricular diastolic function assessment by tissue Doppler echocardiography in relation to hormonal replacement therapy in postmenopausal women with diastolic dysfunction. 2003 , 10, 104-11	17
2163	Intraoperative assessment of diastolic function: utility of echocardiography. 2003 , 16, 11-9	2
2162	Effects of postural changes on cardiac function in healthy subjects. 2003 , 4, 196-201	22
2161	Colour tissue Doppler echocardiographic evaluation of right ventricular function in patients with right ventricular infarction. 2003 , 100, 41-6	21
2160	Effect of preload reduction by haemodialysis on new indices of diastolic function. 2003 , 105, 499-506	61
2159	Subclinical left ventricular dysfunction in asymptomatic patients with Type II diabetes mellitus, related to serum lipids and glycated haemoglobin. 2003 , 105, 591-9	149
2158	Search for non-invasive load-independent indices of left ventricular relaxation. 2003 , 105, 395-7	10
2157	Novel approach to the quantitation of regional left ventricular systolic and diastolic function using tissue Doppler imaging to create a myocardial velocity profile and gradient. 2003 , 67, 416-22	17
2156	The effects of hormonal therapy on aortic stiffness and left ventricular diastolic function. 2003 , 58, 1-8	13
2155	Clinical Significance of Atrioventricular Plane Displacement for Evaluating Left Ventricular Diastolic Dysfunction. 2003 , 33, 1110	
2154	Left ventricular diastolic filling and systolic function of young and older trained and untrained men. 2003 , 95, 2570-5	45
2153	The origin of proinflammatory cytokines in patients with idiopathic dilated cardiomyopathy. 2003 , 18, 791-6	5
2152	[The diastolic function: an echocardiographic study and its clinical meaning]. 2004 , 62, 73-85	1
2151	Changes in the parameters of left ventricular diastolic function according to age on tissue Doppler imaging. 2004 , 83, 466-9; 461-5	2
2150	Relation between Pulse Wave Velocity, Left Ventricular Diastolic Function, and Circadian Variation of Blood Pressure in Patients with Never Treated Essential Hypertension. 2004 , 34, 1099	
2149	Diastolic function in Chagas' disease: an echo and tissue Doppler imaging study. 2004 , 5, 182-8	25
2148	Diastolic heart failure: recognition, diagnosis and management. 2004 , 5, 1745-54	4
2147	Long-term left ventricular echocardiographic follow-up of SHR and WKY rats: effects of hypertension and age. 2004 , 286, H181-5	41

2146	Diastolic function and type 1 diabetes. 2004 , 27, 2081-3	5
2145	Application of tissue Doppler imaging in cardiology. 2004 , 101, 170-84	95
2144	Mid aortic syndrome and Alagille syndrome. 2004 , 90, 1150	3
2143	Female children and adolescents with type 1 diabetes have more pronounced early echocardiographic signs of diabetic cardiomyopathy. 2004 , 27, 1947-53	71
2142	Echocardiographic predictors of adverse clinical events in children with dilated cardiomyopathy: a prospective clinical study. 2004 , 90, 908-15	85
2141	Characterization of left ventricular diastolic function by tissue Doppler imaging and clinical status in children with hypertrophic cardiomyopathy. 2004 , 109, 1756-62	173
2140	Pulsed wave Doppler tissue echocardiography assessment of the long axis function of the right and left ventricles during the early neonatal period. 2004 , 90, 175-80	84
2139	Saccular dilatations originating from the conus artery. 2004 , 90, 915	
2138	Increase in serum ionized calcium during diffusive dialysis does not affect left ventricular diastolic function. 2004 , 22, 469-72	3
2137	Left ventricular longitudinal relaxation velocity: a sensitive index of diastolic function. 2004 , 38, 33-8	5
2136	Exercise capacity and cardiac function assessed by tissue Doppler imaging in chronic heart failure. 2004 , 90, 1144-50	46
2135	Optimal noninvasive assessment of left ventricular filling pressures: a comparison of tissue Doppler echocardiography and B-type natriuretic peptide in patients with pulmonary artery catheters. 2004 , 109, 2432-9	386
2134	Pulsed tissue Doppler imaging detects early myocardial dysfunction in asymptomatic patients with severe mitral regurgitation. 2004 , 90, 406-10	72
2133	Long-term endurance training does not prevent the age-related decrease in left ventricular relaxation properties. 2004 , 181, 209-15	32
2132	Tissue Doppler, a fundamental tool for parametric imaging. 2004 , 24, 147-55	29
2131	Impaired left ventricular diastolic function in children with chronic renal failure. 2004 , 65, 1461-6	104
2130	Value of tissue Doppler imaging to predict left ventricular filling pressure in patients with coronary artery disease. 2004 , 21, 133-8	24
2129	Amplitude and velocity of mitral annulus motion in rabbits. 2004 , 21, 313-7	7

2128	Abnormal cardiac function in children after renal transplantation. 2004 , 43, 721-6		55
2127	Evaluating preload dependence of a novel Doppler application in assessment of left ventricular diastolic function during hemodialysis. 2004 , 43, 1040-6		46
2126	Comparison of left atrial volume and function after linear ablation and after cardioversion for chronic atrial fibrillation. <i>American Journal of Cardiology</i> , 2004 , 93, 165-70	3	43
2125	Usefulness of tissue Doppler imaging for estimation of filling pressures in patients with primary or secondary pure mitral regurgitation. <i>American Journal of Cardiology</i> , 2004 , 93, 324-8	3	93
2124	Doppler tissue imaging analysis of ventricular function after surgical and transcatheter closure of atrial septal defect. <i>American Journal of Cardiology</i> , 2004 , 93, 375-8	3	20
2123	Diagnosis of cardiac amyloidosis based on the myocardial velocity profile in the hypertrophied left ventricular wall. <i>American Journal of Cardiology</i> , 2004 , 93, 864-9	3	29
2122	Prevalence of ventricular diastolic dysfunction in asymptomatic, normotensive patients with diabetes mellitus. <i>American Journal of Cardiology</i> , 2004 , 93, 870-5	3	353
2121	Potentials and limitations of color M-Mode and tissue Doppler indexes in identifying pseudonormal mitral filling pattern in patients with acute symptoms of heart failure and preserved left ventricular systolic function. <i>American Journal of Cardiology</i> , 2004 , 93, 1057-60	3	14
2120	Value of exercise echocardiography in rheumatic mitral stenosis with and without significant mitral regurgitation. <i>American Journal of Cardiology</i> , 2004 , 93, 1060-3	3	17
2119	Comparative accuracy of B-type natriuretic peptide and tissue Doppler echocardiography in the diagnosis of congestive heart failure. <i>American Journal of Cardiology</i> , 2004 , 93, 1130-5	3	101
2118	Comparison of right and left ventricular function in obese and nonobese men. <i>American Journal of Cardiology</i> , 2004 , 93, 1569-72	3	66
2117	Comparison of myocardial function in children with body mass indexes ≥ 25 versus those . <i>American Journal of Cardiology</i> , 2004 , 93, 1567-9	3	56
2116	Differentiation of constrictive pericarditis from restrictive cardiomyopathy using mitral annular velocity by tissue Doppler echocardiography. <i>American Journal of Cardiology</i> , 2004 , 94, 316-9	3	135
2115	Tissue Doppler imaging of the right and left ventricle in severe obesity (body mass index >35 kg/m ²). <i>American Journal of Cardiology</i> , 2004 , 94, 1087-90	3	55
2114	Effect of preload reduction by hemodialysis on left atrial volume and echocardiographic Doppler parameters in patients with end-stage renal disease. <i>American Journal of Cardiology</i> , 2004 , 94, 1208-10	3	57
2113	Effect of regular exercise after third decade on Doppler-derived left ventricular filling. <i>American Journal of Cardiology</i> , 2004 , 94, 1595-7	3	4
2112	[Novel Doppler indexes of estimation of pulmonary capillary pressure: influence of age, feasibility in the acute setting and reproducibility]. 2004 , 53, 314-9		3
2111	A way to improve the reproducibility of measurements of myocardial velocity gradients. 2004 , 20, 189-90		

2110	Stroke volume and mitral annular velocities. Insights from tissue Doppler imaging. 2004 , 93, 799-806		6
2109	Tissue Doppler imaging estimation of pulmonary artery occlusion pressure in ICU patients. 2004 , 30, 75-81		87
2108	Dipyridamole-induced abnormal Tl-201 lung uptake in patients with normal myocardial perfusion: a marker of increased left ventricular filling pressures. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 305-11	2.1	12
2107	The role of echocardiography in the diagnosis and prognosis of patients with heart failure. 2004 , 2, 141-4		0
2106	Coronary atherosclerosis in diabetic subjects: clinical significance, anatomic characteristics, and identification with in vivo imaging. 2004 , 22, 527-40, vi		6
2105	Left ventricular diastolic dysfunction and diastolic heart failure. 2004 , 55, 373-94		219
2104	Effects of the reduction of preload on left and right ventricular myocardial velocities analyzed by Doppler tissue echocardiography in healthy subjects. 2004 , 5, 262-71		71
2103	Paradoxical changes in brain natriuretic peptide levels and loading conditions after intravenous conscious sedation. 2004 , 17, 1191-6		3
2102	Estimaci3n de las presiones de llenado de ventr3culo izquierdo por ecocardiograf3a Doppler en pacientes cr3nicos. 2004 , 28, 20-25		3
2101	Impact of cardiac growth on Doppler tissue imaging velocities: a study in healthy children. 2004 , 17, 212-21		307
2100	American Society of Echocardiography recommendations for use of echocardiography in clinical trials. 2004 , 17, 1086-119		392
2099	Triphasic mitral inflow velocity with middiastolic filling: clinical implications and associated echocardiographic findings. 2004 , 17, 428-31		56
2098	A practical approach to the echocardiographic evaluation of diastolic function. 2004 , 17, 290-7		346
2097	On the move?. 2004 , 17, 431		
2096	Left ventricular hypertrophy and its regression in essential arterial hypertensionA tissue Doppler imaging study. 2004 , 17, 882-890		21
2095	Pressions de remplissage en 3chocardiographie-doppler: Int3t3 des nouveaux indices en routine. 2004 , 2004, 13-15		1
2094	Baseline echocardiographic values for adult male rats. 2004 , 17, 161-7		95
2093	Factors associated with mitral annular systolic and diastolic velocities in healthy adults. 2004 , 17, 1146-54		32

2092	Noninvasive estimation of left ventricular filling pressure by E/e' is a powerful predictor of survival after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 360-7	15.1	419
2091	The year in echocardiography. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 140-8	15.1	6
2090	Clinical validity of measuring time difference between onset of mitral inflow and onset of early diastolic mitral annulus velocity in the evaluation of left ventricular diastolic function. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 2097-101	15.1	25
2089	Diastolic dysfunction: can it be diagnosed by Doppler echocardiography?. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1543-9	15.1	138
2088	Losartan improves regional left ventricular systolic and diastolic function in patients with hypertension: accurate evaluation using a newly developed color-coded tissue doppler imaging technique. 2004 , 10, 412-20		14
2087	Left and right ventricular adaptation assessed by Doppler tissue echocardiography in athletes. 2004 , 17, 205-11		66
2086	Clinical practice. Diastolic heart failure. 2004 , 351, 1097-105		412
2085	Peak atrial systolic mitral annular velocity by Doppler tissue reliably predicts left atrial systolic function. 2004 , 17, 353-60		61
2084	Advances in echocardiography. 2004 , 34, 1083-104, v		6
2083	Evolution of expression of cardiac phenotypes over a 4-year period in the beta-myosin heavy chain-Q403 transgenic rabbit model of human hypertrophic cardiomyopathy. 2004 , 36, 663-73		38
2082	Subclinical cardiac involvement in myotonic dystrophy manifesting as decreased myocardial Doppler velocities. 2004 , 14, 188-94		34
2081	Clinical in vivo calibration of pulse wave tissue Doppler velocities in the assessment of ventricular wall motion. A comparison study with M-mode echocardiography. 2004 , 97, 289-95		28
2080	Response of B-type natriuretic peptide to exercise in hypertensive patients with suspected diastolic heart failure: correlation with cardiac function, hemodynamics, and workload. 2004 , 148, 365-70		42
2079	Utility of B-natriuretic peptide in the evaluation of left ventricular diastolic function: comparison with tissue Doppler imaging recordings. 2004 , 148, 895-902		92
2078	Tissue Doppler imaging in patients with moderate to severe aortic valve stenosis: clinical usefulness and diagnostic accuracy. 2004 , 148, 696-702		103
2077	Pulsed wave tissue Doppler-derived myocardial performance index for the assessment of left ventricular thrombus formation risk after acute myocardial infarction. 2004 , 148, 1102-8		15
2076	Left ventricular hypertrophy and its regression in essential arterial hypertension. A tissue Doppler imaging study. 2004 , 17, 882-90		15
2075	[Echocardiography in elderly patients]. 2004 , 33, 406-12		

2074	Strain and strain rate imaging: a new clinical approach to quantifying regional myocardial function. 2004 , 17, 788-802	500
2073	Echocardiographic Estimation of Mean Left Atrial Pressure in a Canine Model of Acute Mitral Valve Insufficiency. 2004 , 18, 667-672	44
2072	Echocardiographic assessment in cell transplantation. 2004 , 95 Suppl 1, S50-2	1
2071	Left ventricular function in endurance-trained children by tissue Doppler imaging. 2004 , 36, 1507-13	28
2070	Tissue Doppler imaging in the evaluation of left ventricular diastolic function. 2004 , 19, 437-41	42
2069	Tissue Doppler imaging for predicting outcome in patients with cardiovascular disease. 2004 , 19, 458-63	45
2068	Haemodynamic insights into the effects of ischaemia and cycle length on tissue Doppler-derived mitral annulus diastolic velocities. 2004 , 106, 147-54	36
2067	Influence of alterations in loading on mitral annular velocity by tissue Doppler echocardiography and its associated ability to predict filling pressures. 2004 , 126, 1910-8	86
2066	American Society of Echocardiography recommendations for use of echocardiography in clinical trialsA report from the american society of echocardiography's guidelines and standards committee and the task force on echocardiography in clinical trials. 2004 , 17, 1086-1119	636
2065	Noninvasive assessment of filling pressures in the pediatric intensive care unit: is it possible?. 2005 , 6, 496-7	1
2064	Tissue Doppler imaging provides incremental prognostic value in patients with systemic hypertension and left ventricular hypertrophy. 2005 , 23, 183-91	155
2063	Comparative value of tissue Doppler imaging and m-mode color Doppler mitral flow propagation velocity for the evaluation of left ventricular filling pressure. 2005 , 128, 2544-50	33
2062	Assessment of Diastolic Function in Heart Failure and Atrial Fibrillation. 2005 , 181-187	
2061	Tissue Doppler echocardiographic and color M-mode estimation of left atrial pressure in infants. 2005 , 6, 448-53	8
2060	Beneficial effect of candesartan on rat diastolic heart failure. 2005 , 98, 372-9	15
2059	Assessment of left ventricular function using pulsed tissue Doppler imaging in healthy dogs and dogs with spontaneous mitral regurgitation. 2005 , 67, 1207-15	35
2058	Transesophageal echocardiographic evaluation of diastolic function. 2005 , 128, 3652-63	31
2057	Diastolic Heart Failure and Critical Illness. 2005 , 197-211	1

2056	Can early diastolic velocity of the mitral annulus predict survival in patients with impaired left-ventricular function?. 2005 , 2, 388-9		
2055	Can transthoracic Doppler echocardiography predict the discrepancy between left ventricular end-diastolic pressure and mean pulmonary capillary wedge pressure in patients with heart failure?. 2005 , 69, 432-8	43	
2054	Prediction of prognosis in the UM-X7.1 hamster model of congestive heart failure using the Tei index. 2005 , 69, 991-3	3	
2053	Doppler echocardiographic assessment of left atrial appendage flow velocities in normal cats. 2005 , 7, 15-25	28	
2052	Evaluation of cardiac function by tissue Doppler echocardiography: hemodynamic determinants and clinical application. 2005 , 31, 23-30	14	
2051	Comparison between maximal early diastolic velocity in long-axis direction obtained by M-mode echocardiography and by tissue Doppler in the assessment of right ventricular diastolic function. 2005 , 25, 178-82		
2050	Normal values of pulmonary capillary wedge pressure and the blood pressure response to the Valsalva manoeuvre in healthy elderly subjects. 2005 , 25, 318-26	11	
2049	Early detection of diabetic cardiomyopathy: usefulness of tissue Doppler imaging. 2005 , 22, 1720-5	93	
2048	Effect of age on left ventricular systolic function in humans: a study of systolic isovolumic acceleration rate. 2005 , 90, 527-34	26	
2047	Left ventricular Tei index: comparison between flow and tissue Doppler analyses. 2005 , 22, 730-5	20	
2046	Modified TEI index: a promising parameter in essential hypertension?. 2005 , 22, 296-304	24	
2045	Preload dependence of Doppler tissue imaging derived indexes of left ventricular diastolic function. 2005 , 22, 320-5	45	
2044	Tissue Doppler imaging identifies asymptomatic normotensive diabetics with diastolic dysfunction and reduced exercise tolerance. 2005 , 22, 561-70	29	
2043	Accuracy of tissue Doppler echocardiography in the emergency diagnosis of decompensated heart failure with preserved left ventricular systolic function: comparison with B-type natriuretic peptide measurement. 2005 , 22, 657-64	21	
2042	Evaluation of left ventricular function in cardiomyopathic mice by tissue Doppler and color M-mode Doppler echocardiography. 2005 , 22, 245-53	22	
2041	Usefulness of tissue Doppler imaging for estimation of left ventricular filling pressures in patients with systolic and diastolic heart failure. <i>American Journal of Cardiology</i> , 2005 , 95, 892-5	3	67
2040	Comparison of tissue Doppler and propagation velocity to invasive measures for measuring left ventricular filling pressures. <i>American Journal of Cardiology</i> , 2005 , 95, 1017-20	3	8
2039	Effects of age, gender, and left ventricular mass on septal mitral annulus velocity (E') and the ratio of transmitral early peak velocity to E' (E/E'). <i>American Journal of Cardiology</i> , 2005 , 95, 1020-3	3	112

2038	Effects of weight loss after gastric bypass on right and left ventricular function assessed by tissue Doppler imaging. <i>American Journal of Cardiology</i> , 2005 , 95, 1521-4	3	74
2037	Usefulness of tissue doppler and color M-mode indexes of left ventricular diastolic function in predicting outcomes in systolic left ventricular heart failure (from the ADEPT study). <i>American Journal of Cardiology</i> , 2005 , 96, 257-62	3	100
2036	Effects of levosimendan on markers of left ventricular diastolic function and neurohormonal activation in patients with advanced heart failure. <i>American Journal of Cardiology</i> , 2005 , 96, 423-6	3	78
2035	Comparative accuracy of color M-mode and tissue Doppler echocardiography in the emergency diagnosis of congestive heart failure in chronic hypertensive patients with normal left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2005 , 96, 1456-9	3	15
2034	Effect of Losartan on left ventricular diastolic function in patients with nonobstructive hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 2005 , 96, 1563-7	3	64
2033	Prognosis in diastolic heart failure. 2005 , 47, 333-9		26
2032	Assessment of diastolic function. 2005 , 47, 340-55		50
2031	Doppler tissue imaging of the heart in secondary amyloidosis. 2005 , 22, 433-42		1
2030	Diastolic dysfunction and diastolic heart failure: diagnostic, prognostic and therapeutic aspects. 2005 , 3, 9		83
2029	Echocardiographic Evaluation of Patients with Chronic Dyspnea. 164-174		2
2028	. 2005 ,		2
2027	The Effect of Preload Reduction on a New Parameter to Evaluate Left Ventricular Diastolic Function. 2005 , 35, 827		1
2026	The Pathophysiology and Diagnostic Approaches for Diastolic Left Ventricular Dysfunction: A Clinical Perspective. 2005 , 35, 865		7
2025	Increased Aortic Stiffness is Associated with Increased Left Ventricular Mass and Diastolic Dysfunction. 2005 , 35, 525		2
2024	Tissue Doppler Image-Derived Myocardial Performance(Tei Index) as a Simple Assessment of Global Cardiac Function in Adults. 2005 , 35, 315		5
2023	Tissue Doppler velocities of mitral annulus and NT-proBNP in patients with heart failure. 2005 , 7, 520-4		8
2022	Relationship of diastolic intraventricular pressure gradients and aerobic capacity in patients with diastolic heart failure. 2005 , 289, H2081-8		64
2021	"Pure" diastolic dysfunction is associated with long-axis systolic dysfunction. Implications for the diagnosis and classification of heart failure. 2005 , 7, 820-8		140

2020	Left ventricular SERCA2a gene down-regulation does not parallel ANP gene up-regulation during post-MI remodelling in rats. 2005 , 7, 739-47	4
2019	Tissue Doppler is a More Reliable Method in Early Detection of Cardiac Dysfunction in Patients with AA Amyloidosis. 2005 , 27, 415-420	4
2018	Effects of levosimendan on left ventricular functional remodelling and exercise intolerance: a tissue Doppler study. 2005 , 33, 397-405	9
2017	Tissue Doppler imaging for the detection and quantitation of myocardial dysfunction in patients with type 2 diabetes mellitus. 2005 , 2, 24-30	50
2016	Reverse remodeling of the left cardiac chambers after catheter ablation after 1 year in a series of patients with isolated atrial fibrillation. 2005 , 112, 2896-903	203
2015	Cardiac function in borderline hypothyroidism: a study by pulsed wave tissue Doppler imaging. 2005 , 152, 527-33	29
2014	Age- and gender-related ventricular-vascular stiffening: a community-based study. 2005 , 112, 2254-62	597
2013	Cardiac Preload Evaluation Using Echocardiographic Techniques. 2005 , 259-268	
2012	Relation of arterial stiffness to diastolic dysfunction in hypertensive heart disease. 2005 , 91, 1551-6	160
2011	Improvement in diastolic left ventricular function after coronary artery bypass grafting as assessed by recordings of mitral annular velocity using Doppler tissue imaging. 2005 , 6, 202-9	23
2010	Validation of echocardiographic and Doppler indexes of left ventricular relaxation in adult hypertensive and normotensive rats. 2005 , 289, H1131-6	43
2009	Role of echocardiography in the contemporary management of chronic heart failure. 2005 , 3, 51-70	4
2008	Tissue Doppler imaging of the left ventricle in healthy elderly females does not support the concept of "isolated" diastolic dysfunction. 2005 , 14, 93-8	6
2007	Mitral and tricuspid annular velocities determined by Doppler tissue imaging in hypopituitary, growth hormone-deficient patients. 2005 , 64, 107-14	2
2006	Familial dilated cardiomyopathy: assessment of left ventricular systolic and diastolic function using Doppler tissue imaging in asymptomatic relatives with left ventricular enlargement. 2006 , 92, 405-6	10
2005	Echocardiography as a noninvasive Swan-Ganz catheter. 2005 , 111, 3192-4	54
2004	Doppler estimation of left ventricular filling pressures in patients with mitral valve disease. 2005 , 111, 3281-9	157
2003	Assessment of diastolic function: what the general cardiologist needs to know. 2005 , 91, 681-95	128

2002	Tissue Doppler-derived indices predict exercise capacity in patients with apical hypertrophic cardiomyopathy. 2005 , 128, 3428-33	20
2001	Use of tissue Doppler to assess right ventricle function in hemodialysis patients. 2005 , 25, 256-61	21
2000	The E/e filling index and right ventricular pressure in relation to applied international Doppler recommendations of left ventricular filling assessment. 2005 , 6, 419-28	4
1999	Lateral vs medial mitral annular tissue Doppler in the echocardiographic assessment of diastolic function and filling pressures: which should we use?. 2005 , 6, 97-106	41
1998	Effects of milrinone versus epinephrine on left ventricular relaxation after cardiopulmonary bypass following myocardial revascularization: assessment by color m-mode and tissue Doppler. 2005 , 19, 334-9	28
1997	Recovery of stunned myocardium in acute myocardial infarction quantified by strain rate imaging: a clinical study. 2005 , 18, 401-10	23
1996	Myocardial function in severe aortic stenosis before and after aortic valve replacement: a Doppler tissue imaging study. 2005 , 18, 8-14	36
1995	Comparison of different methods for detection of diastolic filling abnormalities. 2005 , 18, 710-7	15
1994	Determination of pulmonary capillary wedge pressure using pulsed wave Doppler echocardiography: clinical application of range ambiguity phenomenon. 2005 , 18, 1023-9	3
1993	Characteristics of left ventricular diastolic function in patients with systolic heart failure: a Doppler tissue imaging study. 2005 , 18, 896-900	10
1992	Doppler tissue imaging for the assessment of left ventricular diastolic function: a systematic approach for the sonographer. 2005 , 18, 80-8; quiz 89	47
1991	Abnormal septal motion affects early diastolic velocities at the septal and lateral mitral annulus, and impacts on estimation of the pulmonary capillary wedge pressure. 2005 , 18, 445-53	42
1990	Doppler tissue imaging and color M-mode flow propagation velocity: are they really preload independent?. 2005 , 18, 1277-84	31
1989	Diastolic stress echocardiography: a novel noninvasive diagnostic test for diastolic dysfunction using supine bicycle exercise Doppler echocardiography. 2005 , 18, 63-8	212
1988	Doppler tissue imaging during supine and upright exercise in healthy adults. 2005 , 18, 1343-8	14
1987	Impact of chronic left ventricular preload and afterload on Doppler tissue imaging velocities: a study in congenital heart disease. 2005 , 18, 830-8	59
1986	Noninvasive prediction of complications with anteroseptal acute myocardial infarction by left ventricular Tei index. 2005 , 18, 20-5	19
1985	Differences in the immediate effects of smoking on left ventricular diastolic function between healthy volunteers and patients with type 2 diabetes mellitus. 2005 , 18, 320-5	5

1984	Cardiac resynchronization therapy acutely improves diastolic function. 2005 , 18, 216-20	35
1983	Automated mitral annular tracking: a novel method for evaluating mitral annular motion using two-dimensional echocardiography. 2005 , 18, 306-12	12
1982	The mitral L wave: a marker of pseudonormal filling and predictor of heart failure in patients with left ventricular hypertrophy. 2005 , 18, 336-41	38
1981	The role of left and right ventricular early diastolic Doppler tissue echocardiographic indices in the evaluation of acute rejection in orthotopic heart transplant. 2005 , 18, 107-15	35
1980	Functional Hemodynamic Monitoring. 2005 ,	6
1979	Tissue Doppler and strain-rate imaging in cardiac ultrasound imaging: valuable tools or expensive ornaments?. 2005 , 3, 1-4	6
1978	Tissue Doppler is a more reliable method in early detection of cardiac dysfunction in patients with AA amyloidosis. 2005 , 27, 415-20	7
1977	Early detection of cardiac dysfunction in patients with anorexia nervosa by tissue Doppler imaging. 2005 , 101, 33-7	22
1976	Oxidative stress and fibrosis in incipient myocardial dysfunction in type 2 diabetic patients. 2005 , 101, 53-8	27
1975	Assessment of left ventricular function by Doppler tissue imaging in patients with atrial fibrillation following acute myocardial infarction. 2005 , 102, 79-85	14
1974	Prognostic value of tissue Doppler imaging in patients with chronic congestive heart failure. 2005 , 103, 175-81	78
1973	Non-invasive evaluation of orthotopic heart transplant rejection by echocardiography. 2005 , 24, 160-5	68
1972	Relationships among exercise capacity, hypertrophy, and left ventricular diastolic function in nonobstructive hypertrophic cardiomyopathy. 2005 , 150, 144-9	17
1971	Doppler tissue imaging: a reliable method for estimation of left ventricular filling pressure in patients with mitral regurgitation. 2005 , 150, 610-5	32
1970	Impaired tissue Doppler diastolic function in patients with coronary artery disease: relationship to endothelial damage/dysfunction and platelet activation. 2005 , 150, 756-66	24
1969	Reference charts of gestation-specific tissue Doppler imaging indices of systolic and diastolic functions in the normal fetal heart. 2005 , 150, 750-5	54
1968	Sex differences in left ventricular function in older persons with mild hypertension. 2005 , 150, 934-40	11
1967	Prevalence of diastolic dysfunction as a possible cause of dyspnea in the elderly. 2005 , 118, 25-31	22

1966	[Characteristics of hypertensive cardiomyopathy in a population of hypertensive patients never treated]. 2005 , 125, 321-4		4
1965	Independent and incremental prognostic value of early mitral annulus velocity in patients with impaired left ventricular systolic function. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 272-7	15.1	179
1964	Feasibility of tissue magnetic resonance imaging: a pilot study in comparison with tissue Doppler imaging and invasive measurement. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1109-16	15.1	118
1963	Improvements in left ventricular diastolic function after cardiac resynchronization therapy are coupled to response in systolic performance. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 2244-9	15.1	55
1962	Which Doppler parameters are load independent? A study in normal volunteers after blood donation. 2005 , 18, 1260-5		46
1961	Assessment of mitral annular velocities by Doppler tissue imaging in predicting left ventricular thrombus formation after first anterior acute myocardial infarction. 2005 , 18, 632-7		7
1960	Enlarged left atrial volume in hypertrophic cardiomyopathy: a marker for disease severity. 2005 , 18, 1074-82		103
1959	Response to: "Color and Spectral Modes of Tissue Doppler Imaging Have Similar Diagnostic Utility but Different Numerical Values" 2006 , 19, 1411-1412		
1958	Color tissue Doppler myocardial velocities consistently underestimate spectral tissue Doppler velocities: impact on calculation peak transmitral pulsed Doppler velocity/early diastolic tissue Doppler velocity (E/Ea). 2006 , 19, 744-8		56
1957	Comprehensive echocardiographic assessment of diastolic function. 2006 , 2, 163-78		6
1956	Color and spectral modes of tissue Doppler imaging have similar diagnostic utility but different numerical values. 2006 , 19, 1411; author reply 1411-2		
1955	Obesity cardiomyopathy: is it a reality? An ultrasonic tissue characterization study. 2006 , 19, 1063-71		67
1954	Tissue Doppler, strain, and strain rate echocardiography: principles and potential perioperative applications. 2006 , 20, 583-93		15
1953	Tissue Doppler Imaging and Gradient Echo Cardiac Magnetic Resonance Imaging in Normal Cats and Cats with Hypertrophic Cardiomyopathy. 2006 , 20, 627-634		30
1952	Characterization of left ventricular diastolic function in hypertension by use of Doppler tissue imaging and color M-mode techniques. 2006 , 19, 872-9		41
1951	Assessment of stress-induced pulmonary interstitial edema by chest ultrasound during exercise echocardiography and its correlation with left ventricular function. 2006 , 19, 457-63		99
1950	N-terminal pro B-type natriuretic peptide levels: correlation with echocardiographically determined left ventricular diastolic function in an ambulatory cohort. 2006 , 19, 1017-25		20
1949	Assessment of diastolic function with Doppler tissue imaging after cardiac surgery: effect of the "postoperative septum" in on-pump and off-pump procedures. 2006 , 19, 464-7		17

1948	Early mitral filling/diastolic mitral annular velocity ratio is not a reliable predictor of left ventricular filling pressure in the setting of severe mitral regurgitation. 2006 , 19, 83-7		32
1947	Left ventricular filling hemodynamics in patients with pulmonary edema and preserved versus reduced left ventricular ejection fraction: a prospective Doppler echocardiographic study. 2006 , 19, 733-43		15
1946	Doppler tissue imaging in the assessment of atrioventricular conduction time: validation of a novel technique and comparison with electrophysiologic and pulsed wave Doppler-derived equivalents in an animal model. 2006 , 19, 314-21		9
1945	Right heart function in scleroderma: insights from myocardial Doppler tissue imaging. 2006 , 19, 507-14		51
1944	Mitral peak Doppler E-wave to peak mitral annulus velocity ratio is an accurate estimate of left ventricular filling pressure and predicts mortality in end-stage renal disease. 2006 , 19, 266-73		100
1943	Left bundle branch block in chronic heart failure-impact on diastolic function, filling pressures, and B-type natriuretic peptide levels. 2006 , 19, 95-101		15
1942	Transesophageal echocardiographic acquisition of mitral annulus motion during monitoring of left ventricular function in anesthetized patients. 2006 , 19, 499-506		5
1941	Echocardiographic indices of increased left ventricular filling pressure and dilation after acute myocardial infarction. 2006 , 19, 450-6		49
1940	Echocardiographic assessment of left ventricular function. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 280-293		
1939	Risk stratification in chronic heart failure: independent and incremental prognostic value of echocardiography and brain natriuretic peptide and its N-terminal fragment. 2006 , 19, 522-8		26
1938	Assessment of the evolution of normal fetal diastolic function during mid and late gestation by spectral Doppler tissue echocardiography. 2006 , 19, 1431-7		46
1937	Right heart function in systemic lupus erythematosus: insights from myocardial Doppler tissue imaging. 2006 , 19, 441-9		23
1936	Effects of levosimendan on left ventricular diastolic function after primary angioplasty for acute anterior myocardial infarction: a Doppler echocardiographic study. 2006 , 19, 172-7		32
1935	Severe tricuspid regurgitation shows significant impact in the relationship among peak systolic tricuspid annular velocity, tricuspid annular plane systolic excursion, and right ventricular ejection fraction. 2006 , 19, 902-10		103
1934	Diastolic heart failure can be diagnosed by comprehensive two-dimensional and Doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 500-6	15.1	260
1933	Diastolic stress echocardiography: hemodynamic validation and clinical significance of estimation of ventricular filling pressure with exercise. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1891-900	15.1	310
1932	Cardiopulmonary exercise testing determination of functional capacity in mitral regurgitation: physiologic and outcome implications. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2521-7	15.1	106
1931	Dietary sodium intake modulates myocardial relaxation responsiveness to angiotensin II. 2006 , 148, 49-54		14

1930	Tissue velocity echocardiography shows early improvement in diastolic function with irbesartan and atenolol therapy in patients with hypertensive left ventricular hypertrophy. Results from the Swedish Irbesartan Left Ventricular Hypertrophy Investigation vs Atenolol (SILVHIA). 2006 , 19, 927-36	35
1929	Restrictive physiology in cardiogenic shock: observations from echocardiography. 2006 , 151, 890.e9-15	15
1928	Rationale and design: the VALsartan In Diastolic Dysfunction (VALIDD) Trial: evolving the management of diastolic dysfunction in hypertension. 2006 , 152, 246-52	21
1927	Maximum oxygen uptake at peak exercise in elderly patients with coronary artery disease and preserved left ventricular function: the role of inflammation on top of tissue Doppler-derived systolic and diastolic function. 2006 , 152, 297.e1-7	17
1926	Evaluation of the potential role of echocardiography in the detection of allograft rejection in heart transplant recipients. 2006 , 38, 636-8	12
1925	Correlations between the Left Ventricular Diastolic Function and Aortic Stiffness in Healthy Aged Subjects. 2006 , 36, 393	8
1924	Quantitation of mitral annular oscillations and longitudinal "ringing" of the left ventricle: a new window into longitudinal diastolic function. 2006 , 100, 112-9	22
1923	Assessment of left ventricular diastolic function by early diastolic mitral annulus peak acceleration rate: experimental studies and clinical application. 2006 , 100, 679-84	24
1922	Left atrial volume in normal Japanese adults. 2006 , 70, 285-8	36
1921	Echocardiographie normale et pathologique. 2006 , 1, 1-37	
1920	Echocardiographie doppler: considérations techniques, examen normal. 2006 , 1, 1-18	
1919	Aspirin and clopidogrel resistance in patients with diabetes mellitus: reply. 2006 , 27, 2900-2901	
1918	Role of echo Doppler techniques in the evaluation and treatment of heart failure patients. 2006 , 8, E28-E31	4
1917	Echocardiographic measurement of ventricular function. 2006 , 12, 241-8	40
1916	Impact of myocardial perfusion on left atrial remodeling following primary angioplasty for acute myocardial infarction. 2006 , 17, 597-603	9
1915	Hemodynamics. 2006 ,	
1914	Tissue Doppler assessment of ventricular function during cycling in 7- to 12-yr-old boys. 2006 , 38, 1216-22	13
1913	The effect of type 2 diabetes on diastolic function. 2006 , 38, 1384-8	21

1912	Detection of increased left ventricular filling pressure by pulsed tissue Doppler in cardiac amyloidosis. 2006 , 7, 742-7	7
1911	Impaired left ventricular filling in patients with essential hyperhidrosis: an echo-Doppler study. 2006 , 208, 283-90	2
1910	Novel insights on effect of atrioventricular programming of biventricular pacemaker in heart failure--a case series. 2006 , 4, 38	10
1909	Diastolic function in young patients with beta-thalassemia major: an echocardiographic study. 2006 , 23, 38-44	21
1908	Stroke volume and mitral annular velocities: insights from uremic patients with significant valvular regurgitation. 2006 , 23, 108-13	1
1907	The utility of pulsed tissue Doppler parameters for the diagnosis of advanced left ventricular diastolic dysfunction. 2006 , 23, 189-96	15
1906	Usefulness of a new proposed tissue Doppler imaging global function index in hypertrophic cardiomyopathy. 2006 , 23, 197-201	5
1905	Maximum longitudinal relaxation velocity of the left ventricle: its clinical value and relationship with NT-proBNP plasma levels in heart failure. 2006 , 23, 295-302	4
1904	Differentiation of left ventricular diastolic dysfunction, identification of pseudonormal/restrictive mitral inflow pattern and determination of left ventricular filling pressure by Tei index obtained from tissue Doppler echocardiography. 2006 , 23, 287-94	47
1903	Preload independence of isovolumic relaxation flow propagation velocity. 2006 , 23, 542-5	5
1902	The impact of marathon running upon ventricular function as assessed by 2D, Doppler, and tissue-Doppler echocardiography. 2006 , 23, 635-41	42
1901	Relationship between outflow obstruction and left ventricular functional impairment in hypertrophic cardiomyopathy: a Doppler echocardiographic study. 2006 , 23, 734-40	15
1900	Validity of revised Doppler echocardiographic algorithms and composite clinical and angiographic data in diagnosis of diastolic dysfunction. 2006 , 23, 817-28	12
1899	Pulsed tissue Doppler identifies subclinical myocardial biventricular dysfunction in active acromegaly. 2006 , 64, 390-7	11
1898	The relationship between flow-mediated dilatation and left ventricular function in type 2 diabetic patients with microalbuminuria. 2006 , 30, 197-202	9
1897	Left ventricular diastolic function during normal pregnancy: assessment by spectral tissue Doppler imaging. 2006 , 28, 789-93	54
1896	Pulse tissue Doppler analysis of tricuspid annular motion in Iranian children. 2006 , 22, 363-7	5
1895	Echocardiographically estimated left ventricular end-diastolic and right ventricular systolic pressure in normotensive healthy individuals. 2006 , 22, 633-41	18

1894	Apex techniques, old and new, hold the key to estimated left ventricular end-diastolic and right ventricular systolic pressure. 2006 , 22, 643-6		
1893	Serum cystatin C and left ventricular diastolic dysfunction in children with chronic kidney disease. 2006 , 21, 1293-8		16
1892	Tissue Doppler evaluation of tricuspid annulus for estimation of pulmonary artery pressure in patients with COPD. 2006 , 184, 121-31		16
1891	Diastolic function abnormalities in active rheumatoid arthritis evaluation by conventional Doppler and tissue Doppler: relation with duration of disease. 2006 , 25, 294-9		37
1890	Cardiovascular responses to static exercise in boys: insights from tissue Doppler imaging. 2006 , 97, 637-42		9
1889	The effect of 18 h of simulated high altitude on left ventricular function. 2006 , 98, 411-8		28
1888	Weaning failure from cardiovascular origin. 2006 , 32, 937; author reply 938		2
1887	How to diagnose weaning-induced pulmonary edema?. 2006 , 32, 938-938		5
1886	Use of tissue Doppler and its comparison with other conventional Doppler techniques in the assessment of diastolic functions in patients with active rheumatoid arthritis. 2006 , 26, 229-33		6
1885	Automatic timing of aortic valve closure in apical tissue Doppler images. 2006 , 32, 19-27		28
1884	Left ventricular diastolic function following myocardial infarction. 2006 , 3, 170-4		24
1883	Echocardiographic assessment of left ventricular function. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 280-931		5
1882	Chronic heart failure: a report from the Dartmouth Diastole Discourses. 2006 , 12, 162-5		14
1881	Comparison of usefulness of left ventricular diastolic versus systolic function as a predictor of outcome following primary percutaneous coronary angioplasty for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2006 , 97, 160-6	3	41
1880	Comparison of usefulness of echocardiographic Doppler variables to left ventricular end-diastolic pressure in predicting future heart failure events. <i>American Journal of Cardiology</i> , 2006 , 97, 866-71	3	68
1879	Cardiovascular effects of androgenic anabolic steroids in male bodybuilders determined by tissue Doppler imaging. <i>American Journal of Cardiology</i> , 2006 , 97, 912-5	3	74
1878	Usefulness of mitral annular velocity in predicting exercise tolerance in patients with impaired left ventricular systolic function. <i>American Journal of Cardiology</i> , 2006 , 97, 1025-8	3	46
1877	Effect of ischemic mitral regurgitation on the ratio of early transmitral flow velocity to mitral annulus early diastolic velocity in patients with stable coronary artery disease. <i>American Journal of Cardiology</i> , 2006 , 97, 1449-51	3	13

1876	Left ventricular systolic and diastolic function by echocardiogram in pseudoxanthoma elasticum. <i>American Journal of Cardiology</i> , 2006 , 97, 1535-7	3	16
1875	Accuracy of tissue Doppler estimation of the right atrial pressure in anesthetized, paralyzed, and mechanically ventilated patients. <i>American Journal of Cardiology</i> , 2006 , 97, 1654-6	3	18
1874	Significance of left atrial contractile function in asymptomatic subjects with hereditary hemochromatosis. <i>American Journal of Cardiology</i> , 2006 , 98, 954-9	3	31
1873	Are left ventricular diastolic function and diastolic asynchrony important determinants of response to cardiac resynchronization therapy?. <i>American Journal of Cardiology</i> , 2006 , 98, 1083-7	3	21
1872	Evidence of left ventricular contractile asynchrony by echocardiographic phase imaging in patients with type 2 diabetes mellitus and without clinically evident heart disease. <i>American Journal of Cardiology</i> , 2006 , 98, 1525-30	3	32
1871	Tissue Doppler imaging in the evaluation of left ventricular function in young adults with autosomal dominant polycystic kidney disease. 2006 , 47, 587-92		15
1870	Left ventricular dysfunction in subjects with mild secondary hyperparathyroidism detected with pulsed wave tissue Doppler echocardiography. 2006 , 105, 1-8		7
1869	Left ventricular diastolic function in hemodialysis patients: role of preload increase maneuver on tissue Doppler imaging evaluation. 2006 , 26, 469-75		5
1868	Triphasic mitral inflow velocity with mid-diastolic flow: the presence of mid-diastolic mitral annular velocity indicates advanced diastolic dysfunction. 2006 , 7, 16-21		24
1867	Effects of nebivolol in elderly heart failure patients with or without systolic left ventricular dysfunction: results of the SENIORS echocardiographic substudy. 2006 , 27, 562-8		84
1866	Persistent and reversible cardiac dysfunction among amateur marathon runners. 2006 , 27, 1079-84		147
1865	Impact of intracoronary bone marrow cell transfer on diastolic function in patients after acute myocardial infarction: results from the BOOST trial. 2006 , 27, 929-35		109
1864	Sustained improvement in left ventricular diastolic function after alcohol septal ablation for hypertrophic obstructive cardiomyopathy. 2006 , 27, 1805-10		55
1863	Improvement of left ventricular diastolic function after alcohol septal ablation for obstructive hypertrophic cardiomyopathy? Yes, of course, but. 2006 , 27, 2901-2; author reply 2902		2
1862	Left ventricular function in patients with chronic kidney disease evaluated by colour tissue Doppler velocity imaging. 2006 , 21, 125-32		86
1861	Evaluation of cardiac function in the dialysis patient--a primer for the non-expert. 2006 , 21, 1474-81		14
1860	Evaluation and management of shock. 2006 , 27, 230-40		7
1859	Currently available technology for echocardiographic assessment of left ventricular function. 2006 , 3, 207-14		7

1858	Effects of modulation of left ventricular contractile state and loading conditions on tissue Doppler myocardial performance index. 2006 , 290, H1952-9	43
1857	Relationship between preclinical abnormalities of global and regional left ventricular function and insulin resistance in severe obesity: a Color Doppler Imaging Study. 2006 , 30, 948-56	43
1856	Echocardiographic Assessment of Diastolic Function in Feline Myocardial Disease. 2006 , 14, 155-160	
1855	Longitudinal mitral annulus velocities are reduced in hypertensive subjects with or without left ventricle hypertrophy. 2006 , 47, 854-60	33
1854	A clinician's guide to tissue Doppler imaging. 2006 , 113, e396-8	211
1853	Tissue Doppler-derived index of left ventricular filling pressure, E/E', predicts survival of patients with non-valvular atrial fibrillation. 2006 , 92, 1248-52	137
1852	Characteristics of left ventricular diastolic dysfunction in the community: an echocardiographic survey. 2006 , 92, 1259-64	196
1851	Pneumopericardium following perianal fistula repair and sigmoidoscopy. 2006 , 92, 1264	
1850	Systolic and diastolic heart failure in the community. 2006 , 296, 2209-16	636
1849	Tissue Doppler imaging and conventional echocardiography after anthracycline treatment in adults: early and late alterations of left ventricular function during a prospective study. 2006 , 7, 141-6	155
1848	The failing heart under stress: echocardiography is an essential monitoring tool in the intensive care unit. 2006 , 10, 111-5	3
1847	Advanced systolic and diastolic function: beyond the E- and A-wave. 2006 , 10, 63-5	0
1846	Primary myocardial dysfunction in autosomal dominant EDMD. A tissue doppler and cardiovascular magnetic resonance study. 2006 , 8, 723-30	20
1845	Assessment of arterio-ventricular coupling by tissue Doppler and wave intensity in type 2 diabetes. 2006 , 6, 271-278	8
1844	Noninvasive Diagnosis of Congenital and Acquired Pediatric Heart Disease. 2006 , 427-461	
1843	Diagnostic accuracy of tissue Doppler echocardiography for patients with acute heart failure. 2006 , 92, 1790-4	19
1842	Quantitative assessment of velocities of the annulus of the left atrioventricular valve and left ventricular free wall in healthy cats by use of two-dimensional color tissue Doppler imaging. 2006 , 67, 250-8	55
1841	How to diagnose diastolic heart failure a consensus statement. 2007 , 28, 2421-3	44

1840	Evaluation of left ventricular filling pressures by Doppler echocardiography in patients with hypertrophic cardiomyopathy: correlation with direct left atrial pressure measurement at cardiac catheterization. 2007 , 116, 2702-8	228
1839	Global diastolic strain rate for the assessment of left ventricular relaxation and filling pressures. 2007 , 115, 1376-83	290
1838	Hemodynamic changes in hyperthyroidism-related pulmonary hypertension: a prospective echocardiographic study. 2007 , 92, 1736-42	75
1837	Diastolic heart failure in anaesthesia and critical care. 2007 , 98, 707-21	139
1836	Inactivation of digestive proteases by deconjugated bilirubin: the possible evolutionary driving force for bilirubin or biliverdin predominance in animals. 2007 , 56, 1641-2	24
1835	Tissue Doppler Imaging: Beautiful Noise. 2007 , 3, 81-90	3
1834	NT-proBNP levels and diastolic dysfunction in beta-thalassaemia major patients. 2007 , 9, 531-6	37
1833	Longitudinal left ventricular contractile dysfunction after exercise in aortic stenosis. 2007 , 93, 732-8	45
1832	Échocardiographie transthoracique et transœsophagienne. 2007 , 87-103	
1831	Is the downregulation of EphB2 receptor expression during colorectal tumorigenesis due to hypoxia?. 2007 , 56, 1637-8	7
1830	Absence of diastolic mitral annular oscillations is a marker for relaxation-related diastolic dysfunction. 2007 , 292, H2952-8	14
1829	LV systolic impairment in patients with asymptomatic coronary heart disease and type 1 diabetes is related to coronary atherosclerosis, glycaemic control and advanced glycation endproducts. 2007 , 9, 1044-50	19
1828	Effects of levosimendan on coronary artery flow and cardiac performance in patients with advanced heart failure. 2007 , 9, 1172-7	29
1827	Diabetes-specific cardiomyopathy in type 1 diabetes mellitus: no evidence for its occurrence in the era of intensive insulin therapy. 2007 , 28, 2465-71	58
1826	Echocardiography in heart failure: beyond diagnosis. 2007 , 8, 4-14	24
1825	Echocardiography. 2007 ,	5
1824	Acute biventricular pacing after cardiac surgery has no influence on regional and global left ventricular systolic function. 2007 , 9, 432-6	16
1823	Is there an anatomical substrate for idiopathic paroxysmal atrial fibrillation? A case-control echocardiographic study. 2007 , 9, 294-8	23

1822	Acute effects of low and high intravenous doses of furosemide on myocardial function in anuric haemodialysis patients: a tissue Doppler study. 2008 , 23, 1355-61	17
1821	Maternal left ventricular diastolic and systolic long-axis function during normal pregnancy. 2007 , 8, 360-8	60
1820	Colour tissue Doppler underestimates myocardial velocity as compared to spectral tissue Doppler: poor reliability between both methods. 2008 , 9, 268-72	7
1819	Clinical application of tissue Doppler imaging in patients with idiopathic pulmonary hypertension. 2007 , 131, 395-401	60
1818	Long-term effects of atrial synchronous ventricular pacing on systolic and diastolic ventricular function in patients with normal left ventricular ejection fraction. 2007 , 108, 290-6	3
1817	Tissue Doppler velocity is not totally preload-independent: a study in a uremic population after hemodialysis. 2007 , 107, 415-21	11
1816	Synchronicity and ventricular arrhythmias in hypertension. 2007 , 30, 755-6	
1815	The impact of aging on left ventricular longitudinal function in healthy subjects: a pulsed tissue Doppler study. 2008 , 9, 241-9	69
1814	Tissue Doppler imaging describes diastolic function in men prone to develop hypertension over twenty years. 2008 , 9, 34-9	4
1813	Impact of newer echocardiographic modalities in the elderly. 2007 , 16, 349-54	1
1812	Assessment of longitudinal tissue Doppler imaging of the left ventricular septum and free wall as an indicator of left ventricular systolic function in dogs. 2007 , 68, 1051-7	13
1811	The combination of B-type natriuretic peptide and C-reactive protein provides incremental prognostic value among older patients referred for cardiac catheterization. 2007 , 16, 229-35	4
1810	Role of tissue Doppler and strain echocardiography in current clinical practice. 2007 , 116, 2597-609	244
1809	Beneficial effects of ramipril on myocardial diastolic function in patients with type 2 diabetes mellitus, normal LV systolic function and without coronary artery disease: a prospective study using tissue Doppler. 2007 , 4, 358-64	6
1808	Isolated right ventricular dysfunction in systemic sclerosis: latent pulmonary hypertension?. 2007 , 30, 928-36	59
1807	Respiratory and haemodynamic effects of volume-controlled vs pressure-controlled ventilation during laparoscopy: a cross-over study with echocardiographic assessment. 2007 , 99, 429-35	69
1806	Left ventricle diastolic function in the patients after coronary arteries bypass graft combined with left ventricle aneurismectomy according to tissue doppler imaging: one year follow-up. 2007 , 83, 320-4	2
1805	Alterations in myocardial stiffness in elite athletes assessed by a new Doppler index. 2008 , 94, 1323-5	24

1804	Diastolic function in several stages of chronic kidney disease in patients with autosomal dominant polycystic kidney disease: a tissue Doppler imaging study. 2007 , 30, 234-9	9
1803	Left ventricular non-compaction cardiomyopathy in children: characterisation of clinical status using tissue Doppler-derived indices of left ventricular diastolic relaxation. 2007 , 93, 676-81	67
1802	Tissue Doppler in critical illness: a retrospective cohort study. 2007 , 11, R97	20
1801	The mitral L wave: a marker of advanced diastolic dysfunction in patients with atrial fibrillation. 2007 , 71, 1244-9	17
1800	Ratio of early transmitral velocity to lateral mitral annular early diastolic velocity has the best correlation with wedge pressure following cardiac surgery. 2007 , 71, 1274-8	14
1799	Abnormal tissue doppler images are associated with elevated plasma brain natriuretic peptide and increased oxidative stress in acute Kawasaki disease. 2007 , 71, 357-62	52
1798	Clinical significance of tissue Doppler imaging in patients with hypertrophic cardiomyopathy. 2007 , 71, 897-903	27
1797	Impact of statin therapy on systemic inflammation, left ventricular systolic and diastolic function and prognosis in low risk ischemic heart disease patients without history of congestive heart failure. 2007 , 46, 1337-43	28
1796	Prognostic values of B-type natriuretic peptide in severe sepsis and septic shock. 2007 , 35, 1019-26	114
1795	New echocardiographic technologies in the clinical management of hypertensive heart disease. 2007 , 8, 997-1006	9
1794	Cancer patients with markedly elevated B-type natriuretic peptide may not have volume overload. 2007 , 30, 287-93	39
1793	Echocardiographic evaluation of hemodynamic parameters. 2007 , 35, S323-9	17
1792	Perioperative echocardiographic examination for ventricular assist device implantation. 2007 , 105, 583-601	133
1791	Effects of preload alterations on peak early diastolic mitral annulus velocities evaluated by tissue Doppler echocardiography. 2007 , 24, 159-65	2
1790	Correlation between vortex ring formation and mitral annulus dynamics during ventricular rapid filling. 2007 , 53, 8-16	60
1789	Functional assessment of the evolution of congenital heart disease in utero. 2007 , 19, 533-7	9
1788	Short term effects of physical exercise and low calorie diet on left ventricular function in obese subjects: a tissue Doppler study. 2007 , 17, 358-64	13
1787	Curriculum in cardiology: integrated diagnosis and management of diastolic heart failure. 2007 , 153, 189-200	49

1786	Left ventricular diastolic dysfunction in chronic aortic dissection. 2007 , 83, 1356-60	6
1785	No evidence for left ventricular diastolic dysfunction in asymptomatic normotensive type 2 diabetic patients: a case-control study with new echocardiographic techniques. 2007 , 33, 61-7	15
1784	Predictors of cardiac events after cardiac resynchronization therapy with tissue Doppler-derived parameters. 2007 , 13, 805-11	10
1783	Immediate and chronic effects of AV-delay optimization in patients with cardiac resynchronization therapy. 2007 , 115, 318-25	54
1782	Early detection of biventricular involvement in myotonic dystrophy by tissue Doppler. 2007 , 118, 227-32	18
1781	Chronic kidney disease in patients with chronic heart failure--impact on intracardiac conduction, diastolic function and prognosis. 2007 , 118, 375-80	50
1780	Acute effects of VVI pacing on ventricular diastolic performance in elderly patients with normal left ventricular systolic function. 2007 , 119, 117-8	1
1779	Mitral annular calcification predicts mortality and coronary artery disease in end stage renal disease. 2007 , 191, 348-54	59
1778	Effect of angiotensin receptor blockade and antihypertensive drugs on diastolic function in patients with hypertension and diastolic dysfunction: a randomised trial. 2007 , 369, 2079-87	269
1777	Combining tissue Doppler echocardiography and B-type natriuretic peptide in the evaluation of left ventricular filling pressures: review of the literature and clinical recommendations. 2007 , 23, 983-9	21
1776	Assessment of Diastolic Function by Doppler Echocardiography in Normal Doberman Pinschers and Doberman Pinschers with Dilated Cardiomyopathy. 2007 , 21, 81-91	24
1775	Cardiac tissue Doppler imaging in sports medicine. 2007 , 37, 15-30	25
1774	Cardiac Hypertrophy. 2007 , 1177-1188	
1773	How to diagnose diastolic heart failure: a consensus statement on the diagnosis of heart failure with normal left ventricular ejection fraction by the Heart Failure and Echocardiography Associations of the European Society of Cardiology. 2007 , 28, 2539-50	1934
1772	Diastolic heart failure in the elderly. 2007 , 3, 437-53	14
1771	Left ventricular diastolic function. 2007 , 35, S340-7	45
1770	Superior cardiovascular effect of aerobic interval training versus moderate continuous training in heart failure patients: a randomized study. 2007 , 115, 3086-94	1331
1769	Microalbuminuria and left ventricular function in type 2 diabetes: a quantitative assessment by stress echocardiography in the Myocardial Doppler in Diabetes (MYDID) Study III. 2007 , 41, 363-9	2

1768	Utility of Doppler echocardiography and tissue Doppler imaging in the estimation of diastolic function in heart failure with normal ejection fraction: a comparative Doppler-conductance catheterization study. 2007 , 116, 637-47	849
1767	Diagnosis of left ventricular diastolic dysfunction in the setting of acute changes in loading conditions. 2007 , 11, R43	63
1766	Is tissue Doppler echocardiography the Holy Grail for the intensivist?. 2007 , 11, 135	6
1765	Effect of preload augmentation on pulsed wave and tissue Doppler echocardiographic indices of diastolic function after a marathon. 2007 , 20, 1393-9	33
1764	Noninvasive estimation of right ventricular filling pressure by ratio of early tricuspid inflow to annular diastolic velocity in patients with and without recent cardiac surgery. 2007 , 20, 982-8	69
1763	Myocardial dysfunction late after low-dose anthracycline treatment in asymptomatic pediatric patients. 2007 , 20, 1351-8	153
1762	No beneficial effects of coronary thrombectomy on left ventricular systolic and diastolic function in patients with acute S-T elevation myocardial infarction: a randomized clinical trial. 2007 , 20, 724-30	13
1761	Évaluation des pressions de remplissage ventriculaire gauche par échocardiographie-doppler. 2007 , 16, 139-148	8
1760	Diastolic heart failure in the elderly. 2007 , 23, 83-106	17
1759	Clinical manifestations, diagnostic assessment, and etiology of heart failure in older adults. 2007 , 23, 11-30	12
1758	Usefulness of left atrial volume for the differentiation of normal from pseudonormal diastolic function pattern in patients on hemodialysis. 2007 , 20, 359-65	26
1757	Estimation of left ventricular filling pressure with exercise by Doppler echocardiography in patients with normal systolic function: a simultaneous echocardiographic-cardiac catheterization study. 2007 , 20, 477-9	106
1756	DEFEAT heart failure: clinical manifestations, diagnostic assessment, and etiology of geriatric heart failure. 2007 , 3, 389-402	10
1755	Tissue Doppler imaging of mitral annular motion is an effective surrogate of left ventricular dyssynchrony and predicts response to cardiac resynchronization therapy. 2007 , 20, 1186-93	1
1754	Exercise capacity, breathing pattern, and gas exchange during exercise for patients with isolated diastolic dysfunction. 2007 , 20, 838-46	28
1753	Elevated left ventricular filling pressure after maximal exercise predicts increased plasma B-type natriuretic peptide levels in patients with impaired relaxation pattern of diastolic filling. 2007 , 20, 832-7	8
1752	Diastolic function: a sonographer's approach to the essential echocardiographic measurements of left ventricular diastolic function. 2007 , 20, 199-209	44
1751	Cardiovascular features of heart failure with preserved ejection fraction versus nonfailing hypertensive left ventricular hypertrophy in the urban Baltimore community: the role of atrial remodeling/dysfunction. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 198-207	15.1 365

1750	Diastolic dysfunction is an independent risk factor for death in patients with sickle cell disease. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 472-9	15.1	219
1749	Tissue Doppler imaging a new prognosticator for cardiovascular diseases. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 1903-14	15.1	432
1748	Aldosterone receptor antagonism induces reverse remodeling when added to angiotensin receptor blockade in chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 591-6	15.1	102
1747	Impact of arterial load and loading sequence on left ventricular tissue velocities in humans. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1570-7	15.1	248
1746	Tissue doppler imaging and NT-proBNP levels show the early impairment of ventricular function in patients with beta-thalassaemia major. 2007 , 62, 225-31		11
1745	Evaluation of alterations on mitral annulus velocities, strain, and strain rates due to abrupt changes in preload elicited by parabolic flight. 2007 , 103, 80-7		25
1744	Prognostic value of left atrial volume index in hemodialysis patients. 2007 , 88, 643-50		20
1743	Association of New Parameters Derived from Relation between RR intervals and Left Ventricular Performances with Heart Failure in Patients with Atrial Fibrillation and Normal Systolic Function. 2007 , 37, 119		1
1742	The Study of Left Ventricular Diastolic Function by Doppler Echocardiography: The Essential for the Clinician. 2007 , 3, 182618680700300		2
1741	. 2007 ,		13
1740	Echocardiography. 109-130		
1739	Acoustic videodensitometric parameters correlate with abnormalities of left ventricular filling in hypertensive patients assessed via Doppler Tissue Imaging. 2007 , 35, 430-6		
1738	New echocardiographic applications for assessing global left ventricular diastolic function. 2007 , 33, 823-41		19
1737	Role of echocardiography in diagnosis and risk stratification in heart failure with left ventricular systolic dysfunction. 2007 , 5, 34		47
1736	Late cardiac effects of anthracycline containing therapy for childhood acute lymphoblastic leukemia. 2007 , 48, 663-7		32
1735	Effects of testosterone and nandrolone on cardiac function: a randomized, placebo-controlled study. 2007 , 66, 235-45		45
1734	Permanent and atrial-synchronized ventricular stimulation for clinically stable patients with normal or impaired left ventricular systolic function. 2007 , 30, 182-7		6
1733	Effect of preload alterations by hemodialysis on the time interval between the onsets of early diastolic mitral inflow and annular waveforms. 2007 , 24, 20-5		2

1732	The effect of successful electrical cardioversion on left ventricular diastolic function in patients with persistent atrial fibrillation: a tissue Doppler study. 2007 , 24, 34-9	7
1731	Cardiac manifestations of exhaustive exercise in nonathletic adults: does cardiac fatigue occur?. 2007 , 24, 237-42	7
1730	Pulmonary hypertension and left heart function: insights from tissue Doppler imaging and myocardial performance index. 2007 , 24, 366-73	34
1729	Tissue Doppler imaging in the evaluation of the left and right ventricular diastolic functions in rheumatoid arthritis. 2007 , 24, 485-93	40
1728	Right ventricular tissue Doppler and strain imaging: ready for clinical use?. 2007 , 24, 522-32	88
1727	Isovolumic acceleration measured by tissue Doppler echocardiography is preload independent in healthy subjects. 2007 , 24, 572-9	46
1726	Stress echocardiography: abnormal response of tissue Doppler-derived indices to dobutamine in the absence of obstructive coronary artery disease in patients with chronic renal failure. 2007 , 24, 580-6	7
1725	Effect of external constraint on the index of myocardial performance in a canine model of left ventricular dysfunction. 2007 , 24, 712-22	1
1724	Doppler-derived indexes and B-type natriuretic peptide in prediction of paroxysmal atrial fibrillation in essential hypertension: a prospective study. 2007 , 24, 911-22	11
1723	Reliability of Doppler methods in the evaluation of the left ventricular systolic function in patients with idiopathic dilated cardiomyopathy. 2007 , 24, 1023-8	4
1722	A simple Doppler echocardiography method to evaluate pulmonary capillary wedge pressure in patients with atrial fibrillation. 2008 , 25, 57-63	12
1721	Impact of myocardial geometry on left ventricular performance in healthy black and white young adults. 2008 , 25, 13-9	5
1720	Assessment of left ventricular diastolic function and Tei index by tissue Doppler imaging in patients with Cushing's Syndrome. 2008 , 25, 182-90	18
1719	VO2 Max and anaerobic threshold in hypertension: a tissue Doppler study. 2008 , 25, 156-61	7
1718	Noninvasive estimation of left ventricular end-diastolic pressure using tissue Doppler imaging combined with pulsed-wave Doppler echocardiography in patients with ventricular septal defects: a comparison with the plasma levels of the B-type natriuretic Peptide. 2008 , 25, 270-7	18
1717	Contribution of right-sided heart enlargement to cardiomegaly on chest roentgenogram in diastolic and systolic heart failure. <i>American Journal of Cardiology</i> , 2007 , 99, 62-7	3 16
1716	Usefulness of time interval between end of diastolic mitral annular velocity pattern and onset of QRS for predicting left ventricular end-diastolic pressure. <i>American Journal of Cardiology</i> , 2007 , 99, 119-23	3 1
1715	Cardiac involvement in adults with m.3243A>G MELAS gene mutation. <i>American Journal of Cardiology</i> , 2007 , 99, 264-9	3 57

1714	Comparison of cardiac structural and functional changes in obese otherwise healthy adults with versus without obstructive sleep apnea. <i>American Journal of Cardiology</i> , 2007 , 99, 1298-302	3	160
1713	Incremental value of measuring the time difference between onset of mitral inflow and onset of early diastolic mitral annulus velocity for the evaluation of left ventricular diastolic pressures in patients with normal systolic function and an indeterminate E/E'. <i>American Journal of Cardiology</i> , 2007 , 100, 326-30	3	32
1712	Baseline predictors of cardiac events after cardiac resynchronization therapy in patients with heart failure secondary to ischemic or nonischemic etiology. <i>American Journal of Cardiology</i> , 2007 , 100, 464-9	3	18
1711	Reliability of echocardiography for hemodynamic assessment of end-stage heart failure. <i>American Journal of Cardiology</i> , 2007 , 100, 998-1001	3	5
1710	Usefulness of B-type natriuretic peptide levels to predict left ventricular filling pressures in patients with body mass index >35, 31 to 35, and <i>American Journal of Cardiology</i> , 2007 , 100, 1166-71	3	11
1709	Value of preoperative echocardiography in the prediction of postoperative atrial fibrillation following isolated coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2007 , 100, 1383-6	3	22
1708	Tissue Doppler imaging evaluation of cardiac adaptation to severe pulmonary hypertension. <i>American Journal of Cardiology</i> , 2007 , 100, 1473-8	3	73
1707	Comparison of echocardiographic measures of left ventricular diastolic function in early hypertension. <i>American Journal of Cardiology</i> , 2007 , 100, 1771-5	3	20
1706	Clinical findings, natriuretic peptides, and echocardiography: integrating tools to optimize heart failure management. 2007 , 13, 158-63		2
1705	Impact of left atrial appendage exclusion on left atrial function. 2007 , 133, 174-81		15
1704	Echocardiography in the Critically Ill. 2007 , 4, 178-183		
1703	Maternal cardiac function in early pregnancies with high uterine artery resistance. 2007 , 29, 58-64		7
1702	Maternal cardiac function in fetal growth-restricted and non-growth-restricted small-for-gestational age pregnancies. 2007 , 29, 51-7		45
1701	Reference ranges for tissue Doppler measures of maternal systolic and diastolic left ventricular function. 2007 , 29, 414-20		48
1700	Alterations in left ventricular structure and diastolic function in professional football players: assessment by tissue Doppler imaging and left ventricular flow propagation velocity. 2007 , 24, 140-8		33
1699	Diagnosis of diastolic heart failure. 2007 , 9, 224-8		13
1698	Bidirectional cavopulmonary anastomosis: impact on diastolic ventricular function indices. 2007 , 28, 372-8		5
1697	Echocardiographic prediction of volume responsiveness in critically ill patients with spontaneously breathing activity. 2007 , 33, 1125-1132		252

1696	Comparison of early diastolic annular velocities measured at various sites of mitral annulus in detection of mild to moderate left ventricular diastolic dysfunction. 2007 , 22, 67-72	8
1695	Tissue Doppler imaging adds incremental value in predicting exercise capacity in patients with congestive heart failure. 2007 , 22, 237-44	41
1694	Cardiac abnormalities in adults with the attenuated form of mucopolysaccharidosis type I. 2007 , 30, 750-7	26
1693	Systo-diastolic ventricular function in patients with hypertension: an echocardiographic tissue doppler imaging evaluation study. 2007 , 23, 177-84	10
1692	Left ventricular function in professional football players evaluated by tissue Doppler imaging and strain imaging. 2008 , 24, 25-35	24
1691	Evaluation of left ventricular diastolic function using color kinesis. 2007 , 34, 29-35	6
1690	Determination of left ventricular filling pressure by new echocardiographic methods in patients with coronary artery disease. 2008 , 24, 141-7	12
1689	The role of N terminal pro-brain natriuretic peptide in the evaluation of left ventricular diastolic dysfunction: correlation with echocardiographic indexes in hypertensive patients. 2008 , 24, 253-9	22
1688	The relationship between tissue Doppler imaging and seric NTproBNP levels in sinus rhythm patients: a prospective study. 2008 , 24, 399-407	7
1687	Diastolic dysfunction and atrial fibrillation. 2008 , 22, 111-8	33
1686	Tissue Doppler-derived diastolic myocardial velocities are abnormal in pediatric cardiac transplant recipients in the absence of endomyocardial rejection. 2008 , 29, 749-54	23
1685	Clinical value of B-type natriuretic peptide for the assessment of left ventricular filling pressures in patients with systolic heart failure and inconclusive tissue Doppler indexes. 2008 , 23, 181-6	10
1684	[Left ventricular diastolic dysfunction. Implications for anesthesia and critical care]. 2008 , 57, 1053-68	2
1683	Sleep apnoea in acute left heart failure before and after cardiac recompensation. 2008 , 12, 206-211	
1682	Insights into myocardial mechanics in normal and pathologic states using newer echocardiographic techniques. 2008 , 5, 143-50	6
1681	Echocardiographic evaluation of left ventricular diastolic function. 2008 , 1, 30-38	2
1680	Echocardiographic evaluation of cardiac diastolic function in patients with rheumatoid arthritis: 5 years of follow-up. 2008 , 27, 647-50	19
1679	Longitudinal fractional shortening and its relation to diastolic cardiac function. 2008 , 35, 113-8	8

1678	Increased frequency of pulmonary hypertension in psoriasis patients. 2008 , 300, 435-40		11
1677	Clinical utility of tissue Doppler imaging in patients with acute myocardial infarction complicated by cardiogenic shock. 2008 , 6, 11		4
1676	Myocardial tissue Doppler echocardiography and N-terminal B-type natriuretic peptide (NT-proBNP) in diastolic and systolic heart failure. 2008 , 6, 45		7
1675	Left atrioventricular remodeling in the assessment of the left ventricle diastolic function in patients with heart failure: a review of the currently studied echocardiographic variables. 2008 , 6, 56		15
1674	Effect of intramyocardial bone marrow cell injection on diastolic function in patients with chronic myocardial ischemia. 2008 , 27, 992-7		24
1673	An evaluation of the cardiotoxicity of imatinib mesylate. 2008 , 32, 1809-14		52
1672	Differentiation of left ventricular diastolic function by mid-diastolic mitral annular motion patterns. 2008 , 34, 753-9		
1671	Usefulness of the ratio of transmitral E wave velocity to isovolumic relaxation flow propagation velocity for predicting left ventricular end-diastolic pressure. 2008 , 34, 1752-7		4
1670	New advances in quantitative echocardiography. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 255-65	2.1	5
1669	Effects of levosimendan on left atrial functions in patients with ischemic heart failure. 2008 , 31, 607-13		13
1668	Color M-mode propagation velocity, but not its ratio to early diastolic inflow velocity, changes throughout gestation in normal human fetuses. 2008 , 31, 535-41		6
1667	Canine dynamic left ventricular outflow tract obstruction: assessment of myocardial function and clinical outcome. 2008 , 49, 578-86		5
1666	Correlation between NT-pro BNP levels and early mitral annulus velocity (E') in patients with non-ST-segment elevation acute coronary syndrome. 2008 , 25, 353-9		4
1665	IVRT'/IVRT index is a useful tool for detection of elevated left ventricular filling pressure in patients with preserved ejection fraction. 2008 , 25, 473-81		8
1664	Relationship between left ventricular geometry and left ventricular systolic and diastolic functions in patients with chronic severe aortic regurgitation. 2008 , 25, 562-8		6
1663	Differences in echocardiographic assessment with standard Doppler and tissue Doppler imaging of left ventricular filling pressure in idiopathic and ischemic dilated cardiomyopathy. 2008 , 25, 683-91		1
1662	Diagnostic accuracy of Doppler echocardiography for determining left ventricular diastolic pressure elevation: prospective comparison to chest radiography, serum B-type natriuretic peptide, and chest auscultation. 2008 , 25, 946-54		3
1661	A new parameter of pulsed-wave tissue Doppler imaging: IVRa. 2008 , 25, 1079-85		3

1660	Adverse effects of continuous ventricular pacing in patients with slower atrial fibrillation and normal left ventricular systolic function. 2008 , 13, 130-6		
1659	Glycemia, lipidemia and systolic left ventricular function evaluated by myocardial strain rate: a tissue Doppler echocardiographic study. 2008 , 34, 151-4		9
1658	Mid-diastolic mitral annular motion: a useful marker in the evaluation of left ventricular relaxation and end-diastolic pressure. 2008 , 34, 1909-13		0
1657	Alteration in left ventricular normal and shear strains evaluated by 2D-strain echocardiography in the athlete's heart. 2008 , 586, 4721-33		80
1656	Effect of deferasirox (ICL670) on arterial function in patients with beta-thalassaemia major. 2008 , 141, 728-33		18
1655	Left ventricular dysfunction in Klinefelter syndrome is associated to insulin resistance, abdominal adiposity and hypogonadism. 2008 , 69, 785-91		35
1654	Cardiac performance during exercise in patients with Fabry's disease. 2008 , 38, 910-7		9
1653	Cardiac involvement in adults with Pompe disease. 2008 , 264, 333-9		46
1652	Reverse of left ventricular volumetric and structural remodeling in heart failure patients treated with cardiac resynchronization therapy. <i>American Journal of Cardiology</i> , 2008 , 101, 651-7	3	26
1651	Provocation of masked left ventricular mechanical dyssynchrony by treadmill exercise in patients with systolic heart failure and narrow QRS complex. <i>American Journal of Cardiology</i> , 2008 , 101, 658-61	3	10
1650	Subclinical cardiac abnormalities in human immunodeficiency virus-infected men receiving antiretroviral therapy. <i>American Journal of Cardiology</i> , 2008 , 101, 1213-7	3	72
1649	Usefulness of new diastolic strain and strain rate indexes for the estimation of left ventricular filling pressure. <i>American Journal of Cardiology</i> , 2008 , 101, 1504-9	3	119
1648	Usefulness of the pulmonary arterial systolic pressure to predict pulmonary arterial wedge pressure in patients with normal left ventricular systolic function. <i>American Journal of Cardiology</i> , 2008 , 101, 1673-6	3	33
1647	Echocardiographic assessment of left ventricular diastolic function and filling pressure in atrial fibrillation. <i>American Journal of Cardiology</i> , 2008 , 101, 1759-65	3	48
1646	Relation between iron-overload indices, cardiac echo-Doppler, and biochemical markers in thalassemia intermedia. <i>American Journal of Cardiology</i> , 2008 , 102, 363-7	3	36
1645	Prognostic value of pulse-wave tissue Doppler parameters in patients with systolic heart failure. <i>American Journal of Cardiology</i> , 2008 , 102, 722-5	3	43
1644	Comparison of myocardial tissue velocities measured by two-dimensional speckle tracking and tissue Doppler imaging. <i>American Journal of Cardiology</i> , 2008 , 102, 784-9	3	37
1643	A real-time three-dimensional echocardiographic quantitative analysis of left atrial function in left ventricular diastolic dysfunction. <i>American Journal of Cardiology</i> , 2008 , 102, 1097-102	3	56

1642	Comparison between tissue Doppler imaging and velocity-encoded magnetic resonance imaging for measurement of myocardial velocities, assessment of left ventricular dyssynchrony, and estimation of left ventricular filling pressures in patients with ischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2008 , 102, 1366-72	3	36
1641	Left ventricular systolic and diastolic function in asymptomatic patients with moderate aortic stenosis. <i>American Journal of Cardiology</i> , 2008 , 102, 897-901	3	35
1640	Significance of left atrial volume in patients <i>American Journal of Cardiology</i> , 2008 , 102, 1390-3	3	26
1639	Dynamic changes of left ventricular performance and left atrial volume induced by the mueller maneuver in healthy young adults and implications for obstructive sleep apnea, atrial fibrillation, and heart failure. <i>American Journal of Cardiology</i> , 2008 , 102, 1557-61	3	113
1638	Subclinical systolic dysfunction in pediatric patients with chronic kidney disease. 2008 , 153, 565-9		24
1637	Elevation of the ratio of transmitral E velocity to early diastolic mitral annular velocity continues even after recovery from acute stage in patients with diastolic heart failure. 2008 , 52, 254-60		7
1636	Análisis de las alteraciones ecocardiográficas del síndrome de apneas e hipopneas del sueño y su modificación con la presencia de hipertensión arterial. 2008 , 61, 49-57		3
1635	Systolic myocardial mechanics in hypertrophic cardiomyopathy: novel concepts and implications for clinical status. 2008 , 21, 675-83		158
1634	Echocardiographic assessment of left ventricular filling pressures. 2008 , 4, 57-70		10
1633	Quantification of mitral apparatus dynamics in functional and ischemic mitral regurgitation using real-time 3-dimensional echocardiography. 2008 , 21, 347-54		91
1632	Update of the French Society of Cardiology recommendations on indications for Doppler echocardiography published in 1999. 2008 , 101, 249-89		12
1631	Chronic ischaemic heart disease. 2008 , 101, 271-277		
1630	Analysis of Echocardiographic Alterations Observed in Sleep Apnea/Hypopnea Syndrome and How They Are Influenced by Hypertension. 2008 , 61, 49-57		
1629	Cardiac effects of L-thyroxine administration in borderline hypothyroidism. 2008 , 126, 190-5		10
1628	Unlocking the mysteries of diastolic function: deciphering the Rosetta Stone 10 years later. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 679-89	15.1	275
1627	Reversibility of cardiac abnormalities in morbidly obese adolescents. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 1342-8	15.1	159
1626	Ethnicity and left ventricular diastolic function in hypertension an ASCOT (Anglo-Scandinavian Cardiac Outcomes Trial) substudy. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1015-21	15.1	38
1625	Echocardiography in hypertrophic cardiomyopathy: the role of conventional and emerging technologies. 2008 , 1, 787-800		85

1624	Domiciliary oxygen therapy improves sub-maximal exercise capacity and quality of life in chronic heart failure. 2008 , 17, 220-3	5
1623	N-terminal pro-brain natriuretic peptide--a promising biomarker for the diagnosis of left ventricular hypertrophy in hypertensive women. 2008 , 101, 307-15	11
1622	New echocardiographic techniques for evaluating left ventricular myocardial function. 2008 , 12, 228-47	22
1621	The cardiac cycle and the physiologic basis of left ventricular contraction, ejection, relaxation, and filling. 2008 , 4, 1-11	156
1620	Left ventricular relaxation. 2008 , 4, 37-46	7
1619	The mitral annular middiastolic velocity curve: functional correlates and clinical significance in patients with left ventricular hypertrophy. 2008 , 21, 165-70	9
1618	Doppler myocardial imaging for early detection of right ventricular dysfunction in patients with pulmonary hypertension. 2008 , 21, 1035-41	53
1617	Dysfonction myocardique post-arrêt cardiaque. 2008 , 17, 162-170	
1616	Effect of levosimendan on E/E' ratio in patients with ischemic heart failure. 2008 , 123, 201-3	11
1615	The relationship between BNP and E/Ea in patients hospitalized with acute heart failure. 2008 , 125, 280-2	4
1614	Increased B-type natriuretic peptide is associated with an abnormal blood pressure response to exercise in asymptomatic aortic stenosis. 2008 , 127, 313-20	18
1613	Derivation and validation of a diagnostic model for the evaluation of left ventricular filling pressures and diastolic function using mitral annulus tissue Doppler imaging. 2008 , 155, 924-9	17
1612	Effects of darbepoetin alpha on right and left ventricular systolic and diastolic function in anemic patients with chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. 2008 , 155, 751.e1-7	65
1611	A randomized trial of the aldosterone-receptor antagonist eplerenone in asymptomatic moderate-severe aortic stenosis. 2008 , 156, 348-55	29
1610	B-type natriuretic peptide, a marker of asymptomatic left ventricular dysfunction in type 2 diabetic patients. 2008 , 34, 355-62	29
1609	Circulating natriuretic peptides in cats with heart disease. 2008 , 22, 96-105	71
1608	Estimation of left ventricular filling pressure by Doppler echocardiography in dogs with pacing-induced heart failure. 2008 , 22, 578-85	27
1607	European Association of Echocardiography recommendations for standardization of performance, digital storage and reporting of echocardiographic studies. 2008 , 9, 438-48	246

1606	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. 2009 , 10, 165-93	1452
1605	Acute and chronic effects of continuous positive airway pressure therapy on left ventricular systolic and diastolic function in patients with obstructive sleep apnea and congestive heart failure. 2008 , 24, 697-704	32
1604	Introduction of Tissue Doppler Imaging EchocardiographyBased on Pulsed-wave Mode. 2008 , 16, 202-209	1
1603	Myocardial mechanics explains the time course of benefit for septal ethanol ablation for hypertrophic cardiomyopathy. 2008 , 21, 493-9	36
1602	Diastolic dysfunction after an acute myocardial infarction in patients with antecedent hypertension. 2008 , 21, 171-7	3
1601	Assessment of diastolic function during exercise echocardiography: annulus mitral velocity or transmitral flow pattern?. 2008 , 21, 178-84	15
1600	Noninvasive differentiation of pulmonary arterial and venous hypertension using conventional and Doppler tissue imaging echocardiography. 2008 , 21, 715-9	33
1599	E/Ea is the major determinant of pulmonary artery pressure in moderate to severe aortic stenosis. 2008 , 21, 824-7	35
1598	Atrium-driven mitral annulus motion velocity reflects global left ventricular function and pulmonary congestion during acute biventricular pacing. 2008 , 21, 288-93	5
1597	Functional mitral regurgitation predicts prognosis independent of left ventricular systolic and diastolic indices in patients with ischemic heart disease. 2008 , 21, 355-60	29
1596	Myocardial radial strain in early diastole is useful for assessing left ventricular early diastolic function: comparison with invasive parameters. 2008 , 21, 446-51	18
1595	The functional role of longitudinal, circumferential, and radial myocardial deformation for regulating the early impairment of left ventricular contraction and relaxation in patients with cardiovascular risk factors: a study with two-dimensional strain imaging. 2008 , 21, 1138-44	174
1594	Exercise intolerance. 2008 , 4, 99-115	38
1593	Left ventricular torsion by two-dimensional speckle tracking echocardiography in patients with diastolic dysfunction and normal ejection fraction. 2008 , 21, 1129-37	173
1592	Tricuspid annular and septal Doppler tissue velocities are reduced in pediatric heart transplant recipients without acute rejection. 2008 , 21, 720-4	4
1591	Major events in uremic patients: insight from parameters derived by flow propagation velocity. 2008 , 21, 741-6	3
1590	Clinical usefulness of tissue Doppler imaging in patients with mild to moderate aortic stenosis: a substudy of the aortic stenosis progression observation measuring effects of rosuvastatin study. 2008 , 21, 1023-7	14
1589	Clinical use of Doppler echocardiography and Doppler tissue imaging in the estimation of myocardial ischemia during dobutamine stress echocardiography. 2008 , 21, 331-6	7

1588	Novel method for displaying left ventricular function and dyssynchrony using tissue Doppler imaging: evaluation of its applicability in dilated cardiomyopathy with wide and narrow QRS complexes. 2008 , 21, 1236-43	4
1587	Usefulness of the evaluation of left ventricular diastolic function changes during stress echocardiography in predicting exercise capacity in patients with ischemic heart failure. 2008 , 21, 834-40	44
1586	Left ventricular apical rotation is related to ambulatory blood pressure and body mass in healthy elderly females. 2008 , 17, 147-55	1
1585	Diastolic Doppler flow and tissue Doppler velocities during, and in recovery from, low-intensity supine exercise. 2008 , 33, 896-902	7
1584	Inhibition of interleukin-1 by anakinra improves vascular and left ventricular function in patients with rheumatoid arthritis. 2008 , 117, 2662-9	224
1583	Ultrasound lung comets for the differential diagnosis of acute cardiogenic dyspnoea: a comparison with natriuretic peptides. 2008 , 10, 70-7	181
1582	Left atrial velocity vector imaging for the detection and quantification of left ventricular diastolic function in type 2 diabetes. 2008 , 10, 1080-7	45
1581	Exercise Intolerance in Diastolic Heart Failure. 2008 , 203-213	
1580	Dilated Cardiomyopathy and Cardiac Transplantation. 2008 , 247-257	1
1579	Evaluation of Diastolic Function by Tissue Doppler, Strain, and Torsion Analysis. 2008 , 153-162	
1578	Coronary Artery Disease. 2008 , 277-286	
1577	Evaluation of Intracardiac Filling Pressures. 2008 , 181-192	1
1576	Invasive Physiology: Clinical Cardiovascular Pathophysiology and Diastolic Dysfunction. 2008 , 73-91	
1575	General Principles, Clinical Definition, and Epidemiology. 2008 , 63-72	1
1574	Hypertrophic Cardiomyopathy. 2008 , 287-299	0
1573	Congenital Heart Disease. 2008 , 313-331	2
1572	Echocardiographic assessment of pulmonary artery occlusion pressure in ventilated patients: a transoesophageal study. 2008 , 12, R18	74
1571	Year in review 2007: Critical Care--cardiology. 2008 , 12, 232	

1570	A standard echocardiographic and tissue Doppler study of morphological and functional findings in children with hypertrophic cardiomyopathy compared to those with left ventricular hypertrophy in the setting of Noonan and LEOPARD syndromes. 2008 , 18, 575-80	14
1569	Tissue Doppler annular velocities, NT-proBNP and exercise capacity in healthy elderly. 2008 , 37, 336-9	5
1568	The effects of surgically induced right bundle branch block on left ventricular function after closure of the ventricular septal defect. 2008 , 18, 430-6	18
1567	Effect of acute cigarette smoking on left and right ventricle filling parameters: a conventional and tissue Doppler echocardiographic study in healthy participants. 2008 , 59, 312-6	12
1566	Progressive diastolic dysfunction in the female mRen(2). Lewis rat: influence of salt and ovarian hormones. 2008 , 63, 3-11	37
1565	Effects of cardiac energy efficiency in diastolic heart failure: assessment with positron emission tomography with ¹¹ C-acetate. 2008 , 31, 1157-62	9
1564	Haemodialysis: effects of acute decrease in preload on tissue Doppler imaging indices of systolic and diastolic function of the left and right ventricles. 2008 , 9, 530-5	65
1563	Elevated B-type natriuretic peptide despite normal left ventricular function on rest and exercise stress echocardiography in mitral regurgitation. 2008 , 29, 363-70	32
1562	Four-year follow-up of treatment with intramyocardial skeletal myoblasts injection in patients with ischaemic cardiomyopathy. 2008 , 29, 1386-96	55
1561	Exercise oscillatory breathing in diastolic heart failure: prevalence and prognostic insights. 2008 , 29, 2751-9	67
1560	Physical activity, height, and left atrial size are independent risk factors for lone atrial fibrillation in middle-aged healthy individuals. 2008 , 10, 15-20	198
1559	Axial flow pump treatment during myocardial depression in calves: an invasive hemodynamic and echocardiographic tissue Doppler study. 2008 , 54, 367-71	4
1558	Effects of bariatric surgery on early myocardial alterations in adult severely obese subjects. 2008 , 109, 241-8	30
1557	Assessment of Diastolic Heart Failure. 2008 , 89-101	
1556	Assessment of Systolic Heart Failure. 2008 , 79-88	
1555	Assessment of Filling Pressure at Rest. 2008 , 53-71	
1554	Tissue Doppler Imaging and Strain Rate Imaging to Evaluate Right Ventricular Function. 2008 , 243-252	
1553	Myocardial Imaging in Valvular Heart Disease. 2008 , 223-232	

1552 Constrictive Pericarditis Versus Restrictive Cardiomyopathy. **2008**, 198-208

1551 Assessment of left ventricular functions in patients with isolated coronary artery ectasia by conventional and tissue Doppler imaging. **2008**, 59, 306-11 13

1550 Quantification de la fonction pompe ventriculaire. **2008**, 77-96

1549 Metabolic acidosis decreases fetal myocardial isovolumic velocities in a chronic sheep model of increased placental vascular resistance. **2008**, 294, H498-504 23

1548 Left ventricular filling pressure by Doppler echocardiography in patients with end-stage renal disease. **2008**, 52, 107-14 65

1547 Evolving changes in lung interstitial fluid content after acute myocardial infarction: mechanisms and pathophysiological correlates. **2008**, 294, H1357-64 13

1546 Noninvasive Estimation of Left Ventricular Filling Pressures. **2008**, 187-202

1545 The diastatic pressure-volume relationship is not the same as the end-diastolic pressure-volume relationship. **2008**, 294, H2750-60 25

1544 The use of E/Em and the time interval difference of isovolumic relaxation (TIVRT-IVRTm) in estimating left ventricular filling pressures. **2008**, 10, 490-7 10

1543 The impact of endurance exercise training on left ventricular systolic mechanics. **2008**, 295, H1109-H1116 89

1542 Stratification of impaired relaxation filling patterns by passive leg lifting in patients with preserved left ventricular ejection fraction. **2008**, 10, 1094-101 8

1541 Tissue Doppler imaging reproducibility during exercise. **2008**, 29, 395-400 16

1540 Left ventricular diastolic dysfunction in idiopathic pulmonary fibrosis: a tissue Doppler echocardiographic [corrected] study. **2008**, 31, 701-6 34

1539 The Hong Kong diastolic heart failure study: a randomised controlled trial of diuretics, irbesartan and ramipril on quality of life, exercise capacity, left ventricular global and regional function in heart failure with a normal ejection fraction. **2008**, 94, 573-80 139

1538 Estimation of left ventricular filling pressure by use of Doppler echocardiography in healthy anesthetized dogs subjected to acute volume loading. **2008**, 69, 1034-49 34

1537 Velocity and deformation imaging for the assessment of myocardial dysfunction. **2009**, 10, 216-26 126

1536 Technological advances in tissue Doppler imaging echocardiography. **2008**, 94, 1065-74 47

1535 Rosiglitazone, but not glimepiride, improves myocardial diastolic function in association with reduction in oxidative stress in type 2 diabetic patients without overt heart disease. **2008**, 5, 310-8 34

1534	Effects of the oral direct renin inhibitor aliskiren in patients with symptomatic heart failure. 2008 , 1, 17-24	292
1533	Incremental value of pulse wave velocity in the determination of coronary microcirculatory dysfunction in never-treated patients with essential hypertension. 2008 , 21, 806-13	68
1532	Decreased maximal aerobic capacity in pediatric chronic kidney disease. 2008 , 19, 624-30	38
1531	Two months of endurance training does not alter diastolic function evaluated by TDI in 9-11-year-old boys and girls. 2009 , 43, 132-5	12
1530	Determinants of left ventricular untwisting behaviour in patients with dilated cardiomyopathy: analysis by two-dimensional speckle tracking. 2009 , 95, 290-6	36
1529	Patients with a hypertensive response to exercise have impaired left ventricular diastolic function. 2008 , 31, 257-63	31
1528	The benefit of salt restriction in the treatment of end-stage renal disease by haemodialysis. 2009 , 24, 956-62	128
1527	Tbx5-dependent pathway regulating diastolic function in congenital heart disease. 2008 , 105, 5519-24	50
1526	Aldosterone Receptor Antagonism Induces Reverse Remodeling When Added to Angiotensin Receptor Blockade in Chronic Heart Failure. 2008 , 2008, 371-374	
1525	Strength versus muscle power-specific resistance training in community-dwelling older adults. 2008 , 63, 83-91	162
1524	Relation between body height and replicative capacity of human fibroblasts in nonagenarians. 2008 , 63, 43-5	10
1523	Changes in left atrial structure and function after catheter ablation and electrical cardioversion for atrial fibrillation. 2008 , 72, 2051-7	35
1522	Assessing diastolic function with Doppler echocardiography using a novel index: ratio of the transmitral early diastolic velocity to pulmonary diastolic velocity. 2008 , 70, 359-66	1
1521	Prognostic implications of the NT-ProBNP level and left atrial size in non-ischemic dilated cardiomyopathy. 2008 , 72, 1658-65	15
1520	[Current topics in echocardiography]. 2008 , 97, 2797-902	
1519	Effects of genetic variation in adducin on left ventricular diastolic function as assessed by tissue Doppler imaging in a Flemish population. 2008 , 26, 1229-36	13
1518	Prognostic role of echocardiography and brain natriuretic peptide in symptomatic breathless patients in the community. 2008 , 29, 509-16	28
1517	Validity of N-terminal propeptide of the brain natriuretic peptide in predicting left ventricular diastolic dysfunction diagnosed by tissue Doppler imaging in patients with chronic liver disease. 2008 , 20, 865-73	16

1516	Imaging studies in patients with heart failure: current and evolving technologies. 2008 , 36, S28-39	1
1515	Exercise-induced changes in E/E' ratio in patients with suspected coronary artery disease. 2008 , 19, 405-11	13
1514	Assessment of myocardial systolic function by TEE. 2008 , 46, 31-49	6
1513	Heart status following high G exposure in rats and the effect of brief preconditioning. 2008 , 79, 1086-90	8
1512	Future potential of echocardiography in heart failure. 2008 , 4, 299-319	
1511	Candidate gene studies in cardiovascular medicine: complex diseases and even more complex intermediate phenotypes. 2008 , 26, 1069-71	
1510	Implications of persistent prehypertension for ageing-related changes in left ventricular geometry and function: the MONICA/KORA Augsburg study. 2008 , 26, 2040-9	53
1509	Isolated and reversible impairment of ventricular relaxation in patients with septic shock. 2008 , 36, 766-74	137
1508	Hemodynamic monitoring by echocardiography in the ICU: the role of the new echo techniques. 2008 , 14, 561-8	43
1507	Diastolic dysfunction: a link between hypertension and heart failure. 2008 , 44, 503-13	40
1506	Left ventricular diastolic dysfunction in essential hypertension. 2007 , 7, 15-20	5
1505	Progressive nature of chronic mitral regurgitation and the role of tissue Doppler-derived indexes. 2008 , 294, H2106-11	13
1504	Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular Filling Including Pulmonary Venous Flow. 2008 , 115-143	2
1503	Echocardiographic Assessment of Left Ventricular Diastolic Function. 2008 , 6, 57-66	1
1502	Relationship Between RR Intervals and Early Diastolic Mitral Annulus Velocities in Atrial Fibrillation Patients Who do not Have Significant Valvular Diseases. 2008 , 38, 551	1
1501	Independent determinants of the Tei index in hypertensive patients with preserved left ventricular systolic function. <i>International Heart Journal</i> , 2009 , 50, 331-40	1.8 9
1500	Effect of changes in left ventricular diastolic function during exercise on exercise tolerance assessed by exercise-stress tissue Doppler echocardiography. <i>International Heart Journal</i> , 2009 , 50, 763-71 ⁸	7
1499	Imaging Tools in Cardiovascular Research. 2009 , 105-121	

- 1498 Frequency of left ventricular diastolic dysfunction by mitral doppler in healthy elderly individuals. **2009**, 93, 328-33, 321-6
- 1497 Characteristics of myocardial deformation and rotation in subjects with diastolic dysfunction without diastolic heart failure. **2009**, 39, 532-7 3
- 1496 Heart failure diagnosis: the role of echocardiography and magnetic resonance imaging. **2009**, 14, 2688-703 3
- 1495 Angiogenic and inflammatory markers of cardiopulmonary changes in children and adolescents with sickle cell disease. **2009**, 4, e7956 56
- 1494 Determinants of left ventricular early-diastolic lengthening velocity: independent contributions from left ventricular relaxation, restoring forces, and lengthening load. **2009**, 119, 2578-86 133
- 1493 Cardiac dysfunction assessed by echocardiographic tissue Doppler imaging is an independent predictor of mortality in the general population. **2009**, 119, 2679-85 168
- 1492 Letter by Dokainish regarding article, "Tissue Doppler imaging in the estimation of intracardiac filling pressure in decompensated patients with advanced systolic heart failure". **2009**, 120, e47
- 1491 Recalibrating the barometer: is it time to take a critical look at noninvasive approaches to measuring filling pressures?. **2009**, 119, 13-5 25
- 1490 Tissue Doppler and strain imaging: a new tool for early detection of cardiac amyloidosis. **2009**, 16, 63-70 43
- 1489 Cardiac Structure and Function Before and After Parathyroidectomy in Patients With Asymptomatic Primary Hyperparathyroidism. **2009**, 19, 154-158 2
- 1488 Myocardial performance index derived from brachial-ankle pulse wave velocity: a novel and feasible parameter in evaluation of cardiac performance. **2009**, 22, 871-6 22
- 1487 Selective right ventricular impairment following coronary artery bypass graft surgery. **2010**, 37, 393-8 5
- 1486 Echocardiographic evaluation of diastolic function can be used to guide clinical care. **2009**, 120, 802-9 120
- 1485 Comparison between colour-coded and spectral tissue Doppler measurements of systolic and diastolic myocardial velocities: effect of temporal filtering and offline gain setting. **2009**, 10, 406-13 15
- 1484 Value of tissue Doppler imaging for risk stratification of patients with chronic systolic heart failure with or without restrictive mitral flow. **2009**, 10, 562-6 12
- 1483 Effect of revascularizing viable myocardium on left ventricular diastolic function in patients with ischaemic cardiomyopathy. **2009**, 30, 1501-9 27
- 1482 Association between degenerative aortic valve disease and long-term exposure to cardiovascular risk factors: results of the longitudinal population-based KORA/MONICA survey. **2009**, 30, 2044-53 145
- 1481 Echocardiographic evaluation of systolic heart failure. **2009**, 12, 21-29

1480	Diastolic dysfunction and COPD exacerbation. 2009 , 121, 76-81	22
1479	Optimized postprandial glucose control is associated with improved cardiac/vascular function - comparison of three insulin regimens in well-controlled type 2 diabetes. 2009 , 41, 109-15	27
1478	Impact of azelnidipine treatment on left ventricular diastolic performance in patients with hypertension and mild diastolic dysfunction: multi-center study with echocardiography. 2009 , 32, 895-900	16
1477	Dual ACE-inhibition and AT1 receptor antagonism improves ventricular lusitropy without affecting cardiac fibrosis in the congenic mRen2.Lewis rat. 2009 , 3, 245-57	7
1476	Comparison of four right ventricular systolic echocardiographic parameters to predict adverse outcomes in chronic heart failure. 2009 , 11, 818-24	55
1475	Prevalence of left ventricular diastolic dysfunction in a general population. 2009 , 2, 105-12	233
1474	Six-minute walk test and cardiopulmonary exercise testing in patients with chronic heart failure: a comparative analysis on clinical and prognostic insights. 2009 , 2, 549-55	125
1473	Heart failure with a normal ejection fraction: new developments. 2009 , 95, 1549-52	23
1472	Echocardiography in Acute Coronary Syndrome. 2009 ,	1
1471	Diastolic function and BNP changes during exercise predict oxygen consumption in chronic heart failure patients. 2009 , 43, 17-23	5
1470	Echocardiography in hypertrophic cardiomyopathy diagnosis, prognosis, and role in management. 2009 , 10, iii9-14	54
1469	Alteration in left ventricular strains and torsional mechanics after ultralong duration exercise in athletes. 2009 , 2, 323-30	63
1468	Assessing the Discriminatory Power of Noninvasive Quantification of Myocardial End-Diastolic Wall Stress. 2009 , 2085-2088	
1467	Letter by Ogunyankin regarding article, "Tissue Doppler imaging in the estimation of intracardiac filling pressure in decompensated patients with advanced systolic heart failure". 2009 , 120, e45	3
1466	Tissue Doppler imaging in the estimation of intracardiac filling pressure in decompensated patients with advanced systolic heart failure. 2009 , 119, 62-70	313
1465	Age- and gender-specific changes in the left ventricular relaxation: a Doppler echocardiographic study in healthy individuals. 2009 , 2, 41-6	103
1464	Is echocardiographic evaluation of diastolic function useful in determining clinical care? Doppler echocardiography yields dubious estimates of left ventricular diastolic pressures. 2009 , 120, 810-20; discussion 820	96
1463	Relationship Between Mild Primary Hyperparathyroidism and Left Ventricular Structure and Diastolic Performance. 2009 , 19, 187-191	0

1462	Influence of myocardial fibrosis on left ventricular diastolic function: noninvasive assessment by cardiac magnetic resonance and echo. 2009 , 2, 437-43		141
1461	Structural and functional cardiac abnormalities in adolescent girls with poorly controlled type 2 diabetes. 2009 , 32, 883-8		28
1460	Cardiac responses to swim bench exercise in age-group swimmers and non-athletic children. 2009 , 12, 266-72		12
1459	The ischemic etiology of heart failure in diabetics limits reverse left ventricular remodeling after cardiac resynchronization therapy. 2009 , 23, 365-70		14
1458	Accuracy of measuring mitral annular velocity by 2D speckle tracking imaging. 2009 , 53, 188-95		7
1457	Left ventricular diastolic dysfunction in the early stage of chronic kidney disease. 2009 , 54, 199-204		43
1456	Determinant factors of plasma B-type natriuretic peptide levels in patients with persistent nonvalvular atrial fibrillation and preserved left ventricular systolic function. 2009 , 54, 402-8		7
1455	Doppler echocardiography: a contemporary review. 2009 , 54, 347-58		35
1454	Effect of aldosterone antagonism on exercise tolerance, Doppler diastolic function, and quality of life in older women with diastolic heart failure. 2009 , 15, 68-74		25
1453	Effect of catheter ablation for isolated paroxysmal atrial fibrillation on longitudinal and circumferential left ventricular systolic function. <i>American Journal of Cardiology</i> , 2009 , 103, 232-7	3	27
1452	Usefulness of a combination of systolic function by left ventricular ejection fraction and diastolic function by E/E' to predict prognosis in patients with heart failure. <i>American Journal of Cardiology</i> , 2009 , 103, 1275-9	3	42
1451	Echocardiographic and tissue Doppler imaging of cardiac adaptation to high altitude in native highlanders versus acclimatized lowlanders. <i>American Journal of Cardiology</i> , 2009 , 103, 1605-9	3	62
1450	Prospective echocardiography assessment of pulmonary hypertension and its potential etiologies in children with sickle cell disease. <i>American Journal of Cardiology</i> , 2009 , 104, 713-20	3	49
1449	Relation of plasma brain natriuretic peptide levels on admission for ST-elevation myocardial infarction to left ventricular end-diastolic volume six months later measured by both echocardiography and cardiac magnetic resonance. <i>American Journal of Cardiology</i> , 2009 , 104, 878-82	3	29
1448	Usefulness of carvedilol to abolish myocardial postsystolic shortening in patients with idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2009 , 104, 1568-73	3	3
1447	[Pulmonary hypertension and heart failure: the role of pulmonary vasculature]. 2009 , 58, 304-9		2
1446	Echocardiography in cardiac anaesthesia and intensive care. 2009 , 20, 164-169		2
1445	Ratio of Peak Early to Late Diastolic Filling Velocity of Transmitral Flow is Predictive of Right Ventricular Diastolic Abnormality in Untreated Hypertensive Patients. 2009 , 21, 59-65		

1444	Cardiac output and associated left ventricular hypertrophy in pediatric chronic kidney disease. 2009 , 24, 565-70	22
1443	Assessment of left ventricular diastolic function using color kinesis: differentiation between normal and pseudonormalized patterns. 2009 , 36, 69-75	4
1442	On mitral valve dynamics and its connection to early diastolic flow. 2009 , 37, 1-13	68
1441	Is E/E' reliable in patients with regional wall motion abnormalities to estimate left ventricular filling pressure?. 2009 , 25, 33-9	7
1440	E/E': a prime number?. 2009 , 25, 41-2	2
1439	Left ventricular long-axis function in treated haemochromatosis. 2009 , 25, 237-47	3
1438	Manual zur Indikation und Durchführung der Echokardiographie. 2009 , 4, 3-51	22
1437	Modern evaluation of left ventricular diastolic function using Doppler echocardiography. 2009 , 11, 231-8	22
1436	Clinical application of lung ultrasound in patients with acute dyspnea: differential diagnosis between cardiogenic and pulmonary causes. 2009 , 114, 1053-64	37
1435	The role of cardiac ultrasound in stem cell therapy. 2009 , 2, 2-8	
1434	Clinical significance of anterior mitral leaflet fibrillation in patients with nonvalvular atrial fibrillation: comparison with blood flow and wall motion of the left atrial appendage. 2009 , 7, 19-24	
1433	Prognostic implications of left atrial dilation evaluated by echocardiographic volume in patients with normal left atrial antero-posterior dimensions. 2009 , 7, 63	1
1432	Echocardiographic and electrocardiographic analyses of patients with severe motor and intellectual disabilities. 2009 , 24, 46-53	6
1431	Chronic systemic inflammation accompanies impaired ventricular diastolic function, detected by Doppler imaging, in patients with newly diagnosed systolic heart failure (Hellenic Heart Failure Study). 2009 , 24, 22-6	49
1430	Improved left and right ventricular functions with trimetazidine in patients with heart failure: a tissue Doppler study. 2009 , 24, 277-82	30
1429	Noninvasive evaluation of left ventricular noncompaction: what's new in 2009?. 2009 , 30, 682-9	24
1428	Benefit of warm water immersion on biventricular function in patients with chronic heart failure. 2009 , 7, 33	20
1427	Tissue doppler imaging can be useful to distinguish pathological from physiological left ventricular hypertrophy: a study in master athletes and mild hypertensive subjects. 2009 , 7, 48	11

1426	Improvement in right ventricular function during reversibility testing in pulmonary arterial hypertension: a case report. 2009 , 7, 9	5
1425	Prospective evaluation of haemoglobin oxygen saturation at rest and after exercise in paediatric sickle cell disease patients. 2009 , 147, 352-9	53
1424	Depressive symptoms increase risk of rehospitalisation in heart failure patients with preserved systolic function. 2009 , 18, 1871-7	26
1423	Clinical significance of positive isovolumetric relaxation velocity of pulsed-wave tissue Doppler imaging. 2009 , 26, 21-7	2
1422	Assessment of mitoxantrone-induced cardiotoxicity in patients with multiple sclerosis: a tissue Doppler echocardiographic analysis. 2009 , 26, 397-402	10
1421	Estimation of LV End-Diastolic Pressure Using Color-TDI and Its Application to Noninvasive Quantification of Myocardial Wall Stress. 2009 , 26, 403-411	2
1420	Subtle systolic dysfunction may be associated with the tendency to develop diastolic heart failure in patients with preserved left ventricular ejection fraction. 2009 , 26, 365-70	9
1419	Doppler-derived myocardial performance index in patients with impaired left ventricular relaxation and preserved systolic function. 2009 , 26, 907-15	7
1418	Tei index correlates with tissue Doppler parameters and reflects neurohormonal activation in patients with an abnormal transmitral flow pattern. 2009 , 26, 1012-8	9
1417	Left ventricular function in elite rowers in relation to training-induced structural myocardial adaptation. 2010 , 20, 428-33	14
1416	Can ventricular function be assessed by echocardiography in chronic canine mitral valve disease?. 2009 , 50 Suppl 1, 12-24	58
1415	Differences in myocardial velocities during supine and upright exercise stress echocardiography in healthy adults. 2009 , 29, 216-23	7
1414	The age dependence of left ventricular filling efficiency. 2009 , 35, 1076-85	8
1413	Multichannel pulsed Doppler signal processing for vascular measurements in mice. 2009 , 35, 2042-54	17
1412	Assessment of atrial electromechanical coupling characteristics in patients with ankylosing spondylitis. 2009 , 26, 549-57	47
1411	Use of bicycle exercise echocardiography for unexplained exertional dyspnea. 2009 , 32, 302-6	5
1410	Statin therapy decreases myocardial function as evaluated via strain imaging. 2009 , 32, 684-9	8
1409	Assessment of left ventricular functions by tissue Doppler echocardiography in patients with Cushing's disease. 2009 , 32, 248-52	14

1408	B-type natriuretic peptide release and left ventricular filling pressure assessed by echocardiographic study after subarachnoid hemorrhage: a prospective study in non-cardiac patients. 2009 , 13, R76	19
1407	Relation of Hemoglobin A1c to myocardial acoustic densitometry and left ventricular diastolic function in patients with Type 2 diabetes mellitus and without evident heart disease. 2009 , 83, 365-70	8
1406	Routine transthoracic echocardiography in a general Intensive Care Unit: an 18 month survey in 704 patients. 2009 , 20, e37-42	50
1405	Relation between red cell distribution width with echocardiographic parameters in patients with acute heart failure. 2009 , 15, 517-22	45
1404	Central aortic stiffness is increased in patients with heart failure and preserved ejection fraction. 2009 , 15, 658-64	96
1403	Evidence of left ventricular systolic dysfunction detected by automated function imaging in patients with heart failure and preserved left ventricular ejection fraction. 2009 , 15, 782-9	75
1402	A novel index combining diastolic and systolic Tissue Doppler parameters for the non-invasive assessment of left ventricular end-diastolic pressure. 2009 , 136, 120-9	24
1401	Correlation between cognitive impairment and left ventricular diastolic dysfunction in patients with cardiovascular diseases. 2009 , 136, 351-4	15
1400	Relationship of Doppler-Echocardiographic left ventricular diastolic function to exercise performance in systolic heart failure: the HF-ACTION study. 2009 , 158, S45-52	46
1399	Bedside prediction of increased filling pressure using acoustic electrocardiography. 2009 , 27, 397-408	10
1398	Evaluation of left atrial longitudinal function in patients with hypertrophic cardiomyopathy: a tissue Doppler imaging and two-dimensional strain study. 2009 , 95, 483-9	70
1397	The pathophysiology of heart failure with normal ejection fraction: exercise echocardiography reveals complex abnormalities of both systolic and diastolic ventricular function involving torsion, untwist, and longitudinal motion. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 36-46	15.1 359
1396	Diastolic abnormalities as the first feature of hypertrophic cardiomyopathy in Dutch myosin-binding protein C founder mutations. 2009 , 2, 58-64	68
1395	Role of echocardiography in predicting onset of heart failure in patients with stable coronary artery disease: is the whole greater than the sum of its parts?. 2009 , 2, 21-3	2
1394	B-type natriuretic peptides and echocardiographic measures of cardiac structure and function. 2009 , 2, 216-25	52
1393	Presto untwisting and legato filling. 2009 , 2, 717-9	5
1392	Changes in tissue-Doppler echocardiographic assessment of left ventricular filling during NT-proBNP guided heart failure treatment titration: a pilot study. 2009 , 18, 38-44	3
1391	Tissue Doppler echocardiography in children with acquired or congenital heart disease. 2009 , 19, S98-S105	2

1390	Ischemic cerebrovascular events in patients with Chagas cardiomyopathy: a prospective follow-up study. 2009 , 278, 96-101	39
1389	Echocardiography. 2009 , 57-75	
1388	Left atrial dysfunction and new-onset atrial fibrillation after cardiac surgery. 2009 , 62, 774-80	1
1387	Left ventricular filling pressure estimation at rest and during exercise in patients with severe aortic valve stenosis: comparison of echocardiographic and invasive measurements. 2009 , 22, 343-9	64
1386	Atrial and ventricular function in thalassemic patients with supra-ventricular arrhythmias. 2009 , 4, e3	2
1385	The Role of Echocardiography in Hemodynamic Assessment in Heart Failure. 2009 , 4, 149-166	1
1384	New Ultrasound Technologies for Quantitative Assessment of Left Ventricular Function. 2009 , 319-342	
1383	Emergency Echocardiography. 2009 ,	1
1382	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. 2009 , 22, 107-33	2344
1381	Valvular Heart Disease. 2009 ,	3
1380	Left ventricular strain patterns in dilated cardiomyopathy predict response to cardiac resynchronization therapy: timing is not everything. 2009 , 22, 242-50	37
1379	Pulsed-wave Doppler tissue imaging velocities in normal geriatric cats and geriatric cats with primary or systemic diseases linked to specific cardiomyopathies in humans, and the influence of age and heart rate upon these velocities. 2009 , 11, 293-304	17
1378	Role of echocardiography in the diagnosis of constrictive pericarditis. 2009 , 22, 24-33; quiz 103-4	62
1377	Assessment of diastolic dysfunction in elderly hypertensive patients using integrated Doppler echocardiography. 2009 , 18, 135-41	4
1376	Circulating levels of relaxin and its relation to cardiovascular function in patients with hypertension. 2009 , 18, 68-73	16
1375	Cardio-renal protection with aliskiren, a direct renin inhibitor, in the ASPIRE HIGHER program. 2009 , 7, 251-7	16
1374	Haemodynamic changes after prolonged water immersion. 2009 , 27, 641-9	18
1373	Ecografía transesofágica. 2009 , 35, 1-19	

1372	Disfunci3n auricular izquierda y fibrilaci3n auricular de reciente comienzo en cirug3a cardiaca. 2009 , 62, 774-780	7
1371	Tissue Doppler and strain imaging in dogs with myxomatous mitral valve disease in different stages of congestive heart failure. 2009 , 23, 1197-207	36
1370	Comprehensive Evaluation of Cardiac Hemodynamics [Echocardiography-Guided Cardiac Catheterization] 2009 , 229-247	
1369	The role of echocardiography in hemodynamic assessment in heart failure. 2009 , 5, 191-208	25
1368	Diastolic dysfunction, cardiovascular aging, and the anesthesiologist. 2009 , 27, 497-517	29
1367	Left atrial volume provides independent prognostic value in patients with Chagas cardiomyopathy. 2009 , 22, 82-8	72
1366	Diastolic dysfunction as a link between hypertension and heart failure. 2009 , 93, 647-64	39
1365	Left ventricular diastolic filling pressures during dobutamine stress echocardiography: relationship to symptoms and ischemia. 2009 , 22, 947-53	20
1364	The association of diastolic dysfunction and circadian variation of blood pressure in prehypertension. 2009 , 22, 726-31	12
1363	Diastolic dysfunction and histopathology in hypertrophic cardiomyopathy: is relaxation in disarray?. 2009 , 22, 1335-7	3
1362	Myocardial function in older male amateur marathon runners: assessment by tissue Doppler echocardiography, speckle tracking, and cardiac biomarkers. 2009 , 22, 803-9	51
1361	Assessment of mitral annular velocities by speckle tracking echocardiography versus tissue Doppler imaging: validation, feasibility, and reproducibility. 2009 , 22, 1302-8	30
1360	Pseudonormal mitral filling is associated with similarly poor prognosis as restrictive filling in patients with heart failure and coronary heart disease: a systematic review and meta-analysis of prospective studies. 2009 , 22, 494-8	25
1359	The relationship of left atrial volume and left atrial pressure in patients with hypertrophic cardiomyopathy: an echocardiographic and cardiac catheterization study. 2009 , 22, 961-6	49
1358	Clinical relevance of echocardiography in acute severe dyspnea. 2009 , 22, 1159-64	14
1357	Ecografia transesofagea. 2009 , 14, 1-18	
1356	Diastolic Ventricular Function Assessment. 95-116	2
1355	Echocardiographic diagnosis of pulmonary artery occlusion pressure elevation during weaning from mechanical ventilation. 2009 , 37, 1696-701	124

1354	Beneficial effects of telmisartan on left ventricular structure and function in patients with hypertension determined by two-dimensional strain imaging. 2009 , 27, 1892-9	23
1353	Nebivolol induces parallel improvement of left ventricular filling pressure and coronary flow reserve in uncomplicated arterial hypertension. 2009 , 27, 2108-15	21
1352	PRO: Intraoperative Doppler tissue imaging is a valuable addition to cardiac anesthesiologists' armamentarium. 2009 , 108, 37-40	1
1351	Long-term effects of perindopril on left ventricular structure and function in patients with stable coronary artery disease: a conventional and Doppler tissue echocardiographic pilot study. 2009 , 10, 781-6	2
1350	Intraoperative Doppler tissue imaging is a valuable addition to cardiac anesthesiologists' armamentarium: a core review. 2009 , 108, 48-66	33
1349	Decline of plasma brain natriuretic peptide during enzyme replacement therapy in a female patient with heterozygous Fabry's disease. 2009 , 217, 169-74	3
1348	Elevated tricuspid regurgitant jet velocity in children and adolescents with sickle cell disease: association with hemolysis and hemoglobin oxygen desaturation. 2009 , 94, 340-7	142
1347	Elevated E/E' predicts prognosis in congestive heart failure patients with preserved systolic function. 2009 , 73, 86-91	43
1346	Tissue Doppler echocardiography for predicting arterial stiffness assessed by cardio-ankle vascular index. 2009 , 217, 139-46	15
1345	Characterization of ventricular myocardial performance in the fetus by tissue Doppler imaging. 2009 , 73, 943-7	40
1344	Value of ventricular stiffness index and ventriculoarterial interaction in patients with nonischemic dilated cardiomyopathy. 2009 , 73, 1683-90	15
1343	Upright bicycle exercise echocardiography in patients with myocardial infarction shows lack of diastolic, but not systolic, reserve: a tissue Doppler study. 2009 , 10, 503-8	9
1342	Effect of intraventricular dyssynchrony on diastolic function and exercise tolerance in patients with heart failure. 2009 , 10, 907-13	11
1341	Novel strategies for the detection of systolic and diastolic heart failure. 2009 , 5, 112-8	2
1340	Gender differences in systolic tissue velocity: role of left ventricular length. 2009 , 10, 941-6	3
1339	Cardiac magnetic resonance elastography: toward the diagnosis of abnormal myocardial relaxation. 2010 , 45, 782-7	36
1338	Predictive value of tissue Doppler imaging for left ventricular ejection fraction, remodelling, and infarct size after percutaneous coronary intervention for acute myocardial infarction. 2010 , 11, 596-601	11
1337	Tissue Doppler echocardiography reveals distinct patterns of impaired myocardial velocities in different degrees of coronary artery disease. 2010 , 11, 544-9	23

1336	Effect of diabetes and hypertension on left ventricular diastolic function in a high-risk population without evidence of heart disease. 2010 , 12, 454-61	61
1335	Resting measures and physiological responses to exercise for the determination of prognosis in patients with chronic heart failure: useful tools for clinical decision-making. 2010 , 18, 171-7	3
1334	Cardiopulmonary exercise testing variables reflect the degree of diastolic dysfunction in patients with heart failure-normal ejection fraction. 2010 , 30, 165-72	51
1333	Diastolic stress echocardiography detects coronary artery disease in patients with asymptomatic type II diabetes. 2010 , 21, 104-12	9
1332	Association of left ventricular diastolic dysfunction with elevated NT-pro-BNP in general intensive care unit patients with preserved ejection fraction: a complementary role of tissue Doppler imaging parameters and NT-pro-BNP levels for adverse outcome. 2010 , 33, 141-8	31
1331	Obtaining accurate hemodynamics from echocardiography: achieving independence from right heart catheterization. 2010 , 25, 437-44	12
1330	Aortic annular velocity assessed by tissue Doppler echocardiography as a potential parameter of arterial stiffness. 2010 , 221, 169-74	5
1329	Differences in cardiac parameters among elite rowers and subelite rowers. 2010 , 42, 1215-20	56
1328	Echocardiographic evaluation of diastolic heart failure. 2010 , 13, 14-26	3
1327	Alterations in left ventricular untwisting with ageing. 2010 , 74, 101-8	31
1326	Myocardial deformation in acute myocarditis with normal left ventricular wall motion--a cardiac magnetic resonance and 2-dimensional strain echocardiographic study. 2010 , 74, 1205-13	50
1325	Pulsed and Tissue Doppler Echocardiographic Changes in Patients with Thalassemia Major. 2010 , 3, CMBD.S437	7
1324	Evaluation of biventricular functions with tissue Doppler imaging in patients with myotonic dystrophy. 2010 , 33, 126-31	5
1323	Diastolic heart failure versus diastolic dysfunction: difference in renal function. 2010 , 33, 770-4	10
1322	Heart Failure with a Normal Ejection Fraction. 2010 , 123-137	
1321	Diastolic dysfunction in diabetes and the metabolic syndrome: promising potential for diagnosis and prognosis. 2010 , 53, 1033-45	101
1320	Right ventricular function in children with bronchial asthma: a tissue Doppler echocardiographic study. 2010 , 31, 1008-15	22
1319	Diastolic function measurements and diagnostic consequences: a comparison of pulsed wave- and color-coded tissue Doppler imaging. 2010 , 99, 453-8	20

1318	Diastolic function in healthy humans: non-invasive assessment and the impact of acute and chronic exercise. 2010 , 108, 1-14		26
1317	Gender differences of pulsed and tissue Doppler indexes of left ventricular diastolic function in healthy subjects. 2010 , 8, 40-4		2
1316	Diastology 2010: clinical approach to diastolic heart failure. 2010 , 8, 65-79		12
1315	Handcarried echocardiography to assess hemodynamics in acute decompensated heart failure. 2010 , 7, 219-27		8
1314	Why, when, and how to assess pulmonary congestion in heart failure: pathophysiological, clinical, and methodological implications. 2010 , 15, 63-72		75
1313	Correlation of ST-segment "hump sign" during exercise testing with impaired diastolic function of the left ventricle. 2010 , 43, 167-72		4
1312	Concentric left ventricular hypertrophy brings deterioration of systolic longitudinal, circumferential, and radial myocardial deformation in hypertensive patients with preserved left ventricular pump function. 2010 , 55, 23-33		108
1311	Correlation between plasma B-type natriuretic peptide levels and left ventricular diastolic function using color kinetic imaging. 2010 , 56, 91-6		3
1310	Left ventricular untwisting during left atrial contraction: a marker for chronic left ventricular diastolic dysfunction?. 2010 , 56, 332-8		
1309	Noninvasive estimation of left ventricular filling pressures in patients with heart failure after surgical ventricular restoration and restrictive mitral annuloplasty. 2010 , 140, 807-15		11
1308	Predictive value of preoperative tissue Doppler echocardiographic analysis for postoperative atrial fibrillation after pulmonary resection for lung cancer. 2010 , 140, 764-8		36
1307	Usefulness of plasma brain natriuretic peptide measurement and tissue Doppler imaging in identifying isolated left ventricular diastolic dysfunction without heart failure. <i>American Journal of Cardiology</i> , 2010 , 106, 87-91	3	10
1306	Differences in tissue Doppler imaging between single ventricles after the fontan operation and normal controls. <i>American Journal of Cardiology</i> , 2010 , 106, 99-103	3	37
1305	Early repolarization, left ventricular diastolic function, and left atrial size in professional soccer players. <i>American Journal of Cardiology</i> , 2010 , 106, 569-74	3	26
1304	Effect of candesartan treatment on left ventricular remodeling after aortic valve replacement for aortic stenosis. <i>American Journal of Cardiology</i> , 2010 , 106, 713-9	3	55
1303	Usefulness of a Z-score of E' versus raw E' velocities to detect left ventricular dysfunction in patients with mitral or aortic regurgitation or dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2010 , 106, 1187-92	3	1
1302	Can echocardiographic evaluation of cardiopulmonary hemodynamics decrease right heart catheterizations in end-stage heart failure patients awaiting transplantation?. <i>American Journal of Cardiology</i> , 2010 , 106, 1657-62	3	16
1301	Monitoring fluid status at the outpatient level: the need for more precision. 2010 , 16 Suppl 1, S52-5		7

1300	Myocardial strain and strain rate in monitoring subclinical heart failure in asymptomatic long-term survivors of childhood cancer. 2010 , 36, 1783-91	46
1299	Association and interaction of PPAR-complex gene variants with latent traits of left ventricular diastolic function. 2010 , 11, 65	4
1298	Left atrial longitudinal strain by speckle tracking echocardiography correlates well with left ventricular filling pressures in patients with heart failure. 2010 , 8, 14	159
1297	WEB downloadable software for training in cardiovascular hemodynamics in the (3-D) stress echo lab. 2010 , 8, 48	5
1296	Automated left ventricular diastolic function evaluation from phase-contrast cardiovascular magnetic resonance and comparison with Doppler echocardiography. 2010 , 12, 63	45
1295	Adaptative or maladaptative hypertrophy, different spatial distribution of myocardial contraction. 2010 , 30, 6-12	24
1294	Characteristics of left ventricular rotational mechanics in patients with systemic amyloidosis, systemic hypertension and normal left ventricular mass. 2011 , 31, 159-65	15
1293	Left ventricular untwisting in restrictive and pseudorestrictive left ventricular filling: novel insights into diastology. 2010 , 27, 269-74	7
1292	Echocardiographic evaluation of right ventricular function in patients with acute pulmonary embolism: a study using tricuspid annular motion. 2010 , 27, 286-93	37
1291	The association between left ventricular diastolic dysfunction and increased aortic stiffness can be explained by possible neurohumoral mechanisms. 2010 , 27, 275-81	2
1290	Comparison of tissue Doppler velocities obtained by different types of echocardiography systems: are they compatible?. 2010 , 27, 230-5	18
1289	Prognostic value of tissue Doppler-Derived E/e' on early morbid events after cardiac surgery. 2010 , 27, 131-8	28
1288	Left ventricular diastolic function and exercise capacity in patients with Chagas cardiomyopathy. 2010 , 27, 519-24	18
1287	Evaluation of regional myocardial function by Doppler tissue imaging in univentricular heart after successful Fontan repair. 2010 , 27, 702-8	19
1286	Mitral annular velocities generated by speckle tracking imaging: reproducibility and correlation with tissue Doppler velocities. 2010 , 27, 637-43	3
1285	Does the E/e' index predict the maintenance of sinus rhythm after catheter ablation of atrial fibrillation?. 2010 , 27, 630-6	24
1284	Clinical significance of the reversed mitral annular motion velocity wave at the beginning of the mitral valve closure. 2010 , 27, 784-90	
1283	Reference values of tissue Doppler imaging and pulsed Doppler echocardiography for analysis of left ventricular diastolic function in healthy adults. 2010 , 27, 777-82	6

1282	Telmisartan improves morphologic and functional changes in both left ventricular myocardium and carotid arterial wall in patients with hypertension: assessment by tissue Doppler imaging and carotid ultrasonography. 2010 , 27, 864-72	14
1281	New annular tissue Doppler markers of pulmonary hypertension. 2010 , 27, 969-76	6
1280	New, simple echocardiographic indexes for the estimation of filling pressure in patients with cardiac disease and preserved left ventricular ejection fraction. 2010 , 27, 946-53	17
1279	Rotational mechanics of the left ventricle in AL amyloidosis. 2010 , 27, 1061-8	29
1278	Indexed left atrial volume is a more sensitive indicator of filling pressures and left heart function than is anteroposterior left atrial diameter. 2010 , 27, 1049-55	22
1277	Noninvasive assessment of left ventricular stroke work index in patients with severe mitral regurgitation: correlation with invasive measurement and exercise capacity. 2010 , 27, 1161-9	16
1276	Recovery of long-axis left ventricular function after aortic valve replacement in patients with severe aortic stenosis. 2010 , 27, 1177-81	6
1275	Quality of life, dyspnea and ventricular function in patients with hypertension. 2010 , 66, 2287-96	4
1274	Relative vs. absolute values: using patient and population norms for echocardiography in pediatric cardiac transplant recipients. 2010 , 14, 182-7	4
1273	Recent developments in Doppler imaging. 368-396	
1272	Left ventricular systolic and diastolic function. 145-162	
1271	Tissue Doppler measurements correlate with central venous pressure in pediatric patients after cardiac surgery. 2010 , 56, 377-82	6
1270	The heart failure epidemic. 2010 , 7, 1807-30	68
1269	Coincidence of Moderately Elevated N-Terminal ProB-Type Natriuretic Peptide, Endothelial Progenitor Cells Deficiency and Propensity to Exercise-Induced Myocardial Ischemia in Stable Angina. 2010 , 28, 101-114	4
1268	[Echocardiographic alterations in patients with chronic kidney failure undergoing hemodialysis]. 2010 , 94, 140-6	3
1267	Hemodynamic assessment. 205-222	
1266	Relationship between natriuretic peptides and echocardiography parameters in patients with poorly regulated type 2 diabetes. 2010 , 6, 373-82	9
1265	Echocardiographic parameters associated with pulmonary congestion in Chagas cardiomyopathy. 2010 , 43, 244-8	2

1264	Detecção precoce da disfunção diastólica global e regional do ventrículo esquerdo no infarto eritematoso sistêmico: o papel da ecocardiografia. 2010 , 50, 16-30	10
1263	Overexpression of interleukin-18 aggravates cardiac fibrosis and diastolic dysfunction in fructose-fed rats. 2010 , 16, 465-70	19
1262	Filling pressures and collagen metabolism in hypertensive patients with heart failure and normal ejection fraction. 2010 , 55, 1418-24	89
1261	The impact of early diastolic myocardial relaxation on the other parameters of diastolic function and association of tissue Doppler parameters of diastolic function with diabetes compensation and duration in type 2 diabetic patients. 2010 , 38, 127-33	1
1260	Ethnicity-related differences in left ventricular function, structure and geometry: a population study of UK Indian Asian and European white subjects. 2010 , 96, 466-71	63
1259	Tissue Doppler Imaging and Strain Echocardiography. 2010 , 63-83	
1258	A comprehensive noninvasive hemodynamic assessment of systolic heart failure. 2010 , 3, 337-9	1
1257	Fetal growth restriction results in remodeled and less efficient hearts in children. 2010 , 121, 2427-36	289
1256	Reference values and distribution of conventional echocardiographic Doppler measures and longitudinal tissue Doppler velocities in a population free from cardiovascular disease. 2010 , 3, 614-22	114
1255	Prognostic implications of left ventricular filling pressure with exercise. 2010 , 3, 149-56	82
1254	Treadmill exercise in apparently asymptomatic patients with moderate or severe aortic stenosis: relationship between cardiac index and revealed symptoms. 2010 , 96, 689-95	34
1253	Clinical significance of unsuspected rise in cardiac troponin in the setting of falls in older people. 2010 , 27, 446-50	1
1252	Exercise echocardiography and the diagnosis of heart failure with a normal ejection fraction. 2010 , 96, 997-8	3
1251	Possible mechanisms of left ventricular torsion evaluated by cardioreparative effects of telmisartan in patients with hypertension. 2010 , 11, 690-7	19
1250	Noninvasive brachial-ankle pulse wave velocity in hypertensive patients with left ventricular hypertrophy. 2010 , 23, 269-74	16
1249	The pro-BNP Serum Level and Echocardiographic Tissue Doppler Abnormalities in Patients with Beta Thalassemia Major. 2010 , 4, 135-41	10
1248	Heart Failure in Clinical Practice. 2010 ,	4
1247	Ventricular activation time as a marker for diastolic dysfunction in early hypertension. 2010 , 23, 781-5	24

1246	Exercise stress echocardiography for the study of the pulmonary circulation. 2010 , 35, 1273-8	127
1245	Transthoracic bioimpedance and brain natriuretic peptide levels accurately indicate additional diastolic dysfunction in patients with chronic advanced systolic heart failure. 2010 , 12, 928-35	18
1244	Elevated pulmonary artery systolic pressure in patients with coronary artery disease and left ventricular dyssynchrony. 2010 , 12, 1067-75	5
1243	Early left ventricular mechanics abnormalities in prehypertension: a two-dimensional strain echocardiography study. 2010 , 23, 405-12	65
1242	Reduced left atrial function on exercise in patients with heart failure and normal ejection fraction. 2010 , 96, 1017-23	74
1241	Predictors of exercise capacity and symptoms in severe aortic stenosis. 2010 , 11, 482-7	15
1240	Microenvironment and macroenvironment in hypertensive hearts: boundaries and silos--can we pick and treat diastolic heart failure?. 2010 , 55, 1312-3	
1239	Correction. 2010 , 96, 2044-2044	
1238	The utility of tissue Doppler imaging for the noninvasive determination of left ventricular filling pressures in patients with septic shock. 2010 , 25, 163-7	19
1237	Predicting outcome after valve replacement. 2010 , 96, 118-23	33
1236	Doppler echocardiography in advanced systolic heart failure: a noninvasive alternative to Swan-Ganz catheter. 2010 , 3, 387-94	67
1235	Echocardiographic assessment of the cardio-renal connection: is left ventricular hypertrophy or diastolic function more closely correlated with estimated glomerular filtration rate in patients with cardiovascular risk factors?. 2010 , 32, 113-20	14
1234	Left ventricular systolic and diastolic function assessed by tissue Doppler imaging and outcome in asymptomatic aortic stenosis. 2010 , 31, 2216-22	60
1233	Echocardiographic Assessment of Left Ventricular Function in Type 1 Gaucher's Disease. 2010 , 2010,	1
1232	Echo rejection score: new echocardiographic approach to diagnosis of heart transplant rejection. 2010 , 38, 176-80	17
1231	Assessment of cardiac diastolic dysfunction in HIV-infected people without cardiovascular symptoms in China. 2010 , 21, 814-8	20
1230	Peak systolic velocity of mitral annular longitudinal movement measured by pulsed tissue Doppler imaging as an index of global left ventricular contractility. 2010 , 298, H1608-15	41
1229	Abnormal left ventricular function occurs on exercise in well-treated hypertensive subjects with normal resting echocardiography. 2010 , 96, 948-55	28

1228	Early identification of mutation carriers in familial hypertrophic cardiomyopathy by combined echocardiography and tissue Doppler imaging. 2010 , 31, 1599-607	30
1227	Echocardiography for hemodynamic evaluation in the intensive care unit. 2010 , 34 Suppl 1, 59-62	18
1226	Atrioventricular valve annulus velocity and acceleration during global hypoxia in newborn pigs - assessment of myocardial function. 2010 , 97, 100-7	6
1225	Normative reference values for the tissue Doppler imaging parameters of left ventricular function: a population-based study. 2010 , 11, 51-6	105
1224	Reproducibility in echocardiographic assessment of the left ventricular global and regional function, the HUNT study. 2010 , 11, 149-56	85
1223	Combining blood flow and tissue Doppler imaging with N-terminal pro-type B natriuretic peptide for risk stratification of clinically stable patients with systolic heart failure. 2010 , 11, 333-40	11
1222	Will simultaneous measurement of E/e' index facilitate the non-invasive assessment of left ventricular filling pressure in patients with non-valvular atrial fibrillation?. 2010 , 11, 296-301	30
1221	Global strain rate imaging for the estimation of diastolic function in HFNEF compared with pressure-volume loop analysis. 2010 , 11, 743-51	69
1220	Tissue Doppler E/E' ratio is a powerful predictor of primary cardiac events in a hypertensive population: an ASCOT substudy. 2010 , 31, 747-52	148
1219	Assessing and grading congestion in acute heart failure: a scientific statement from the acute heart failure committee of the heart failure association of the European Society of Cardiology and endorsed by the European Society of Intensive Care Medicine. 2010 , 12, 423-33	436
1218	Left ventricular filling and diastolic myocardial deformation in chronic primary mitral regurgitation. 2010 , 11, 523-9	9
1217	Left ventricular torsional dynamics in aortic stenosis: relationship between left ventricular untwisting and filling pressures. A two-dimensional speckle tracking study. 2010 , 11, 406-13	24
1216	Incremental predictive value of carotid intima-media thickness to arterial stiffness for impaired coronary flow reserve in untreated hypertensives. 2010 , 33, 367-73	17
1215	Systolic and diastolic left ventricular dysfunction: from risk factors to overt heart failure. 2010 , 8, 251-8	32
1214	Noninvasive imaging techniques of constrictive pericarditis. 2010 , 8, 1335-47	12
1213	Handgrip strength, but not other nutrition parameters, predicts circulatory congestion in peritoneal dialysis patients. 2010 , 25, 3372-9	14
1212	Elevation of B-type natriuretic peptide is a sensitive marker of left ventricular diastolic dysfunction in patients with maintenance haemodialysis. 2010 , 15, 533-7	8
1211	Left ventricular contraction-relaxation coupling in normal, hypertrophic, and failing myocardium quantified by speckle-tracking global strain and strain rate imaging. 2010 , 23, 747-54	35

1210	Pressure-volume relationship during dobutamine stress echocardiography predicts exercise tolerance in patients with congestive heart failure. 2010 , 23, 71-8	7
1209	Diastolic myocardial mechanics in hypertrophic cardiomyopathy. 2010 , 23, 164-71	54
1208	Right ventricular function in patients with pulmonary embolism: early and late findings using Doppler tissue imaging. 2010 , 23, 531-7	23
1207	Diagnosing left ventricular diastolic dysfunction by echocardiography: Reverend Bayes lends a hand. 2010 , 23, 162-3	3
1206	Passive leg-raise is helpful to identify impaired diastolic functional reserve during exercise in patients with abnormal myocardial relaxation. 2010 , 23, 523-30	20
1205	Do additional echocardiographic variables increase the accuracy of E/e' for predicting left ventricular filling pressure in normal ejection fraction? An echocardiographic and invasive hemodynamic study. 2010 , 23, 156-61	41
1204	Apport de l'échocardiographie Doppler chez les patients à haut risque de décès de sevrage du respirateur. 2010 , 19, 121-126	
1203	Strain rate imaging: fundamental principles and progress so far. 2010 , 2, 547-563	8
1202	Natriuretic peptides in common valvular heart disease. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2034-48	15.1 56
1201	What should be the principle imaging test in heart failure--CMR or echocardiography?. 2010 , 3, 776-82	2
1200	Does left atrial volume affect exercise capacity of heart transplant recipients?. 2010 , 5, 113	6
1199	Predictors of mortality in patients with dilated cardiomyopathy: relevance of chagas disease as an etiological factor. 2010 , 63, 788-97	20
1198	Contribution of exercise echocardiography to the diagnosis of heart failure with preserved ejection fraction (HFpEF). 2010 , 96, 1024-8	51
1197	Pulmonary hypertension with left-sided heart disease. 2010 , 7, 648-59	101
1196	Prediction of hospital outcome in septic shock: a prospective comparison of tissue Doppler and cardiac biomarkers. 2010 , 14, R44	110
1195	Echocardiography: a help in the weaning process. 2010 , 14, R120	86
1194	Evaluation of the myocardial performance index and tissue doppler imaging by comparison to near-simultaneous catheter measurements in pediatric cardiac transplant patients. 2010 , 29, 853-8	24
1193	Diastolic dysfunction in patients with Kawasaki disease. 2010 , 145, 520-1	3

1192	Association of right heart with CA-125 levels in patients with heart failure. 2010 , 145, 521-2	4
1191	Use of hand carried ultrasound, B-type natriuretic peptide, and clinical assessment in identifying abnormal left ventricular filling pressures in patients referred for right heart catheterization. 2010 , 16, 69-75	35
1190	Prediction of ACC/AHA Stage B heart failure by clinical and neurohormonal profiling among patients in the community. 2010 , 16, 957-63	1
1189	Pulmonary capillary blood volume and membrane conductance in Andeans and lowlanders at high altitude: a cross-sectional study. 2010 , 23, 187-93	17
1188	Sub-clinical left and right ventricular dysfunction in patients with COPD. 2010 , 104, 1171-8	78
1187	Incremental value of subclinical left ventricular systolic dysfunction for the identification of patients with obstructive coronary artery disease. 2010 , 159, 148-57	56
1186	Noninvasive assessment of left ventricular filling pressure after acute myocardial infarction: a prospective study of the relative prognostic utility of clinical assessment, echocardiography, and B-type natriuretic peptide. 2010 , 159, 47-54	31
1185	The right ventricular annular velocity reduction caused by coronary artery bypass graft surgery occurs at the moment of pericardial incision. 2010 , 159, 314-22	110
1184	Central aortic pressure is independently associated with diastolic function. 2010 , 159, 1081-8	15
1183	Race/ethnic disparities in left ventricular diastolic function in a triethnic community cohort. 2010 , 160, 152-8	20
1182	Assessment of left ventricular systolic function by strain imaging echocardiography in various stages of feline hypertrophic cardiomyopathy. 2010 , 24, 1375-82	35
1181	Neopterin predicts left ventricular remodeling in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2010 , 211, 574-8	12
1180	The effect of various fenoldopam doses on renal perfusion in patients undergoing cardiac surgery. 2010 , 89, 497-503	17
1179	Invited commentary. 2010 , 89, 503-4	
1178	Noninvasive estimate of left ventricular filling pressure correlated with early and midterm postoperative cardiovascular events after isolated aortic valve replacement in patients with severe aortic stenosis. 2010 , 140, 1361-6	38
1177	Factores predictivos de la mortalidad en pacientes con miocardiopatía dilatada: importancia de la enfermedad de Chagas como etiología. 2010 , 63, 788-797	44
1176	Effects of fenoldopam mesylate on central hemodynamics and renal flow in patients undergoing cardiac surgery: color Doppler echocardiographic evaluation. 2010 , 24, 58-62	3
1175	The effect of surgical weight reduction on left ventricular structure and function in severe obesity. 2010 , 18, 1188-93	37

1174	Systolic and diastolic myocardial mechanics in patients with cardiac disease and preserved ejection fraction: impact of left ventricular filling pressure. 2010 , 23, 1273-80	33
1173	Lack of diastolic reserve in patients with heart failure and normal ejection fraction. 2010 , 3, 35-43	45
1172	Bedside Procedures for the Intensivist. 2010 ,	2
1171	Recovery of function after acute myocardial infarction evaluated by tissue Doppler strain and strain rate. 2010 , 23, 432-8	14
1170	Changes in left ventricular filling patterns after repeated injection of autologous bone marrow cells in heart failure patients. 2010 , 44, 139-45	20
1169	Role of tissue Doppler imaging for detection of diastolic dysfunction in the elderly: a study in clinical practice. 2011 , 18, 187-93	3
1168	Left intraventricular diastolic and systolic pressure gradients. 2011 , 236, 1364-72	4
1167	Diagnosis of heart failure with preserved ejection fraction: which parameters and diagnostic strategies are more valuable?. 2011 , 13, 737-45	33
1166	Coronary artery plaque burden does not affect left ventricular diastolic function in asymptomatic adults with normal ejection fraction. 2011 , 24, 909-14	13
1165	Echocardiographic indices of diastolic function relate to functional capacity and quality of life in ambulatory men with atrial fibrillation. 2011 , 24, 533-540.e3	8
1164	[Intraoperative ejection fraction: estimation with Simpson's rule vs tissue Doppler imaging]. 2011 , 58, 543-7	0
1163	Diastolic dysfunction in patients with type 2 diabetes mellitus: is it really the first marker of diabetic cardiomyopathy?. 2011 , 24, 1268-1275.e1	149
1162	Abnormalities in cardiac structure and function in adults with sickle cell disease are not associated with pulmonary hypertension. 2011 , 24, 1285-90	13
1161	Acute effects of passive smoking on left ventricular systolic and diastolic function in healthy volunteers. 2011 , 24, 185-91	11
1160	Characterization of diastolic dysfunction in twin-twin transfusion syndrome: association between Doppler findings and ventricular hypertrophy. 2011 , 24, 834-40	21
1159	Tissue doppler imaging and plasma BNP levels to assess the prognosis in patients with hypertrophic cardiomyopathy. 2011 , 24, 1020-5	41
1158	Exercise intolerance. 2011 , 29, 461-77	18
1157	Left atrial dysfunction in chagas cardiomyopathy is more severe than in idiopathic dilated cardiomyopathy: a study with real-time three-dimensional echocardiography. 2011 , 24, 526-32	14

1156	Effect of obesity and overweight on left ventricular diastolic function: a community-based study in an elderly cohort. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1368-74	15.1	238
1155	Feasibility of diastolic function assessment with cardiac CT: feasibility study in comparison with tissue Doppler imaging. 2011 , 4, 246-56		40
1154	Left ventricular mechanical dyssynchrony in acute onset cardiomyopathy: association of its resolution with improvements in ventricular function. 2011 , 4, 445-56		18
1153	Serial Doppler echocardiography and tissue Doppler imaging in the detection of elevated directly measured left atrial pressure in ambulant subjects with chronic heart failure. 2011 , 4, 927-34		58
1152	Detection of early cardiac dysfunction in patients with β -thalassemia major and thalassemia trait by tissue doppler echocardiography. 2011 , 28, 486-96		7
1151	Pulmonary Edema: Which Role for Echocardiography in the Diagnostic Workup?. 2011 , 177-194		1
1150	Higher LA pressure may prevent opening of patent foramen ovale in acute ischemic stroke patients with atrial fibrillation. 2011 , 304, 111-6		4
1149	Current and evolving echocardiographic techniques for the quantitative evaluation of cardiac mechanics: ASE/EAE consensus statement on methodology and indications endorsed by the Japanese Society of Echocardiography. 2011 , 24, 277-313		808
1148	Hemodynamic Monitoring Using Echocardiography in the Critically Ill. 2011 ,		13
1147	Early detection of abnormal left atrial-left ventricular-arterial coupling in preclinical patients with cardiovascular risk factors: evaluation by two-dimensional speckle-tracking echocardiography. 2011 , 12, 431-9		42
1146	Imaging assessment of ventricular mechanics. 2011 , 97, 1349-56		38
1145	Left atrial function: physiology, assessment, and clinical implications. 2011 , 12, 421-30		269
1144	Established and novel clinical applications of diastolic function assessment by echocardiography. 2011 , 4, 444-55		109
1143	Left atrial systolic and diastolic dysfunction in heart failure with normal left ventricular ejection fraction. 2011 , 24, 651-62		101
1142	Phase II trials in heart failure: the role of cardiovascular imaging. 2011 , 162, 3-15.e3		6
1141	Assessment of left ventricular diastolic function: the power, possibilities, and pitfalls of echocardiographic imaging techniques. 2011 , 27, 311-8		19
1140	Early-onset growth hormone deficiency results in diastolic dysfunction in adult-life and is prevented by growth hormone supplementation. 2011 , 21, 81-8		13
1139	Changes in estimating echocardiography pulmonary capillary wedge pressure after hypersaline plus furosemide versus furosemide alone in decompensated heart failure. 2011 , 17, 331-9		33

1138	Tissue Doppler Em and instantaneous end-diastolic stiffness: validation against pressure-volume loops in patients undergoing coronary artery bypass surgery. 2011 , 20, 223-30	5
1137	Relation of inflammation and left atrial remodeling in atrial fibrillation occurring in early phase of acute myocardial infarction. 2011 , 146, 28-31	30
1136	Atrial interaction in the form of 'cross talk' in patients with ventricular outflow tract obstruction. 2011 , 147, 388-92	2
1135	Simultaneous estimation of NT-proBNP on top to mitral flow Doppler echocardiography as an accurate strategy to diagnose diastolic dysfunction in HFNEF. 2011 , 149, 23-9	22
1134	Diastolic ventricular interaction in patients after atrial switch for transposition of the great arteries: a speckle tracking echocardiographic study. 2011 , 152, 28-34	16
1133	Risk estimation approach in Chagas disease is still needed. 2011 , 147, 294-6	13
1132	^{99m} Tc-MAA lung scan can be an alternative in detection and follow-up of patent foramen ovale. 2011 , 147, 296-8	
1131	Electromechanical left atrial disturbances in acute inferior myocardial infarction: an evidence for ischaemic dysfunction. 2011 , 151, 96-8	2
1130	Evaluation of Left Ventricular Function by Conventional Echocardiography and Tissue Doppler Imaging in Patients with Acute and Chronic Mitral Regurgitation. 2011 , 19, 122-127	
1129	Implications of prevalent and incident diabetes mellitus on left ventricular geometry and function in the ageing heart: the MONICA/KORA Augsburg cohort study. 2011 , 21, 189-96	12
1128	Current and evolving echocardiographic techniques for the quantitative evaluation of cardiac mechanics: ASE/EAE consensus statement on methodology and indications endorsed by the Japanese Society of Echocardiography. 2011 , 12, 167-205	667
1127	Effects of fenoldopam mesylate infusion on splanchnic perfusion after myocardial revascularization on cardiopulmonary bypass: an ultrasound Doppler study. 2011 , 25, 642-6	2
1126	Pulsed and Tissue Doppler Echocardiographic Changes in Hypertensive Crisis with and without End Organ Damage. 2011 , 4, 17-24	
1125	Subclinical Myocardial Dysfunction in Metabolic Syndrome Patients without Hypertension. 2011 , 19, 134-9	19
1124	Evaluation of Left Ventricular Diastolic Function by Echocardiography. 2011 ,	0
1123	Correlation between diastolic function and maximal exercise capacity on exercise test. 2011 , 96, 107-13	7
1122	Use of Cardiac Imaging in the Evaluation of Heart Failure. 2011 , 526-544	
1121	Determination of diastolic dysfunction cut-off value by tissue Doppler imaging in adults 70 years of age or older: a comparative analysis of pulsed-wave and color-coded tissue Doppler imaging. 2011 , 41, 137-42	3

1120	Echocardiographic evaluation during weaning from mechanical ventilation. 2011 , 66, 107-11	11
1119	Is diastolic dysfunction associated with atrial electrocardiographic parameters in Behçet's disease?. 2011 , 66, 607-12	6
1118	Association between cardiac functional capacity and parameters of tissue Doppler imaging in patients with normal ejection fraction. 2011 , 66, 181-7	3
1117	Additive value of torsion to global longitudinal left ventricular strain in patients with reduced ejection fraction. 2011 , 66, 565-72	3
1116	Heart structure and function in patients with generalized autoimmune diseases: echocardiography with tissue Doppler study. 2011 , 66, 159-65	24
1115	Assessment of left ventricular diastolic function using 4-dimensional phase-contrast cardiac magnetic resonance. 2011 , 35, 108-12	9
1114	Myocardial fibrosis attenuates the effect of cibenzoline on left ventricular diastolic function in patients with hypertrophic cardiomyopathy. 2011 , 57, 207-12	4
1113	Reversal of subclinical left ventricular dysfunction by antihypertensive treatment: a prospective trial of nebivolol against metoprolol. 2011 , 29, 809-17	16
1112	Echocardiographic hemodynamic monitoring in the critically ill patient. 2011 , 7, 146-56	28
1111	Impact of concomitant diabetes and chronic kidney disease on preload-induced changes in left ventricular diastolic filling in hypertensive patients. 2011 , 29, 144-53	7
1110	Chronic kidney disease elicits excessive increase in left ventricular mass growth in patients at increased risk for cardiovascular events. 2011 , 29, 565-73	43
1109	Recent advances in cardiac imaging for patients with heart failure. 2011 , 26, 132-43	22
1108	The evolving concepts of haemodynamic support: from pulmonary artery catheter to echocardiography and theragnostics. 2011 , 7, 136-45	3
1107	Role of haemodialytic therapy on left ventricular mechanical dyssynchrony in patients with end-stage renal disease quantified by speckle-tracking strain imaging. 2011 , 26, 1655-61	23
1106	Elevated tricuspid regurgitation velocity and decline in exercise capacity over 22 months of follow up in children and adolescents with sickle cell anemia. 2011 , 96, 33-40	60
1105	E/e' ratio is a strong prognostic predictor of mortality in patients with non-valvular atrial fibrillation with preserved left ventricular systolic function. 2011 , 75, 2350-6	15
1104	Left atrial distensibility and E/e' for estimating left ventricular filling pressure in patients with stable angina. -A comparative echocardiography and catheterization study-. 2011 , 75, 1942-50	30
1103	Correlation of arterial stiffness to left ventricular function in patients with reduced ejection fraction. 2011 , 225, 145-51	8

1102	Association between high-sensitivity C-reactive protein and left ventricular diastolic function assessed by echocardiography in patients with cardiovascular risk factors. 2011 , 223, 263-8	9
1101	Doppler tissue imaging in children following cardiac transplantation: a comparison to catheter derived hemodynamics. 2011 , 15, 488-94	16
1100	Relationship between the course of depression symptoms and the left ventricular mass index and left ventricular filling pressure in chronic haemodialysis patients. 2011 , 16, 180-6	5
1099	Resting myocardial dysfunction in cirrhosis quantified by tissue Doppler imaging. 2011 , 31, 534-40	79
1098	Cardiac structure and function and dependency in the oldest old. 2011 , 59, 1429-34	13
1097	Cardiac autonomic function and global left ventricular performance in autoimmune euthyroid chronic thyroiditis: is treatment necessary at the euthyroid stage?. 2011 , 28, 15-21	8
1096	Chronic effect of right ventricular pacing on left ventricular rotational synchrony in patients with complete atrioventricular block. 2011 , 28, 69-75	7
1095	Detection of early cardiac dysfunction in patients with Beta thalassemia by tissue Doppler echocardiography. 2011 , 28, 175-80	8
1094	Tissue Doppler combined with pulsed-wave Doppler echocardiography for evaluating ventricular diastolic function in normal children. 2011 , 28, 93-6	12
1093	Reduced atrial emptying after orthotopic heart transplantation masquerading as restrictive transmitral Doppler flow pattern?*. 2011 , 28, 168-74	6
1092	Assessment of the left ventricular chamber stiffness in athletes. 2011 , 28, 276-87	7
1091	Transient pseudorestrictive pattern of transmitral flow velocity curve in patients with paroxysmal atrial fibrillation. 2011 , 28, 289-97	1
1090	Feasibility of assessing cardiac systolic function using longitudinal fractional shortening calculated by two-dimensional speckle tracking echocardiography. 2011 , 28, 402-7	6
1089	Dobutamine stress echocardiography Doppler estimation of cardiac diastolic function: a simultaneous catheterization correlation study. 2011 , 28, 442-7	8
1088	A quantitative analysis of left ventricular filling pressures in patients with a reduced ejection fraction, with or without concomitant left bundle branch block. 2011 , 28, 520-9	2
1087	Noninvasive assessment of left ventricular end-diastolic pressure with tissue Doppler imaging in patients with mitral regurgitation. 2011 , 28, 633-40	10
1086	Real time three-dimensional stress echocardiography: a new approach for assessing diastolic function. 2011 , 28, 676-83	3
1085	Echocardiographic evaluation of left ventricular filling pressures validated against an implantable left ventricular pressure monitoring system. 2011 , 28, 619-25	8

1084	The origin and clinical significance of the signal opposite to the mitral E-wave: a simple and novel indicator of left ventricular filling pressure. 2011 , 28, 606-11		1
1083	Normotensive male offspring of essential hypertensive parents show early changes in left ventricular geometry independent of blood pressure. 2011 , 28, 821-8		3
1082	Association of obesity and hypertension with left ventricular geometry and function in children and adolescents. 2011 , 19, 128-33		95
1081	Comparative study of pulmonary circulation and myocardial function in patients with β -thalassemia intermedia with and without hydroxyurea, a case-control study. 2011 , 87, 61-7		11
1080	The impact of two different doses of chelating therapy (deferasirox) on echocardiographic tissue Doppler indices in patients with thalassemia major. 2011 , 87, 267-73		2
1079	Heart failure due to abnormal filling function of the heart. 2011 , 57, 148-59		9
1078	Risk for atrial fibrillation in patients with hypertrophic cardiomyopathy: association with insulin resistance. 2011 , 58, 18-25		18
1077	Influence of bronchial blood flow and conductance on pulmonary function in stable systolic heart failure. 2011 , 177, 256-64		14
1076	Effect of supine posture on airway blood flow and pulmonary function in stable heart failure. 2011 , 178, 269-74		15
1075	Noninvasive assessment of filling pressure and left atrial pressure overload in severe aortic valve stenosis: relation to ventricular remodeling and clinical outcome after aortic valve replacement. 2011 , 142, e77-83		39
1074	Current perspectives on diagnosis of heart failure in long-term dialysis patients. 2011 , 57, 308-19		22
1073	Evaluating the effectiveness of rosuvastatin in preventing the progression of diastolic dysfunction in aortic stenosis: A substudy of the aortic stenosis progression observation measuring effects of rosuvastatin (ASTRONOMER) study. 2011 , 9, 5		8
1072	Multimodality imaging in diabetic heart disease. 2011 , 36, 9-47		16
1071	Postnatal left ventricular diastolic function after fetal aortic valvuloplasty. <i>American Journal of Cardiology</i> , 2011 , 108, 556-60	3	32
1070	Usefulness of left ventricular diastolic dysfunction assessed by pulsed tissue Doppler imaging as a predictor of atrial fibrillation recurrence after successful electrical cardioversion. <i>American Journal of Cardiology</i> , 2011 , 108, 698-704	3	23
1069	Relation of growth-differentiation factor 15 to left ventricular remodeling in ST-segment elevation myocardial infarction. <i>American Journal of Cardiology</i> , 2011 , 108, 955-8	3	38
1068	Left atrial volume index over late diastolic mitral annulus velocity (LAVi/A') is a useful echo index to identify advanced diastolic dysfunction and predict clinical outcomes. 2011 , 34, 124-30		11
1067	Analysis of athletes' heart by tissue Doppler and strain/strain rate imaging. 2011 , 27, 105-11		14

1066	Doppler tissue imaging and catheter-derived measures are not independent predictors of rejection in pediatric heart transplant recipients. 2011 , 27, 947-54	16
1065	The impact of positive airway pressure on cardiac status and clinical outcomes in patients with advanced heart failure and sleep-disordered breathing: a preliminary report. 2011 , 15, 701-9	6
1064	Tissue Doppler imaging is useful for predicting the need for inotropic support after cardiac surgery. 2011 , 25, 805-11	3
1063	Myocardial function and aerobic fitness in adolescent females. 2011 , 111, 1991-7	5
1062	Influence of acute and chronic myocardial loading conditions, function, structural changes and extracardiac factors on NT-proBNP in asymptomatic patients with preserved ejection fraction. 2011 , 100, 57-65	6
1061	Predictors of successful extracorporeal membrane oxygenation (ECMO) weaning after assistance for refractory cardiogenic shock. 2011 , 37, 1738-45	205
1060	Early echocardiographic findings in β -thalassemia intermedia patients using standard and tissue Doppler methods. 2011 , 32, 154-9	15
1059	Use of Echocardiographic Variables in Addition to E/e' to Improve Prediction of Elevated Left Ventricular Filling Pressures. 2011 , 4, 329-331	
1058	Diastolic stress echocardiography in Japanese elderly patients: prevalence and features of patients with elevated left ventricular filling pressure after treadmill stress. 2011 , 9, 17-23	7
1057	Doppler echocardiography in diastology: 35 years of Japanese contribution to its advancement and utility. 2011 , 9, 1-8	1
1056	Use of echocardiographic variables in addition to E/e' to improve prediction of elevated left ventricular filling pressures. 2011 , 13, 170-2	
1055	Impact of chronic kidney disease on the presence and severity of aortic stenosis in patients at high risk for coronary artery disease. 2011 , 9, 31	15
1054	The duration of the use of imatinib mesylate is only weakly related to elevated BNP levels in chronic myeloid leukaemia patients. 2011 , 29, 124-30	12
1053	Color-coded longitudinal interventricular septal tissue velocity imaging, strain and strain rate in healthy Doberman Pinschers. 2011 , 13, 1-11	8
1052	The use of imatinib mesylate has no adverse effects on the heart function. Results of a pilot study in patients with chronic myeloid leukemia. 2011 , 35, 317-22	8
1051	Assessment of the American Society of Echocardiography-European Association of Echocardiography guidelines for diastolic function in patients with depressed ejection fraction: an echocardiographic and invasive haemodynamic study. 2011 , 12, 857-64	45
1050	Echocardiography: frontier imaging in cardiology. 2011 , 84 Spec No 3, S237-45	19
1049	Echokardiografie in der Intensivmedizin. 2011 , 7, 197-222	

1048	Advantages of deformation indices over systolic velocities in assessment of longitudinal systolic function in patients with heart failure and normal ejection fraction. 2011 , 13, 292-302	42
1047	Myocardial collagen turnover after surgical ventricular restoration in heart failure patients. 2011 , 13, 1202-10	9
1046	Mitral annular plane systolic excursion on exercise: a simple diagnostic tool for heart failure with preserved ejection fraction. 2011 , 13, 953-60	63
1045	Additive value of severe diastolic dysfunction and contractile reserve in the identification of responders to cardiac resynchronization therapy. 2011 , 13, 1323-30	8
1044	Effects of treatment on respiratory rate, serum natriuretic peptide concentration, and Doppler echocardiographic indices of left ventricular filling pressure in dogs with congestive heart failure secondary to degenerative mitral valve disease and dilated cardiomyopathy. 2011 , 239, 468-79	32
1043	Differences in left ventricular diastolic dysfunction between eccentric and concentric left ventricular hypertrophy in hypertensive patients with preserved systolic function. 2011 , 39, 772-9	14
1042	Heart failure in long-term peritoneal dialysis patients: a 4-year prospective analysis. 2011 , 6, 805-12	36
1041	Left ventricular filling pressure assessment using left atrial transit time by cardiac magnetic resonance imaging. 2011 , 4, 130-8	18
1040	Anatomic Basis of Echocardiographic Diagnosis. 2011 ,	6
1039	The association between left ventricular diastolic function and a mild-to-moderate decrease in glomerular filtration rate in patients with type 2 diabetes mellitus. 2011 , 39, 2178-86	8
1038	Clinical outcomes of exercise-induced pulmonary hypertension in subjects with preserved left ventricular ejection fraction: implication of an increase in left ventricular filling pressure during exercise. 2011 , 97, 1417-24	58
1037	Relationship between early diastolic dysfunction and abnormal microvolt T-wave alternans in patients with type 2 diabetes. 2011 , 4, 408-14	11
1036	Echocardiographic indices do not reliably track changes in left-sided filling pressure in healthy subjects or patients with heart failure with preserved ejection fraction. 2011 , 4, 482-9	104
1035	Quantification of myocardial iron deposition by two-dimensional speckle tracking in patients with β -thalassaemia major and Blackfan-Diamond anaemia. 2011 , 97, 388-93	22
1034	PDE5 inhibition with sildenafil improves left ventricular diastolic function, cardiac geometry, and clinical status in patients with stable systolic heart failure: results of a 1-year, prospective, randomized, placebo-controlled study. 2011 , 4, 8-17	298
1033	Systolic and diastolic heart failure are overlapping phenotypes within the heart failure spectrum. 2011 , 123, 1996-2004; discussion 2005	92
1032	Serum high-sensitivity cardiac troponin T is a significant biomarker of left-ventricular diastolic dysfunction in subjects with non-diabetic chronic kidney disease. 2011 , 1, 166-77	18
1031	Reduced brain natriuretic peptide levels in class III obesity: the role of metabolic and cardiovascular factors. 2011 , 4, 427-32	11

1030	Analysis of left ventricular systolic function by midwall mechanics in patients with obstructive sleep apnoea. 2011 , 12, 61-8	11
1029	Estimation of left ventricular filling pressures by speckle tracking echocardiography in patients with idiopathic dilated cardiomyopathy. 2011 , 12, 11-8	54
1028	Prognostic significance of tissue-Doppler imaging in chronic heart failure patients on transplant waiting list: a comparative study with right heart catheterization. 2011 , 12, 112-9	4
1027	Heritability of left ventricular structure and function in Caucasian families. 2011 , 12, 326-32	11
1026	Tissue Doppler echocardiography reveals impaired cardiac function in patients with reversible ischaemia. 2011 , 12, 628-34	12
1025	Predictors of mitral annulus early diastolic velocity: impact of long-axis function, ventricular filling pattern, and relaxation. 2011 , 12, 818-25	12
1024	Early diastolic mitral annular velocity at the interventricular septal annulus correctly reflects left ventricular longitudinal myocardial relaxation. 2011 , 12, 917-23	21
1023	Echocardiographic Evaluation of Diastolic Function. 2011 , 27, 65-78	2
1022	Noninvasive estimation of the rate of relaxation by the analysis of intraventricular pressure gradients. 2011 , 4, 94-104	26
1021	Plasma heparin cofactor II activity is inversely associated with left atrial volume and diastolic dysfunction in humans with cardiovascular risk factors. 2011 , 34, 225-31	5
1020	Diabetic heart disease: the story continues. 2011 , 25, 141-3	
1019	Impact of a systolic parameter, defined as the ratio of right brachial pre-ejection period to ejection time, on the relationship between brachial-ankle pulse wave velocity and left ventricular diastolic function. 2011 , 34, 462-7	9
1018	Imaging in hypertensive heart disease. 2011 , 9, 199-209	18
1017	Midregional proadrenomedullin (MR-proADM) is a powerful predictor of early death in AL amyloidosis. 2011 , 18, 216-21	22
1016	Improving echocardiographic estimation of pulmonary vascular resistance. 2011 , 97, 782; author reply 782	
1015	The Authors' reply. 2011 , 97, 782-782	
1014	High prevalence of subclinical left ventricular dysfunction in patients with psoriatic arthritis. 2011 , 38, 1363-70	38
1013	The value of tools to assess pulmonary arterial hypertension. 2011 , 20, 222-35	23

1012	Application of an exercise intervention on the evolution of diastolic dysfunction in patients with diabetes mellitus: efficacy and effectiveness. 2011 , 4, 441-9	21
1011	Acute elevation of triglycerides increases left ventricular contractility and alters ventricular-vascular interaction. 2011 , 301, H123-8	7
1010	Diagnostic accuracy and clinical utility of echocardiographic indices for detecting left ventricular diastolic dysfunction in patients with coronary artery disease and normal ejection fraction. 2011 , 11, 666-73	2
1009	Mechanics of left ventricular relaxation, early diastolic lengthening, and suction investigated in a mathematical model. 2011 , 300, H1678-87	25
1008	Association between echocardiographic parameters and brain natriuretic peptide levels in treated hypertensive patients. 2011 , 33, 187-91	2
1007	Myocardial tissue Doppler velocities in fetuses with hypoplastic left heart syndrome. 2011 , 4, 129-34	5
1006	The onset of left ventricular diastolic dysfunction in SHR rats is not related to hypertrophy or hypertension. 2012 , 302, H1524-32	35
1005	Prognostic value of left ventricular diastolic dysfunction in patients undergoing cardiac catheterization for coronary artery disease. 2012 , 2012, 243735	10
1004	[Assessment of left ventricular functions with tissue Doppler, strain and strain rate echocardiography in children with juvenile idiopathic arthritis: An observational study]. 2012 , 12, 339-46	3
1003	Republished article: Imaging assessment of ventricular mechanics. 2012 , 88, 105-12	1
1002	A systematic review of resting left ventricular systolic and diastolic function and adaptation in elite weightlifters. 2012 , 104, 129-41	1
1001	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. 2012 , 33, 1787-847	3691
1000	Increase in ventricular-arterial stiffness in patients with psoriatic arthritis. 2012 , 51, 2215-23	30
999	Impact of frequent nocturnal hemodialysis on myocardial mechanics and cardiomyocyte gene expression. 2012 , 5, 474-80	15
998	Heart failure with normal left ventricular ejection fraction: role of echocardiography. 2012 , 27, 169-80	12
997	Nonalcoholic fatty liver disease is associated with left ventricular diastolic dysfunction in patients with type 2 diabetes. 2012 , 35, 389-95	134
996	Plasma adrenomedullin and subclinical cardiorenal syndrome in patients with type 2 diabetes mellitus. 2012 , 40, 1552-9	4
995	Is mitral E/E' ratio a reliable predictor of left ventricular diastolic pressures in patients without heart failure?. 2012 , 13, 588-95	29

994	SLICC/ACR damage index independently associated with left ventricular diastolic dysfunction in patients with systemic lupus erythematosus. 2012 , 21, 1057-62	20
993	Physical activity and cardiac function in the oldest old. 2012 , 15, 32-40	5
992	Altered coronary vascular control during cold stress in healthy older adults. 2012 , 302, H312-8	31
991	Noninvasive Exploration of the Pulmonary Circulation and the Right Heart. 2012 , 48-58	
990	Relationship between depression and subclinical left ventricular changes in the general population. 2012 , 98, 1378-83	23
989	The prognostic significance of right ventricular tissue Doppler parameters in patients with left ventricular systolic heart failure: an observational cohort study. 2012 , 98, 1142-5	6
988	Pulmonary circulation at exercise. 2012 , 2, 711-41	110
987	Association between cardiac function and pulmonary function in hypertensive patients. 2012 , 40, 105-14	3
986	Pulmonary hypertension in left heart disease. 2012 , 21, 338-46	50
985	Fetal cardiac function: technical considerations and potential research and clinical applications. 2012 , 32, 47-64	86
984	Diastolic dysfunction and risk of atrial fibrillation: a mechanistic appraisal. 2012 , 126, 2353-62	121
983	Can transthoracic echocardiography be used to predict fluid responsiveness in the critically ill patient? A systematic review. 2012 , 2012, 513480	48
982	Application of echocardiography on transgenic mice with cardiomyopathies. 2012 , 2012, 715197	7
981	Effect of intra-abdominal hypertension on left ventricular relaxation: a preliminary animal study. 2012 , 108, 211-5	6
980	The ABCs of left ventricular assist device echocardiography: a systematic approach. 2012 , 13, 885-99	46
979	Heart failure with a preserved ejection fraction additive value of an exercise stress echocardiography. 2012 , 13, 656-65	41
978	Association of abnormal coronary microcirculatory function with impaired response of longitudinal left ventricular function during adenosine stress echocardiography in untreated hypertensive patients. 2012 , 13, 1030-40	13
977	Torsion analysis in the early detection of anthracycline-mediated cardiomyopathy. 2012 , 13, 95-103	50

976	Subclinical myocardial dysfunction in Rett syndrome. 2012 , 13, 339-45	30
975	Cardiac function in Vietnamese patients with different dengue severity grades. 2012 , 40, 477-83	36
974	Tissue Doppler imaging in coronary artery diseases and heart failure. 2012 , 8, 43-53	17
973	Exercise stress echocardiography of the pulmonary circulation: limits of normal and sex differences. 2012 , 142, 1158-1165	123
972	Does the relationship between natriuretic hormones and diastolic function differ by race?. 2012 , 344, 96-9	2
971	Prognostic implications of preoperative E/e' ratio in patients with off-pump coronary artery surgery. 2012 , 116, 362-71	33
970	Cardiovascular safety of one-year escitalopram therapy in clinically nondepressed patients with acute coronary syndrome: results from the DEpression in patients with Coronary ARtery Disease (DECARD) trial. 2012 , 60, 397-405	29
969	Point of care cardiac ultrasound applications in the emergency department and intensive care unit—a review. 2012 , 8, 98-108	93
968	Pulmonary artery pressure and iron deficiency in patients with upregulation of hypoxia sensing due to homozygous VHL(R200W) mutation (Chuvash polycythemia). 2012 , 97, 193-200	19
967	Tissue Doppler imaging-derived myocardial acceleration during isovolumetric contraction predicts pulmonary capillary wedge pressure in patients with reduced ejection fraction. 2012 , 76, 1399-408	4
966	Dose-dependent acute effects of passive smoking on left ventricular cardiac functions in healthy volunteers. 2012 , 60, 517-22	5
965	Simultaneous Doppler tracing of transmitral inflow and mitral annular velocity as an estimate of elevated left ventricular filling pressure in patients with atrial fibrillation. 2012 , 76, 675-81	27
964	Radiofrequency catheter ablation of persistent atrial fibrillation decreases a sleep-disordered breathing parameter during a short follow-up period. 2012 , 76, 2096-103	25
963	Cardiopulmonary bypass transiently inhibits intraventricular vortex ring formation in patients undergoing coronary artery bypass graft surgery. 2012 , 26, 376-80	4
962	Pulmonary hypertension due to left heart disease. 2012 , 126, 975-90	294
961	Clinical significance of global two-dimensional strain as a surrogate parameter of myocardial fibrosis and cardiac events in patients with hypertrophic cardiomyopathy. 2012 , 13, 617-23	128
960	Left ventricular systolic and diastolic function, remodelling, and clinical outcomes among patients with diabetes following myocardial infarction and the influence of direct renin inhibition with aliskiren. 2012 , 14, 185-92	33
959	Transthoracic Echocardiography with Doppler Tissue Imaging predicts weaning failure from mechanical ventilation: evolution of the left ventricle relaxation rate during a spontaneous breathing trial is the key factor in weaning outcome. 2012 , 16, R81	66

958	Improvement of left ventricular relaxation as assessed by tissue Doppler imaging in fluid-responsive critically ill septic patients. 2012 , 38, 1461-70		40
957	Ventricular structure and function in children with sickle cell disease using conventional and tissue Doppler echocardiography. <i>American Journal of Cardiology</i> , 2012 , 109, 1358-64	3	28
956	Tissue Doppler imaging predicts adverse outcome in children with idiopathic pulmonary arterial hypertension. 2012 , 161, 1126-31		41
955	Rest left ventricular function and contractile reserve by dobutamine stress echocardiography in peripartum cardiomyopathy. 2012 , 31, 287-293		9
954	Biomarkers of functional class in systolic heart failure: The relevance of copeptin. 2012 , 31, 701-710		3
953	Early prediction of left ventricular systolic dysfunction in patients of asymptomatic chronic severe rheumatic mitral regurgitation using tissue Doppler and strain rate imaging. 2012 , 64, 245-8		1
952	Cardiopatia ipertensiva e insufficienza cardiaca con normale frazione di eiezione ventricolare sinistra. Ruolo dell'ecocardiografia convenzionale e di quella avanzata nella valutazione della disfunzione ventricolare sinistra. 2012 , 22, 74-90		
951	Rest left ventricular function and contractile reserve by dobutamine stress echocardiography in peripartum cardiomyopathy. 2012 , 31, 287-93		12
950	Acute changes in myocardial systolic function in preterm infants undergoing patent ductus arteriosus ligation: a tissue Doppler and myocardial deformation study. 2012 , 25, 1058-67		83
949	E/e' two weeks after onset is a powerful predictor of cardiac death and heart failure in patients with a first-time ST elevation acute myocardial infarction. 2012 , 25, 1290-8		23
948	[Biomarkers of functional class in systolic heart failure: the relevance of copeptin]. 2012 , 31, 701-10		2
947	Usefulness of parathyroid hormone as a predictor of heart failure with preserved ejection fraction. 2012 , 17, 447-54		10
946	ESC guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. 2012 , 14, 803-69		1892
945	Diastolic dysfunction and mortality in severe sepsis and septic shock. 2012 , 33, 895-903		256
944	Relation of left ventricular end-diastolic pressure and N-terminal pro-brain natriuretic peptide level with left atrial deformation parameters. 2012 , 13, 524-30		51
943	Cardiovascular programming in children born small for gestational age and relationship with prenatal signs of severity. 2012 , 207, 121.e1-9		107
942	Transthoracic echocardiographic parameters in the estimation of pulmonary capillary wedge pressure in patients with present or previous heart failure. <i>American Journal of Cardiology</i> , 2012 , 110, 689-94	3	14
941	Different prognostic impact of the tissue Doppler-derived E/e' ratio on mortality in Chagas cardiomyopathy patients with heart failure. 2012 , 31, 634-41		29

940	Haemodynamics in obese pregnant women. 2012 , 21, 129-34		14
939	Diabetic cardiomyopathy and diastolic heart failure -- difficulties with relaxation. 2012 , 97, 185-94		32
938	Diastolic dysfunction and mortality in early severe sepsis and septic shock: a prospective, observational echocardiography study. 2012 , 4, 8		51
937	Magnetic Resonance Phase Mapping for Myocardial Structural Abnormalities Relevant to Arrhythmias. 2012 , 828-835		
936	Evaluation of left ventricular relaxation and filling pressures in obstructive hypertrophic cardiomyopathy: comparison between invasive hemodynamics and two-dimensional speckle tracking. 2012 , 29, 934-42		22
935	Radial and longitudinal strain and strain rate assessed by speckle-tracking echocardiography in dogs with myxomatous mitral valve disease. 2012 , 26, 1309-19		27
934	Usefulness of tissue Doppler echocardiography to predict perioperative cardiac events in patients undergoing noncardiac surgery. 2012 , 27, 594-602		14
933	Two-dimensional strain and twist by vector velocity imaging in adolescents with severe obesity. 2012 , 20, 2397-405		22
932	Pulmonary pressures and death in heart failure: a community study. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 222-31	15.1	200
931	Integrating lung ultrasound in the hemodynamic evaluation of acute circulatory failure (the fluid administration limited by lung sonography protocol). 2012 , 27, 533.e11-9		62
930	Echocardiographic changes during treatment of acute decompensated heart failure: insights from the ESCAPE trial. 2012 , 18, 792-8		28
929	Czech Society of Cardiology Guidelines for the Diagnosis and Treatment of Chronic Heart Failure 2011. 2012 , 54, e113-e134		9
928	Normal values of left and right ventricular function measured by M-mode, pulsed doppler and Doppler tissue imaging in healthy term neonates during a 1-year period. 2012 , 88, 853-9		25
927	Relationship between red cell distribution width and echocardiographic parameters in patients with diastolic heart failure. 2012 , 28, 165-72		13
926	Role of echocardiography in the hemodynamic monitorization of critical patients. 2012 , 36, 220-232		
925	Imaging in the evaluation of pulmonary artery hemodynamics and right ventricular structure and function. 2012 , 8, 353-72		10
924	Integrating Optimal Use of Echocardiography and Biomarkers in Heart Disease. 2012 , 5, 444-451		
923	High E/e' disrupts the rapid lowering of blood glucose in response to exercise training. 2012 , 10, 119-24		

922	Incremental prognostic significance of peripheral endothelial dysfunction in patients with heart failure with normal left ventricular ejection fraction. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1778-86	15.1	189
921	Guía de práctica clínica de la ESC sobre diagnóstico y tratamiento de la insuficiencia cardiaca aguda y crónica 2012. 2012 , 65, 938.e1-938.e59		27
920	Left ventricular rotational dynamics in Beta thalassemia major: a speckle-tracking echocardiographic study. 2012 , 25, 1083-90		30
919	Right ventricular function in AL amyloidosis: characteristics and prognostic implication. 2012 , 13, 416-22		78
918	Cardiovascular disease in children and adolescents with diabetes: where are we, and where are we going?. 2012 , 14 Suppl 1, S11-21		14
917	Echocardiography. 2012 , 113-156		
916	Speckle echocardiographic left atrial strain and stiffness index as predictors of maintenance of sinus rhythm after cardioversion for atrial fibrillation: a prospective study. 2012 , 10, 48		51
915	Abdominal aortic calcification is associated with diastolic dysfunction, mortality, and nonfatal cardiovascular events in maintenance hemodialysis patients. 2012 , 27, 870-5		19
914	Determinants of reduced tricuspid annular plane systolic excursion in patients with severe systolic left ventricular dysfunction. 2012 , 67, 657-63		7
913	Effects of inhaled tiotropium on left ventricular diastolic function in chronic obstructive pulmonary disease patients after pulmonary resection. 2012 , 18, 206-11		5
912	Effect of Prolonged TSH Suppression on Cardiovascular System. 2012 , 5, 25		
911	Relation Between RR Intervals and Early Diastolic Mitral Annular Velocities in Atrial Fibrillation. 2012 , 42, 618-24		
910	Early cardiac valvular changes in ankylosing spondylitis: a transesophageal echocardiography study. 2012 , 20, 30-6		18
909	Echocardiographic parameters associated with pulmonary congestion in outpatients with Chagas' cardiomyopathy and non-chagasic cardiomyopathy. 2012 , 45, 215-9		2
908	Monitoring Myocardial Dysfunction as Part of Sepsis Management. 2012 , 91-102		
907	Magnetic resonance assessment of left ventricular diastolic dysfunction for detecting cardiac allograft vasculopathy in recipients of heart transplants. 2012 , 28, 555-62		11
906	Left atrial volume: clinical value revisited. 2012 , 14, 374-80		24
905	Diastolic stress test for the evaluation of exertional dyspnea. 2012 , 14, 359-65		9

904	A rational approach to assess volume status in patients with decompensated heart failure. 2012 , 9, 139-47		1
903	A novel Doppler echocardiographic score reflecting cardiac functional status can predict adverse outcome in acute myocardial infarction. 2012 , 10, 41-7		0
902	A novel global strain diastolic index correlates with plasma NT-proBNP levels in asymptomatic hypertensive patients with preserved left ventricular ejection fraction. 2012 , 10, 56-64		1
901	Echocardiography signs of early cardiac impairment in patients with breast cancer and trastuzumab therapy. 2012 , 101, 415-26		29
900	The accuracy of transoesophageal echocardiography in estimating pulmonary capillary wedge pressure in anaesthetised patients. 2012 , 67, 122-31		10
899	Comparison of left atrial volume parameters in detecting left ventricular diastolic dysfunction versus tissue Doppler recordings. <i>American Journal of Cardiology</i> , 2012 , 109, 748-55	3	31
898	Preoperative plasma B-type natriuretic peptide (BNP) identifies abnormal transthoracic echocardiography in elderly patients with traumatic hip fracture. 2012 , 43, 811-6		4
897	Effect of cardiovascular autonomic neuropathy (CAN) on left ventricular function in normotensive type 1 diabetic patients: A study by pulsed wave tissue Doppler echocardiography. 2012 , 64, 7-13		1
896	Relation between NT-proBNP levels, iron overload, and early stage of myocardial dysfunction in β -thalassaemia major patients. 2012 , 29, 318-25		12
895	Speckle tracking global strain rate E/E' predicts LV filling pressure more accurately than traditional tissue Doppler E/E'. 2012 , 29, 404-10		52
894	Impact of body mass index on left ventricular diastolic dysfunction. 2012 , 29, 647-51		30
893	Decreased level of melatonin in serum predicts left ventricular remodelling after acute myocardial infarction. 2012 , 53, 319-23		41
892	Algorithm-based assessment of target weight removal in acute decompensated heart failure. 2012 , 18, 43-6		1
891	Relationship between erythropoietin resistance index and left ventricular mass and function and cardiovascular events in patients on chronic hemodialysis. 2012 , 16, 181-7		17
890	Correlation of N-terminal fragment of B-type natriuretic peptide levels with clinical, laboratory, and echocardiographic abnormalities in children with sickle cell disease. 2012 , 160, 428-433.e1		8
889	[Role of echocardiography in the hemodynamic monitorization of critical patients]. 2012 , 36, 220-32		19
888	Highly sensitive cardiac troponin T in heart failure: comparison with echocardiographic parameters and natriuretic peptides. 2012 , 59, 202-8		32
887	Accumulation of pericardial fat correlates with left ventricular diastolic dysfunction in patients with normal ejection fraction. 2012 , 59, 344-51		39

886	Effects of atenolol, perindopril and verapamil on haemodynamic and vascular function in Marfan syndrome - a randomised, double-blind, crossover trial. 2012 , 42, 891-9	31
885	Pulmonary vascular distensibility predicts aerobic capacity in healthy individuals. 2012 , 590, 4279-88	71
884	Association between left atrial size and measures of adiposity among normal adolescent boys. 2012 , 33, 245-51	7
883	Role of left ventricular untwisting in diastolic dysfunction after long duration exercise. 2012 , 112, 525-33	9
882	Relation of left atrial peak systolic strain with left ventricular diastolic dysfunction and brain natriuretic peptide level in patients presenting with ST-elevation myocardial infarction. 2013 , 11, 24	12
881	Ratio of early diastolic tricuspid inflow to tricuspid lateral annulus velocity reflects pulmonary regurgitation severity but not right ventricular diastolic function in children with repaired Tetralogy of Fallot. 2013 , 34, 1112-7	9
880	Echocardiography in pulmonary arterial hypertension: from diagnosis to prognosis. 2013 , 26, 1-14	316
879	Congestive Heart Failure. 2013 , 235-257	1
878	Usefulness of right ventricular tissue Doppler imaging for diagnosis of right ventricular myocardial infarction. 2013 , 11, 89-96	1
877	Focused ultrasound is the next step in perioperative care. 2013 , 60, 741-7	10
876	[Role of whole-body ultrasound in severe pre-eclampsia and post-partum hemorrhage]. 2013 , 60, 796-802	11
875	Lung ultrasound in diagnosing and monitoring pulmonary interstitial fluid. 2013 , 118, 196-205	51
874	Impaired renal function is a major determinant of left ventricular diastolic dysfunction: assessment by stress myocardial perfusion imaging. 2013 , 27, 729-36	6
873	Electromechanical relationship in hypertrophic cardiomyopathy. 2013 , 6, 604-15	7
872	Left atrial remodelling in patients undergoing transcatheter aortic valve implantation: a speckle-tracking prospective, longitudinal study. 2013 , 29, 1717-24	21
871	Hypertrophic Cardiomyopathy. 2013 , 101-175	1
870	Congestive Heart Failure. 2013 , 255-302	
869	The increasing detection of asymptomatic left ventricular dysfunction in patients with type 2 diabetes mellitus without overt cardiac disease: data from the SHORTWAVE study. 2013 , 101, 309-16	53

868	Left ventricular diastolic function in children and young adults with congenital aortic valve disease. <i>American Journal of Cardiology</i> , 2013 , 111, 243-9	3	32
867	Heart Failure with Normal Left Ventricular Ejection Fraction: Basic Principles and Clinical Diagnostics. 2013 , 25-61		1
866	Inadequate RAAS suppression is associated with excessive left ventricular mass and systo-diastolic dysfunction. 2013 , 102, 725-33		18
865	The pulsed Doppler and tissue Doppler-derived septal E/e' ratio is significantly related to invasive measurement of ventricular end-diastolic pressure in biventricular rather than univentricular physiology in patients with congenital heart disease. 2013 , 102, 563-70		7
864	Impaired diastolic function and elevated Nt-proBNP levels in type 1 diabetic patients without overt cardiovascular disease. 2013 , 50, 155-61		15
863	[Assessment of diastolic heart failure. Current role of echocardiography]. 2013 , 38, 18-25		5
862	Utility of cystatin C as a marker for the severity of aortic regurgitation in hypertensive patients. 2013 , 425, 259-64		
861	Cardiovascular function in healthy Himalayan high-altitude dwellers. 2014 , 236, 47-53		25
860	Evolution of left ventricular ejection fraction after acute myocardial infarction: implications for implantable cardioverter-defibrillator eligibility. 2014 , 130, 743-8		41
859	Imaging in heart failure with preserved ejection fraction. 2014 , 10, 419-34		6
858	Gender differences in myocardial function and arterio-ventricular coupling in response to maximal exercise in adolescent floor-ball players. 2014 , 6, 24		2
857	Reentrant ventricular tachycardia originating from the periaortic region in the absence of overt structural heart disease. 2014 , 7, 99-106		24
856	Weaning-induced cardiac dysfunction: where are we today?. 2014 , 40, 1069-79		44
855	Classification of diastolic function with phase-contrast cardiac magnetic resonance imaging: validation with echocardiography and age-related reference values. 2014 , 103, 441-50		24
854	Early myocardial deformation abnormalities in breast cancer survivors. 2014 , 146, 127-35		9
853	The prognostic value of a new tissue Doppler parameter in patients with heart failure. 2014 , 30, 47-55		6
852	Systolic heart failure and cardiac resynchronization therapy: a focus on diastole. 2014 , 30, 897-905		6
851	Early changes of left ventricular geometry and deformational analysis in obese subjects without cardiovascular risk factors: a three-dimensional and speckle tracking echocardiographic study. 2014 , 30, 1037-47		17

850	Tissue doppler myocardial performance index in patients with heart failure and its relationship with haemodynamic parameters. 2014 , 30, 1057-64		14
849	Tissue Doppler imaging in systemic sclerosis: a 3-year longitudinal study. 2014 , 43, 673-80		19
848	Atrial fibrillation and biomarkers of myocardial fibrosis in heart failure. 2014 , 48, 299-303		14
847	Cardiovascular function in children who had chronic lung disease of prematurity. 2014 , 99, F373-9		33
846	Evaluation of prenatal risk factors for prediction of outcome in right heart lesions: CVP score in fetal right heart defects. 2014 , 27, 1431-7		8
845	Effect of muscle metaboreflex activation on central hemodynamics and cardiac function in humans. 2014 , 39, 861-70		14
844	Right ventricular diastolic performance in children with pulmonary arterial hypertension associated with congenital heart disease: correlation of echocardiographic parameters with invasive reference standards by high-fidelity micromanometer catheter. 2014 , 7, 491-501		41
843	Myocardial dysfunction in pediatric septic shock. 2014 , 164, 72-77.e2		59
842	Echocardiography-based hemodynamic management in the cardiac surgical intensive care unit. 2014 , 28, 733-44		13
841	Association between C-reactive protein level and echocardiography assessed left ventricular function in first ST-segment elevation myocardial infarction patients who underwent primary coronary intervention. 2014 , 63, 402-8		3
840	Usefulness of tissue Doppler imaging to evaluate pulmonary capillary wedge pressure during exercise in patients with reduced left ventricular ejection fraction. <i>American Journal of Cardiology</i> , 2014 , 113, 2036-44	3	15
839	Utility of right ventricular Tei-index for assessing disease severity and determining response to treatment in patients with pulmonary arterial hypertension. 2014 , 63, 149-53		27
838	Echocardiographic predictor of acute heart failure after spine surgery: a novel tissue Doppler index associated with a potentially fatal complication of the operation. 2014 , 14, 782-8		1
837	Heart failure with preserved ejection fraction: current understandings and challenges. 2014 , 16, 501		27
836	Associations of pulse pressure index with left ventricular filling pressure and diastolic dysfunction in patients with chronic kidney disease. 2014 , 27, 454-9		9
835	Prognostic importance of pathophysiologic markers in patients with heart failure and preserved ejection fraction. 2014 , 7, 288-99		139
834	How does stress possibly affect cardiac remodeling?. 2014 , 57, 20-30		4
833	Relationship between obstructive sleep apnea-specific symptoms and cardiac function before and after adenotonsillectomy in children with adenotonsillar hypertrophy. 2014 , 78, 1281-7		16

832	Assessment of elevation of and rapid change in left ventricular filling pressure using a novel global strain imaging diastolic index. 2014 , 78, 419-27	10
831	The glorious years leading Doppler flow to the heart, the odyssey of the pioneers!. 2014 , 69, 351-65	2
830	Single ventricle function and exercise tolerance in adult patients after Fontan operation. 2014 , 69, 155-60	13
829	At high cardiac output, diesel exhaust exposure increases pulmonary vascular resistance and decreases distensibility of pulmonary resistive vessels. 2015 , 309, H2137-44	22
828	Impact of left ventricular diastolic dysfunction on outcome of catheter ablation for atrial fibrillation in patients with hypertrophic cardiomyopathy. 2015 , 79, 419-24	18
827	Biomarkers and echocardiographic predictors of myocardial dysfunction in patients with hypertension. <i>Scientific Reports</i> , 2015 , 5, 8916	4.9 25
826	Dyspnea in a nonagenarian: The usual suspects, an unexpected culprit. 2015 , 34, 559.e1-6	1
825	Relation between E/e' ratio and NT-proBNP levels in elderly patients with symptomatic severe aortic stenosis. 2015 , 13, 29	2
824	Estimated pulmonary capillary wedge pressure assessed by speckle tracking echocardiography predicts successful ablation in paroxysmal atrial fibrillation. 2016 , 14, 6	4
823	Echo-Doppler-derived indexes of ventricular stiffness and ventriculo-arterial interaction as predictors of new-onset atrial fibrillation in patients with heart failure. 2016 , 14, 7	3
822	Left ventricular diastolic dyssynchrony in patients with treatment-naive hypertension and the effects of antihypertensive therapy. 2015 , 33, 354-65	12
821	Evaluation of right ventricular function in fetuses with hypoplastic left heart syndrome using tissue Doppler techniques. 2015 , 45, 670-7	19
820	The role of blood pressure, body weight and fat distribution on left ventricular mass, diastolic function and cardiac geometry in children. 2015 , 33, 1182-92	40
819	The Evaluation of the Heart Failure Patient by Echocardiography: Time to go beyond the Ejection Fraction. 2015 , 1, 65-80	
818	Tissue Doppler Imaging Measures Correlate Poorly with Left Ventricular Filling Pressures in Pediatric Cardiomyopathy. 2015 , 10, E203-9	8
817	Relation of left atrial stiffness to insulin resistance in obese children: Doppler strain imaging study. 2015 , 32, 1157-63	2
816	Diagnosis and management of hypertrophic cardiomyopathy. 2015 , 2, R45-53	13
815	QRS duration in left bundle branch block does not affect left ventricular twisting in chronic systolic heart failure. 2015 , 35, 436-42	1

814	Heart Failure With Preserved Ejection Fraction: What Is in a Name?. 2015 , 23, 161-7		8
813	The Effect of Exercise Training on Diastolic and Systolic Function After Acute Myocardial Infarction: A Randomized Study. 2015 , 94, e1450		16
812	Intrathoracic Pressure Regulation Augments Stroke Volume and Ventricular Function in Human Hemorrhage. 2015 , 44 Suppl 1, 55-62		5
811	Tissue Doppler and strain imaging of left ventricle in Beagle dogs with iatrogenic hypercortisolism. 2015 , 16, 357-65		2
810	Cardiac diastolic function is impaired at rest and worsens with exercise in otherwise healthy individuals with insulin resistance. <i>International Heart Journal</i> , 2015 , 56, 345-8	1.8	3
809	Relationship between Myocardial Extracellular Space Expansion Estimated with Post-Contrast T1 Mapping MRI and Left Ventricular Remodeling and Neurohormonal Activation in Patients with Dilated Cardiomyopathy. 2015 , 16, 1153-62		7
808	Reproducibility in echocardiographic assessment of diastolic function in a population based study (the STANISLAS Cohort study). 2015 , 10, e0122336		26
807	Gender differences in predictors of left ventricular myocardial relaxation in non-obese, healthy individuals. 2015 , 10, e0125107		1
806	Nonalcoholic Fatty Liver Disease Is Independently Associated with Early Left Ventricular Diastolic Dysfunction in Patients with Type 2 Diabetes. 2015 , 10, e0135329		61
805	Effect of fluid loading on left ventricular volume and stroke volume variability in patients with end-stage renal disease: a pilot study. 2015 , 11, 1619-25		4
804	Echocardiographic Evaluation of Left Atrial Mechanics: Function, History, Novel Techniques, Advantages, and Pitfalls. 2015 , 2015, 765921		33
803	Oxidative Stress State Is Associated with Left Ventricular Mechanics Changes, Measured by Speckle Tracking in Essential Hypertensive Patients. 2015 , 2015, 502107		3
802	Pattern and severity of left ventricular diastolic dysfunction in early and end stage renal disease patients with or without dialysis in rural population in South India. 2015 , 6, 546		
801	Recommendations on the use of echocardiography in adult hypertension: a report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE) 2015 , 16, 577-605		146
800	Assessment of structural cardiac abnormalities and diastolic function in women with gestational diabetes mellitus. 2015 , 12, 175-80		19
799	Ultrasonographic measurement of carotid artery resistive index and diastolic function of the heart in gout patients. 2015 , 35, 1369-75		3
798	Sex differences in the effects of type 2 diabetes on exercise performance. 2015 , 47, 58-65		37
797	Assessment of Ventricular-Vascular Function by Echocardiography. 2015 , 143-175		1

796	Left ventricular layer function in hypertension assessed by myocardial strain rate using novel one-beat real-time three-dimensional speckle tracking echocardiography with high volume rates. 2015 , 38, 551-9	16
795	Heart valve calcification in patients with type 2 diabetes and nonalcoholic fatty liver disease. 2015 , 64, 879-87	55
794	E/e' Ratio in Patients With Unexplained Dyspnea: Lack of Accuracy in Estimating Left Ventricular Filling Pressure. 2015 , 8, 749-56	73
793	Left ventricular diastolic function and dysfunction: Central role of echocardiography. 2015 , 2015, 3	20
792	Impaired right ventricular hemodynamics indicate preclinical pulmonary hypertension in patients with metabolic syndrome. 2015 , 4, e001597	33
791	Gender Differences in Ventricular-vascular Coupling Following Exercise. 2015 , 30, 231-8	0
790	Echocardiographic evaluation of left ventricular diastolic function in cats: Hemodynamic determinants and pattern recognition. 2015 , 17 Suppl 1, S102-33	43
789	Cardiorespiratory alterations induced by low-intensity exercise performed in water or on land. 2015 , 40, 309-15	8
788	A novel ultrasound predictor of pulmonary capillary wedge pressure assessed by the combination of left atrial volume and function: A speckle tracking echocardiography study. 2015 , 66, 253-62	12
787	Echocardiographic evaluation of left ventricular diastolic function: an update. 2015 , 17, 3	18
786	Left ventricular diastolic function and cardiometabolic factors in obese normotensive children. 2015 , 25, 108-15	17
785	Patterns of left ventricular diastolic function in Olympic athletes. 2015 , 28, 236-44	42
784	Strain, strain rate, torsion, and twist: echocardiographic evaluation. 2015 , 17, 568	20
783	Evolution of left ventricular function in the preterm infant. 2015 , 28, 302-8	41
782	Left atrial appendage flow velocity after successful ablation of persistent atrial fibrillation: clinical perspective from transesophageal echocardiographic assessment during sinus rhythm. 2015 , 169, 211-21	8
781	Echo Doppler Estimation of Pulmonary Capillary Wedge Pressure in Patients with Severe Aortic Stenosis. 2015 , 32, 1492-7	5
780	Pulmonary arterial hypertension: the key role of echocardiography. 2015 , 32 Suppl 1, S23-37	41
779	Clinical and research measurement techniques of the pulmonary circulation: the present and the future. 2015 , 57, 463-72	19

778	Congenital Heart Disease. 2015 ,	
777	Abnormal left ventricular contractile response to exercise in the absence of obstructive coronary artery disease is associated with resting left ventricular long-axis dysfunction. 2015 , 28, 95-105	4
776	Appropriateness criteria for cardiovascular imaging use in heart failure: report of literature review. 2015 , 16, 147-53	32
775	Association between invasively measured central aortic pressure and left ventricular diastolic function in patients undergoing coronary angiography. 2015 , 28, 393-400	16
774	Multimodality imaging in pulmonary hypertension. 2015 , 31, 440-59	16
773	Serial assessment of right ventricular function using tissue Doppler imaging in preterm infants within 7 days of life. 2015 , 91, 125-30	11
772	Reduced Cardiovascular Reserve in Chronic Kidney Failure: A Matched Cohort Study. 2015 , 66, 274-84	23
771	Arterial-left ventricular-left atrial coupling late after repair of aortic coarctation and interruption. 2015 , 16, 771-80	15
770	Maturational Changes in Diastolic Longitudinal Myocardial Velocity in Preterm Infants. 2015 , 28, 1045-52	19
769	The association among age, early mitral leaflet closure, cardiac structure, diastolic indices and NT-proBNP in an asymptomatic Taiwanese population. 2015 , 8, 114-121	2
768	Exercise stress echocardiography with tissue Doppler imaging in risk stratification of mild to moderate aortic stenosis. 2015 , 31, 1519-27	5
767	Effect of Echocardiographic Grading of Left Ventricular Diastolic Dysfunction by Different Classifications in Primary Care. <i>American Journal of Cardiology</i> , 2015 , 116, 1144-52	3 10
766	Recommendations on the Use of Echocardiography in Adult Hypertension: A Report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE). 2015 , 28, 727-54	198
765	European Association of Cardiovascular Imaging/Cardiovascular Imaging Department of the Brazilian Society of Cardiology recommendations for the use of cardiac imaging to assess and follow patients after heart transplantation. 2015 , 16, 919-48	124
764	Relationship between increased left atrial volume and microvascular complications in patients with type 2 diabetes. 2015 , 29, 822-8	9
763	Soluble ST2 and troponin I combination: Useful biomarker for predicting development of stress cardiomyopathy in patients admitted to the medical intensive care unit. 2015 , 44, 282-8	17
762	Echocardiography in the Assessment of Left Atrial Pressure After Pediatric Heart Surgery: A Comparison Study With Measurements Obtained From Left Atrial Catheter. 2015 , 6, 438-42	3
761	Pulmonary hypertension and hepatic cirrhosis. 2015 , 215, 324-330	0

760	Calculated plasma volume status and prognosis in chronic heart failure. 2015 , 17, 35-43		71
759	Principles of transthoracic echocardiographic evaluation. 2015 , 12, 426-40		11
758	Serum cystatin C level is associated with left atrial enlargement, left ventricular hypertrophy and impaired left ventricular relaxation in patients with stage 2 or 3 chronic kidney disease. 2015 , 190, 287-92		5
757	Left ventricular diastolic function assessment using time differences between mitral annular velocities and transmitral inflow velocities in patients with heart failure. 2015 , 24, 257-63		1
756	Serial changes in diastolic function: lessons from the growing field of echo-epidemiology. 2015 , 8,		
755	Paradoxical increase in E/e' ratio after treatment of heart failure in two patients with preserved ejection fraction. 2015 , 42, 239-41		1
754	Clinical echocardiographic indices of left ventricular diastolic function correlate poorly with pulmonary capillary wedge pressure at 1 year following heart transplantation. 2015 , 31, 783-94		8
753	Quantitative analysis of left atrial volume and function during normotensive and preeclamptic pregnancy: a real-time three-dimensional echocardiography study. 2015 , 31, 805-12		21
752	Imaging in patients after cardiac transplantation and in patients with ventricular assist devices. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 617-38	2.1	4
751	T 1 Mapping Techniques in Assessment of Ventricular Stiffness. 2015 , 8, 1		4
750	Different characteristics of heart failure due to pump failure and bradyarrhythmia. 2015 , 13, 27-34		7
749	Left atrial deformation predicts pulmonary capillary wedge pressure in pediatric heart transplant recipients. 2015 , 32, 535-40		12
748	Pulmonary hypertension and hepatic cirrhosis. 2015 , 215, 324-30		1
747	"Left ventricular filling pressure(s)" - Ambiguous and misleading terminology, best abandoned. 2015 , 191, 110-3		12
746	Diagnosing acute heart failure in patients with undifferentiated dyspnea: a lung and cardiac ultrasound (LuCUS) protocol. 2015 , 22, 182-91		62
745	Left ventricular diastolic function, assessed by echocardiography and tissue Doppler imaging, is a strong predictor of cardiovascular events, superior to global left ventricular longitudinal strain, in patients with type 2 diabetes. 2015 , 16, 1000-7		34
744	The impact of arterial load on left ventricular performance: an invasive haemodynamic study in severe mitral stenosis. 2015 , 593, 1901-12		7
743	Changes of Cardiac Function During Ultradistance Trail Running. <i>American Journal of Cardiology</i> , 2015 , 116, 1284-9	3	12

742	Dragon Boat training exerts a positive effect on myocardial function in breast cancer survivors. 2015 , 43, 307-11	7
741	Exercise treadmill saline contrast echocardiography for the detection of patent foramen ovale in hypoxia. 2015 , 31, 1537-43	
740	Ia diastolic dysfunction: an echocardiographic grade. 2015 , 32, 56-63	5
739	Can emergency physicians diagnose and correctly classify diastolic dysfunction using bedside echocardiography?. 2015 , 33, 1178-83	12
738	A finger photoplethysmography waveform during the valsalva maneuver detects changes in left heart filling pressure after hemodialysis. 2015 , 16, 138	6
737	Cardiac Adaptation of the Maternal Heart During Pregnancy: A Color-Coded Tissue Doppler Imaging Study--Feasibility, Reproducibility and Course during Pregnancy. 2015 , 36, 270-5	5
736	Left Ventricle Tissue Doppler Imaging Predicts Disease Severity in Septic Patients Newly Admitted in an Emergency Unit. 2015 , 49, 907-15	5
735	Assessment of left ventricular function by tissue Doppler echocardiography in pediatric chronic kidney disease. 2015 , 37, 1094-9	11
734	Assessment of cardiac functions in children with sickle cell anemia: doppler tissue imaging study. 2015 , 46, 462-9	1
733	Cardiac Imaging to Evaluate Left Ventricular Diastolic Function. 2015 , 8, 1071-1093	118
732	A non-invasive assessment of cardiopulmonary hemodynamics with MRI in pulmonary hypertension. 2015 , 33, 1224-1235	11
731	Cardiac Function in Adult Patients with Juvenile Idiopathic Arthritis. 2015 , 42, 1716-23	5
730	Influence of exercise-induced pulmonary hypertension on exercise capacity in asymptomatic degenerative mitral regurgitation. 2015 , 66, 246-52	13
729	Dyspnea in a nonagenarian: The usual suspects, an unexpected culprit. 2015 , 34, 559.e1-559.e6	
728	Prevalence of diastolic dysfunction in patients with ankylosing spondylitis: a cross-sectional study. 2015 , 44, 111-7	13
727	Usefulness of conventional and tissue Doppler echocardiography to predict congestive heart failure in dogs with myxomatous mitral valve disease. 2015 , 29, 132-40	13
726	Echocardiographic abnormalities in new-onset polymyositis/dermatomyositis. 2015 , 42, 272-81	18
725	Relationship between pulse pressure variation and echocardiographic indices of left ventricular filling pressure in critically ill patients. 2015 , 35, 344-50	7

724	Evaluation of global function of the heart in scleroderma patients. 2015 , 32, 912-9	2
723	Pulmonary arterial systolic pressure and E/e' in the evaluation of left ventricular filling pressure: assessment of patients with atrial fibrillation. 2015 , 40, 298-303	7
722	Assessment of diastolic reserve in hypertensive patients by dobutamine stress Doppler tissue imaging. 2015 , 67, 13-20	0
721	Increased pulmonary vascular resistance in early stage systemic hypertension: a resting and exercise stress echocardiography study. 2015 , 31, 537-43	12
720	Influence of pulmonary vascular reserve on exercise-induced pulmonary hypertension in patients with systemic sclerosis. 2015 , 32, 428-35	11
719	Ventilator Liberation for High-Risk-for-Failure Patients: Improving Value of the Spontaneous Breathing Trial. 2015 , 60, 290-6	7
718	Cardiorespiratory fitness and cardiovascular burden in chronic kidney disease. 2015 , 18, 492-7	29
717	Association of left atrial reservoir function with left atrial structural remodeling related to left ventricular dysfunction in asymptomatic patients with hypertension: evaluation by two-dimensional speckle-tracking echocardiography. 2015 , 37, 155-65	25
716	Myocardial deformational adaptations to different forms of training: a real-time three-dimensional speckle tracking echocardiographic study. 2015 , 30, 386-95	11
715	A novel technique to predict pulmonary capillary wedge pressure utilizing central venous pressure and tissue Doppler tricuspid/mitral annular velocities. 2015 , 30, 516-26	10
714	Accuracy of ultrasound B-lines score and E/Ea ratio to estimate extravascular lung water and its variations in patients with acute respiratory distress syndrome. 2015 , 29, 169-76	35
713	Noninvasive Measurement of Pulmonary Capillary Wedge Pressure by Speckle Tracking Echocardiography. 2016 ,	
712	Left ventricular structure and remodeling in patients with COPD. 2016 , 11, 1015-22	18
711	Myocardial velocities obtained by pulsed tissue Doppler in English Cocker Spaniels with dilated cardiomyopathy and congestive heart failure. 2016 , 36, 851-856	
710	Differential diagnosis and clinical management of diastolic heart failure: current best practice. 2016 , Volume 7, 117-135	0
709	Cardiac Imaging in Hypertrophic Cardiomyopathy. 2016 ,	
708	Efficacy and Safety of Esmolol in Treatment of Patients with Septic Shock. 2016 , 129, 1658-65	16
707	Strain Echocardiography in Acute Cardiovascular Diseases. 2016 , 17, 54-60	23

- 706 Chronic Mitral Valve Insufficiency in Dogs: Recent Advances in Diagnosis and Treatment. **2016**,
- 705 Impaired Left and Right Ventricular Systolic and Diastolic Function in Response to Exercise in Patients with Diastolic Dysfunction. **2016**, 33, 1209-18 4
- 704 Association of cystatin C with heart failure with preserved ejection fraction in elderly hypertensive patients: potential role of altered collagen metabolism. **2016**, 34, 130-8 23
- 703 Left atrial function in cardiac amyloidosis. **2016**, 17, 113-21 16
- 702 Exercise-Induced Abnormal Increase of Systolic Pulmonary Artery Pressure in Adult Patients With Sickle Cell Anemia: An Exercise Stress Echocardiography Study. **2016**, 33, 1880-1890 9
- 701 Association between Left Ventricular Postsystolic Shortening and Diastolic Relaxation in Asymptomatic Patients with Systemic Hypertension. **2016**, 33, 216-22 7
- 700 Left Ventricular Myocardial Mechanics in Cirrhosis: A Speckle Tracking Echocardiographic Study. **2016**, 33, 223-32 14
- 699 Early Transthoracic Echocardiography after Cardiac Surgery Predicts Postoperative Atrial Fibrillation. **2016**, 33, 1300-8 7
- 698 Right Heart Hemodynamics in Pulmonary Hypertension - An Echocardiography and Catheterization Study. **2016**, 80, 2019-25 22
- 697 Novel Echocardiography Methods in the Functional Assessment of the Newborn Heart. **2016**, 110, 248-260 55
- 696 Progressive and biphasic cardiac responses during extreme mountain ultramarathon. **2016**, 310, H1340-8 19
- 695 Impact of gender and healthy aging on pulmonary capillary wedge pressure estimated by the kinetics-tracking index using two-dimensional speckle tracking echocardiography. **2016**, 39, 327-33 6
- 694 Atrial fibrillation per se was a major determinant of global left ventricular longitudinal systolic strain. **2016**, 95, e4038 9
- 693 15.8 AN EXTENDED ONE-DIMENSIONAL ARTERIAL NETWORK MODEL FOR THE SIMULATION OF PRESSURE AND FLOW IN UPPER AND LOWER LIMB EXTREMITIES. **2016**, 16, 87
- 692 15.9 MODELLING ARTERIAL PULSE PRESSURE FROM HEART RATE DURING SYMPATHETIC ACTIVATION. **2016**, 16, 88
- 691 15.11 TOWARDS NONINVASIVE CARDIAC CATHETERISATION. **2016**, 16, 88
- 690 15.10 FORM FACTOR OF THE FEMORAL ARTERY: AN INVASIVE STUDY. **2016**, 16, 88
- 689 Evaluation of pulmonary artery pressure and resistance by pulsed Doppler echocardiography in patients with end-stage renal disease on dialysis therapy. **2016**, 28, 101-12 1

688	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. 2016 , 29, 277-314		2369
687	A simple, fast and reproducible echocardiographic approach to grade left ventricular diastolic function. 2016 , 32, 743-52		14
686	Serial Echocardiographic Assessment of Left Ventricular Filling Pressure and Remodeling among ST-Segment Elevation Myocardial Infarction Patients Treated by Primary Percutaneous Intervention. 2016 , 29, 745-749		4
685	Effect of Mitral Annular Calcium on Left Ventricular Diastolic Parameters. <i>American Journal of Cardiology</i> , 2016 , 117, 847-52	3	11
684	An effect of left ventricular hypertrophy on mild-to-moderate left ventricular diastolic dysfunction. 2016 , 57, 92-8		15
683	Impact of effect-site concentration of propofol on cardiac systolic function assessed by tissue Doppler imaging. 2016 , 44, 453-61		4
682	The Use of Ultrasound in Caring for Patients with Sepsis. 2016 , 37, 299-307		7
681	Risk factors for heart failure are associated with alterations of the LV end-diastolic pressure-volume relationship in non-heart failure individuals: data from a large-scale, population-based cohort. 2016 , 37, 1807-14		31
680	Assessment of cardiac function in absence of congenital and acquired heart disease in patients with Down syndrome. 2016 , 12, 463-469		5
679	Left ventricular remodeling during and after 60 days of sedentary head-down bed rest. 2016 , 120, 956-64		24
678	Correlations Between Echocardiographic Systolic and Diastolic Function with Cardiac Catheterization in Biventricular Congenital Heart Patients. 2016 , 37, 765-71		6
677	Late cardiac effects of chemotherapy in breast cancer survivors treated with adjuvant doxorubicin: 10-year follow-up. 2016 , 156, 501-506		15
676	How to diagnose heart failure with preserved ejection fraction: the value of invasive stress testing. 2016 , 24, 244-51		43
675	Relation of Stature to Outcomes in Korean Patients Undergoing Primary Percutaneous Coronary Intervention for Acute ST-Elevation Myocardial Infarction (from the INTERSTELLAR Registry). <i>American Journal of Cardiology</i> , 2016 , 118, 177-82	3	7
674	Hemodynamic Monitoring in the ICU. 2016 ,		
673	Left atrial minimum volume is more strongly associated with N-terminal pro-B-type natriuretic peptide than the left atrial maximum volume in a community-based sample. 2016 , 32, 417-25		19
672	Aldosterone Induces Tissue Inhibitor of Metalloproteinases-1 Expression and Further Contributes to Collagen Accumulation: From Clinical to Bench Studies. 2016 , 67, 1309-20		26
671	The Type 2 Diabetic Heart: Its Role in Exercise Intolerance and the Challenge to Find Effective Exercise Interventions. 2016 , 46, 1605-1617		19

670	Effects of sevoflurane increments on left ventricular systolic long-axis performance during sevoflurane-remifentanil anesthesia for cardiovascular surgery. 2016 , 30, 223-31	4
669	The differential diagnosis for failure to wean from mechanical ventilation. 2016 , 29, 150-7	12
668	Value of the electrocardiographic strain pattern in children and adolescents with end stage renal disease. 2016 , 6, 64-68	
667	Adverse diastolic remodeling after reperfused ST-elevation myocardial infarction: An important prognostic indicator. 2016 , 180, 117-27	5
666	Application of a simplified definition of diastolic function in severe sepsis and septic shock. 2016 , 20, 243	48
665	Comparison of echocardiographic parameters between pre-clinical and clinical advanced diastolic dysfunction patients. 2016 , 224, 165-169	5
664	Decline of Systolic and Diastolic 2D Strain Rate During Follow-Up of HLHS Patients After Fontan Palliation. 2016 , 37, 1250-7	11
663	Hypertrophic Cardiomyopathy. 2016 , 677-693	
662	Restrictive Cardiomyopathy and Pericardial Disease. 2016 , 694-718	
661	Diastolic Ventricular Function Assessment. 2016 , 132-153	3
660	Determining the necessity for right heart catheterization in pulmonary hypertension associated with connective tissue diseases assessed by echocardiography. 2016 , 19, 65-73	4
659	Left atrial changes in early stages of heart failure with preserved ejection fraction. 2016 , 33, 1479-1487	13
658	Correlation of Left Atrial Strain and Doppler Measurements with Invasive Measurement of Left Ventricular End-Diastolic Pressure in Patients Stratified for Different Values of Ejection Fraction. 2016 , 33, 398-405	91
657	Critical care ultrasonography in acute respiratory failure. 2016 , 20, 228	31
656	Impact of Pulmonary Hemodynamics and Ventricular Interdependence on Left Ventricular Diastolic Function in Children With Pulmonary Hypertension. 2016 , 9,	44
655	Challenges for 'diastology': contributions from Japanese researchers. 2016 , 14, 93-103	3
654	Differentiation of Constriction and Restriction: Complex Cardiovascular Hemodynamics. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2329-2347	15.1 40
653	Left Ventricular Global Strain for Estimating Relaxation and Filling Pressure - A Multicenter Study. 2016 , 80, 1163-70	21

652	Quantitative Comparison Between Amyloid Deposition Detected by (99m)Tc-Diphosphonate Imaging and Myocardial Deformation Evaluated by Strain Echocardiography in Transthyretin-Related Cardiac Amyloidosis. 2016 , 80, 1998-2003		16
651	Estimating Left Ventricular Relaxation and Filling Pressure Using Speckle Tracking Strain. 2016 , 80, 1104-5		1
650	Relationship of Left Ventricular Diastolic Function to Obesity and Overweight in a Japanese Population With Preserved Left Ventricular Ejection Fraction. 2016 , 80, 1951-6		11
649	Utility of Tissue Doppler Imaging in the Echocardiographic Evaluation of Left and Right Ventricular Function in Dogs with Myxomatous Mitral Valve Disease with or without Pulmonary Hypertension. 2016 , 30, 697-705		14
648	Is dipyridamole useful in improving left ventricular systolic and diastolic function in patients with coronary slow flow?. 2016 , 33, 1472-1478		2
647	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. 2016 , 17, 1321-1360		1096
646	Cardiac dysfunction induced by weaning from mechanical ventilation: incidence, risk factors, and effects of fluid removal. 2016 , 20, 369		37
645	Derivation and validation of E/e' ratio as a parameter in the evaluation of left atrial appendage thrombus formation in patients with nonvalvular atrial fibrillation. 2016 , 32, 1349-1356		6
644	Hyperinsulinemia and sulfonylurea use are independently associated with left ventricular diastolic dysfunction in patients with type 2 diabetes mellitus with suboptimal blood glucose control. 2016 , 4, e000223		7
643	Prognostic role of left atrial strain and its combination index with transmitral E-wave velocity in patients with atrial fibrillation. <i>Scientific Reports</i> , 2016 , 6, 17318	4.9	19
642	Left ventricular diastolic function is strongly correlated with active emptying of the left atrium: a novel analysis using three-dimensional echocardiography. 2016 , 14, 43		11
641	Imaging assessment of left ventricular diastolic function: current and emerging methods. 2016 , 71, 379-388		1
640	Echocardiographic Evaluation of Biventricular Function in Patients with Euthyroid Hashimoto's Thyroiditis. 2016 , 25, 143-9		3
639	Assessing hemodynamics noninvasively in patients with heart failure. 2016 , 31, 493-500		
638	Assessment of left atrial mechanical functions and atrial electromechanical delay in Juvenile idiopathic arthritis by tissue Doppler echocardiography. 2016 , 14, 62		
637	[Hemodynamic monitoring in intensive care and emergency medicine : Integration of clinical signs and ultrasound findings]. 2016 , 111, 596-604		3
636	Evidence of left atrial remodeling and left ventricular diastolic dysfunction in type 2 diabetes mellitus with preserved systolic function. 2016 , 26, 1026-1032		11
635	Diabetes mellitus and coronary microvascular function in asymptomatic patients with severe aortic stenosis and nonobstructed coronary arteries. 2016 , 13, 220-7		8

634	Myocardial stiffness as assessed by diastolic wall strain in adult survivors of childhood leukaemias with preserved left ventricular ejection fraction. 2017 , 18, 451-458		11
633	Lung ultrasound and transthoracic impedance for noninvasive evaluation of pulmonary congestion in heart failure. 2016 , 17, 510-7		32
632	Echocardiography. 2016 , 63-74		
631	Tissue Doppler Imaging-derived Diastolic Function Assessment in Children With Sickle Cell Disease and Its Relation With Ferritin. 2016 , 38, 17-21		3
630	Left Atrial Expansion Index Predicts Left Ventricular Filling Pressure and Adverse Events in Acute Heart Failure With Severe Left Ventricular Dysfunction. 2016 , 22, 272-9		10
629	[Early cardiovascular changes in young people with normal and normal-high blood pressure]. 2016 , 33, 86-92		1
628	Assessment of left ventricular function in young type 1 diabetes mellitus patients by two-dimensional speckle tracking echocardiography: Relation to duration and control of diabetes. 2016 , 68, 217-225		4
627	Effect of Cardiac Resynchronization Therapy on Left Atrial Size and Function as Expressed by Speckle Tracking 2-Dimensional Strain. <i>American Journal of Cardiology</i> , 2016 , 118, 237-43	3	13
626	The Impact of Race on the Prognosis of Preclinical Diastolic Dysfunction: A Large Multiracial Urban Population Study. 2016 , 129, 222.e1-10		4
625	The effect of chronic renal failure on cardiac function: an experimental study with a rat model. 2016 , 14, 156-162		7
624	Echophysiology: the transesophageal echo probe as a noninvasive Swan-Ganz catheter. 2016 , 29, 36-45		7
623	Assessment of subclinical left ventricular dysfunction in patients with psoriasis by speckle tracking echocardiography: A Speckle Tracking Study. 2016 , 55, 158-64		5
622	Echocardiography and cardiac catheterism as complementary tools for the assessment of pulmonary circulation during exercise. 2016 , 203, 1149-50		
621	High Left Ventricular Filling Pressure on Doppler Echocardiography Is Associated With Graft Failure and Overall Mortality Following Kidney Transplantation. 2016 , 30, 585-91		4
620	Estimation of passive and active properties in the human heart using 3D tagged MRI. 2016 , 15, 1121-39		44
619	Noninvasive assessment of exercise tolerance using mitral annular velocities. 2016 , 43, 37-45		1
618	Myocardial Performance Index Determined by Tissue Doppler Imaging in Patients With Systolic Heart Failure Predicts Poor Long-Term Prognosis: An Observational Cohort Study. 2016 , 22, 611-7		14
617	Assessing ventricular function in preterm infants using tissue Doppler imaging. 2016 , 13, 325-38		8

616	Diastolic dysfunction as a predictor of weaning failure: A systematic review and meta-analysis. 2016 , 34, 135-41	27
615	Adverse Cardiac Events and the Impaired Relaxation Left Ventricular Filling Pattern. 2016 , 29, 699-708	6
614	Circadian Rhythm of Infarct Size and Left Ventricular Function Evaluated with Tissue Doppler Echocardiography in ST Elevation Myocardial Infarction. 2016 , 25, 250-6	9
613	High-Frame-Rate Echocardiography Using Coherent Compounding With Doppler-Based Motion-Compensation. 2016 , 35, 1647-57	66
612	Associations between increased renal resistive index and cardiovascular events. 2016 , 43, 263-70	7
611	Diagnostic Accuracy of Tissue Doppler Index E/e' for Evaluating Left Ventricular Filling Pressure and Diastolic Dysfunction/Heart Failure With Preserved Ejection Fraction: A Systematic Review and Meta-Analysis. 2016 , 5,	105
610	Évaluation hémodynamique par échographie en médecine d'urgence. 2016 , 6, 185-192	
609	Left atrial strain: a new parameter for assessment of left ventricular filling pressure. 2016 , 21, 65-76	87
608	Aortic balloon valvuloplasty before transcatheter valve replacement in high-risk patients with aortic stenosis. Cardiac catheterization and echocardiographic hemodynamic study. 2016 , 41, 144-50	4
607	Effect of acute sleep deprivation on left atrial mechanics assessed by three-dimensional echocardiography. 2016 , 20, 227-35; discussion 235	5
606	Peak early diastolic mitral annulus velocity by tissue Doppler imaging for the assessment of left ventricular relaxation in subjects with mitral annulus calcification. 2016 , 17, 804-11	9
605	Heterogenous haemodynamic effects of adaptive servoventilation therapy in sleeping patients with heart failure and Cheyne-Stokes respiration compared to healthy volunteers. 2016 , 31, 1117-30	21
604	Noninvasive estimation of pulmonary capillary wedge pressure in patients with mitral regurgitation: A speckle tracking echocardiography study. 2016 , 67, 192-8	9
603	Subclinical Myocardial Impairment Occurred in Septal and Anterior LV Wall Segments After Anthracycline-Embedded Chemotherapy and did not Worsen During Adjuvant Trastuzumab Treatment in Breast Cancer Patients. 2016 , 16, 193-206	15
602	Intravenous nicorandil for treatment of the urgent phase acute heart failure syndromes: A randomized, controlled trial. 2017 , 6, 329-338	7
601	Ratio of transmitral early filling velocity to early diastolic strain rate predicts outcomes in patients with systolic heart failure. 2017 , 18, 79-85	19
600	Impact of age and sex on normal left heart structure and function. 2017 , 37, 759-766	5
599	Precision Phenotyping in Heart Failure and Pattern Clustering of Ultrasound Data for the Assessment of Diastolic Dysfunction. 2017 , 10, 1291-1303	50

598	Early impairment in left ventricular longitudinal systolic function is associated with an increased risk of incident atrial fibrillation in patients with type 2 diabetes. 2017 , 31, 413-418		19
597	Impact of Elevated End-Diastolic Pulmonary Regurgitation Gradient on Worse Clinical Outcomes in Hospitalized Patients With Heart Failure. <i>American Journal of Cardiology</i> , 2017 , 119, 604-610	3	1
596	3D Myocardial Elastography In Vivo. 2017 , 36, 618-627		18
595	Predictors of Exercise-Induced Pulmonary Hypertension in Patients with Asymptomatic Degenerative Mitral Regurgitation: Mechanistic Insights from 2D Speckle-Tracking Echocardiography. <i>Scientific Reports</i> , 2017 , 7, 40008	4.9	6
594	Effect of exercise on diastolic function in heart failure patients: a systematic review and meta-analysis. 2017 , 22, 229-242		23
593	Predictability of tricuspid annular plane systolic excursion for the effectiveness of tolvaptan in patients with heart failure. 2017 , 15, 118-126		3
592	Reduced haemodynamic coupling and exercise are associated with vascular stiffening in pulmonary arterial hypertension. 2017 , 103, 421-427		12
591	Left Ventricular Architecture, Long-Term Reverse Remodeling, and Clinical Outcome in Mild Heart Failure With Cardiac Resynchronization: Results From the REVERSE Trial. 2017 , 5, 169-178		22
590	Left Atrial Strain at Different Stages of Myxomatous Mitral Valve Disease in Dogs. 2017 , 31, 316-325		14
589	Natural history of severe aortic stenosis: Diastolic wall strain as a novel prognostic marker. 2017 , 34, 484-490		2
588	Association between subclinical left ventricular systolic dysfunction and glycemic control in asymptomatic type 2 diabetic patients with preserved left ventricular function. 2017 , 31, 1035-1040		6
587	Usefulness of the Continuous-Wave Doppler-Derived Pulmonary Arterial-Right Ventricular Pressure Gradient Just before Atrial Contraction for the Estimation of Pulmonary Arterial Diastolic and Wedge Pressures. 2017 , 43, 958-966		2
586	Serial measures of cardiac performance using tissue Doppler imaging velocity in preterm infants. 2017 , 108, 33-39		15
585	Left atrial function and phenotypes in asymmetric hypertrophic cardiomyopathy. 2017 , 34, 843-850		5
584	RV Contractile Function and its Coupling to Pulmonary Circulation in Heart Failure With Preserved Ejection Fraction: Stratification of Clinical Phenotypes and Outcomes. 2017 , 10, 1211-1221		159
583	Adrenergic Responsiveness in the Type 2 Diabetic Heart: Effects on Cardiac Reserve. 2017 , 49, 907-914		11
582	Continuous, Real-Time, Noninvasive Hemodynamic Cardiac Doppler Monitoring With a Novel Hands-Free Device: A Feasibility Study Compared to Standard Echo. 2017 , 11,		
581	Coronary flow reserve is reduced in sarcoidosis. 2017 , 264, 115-121		9

580	Reduced Sympathetic Stimulus and Angiotensin 1-7 Are Related to Diastolic Dysfunction in Spinal Cord-Injured Subjects. 2017 , 34, 2323-2328		3
579	Echo-Doppler estimation of left ventricular filling pressure: results of the multicentre EACVI Euro-Filling study. 2017 , 18, 961-968		152
578	Reproducibility of echocardiographic assessment of 2D-derived longitudinal strain parameters in a population-based study (the STANISLAS Cohort study). 2017 , 33, 1361-1369		17
577	Combined use of tissue Doppler imaging and natriuretic peptides as prognostic marker in asymptomatic aortic stenosis. 2017 , 228, 890-894		3
576	Increasing Levels of Positive End-expiratory Pressure Improve the Left Ventricular Strain. 2017 , 32, 333-339		
575	Renin-Angiotensin-Aldosterone System Is Not Involved in the Arterial Stiffening Induced by Acute and Prolonged Exposure to High Altitude. 2017 , 70, 75-84		5
574	Invited Commentary: Searching for the Perfect Measure of Diastolic Dysfunction-A Futile Exercise?. 2017 , 185, 1228-1230		1
573	Diagnosis and Management of Heart Failure in Older Adults. 2017 , 13, 427-444		7
572	Relation of N-Terminal Pro-B-Type Natriuretic Peptide and Left Ventricular Diastolic Function to Exercise Tolerance in Patients With Significant Valvular Heart Disease and Normal Left Ventricular Systolic Function. <i>American Journal of Cardiology</i> , 2017 , 119, 1846-1853	3	5
571	The impact of age and gender on right ventricular diastolic function among healthy adults. 2017 , 70, 387-395		10
570	Echocardiographic assessment of the left ventricular diastolic function in patients with non-alcoholic liver cirrhosis. 2017 , 59, e540-e545		1
569	Reliability of updated left ventricular diastolic function recommendations in predicting elevated left ventricular filling pressure and prognosis. 2017 , 189, 28-39		49
568	Doppler Echocardiography for the Estimation of LV Filling Pressure in Patients With Mitral Annular Calcification. 2017 , 10, 1411-1420		39
567	The presence of diastolic and systolic dysfunction in patients with impaired relaxation filling pattern. 2017 , 34, 825-830		3
566	Diastolic dysfunction revisited: A new, feasible, and unambiguous echocardiographic classification predicts major cardiovascular events. 2017 , 188, 136-146		13
565	A Test in Context: E/A and E/e' to Assess Diastolic Dysfunction and LV Filling Pressure. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1451-1464	15.1	132
564	Transesophageal Echocardiography in Swine: Establishment of a Baseline. 2017 , 43, 974-980		8
563	New Parameter Derived from Three-Dimensional Speckle-Tracking Echocardiography for the Estimation of Left Ventricular Filling Pressure in Nondilated Hearts. 2017 , 30, 522-531		6

562	What Is the Evidence That the Tissue Doppler Index E/e' Reflects Left Ventricular Filling Pressure Changes After Exercise or Pharmacological Intervention for Evaluating Diastolic Function? A Systematic Review. 2017 , 6,		34
561	Airway and Pulmonary β -Adrenergic Vasodilatory Function in Current Smokers and Never Smokers. 2017 , 151, 650-657		1
560	Role of Diastolic Stress Testing in the Evaluation for Heart Failure With Preserved Ejection Fraction: A Simultaneous Invasive-Echocardiographic Study. 2017 , 135, 825-838		239
559	Assessing Myocardial Function in Infants with Pulmonary Hypertension: The Role of Tissue Doppler Imaging and Tricuspid Annular Plane Systolic Excursion. 2017 , 38, 558-565		6
558	Perioperative Hypertension and Diastolic Dysfunction. 2017 , 31, 1487-1496		3
557	Usefulness of Collagen Carboxy-Terminal Propeptide and Telopeptide to Predict Disturbances of Long-Term Mortality in Patients \geq 70 Years With Heart Failure and Reduced Ejection Fraction. <i>American Journal of Cardiology</i> , 2017 , 119, 2042-2048	3	16
556	Non-invasive estimation of left heart filling pressures: another nail in the coffin for E/e'?. 2017 , 19, 1661-1663		8
555	Echocardiographic estimation of left ventricular and pulmonary pressures in patients with heart failure and preserved ejection fraction: a study utilizing simultaneous echocardiography and invasive measurements. 2017 , 19, 1651-1660		59
554	A novel echocardiographic hemodynamic classification of heart failure based on stroke volume index and left atrial pressure. 2017 , 34, 1417-1425		9
553	Clinical features of idiopathic restrictive cardiomyopathy: A retrospective multicenter cohort study over 2 decades. 2017 , 96, e7886		4
552	A plea for an early ultrasound-clinical integrated approach in patients with acute heart failure. A proactive comment on the ESC Guidelines on Heart Failure 2016. 2017 , 245, 207-210		7
551	Impact of negative inotropic drugs on accuracy of diastolic stress echocardiography for evaluation of left ventricular filling pressure. <i>Scientific Reports</i> , 2017 , 7, 9537	4-9	4
550	Measures of Ventricular-Arterial Coupling and Incident Heart Failure With Preserved Ejection Fraction: A Matched Case-Control Analysis. 2017 , 23, 659-665		3
549	Long-term effects of a renin inhibitor versus a thiazide diuretic on arterial stiffness and left ventricular diastolic function in elderly hypertensive patients. 2017 , 313, R400-R409		4
548	HbA1c Identifies Subjects With Prediabetes and Subclinical Left Ventricular Diastolic Dysfunction. 2017 , 102, 3756-3764		34
547	Association between arterial stiffness and left ventricular diastolic function in relation to gender and age. 2017 , 96, e5783		18
546	Doppler Assessment of Diastolic Function Reflect the Severity of Injury in Rats With Chronic Heart Failure. 2017 , 23, 753-761		3
545	Long-term effect of critical illness after severe paediatric burn injury on cardiac function in adolescent survivors: an observational study. 2017 , 1, 293-301		16

544	Left ventricles of aging athletes: better untwisters but not more relaxed during exercise. 2017 , 106, 884-892		11
543	Non-invasive Model-Based Assessment of Passive Left-Ventricular Myocardial Stiffness in Healthy Subjects and in Patients with Non-ischemic Dilated Cardiomyopathy. 2017 , 45, 605-618		25
542	The role and clinical implications of diastolic dysfunction in aortic stenosis. 2017 , 103, 1481-1487		29
541	Association of left atrial phasic volumes with systemic arterial stiffness and ankle-brachial index in hypertensive patients. 2017 , 31, 270-277		5
540	Cirrhotic Cardiomyopathy and Liver Transplantation. 2017 , 449-462		
539	Patient-specific modeling for left ventricular mechanics using data-driven boundary energies. 2017 , 314, 269-295		20
538	Deliberations on Diastolic Heart Failure. <i>American Journal of Cardiology</i> , 2017 , 119, 138-144	3	9
537	Echocardiographic assessment of right ventricular contractile reserve in healthy subjects. 2017 , 34, 61-68		22
536	Non-Invasive Assessment of Pulmonary Vascular Resistance in Pulmonary Hypertension: Current Knowledge and Future Direction. 2017 , 26, 323-330		15
535	Survival at 2 years among liver cirrhotic patients is influenced by left atrial volume and left ventricular mass. 2017 , 37, 700-706		20
534	Utility of Echocardiography in the Assessment of Left Ventricular Diastolic Function and Restrictive Physiology in Children and Young Adults with Restrictive Cardiomyopathy: A Comparative Echocardiography-Catheterization Study. 2017 , 38, 381-389		9
533	An official European Respiratory Society statement: pulmonary haemodynamics during exercise. 2017 , 50,		124
532	Isometric handgrip echocardiography: A noninvasive stress test to assess left ventricular diastolic function. 2017 , 40, 1247-1255		8
531	Cardiac magnetic resonance assessment of diastolic dysfunction in acute coronary syndrome. 2017 , 45, 1680-1692		3
530	CardioAlex 2017 Conference Proceedings Abstracts. 2017 , 19, G1-G8		1
529	Early detection of left ventricular diastolic dysfunction using conventional and speckle tracking echocardiography in a large animal model of metabolic dysfunction. 2018 , 34, 743-749		10
528	The Clinical Usefulness of Measurement of Visceral Fat Area Using Multi-Frequency Bioimpedance: The Association with Cardiac and Renal Function In General Population with Relatively Normal Renal Function. 2017 , 14, 1375-1381		1
527	Restrictive Cardiomyopathy Associated With Skeletal Myopathies. 2017 , 137-152		

526	Assessment of Diastolic Function in Congenital Heart Disease. 2017 , 4, 5		11
525	Basics of Functional Echocardiography in Children and Neonates. <i>Frontiers in Pediatrics</i> , 2017 , 5, 235	3-4	8
524	Biomarkers and echocardiography for evaluating the improvement of the ventricular diastolic function after surgical relief of hydronephrosis. 2017 , 12, e0188597		4
523	Impaired ventricular filling limits cardiac reserve during submaximal exercise in people with type 2 diabetes. 2017 , 16, 160		15
522	Towards 3-D tissue doppler ultrafast echocardiography: An in vitro study. 2017 ,		1
521	Korean Guidelines for Diagnosis and Management of Chronic Heart Failure. 2017 , 47, 555-643		44
520	The Relationships between Body Mass Index and Left Ventricular Diastolic Function in a Structurally Normal Heart with Normal Ejection Fraction. 2017 , 25, 5-11		8
519	Hemodynamic gestational adaptation in bitches. 2017 , 47,		2
518	Studying diastology with speckle tracking echocardiography: The essentials. 2017 , 20, S57-S60		10
517	Perioperative management of left ventricular diastolic dysfunction and heart failure: an anesthesiologist's perspective. 2017 , 70, 3-12		11
516	Association of type 2 diabetes mellitus and ratio of transmitral E wave velocity to early diastole mitral velocity with cardiovascular events in chronic kidney disease. 2017 , 8, 94407-94416		
515	The Existence of Obesity Paradox and Effect of Obesity on In-Hospital-Outcomes on Elderly Patients Treated with Primary Percutaneous Coronary Intervention. 2018 , 12, 17-21		3
514	The a ₁ velocity in the tissue Doppler predicts S/D ratio . 2018 , 52, 183-188		2
513	Institution of localized high-frequency electrical stimulation targeting early myocardial infarction: Effects on left ventricle function and geometry. 2018 , 156, 568-575		2
512	Validation by Cardiac Catheterization of Noninvasive Estimation of Time Constant of Left Ventricular Pressure Decline as an Index of Relaxation by Speckle Tracking Echocardiography. <i>American Journal of Cardiology</i> , 2018 , 121, 1645-1651	3	3
511	Optimizing Management of Heart Failure by Using Echo and Natriuretic Peptides in the Outpatient Unit. 2018 , 1067, 145-159		6
510	Norepinephrine exerts an inotropic effect during the early phase of human septic shock. 2018 , 120, 517-524		42
509	Association of tricuspid regurgitation within normal range on the development of left ventricular diastolic dysfunction in patients with uncomplicated hypertension. 2018 , 27, 141-150		1

508	Evaluation of Left Ventricular Diastolic Function by the Intensivist. 2018 , 153, 723-732	12
507	Arterial hypertension and atrial fibrillation: standard and advanced echocardiography from diagnosis to prognostication. 2018 , 19, 51-61	4
506	Clinical Utility of Left Atrial Strain in Children in the Acute Phase of Kawasaki Disease. 2018 , 31, 323-332	11
505	E/a ₀ ratio a simple detector of left ventricular dysfunction in patients with decreased ejection fraction. 2018 , 52, 20-27	4
504	A Comparison of the Strain and Tissue Doppler-Based Indices as Echocardiographic Correlates of the Left Ventricular Filling Pressures. 2018 , 32, 1297-1304	3
503	Segmental biventricular analysis of myocardial function using high temporal and spatial resolution tissue phase mapping. 2018 , 31, 61-73	5
502	Cardiac function during weaning failure: the role of diastolic dysfunction. 2018 , 8, 2	13
501	Hemodynamic Mechanisms of Exercise-Induced Pulmonary Hypertension in Patients with Lymphangiomyomatosis: The Role of Exercise Stress Echocardiography. 2018 , 31, 888-901	6
500	Reported normal values and weighted means for commonly used echocardiography pulsed Doppler and tissue Doppler measurements. 2018 , 38, 341-350	3
499	Endocardial Fibroelastosis of the Left Ventricle Affects Right Ventricular Performance in Fetuses with Hypoplastic Left Heart Syndrome: A Prospective Study Using M-Mode, PW- and Tissue Doppler Techniques. 2018 , 39, 413-421	3
498	Ventricular-arterial coupling in centenarians without cardiovascular diseases. 2018 , 30, 367-373	3
497	Subclinical myocardial dysfunction by tissue Doppler echocardiography in primary antiphospholipid syndrome: Preliminary results. 2018 , 40, 35-38	
496	E/e' ratio and outcome prediction in hypertrophic cardiomyopathy: the influence of outflow tract obstruction. 2018 , 19, 101-107	10
495	Cardiac involvement in undifferentiated connective tissue disease at risk for systemic sclerosis (otherwise referred to as very early-early systemic sclerosis): a TDI study. 2018 , 18, 237-243	3
494	Cardiac structure and function predicts functional decline in the oldest old. 2018 , 25, 263-269	1
493	Inflammatory lung edema correlates with echocardiographic estimation of capillary wedge pressure in newly diagnosed septic patients. 2018 , 44, 392-397	2
492	Prognostic value of real-time three-dimensional echocardiography compared to two-dimensional echocardiography in patients with systolic heart failure. 2018 , 34, 553-560	6
491	Left Ventricular Mass Influences Relationship Between Filling Pressure and Early-Diastolic Ratio of Inflow Velocity to Mitral Annular Velocity (E/e'). 2018 , 82, 732-738	0

472	Construction and Validation of Subject-Specific Biventricular Finite-Element Models of Healthy and Failing Swine Hearts From High-Resolution DT-MRI. 2018 , 9, 539	36
471	Reference Values for Physical Stress Echocardiography in Asymptomatic Patients after Mitral Valve Repair. 2018 , 5, 6	1
470	Have Noninvasive Imaging Studies Supplanted the Need for Invasive Hemodynamics: Lessons Learned from Lymphangi leiomyomatosis. 2018 , 31, 902-904	1
469	Evolution of echocardiography in subclinical detection of cancer therapy-related cardiac dysfunction. 2018 , 35, 860-868	4
468	The impact of heart, lung and diaphragmatic ultrasound on prediction of failed extubation from mechanical ventilation in critically ill patients: a prospective observational pilot study. 2018 , 10, 13	15
467	Validating Left Ventricular Filling Pressure Measurements in Patients with Congestive Heart Failure: CardioMEMS® Pulmonary Arterial Diastolic Pressure versus Left Atrial Pressure Measurement by Transthoracic Echocardiography. 2018 , 2018, 8568356	5
466	Regional and temporal changes in left ventricular strain and stiffness in a porcine model of myocardial infarction. 2018 , 315, H958-H967	24
465	Ramipril and left ventricular diastolic function in stable patients with pulmonary regurgitation after repair of tetralogy of Fallot. 2018 , 272, 64-69	8
464	Diastolic stress testing: similarities and differences between isometric handgrip and cycle echocardiography. 2018 , 125, 529-535	3
463	Systolic and Diastolic Function. 2018 , 95-103	
462	Serum cystatin C is an independent biomarker associated with the renal resistive index in patients with chronic kidney disease. 2018 , 13, e0193695	10
461	Echocardiographic left ventricular diastolic dysfunction predicts hospital mortality after out-of-hospital cardiac arrest. 2018 , 47, 114-120	17
460	Yet another echocardiographic index: do we need more?. 2019 , 40, 526-528	1
459	Principles of Transthoracic Imaging Acquisition. 2019 , 73-95.e1	
458	The Transthoracic Examination, View by View. 2019 , 96-108.e1	
457	Left Ventricular Diastolic Function. 2019 , 171-179.e1	
456	Echocardiography in Heart Failure. 2019 , 209-218.e1	
455	Intraoperative assessment of left-ventricular diastolic function by two-dimensional speckle tracking echocardiography: relationship between pulmonary capillary wedge pressure and peak longitudinal strain rate during isovolumetric relaxation in patients undergoing coronary artery bypass graft surgery. 2019 , 33, 1014-1021	5

454	Left atrial mechanics in children: insights from new applications of strain imaging. 2019 , 35, 57-65		8
453	Top 100 most-cited articles on echocardiography: A bibliometric analysis. 2019 , 36, 1540-1548		5
452	Echocardiographic assessment of left ventricular function. 2019 , 3, 33-33		1
451	Is Doppler echocardiography useful for estimating left ventricular filling pressures in pediatric heart transplant recipients?. 2019 , 23, e13543		
450	Myocardial hypothermia increases autophagic flux, mitochondrial mass and myocardial function after ischemia-reperfusion injury. <i>Scientific Reports</i> , 2019 , 9, 10001	4-9	17
449	High Bubble Grade After Diving: The Role of the Blood Pressure Regimen. 2019 , 10, 749		2
448	Ratio of Transmitral Early Filling Velocity to Early Diastolic Strain Rate Predicts All-Cause Mortality in Heart Failure with Reduced Ejection Fraction. 2019 , 25, 877-885		5
447	E/e' ratio is superior to speckle tracking for detecting elevated left ventricular end-diastolic pressure in patients with coronary artery disease and preserved ejection fraction. 2019 , 36, 1263-1272		2
446	Evaluation of Unattended Automated Office, Conventional Office and Ambulatory Blood Pressure Measurements and Their Correlation with Target Organ Damage in an Outpatient Population of Hypertensives: Study Design and Methodological Aspects. 2019 , 26, 493-499		1
445	Transvalvular flow. 2019 , 239-279		
444	Transient depression of myocardial function after influenza virus infection: A study of echocardiographic tissue imaging. 2019 , 14, e0221628		3
443	Clinical value of myocardial performance index in patients with isolated diastolic dysfunction. 2019 , 17, 17		8
442	Incidence and predictors of new onset left ventricular diastolic dysfunction in asymptomatic patients with rheumatoid arthritis without overt cardiac disease. 2019 , 89,		3
441	Utility of Pacemaker With Sleep Apnea Monitor to Predict Left Ventricular Overload and Acute Decompensated Heart Failure. <i>American Journal of Cardiology</i> , 2019 , 124, 1720-1724	3	1
440	Increased atrial contraction contribution to left ventricular filling during early septic shock. 2019 , 54, 220-227		1
439	Cardiac function response to stenting in atherosclerotic renal artery disease with and without heart failure: results from the Carmel study. 2019 , 6, 319-327		4
438	The Role of Echocardiography in Heart Failure with Preserved Ejection Fraction: What Do We Want from Imaging?. 2019 , 15, 241-256		15
437	A review of exercise pulmonary hypertension in systemic sclerosis.. 2019 , 4, 225-237		0

436	Evaluation of long-term cardiac side effects of anthracycline chemotherapy by conventional and non-conventional echocardiographic methods in childhood cancer survivors. 2019 , 29, 904-909			6
435	Tissue Doppler imaging of the atrial lateral wall: Correlation with atrial strain rate and parameters of diastolic function. 2019 , 36, 1282-1289			4
434	COPD and heart failure: differential diagnosis and comorbidity. 2019 , 44, 502-508			13
433	Left Ventricular Relaxation Half-Time as a Predictor of Cardiac Events in Idiopathic Dilated Cardiomyopathy and Hypertrophic Cardiomyopathy With Left Ventricular Systolic and/or Diastolic Dysfunction. <i>American Journal of Cardiology</i> , 2019 , 124, 435-441	3		1
432	Prevalence of early stages of heart failure in an elderly risk population: the Copenhagen Heart Failure Risk Study. 2019 , 6, e000840			10
431	Prediction of filling pressures and outcome in heart failure: can we improve E/e'?. 2019 , 20, 655-657			1
430	Reproducibility of the assessment of myocardial function through tissue Doppler imaging in very low birth weight infants. 2019 , 36, 1145-1152			1
429	B-Type Natriuretic Peptide Levels and Cardiac Dysfunction in Children on Peritoneal Dialysis. 2019 , 39, 210-219			0
428	A risk score for predicting atrial fibrillation in individuals with preclinical diastolic dysfunction: a retrospective study in a single large urban center in the United States. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 47	2.3		1
427	A simplified definition of diastolic function in sepsis, compared against standard definitions. 2019 , 7, 14			8
426	The Impact of Perioperative Factors on Changes in Diastolic Function after Kidney Transplantation: A Retrospective Analysis. 2019 , 60, 291-297			1
425	Ventricular Stiffness and Ventricular-Arterial Coupling in Heart Failure: What Is It, How to Assess, and Why?. 2019 , 15, 267-274			7
424	Effect on Cardiac Function of Longstanding Juvenile-onset Mixed Connective Tissue Disease: A Controlled Study. 2019 , 46, 739-747			4
423	Medex 2015: The key role of cardiac mechanics to maintain biventricular function at high altitude. 2019 , 104, 667-676			9
422	Clinical Usefulness of an Echo-Doppler Model in Predicting Elevated Pulmonary Capillary Wedge Pressure in Patients With Heart Failure. <i>American Journal of Cardiology</i> , 2019 , 123, 1464-1469	3		0
421	Echocardiographic E/A inversion and air trapping at rest are associated with an exaggerated blood pressure response in medically controlled hypertensives during bicycle ergometry. 2019 , 6, 1707014			
420	Association of the low e' and high E/e' with long-term outcomes in patients with normal ejection fraction: a hospital population-based observational cohort study. 2019 , 9, e032663			4
419	Correlations between invasively measured aortic pressures and left ventricular end-diastolic pressure in patients undergoing coronary angiography. 2019 , 24, 241-247			0

418	Prognostic significance of polyvascular disease in heart failure with preserved left ventricular ejection fraction. 2019 , 98, e15959	7
417	HIIT Improves Left Ventricular Exercise Response in Adults with Type 2 Diabetes. 2019 , 51, 1099-1105	11
416	Prognostic Value of Time Interval Between Mitral and Tricuspid Valve Opening in Patients With Heart Failure. 2019 , 83, 401-409	2
415	Tissue Doppler Imaging. 2019 , 205-217	
414	Estimation of Mean Left Atrial Pressure in Patients with Acute Coronary Syndromes: A Doppler Echocardiographic and Cardiac Catheterization Study. 2019 , 32, 365-374.e1	4
413	Aging and the relationships between long-axis systolic and early diastolic excursion, isovolumic relaxation time and left ventricular length-Implications for the interpretation of aging effects on e' . 2019 , 14, e0210277	9
412	Cardiac measures during childhood by echocardiography. 2019 , 26, 299-300	
411	Association between left atrial strain and left ventricular diastolic function in patients with acute coronary syndrome. 2019 , 17, 138-146	10
410	Indexing peak rapid filling velocity to both relaxation and filling volume to estimate left ventricular filling pressures. 2019 , 20, 646-654	3
409	Indoor air pollution exposure effects on lung and cardiovascular health in the High Himalayas, Nepal: An observational study. 2019 , 61, 81-87	15
408	Can Doppler echocardiography estimate raised pulmonary capillary wedge pressure provoked by passive leg lifting in suspected heart failure?. 2019 , 39, 128-134	4
407	Impact of Hybrid Therapy Comprising Peritoneal Dialysis and Hemodialysis on Acute Cardiovascular Events. 2019 , 47, 330-336	4
406	Guidelines for Performing a Comprehensive Transthoracic Echocardiographic Examination in Adults: Recommendations from the American Society of Echocardiography. 2019 , 32, 1-64	508
405	Right and Left Heart Function in Lowlanders with COPD at Altitude: Data from a Randomized Study. 2019 , 97, 125-134	10
404	Postnatal persistence of fetal cardiovascular remodelling associated with assisted reproductive technologies: a cohort study. 2019 , 126, 291-298	19
403	Characterization of Myocardial Dysfunction in Fluid- and Catecholamine-Refractory Pediatric Septic Shock and Its Clinical Significance. 2019 , 34, 17-25	15
402	Left Ventricular Diastolic Function: Understanding Pathophysiology, Diagnosis, and Prognosis With Echocardiography. 2020 , 13, 228-244	52
401	Association of High-Sensitivity Troponin T With Left Ventricular Dysfunction in Ankylosing Spondylitis. 2020 , 26, 87-93	3

400	Basic and advanced echocardiography in advanced heart failure: an overview. 2020 , 25, 937-948		18
399	Prognostic role of diastolic dysfunction in patients undergoing transcatheter aortic valve replacement. 2020 , 95, 1024-1031		5
398	Ultrasound guidance for volume management in patients with heart failure. 2020 , 25, 927-935		1
397	Diastolic Stress Test: Invasive and Noninvasive Testing. 2020 , 13, 272-282		24
396	Redefining Cirrhotic Cardiomyopathy for the Modern Era. 2020 , 71, 334-345		79
395	Evolution of blood rheology and its relationship to pulmonary hemodynamic during the first days of exposure to moderate altitude. 2020 , 74, 201-208		7
394	Osteopontin associated with left ventricular hypertrophy and diastolic dysfunction in essential hypertension. 2020 , 34, 388-396		2
393	Association between fragmented QRS complexes and left-ventricular dysfunction in anabolic androgenic steroid users. 2020 , 75, 244-253		1
392	Ratio of Transmitral E Wave Velocity to Left Atrial Strain as a Useful Predictor of Total and Cardiovascular Mortality in Hemodialysis Patients. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5:1	4
391	Imaging of Diastolic Dysfunction in Community-Based Epidemiological Studies and Randomized Controlled Trials of HFpEF. 2020 , 13, 310-326		7
390	Full Issue PDF. 2020 , 13, I-CLXII		
389	Predictive value of left ventricular diastolic chamber stiffness in patients with severe aortic stenosis undergoing aortic valve replacement. 2020 , 21, 1160-1168		2
388	Transcatheter aortic valve replacement acutely improves left ventricular mechanical efficiency in severe aortic stenosis: effects of different phenotypes. 2020 , 109, 819-831		3
387	Echocardiographic assessment of diastolic function in the Fontan heart: Feasible or flight of fancy?. 2020 , 300, 297-298		
386	Arterial stiffening is a crucial factor for left ventricular diastolic dysfunction in a community-based normotensive population. 2020 , 6, 100038		0
385	Chronological echocardiographic evaluation of left ventricular systolic and diastolic function in term and premature neonatal calves. 2020 , 158, 461-469		0
384	Diastolic strain time as predictor for systolic dysfunction among patients with active breast cancer. 2020 , 37, 1890-1896		1
383	Prediction of fluid responsiveness in ventilated critically ill patients. 2020 , 8, 26-26		

382	Echocardiographic assessment of ventricular function: Conventional and advanced technologies and their clinical applications. 2020 , 58, 101269		
381	Mechanisms of Aortic Flow Deceleration and the Effect of Wave Reflection on Left Ventricular Function. 2020 , 11, 578701		1
380	Beneficial Cardiac Structural and Functional Adaptations After Lumbosacral Spinal Cord Epidural Stimulation and Task-Specific Interventions: A Pilot Study. 2020 , 14, 554018		6
379	Longitudinal Strain and Strain Rate for Estimating Left Ventricular Filling Pressure in Heart Transplant Recipients. <i>American Journal of Cardiology</i> , 2020 , 137, 63-70	3	1
378	EVALUATION OF LEFT VENTRICULAR FILLING PRESSURE USING NUMERICAL MODELING. 2020 , 20, 2050043		
377	Diastolic dysfunction in patients with brucellosis despite the absence of infective endocarditis. 2020 , 30, 1840-1843		1
376	Echocardiographic Diagnosis of Postcapillary Pulmonary Hypertension: A RIGHT1 Substudy. 2020 , 1, 38-49		1
375	Phosphodiesterase 5 inhibitor sildenafil in patients with heart failure with preserved ejection fraction and combined pre- and postcapillary pulmonary hypertension: a randomized open-label pilot study. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 408	2.3	11
374	Echocardiographic signs of subclinical cardiac function impairment in Duchenne dystrophy gene carriers. <i>Scientific Reports</i> , 2020 , 10, 20794	4.9	0
373	Medium term results following heart transplantation for end stage heart failure: A single center experience of 257 patients. 2020 , 72, 524-534		2
372	Echocardiographic changes following active heat acclimation. 2020 , 93, 102705		1
371	Endurance exercise in seniors: Tonic, toxin or neither?. 2020 , 40, 320-327		
370	Detection of congestive heart failure by Doppler echocardiography in cats with hypertrophic cardiomyopathy. 2020 , 34, 1091-1101		6
369	Diastolic function assessment by echocardiography: A practical manual for clinical use and future applications. 2020 , 37, 1908-1918		4
368	Cardiac function and pulmonary hypertension in Central Asian highlanders at 3250 m. 2020 , 56,		8
367	Cardiac functions in children with steroid-sensitive nephrotic syndrome. 2020 , 62, 1364-1368		0
366	Three-Dimensional Echocardiography - Role in Clinical Practice and Future Directions. 2020 , 84, 1047-1054		5
365	Comprehensive data integration-Toward a more personalized assessment of diastolic function. 2020 , 37, 1926-1935		

364	Impaired Exercise Tolerance in Heart Failure With Preserved Ejection Fraction: Quantification of Multiorgan System Reserve Capacity. 2020 , 8, 605-617		10
363	Usefulness of tissue Doppler-derived atrial electromechanical delay for identifying patients with paroxysmal atrial fibrillation. 2020 , 18, 22		2
362	Clinical Application of Stress Echocardiography in Management of Heart Failure. 2020 , 16, 347-355		0
361	Non-invasive prediction of tissue Doppler-derived E/e' ratio using lung Doppler signals. 2020 , 21, 994-1004		2
360	Echocardiography in the Management of Cardiogenic Shock. 2020 , 1, 20-30		1
359	When does the E/e' index not work? The pitfalls of oversimplifying diastolic function. 2020 , 37, 1897-1907		6
358	New Model for Non-Invasive Echocardiographic Assessment of Pulmonary-Capillary Wedge Pressure in Patients With Aortic and Mitral Regurgitation. 2020 , 2, 914-918		1
357	Prevalence of pulmonary hypertension in myelofibrosis. 2020 , 99, 781-789		5
356	Noninvasive Pulmonary Hemodynamic Evaluation in Athletes With Exercise-Induced Hypoxemia. 2020 , 157, 1568-1578		6
355	Validation and Comparison of the 2003 and 2016 Diastolic Functional Assessments for Cardiovascular Mortality in a Large Single-Center Cohort. 2020 , 33, 469-480		15
354	Echocardiographic parameters differentiating heart failure with preserved ejection fraction from asymptomatic left ventricular diastolic dysfunction. 2020 , 37, 247-252		4
353	Echocardiography Tips in the Emergency Room. 2020 , 16, 167-175		2
352	Considerable scatter in the relationship between left atrial volume and pressure in heart failure with preserved left ventricular ejection fraction. <i>Scientific Reports</i> , 2020 , 10, 90	4.9	9
351	E/e' in relation to outcomes in ST-elevation myocardial infarction. 2020 , 37, 554-560		1
350	Predictors of non-pulmonary vein foci in paroxysmal atrial fibrillation. 2021 , 61, 71-78		8
349	Echocardiographic tissue imaging evaluation of myocardial characteristics and function in cardiomyopathies. 2021 , 26, 813-828		2
348	Determinants of changes in pulmonary artery pressure in patients with severe aortic stenosis treated by transcatheter aortic valve implantation. 2021 , 76, 185-193		0
347	Risk factors for atrial fibrillation in hypertrophic cardiomyopathy. 2019 , 2047487319828474		8

346	Prognostic significance of left ventricular diastolic dysfunction and filling pressures based on current guideline recommendations. 2021 , 22, 516-517	0
345	The utility of cardiovascular imaging in heart failure with preserved ejection fraction: diagnosis, biological classification and risk stratification. 2021 , 26, 661-678	2
344	Meta-analysis of echocardiographic quantification of left ventricular filling pressure. 2021 , 8, 566-576	8
343	Longitudinal diastolic strain slope as an early sign for systolic dysfunction among patients with active cancer. 2021 , 110, 569-578	2
342	Factors contributing to energy loss in left ventricle during diastolic and systolic phases in elderly patients. 2021 , 38, 72-80	1
341	Left atrial function and maximal exercise capacity in heart failure with preserved and mid-range ejection fraction. 2021 , 8, 116-128	4
340	Influence of advanced pulmonary vascular remodeling on accuracy of echocardiographic parameters of left ventricular filling pressure. 2021 , 11, 2045894020983723	0
339	Evolution of Diastolic Dysfunction in Patients with Coronary Slow Flow Phenomenon and Acute Non-ST Segment Elevation Myocardial Infarction. 2021 , 29, 347-356	0
338	Diastolic Function in Children and in Children With Congenital Heart Disease. 2021 , 349-374	
337	Clinical profiles and risk factors for early and medium-term mortality following heart transplantation in a pediatric population: A single-center experience. 2021 , 14, 42-52	0
336	[The role of diastolic transthoracic stress echocardiography with incremental workload in the evaluation of heart failure with preserved ejection fraction: indications, methodology, interpretation. Expert consensus developed under the auspices of the National Medical Research Center of Cardiology, Society of Experts in Heart Failure (SEHF), and Russian Association of Experts in Ultrasound Diagnosis in Medicine (REUDM)]. 2021 , 60, 48-63	6
335	Evaluation of Intracardiac Filling Pressures. 2021 , 169-179	
334	Assessing congestion in acute heart failure using cardiac and lung ultrasound - a review. 2021 , 19, 165-176	3
333	Prognostic value of left ventricular mitral annular longitudinal displacement obtained by tissue Doppler imaging in patients with heart failure with reduced ejection fraction. 2021 , 8,	
332	Cardiac Remodeling and Hypertension in HIV-Uninfected Infants Exposed in utero to Antiretroviral Therapy. 2021 , 73, 586-593	1
331	Early Impairment of Right Ventricular Morphology and Function in Transthyretin-Related Cardiac Amyloidosis. 2021 , 31, 17-22	1
330	Two-Dimensional and Doppler Evaluation of Left Ventricular Filling, Including Pulmonary Venous Flow Velocity. 2021 , 106-136	0
329	Diastolic Echocardiographic Examination. 2021 , 217-239	

328	Predictive value of preoperative echocardiographic assessment for postoperative atrial fibrillation after esophagectomy for esophageal cancer. 2021 , 18, 496-503	2
327	Echocardiographic assessment of left ventricular filling pressure in patients with acute ST elevation myocardial infarction: an invasive validation study. 2021 , 37, 1587-1594	0
326	Cardiac reserve by 6-minute walk stress echocardiography in systemic sclerosis. 2021 , 8,	0
325	Characterization of left ventricular cavity flow, wall stress and energy loss by color doppler vector flow mapping in children and adolescents with cardiomyopathy. 2021 , 32, 100703	1
324	Atrial performance in healthy subjects following high altitude exposure at 4100 m: 2D speckle-tracking strain analysis. 2021 , 37, 1891-1902	1
323	The Relationship Between Type D Personality and the Complexity of Coronary Artery Disease. 2021 , 17, 809-820	1
322	Association of prediabetes with impaired left atrial contractility in patients with never-treated hypertension. 2021 , 35, 107827	1
321	Heart valve calcification and cardiac hemodynamics. 2021 , 38, 525-530	1
320	Left atrial conduit function modulates right ventricular afterload, exercise capacity and survival in heart failure patients. 2021 , 22, 396-404	1
319	Méthode adaptée d'évaluation échographique de la fonction cardiaque à l'usage de l'urgentiste. 2021 , 33, 12-20	
318	Cardiac Acclimatization at High Altitude in Two Different Ethnicity Groups. 2021 , 22, 58-69	3
317	Systolic and Diastolic Functions After a Brief Acute Bout of Mild Exercise in Normobaric Hypoxia. 2021 , 12, 650696	0
316	Asymptomatic Left Ventricular Dysfunction: Is There a Role for Screening in General Population?. 2021 , 17, 179-186	
315	Assessing Left Ventricular Early Diastolic Velocities With Tissue Doppler and Speckle Tracking by Transesophageal and Transthoracic Echocardiography. 2021 , 132, 1400-1409	2
314	Chest conformation spuriously influences strain parameters of myocardial contractile function in healthy pregnant women. 2021 , 22, 767-779	3
313	Neutrophil to Lymphocyte Ratio Is Increased and Associated With Left Ventricular Diastolic Function in Newly Diagnosed Essential Hypertension Children. <i>Frontiers in Pediatrics</i> , 2021 , 9, 576005	3-4 0
312	Relationship between paced QRS duration and myocardial relaxation of the left ventricle in patients with chronic right ventricular apical pacing. 2021 , 66, 54-61	1
311	A comparative study of left ventricular function during pregnancy without and with gestational hypertension and gestational diabetes mellitus. 2021 , 11, 647-654	

- 310 Prognostic significance of right ventricular function during exercise in asymptomatic/minimally symptomatic patients with nonobstructive hypertrophic cardiomyopathy. **2021**, 38, 916-923 1
- 309 Novel Estimation of Left Ventricular Filling Pressure Using 3-D Speckle-Tracking Echocardiography: Assessment in a Decompensated Systolic Heart Failure Model. **2021**, 47, 1536-1547
- 308 Elevated myocardial wall stress after percutaneous coronary intervention in acute ST elevation myocardial infarction is associated with increased mortality. **2021**, 38, 1263-1271 1
- 307 Pleth variability index may predict preload responsiveness in patients treated with nasal high flow: a physiological study. **2021**, 130, 1660-1667
- 306 Extravascular lung water and cardiac function assessed by echocardiography in healthy lowlanders during repeated very high-altitude exposure. **2021**, 332, 166-174 3
- 305 Tissue Doppler Imaging (E/e') and Pulmonary Capillary Wedge Pressure in Patients With Severe Aortic Stenosis. **2021**, 35, 1646-1653
- 304 High Neutrophil to Lymphocyte Ratio and Its Gene Signatures Correlate With Diastolic Dysfunction in Heart Failure With Preserved Ejection Fraction. **2021**, 8, 614757 2
- 303 Current clinical applications of spectral tissue Doppler echocardiography (E/e' ratio) as a noninvasive surrogate for left ventricular diastolic pressures in the diagnosis of heart failure with preserved ejection fraction. Revisited 15 years later. **2021**, 70, 245-252
- 302 The effect of overweight/obesity on diastolic function in children and adolescents: A meta-analysis. **2021**, 11, e12476 2
- 301 Determinants of Exercise-Induced Mitral Regurgitation Using Three-Dimensional Transesophageal Echocardiography Combined With Isometric Handgrip Exercise. *American Journal of Cardiology*, **2021**, 151, 78-85 3
- 300 Pathophysiology of Heart Failure with Preserved Ejection Fraction. **2021**, 17, 327-335 4
- 299 Finite-element based optimization of left ventricular passive stiffness in normal volunteers and patients after myocardial infarction: Utility of an inverse deformation gradient calculation of regional diastolic strain. **2021**, 119, 104431 7
- 298 Echocardiographic Assessment of Left Ventricular Systolic and Diastolic Functions in Dogs with Severe Sepsis and Septic Shock; Longitudinal Study. **2021**, 11,
- 297 Heart Condition in Convalescents of Hemorrhagic Fever with Renal Syndrome According to Echocardiography Data. **2021**, 17, 450-455
- 296 Left atrial conduit flow rate at baseline and during exercise: an index of impaired relaxation in HFpEF patients. **2021**, 8, 4334-4342 4
- 295 Correlation between thyroid autoantibodies and cardiovascular disease in patients with stages 3-5 chronic kidney disease. **2021**, 9, 1301
- 294 Characteristics of the athlete's heart in aged hypertensive and normotensive subjects. **2021**, 1
- 293 Key role of left ventricular untwisting in endurance cyclists at onset of exercise. **2021**, 131, 1565-1574 0

292	Left atrial pressure overload and prognosis in elderly patients with heart failure and preserved ejection fraction: a prospective multicenter observational study. 2021 , 11, e044605	1
291	Comparison Between Invasive and Noninvasive Methods to Estimate Subendocardial Oxygen Supply and Demand Imbalance. 2021 , 10, e021207	3
290	Predicting premature termination of exercise during Bruce protocol stress echocardiography. 2021 , 38, 1612-1617	1
289	Sacubitril/valsartan versus enalapril on exercise capacity in patients with heart failure with reduced ejection fraction: A randomized, double-blind, active-controlled study. 2021 , 239, 1-10	4
288	Diastolic function grading by American Society of Echocardiography guidelines and prediction of heart failure readmission and all-cause mortality in a community-based cohort. 2021 ,	0
287	An Implementation of Patient-Specific Biventricular Mechanics Simulations With a Deep Learning and Computational Pipeline. 2021 , 12, 716597	1
286	Diastolic Ventricular Function Assessment. 2021 , 146-167	
285	Non-Invasive Estimation of Left Ventricular Filling Pressure Based on Left Atrial Area Strain Measured With Transthoracic 3-Dimensional Speckle Tracking Echocardiography in Patients With Coronary Artery Disease. 2021 , 3, 520-529	
284	Hypertrophic Cardiomyopathy. 2021 , 772-793	
283	A new technique for the detection of dry weight in hemodialysis patients: Estimated pulmonary capillary wedge pressure. A tissue Doppler imaging study. 2021 ,	
282	Left ventricular dysfunction and cardiac autonomic imbalance in children with drug-resistant epilepsy. 2021 , 176, 106709	
281	Echocardiography in Advanced Heart Failure for Diagnosis, Management, and Prognosis. 2021 , 17, 547-560	0
280	Invasive Hemodynamic Assessment in Heart Failure With Preserved Ejection Fraction. 2021 , 93-105	
279	Echocardiographic assessment and critical care management of peri-partum women with unexpected left ventricular failure. 175114372097886	0
278	Echocardiography of the Right Heart. 2021 , 103-115	
277	Functional Evaluation of the Heart. 2021 , 137-166	
276	Fetal Myocardial Mechanics. 2014 , 249-269	1
275	Assessment of Cardiac Preload and Volume Responsiveness using Echocardiography. 2003 , 491-498	2

274	Echocardiographic Assessment of Diastolic Function. 2007 , 119-131	3
273	Clinical Hemodynamics in Valvular Heart Disease. 2009 , 93-122	1
272	New Ultrasound Technologies for Quantitative Assessment of Left Ventricular Function. 2015 , 377-399	1
271	Speckle-Tracking Echocardiography Enables Model-Based Identification of Regional Stiffness Indices in the Left Ventricular Myocardium. 2020 , 11, 176-187	1
270	Assessment of Ventricular and Myocardial Performance. 2006 , 251-273	2
269	Assessment of Diastolic Function by Echocardiography. 2007 , 237-261	1
268	Echocardiography in the Coronary Care Unit: Management of Acute Myocardial Infarction, Detection of Complications, and Prognostic Implications. 2007 , 299-325	1
267	Clinical Assessment of Heart Failure. 2012 , 505-516	3
266	Cardiac Physiology. 2011 , 98-131	2
265	Noninvasive evaluation of hemodynamics by Doppler echocardiography. 1999 , 14, 217-24	23
264	Early Left Ventricular Diastolic Dysfunction and Abnormal Left Ventricular-left Atrial Coupling in Asymptomatic Patients With Hypertension: A Cardiovascular Magnetic Resonance Feature Tracking Study. 2022 , 37, 26-33	2
263	Impact of acute hypoxic pulmonary hypertension on LV diastolic function in healthy mountaineers at high altitude. 2004 , 286, H856-62	78
262	Perioperative assessment of diastolic dysfunction. 2011 , 113, 449-72	54
261	Cardiotrophin-1 plasma levels are increased in patients with diastolic heart failure. 2012 , 18, CR25-31	17
260	Assessment of cardiac functions in infants with cow's milk allergy. 2014 , 20, 1383-8	1
259	Early Detection of Left Atrial Energy Loss and Mechanics Abnormalities in Diabetic Patients with Normal Left Atrial Size: A Study Combining Vector Flow Mapping and Tissue Tracking Echocardiography. 2016 , 22, 958-68	12
258	Repair of an infrarenal abdominal aortic aneurysm is associated with persistent left ventricular diastolic dysfunction. 2007 , 74, 393-401	4
257	Evaluation of the elastic properties of the thoracic descending aorta with strain-rate measurement with transesophageal echocardiography: its correlation with the left ventricular diastolic function assessed with transthoracic echocardiography. 2010 , 77, 145-54	2

256	Association of E/E' and NT-proBNP with renal function in patients with essential hypertension. 2013 , 8, e54513		7
255	On cross-sectional associations of leukocyte telomere length with cardiac systolic, diastolic and vascular function: the Asklepios study. 2014 , 9, e115071		15
254	Possible Mechanisms Underlying Aging-Related Changes in Early Diastolic Filling and Long Axis Motion-Left Ventricular Length and Blood Pressure. 2016 , 11, e0158302		9
253	Postsystolic Shortening Is Associated with Altered Right Ventricular Function in Children after Tetralogy of Fallot Surgical Repair. 2017 , 12, e0169178		6
252	The Evaluation of Type 2 Diabetes Mellitus Related Changes in Diastolic Dysfunction During Exercise Using Conventional and Tissue Doppler Echocardiography. 2015 , 6, 346-351		3
251	The evaluation of left ventricular systolic and diastolic functions in patients with Friedreich ataxia. A pulse tissue Doppler study. <i>International Heart Journal</i> , 2005 , 46, 443-52	1.8	6
250	Chronic frequent premature ventricular complexes originating from right and non-right ventricular outflow tracts. <i>International Heart Journal</i> , 2010 , 51, 388-93	1.8	13
249	Sequential evaluation of left ventricular systolic and diastolic function after radiofrequency catheter ablation. 2004 , 45, 429-40		6
248	Assessment of Left Ventricular Diastolic Function by Doppler Echocardiography. 2015 , 1, 87-89		5
247	[Assessment of left atrial size and function -- from M-mode to 3D speckle-tracking echocardiography]. 2014 , 155, 1624-31		4
246	Pulmonary hypertension as a risk assessment factor for unfavorable outcome in patients with COVID-19. 2020 , 25, 4136		4
245	Type 2 diabetes mellitus-related changes in left ventricular structure and function in patients with chronic kidney disease. 2018 , 9, 14661-14668		2
244	Echocardiographic Assessment of Left Ventricular Diastolic Dysfunction: Differentiating a Pulmonary Vascular From a Pulmonary Venous Origin of Pulmonary Hypertension. 2011 , 10, 24-32		2
243	High Sensitivity C - Reactive Protein is Associated with Diastolic Dysfunction in Young African Americans without Clinically Evident Cardiac Disease. 2011 , 5, 188-95		5
242	Comparison of the Effects of Dialysis Methods (Haemodialysis vs Peritoneal Dialysis) on Diastolic Left Ventricular Function Dialysis Methods and Diastolic Function. 2016 , 10, 171-8		3
241	Noninvasive Estimation of Left Ventricular Diastolic Filling Pressure From Doppler Tei Index. 2003 , 1, 15-22		9
240	The Role of Tissue Doppler Imaging as a New Diagnostic Option in Evaluating Left Ventricular Function. 2003 , 1, 29-42		9
239	Echocardiographic Features of Patients With Congestive Heart Failure and Preserved Left Ventricular Pump Function: A Retrospective Study in a Selected Common Disease Cohort. 2008 , 6, 9-14		1

238	Left atrial volume index is useful for predicting increased pulmonary artery wedge pressure in coronary heart disease patients with mildly elevated E/E'. 2007 , 34, 355-358	1
237	Limitation of echocardiographic indexes for the accurate estimation of left ventricular relaxation and filling pressure: interim results of SMAP, a multicenter study in Japan. 2012 , 39, 449-456	1
236	Echocardiography for the Assessment of Pulmonary Hypertension and Congenital Heart Disease in the Young. 2020 , 11,	1
235	Cirrhotic cardiomyopathy. 2015 , 21, 11502-21	83
234	Left ventricular dyssynchrony in patients showing diastolic dysfunction without overt symptoms of heart failure. 2010 , 25, 246-52	2
233	Clinical Relevance of the Spectral Tissue Doppler E/e' Ratio in the Management of Patients with Atrial Fibrillation: a Comprehensive Review of the Literature. 2018 , 11, 2038	6
232	Age-Related Changes in Left Ventricular Torsion as Assessed by 2-Dimensional Ultrasound Speckle Tracking Imaging. 2008 , 38, 529	4
231	The study of left ventricular diastolic function by Doppler echocardiography: the essential for the clinician. 2007 , 3, 42	1
230	The evaluation of left ventricular functions with tissue doppler echocardiography in adults with celiac disease. 2016 , 22, 116-21	3
229	Do Continuous Flow LVADS Improve Diastolic Dysfunction?. 2014 , 04, 23-28	1
228	Cardiac benefits of renal artery stenting. 2010 , 6, 485-91	6
227	Tissue Doppler Imaging for the Assessment of Left Ventricular Diastolic Function. 2008 , 16, 76	7
226	Hemodynamic Monitoring and Treatment Strategy of Acute Heart Failure. 2011 , 26, 1	2
225	Transesophageal Echocardiographic Approach to a Patient with Suspected Pulmonary Hypertension in the Intraoperative Period. 2017 , 5, 49-63	1
224	Association of cardio-ankle vascular index with brain natriuretic peptide levels in hypertension. 2012 , 19, 255-62	18
223	Diastolic Function Changes during Stress Echocardiography in Hypertensive Patients. 2017 , 5,	2
222	Increased relative wall thickness is a marker of subclinical cardiac target-organ damage in African diabetic patients. 2012 , 23, 435-41	6
221	The optimal time of B-type natriuretic peptide sampling associated with post-myocardial infarction remodelling after primary percutaneous coronary intervention. 2013 , 24, 165-70	7

- 220 A new tissue Doppler index to predict cardiac death in patients with heart failure. **2014**, 102, 19-29 4
- 219 Left Atrial Volume Determinants in Patients with Non-Ischemic Dilated Cardiomyopathy. **2015**, 105, 65-70 5
- 218 Evaluation of Myocardial Injury using Standard Diagnostic Tools and Tissue Doppler Imaging in Blunt Trauma Chest. **2017**, 11, OC33-OC36 3
- 217 Using a non-invasive multi-sensor device to evaluate left atrial pressure: an estimated filling pressure derived from ballistocardiography. **2021**, 9, 1587
- 216 Echocardiographic Assessment of Left Ventricular Diastolic Function for Beginners. **2021**,
- 215 Estimation of pulmonary wedge pressure by measuring velocity of mitral annulus by Doppler tissue imaging in ICU. **2001**, 18, 117
- 214 Monitoring Left Heart Performance in the Critically Ill. **2002**, 519-536
- 213 Monitoring Left Heart Performance in the Critically Ill. **2002**, 519-536
- 212 Detection and Diagnosis of Heart Disease in Diabetic and Prediabetic Subjects. **2002**, 163-176
- 211 Assessment of preload. **2003**, 661-677
- 210 Effect of Regurgitant jet Direction on Left Ventricular Diastolic Performance in Patients With Aortic Regurgitation. **2004**, 2, 37-42 1
- 209 Tissue Doppler Imaging in the Evaluation of Left Ventricular Function. **2005**, 25, 111-125
- 208 Doppler Echocardiography in Heart Failure and Cardiac Resynchronization. **2007**, 629-652
- 207 Restrictive Cardiomyopathy: Diagnosis and Prognostic Implications. **2007**, 679-709
- 206 Tissue Doppler and Speckle Tracking Echocardiography. **2007**, 115-137
- 205 Introduction to Echocardiography. **2007**, 93-136
- 204 Echocardiography in the Evaluation of the Cardiomyopathies. **2007**, 1359-1378
- 203 Linksventrikuläre Funktionsbeurteilung. **2007**, 213-254

202 Left Ventricle. **2007**, 5-21

201 Assessment of Diastolic Function by Cardiac MRI. **2008**, 415-428

200 Left Ventricular Diastolic Function. 80-102

199 Left Atrial Dyssynchrony in Patients With Nonobstructive Hypertrophic Cardiomyopathy Evaluated by Myocardial Strain Imaging. **2008**, 6, 46-53

198 Déficits pulmonaires cardiogéniques. **2008**, 137-169

197 Assessment of Critically Ill Patients with Acute Heart Failure Syndromes Using Echocardiography Doppler. **2008**, 424-445

196 Ultrasound in Congenital Heart Disease. **2008**, 227-247

195 Echocardiography in Critically Ill Patients. **2008**, 73-90

194 Heart Failure. **2008**, 542-576

193 Diagnosing chronic heart failure. **2008**, 50, 216-222

192 Evaluation of left ventricular function in patients treated for malignancy in childhood. **2008**, 50, 378-384

191 Challenges to the non-invasive assessment of diastolic function. **2009**, 36, 445-455

1

190 Heart failure with normal left ventricular ejection fraction (HFNEF). **2009**, 113-128

189 Principles of Hemodynamic Assessment. **2009**, 63-78

188 Variation of parameters according to cardiac cycle length, evaluated by TDI in children. **2009**, 52, 339

187 8 De diastolische linkerventrikelfunctie. **2009**, 77-86

186 Détermination non invasive de l'état volémique. **2009**, 163-180

185 Bibliographie. **2009**, 235-243

184 Doppler tecidual do miocárdio de gatos submetidos à anestesia dissociativa. **2009**, 39, 2448-2453

183 Echocardiographic assessment of left ventricular diastolic function: what we able to do in 2009. **2009**, 51, 789-804

182 Assessment of Diastolic Function. **2010**, 421-438

181 Diagnosis of Heart Failure: Evidence-Based Perspective. **2010**, 353-363

180 Noninvasive Hemodynamic Assessment. **2010**, 37-46

179 Serum interleukin-6, tumor necrosis factor- α and adiponectin levels in Kawasaki disease. **2010**, 53, 41

178 Usefulness of late diastolic mitral annular velocity for predicting cardiac events in acute coronary syndrome patients with dilated left atrium. **2010**, 37, 577-585

177 Focused Echocardiography in the ICU. **2010**, 139-181

176 Échocardiographie chez les patients critiques. **2010**, 73-90

175 The role of exercise echocardiography in the diagnosis of heart failure with preserved left ventricular ejection fraction (primary diastolic heart failure). **2010**, 52, 162-167

174 Drug Discovery and Evaluation: Methods in Clinical Pharmacology. **2011**, 387-421

173 Non-invasive Estimation of Left Ventricular Filling Pressures by Doppler Echocardiography. **2011**, 418-423

172 Cardiac Imaging in the Elderly. **2011**, 157-192

171 Spherical ventricular chamber is a predictor of poor prognosis of heart failure with preserved ejection fraction. **2011**, 38, 103-110

170 Exercise Tolerance and the Post Exercise Diastolic Filling Pattern in Patients With the Resting Impaired Relaxation. **2011**, 2, 139-149

169 Evolution of Perioperative Echocardiography. **2011**, 298-314

168 Tissue Doppler Imaging. **2011**, 389-393

167 Pulsed-wave tissue Doppler imaging of the myocardium of cats with induced thyrotoxicosis. **2011**, 41, 1024-1029

- 166 Which echocardiographic parameters do we need for the diagnostics of primary diastolic heart failure?. **2011**, 53, 630-636
- 165 Stress, Strain, Speckle, and Tissue Doppler Imaging. **2012**, 317-322
- 164 Noninvasive assessment of left ventricular diastolic function. **2012**, 39, 515-523
- 163 The Relationship between Arterial Stiffness Assessed by CAVI and Cardiac Function and Structure. **2012**, 52, 155-162
- 162 Clinical Research Made Easy: A Guide to Publishing in Medical Literature. **2012**, 46, 61-62
- 161 Echo is the preferred modality for hemodynamic monitoring in the cardiac intensive care unit. **2012**, 02, 165-167 1
- 160 Diastolic Dysfunction and Echocardiographic Hemodynamics. **2012**, 253-270
- 159 Medical Ultrasonic Elasticity Imaging Techniques. **2012**, 32, 573-584
- 158 Hypertension and Increased Left Ventricular End-diastolic Pressure Influence Arterial Stiffness. **2013**, 2, 9
- 157 The relation of flow-mediated vasodilatation and diastolic function in uncomplicated Type 2 diabetic patients. **2013**, 03, 39-44
- 156 Functional Evaluation of the Heart by Transesophageal Echocardiography. **2014**, 121-144
- 155 Echocardiographic Assessment of Cardiac Disease. **2014**, 375-397
- 154 Distinguishing Between Cardiogenic and Increased Permeability Pulmonary Edema. **2014**, 269-281
- 153 Influence of comorbid cardiovascular risk factors on left atrial-left ventricular interaction in asymptomatic patients: clinical application of two-dimensional speckle-tracking echocardiography. *International Heart Journal*, **2014**, 55, 138-45 1.8 4
- 152 Impact of atrial fibrillation ablation on left ventricular filling pressure and left atrial remodeling. **2014**, 103, 485-92 4
- 151 Observation of Left Ventricular Wall Dynamics by Ultrasound.. **2014**, 63, 245-251
- 150 Echocardiography of the Right Heart. **2014**, 99-114
- 149 Risk Factors Associated with Anthracycline Induced Cardiac Dysfunction in Pediatric Patients. **2014**, 04, 377-383

148 Effects of Left Ventricular Wall Motion Abnormality on Global and Regional Diastolic Function of the Left and Right Ventricles at Rest and After Stress. **2014**, 5, 176-182

147 Evaluation of Myocardial Performance in Hypertensive Patients with Type 2 Diabetes and Normal Ejection Fraction. **2015**, 07, 1721-1724

146 Ventricular Activation Time as a Marker for Diastolic Dysfunction. **2015**, 1-19

145 Consensus or Controversy: Do Recent Advances Shift the Debate for the Use of Echocardiography Versus Cardiac Magnetic Resonance Imaging of the Right Ventricle in Pulmonary Arterial Hypertension?. **2015**, 14, 28-36

144 Ventricular Activation Time as a Marker for Diastolic Dysfunction. **2016**, 935-953

143 Assessment of Left Ventricular Systolic and Diastolic Function by Echocardiography. **2016**, 35-61

142 Fetal Imaging and Effects of Exposures on Growth and Function. **2016**, 171-212

141 The association between brain natriuretic peptide and tissue Doppler parameters in children with hypertrophic cardiomyopathy. **2016**, 16, 58-63

2

140 Relationships between Left Ventricular Geometric Patterns and Cardiac Function among Hypertensive Patients: Using a Tissue Doppler Echocardiographic Study. **2016**, 56, 1-6

139 Optimizing the Atrioventricular Delay in Dual Chamber Pacemakers; Is It Worth?. **2016**, 5,

138 Goal-Oriented Transthoracic and Epicardial Echocardiography. **2016**, 158-174

137 Studies for B-type Natriuretic Peptide Values and Its Association with Diastolic Echocardiographic Parameters. **2016**, 48, 394-400

136 Heart Failure with Normal Left Ventricular Ejection Fraction (HFNEF). **2017**, 273-339

135 Pulmonary Hypertension in Left Heart Disease. **2017**, 341-369

134 Recommendations on the use of echocardiography in adult hypertension: a report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE). **2017**, 14, 6-28

1

133 Bedside Echocardiography-Based Hemodynamic Assessment in the Intensive Care Unit. **2017**, 2, 43-52

0

132 ??????????????????????????????????????. **2018**, 27, 43-48

131 Heart remodeling and ventricular-arterial coupling in patients with IPAH and CTEPH. **2018**, 13, 30

- 130 Relationship between Echocardiographic Diastolic Indices and Invasively Measured Left Ventricular End-Diastolic Pressure in Chronic Atrial Fibrillation Patients with Preserved Left Ventricular Ejection Fraction. **2018**, 24, 152-159
- 129 Impacts of Diastolic Function on Clinical Outcomes in Young Patients with Acute Myocardial Infarction. **2018**, 93, 538-547 ○
- 128 Study of efficacy of tissue Doppler imaging in diagnosing systolic and diastolic dysfunction and comparison to the conventional methods of left ventricular function assessment in heart failure patients. **2019**, 7, 165
- 127 Impact of Hemodialysis on Left Ventricular Function in Patients With Hemodialysis: A Study Using 3-Dimensional Speckle Tracking Echocardiography. **2019**, 68, 460-467
- 126 Can the development of atrial fibrillation in patients with ischemic heart failure with low ejection fraction be predicted?. **2020**, 7, 18-24 1
- 125 Looking beyond ejection fraction: what we have in echocardiography. 3, 143 1
- 124 Hemodiyaliz hastalarında subklinik sol ventrikül diastolik disfonksiyonu tanısında prestostolik dalga yetersiz kalmı. **2020**, 44, 529-538
- 123 Transesophageal Versus Transthoracic Echocardiography for Assessment of Left Ventricular Diastolic Function. **2020**, 3, ○
- 122 Echocardiography-Based Hemodynamic Monitoring Use on Inpatients Listed for Heart Transplantation Under 2018 Allocation Policy in United States. **2021**, 53, 3036-3036 ○
- 121 Doppler Echocardiographic Indices Are Specific But Not Sensitive to Predict Pulmonary Artery Occlusion Pressure in Critically Ill Patients Under Mechanical Ventilation. **2021**, 49, e1-e10 1
- 120 Diastolic dysfunction for nephrologists: diagnosis at the point of care. **2020**, 66, 1750-1756
- 119 Temporal Change in Longitudinal Strain After Domino Liver Transplantation With Liver Grafts Explanted From Patients With Hereditary Amyloidogenic Transthyretin Amyloidosis. **2020**, 2, 730-738
- 118 Associations among Coronary Artery Calcium Score, Left Ventricular Mass Index and Septal E/El Ratio in Subjects with Normal Left Ventricular Ejection Fraction. **2020**, 21, 94-102
- 117 Addition of Amlodipine or Valsartan for Improvement of Diastolic Dysfunction Associated with Hypertension. **2020**, 28, 174-182 ○
- 116 An interesting hormon and interesting disease: hyperprolactinemia and prolactinoma. **2019**, 11, 561-576
- 115 Role of flow propagation velocity across mitral valve in the assessment of diastolic dysfunction and prognostication in acute myocardial infarction. **2020**, 4, 11
- 114 Transesophageal echocardiographic evaluation of pulmonary vein diastolic wave deceleration time - As a predictor of left atrial pressure. **2020**, 23, 34-38
- 113 Echocardiography. **2020**, 61-83

112	Left ventricular diastolic dysfunction in cardioembolic stroke patients due to atrial fibrillation. 2020 , 42, 383-388	
111	Diastolic Dysfunction Accompanies Alterations in Myocardial Structure, Cellular Composition and Macrophage Polarization in Survivors of Ionizing Radiation Exposure.	1
110	Echocardiography in the intensive care unit: An essential tool for diagnosis, monitoring and guiding clinical decision-making. 2021 ,	2
109	Echocardiographic Assessment of Diastolic Function and Diagnosis of Diastolic Heart Failure. 2008 , 149-162	0
108	Myocardial Velocities as Markers of Diastolic Function. 2008 , 99-117	
107	Échocardiographie dans le diagnostic de l'insuffisance cardiaque aiguë 2006 , 131-156	
106	Left ventricular response after cardiac resynchronization therapy is related to early left atrial volume reduction. 2020 , 35, 1125-1135	0
105	Left ventricular long-axis function in hypertrophic cardiomyopathy - Relationships between e', early diastolic excursion and duration, and systolic excursion. 2020 , 15, e0240296	
104	Left ventricular diastolic function and circadian variation of blood pressure in essential hypertension. 2005 , 32, 28-34	10
103	Acute smoking-induced alterations in Doppler echocardiographic measurements in chronic smokers. 2006 , 33, 134-8	14
102	E/A ratio alone cannot reliably diagnose diastolic dysfunction in the assessment before and after TIPS. 2007 , 56, 1642; author reply 1642-3	2
101	Atrial conduction delay and its association with left atrial dimension, left atrial pressure and left ventricular diastolic dysfunction in patients at risk of atrial fibrillation. 2007 , 12, 197-201	12
100	Detecting subclinical biventricular impairment in scleroderma patients by use of pulsed-wave tissue Doppler imaging. 2009 , 36, 31-7	6
99	P wave duration and dispersion in patients with hyperthyroidism and the short-term effects of antithyroid treatment. 2009 , 9, 251-9	6
98	DEFEAT - Heart Failure: a guide to management of geriatric heart failure by generalist physicians. 2009 , 100, 39-50	11
97	Left atrial size and force in patients with systolic chronic heart failure: Comparison with healthy controls and different cardiac diseases. 2010 , 15, e45-51	13
96	Cardiac tissue Doppler and tissue velocity imaging in anesthetized New Zealand white rabbits. 2011 , 50, 317-21	3
95	Early and late improvement of global and regional left ventricular function after transcatheter aortic valve implantation in patients with severe aortic stenosis: an echocardiographic study. 2011 , 1, 264-73	34

94	Relationship of PON1 192 and 55 gene polymorphisms to calcific valvular aortic stenosis. 2012 , 2, 123-32	2
93	Doppler tissue imaging: a non-invasive technique for estimation of left ventricular end diastolic pressure in severe mitral regurgitation. 2010 , 5, 122-7	
92	Non-invasive assessment of coronary artery stenosis with estimation of myocardial wall stress. 2010 , 5, 29-35	
91	Combined circumferential and longitudinal left ventricular systolic dysfunction in patients with type 2 diabetes mellitus without myocardial ischemia. 2013 , 18, e26-31	8
90	Characterisation of left ventricular function by tissue Doppler imaging technique in newly diagnosed, untreated hypertensive subjects. 2008 , 19, 259-63	2
89	Cardiac dysfunction in cirrhotic portal hypertension with or without ascites. 2014 , 27, 244-249	16
88	Rationale and Design of the Echocardiographic Study of Hispanics/Latinos (ECHO-SOL). 2015 , 25, 180-6	14
87	Impact of Prolonged Door-to-Balloon Times on the Diastolic Function in Acute ST-Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention. 2015 , 31, 281-91	2
86	[High-frequency echocardiography for assessment of regional wall motion abnormality and cardiac function in mice with myocardial infarction]. 2017 , 37, 1014-1021	1
85	Diastolic index as a short-term prognostic factor in heart failure with preserved ejection fraction. 2020 , 7,	1
84	Impact of Afterload-Integrated Diastolic Index on Prognosis in Elderly Patients with Heart Failure with Preserved Ejection Fraction with and without Atrial Fibrillation.. 2021 , 13, 2469	0
83	Diastolic dysfunction in left ventricular hypertrophy in hypertensive patients with normal ejection fraction: A cross-sectional study in ibn al-bitar center for cardiac surgery. 2021 , 20, 71	
82	PROGNOSTIC SIGNIFICANCE OF TISSUE DOPPLER IMAGING IN PATIENTS WITH HYPERTROPHIC CARDIOMYOPATHY. 2015 , 18-23	
81	Experimental study: using the continuous wave Doppler spectrum technique to detect left atrial pressure.. 2022 , 10, 105	0
80	Prognostic Impact of Left Atrial Strain After Mitral Valve Repair Surgery in Patients With Severe Mitral Regurgitation.. 2021 ,	2
79	Left atrial appendage (LAA) flow profile of its different waves and its correlation with direct left atrial pressure measurement: Can LAA flow profile be a surrogate to estimate left atrial pressure.. 2022 , 25, 48-53	
78	Does diabetes increase the risk of cardiovascular events in patients with negative treadmill stress echocardiography?. 2022 ,	
77	Evaluation of right and left ventricular function using speckle-tracking echocardiography in thalassemic patients.. 2021 , 14, 476-484	

76	Management of Diabetic Ketoacidosis Concomitant With Acute Myocardial Infarction With Acute Heart Failure: A Case Report. 2022 , 2, 71		
75	Diabetes Mellitus Is an Independent Risk Factor for a Stiff Left Atrial Physiology After Catheter Ablation for Atrial Fibrillation.. 2022 , 9, 828478		
74	An Integrated Workflow for Building Digital Twins of Cardiac Electromechanics-A Multi-Fidelity Approach for Personalising Active Mechanics.. 2022 , 10, 823	2	
73	Cirrhotic Cardiomyopathy: Appraisal of the Original and Revised Criteria in Predicting Post-Transplant Cardiac Outcomes.. 2022 ,		0
72	Cardiac Remodeling and Its Determinants in Anorexia Nervosa Adolescents: Impact of Weight Recovery.. 2022 , 9,		
71	Pre-operative point-of-care assessment of left ventricular diastolic dysfunction, an observational study.. 2022 , 22, 96		
70	Ultrasound diagnosis of congestion in the pulmonary and systemic circulations in patients with atrial fibrillation and chronic heart failure. 2021 , 10,		0
69	Table_1.xlsx. 2020 ,		
68	Data_Sheet_1.pdf. 2018 ,		
67	Data_Sheet_1.DOCX. 2018 ,		
66	Diastolic index as a short-term prognostic factor in heart failure with preserved ejection fraction. 2020 , 7, e001469	1	
65	Prevalence of echocardiographic criteria for the diagnosis of pulmonary hypertension in patients with Graves' disease: before and after antithyroid treatment. 2011 , 34, e229-34	9	
64	Increased Right Ventricular Pressure as a Predictor of Acute Decompensated Heart Failure in End-Stage Renal Disease Patients on Maintenance Hemodialysis. 4,		0
63	Incremental Prognostic Value of Left Ventricular Global Longitudinal Strain in Patients with Preserved Ejection Fraction Undergoing Transcatheter Aortic Valve Implantation.. 2022 ,		
62	Hemodynamic profiling by critical care echocardiography could be more accurate than invasive techniques and help identify targets for treatment.. <i>Scientific Reports</i> , 2022 , 12, 7187	4.9	0
61	Diastolic Function. 2016 , 173-197		
60	Myocardial Mechanics. 2017 , 128-146		
59	Restrictive Cardiomyopathy. 2017 , 534-555		

58 Left Ventricular Diastolic Function. **2017**, 147-165

57 Echocardiographic indices of left ventricular function and filling pressure are not related to blood pool activity on pyrophosphate scintigraphy.. *Journal of Nuclear Cardiology*, **2022**, 2.1 ○

56 [Echocardiographic Assessment of Perioperative Right and Left Ventricular Function].. *Anesthesiologie, Intensivmedizin, Notfallmedizin, Schmerztherapie: AINS*, **2022**, 57, 344-358

55 The E/e² Ratio: As Critical As the Left Ventricular Ejection Fraction?. *Critical Pathways in Cardiology*, **2022**, 21, 93-95 1.3

54 The validation of left atrial strain imaging for the assessment of diastolic functions in patients with ST-segment elevation myocardial infarction. *International Journal of Cardiovascular Imaging*, ○

53 Estimation of the Risk of Postoperative Hypertension Following Minor to Moderate Surgery Using an Echocardiogram and Biomarkers. *International Heart Journal*, **2022**, 63, 558-565 1.8

52 Diastolic Dysfunction in Neonates With Hypoxic-Ischemic Encephalopathy During Therapeutic Hypothermia: A Tissue Doppler Study. *Frontiers in Pediatrics*, **2022**, 10, 3.4

51 The relationship between ambulatory arterial stiffness index and left ventricular diastolic dysfunction in HFpEF: a prospective observational study. *BMC Cardiovascular Disorders*, **2022**, 22, 2.3 ○

50 Vasoactive use in early goal-directed therapy in dogs with severe sepsis and septic shock: survivors versus non-survivors. *Ankara Universitesi Veteriner Fakultesi Dergisi*, 1

49 Transesophageal Echocardiography For The Assessment of Left Atrial Pressure After Trans-Septal Mitral Valve Interventions. *American Journal of Cardiology*, **2022**, 3

48 Left ventricular function and mechanics in backs and forwards elite rugby union players. *European Journal of Sport Science*, 1-26 3.9

47 Selected Transesophageal Echocardiographic Parameters of Left Ventricular Diastolic Function Predict Length of Stay Following Coronary Artery Bypass Graft A Prospective Observational Study. *Journal of Clinical Medicine*, **2022**, 11, 3980 5.1

46 Effect of positive end expiratory pressure on central venous pressure in closed and open thorax. *Physiological Measurement*, 2.9

45 Left ventricular diastolic function and respiratory outcomes in preterm infants: a retrospective study.

44 Unsupervised machine learning demonstrates the prognostic value of TAPSE/PASP ratio among hospitalized patients with COVID-19. ○

43 Time-sensitive prognostic performance of an afterload-integrated diastolic index in heart failure with preserved ejection fraction: a prospective multicentre observational study. **2022**, 12, e059614 ○

42 The long-term prognostic value of E/e² in patients with ST segment elevation myocardial infarction. **2022**,

41 Right ventricular-pulmonary arterial coupling impairment and exercise capacity in obese adults. 9,

40	Associations between Subclinical Myocardial Dysfunction and Premature Fusion of Early and Late Diastolic Filling with Uncertain Cause. 2022 , 63, 817	0
39	Machine learning-based medical decision support system for diagnosing HFpEF and HFrEF using PPG. 2023 , 79, 104164	1
38	Protocol of bedside ultrasound examination for heart failure (ConCORd [CONgestion, Cardiac and multiORGan Dysfunction]). 2022 , 42-49	0
37	The Conundrum of HFpEF Definition: Non-Invasive Assessment Uncertainties and Alternative Diagnostic Strategies. 2022 , 101433	0
36	A New Medical Decision Support System for Diagnosing HFrEF and HFpEF Using ECG and Machine Learning Techniques. 2022 , 10, 107283-107292	0
35	A Left ventricle remodeling in patients with bicuspid aortic valve.	0
34	Integrated network pharmacology and metabolomics to reveal the mechanism of QiShenYiQi Dripping Pills (T101) against cardiac structural and functional abnormalities. 13,	0
33	Left Ventricular Diastolic Dysfunction in ARDS Patients. 2022 , 11, 5998	0
32	Material property alterations for phenotypes of heart failure with preserved ejection fraction: A numerical study of subject-specific porcine models. 10,	0
31	Left Ventricular Diastolic Abnormalities in Vegetarians as Compared with Non-vegetarians. 1-28	0
30	Hemodynamic effect of pimobendan following intramuscular and intravenous administration in healthy dogs: A pilot study. 9,	1
29	Association of Echocardiographic Parameter E/e _w with Cardiovascular Events in A Diverse Population of Inpatients and Outpatients with and without Cardiac Diseases and Risk Factors. 2022 ,	0
28	JCS 2021 Guideline on the Clinical Application of Echocardiography. 2022 ,	2
27	Echo-Based Hemodynamics to Help Guide Care in Cardiogenic Shock: a Review.	0
26	Prevalence of cirrhotic cardiomyopathy according to different diagnostic criteria. Alterations in ultrasonographic parameters of both left and right ventricles before and after stress.	0
25	A formal validation of a deep learning-based automated workflow for the interpretation of the echocardiogram. 2022 , 13,	0
24	Effect of acetazolamide on pulmonary vascular hemodynamics in patients with COPD going to altitude: a randomized, placebo-controlled, double-blind trial. 00412-2022	0
23	Invasive Hemodynamic Monitoring in the Diagnosis of Heart Failure with Preserved Ejection Fraction. 2022 , 2, 290-295	0

- 22 A Hemodynamic Echocardiographic Evaluation Predicts Prolonged Mechanical Ventilation in Septic Patients: A Pilot Study. **2023**, 49, 626-634 ○
- 21 A new technique for the detection of dry weight in hemodialysis patients: Estimated pulmonary capillary wedge pressure. A tissue Doppler imaging study. **2022**, 42, 471-480 ○
- 20 Clinical Decision-Making in Practice with New Critical Care Ultrasound Methods for Assessing Respiratory Function and Haemodynamics in Critically Ill Patients. **2022**, 12, 986-1000 ○
- 19 Comparison of the prognostic value of lateral versus septal early mitral annulus velocity in patients with acute decompensated heart failure. ○
- 18 Left Ventricular Diastolic Function in Subjects Conceived through Assisted Reproductive Technologies. **2022**, 11, 7128 ○
- 17 A Unique High-Output Cardiac Hypertrophy Phenotype Arising From Low Systemic Vascular Resistance in Cantu Syndrome. **2022**, 11, ○
- 16 Bedside Ultrasound for Hemodynamic Monitoring in Cardiac Intensive Care Unit. **2022**, 11, 7538 1
- 15 Validity and utility of a vascular resistance-integrated diastolic index as a prognostic factor in heart failure with preserved ejection fraction. ○
- 14 Prognostic value of temporal patterns of global longitudinal strain in patients with chronic heart failure. 9, ○
- 13 Is left ventricular systolic dysfunction associated with increased mortality among patients with sepsis and septic shock?. **2023**, ○
- 12 Percutaneous balloon mitral valvuloplasty in rheumatic mitral stenosis: the earlier the merrier?. ○
- 11 Predictors of adverse diastolic remodeling in non-diabetic patients presenting with ST-elevation myocardial infarction. **2023**, 23, ○
- 10 Pulmonary hypertension, an echo assessment: Is it arterial or venous?. **2023**, 13, 29 ○
- 9 Echocardiographic assessment of pulmonary capillary wedge pressure by E/e' ratio: A systematic review and meta-analysis. **2023**, 76, 154281 ○
- 8 Hämodynamisches Monitoring. **2022**, 25-37 ○
- 7 Prognostic Stratification of Clinically Stable Patients with Heart Failure by Echocardiographic Pressure/Volume Loop Model. **2023**, ○
- 6 Echocardiography as a Tool to Assess Cardiac Function in Critical Care: A Review. **2023**, 13, 839 ○
- 5 The Pathophysiology and Assessment of Diastolic Dysfunction: Important Clues From Stress Cardiomyopathy. **2023**, ○

- 4 Risk Assessment of Adverse Outcomes in Symptomatic Patients With Arterial Hypertension and Chronic Heart Failure With Preserved Ejection Fraction Using THE HFA-PEFF Algorithm. **2023**, 63, 3-10 ○
- 3 ECG-guided non-invasive estimation of pulmonary congestion in patients with heart failure. **2023**, 13, ○
- 2 Diastolic Dysfunction Criteria and Heart failure Readmission in Patients with Heart Failure and Reduced Ejection Fraction. **2023**, 17, ○
- 1 Four-dimensional XStrain echocardiography: Correlation of aortic stiffness with left ventricular diastolic, systolic, and strain parameters in healthy adults [A single-center Indian perspective]. **2023**, 13, 29 ○