

# Modification of the Clinical Global Impressions (CGI) scale to create the CGI-BP

Psychiatry Research

73, 159-171

DOI: [10.1016/s0165-1781\(97\)00123-6](https://doi.org/10.1016/s0165-1781(97)00123-6)

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Olanzapine in treatment-resistant bipolar disorder. <i>Journal of Affective Disorders</i> , 1998, 49, 119-122.   | 2.0  | 95        |
| 2  | Statistical approaches to trial durations in episodic affective illness. <i>Psychiatry Research</i> , 1998, 78, 71-87.   | 1.7  | 18        |
| 4  | The Use of Quetiapine for Treatment-Resistant Bipolar Disorder: A Case Series. <i>Annals of Clinical Psychiatry</i> , 1999, 11, 137-140.   | 0.6  | 63        |
| 5  | Topiramate as add-on treatment for patients with bipolar mania. <i>Bipolar Disorders</i> , 1999, 1, 42-53.   | 1.1  | 135       |
| 6  | Gabapentin in the acute treatment of refractory bipolar disorder. <i>Bipolar Disorders</i> , 1999, 1, 61-65.   | 1.1  | 57        |
| 7  | Lamotrigine for the treatment of bipolar disorder: a clinical case series. <i>Journal of Affective Disorders</i> , 1999, 53, 95-98.  | 2.0  | 65        |
| 8  | Venlafaxine but not bupropion decreases cerebrospinal fluid 5-hydroxyindoleacetic acid in unipolar depression. <i>Biological Psychiatry</i> , 1999, 45, 285-289.   | 0.7  | 28        |
| 9  | Acute and continuation pharmacological treatment of children and adolescents with bipolar disorders; a summary of two previous studies. <i>Acta Neuropsychiatrica</i> , 2000, 12, 145-149.                     | 1.0  | 5         |
| 10 | Response to placebo among bipolar I disorder patients experiencing their first manic episode. <i>Bipolar Disorders</i> , 2000, 2, 332-335.   | 1.1  | 7         |
| 11 | Efficacy of Olanzapine in Acute Bipolar Mania<subtitle>A Double-blind, Placebo-Controlled Study</subtitle>. <i>Archives of General Psychiatry</i> , 2000, 57, 841.   | 13.8 | 506       |
| 12 | Open-label adjunctive topiramate in the treatment of bipolar disorders. <i>Biological Psychiatry</i> , 2000, 47, 1025-1033.  | 0.7  | 203       |
| 13 | Effect Size of Lithium, Divalproex Sodium, and Carbamazepine in Children and Adolescents With Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2000, 39, 713-720. | 0.3  | 332       |
| 14 | Adjunctive gabapentin treatment of bipolar disorder. <i>European Psychiatry</i> , 2000, 15, 433-437.   | 0.1  | 38        |
| 15 | Methodological issues in developing new acute treatments for patients with bipolar illness. <i>Biological Psychiatry</i> , 2000, 48, 615-624.  | 0.7  | 23        |
| 16 | Pharmacologic agents for the treatment of acute bipolar mania. <i>Biological Psychiatry</i> , 2000, 48, 539-557.   | 0.7  | 142       |
| 17 | Long-term effects of topiramate on bipolar mood instability, weight change and glycemic control: a case-series. <i>European Psychiatry</i> , 2001, 16, 186-190.  | 0.1  | 78        |
| 18 | ECNP Consensus Meeting March 2000 Nice. <i>European Neuropsychopharmacology</i> , 2001, 11, 79-88.   | 0.3  | 33        |
| 19 | Olanzapine. <i>CNS Drugs</i> , 2001, 15, 871-904.  | 2.7  | 56        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 20 | Olanzapine as Long-Term Adjunctive Therapy in Treatment-Resistant Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 469-473.  | 0.7 | 59        |
| 21 | Study of Health in Pomerania (SHIP): A health examination survey in an east German region: Objectives and design. <i>International Journal of Public Health</i> , 2001, 46, 186-194.                            | 2.7 | 477       |
| 22 | Rate of switch in bipolar patients prospectively treated with second-generation antidepressants as augmentation to mood stabilizers. <i>Bipolar Disorders</i> , 2001, 3, 259-265.                               | 1.1 | 97        |
| 23 | Subjective response to and tolerability of long-term supraphysiological doses of levothyroxine in refractory mood disorders. <i>Journal of Affective Disorders</i> , 2001, 64, 35-42.                           | 2.0 | 50        |
| 24 | Gabapentin treatment of the non-refractory bipolar spectrum: an open case series. <i>Journal of Affective Disorders</i> , 2001, 65, 167-171.  | 2.0 | 27        |
| 25 | Long-term naturalistic treatment of depressive symptoms in bipolar illness with divalproex vs. lithium in the setting of minimal antidepressant use. <i>Journal of Affective Disorders</i> , 2001, 65, 281-287. | 2.0 | 31        |
| 26 | The Stanley Foundation Bipolar Treatment Outcome Network. <i>Journal of Affective Disorders</i> , 2001, 67, 33-44.  | 2.0 | 162       |
| 27 | Decreased Anterior Cingulate Myo-inositol/Creatine Spectroscopy Resonance with Lithium Treatment in Children with Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2001, 24, 359-369.                         | 2.8 | 227       |
| 28 | Rating and quantification of manic syndromes. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 2-33.  | 2.2 | 3         |
| 29 | The Stanley Foundation Bipolar Network. <i>British Journal of Psychiatry</i> , 2001, 178, s169-s176.  | 1.7 | 96        |
| 30 | The Stanley Foundation Bipolar Network. <i>British Journal of Psychiatry</i> , 2001, 178, s177-s183.  | 1.7 | 39        |
| 31 | Topiramate Plus Risperidone for Controlling Weight Gain and Symptoms in Preschool Mania. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2002, 12, 271-273.   | 0.7 | 41        |
| 32 | Adjunctive Topiramate Treatment for Pediatric Bipolar Disorder: A Retrospective Chart Review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2002, 12, 323-330.                                    | 0.7 | 78        |
| 33 | The Stanley Foundation Bipolar Network: Results of the Naturalistic Follow-Up Study after 2.5 Years of Follow-Up in the German Centres. <i>Neuropsychobiology</i> , 2002, 46, 2-9.                              | 0.9 | 56        |
| 34 | Olanzapine versus haloperidol in the treatment of acute mania: clinical outcomes, health-related quality of life and work status. <i>International Clinical Psychopharmacology</i> , 2002, 17, 227-237.         | 0.9 | 55        |
| 35 | Review of the Use of Topiramate for Treatment of Bipolar Disorders. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 599-609.  | 0.7 | 205       |
| 36 | Clinical predictors of response to lamotrigine and gabapentin monotherapy in refractory affective disorders. <i>Biological Psychiatry</i> , 2002, 51, 253-260.  | 0.7 | 97        |
| 37 | The Life Functioning Questionnaire (LFQ): a brief, gender-neutral scale assessing functional outcome. <i>Psychiatry Research</i> , 2002, 112, 161-182.  | 1.7 | 60        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 38 | Electroconvulsive therapy in treatment-resistant mania: case reports. <i>Revista Do Hospital Das Clinicas</i> , 2002, 57, 31-38.   | 0.5 | 2         |
| 39 | An open case series on the utility of tiagabine as an augmentation in refractory bipolar outpatients. <i>Journal of Affective Disorders</i> , 2002, 71, 259-263.                                   | 2.0 | 32        |
| 40 | Presentations of depression in bipolar illness. <i>Clinical Neuroscience Research</i> , 2002, 2, 142-157.  | 0.8 | 12        |
| 41 | Acute and prophylactic effects of anticonvulsants in bipolar depression. <i>Clinical Neuroscience Research</i> , 2002, 2, 228-251.   | 0.8 | 19        |
| 42 | Supraphysiological Doses of L-Thyroxine in the Maintenance Treatment of Prophylaxis-Resistant Affective Disorders. <i>Neuropsychopharmacology</i> , 2002, 27, 620-8.                               | 2.8 | 55        |
| 43 | Utility of the daily prospective National Institute of Mental Health Life-Chart Method (NIMH-LCM-p) ratings in clinical trials of bipolar disorder. <i>Depression and Anxiety</i> , 2002, 15, 1-9. | 2.0 | 48        |
| 44 | A clinical monitoring form for mood disorders. <i>Bipolar Disorders</i> , 2002, 4, 323-327.  | 1.1 | 131       |
| 45 | Tiagabine in treatment refractory bipolar disorder: a clinical case series. <i>Bipolar Disorders</i> , 2002, 4, 283-289.   | 1.1 | 62        |
| 46 | Quetiapine in the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2002, 4, 335-340.  | 1.1 | 74        |
| 47 | Acute antimanic efficacy and safety of oxcarbazepine in an open trial with an on-off-on design. <i>Bipolar Disorders</i> , 2002, 4, 412-417.   | 1.1 | 49        |
| 48 | Olanzapine in the acute treatment of bipolar I disorder with a history of rapid cycling. <i>Journal of Affective Disorders</i> , 2003, 73, 155-161.  | 2.0 | 64        |
| 49 | Unique design issues in clinical trials of patients with bipolar affective disorder. <i>Journal of Psychiatric Research</i> , 2003, 37, 61-73.   | 1.5 | 40        |
| 50 | Assessment of treatment response in mania: commentary and new findings. <i>Bipolar Disorders</i> , 2003, 5, 79-84.   | 1.1 | 11        |
| 51 | An overview of recent findings of the Stanley Foundation Bipolar Network (Part I). <i>Bipolar Disorders</i> , 2003, 5, 310-319.  | 1.1 | 128       |
| 52 | Rates of response, euthymia and remission in two placebo-controlled olanzapine trials for bipolar mania. <i>Bipolar Disorders</i> , 2003, 5, 1-5.  | 1.1 | 74        |
| 53 | The Clinical Global Impression-Schizophrenia scale: a simple instrument to measure the diversity of symptoms present in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 16-23.   | 2.2 | 508       |
| 54 | The European Schizophrenia Outpatient Health Outcomes (SOHO) study: rationale, methods and recruitment. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 222-232.                                | 2.2 | 98        |
| 55 | A re-evaluation of the role of antidepressants in the treatment of bipolar depression: data from the Stanley Foundation Bipolar Network. <i>Bipolar Disorders</i> , 2003, 5, 396-406.              | 1.1 | 128       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 56 | Low CSF somatostatin associated with response to nimodipine in patents with affective illness. <i>Biological Psychiatry</i> , 2003, 53, 180-183.   | 0.7  | 18        |
| 57 | The InterSePT scale for suicidal thinking reliability and validity. <i>Schizophrenia Research</i> , 2003, 63, 161-170.   | 1.1  | 94        |
| 58 | Adjunctive quetiapine in bipolar patients partially responsive to lithium or valproate. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 863-866.   | 2.5  | 32        |
| 59 | Clinician ratings vs. global ratings of symptom severity: a comparison of symptom measures in the bipolar disorder module, phase II, Texas Medication Algorithm Project. <i>Psychiatry Research</i> , 2003, 117, 167-175.                    | 1.7  | 6         |
| 60 | A 12-Week, Double-blind Comparison of Olanzapine vs Haloperidol in the Treatment of Acute Mania. <i>Archives of General Psychiatry</i> , 2003, 60, 1218.   | 13.8 | 198       |
| 61 | Efficacy of Olanzapine and Olanzapine-Fluoxetine Combination in the Treatment of Bipolar I Depression. <i>Archives of General Psychiatry</i> , 2003, 60, 1079.   | 13.8 | 797       |
| 62 | Impact of Antidepressant Discontinuation After Acute Bipolar Depression Remission on Rates of Depressive Relapse at 1-Year Follow-Up. <i>American Journal of Psychiatry</i> , 2003, 160, 1252-1262.  | 4.0  | 265       |
| 63 | A Placebo-Controlled, Double-Blind Study of the Efficacy and Safety of Aripiprazole in Patients With Acute Bipolar Mania. <i>American Journal of Psychiatry</i> , 2003, 160, 1651-1658.  | 4.0  | 419       |
| 64 | A Preliminary Study of the Kiddie Schedule for Affective Disorders and Schizophrenia for School-Age Children Mania Rating Scale for Children and Adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2003, 13, 463-470. | 0.7  | 267       |
| 65 | Olanzapine Versus Divalproex Sodium for the Treatment of Acute Mania and Maintenance of Remission: A 47-Week Study. <i>American Journal of Psychiatry</i> , 2003, 160, 1263-1271.  | 4.0  | 294       |
| 66 | Valproate for acute mood episodes in bipolar disorder. <i>The Cochrane Library</i> , 2003, , CD004052.   | 1.5  | 70        |
| 67 | Adjunctive topiramate in bipolar II disorder. <i>World Journal of Biological Psychiatry</i> , 2003, 4, 172-176.  | 1.3  | 18        |
| 68 | Olanzapine Versus Placebo in Acute Mania. <i>Journal of Clinical Psychopharmacology</i> , 2003, 23, 370-376.   | 0.7  | 58        |
| 69 | Psychometric validation of a generic health-related quality of life measure (EQ-5D) in a sample of schizophrenic patients. <i>Current Medical Research and Opinion</i> , 2004, 20, 827-835.  | 0.9  | 69        |
| 70 | Quetiapine with lithium or divalproex for the treatment of bipolar mania: a randomized, double-blind, placebo-controlled study. <i>Bipolar Disorders</i> , 2004, 6, 213-223.   | 1.1  | 236       |
| 71 | The prevalence of the metabolic syndrome in patients with schizoaffective disorder - bipolar subtype. <i>Bipolar Disorders</i> , 2004, 6, 314-318.   | 1.1  | 115       |
| 72 | Adjunctive stimulant use in patients with bipolar disorder: treatment of residual depression and sedation. <i>Bipolar Disorders</i> , 2004, 6, 416-420.  | 1.1  | 64        |
| 73 | The prevalence and clinical correlates of anger attacks during depressive episodes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2004, 79, 291-295.   | 2.0  | 82        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 74 | Sequence analysis of ADARB1 gene in patients with familial bipolar disorder. <i>Journal of Affective Disorders</i> , 2004, 81, 79-85.   | 2.0 | 8         |
| 75 | Open-label prospective trial of risperidone in combination with lithium or divalproex sodium in pediatric mania. <i>Journal of Affective Disorders</i> , 2004, 82, S103-S111.   | 2.0 | 118       |
| 76 | A Pharmacotherapy Algorithm for Stabilization and Maintenance of Pediatric Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 859-867.   | 0.3 | 59        |
| 77 | A high prevalence of organ-specific autoimmunity in patients with bipolar disorder. <i>Biological Psychiatry</i> , 2004, 56, 476-482.   | 0.7 | 96        |
| 78 | Child- and Family-Focused Cognitive-Behavioral Therapy for Pediatric Bipolar Disorder: Development and Preliminary Results. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 528-537.  | 0.3 | 227       |
| 79 | How real are patients in placebo-controlled studies of acute manic episode?. <i>European Neuropsychopharmacology</i> , 2004, 14, 319-323.   | 0.3 | 16        |
| 80 | Effects of olanzapine alone and olanzapine/fluoxetine combination on health-related quality of life in patients with bipolar depression: Secondary analyses of a double-blind, placebo-controlled, randomized clinical trial. <i>Clinical Therapeutics</i> , 2004, 26, 125-134. | 1.1 | 54        |
| 81 | Aripiprazole for Acute Bipolar Mania. <i>American Journal of Psychiatry</i> , 2004, 161, 1926-a-1927.   | 4.0 | 3         |
| 82 | Open-Label Adjunctive Topiramate in the Treatment of Unstable Bipolar Disorder. <i>Canadian Journal of Psychiatry</i> , 2005, 50, 415-422.  | 0.9 | 29        |
| 83 | Efficacy of Electroconvulsive Therapy in Treatment-Resistant Bipolar Disorder. <i>Journal of ECT</i> , 2005, 21, 31-34.   | 0.3 | 30        |
| 84 | Aripiprazole: Initial Clinical Experience with 142 Hospitalized Psychiatric Patients. <i>Journal of Psychiatric Practice</i> , 2005, 11, 241-247.   | 0.3 | 34        |
| 85 | Carbamazepine extended-release capsules for the treatment of bipolar I disorder. <i>Therapy: Open Access in Clinical Medicine</i> , 2005, 2, 533-544.   | 0.2 | 1         |
| 86 | Recovery and functional outcomes following olanzapine treatment for bipolar I mania. <i>Bipolar Disorders</i> , 2005, 7, 68-76.   | 1.1 | 43        |
| 87 | Divalproex sodium for pediatric mixed mania: a 6-month prospective trial. <i>Bipolar Disorders</i> , 2005, 7, 266-273.  | 1.1 | 67        |
| 88 | Zotepine loading in acute and severely manic patients: a pilot study. <i>Bipolar Disorders</i> , 2005, 7, 471-476.  | 1.1 | 43        |
| 89 | Supraphysiological doses of levothyroxine alter regional cerebral metabolism and improve mood in bipolar depression. <i>Molecular Psychiatry</i> , 2005, 10, 456-469.   | 4.1 | 144       |
| 90 | Lamotrigine for the treatment of bipolar spectrum disorder: a chart review. <i>Journal of Affective Disorders</i> , 2005, 86, 69-73.  | 2.0 | 10        |
| 91 | Rapid versus non-rapid cycling as a predictor of response to olanzapine and divalproex sodium for bipolar mania and maintenance of remission: Post hoc analyses of 47-week data. <i>Journal of Affective Disorders</i> , 2005, 89, 69-77.                                       | 2.0 | 41        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 93  | Olanzapine co-therapy in bipolar disorder. <i>British Journal of Psychiatry</i> , 2005, 187, 486-487.   | 1.7  | 0         |
| 94  | Work-Related Subjective Experiences Among Community Residents with Schizophrenia or Schizoaffective Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 288-299.                              | 1.3  | 13        |
| 95  | Comparison of Olanzapine and Risperidone in 367 First-Episode Patients with Non-Affective or Affective Psychosis: Results of an Open Retrospective Medical Record Study. <i>Pharmacopsychiatry</i> , 2005, 38, 206-213. | 1.7  | 35        |
| 96  | Carbamazepine extended-release capsules: a new treatment option for bipolar I disorder. <i>Expert Review of Neurotherapeutics</i> , 2005, 5, 587-595.   | 1.4  | 4         |
| 97  | Adjunctive Topiramate in Hospitalized Children and Adolescents with Bipolar Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005, 15, 931-937.   | 0.7  | 24        |
| 98  | Combination quetiapine therapy in the long-term treatment of patients with bipolar I disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005, 1, 7.   | 0.6  | 10        |
| 99  | Effectiveness of aripiprazole v. Haloperidol in acute bipolar mania. <i>British Journal of Psychiatry</i> , 2005, 187, 235-242.   | 1.7  | 166       |
| 100 | Mixed Hypomania in 908 Patients With Bipolar Disorder Evaluated Prospectively in the Stanley Foundation Bipolar Treatment Network. <i>Archives of General Psychiatry</i> , 2005, 62, 1089.                              | 13.8 | 175       |
| 101 | Quetiapine or haloperidol as monotherapy for bipolar mania—a 12-week, double-blind, randomised, parallel-group, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2005, 15, 573-585.                  | 0.3  | 195       |
| 102 | Bupropion and venlafaxine responders differ in pretreatment regional cerebral metabolism in unipolar depression. <i>Biological Psychiatry</i> , 2005, 57, 220-228.  | 0.7  | 80        |
| 103 | Aripiprazole in the treatment of acute manic or mixed episodes in patients with bipolar I disorder: a 3-week placebo-controlled study. <i>Journal of Psychopharmacology</i> , 2006, 20, 536-546.                        | 2.0  | 233       |
| 104 | Extended-Release Carbamazepine Capsules as Monotherapy in Bipolar Disorder. <i>CNS Drugs</i> , 2006, 20, 219-231.   | 2.7  | 70        |
| 105 | Mood switch in bipolar depression: comparison of adjunctive venlafaxine, bupropion and sertraline. <i>British Journal of Psychiatry</i> , 2006, 189, 124-131.   | 1.7  | 310       |
| 106 | Monocyte-Derived Dendritic Cells in Bipolar Disorder. <i>Biological Psychiatry</i> , 2006, 59, 317-326.   | 0.7  | 36        |
| 107 | Double-Blind, Randomized, Placebo-Controlled Trials of Ethyl-Eicosapentanoate in the Treatment of Bipolar Depression and Rapid Cycling Bipolar Disorder. <i>Biological Psychiatry</i> , 2006, 60, 1020-1022.            | 0.7  | 219       |
| 108 | Lithium Treatment Effects on Myo-Inositol in Adolescents with Bipolar Depression. <i>Biological Psychiatry</i> , 2006, 60, 998-1004.  | 0.7  | 51        |
| 109 | Open-Label Lithium for the Treatment of Adolescents With Bipolar Depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 289-297.   | 0.3  | 102       |
| 111 | Second-generation antidepressant discontinuation and depressive relapse in adult patients with bipolar depression: Results of a retrospective database analysis. <i>Clinical Therapeutics</i> , 2006, 28, 979-989.      | 1.1  | 9         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 112 | Tiagabine in the maintenance treatment of bipolar disorders. , 2006, , CD005173.   |      | 4         |
| 113 | Long-Term Lamotrigine Plus Lithium for Bipolar Disorder: One Year Outcome. Journal of Psychiatric Practice, 2006, 12, 300-305.   | 0.3  | 13        |
| 114 | An Exploratory Open Trial on Safety and Efficacy of the Anticonvulsant Retigabine in Acute Manic Patients. Journal of Clinical Psychopharmacology, 2006, 26, 534-536.  | 0.7  | 17        |
| 115 | Prediction of Functional Outcome 18 Months After a First Psychotic Episode. Archives of General Psychiatry, 2006, 63, 969.   | 13.8 | 56        |
| 116 | Zotepine loading in acute and severely manic patients: a pilot study. Annals of General Psychiatry, 2006, 5, 1.  | 1.2  | 0         |
| 117 | A relative resistance of T cells to dexamethasone in bipolar disorder. Bipolar Disorders, 2006, 8, 740-750.  | 1.1  | 49        |
| 118 | Evidence for three distinct classes of 'typical', 'psychotic' and 'dual' mania: results from the EMBLEM study. Acta Psychiatrica Scandinavica, 2006, 113, 112-120.   | 2.2  | 75        |
| 119 | Influence of the catechol-O-methyltransferase Val108/158Met polymorphism on the plasma concentration of catecholamine metabolites and on clinical features in type I bipolar disorderâ€”A preliminary report. Journal of Affective Disorders, 2006, 92, 277-281. | 2.0  | 21        |
| 120 | Clinical relevance of depressive symptom improvement in bipolar I depressed patients. Journal of Affective Disorders, 2006, 92, 261-266.   | 2.0  | 27        |
| 121 | Outcomes and Length of Treatment With Carbamazepine Extended-Release Capsules in Bipolar Disorder. Annals of Clinical Psychiatry, 2006, 18, 15-18.   | 0.6  | 0         |
| 122 | Safety of Carbamazepine Extended-Release Capsules in Bipolar Disorder Polypharmacy. Annals of Clinical Psychiatry, 2006, 18, 19-22.  | 0.6  | 6         |
| 123 | Carbamazepine Extended-Release Capsules Use in Bipolar Disorder: Efficacy and Safety in Adult Patients. Annals of Clinical Psychiatry, 2006, 18, 9-14.   | 0.6  | 1         |
| 124 | Lower Switch Rate in Depressed Patients With Bipolar II Than Bipolar I Disorder Treated Adjunctively With Second-Generation Antidepressants. American Journal of Psychiatry, 2006, 163, 313-315.   | 4.0  | 140       |
| 125 | An open label follow-up study on amisulpride in the add-on treatment of bipolar I patients. Clinical Practice and Epidemiology in Mental Health, 2006, 2, 19.  | 0.6  | 12        |
| 126 | Preliminary Study of Relationships Among Measures of Depressive Symptoms in Adolescents with Bipolar Disorder. Journal of Child and Adolescent Psychopharmacology, 2006, 16, 327-335.  | 0.7  | 6         |
| 127 | A One-Year Open-Label Trial of Risperidone Augmentation in Lithium Nonresponder Youth with Preschool-Onset Bipolar Disorder. Journal of Child and Adolescent Psychopharmacology, 2006, 16, 336-350.  | 0.7  | 64        |
| 128 | A Double-Blind, Randomized, Placebo-Controlled Trial of Oxcarbazepine in the Treatment of Bipolar Disorder in Children and Adolescents. American Journal of Psychiatry, 2006, 163, 1179-1186.  | 4.0  | 177       |
| 129 | Comparison of Two Anticonvulsants in a Randomized, Single-Blind Treatment of Hypomanic Symptoms in Patients with Bipolar Disorder. Australian and New Zealand Journal of Psychiatry, 2007, 41, 397-402.  | 1.3  | 13        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 130 | Work-Related Subjective Experiences, Work-Related Self-Efficacy, and Career Learning Among People with Psychiatric Disabilities. <i>American Journal of Psychiatric Rehabilitation</i> , 2007, 10, 275-300.               | 0.7 | 30        |
| 131 | Risperidone monotherapy in manic inpatients: An open label, multicentre trial. <i>World Journal of Biological Psychiatry</i> , 2007, 8, 256-261.  | 1.3 | 7         |
| 132 | Olanzapine Versus Placebo in the Treatment of Adolescents With Bipolar Mania. <i>American Journal of Psychiatry</i> , 2007, 164, 1547-1556.   | 4.0 | 238       |
| 133 | Lower Switch Rate in Depressed Patients With Bipolar II Than Bipolar I Disorder Treated Adjunctively With Second-Generation Antidepressants. <i>Focus (American Psychiatric Publishing)</i> , 2007, 5, 107-110.           | 0.4 | 2         |
| 134 | Quetiapine as add-on treatment for bipolar I disorder: efficacy in preventing relapse of depressive episodes. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 17.                                   | 0.6 | 4         |
| 135 | A Placebo-Controlled Evaluation of Adjunctive Modafinil in the Treatment of Bipolar Depression. <i>American Journal of Psychiatry</i> , 2007, 164, 1242-1249.   | 4.0 | 224       |
| 136 | Symptom rating scales and outcome in schizophrenia. <i>British Journal of Psychiatry</i> , 2007, 191, s7-s14.   | 1.7 | 114       |
| 137 | Outcomes for Latin American Versus White Patients Suffering From Acute Mania in a Randomized, Double-Blind Trial Comparing Olanzapine and Haloperidol. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 126-134. | 0.7 | 18        |
| 138 | Acute Pancreatitis and Diabetic Ketoacidosis in a Schizophrenic Patient Taking Olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 397-400.   | 0.7 | 21        |
| 139 | Treatment of Antipsychotic-Associated Hyperglycemia With Pioglitazone. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 403-404.   | 0.7 | 11        |
| 140 | Exacerbation of Myoclonus by Memantine in a Patient With Alzheimer Disease. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 407-408.  | 0.7 | 14        |
| 141 | Suicidality Scores During Double-Blind Fluoxetine and Desipramine Treatment in Mexican Americans. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 99-102.   | 0.7 | 4         |
| 142 | Attitude of Patients With Mood Disorder Toward Clinical Trials in Japan. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 93-94.   | 0.7 | 0         |
| 143 | Fluvoxamine in the Treatment of Late-Life Depression: How Much We Know Coming From Randomized Controlled Trials. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 98-99.   | 0.7 | 2         |
| 144 | Depressive Symptoms in Urticaria Patients Treated With First- or Second-Generation Histamine 1 Receptor Antagonists. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 404-406.                                   | 0.7 | 3         |
| 145 | Severe Hypoglycemia Following Venlafaxine Intoxication. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 414-415.  | 0.7 | 17        |
| 146 | Use of Alcohol During the Treatment of Alcohol Dependence With $\beta$ -Hydroxybutyric Acid. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 418.   | 0.7 | 5         |
| 147 | Combined Overdose of Atomoxetine and Methylphenidate in a Cytochrome P450 2D6 Poor Metabolizer. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 110-111.  | 0.7 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 148 | Quetiapine in a Case With Parkinson Disease and Pathological Gambling. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 106-107.                             | 0.7 | 37        |
| 149 | Duloxetine-Induced Excessive Disturbing and Disabling Yawning. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 106-107.                                     | 0.7 | 14        |
| 150 | Mood-Elevating Effects of Opioid Analgesics in Patients With Bipolar Disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2007, 19, 449-452.      | 0.9 | 18        |
| 151 | Duloxetine and Hyponatremia. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 101-104.   | 0.7 | 26        |
| 152 | Duloxetine-Induced Ultrarapid Cycling in an Adolescent With Bipolar Depression. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 115-116.                    | 0.7 | 6         |
| 153 | Venlafaxine Discontinuation Syndrome and Suicidal Ideation. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 94-95.  | 0.7 | 9         |
| 154 | Sex Differences in Antidepressant Response in a Canadian Primary-Care Sample. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 95-98.                        | 0.7 | 4         |
| 155 | Association of Acute Symptoms and Compliance Attitude in Noncompliant Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 392-394. | 0.7 | 15        |
| 156 | Cervical Dystonia Due to Interaction of Valproic Acid and Quetiapine. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 396-397.                              | 0.7 | 14        |
| 157 | Discontinuation of Risperidone, Olanzapine, and Haloperidol in First-Episode Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 400-401.            | 0.7 | 2         |
| 158 | An Open-Label Trial of Discontinuing Benzodiazepines in Patients With Chronic Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 401-403.       | 0.7 | 6         |
| 159 | Lithium Toxicity Presenting as Catatonia in an Adolescent Girl. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 410-412.                                    | 0.7 | 13        |
| 160 | Disulfiram in Context. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 415-417.   | 0.7 | 7         |
| 161 | Rating Rater Improvement. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 418-420.  | 0.7 | 18        |
| 162 | Why Do Clinical Trials Fail?. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 420-421.  | 0.7 | 6         |
| 163 | Inhibition of Selective Noradrenergic Reuptake as Treatment of Pathological Laughter. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 108-110.              | 0.7 | 14        |
| 164 | Rating the Raters-Who is the Research Subject?. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 116.  | 0.7 | 1         |
| 165 | Reply to Comments by Dr Rico-Villademoros. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 99.  | 0.7 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 166 | Reversible Delayed Onset Olanzapine-Associated Leukopenia and Neutropenia in a Clozapine-Naive Patient on Concomitant Depot Antipsychotic. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 394-395.                 | 0.7 | 5         |
| 167 | Transient Hyperglycemia and Decreased Glucose Tolerance During Antipsychotic Monotherapy With Amisulpride. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 92-93.   | 0.7 | 2         |
| 168 | Clozapine-Associated Restless Legs Syndrome. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 89-90.   | 0.7 | 35        |
| 169 | Reply to Comments by Dr. Balon. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 116-117.  | 0.7 | 0         |
| 170 | Olanzapine-Induced Chylomicronemia Presenting as Acute Pancreatitis. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 395-396.   | 0.7 | 15        |
| 171 | Treatment Adherence in Individuals With Rapid Cycling Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 412-414.  | 0.7 | 21        |
| 172 | Effect of Open-Label Lamotrigine as Monotherapy and Adjunctive Therapy on the Self-Assessed Cognitive Function Scores of Patients With Bipolar I Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 387-391. | 0.7 | 15        |
| 173 | The Asp40 $\mu$ -Opioid Receptor Allele Does Not Predict Naltrexone Treatment Efficacy in Heavy Drinkers. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 112-114.  | 0.7 | 20        |
| 174 | A 2-Year, Open-Label Pilot Study of Adjunctive Chromium in Patients With Treatment-Resistant Rapid-Cycling Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 104-106.                               | 0.7 | 11        |
| 175 | Levetiracetam for Manic Behavior in Hospitalized Geriatric Patients With Dementia of the Alzheimer's Type. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 408-410.   | 0.7 | 19        |
| 176 | Gabapentin-Related Changes in Renal Function. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 118-119.  | 0.7 | 3         |
| 177 | Reply to Comments by Mr Martin and Dr Beresford. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 417-418.   | 0.7 | 1         |
| 178 | Reply to Comments by Drs Rickels and Robinson. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 421.   | 0.7 | 1         |
| 179 | First Case of Sialolithiasis Associated With Atomoxetine. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 111-112.  | 0.7 | 4         |
| 180 | A Case-Control Study of Patients With Resistant Schizophrenia After Clozapine Discontinuation. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 90-91.   | 0.7 | 6         |
| 181 | Eating disorders and illness burden in patients with bipolar spectrum disorders. <i>Comprehensive Psychiatry</i> , 2007, 48, 516-521.   | 1.5 | 28        |
| 182 | Pharmacotherapeutic strategies for pediatric bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , 2007, 8, 1801-1819.   | 0.9 | 12        |
| 183 | Response and Remission in Adolescent Mania. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 628-635.  | 0.3 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 184 | Maintenance Model of Integrated Psychosocial Treatment in Pediatric Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 205-212.                       | 0.3 | 76        |
| 185 | Adaptive Strategies for Treating Childhood Mania. <i>Biological Psychiatry</i> , 2007, 61, 758-764.  | 0.7 | 12        |
| 186 | Schizophrenia: Measurements of Psychopathology. <i>Psychiatric Clinics of North America</i> , 2007, 30, 339-363.   | 0.7 | 24        |
| 187 | An open-label study of quetiapine in anorexia nervosa. <i>Human Psychopharmacology</i> , 2007, 22, 223-230.  | 0.7 | 29        |
| 188 | The management of bipolar mania: a national survey of baseline data from the EMBLEM study in Italy. <i>BMC Psychiatry</i> , 2007, 7, 33.   | 1.1 | 13        |
| 189 | The improved Clinical Global Impression Scale (iCGI): development and validation in depression. <i>BMC Psychiatry</i> , 2007, 7, 7.  | 1.1 | 133       |
| 190 | The First-Episode Psychosis Outcome Study: premorbid and baseline characteristics of an epidemiological cohort of 661 first-episode psychosis patients. <i>Microbial Biotechnology</i> , 2007, 1, 191-200. | 0.9 | 100       |
| 191 | Functional impairment in patients with mania: baseline results of the EMBLEM study. <i>Bipolar Disorders</i> , 2007, 9, 45-52.   | 1.1 | 116       |
| 192 | Mood and anxiety spectrum as a means to identify clinically relevant subtypes of bipolar I disorder. <i>Bipolar Disorders</i> , 2007, 9, 462-467.  | 1.1 | 23        |
| 193 | An imbalance in the production of IL-1 $\beta$ and IL-6 by monocytes of bipolar patients: restoration by lithium treatment. <i>Bipolar Disorders</i> , 2007, 9, 743-753.                                   | 1.1 | 128       |
| 194 | Tranlycypromine vs. lamotrigine in the treatment of refractory bipolar depression: a failed but clinically useful study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 360-365.                       | 2.2 | 51        |
| 195 | Open-label aripiprazole in the treatment of acute bipolar depression: A prospective pilot trial. <i>Journal of Affective Disorders</i> , 2007, 101, 275-281.   | 2.0 | 50        |
| 196 | The social, psychopathological and consumer context of rate of symptom improvement in acute mania. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 631-638.                              | 1.6 | 9         |
| 197 | Long-Chain Omega-3 Polyunsaturated Fatty Acids in the Blood of Children and Adolescents with Juvenile Bipolar Disorder. <i>Lipids</i> , 2008, 43, 1031-1038.   | 0.7 | 65        |
| 198 | Targeted scoring criteria reduce variance in global impressions. <i>Human Psychopharmacology</i> , 2008, 23, 629-633.  | 0.7 | 14        |
| 199 | Reporting outcomes in clinical trials for bipolar disorder: a commentary and suggestions for change. <i>Bipolar Disorders</i> , 2008, 10, 566-579.   | 1.1 | 40        |
| 200 | Quetiapine for the treatment of bipolar mania in older adults. <i>Bipolar Disorders</i> , 2008, 10, 662-671.   | 1.1 | 55        |
| 201 | The validity of the CGI severity and improvement scales as measures of clinical effectiveness suitable for routine clinical use. <i>Journal of Evaluation in Clinical Practice</i> , 2008, 14, 979-983.    | 0.9 | 194       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 202 | Weight change in the acute treatment of bipolar I disorder: A naturalistic observational study of psychiatric inpatients. <i>Journal of Affective Disorders</i> , 2008, 105, 45-52.   | 2.0  | 38        |
| 203 | Olanzapine versus lithium in the acute treatment of bipolar mania: A double-blind, randomized, controlled trial. <i>Journal of Affective Disorders</i> , 2008, 105, 101-108.  | 2.0  | 62        |
| 204 | Olanzapine monotherapy and olanzapine combination therapy in the treatment of mania: 12-week results from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM) observational study. <i>Journal of Affective Disorders</i> , 2008, 106, 63-72.         | 2.0  | 47        |
| 205 | The empirical redefinition of the psychometric criteria for remission in bipolar disorder. <i>Journal of Affective Disorders</i> , 2008, 106, 153-158.  | 2.0  | 78        |
| 206 | The Bipolar Comprehensive Outcomes Study (BCOS): Baseline findings of an Australian cohort study. <i>Journal of Affective Disorders</i> , 2008, 107, 135-144.   | 2.0  | 12        |
| 207 | A single blind comparison of lithium and lamotrigine for the treatment of bipolar II depression. <i>Journal of Affective Disorders</i> , 2008, 111, 334-343.  | 2.0  | 84        |
| 208 | Efficacy and safety of quetiapine in combination with lithium or divalproex for maintenance of patients with bipolar I disorder (international trial 126). <i>Journal of Affective Disorders</i> , 2008, 109, 251-263.  | 2.0  | 221       |
| 209 | Rapid-cycling bipolar I disorder: Course and treatment outcome of a large sample across Europe. <i>Journal of Psychiatric Research</i> , 2008, 42, 1068-1075.   | 1.5  | 56        |
| 210 | Validation of a Clinical Global Impression Scale for Aggression (CGI-A) in a sample of 558 psychiatric patients. <i>Schizophrenia Research</i> , 2008, 100, 342-348.  | 1.1  | 39        |
| 211 | Is there a role for $\omega$ -3 long-chain polyunsaturated fatty acids in the regulation of mood and behaviour? A review of the evidence to date from epidemiological studies, clinical studies and intervention trials. <i>Nutrition Research Reviews</i> , 2008, 21, 13-41. | 2.1  | 104       |
| 215 | Prevalence and correlates of eating disorder co-morbidity in patients with bipolar disorder. <i>Psychiatry Research</i> , 2008, 161, 51-58.   | 1.7  | 61        |
| 216 | Stability and treatment outcome of distinct classes of mania. <i>European Psychiatry</i> , 2008, 23, 360-367.   | 0.1  | 18        |
| 217 | Chronic mania revisited: Factors associated with treatment non-response during prospective follow-up of a large European cohort (EMBLEM). <i>World Journal of Biological Psychiatry</i> , 2008, 9, 313-320.   | 1.3  | 22        |
| 218 | Development and validation of the Affective Self Rating Scale for manic, depressive, and mixed affective states. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 130-135.   | 0.7  | 26        |
| 219 | Protein Kinase C Inhibition in the Treatment of Mania. <i>Archives of General Psychiatry</i> , 2008, 65, 255.   | 13.8 | 197       |
| 220 | Olanzapine plus carbamazepine <i>v.</i> carbamazepine alone in treating manic episodes. <i>British Journal of Psychiatry</i> , 2008, 192, 135-143.  | 1.7  | 75        |
| 221 | A 12-week, open, randomized trial comparing sodium valproate to lithium in patients with bipolar I disorder suffering from a manic episode. <i>International Clinical Psychopharmacology</i> , 2008, 23, 254-262.   | 0.9  | 36        |
| 222 | Treatment of Severe Agitation with Olanzapine in 166 Patients with Schizophrenia, Schizoaffective, or Bipolar I Disorder. <i>Pharmacopsychiatry</i> , 2008, 41, 182-189.  | 1.7  | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 223 | Temporal Change in N-Acetyl-Aspartate Concentrations in Adolescents with Bipolar Depression Treated with Lithium. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008, 18, 132-139.                      | 0.7 | 70        |
| 224 | Reply to Comments by Dr Lin "Duloxetine Treatment of Social Anxiety Disorder With Comorbid Major Depression". <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 592-593.                                      | 0.7 | 1         |
| 225 | Changes in Sexual Function for Outpatients With Schizophrenia or Other Psychotic Disorders Treated With Ziprasidone in Clinical Practice Settings. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 568-570. | 0.7 | 36        |
| 226 | Low-Dose Risperidone for Pathological Jealousy. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 595-596.  | 0.7 | 2         |
| 227 | Visual and Coenesthetic Hallucinations Associated With Modafinil. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 251-252.  | 0.7 | 10        |
| 228 | Persistent Suppression of Postexercise Facilitation of Motor Evoked Potentials During Alternate Phases of Bipolar Disorder. <i>Journal of Clinical Neurophysiology</i> , 2008, 25, 115-118.                           | 0.9 | 3         |
| 229 | Gabapentin in the Treatment of Mental Illness: The Echo Chamber of the Case Series. <i>Journal of Psychiatric Practice</i> , 2008, 14, 15-27.   | 0.3 | 9         |
| 230 | Effects of Topiramate on Smoking in Patients With Schizoaffective Disorder, Bipolar Type. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 247-248.  | 0.7 | 12        |
| 231 | Clinical Experience With Carbamazepine Overdose. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 241-243.   | 0.7 | 13        |
| 232 | Myoclonus Provoked by Lamotrigine in a Bipolar Patient. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 248-249.  | 0.7 | 10        |
| 233 | No Effect of Spironolactone on Bulimia Nervosa Symptoms. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 258-260.   | 0.7 | 5         |
| 234 | Drug-Induced Liver Disease Related to Citalopram. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 254-255.  | 0.7 | 10        |
| 235 | Confounding Influence of Extraneous Symptoms on Clinical Global Impression Ratings for Depression. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 587-589.   | 0.7 | 2         |
| 236 | Nonfatal Suicidal Olanzapine Intoxication. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 578.   | 0.7 | 0         |
| 237 | Zotepine-Induced QTc Prolongation. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 576-578.   | 0.7 | 8         |
| 238 | Improved Insulin Sensitivity in 51 Nondiabetic Depressed Inpatients Remitting During Antidepressive Treatment With Mirtazapine and Venlafaxine. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 581-584.    | 0.7 | 24        |
| 239 | Acute Psychosis Induced by Clarithromycin in a Healthy Adult?. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 579-580.   | 0.7 | 19        |
| 240 | Integrating Medical and Psychiatric Care in Patients With Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 257-258.  | 0.7 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 241 | High-Dose Ziprasidone Monotherapy in Bipolar I Disorder Patients With Depressed or Mixed Episodes. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 240-241.   | 0.7 | 8         |
| 242 | Tardive Dystonia Associated With Low-Dose of Amisulpride. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 573-574.  | 0.7 | 10        |
| 243 | A Preliminary Study of Sustained-Release Bupropion for Smoking Cessation in Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 584-587.  | 0.7 | 44        |
| 244 | Pregabalin Treatment of Posttraumatic Stress Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 596-597.   | 0.7 | 12        |
| 245 | A Case of Venlafaxine-Induced Galactorrhea?. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 580-581.   | 0.7 | 11        |
| 246 | Opiate Treatment in Depression Refractory to Antidepressants and Electroconvulsive Therapy. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 593-595.  | 0.7 | 78        |
| 247 | Acute Dystonic Reaction After Initiating Aripiprazole Monotherapy in a 20-Year-Old Man. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 245-247.  | 0.7 | 10        |
| 248 | Nocturnal Enuresis After Paroxetine Abrupt Discontinuation. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 589-591.  | 0.7 | 5         |
| 249 | An Open-Label Study of Aripiprazole in Nonschizophrenic Crack-Dependent Patients. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 570-572.  | 0.7 | 18        |
| 250 | Weight Gain and First-Generation Antipsychotics. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 574-576.   | 0.7 | 6         |
| 251 | Catatonia and Mild Neuroleptic Malignant Syndrome After Initiation of Long-Acting Injectable Risperidone. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 572-573.  | 0.7 | 10        |
| 252 | Efficacy of Quetiapine Monotherapy in Rapid-Cycling Bipolar Disorder in Comparison With Sodium Valproate. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 555-560.  | 0.7 | 28        |
| 253 | Stimulant Dosing in the Community Treatment of Adult Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 255-257.   | 0.7 | 2         |
| 254 | Aripiprazole Efficacy in Irritability and Disruptive-Aggressive Symptoms. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 243-245.  | 0.7 | 9         |
| 255 | Lithium Overcomes the Influence of 5-HTTLPR Gene Polymorphism on Antidepressant Response to Sleep Deprivation. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 249-251.   | 0.7 | 35        |
| 256 | Aripiprazole Induced Hypersexuality in a 24-Year-Old Female Patient With Schizoaffective Disorder?. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 567-568.  | 0.7 | 24        |
| 257 | Duloxetine Treatment of Social Anxiety Disorder With Comorbid Major Depression. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 591-592.  | 0.7 | 4         |
| 258 | Amisulpride plus valproate vs haloperidol plus valproate in the treatment of acute mania of bipolar I patients: a multicenter, open-label, randomized, comparative trial. <i>Neuropsychiatric Disease and Treatment</i> , 2008, 4, 675. | 1.0 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 259 | The working alliance in supported employment for people with severe mental health problems. <i>International Journal of Therapy and Rehabilitation</i> , 2009, 16, 315-323.  | 0.1 | 3         |
| 260 | Effectiveness of Lamotrigine in Maintaining Symptom Control in Pediatric Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009, 19, 75-82.  | 0.7 | 50        |
| 261 | Randomized Double-Blind Placebo-Controlled Trial of Lithium in Youths with Severe Mood Dysregulation. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009, 19, 61-73.   | 0.7 | 123       |
| 262 | Maintenance Treatment for Patients With Bipolar I Disorder: Results From a North American Study of Quetiapine in Combination With Lithium or Divalproex (Trial 127). <i>American Journal of Psychiatry</i> , 2009, 166, 476-488. | 4.0 | 207       |
| 263 | Mania in the Nordic countries: Patients and treatment in the acute phase of the EMBLEM study. <i>Nordic Journal of Psychiatry</i> , 2009, 63, 285-291.   | 0.7 | 4         |
| 264 | Lithium treatment "moderate dose use study (LiTMUS) for bipolar disorder: rationale and design. <i>Clinical Trials</i> , 2009, 6, 637-648.   | 0.7 | 39        |
| 265 | Correlates of Treatment-Emergent Mania Associated With Antidepressant Treatment in Bipolar Depression. <i>American Journal of Psychiatry</i> , 2009, 166, 164-172.   | 4.0 | 161       |
| 266 | Misdiagnosis of bipolar disorder as borderline personality disorder: clinical and economic consequences. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 612-615.  | 1.3 | 8         |
| 267 | Lamotrigine in bipolar disorder: Results of a mirror-image evaluation using the NIMH Lifechart-Methodology. <i>Journal of Affective Disorders</i> , 2009, 115, 241-245.  | 2.0 | 9         |
| 268 | Randomized, placebo-controlled trial of risperidone for acute treatment of bipolar anxiety. <i>Journal of Affective Disorders</i> , 2009, 115, 376-385.  | 2.0 | 59        |
| 269 | Bipolar disorder in the elderly; different effects of age and of age of onset. <i>Journal of Affective Disorders</i> , 2009, 116, 176-183.   | 2.0 | 86        |
| 270 | Predictors of switching from mania to depression in a large observational study across Europe (EMBLEM). <i>Journal of Affective Disorders</i> , 2009, 118, 118-123.  | 2.0 | 33        |
| 271 | Predominant previous polarity as an outcome predictor in a controlled treatment trial for depression in bipolar I disorder patients. <i>Journal of Affective Disorders</i> , 2009, 119, 22-27.                                   | 2.0 | 63        |
| 272 | Trauma exposure and post-traumatic stress disorder in bipolar disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 1041-1049.   | 1.6 | 51        |
| 273 | Bipolar disorder and dopamine dysfunction: an indirect approach focusing on tardive movement syndromes in a naturalistic setting. <i>BMC Psychiatry</i> , 2009, 9, 16.   | 1.1 | 13        |
| 274 | Mixed states vs. pure mania in the french sample of the EMBLEM study: results at baseline and 24 months "European mania in bipolar longitudinal evaluation of medication. <i>BMC Psychiatry</i> , 2009, 9, 33.                   | 1.1 | 49        |
| 275 | The impact of age at onset of bipolar I disorder on functioning and clinical presentation. <i>Acta Neuropsychiatrica</i> , 2009, 21, 191-196.  | 1.0 | 22        |
| 276 | Definitions of response and remission in schizophrenia: recommendations for their use and their presentation. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 7-14.   | 2.2 | 173       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 277 | Preliminary results of a fine-grain analysis of mood swings and treatment modalities of bipolar I and II patients using the daily prospective life-chart methodology. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 474-480.                    | 2.2 | 15        |
| 278 | Psychotherapy as monotherapy for the treatment of bipolar II depression: a proof of concept study. <i>Bipolar Disorders</i> , 2009, 11, 89-94.   | 1.1 | 47        |
| 279 | Enhancing outcomes in patients with bipolar disorder: results from the Bipolar Disorder Center for Pennsylvanians Study. <i>Bipolar Disorders</i> , 2009, 11, 382-390.   | 1.1 | 30        |
| 280 | Risperidone for the treatment of acute mania in children and adolescents with bipolar disorder: a randomized, double-blind, placebo-controlled study. <i>Bipolar Disorders</i> , 2009, 11, 687-700.  | 1.1 | 137       |
| 281 | A randomized, double-blind, placebo-controlled study of maintenance treatment with adjunctive risperidone long-acting therapy in patients with bipolar I disorder who relapse frequently. <i>Bipolar Disorders</i> , 2009, 11, 827-839.              | 1.1 | 138       |
| 282 | The Clinical Global Impressions scale: errors in understanding and use. <i>Comprehensive Psychiatry</i> , 2009, 50, 257-262.   | 1.5 | 60        |
| 283 | The psychometric validation of the Sheehan Disability Scale (SDS) in patients with bipolar disorder. <i>Psychiatry Research</i> , 2009, 165, 163-174.  | 1.7 | 106       |
| 284 | The Mood Disorder Burden Index: A scale for assessing the burden of caregivers to adults with unipolar or bipolar disorder. <i>Psychiatry Research</i> , 2009, 168, 67-77.   | 1.7 | 20        |
| 285 | Observational study designs for bipolar disorder – What can they tell us about treatment in acute mania?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 715-721.   | 2.5 | 13        |
| 286 | Gender differences in premorbid, entry, treatment, and outcome characteristics in a treated epidemiological sample of 661 patients with first episode psychosis. <i>Schizophrenia Research</i> , 2009, 114, 17-24.                                   | 1.1 | 167       |
| 287 | Efficacy and Safety of Lamotrigine as Add-On Treatment to Lithium in Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 223-231.  | 1.1 | 200       |
| 288 | Longer-term treatment of patients with bipolar disorder: a 9-month observational study in Central and Eastern Europe, the Middle East and Africa. <i>Current Medical Research and Opinion</i> , 2009, 25, 1889-1900.                                 | 0.9 | 5         |
| 289 | Does Cannabis Use Affect Treatment Outcome in Bipolar Disorder?. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 35-40.  | 0.5 | 94        |
| 290 | Symptom Management for Irritable Bowel Syndrome. <i>Gastroenterology Nursing</i> , 2009, 32, 243-255.  | 0.2 | 54        |
| 291 | Aripiprazole monotherapy in acute mania: 12-week randomised placebo- and haloperidol-controlled study. <i>British Journal of Psychiatry</i> , 2009, 194, 40-48.  | 1.7 | 94        |
| 292 | Effectiveness and Safety of the Combination of Fluoxetine and Olanzapine in Outpatients With Bipolar Depression. <i>Journal of Clinical Psychopharmacology</i> , 2009, 29, 358-361.  | 0.7 | 29        |
| 293 | Course and Outcome after the First Manic Episode in Patients with Bipolar Disorder: Prospective 12-Month Data from the Systematic Treatment Optimization Program for Early Mania Project. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 105-112. | 0.9 | 85        |
| 294 | Feasibility of a slower lamotrigine titration schedule for bipolar depression: a naturalistic study. <i>International Clinical Psychopharmacology</i> , 2009, 24, 105-110.   | 0.9 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 295 | Comparison of olanzapine and risperidone in the EMBLEM Study: translation of randomized controlled trial findings into clinical practice. <i>International Clinical Psychopharmacology</i> , 2010, 25, 257-263.                                  | 0.9 | 4         |
| 296 | The Effectiveness of a Psychoeducational Group Program with Inpatients Being Treated for Chronic Mental Illness. <i>Social Behavior and Personality</i> , 2010, 38, 657-666.   | 0.3 | 6         |
| 297 | Successful Treatment of Bipolar Disorder II and ADHD with a Micronutrient Formula: A Case Study. <i>CNS Spectrums</i> , 2010, 15, 289-295.   | 0.7 | 29        |
| 298 | Efficacy of valproate versus lithium in mania or mixed mania: a randomized, open 12-week trial. <i>International Clinical Psychopharmacology</i> , 2010, 25, 60-67.  | 0.9 | 59        |
| 299 | An Overview of Mood Disorders in the DSM-5. <i>Current Psychiatry Reports</i> , 2010, 12, 531-538.   | 2.1 | 23        |
| 300 | Long-Term Use of Pramipexole in Bipolar Depression: A Naturalistic Retrospective Chart Review. <i>Psychiatric Quarterly</i> , 2010, 81, 207-213.   | 1.1 | 15        |
| 301 | Psychiatric reactions to isotretinoin in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 122, 306-308.   | 2.0 | 44        |
| 302 | Effectiveness of the extended release formulation of quetiapine as monotherapy for the treatment of acute bipolar depression. <i>Journal of Affective Disorders</i> , 2010, 121, 106-115.  | 2.0 | 147       |
| 303 | Weight gain, obesity, and metabolic indices following a first manic episode: Prospective 12-month data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). <i>Journal of Affective Disorders</i> , 2010, 124, 108-117. | 2.0 | 29        |
| 304 | Placebo-controlled study of quetiapine monotherapy in ambulatory bipolar spectrum disorder with moderate-to-severe hypomania or mild mania. <i>Journal of Affective Disorders</i> , 2010, 124, 157-163.  | 2.0 | 31        |
| 305 | Functioning and symptomatic outcomes in patients with bipolar I disorder in syndromal remission: A 1-year, prospective, observational cohort study. <i>Journal of Affective Disorders</i> , 2010, 127, 50-57.                                    | 2.0 | 22        |
| 306 | Does age at onset have clinical significance in older adults with bipolar disorder?. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 1266-1271.   | 1.3 | 15        |
| 307 | Aripiprazole as adjunct to a mood stabilizer and citalopram in bipolar depression: a randomized placebo-controlled pilot study. <i>Human Psychopharmacology</i> , 2010, 25, 126-132.   | 0.7 | 33        |
| 308 | The study protocol of the Norwegian randomized controlled trial of electroconvulsive therapy in treatment resistant depression in bipolar disorder. <i>BMC Psychiatry</i> , 2010, 10, 16.  | 1.1 | 23        |
| 309 | Efficacy and safety of two treatment algorithms in bipolar depression consisting of a combination of lithium, lamotrigine or placebo and paroxetine. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 246-254.                                 | 2.2 | 33        |
| 310 | Risperidone in the treatment of mixed state bipolar patients: Results from a 24-week, multicenter, open-label study in Korea. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 28-37.  | 1.0 | 7         |
| 311 | Conceptual and methodological issues in designing a randomized, controlled treatment trial for geriatric bipolar disorder: GERI-BD. <i>Bipolar Disorders</i> , 2010, 12, 56-67.  | 1.1 | 31        |
| 312 | Randomized, placebo-controlled trial of flax oil in pediatric bipolar disorder. <i>Bipolar Disorders</i> , 2010, 12, 142-154.  | 1.1 | 83        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 313 | Antimanic and moodâ€stabilizing effect of memantine as an augmenting agent in treatmentâ€resistant bipolar disorder. <i>Bipolar Disorders</i> , 2010, 12, 348-349.   | 1.1 | 42        |
| 314 | Pretreatment and outcome correlates of past sexual and physical trauma in 118 bipolar I disorder patients with a first episode of psychotic mania. <i>Bipolar Disorders</i> , 2010, 12, 244-252.   | 1.1 | 79        |
| 315 | A randomized, placeboâ€and activeâ€controlled study of paliperidone extended release for the treatment of acute manic and mixed episodes of bipolar I disorder. <i>Bipolar Disorders</i> , 2010, 12, 230-243.  | 1.1 | 92        |
| 316 | Doubleâ€blind randomized trial of risperidone versus divalproex in pediatric bipolar disorder. <i>Bipolar Disorders</i> , 2010, 12, 593-605.  | 1.1 | 71        |
| 317 | The association of weight gain with mood symptoms and functional outcomes following a first manic episode: prospective 12â€month data from the Systematic Treatment Optimization Program for Early Mania (STOPâ€EM). <i>Bipolar Disorders</i> , 2010, 12, 616-626. | 1.1 | 31        |
| 318 | Regulation of glycogen synthase kinaseâ€3 during bipolar mania treatment. <i>Bipolar Disorders</i> , 2010, 12, 741-752.   | 1.1 | 74        |
| 319 | Current Nosology of Treatment Resistant Depression: A Controversy Resistant to Revision. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2010, 6, 20-24.  | 0.6 | 32        |
| 320 | Acute Bipolar Depression: A Review of the Use of Olanzapine/Fluoxetine. <i>Clinical Medicine Insights Therapeutics</i> , 2010, 2, CMT.S1945.   | 0.4 | 1         |
| 321 | A five year follow-up study of 11 patients with bipolar disorder. <i>Jornal Brasileiro De Psiquiatria</i> , 2010, 59, 219-222.   | 0.2 | 1         |
| 322 | A Pharmacological Functional Magnetic Resonance Imaging Study Probing the Interface of Cognitive and Emotional Brain Systems in Pediatric Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2010, 20, 395-406.                           | 0.7 | 37        |
| 323 | Employment Service Provider Knowledge of Service User Assistance Needs. <i>American Journal of Psychiatric Rehabilitation</i> , 2010, 13, 22-39.   | 0.7 | 6         |
| 324 | Twelve-month prospective, multinational, observational study of factors associated with recovery from mania in bipolar disorder in patients treated with atypical antipsychotics. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 667-676.                 | 1.3 | 5         |
| 325 | Assessment of Medication Adherence in a Cohort of Patients with Bipolar Disorder. <i>Pharmacopsychiatry</i> , 2010, 43, 263-270.   | 1.7 | 54        |
| 326 | Gender and Depressive Symptoms in 711 Patients With Bipolar Disorder Evaluated Prospectively in the Stanley Foundation Bipolar Treatment Outcome Network. <i>American Journal of Psychiatry</i> , 2010, 167, 708-715.  | 4.0 | 103       |
| 328 | Risperidone long-acting injectable (Risperdal Consta <sup>®</sup> ) for maintenance treatment in patients with bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2010, 10, 1637-1658.  | 1.4 | 41        |
| 330 | Insomnia cycling with a 42-day infradian period: Evidence for two uncoupled circadian oscillators?. <i>Sleep Medicine</i> , 2010, 11, 343-350.   | 0.8 | 6         |
| 331 | Work impairment in bipolar disorder patients â€ results from a two-year observational study (EMBLEM). <i>European Psychiatry</i> , 2010, 25, 338-344.   | 0.1 | 29        |
| 332 | A comparison of two fixed doses of aripiprazole with placebo in acutely relapsed, hospitalized patients with bipolar disorder I (manic or mixed) in subpopulations (CN138-007). <i>European Neuropsychopharmacology</i> , 2010, 20, 776-783.                         | 0.3 | 40        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 333 | The Cost of Relapse for Patients with a Manic/Mixed Episode of Bipolar Disorder in the EMBLEM Study. <i>Pharmacoeconomics</i> , 2010, 28, 555-566.  | 1.7 | 22        |
| 334 | Subsyndromal Depressive Symptoms in Bipolar II Disorder: a Community Mental Health Services Cohort Study (SIN-DEPRES). <i>Revista Colombiana De Psiquiatria</i> , 2011, 40, 13S-49S.  | 0.1 | 0         |
| 335 | The end of the primary outcome measure: A research agenda for constructing its replacement. <i>Clinical Psychology Review</i> , 2011, 31, 829-838.  | 6.0 | 67        |
| 336 | Differential pattern of semantic memory organization between bipolar I and II disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1053-1058.   | 2.5 | 32        |
| 337 | A video clinical global impression scale (CGI) in obsessive compulsive disorder. <i>Psychiatry Research</i> , 2011, 186, 117-122.   | 1.7 | 9         |
| 338 | Clinical and economic consequences of medication non-adherence in the treatment of patients with a manic/mixed episode of bipolar disorder: Results from the European Mania in Bipolar Longitudinal Evaluation of Medication (EMBLEM) Study. <i>Psychiatry Research</i> , 2011, 190, 110-114. | 1.7 | 96        |
| 339 | Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania – Results of a two year observational study in bipolar disorder (EMBLEM). <i>Journal of Affective Disorders</i> , 2011, 131, 320-329.                                     | 2.0 | 16        |
| 340 | 2-year course of bipolar disorder type I patients in outpatient care: Factors associated with remission and functional recovery. <i>European Neuropsychopharmacology</i> , 2011, 21, 287-293.   | 0.3 | 60        |
| 341 | N-acetylcysteine for major depressive episodes in bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 374-378.   | 0.9 | 99        |
| 342 | Paliperidone extended-release: does it have a place in antipsychotic therapy?. <i>Drug Design, Development and Therapy</i> , 2011, 5, 125.  | 2.0 | 20        |
| 343 | Efficacy and Tolerability of Armodafinil. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 1460-1465.  | 0.9 | 21        |
| 344 | A randomized, placebo-controlled study of adjunctive ramelteon in ambulatory bipolar I disorder with manic symptoms and sleep disturbance. <i>International Clinical Psychopharmacology</i> , 2011, 26, 48-53.  | 0.9 | 61        |
| 345 | Differential clinical characteristics, medication usage, and treatment response of bipolar disorder in the US versus The Netherlands and Germany. <i>International Clinical Psychopharmacology</i> , 2011, 26, 96-106.  | 0.9 | 54        |
| 346 | Development of an Integrated Psychosocial Treatment to Address the Medical Burden Associated with Bipolar Disorder. <i>Journal of Psychiatric Practice</i> , 2011, 17, 224-232.   | 0.3 | 41        |
| 347 | Correlates of Treatment-Emergent Mania Associated With Antidepressant Treatment in Bipolar Depression. <i>Focus (American Psychiatric Publishing)</i> , 2011, 9, 540-548.   | 0.4 | 1         |
| 348 | DSM-5 proposals for mood disorders: a cost-benefit analysis. <i>Current Opinion in Psychiatry</i> , 2011, 24, 1-9.  | 3.1 | 51        |
| 349 | Tiagabine in the maintenance treatment of bipolar disorder. <i>The Cochrane Library</i> , 2011, , CD005173.   | 1.5 | 3         |
| 350 | Long-term outcome of bipolar depressed patients receiving lamotrigine as add-on to lithium with the possibility of the addition of paroxetine in nonresponders: a randomized, placebo-controlled trial with a novel design. <i>Bipolar Disorders</i> , 2011, 13, 111-117.                     | 1.1 | 44        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 351 | Does stage of illness impact treatment response in bipolar disorder? Empirical treatment data and their implication for the staging model and early intervention. <i>Bipolar Disorders</i> , 2011, 13, 87-98.  | 1.1 | 155       |
| 352 | Efficacy of aripiprazole adjunctive to lithium or valproate in the long-term treatment of patients with bipolar I disorder with an inadequate response to lithium or valproate monotherapy: a multicenter, double-blind, randomized study. <i>Bipolar Disorders</i> , 2011, 13, 133-144. | 1.1 | 101       |
| 353 | Multisite, open-label, prospective trial of lamotrigine for geriatric bipolar depression: a preliminary report. <i>Bipolar Disorders</i> , 2011, 13, 294-302.  | 1.1 | 39        |
| 354 | Suicidal attempts in bipolar disorder: results from an observational study (EMBLEM). <i>Bipolar Disorders</i> , 2011, 13, 377-386.   | 1.1 | 67        |
| 355 | Child Mania Rating Scale-Parent Version: A valid measure of symptom change due to pharmacotherapy. <i>Journal of Affective Disorders</i> , 2011, 128, 112-119.   | 2.0 | 26        |
| 356 | Efficacy and safety of nonbenzodiazepine hypnotics for chronic insomnia in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 128, 305-308.   | 2.0 | 18        |
| 357 | N-acetyl cysteine add-on treatment for bipolar II disorder: a subgroup analysis of a randomized placebo-controlled trial. <i>Journal of Affective Disorders</i> , 2011, 129, 317-320.  | 2.0 | 93        |
| 358 | Paliperidone extended-release as adjunctive therapy to lithium or valproate in the treatment of acute mania: A randomized, placebo-controlled study. <i>Journal of Affective Disorders</i> , 2011, 129, 252-260.   | 2.0 | 60        |
| 359 | Aripiprazole monotherapy in the treatment of bipolar disorder: A meta-analysis. <i>Journal of Affective Disorders</i> , 2011, 133, 361-370.  | 2.0 | 46        |
| 360 | The efficacy of N-acetylcysteine as an adjunctive treatment in bipolar depression: An open label trial. <i>Journal of Affective Disorders</i> , 2011, 135, 389-394.  | 2.0 | 162       |
| 361 | Extended-Release Quetiapine as Monotherapy for the Treatment of Adults With Acute Mania: A Randomized, Double-Blind, 3-Week Trial. <i>Clinical Therapeutics</i> , 2011, 33, 1643-1658.   | 1.1 | 39        |
| 362 | Is it possible to assess subjective well-being among bipolar inpatients? An 18-week follow-up study. <i>General Hospital Psychiatry</i> , 2011, 33, 185-190.   | 1.2 | 8         |
| 363 | Gender differences in outcomes of acute mania: a 12-month follow-up study. <i>Archives of Women's Mental Health</i> , 2011, 14, 107-113.   | 1.2 | 9         |
| 364 | Effects of asenapine on depressive symptoms in patients with bipolar I disorder experiencing acute manic or mixed episodes: a post hoc analysis of two 3-week clinical trials. <i>BMC Psychiatry</i> , 2011, 11, 101.  | 1.1 | 56        |
| 365 | Adjunctive long-acting risperidone in patients with bipolar disorder who relapse frequently and have active mood symptoms. <i>BMC Psychiatry</i> , 2011, 11, 171.  | 1.1 | 18        |
| 366 | Clinical management and burden of bipolar disorder: a multinational longitudinal study (WAVE-bd) Tj ETQq1 1 0.784314 rgBT /Overlook  | 1.1 | 15        |
| 367 | Aripiprazole plus divalproex for recently manic or mixed patients with bipolar I disorder: a 6-month, randomized, placebo-controlled, double-blind maintenance trial. <i>Human Psychopharmacology</i> , 2011, 26, 543-553.   | 0.7 | 32        |
| 368 | Safety and efficacy of olanzapine monotherapy in treatment-resistant bipolar mania: a 12-week open-label study. <i>Human Psychopharmacology</i> , 2011, 26, 588-595.   | 0.7 | 5         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 369 | Are Clinicians' Assessments of Improvements in Children's Functioning "Global"? Journal of Clinical Child and Adolescent Psychology, 2011, 40, 281-294.  | 2.2  | 36        |
| 370 | Electroconvulsive therapy for depression. The Cochrane Library, 0, , .   | 1.5  | 3         |
| 371 | Effect of Micronutrients on Behavior and Mood in Adults With ADHD: Evidence From an 8-Week Open Label Trial With Natural Extension. Journal of Attention Disorders, 2011, 15, 79-91.   | 1.5  | 40        |
| 372 | Oxcarbazepine for acute affective episodes in bipolar disorder. The Cochrane Library, 2011, , CD004857.  | 1.5  | 23        |
| 373 | Large positive effect of lithium on prefrontal cortex N-acetylaspartate in patients with bipolar disorder: 2-centre study. Journal of Psychiatry and Neuroscience, 2012, 37, 185-192.  | 1.4  | 54        |
| 374 | Chronic Mania: An Underrecognized Clinical Entity. Indian Journal of Psychological Medicine, 2012, 34, 87-89.  | 0.6  | 4         |
| 375 | TÃ¼rkiye'de Bipolar I BozukluÄŸu HastalarÄ±nÄ±n, Sosyodemografik ve Klinik Ã–zellikleri-HOME Ã†alÄ±ÅŸmasÄ±. Journal of Microbiology and Biotechnology, 2012, 22, 31-42.  | 0.9  | 6         |
| 376 | Randomised, double-blind, placebo-controlled study of olanzapine in patients with bipolar I depression. British Journal of Psychiatry, 2012, 201, 376-382.   | 1.7  | 103       |
| 377 | A Randomized Controlled Trial of Risperidone, Lithium, or Divalproex Sodium for Initial Treatment of Bipolar I Disorder, Manic or Mixed Phase, in Children and Adolescents. Archives of General Psychiatry, 2012, 69, 515.                   | 13.8 | 201       |
| 378 | Characteristics Associated with Inpatient Versus Outpatient Status in Older Adults with Bipolar Disorder. Journal of Geriatric Psychiatry and Neurology, 2012, 25, 62-68.  | 1.2  | 13        |
| 379 | Methods to limit attrition in longitudinal comparative effectiveness trials: lessons from the Lithium Treatment "Moderate dose Use Study (LiTMUS) for bipolar disorder. Clinical Trials, 2012, 9, 94-101.                                    | 0.7  | 11        |
| 380 | Safety and efficacy of olanzapine monotherapy and olanzapine with a mood stabilizer in 18-week treatment of manic/mixed episodes for Japanese patients with bipolar I disorder. Current Medical Research and Opinion, 2012, 28, 701-713.     | 0.9  | 13        |
| 381 | Predictors of Response to Ziprasidone: Results from a 6-Week Randomized Double-Blind, Placebo-Controlled Trial for Acute Depressive Mixed State. Pharmacopsychiatry, 2012, 45, 152-155.  | 1.7  | 9         |
| 382 | Description of Study Population and Analysis of Factors Influencing Adherence in the Observational Italian Study "Evaluation of Pharmacotherapy Adherence in Bipolar Disorder"(EPHAR). CNS Neuroscience and Therapeutics, 2012, 18, 110-118. | 1.9  | 25        |
| 383 | Bilateral subthalamic nucleus stimulation for generalized dystonia after bilateral pallidotomy. Movement Disorders, 2012, 27, 1559-1563.   | 2.2  | 43        |
| 384 | The association between insight and symptoms in bipolar inpatients: An Italian prospective study. European Psychiatry, 2012, 27, 619-624.  | 0.1  | 24        |
| 385 | Achieving and Sustaining Remission in Bipolar I Disorder with Ziprasidone. Clinical Drug Investigation, 2012, 32, 747-754.   | 1.1  | 5         |
| 386 | Dropout rate and associated factors in patients with bipolar disorders. Journal of Affective Disorders, 2012, 141, 47-54.  | 2.0  | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 387 | Respondent and item level patterns of response of aripiprazole in the acute treatment of pediatric bipolar I disorder. <i>Journal of Affective Disorders</i> , 2012, 143, 231-235.  | 2.0 | 7         |
| 388 | Subthreshold symptoms and time to relapse/recurrence in a community cohort of bipolar disorder outpatients. <i>Journal of Affective Disorders</i> , 2012, 143, 160-165.   | 2.0 | 47        |
| 389 | Clinical factors leading to lamotrigine prescription in bipolar outpatients: Subanalysis of the SIN-DEPRES study. <i>Journal of Affective Disorders</i> , 2012, 143, 102-108.   | 2.0 | 14        |
| 390 | Treatment Moderators and Predictors of Outcome in the Treatment of Early Age Mania (TEAM) Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 867-878.   | 0.3 | 47        |
| 391 | Association between tobacco smoking and bipolar affective disorder: clinical, epidemiological, cross-sectional, retrospective study in outpatients. <i>Comprehensive Psychiatry</i> , 2012, 53, 269-274.  | 1.5 | 30        |
| 392 | Maintenance N-acetyl cysteine treatment for bipolar disorder: A double-blind randomized placebo controlled trial. <i>BMC Medicine</i> , 2012, 10, 91.   | 2.3 | 81        |
| 393 | Lamotrigine as add-on treatment to lithium and divalproex: lessons learned from a double-blind, placebo-controlled trial in rapid-cycling bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 780-789.   | 1.1 | 29        |
| 394 | Long-term efficacy of quetiapine in combination with lithium or divalproex on mixed symptoms in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2012, 142, 36-44.   | 2.0 | 33        |
| 395 | Anxiety as a marker of severity in acute mania. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 351-355.   | 2.2 | 13        |
| 396 | Tiagabine for acute affective episodes in bipolar disorder. <i>The Cochrane Library</i> , 2012, 12, CD004694.   | 1.5 | 6         |
| 397 | Depressive symptoms in first episode schizophrenia spectrum disorder. <i>Schizophrenia Research</i> , 2012, 134, 20-26.   | 1.1 | 71        |
| 398 | Differentiating schizoaffective and bipolar I disorder in first-episode psychotic mania. <i>Schizophrenia Research</i> , 2012, 140, 31-36.  | 1.1 | 14        |
| 399 | The Role of Memantine in the Treatment of Psychiatric Disorders Other Than the Dementias. <i>CNS Drugs</i> , 2012, 26, 663-690.   | 2.7 | 257       |
| 400 | Treatment and outcomes of an Australian cohort of outpatients with bipolar I or schizoaffective disorder over twenty-four months: implications for clinical practice. <i>BMC Psychiatry</i> , 2012, 12, 228.                                      | 1.1 | 20        |
| 401 | A 6 Week Randomized Double-Blind Placebo-Controlled Trial of Ziprasidone for the Acute Depressive Mixed State. <i>PLoS ONE</i> , 2012, 7, e34757.   | 1.1 | 56        |
| 402 | Memantine: A New Mood Stabilizer for Treatment-Resistant Bipolar Disorders. , 2012, , .   |     | 2         |
| 403 | A Randomized Controlled Pilot Study of Cognitive Behavioral Social Skills Training (Korean version) for Middle- or Older-Aged Patients with Schizophrenia : A Pilot Study. <i>Journal of Korean Neuropsychiatric Association</i> , 2012, 51, 192. | 0.2 | 3         |
| 404 | Effectiveness of two formulations of oral olanzapine in patients with schizophrenia or bipolar disorder in a natural setting: results from a 1-year European observational study. <i>Human Psychopharmacology</i> , 2012, 27, 284-294.            | 0.7 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 405 | Shaken but unstirred? Effects of micronutrients on stress and trauma after an earthquake: RCT evidence comparing formulas and doses. <i>Human Psychopharmacology</i> , 2012, 27, 440-454.   | 0.7 | 44        |
| 406 | A global measure to assess switching antipsychotic medications in the treatment of schizophrenia. <i>Human Psychopharmacology</i> , 2012, 27, 455-463.  | 0.7 | 7         |
| 407 | Is melatonin an adjunctive stabilizer?. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 82-83.   | 1.0 | 18        |
| 408 | Evaluation of the efficacy and safety of paliperidone extended-release in the treatment of acute mania: A randomized, double-blind, dose-response study. <i>Journal of Affective Disorders</i> , 2012, 136, e51-e60.  | 2.0 | 49        |
| 409 | The sustained mood-stabilizing effect of memantine in the management of treatment resistant bipolar disorders: Findings from a 12-month naturalistic trial. <i>Journal of Affective Disorders</i> , 2012, 136, 163-166.   | 2.0 | 55        |
| 410 | Subthreshold symptoms in bipolar disorder: Impact on neurocognition, quality of life and disability. <i>Journal of Affective Disorders</i> , 2012, 136, 650-659.  | 2.0 | 156       |
| 411 | Affective temperaments in clinical practice: A validation study in mood disorders. <i>Journal of Affective Disorders</i> , 2012, 136, 577-580.  | 2.0 | 15        |
| 412 | Efficacy and safety of olanzapine in the treatment of Japanese patients with bipolar I disorder in a current manic or mixed episode: A randomized, double-blind, placebo- and haloperidol-controlled study. <i>Journal of Affective Disorders</i> , 2012, 136, 476-484. | 2.0 | 24        |
| 413 | Mixed depression: A study of its phenomenology and relation to treatment response. <i>Journal of Affective Disorders</i> , 2012, 136, 1059-1061.  | 2.0 | 24        |
| 414 | Rethinking the classification of mixed affective episodes in ICD-11. <i>Journal of Affective Disorders</i> , 2012, 138, 170-172.  | 2.0 | 9         |
| 415 | A randomized, placebo- and active-controlled study of paliperidone extended-release as maintenance treatment in patients with bipolar I disorder after an acute manic or mixed episode. <i>Journal of Affective Disorders</i> , 2012, 138, 247-258.                     | 2.0 | 63        |
| 416 | Can a targeted psychological intervention be effective for young people following a first manic episode? Results from an 18-month pilot study. <i>Microbial Biotechnology</i> , 2012, 6, 380-388.   | 0.9 | 34        |
| 417 | Development of a clinical global impression scale for fatigue. <i>Journal of Psychiatric Research</i> , 2012, 46, 370-374.  | 1.5 | 25        |
| 418 | Pilot study of the efficacy of double-blind, placebo-controlled one-week olanzapine stabilization therapy in heterogeneous symptomatic bipolar disorder patients. <i>Journal of Psychiatric Research</i> , 2012, 46, 920-926.   | 1.5 | 3         |
| 419 | A randomized pilot study of psychotherapy and quetiapine for the acute treatment of bipolar II depression. <i>Bipolar Disorders</i> , 2012, 14, 211-216.  | 1.1 | 45        |
| 420 | Six-month outcomes of customized adherence enhancement (CAE) therapy in bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 291-300.   | 1.1 | 31        |
| 421 | Number of prior episodes and the presence of depressive symptoms are associated with longer length of stay for patients with acute manic episodes. <i>Annals of General Psychiatry</i> , 2012, 11, 7.   | 1.2 | 19        |
| 422 | A structured interview guide for global impressions: increasing reliability and scoring accuracy for CNS trials. <i>Annals of General Psychiatry</i> , 2013, 12, 2.   | 1.2 | 11        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 423 | Efficacy and safety of olanzapine for treatment of patients with bipolar depression: Japanese subpopulation analysis of a randomized, double-blind, placebo-controlled study. <i>BMC Psychiatry</i> , 2013, 13, 138.   | 1.1 | 20        |
| 424 | Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013, 13, 71.  | 1.1 | 15        |
| 425 | Do current screening recommendations allow for early detection of lithium-induced hyperparathyroidism in patients with bipolar disorder?. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 7.  | 0.8 | 5         |
| 426 | Association of exercise with quality of life and mood symptoms in a comparative effectiveness study of bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 151, 722-727.   | 2.0 | 76        |
| 427 | Characteristics of responders and non-responders to risperidone monotherapy or placebo in co-occurring bipolar disorder and anxiety disorder. <i>European Psychiatry</i> , 2013, 28, 190-196.  | 0.1 | 4         |
| 428 | Treatment adherence towards prescribed medications in bipolar-II acute depressed patients: Relationship with cyclothymic temperament and "therapeutic seeking" in response towards subjective intolerance to pain. <i>Journal of Affective Disorders</i> , 2013, 151, 596-604. | 2.0 | 39        |
| 429 | Randomized, placebo-controlled trial of quetiapine XR and divalproex ER monotherapies in the treatment of the anxious bipolar patient. <i>Journal of Affective Disorders</i> , 2013, 145, 83-94.   | 2.0 | 39        |
| 430 | To a broader concept of remission: Rating the health-related quality of life in bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 150, 673-676.  | 2.0 | 6         |
| 431 | Comparably high retention and low relapse rates in different subpopulations of bipolar patients in a German non-interventional study. <i>BMC Psychiatry</i> , 2013, 13, 193.   | 1.1 | 6         |
| 432 | Clinical Significance of Treatment Effects with Aripiprazole versus Placebo in a Study of Manic or Mixed Episodes Associated with Pediatric Bipolar I Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2013, 23, 72-79.                                   | 0.7 | 24        |
| 433 | Brain-derived neurotrophic factor val66met genotype and early life stress effects upon bipolar course. <i>Journal of Psychiatric Research</i> , 2013, 47, 252-258.   | 1.5 | 44        |
| 434 | Lithium Treatment Moderate-Dose Use Study (LiTMUS) for Bipolar Disorder: A Randomized Comparative Effectiveness Trial of Optimized Personalized Treatment With and Without Lithium. <i>American Journal of Psychiatry</i> , 2013, 170, 102-110.                                | 4.0 | 80        |
| 435 | Attention Deficit/Hyperactivity Disorder symptoms in Italian bipolar adult patients: A preliminary report. <i>Journal of Affective Disorders</i> , 2013, 149, 430-434.   | 2.0 | 44        |
| 436 | Relationship between the clinical global impression of severity for schizoaffective disorder scale and established mood scales for mania and depression. <i>Journal of Affective Disorders</i> , 2013, 150, 17-22.   | 2.0 | 16        |
| 437 | Neural activity to intense positive versus negative stimuli can help differentiate bipolar disorder from unipolar major depressive disorder in depressed adolescents: A pilot fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 277-284.                      | 0.9 | 46        |
| 438 | The sick role, illness cognitions and outcomes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 146, 146-149.  | 2.0 | 16        |
| 439 | Superior chronic tolerability of adjunctive modafinil compared to pramipexole in treatment-resistant bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 150, 130-135.   | 2.0 | 9         |
| 440 | Predictors of employment in bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2013, 145, 156-164.   | 2.0 | 77        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 441 | A preliminary open trial of nefazodone added to mood stabilizers for bipolar depression. <i>Journal of Affective Disorders</i> , 2013, 144, 176-178.   | 2.0 | 5         |
| 442 | What goes up must come down: The burden of bipolar depression in youth. <i>Journal of Affective Disorders</i> , 2013, 150, 1048-1054.  | 2.0 | 14        |
| 443 | An open trial of pregabalin as an acute and maintenance adjunctive treatment for outpatients with treatment resistant bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 147, 407-410.  | 2.0 | 29        |
| 444 | The Medication Recommendation Tracking Form: A novel tool for tracking changes in prescribed medication, clinical decision making, and use in comparative effectiveness research. <i>Journal of Psychiatric Research</i> , 2013, 47, 1686-1693.  | 1.5 | 14        |
| 445 | Continuous circular cycling in bipolar disorder as a predictor of poor outcome. <i>Journal of Affective Disorders</i> , 2013, 150, 823-828.  | 2.0 | 8         |
| 446 | 1281 " Association between tobacco smoking and bipolar affective disorder: clinical, epidemiological, cross-sectional, retrospective study in outpatients. <i>European Psychiatry</i> , 2013, 28, 1.   | 0.1 | 0         |
| 447 | The association of the effect of lithium in the maintenance treatment of bipolar disorder with lithium plasma levels: a post hoc analysis of a double-blind study comparing switching to lithium or placebo in patients who responded to quetiapine (Trial 144). <i>Bipolar Disorders</i> , 2013, 15, 100-109. | 1.1 | 60        |
| 448 | Neural correlates of treatment response in depressed bipolar adolescents during emotion processing. <i>Brain Imaging and Behavior</i> , 2013, 7, 227-235.  | 1.1 | 24        |
| 449 | First controlled treatment trial of bipolar II hypomania with mixed symptoms: Quetiapine versus placebo. <i>Journal of Affective Disorders</i> , 2013, 150, 37-43.   | 2.0 | 28        |
| 450 | Clinical management and burden of bipolar disorder: results from a multinational longitudinal study (WAVE-bd). <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1719-1732.  | 1.0 | 76        |
| 451 | Aripiprazole for the treatment of pediatric bipolar I disorder: a 30-week, randomized, placebo-controlled study. <i>Bipolar Disorders</i> , 2013, 15, 138-149.   | 1.1 | 62        |
| 452 | Differences between first episode schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2013, 147, 169-174.  | 1.1 | 18        |
| 453 | Changes in saccadic eye movement (SEM) and quantitative EEG parameter in bipolar patients. <i>Journal of Affective Disorders</i> , 2013, 145, 378-385.   | 2.0 | 19        |
| 454 | Nutrition, Exercise, and Wellness Treatment in bipolar disorder: proof of concept for a consolidated intervention. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 24.  | 0.8 | 65        |
| 455 | Use of Treatment Services in a Comparative Effectiveness Study of Bipolar Disorder. <i>Psychiatric Services</i> , 2013, 64, 1119-1126.   | 1.1 | 3         |
| 456 | Use of adjunctive stimulants in adult bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 55-68.   | 1.0 | 26        |
| 457 | Prescribing patterns of lithium or lithium+valproate in manic or mixed episodes. <i>International Clinical Psychopharmacology</i> , 2013, 28, 305-311.   | 0.9 | 11        |
| 458 | Bipolar depression in children and adolescents. <i>CNS Spectrums</i> , 2013, 18, 209-213.  | 0.7 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 459 | Patterns of pharmacological maintenance treatment in a community mental health services bipolar disorder cohort study (SIN-DEPRES). <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 513-523.  | 1.0 | 33        |
| 460 | Impaired fixation to eyes during facial emotion labelling in children with bipolar disorder or severe mood dysregulation. <i>Journal of Psychiatry and Neuroscience</i> , 2013, 38, 407-416.  | 1.4 | 25        |
| 461 | Group Interpersonal and Social Rhythm Therapy for Bipolar Depression. <i>Perspectives in Psychiatric Care</i> , 2013, 49, n/a-n/a.  | 0.9 | 23        |
| 462 | Occupational disability in bipolar disorder: analysis of predictors of being on severe disablement benefit (PREBIS study data). <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 403-411.   | 2.2 | 54        |
| 463 | A BRIEF COGNITIVE-BEHAVIORAL INTERVENTION FOR TREATING DEPRESSION AND PANIC DISORDER IN PATIENTS WITH NONCARDIAC CHEST PAIN: A 24-WEEK RANDOMIZED CONTROLLED TRIAL. <i>Depression and Anxiety</i> , 2013, 30, 670-678.                                      | 2.0 | 31        |
| 464 | Short TE <sup>7</sup> Li-MRS confirms Bi-exponential lithium T2 relaxation in humans and clearly delineates two patient subtypes. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 1451-1459.   | 1.9 | 4         |
| 465 | A preliminary investigation on the efficacy of N-acetyl cysteine for mania or hypomania. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 564-568.   | 1.3 | 50        |
| 466 | Young Mania Rating Scale: how to interpret the numbers? Determination of a severity threshold and of the minimal clinically significant difference in the EMBLEM cohort. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 46-58. | 1.1 | 78        |
| 467 | Neural Correlates of Treatment in Adolescents with Bipolar Depression During Response Inhibition. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2013, 23, 214-221.  | 0.7 | 46        |
| 468 | Use of Micronutrients Attenuates Cannabis and Nicotine Abuse as Evidenced From a Reversal Design: A Case Study. <i>Journal of Psychoactive Drugs</i> , 2013, 45, 168-178.   | 1.0 | 6         |
| 469 | Safety, Tolerability, and Efficacy of Quetiapine in Youth with Schizophrenia or Bipolar I Disorder: A 26-Week, Open-Label, Continuation Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2013, 23, 490-501.                               | 0.7 | 22        |
| 470 | Adjunctive agomelatine therapy in the treatment of acute bipolar II depression: a preliminary open label study. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 243.   | 1.0 | 53        |
| 471 | Correlates of current suicide risk among Thai patients with bipolar I disorder: findings from the Thai Bipolar Disorder Registry. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1751.  | 1.0 | 10        |
| 472 | Time to relapse and remission of bipolar disorder: findings from a 1-year prospective study in Thailand. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1249.   | 1.0 | 8         |
| 473 | Mood self-assessment in bipolar disorder: a comparison between patients in mania, depression, and euthymia. <i>Trends in Psychiatry and Psychotherapy</i> , 2013, 35, 141-145.  | 0.4 | 10        |
| 474 | Efficacy of quetiapine in patients with bipolar I and II depression: a multicenter, prospective, open-label, observational study. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 197.   | 1.0 | 9         |
| 475 | Quetiapine for acute bipolar depression: a systematic review and meta-analysis. <i>Drug Design, Development and Therapy</i> , 2014, 8, 827.   | 2.0 | 67        |
| 476 | Efficacy of Olanzapine for Treating Depressive Episodes in Bipolar Disorder. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , 2014, 5, 11-17.   | 0.3 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 477 | Risk factors for an anxiety disorder comorbidity among Thai patients with bipolar disorder: results from the Thai Bipolar Disorder Registry. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 803.   | 1.0 | 7         |
| 478 | Gene-expression differences in peripheral blood between lithium responders and non-responders in the Lithium Treatment-Moderate dose Use Study (LiTMUS). <i>Pharmacogenomics Journal</i> , 2014, 14, 182-191.   | 0.9 | 37        |
| 479 | Observational study to evaluate the clinical benefit of lamotrigine add-on therapy in bipolar patients in a naturalistic treatment setting. <i>Asia-Pacific Psychiatry</i> , 2014, 6, 334-341.  | 1.2 | 4         |
| 480 | Corrigendum to "Effectiveness of the Extended Release Formulation of Quetiapine as Monotherapy for the Treatment of Acute Bipolar Depression" [J. Affect. Disord. 121 (1&sup2) (2010) 106&sup2115]. <i>Journal of Affective Disorders</i> , 2014, 168, 485-493. | 2.0 | 14        |
| 483 | Revelation, delusion or disillusion: subjective interpretation of religious and spiritual experiences in bipolar disorder. <i>Mental Health, Religion and Culture</i> , 2014, 17, 615-628.  | 0.6 | 18        |
| 484 | Psychological functioning 1&sup0;year after a brief intervention using micronutrients to treat stress and anxiety related to the 2011 Christchurch earthquakes: a naturalistic follow&sup;up. <i>Human Psychopharmacology</i> , 2014, 29, 230-243.              | 0.7 | 21        |
| 485 | The potential role of atypical antipsychotics in the treatment of panic disorder. <i>Human Psychopharmacology</i> , 2014, 29, 405-413.  | 0.7 | 12        |
| 486 | Current landscape, unmet needs, and future directions for treatment of bipolar depression. <i>Journal of Affective Disorders</i> , 2014, 169, S17-S23.  | 2.0 | 29        |
| 487 | Lithium as add-on to quetiapine XR in adult patients with acute mania: a 6-week, multicenter, double-blind, randomized, placebo-controlled study. <i>International Journal of Bipolar Disorders</i> , 2014, 2, 14.  | 0.8 | 33        |
| 488 | The Reliability of Self-assessment of Affective State in Different Phases of Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 386-390.   | 0.5 | 11        |
| 489 | A novel application of the <i>Intent to Attend</i> assessment to reduce bias due to missing data in a randomized controlled clinical trial. <i>Clinical Trials</i> , 2014, 11, 494-502.   | 0.7 | 9         |
| 490 | Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. <i>International Journal of Bipolar Disorders</i> , 2014, 2, 1.                          | 0.8 | 28        |
| 491 | Predictors of substance use reduction in an epidemiological first&sup;episode psychosis cohort. <i>Microbial Biotechnology</i> , 2014, 8, 358-365.  | 0.9 | 6         |
| 492 | Characteristics of stress-coping behaviors in patients with bipolar disorders. <i>Psychiatry Research</i> , 2014, 218, 69-74.   | 1.7 | 14        |
| 493 | Residual symptoms and functional performance in a large sample of euthymic bipolar patients in France (the OPTHYMUM study). <i>Journal of Affective Disorders</i> , 2014, 159, 94-102.  | 2.0 | 33        |
| 494 | Val66Met polymorphism and serum brain&sup;derived neurotrophic factor in bipolar disorder: an open&sup;label trial. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 393-400.   | 2.2 | 23        |
| 495 | Patient satisfaction with psychotropic drugs: Validation of the PATient SATisfaction with Psychotropic (PASAP) scale in patients with bipolar disorder. <i>European Psychiatry</i> , 2014, 29, 183-190.   | 0.1 | 7         |
| 496 | Effect of alcohol use on the course of bipolar disorder: one&sup;year follow&sup;up study using the daily prospective Life Chart method. <i>Bipolar Disorders</i> , 2014, 16, 400-409.  | 1.1 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 497 | Effect of adjunctive benzodiazepines on clinical outcomes in lithium- or quetiapine-treated outpatients with bipolar I or II disorder: Results from the Bipolar CHOICE trial. <i>Journal of Affective Disorders</i> , 2014, 161, 30-35.                               | 2.0 | 18        |
| 498 | Lurasidone Monotherapy in the Treatment of Bipolar I Depression: A Randomized, Double-Blind, Placebo-Controlled Study. <i>American Journal of Psychiatry</i> , 2014, 171, 160-168.  | 4.0 | 271       |
| 499 | Differential patterns of neuropsychological performance in the euthymic and depressive phases of bipolar disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 515-523.   | 1.0 | 11        |
| 500 | Medication adherence in a comparative effectiveness trial for bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 359-365.   | 2.2 | 31        |
| 501 | One-year rehospitalization rates of patients with first-episode bipolar mania receiving lithium or valproate and adjunctive atypical antipsychotics. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 418-424.  | 1.0 | 10        |
| 502 | General medical burden in bipolar disorder: findings from the LiTMUS comparative effectiveness trial. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 24-34.   | 2.2 | 74        |
| 503 | Lamotrigine Treatment of Adolescents with Unipolar and Bipolar Depression: A Retrospective Chart Review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2014, 24, 285-287.   | 0.7 | 10        |
| 504 | Efficacy and Safety of Extended-Release Quetiapine Fumarate in Youth with Bipolar Depression: An 8 Week, Double-Blind, Placebo-Controlled Trial. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2014, 24, 325-335.                                       | 0.7 | 65        |
| 505 | Child- and Family-Focused Cognitive-Behavioral Therapy for Pediatric Bipolar Disorder: A Randomized Clinical Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 1168-1178.e1.   | 0.3 | 78        |
| 506 | Mindfulness-based cognitive therapy versus psychoeducational intervention in bipolar outpatients with sub-threshold depressive symptoms: a randomized controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 215.  | 1.1 | 19        |
| 507 | Saving time and money: a validation of the self ratings on the prospective NIMH life-chart method (NIMH-LCM). <i>BMC Psychiatry</i> , 2014, 14, 130.  | 1.1 | 20        |
| 508 | Treatment of bipolar disorder in the Netherlands and concordance with treatment guidelines: study protocol of an observational, longitudinal study on naturalistic treatment of bipolar disorder in everyday clinical practice. <i>BMC Psychiatry</i> , 2014, 14, 58. | 1.1 | 7         |
| 509 | Effectiveness of the Dader Method for pharmaceutical care in patients with bipolar I disorder: EMDADER-TAB: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 174.  | 0.7 | 9         |
| 510 | Trends in pharmacotherapy in patients referred to a bipolar specialty clinic, 2000-2011. <i>Journal of Affective Disorders</i> , 2014, 155, 283-287.  | 2.0 | 33        |
| 511 | Eye movement desensitization and reprocessing therapy in subsyndromal bipolar patients with a history of traumatic events: A randomized, controlled pilot-study. <i>Psychiatry Research</i> , 2014, 219, 122-128.   | 1.7 | 76        |
| 512 | Quality of life in bipolar and schizoaffective disorder - A naturalistic approach. <i>Comprehensive Psychiatry</i> , 2014, 55, 1540-1545.   | 1.5 | 16        |
| 513 | rTMS in resistant mixed states: An exploratory study. <i>Journal of Affective Disorders</i> , 2014, 157, 66-71.   | 2.0 | 18        |
| 514 | The Efficacy of Adjunctive N-Acetylcysteine in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 628-636.  | 1.1 | 142       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 515 | Measurements of Response, Remission, and Recovery in Schizophrenia and Examples for Their Clinical Application. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 8-14.   | 1.1 | 113       |
| 516 | Assessing the affective load in the narratives of women suffering from fibromyalgia: the clinicians' appraisal. <i>Health Expectations</i> , 2015, 18, 3325-3335.   | 1.1 | 0         |
| 517 | Data quality indicators for daily life chart methodology: prospective self-ratings of bipolar disorder and alcohol use. <i>BMC Research Notes</i> , 2015, 8, 473.   | 0.6 | 3         |
| 518 | Identifying and describing patients' learning experiences towards self-management of bipolar disorders: a phenomenological study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2015, 22, 801-810.                                | 1.2 | 9         |
| 519 | Efficacy of Tranylcypromine in Bipolar Depression. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 700-705.   | 0.7 | 27        |
| 520 | Insight in bipolar disorder: a comparison between mania, depression and euthymia using the Insight Scale for Affective Disorders. <i>Trends in Psychiatry and Psychotherapy</i> , 2015, 37, 152-156.  | 0.4 | 16        |
| 521 | Evaluating depressive symptoms in mania: a naturalistic study of patients with bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1137.  | 1.0 | 24        |
| 522 | Design and rationale of a 16-week adjunctive randomized placebo-controlled trial of mitochondrial agents for the treatment of bipolar depression. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 03-12.                                 | 0.9 | 38        |
| 523 | Medical burden in bipolar disorder: findings from the Clinical and Health Outcomes Initiative in Comparative Effectiveness for Bipolar Disorder study (Bipolar <sc>CHOICE</sc>). <i>Bipolar Disorders</i> , 2015, 17, 212-223.                | 1.1 | 77        |
| 524 | Placebo-Controlled Trial of Valproic Acid Versus Risperidone in Children 3-7 Years of Age with Bipolar I Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2015, 25, 306-313.   | 0.7 | 17        |
| 525 | Collaborative care for patients with bipolar disorder: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015, 206, 393-400.  | 1.7 | 29        |
| 526 | Treatment Implications of Predominant Polarity and the Polarity Index: A Comprehensive Review. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu079-pyu079.   | 1.0 | 34        |
| 527 | Los costos y consumo de recursos sanitarios asociados a episodios maníacos en la práctica clínica diaria: el estudio MANACOR. <i>Revista De Psiquiatria Y Salud Mental</i> , 2015, 8, 55-64.  | 1.0 | 12        |
| 528 | Olanzapine/Fluoxetine Combination in Children and Adolescents With Bipolar I Depression: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 217-224. | 0.3 | 62        |
| 529 | Insight Across the Different Mood States of Bipolar Disorder. <i>Psychiatric Quarterly</i> , 2015, 86, 395-405.   | 1.1 | 36        |
| 530 | Treatment of Psychosis and Mania in the Postpartum Period. <i>American Journal of Psychiatry</i> , 2015, 172, 115-123.  | 4.0 | 103       |
| 531 | Serum uric acid levels and different phases of illness in bipolar I patients treated with lithium. <i>Psychiatry Research</i> , 2015, 225, 604-608.   | 1.7 | 26        |
| 532 | Cannabinoids and bipolar disorder. , 2015, , 205-225.   |     | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 533 | Course and outcome following a first episode of mania: Four-year prospective data from the Systematic Treatment Optimization Program (STOP-EM). <i>Journal of Affective Disorders</i> , 2015, 175, 411-417.                               | 2.0 | 18        |
| 534 | Treatment-Resistant Bipolar Depression: A Randomized Controlled Trial of Electroconvulsive Therapy Versus Algorithm-Based Pharmacological Treatment. <i>American Journal of Psychiatry</i> , 2015, 172, 41-51.                            | 4.0 | 135       |
| 535 | Treatment Moderators of Child- and Family-Focused Cognitive-Behavioral Therapy for Pediatric Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 116-125.                             | 0.3 | 32        |
| 536 | Asenapine prescribing patterns in the treatment of manic in- and outpatients: Results from the MANACOR study. <i>European Psychiatry</i> , 2015, 30, 528-534.   | 0.1 | 17        |
| 537 | Psychotherapy use in bipolar disorder: Association with functioning and illness severity. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 453-461.  | 1.3 | 21        |
| 538 | Cannabis and bipolar disorder: does quitting cannabis use during manic/mixed episode improve clinical/functional outcomes?. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 100-110.   | 2.2 | 40        |
| 539 | The Treatment of Preschool Mood Disorders. <i>Current Treatment Options in Psychiatry</i> , 2015, 2, 57-72.   | 0.7 | 1         |
| 540 | Rating Scales in Bipolar Disorder. , 2015, , 105-136.   |     | 18        |
| 541 | Predictors of functional outcome after a manic episode. <i>Journal of Affective Disorders</i> , 2015, 182, 121-125.   | 2.0 | 16        |
| 542 | Lithium Treatment Moderate-Dose Use Study (LiTMUS) for Bipolar Disorder: A Randomized Comparative Effectiveness Trial of Optimized Personalized Treatment With and Without Lithium. <i>Focus (American Tj ETQq1 1 00784314 rgBT /Over</i> |     |           |
| 543 | The real world cost and health resource utilization associated to manic episodes: The MANACOR study. <i>Revista De Psiquiatr a Y Salud Mental (English Edition)</i> , 2015, 8, 55-64.   | 0.2 | 1         |
| 544 | A randomised trial of nutrient supplements to minimise psychological stress after a natural disaster. <i>Psychiatry Research</i> , 2015, 228, 373-379.  | 1.7 | 31        |
| 545 | Asenapine in the treatment of older adults with bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 710-719.   | 1.3 | 31        |
| 546 | Childhood-compared to adolescent-onset bipolar disorder has more statistically significant clinical correlates. <i>Journal of Affective Disorders</i> , 2015, 179, 114-120.   | 2.0 | 40        |
| 547 | Cross-cultural adaptation, validation and factor structure of the Insight Scale for Affective Disorders. <i>Journal of Affective Disorders</i> , 2015, 178, 181-187.  | 2.0 | 8         |
| 548 | Collaborative care for patients with bipolar disorder: Effects on functioning and quality of life. <i>Journal of Affective Disorders</i> , 2015, 179, 14-22.  | 2.0 | 28        |
| 549 | An exploratory study of responses to low-dose lithium in African Americans and Hispanics. <i>Journal of Affective Disorders</i> , 2015, 178, 224-228.   | 2.0 | 9         |
| 551 | Prevalence and risk factors for suicidal behavior in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 219-226.              | 1.6 | 27        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 552 | Predictors and Moderators of Clinical Outcomes in Adolescents with Severe Mental Disorders After an Assertive Community Treatment. <i>Child Psychiatry and Human Development</i> , 2015, 46, 997-1005.   | 1.1 | 3         |
| 553 | Increasing the Sensitivity of Measures to Change. <i>Prevention Science</i> , 2015, 16, 978-986.   | 1.5 | 43        |
| 554 | Adjunctive lisdexamfetamine in bipolar depression. <i>International Clinical Psychopharmacology</i> , 2015, 30, 6-13.  | 0.9 | 31        |
| 556 | Asenapine for the Acute Treatment of Pediatric Manic or Mixed Episode of Bipolar I Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 1032-1041.  | 0.3 | 50        |
| 557 | Relationship of insight with medication adherence and the impact on outcomes in patients with schizophrenia and bipolar disorder: results from a 1-year European outpatient observational study. <i>BMC Psychiatry</i> , 2015, 15, 189.  | 1.1 | 82        |
| 558 | Bipolar disorder and self-stigma: A comparison with schizophrenia. <i>Journal of Affective Disorders</i> , 2015, 184, 209-215.   | 2.0 | 45        |
| 559 | The Working Alliance Between Patients With Bipolar Disorder and the Nurse: Helpful and Obstructive Elements During a Depressive Episode From the Patients' Perspective. <i>Archives of Psychiatric Nursing</i> , 2015, 29, 290-296.  | 0.7 | 4         |
| 560 | An Integrated Risk Reduction Intervention can reduce body mass index in individuals being treated for bipolar I disorder: results from a randomized trial. <i>Bipolar Disorders</i> , 2015, 17, 424-437.   | 1.1 | 35        |
| 561 | American tertiary clinic-referred bipolar II disorder compared to bipolar I disorder: More severe in multiple ways, but less severe in a few other ways. <i>Journal of Affective Disorders</i> , 2015, 188, 257-262.   | 2.0 | 40        |
| 562 | Adjunctive Maintenance Lamotrigine for Pediatric Bipolar I Disorder: A Placebo-Controlled, Randomized Withdrawal Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 1020-1031.e3.  | 0.3 | 37        |
| 563 | Olanzapine or chlorpromazine plus lithium in first episode psychotic mania: An 8-week randomised controlled trial. <i>European Psychiatry</i> , 2015, 30, 975-982.   | 0.1 | 24        |
| 564 | A clinical measure of suicidal ideation, suicidal behavior, and associated symptoms in bipolar disorder: Psychometric properties of the Concise Health Risk Tracking Self-Report (CHRT-SR). <i>Journal of Psychiatric Research</i> , 2015, 71, 126-133.                                      | 1.5 | 32        |
| 565 | Treatment of Early-Age Mania: Outcomes for Partial and Nonresponders to Initial Treatment. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 1008-1019.  | 0.3 | 22        |
| 566 | Assessment of the efficacy and safety of eslicarbazepine acetate in acute mania and prevention of recurrence: Experience from multicentre, double-blind, randomised phase II clinical studies in patients with bipolar disorder I. <i>Journal of Affective Disorders</i> , 2015, 174, 70-82. | 2.0 | 19        |
| 567 | Two years' outcome of acute mania in bipolar disorder: different effects of age and age of onset. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 201-209.  | 1.3 | 47        |
| 568 | Efficacy and safety of olanzapine for treatment of patients with bipolar depression: Chinese subpopulation analysis of a double-blind, randomized, placebo-controlled study. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 2077-2087.                                     | 1.0 | 10        |
| 569 | An Open Trial of Lurasidone as an Acute and Maintenance Adjunctive Treatment for Outpatients With Treatment-Resistant Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 88-89.   | 0.7 | 9         |
| 570 | Adaptive Interventions in Child and Adolescent Mental Health. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2016, 45, 383-395.  | 2.2 | 61        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 571 | Obesity, but not metabolic syndrome, negatively affects outcome in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 144-153.  | 2.2 | 44        |
| 572 | Safety and effectiveness of divalproex sodium extended release containing regimen in Indian patients with bipolar I disorder in continuation phase: Results of EASED registry. <i>Asian Journal of Psychiatry</i> , 2016, 20, 32-38.  | 0.9 | 2         |
| 573 | The long-term outcomes of an effectiveness trial of group versus individual psychoeducation for bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 202, 32-38.  | 2.0 | 15        |
| 574 | Current irritability robustly related to current and prior anxiety in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2016, 79, 101-107.   | 1.5 | 11        |
| 575 | Insight in bipolar mania: evaluation of its heterogeneity and correlation with clinical symptoms. <i>Journal of Affective Disorders</i> , 2016, 199, 95-98.   | 2.0 | 16        |
| 576 | Electrical mapping in bipolar disorder patients during the oddball paradigm. <i>Journal of Psychiatric Research</i> , 2016, 72, 64-71.  | 1.5 | 11        |
| 577 | The Pharmacogenomics of Bipolar Disorder study (PGBD): identification of genes for lithium response in a prospective sample. <i>BMC Psychiatry</i> , 2016, 16, 129.   | 1.1 | 61        |
| 578 | Gender by onset age interaction may characterize distinct phenotypic subgroups in bipolar patients. <i>Journal of Psychiatric Research</i> , 2016, 76, 128-135.   | 1.5 | 10        |
| 579 | Mediators in the randomized trial of Child- and Family-Focused Cognitive-Behavioral Therapy for pediatric bipolar disorder. <i>Behaviour Research and Therapy</i> , 2016, 85, 60-71.  | 1.6 | 18        |
| 580 | Tracking medication changes to assess outcomes in comparative effectiveness research: A bipolar CHOICE study. <i>Journal of Affective Disorders</i> , 2016, 205, 159-164.   | 2.0 | 7         |
| 581 | Advanced Circadian Phase in Mania and Delayed Circadian Phase in Mixed Mania and Depression Returned to Normal after Treatment of Bipolar Disorder. <i>EBioMedicine</i> , 2016, 11, 285-295.  | 2.7 | 111       |
| 582 | Trait-related alterations of N-acetylaspartate in euthymic bipolar patients: A longitudinal proton magnetic resonance spectroscopy study. <i>Journal of Affective Disorders</i> , 2016, 206, 315-320.   | 2.0 | 13        |
| 583 | Current irritability associated with hastened depressive recurrence and delayed depressive recovery in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 15.   | 0.8 | 8         |
| 584 | Long-term Safety of Asenapine in Pediatric Patients Diagnosed With Bipolar I Disorder: A 50-Week Open-Label, Flexible-Dose Trial. <i>Paediatric Drugs</i> , 2016, 18, 367-378.  | 1.3 | 22        |
| 585 | Medication Adherence Among Adolescents with Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016, 26, 864-872.  | 0.7 | 20        |
| 586 | Developing a Virtual Reality-Based Vocational Rehabilitation Training Program for Patients with Schizophrenia. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2016, 19, 686-691.   | 2.1 | 29        |
| 587 | Mavoglurant in adolescents with fragile X syndrome: analysis of Clinical Global Impression-Improvement source data from a double-blind therapeutic study followed by an open-label, long-term extension study. <i>Journal of Neurodevelopmental Disorders</i> , 2016, 8, 1. | 1.5 | 69        |
| 588 | More inclusive bipolar mixed depression definitions by requiring fewer non-overlapping mood elevation symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 189-198.   | 2.2 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 589 | Differential prevalence and demographic and clinical correlates of second-generation antipsychotic use in bipolar I versus bipolar II disorder. <i>Journal of Psychiatric Research</i> , 2016, 76, 52-58.   | 1.5 | 4         |
| 590 | Clinical correlates of sustained response to individual drugs used in naturalistic treatment of patients with bipolar disorder. <i>Comprehensive Psychiatry</i> , 2016, 66, 146-156.  | 1.5 | 25        |
| 591 | Different characteristics associated with suicide attempts among bipolar I versus bipolar II disorder patients. <i>Journal of Psychiatric Research</i> , 2016, 76, 94-100.  | 1.5 | 22        |
| 592 | A tool to predict suicidal ideation and behavior in bipolar disorder: The Concise Health Risk Tracking Self-Report. <i>Journal of Affective Disorders</i> , 2016, 192, 212-218.   | 2.0 | 22        |
| 593 | Efficacy and safety of quetiapine extended release monotherapy in bipolar depression: a multi-center, randomized, double-blind, placebo-controlled trial. <i>Psychopharmacology</i> , 2016, 233, 1289-1297.   | 1.5 | 32        |
| 594 | Asenapine: Efficacy and safety of 5 and 10 mg bid in a 3-week, randomized, double-blind, placebo-controlled trial in adults with a manic or mixed episode associated with bipolar I disorder. <i>Journal of Affective Disorders</i> , 2016, 190, 103-110. | 2.0 | 29        |
| 595 | Type 2 diabetes and pre-diabetic abnormalities in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 189, 240-245.  | 2.0 | 17        |
| 596 | Optimal duration of risperidone or olanzapine adjunctive therapy to mood stabilizer following remission of a manic episode: A CANMAT randomized double-blind trial. <i>Molecular Psychiatry</i> , 2016, 21, 1050-1056.                                    | 4.1 | 42        |
| 597 | White blood cell count correlates with mood symptom severity and specific mood symptoms in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 355-365.   | 1.3 | 22        |
| 598 | Correlation Between Insight Level and Suicidal Behavior/Ideation in Bipolar Depression. <i>Psychiatric Quarterly</i> , 2017, 88, 47-53.   | 1.1 | 14        |
| 599 | Performance of Bipolar Disorder Patients in Attention Testing: Comparison with Normal Controls and Among Manic, Depressive, and Euthymic Phases. <i>Psychiatric Quarterly</i> , 2017, 88, 55-63.  | 1.1 | 8         |
| 600 | Adolescent and Family-focused Cognitive-behavioural Therapy for Paediatric Bipolar Disorders: A Case Series. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 589-617.  | 1.4 | 7         |
| 601 | Lithium in Paediatric Patients with Bipolar Disorder: Implications for Selection of Dosage Regimens via Population Pharmacokinetics/Pharmacodynamics. <i>Clinical Pharmacokinetics</i> , 2017, 56, 77-90.   | 1.6 | 36        |
| 602 | Nonsteroidal anti-inflammatory drugs (NSAIDs) and paracetamol do not affect 6-month mood-stabilizing treatment outcome among 482 patients with bipolar disorder. <i>Depression and Anxiety</i> , 2017, 34, 281-290.                                       | 2.0 | 12        |
| 603 | Switch Rates During Acute Treatment for Bipolar II Depression With Lithium, Sertraline, or the Two Combined: A Randomized Double-Blind Comparison. <i>American Journal of Psychiatry</i> , 2017, 174, 266-276.  | 4.0 | 50        |
| 604 | Treatment response in nonpsychotic vs psychotic manias – A follow up study from India. <i>Asian Journal of Psychiatry</i> , 2017, 26, 104-108.  | 0.9 | 4         |
| 605 | Neuroprotection after a first episode of mania: a randomized controlled maintenance trial comparing the effects of lithium and quetiapine on grey and white matter volume. <i>Translational Psychiatry</i> , 2017, 7, e1011-e1011.                        | 2.4 | 75        |
| 606 | Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.   | 0.3 | 26        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 607 | Self-Reported Graphic Personal and Social Performance Scale (SRG-PSP) for measuring functionality in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 215, 256-262.   | 2.0 | 2         |
| 608 | Lurasidone versus treatment as usual for cognitive impairment in euthymic patients with bipolar I disorder: a randomised, open-label, pilot study. <i>Lancet Psychiatry</i> , 2017, 4, 208-217.  | 3.7 | 56        |
| 609 | Quetiapine <i>v.</i> lithium in the maintenance phase following a first episode of mania: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 413-421.  | 1.7 | 53        |
| 610 | Predictors of functional status at service entry and discharge among young people with first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 575-585.   | 1.6 | 30        |
| 611 | Bipolar mixed features â€“ Results from the comparative effectiveness for bipolar disorder (Bipolar) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 2.0 | 10        |
| 612 | American tertiary clinic-referred bipolar II disorder versus bipolar I disorder associated with hastened depressive recurrence. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 2.  | 0.8 | 10        |
| 613 | Eye movement desensitization and reprocessing therapy versus supportive therapy in affective relapse prevention in bipolar patients with a history of trauma: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 160. | 0.7 | 38        |
| 614 | Abnormal sleep duration associated with hastened depressive recurrence in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 218, 374-379.  | 2.0 | 22        |
| 615 | Impact of irritability: a 2â€“year observational study of outpatients with bipolar I or schizoaffective disorder. <i>Bipolar Disorders</i> , 2017, 19, 184-197.  | 1.1 | 18        |
| 616 | Promoting medication adherence among patients with bipolar disorder: a multicenter randomized controlled trial of a multifaceted intervention. <i>Psychological Medicine</i> , 2017, 47, 2528-2539.  | 2.7 | 31        |
| 617 | Rates and predictors of 18-months remission in an epidemiological cohort of 661 patients with first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1089-1099.  | 1.6 | 23        |
| 618 | A placebo controlled study of quetiapine-XR in bipolar depression accompanied by generalized anxiety with and without a recent history of alcohol and cannabis use. <i>Psychopharmacology</i> , 2017, 234, 2233-2244.                          | 1.5 | 12        |
| 619 | Bipolar Disorder With Psychotic Features and Ocular Toxoplasmosis. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 192-195.  | 0.5 | 10        |
| 620 | Social and academic premorbid adjustment domains predict different functional outcomes among youth with first episode mania. <i>Journal of Affective Disorders</i> , 2017, 219, 133-140.   | 2.0 | 9         |
| 621 | Lifetime anxiety disorder and current anxiety symptoms associated with hastened depressive recurrence in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 219, 165-171.   | 2.0 | 10        |
| 622 | Early detection and integrated care for adolescents and young adults with psychotic disorders: the ACCESS III study. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 188-200.   | 2.2 | 21        |
| 623 | A randomized, doubleâ€“blind, placeboâ€“and risperidoneâ€“controlled study on valnoctamide for acute mania. <i>Bipolar Disorders</i> , 2017, 19, 285-294.  | 1.1 | 6         |
| 624 | Clinical correlates of acute bipolar depressive episode with psychosis. <i>Journal of Affective Disorders</i> , 2017, 217, 29-33.  | 2.0 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 625 | A novel approach to measuring response and remission in schizophrenia in clinical trials. <i>Schizophrenia Research</i> , 2017, 190, 123-128.   | 1.1 | 6         |
| 626 | Organizational Learning Strategies and Verbal Memory Deficits in Bipolar Disorder. <i>Journal of the International Neuropsychological Society</i> , 2017, 23, 358-366.  | 1.2 | 9         |
| 627 | Long-term use of lurasidone in patients with bipolar disorder: safety and effectiveness over 2 years of treatment. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 9.  | 0.8 | 20        |
| 628 | Asenapine for the treatment of adults with an acute exacerbation of schizophrenia: results from a randomized, double-blind, fixed-dose, placebo-controlled trial with olanzapine as an active control. <i>CNS Spectrums</i> , 2017, 22, 333-341.                | 0.7 | 24        |
| 629 | Methylene blue treatment for residual symptoms of bipolar disorder: Randomised crossover study. <i>British Journal of Psychiatry</i> , 2017, 210, 54-60.  | 1.7 | 44        |
| 630 | Changes in white matter microstructure predict lithium response in adolescents with bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 587-594.   | 1.1 | 58        |
| 631 | Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. <i>European Neuropsychopharmacology</i> , 2017, 27, 959-969. | 0.3 | 17        |
| 632 | Trajectories of suicidal ideation over 6 months among 482 outpatients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 223, 146-152.  | 2.0 | 18        |
| 633 | Aggressiveness in depression: a neglected symptom possibly associated with bipolarity and mixed features. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 362-372.   | 2.2 | 31        |
| 634 | An Open Trial of Iloperidone for Mixed Episodes in Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 615-619.   | 0.7 | 6         |
| 635 | Global improvement with cariprazine in the treatment of bipolar I disorder and schizophrenia: A pooled post hoc analysis. <i>International Journal of Clinical Practice</i> , 2017, 71, e13037.   | 0.8 | 13        |
| 636 | Use of Lithium in Severe Acute Manic Episodes: Retrospective Prescription Practice From a Tertiary Inpatient Unit. <i>Journal of Psychiatric Practice</i> , 2017, 23, 167-172.  | 0.3 | 0         |
| 637 | Does the number of previous mood episodes moderate the relationship between alcohol use, smoking and mood in bipolar outpatients?. <i>BMC Psychiatry</i> , 2017, 17, 185.   | 1.1 | 4         |
| 638 | L-Methylfolate For Bipolar I depressive episodes: An open trial proof-of-concept registry. <i>Journal of Affective Disorders</i> , 2017, 207, 429-433.  | 2.0 | 18        |
| 639 | Illnesses in siblings of US patients with bipolar disorder relate to multigenerational family history and patients severity of illness. <i>Journal of Affective Disorders</i> , 2017, 207, 313-319.   | 2.0 | 1         |
| 640 | Transdiagnostic Clinical Global Impression Scoring for Routine Clinical Settings. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2017, 7, 40.  | 1.0 | 42        |
| 641 | Clinical correlates of loss of insight in bipolar depression. <i>Trends in Psychiatry and Psychotherapy</i> , 2017, 39, 264-269.  | 0.4 | 6         |
| 642 | Switching bipolar disorder patients treated with clozapine to another antipsychotic medication: a mirror image study. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 201-204.   | 1.0 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 643 | Long-term response to mood stabilizer treatment and its clinical correlates in patients with bipolar disorders: a retrospective observational study. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 24.  | 0.8 | 19        |
| 644 | Lifetime eating disorder comorbidity associated with delayed depressive recovery in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 25.   | 0.8 | 13        |
| 645 | Anxiety, irritability, and agitation as indicators of bipolar mania with depressive symptoms: a post hoc analysis of two clinical trials. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 36.   | 0.8 | 15        |
| 646 | Cognitive functioning following stabilisation from first episode mania. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 39.   | 0.8 | 3         |
| 647 | Comparison of clinical outcomes with orodispersible versus standard oral olanzapine tablets in nonadherent patients with schizophrenia or bipolar disorder. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 1019-1025.  | 0.8 | 11        |
| 648 | An Assessment of Five (PANSS, SAPS, SANS, NSA-16, CGI-SCH) commonly used Symptoms Rating Scales in Schizophrenia and Comparison to Newer Scales (CAINS, BNSS). <i>Journal of Addiction Research &amp; Therapy</i> , 2017, 08, .  | 0.2 | 66        |
| 649 | Differential effect of quetiapine and lithium on functional connectivity of the striatum in first episode mania. <i>Translational Psychiatry</i> , 2018, 8, 59.  | 2.4 | 59        |
| 650 | Clinical and psychopathological features associated with treatment-emergent mania in bipolar-II depressed outpatients exposed to antidepressants. <i>Journal of Affective Disorders</i> , 2018, 234, 131-138.  | 2.0 | 16        |
| 651 | Differential prevalence and demographic and clinical correlates of antidepressant use in American bipolar I versus bipolar II disorder patients. <i>Journal of Affective Disorders</i> , 2018, 234, 74-79.   | 2.0 | 3         |
| 652 | Guselkumab, a human interleukin-23 monoclonal antibody in Japanese patients with generalized pustular psoriasis and erythrodermic psoriasis: Efficacy and safety analyses of a 52-week, phase 3, multicenter, open-label study. <i>Journal of Dermatology</i> , 2018, 45, 529-539. | 0.6 | 88        |
| 653 | Longer-Term Effectiveness and Tolerability of Adjunctive Open Lurasidone in Patients With Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 207-211.   | 0.7 | 7         |
| 654 | Associations of Comorbid Anxiety With Medication Adherence and Psychiatric Symptomatology in a Population of Nonadherent Bipolar Disorder Subjects. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 258-262.   | 0.5 | 1         |
| 655 | Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. <i>Schizophrenia Research</i> , 2018, 197, 131-137.   | 1.1 | 31        |
| 656 | A pilot study of minocycline for the treatment of bipolar depression: Effects on cortical glutathione and oxidative stress in vivo. <i>Journal of Affective Disorders</i> , 2018, 230, 56-64.  | 2.0 | 36        |
| 657 | Prevalence of axis I comorbidities in bipolar disorder: relationship to mood state. <i>Bipolar Disorders</i> , 2018, 20, 303-312.  | 1.1 | 18        |
| 658 | The impact of affective temperaments on clinical and functional outcome of Bipolar I patients that initiated or changed pharmacological treatment for mania. <i>Psychiatry Research</i> , 2018, 261, 473-480.  | 1.7 | 16        |
| 659 | A prospective observational study of problematic oral cannabinoid use. <i>Psychopharmacology</i> , 2018, 235, 409-417.   | 1.5 | 9         |
| 660 | Episode accumulation associated with hastened recurrence and delayed recovery in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 657-664.   | 2.0 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 661 | Plasminogen replacement therapy for the treatment of children and adults with congenital plasminogen deficiency. <i>Blood</i> , 2018, 131, 1301-1310.  | 0.6 | 27        |
| 662 | Treatment outcomes of acute bipolar depressive episode with psychosis. <i>Depression and Anxiety</i> , 2018, 35, 402-410.  | 2.0 | 9         |
| 663 | Effects of adjunctive N-acetylcysteine on depressive symptoms: Modulation by baseline high-sensitivity C-reactive protein. <i>Psychiatry Research</i> , 2018, 263, 268-274.  | 1.7 | 27        |
| 664 | Outcome and predictors of remission in bipolar-I patients experiencing manic episode and treated with oral antipsychotics and/or mood stabilizers. <i>International Clinical Psychopharmacology</i> , 2018, 33, 131-139.             | 0.9 | 6         |
| 665 | Early detection and integrated care for adolescents and young adults with severe psychotic disorders: rationales and design of the Integrated Care in Early Psychosis Study (<scp>ACCESS) Tj ETQq0 0 0 rgBT 109 Overlock 10 Tf 50 57 | 1.0 | 10        |
| 666 | sVCAM-1, sICAM-1, TNF- $\alpha$ and IL-6 levels in bipolar disorder type I: Acute, longitudinal and therapeutic implications. <i>World Journal of Biological Psychiatry</i> , 2018, 19, S41-S51.                                     | 1.3 | 21        |
| 667 | Continuous circular cycling as a predictor of treatment response in bipolar disorders: a comprehensive review of the current literature. <i>CNS Spectrums</i> , 2018, 23, 24-28.   | 0.7 | 1         |
| 668 | Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 749-755.            | 1.8 | 24        |
| 669 | Assessing bipolar disorder in the older adult: the GERIâ€BD toolbox. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e150-e157.   | 1.3 | 3         |
| 670 | Non-Suicidal Self-Injury in Pediatric Bipolar Disorder: Clinical Correlates and Impact on Psychosocial Treatment Outcomes. <i>Journal of Abnormal Child Psychology</i> , 2018, 46, 857-870.  | 3.5 | 16        |
| 671 | Prefrontal activation during a working memory task differs between patients with unipolar and bipolar depression: A preliminary exploratory study. <i>Journal of Affective Disorders</i> , 2018, 225, 64-70.                         | 2.0 | 61        |
| 672 | Symptoms and functioning with aripiprazole once-monthly injection as maintenance treatment for bipolar I disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 649-656.   | 2.0 | 22        |
| 673 | Randomized, Double-Blind, Placebo-Controlled Trial of Asenapine Maintenance Therapy in Adults With an Acute Manic or Mixed Episode Associated With Bipolar I Disorder. <i>American Journal of Psychiatry</i> , 2018, 175, 71-79.     | 4.0 | 51        |
| 674 | Sleep disturbance may impact treatment outcome in bipolar disorder: A preliminary investigation in the context of a large comparative effectiveness trial. <i>Journal of Affective Disorders</i> , 2018, 225, 563-568.               | 2.0 | 18        |
| 675 | Interactions Between Variation in Candidate Genes and Environmental Factors in the Etiology of Schizophrenia and Bipolar Disorder: a Systematic Review. <i>Molecular Neurobiology</i> , 2018, 55, 5075-5100.                         | 1.9 | 117       |
| 676 | A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018, 28, 185-194.                   | 0.3 | 9         |
| 677 | Asenapine Treatment in Pediatric Patients with Bipolar I Disorder or Schizophrenia: A Review. <i>Paediatric Drugs</i> , 2018, 20, 121-134.   | 1.3 | 9         |
| 678 | Clinically relevant and simple immune system measure is related to symptom burden in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2018, 30, 297-305.  | 1.0 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 679 | Measurement tools for assessment of older age bipolar disorder: A systematic review of the recent global literature. <i>Bipolar Disorders</i> , 2018, 20, 359-369.  | 1.1 | 10        |
| 680 | Associations between severity of anxiety and clinical and biological features of major affective disorders. <i>Psychiatry Research</i> , 2018, 260, 17-23.  | 1.7 | 14        |
| 681 | Decreased activation and subsyndromal manic symptoms predict lower remission rates in bipolar depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 994-1002.   | 1.3 | 3         |
| 682 | Comorbidity of chronic somatic diseases in patients with psychotic disorders and their influence on 4-year outcomes of integrated care treatment (ACCESS II study). <i>Schizophrenia Research</i> , 2018, 193, 377-383.               | 1.1 | 22        |
| 683 | A Pilot Study of the Effectiveness of Lithium Versus Quetiapine Immediate Release Monotherapy in Patients With Bipolar Spectrum Disorders. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 422-434.                         | 0.7 | 16        |
| 684 | Aripiprazole once-monthly as maintenance treatment for bipolar I disorder: a 52-week, multicenter, open-label study. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 14.   | 0.8 | 15        |
| 685 | Topical Analgesia with Lidocaine Plus Diclofenac Decreases Pain in Benign Anorectal Surgery: Randomized, Doubleblind, and Controlled Clinical Trial. <i>Clinical and Translational Gastroenterology</i> , 2018, 9, e210.              | 1.3 | 17        |
| 686 | B-positive: a randomized controlled trial of a multicomponent positive psychology intervention for euthymic patients with bipolar disorder - study protocol and intervention development. <i>BMC Psychiatry</i> , 2018, 18, 335.      | 1.1 | 10        |
| 687 | Cognitive and Functional Assessment of Psychosis Stratification Study (CoFAPSS): Rationale, Design, and Characteristics. <i>Frontiers in Psychiatry</i> , 2018, 9, 662.   | 1.3 | 2         |
| 688 | The relationship between insight and affective temperament in bipolar disorder: an exploratory study. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 210-215.  | 0.4 | 5         |
| 689 | Symptom Dimensions and Trajectories of Functioning Among Bipolar Youth: A Cluster Analysis. <i>Journal of Psychiatric Practice</i> , 2018, 24, 146-157.   | 0.3 | 3         |
| 690 | Patterns of changes in bipolar depressive symptoms revealed by trajectory analysis among 482 patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 21, 350-360.  | 1.1 | 5         |
| 691 | Study Protocol for a Randomized Double Blind, Placebo Controlled Trial Exploring the Effectiveness of a Micronutrient Formula in Improving Symptoms of Anxiety and Depression. <i>Medicines (Basel)</i> , 2018, 5, 10.                | 0.0 | 0         |
| 692 | Sweet Delight and Endless Night: A Qualitative Exploration of Ordinary and Extraordinary Religious and Spiritual Experiences in Bipolar Disorder. <i>International Journal for the Psychology of Religion, The</i> , 2018, 28, 31-54. | 1.3 | 16        |
| 693 | Axis II Personality Disorders Are Linked to an Adverse Course of Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 469-472.   | 0.5 | 9         |
| 694 | Interventions for the management of obesity in people with bipolar disorder. <i>The Cochrane Library</i> , 2018, , .  | 1.5 | 3         |
| 695 | The user experiences and clinical outcomes of an online personal health record to support self-management of bipolar disorder: A pretest-posttest pilot study. <i>Journal of Affective Disorders</i> , 2018, 238, 261-268.            | 2.0 | 12        |
| 696 | Cardiovascular risk and bipolar disorder: factors associated with a positive coronary calcium score in patients with bipolar disorder type 1. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 163-168.                           | 0.9 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 697 | Ruminative and dampening responses to positive affect in bipolar disorder and major depressive disorder. <i>Comprehensive Psychiatry</i> , 2018, 85, 72-77.  | 1.5 | 11        |
| 698 | Post hoc analyses of asenapine treatment in pediatric patients with bipolar I disorder: efficacy related to mixed or manic episode, stage of illness, and body weight. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1941-1952.     | 1.0 | 5         |
| 699 | Changes in energy and motor activity: core symptoms of bipolar mania and depression?. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 233-237.  | 0.9 | 10        |
| 700 | Mindfulness-based social cognition training (SocialMIND) versus psychoeducational multicomponent intervention for people with a first episode of psychosis: a study protocol for a randomised controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 233. | 1.1 | 2         |
| 701 | Long-term mood/antidepressant effects of quetiapine extended-release formulation: an open-label, non-controlled extension study in Japanese patients with bipolar depression. <i>BMC Psychiatry</i> , 2019, 19, 198.                                   | 1.1 | 6         |
| 702 | Novel antipsychotics specificity profile: A clinically oriented review of lurasidone, brexpiprazole, cariprazine and lumateperone. <i>European Neuropsychopharmacology</i> , 2019, 29, 971-985.  | 0.3 | 93        |
| 703 | Emotional reactivity and neuropsychological assessment in ten cases of ablated temporal lobe tumors. <i>Neurology Psychiatry and Brain Research</i> , 2019, 34, 22-27.   | 2.0 | 0         |
| 704 | Clinical applications of transcranial magnetic stimulation in bipolar disorder. <i>Brain and Behavior</i> , 2019, 9, e01419.   | 1.0 | 32        |
| 705 | A randomized controlled trial comparing lithium plus valproic acid versus lithium plus carbamazepine in young patients with type 1 bipolar disorder: the LICAVAL study. <i>Trials</i> , 2019, 20, 608.   | 0.7 | 9         |
| 706 | Bipolar depression and suicidal ideation: Moderators and mediators of a complex relationship. <i>Journal of Affective Disorders</i> , 2019, 259, 164-172.  | 2.0 | 13        |
| 707 | Uncharted Waters: Treating Trauma Symptoms in the Context of Early Psychosis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1456.   | 1.0 | 12        |
| 708 | “The Awful Rowing toward God” Interpretation of Religious Experiences by Individuals with Bipolar Disorder. <i>Pastoral Psychology</i> , 2019, 68, 437-462.  | 0.4 | 9         |
| 709 | Patterns of response to antidepressants in major depressive disorder: Drug resistance or worsening of depression are associated with a bipolar diathesis. <i>European Neuropsychopharmacology</i> , 2019, 29, 825-834.                                 | 0.3 | 41        |
| 710 | Correlation between white blood cell count and mood-stabilising treatment response in two bipolar disorder trials. <i>Acta Neuropsychiatrica</i> , 2019, 31, 230-234.  | 1.0 | 2         |
| 711 | An Observational Preliminary Study on the Safety of Long-Term Consumption of Micronutrients for the Treatment of Psychiatric Symptoms. <i>Journal of Alternative and Complementary Medicine</i> , 2019, 25, 613-622.                                   | 2.1 | 11        |
| 712 | Neurophysiological effects of multiple mood episodes in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 503-513.  | 1.1 | 27        |
| 713 | Adjunctive tianeptine treatment for bipolar disorder: A 24-week randomized, placebo-controlled, maintenance trial. <i>Journal of Psychopharmacology</i> , 2019, 33, 502-510.   | 2.0 | 12        |
| 714 | Pilot study of a lifestyle intervention for bipolar disorder: Nutrition exercise wellness treatment (NEW Tx). <i>Journal of Affective Disorders</i> , 2019, 250, 278-283.  | 2.0 | 24        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 715 | The effect of adjunctive nutraceuticals in bipolar disorder: A systematic review of randomized placebo-controlled trials. <i>Journal of Affective Disorders</i> , 2019, 252, 334-349.   | 2.0 | 19        |
| 716 | Clinical and Cognitive Correlates of Insight in Bipolar Disorder. <i>Psychiatric Quarterly</i> , 2019, 90, 385-394.   | 1.1 | 10        |
| 717 | Predictive modeling for response to lithium and quetiapine in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 428-436.   | 1.1 | 15        |
| 718 | Rates and predictors of one-year antipsychotic treatment discontinuation in first-episode schizophrenia: Results from an open-label, randomized, real world clinical trial. <i>Psychiatry Research</i> , 2019, 273, 631-640.        | 1.7 | 11        |
| 719 | Antidepressants have complex associations with longitudinal depressive burden in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 246, 836-842.  | 2.0 | 4         |
| 720 | Improving functional outcomes in early-stage bipolar disorder: The protocol for the REsearch into COgnitive and behavioural VERsatility trial. <i>Microbial Biotechnology</i> , 2019, 13, 1470-1479.                                | 0.9 | 10        |
| 721 | Lower Switch Rate in Depressed Patients With Bipolar II Than Bipolar I Disorder Treated Adjunctively With Second-Generation Antidepressants. <i>Focus (American Psychiatric Publishing)</i> , 2019, 17, 322-324.                    | 0.4 | 1         |
| 722 | Adaptation of the Clinical Global Impression for Use in Correctional Settings: The CGI-C. <i>Frontiers in Psychiatry</i> , 2019, 10, 687.   | 1.3 | 10        |
| 723 | An adjunctive human-animal interaction intervention for veterans with PTSD: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 786.  | 0.7 | 4         |
| 724 | Efficacy and Safety of Asenapine Versus Olanzapine in Combination With Divalproex for Acute Mania. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 305-311.   | 0.7 | 3         |
| 725 | Prevalence of Religious and Spiritual Experiences and the Perceived Influence Thereof in Patients With Bipolar Disorder in a Dutch Specialist Outpatient Center. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 291-299. | 0.5 | 13        |
| 726 | Feasibility and Acceptability of a Lifestyle Intervention For Individuals With Bipolar Disorder. <i>Journal of Psychiatric Practice</i> , 2019, 25, 451-460.  | 0.3 | 6         |
| 727 | Adaptive behavior in adolescents and adults with Down syndrome: Results from a 6-month longitudinal study. <i>American Journal of Medical Genetics, Part A</i> , 2019, 179, 85-93.  | 0.7 | 5         |
| 728 | Comorbid anxiety in bipolar CHOICE: Insights from the bipolar inventory of symptoms scale. <i>Journal of Affective Disorders</i> , 2019, 246, 126-131.  | 2.0 | 11        |
| 729 | Risperidone adjunctive therapy duration in the maintenance treatment of bipolar I disorder: A post hoc analysis. <i>Journal of Affective Disorders</i> , 2019, 246, 861-866.  | 2.0 | 8         |
| 730 | Sub-threshold bipolar disorder in medication-free young subjects with major depression: Clinical characteristics and antidepressant treatment response. <i>Journal of Psychiatric Research</i> , 2019, 110, 1-8.                    | 1.5 | 14        |
| 731 | Efficacy of adjunctive <i>Garcinia mangostana</i> Linn (mangosteen) pericarp for bipolar depression: study protocol for a proof-of-concept trial. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 245-253.                     | 0.9 | 8         |
| 732 | Impaired glucose metabolism in bipolar patients and response to mood stabilizer treatments. <i>Journal of Affective Disorders</i> , 2019, 245, 174-179.   | 2.0 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 733 | Bumetanide for Autism Spectrum Disorder in Children: A Review of Randomized Controlled Trials. <i>Annals of Pharmacotherapy</i> , 2019, 53, 537-544.   | 0.9 | 24        |
| 734 | Cognitive dysfunction in Malaysian patients with major depressive disorder: A subgroup analysis of a multicountry, cross-sectional study. <i>Asia-Pacific Psychiatry</i> , 2019, 11, e12346.   | 1.2 | 13        |
| 735 | Effects of childhood trauma on adult moral decision-making: Clinical correlates and insights from bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 244, 180-186.  | 2.0 | 9         |
| 736 | The impact of binge eating behavior on lithium- and quetiapine-associated changes in body weight, body mass index, and waist circumference during 6 months of treatment: Findings from the bipolar CHOICE study. <i>Journal of Affective Disorders</i> , 2020, 266, 772-781.                                       | 2.0 | 13        |
| 737 | Frailty, multimorbidity and functional status as predictors for health outcomes of acute psychiatric hospitalisation in older adults. <i>Aging and Mental Health</i> , 2020, 24, 119-128.  | 1.5 | 13        |
| 738 | A Double-Blind Randomized Placebo-Controlled Trial of Citalopram Adjunctive to Stimulant Medication in Youth With Chronic Severe Irritability. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, 350-361.  | 0.3 | 49        |
| 739 | Detailed assessment and risk factor analysis of corticosteroid-induced psychiatric disorders in pediatric, adolescent, and young adult patients undergoing induction or consolidation therapy for hematologic malignancy. <i>Journal of Oncology Pharmacy Practice</i> , 2020, 26, 1041-1051.                      | 0.5 | 5         |
| 740 | A randomized double-blind controlled trial to assess the benefits of amisulpride and olanzapine combination treatment versus each monotherapy in acutely ill schizophrenia patients (COMBINE): methods and design. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 83-94.            | 1.8 | 4         |
| 741 | Diet quality, dietary inflammatory index and body mass index as predictors of response to adjunctive N-acetylcysteine and mitochondrial agents in adults with bipolar disorder: A sub-study of a randomised placebo-controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 159-172. | 1.3 | 11        |
| 742 | Holy Apparition or Hyper-Religiosity: Prevalence of Explanatory Models for Religious and Spiritual Experiences in Patients with Bipolar Disorder and Their Associations with Religiousness. <i>Pastoral Psychology</i> , 2020, 69, 29-45.  | 0.4 | 10        |
| 743 | Lithium vs valproate in the maintenance treatment of bipolar I disorder: A post-hoc analysis of a randomized double-blind placebo-controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 298-307.   | 1.3 | 8         |
| 744 | Clinical validation of the BDSx scale with bipolar disorder outpatients. <i>Archives of Psychiatric Nursing</i> , 2020, 34, 49-52.   | 0.7 | 9         |
| 745 | Number of episodes in bipolar disorder: The case for more thoughtful conceptualization and measurement. <i>Bipolar Disorders</i> , 2020, 22, 231-244.  | 1.1 | 17        |
| 746 | Physical Activity as a Predictor of Clinical Trial Outcomes in Bipolar Depression: A Subanalysis of a Mitochondrial-Enhancing Nutraceutical Randomized Controlled Trial. <i>Canadian Journal of Psychiatry</i> , 2020, 65, 306-318.  | 0.9 | 9         |
| 747 | Radiocirugía estereotáctica con Gamma Knife® como tratamiento del temblor esencial y parkinsoniano: experiencia a largo plazo. <i>Neurología</i> , 2023, 38, 188-196.  | 0.3 | 3         |
| 748 | Relationship of comorbid personality disorders to prospective outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 276, 147-151.   | 2.0 | 8         |
| 749 | Deconstructing major depressive episodes across unipolar and bipolar depression by severity and duration: a cross-diagnostic cluster analysis on a large, international, observational study. <i>Translational Psychiatry</i> , 2020, 10, 241.   | 2.4 | 9         |
| 750 | Interventions for the management of obesity in people with bipolar disorder. <i>The Cochrane Library</i> , 2020, 2020, CD013006.   | 1.5 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 751 | Investigation of the impact of an ADCY2 polymorphism as a predictive biomarker in bipolar disorder, suicide tendency and response to lithium carbonate therapy: the first report from Iran. <i>Pharmacogenomics</i> , 2020, 21, 1011-1020. | 0.6 | 4         |
| 752 | <scp>Double-blind</scp>, <scp>placebo-controlled</scp> study of lurasidone monotherapy for the treatment of bipolar I depression. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 635-644.  | 1.0 | 21        |
| 753 | Community-Based Rehabilitation for Persons with Severe Mental Illness in a Rural Community of Karnataka: Methodology of a Randomized Controlled Study. <i>Indian Journal of Psychological Medicine</i> , 2020, 42, S73-S79.                | 0.6 | 8         |
| 754 | Impact Evaluation of VKNâ€“NIMHANSâ€“ECHO Model of Capacity Building for Mental Health and Addiction: Methodology of Two Randomized Controlled Trials. <i>Indian Journal of Psychological Medicine</i> , 2020, 42, S80-S86.                | 0.6 | 10        |
| 755 | Prevalence of Prediabetes and Diabetes Mellitus Type II in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 314.   | 1.3 | 8         |
| 756 | Toward prevention of bipolar disorder in at-risk children: Potential strategies ahead of the data. <i>Journal of Affective Disorders</i> , 2020, 272, 508-520.   | 2.0 | 18        |
| 757 | The potential role of EMDR on trauma in affective disorders: A narrative review. <i>Journal of Affective Disorders</i> , 2020, 269, 1-11.  | 2.0 | 15        |
| 758 | Magnetic seizure therapy for treatment-resistant depression. <i>The Cochrane Library</i> , 0, , .  | 1.5 | 0         |
| 759 | An evaluation of suicidal risk in bipolar patients with comorbid posttraumatic stress disorder. <i>Journal of Affective Disorders</i> , 2020, 266, 49-56.  | 2.0 | 7         |
| 760 | Is the 6â€“item, self-report HAMâ€“D an effective depression screening measure with bipolar disorder?. <i>Perspectives in Psychiatric Care</i> , 2020, 56, 900-904.  | 0.9 | 8         |
| 761 | Effects of psychotherapy on comorbid bipolar disorder and substance use disorder: A systematic review. <i>Bipolar Disorders</i> , 2021, 23, 141-151.   | 1.1 | 6         |
| 762 | Adjunctive antidepressant treatment among 763 outpatients with bipolar disorder: Findings from the Bipolar CHOICE and LiTMUS trials. <i>Depression and Anxiety</i> , 2021, 38, 114-123.  | 2.0 | 5         |
| 763 | A taxonomy of clinical response to mood stabilizers. <i>Bipolar Disorders</i> , 2021, 23, 24-32.   | 1.1 | 2         |
| 764 | Does guideline-concordant care predict naturalistic outcomes in youth with early stage bipolar I disorder?. <i>Journal of Affective Disorders</i> , 2021, 278, 23-32.  | 2.0 | 2         |
| 765 | The Koukopoulos mixed depression rating scale (KMDRS) and the assessment of mixed symptoms during the perinatal period. <i>Journal of Affective Disorders</i> , 2021, 281, 980-988.  | 2.0 | 5         |
| 766 | Clinically meaningful changes on depressive symptom measures and patient-reported outcomes in patients with treatment-resistant depression. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 253-263.                                    | 2.2 | 23        |
| 767 | The impact of BDNF variant on bipolar susceptibility, suicidal behavior, and response to lithium carbonate in bipolar patients. <i>Meta Gene</i> , 2021, 27, 100823.   | 0.3 | 0         |
| 768 | Lurasidone in the Long-Term Treatment of Bipolar I Depression: A 28-week Open Label Extension Study. <i>Journal of Affective Disorders</i> , 2021, 281, 160-167.   | 2.0 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 769 | Endoxifen: A new, protein kinase C inhibitor to treat acute and mixed mania associated with bipolar I disorder. <i>Bipolar Disorders</i> , 2021, 23, 595-603.  | 1.1 | 10        |
| 770 | Case Report: Paliperidone Palmitate in the Management of Bipolar I Disorder With Non-compliance. <i>Frontiers in Psychiatry</i> , 2020, 11, 529672.  | 1.3 | 1         |
| 771 | The effect of N-acetylcysteine on bipolar depression: a systematic review and meta-analysis of randomized controlled trials. <i>Psychopharmacology</i> , 2021, 238, 1729-1736.   | 1.5 | 5         |
| 772 | Two randomized, double-blind, placebo-controlled trials and one open-label, long-term trial of brexpiprazole for the acute treatment of bipolar mania. <i>Journal of Psychopharmacology</i> , 2021, 35, 971-982.   | 2.0 | 13        |
| 773 | Psychotic symptoms during bipolar depressive episodes and suicidal ideation. <i>Journal of Affective Disorders</i> , 2021, 282, 1241-1246.   | 2.0 | 4         |
| 774 | Influence of childhood trauma on the treatment outcomes of pharmacological and/or psychological interventions for adolescents and adults with bipolar disorder: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e044569. | 0.8 | 1         |
| 775 | Development of Evidence-Based Rehabilitation Practice in Botanical Garden for People With Mental Health Disorders. <i>Herd</i> , 2021, 14, 242-257.  | 0.9 | 5         |
| 776 | Systematic Review and Network Meta-analysis: Efficacy and Safety of Second-Generation Antipsychotics in Youths With Bipolar Depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 243-254.                   | 0.3 | 12        |
| 777 | Autobiographical Memory and Episodic Specificity Across Different Affective States in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 641221.   | 1.3 | 4         |
| 778 | Comorbidities, Depression Severity, and Circadian Rhythms Disturbances as Clinical Correlates of Duration of Untreated Illness in Affective Disorders. <i>Medicina (Lithuania)</i> , 2021, 57, 459.  | 0.8 | 6         |
| 779 | Electroconvulsive Therapy (ECT) in Bipolar Disorder Patients with Ultra-Rapid Cycling and Unstable Mixed States. <i>Medicina (Lithuania)</i> , 2021, 57, 624.  | 0.8 | 4         |
| 780 | Magnetic seizure therapy for treatment-resistant depression. <i>The Cochrane Library</i> , 2021, 2021, CD013528.   | 1.5 | 4         |
| 781 | A Single-Blind Randomized Comparison of Lithium and Lamotrigine as Maintenance Treatments for Managing Bipolar II Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 381-388.   | 0.7 | 6         |
| 782 | Not in education, employment and training status in the early stages of bipolar I disorder with psychotic features. <i>Microbial Biotechnology</i> , 2021, , .   | 0.9 | 1         |
| 783 | Use of Patient and Investigator Global Impression Scales: A Review of Food and Drug Administrationâ€™s Approved Labeling, 2009 to 2019. <i>Value in Health</i> , 2021, 24, 1016-1023.  | 0.1 | 7         |
| 784 | A Systematic Review of the Clinical Use of Gabapentin and Pregabalin in Bipolar Disorder. <i>Pharmaceuticals</i> , 2021, 14, 834.  | 1.7 | 6         |
| 785 | Lurasidone in the long-term treatment of Japanese patients with bipolar I disorder: a 52-week open label study. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 25.   | 0.8 | 6         |
| 786 | Illness stage and predominant polarity in bipolar disorder: Correlation with burden of illness and moderation of treatment outcome. <i>Journal of Psychiatric Research</i> , 2021, 140, 205-213.   | 1.5 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 787 | A protocol for the first episode psychosis outcome study (<scp>FEPOS</scp>): a 15-year follow-up after treatment at the <scp>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</scp>. <i>Microbial Biotechnology</i> , 2022, 16, 715-723. | 0.9 | 3         |
| 788 | The impact of lifetime interpersonal and intentional trauma on cognition and vulnerability to psychosis in bipolar disorder. <i>BJPsych Open</i> , 2021, 7, .  | 0.3 | 2         |
| 789 | Efficacy and Safety of Lumateperone for Major Depressive Episodes Associated With Bipolar I or Bipolar II Disorder: A Phase 3 Randomized Placebo-Controlled Trial. <i>American Journal of Psychiatry</i> , 2021, 178, 1098-1106.                                 | 4.0 | 46        |
| 790 | Electroconvulsive Therapy for Bipolar Depression in Older Adults. <i>Journal of ECT</i> , 2021, 37, 182-188.   | 0.3 | 6         |
| 791 | The effects of JNJ-39393406 a positive allosteric nicotine modulator on mood and cognition in patients with unipolar depression: A double-blind, add-on, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2021, 51, 33-42.                    | 0.3 | 9         |
| 792 | Response and remission rates during 24 weeks of mood-stabilizing treatment for bipolar depression depending on early non-response. <i>Psychiatry Research</i> , 2021, 305, 114194.   | 1.7 | 1         |
| 793 | Expanding bipolar outreach during college. <i>Journal of Affective Disorders</i> , 2021, 295, 28-32.   | 2.0 | 0         |
| 794 | Massacre, Earthquake, Flood. <i>International Perspectives in Psychology: Research, Practice, Consultation</i> , 2021, 10, 39-54.  | 0.4 | 3         |
| 795 | Asenapine: an atypical antipsychotic with atypical formulations. <i>Therapeutic Advances in Psychopharmacology</i> , 2021, 11, 204512532110352.  | 1.2 | 11        |
| 796 | Substance Use Disorders and Associated Factors Among Adult Psychiatric Patients in Jimma Town, Southwest Ethiopia, 2017. Community-Based Cross-Sectional Study. <i>Clinical Medicine Insights Psychiatry</i> , 2021, 12, 117955732198969.                        | 0.4 | 2         |
| 797 | Development of an adapted Clinical Global Impression scale for use in Angelman syndrome. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 3.   | 1.5 | 12        |
| 798 | Tiagabine in the treatment of acute affective episodes in bipolar disorder. , 2006, , CD004694.  |     | 75        |
| 799 | Familial severe psychiatric history in bipolar disorder and correlation with disease severity and treatment response. <i>Journal of Affective Disorders</i> , 2020, 273, 131-137.  | 2.0 | 7         |
| 800 | Demonstrating the impact of colocated behavioral health in pediatric primary care.. <i>Clinical Practice in Pediatric Psychology</i> , 2020, 8, 13-24.   | 0.2 | 3         |
| 801 | The influence of current mood state, number of previous affective episodes and predominant polarity on insight in bipolar disorder. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 266-270.   | 1.2 | 4         |
| 802 | Nimodipine Monotherapy and Carbamazepine Augmentation in Patients With Refractory Recurrent Affective Illness. <i>Journal of Clinical Psychopharmacology</i> , 1998, 18, 404-413.  | 0.7 | 86        |
| 803 | Use of Atypical Antipsychotic Agents in Bipolar and Schizoaffective Disorders. <i>Journal of Clinical Psychopharmacology</i> , 1999, 19, 354-361.  | 0.7 | 40        |
| 804 | A Placebo-Controlled Study of Lamotrigine and Gabapentin Monotherapy in Refractory Mood Disorders. <i>Journal of Clinical Psychopharmacology</i> , 2000, 20, 607-614.  | 0.7 | 385       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 805 | Models for the Quantitative Prediction of Therapeutic Responses Based on the Baseline EEG Parameters in Depressive Patients. <i>Human Physiology</i> , 2019, 45, 614-620.   | 0.1 | 3         |
| 806 | Olanzapine Versus Placebo in the Treatment of Acute Mania. <i>American Journal of Psychiatry</i> , 1999, 156, 702-709.  | 4.0 | 456       |
| 807 | Defining phenotypes of long-term lithium and valproate response, including combination therapy: a modified application of the Alda scale in patients with bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 36. | 0.8 | 5         |
| 808 | Predicting lithium treatment response in bipolar patients using gender-specific gene expression biomarkers and machine learning. <i>F1000Research</i> , 2018, 7, 474.   | 0.8 | 16        |
| 809 | A double-blind comparison of the effect of the antipsychotics haloperidol and olanzapine on sleep in mania. <i>Brazilian Journal of Medical and Biological Research</i> , 2007, 40, 357-366.  | 0.7 | 20        |
| 810 | The Portuguese version of the Clinical Global Impression - Schizophrenia Scale: validation study. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 246-249.   | 0.9 | 38        |
| 811 | Multidisciplinary clinical and psychological aspects of diagnosis. <i>Autism and Developmental Disorders</i> , 2016, 14, 51-67.   | 0.6 | 4         |
| 812 | The use of atypical antipsychotics beyond psychoses: efficacy of quetiapine in bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2006, 2, 139-148.  | 1.0 | 11        |
| 813 | Can the response to mood stabilizers be predicted in bipolar disorder. <i>Frontiers in Bioscience - Elite</i> , 2014, E6, 120-138.  | 0.9 | 30        |
| 814 | Cortical Volumetric Correlates of Childhood Trauma, Anxiety, and Impulsivity in Bipolar Disorder. <i>Psychiatry Investigation</i> , 2020, 17, 627-635.  | 0.7 | 9         |
| 815 | Lamotrigine as an adjuvant treatment for acute bipolar depression: A Brazilian naturalistic study.. <i>Psychology and Neuroscience</i> , 2013, 6, 109-113.  | 0.5 | 3         |
| 816 | Olanzapine for Psychotic Conditions in the Elderly. <i>Psychiatric Annals</i> , 2000, 30, 191-196.  | 0.1 | 35        |
| 817 | Impact of Antidepressant Continuation After Acute Positive or Partial Treatment Response for Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 450-457.   | 1.1 | 65        |
| 818 | Olanzapine-Divalproex Combination Versus Divalproex Monotherapy in the Treatment of Bipolar Mixed Episodes. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1540-1547.  | 1.1 | 56        |
| 819 | A Double-Blind, Placebo-Controlled Study of Quetiapine and Paroxetine as Monotherapy in Adults With Bipolar Depression (EMBOLDEN II). <i>Journal of Clinical Psychiatry</i> , 2010, 71, 163-174.  | 1.1 | 250       |
| 820 | Improving Outcomes in Patients With Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e10-e10.  | 1.1 | 10        |
| 821 | Lurasidone in the Treatment of Bipolar Depression With Mixed (Subsyndromal Hypomanic) Features. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 398-405.  | 1.1 | 57        |
| 822 | Psychotherapy Alone and Combined With Medication as Treatments for Bipolar II Depression. <i>Journal of Clinical Psychiatry</i> , 2018, 79, 7-15.   | 1.1 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 823 | Efficacy and Safety of Aripiprazole Once-Monthly in the Maintenance Treatment of Bipolar I Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 324-331.  | 1.1 | 106       |
| 824 | A 6-Month, Prospective, Randomized Controlled Trial of Customized Adherence Enhancement Versus Bipolar-Specific Educational Control in Poorly Adherent Individuals With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .                    | 1.1 | 14        |
| 825 | Long-Term Olanzapine Therapy in the Treatment of Bipolar I Disorder. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 273-281.  | 1.1 | 86        |
| 826 | Factors Associated With Suicide Attempts in 648 Patients With Bipolar Disorder in the Stanley Foundation Bipolar Network. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 506-515.   | 1.1 | 294       |
| 827 | Safety of Available Agents Used to Treat Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 532-539.  | 1.1 | 75        |
| 828 | A Randomized, Double-Blind, Placebo-Controlled Efficacy and Safety Study of Quetiapine or Lithium as Monotherapy for Mania in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 111-121.   | 1.1 | 309       |
| 829 | Preliminary Observations on the Effectiveness of Levetiracetam in the Open Adjunctive Treatment of Refractory Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 370-374.   | 1.1 | 53        |
| 830 | Predictive Factors for Time to Remission and Recurrence in Patients Treated for Acute Mania. Primary Care Companion To the <i>Journal of Clinical Psychiatry</i> , 2008, 10, 114-119.  | 0.6 | 26        |
| 831 | Efficacy and tolerability of injectable sodium valproate in patients with mania. <i>Indian Journal of Psychiatry</i> , 2006, 48, 118.  | 0.4 | 7         |
| 832 | Caregiver Burden for Patients with Dementia with or Without Hiring Foreign Health Aides: A Cross-Sectional Study in a Northern Taiwan Memory Clinic. <i>Journal of Medical Sciences (Taiwan)</i> , 2015, 35, 239.  | 0.1 | 29        |
| 833 | Verbal and Visual Memory Impairments in Bipolar I and II Disorder. <i>Psychiatry Investigation</i> , 2012, 9, 339.   | 0.7 | 11        |
| 834 | A Randomized Controlled Trial to Compare the Efficacy, Safety and Tolerability of Asenapine versus Olanzapine in Management of Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 587-598.   | 0.9 | 1         |
| 835 | What Is an Adequate Antipsychotic Trial? Using Plasma Levels to Optimize Psychiatric Response and Tolerability. , 2021, , 114-146.   |     | 0         |
| 836 | Suicidal Ideation in Bipolar Disorder: The Relation with Clinical and Sociodemographic Variables. <i>Psychiatric Quarterly</i> , 2022, 93, 453-461.  | 1.1 | 1         |
| 837 | Dissociative Symptoms in Bipolar Disorder: Impact on Clinical Course and Treatment Response. <i>Frontiers in Psychiatry</i> , 2021, 12, 732843.  | 1.3 | 6         |
| 838 | Deiodinase variation and liothyronine treatment interaction to accelerate ECT response in major depression: Pilot data and implications for thyroid pharmacogenomic testing in mood disorders. <i>Personalized Medicine in Psychiatry</i> , 2021, 29-30, 100089. | 0.1 | 0         |
| 839 | Tratamiento complementario del trastorno bipolar con gabapentina. <i>European Psychiatry (Ed Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102</i>  | 0.0 | 0         |
| 840 | Efectos a largo plazo del topiramato sobre la inestabilidad del estado de Ájnimo bipolar, el cambio de peso y el control glucÃ©mico: una serie clÃ¡nica. <i>European Psychiatry (Ed EspaÃ±ola)</i> , 2001, 8, 361-365.   | 0.0 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 841 | Classification of Bipolar Disordersâ€™ Implications for Clinical Research. Medical Psychiatry, 2007, , 1-18.  | 0.2 | 0         |
| 842 | Cognitive Behavioral Therapy for Older Adults with Bipolar Disorder. , 2008, , 249-263.   |     | 2         |
| 843 | Global assessment scales. , 2010, , 3-7.  |     | 0         |
| 844 | The Development of Questionnaire for Relapse Assessment in Psychotic Disorder. Journal of Korean Neuropsychiatric Association, 2013, 52, 417.   | 0.2 | 0         |
| 845 | A comparison of a patient-rated visual analogue scale with the Liebowitz Social Anxiety Scale for social anxiety disorder: A cross-sectional study. Open Journal of Psychiatry, 2014, 04, 68-74.  | 0.2 | 2         |
| 846 | A Prediction Model for Depression Risk. Ungyong T'onggye Yon'gu = the Korean Journal of Applied Statistics, 2014, 27, 317-330.  | 0.0 | 0         |
| 847 | The effectiveness of a program of physical activity and diet to modify cardiovascular risk factors in patients with severe mental illness (CAPICOR Study). International Archive of Medicine, 0, , .  | 1.2 | 0         |
| 848 | Clinical and laboratory diagnosis of autism spectrum disorders in children. Laboratornaya Sluzhba, 2016, 5, 22.   | 0.0 | 8         |
| 849 | Recognition and early aerobic exercise in prodrome of bipolar disorder: study protocol for a randomized controlled trial. Asia Pacific Journal of Clinical Trials Nervous System Diseases, 2017, 2, 9.  | 0.3 | 0         |
| 850 | Deep-brain magnetic stimulation as add-on treatment to lithium carbonate in the treatment of bipolar depression: study protocol for a randomized, double-blind, sham-controlled trial. Asia Pacific Journal of Clinical Trials Nervous System Diseases, 2018, 3, 102. | 0.3 | 0         |
| 851 | Predicting lithium treatment response in bipolar patients using gender-specific gene expression biomarkers and machine learning. F1000Research, 2018, 7, 474.   | 0.8 | 8         |
| 853 | Effect size of lithium, carbamazepine, and sodium valproate in child and adolescent bipolar 1 disorder during manic phase: A prospective open-label study. Industrial Psychiatry, 2019, 28, 185.  | 0.3 | 3         |
| 854 | Mood versus energy/activity symptoms in bipolar disorder: which cluster of Hamilton Depression Rating Scale better distinguishes between mania, depression, and euthymia?. Trends in Psychiatry and Psychotherapy, 2019, 41, 401-408.                                 | 0.4 | 2         |
| 855 | Is Low FODMAP Diet Effective in Children with Irritable Bowel Disease?. Āstanbul Kuzey Klinikleri, 2020, 7, 433-437.  | 0.1 | 4         |
| 856 | Care at door-steps for persons with severe mental disorders: A pilot experience from Karnataka district mental health program. International Journal of Social Psychiatry, 2022, 68, 273-280.   | 1.6 | 7         |
| 857 | A Randomized, Double-blind, Placebo-controlled Proof-of-Concept Trial to Evaluate the Efficacy and Safety of Non-racemic Amisulpride (SEP-4199) for the Treatment of Bipolar I Depression. Journal of Affective Disorders, 2022, 296, 549-558.                        | 2.0 | 10        |
| 858 | Trends in (not) using scales in major depression: A categorization and clinical orientation. European Psychiatry, 2020, 63, e91.  | 0.1 | 8         |
| 859 | The subjective concept of morbidity: its assessment and connection with the motivation for treatment in persons who underwent psychosis. V M Bekhterev Review of Psychiatry and Medical Psychology, 2020, , 73-79.  | 0.1 | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 862 | Mood Disorders in Childhood. , 2008, , 143-160.   |     | 1         |
| 863 | Carbamazepine extended-release capsules for the treatment of bipolar I disorder. Therapy: Open Access in Clinical Medicine, 2005, 2, 533-544.   | 0.2 | 0         |
| 864 | Recovering the Capacity to Live outside of a Psychiatric Hospital: Impact of a Specialized Inpatient Program. Psychiatric Quarterly, 2021, 92, 751-759.   | 1.1 | 0         |
| 865 | Effectiveness and weight effects of open-label lamotrigine with and without concomitant psychotropic medications in patients with bipolar I disorder. MedGenMed: Medscape General Medicine, 2007, 9, 41.  | 0.2 | 3         |
| 866 | Safety of carbamazepine extended-release capsules used in combination with other psychotropic medications for the treatment of bipolar I disorder. Psychiatry, 2008, 5, 49-60.  | 0.3 | 1         |
| 867 | The clinical global impressions scale: applying a research tool in clinical practice. Psychiatry, 2007, 4, 28-37.   | 0.3 | 550       |
| 868 | Use of a relapse monitoring board: an independent assessment for determining relapse in clinical trials for bipolar disorder. Innovations in Clinical Neuroscience, 2011, 8, 19-24.   | 0.1 | 36        |
| 869 | Development and psychometric evaluation of a clinical global impression for schizoaffective disorder scale. Innovations in Clinical Neuroscience, 2012, 9, 15-24.   | 0.1 | 11        |
| 870 | Efficacy and Safety of Once- versus Twice-Daily Carbamazepine Extended-Release Capsules for the Treatment of Manic Symptoms in Patients with Bipolar I Disorder. Psychiatry, 2008, 5, 35-48.  | 0.3 | 0         |
| 871 | Lamotrigine adjunctive therapy to lithium and divalproex in depressed patients with rapid cycling bipolar disorder and a recent substance use disorder: a 12-week, double-blind, placebo-controlled pilot study. Psychopharmacology Bulletin, 2010, 43, 5-21. | 0.0 | 10        |
| 872 | Differential Anterior Cingulate Activity during Response Inhibition in Depressed Adolescents with Bipolar and Unipolar Major Depressive Disorder. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2014, 23, 10-9.                         | 0.7 | 22        |
| 873 | Lurasidone: a new treatment option for bipolar depression-a review. Innovations in Clinical Neuroscience, 2015, 12, 21-3.   | 0.1 | 7         |
| 874 | Zonisamide for bipolar disorder, mania or mixed states: a randomized, double blind, placebo-controlled adjunctive trial. Psychopharmacology Bulletin, 2011, 44, 5-17.   | 0.0 | 15        |
| 875 | Rating Scales and Safety Measurements in Bipolar Disorder and Schizophrenia -. Psychopharmacology Bulletin, 2017, 47, 77-109.   | 0.0 | 2         |
| 876 | Asenapine in the Treatment of Bipolar Depression. Psychopharmacology Bulletin, 2020, 50, 8-18.  | 0.0 | 1         |
| 877 | Smartphone Monitoring of Mood Instability in Young Depressed Patients: A Latent-class Analyses. AMIA ... Annual Symposium proceedings, 2019, 2019, 220-227.   | 0.2 | 0         |
| 878 | Sequential Multiple Assignment Randomized Treatment (SMART) for Bipolar Disorder at Any Phase of Illness and at least Mild Symptom Severity. Psychopharmacology Bulletin, 2020, 50, 8-25.   | 0.0 | 2         |
| 879 | The Role of Oxidative Stress in Suicidal Behaviour Among Bipolar Patients: A Cross-Sectional Study in a Malaysian Sample. Frontiers in Psychiatry, 2021, 12, 698911.  | 1.3 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 880 | Using the Clinical Global Impression scale to assess social communication change in minimally verbal children with autism spectrum disorder. <i>Autism Research</i> , 2022, 15, 284-295.  | 2.1 | 4         |
| 881 | Cardiometabolic risk markers during mood-stabilizing treatment: Correlation with drug-specific effects, depressive symptoms and treatment response. <i>Journal of Affective Disorders</i> , 2022, 300, 41-49.   | 2.0 | 6         |
| 882 | Oxcarbazepine versus sodium valproate in treatment of acute mania. <i>International Clinical Psychopharmacology</i> , 2022, Publish Ahead of Print, .   | 0.9 | 2         |
| 883 | Lithium plus antipsychotics or anticonvulsants for bipolar disorder: Comparing clinical response and metabolic changes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 93-103.   | 1.3 | 3         |
| 884 | Depressive and Anxious Temperaments as Predictors of Late Onset Bipolar Disorder? Preliminary Results of a "Real World" Exploratory Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 836187.   | 1.3 | 1         |
| 885 | Childhood trauma and treatment outcomes during mood-stabilising treatment with lithium or quetiapine among outpatients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 615-627.   | 2.2 | 9         |
| 886 | Gamma Knife® stereotactic radiosurgery as a treatment for essential and parkinsonian tremor: long-term experience. <i>Neurologia (English Edition)</i> , 2023, 38, 188-196.   | 0.2 | 3         |
| 887 | Omega-3 fatty acids in bipolar patients with a low omega-3 index and reduced heart rate variability: the "BIPO-3" trial. <i>International Journal of Bipolar Disorders</i> , 2022, 10, 9.   | 0.8 | 1         |
| 888 | Amisulpride and olanzapine combination treatment versus each monotherapy in acutely ill patients with schizophrenia in Germany (COMBINE): a double-blind randomised controlled trial. <i>Lancet Psychiatry</i> , 2022, 9, 291-306.                            | 3.7 | 6         |
| 889 | A customized adherence enhancement program for adolescents and young adults with suboptimal adherence and bipolar disorder: Trial design and methodological report. <i>Contemporary Clinical Trials</i> , 2022, 115, 106729.                                  | 0.8 | 6         |
| 890 | Are personality disorders in bipolar patients more frequent in the US than Europe?. <i>European Neuropsychopharmacology</i> , 2022, 58, 47-54.  | 0.3 | 1         |
| 892 | Levetiracetam adjunct to quetiapine for the acute manic phase of bipolar disorder: a randomized, double-blind and placebo-controlled clinical trial of efficacy, safety and tolerability. <i>International Clinical Psychopharmacology</i> , 2022, 37, 46-53. | 0.9 | 4         |
| 895 | Use of olanzapine for elderly patients with psychotic disorders: a review. <i>Annals of Clinical Psychiatry</i> , 2001, 13, 201-13.   | 0.6 | 8         |
| 896 | Electroconvulsive Therapy for Unipolar Depression in Older Adults. <i>Journal of ECT</i> , 2022, Publish Ahead of Print, .  | 0.3 | 1         |
| 897 | Association Between Lower Serum Free T <sub>4</sub> and Greater Mood Instability and Depression in Lithium-Maintained Bipolar Patients. <i>American Journal of Psychiatry</i> , 1999, 156, 1909-1914.   | 4.0 | 75        |
| 898 | Protein Biomarkers in Monocytes and CD4 Lymphocytes for Predicting Lithium Treatment Response of Bipolar Disorder: a Feasibility Study with Tyramine-Based Signal-Amplified Flow Cytometry.. <i>Psychopharmacology Bulletin</i> , 2022, 52, 8-35.             | 0.0 | 1         |
| 899 | Levels of circulating endothelial progenitor cells inversely correlate with manic and positive symptom severity in patients with bipolar disorder. <i>Brain and Behavior</i> , 2022, , e2570.   | 1.0 | 2         |
| 902 | A systematic review and meta-analysis of treatments for rapid cycling bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 290-311.   | 2.2 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 903 | Clinical and psychopathological correlates of duration of untreated illness (DUI) in affective spectrum disorders. <i>European Neuropsychopharmacology</i> , 2022, 61, 60-70.  | 0.3 | 7         |
| 905 | Changing the Antipsychotic in Early Nonimprovers to Amisulpride or Olanzapine: Randomized, Double-Blind Trial in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2022, 48, 1273-1283.   | 2.3 | 5         |
| 906 | Short-term aerobic exercise for depression in acute geriatric psychiatry: study protocol for a randomized controlled trial. <i>Trials</i> , 2022, 23, .  | 0.7 | 1         |
| 907 | Internalized-stigma and dissociative experiences in bipolar disorder. <i>Frontiers in Psychiatry</i> , 0, 13, .  | 1.3 | 6         |
| 908 | Efficacy and safety of daily home-based transcranial direct current stimulation as adjunct treatment for bipolar depressive episodes: Double-blind sham-controlled randomized clinical trial. <i>Frontiers in Psychiatry</i> , 0, 13, .  | 1.3 | 5         |
| 909 | The Effect of Adjunctive Probiotics on Markers of Inflammation and Oxidative Stress in Bipolar Disorder: A Double-blind, Randomized, Controlled Trial. <i>Journal of Psychiatric Practice</i> , 2022, 28, 373-382.   | 0.3 | 3         |
| 910 | Cutoff for Benchmark Disability Using World Health Organization Disability Assessment Schedule 2.0: A Community-Based Cross-Sectional Study from Rural South India. <i>Indian Journal of Psychological Medicine</i> , 0, , 025371762211241.  | 0.6 | 0         |
| 911 | Cognitive profiles in bipolar I disorder and associated risk factors: Using Wechsler adult intelligence scaleâ€”IV. <i>Frontiers in Psychology</i> , 0, 13, .  | 1.1 | 0         |
| 912 | Protocol for a randomised placebo-controlled trial investigating the efficacy and safety of a vitamin-mineral formula targeting dysregulated emotions in teenagers: The balancing emotions of adolescents with micronutrients (BEAM) study. <i>Contemporary Clinical Trials Communications</i> , 2022, 30, 101027. | 0.5 | 0         |
| 913 | Mediators of quality of life change in people with severe psychotic disorders treated in integrated care (ACCESS II study). <i>European Psychiatry</i> , 0, , 1-24.  | 0.1 | 1         |
| 915 | Premorbid features of youth depression patients with attenuated schizophrenic symptoms. <i>Zhurnal Nevrologii i Psikiatrii Imeni S S Korsakova</i> , 2022, 122, 110.   | 0.1 | 0         |
| 916 | Impact of incentivizing ASHAs on the outcome of persons with severe mental illness in a rural South Indian community amidst the COVID-19 pandemic. <i>Asian Journal of Psychiatry</i> , 2023, 80, 103388.  | 0.9 | 2         |
| 917 | Increased cortical surface area but not altered cortical thickness or gyrification in bipolar disorder following stabilisation from a first episode of mania. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2023, 122, 110687.   | 2.5 | 1         |
| 919 | Group psychoeducation for persons with bipolar disorder in Rwanda: a study protocol for a randomized controlled trial. <i>Trials</i> , 2022, 23, .   | 0.7 | 2         |
| 920 | Circulating endothelial progenitor cell dysfunction in patients with bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 0, , .   | 1.8 | 1         |
| 921 | Divergent Directionality of Immune Cell-Specific Protein Expression between Bipolar Lithium Responders and Non-Responders Revealed by Enhanced Flow Cytometry. <i>Medicina (Lithuania)</i> , 2023, 59, 120.  | 0.8 | 2         |
| 922 | The efficacy of lumateperone on symptoms of depression in bipolar I and bipolar II disorder: Secondary and post hoc analyses. <i>European Neuropsychopharmacology</i> , 2023, 68, 78-88.   | 0.3 | 4         |
| 923 | Pharmacological Treatment of Bipolar Depression: A Review of Observational Studies. <i>Pharmaceuticals</i> , 2023, 16, 182.  | 1.7 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 925 | Adjunctive lumateperone (<scp>ITI</scp>â€œ007) in the treatment of bipolar depression: Results from a randomized <scp>placeboâ€œcontrolled</scp> clinical trial. <i>Bipolar Disorders</i> , 2023, 25, 478-488.   | 1.1 | 6         |
| 926 | Differences in intracellular protein levels in monocytes and CD4+ lymphocytes between bipolar depressed patients and healthy controls: A pilot study with tyramine-based signal-amplified flow cytometry. <i>Journal of Affective Disorders</i> , 2023, 328, 116-127.    | 2.0 | 0         |
| 927 | A Randomized, Open-Label, Multiple-Dose, Parallel-Arm, Pivotal Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of Aripiprazole 2-Month Long-Acting Injectable in Adults With Schizophrenia or Bipolar I Disorder. <i>CNS Drugs</i> , 2023, 37, 337-350. | 2.7 | 6         |