

# CITATION REPORT

List of articles citing

Reperfusion injury: a review of the pathophysiology, clinical manifestations and therapeutic options

DOI: 10.1016/s0167-5273(96)02854-9

International Journal of Cardiology, 1997, 58, 95-117.

**Source:** <https://exaly.com/paper-pdf/28368165/citation-report.pdf>

**Version:** 2024-04-11

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
298	Oxidative stress after thrombolysis. <b>1998</b> , 352, 960		8
297	Vascular abnormalities in scleroderma. <b>1998</b> , 17, 12-7		18
296	The distinction between coronary and myocardial reperfusion after thrombolytic therapy by clinical markers of reperfusion. <b>1998</b> , 32, 1326-30		47
295	Inhibition of caspases increases the sensitivity of L929 cells to necrosis mediated by tumor necrosis factor. <b>1998</b> , 187, 1477-85		746
294	Gene delivery of Kir6.2/SUR2A in conjunction with pinacidil handles intracellular Ca <sup>2+</sup> homeostasis under metabolic stress. <b>1999</b> , 13, 923-9		59
293	Effect of ursodeoxycholic acid on ischemia/reperfusion injury in isolated rat heart. <b>1999</b> , 22, 479-84		17
292	MRI of myocardial infarction. <b>1999</b> , 10, 686-93		29
291	Role of the thromboxane A <sub>2</sub> receptor in the vasoactive response to ischemia-reperfusion injury. <b>1999</b> , 104, 1393-6		9
290	Low plasma antioxidant activity is associated with high lesion volume and neurological impairment in stroke. <b>2000</b> , 31, 33-9		126
289	Protective effects of low and high doses of cyclosporin A against reoxygenation injury in isolated rat cardiomyocytes are associated with differential effects on mitochondrial calcium levels. <b>2000</b> , 27, 87-95		49
288	Comparison of bisoprolol and carvedilol cardioprotection in a rabbit ischemia and reperfusion model. <b>2000</b> , 406, 109-16		27
287	Effect of Flos carthami on stress-activated protein kinase activity in the isolated reperfused rat heart. <b>2000</b> , 207, 41-7		13
286	Improved method for EPR detection of DEPMPO-superoxide radicals by liquid nitrogen freezing. <b>2000</b> , 275, 895-8		23
285	Oxidative stress and cardiac disease. <b>2000</b> , 109, 315-23		355
284	The cytokine response to physical activity and training. <b>2001</b> , 31, 115-44		165
283	Delivery of genes encoding cardiac K(ATP) channel subunits in conjunction with pinacidil prevents membrane depolarization in cells exposed to chemical hypoxia-reoxygenation. <b>2001</b> , 282, 1098-102		17
282	Effect of chronic treatment with bark of Terminalia arjuna: a study on the isolated ischemic-reperfused rat heart. <b>2001</b> , 75, 197-201		64

281	Evaluation by contrast-enhanced MR imaging of the lateral border zone in reperfused myocardial infarction in a cat model. <b>2001</b> , 2, 21-7	15
280	Pathophysiology, clinical manifestations, and prevention of ischemia-reperfusion injury. <b>2001</b> , 94, 1133-8	450
279	Effects of nicorandil administration on survival rate and arrhythmias during reperfusion in anesthetized rabbits. <b>2001</b> , 63, 134-41	6
278	Effects of administration of nicorandil or bimakalim prior to and during ischemia or reperfusion on survival rate, ischemia/reperfusion-induced arrhythmias and infarct size in anesthetized rabbits. <b>2001</b> , 364, 383-96	16
277	Neuroprotection afforded by some hindered phenols and alpha-tocopherol in guinea-pig detrusor strips subjected to anoxia-glucopenia and reperfusion-like conditions. <b>2001</b> , 364, 462-71	8
276	Hyperbaric oxygenation pretreatment induces catalase and reduces infarct size in ischemic rat myocardium. <b>2001</b> , 442, 519-25	72
275	Nerve growth factor and brain-derived neurotrophic factor mRNAs are regulated in distinct cell populations of rat heart after ischaemia and reperfusion. <b>2001</b> , 194, 247-53	77
274	Intracoronary delivery of Gd-DTPA and Gadophrin-2 for determination of myocardial viability with MR imaging. <b>2001</b> , 11, 876-83	40
273	Inhibition of stress-activated protein kinase in the ischemic/reperfused heart: role of magnesium tanshinoate B in preventing apoptosis. <b>2001</b> , 62, 483-93	32
272	Vasoactive intestinal peptide protects guinea-pig detrusor nerves from anoxia/glucopenia injury. <b>2001</b> , 423, 229-33	4
271	Dexamethasone blocks antioestrogen- and oxidant-induced death of pituitary tumour cells. <b>2001</b> , 169, 249-61	8
270	Pinacidil prevents membrane depolarisation and intracellular Ca <sup>2+</sup> loading in single cardiomyocytes exposed to severe metabolic stress. <b>2001</b> , 7, 639-43	26
269	Conditioned blood reperfusion during angioplasty (CoBRA) treatment of acute myocardial infarction. <b>2001</b> , 16 Suppl, 39-49	8
268	Apoptosis in myocardial infarction. <b>2002</b> , 34, 470-9	60
267	Postischemic recovery and oxidative stress are independent of nitric-oxide synthases modulation in isolated rat heart. <b>2002</b> , 303, 149-57	16
266	Enhancement of glutathione cardioprotection by ascorbic acid in myocardial reperfusion injury. <b>2002</b> , 301, 543-50	60
265	Cardiocyte apoptosis and capillary endothelial swelling as morphological evidence of myocardial ischemia in ventricular biopsies from patients with angina and normal coronary arteriograms. <b>2002</b> , 13, 25-35	11
264	Use of antioxidants in surgery: a measure to reduce postoperative complications. <b>2002</b> , 5, 665-70	17

263	Characterization of microcirculatory disturbance in a novel model of pancreatic ischemia-reperfusion using intravital fluorescence-microscopy. <b>2002</b> , 25, 142-8	17
262	Model system for developing gene therapy approaches for myocardial ischemia-reperfusion injury. <b>2002</b> , 353, 321-36	
261	The effect of blockade of the CD11/CD18 integrin receptor on infarct size in patients with acute myocardial infarction treated with direct angioplasty: the results of the HALT-MI study. <b>2002</b> , 40, 1199-204	226
260	Protection of intrinsic nerves of guinea-pig detrusor strips against anoxia/glucopenia and reperfusion injury by taurine. <b>2000</b> , 483, 325-33	4
259	The novel guanidine ME10092 protects the heart during ischemia-reperfusion. <b>2002</b> , 445, 105-13	5
258	A multiantioxidant supplementation reduces damage from ischaemia reperfusion in patients after lower torso ischaemia. A randomised trial. <b>2002</b> , 23, 486-90	30
257	Effect of ginsenoside-Rb1 on cardiomyocyte apoptosis after ischemia and reperfusion in rats. <b>2002</b> , 22, 212-5	17
256	Myocardial protection by anesthetic agents against ischemia-reperfusion injury: an update for anesthesiologists. <b>2002</b> , 49, 777-91	181
255	Myocardial ischemia-reperfusion in rats: reduction of infarct size by either supplemental physiological or pharmacological doses of melatonin. <b>2002</b> , 33, 234-8	82
254	Effects of physiological and pharmacological concentrations of melatonin on ischemia-reperfusion arrhythmias in rats: can the incidence of sudden cardiac death be reduced?. <b>2002</b> , 32, 194-8	60
253	Green tea protection of hypoxia/reoxygenation injury in cultured cardiac cells. <b>2002</b> , 13, 103-111	81
252	Isoflurane and coronary heart disease. <b>2002</b> , 57, 338-47	22
251	Effects of carvedilol on cardiomyocyte apoptosis and gene expression in vivo after ischemia-reperfusion in rats. <b>2003</b> , 23, 127-30	12
250	Perioperative myocardial ischemia reperfusion injury. <b>2003</b> , 21, 465-85	20
249	Epidemiology and pathogenesis of scleroderma. <b>2003</b> , 44, 1-7; quiz 8-9	16
248	Continuing Professional Development Program. <b>2003</b> , 44, 8-9	1
247	Effect of two new PBN-derived phosphorylated nitrones against postischaemic ventricular dysrhythmias. <b>2003</b> , 17, 433-42	8
246	The preventive effect of captopril or enalapril on reperfusion injury of the kidney of rats is independent of angiotensin II AT1 receptors. <b>2003</b> , 17, 595-8	33

245	Mitochondrial K ATP channel activation is important in the antiarrhythmic and cardioprotective effects of non-hypotensive doses of nicorandil and cromakalim during ischemia/reperfusion: a study in an intact anesthetized rabbit model. <b>2003</b> , 47, 447-61	25
244	Role of apoptosis-inducing factor in myocardial cell death by ischemia-reperfusion. <b>2003</b> , 309, 619-24	65
243	PMN/platelets coinfused in guinea pig hearts Exposed to low-flow ischemia have no additive cardiodepressive effect. <b>2003</b> , 40, 501-8	8
242	Cardiac Drug Development Guide. <b>2003</b> ,	1
241	Oxygen Free Radicals in Heart Disease. <b>2003</b> , 47-66	2
240	Proteasome inhibition ablates activation of NF-kappa B in myocardial reperfusion and reduces reperfusion injury. <b>2003</b> , 284, H919-26	141
239	Effect of thrombolytic therapy on QT dispersion in elderly versus younger patients with acute myocardial infarction. <b>2003</b> , 10, 7-11	5
238	Endotoxin preconditioning in pancreatic ischemia/reperfusion injury. <b>2003</b> , 27, e51-6	17
237	Vascular ischaemia and reperfusion injury. <b>2004</b> , 70, 71-86	293
236	Reduced myocardial ischemia-reperfusion injury in toll-like receptor 4-deficient mice. <b>2004</b> , 109, 784-9	510
235	Role of platelets in coronary thrombosis and reperfusion of ischemic myocardium. <b>2004</b> , 61, 498-511	293
234	Myocardial ischemia-reperfusion injury is enhanced in a model of systemic allergy and asthma. <b>2004</b> , 286, H1720-5	15
233	Bioactive carotenoids: potent antioxidants and regulators of gene expression. <b>2004</b> , 9, 181-91	59
232	Cryptococcal capsular glucuronoxylomannan reduces ischaemia-related neutrophil influx. <b>2004</b> , 34, 631-40	6
231	Vitamin C inhibits hypoxia-induced damage and apoptotic signaling pathways in cardiomyocytes and ischemic hearts. <b>2004</b> , 37, 1419-29	63
230	Cardioprotection from ischemia and reperfusion injury by Withania somnifera: a hemodynamic, biochemical and histopathological assessment. <b>2004</b> , 260, 39-47	83
229	The sarcoplasmic reticulum proteins are targets for calpain action in the ischemic-reperfused heart. <b>2004</b> , 37, 101-10	80
228	Cardioprotection and myocardial salvage by a disodium disuccinate astaxanthin derivative (Cardax). <b>2004</b> , 75, 215-24	79

227	On the role of oxidative stress and neutrophils in myocardial reperfusion injury. <i>International Journal of Cardiology</i> , <b>2004</b> , 93, 93-4	3.2
226	Effects of [5-(2-methoxy-5-fluorophenyl)furan-2-ylcarbonyl]guanidine (KR-32560), a novel sodium/hydrogen exchanger-1 inhibitor, on myocardial infarct size and ventricular arrhythmias in a rat model of ischemia/reperfusion heart injury. <b>2005</b> , 98, 439-49	8
225	The protective effect of H2-receptor activation against the duration of myocardial hypoxia/reoxygenation-induced ventricular fibrillation in sensitized guinea-pig hearts. <b>2005</b> , 99, 400-7	1
224	Pathways of myocyte death: implications for development of clinical laboratory biomarkers. <b>2005</b> , 40, 37-98	23
223	[Myocardial protection in cardiac surgery.]. <b>2005</b> , 55, 558-74	2
222	Transcriptional responses of rat skeletal muscle following hypoxia-reoxygenation and near ischaemia-reperfusion. <b>2005</b> , 183, 367-77	13
221	Reduction of ischemia during off-pump coronary artery bypass graft surgery. <b>2005</b> , 19, 667-77	12
220	Oxidative stress parameters in erythrocytes of post-reperfused patients with myocardial infarction. <b>2005</b> , 20, 377-81	8
219	Is the sarcolemmal or mitochondrial K(ATP) channel activation important in the antiarrhythmic and cardioprotective effects during acute ischemia/reperfusion in the intact anesthetized rabbit model?. <b>2005</b> , 77, 1226-48	36
218	Myocardial ischemia and reperfusion injury. <b>2005</b> , 14, 170-5	335
217	Platelets activated by collagen through the immunoreceptor tyrosine-based activation motif in the Fc receptor gamma-chain play a pivotal role in the development of myocardial ischemia-reperfusion injury. <b>2005</b> , 39, 856-64	32
216	Which white blood cell subtypes predict increased cardiovascular risk?. <b>2005</b> , 45, 1638-43	616
215	The mechanistic basis of infarct healing. <b>2006</b> , 8, 1907-39	210
214	Seven day oral supplementation with Cardax (disodium disuccinate astaxanthin) provides significant cardioprotection and reduces oxidative stress in rats. <b>2006</b> , 283, 23-30	46
213	Activation of poly(ADP-ribose) polymerase by myocardial ischemia and coronary reperfusion in human circulating leukocytes. <b>2006</b> , 12, 221-8	39
212	Trimetazidine reduces oxidative stress in cardiac surgery. <b>2006</b> , 70, 1169-73	33
211	Disodium disuccinate astaxanthin (Cardax): antioxidant and antiinflammatory cardioprotection. <b>2005</b> , 23, 199-216	33
210	Effect of ascorbic acid supplementation on certain oxidative stress parameters in the post reperfusion patients of myocardial infarction. <b>2006</b> , 290, 153-8	14

209	Tetramethylpyrazine induces heme oxygenase-1 expression and attenuates myocardial ischemia/reperfusion injury in rats. <b>2006</b> , 13, 731-40	39
208	The vignette for V13N5 Issue. <b>2006</b> , 13, 597-600	
207	Comparative study of the protective effect between deferoxamine and deferiprone on chronic iron overload induced cardiotoxicity in rats. <b>2006</b> , 25, 375-85	13
206	Free radical scavenging inhibits STAT phosphorylation following in vivo ischemia/reperfusion injury. <b>2006</b> , 20, 2115-7	56
205	The pathophysiology of myocardial reperfusion: a pathologist's perspective. <b>2006</b> , 92, 1559-62	66
204	A novel strategy for myocardial protection by combined antibody therapy inhibiting both P-selectin and intercellular adhesion molecule-1 via retrograde intracoronary route. <b>2006</b> , 114, 1251-6	36
203	The not so "mighty chondrion" emergence of renal diseases due to mitochondrial dysfunction. <b>2007</b> , 105, p1-10	85
202	Past and present course of cardioprotection against ischemia-reperfusion injury. <b>2007</b> , 103, 2129-36	69
201	Evaluation of lidocaine treatment and risk factors for death associated with gastric dilatation and volvulus in dogs: 112 cases (1997-2005). <b>2007</b> , 230, 1334-9	31
200	Coronary Artery Disease: Pathologic Anatomy and Pathogenesis. <b>2007</b> , 593-610	4
199	Oxidant-induced cardiomyocyte injury: Identification of the cytoprotective effect of a dopamine 1 receptor agonist using a cell-based high-throughput assay. <b>2007</b> , 20, 749	
198	Remote organ injury induced by myocardial ischemia and reperfusion on reproductive organs, and protective effect of melatonin in male rats. <b>2007</b> , 88, 188-92	5
197	The cardioprotective effect of isosteviol on rats with heart ischemia-reperfusion injury. <b>2007</b> , 80, 269-74	45
196	Isomers (oleanolic and ursolic acids) differ in their protective effect against isoproterenol-induced myocardial ischemia in rats. <i>International Journal of Cardiology</i> , <b>2007</b> , 119, 131-3	3.2 61
195	The influence of extremely low frequency magnetic fields on cytoprotection and repair. <b>2007</b> , 28, 16-30	33
194	Randomized clinical trial of the effects of methylprednisolone on renal function after major vascular surgery. <b>2008</b> , 95, 50-6	16
193	Diphenyleneiodonium and dimethylsulfoxide for treatment of reperfusion injury in cerebral ischemia of the rat. <b>2007</b> , 1132, 210-7	50
192	Sasanquasaponin protects rat cardiomyocytes against oxidative stress induced by anoxia-reoxygenation injury. <b>2007</b> , 575, 21-7	25

191	Ischemia-Reperfusion Injury : Pathophysiology and Clinical Implications. <b>2007</b> , 33, 600-12	82
190	Magnetic resonance imaging of acute reperfused myocardial infarction: intraindividual comparison of ECIII-60 and Gd-DTPA in a swine model. <b>2007</b> , 30, 248-56	13
189	Antioxidant status after iloprost treatment in patients with Raynaud's phenomenon secondary to systemic sclerosis. <b>2007</b> , 26, 1517-21	21
188	Ginsenoside Rb1 preconditioning protects against myocardial infarction after regional ischemia and reperfusion by activation of phosphatidylinositol-3-kinase signal transduction. <b>2008</b> , 22, 443-52	71
187	Nitric oxide donor, NOC7, reveals biphasic effect on contractile force of isolated rat heart after global ischemia. <b>2008</b> , 22, 229-35	5
186	Sphingosine can pre- and post-condition heart and utilizes a different mechanism from sphingosine 1-phosphate. <b>2008</b> , 22, 113-8	39
185	Antioxidant and cardioprotective activities of phenolic extracts from fruits of Chilean blackberry <i>Aristotelia chilensis</i> (Elaeocarpaceae), Maqui. <b>2008</b> , 107, 820-829	131
184	Hypothermic preservation of hepatocytes. <b>2003</b> , 19, 1118-27	27
183	Protective effect of aspartate and glutamate on cardiac mitochondrial function during myocardial infarction in experimental rats. <b>2008</b> , 176, 227-33	24
182	The preventive effect of cannabinoids on reperfusion-induced ischemia of mouse kidney. <b>2008</b> , 60, 405-10	24
181	Important factors for salvaging myocardium in patients with acute myocardial infarction. <b>2008</b> , 52, 269-75	7
180	Differentially regulated functional gene clusters identified during ischemia and reperfusion in isolated cardiac myocytes using coverslip hypoxia. <b>2008</b> , 57, 42-51	12
179	Impact of gradual blood flow increase on ischaemia-reperfusion injury in the rat cremaster microcirculation model. <b>2008</b> , 61, 939-48	35
178	The salvaged area at risk in reperfused acute myocardial infarction as visualized by cardiovascular magnetic resonance. <b>2008</b> , 51, 1581-7	737
177	Oxidants, Antioxidants and Oxidative Stress. <b>2008</b> , 19-54	10
176	Understanding the cardioprotective effects of flavonols: discovery of relaxant flavonols without antioxidant activity. <b>2008</b> , 51, 1874-84	71
175	Combined sphingosine, S1P and ischemic postconditioning rescue the heart after protracted ischemia. <b>2008</b> , 375, 425-9	42
174	Cardiac survival in anoxia-tolerant vertebrates: An electrophysiological perspective. <b>2008</b> , 148, 339-54	25



173	Effect of intravenous administration of antioxidants alone and in combination on myocardial reperfusion injury in an experimental pig model. <b>2008</b> , 69, 423-39	7
172	The immune system and cardiac repair. <b>2008</b> , 58, 88-111	491
171	Pre-conditioning and postconditioning to limit ischemia-reperfusion-induced myocardial injury: what could be the next footstep?. <b>2008</b> , 57, 403-12	49
170	Sphingosine protects aging hearts from ischemia/reperfusion injury: Superiority to sphingosine 1-phosphate and ischemic pre- and post-conditioning. <b>2009</b> , 2, 146-51	34
169	Epicardial measurement of alterations in extracellular pH and electrolytes during ischemia and reperfusion in cardiac surgery. <b>2009</b> , 54, 315-21	2
168	Sphingosine 1-phosphate is an important endogenous cardioprotectant released by ischemic pre- and postconditioning. <b>2009</b> , 297, H1429-35	68
167	Ginsenoside Rg1 protects rat cardiomyocyte from hypoxia/reoxygenation oxidative injury via antioxidant and intracellular calcium homeostasis. <b>2009</b> , 108, 117-24	103
166	Investigation of effects of Lacidipine, Ramipril and Valsartan on DNA damage and oxidative stress occurred in acute and chronic periods following isoproterenol-induced myocardial infarct in rats. <b>2009</b> , 328, 109-17	21
165	Cardioprotective effect of sasanquasaponin preconditioning via bradykinin-NO pathway in isolated rat heart. <b>2009</b> , 23, 1146-53	21
164	Beneficial effects of apricot-feeding on myocardial ischemia-reperfusion injury in rats. <b>2009</b> , 47, 802-8	52
163	Can ischemic preconditioning alone really protect organs from ischemia reperfusion injury in transplantation. <b>2009</b> , 20, 127-31	13
162	Oxidative stress and total antioxidant capacity in diabetic and nondiabetic acute ischemic stroke patients. <b>2009</b> , 15, 695-700	22
161	Impact of heterogeneity of human peripheral blood monocyte subsets on myocardial salvage in patients with primary acute myocardial infarction. <b>2009</b> , 54, 130-8	284
160	Effects of cadmium on cardiac metallothionein induction and ischemia-reperfusion injury in rats. <b>2009</b> , 87, 617-23	1
159	Antioxidants in the prevention of myocardial ischemia/reperfusion injury. <b>2009</b> , 2, 673-95	17
158	Tezosentan reduces the renal injury induced by abdominal aortic ischemia-reperfusion in rats. <b>2009</b> , 157, e7-e13	27
157	Neuronal functionality assessed by magnetoencephalography is related to oxidative stress system in acute ischemic stroke. <b>2009</b> , 44, 1267-73	35
156	The impact of ischaemia-reperfusion on the blood vessel. <b>2009</b> , 26, 537-47	66

155	Predictive value of neutrophil to lymphocyte ratio in outcomes of patients with acute coronary syndrome. <b>2010</b> , 41, 618-22	68
154	Pannexin-1/P2X 7 purinergic receptor channels mediate the release of cardioprotectants induced by ischemic pre- and postconditioning. <b>2010</b> , 15, 190-5	39
153	Hypercapnic acidosis reduces contractile function in the ventricle of the armored catfish, <i>Pterygoplichthys pardalis</i> . <b>2010</b> , 83, 366-75	10
152	Ischemic preconditioning attenuates pulmonary dysfunction after unilateral thigh tourniquet-induced ischemia-reperfusion. <b>2010</b> , 111, 539-43	34
151	[Chronic coronary artery occlusion: questions from the cardiologist and surgeon, answers from the radiologist]. <b>2010</b> , 91, 195-206	
150	Microvascular obstruction: underlying pathophysiology and clinical diagnosis. <b>2010</b> , 55, 1649-60	191
149	β-Glucan protects against lung injury induced by abdominal aortic ischemia-reperfusion in rats. <b>2010</b> , 164, e325-32	13
148	The effects of ginseng total saponin, panaxadiol and panaxatriol on ischemia/reperfusion injury in isolated rat heart. <b>2010</b> , 48, 1516-20	55
147	Antioxidative and cardioprotective activities of total flavonoids from Moldavian balm ( <i>Dracocephalum moldavica</i> L.). <b>2010</b> ,	
146	Effets de la phlébotomie et du mannitol sur les lésions rénales aiguës induites par l'ischémie/reperfusion des membres inférieurs chez le rat. <b>2011</b> , 25, 1192-1202	
145	Protective effect of novel pyridoindole derivatives on ischemia/reperfusion injury of the isolated rat heart. <b>2011</b> , 63, 967-74	9
144	The effect of phlebotomy and mannitol on acute renal injury induced by ischemia/reperfusion of lower limbs in rats. <b>2011</b> , 25, 1118-28	19
143	The ubiquitin ligase MuRF1 protects against cardiac ischemia/reperfusion injury by its proteasome-dependent degradation of phospho-c-Jun. <b>2011</b> , 178, 1043-58	44
142	The ethanolic extract of <i>Kaempferia parviflora</i> reduces ischaemic injury in rat isolated hearts. <b>2011</b> , 137, 184-91	29
141	The effects of vitamin C and nitric oxide synthase inhibition on coronary flow and oxidative stress markers in isolated rat heart. <b>2011</b> , 30, 293-300	3
140	Effect of Ginkgo biloba extract 50 on immunity and antioxidant enzyme activities in ischemia reperfusion rats. <b>2011</b> , 16, 9194-206	17
139	Evaluation of the antioxidant potential of <i>Salvia miltiorrhiza</i> ethanol extract in a rat model of ischemia-reperfusion injury. <b>2011</b> , 16, 10002-12	46
138	Olprinone, a PDE3 inhibitor, modulates the inflammation associated with myocardial ischemia-reperfusion injury in rats. <b>2011</b> , 650, 612-20	20

137	Antioxidant activity contributes to flavonol cardioprotection during reperfusion of rat hearts. <b>2011</b> , 51, 1437-44	16
136	Ischemic preconditioning requires opening of pannexin-1/P2X(7) channels not only during preconditioning but again after index ischemia at full reperfusion. <b>2011</b> , 351, 77-84	23
135	The protective effect of mitochondrial ATP-sensitive K <sup>+</sup> channel opener, nicorandil, combined with Na <sup>+</sup> /Ca <sup>2+</sup> exchange blocker KB-R7943 on myocardial ischemia-reperfusion injury in rat. <b>2011</b> , 60, 219-24	19
134	Microvascular obstruction is caused by atherothrombosis in patients with acute coronary syndrome undergoing percutaneous coronary intervention. <b>2011</b> , 4, 597-600	5
133	Effects of lipid A analogues of the strains of E. coli on complement and myeloperoxidase activation in myocardial reperfusion following ischaemia in rats. <b>2011</b> , 58,	
132	P2X7 receptor agonists pre- and postcondition the heart against ischemia-reperfusion injury by opening pannexin-1/P2X7 channels. <b>2011</b> , 301, H881-7	31
131	Protective effect of morin on cardiac mitochondrial function during isoproterenol-induced myocardial infarction in male Wistar rats. <b>2012</b> , 17, 14-21	17
130	Toll-like receptors in ischaemia and its potential role in the pathophysiology of muscle damage in critical limb ischaemia. <b>2012</b> , 2012, 121237	28
129	Myocardium at risk by magnetic resonance imaging: head-to-head comparison of T2-weighted imaging and contrast-enhanced steady-state free precession. <b>2012</b> , 13, 1008-15	29
128	Protective effect of Urtica dioica L. on renal ischemia/reperfusion injury in rat. <b>2012</b> , 43, 691-8	14
127	Evaluation of lidocaine treatment on frequency of cardiac arrhythmias, acute kidney injury, and hospitalization time in dogs with gastric dilatation volvulus. <b>2012</b> , 22, 419-27	30
126	Upregulation of heme oxygenase-1 expression by hydroxysafflor yellow A conferring protection from anoxia/reoxygenation-induced apoptosis in H9c2 cardiomyocytes. <i>International Journal of Cardiology</i> , <b>2012</b> , 160, 95-101	3.2 77
125	Effect of median-nerve electrical stimulation on BOLD activity in acute ischemic stroke patients. <b>2012</b> , 123, 142-53	22
124	NADPH oxidases as a source of oxidative stress and molecular target in ischemia/reperfusion injury. <b>2012</b> , 90, 1391-406	121
123	Expansion of cardiac ischemia/reperfusion injury after instillation of three forms of multi-walled carbon nanotubes. <b>2012</b> , 9, 38	42
122	Preoperative thoracic radiographic findings in dogs presenting for gastric dilatation-volvulus (2000-2010): 101 cases. <b>2012</b> , 22, 595-600	13
121	Evaluation of antioxidant and immunity activities of quercetin in isoproterenol-treated rats. <b>2012</b> , 17, 4281-91	40
120	Perioperative Organ Protection in Cardiac Surgery. <b>2012</b> ,	

119	Late outgrowth endothelial progenitor cells engineered for improved survival and maintenance of function in transplant-related injury. <b>2012</b> , 25, 229-41	7
118	Studies on Women@ Health. <b>2013</b> ,	5
117	TGF- $\beta$ prevents simulated ischemia/reperfusion-induced cardiac fibroblast apoptosis by activation of both canonical and non-canonical signaling pathways. <b>2013</b> , 1832, 754-62	40
116	Effects of ischemic preconditioning on myocardium Caspase-3, SOCS-1, SOCS-3, TNF- $\alpha$ and IL-6 mRNA expression levels in myocardium IR rats. <b>2013</b> , 40, 5741-8	6
115	Neutrophil to lymphocyte ratio is associated with the severity of coronary artery disease in patients with ST-segment elevation myocardial infarction. <b>2013</b> , 64, 423-9	38
114	Efficiency of endovenous versus arterial administration of mesenchymal stem cells for ischemia-reperfusion-induced renal dysfunction in rats. <b>2013</b> , 45, 503-10	29
113	Therapeutic option for managing lung injury induced by infrarenal aortic cross-clamping. <b>2013</b> , 185, 469-76	10
112	Low-dose bisphenol A and estrogen increase ventricular arrhythmias following ischemia-reperfusion in female rat hearts. <b>2013</b> , 56, 75-80	32
111	Tetrahydrobiopterin attenuates ischemia-reperfusion injury following organ transplantation by targeting the nitric oxide synthase: investigations in an animal model. <b>2013</b> , 24, 13-19	
110	Lipoxin a4 preconditioning and postconditioning protect myocardial ischemia/reperfusion injury in rats. <b>2013</b> , 2013, 231351	36
109	Effect of systemic oxytocin injection on myocardial ischemia/reperfusion injury in aged rats. <b>2013</b> , 12, 102-107	
108	Signal transducer and activator of transcription-1 localizes to the mitochondria and modulates mitophagy. <b>2013</b> , 2, e25666	23
107	Myocardium at risk can be determined by ex vivo T2-weighted magnetic resonance imaging even in the presence of gadolinium: comparison to myocardial perfusion single photon emission computed tomography. <b>2013</b> , 14, 261-8	14
106	Impact of Ischemia on Cellular Metabolism. <b>2013</b> ,	5
105	Preconditioning with triiodothyronine improves the clinical signs and acute tubular necrosis induced by ischemia/reperfusion in rats. <b>2013</b> , 8, e74960	10
104	[Postconditioning can reduce long-term lung injury after lower limb ischemia-reperfusion]. <b>2013</b> , 66, 146-54	3
103	Neuroprotective effect of Feronia limonia on ischemia reperfusion induced brain injury in rats. <b>2014</b> , 46, 617-21	11
102	The relationship between neutrophil to lymphocyte ratio and SYNTAX score in patients with ST-segment elevation myocardial infarction. <b>2014</b> , 5,	2

101	Protective effect of <i>Salvia miltiorrhiza</i> aqueous extract on myocardium oxidative injury in ischemic-reperfusion rats. <b>2014</b> , 546, 97-103	27
100	The cardioprotective effect of sodium tanshinone IIA sulfonate and the optimizing of therapeutic time window in myocardial ischemia/reperfusion injury in rats. <b>2014</b> , 235, 318-27	73
99	SPRC protects hypoxia and re-oxygenation injury by improving rat cardiac contractile function and intracellular calcium handling. <b>2014</b> , 41, 113-9	11
98	The effects of profound hypothermia on pancreas ischemic injury: a new experimental model. <b>2014</b> , 43, 946-50	1
97	Total saponins from <i>Aralia taibaiensis</i> protect against myocardial ischemia/reperfusion injury through AMPK pathway. <b>2015</b> , 36, 1538-46	17
96	Role of exosomes and microvesicles in hypoxia-associated tumour development and cardiovascular disease. <b>2015</b> , 278, 251-63	40
95	The meaning of different forms of structural myocardial injury, immune response and timing of infarct necrosis and cardiac repair. <b>2015</b> , 13, 6-19	18
94	Effects of amlodipine and perindoprilate on the structure and function of mitochondria in ventricular cardiomyocytes during ischemia-reperfusion in the pig. <b>2015</b> , 29, 21-30	5
93	A proteomic study of Shengmai injection mechanism on preventing cardiac ischemia-reperfusion injury via energy metabolism modulation. <b>2015</b> , 11, 540-8	17
92	Moderate hypothermia initiated during oxygen-glucose deprivation preserves HL-1 cardiomyocytes. <b>2015</b> , 70, 101-8	7
91	A polysaccharide (PNPA) from <i>Pleurotus nebrodensis</i> offers cardiac protection against ischemia-reperfusion injury in rats. <b>2015</b> , 133, 1-7	26
90	Ischemic preconditioning-an unfulfilled promise. <b>2015</b> , 16, 101-8	7
89	Cardioprotective potential of annexin-A1 mimetics in myocardial infarction. <b>2015</b> , 148, 47-65	48
88	Ischemia postconditioning preventing lung ischemia-reperfusion injury. <b>2015</b> , 554, 120-4	14
87	Mitochondrial instability during regional ischemia-reperfusion underlies arrhythmias in monolayers of cardiomyocytes. <b>2015</b> , 78, 90-9	24
86	Protective Role of Ramipril and Candesartan against Myocardial Ischemic Reperfusion Injury: A Biochemical and Transmission Electron Microscopical Study. <b>2016</b> , 2016, 4608979	5
85	The Role of Mitochondrial Reactive Oxygen Species in Cardiovascular Injury and Protective Strategies. <b>2016</b> , 2016, 8254942	72
84	Berberine Attenuates Myocardial Ischemia/Reperfusion Injury by Reducing Oxidative Stress and Inflammation Response: Role of Silent Information Regulator 1. <b>2016</b> , 2016, 1689602	69

83	Neutrophil to Lymphocyte Ratio Predicts Left Ventricular Remodeling in Patients with ST Elevation Myocardial Infarction after Primary Percutaneous Coronary Intervention. <b>2016</b> , 46, 15-22	14
82	Inhibition of Rac1 reduces store overload-induced calcium release and protects against ventricular arrhythmia. <b>2016</b> , 20, 1513-22	4
81	N-acetylcysteine ameliorates liver injury in a rat model of intestinal ischemia reperfusion. <b>2016</b> , 206, 263-272	18
80	Topical Issues in Anesthesia and Intensive Care. <b>2016</b> ,	
79	Synergistic cardioprotective effects of Danshensu and hydroxysafflor yellow A against myocardial ischemia-reperfusion injury are mediated through the Akt/Nrf2/HO-1 pathway. <b>2016</b> , 38, 83-94	59
78	Antiarrhythmic activity in occlusion-reperfusion model of 1-(1H-indol-4-yloxy)-3-[[2-(2-methoxyphenoxy)ethyl]amino} propan-2-ol and its enantiomers. <b>2016</b> , 43, 81-7	
77	Fatal early peripheral post-reperfusion syndrome and the role of cutaneous signs. <b>2016</b> , 13, 125-9	3
76	The Effects of Simvastatin on Ischemia Reperfusion Injury in an Experimental Colon Anastomosis Model. <b>2017</b> , 79, 390-395	2
75	An investigation on the impact of carnosine on the myocardium in lower extremity ischemia-reperfusion injury in rats. <b>2017</b> , 3, 109-113	1
74	Protective effects of N-acetylcystein and atorvastatin against renal and hepatic injury in a rat model of intestinal ischemia-reperfusion. <b>2017</b> , 89, 673-680	13
73	A review of strategies for infarct size reduction during acute myocardial infarction. <b>2017</b> , 18, 374-383	7
72	Peripheral artery disease, redox signaling, oxidative stress - Basic and clinical aspects. <b>2017</b> , 12, 787-797	61
71	Strategies to Reduce Ischemia Reperfusion Injury in Vascularized Composite Allotransplantation of the Limb. <b>2017</b> , 42, 1019-1024	12
70	WITHDRAWN: Curcumin Protects Against Myocardial IschemiaReperfusion Injury by Activating Endothelial Nitric Oxide Synthase in Rats. <b>2017</b> ,	
69	Comparative metabonomics of Wenxin Keli and Verapamil reveals differential roles of gluconeogenesis and fatty acid oxidation in myocardial injury protection. <b>2017</b> , 7, 8739	8
68	Effect of different doses of 2-aminoethoxydiphenyl borate on intestinal ischemia-reperfusion injury. <b>2017</b> , 49, 32-37	2
67	Salvianolic acid A protects against myocardial ischemia/reperfusion injury by reducing platelet activation and inflammation. <b>2017</b> , 14, 961-966	27
66	Neuroprotection via RNA-binding protein RBM3 expression is regulated by hypothermia but not by hypoxia in human SK-N-SH neurons. <b>2017</b> , 5, 33-43	5

65	Chinese herbal medicine Xinji pill protects the heart from ischemia/reperfusion injury through the Akt/Nrf2 pathway. <b>2017</b> , 16, 1551-1558	5
64	Cardioprotective Mechanisms of Exenatide in Isoprenaline-induced Myocardial Infarction: Novel Effects on Myocardial Estrogen Receptor Expression and IGF-1/IGF-2 System. <b>2018</b> , 71, 160-173	13
63	Association between blood neutrophil-to-lymphocyte ratio and severity of coronary artery disease: Evidence from 17 observational studies involving 7017 cases. <b>2018</b> , 97, e12432	17
62	Associations between CT-determined visceral fat burden, hepatic steatosis, circulating white blood cell counts and neutrophil-to-lymphocyte ratio. <b>2018</b> , 13, e0207284	2
61	Flavonols and Flavones - Protecting Against Myocardial Ischemia/Reperfusion Injury by Targeting Protein Kinases. <b>2018</b> , 25, 4402-4415	6
60	Del Nido cardioplegia - what is the current evidence?. <b>2018</b> , 15, 114-118	9
59	Oxidative Stress in Urolithiasis. <b>2018</b> ,	2
58	Hydroxysafflor Yellow A mitigated myocardial ischemia/reperfusion injury by inhibiting the activation of the JAK2/STAT1 pathway. <b>2019</b> , 44, 405-416	11
57	The EXACT protocol: A multi-centre, single-blind, randomised, parallel-group, controlled trial to determine whether early oxygen titration improves survival to hospital discharge in adult OHCA patients. <b>2019</b> , 139, 208-213	7
56	The protective role of carnosis acid in ischemic/reperfusion injury through regulation of autophagy under T2DM. <b>2019</b> , 244, 602-611	5
55	Potential therapeutic roles of stem cells in ischemia-reperfusion injury. <b>2019</b> , 37, 101421	28
54	Shock States in Acute Care Surgery. <b>2019</b> , 43-54	
53	NEAT1 promotes myocardial ischemia-reperfusion injury via activating the MAPK signaling pathway. <b>2019</b> , 234, 18773-18780	22
52	Composite Vascularized Allograft Machine Preservation: State of the Art. <b>2019</b> , 6, 265-276	2
51	Endothelial Cell Activation in an Embolic Ischemia-Reperfusion Injury Microfluidic Model. <b>2019</b> , 10,	8
50	Editor's Choice- Reperfusion cardiac arrhythmias and their relation to reperfusion-induced cell death. <b>2019</b> , 8, 142-152	14
49	Myocardial Energy Stress, Autophagy Induction, and Cardiomyocyte Functional Responses. <b>2019</b> , 31, 472-486	9
48	NADPH oxidases and oxidase crosstalk in cardiovascular diseases: novel therapeutic targets. <b>2020</b> , 17, 170-194	149

47	Pulmonary Vasodilation by Intravenous Infusion of Organic Mononitrites Of 1,2-Propanediol in Acute Pulmonary Hypertension Induced by Aortic Cross Clamping and Reperfusion: A Comparison With Nitroglycerin in Anesthetized Pigs. <b>2020</b> , 54, 119-127	1
46	Ginsenoside Rb2 alleviates myocardial ischemia/reperfusion injury in rats through SIRT1 activation. <b>2020</b> , 85, 4039-4049	13
45	DelNido cardioplegia versus St Thomas cardioplegia solution in double valve replacement: a single centre experience. <b>2021</b> , 36, 476-481	1
44	Efficacy and safety of traditional Chinese medicine injections in the treatment of acute myocardial infarction: A protocol for systematic review and network meta-analysis. <b>2020</b> , 99, e21590	1
43	Cardiac Mechanoenergetics in Patients with Acute Myocardial Infarction: From Pressure-Volume Loop Diagram Related to Cardiac Oxygen Consumption. <b>2020</b> , 16, 255-269	2
42	The Neutrophil to Lymphocyte Ratio (NLR) Is Associated With Residual Syntax Score in Patients With ST-Segment Elevation Myocardial Infarction. <b>2021</b> , 72, 166-173	6
41	Pleiotropic activity of nerve growth factor in regulating cardiac functions and counteracting pathogenesis. <b>2021</b> , 8, 974-987	3
40	No Direct Postconditioning Effect of Poloxamer 188 on Mitochondrial Function after Ischemia Reperfusion Injury in Rat Isolated Hearts. <b>2021</b> , 22,	1
39	Clinical Applicability of Conditioning Techniques in Ischemia-Reperfusion Injury: A Review of the Literature. <b>2021</b> , 17, 306-318	1
38	Free Radicals and Antioxidants for Non-Experts. <b>2014</b> , 3-38	17
37	Oxidase Interactions in Cardiovascular Disease. <b>2014</b> , 849-876	3
36	Regulation of Heat Shock Transcription Factors by Hypoxia or Ischemia/Reperfusion in the Heart and Brain. <b>1999</b> , 201-224	1
35	Biodesign of a skeletal muscle flap as a model for cardiac assistance. <b>2000</b> , 24, 137-47	2
34	Corticosteroids and the neutrophil: cutting both ways. <b>1999</b> , 27, 2583-4	4
33	Predictive value of regional left ventricular circumferential shortening in jeopardized myocardium. A two-dimensional SPAMM cine-MRI study in a canine model. <b>1999</b> , 34, 621-8	2
32	Plumbagin Mediates Cardioprotection Against Myocardial Ischemia/Reperfusion Injury Through Nrf-2 Signaling. <b>2016</b> , 22, 1250-7	17
31	Effects of prenylated isoflavones osajin and pomiferin in premedication on heart ischemia-reperfusion. <b>2006</b> , 150, 93-100	19
30	Induction of Heat-Shock Proteins in Ischemic Heart and Myocardial Protection. <b>2001</b> , 382-391	



29	Quantitative Analysis Using Overlap Images with Technetium-99m Pyrophosphate Thallium-201 Dual-isotope SPECT to Evaluate Microvascular Reperfusion Injury Following Successful Coronary Intervention in Patients with Acute Myocardial Infarction. <b>2004</b> , 16, 117-126	
28	Activity of Glutathione-Related Enzymes in Ischemia and Reperfusion Injury. <b>2010</b> , 113-120	
27	Ischemia-Reperfusion. <b>2010</b> , 89-100	2
26	Postoperative Cardiovascular Management. <b>2011</b> , 1025-1045	
25	Ischemia, Reactive Radicals, Redox Signaling and Hematopoietic Stem Cells. <b>2012</b> , 197-216	
24	Oxidative Insult After Ischemia/Reperfusion in Older Adults. <b>2013</b> , 263-284	
23	Vitamins and Myocardial Infarction in Diabetics. <b>2013</b> , 89-102	
22	Changes in Cardiac Gene Expression After Ischaemia and Reperfusion. <b>1998</b> , 111-133	
21	Dynamics of structural change of ovarian tissue under ischemia. <b>2014</b> , 60, 89-98	
20	Perioperative Protection of Myocardial Function. <b>2016</b> , 165-178	
19	Predictive Value of Neutrophil-to-Lymphocyte Ratio in Outcomes of Patients with Acute Coronary Syndrome. <b>2018</b> , 08, 265-275	
18	2-aminoethanesulfonic acid compounds possess protective property in reperfusion-induced heart injury. <b>2018</b> , 4, 19-26	0
17	THE MODERN VIEW ON THE PATHOGENESIS OF THE ISCHEMIA/REPERFUSION SYNDROME IN KIDNEY TRANSPLANTATION. <b>2018</b> , 22, 23-29	
16	Optical biopsy for on-line myocardial monitoring in cardiac surgery. <b>2020</b> , 48	1
15	Effects of Lacidipine, Ramipril and Valsartan on Serum BNP Levels in Acute and Chronic Periods Following Isoproterenol-Induced Myocardial Infarction in Rats. <b>2009</b> , 41, 44-8	1
14	The effect of Antithrombin-III on routine hematological and biochemical parameters in an experimental animal model of skeletal muscle ischemia-reperfusion injury. <b>2014</b> , 18, 234-9	1
13	Retinol palmitate protects against myocardial ischemia/reperfusion injury via reducing oxidative stress and inhibiting apoptosis. <b>2019</b> , 11, 1510-1520	7
12	Analyzing Signal Peptides for Secretory Production of Recombinant Diagnostic Antigen B8/1 from : An Approach. <b>2020</b> , 9, 1-10	3

- 11 Histopathological evaluation of the role of negative electrical charge on renal ischemia/reperfusion injuries on brain and heart tissues in rat. **2020**, 11, 15-20
- 10 Use of del Nido cardioplegia in adult cardiac surgery. **2022**, 8, 139-144
- 9 Biochemical approaches/methods in the detection of free radicals. **2022**, 171-198
- 8 (Del Nido cardioplegia in adult patients). **2022**, 64, 38-45
- 7 Neutrophil-to-Lymphocyte Ratio Is Not Associated with Severity of Coronary Artery Disease and Is Not Correlated with Vitamin D Level in Patients with a History of an Acute Coronary Syndrome. **2022**, 11, 1001 2
- 6 ISCHEMIA-REPERFUSION SYNDROME AND RESULTS OF OPEN AND ENDOVASCULAR REPAIR OF INFRARENAL ABDOMINAL AORTIC ANEURYSM. **2015**, 22, 25-32
- 5 Cardiac Protection of a Novel Lupane-Type Triterpenoid from Injuries Induced by HypoxiaReperfusion. **2022**, 23, 9473
- 4 Protective effects of curcumin on ischemia/reperfusion injury. 0
- 3 Sympathetic Nerve Activity and Blood Pressure Response to Exercise in Peripheral Artery Disease: From Molecular Mechanisms, Human Studies, to Intervention Strategy Development. **2022**, 23, 10622 0
- 2 Organ-on-a-chip: Its use in cardiovascular research. **2022**, 1-25 1
- 1 Neutrophil-to-Lymphocyte Ratio (NLR) Useful as a Cost-Effective Preliminary Prognostic Marker in ST-Elevation Myocardial Infarction (STEMI): An Observational Study From a Tertiary Care Hospital in Northeast India. **2023**, 0