

Reduced Levels of Norepinephrine Transporters in the Depression

Journal of Neuroscience

17, 8451-8458

DOI: [10.1523/jneurosci.17-21-08451.1997](https://doi.org/10.1523/jneurosci.17-21-08451.1997)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | REM sleep deprivation increases the levels of tyrosine hydroxylase and norepinephrine transporter mRNA in the locus coeruleus. <i>Molecular Brain Research</i> , 1998, 57, 235-240. | 2.5 | 68 |
| 2 | New views of biogenic amine transporter function: implications for neuropsychopharmacology. <i>International Journal of Neuropsychopharmacology</i> , 1999, 2, 305-320. | 1.0 | 23 |
| 3 | Transcriptional activity in the brain during sleep deprivation. <i>Annals of Medicine</i> , 1999, 31, 146-151. | 1.5 | 3 |
| 5 | Transient Depressive Relapse Induced by Catecholamine Depletion. <i>Archives of General Psychiatry</i> , 1999, 56, 395. | 13.8 | 113 |
| 6 | A Previously Undescribed Intron and Extensive 5' Upstream Sequence, but Not Phox2a-mediated Transactivation, Are Necessary for High Level Cell Type-specific Expression of the Human Norepinephrine Transporter Gene. <i>Journal of Biological Chemistry</i> , 1999, 274, 6507-6518. | 1.6 | 93 |
| 7 | Tyrosine hydroxylase immunoreactivity in the locus coeruleus is reduced in depressed non-suicidal patients but normal in depressed suicide patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1999, 249, 212-219. | 1.8 | 54 |
| 8 | Tyrosine hydroxylase mRNA is increased in old age and norepinephrine uptake transporter mRNA is decreased in middle age in locus coeruleus of Brown Norway rats. <i>Brain Research</i> , 1999, 826, 143-147. | 1.1 | 37 |
| 9 | Quantitative distribution of monoamine oxidase A in brainstem monoamine nuclei is normal in major depression. <i>Brain Research</i> , 1999, 847, 71-79. | 1.1 | 34 |
| 10 | Brain Noradrenergic Receptors in Major Depression and Schizophrenia. <i>Neuropsychopharmacology</i> , 1999, 21, 69-81. | 2.8 | 64 |
| 11 | Increased activity of surviving locus ceruleus neurons in Alzheimer's disease. <i>Annals of Neurology</i> , 1999, 45, 82-91. | 2.8 | 139 |
| 12 | Norepinephrine transporter gene polymorphism is not associated with susceptibility to major depression. <i>Psychiatry Research</i> , 1999, 87, 1-5. | 1.7 | 56 |
| 13 | Morphometric evidence for neuronal and glial prefrontal cell pathology in major depression—See accompanying Editorial, in this issue.. <i>Biological Psychiatry</i> , 1999, 45, 1085-1098. | 0.7 | 1,395 |
| 14 | Role of norepinephrine in the pathophysiology and treatment of mood disorders. <i>Biological Psychiatry</i> , 1999, 46, 1219-1233. | 0.7 | 254 |
| 15 | Elevated levels of tyrosine hydroxylase in the locus coeruleus in major depression. <i>Biological Psychiatry</i> , 1999, 46, 1275-1286. | 0.7 | 129 |
| 16 | Lack of Association Between Depression and Loss of Neurons in the Locus Coeruleus in Alzheimer Disease. <i>Archives of General Psychiatry</i> , 1999, 56, 45. | 13.8 | 61 |
| 17 | Role of serotonergic and noradrenergic systems in the pathophysiology of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2000, 12, 2-19. | 2.0 | 746 |
| 18 | Norepinephrine Uptake Sites in the Locus Coeruleus of Rat Lines Selectively Bred for High and Low Alcohol Preference: A Quantitative Autoradiographic Binding Study Using [3H]-Tomoxetine. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 588-594. | 1.4 | 19 |
| 19 | Autoradiographic Comparison of [3H]-Clonidine Binding to Non-Adrenergic Sites and β -Adrenergic Receptors in Human Brain. <i>Neuropsychopharmacology</i> , 2000, 23, 697-708. | 2.8 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 20 | Brain alterations in depression. <i>Acta Neuropsychiatrica</i> , 2000, 12, 54-58. | 1.0 | 5 |
| 21 | Cocaine and Antidepressant-Sensitive Biogenic Amine Transporters Exist in Regulated Complexes with Protein Phosphatase 2A. <i>Journal of Neuroscience</i> , 2000, 20, 7571-7578. | 1.7 | 192 |
| 22 | Molecular Abnormalities in Brains of Depressed Patients. <i>Neuroscientist</i> , 2000, 6, 401-410. | 2.6 | 0 |
| 23 | The Ups and Downs of Neurotransmitter Transporters. <i>Neuroscientist</i> , 2000, 6, 199-207. | 2.6 | 13 |
| 24 | The serotonin transporter in the midbrain of suicide victims with major depression. <i>Biological Psychiatry</i> , 2000, 47, 1015-1024. | 0.7 | 73 |
| 25 | Major Depressive Disorder. <i>Neuron</i> , 2000, 28, 335-341. | 3.8 | 486 |
| 26 | Histopathology of the prefrontal cortex in major depression: what does it tell us about dysfunctional monoaminergic circuits?. <i>Progress in Brain Research</i> , 2000, 126, 397-412. | 0.9 | 80 |
| 27 | Immunolocalization of the cocaine- and antidepressant-sensitive l-norepinephrine transporter. <i>Journal of Comparative Neurology</i> , 2000, 420, 211-232. | 0.9 | 225 |
| 28 | Postmortem studies in mood disorders indicate altered numbers of neurons and glial cells. <i>Biological Psychiatry</i> , 2000, 48, 766-777. | 0.7 | 750 |
| 29 | Neuropathology of bipolar disorder. <i>Biological Psychiatry</i> , 2000, 48, 486-504. | 0.7 | 127 |
| 30 | Effects of chronic antidepressant treatments on 5-HT and NA transporters in rat brain: an autoradiographic study. <i>Neurochemistry International</i> , 2001, 38, 63-74. | 1.9 | 65 |
| 31 | Depression as a spreading adjustment disorder of monoaminergic neurons: a case for primary implication of the locus coeruleus. <i>Brain Research Reviews</i> , 2001, 38, 79-128. | 9.1 | 141 |
| 32 | Function and Regulation of Monoamine Transporters: Focus on the Norepinephrine Transporter. <i>CNS Spectrums</i> , 2001, 6, 671-678. | 0.7 | 3 |
| 33 | Noradrenergic Pathology in Psychiatric Disorders: Postmortem Studies. <i>CNS Spectrums</i> , 2001, 6, 697-703. | 0.7 | 18 |
| 34 | Basal limbic system alteration in major depression: a hypothesis supported by transcranial sonography and MRI findings. <i>International Journal of Neuropsychopharmacology</i> , 2001, 4, 21-31. | 1.0 | 70 |
| 35 | Effects of Long-term Cigarette Smoking on the Human Locus Coeruleus. <i>Archives of General Psychiatry</i> , 2001, 58, 821. | 13.8 | 51 |
| 36 | Neuroanatomical studies on bipolar disorder. <i>British Journal of Psychiatry</i> , 2001, 178, s142-s147. | 1.7 | 51 |
| 37 | Understanding the neurobiology of suicidal behavior. <i>Depression and Anxiety</i> , 2001, 14, 164-176. | 2.0 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Assessment of the Serotonin and Norepinephrine Reuptake Blocking Properties of Duloxetine in Healthy Subjects. <i>Neuropsychopharmacology</i> , 2001, 24, 511-521. | 2.8 | 97 |
| 39 | Correlation between Platelet α_2 -Adrenoreceptors and Symptom Severity in Major Depression. <i>Neuropsychobiology</i> , 2001, 44, 122-125. | 0.9 | 9 |
| 40 | Genetic or acquired deficits in the norepinephrine transporter: current understanding of clinical implications. <i>Expert Reviews in Molecular Medicine</i> , 2001, 3, 1-10. | 1.6 | 27 |
| 41 | An E-box Motif Residing in the Exon/Intron 1 Junction Regulates Both Transcriptional Activation and Splicing of the Human Norepinephrine Transporter Gene. <i>Journal of Biological Chemistry</i> , 2001, 276, 24797-24805. | 1.6 | 17 |
| 42 | A Polymorphism of the Norepinephrine Transporter Gene in Bipolar Disorder and Schizophrenia: Lack of Association. <i>Neuropsychobiology</i> , 2002, 45, 182-185. | 0.9 | 28 |
| 43 | The neuropathology of primary mood disorder. <i>Brain</i> , 2002, 125, 1428-1449. | 3.7 | 289 |
| 44 | Organization of the stress system and its dysregulation in melancholic and atypical depression: high vs low CRH/NE states. <i>Molecular Psychiatry</i> , 2002, 7, 254-275. | 4.1 | 1,121 |
| 45 | Dopaminergic abnormalities in amygdaloid nuclei in major depression: a postmortem study. <i>Biological Psychiatry</i> , 2002, 52, 740-748. | 0.7 | 157 |
| 46 | Monoamine transporter gene structure and polymorphisms in relation to psychiatric and other complex disorders. <i>Pharmacogenomics Journal</i> , 2002, 2, 217-235. | 0.9 | 138 |
| 47 | Exercise and the Treatment of Clinical Depression in Adults. <i>Sports Medicine</i> , 2002, 32, 741-760. | 3.1 | 357 |
| 48 | Chronic substance P (NK1) receptor antagonist and conventional antidepressant treatment increases burst firing of monoamine neurones in the locus coeruleus. <i>Neuroscience</i> , 2002, 109, 609-617. | 1.1 | 73 |
| 49 | Divergent endocrine abnormalities in melancholic and atypical depression: clinical and pathophysiologic implications. <i>Endocrinology and Metabolism Clinics of North America</i> , 2002, 31, 37-62. | 1.2 | 97 |
| 50 | <i>Neurochemistry</i> , 0, 397-401. | | 0 |
| 51 | [3H]Tiagabine binding to GABA transporter-1 (GAT-1) in suicidal depression. <i>Journal of Affective Disorders</i> , 2002, 71, 29-33. | 2.0 | 21 |
| 52 | Regulation of norepinephrine transporter abundance by catecholamines and desipramine in vivo. <i>Brain Research</i> , 2002, 946, 239-246. | 1.1 | 51 |
| 53 | Identification of a Naturally Occurring Polymorphism in the Promoter Region of the Norepinephrine Transporter and Analysis in Major Depression. <i>Neuropsychopharmacology</i> , 2002, 26, 489-493. | 2.8 | 93 |
| 54 | Effects of desipramine treatment on norepinephrine transporter gene expression in the cultured SK-N-BE(2)M17 cells and rat brain tissue. <i>Journal of Neurochemistry</i> , 2002, 82, 146-153. | 2.1 | 28 |
| 55 | Functional expression of the norepinephrine transporter in cultured rat astrocytes. <i>Journal of Neurochemistry</i> , 2002, 84, 136-144. | 2.1 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 56 | Downregulation of the Human Norepinephrine Transporter in Intact 293hNET Cells Exposed to Desipramine. <i>Journal of Neurochemistry</i> , 1998, 70, 1547-1555. | 2.1 | 49 |
| 57 | Neurotransmitter receptor-mediated activation of G-proteins in brains of suicide victims with mood disorders: selective supersensitivity of β -2A-adrenoceptors. <i>Molecular Psychiatry</i> , 2002, 7, 755-767. | 4.1 | 96 |
| 58 | Serotonin transporter and MAO-B levels in monoamine nuclei of the human brainstem are normal in major depression. <i>Journal of Psychiatric Research</i> , 2003, 37, 387-397. | 1.5 | 34 |
| 59 | Differential expression of β -2-adrenoceptor vs. imidazoline binding sites in postmortem orbitofrontal cortex and amygdala of depressed subjects. <i>Journal of Psychiatric Research</i> , 2003, 37, 399-409. | 1.5 | 10 |
| 60 | Involvement of serotonin in depression: evidence from postmortem and imaging studies of serotonin receptors and the serotonin transporter. <i>Journal of Psychiatric Research</i> , 2003, 37, 357-373. | 1.5 | 328 |
| 61 | Ultrastructural localization of the norepinephrine transporter in superficial and deep layers of the rat prelimbic prefrontal cortex and its spatial relationship to probable dopamine terminals. <i>Journal of Comparative Neurology</i> , 2003, 466, 478-494. | 0.9 | 96 |
| 62 | Wolfram syndrome and suicide: Evidence for a role of WFS1 in suicidal and impulsive behavior. <i>American Journal of Medical Genetics Part A</i> , 2003, 119B, 108-113. | 2.4 | 45 |
| 63 | Increased corticotropin-releasing hormone immunoreactivity in monoamine-containing pontine nuclei of depressed suicide men. <i>Molecular Psychiatry</i> , 2003, 8, 324-332. | 4.1 | 135 |
| 64 | Plasma membrane monoamine transporters: structure, regulation and function. <i>Nature Reviews Neuroscience</i> , 2003, 4, 13-25. | 4.9 | 846 |
| 65 | Elevated agonist binding to β -2-adrenoceptors in the locus coeruleus in major depression. <i>Biological Psychiatry</i> , 2003, 53, 315-323. | 0.7 | 123 |
| 66 | Common pathogenic mechanisms between depression and epilepsy: an experimental perspective. <i>Epilepsy and Behavior</i> , 2003, 4, 14-24. | 0.9 | 102 |
| 67 | Cortical alpha-adrenoceptor downregulation by tricyclic antidepressants in the rat brain. <i>Neurochemistry International</i> , 2003, 43, 603-609. | 1.9 | 48 |
| 68 | Specific in vivo binding to the norepinephrine transporter demonstrated with the PET radioligand, (S,S)-[11C]MeNER. <i>Nuclear Medicine and Biology</i> , 2003, 30, 707-714. | 0.3 | 74 |
| 69 | Inhibition of the Norepinephrine Transporter by the Venom Peptide β -MrIA. <i>Journal of Biological Chemistry</i> , 2003, 278, 40317-40323. | 1.6 | 60 |
| 70 | Elevated Concentrations of CRF in the Locus Coeruleus of Depressed Subjects. <i>Neuropsychopharmacology</i> , 2003, 28, 1328-1335. | 2.8 | 133 |
| 71 | Nitrous Oxide Attenuates Pressor but Augments Norepinephrine Response to Laryngoscopy and Endotracheal Intubation. <i>Anesthesia and Analgesia</i> , 2003, 96, 1516-1521. | 1.1 | 5 |
| 72 | Correlates of Generalized Anxiety and Panic Attacks in Dystonia and Parkinson Disease. <i>Cognitive and Behavioral Neurology</i> , 2003, 16, 225-233. | 0.5 | 71 |
| 73 | Depression: A Neuropsychiatric Perspective. , 0, , 197-229. | | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 74 | The neuropathology of mood disorders. , 2003, , 291-307. | | 1 |
| 75 | A Regulated Interaction of Syntaxin 1A with the Antidepressant-Sensitive Norepinephrine Transporter Establishes Catecholamine Clearance Capacity. <i>Journal of Neuroscience</i> , 2003, 23, 1697-1709. | 1.7 | 150 |
| 76 | Regional Brain Metabolic Correlates of α -Methylparatyrosine-Induced Depressive Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 3125. | 3.8 | 111 |
| 77 | Organization of Human Brain Stem Nuclei. , 2004, , 267-320. | | 21 |
| 78 | Association between Norepinephrine Transporter Gene Polymorphism and Major Depression. <i>Neuropsychobiology</i> , 2004, 49, 174-177. | 0.9 | 66 |
| 79 | Differential DSM-III Psychiatric Disorder Prevalence Profiles in Dystonia and Parkinson's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004, 16, 29-36. | 0.9 | 59 |
| 80 | Regulated Internalization and Phosphorylation of the Native Norepinephrine Transporter in Response to Phorbol Esters. <i>Journal of Biological Chemistry</i> , 2004, 279, 19315-19326. | 1.6 | 131 |
| 81 | Low nNOS protein in the locus coeruleus in major depression. <i>Journal of Neurochemistry</i> , 2004, 91, 1057-1066. | 2.1 | 74 |
| 82 | In search of a depressed mouse: utility of models for studying depression-related behavior in genetically modified mice. <i>Molecular Psychiatry</i> , 2004, 9, 326-357. | 4.1 | 553 |
| 83 | Chlorotoxin-mediated disinhibition of noradrenergic locus coeruleus neurons using a conditional transgenic approach. <i>Brain Research</i> , 2004, 1016, 20-32. | 1.1 | 10 |
| 84 | PET evaluation of novel radiofluorinated reboxetine analogs as norepinephrine transporter probes in the monkey brain. <i>Synapse</i> , 2004, 53, 57-67. | 0.6 | 105 |
| 85 | Postmortem serotonin (5-HT) concentrations in the cerebrospinal fluid of medicolegal cases. <i>Forensic Science International</i> , 2004, 142, 211-219. | 1.3 | 13 |
| 86 | Positive Association between <i>T</i> -182C Polymorphism in the Norepinephrine Transporter Gene and Susceptibility to Major Depressive Disorder in a Japanese Population. <i>Neuropsychobiology</i> , 2004, 50, 301-304. | 0.9 | 59 |
| 87 | Update on PET radiopharmaceuticals: life beyond fluorodeoxyglucose. <i>Radiologic Clinics of North America</i> , 2004, 42, 1033-1053. | 0.9 | 37 |
| 88 | Synthesis and biological evaluation of [¹¹ C]talopram and [¹¹ C]talsupram: candidate PET ligands for the norepinephrine transporter. <i>Nuclear Medicine and Biology</i> , 2004, 31, 705-718. | 0.3 | 38 |
| 89 | Evaluation of radioiodinated (R)-N-methyl-3-(2-iodophenoxy)-3-phenylpropanamine as a ligand for brain norepinephrine transporter imaging. <i>Nuclear Medicine and Biology</i> , 2004, 31, 147-153. | 0.3 | 24 |
| 90 | Selective binding of 2-[¹²⁵ I]iodo-nisoxetine to norepinephrine transporters in the brain. <i>Nuclear Medicine and Biology</i> , 2004, 31, 533-541. | 0.3 | 35 |
| 91 | Life Stress, Genes, and Depression: Multiple Pathways Lead to Increased Risk and New Opportunities for Intervention. <i>Science Signaling</i> , 2004, 2004, re5-re5. | 1.6 | 302 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 92 | Whole-body biodistribution, radiation dosimetry estimates for the PET norepinephrine transporter probe (S,S)-[18F]FMeNER-D2 in non-human primates. <i>Nuclear Medicine Communications</i> , 2005, 26, 695-700. | 0.5 | 18 |
| 94 | Norepinephrine transporter immunoblotting and radioligand binding in cocaine abusers. <i>Journal of Neuroscience Methods</i> , 2005, 143, 79-85. | 1.3 | 33 |
| 95 | Synthesis and C-11 labeling of three potent norepinephrine transporter selective ligands ((R)-nisoxetine, lortalamine, and oxaprotiline) for comparative PET studies in baboons. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 4658-4666. | 1.4 | 14 |
| 96 | Comparative evaluation of positron emission tomography radiotracers for imaging the norepinephrine transporter: (S,S) and (R,R) enantiomers of reboxetine analogs ([11C]methylreboxetine,) Tj ETQq1 1 0.784314 rgBT /Ov 2.1 65 2005, 94, 337-351. | 2.1 | 65 |
| 97 | Single and repeated immobilization stress differentially trigger induction and phosphorylation of several transcription factors and mitogen-activated protein kinases in the rat locus coeruleus. <i>Journal of Neurochemistry</i> , 2005, 95, 484-498. | 2.1 | 64 |
| 98 | ±2-Adrenoceptor involvement in the in vitro inhibitory effect of citalopram on a subpopulation of rat locus coeruleus neurons. <i>European Journal of Pharmacology</i> , 2005, 517, 51-58. | 1.7 | 20 |
| 99 | Noradrenaline transporter and its turnover rate are decreased in blood lymphocytes of patients with major depression. <i>Journal of Neuroimmunology</i> , 2005, 170, 134-140. | 1.1 | 14 |
| 100 | Protein kinase C substrate activators: potential as novel antidepressants. <i>Drug Development Research</i> , 2005, 65, 156-169. | 1.4 | 2 |
| 101 | Chronic treatment with duloxetine is necessary for an anxiolytic-like response in the mouse zero maze: the role of the serotonin transporter. <i>Psychopharmacology</i> , 2005, 181, 741-750. | 1.5 | 39 |
| 104 | Conotoxins as Research Tools and Drug Leads. <i>Current Protein and Peptide Science</i> , 2005, 6, 221-240. | 0.7 | 96 |
| 105 | Elevated Levels of the NR2C Subunit of the NMDA Receptor in the Locus Coeruleus in Depression. <i>Neuropsychopharmacology</i> , 2005, 30, 1557-1567. | 2.8 | 68 |
| 106 | Single Nucleotide Polymorphisms in the Human Norepinephrine Transporter Gene Affect Expression, Trafficking, Antidepressant Interaction, and Protein Kinase C Regulation. <i>Molecular Pharmacology</i> , 2005, 68, 457-466. | 1.0 | 77 |
| 107 | Depression in Parkinson's disease: loss of dopamine and noradrenaline innervation in the limbic system. <i>Brain</i> , 2005, 128, 1314-1322. | 3.7 | 905 |
| 108 | Post-mortem human brain autoradiography of the norepinephrine transporter using (S,S)-[18F]FMeNER-D2. <i>European Neuropsychopharmacology</i> , 2005, 15, 517-520. | 0.3 | 64 |
| 109 | Proteomic analysis of human norepinephrine transporter complexes reveals associations with protein phosphatase 2A anchoring subunit and 14-3-3 proteins. <i>Biochemical and Biophysical Research Communications</i> , 2005, 333, 671-678. | 1.0 | 35 |
| 110 | Development of the norepinephrine transporter in the rat CNS. <i>Neuroscience</i> , 2005, 130, 107-117. | 1.1 | 60 |
| 111 | Synthesis and biological evaluation of trans-3-phenyl-1-indanamines as potential norepinephrine transporter imaging agents. <i>Nuclear Medicine and Biology</i> , 2005, 32, 593-605. | 0.3 | 4 |
| 112 | New-generation radiotracers for nAChR and NET. <i>Nuclear Medicine and Biology</i> , 2005, 32, 707-718. | 0.3 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 113 | Regulation of monoamine transporters: Influence of psychostimulants and therapeutic antidepressants. <i>AAPS Journal</i> , 2005, 7, E728-E738. | 2.2 | 110 |
| 114 | Suicide Brain Is Associated with Decreased Expression of Neurotrophins. <i>Biological Psychiatry</i> , 2005, 58, 315-324. | 0.7 | 103 |
| 116 | Imaging in Parkinson's Disease: The Role of Monoamines in Behavior. <i>Biological Psychiatry</i> , 2006, 59, 908-918. | 0.7 | 136 |
| 117 | Further Structural Exploration of Trisubstituted Asymmetric Pyran Derivatives (2S,4R,5R)-2-Benzhydryl-5-benzylamino-tetrahydropyran-4-ol and Their Corresponding Disubstituted (3S,6S) Pyran Derivatives: A Proposed Pharmacophore Model for High-Affinity Interaction with the Dopamine, Serotonin, and Norepinephrine Transporters. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 4239-4247. | 2.9 | 26 |
| 118 | Effects of Genes and Stress on the Neurobiology of Depression. <i>International Review of Neurobiology</i> , 2006, 73, 153-189. | 0.9 | 27 |
| 119 | Attenuation of the norepinephrine transporter activity and trafficking via interactions with β -synuclein. <i>European Journal of Neuroscience</i> , 2006, 24, 3141-3152. | 1.2 | 53 |
| 120 | The norepinephrine transporter and its regulation. <i>Journal of Neurochemistry</i> , 2006, 97, 310-333. | 2.1 | 116 |
| 121 | KCl stimulation increases norepinephrine transporter function in PC12 cells. <i>Journal of Neurochemistry</i> , 2006, 98, 1521-1530. | 2.1 | 20 |
| 122 | The Promises and Pitfalls of Reboxetine. <i>CNS Neuroscience & Therapeutics</i> , 2003, 9, 327-342. | 4.0 | 32 |
| 123 | Synthesis and evaluation of radioiodinated (S,S)-2-(β -(2-iodophenoxy)benzyl)morpholine for imaging brain norepinephrine transporter. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 639-647. | 3.3 | 26 |
| 124 | Atomoxetine occupies the norepinephrine transporter in a dose-dependent fashion: a PET study in nonhuman primate brain using (S,S)-[18 F]FMeNER-D2. <i>Psychopharmacology</i> , 2006, 188, 119-127. | 1.5 | 71 |
| 125 | Normal [3 H]flunitrazepam binding to GABAA receptors in the locus coeruleus in major depression and suicide. <i>Brain Research</i> , 2006, 1125, 138-146. | 1.1 | 17 |
| 126 | Synthesis and PET evaluation of (R)-[S-methyl- 11 C]thionisoxetine, a candidate radioligand for imaging brain norepinephrine transporters. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2006, 49, 1007-1019. | 0.5 | 14 |
| 128 | Effect of Antidepressant Drugs in Mice Lacking the Norepinephrine Transporter. <i>Neuropsychopharmacology</i> , 2006, 31, 2424-2432. | 2.8 | 64 |
| 129 | PET Imaging of Norepinephrine Transporters. <i>Current Pharmaceutical Design</i> , 2006, 12, 3831-45. | 0.9 | 41 |
| 130 | Monoamine Receptors and Signal Transduction Mechanisms in Suicide. <i>Current Psychiatry Reviews</i> , 2006, 2, 51-75. | 0.9 | 7 |
| 131 | Neurotransmitter Imaging. , 2006, , 385-403. | | 2 |
| 133 | Elevated Monoamine Oxidase A Levels in the Brain. <i>Archives of General Psychiatry</i> , 2006, 63, 1209. | 13.8 | 507 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 134 | Neuroimaging of the Serotonin Transporter: Possibilities and Pitfalls. <i>Current Psychiatry Reviews</i> , 2006, 2, 111-149. | 0.9 | 25 |
| 135 | Phosphorylation of the Norepinephrine Transporter at Threonine 258 and Serine 259 Is Linked to Protein Kinase C-mediated Transporter Internalization. <i>Journal of Biological Chemistry</i> , 2006, 281, 23326-23340. | 1.6 | 68 |
| 136 | A polymorphism in the norepinephrine transporter gene alters promoter activity and is associated with attention-deficit hyperactivity disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 19164-19169. | 3.3 | 131 |
| 137 | The Functional Impact of SLC6 Transporter Genetic Variation. <i>Annual Review of Pharmacology and Toxicology</i> , 2007, 47, 401-441. | 4.2 | 114 |
| 138 | Development of Radioligands for Imaging of Brain Norepinephrine Transporters In Vivo with Positron Emission Tomography. <i>Current Topics in Medicinal Chemistry</i> , 2007, 7, 1806-1816. | 1.0 | 20 |
| 139 | Association study of the norepinephrine transporter gene polymorphisms and bipolar disorder in Han Chinese population. <i>World Journal of Biological Psychiatry</i> , 2007, 8, 188-195. | 1.3 | 7 |
| 141 | Differential physiological effects of a low dose and high doses of venlafaxine in major depression. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 51. | 1.0 | 115 |
| 142 | Imaging the norepinephrine transporter in humans with (S,S)-[11C]O-methyl reboxetine and PET: problems and progress. <i>Nuclear Medicine and Biology</i> , 2007, 34, 667-679. | 0.3 | 65 |
| 143 | LeuT-Desipramine Structure Reveals How Antidepressants Block Neurotransmitter Reuptake. <i>Science</i> , 2007, 317, 1390-1393. | 6.0 | 317 |
| 144 | Calcium-dependent interactions of the human norepinephrine transporter with syntaxin 1A. <i>Molecular and Cellular Neurosciences</i> , 2007, 34, 251-260. | 1.0 | 29 |
| 147 | Noradrenergic Function in Suicide. <i>Archives of Suicide Research</i> , 2007, 11, 235-246. | 1.2 | 25 |
| 149 | Norepinephrine Transporter Gene Variation Modulates Acute Response to d-Amphetamine. <i>Biological Psychiatry</i> , 2007, 61, 1296-1305. | 0.7 | 39 |
| 150 | The central noradrenergic system: an overview. <i>African Journal of Psychiatry</i> , 2007, 10, 135-41. | 0.1 | 10 |
| 151 | Actions of antidepressant and other drugs on norepinephrine systems. , 0, , 515-534. | | 0 |
| 152 | The norepinephrine transporter and regulation of synaptic transmission. , 2007, , 119-154. | | 0 |
| 153 | Neuropathology of central norepinephrine in psychiatric disorders: postmortem research. , 2007, , 341-362. | | 7 |
| 154 | Synthesis of 11C-labelled (R)-OHDMI and CFMME and their evaluation as candidate radioligands for imaging central norepinephrine transporters with PET. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 616-625. | 1.4 | 14 |
| 155 | Synthesis of enantiomerically pure milnacipran analogs and inhibition of dopamine, serotonin, and norepinephrine transporters. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 2834-2837. | 1.0 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 156 | Synthesis and biological evaluation of 2Î²,3Î±-(substituted phenyl)nortropanes as potential norepinephrine transporter imaging agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 3044-3047. | 1.0 | 3 |
| 157 | Regulation of the norepinephrine transporter by Î±-synuclein-mediated interactions with microtubules. <i>European Journal of Neuroscience</i> , 2007, 26, 1509-1520. | 1.2 | 39 |
| 159 | Tyrosine hydroxylase immunoreactivity in the locus coeruleus is elevated in violent suicidal depressive patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 513-520. | 1.8 | 27 |
| 160 | Cloning, expression, and functional analysis of rhesus monkey trace amine-associated receptor 6: Evidence for lack of monoaminergic association. <i>Journal of Neuroscience Research</i> , 2008, 86, 3435-3446. | 1.3 | 25 |
| 161 | Comparison of desipramine and citalopram treatments for depression in Parkinson's disease: A double-blind, randomized, placebo-controlled study. <i>Movement Disorders</i> , 2008, 23, 850-857. | 2.2 | 231 |
| 162 | Functional Gene Variation in the Human Norepinephrine Transporter. <i>Annals of the New York Academy of Sciences</i> , 2008, 1129, 256-260. | 1.8 | 35 |
| 163 | Regulated interactions of the norepinephrine transporter by the actin and microtubule cytoskeletons. <i>Journal of Neurochemistry</i> , 2008, 105, 1668-1682. | 2.1 | 16 |
| 164 | Reactivity of 5-HT1A receptor in adult rats after neonatal noradrenergic neurons' lesion "Implications for antidepressant-like action. <i>Brain Research</i> , 2008, 1239, 66-76. | 1.1 | 10 |
| 165 | Applying Neuroimaging Ligands to Study Major Depressive Disorder. <i>Seminars in Nuclear Medicine</i> , 2008, 38, 287-304. | 2.5 | 52 |
| 166 | (R)-N-Methyl-3-(3-125I-pyridin-2-yloxy)-3-phenylpropan-1-amine: a novel probe for norepinephrine transporters. <i>Nuclear Medicine and Biology</i> , 2008, 35, 43-52. | 0.3 | 9 |
| 167 | Three-dimensional quantitative structure-activity relationship (3D QSAR) and pharmacophore elucidation of tetrahydropyran derivatives as serotonin and norepinephrine transporter inhibitors. <i>Journal of Computer-Aided Molecular Design</i> , 2008, 22, 1-17. | 1.3 | 14 |
| 168 | Modulation of Monoamine Transporters by Common Biogenic Amines via Trace Amine-Associated Receptor 1 and Monoamine Autoreceptors in Human Embryonic Kidney 293 Cells and Brain Synaptosomes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 325, 629-640. | 1.3 | 68 |
| 169 | Molecular Genetics of Brain Noradrenergic Neurotransmission. , 2008, , 129-147. | | 0 |
| 170 | Norepinephrine Transporter Regulation Mediates the Long-Term Behavioral Effects of the Antidepressant Desipramine. <i>Neuropsychopharmacology</i> , 2008, 33, 3190-3200. | 2.8 | 39 |
| 172 | Signatures of Depression in Non-Stationary Biometric Time Series. <i>Computational Intelligence and Neuroscience</i> , 2009, 2009, 1-7. | 1.1 | 1 |
| 173 | Desipramine Modulation of Î±-, Î³-Synuclein, and the Norepinephrine Transporter in an Animal Model of Depression. <i>Neuropsychopharmacology</i> , 2009, 34, 987-998. | 2.8 | 41 |
| 174 | Through the looking glass: Examining neuroanatomical evidence for cellular alterations in major depression. <i>Journal of Psychiatric Research</i> , 2009, 43, 947-961. | 1.5 | 129 |
| 175 | Subcellular localization of the antidepressant-sensitive norepinephrine transporter. <i>BMC Neuroscience</i> , 2009, 10, 65. | 0.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 176 | Trace amine-associated receptor 1 as a monoaminergic modulator in brain. <i>Biochemical Pharmacology</i> , 2009, 78, 1095-1104. | 2.0 | 91 |
| 177 | Emerging role of glutamate in the pathophysiology of major depressive disorder. <i>Brain Research Reviews</i> , 2009, 61, 105-123. | 9.1 | 340 |
| 178 | Monoamine transporter gene polymorphisms affect susceptibility to depression and predict antidepressant response. <i>Psychopharmacology</i> , 2009, 205, 409-417. | 1.5 | 67 |
| 179 | Depression and antidepressants: molecular and cellular aspects. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 2985-3008. | 2.4 | 70 |
| 180 | Saturated norepinephrine transporter occupancy by atomoxetine relevant to clinical doses: a rhesus monkey study with (S,S)-[18F]FMENR-D2. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1308-1314. | 3.3 | 23 |
| 181 | Long-term treatment with fluoxetine induces desensitization of 5-HT ₄ receptor-dependent signalling and functionality in rat brain. <i>Journal of Neurochemistry</i> , 2009, 110, 1120-1127. | 2.1 | 61 |
| 182 | Effects of transcription factors Phox2 on expression of norepinephrine transporter and dopamine β-hydroxylase in SK-N-BE(2)C cells. <i>Journal of Neurochemistry</i> , 2009, 110, 1502-1513. | 2.1 | 9 |
| 183 | Brain creatine kinase activity is increased by chronic administration of paroxetine. <i>Brain Research Bulletin</i> , 2009, 80, 327-330. | 1.4 | 33 |
| 184 | The norepinephrine transporter gene modulates the relationship between urban/rural residency and major depressive disorder in a Chinese population. <i>Psychiatry Research</i> , 2009, 168, 213-217. | 1.7 | 16 |
| 186 | Desipramine induced changes in the norepinephrine transporter, α - and β -synuclein in the hippocampus, amygdala and striatum. <i>Neuroscience Letters</i> , 2009, 467, 86-89. | 1.0 | 15 |
| 187 | Fluorine-18 Radiolabeled PET Tracers for Imaging Monoamine Transporters: Dopamine, Serotonin, and Norepinephrine. <i>PET Clinics</i> , 2009, 4, 101-128. | 1.5 | 19 |
| 189 | Differential modulation of alpha-1 adrenoceptor subtypes by antidepressants in the rat brain. <i>Journal of Neural Transmission</i> , 2010, 117, 1423-1430. | 1.4 | 8 |
| 190 | Emerging structure-function relationships defining monoamine NSS transporter substrate and ligand affinity. <i>Biochemical Pharmacology</i> , 2010, 79, 1083-1091. | 2.0 | 29 |
| 191 | Association studies of α -3081(A/T) polymorphism of norepinephrine transporter gene with attention deficit/hyperactivity disorder in Korean population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 691-694. | 1.1 | 21 |
| 192 | (¹⁸ F)-MFP3 as a potential PET imaging agent for norepinephrine transporter. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2010, 53, 172-177. | 0.5 | 1 |
| 194 | Rab11 Supports Amphetamine-Stimulated Norepinephrine Transporter Trafficking. <i>Journal of Neuroscience</i> , 2010, 30, 7863-7877. | 1.7 | 27 |
| 195 | Insulin Reveals Akt Signaling as a Novel Regulator of Norepinephrine Transporter Trafficking and Norepinephrine Homeostasis. <i>Journal of Neuroscience</i> , 2010, 30, 11305-11316. | 1.7 | 71 |
| 196 | Chemical Delivery System of Metaiodobenzylguanidine (MIBG) to the Central Nervous System. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 1281-1287. | 2.9 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 197 | Reserpine-induced reduction in norepinephrine transporter function requires catecholamine storage vesicles. <i>Neurochemistry International</i> , 2010, 56, 760-767. | 1.9 | 29 |
| 198 | The norepinephrine transporter (NET) radioligand (S,S)-[18F]FMeNER-D2 shows significant decreases in NET density in the human brain in Alzheimer's disease: A post-mortem autoradiographic study. <i>Neurochemistry International</i> , 2010, 56, 789-798. | 1.9 | 62 |
| 199 | A timeline for Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2010, 16, 79-84. | 1.1 | 470 |
| 200 | Comorbidity of insomnia and depression. <i>Sleep Medicine Reviews</i> , 2010, 14, 35-46. | 3.8 | 371 |
| 201 | Pathobiological targets of depression. <i>Expert Opinion on Therapeutic Targets</i> , 2011, 15, 379-400. | 1.5 | 58 |
| 202 | Discovery of Novel Selective Serotonin Reuptake Inhibitors through Development of a Protein-Based Pharmacophore. <i>Journal of Chemical Information and Modeling</i> , 2011, 51, 2417-2426. | 2.5 | 27 |
| 203 | Synuclein modulation of monoamine transporters. <i>FEBS Letters</i> , 2011, 585, 1001-1006. | 1.3 | 64 |
| 204 | The importance of norepinephrine in depression. <i>Neuropsychiatric Disease and Treatment</i> , 2011, 7, 9. | 1.0 | 217 |
| 205 | Altered expression of glutamate signaling, growth factor, and glia genes in the locus coeruleus of patients with major depression. <i>Molecular Psychiatry</i> , 2011, 16, 634-646. | 4.1 | 313 |
| 206 | Regulation of monoamine transporters: Role of transporter phosphorylation. , 2011, 129, 220-238. | | 120 |
| 207 | Maternal depression and anxiety are associated with altered gene expression in the human placenta without modification by antidepressant use: Implications for fetal programming. <i>Developmental Psychobiology</i> , 2011, 53, 711-723. | 0.9 | 75 |
| 208 | A Second Extracellular Site Is Required for Norepinephrine Transport by the Human Norepinephrine Transporter. <i>Molecular Pharmacology</i> , 2012, 82, 898-909. | 1.0 | 18 |
| 209 | Neurobiology of Depression and Novel Antidepressant Drug Targets. <i>Current Pharmaceutical Design</i> , 2012, 18, 5791-5801. | 0.9 | 20 |
| 210 | Norepinephrine Transporter Imaging in the Brain of a Rat Model of Depression Using Radioiodinated (2S, 1±S)-2-(1±-(2-iodophenoxy)benzyl)morpholine. <i>Molecular Imaging</i> , 2012, 11, 7290.2011.00049. | 0.7 | 3 |
| 211 | Noradrenergic Dysfunction in Depression and Suicide. <i>Frontiers in Neuroscience</i> , 2012, , 29-64. | 0.0 | 19 |
| 212 | Organization of Brainstem Nuclei. , 2012, , 260-327. | | 70 |
| 213 | Synergistic tonic and phasic activity of the locus coeruleus norepinephrine (LC-NE) arousal system is required for optimal attentional performance. <i>Metabolic Brain Disease</i> , 2012, 27, 267-274. | 1.4 | 118 |
| 214 | 1±2 adrenergic receptor dysregulation in depressive disorders: Implications for the neurobiology of depression and antidepressant therapy. <i>Neuroscience and Biobehavioral Reviews</i> , 2012, 36, 2214-2225. | 2.9 | 94 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 215 | Pupillometry. <i>Perspectives on Psychological Science</i> , 2012, 7, 18-27. | 5.2 | 696 |
| 218 | Monoamine Transporter Structure, Function, Dynamics, and Drug Discovery: A Computational Perspective. <i>AAPS Journal</i> , 2012, 14, 820-831. | 2.2 | 39 |
| 219 | X-ray structures of LeuT in substrate-free outward-open and apo inward-open states. <i>Nature</i> , 2012, 481, 469-474. | 13.7 | 488 |
| 220 | Evidence for Transcriptional Factor Dysregulation in the Dorsal Raphe Nucleus of Patients with Major Depressive Disorder. <i>Frontiers in Neuroscience</i> , 2012, 6, 135. | 1.4 | 35 |
| 221 | Immunohistochemical evidence for impaired nitric oxide signaling of the locus coeruleus in bipolar disorder. <i>Brain Research</i> , 2012, 1459, 91-99. | 1.1 | 17 |
| 222 | Association between major depressive disorder and the norepinephrine transporter polymorphisms T-182C and G1287A: A meta-analysis. <i>Journal of Affective Disorders</i> , 2013, 150, 23-28. | 2.0 | 27 |
| 223 | Development and automation of a novel NET-PET tracer: [11C]Me@APPI. <i>Nuclear Medicine and Biology</i> , 2013, 40, 295-303. | 0.3 | 11 |
| 224 | Catecholamine depletion in first-degree relatives of individuals with mood disorders: An [18F]fluorodeoxyglucose positron emission tomography study. <i>NeuroImage: Clinical</i> , 2013, 2, 341-355. | 1.4 | 3 |
| 225 | Recent Progress in Understanding the Pathophysiology of Post-Traumatic Stress Disorder. <i>CNS Drugs</i> , 2013, 27, 221-232. | 2.7 | 78 |
| 226 | Methylphenidate. <i>CNS Drugs</i> , 2013, 27, 1-14. | 2.7 | 40 |
| 227 | Role of Serotonin Type-1A/B (Hydroxytryptamine) Receptors in Depression Revisited. <i>Systematic Reviews in Pharmacy (discontinued)</i> , 2013, 4, 7. | 0.6 | 0 |
| 228 | Norepinephrine transporter variant A457P knock-in mice display key features of human postural orthostatic tachycardia syndrome. <i>DMM Disease Models and Mechanisms</i> , 2013, 6, 1001-11. | 1.2 | 17 |
| 229 | Gene expression deficits in pontine locus coeruleus astrocytes in men with major depressive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2013, 38, 276-284. | 1.4 | 84 |
| 230 | The current state of play on the molecular genetics of depression. <i>Psychological Medicine</i> , 2013, 43, 673-687. | 2.7 | 73 |
| 231 | Altered expression of norepinephrine transporter and norepinephrine in human placenta cause pre-eclampsia through regulated trophoblast invasion. <i>Clinical and Experimental Reproductive Medicine</i> , 2013, 40, 12. | 0.5 | 10 |
| 232 | Invisible emotional expressions influence social judgments and pupillary responses of both depressed and non-depressed individuals. <i>Frontiers in Psychology</i> , 2013, 4, 291. | 1.1 | 20 |
| 233 | Effects of Acute Intracerebroventricular Microinfusions of Bupropion on Background Spike Activity of Locus Coeruleus Neurons in Rats. <i>Neurophysiology</i> , 2014, 46, 316-322. | 0.2 | 1 |
| 234 | Norepinephrine transporter occupancy by nortriptyline in patients with depression: a positron emission tomography study with (S,S)-[18F]FMeNER-D2. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 553-560. | 1.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Association between norepinephrine transporter T-182C polymorphism and major depressive disorder: A meta-analysis. <i>Neuroscience Letters</i> , 2014, 561, 64-68. | 1.0 | 8 |
| 236 | Depressive behavior in the forced swim test can be induced by TRPV1 receptor activity and is dependent on NMDA receptors. <i>Pharmacological Research</i> , 2014, 79, 21-27. | 3.1 | 51 |
| 237 | Toward a Biosignature for Suicide. <i>American Journal of Psychiatry</i> , 2014, 171, 1259-1277. | 4.0 | 238 |
| 238 | [¹¹ C]NS8880, a promising PET radiotracer targeting the norepinephrine transporter. <i>Nuclear Medicine and Biology</i> , 2014, 41, 758-764. | 0.3 | 6 |
| 239 | Omega-3 fatty acid deficient male rats exhibit abnormal behavioral activation in the forced swim test following chronic fluoxetine treatment: Association with altered 5-HT1A and alpha2A adrenergic receptor expression. <i>Journal of Psychiatric Research</i> , 2014, 50, 42-50. | 1.5 | 24 |
| 240 | Interactions of atenolol with alprazolam/escitalopram on anxiety, depression and oxidative stress. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 117, 79-84. | 1.3 | 19 |
| 241 | Synthesis and in Silico Evaluation of Novel Compounds for PET-Based Investigations of the Norepinephrine Transporter. <i>Molecules</i> , 2015, 20, 1712-1730. | 1.7 | 6 |
| 242 | A Review of Biomarkers in Mood and Psychotic Disorders: A Dissection of Clinical vs. Preclinical Correlates. <i>Current Neuropharmacology</i> , 2015, 13, 324-368. | 1.4 | 75 |
| 243 | Acute Vagal Nerve Stimulation Lowers β_2 Adrenoceptor Availability: Possible Mechanism of Therapeutic Action. <i>Brain Stimulation</i> , 2015, 8, 702-707. | 0.7 | 34 |
| 244 | Serotonin transporter (5-HTTLPR) and norepinephrine transporter (NET) gene polymorphisms: Susceptibility and treatment response of electroconvulsive therapy in treatment resistant depression. <i>Neuroscience Letters</i> , 2015, 590, 116-120. | 1.0 | 17 |
| 245 | Major depression and electrovestibulography. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 334-350. | 1.3 | 26 |
| 246 | Orexin and Sleep. , 2015, , . | | 2 |
| 247 | Molecular imaging of striatal dopamine transporters in major depression—A meta-analysis. <i>Journal of Affective Disorders</i> , 2015, 174, 137-143. | 2.0 | 27 |
| 248 | Withdrawal from repeated administration of a low dose of reserpine induced opposing adaptive changes in the noradrenaline and serotonin system function: A behavioral and neurochemical ex vivo and in vivo studies in the rat. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 57, 146-154. | 2.5 | 9 |
| 249 | The selective noradrenergic reuptake inhibitor reboxetine restores spatial learning deficits, biochemical changes, and hippocampal synaptic plasticity in an animal model of depression. <i>Journal of Neuroscience Research</i> , 2015, 93, 104-120. | 1.3 | 22 |
| 250 | Dentate gyrus and hilar region revisited. <i>Behavioral and Brain Sciences</i> , 2016, 39, e210. | 0.4 | 2 |
| 251 | Relationship between G1287A of the NET Gene Polymorphisms and Brain Volume in Major Depressive Disorder: A Voxel-Based MRI Study. <i>PLoS ONE</i> , 2016, 11, e0150712. | 1.1 | 18 |
| 252 | Evaluation of [¹¹ C]TAZA for amyloid β_2 plaque imaging in postmortem human Alzheimer's disease brain region and whole body distribution in rodent PET/CT. <i>Synapse</i> , 2016, 70, 163-176. | 0.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | GANEing traction: The broad applicability of NE hotspots to diverse cognitive and arousal phenomena. Behavioral and Brain Sciences, 2016, 39, e228. | 0.4 | 16 |
| 254 | Bodily arousal differentially impacts stimulus processing and memory: Norepinephrine in interoception. Behavioral and Brain Sciences, 2016, 39, e205. | 0.4 | 5 |
| 255 | What do we GANE with age?. Behavioral and Brain Sciences, 2016, 39, e218. | 0.4 | 2 |
| 256 | Amplified selectivity in cognitive processing implements the neural gain model of norepinephrine function. Behavioral and Brain Sciences, 2016, 39, e206. | 0.4 | 7 |
| 257 | Emotionally arousing context modulates the ERP correlates of neutral picture processing: An ERP test of the GANE model. Behavioral and Brain Sciences, 2016, 39, e225. | 0.4 | 4 |
| 258 | The role of arousal in predictive coding. Behavioral and Brain Sciences, 2016, 39, e207. | 0.4 | 11 |
| 259 | Glutamate and norepinephrine interaction: Relevance to higher cognitive operations and psychopathology. Behavioral and Brain Sciences, 2016, 39, e201. | 0.4 | 6 |
| 260 | Does arousal enhance apical amplification and disamplification?. Behavioral and Brain Sciences, 2016, 39, e215. | 0.4 | 6 |
| 261 | GANEing on emotion and emotion regulation. Behavioral and Brain Sciences, 2016, 39, e211. | 0.4 | 0 |
| 262 | What BANE can offer GANE: Individual differences in function of hotspot mechanisms. Behavioral and Brain Sciences, 2016, 39, e226. | 0.4 | 0 |
| 263 | Interactions of noradrenaline and cortisol and the induction of indelible memories. Behavioral and Brain Sciences, 2016, 39, e213. | 0.4 | 1 |
| 264 | For better or worse, or for a change?. Behavioral and Brain Sciences, 2016, 39, e203. | 0.4 | 0 |
| 265 | Bidirectional synaptic plasticity can explain bidirectional retrograde effects of emotion on memory. Behavioral and Brain Sciences, 2016, 39, e224. | 0.4 | 1 |
| 266 | Antidepressant imipramine diminishes stress-induced inflammation in the periphery and central nervous system and related anxiety- and depressive- like behaviors. Brain, Behavior, and Immunity, 2016, 57, 293-303. | 2.0 | 73 |
| 267 | The Role of Genetic and Environmental Risk Factors in Aetiology of Suicidal Behaviour. , 2016, , 205-230. | | 0 |
| 268 | A2 noradrenergic neurons regulate forced swim test immobility. Physiology and Behavior, 2016, 165, 339-349. | 1.0 | 8 |
| 269 | Cognitive control, dynamic salience, and the imperative toward computational accounts of neuromodulatory function. Behavioral and Brain Sciences, 2016, 39, e227. | 0.4 | 5 |
| 270 | The Fluency Amplification Model supports the GANE principle of arousal enhancement. Behavioral and Brain Sciences, 2016, 39, e204. | 0.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Once more with feeling: On the explanatory limits of the GANE model and the missing role of subjective experience. Behavioral and Brain Sciences, 2016, 39, e212. | 0.4 | 0 |
| 272 | Competition elicits arousal and affect. Behavioral and Brain Sciences, 2016, 39, e220. | 0.4 | 0 |
| 273 | Effect of arousal on perception as studied through the lens of the motor correlates of sexual arousal. Behavioral and Brain Sciences, 2016, 39, e217. | 0.4 | 1 |
| 274 | Emotional memory: From affective relevance to arousal. Behavioral and Brain Sciences, 2016, 39, e216. | 0.4 | 9 |
| 275 | Effects of norepinephrine transporter gene variants on <scp>NET</scp> binding in <scp>ADHD</scp> and healthy controls investigated by <scp>PET</scp>. Human Brain Mapping, 2016, 37, 884-895. | 1.9 | 37 |
| 276 | Depressive Disorder After Pontine Ischemic Stroke: Clinicoradiologic Correlates. Journal of Neuropsychiatry and Clinical Neurosciences, 2016, 28, e1-e2. | 0.9 | 1 |
| 277 | The central nervous norepinephrine network links a diminished sense of emotional well-being to an increased body weight. International Journal of Obesity, 2016, 40, 779-787. | 1.6 | 16 |
| 278 | Ca ²⁺ dependent surface trafficking of norepinephrine transporters depends on threonine 30 and Ca ²⁺ calmodulin kinases. Journal of Chemical Neuroanatomy, 2017, 83-84, 19-35. | 1.0 | 4 |
| 279 | PET Quantification of the Norepinephrine Transporter in Human Brain with (<i>S,S</i>)- ¹⁸ F-FMeNER-D ₂ . Journal of Nuclear Medicine, 2017, 58, 1140-1145. | 2.8 | 18 |
| 280 | DNA methylation in the norepinephrine transporter gene promoter region is not associated with depression and hypertension. Clinical and Experimental Hypertension, 2017, 39, 539-545. | 0.5 | 3 |
| 281 | Changes in neural circuitry associated with depression at pre-clinical, pre-motor and early motor phases of Parkinson's disease. Parkinsonism and Related Disorders, 2017, 35, 17-24. | 1.1 | 43 |
| 282 | Norepinephrine Transporter in Major Depressive Disorder: A PET Study. American Journal of Psychiatry, 2017, 174, 36-41. | 4.0 | 38 |
| 283 | The Role of Norepinephrine and Its α -Adrenergic Receptors in the Pathophysiology and Treatment of Major Depressive Disorder and Schizophrenia: A Systematic Review. Frontiers in Psychiatry, 2017, 8, 42. | 1.3 | 92 |
| 284 | Dopamine and serotonin contribute to Paecilomyces hepiali against chronic unpredictable mild stress induced depressive behavior in Sprague Dawley rats. Molecular Medicine Reports, 2017, 16, 5675-5682. | 1.1 | 12 |
| 285 | A Positron Emission Tomography Study of Norepinephrine Transporter Occupancy and Its Correlation with Symptom Response in Depressed Patients Treated with Quetiapine XR. International Journal of Neuropsychopharmacology, 2018, 21, 108-113. | 1.0 | 10 |
| 286 | Biomarkers of Depression: Potential Diagnostic Tools. , 2018, , 35-51. | | 1 |
| 287 | High-resolution in vivo imaging of human locus coeruleus by magnetization transfer MRI at 3T and 7T. NeuroImage, 2018, 168, 427-436. | 2.1 | 104 |
| 288 | Conducting polymer-based electrochemical biosensors for neurotransmitters: A review. Biosensors and Bioelectronics, 2018, 102, 540-552. | 5.3 | 292 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | 18 F-labeled norepinephrine transporter tracer [18 F]NS12137: radiosynthesis and preclinical evaluation. <i>Nuclear Medicine and Biology</i> , 2018, 56, 39-46. | 0.3 | 7 |
| 290 | Stress induced neural reorganization: A conceptual framework linking depression and Alzheimer's disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 85, 136-151. | 2.5 | 46 |
| 291 | Zebrafish Mutants Carrying Leptin a (lepa) Gene Deficiency Display Obesity, Anxiety, Less Aggression and Fear, and Circadian Rhythm and Color Preference Dysregulation. <i>International Journal of Molecular Sciences</i> , 2018, 19, 4038. | 1.8 | 54 |
| 292 | Emotional Roles of Mono-Aminergic Neurotransmitters in Major Depressive Disorder and Anxiety Disorders. <i>Frontiers in Psychology</i> , 2018, 9, 2201. | 1.1 | 126 |
| 293 | Meta-analysis on the Association Between Norepinephrine Transporter Gene rs2242446, rs5569 Polymorphisms and Risk of Major Depressive Disorder. <i>Archives of Medical Research</i> , 2018, 49, 261-269. | 1.5 | 5 |
| 294 | Î±-Synuclein and Noradrenergic Modulation of Immune Cells in Parkinsonâ€™s Disease Pathogenesis. <i>Frontiers in Neuroscience</i> , 2018, 12, 626. | 1.4 | 28 |
| 295 | Regulation of monoamine transporters and receptors by lipid microdomains: implications for depression. <i>Neuropsychopharmacology</i> , 2018, 43, 2165-2179. | 2.8 | 29 |
| 296 | Sex differences in the effect of cannabinoid type 1 receptor deletion on locus coeruleusâ€™norepinephrine neurons and corticotropin releasing factorâ€™mediated responses. <i>European Journal of Neuroscience</i> , 2018, 48, 2118-2138. | 1.2 | 16 |
| 297 | Habenular connectivity may predict treatment response in depressed psychiatric inpatients. <i>Journal of Affective Disorders</i> , 2019, 242, 211-219. | 2.0 | 29 |
| 298 | The contribution of the locus coeruleus-norepinephrine system in the emergence of defeat-induced inflammatory priming. <i>Brain, Behavior, and Immunity</i> , 2019, 79, 102-113. | 2.0 | 33 |
| 299 | Noradrenergic depletion causes sex specific alterations in the endocannabinoid system in the Murine prefrontal cortex. <i>Neurobiology of Stress</i> , 2019, 10, 100164. | 1.9 | 3 |
| 300 | Association study of SLC6A2 gene Thr99Ile variant (rs1805065) with athletic status in the Brazilian population. <i>Gene</i> , 2019, 707, 53-57. | 1.0 | 3 |
| 301 | Recent Trends in the Quantification of Biogenic Amines in Biofluids as Biomarkers of Various Disorders: A Review. <i>Journal of Clinical Medicine</i> , 2019, 8, 640. | 1.0 | 31 |
| 302 | The Sixth Sense Organs: The Heart. , 2019, , 243-250. | | 0 |
| 303 | Modulatory effects of cannabinoids on brain neurotransmission. <i>European Journal of Neuroscience</i> , 2019, 50, 2322-2345. | 1.2 | 64 |
| 304 | Classifying suicidal behavior with restingâ€™state functional connectivity and structural neuroimaging. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 20-29. | 2.2 | 41 |
| 305 | Disabling the GÎ²Î³-SNARE interaction disrupts GPCR-mediated presynaptic inhibition, leading to physiological and behavioral phenotypes. <i>Science Signaling</i> , 2019, 12, . | 1.6 | 33 |
| 306 | Venlafaxine ER Blocks the Norepinephrine Transporter in the Brain of Patients with Major Depressive Disorder: a PET Study Using [18F]FMeNER-D2. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 278-285. | 1.0 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Pharmacological manipulations of judgement bias: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 108, 269-286. | 2.9 | 50 |
| 308 | Unraveling the contributions to the neuromelanin-MRI contrast. <i>Brain Structure and Function</i> , 2020, 225, 2757-2774. | 1.2 | 41 |
| 309 | Associations Among Monoamine Neurotransmitter Pathways, Personality Traits, and Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 381. | 1.3 | 36 |
| 310 | Structure-Function of the High Affinity Substrate Binding Site (S1) of Human Norepinephrine Transporter. <i>Frontiers in Pharmacology</i> , 2020, 11, 217. | 1.6 | 7 |
| 311 | Efficacy and safety of 5-hydroxytryptophan on depression and apathy in Parkinson's disease: a preliminary finding. <i>European Journal of Neurology</i> , 2020, 27, 779-786. | 1.7 | 20 |
| 312 | Significance?... Significance! Empirical, methodological, and theoretical connections between the late positive potential and P300 as neural responses to stimulus significance: An integrative review. <i>Psychophysiology</i> , 2020, 57, e13570. | 1.2 | 181 |
| 313 | A Novel Function of the Lysophosphatidic Acid Receptor 3 (LPAR3) Gene in Zebrafish on Modulating Anxiety, Circadian Rhythm Locomotor Activity, and Short-Term Memory. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2837. | 1.8 | 6 |
| 314 | Psychedelics in Psychiatry: Neuroplastic, Immunomodulatory, and Neurotransmitter Mechanisms. <i>Pharmacological Reviews</i> , 2021, 73, 202-277. | 7.1 | 110 |
| 315 | Neurocognitive diseases and disorders. , 2021, , 167-201. | | 0 |
| 316 | The rostromedial tegmental nucleus: Features and links with alcohol and depression. , 2021, , 311-321. | | 0 |
| 317 | Examining the Role of the Noradrenergic Locus Coeruleus for Predicting Attention and Brain Maintenance in Healthy Old Age and Disease: An MRI Structural Study for the Alzheimer's Disease Neuroimaging Initiative. <i>Cells</i> , 2021, 10, 1829. | 1.8 | 21 |
| 318 | Integrating the monoamine and cytokine hypotheses of depression: Is histamine the missing link?. <i>European Journal of Neuroscience</i> , 2022, 55, 2895-2911. | 1.2 | 11 |
| 319 | Role of serotonergic and noradrenergic systems in the pathophysiology of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2000, 12, 2-19. | 2.0 | 510 |
| 320 | Human Genetics and Pharmacology of Neurotransmitter Transporters. , 2006, , 327-371. | | 26 |
| 321 | Sleep disturbances in affective disorders. , 2006, , 101-124. | | 7 |
| 322 | Regulation of Biogenic Amine Transporters. , 2007, , 363-386. | | 2 |
| 323 | Anatomical Characteristics of Norepinephrine Axons in the Prefrontal Cortex: Unexpected Findings That May Indicate Low Activity State in Na ⁺ -ve Animals. , 2007, , 35-65. | | 2 |
| 324 | Quantitative Cytoarchitectonic Findings in Postmortem Brain Tissue from Mood Disorder Patients. <i>Neurobiological Foundation of Aberrant Behaviors</i> , 2002, , 291-324. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Orexin and Circadian Influences in Sleep and Psychiatric Disorders: A Review of Experimental and Computational Modelling Studies. , 2015, , 299-322. | | 2 |
| 326 | Morphological substrates of mental dysfunction in Lewy body disease: an update. , 2000, 59, 185-212. | | 45 |
| 327 | Neurobiology of Monoaminergic Neurotransmission and Antidepressants. , 2014, , 321-341. | | 3 |
| 328 | Organization of the stress system and its dysregulation in melancholic and atypical depression: high vs low CRH/NE states. , 0, . | | 9 |
| 330 | Global Brain Gene Expression Analysis Links Glutamatergic and GABAergic Alterations to Suicide and Major Depression. PLoS ONE, 2009, 4, e6585. | 1.1 | 333 |
| 331 | Regulation of Monoamine Transporters: Regulated Phosphorylation, Dephosphorylation, and Trafficking. , 0, , 001-023. | | 4 |
| 332 | Gene Organization and Polymorphisms of Monoamine Transporters: Relationship to Psychiatric and Other Complex Diseases. , 0, , 111-169. | | 11 |
| 333 | Pathophysiology of depression and mechanisms of treatment. Dialogues in Clinical Neuroscience, 2002, 4, 7-20. | 1.8 | 159 |
| 334 | Cellular abnormalities in depression: evidence from postmortem brain tissue. Dialogues in Clinical Neuroscience, 2004, 6, 185-197. | 1.8 | 47 |
| 335 | Molecular mechanism of noradrenaline during the stress-induced major depressive disorder. Neural Regeneration Research, 2018, 13, 1159. | 1.6 | 55 |
| 336 | The Impact of Depression and Apathy on Sensory Language. Open Journal of Modern Linguistics, 2017, 07, 8-32. | 0.1 | 5 |
| 337 | Calcium signaling cascades, antidepressants and major depressive disorders. , 2001, , 63-79. | | 0 |
| 338 | Familial Orthostatic Tachycardia due to Norepinephrine Transporter (SLC6A2) Deficiency. Advances in Behavioral Biology, 2002, , 499-504. | 0.2 | 0 |
| 339 | Neurobiologische Grundlagen. , 2002, , 1-77. | | 0 |
| 340 | Monoamine Receptors in Postmortem Brain: Do Postmortem Brain Studies Cloud or Clarify our Understanding of the Affective Disorders?. Neurobiological Foundation of Aberrant Behaviors, 2002, , 363-385. | 0.2 | 1 |
| 342 | New Developments in the Regulation of Monoaminergic Neurotransmission. , 2003, , 25-42. | | 0 |
| 343 | Effects of Milnacipran on the Inhibitory Postsynaptic Potential in Neurons of the Rat Locus Coeruleus. Kurume Medical Journal, 2004, 51, 185-191. | 0.0 | 1 |
| 344 | Regulation of Monoamine Transporters: Influence of Psychostimulants and Therapeutic Antidepressants. , 2008, , 247-264. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 345 | Psychiatric diseases. , 2008, , 1153-1195. | | 0 |
| 346 | Genetic Regulation of Emotion Brain Circuitries. , 2011, , 108-129. | | 0 |
| 347 | Affektive Erkrankungen. , 2012, , 315-324. | | 0 |
| 348 | Molekulare Mechanismen der Depressionstherapie. , 1999, , 273-318. | | 4 |
| 352 | Shape Deformation in the Brainstem of Medication-Naïve Female Patients with Major Depressive Disorder. Psychiatry Investigation, 2020, 17, 465-474. | 0.7 | 4 |
| 354 | Radiopharmaceuticals: Recent Developments and Trends. , 2006, , 247-274. | | 0 |
| 355 | Lack of association between the norepinephrine transporter gene and major depression in a Han Chinese population. Journal of Psychiatry and Neuroscience, 2007, 32, 121-8. | 1.4 | 31 |
| 356 | Neurophysiological dynamics for psychological resilience: A view from the temporal axis. Neuroscience Research, 2022, 175, 53-61. | 1.0 | 6 |
| 357 | Novel Molecular Targets of Antidepressants. Molecules, 2022, 27, 533. | 1.7 | 9 |
| 358 | Gamma camera imaging in psychiatric disorders. , 2022, , . | | 0 |
| 364 | Introductory and Basic Aspects. , 0, , 2-50. | | 0 |
| 365 | The Relationships Among Metal Homeostasis, Mitochondria, and Locus Coeruleus in Psychiatric and Neurodegenerative Disorders: Potential Pathogenetic Mechanism and Therapeutic Implications. Cellular and Molecular Neurobiology, 2023, 43, 963-989. | 1.7 | 4 |
| 366 | Spike-Dependent Dynamic Partitioning of the Locus Coeruleus Network through Noradrenergic Volume Release in a Simulation of the Nucleus Core. Brain Sciences, 2022, 12, 728. | 1.1 | 1 |
| 368 | Loss of mitochondrial enzyme GPT2 causes early neurodegeneration in locus coeruleus. Neurobiology of Disease, 2022, 173, 105831. | 2.1 | 2 |
| 369 | Targeting the cannabinoid system to counteract the deleterious effects of stress in Alzheimer's disease. Frontiers in Aging Neuroscience, 0, 14, . | 1.7 | 2 |
| 370 | Biomarkers For the Diagnosis of Depression: Recent Updates. Current Psychiatry Research and Reviews, 2023, 19, 214-234. | 0.1 | 0 |
| 371 | Using type-2 fuzzy ontology to improve semantic interoperability for healthcare and diagnosis of depression. Artificial Intelligence in Medicine, 2023, 135, 102452. | 3.8 | 10 |
| 372 | Development of Post-Stroke Cognitive and Depressive Disturbances: Associations with Neurohumoral Indices. Current Issues in Molecular Biology, 2022, 44, 6290-6305. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 373 | Priorities for research on neuromodulatory subcortical systems in Alzheimer's disease: Position paper from the NSS PIA of ISTAART. <i>Alzheimer's and Dementia</i> , 2023, 19, 2182-2196. | 0.4 | 11 |
| 374 | Increased <i>Lactobacillus</i> Abundance Contributes to Stress Resilience in Mice Exposed to Chronic Social Defeat Stress. <i>Neuroendocrinology</i> , 2023, 113, 563-576. | 1.2 | 6 |
| 375 | Inhibition of norepinephrine signaling during a sensitive period disrupts locus coeruleus circuitry and emotional behaviors in adulthood. <i>Scientific Reports</i> , 2023, 13, . | 1.6 | 2 |
| 376 | Plausible Role of Stem Cell Types for Treating and Understanding the Pathophysiology of Depression. <i>Pharmaceutics</i> , 2023, 15, 814. | 2.0 | 4 |