

# Differential Expression of K4-AP Currents and Kv3.1 Potassium Channels in Cortical Neurons that Develop Distinct Firing Phenotypes

Journal of Neuroscience

17, 3136-3147

DOI: [10.1523/jneurosci.17-09-03136.1997](https://doi.org/10.1523/jneurosci.17-09-03136.1997)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Appearance of a fast inactivating voltage-dependent K <sup>+</sup> currents in developing cerebellar granule cells in vitro. <i>Neuroscience Research</i> , 1997, 29, 291-301.	1.0	8
2	Quantitative Single-Cell-Reverse Transcription-PCR Demonstrates That A-Current Magnitude Varies as a Linear Function of shal Gene Expression in Identified Stomatogastric Neurons. <i>Journal of Neuroscience</i> , 1997, 17, 6597-6610.	1.7	105
3	Increased calcium-dependent K <sup>+</sup> channel activity contributes to the maturation of cellular firing patterns in developing cerebellar Purkinje neurons. <i>Developmental Brain Research</i> , 1998, 108, 193-203.	2.1	22
4	Molecular structure and expression of shaker type potassium channels in glial cells of trout CNS. , 1998, 51, 284-292.		11
5	When, where, and how much? Expression of the Kv3.1 potassium channel in high-frequency firing neurons. , 1998, 37, 69-79.		94
6	Hyperpolarizing after-potentials regulate generation of long-duration plateau depolarizations in rat paraventricular nucleus neurons. <i>European Journal of Neuroscience</i> , 1998, 10, 1412-1421.	1.2	9
7	Sequence diversity of voltage-gated potassium channels in an electric fish. <i>Molecular Brain Research</i> , 1998, 54, 101-107.	2.5	15
8	Functional and Molecular Differences between Voltage-Gated K <sup>+</sup> Channels of Fast-Spiking Interneurons and Pyramidal Neurons of Rat Hippocampus. <i>Journal of Neuroscience</i> , 1998, 18, 8111-8125.	1.7	348
9	Heterologous Expression of the Kv3.1 Potassium Channel Eliminates Spike Broadening and the Induction of a Depolarizing Afterpotential in the Peptidergic Bag Cell Neurons. <i>Journal of Neuroscience</i> , 1998, 18, 9171-9180.	1.7	22
10	Depolarization Selectively Increases the Expression of the Kv3.1 Potassium Channel in Developing Inferior Colliculus Neurons. <i>Journal of Neuroscience</i> , 1998, 18, 8758-8769.	1.7	67
11	Outward Currents in <i>Drosophila</i> Larval Neurons: dunce Lacks a Maintained Outward Current Component Downregulated by cAMP. <i>Journal of Neuroscience</i> , 1998, 18, 1399-1407.	1.7	27
12	Bursting in Inhibitory Interneuronal Networks: A Role for Gap-Junctional Coupling. <i>Journal of Neurophysiology</i> , 1999, 81, 1274-1283.	0.9	119
13	Postsynaptic Glutamate Receptors and Integrative Properties of Fast-Spiking Interneurons in the Rat Neocortex. <i>Journal of Neurophysiology</i> , 1999, 82, 1295-1302.	0.9	117
14	Delayed Rectifier Currents in Rat Globus Pallidus Neurons Are Attributable to Kv2.1 and Kv3.1/3.2 K <sup>+</sup> Channels. <i>Journal of Neuroscience</i> , 1999, 19, 6394-6404.	1.7	103
15	Kv3.1 and Kv3.2 Channels Underlie a High-Voltage-Activating Component of the Delayed Rectifier K <sup>+</sup> Current in Projecting Neurons From the Globus Pallidus. <i>Journal of Neurophysiology</i> , 1999, 82, 1512-1528.	0.9	88
16	Increased $\delta$ - and Decreased $\gamma$ -Oscillations in a Mouse Deficient for a Potassium Channel Expressed in Fast-Spiking Interneurons. <i>Journal of Neurophysiology</i> , 1999, 82, 1855-1864.	0.9	68
17	GABA <sub>A</sub> Receptor-Mediated Miniature Postsynaptic Currents and $\delta$ -Subunit Expression in Developing Cortical Neurons. <i>Journal of Neurophysiology</i> , 1999, 82, 3286-3297.	0.9	123
18	K <sup>+</sup> Channel Expression Distinguishes Subpopulations of Parvalbumin- and Somatostatin-Containing Neocortical Interneurons. <i>Journal of Neuroscience</i> , 1999, 19, 9332-9345.	1.7	207

#	ARTICLE	IF	CITATIONS
19	Function of Specific K <sup>+</sup> Channels in Sustained High-Frequency Firing of Fast-Spiking Neocortical Interneurons. <i>Journal of Neurophysiology</i> , 1999, 82, 2476-2489.	0.9	423
20	Development of Neuronal Activity and Activity-dependent Expression of Brain-derived Neurotrophic Factor mRNA in Organotypic Cultures of Rat Visual Cortex. <i>Cerebral Cortex</i> , 1999, 9, 864-877.	1.6	34
21	Analysis of gene expression in single cells. <i>Current Opinion in Biotechnology</i> , 1999, 10, 579-582.	3.3	33
22	Contributions of Kv3 Channels to Neuronal Excitability. <i>Annals of the New York Academy of Sciences</i> , 1999, 868, 304-343.	1.8	270
23	Cortical neurons immunoreactive for the potassium channel Kv3.1b subunit are predominantly surrounded by perineuronal nets presumed as a buffering system for cations. <i>Brain Research</i> , 1999, 842, 15-29.	1.1	294
24	Ion conductances related to development of repetitive firing in mouse retinal ganglion neurons in situ. <i>Journal of Neurobiology</i> , 1999, 38, 191-206.	3.7	51
25	Patterns of spontaneous activity and morphology of interneuron types in organotypic cortex and thalamus-cortex cultures. <i>Neuroscience</i> , 1999, 92, 1243-1259.	1.1	56
26	Parvalbumin-immunoreactive, fast-spiking neurons in the medial septum/diagonal band complex of the rat: intracellular recordings in vitro. <i>Neuroscience</i> , 1999, 92, 589-600.	1.1	70
27	Isolation and heterologous expression of two genomic clones encoding Shaker-related potassium channels of trout CNS. , 2000, 60, 174-183.		11
28	Sustained upregulation in embryonic spinal neurons of a Kv3.1 potassium channel gene encoding a delayed rectifier current. <i>Journal of Neurobiology</i> , 2000, 42, 347-356.	3.7	26
29	Voltage-gated potassium channels in retinal ganglion cells of trout: A combined biophysical, pharmacological, and single-cell RT-PCR approach. <i>Journal of Neuroscience Research</i> , 2000, 62, 629-637.	1.3	18
30	H2 histamine receptor-phosphorylation of Kv3.2 modulates interneuron fast spiking. <i>Nature Neuroscience</i> , 2000, 3, 791-798.	7.1	105
31	Properties of voltage-gated potassium currents in nucleated patches from large layer 5 cortical pyramidal neurons of the rat. <i>Journal of Physiology</i> , 2000, 525, 593-609.	1.3	127
32	Muscle and motor-skill dysfunction in a K <sup>+</sup> channel-deficient mouse are not due to altered muscle excitability or fiber type but depend on the genetic background. <i>Pflügers Archiv European Journal of Physiology</i> , 2000, 440, 34-41.	1.3	13
33	Genes and channels: patch/voltage-clamp analysis and single-cell RT-PCR. <i>Cell and Tissue Research</i> , 2000, 302, 295-307.	1.5	55
34	Impaired Fast-Spiking, Suppressed Cortical Inhibition, and Increased Susceptibility to Seizures in Mice Lacking Kv3.2 K <sup>+</sup> Channel Proteins. <i>Journal of Neuroscience</i> , 2000, 20, 9071-9085.	1.7	160
35	Properties of a Calcium-Activated K <sup>+</sup> Current on Interneurons in the Developing Rat Hippocampus. <i>Journal of Neurophysiology</i> , 2000, 83, 3453-3461.	0.9	25
36	Conditional Spike Backpropagation Generates Burst Discharge in a Sensory Neuron. <i>Journal of Neurophysiology</i> , 2000, 84, 1519-1530.	0.9	87

#	ARTICLE	IF	CITATIONS
37	Potential Role for Kv3.1b Channels as Oxygen Sensors. <i>Circulation Research</i> , 2000, 86, 534-540.	2.0	128
38	Molecular cloning and functional characterization of Shaw-related potassium channels of trout CNS. <i>Molecular Brain Research</i> , 2000, 83, 9-19.	2.5	4
39	Properties of interneurons in the intermediolateral cell column of the rat spinal cord: role of the potassium channel subunit Kv3.1. <i>Neuroscience</i> , 2001, 106, 433-446.	1.1	58
40	Kv3 channels: voltage-gated K <sup>+</sup> channels designed for high-frequency repetitive firing. <i>Trends in Neurosciences</i> , 2001, 24, 517-526.	4.2	691
41	Expression of the Kv3.1 Potassium Channel in the Avian Auditory Brainstem. <i>Journal of Neuroscience</i> , 2001, 21, 485-494.	1.7	87
42	Postnatal Development of Spike Generation in Rat Medial Vestibular Nucleus Neurons. <i>Journal of Neurophysiology</i> , 2001, 85, 1899-1906.	0.9	51
43	Alcohol Hypersensitivity, Increased Locomotion, and Spontaneous Myoclonus in Mice Lacking the Potassium Channels Kv3.1 and Kv3.3. <i>Journal of Neuroscience</i> , 2001, 21, 6657-6665.	1.7	76
44	Modulation of Excitability by $\hat{\text{I}}_{\pm}$ -Dendrotoxin-Sensitive Potassium Channels in Neocortical Pyramidal Neurons. <i>Journal of Neuroscience</i> , 2001, 21, 6553-6560.	1.7	134
45	Maturation of channels and receptors: Consequences for excitability. <i>International Review of Neurobiology</i> , 2001, 45, 43-87.	0.9	14
46	Correlating Physiology with Gene Expression in Striatal Cholinergic Neurons. <i>Journal of Neurochemistry</i> , 2001, 74, 839-846.	2.1	47
47	Localization of two high-threshold potassium channel subunits in the rat central auditory system. <i>Journal of Comparative Neurology</i> , 2001, 437, 196-218.	0.9	140
48	Vertical Bias in Dendritic Trees of Non-pyramidal Neocortical Neurons Expressing GAD67-GFP In Vitro. <i>Cerebral Cortex</i> , 2001, 11, 666-678.	1.6	26
49	tipE Regulates Na <sup>+</sup> -dependent Repetitive Firing in Drosophila Neurons. <i>Molecular and Cellular Neurosciences</i> , 2002, 19, 402-416.	1.0	20
50	Spinal cord interneurons labelled transneuronally from the adrenal gland by a GFP-herpes virus construct contain the potassium channel subunit Kv3.1b. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2002, 98, 45-50.	1.4	19
51	Genes responsible for native depolarization-activated K <sup>+</sup> currents in neurons. <i>Neuroscience Research</i> , 2002, 42, 7-14.	1.0	78
52	Dynamics and diversity in interneurons: a model exploration with slowly inactivating potassium currents. <i>Neuroscience</i> , 2002, 113, 193-203.	1.1	11
53	Activity- and Target-Dependent Regulation of Large-Conductance Ca <sup>2+</sup> -Activated K <sup>+</sup> Channels in Developing Chick Lumbar Motoneurons. <i>Journal of Neuroscience</i> , 2002, 22, 73-81.	1.7	24
54	Resilient RTN Fast Spiking in Kv3.1 Null Mice Suggests Redundancy in the Action Potential Repolarization Mechanism. <i>Journal of Neurophysiology</i> , 2002, 87, 1303-1310.	0.9	32

#	ARTICLE	IF	CITATIONS
55	Developmental expression of potassium-channel subunit Kv3.2 within subpopulations of mouse hippocampal inhibitory interneurons. <i>Hippocampus</i> , 2002, 12, 137-148.	0.9	63
56	Physiological effects of sustained blockade of excitatory synaptic transmission on spontaneously active developing neuronal networks—an inquiry into the reciprocal linkage between intrinsic biorhythms and neuroplasticity in early ontogeny. <i>Neuroscience and Biobehavioral Reviews</i> , 2002, 26, 127-185.	2.9	123
57	Transforming growth factor- $\beta$ changes firing properties of developing neocortical GABAergic neurons by down-regulation of voltage-gated potassium currents. <i>Neuroscience</i> , 2003, 122, 637-646.	1.1	9
58	Protofibrils of amyloid $\beta$ -protein inhibit specific K <sup>+</sup> currents in neocortical cultures. <i>Neurobiology of Disease</i> , 2003, 13, 177-190.	2.1	77
59	Latent Herpes Simplex Virus Infection of Sensory Neurons Alters Neuronal Gene Expression. <i>Journal of Virology</i> , 2003, 77, 9533-9541.	1.5	58
60	Brain-Derived Neurotrophic Factor Mediates Activity-Dependent Dendritic Growth in Nonpyramidal Neocortical Interneurons in Developing Organotypic Cultures. <i>Journal of Neuroscience</i> , 2003, 23, 5662-5673.	1.7	130
61	Early Development of Voltage-Gated Ion Currents and Firing Properties in Neurons of the Mouse Cerebral Cortex. <i>Journal of Neurophysiology</i> , 2003, 89, 1761-1773.	0.9	127
62	Characterization of the Kv channels of mouse carotid body chemoreceptor cells and their role in oxygen sensing. <i>Journal of Physiology</i> , 2004, 557, 457-471.	1.3	79
63	Spontaneous, synchronous electrical activity in neonatal mouse cortical neurones. <i>Journal of Physiology</i> , 2004, 560, 377-390.	1.3	140
64	Developmental changes of transient potassium currents in large aspiny neurons in the neostriatum. <i>Developmental Brain Research</i> , 2004, 153, 97-107.	2.1	13
65	Parvalbumin is expressed in glutamatergic and GABAergic corticostriatal pathway in mice. <i>Journal of Comparative Neurology</i> , 2004, 477, 188-201.	0.9	75
66	Maturation of spiking activity in trout retinal ganglion cells coincides with upregulation of Kv3.1- and BK-related potassium channels. <i>Journal of Neuroscience Research</i> , 2004, 75, 44-54.	1.3	21
67	Energy metabolism in mammalian brain during development. <i>Progress in Neurobiology</i> , 2004, 73, 397-445.	2.8	259
68	A voltage-gated potassium channel, Kv3.1b, is expressed by a subpopulation of large pyramidal neurons in layer 5 of the macaque monkey cortex. <i>Neuroscience</i> , 2004, 129, 179-185.	1.1	33
69	Aminoglycosides block the Kv3.1 potassium channel and reduce the ability of inferior colliculus neurons to fire at high frequencies. <i>Journal of Neurobiology</i> , 2005, 62, 439-452.	3.7	12
70	Microgenomics: gene expression analysis at the tissue-specific and single-cell levels. <i>Journal of Experimental Botany</i> , 2005, 56, 495-505.	2.4	64
71	International Union of Pharmacology. LIII. Nomenclature and Molecular Relationships of Voltage-Gated Potassium Channels. <i>Pharmacological Reviews</i> , 2005, 57, 473-508.	7.1	785
72	Bifurcations in Modified BVP Neurons Connected by Inhibitory and Electrical Coupling. , 0, , .		1

#	ARTICLE	IF	CITATIONS
73	Ion Channel Development, Spontaneous Activity, and Activity-Dependent Development in Nerve and Muscle Cells. <i>Physiological Reviews</i> , 2005, 85, 883-941.	13.1	339
74	Voltage-gated and two-pore-domain potassium channels in murine spiral ganglion neurons. <i>Hearing Research</i> , 2006, 222, 89-99.	0.9	37
75	Fast IPSCs in rat thalamic reticular nucleus require the GABA <sub>A</sub> receptor $\gamma 2$ subunit. <i>Journal of Physiology</i> , 2006, 572, 459-475.	1.3	33
76	Glutathione deficit during development induces anomalies in the rat anterior cingulate GABAergic neurons: Relevance to schizophrenia. <i>Neurobiology of Disease</i> , 2006, 22, 624-637.	2.1	87
77	Differential Expression of IA Channel Subunits Kv4.2 and Kv4.3 in Mouse Visual Cortical Neurons and Synapses. <i>Journal of Neuroscience</i> , 2006, 26, 12274-12282.	1.7	75
78	Voltage-Dependent Potassium Currents During Fast Spikes of Rat Cerebellar Purkinje Neurons: Inhibition by BDS-I Toxin. <i>Journal of Neurophysiology</i> , 2007, 97, 563-571.	0.9	53
79	Brain-Derived Neurotrophic Factor Regulates the Maturation of Layer 4 Fast-Spiking Cells after the Second Postnatal Week in the Developing Barrel Cortex. <i>Journal of Neuroscience</i> , 2007, 27, 2241-2252.	1.7	83
80	Firing Properties of GABAergic Versus Non-GABAergic Vestibular Nucleus Neurons Conferred by a Differential Balance of Potassium Currents. <i>Journal of Neurophysiology</i> , 2007, 97, 3986-3996.	0.9	44
81	Development of gerbil medial superior olive: integration of temporally delayed excitation and inhibition at physiological temperature. <i>Journal of Physiology</i> , 2007, 584, 167-190.	1.3	49
82	Mechanisms of formation of background activity of cerebral neurons in ontogenesis. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2007, 43, 537-547.	0.2	1
83	The action potential in mammalian central neurons. <i>Nature Reviews Neuroscience</i> , 2007, 8, 451-465.	4.9	1,367
84	Inhibitory Inputs to Hippocampal Interneurons Are Reorganized in <i>Lis1</i> Mutant Mice. <i>Journal of Neurophysiology</i> , 2009, 102, 648-658.	0.9	22
85	Experience-Dependent Intrinsic Plasticity in Interneurons of Barrel Cortex Layer IV. <i>Journal of Neurophysiology</i> , 2009, 102, 2955-2973.	0.9	60
86	Visual experience regulates Kv3.1b and Kv3.2 expression in developing rat visual cortex. <i>Neuroscience</i> , 2009, 158, 654-664.	1.1	11
87	Precise localization of the voltage-gated potassium channel subunits Kv3.1b and Kv3.3 revealed in the molecular layer of the rat cerebellar cortex by a pre-embedding immunogold method. <i>Histochemistry and Cell Biology</i> , 2010, 134, 403-409.	0.8	19
88	Secondhand smoke exposure alters K <sup>+</sup> channel function and intrinsic cell excitability in a subset of second-order airway neurons in the nucleus tractus solitarius of young guinea pigs. <i>European Journal of Neuroscience</i> , 2010, 31, 673-684.	1.2	13
89	Distribution and role of Kv3.1b in neurons in the medial septum diagonal band complex. <i>Neuroscience</i> , 2010, 166, 952-969.	1.1	35
90	Developmental Plasticity of Inhibitory Circuitry. , 2010, , .		1

#	ARTICLE	IF	CITATIONS
91	Potassium channel modulation and auditory processing. <i>Hearing Research</i> , 2011, 279, 32-42.	0.9	40
92	Effects of NR2A and NR2B-containing N-methyl-D-aspartate receptors on neuronal-firing properties. <i>NeuroReport</i> , 2011, 22, 762-766.	0.6	8
93	Kv1 channels control spike threshold dynamics and spike timing in cortical pyramidal neurones. <i>Journal of Physiology</i> , 2011, 589, 5125-5142.	1.3	90
94	Altered intrinsic properties of neuronal subtypes in malformed epileptogenic cortex. <i>Brain Research</i> , 2011, 1374, 116-128.	1.1	14
95	Selective underexpression of Kv3.2 and Kv3.4 channels in the cortex of rats exposed to ethanol during early postnatal life. <i>Neurological Sciences</i> , 2011, 32, 571-577.	0.9	12
96	Development of NMDA NR2 subunits and their roles in critical period maturation of neocortical GABAergic interneurons. <i>Developmental Neurobiology</i> , 2011, 71, 221-245.	1.5	52
97	Potassium Channels in <i>Drosophila</i> : Historical Breakthroughs, Significance, and Perspectives. <i>Journal of Neurogenetics</i> , 2012, 26, 275-290.	0.6	31
98	Changes in the physiology of CA1 hippocampal pyramidal neurons in preplaque CRND8 mice. <i>Neurobiology of Aging</i> , 2012, 33, 1609-1623.	1.5	29
99	Emergence of Adaptive Computation by Single Neurons in the Developing Cortex. <i>Journal of Neuroscience</i> , 2013, 33, 12154-12170.	1.7	46
100	The Maturation of Firing Properties of Forebrain GABAergic Interneurons. , 2013, , 955-973.		1
101	Formation of cortical inhibition in ontogenesis. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2013, 49, 275-282.	0.2	0
102	Nanomolar Bifenthrin Alters Synchronous Ca <sup>2+</sup> Oscillations and Cortical Neuron Development Independent of Sodium Channel Activity. <i>Molecular Pharmacology</i> , 2014, 85, 630-639.	1.0	41
103	Is there a relationship between brain-derived neurotrophic factor for driving neuronal auditory circuits with onset of auditory function and the changes following cochlear injury or during aging?. <i>Neuroscience</i> , 2014, 283, 26-43.	1.1	5
104	Untangling GABAergic wiring in the cortical microcircuit. <i>Current Opinion in Neurobiology</i> , 2014, 26, 7-14.	2.0	144
105	Layer-specific modulation of neuronal excitability by 660-nm laser irradiation in mouse neocortex. <i>Lasers in Medical Science</i> , 2014, 29, 1117-1124.	1.0	0
106	Differential modulation of repetitive firing and synchronous network activity in neocortical interneurons by inhibition of A-type K <sup>+</sup> channels and Ih. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 89.	1.8	22
107	Kv3.1 uses a timely resurgent K <sup>+</sup> current to secure action potential repolarization. <i>Nature Communications</i> , 2015, 6, 10173.	5.8	54
108	Transcriptome Analysis of the Human Striatum in Tourette Syndrome. <i>Biological Psychiatry</i> , 2016, 79, 372-382.	0.7	160



#	ARTICLE	IF	CITATIONS
109	Firing Frequency Maxima of Fast-Spiking Neurons in Human, Monkey, and Mouse Neocortex. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 239.	1.8	68
110	Physiological modulators of Kv3.1 channels adjust firing patterns of auditory brain stem neurons. <i>Journal of Neurophysiology</i> , 2016, 116, 106-121.	0.9	29
111	KCNE4 and KCNE5: K <sup>+</sup> channel regulation and cardiac arrhythmogenesis. <i>Gene</i> , 2016, 593, 249-260.	1.0	37
112	Roles of specific K <sup>v</sup> channel types in repolarization of the action potential in genetically identified subclasses of pyramidal neurons in mouse neocortex. <i>Journal of Neurophysiology</i> , 2016, 115, 2317-2329.	0.9	50
113	Electrophysiological Analysis of Synaptic Transmission. <i>Neuromethods</i> , 2016, , .	0.2	10
114	A Potassium-Selective Current Affected by Micromolar Concentrations of Anion Transport Inhibitors. <i>Cellular Physiology and Biochemistry</i> , 2018, 45, 867-882.	1.1	1
115	COUP-TFI/Nr2f1 Orchestrates Intrinsic Neuronal Activity during Development of the Somatosensory Cortex. <i>Cerebral Cortex</i> , 2020, 30, 5667-5685.	1.6	25
116	Age-related hearing loss pertaining to potassium ion channels in the cochlea and auditory pathway. <i>Pflugers Archiv European Journal of Physiology</i> , 2021, 473, 823-840.	1.3	28
118	Amplitude. <i>Neuromethods</i> , 2016, , 165-173.	0.2	6
119	Ion Channel Dysfunction and FXS. , 2017, , 323-340.		1
120	Developmental changes in membrane excitability and morphology of neurons in the nucleus angularis of the chicken. <i>Journal of Physiology</i> , 2003, 548, 219-232.	1.3	38
121	Application of High-Throughput Automated Patch-Clamp Electrophysiology to Study Voltage-Gated Ion Channel Function in Primary Cortical Cultures. <i>SLAS Discovery</i> , 2020, 25, 447-457.	1.4	18
122	Specification of neuropeptide Y phenotype in visual cortical neurons by leukemia inhibitory factor. <i>Development (Cambridge)</i> , 2000, 127, 1943-1951.	1.2	23
123	Birdsong "Transcriptomics" Neurochemical Specializations of the Oscine Song System. <i>PLoS ONE</i> , 2008, 3, e3440.	1.1	85
124	Fgfr1 Inactivation in the Mouse Telencephalon Results in Impaired Maturation of Interneurons Expressing Parvalbumin. <i>PLoS ONE</i> , 2014, 9, e103696.	1.1	19
125	Gene-expression analysis of single cells-nested polymerase chain reaction after laser microdissection. <i>World Journal of Gastroenterology</i> , 2003, 9, 1337.	1.4	7
126	Postnatal Maturation and Experience-Dependent Plasticity of Inhibitory Circuits in Barrel Cortex. , 2010, , 91-111.		0
127	Cross Pharmacological, Biochemical and Computational Studies of a Human Kv3.1b Inhibitor from <i>Androctonus australis</i> Venom. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12290.	1.8	0



#	ARTICLE	IF	CITATIONS
128	Genetic labeling of axo-axonic cells in the basolateral amygdala. Neuroscience Research, 2022, , .	1.0	1
129	Cell-type specific transcriptional adaptations of nucleus accumbens interneurons to amphetamine. Molecular Psychiatry, 2023, 28, 3414-3428.	4.1	6
130	Amplitude. Neuromethods, 2022, , 167-176.	0.2	0