

# CITATION REPORT

List of articles citing

**Autosomal dominant cerebellar ataxia (SCA6)  
associated with small polyglutamine expansions in the  
alpha 1A-voltage-dependent calcium channel**

**DOI: 10.1038/ng0197-62**  
**Nature Genetics, 1997, 15, 62-9.**

**Source:** <https://exaly.com/paper-pdf/28526677/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1532	Dominant ataxias. 242-283		
1531	Episodic ataxias. 196-208		
1530	Old and new ways to repair inguinal hernias. <b>1997</b> , 336, 1596-7		10
1529	Cyclosporin and raspberries--lessons for the future. <b>1997</b> , 336, 1597-9		23
1528	The National Health Service Corps and inner-city hospitals. <b>1997</b> , 336, 1601-4		15
1527	Ion channels--molecular diving rods hit their clinical mark. <b>1997</b> , 336, 1599-600		10
1526	A novel, heritable, expanding CTG repeat in an intron of the SEF2-1 gene on chromosome 18q21.1. <b>1997</b> , 6, 1855-63		80
1525	Episodic ataxia type 2 (EA2) and spinocerebellar ataxia type 6 (SCA6) due to CAG repeat expansion in the CACNA1A gene on chromosome 19p. <b>1997</b> , 6, 1973-8		231
1524	Nine L-type amino acid residues confer full 1,4-dihydropyridine sensitivity to the neuronal calcium channel alpha1A subunit. Role of L-type Met1188. <b>1997</b> , 272, 27686-93		65
1523	Molecular features of the CAG repeats of spinocerebellar ataxia 6 (SCA6). <b>1997</b> , 6, 1283-7		101
1522	Autosomal dominant cerebellar ataxia type I. Nerve conduction and evoked potential studies in families with SCA1, SCA2 and SCA3. <b>1997</b> , 120 ( Pt 12), 2141-8		89
1521	Spinocerebellar ataxia type 6. Frequency of the mutation and genotype-phenotype correlations. <b>1997</b> , 49, 1247-51		154
1520	CAG repeat expansion in autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24. <b>1997</b> , 6, 1811-6		64
1519	Increased trinucleotide repeat instability with advanced maternal age. <b>1997</b> , 6, 2135-9		87
1518	Trinucleotide repeats associated with human disease. <b>1997</b> , 25, 2245-54		260
1517	Spinocerebellar ataxia type 2. Genotype and phenotype in German kindreds. <b>1997</b> , 54, 1073-80		154
1516	A new locus for hemiplegic migraine maps to chromosome 1q31. <b>1997</b> , 49, 1231-8		166

1515	Analysis of spinocerebellar ataxia types 1, 2, 3, and 6, dentatorubral-pallidoluysian atrophy, and Friedreich's ataxia genes in spinocerebellar ataxia patients in the UK. <b>1997</b> , 34, 982-5	47
1514	Estimated contribution of known ataxia genes in ataxia patients undergoing DNA testing. <b>1997</b> , 1, 275-8	3
1513	Transgenic models of Huntington's disease. <b>1997</b> , 6, 1633-7	72
1512	Rethinking genotype and phenotype correlations in polyglutamine expansion disorders. <b>1997</b> , 6, 2005-10	116
1511	SCA6 is caused by moderate CAG expansion in the alpha1A-voltage-dependent calcium channel gene. <b>1997</b> , 6, 1289-93	82
1510	The expansion of the CAG repeat in ataxin-2 is a frequent cause of autosomal dominant spinocerebellar ataxia. <b>1997</b> , 49, 1009-13	63
1509	Clinical and molecular features of spinocerebellar ataxia type 6. <b>1997</b> , 49, 1243-6	111
1508	Phenotype variation and newcomers in ion channel disorders. <b>1997</b> , 6, 1679-85	42
1507	CAG repeats in SCA6. Anticipating new clues. <b>1997</b> , 49, 1196-9	32
1506	Identification and chromosomal localization of human genes containing CAG/CTG repeats expressed in testis and brain. <b>1997</b> , 7, 705-15	15
1505	Huntington disease and the related disorder, dentatorubral-pallidoluysian atrophy (DRPLA). <b>1997</b> , 76, 305-38	80
1504	Ion channel mutations in mouse models of inherited neurological disease. <b>1997</b> , 29, 569-74	28
1503	Machado-Joseph disease gene product identified in lymphocytes and brain. <b>1997</b> , 233, 476-9	37
1502	LETTER TO THE EDITOR. <b>1997</b> , 148, 393	
1501	Mapping and characterization of novel (CAG) <sub>n</sub> repeat cDNAs from adult human brain derived by the oligo capture method. <b>1997</b> , 46, 174-82	12
1500	Apolipoprotein E, a gene with complex biological interactions in the aging brain. <b>1997</b> , 4, 170-85	85
1499	Neuromuscular disorders: gene location. <b>1997</b> , 7, I-XI	
1498	The complex pathology of trinucleotide repeats. <b>1997</b> , 9, 364-72	160

1497	Nucleus and gene expression. <b>1997</b> , 9, 433-471	
1496	Intranuclear inclusions of expanded polyglutamine protein in spinocerebellar ataxia type 3. <b>1997</b> , 19, 333-44	747
1495	Ectopically expressed CAG repeats cause intranuclear inclusions and a progressive late onset neurological phenotype in the mouse. <b>1997</b> , 91, 753-63	321
1494	Progressive ataxia due to a missense mutation in a calcium-channel gene. <b>1997</b> , 61, 1078-87	167
1493	Japanese families with autosomal dominant pure cerebellar ataxia map to chromosome 19p13.1-p13.2 and are strongly associated with mild CAG expansions in the spinocerebellar ataxia type 6 gene in chromosome 19p13.1. <b>1997</b> , 61, 336-46	127
1492	Genetic heterogeneity in familial acute myelogenous leukemia: evidence for a second locus at chromosome 16q21-23.2. <b>1997</b> , 61, 873-81	41
1491	Calcium channels prove to be a real headache. <b>1997</b> , 20, 189-92	34
1490	The Genetic Defect Causing Huntington's Disease: Repeated in Other Contexts?. <b>1997</b> , 3, 238-246	54
1489	Purkinje cell expression of a mutant allele of SCA1 in transgenic mice leads to disparate effects on motor behaviors, followed by a progressive cerebellar dysfunction and histological alterations. <b>1997</b> , 17, 7385-95	233
1488	Frequency of the different mutations causing spinocerebellar ataxia (SCA1, SCA2, MJD/SCA3 and DRPLA) in a large group of Brazilian patients. <b>1997</b> , 55, 519-29	29
1487	[Hereditary cerebellar ataxias: from hammer to genetics]. <b>1997</b> , 55, 666-76	3
1486	The molecular diagnosis of spinocerebellar ataxia type 1 in patients with ataxia. <b>1997</b> , 4, 586-592	1
1485	No evidence for expanded polyglutamine sequences in bipolar disorder and schizophrenia. <b>1997</b> , 2, 478-82	31
1484	Cloning of the SCA7 gene reveals a highly unstable CAG repeat expansion. <i>Nature Genetics</i> , <b>1997</b> , 17, 65-70	36.3 694
1483	Trinucleotide repeats and hereditary ataxias. <b>1997</b> , 3, 149-50	3
1482	Clinical aspects of CAG repeat diseases. <b>1997</b> , 7, 881-900	75
1481	The neuropathology of CAG repeat diseases: review and update of genetic and molecular features. <b>1997</b> , 7, 901-26	124
1480	The CAG/polyglutamine tract diseases: gene products and molecular pathogenesis. <b>1997</b> , 7, 927-42	101

1479	Trinucleotide repeat instability: genetic features and molecular mechanisms. <b>1997</b> , 7, 943-63	66
1478	Mouse models of human CAG repeat disorders. <b>1997</b> , 7, 965-77	19
1477	Toward understanding the molecular pathology of Huntington's disease. <b>1997</b> , 7, 979-1002	68
1476	Dynamic mutation: possible mechanisms and significance in human disease. <b>1997</b> , 22, 432-6	79
1475	Gene table: adult and paediatric movement disorders. <b>1997</b> , 1, 189-90	3
1474	cDNAs with long CAG trinucleotide repeats from human brain. <b>1997</b> , 100, 114-22	78
1473	CAG repeat analyses in frozen and formalin-fixed tissues following primer extension preamplification for evaluation of mitotic instability of expanded SCA1 alleles. <b>1997</b> , 100, 339-44	12
1472	Trinucleotide repeats (CGG)22TGG(CGG)43TGG(CGG)21 from the fragile X gene remain stable in transgenic mice. <b>1997</b> , 100, 407-14	35
1471	Polymorphisms at 13 expressed human sequences containing CAG/CTG repeats and analysis in autosomal dominant cerebellar ataxia (ADCA) patients. <b>1997</b> , 101, 18-21	3
1470	SCA2 trinucleotide expansion in German SCA patients. <b>1997</b> , 1, 59-64	90
1469	Mutation watch. <b>1997</b> , 8, 305-6	2
1468	Wolff Award 1997. Involvement of a Ca <sup>2+</sup> channel gene in familial hemiplegic migraine and migraine with and without aura. Dutch Migraine Genetics Research Group. <b>1997</b> , 37, 479-85	34
1467	Calcium channels in neurological disease. <b>1997</b> , 42, 275-82	81
1466	Differential distribution of the normal and mutated forms of huntingtin in the human brain. <b>1997</b> , 42, 712-9	43
1465	Spinocerebellar ataxia type 6: CAG repeat expansion in alpha1A voltage-dependent calcium channel gene and clinical variations in Japanese population. <b>1997</b> , 42, 879-84	117
1464	Autosomal dominant cerebellar ataxia: phenotypic differences in genetically defined subtypes?. <b>1997</b> , 42, 924-32	228
1463	Spinocerebellar ataxia type 6: gaze-evoked and vertical nystagmus, Purkinje cell degeneration, and variable age of onset. <b>1997</b> , 42, 933-50	233
1462	Detection of a large CTG/CAG trinucleotide repeat expansion in a Danish schizophrenia kindred. <b>1997</b> , 74, 546-8	12

1461	Population genetics of the FRAXE and FRAXF GCC repeats, and a novel CGG repeat, in Xq28. <b>1997</b> , 73, 463-9		4
1460	Genetic analysis of voltage-dependent calcium channels. <b>1998</b> , 30, 387-98		9
1459	An isoform of ataxin-3 accumulates in the nucleus of neuronal cells in affected brain regions of SCA3 patients. <b>1998</b> , 8, 669-79		157
1458	Transgenic mice in the study of polyglutamine repeat expansion diseases. <b>1998</b> , 8, 699-714		49
1457	Migraine, ataxia and epilepsy: a challenging spectrum of genetically determined calcium channelopathies. Dutch Migraine Genetics Research Group. <b>1998</b> , 6, 297-307		68
1456	Isolation of a novel potassium channel gene hSKCa3 containing a polymorphic CAG repeat: a candidate for schizophrenia and bipolar disorder?. <b>1998</b> , 3, 32-7		190
1455	Further support for an association between a polymorphic CAG repeat in the hKCa3 gene and schizophrenia. <b>1998</b> , 3, 266-9		62
1454	Rapid cloning of expanded trinucleotide repeat sequences from genomic DNA. <i>Nature Genetics</i> , <b>1998</b> , 18, 72-5	36.3	100
1453	Suppression of aggregate formation and apoptosis by transglutaminase inhibitors in cells expressing truncated DRPLA protein with an expanded polyglutamine stretch. <i>Nature Genetics</i> , <b>1998</b> , 18, 111-7	36.3	350
1452	Lambert-Eaton myasthenic syndrome. Antigenicity of recombinant human P/Q-type calcium channel alpha 1 subunit putative ion pore region (domain IV, S5-S6). <b>1998</b> , 841, 691-5		2
1451	CAG repeat expansions in patients with sporadic cerebellar ataxia. <b>1998</b> , 98, 55-9		36
1450	Ataxia, arrhythmia and ion-channel gene defects. <b>1998</b> , 14, 92-8		56
1449	A piece in the puzzle: an ion channel candidate gene for schizophrenia. <b>1998</b> , 4, 518-24		28
1448	Are only repeated triplets guilty?. <b>1998</b> , 194, 125-42		7
1447	Nuclear inclusions of the androgen receptor protein in spinal and bulbar muscular atrophy. <b>1998</b> , 44, 249-54		308
1446	Familial spinocerebellar ataxia with cerebellar atrophy, peripheral neuropathy, and elevated level of serum creatine kinase, gamma-globulin, and alpha-fetoprotein. <b>1998</b> , 44, 265-9		51
1445	Analysis of SCA1, DRPLA, MJD, SCA2, and SCA6 CAG repeats in 48 Portuguese ataxia families. <b>1998</b> , 81, 134-8		40
1444	Different behavior in the paternally vs. maternally inherited mutated allele in Brazilian Machado-Joseph (MJD1) Families. <b>1998</b> , 77, 246-248		11

1443	De novo mutation in CACNA1A caused acetazolamide-responsive episodic ataxia. <b>1998</b> , 77, 298-301	61
1442	CAG repeat sequences in bipolar affective disorder: No evidence for association in a french population. <b>1998</b> , 81, 338-341	36
1441	Anticipation in schizophrenia: no evidence of expanded CAG/CTG repeat sequences in French families and sporadic cases. <b>1998</b> , 81, 342-6	9
1440	Familial migraine with vertigo: no mutations found in CACNA1A. <b>1998</b> , 79, 148-51	66
1439	Variation at the MJD locus in the major psychoses. <b>1998</b> , 81, 440-442	9
1438	Spinocerebellar ataxia type 2 (SCA 2) in an infant with extreme CAG repeat expansion. <b>1998</b> , 79, 383-387	78
1437	Somatic mosaicism of the CAG repeat expansion in spinocerebellar ataxia type 3/Machado-Joseph disease. <b>1998</b> , 11, 23-7	46
1436	Neuropathological and molecular studies of spinocerebellar ataxia type 6 (SCA6). <b>1998</b> , 95, 199-204	80
1435	Autosomal dominant cerebellar ataxia (SCA6): clinical, genetic and neuropathological study in a family. <b>1998</b> , 95, 333-7	52
1434	Refined localisation of the voltage-gated chloride channel, CLCN3, to 4q33. <b>1998</b> , 102, 178-81	1
1433	Three novel KCNA1 mutations in episodic ataxia type I families. <b>1998</b> , 102, 464-6	48
1432	CCG repeats in cDNAs from human brain. <b>1998</b> , 103, 666-73	29
1431	Rapid touchdown PCR assay for the molecular diagnosis of spinocerebellar ataxia type 2. <b>1998</b> , 28, 174-8	7
1430	The complex clinical and genetic classification of inherited ataxias. I. Dominant ataxias. <b>1998</b> , 19, 335-43	13
1429	Clinical and genetic study of a family with spinocerebellar ataxia type 1 (SCA1) and beta-thalassaemia. <b>1998</b> , 19, 345-50	
1428	Spinocerebellar ataxia type 6: MRI of three Japanese patients. <b>1998</b> , 40, 222-7	23
1427	Spinocerebellar ataxia type 6: CAG trinucleotide expansion, clinical characteristics and sperm analysis. <b>1998</b> , 5, 381-387	9
1426	The gene encoding the alpha1A-voltage-dependent calcium channel (CACNA1A) is not a candidate for causing common subtypes of idiopathic generalized epilepsy. <b>1998</b> , 29, 115-22	18

1425	Characterization and mapping of four novel human expressed polymorphic trinucleotide microsatellites. <b>1998</b> , 223, 369-74	5
1424	P/Q-type Ca <sup>2+</sup> channel defects in migraine, ataxia and epilepsy. <b>1998</b> , 19, 121-7	51
1423	Genes involved in hereditary ataxias. <b>1998</b> , 21, 413-8	67
1422	Expression of calcium channel alpha1A mRNA and protein in the leaner mouse (tgla/tgla) cerebellum. <b>1998</b> , 59, 93-9	35
1421	Are neuronal intranuclear inclusions the common neuropathology of triplet-repeat disorders with polyglutamine-repeat expansions?. <b>1998</b> , 351, 131-3	163
1420	Migraine. <b>1998</b> , 351, 1043-51	411
1419	The mouse SCA2 gene: cDNA sequence, alternative splicing and protein expression. <b>1998</b> , 7, 1301-9	46
1418	A review of the inherited ataxias: recent advances in genetic, clinical and neuropathologic aspects. <b>1998</b> , 4, 161-9	5
1417	Detection of internal repeats: how common are they?. <b>1998</b> , 8, 338-45	64
1416	Dominantly inherited ataxias. Part I. <b>1998</b> , 5, 257-64	6
1415	Dominantly inherited ataxias. Part II. <b>1998</b> , 5, 369-77	1
1414	A case of alternating hemiplegia of childhood with cerebellar atrophy. <b>1998</b> , 19, 65-8	27
1413	Laboratory Guidelines for Huntington Disease Genetic Testing. <b>1998</b> , 62, 1243-1247	166
1412	Close associations between prevalences of dominantly inherited spinocerebellar ataxias with CAG-repeat expansions and frequencies of large normal CAG alleles in Japanese and Caucasian populations. <b>1998</b> , 63, 1060-6	187
1411	Genetic classification of primary neurodegenerative disease. <b>1998</b> , 282, 1075-9	244
1410	Intracellular aggregate formation of dentatorubral-pallidolusian atrophy (DRPLA) protein with the extended polyglutamine. <b>1998</b> , 249, 96-102	34
1409	Expanded glutamine repeat enhances complex formation of dentatorubral-pallidolusian atrophy (DRPLA) protein in human brains. <b>1998</b> , 250, 22-6	12
1408	Transmission disequilibrium analysis of a triplet repeat within the hKCa3 gene using family trios with schizophrenia. <b>1998</b> , 251, 662-5	30



1407	Caspase-3 cleaves the expanded androgen receptor protein of spinal and bulbar muscular atrophy in a polyglutamine repeat length-dependent manner. <b>1998</b> , 252, 145-50	65
1406	CAG/CTG and CGG/GCC repeats in human brain reference cDNAs: outcome in searching for new dynamic mutations. <b>1998</b> , 47, 414-8	8
1405	Genomic structure of the human gene for spinocerebellar ataxia type 2 (SCA2) on chromosome 12q24.1. <b>1998</b> , 47, 359-64	28
1404	Long uninterrupted CGG repeats within the first exon of the human FMR1 gene are not intrinsically unstable in transgenic mice. <b>1998</b> , 50, 229-40	51
1403	Calcium channel beta 4 (CACNB4): human ortholog of the mouse epilepsy gene lethargic. <b>1998</b> , 50, 14-22	24
1402	Cloning and mapping of ZNF231, a novel brain-specific gene encoding neuronal double zinc finger protein whose expression is enhanced in a neurodegenerative disorder, multiple system atrophy (MSA). <b>1998</b> , 54, 50-8	29
1401	Heterogeneous intracellular localization and expression of ataxin-3. <b>1998</b> , 5, 335-47	84
1400	Nonneural nuclear inclusions of androgen receptor protein in spinal and bulbar muscular atrophy. <b>1998</b> , 153, 695-701	119
1399	SCA6 mutation analysis in a large cohort of the Japanese patients with late-onset pure cerebellar ataxia. <b>1998</b> , 156, 89-95	49
1398	Analysis of spinocerebellar ataxia type 2 in Gunma Prefecture in Japan: CAG trinucleotide expansion and clinical characteristics. <b>1998</b> , 156, 180-5	11
1397	Clinical and molecular genetic study in seven Japanese families with spinocerebellar ataxia type 6. <b>1998</b> , 157, 52-9	30
1396	Determinants of cognitive disorders in Autosomal Dominant Cerebellar Ataxia type 1. <b>1998</b> , 157, 162-7	15
1395	A Japanese family with spinocerebellar ataxia type 6 which includes three individuals homozygous for an expanded CAG repeat in the SCA6/CACNL1A4 gene. <b>1998</b> , 158, 141-7	35
1394	A clinical, genetic, neuropathological study in a Japanese family with SCA 6 and a review of Japanese autopsy cases of autosomal dominant cortical cerebellar atrophy. <b>1998</b> , 160, 54-9	10
1393	Infantile onset spinocerebellar ataxia with sensory neuropathy (IOSCA): neuropathological features. <b>1998</b> , 161, 57-65	51
1392	Downbeat nystagmus in two siblings with spinocerebellar ataxia type 6 (SCA 6). <b>1998</b> , 160, 161-3	14
1391	Molecular analysis of a de novo mutation for spinocerebellar ataxia type 6 and (CAG) <sub>n</sub> repeat units in normal elder controls. <b>1998</b> , 161, 85-7	31
1390	Familial typical migraine: linkage to chromosome 19p13 and evidence for genetic heterogeneity. <b>1998</b> , 50, 1428-32	120

1389	Variable clinical expression of mutations in the P/Q-type calcium channel gene in familial hemiplegic migraine. Dutch Migraine Genetics Research Group. <b>1998</b> , 50, 1105-10	119
1388	CAG repeat expansion in autosomal dominant familial spastic paraparesis: novel expansion in a subset of patients. <b>1998</b> , 7, 1779-86	25
1387	Reduced immunoreactivity to calcium-binding proteins in Purkinje cells precedes onset of ataxia in spinocerebellar ataxia-1 transgenic mice. <b>1998</b> , 50, 106-13	60
1386	Clinical and genetic analysis of a distinct autosomal dominant spinocerebellar ataxia. <b>1998</b> , 51, 1423-6	60
1385	Uncloned expanded CAG/CTG repeat sequences in autosomal dominant cerebellar ataxia (ADCA) detected by the repeat expansion detection (RED) method. <b>1998</b> , 35, 99-102	4
1384	Molecular and clinical studies in SCA-7 define a broad clinical spectrum and the infantile phenotype. <b>1998</b> , 51, 1081-6	145
1383	Altered expression and assembly of N-type calcium channel alpha1B and beta subunits in epileptic lethargic (lh/lh) mouse. <b>1998</b> , 273, 21435-8	61
1382	Expanded CAG repeats in Swedish spinocerebellar ataxia type 7 (SCA7) patients: effect of CAG repeat length on the clinical manifestation. <b>1998</b> , 7, 171-6	108
1381	Class A calcium channel variants in pancreatic islets and their role in insulin secretion. <b>1998</b> , 273, 13905-11	68
1380	Spinocerebellar ataxia type 7 (SCA7): a neurodegenerative disorder with neuronal intranuclear inclusions. <b>1998</b> , 7, 913-8	249
1379	New 5'-(CGG) <sub>n</sub> -3' repeats in the human genome. <b>1998</b> , 273, 30466-71	9
1378	Spinocerebellar ataxia type 6 with positional vertigo and acetazolamide responsive episodic ataxia. <b>1998</b> , 65, 565-8	66
1377	Cognitive profiles of autopsy-confirmed Lewy body variant vs pure Alzheimer disease. <b>1998</b> , 55, 994-1000	95
1376	A beta 4 isoform-specific interaction site in the carboxyl-terminal region of the voltage-dependent Ca <sup>2+</sup> channel alpha 1A subunit. <b>1998</b> , 273, 2361-7	136
1375	Large CAG/CTG repeat templates produced by PCR, usefulness for the DIRECT method of cloning genes with CAG/CTG repeat expansions. <b>1998</b> , 26, 1352-3	8
1374	Single tottering mutations responsible for the neuropathic phenotype of the P-type calcium channel. <b>1998</b> , 273, 34857-67	187
1373	Ion channels and neurological disease: DNA based diagnosis is now possible, and ion channels may be important in common paroxysmal disorders. <b>1998</b> , 65, 427-31	13
1372	Analysis of the dynamic mutation in the SCA7 gene shows marked parental effects on CAG repeat transmission. <b>1998</b> , 7, 525-32	64

1371	Patients with features similar to Huntington's disease, without CAG expansion in huntingtin. <b>1998</b> , 51, 215-20	26
1370	CAG repeat expansion in an Italian family with spinocerebellar ataxia type 2 (SCA2): a clinical and genetic study. <b>1998</b> , 40, 164-8	31
1369	Spinocerebellar ataxia type 6: genotype and phenotype in German kindreds. <b>1998</b> , 64, 67-73	136
1368	Molecular genetic analysis of autosomal dominant cerebellar ataxia with retinal degeneration (ADCA type II) caused by CAG triplet repeat expansion. <b>1998</b> , 7, 177-86	60
1367	Incidence of dominant spinocerebellar and Friedreich triplet repeats among 361 ataxia families. <b>1998</b> , 51, 1666-71	207
1366	Spinobulbar muscular atrophy: polyglutamine-expanded androgen receptor is proteolytically resistant in vitro and processed abnormally in transfected cells. <b>1998</b> , 7, 379-84	42
1365	Functional analysis of the Huntington's disease (HD) gene promoter. <b>1998</b> , 7, 791-800	29
1364	Mismatched nucleotides may facilitate expansion of trinucleotide repeats in genetic diseases. <b>1998</b> , 26, 1980-4	9
1363	Molecular and clinical correlations in autosomal dominant cerebellar ataxia with progressive macular dystrophy (SCA7). <b>1998</b> , 7, 165-70	189
1362	The natural history of degenerative ataxia: a retrospective study in 466 patients. <b>1998</b> , 121 ( Pt 4), 589-600	239
1361	Trinucleotide repeats in the human androgen receptor: a molecular basis for disease. <b>1998</b> , 21, 235-57	108
1360	Characteristic magnetic resonance imaging findings in spinocerebellar ataxia 6. <b>1998</b> , 55, 1348-52	69
1359	Brain glyceraldehyde-3-phosphate dehydrogenase activity in human trinucleotide repeat disorders. <b>1998</b> , 55, 1299-304	43
1358	Pathogenesis of neurodegenerative diseases associated with expanded glutamine repeats: new answers, new questions. <b>1998</b> , 117, 397-419	30
1357	Molecular genetics of the hereditary ataxias. <b>1998</b> , 38, 31-68	16
1356	Simple nonisotopic assays for detection of (CAG) <sub>n</sub> repeats expansions associated with seven neurodegenerative disorders. <b>1998</b> , 7, 174-9	7
1355	Oculomotor phenotypes in autosomal dominant ataxias. <b>1998</b> , 55, 1353-7	140
1354	Incorrect Equation. <b>1998</b> , 55, 1352	1

1353	Voltage dependent calcium channels in mammalian spermatozoa. <b>1998</b> , 3, D1220-40	49
1352	Altered calcium channel currents in Purkinje cells of the neurological mutant mouse leaner. <b>1998</b> , 18, 4482-9	147
1351	Whole-cell and single-channel analysis of P-type calcium currents in cerebellar Purkinje cells of leaner mutant mice. <b>1998</b> , 18, 7687-99	124
1350	Evidence for a 95 kDa short form of the alpha1A subunit associated with the omega-conotoxin MVIIIC receptor of the P/Q-type Ca <sup>2+</sup> channels. <b>1998</b> , 18, 641-7	41
1349	Molecular genetic characterisation of frontotemporal dementia on chromosome 3. <b>1999</b> , 10 Suppl 1, 93-101	34
1348	Spinocerebellar ataxia type 2: clinical features of a pedigree displaying prominent frontal-executive dysfunction. <b>1999</b> , 56, 43-50	78
1347	Direct alteration of the P/Q-type Ca <sup>2+</sup> channel property by polyglutamine expansion in spinocerebellar ataxia 6. <b>1999</b> , 19, RC14	99
1346	Functional consequences of mutations in the human alpha1A calcium channel subunit linked to familial hemiplegic migraine. <b>1999</b> , 19, 1610-9	216
1345	Linkage disequilibrium and haplotype analysis in German Friedreich ataxia families. <b>1999</b> , 49, 90-6	7
1344	Voltage-gated ion channels and hereditary disease. <b>1999</b> , 79, 1317-72	442
1343	L-type calcium channels contribute to the tottering mouse dystonic episodes. <b>1999</b> , 55, 23-31	99
1342	Rate and directionality of mutations and effects of allele size constraints at anonymous, gene-associated, and disease-causing trinucleotide loci. <b>1999</b> , 16, 1166-77	26
1341	Oculopharyngeal muscular dystrophy. <b>1999</b> , 19, 59-66	100
1340	Dominantly inherited ataxias. <b>1999</b> , 19, 419-25	13
1339	Genetic heterogeneity in Italian families with familial hemiplegic migraine. <b>1999</b> , 53, 26-33	187
1338	Clinical and MRI findings in spinocerebellar ataxia type 5. <b>1999</b> , 53, 1355-7	70
1337	Chapter 2 The Biology of Trinucleotide Repeat Disorders. <b>1999</b> , 33-79	
1336	Adenovirus-mediated expression of mutant DRPLA proteins with expanded polyglutamine stretches in neuronally differentiated PC12 cells. Preferential intranuclear aggregate formation and apoptosis. <b>1999</b> , 8, 997-1006	30

1335	Abundant expression and cytoplasmic aggregations of [alpha]1A voltage-dependent calcium channel protein associated with neurodegeneration in spinocerebellar ataxia type 6. <b>1999</b> , 8, 1185-93	140
1334	Opening a window on cerebral cholinergic function: PET imaging of acetylcholinesterase. <b>1999</b> , 52, 680-2	4
1333	Aberrant protein deposition and neurological disease. <b>1999</b> , 274, 37507-10	93
1332	Clinical, neuropathological, and molecular study in two families with spinocerebellar ataxia type 6 (SCA6). <b>1999</b> , 67, 86-9	87
1331	Dentatorubral-pallidoluysian atrophy protein interacts through a proline-rich region near polyglutamine with the SH3 domain of an insulin receptor tyrosine kinase substrate. <b>1999</b> , 8, 947-57	41
1330	Ion channel genes and human neurological disease: recent progress, prospects, and challenges. <b>1999</b> , 96, 4759-66	144
1329	Ion channels and the genetic contribution to epilepsy. <b>1999</b> , 14, 58-66	22
1328	Cleavage of atrophin-1 at caspase site aspartic acid 109 modulates cytotoxicity. <b>1999</b> , 274, 8730-6	90
1327	Nuclear localization of the spinocerebellar ataxia type 7 protein, ataxin-7. <b>1999</b> , 8, 1657-64	88
1326	High prevalence of CACNA1A truncations and broader clinical spectrum in episodic ataxia type 2. <b>1999</b> , 52, 1816-21	160
1325	Trinucleotide Repeats, Genetic Instability and Variation in the Human Genome. <b>1999</b> , 53-64	1
1324	Transgenic mice harboring a full-length human mutant DRPLA gene exhibit age-dependent intergenerational and somatic instabilities of CAG repeats comparable with those in DRPLA patients. <b>1999</b> , 8, 99-106	86
1323	Aberrant interactions of transcriptional repressor proteins with the Huntington's disease gene product, huntingtin. <b>1999</b> , 8, 1647-55	242
1322	Single sperm analysis of the CAG repeats in the gene for dentatorubral-pallidoluysian atrophy (DRPLA): the instability of the CAG repeats in the DRPLA gene is prominent among the CAG repeat diseases. <b>1999</b> , 8, 453-7	24
1321	Association of neuronal calcium channels with modular adaptor proteins. <b>1999</b> , 274, 24453-6	242
1320	Trinucleotide repeat expansion and neuropsychiatric disease. <b>1999</b> , 56, 1019-31	74
1319	A neurological disease caused by an expanded CAG trinucleotide repeat in the TATA-binding protein gene: a new polyglutamine disease?. <b>1999</b> , 8, 2047-53	277
1318	Polyglutamine-mediated dysfunction and apoptotic death of a <i>Caenorhabditis elegans</i> sensory neuron. <b>1999</b> , 96, 179-84	257

1317	Ablation of P/Q-type Ca(2+) channel currents, altered synaptic transmission, and progressive ataxia in mice lacking the alpha(1A)-subunit. <b>1999</b> , 96, 15245-50	402
1316	A new CACNA1A gene mutation in acetazolamide-responsive familial hemiplegic migraine and ataxia. <b>1999</b> , 53, 38-43	163
1315	Immunogenicity of P/Q-type calcium channel in small cell lung cancer: investigation of alpha1 subunit polyglutamine expansion. <b>1999</b> , 54, 592-6	1
1314	Single gene defects in mice: the role of voltage-dependent calcium channels in absence models. <b>1999</b> , 36, 111-22	81
1313	Clinical and molecular analysis of 11 Sicilian SCA2 families: influence of gender on age at onset. <b>1999</b> , 6, 301-7	29
1312	Kennedy's disease: caspase cleavage of the androgen receptor is a crucial event in cytotoxicity. <b>1999</b> , 72, 185-95	173
1311	Spinocerebellar ataxia type 6 in relation to CAG repeat length. <b>1999</b> , 99, 209-12	9
1310	Molecular and functional diversity of voltage-gated calcium channels. <b>1999</b> , 868, 102-17	59
1309	Voltage-dependent calcium channel mutations in neurological disease. <b>1999</b> , 868, 199-212	50
1308	An untranslated CTG expansion causes a novel form of spinocerebellar ataxia (SCA8). <i>Nature Genetics</i> , <b>1999</b> , 21, 379-84	36.3 559
1307	Splicing of alpha 1A subunit gene generates phenotypic variants of P- and Q-type calcium channels. <b>1999</b> , 2, 407-15	364
1306	An integrated map of chromosome 18 CAG trinucleotide repeat loci. <b>1999</b> , 7, 12-9	5
1305	A common disease haplotype segregating in spinocerebellar ataxia 2 (SCA2) pedigrees of diverse ethnic origin. <b>1999</b> , 7, 841-5	13
1304	Genetic association study of a polymorphic CAG repeats array of calcium-activated potassium channel (KCNN3) gene and schizophrenia among the Chinese population from Taiwan. <b>1999</b> , 4, 271-3	21
1303	Family-based association analysis of the hSKCa3 potassium channel gene in bipolar disorder. <b>1999</b> , 4, 217-9	21
1302	hKCa3/KCNN3 potassium channel gene: association of longer CAG repeats with schizophrenia in Israeli Ashkenazi Jews, expression in human tissues and localization to chromosome 1q21. <b>1999</b> , 4, 254-60	66
1301	A case of spinocerebellar ataxia type 6 mimicking olivopontocerebellar atrophy. <b>1999</b> , 41, 501-3	12
1300	Voltage-dependent calcium channels: from structure to function. <b>1999</b> , 139, 33-87	245

1299	Triplet repeat disorders: discussion of molecular mechanisms. <b>1999</b> , 55, 1432-47	29
1298	[New insights in the molecular genetics and pathophysiology of hereditary ataxias]. <b>1999</b> , 70, 491-5	2
1297	The early cellular pathology of Huntington's disease. <b>1999</b> , 20, 111-24	32
1296	Frequency of spinocerebellar ataxia types 1,2,3,6,7 and dentatorubral pallidoluyisian atrophy mutations in Korean patients with spinocerebellar ataxia. <b>1999</b> , 246, 207-10	44
1295	Supratentorial atrophy in spinocerebellar ataxia type 2: MRI study of 20 patients. <b>1999</b> , 246, 383-8	57
1294	Spinocerebellar ataxia type 2 in southern Italy: a clinical and molecular study of 30 families. <b>1999</b> , 246, 467-71	46
1293	Evidence that allelic variants of the spinocerebellar ataxia type 2 gene influence susceptibility to multiple sclerosis. <b>1999</b> , 2, 91-6	19
1292	Identification of SCA2 mutation in cases of spinocerebellar ataxia with no family history in mid-eastern Sicily. <b>1999</b> , 20, 217-21	5
1291	Spinocerebellar ataxias in Spanish patients: genetic analysis of familial and sporadic cases. The Ataxia Study Group. <b>1999</b> , 104, 516-22	128
1290	Isolation of CAG/CTG repeats from within the chromosome 2p21-p24 locus for autosomal dominant spastic paraplegia (SPG4) by YAC fragmentation. <b>1999</b> , 105, 217-25	3
1289	Detection of a novel missense mutation and second recurrent mutation in the CACNA1A gene in individuals with EA-2 and FHM. <b>1999</b> , 105, 261-5	53
1288	Genomic organisation of the spinocerebellar ataxia type 7 (SCA7) gene responsible for autosomal dominant cerebellar ataxia with retinal degeneration. <b>1999</b> , 105, 410-7	6
1287	Ionizing radiation and genetic risks. X. The potential "disease phenotypes" of radiation-induced genetic damage in humans: perspectives from human molecular biology and radiation genetics. <b>1999</b> , 429, 45-83	35
1286	Calcium channelopathies in the central nervous system. <b>1999</b> , 9, 274-80	58
1285	Glutamine repeats and neurodegenerative diseases: molecular aspects. <b>1999</b> , 24, 58-63	367
1284	Adult and paediatric movement disorders. <b>1999</b> , 3, 39-41	
1283	Expression of ataxin-2 in brains from normal individuals and patients with Alzheimer's disease and spinocerebellar ataxia 2. <b>1999</b> , 45, 232-41	147
1282	Mapping of the gene for a novel spinocerebellar ataxia with pure cerebellar signs and epilepsy. <b>1999</b> , 45, 407-11	92

1281	A fast polymerase chain reaction-mediated strategy for introducing repeat expansions into CAG-repeat containing genes. <b>1999</b> , 13, 497-502	10
1280	No association between a polymorphic CAG repeat in the human potassium channel gene hKCa3 and bipolar disorder. <b>1999</b> , 88, 57-60	14
1279	Eleven trinucleotide repeat loci that map to chromosome 12 excluded from involvement in the pathogenesis of bipolar disorder. <b>1999</b> , 88, 67-70	14
1278	Intergenerational CAG repeat expansion at ERDA1 in a family with childhood-onset depression, schizoaffective disorder, and recurrent major depression. <b>1999</b> , 88, 79-82	18
1277	Molecular basis of the neurodegenerative disorders. <b>1999</b> , 340, 1970-80	330
1276	Isolation and characterization of novel CAG repeat containing genes expressed in human brain. <b>1999</b> , 10, 1-6	5
1275	Recurrence of the T666M calcium channel CACNA1A gene mutation in familial hemiplegic migraine with progressive cerebellar ataxia. <b>1999</b> , 64, 89-98	132
1274	Mapping of a new autosomal dominant spinocerebellar ataxia to chromosome 22. <b>1999</b> , 64, 594-9	121
1273	Molecular and clinical study of 18 families with ADCA type II: evidence for genetic heterogeneity and de novo mutation. <b>1999</b> , 64, 1594-603	86
1272	Patterns of instability of expanded CAG repeats at the ERDA1 locus in general populations. <b>1999</b> , 65, 192-8	17
1271	Autosomal dominant cerebellar ataxia type III: linkage in a large British family to a 7.6-cM region on chromosome 15q14-21.3. <b>1999</b> , 65, 420-6	127
1270	Morphologic investigation of rolling mouse Nagoya (tg(rol)/tg(rol)) cerebellar Purkinje cells: an ataxic mutant, revisited. <b>1999</b> , 266, 49-52	45
1269	Structure and alternative splicing of the gene encoding alpha1G, a human brain T calcium channel alpha1 subunit. <b>1999</b> , 274, 143-6	56
1268	Identification and localization of ataxin-7 in brain and retina of a patient with cerebellar ataxia type II using anti-peptide antibody. <b>1999</b> , 74, 35-43	40
1267	Linkage between male infertility and trinucleotide repeat expansion in the androgen-receptor gene. <b>1999</b> , 354, 640-3	221
1266	Risk of neurodegenerative diseases in children conceived by intracytoplasmic sperm injection?. <b>1999</b> , 354, 611-2	24
1265	Detection of a novel missense mutation and second recurrent mutation in the CACNA1A gene in individuals with EA-2 and FHM. <b>1999</b> , 105, 261-265	59
1264	Isolation of CAG/CTG repeats from within the chromosome 2p21-p24 locus for autosomal dominant spastic paraplegia (SPG4) by YAC fragmentation. <b>1999</b> , 105, 217-225	5



1263	Genomic organisation of the spinocerebellar ataxia type 7 (SCA7) gene responsible for autosomal dominant cerebellar ataxia with retinal degeneration. <b>1999</b> , 105, 410-417	12
1262	Peptide models for inherited neurodegenerative disorders: conformation and aggregation properties of long polyglutamine peptides with and without interruptions. <b>1999</b> , 456, 181-5	69
1261	Neurological channelopathies: diagnosis and therapy in the new millennium. <b>1999</b> , 31, 406-20	24
1260	The localization and interactions of huntingtin. <b>1999</b> , 354, 1021-7	13
1259	CAG-polyglutamine-repeat mutations: independence from gene context. <b>1999</b> , 354, 1083-8	12
1258	CAG repeat instability, cryptic sequence variation and pathogeneticity: evidence from different loci. <b>1999</b> , 354, 1089-94	16
1257	Regional differences in genetic subgroup frequency in hereditary cerebellar ataxia, and a morphometrical study of brain MR images in SCA1, MJD and SCA6. <b>1999</b> , 164, 187-94	32
1256	Structural elements in domain IV that influence biophysical and pharmacological properties of human alpha1A-containing high-voltage-activated calcium channels. <b>1999</b> , 76, 1384-400	61
1255	Spinocerebellar ataxia type 6: evidence for a strong founder effect among German families. <b>1999</b> , 52, 849-51	29
1254	The presynaptic cytomatrix protein Bassoon: sequence and chromosomal localization of the human BSN gene. <b>1999</b> , 57, 389-97	21
1253	A fine integrated map of the SPG4 locus excludes an expanded CAG repeat in chromosome 2p-linked autosomal dominant spastic paraplegia. <b>1999</b> , 60, 309-19	11
1252	Recent advances in the molecular understanding of voltage-gated Ca <sup>2+</sup> channels. <b>1999</b> , 14, 255-72	69
1251	Pathogenesis of polyglutamine-induced disease: A model for SCA1. <b>1999</b> , 66, 172-8	8
1250	Abnormal dentatorubral-pallidoluysian atrophy (DRPLA) protein complex is pathologically ubiquitinated in DRPLA brains. <b>1999</b> , 260, 133-8	20
1249	Polymorphism of homopolymeric glutamines in coactivators for nuclear hormone receptors. <b>1999</b> , 46, 279-84	17
1248	An autoimmune channelopathy associated with cancer: Lambert-Eaton myasthenic syndrome. <b>1999</b> , 38, 86-96	20
1247	Chapter 1.2 Bioinformatics and neuroscience in the post-genomic era. <b>1999</b> , 13, 20-30	
1246	The use of isolates in migraine genetic research. <b>1999</b> , 19 Suppl 24, 19-21; discussion 21-4	25

1245	The genetic basis of migraine: how much do we know?. <b>1999</b> , 26 Suppl 3, S37-43	26
1244	Aberrant phosphorylation of dentatorubral-pallidoluysian atrophy (DRPLA) protein complex in brain tissue. <b>2000</b> , 351, 587	1
1243	Cloning of human Ca <sup>2+</sup> homeostasis endoplasmic reticulum protein (CHERP): regulated expression of antisense cDNA depletes CHERP, inhibits intracellular Ca <sup>2+</sup> mobilization and decreases cell proliferation. <b>2000</b> , 348, 189-199	15
1242	Aberrant phosphorylation of dentatorubral-pallidoluysian atrophy (DRPLA) protein complex in brain tissue. <b>2000</b> , 351, 587-593	8
1241	Applicability of yeast genetics to neurologic disease. <b>2000</b> , 57, 1129-34	15
1240	Hereditary Ataxias. <b>2000</b> , 75, 475-490	50
1239	Electrophysiological studies in spinocerebellar ataxia type 6: a statistical approach. <b>2000</b> , 11, 969-72	11
1238	The spinocerebellar ataxias. <b>2000</b> , 23, 296-303	38
1237	Distribution of ataxin-7 in normal human brain and retina. <b>2000</b> , 123 Pt 12, 2519-30	50
1236	Clinical and genetic aspects of spinocerebellar degeneration. <b>2000</b> , 13, 407-13	28
1235	Triplet repeat expansion in neuromuscular disease. <b>2000</b> , 23, 843-50	53
1234	The expansion of the CAG repeat in exon 1 of the human androgen receptor gene is associated with uterine endometrial carcinoma. <b>2000</b> , 27, 237-244	26
1233	Reduced expression of DMAHP/SIX5 gene in myotonic dystrophy muscle. <b>2000</b> , 23, 1421-6	16
1232	Detection of triplet repeat expansion in the human genome by use of hybridization signal intensity. <b>2000</b> , 286, 59-66	1
1231	A novel locus for dominant cerebellar ataxia (SCA14) maps to a 10.2-cM interval flanked by D19S206 and D19S605 on chromosome 19q13.4-qter. <b>2000</b> , 48, 156-63	121
1230	Clinical and genetic findings in Finnish ataxia patients with the spinocerebellar ataxia 8 repeat expansion. <b>2000</b> , 48, 354-361	56
1229	Alteration of the serotonergic nervous system in fatal familial insomnia. <b>2000</b> , 48, 788-791	24
1228	Inhibition of cyclooxygenase-2 protects motor neurons in an organotypic model of amyotrophic lateral sclerosis. <b>2000</b> , 48, 792-795	107

1227	Down's syndrome is associated with increased 8,12-iso-iPF <sub>2</sub> -VI levels: Evidence for enhanced lipid peroxidation in vivo. <b>2000</b> , 48, 795-798	59
1226	PABP2 polyaniline tract expansion causes intranuclear inclusions in oculopharyngeal muscular dystrophy. <b>2000</b> , 48, 798-802	38
1225	High mortality in Nipah encephalitis is associated with presence of virus in cerebrospinal fluid. <b>2000</b> , 48, 802-805	61
1224	Variant Alzheimer's disease with spastic paraparesis and cotton wool plaques is caused by PS-1 mutations that lead to exceptionally high amyloid- $\beta$ concentrations. <b>2000</b> , 48, 806-808	113
1223	Increased 8,12-iso-iPF <sub>2</sub> VI in Alzheimer's disease: Correlation of a noninvasive index of lipid peroxidation with disease severity. <b>2000</b> , 48, 809-812	295
1222	Intranuclear inclusions in oculopharyngeal muscular dystrophy contain poly(A) binding protein 2. <b>2000</b> , 48, 812-815	37
1221	Episodic movement disorders as channelopathies. <b>2000</b> , 15, 429-433	43
1220	The molecular biology of the autosomal-dominant cerebellar ataxias. <b>2000</b> , 15, 604-12	46
1219	Epilepsy genes: the link between molecular dysfunction and pathophysiology. <b>2000</b> , 6, 281-92	11
1218	Introduction. Ion channelopathies: hereditary dysfunction of ion channels. <b>2000</b> , 57, 761-5	3
1217	Calcium channelopathies. <b>2000</b> , 57, 794-802	27
1216	Similarities and differences in the phenotype, genotype and pathogenesis of different spinocerebellar ataxias. <b>2000</b> , 7, 309-14	18
1215	Molecular genetics of migraine headaches: a review. <b>2000</b> , 20, 3-14	82
1214	Sisters homozygous for the spinocerebellar ataxia type 6 (SCA6)/CACNA1A gene associated with different clinical phenotypes. <b>2000</b> , 58, 69-73	23
1213	No evidence of association from transmission disequilibrium analysis of the hKCa3 gene in bipolar disorder. <b>2000</b> , 2, 328-31	2
1212	Alternating hemiplegia of childhood: no mutations in the familial hemiplegic migraine CACNA1A gene. <b>2000</b> , 20, 696-700	27
1211	Expanded polyglutamine stretches interact with TAFII130, interfering with CREB-dependent transcription. <i>Nature Genetics</i> , <b>2000</b> , 26, 29-36	36.3 359
1210	Nuclear localization or inclusion body formation of ataxin-2 are not necessary for SCA2 pathogenesis in mouse or human. <i>Nature Genetics</i> , <b>2000</b> , 26, 44-50	36.3 264

1209	Large expansion of the ATTCT pentanucleotide repeat in spinocerebellar ataxia type 10. <i>Nature Genetics</i> , <b>2000</b> , 26, 191-4	36.3	450
1208	Clinical and molecular advances in autosomal dominant cerebellar ataxias: from genotype to phenotype and physiopathology. <b>2000</b> , 8, 4-18		165
1207	Evidence for a common Spinocerebellar ataxia type 7 (SCA7) founder mutation in Scandinavia. <b>2000</b> , 8, 918-22		42
1206	Interaction of expanded polyglutamine stretches with nuclear transcription factors leads to aberrant transcriptional regulation in polyglutamine diseases. <b>2000</b> , 20, 326-333		36
1205	Genetic localization of the Ca <sup>2+</sup> channel gene CACNG2 near SCA10 on chromosome 22q13. <b>2000</b> , 41, 24-7		74
1204	Molecular determinants of inactivation in voltage-gated Ca <sup>2+</sup> channels. <b>2000</b> , 528 Pt 2, 237-49		115
1203	Modulation of slow inactivation in class A Ca <sup>2+</sup> channels by beta-subunits. <b>2000</b> , 527 Pt 3, 445-54		37
1202	The spinocerebellar ataxias: molecular progress and newly recognized paediatric phenotypes. <b>2000</b> , 4, 9-15		7
1201	Neurological diseases caused by ion-channel mutations. <b>2000</b> , 10, 409-15		20
1200	Abnormal intracellular ca(2+)homeostasis and disease. <b>2000</b> , 28, 1-21		179
1199	Ionizing radiation and genetic risks. XII. The concept of "potential recoverability correction factor" (PRCF) and its use for predicting the risk of radiation-inducible genetic disease in human live births. <b>2000</b> , 453, 129-81		10
1198	Increased T-type Ca <sup>2+</sup> channel activity as a determinant of cellular toxicity in neuronal cell lines expressing polyglutamine-expanded human androgen receptors. <b>2000</b> , 203, 23-31		11
1197	Familial Episodic Ataxias and Related Ion Channel Disorders. <b>2000</b> , 2, 429-431		19
1196	Initial vestibulo-ocular reflex during transient angular and linear acceleration in human cerebellar dysfunction. <b>2000</b> , 130, 486-96		28
1195	[Typical anticipation in type 7 spinocerebellar ataxia]. <b>2000</b> , 71, 835-8		
1194	DNA repeat expansions and human disease. <b>2000</b> , 57, 914-31		73
1193	Trinucleotide repeats and neuropsychiatric disorders. <b>2000</b> , 15, 136-44		1
1192	Identification and characterization of human neuronal voltage-gated calcium channel gamma 3 subunit gene. <b>2000</b> , 45, 2172-2176		

1191	CACNA1A gene mutations in familial hemiplegic migraine. <b>2000</b> , 1, S121-S128	
1190	Genetics of familial hemiplegic migraine. <b>2000</b> , 1, S129-S134	1
1189	Molecular genetics and migraine. <b>2000</b> , 1, S135-S140	2
1188	Genetic background of apparently idiopathic sporadic cerebellar ataxia. <b>2000</b> , 107, 132-7	120
1187	Molecular analysis of autosomal dominant hereditary ataxias in the Indian population: high frequency of SCA2 and evidence for a common founder mutation. <b>2000</b> , 106, 179-87	85
1186	Cell death in polyglutamine diseases. <b>2000</b> , 301, 189-204	59
1185	Morphological Purkinje cell changes in spinocerebellar ataxia type 6. <b>2000</b> , 100, 371-6	72
1184	Neuronal intranuclear hyaline inclusion disease with polyglutamine-immunoreactive inclusions. <b>2000</b> , 99, 589-94	37
1183	Typical Friedreich's ataxia without GAA expansions and GAA expansion without typical Friedreich's ataxia. <b>2000</b> , 247, 346-55	37
1182	Nineteen CAG repeats of the SCA6 gene in a Japanese patient presenting with ataxia. <b>2000</b> , 247, 711-2	11
1181	Identification of the spinocerebellar ataxia type 7 mutation in Taiwan: application of PCR-based Southern blot. <b>2000</b> , 247, 623-9	18
1180	C-Terminal alternative splicing changes the gating properties of a human spinal cord calcium channel alpha 1A subunit. <b>2000</b> , 20, 7564-70	36
1179	The polyglutamine expansion in spinocerebellar ataxia type 6 causes a beta subunit-specific enhanced activation of P/Q-type calcium channels in <i>Xenopus</i> oocytes. <b>2000</b> , 20, 6394-403	110
1178	Macular degeneration associated with aberrant expansion of trinucleotide repeat of the SCA7 gene in 2 Japanese families. <b>2000</b> , 118, 1415-21	35
1177	Chaperones Hsp70 and Hsp40 suppress aggregate formation and apoptosis in cultured neuronal cells expressing truncated androgen receptor protein with expanded polyglutamine tract. <b>2000</b> , 275, 8772-8	252
1176	Reduced voltage sensitivity of activation of P/Q-type Ca <sup>2+</sup> channels is associated with the ataxic mouse mutation rolling Nagoya (tg(rol)). <b>2000</b> , 20, 5654-62	161
1175	Insights from mouse models into the molecular basis of neurodegeneration. <b>2000</b> , 62, 779-802	78
1174	Three new familial hemiplegic migraine mutants affect P/Q-type Ca(2+) channel kinetics. <b>2000</b> , 275, 9239-43	109

1173	Expanded polyglutamine peptides alone are intrinsically cytotoxic and cause neurodegeneration in <i>Drosophila</i> . <b>2000</b> , 9, 13-25	201
1172	Activate your online subscription. <b>2000</b> , 54, 955-955	
1171	Spinocerebellar ataxia type 8: clinical features in a large family. <b>2000</b> , 55, 649-57	123
1170	Migraine and ataxias. <b>2000</b> , 155-179	
1169	Dissociation of smooth pursuit and vestibulo-ocular reflex cancellation in SCA-6. <b>2000</b> , 54, 860-6	23
1168	Molecular and clinical analyses of spinocerebellar ataxia type 8 in Japan. <b>2000</b> , 54, 950-5	78
1167	In vitro expansion of mammalian telomere repeats by DNA polymerase alpha-primase. <b>2000</b> , 28, 3117-24	11
1166	Molecular Genetics and Inherited Ataxias: Redefining Phenotypes and Pathogenesis. <b>2000</b> , 6, 465-474	
1165	Frequency of SCA1, SCA2, SCA3/MJD, SCA6, SCA7, and DRPLA CAG trinucleotide repeat expansion in patients with hereditary spinocerebellar ataxia from Chinese kindreds. <b>2000</b> , 57, 540-4	144
1164	Protein binding of a DRPLA family through arginine-glutamic acid dipeptide repeats is enhanced by extended polyglutamine. <b>2000</b> , 9, 1433-42	48
1163	CAG repeat length in RAI1 is associated with age at onset variability in spinocerebellar ataxia type 2 (SCA2). <b>2000</b> , 9, 1753-8	66
1162	Spinocerebellar ataxia type 6 mutation alters P-type calcium channel function. <b>2000</b> , 275, 10893-8	86
1161	Long glutamine tracts cause nuclear localization of a novel form of huntingtin in medium spiny striatal neurons in HdhQ92 and HdhQ111 knock-in mice. <b>2000</b> , 9, 503-13	350
1160	Vascular smooth muscle cells express the alpha(1A) subunit of a P-/Q-type voltage-dependent Ca(2+)Channel, and It is functionally important in renal afferent arterioles. <b>2000</b> , 87, 896-902	79
1159	Repetitive transcranial magnetic stimulation does not replicate the Wada test. <b>2000</b> , 55, 1025-7	58
1158	Channelopathies: ion channel defects linked to heritable clinical disorders. <b>2000</b> , 37, 729-40	30
1157	CACNA1A gene de novo mutation causing hemiplegic migraine, coma, and cerebellar atrophy. <b>2000</b> , 55, 1040-2	119
1156	A novel protein with RNA-binding motifs interacts with ataxin-2. <b>2000</b> , 9, 1303-13	183

1155	Pontine atrophy in spinocerebellar ataxia type 6. <b>2000</b> , 43, 17-22	13
1154	Hereditary cerebellar ataxia with peripheral neuropathy and mental retardation. <b>2000</b> , 43, 82-7	24
1153	A gene on SCA4 locus causes dominantly inherited pure cerebellar ataxia. <b>2000</b> , 54, 1971-5	70
1152	Relative frequencies of CAG expansions in spinocerebellar ataxia and dentatorubropallidoluysian atrophy in 116 Italian families. <b>2000</b> , 44, 31-6	56
1151	Spinocerebellar ataxia in Singapore: predictive features of a positive DNA test?. <b>2000</b> , 44, 168-71	10
1150	Motoneuronal cell death is not correlated with aggregate formation of androgen receptors containing an elongated polyglutamine tract. <b>2000</b> , 9, 133-44	104
1149	Identification of six CAG repeat domains into the human chromosomal region 12q24.1. <b>2000</b> , 271, 515-7	
1148	Identification of six CAG repeat domains into the human chromosomal region 12q24.1. <b>2000</b> , 272, 400-2	
1147	Polyglutamine-mediated aggregation and cell death. <b>2000</b> , 272, 816-21	19
1146	Ataxin-3 is translocated into the nucleus for the formation of intranuclear inclusions in normal and Machado-Joseph disease brains. <b>2000</b> , 165, 248-56	67
1145	A fine physical map of the CACNA1A gene region on 19p13.1-p13.2 chromosome. <b>2000</b> , 241, 45-50	13
1144	No evidence for long CAG/CTG repeats in families with spastic paraplegia linked to chromosome 2p21-24. <b>2000</b> , 279, 41-4	6
1143	Olivocerebellar projections modify hereditary Purkinje cell degeneration. <b>2000</b> , 101, 417-33	15
1142	Lambert-Eaton myasthenic syndrome as an autoimmune calcium-channelopathy. <b>2000</b> , 36, 183-91	29
1141	Tissue transglutaminase: a possible role in neurodegenerative diseases. <b>2000</b> , 61, 439-63	143
1140	High germinal instability of the (CTG) <sub>n</sub> at the SCA8 locus of both expanded and normal alleles. <b>2000</b> , 66, 830-40	75
1139	Mapping of spinocerebellar ataxia 13 to chromosome 19q13.3-q13.4 in a family with autosomal dominant cerebellar ataxia and mental retardation. <b>2000</b> , 67, 229-35	151
1138	DMSO and glycerol reduce bacterial death induced by expression of truncated N-terminal huntingtin with expanded polyglutamine tracts. <b>2000</b> , 1502, 247-56	12

1137	Structure of polyglutamine. <b>2000</b> , 472, 166-8	15
1136	Molecular analysis of autosomal dominant hereditary ataxias in the Indian population: high frequency of SCA2 and evidence for a common founder mutation. <b>2000</b> , 106, 179-187	106
1135	Analysis of CAG repeats in SCA1, SCA2, SCA3, SCA6, SCA7 and DRPLA loci in spinocerebellar ataxia patients and distribution of CAG repeats at the SCA1, SCA2 and SCA6 loci in nine ethnic populations of eastern India. <b>2000</b> , 106, 597-604	74
1134	Advances in Research on Neurodegeneration. <b>2000</b> ,	
1133	Glutamine repeats and neurodegeneration. <b>2000</b> , 23, 217-47	1110
1132	Male infertility and environmental exposure to lead and cadmium. <b>2000</b> , 6, 107-21	229
1131	[Distribution of dominant hereditary ataxias and Friedreich's ataxia in the Spanish population]. <b>2000</b> , 115, 121-5	11
1130	Hereditary ataxias. <b>2000</b> , 75, 475-90	60
1129	Prevalence of triplet repeat expansion in ataxia patients from Hokkaido, the northernmost island of Japan. <b>2000</b> , 175, 45-51	38
1128	High prevalence of spinocerebellar ataxia type 1 (SCA1) in an isolated region of Japan. <b>2000</b> , 178, 153-8	24
1127	Trinucleotide repeats: mechanisms and pathophysiology. <b>2000</b> , 1, 281-328	261
1126	Ion channels in health and disease. 83rd Boehringer Ingelheim Fonds International Titisee Conference. <b>2001</b> , 2, 568-73	29
1125	Spinocerebellar ataxia type 6: founder effect in Western Japan. <b>2001</b> , 185, 43-7	13
1124	Meiotic instability of the CAG repeats in the SCA6/CACNA1A gene in two Japanese SCA6 families. <b>2001</b> , 185, 101-7	14
1123	The pathophysiology of varicoceles in the light of current molecular and genetic information. <b>2001</b> , 7, 461-72	170
1122	Complete loss of P/Q calcium channel activity caused by a CACNA1A missense mutation carried by patients with episodic ataxia type 2. <b>2001</b> , 68, 759-64	134
1121	Familial hemiplegic migraine: a ion channel disorder. <b>2001</b> , 56, 239-41	24
1120	Spinocerebellar ataxia type 6: channelopathy or glutamine repeat disorder?. <b>2001</b> , 56, 227-31	45



1119	Polyglutamine tract expansion of the androgen receptor in a motoneuronal model of spinal and bulbar muscular atrophy. <b>2001</b> , 56, 215-20	31
1118	Trinucleotide repeat expansions: do they contribute to bipolar disorder?. <b>2001</b> , 56, 243-57	18
1117	Are there CAG repeat expansion-related disorders outside the central nervous system?. <b>2001</b> , 56, 259-64	9
1116	Identification of alternative splicing of spinocerebellar ataxia type 2 gene. <b>2001</b> , 267, 89-93	19
1115	Anticipation, imprinting, trinucleotide repeat expansions and psychoses. <b>2001</b> , 25, 167-92	11
1114	Genetic basis of schizophrenia: trinucleotide repeats. An update. <b>2001</b> , 25, 1187-201	10
1113	Influence of interleukin-1beta gene polymorphism on age-at-onset of spinocerebellar ataxia 6 (SCA6) in Japanese patients. <b>2001</b> , 307, 128-30	7
1112	Use of transgenic mice to study voltage-dependent Ca <sup>2+</sup> channels. <b>2001</b> , 22, 526-32	37
1111	Electronystagmographic findings in patients with cerebral degenerative disease. <b>2001</b> , 545, 136-9	6
1110	Expansion explosion: new clues to the pathogenesis of repeat expansion neurodegenerative diseases. <b>2001</b> , 7, 479-82	67
1109	Androgen induced cell death in SHSY5Y neuroblastoma cells expressing wild-type and spinal bulbar muscular atrophy mutant androgen receptors. <b>2001</b> , 1536, 13-20	7
1108	Gene Mutation. <b>2001</b> , 11, 104-120	1
1107	Ataxia and hereditary disorders. <b>2001</b> , 19, 759-82, viii	36
1106	Metabolic characterization of spinocerebellar ataxia type 6. <b>2001</b> , 58, 300-4	38
1105	Molecular properties of small-conductance Ca <sup>2+</sup> -activated K <sup>+</sup> channels expressed in murine colonic smooth muscle. <b>2001</b> , 281, G964-73	49
1104	Spinocerebellar ataxia type 6 and episodic ataxia type 2 in a Korean family. <b>2001</b> , 16, 809-13	13
1103	Rocker is a new variant of the voltage-dependent calcium channel gene Cacna1a. <b>2001</b> , 21, 1169-78	136
1102	Increased expression of alpha 1A Ca <sup>2+</sup> channel currents arising from expanded trinucleotide repeats in spinocerebellar ataxia type 6. <b>2001</b> , 21, 9185-93	98

1101	Ion channels in disease. <b>2001</b> , 13, 142-9	12
1100	A novel autosomal dominant spinocerebellar ataxia (SCA16) linked to chromosome 8q22.1-24.1. <b>2001</b> , 57, 96-100	91
1099	CAG repeat expansion in the TATA box-binding protein gene causes autosomal dominant cerebellar ataxia. <b>2001</b> , 124, 1939-47	119
1098	Clinical and molecular correlations in spinocerebellar ataxia type 6: a study of 24 Dutch families. <b>2001</b> , 58, 1839-44	41
1097	Association of moderate polyglutamine tract expansions in the slow calcium-activated potassium channel type 3 with ataxia. <b>2001</b> , 58, 1649-53	21
1096	Incidence of genetic subgroups of hereditary spinocerebellar ataxia in Fukushima Prefecture. <b>2001</b> , 195, 85-91	5
1095	Missense CACNA1A mutation causing episodic ataxia type 2. <b>2001</b> , 58, 292-5	57
1094	Spinocerebellar ataxia type 1 in China: molecular analysis and genotype-phenotype correlation in 5 families. <b>2001</b> , 58, 789-94	18
1093	Calcium Channel Diversity. <b>2001</b> ,	
1092	Adult-onset autosomal recessive ataxia with thalamic lesions in a Finnish family. <b>2001</b> , 57, 1043-9	33
1091	Identification and expression of a mouse ortholog of A2BP1. <b>2001</b> , 12, 595-601	43
1090	Genetic mapping of a neurological mutation cerebellar calcification in the rat. <b>2001</b> , 12, 80-2	1
1089	The genomic structure and expression of MJD, the Machado-Joseph disease gene. <b>2001</b> , 46, 413-22	50
1088	A linkage disequilibrium at the candidate gene locus for 16q-linked autosomal dominant cerebellar ataxia type III in Japan. <b>2001</b> , 46, 167-71	20
1087	Cerebellar/spinocerebellar syndromes. <b>2001</b> , 22 Suppl 2, S88-92	11
1086	No evidence of association between CAG expansions and essential tremor in a large cohort of Italian patients. <b>2001</b> , 108, 297-304	14
1085	The genetics of migraine. <b>2001</b> , 2, s79-s82	1
1084	A survey of spinocerebellar ataxia in South Brazil - 66 new cases with Machado-Joseph disease, SCA7, SCA8, or unidentified disease-causing mutations. <b>2001</b> , 248, 870-6	79

1083	Sporadic late onset paroxysmal cerebellar ataxia in four unrelated patients: a new disease?. <b>2001</b> , 248, 209-14	16
1082	Clinical and genetic analysis of a four-generation family with a distinct autosomal dominant cerebellar ataxia. <b>2001</b> , 248, 113-20	56
1081	EFNS Task Force on Molecular Diagnosis of Neurologic Disorders: guidelines for the molecular diagnosis of inherited neurologic diseases. First of two parts. <b>2001</b> , 8, 299-314	17
1080	Effects of hyperventilation on fast goal-directed limb movements in spinocerebellar ataxia type 6. <b>2001</b> , 8, 401-6	8
1079	CACNA1A gene polymorphisms in cluster headache. <b>2001</b> , 21, 953-8	38
1078	Clinical trial of acetazolamide in SCA6, with assessment using the Ataxia Rating Scale and body stabilometry. <b>2001</b> , 104, 44-7	45
1077	Distinct properties and differential beta subunit regulation of two C-terminal isoforms of the P/Q-type Ca(2+)-channel alpha(1A) subunit. <b>2001</b> , 14, 987-97	21
1076	Proton magnetic resonance spectroscopic imaging reveals differences in spinocerebellar ataxia types 2 and 6. <b>2001</b> , 13, 553-9	37
1075	Genomic variation in pancreatic ion channel genes in Japanese type 2 diabetic patients. <b>2001</b> , 17, 213-6	32
1074	Ion channels and epilepsy. <b>2001</b> , 106, 146-59	123
1073	Investigation of the CACNA1A gene as a candidate for typical migraine susceptibility. <b>2001</b> , 105, 707-12	43
1072	Reorganization of somatic sensory function in the human thalamus after stroke. <b>2001</b> , 50, 800-3	20
1071	Molecular and clinical correlation in five Indian families with spinocerebellar ataxia 12. <b>2001</b> , 50, 796-800	87
1070	Spinocerebellar ataxia type 2 presenting as familial levodopa-responsive parkinsonism. <b>2001</b> , 50, 812-5	121
1069	Complete allele information in the diagnosis of facioscapulohumeral muscular dystrophy by triple DNA analysis. <b>2001</b> , 50, 816-9	80
1068	So near yet so far: neglect in far or near space depends on tool use. <b>2001</b> , 50, 820-2	80
1067	Increased HTLV-I proviral load and preferential expansion of HTLV-I Tax-specific CD8+ T cells in cerebrospinal fluid from patients with HAM/TSP. <b>2001</b> , 50, 807-12	114
1066	Evidence for postjunctional serotonin (5-HT1) receptors in the trigeminocervical complex. <b>2001</b> , 50, 804-7	40

1065	Delayed cerebral edema and fatal coma after minor head trauma: role of the CACNA1A calcium channel subunit gene and relationship with familial hemiplegic migraine. <b>2001</b> , 49, 753-60	272
1064	Clinical and genetic analysis of four Mexican families with spinocerebellar ataxia type 10. <b>2001</b> , 50, 234-9	120
1063	Herpes simplex virus type 1 (HSV-1)--induced retinitis following herpes simplex encephalitis: indications for brain-to-eye transmission of HSV-1. <b>2001</b> , 49, 104-6	19
1062	A novel mtDNA mutation in the ND5 subunit of complex I in two MELAS patients. <b>2001</b> , 49, 106-10	105
1061	Decreased binding of [ <sup>11</sup> C]flumazenil in Angelman syndrome patients with GABA(A) receptor beta3 subunit deletions. <b>2001</b> , 49, 110-3	48
1060	No evidence for genetic association or linkage of the cathepsin D (CTSD) exon 2 polymorphism and Alzheimer disease. <b>2001</b> , 49, 114-6	26
1059	SCA12 is a rare locus for autosomal dominant cerebellar ataxia: A study of an Indian family. <b>2001</b> , 49, 117-121	102
1058	Inherited Myoclonus-dystonia syndrome: narrowing the 7q21-q31 locus in German families. <b>2001</b> , 49, 121-4	45
1057	Variable phenotype of Alzheimer's disease with spastic paraparesis. <b>2001</b> , 49, 125-9	81
1056	Distal anterior compartment myopathy: A dysferlin mutation causing a new muscular dystrophy phenotype. <b>2001</b> , 49, 130-134	218
1055	Ophthalmological findings in patients with spinocerebellar ataxia type 1 are not correlated with neurological anticipation. <b>2001</b> , 239, 722-8	8
1054	Channelopathies: Episodic Disorders of the Nervous System. <b>2001</b> , 42, 35-43	13
1053	The function of Ca(2+) channel subtypes in exocytotic secretion: new perspectives from synaptic and non-synaptic release. <b>2001</b> , 77, 269-303	66
1052	Central/nervous system/neuromuscular channelopathies. <b>2001</b> , 5, 207-9	
1051	Voltage-gated ion channelopathies of the nervous system. <b>2001</b> , 1, 104-117	18
1050	Dystonia and cerebellar atrophy in Cacna1a null mice lacking P/Q calcium channel activity. <b>2001</b> , 15, 1288-90	166
1049	Channelopathies: episodic disorders of the nervous system. <b>2001</b> , 42 Suppl 5, 35-43	31
1048	Amino acids in segment IVS6 and beta-subunit interaction support distinct conformational changes during Ca(v)2.1 inactivation. <b>2001</b> , 276, 17076-82	28

1047	Autosomal dominant polycystic kidney disease unlinked to the PKD1 and PKD2 loci presenting as familial cerebral aneurysm. <b>2001</b> , 38, 238-40	10
1046	Ataxia and calcium channels: what a headache!. <b>2001</b> , 58, 179-80	8
1045	Eye position feedback in a model of the vestibulo-ocular reflex for spino-cerebellar ataxia 6.	
1044	Inherited muscle and brain channelopathies. <b>2001</b> , 1, 247-65	
1043	CAG repeat instability at SCA2 locus: anchoring CAA interruptions and linked single nucleotide polymorphisms. <b>2001</b> , 10, 2437-46	101
1042	Frequency analysis of autosomal dominant cerebellar ataxias in Taiwanese patients and clinical and molecular characterization of spinocerebellar ataxia type 6. <b>2001</b> , 58, 1105-9	75
1041	Pathogenic effect of an intermediate-size SCA-6 allele (CAG)(19) in a homozygous patient. <b>2001</b> , 57, 1502-4	33
1040	Polyglutamine aggregates in SCA6 Purkinje cells: a tail of two toxicities. <b>2001</b> , 56, 1618-9	8
1039	Loss-of-function EA2 mutations are associated with impaired neuromuscular transmission. <b>2001</b> , 57, 1843-8	124
1038	Cerebellar ataxia associated with heteroallelic ceruloplasmin gene mutation. <b>2001</b> , 57, 2205-10	61
1037	Association of ataxin-7 with the proteasome subunit S4 of the 19S regulatory complex. <b>2001</b> , 10, 2821-31	38
1036	Double-stranded RNA-dependent protein kinase, PKR, binds preferentially to Huntington's disease (HD) transcripts and is activated in HD tissue. <b>2001</b> , 10, 1531-8	78
1035	Cytoplasmic and nuclear polyglutamine aggregates in SCA6 Purkinje cells. <b>2001</b> , 56, 1753-6	64
1034	Selection of a mtDNA sequence variant in hepatocytes of heteroplasmic mice is not due to differences in respiratory chain function or efficiency of replication. <b>2001</b> , 10, 2469-79	76
1033	Twenty CAG repeats are sufficient to cause the SCA6 phenotype. <b>2001</b> , 38, E38	6
1032	Histone deacetylase inhibitors reduce polyglutamine toxicity. <b>2001</b> , 98, 15179-84	214
1031	Beyond the Qs in the polyglutamine diseases. <b>2001</b> , 15, 925-32	138
1030	Neuromuscular transmission in migraine: a single-fiber EMG study in clinical subgroups. <b>2001</b> , 56, 1038-43	59

1029	Presynaptic congenital myasthenic syndrome due to quantal release deficiency. <b>2001</b> , 57, 279-89	43
1028	The inherited episodic ataxias: how well do we understand the disease mechanisms?. <b>2001</b> , 7, 80-8	20
1027	Clinical features and genetic analysis of a new form of spinocerebellar ataxia. <b>2001</b> , 56, 234-8	78
1026	The clinical spectrum of familial hemiplegic migraine associated with mutations in a neuronal calcium channel. <b>2001</b> , 345, 17-24	432
1025	Hemiplegic migraine--downstream of a single-base change. <b>2001</b> , 345, 57-9	9
1024	A genetic epidemiological study of spinocerebellar ataxias in Tottori prefecture, Japan. <b>2001</b> , 20, 144-9	23
1023	Ataxia associated with Hashimoto's disease: progressive non-familial adult onset cerebellar degeneration with autoimmune thyroiditis. <b>2001</b> , 71, 81-7	75
1022	Novel Cav2.1 splice variants isolated from Purkinje cells do not generate P-type Ca <sup>2+</sup> current. <b>2002</b> , 277, 7214-21	44
1021	Trinucleotide repeats in 202 families with ataxia: a small expanded (CAG) <sub>n</sub> allele at the SCA17 locus. <b>2002</b> , 59, 623-9	144
1020	Triple Repeat Diseases of the Nervous Systems. <b>2002</b> ,	
1019	Spinocerebellar ataxias in the Netherlands: prevalence and age at onset variance analysis. <b>2002</b> , 58, 702-8	207
1018	Predictive testing in the context of pregnancy: experience in Huntington's disease and autosomal dominant cerebellar ataxia. <b>2002</b> , 39, 522-5	19
1017	Genetic prenatal and preimplantation diagnosis of trinucleotide repeat disorders. <b>2002</b> , 2, 561-72	2
1016	Neuronal intranuclear inclusions in SCA2: a genetic, morphological and immunohistochemical study of two cases. <b>2002</b> , 125, 656-63	81
1015	Spinocerebellar ataxia type 1 (SCA1): phenotype-genotype correlation studies in intermediate alleles. <b>2002</b> , 10, 204-9	47
1014	Proton MR spectroscopy of the cerebellum and pons in patients with degenerative ataxia. <b>2002</b> , 223, 371-8	55
1013	The neuronal channelopathies. <b>2002</b> , 125, 1177-95	129
1012	Hypogonadotropic hypogonadism and cerebellar ataxia: detailed phenotypic characterization of a large, extended kindred. <b>2002</b> , 87, 1607-12	50

1011	Ion channel diseases. <b>2002</b> , 11, 2435-45	150
1010	Interactions among toxins that inhibit N-type and P-type calcium channels. <b>2002</b> , 119, 313-28	76
1009	Early onset autosomal dominant dementia with ataxia, extrapyramidal features, and epilepsy. <b>2002</b> , 58, 922-8	20
1008	Genetic modulation of polyglutamine toxicity by protein conjugation pathways in <i>Drosophila</i> . <b>2002</b> , 11, 2895-904	131
1007	Repeat expansion and neurological disease. <b>2002</b> , 32-54	2
1006	The hereditary ataxias. <b>2002</b> , 1880-1895	3
1005	A new dominant spinocerebellar ataxia linked to chromosome 19q13.4-qter. <b>2002</b> , 59, 1291-5	69
1004	Headache. <b>2002</b> , 15, 285-6	2
1003	Calcium channel mutations and migraine. <b>2002</b> , 15, 311-6	26
1002	The immunopathogenesis of paraneoplastic neurological syndromes. <b>2002</b> , 102, 475-486	29
1001	The immunopathogenesis of paraneoplastic neurological syndromes. <b>2002</b> , 102, 475	20
1000	Motor cortex activation by transcranial magnetic stimulation in ataxia patients depends on the genetic defect. <b>2002</b> , 125, 301-9	78
999	Proteolysis of Mutant Gene Products are Key Mechanisms in Neurodegenerative Diseases. <b>2002</b> , 269-282	
998	Chapter 3 Cellular calcium dynamics. <b>2002</b> , 27-45	
997	Chapter 5 Calcium channelopathies in neuromuscular transmission. <b>2002</b> , 54, 49-52	
996	USP7, a ubiquitin-specific protease, interacts with ataxin-1, the SCA1 gene product. <b>2002</b> , 20, 298-306	52
995	Double-blind crossover study of branched-chain amino acid therapy in patients with spinocerebellar degeneration. <b>2002</b> , 195, 149-52	33
994	Movement disorders in hereditary ataxias. <b>2002</b> , 202, 59-64	29

993	Diagnosis of five spinocerebellar ataxia disorders by multiplex amplification and capillary electrophoresis. <b>2002</b> , 4, 108-13	41
992	Neurogenetics. <b>2002</b> ,	
991	Single-strand conformational polymorphism analysis (SSCP) and sequencing for ion channel gene mutations. <b>2003</b> , 217, 143-51	4
990	Wide clinical variability in a family with a CACNA1A T666m mutation: hemiplegic migraine, coma, and progressive ataxia. <b>2002</b> , 26, 47-50	48
989	Neuromuscular disorders: gene location. <b>2002</b> , 12, 82-100	
988	Transglutaminases in disease. <b>2002</b> , 40, 85-103	133
987	Cloning and expression analysis of the murine homolog of the spinocerebellar ataxia type 7 (SCA7) gene. <b>2002</b> , 285, 91-9	19
986	Apoptotic cell death of cerebellar granule cells in rolling mouse Nagoya. <b>2002</b> , 325, 1-4	21
985	Genetic ataxia. <b>2002</b> , 20, 727-57, vii	9
984	Spinocerebellar ataxia type 7 without retinal degeneration: a case report. <b>2002</b> , 17, 577-9	3
983	Systematic identification of splice variants in human P/Q-type channel alpha1(2.1) subunits: implications for current density and Ca <sup>2+</sup> -dependent inactivation. <b>2002</b> , 22, 10142-52	124
982	DIRECT technologies for molecular cloning of genes containing expanded CAG repeats. <b>2003</b> , 217, 73-81	
981	Synaptic targeting of N-type calcium channels in hippocampal neurons. <b>2002</b> , 22, 6939-52	158
980	Association of novel and established polymorphisms in neuronal nicotinic acetylcholine receptors with sporadic Alzheimer's disease. <b>2002</b> , 4, 71-6	35
979	Two populations of neuronal intranuclear inclusions in SCA7 differ in size and promyelocytic leukaemia protein content. <b>2002</b> , 125, 1534-43	58
978	Neurological disorders caused by inherited ion-channel mutations. <b>2002</b> , 1, 157-66	57
977	The genetics of migraine. <b>2002</b> , 1, 285-93	77
976	Childhood-onset ataxia: testing for large CAG-repeats in SCA2 and SCA7. <b>2002</b> , 110, 338-45	60



975	Difference in disease-free survival curve and regional distribution according to subtype of spinocerebellar ataxia: a study of 1,286 Japanese patients. <b>2002</b> , 114, 578-83	89
974	Impact of cervical dystonia on quality of life. <b>2002</b> , 17, 838-41	89
973	Did Charles Dickens describe progressive supranuclear palsy in 1857?. <b>2002</b> , 17, 832-3	20
972	Orthostatic paroxysmal dystonia. <b>2002</b> , 17, 841-5	11
971	Clinical, 18F-dopa PET, and genetic analysis of an ethnic Chinese kindred with early-onset parkinsonism and parkin gene mutations. <b>2002</b> , 17, 670-5	42
970	Parkinsonian syndrome induced by amlodipine: case report. <b>2002</b> , 17, 833-5	12
969	Association between dopamine transporter gene polymorphism and susceptibility to Parkinson's disease in Japan. <b>2002</b> , 17, 831-2	11
968	Micrographia secondary to lenticular lesions. <b>2002</b> , 17, 835-7	28
967	Familial essential tremor is not associated with SCA-12 mutation in southern Italy. <b>2002</b> , 17, 837-8	15
966	Dystonia in spinocerebellar ataxia type 6. <b>2002</b> , 17, 150-3	38
965	Familial conformational diseases and dementias. <b>2002</b> , 20, 1-14	46
964	The Hereditary Ataxias. <i>Cerebellum</i> , <b>2002</b> , 1, 143-158	4-3
963	Calcium channels--basic aspects of their structure, function and gene encoding; anesthetic action on the channels--a review. <b>2002</b> , 49, 151-64	99
962	The spinocerebellar ataxias: order emerges from chaos. <b>2002</b> , 2, 447-56	59
961	Identification of CAG repeat-containing genes expressed in human brain as candidate genes for autosomal dominant spinocerebellar ataxias and other neurodegenerative diseases. <b>2002</b> , 47, 275-8	
960	Expression of ataxin-7 in CNS and non-CNS tissue of normal and SCA7 individuals. <b>2002</b> , 104, 29-37	22
959	Episodic ataxia type 2. Three novel truncating mutations and one novel missense mutation in the CACNA1A gene. <b>2002</b> , 249, 1515-9	31
958	A patient homozygous for the SCA6 gene with retinitis pigmentosa. <b>2002</b> , 61, 375-9	10

957	Prevalence and ethnic differences of autosomal-dominant cerebellar ataxia in Singapore. <b>2002</b> , 62, 478-81	42
956	Ambulatory blood pressure monitoring in patients with spinocerebellar degeneration. <b>2002</b> , 106, 213-7	6
955	A 76-year-old woman presenting with adult-onset, slowly progressive cerebellar symptoms. <b>2002</b> , 22, 360-1	2
954	Haplotype and linkage disequilibrium analysis to characterise a region in the calcium channel gene CACNA1A associated with idiopathic generalised epilepsy. <b>2002</b> , 10, 857-64	33
953	The K-Cl cotransporter KCC3 is mutant in a severe peripheral neuropathy associated with agenesis of the corpus callosum. <i>Nature Genetics</i> , <b>2002</b> , 32, 384-92	36.3 219
952	Sequence variation and the biological function of genes: methodological and biological considerations. <b>2002</b> , 782, 3-25	12
951	Calcium channelopathy mutants and their role in ocular motor research. <b>2002</b> , 956, 64-74	38
950	Identification of a novel SCA locus (SCA19) in a Dutch autosomal dominant cerebellar ataxia family on chromosome region 1p21-q21. <b>2002</b> , 111, 388-93	72
949	Efficacy and tolerability of acetazolamide in migraine prophylaxis: a randomised placebo-controlled trial. <b>2002</b> , 249, 206-11	42
948	Homeostatic compensation maintains Ca <sup>2+</sup> signaling functions in Purkinje neurons in the leaner mutant mouse. <i>Cerebellum</i> , <b>2002</b> , 1, 119-27	4.3 18
947	Calcium channels and channelopathies of the central nervous system. <b>2002</b> , 25, 31-50	139
946	Functional diversity in neuronal voltage-gated calcium channels by alternative splicing of Ca(v)alpha1. <b>2002</b> , 26, 21-44	75
945	Targeting mechanisms of high voltage-activated Ca <sup>2+</sup> channels. <b>2003</b> , 35, 621-37	24
944	In vivo analysis of voltage-dependent calcium channels. <b>2003</b> , 35, 671-85	18
943	Ca <sup>2+</sup> channels as targets of neurological disease: Lambert-Eaton Syndrome and other Ca <sup>2+</sup> channelopathies. <b>2003</b> , 35, 697-718	32
942	Distribution of calcium-binding proteins in the cerebellum. <i>Cerebellum</i> , <b>2003</b> , 2, 242-62	4.3 187
941	Ca <sup>2+</sup> channels and synaptic transmission at the adult, neonatal, and P/Q-type deficient neuromuscular junction. <b>2003</b> , 998, 11-7	35
940	Effect of inherited abnormalities of calcium regulation on human neuromuscular transmission. <b>2003</b> , 998, 18-28	7

939	Migraine genetics. <b>2003</b> , 7, 212-7	25
938	Anticipation and CAG*CTG repeat expansion in schizophrenia and bipolar affective disorder. <b>2003</b> , 5, 145-54	10
937	The cerebellum and cognition. Intellectual function in spinocerebellar ataxia type 6 (SCA6). <b>2003</b> , 250, 1482-7	63
936	Positional vertigo and macroscopic downbeat positioning nystagmus in spinocerebellar ataxia type 6 (SCA6). <b>2003</b> , 250, 440-3	55
935	Physical map and haplotype analysis of 16q-linked autosomal dominant cerebellar ataxia (ADCA) type III in Japan. <b>2003</b> , 48, 111-8	26
934	Gene table. Central nervous system/neuromuscular channelopathies. <b>2003</b> , 7, 187-90	1
933	Paediatric and adult ataxias (update). <b>2003</b> , 7, 231-3	1
932	The genetics of febrile seizures and related epilepsy syndromes. <b>2003</b> , 25, 304-12	37
931	Olivocerebellar projections are necessary for exogenous trophic factors to delay heredo-Purkinje cell degeneration. <b>2003</b> , 986, 54-62	5
930	Prenatal diagnosis of Machado-Joseph disease/Spinocerebellar Ataxia Type 3 in Taiwan: early detection of expanded ataxin-3. <b>2003</b> , 17, 195-200	6
929	Role of proteolysis in polyglutamine disorders. <b>2003</b> , 74, 406-16	71
928	State of the art review: molecular diagnosis of inherited movement disorders. Movement Disorders Society task force on molecular diagnosis. <b>2003</b> , 18, 3-18	30
927	Epidemiology of primary dystonias in Japan: comparison with Western countries. <b>2003</b> , 18, 1196-8	48
926	VIM thalamic stimulation for tremor in a patient with IgM paraproteinaemic demyelinating neuropathy. <b>2003</b> , 18, 1192-5	29
925	Periodic alternating nystagmus and rebound nystagmus in spinocerebellar ataxia type 6. <b>2003</b> , 18, 1201-4	22
924	Brainstem myoclonus in generalised tetanus. <b>2003</b> , 18, 1204-6	7
923	Severe generalized dystonia as a presentation of a patient with aprataxin gene mutation. <b>2003</b> , 18, 1198-200	20
922	Treatment of hypophonia with collagen vocal cord augmentation in patients with parkinsonism. <b>2003</b> , 18, 1190-2	27

921	Pure cerebello-olivary degeneration of Marie, Foix, and Alajouanine presenting with progressive cerebellar ataxia, cognitive decline, and chorea. <b>2003</b> , 18, 1550-4	12
920	Searching for modulating effects of SCA2, SCA6 and DRPLA CAG tracts on the Machado-Joseph disease (SCA3) phenotype. <b>2003</b> , 107, 211-4	23
919	Immunohistochemical study of neuronal intranuclear and cytoplasmic inclusions in Machado-Joseph disease. <b>2003</b> , 57, 205-13	32
918	Rapid Report. <b>2003</b> , 547, 989-994	2
917	Neurobiology of migraine. <b>2003</b> , 4, 386-98	433
916	A novel R1347Q mutation in the predicted voltage sensor segment of the P/Q-type calcium-channel alpha-subunit in a family with progressive cerebellar ataxia and hemiplegic migraine. <b>2004</b> , 65, 70-2	23
915	Channelopathies in pediatric neurology. <b>2003</b> , 21, 765-77	3
914	The hereditary spinocerebellar ataxias in Japan. <b>2003</b> , 100, 198-205	45
913	Prolonged cortical relay time of long latency reflex and central motor conduction in patients with spinocerebellar ataxia type 6. <b>2003</b> , 114, 458-62	17
912	Identification and expression of the gene for human ataxin-2-related protein on chromosome 16. <b>2003</b> , 184, 669-78	19
911	Histone H3 is aberrantly phosphorylated in glutamine-repeat diseases. <b>2003</b> , 302, 144-9	8
910	Patterned Purkinje cell death in the cerebellum. <b>2003</b> , 70, 473-507	176
909	Proteolytic cleavage and cellular toxicity of the human alpha1A calcium channel in spinocerebellar ataxia type 6. <b>2003</b> , 341, 74-8	52
908	Expression of the specific type IV phosphodiesterase gene PDE4B3 during different phases of long-term potentiation in single hippocampal slices of rats in vitro. <b>2003</b> , 117, 627-38	38
907	SCA8 repeat expansion: large CTA/CTG repeat alleles are more common in ataxic patients, including those with SCA6. <b>2003</b> , 72, 704-9	60
906	Unraveling monogenic channelopathies and their implications for complex polygenic disease. <b>2003</b> , 72, 785-803	54
905	Localization of a gene for migraine without aura to chromosome 4q21. <b>2003</b> , 73, 986-93	72
904	The hereditary adult-onset ataxias in South Africa. <b>2003</b> , 216, 47-54	68

903	Polyglutamines placed into context. <b>2003</b> , 38, 681-4	114
902	Molecular investigation of TBP allele length: a SCA17 cellular model and population study. <b>2003</b> , 13, 37-45	28
901	Spinocerebellar ataxia type 15 (sca15) maps to 3p24.2-3pter: exclusion of the ITPR1 gene, the human orthologue of an ataxic mouse mutant. <b>2003</b> , 13, 147-57	65
900	Insulin-like growth factor-I improves cerebellar dysfunction but does not prevent cerebellar neurodegeneration in the calcium channel mutant mouse, leaner. <b>2003</b> , 14, 157-65	9
899	Drug targets in the voltage-gated calcium channel family: why some are and some are not. <b>2003</b> , 1, 719-33	33
898	Molecular genetics of spinocerebellar ataxia type 8 (SCA8). <b>2003</b> , 100, 175-83	28
897	Familial hemiplegic migraine. <b>2003</b> , 60, 663-4	2
896	Spinocerebellar ataxia type 6 and episodic ataxia type 2: differences and similarities between two allelic disorders. <b>2003</b> , 100, 147-53	43
895	Hsp105alpha suppresses the aggregation of truncated androgen receptor with expanded CAG repeats and cell toxicity. <b>2003</b> , 278, 25143-50	68
894	DNA damage induced by polyglutamine-expanded proteins. <b>2003</b> , 12, 2301-9	72
893	Frequency analysis and clinical characterization of spinocerebellar ataxia types 1, 2, 3, 6, and 7 in Korean patients. <b>2003</b> , 60, 858-63	80
892	Significant linkage to migraine with aura on chromosome 11q24. <b>2003</b> , 12, 2511-7	67
891	Identification of a novel SCA14 mutation in a Dutch autosomal dominant cerebellar ataxia family. <b>2003</b> , 61, 1760-5	92
890	Absence of known familial hemiplegic migraine (FHM) mutations in the CACNA1A gene in patients with common migraine: implications for genetic testing. <b>2003</b> , 41, 272-5	24
889	Presynaptic failure of neuromuscular transmission and synaptic remodeling in EA2. <b>2003</b> , 61, 1743-8	41
888	Dominant spinocerebellar ataxias: a molecular approach to classification, diagnosis, pathogenesis and the future. <b>2003</b> , 3, 715-32	10
887	Phenotypes of spinocerebellar ataxia type 6 and familial hemiplegic migraine caused by a unique CACNA1A missense mutation in patients from a large family. <b>2003</b> , 60, 610-4	68
886	Wertigkeit neurophysiologischer Verfahren bei der Differenzialdiagnose der Systematrophien. <b>2003</b> , 34, 55-64	3

885	Autosomal dominant spinocerebellar ataxias: an Asian perspective. <b>2003</b> , 30, 361-7	8
884	A novel autosomal dominant spinocerebellar ataxia (SCA22) linked to chromosome 1p21-q23. <b>2003</b> , 126, 1293-9	86
883	Clinical and neuroradiological features of patients with spinocerebellar ataxias from Korean kindreds. <b>2003</b> , 60, 1566-74	29
882	Molecular Genetic Diagnosis of Neurological Diseases. <b>2003</b> , 1525-1538	
881	Alternative splicing of Cav2 genes and their functional significance. <b>2003</b> , 121, 233-40	1
880	Spinocerebellar Ataxia 13, 14, and 16. <b>2003</b> , 133-138	
879	Okulomotorikstörungen als pathophysiologischer Marker von Kopfschmerzerkrankungen. <b>2004</b> , 35, 250-254	
878	Pontine atrophy precedes cerebellar degeneration in spinocerebellar ataxia 7: MRI-based volumetric analysis. <b>2004</b> , 75, 1452-6	38
877	Modal gating of human CaV2.1 (P/Q-type) calcium channels: I. The slow and the fast gating modes and their modulation by beta subunits. <b>2004</b> , 124, 445-61	36
876	Neurological proteins are not enriched for repetitive sequences. <b>2004</b> , 166, 1141-54	12
875	Cerebellar ataxia and Purkinje cell dysfunction caused by Ca <sup>2+</sup> -activated K <sup>+</sup> channel deficiency. <b>2004</b> , 101, 9474-8	331
874	Prevalence of inherited ataxias in the province of Padua, Italy. <b>2004</b> , 23, 275-80	31
873	Dynamic mutation and human disorders: The spinocerebellar ataxias (Review). <b>2004</b> , 13, 299	2
872	MRI-based volumetric differentiation of sporadic cerebellar ataxia. <b>2004</b> , 127, 175-81	41
871	Mapping of the SCA23 locus involved in autosomal dominant cerebellar ataxia to chromosome region 20p13-12.3. <b>2004</b> , 127, 2551-7	70
870	Trinucleotide repeats and neurodegenerative disease. <b>2004</b> , 127, 2385-405	128
869	Alternative splicing as a molecular switch for Ca <sup>2+</sup> /calmodulin-dependent facilitation of P/Q-type Ca <sup>2+</sup> channels. <b>2004</b> , 24, 6334-42	80
868	In Vitro Neurotoxicology. <b>2004</b> ,	3

867	Accumulation of aberrant ubiquitin induces aggregate formation and cell death in polyglutamine diseases. <b>2004</b> , 13, 1803-13	82
866	Clinical spectrum of episodic ataxia type 2. <b>2004</b> , 62, 17-22	363
865	Genetic testing in spinocerebellar ataxia in Taiwan: expansions of trinucleotide repeats in SCA8 and SCA17 are associated with typical Parkinson's disease. <b>2004</b> , 65, 209-14	73
864	Specific caspase interactions and amplification are involved in selective neuronal vulnerability in Huntington's disease. <b>2004</b> , 11, 424-38	177
863	Haplotype study in Dutch SCA3 and SCA6 families: evidence for common founder mutations. <b>2004</b> , 12, 441-6	12
862	The impact of splice isoforms on voltage-gated calcium channel alpha1 subunits. <b>2004</b> , 554, 609-19	47
861	Calcium-mediated cellular signals: a story of failures. <b>2004</b> , 29, 371-9	56
860	Epidemiology and genetics of cluster headache. <b>2004</b> , 3, 279-83	196
859	Autosomal dominant cerebellar ataxias: clinical features, genetics, and pathogenesis. <b>2004</b> , 3, 291-304	842
858	The polyglutamine tract of androgen receptor: from functions to dysfunctions in motor neurons. <b>2004</b> , 25, 1-26	86
857	Pharmacological treatments of cerebellar ataxia. <i>Cerebellum</i> , <b>2004</b> , 3, 107-11	4-3 54
856	Hereditary paroxysmal ataxia with mental retardation: a clinicopathological study in relation to episodic ataxia type 2. <b>2004</b> , 108, 345-9	10
855	A pathogenetic classification of hereditary ataxias: is the time ripe?. <b>2004</b> , 251, 913-22	25
854	A clinical and genetic study in a large cohort of patients with spinocerebellar ataxia type 6. <b>2004</b> , 49, 256-64	67
853	Regional features of autosomal-dominant cerebellar ataxia in Nagano: clinical and molecular genetic analysis of 86 families. <b>2004</b> , 49, 610-616	25
852	Fine mapping of 16q-linked autosomal dominant cerebellar ataxia type III in Japanese families. <b>2004</b> , 5, 215-21	14
851	Persistent ocular motor disturbances in migraine without aura. <b>2004</b> , 25, 8-12	11
850	The pathophysiology of migraine: the contribution of genetics. <b>2004</b> , 25 Suppl 3, S93-6	18

849	Postnatal apoptosis in cerebellar granule cells of homozygous leaner (tg1a/tg1a) mice. <b>2004</b> , 6, 267-80	14
848	Neurodegenerative disorders associated with diabetes mellitus. <b>2004</b> , 82, 510-29	233
847	Comparative genetics of functional trinucleotide tandem repeats in humans and apes. <b>2004</b> , 59, 329-39	26
846	Analysis of trinucleotide repeats in different SCA loci in spinocerebellar ataxia patients and in normal population of Taiwan. <b>2004</b> , 109, 355-60	38
845	Novel CAG/CTG repeat expansion mutations do not contribute to the genetic risk for most cases of bipolar disorder or schizophrenia. <b>2004</b> , 124B, 15-9	8
844	Brain-derived neurotrophic factor genetic variants are not susceptibility factors to Alzheimer's disease in Italy. <b>2004</b> , 55, 447-8	39
843	Deep brain stimulation for Parkinson's disease: potential risk of tissue damage associated with external stimulation. <b>2004</b> , 55, 449-50	12
842	Progressive supranuclear palsy and Parkinson's disease in a family with a new mutation in the tau gene. <b>2004</b> , 55, 448	28
841	Glutamic acid decarboxylase antibodies in Satoyoshi syndrome. <b>2004</b> , 55, 450-1	31
840	Neuromuscular transmission in SCA6. <b>2004</b> , 55, 451-2	7
839	Tau gene delN296 mutation, Parkinson's disease, and atypical supranuclear palsy. <b>2004</b> , 55, 448-9	9
838	A novel mutation in KCNA1 causes episodic ataxia without myokymia. <b>2004</b> , 24, 536	35
837	Polyglutamine repeat length in the AIB1 gene modifies breast cancer susceptibility in BRCA1 carriers. <b>2004</b> , 108, 399-403	36
836	Ataxies et paraplégies spastiques héréditaires. <b>2004</b> , 1, 193-208	1
835	Clinical Applications of Basic Vestibular Research. <b>2004</b> , 496-545	
834	The molecular genetics of migraine. <b>2004</b> , 36, 462-73	48
833	[Genetic diversity of voltage-gated calcium channels]. <b>2004</b> , 160, S7-15	
832	A mutant ataxin-3 putative-cleavage fragment in brains of Machado-Joseph disease patients and transgenic mice is cytotoxic above a critical concentration. <b>2004</b> , 24, 10266-79	164



831	Interleukin-1 inhibits voltage-dependent P/Q-type Ca <sup>2+</sup> channel associated with the inhibition of the rise of intracellular free Ca <sup>2+</sup> concentration and catecholamine release in adrenal chromaffin cells. <b>2004</b> , 1673, 160-9	13
830	Differential expression of alpha 1 and beta subunits of voltage dependent Ca <sup>2+</sup> channel at the neuromuscular junction of normal and P/Q Ca <sup>2+</sup> channel knockout mouse. <b>2004</b> , 123, 75-85	48
829	Cerebellar ataxia, seizures, premature death, and cardiac abnormalities in mice with targeted disruption of the Cacna2d2 gene. <b>2004</b> , 165, 1007-18	71
828	A Purkinje cell specific GoLoco domain protein, L7/Pcp-2, modulates receptor-mediated inhibition of Cav2.1 Ca <sup>2+</sup> channels in a dose-dependent manner. <b>2004</b> , 132, 73-86	28
827	Polyglutamine repeats of spinocerebellar ataxia 6 impair the cell-death-preventing effect of CaV2.1 Ca <sup>2+</sup> channel—loss-of-function cellular model of SCA6. <b>2004</b> , 17, 198-204	20
826	A novel haplotype of spinocerebellar ataxia type 6 contributes to the highest prevalence in western Japan. <b>2004</b> , 358, 107-10	4
825	Can ataxin-2 be down-regulated by allele-specific de novo DNA methylation in SCA2 patients?. <b>2004</b> , 63, 1018-23	7
824	Prolonged central motor conduction time of lower limb muscle in spinocerebellar ataxia 6. <b>2004</b> , 11, 381-3	10
823	Molecular architecture of CAG repeats in human disease related transcripts. <b>2004</b> , 340, 665-79	67
822	Neuromuscular disorders: gene location. <b>2004</b> , 14, 85-106	2
821	Cerebellar Cortical Degeneration in Adult American Staffordshire Terriers. <b>2004</b> , 18, 201-208	44
820	Somatic and germline instability of the ATTCT repeat in spinocerebellar ataxia type 10. <b>2004</b> , 74, 1216-24	60
819	Establishing In Vitro Models to Study Endogenous Neurotoxicants. <b>2004</b> , 291-314	
818	Molecular and functional insights into voltage-gated calcium channels. <b>2004</b> , 32, 381-406	
817	Migraine héréditaire familiale. <b>2004</b> , 1, 1-10	2
816	Atrophies (dégénérescences) cérébelleuses tardives. <b>2004</b> , 1, 1-18	
815	Recent findings in headache genetics. <b>2004</b> , 17, 283-8	45
814	Quantitative assessment of cerebral blood flow in genetically confirmed spinocerebellar ataxia type 6. <b>2004</b> , 61, 933-7	24

813	No mutations in CACNA1A and ATP1A2 in probands with common types of migraine. <b>2004</b> , 61, 926-8		61
812	Spinobulbar muscular atrophy (Kennedy's disease). <b>2004</b> , 4, 403-417		3
811	Hereditary ataxias. <b>2004</b> , 4, 655-673		1
810	Ion Channels and Human Disorders. <b>2005</b> ,		
809	Recent advances in hereditary spinocerebellar ataxias. <b>2005</b> , 64, 171-80		33
808	Canaux ioniques dpendants du voltage et maladies neuromusculaires. <b>2005</b> , 2, 1-19		
807	GENETICS OF REPEAT EXPANSION DISEASES. <b>2005</b> , 11, 59-78		
806	Adult onset spinocerebellar ataxia in a Canadian movement disorders clinic. <b>2005</b> , 32, 450-8		28
805	Characterization of CTG/CAG repeats on chromosome 18: a study of bipolar disorder. <b>2005</b> , 15, 91-9		4
804	The wide spectrum of spinocerebellar ataxias (SCAs). <i>Cerebellum</i> , <b>2005</b> , 4, 2-6	4.3	213
803	Spinocerebellar ataxia with mental retardation (SCA13). <i>Cerebellum</i> , <b>2005</b> , 4, 43-6	4.3	17
802	The pathogenesis of spinocerebellar ataxia. <i>Cerebellum</i> , <b>2005</b> , 4, 62-73	4.3	173
801	Absence of spinocerebellar ataxia type 3/Machado-Joseph disease within ataxic patients in the Czech population. <b>2005</b> , 12, 851-7		14
800	Interference of CREB-dependent transcriptional activation by expanded polyglutamine stretches--augmentation of transcriptional activation as a potential therapeutic strategy for polyglutamine diseases. <b>2005</b> , 93, 654-63		20
799	Calcium channel "gaiting" and absence epilepsy. <b>2005</b> , 5, 95-7		5
798	Dynamic association of the Ca <sup>2+</sup> channel alpha1A subunit and SNAP-25 in round or neurite-emitting chromaffin cells. <b>2005</b> , 22, 2187-98		12
797	Degeneration of the inferior olive in spinocerebellar ataxia 6 may depend on disease duration: report of two autopsy cases and statistical analysis of autopsy cases reported to date. <b>2005</b> , 25, 125-35		20
796	Autopsy case of acute encephalopathy linked to familial hemiplegic migraine with cerebellar atrophy and mental retardation. <b>2005</b> , 25, 228-34		14

795	The carboxy-terminal tail region of human Cav2.1 (P/Q-type) channel is not an essential determinant for its subcellular localization in cultured neurones. <b>2005</b> , 10, 87-96	16
794	The occurrence of dominant spinocerebellar ataxias among 251 Finnish ataxia patients and the role of predisposing large normal alleles in a genetically isolated population. <b>2005</b> , 111, 154-62	54
793	Function and dysfunction of synaptic calcium channels: insights from mouse models. <b>2005</b> , 15, 257-65	144
792	Noradrenergic blockade prevents attacks in a model of episodic dysfunction caused by a channelopathy. <b>2005</b> , 20, 227-32	17
791	Satello: a database for the identification and prioritization of satellite repeats in disease association studies. <b>2005</b> , 6, 145	13
790	Differential expression of T-type calcium channels in P/Q-type calcium channel mutant mice with ataxia and absence epilepsy. <b>2005</b> , 62, 352-60	19
789	Nonconsensus intronic mutations cause episodic ataxia. <b>2005</b> , 57, 131-5	14
788	Spinocerebellar ataxia type 26 maps to chromosome 19p13.3 adjacent to SCA6. <b>2005</b> , 57, 349-54	71
787	Age at onset variance analysis in spinocerebellar ataxias: a study in a Dutch-French cohort. <b>2005</b> , 57, 505-12	77
786	Early apoptotic and late necrotic components associated with altered Ca <sup>2+</sup> homeostasis in a peptide-delivery model of polyglutamine-induced neuronal death. <b>2005</b> , 80, 549-61	8
785	Parkinsonism and nigrostriatal dysfunction are associated with spinocerebellar ataxia type 6 (SCA6). <b>2005</b> , 20, 1115-9	42
784	Analysis of polyglutamine-coding repeats in the TATA-binding protein in different neurodegenerative diseases. <b>2005</b> , 112, 539-46	22
783	Migraine genetics: an update. <b>2005</b> , 9, 213-20	37
782	Fluorescent Multiplex PCR: Fast Method for Autosomal Dominant Spinocerebellar Ataxias Screening. <b>2005</b> , 41, 675-682	1
781	Association analysis of a highly polymorphic CAG Repeat in the human potassium channel gene KCNN3 and migraine susceptibility. <b>2005</b> , 6, 32	9
780	Autosomal dominant cerebellar ataxia. <b>2005</b> , 709-718	
779	Pathology of Peripheral Neuron Cell Bodies. <b>2005</b> , 683-732	10
778	Towards a Molecular Classification of Neurodegenerative Disease. <b>2005</b> , 11-23	

777	Transglutaminase and diseases of the central nervous system. <b>2005</b> , 10, 3078-92	22
776	Inherited Channelopathies of the CNS: Lessons for Clinical Neurology. <b>2005</b> , 293-302	
775	Mouse Models of Dystonia. <b>2005</b> , 265-277	2
774	Clinical and Pathological Features of Hereditary Ataxias; Work in the laboratory of TA has been supported by NIH/NINDS grant #1 RO1 NS4154701. Work in the laboratory of SHS has been supported by Grants from the Luckyday Foundation and the Stangle Ataxia Research Fund.. <b>2005</b> , 595-612	
773	Approach to the patient with ataxia. <b>2005</b> , 699-708	
772	New calcium channel mutations predict aberrant RNA splicing in episodic ataxia. <b>2005</b> , 65, 308-10	28
771	Detection of CAG repeats in pre-eclampsia/eclampsia using the repeat expansion detection method. <b>2005</b> , 11, 481-7	3
770	Population genetics of wild-type CAG repeats in the Machado-Joseph disease gene in Portugal. <b>2005</b> , 60, 156-63	33
769	Effects of familial hemiplegic migraine type 1 mutations on neuronal P/Q-type Ca <sup>2+</sup> channel activity and inhibitory synaptic transmission. <b>2005</b> , 102, 2590-5	70
768	Gating deficiency in a familial hemiplegic migraine type 1 mutant P/Q-type calcium channel. <b>2005</b> , 280, 24064-71	42
767	Developmental activation of calmodulin-dependent facilitation of cerebellar P-type Ca <sup>2+</sup> current. <b>2005</b> , 25, 8282-94	57
766	RNA association and nucleocytoplasmic shuttling by ataxin-1. <b>2005</b> , 118, 233-42	92
765	Protective and susceptibility effects of hSKCa3 allelic variants on juvenile myoclonic epilepsy. <b>2005</b> , 42, 439-42	7
764	Radiological characterization of spinocerebellar ataxia type 6. <b>2005</b> , 78, 694-6	16
763	Gene Table: Gene Location. <b>2005</b> , 15, 89-114	2
762	Triple stimulation technique in patients with spinocerebellar ataxia type 6. <b>2005</b> , 116, 2586-91	14
761	An autosomal dominant cerebellar ataxia linked to chromosome 16q22.1 is associated with a single-nucleotide substitution in the 5' untranslated region of the gene encoding a protein with spectrin repeat and Rho guanine-nucleotide exchange-factor domains. <b>2005</b> , 77, 280-96	109
760	Migraine: new molecular mechanisms. <b>2005</b> , 11, 373-86	150

759	Migrainous vertigo. <b>2005</b> , 23, 715-30, vi	31
758	New RNAi strategy for selective suppression of a mutant allele in polyglutamine disease. <b>2005</b> , 15, 298-302	26
757	Ribosomal frameshifting on MJD-1 transcripts with long CAG tracts. <b>2005</b> , 14, 2649-60	49
756	Simple sequence in brain and nervous system specific proteins. <b>2005</b> , 48, 291-301	3
755	CACNA1A mutations causing episodic and progressive ataxia alter channel trafficking and kinetics. <b>2005</b> , 64, 2090-7	53
754	Cloning and expression of the human NMDA receptor subunit NR3B in the adult human hippocampus. <b>2005</b> , 377, 31-6	34
753	Increased noise level of purkinje cell activities minimizes impact of their modulation during sensorimotor control. <b>2005</b> , 45, 953-65	125
752	Gene dosage-dependent transmitter release changes at neuromuscular synapses of CACNA1A R192Q knockin mice are non-progressive and do not lead to morphological changes or muscle weakness. <b>2005</b> , 135, 81-95	44
751	Animal models of generalized dystonia. <b>2005</b> , 2, 504-12	74
750	Canaux ioniques dpendants du voltage et maladies neuromusculaires. <b>2005</b> , 2, 403-429	
749	Spinocerebellar ataxia type 6 in Mainland China: molecular and clinical features in four families. <b>2005</b> , 236, 25-9	34
748	Late-onset pure cerebellar ataxia: differentiating those with and without identifiable mutations. <b>2005</b> , 238, 41-5	35
747	Molecular Properties of Voltage-Gated Calcium Channels. <b>2005</b> , 61-94	13
746	Regulation of voltage-gated Ca <sup>2+</sup> channels by calmodulin. <b>2005</b> , 2005, re15	55
745	An approach to the patient with late-onset cerebellar ataxia. <b>2006</b> , 2, 629-35; quiz 1 p following 635	44
744	Gene Table: Gene Location. <b>2006</b> , 16, 64-90	6
743	Mapping cerebral blood flow during speech production in hereditary ataxia. <b>2006</b> , 31, 246-54	34
742	Side-chain interactions determine amyloid formation by model polyglutamine peptides in molecular dynamics simulations. <b>2006</b> , 90, 4574-84	62

741	Molecular pathogenesis of spinocerebellar ataxias. <b>2006</b> , 129, 1357-70	196
740	Pathomechanisms in channelopathies of skeletal muscle and brain. <b>2006</b> , 29, 387-415	153
739	Ion channel functional candidate genes in multigenic neuropsychiatric disease. <b>2006</b> , 60, 177-85	76
738	Meiotic CAG repeat instability in spinocerebellar ataxia type 6: maternally transmitted elongation in a presumed sporadic case. <b>2006</b> , 241, 95-8	6
737	Early onset, non fluctuating spinocerebellar ataxia and a novel missense mutation in CACNA1A gene. <b>2006</b> , 241, 13-7	36
736	Dynamic imbalance in gait ataxia. Characteristics of plantar pressure measurements. <b>2006</b> , 246, 53-7	11
735	Triplet Repeat Diseases. <b>2006</b> ,	0
734	Potassium channel dysfunction and depolarized resting membrane potential in a cell model of SCA3. <b>2006</b> , 201, 182-92	14
733	Bovine CACNA1A gene and comparative analysis of the CAG repeats associated to human spinocerebellar ataxia type-6. <b>2006</b> , 380, 54-61	2
732	Dissociation of grey and white matter reduction in spinocerebellar ataxia type 3 and 6: a voxel-based morphometry study. <b>2006</b> , 408, 230-5	63
731	Restless legs syndrome and motor activity during sleep in spinocerebellar ataxia type 6. <b>2006</b> , 7, 529-32	32
730	Infantile spinocerebellar ataxia type 6: relationship to episodic ataxia type 6. <b>2006</b> , 34, 301-2	1
729	Alternative splicing generates a smaller assortment of CaV2.1 transcripts in cerebellar Purkinje cells than in the cerebellum. <b>2006</b> , 24, 86-96	24
728	Overview of the Field. <b>2006</b> , 3-17	1
727	Migrañ con aura: Una mirada molecular a un problema hereditario. <b>2006</b> , 44, 98	
726	Somatic Mosaicism of Expanded CAG/CTG Repeats in Humans and Mice: Dynamics, Mechanisms, and Consequences. <b>2006</b> , 537-561	1
725	Regulation of voltage-gated Ca <sup>2+</sup> channels by calmodulin. <b>2006</b> , 2006, er1	55
724	Receptor, Transporter and Ion Channel Diseases. <b>2006</b> ,	

723	Canadian Association of Neurosciences Review: polyglutamine expansion neurodegenerative diseases. <b>2006</b> , 33, 278-91	9
722	Effects of chain length on the aggregation of model polyglutamine peptides: molecular dynamics simulations. <b>2007</b> , 66, 96-109	54
721	A CaV2.1 calcium channel mutation rocker reduces the number of postsynaptic AMPA receptors in parallel fiber-Purkinje cell synapses. <b>2006</b> , 24, 2993-3007	26
720	Implications of clinical subtypes of migraine with aura. <b>2006</b> , 46, 286-97	41
719	Ion channel diseases of the central nervous system. <b>2001</b> , 7, 214-40	14
718	Protein-misfolding diseases and chaperone-based therapeutic approaches. <b>2006</b> , 273, 1331-49	263
717	Migraine and Vertigo: Genetics and MechanismsScientific Abstracts and Commentary. <b>2006</b> , 3, 8-11	
716	Hemiplegic and Basilar-type Migraine: Epidemiology, Genetics, and Mechanisms. <b>2006</b> , 3, 73-81	2
715	Similar oculomotor phenotypes in episodic ataxia type 2 and spinocerebellar atrophy type 6. <b>2001</b> , 942, 508-9	2
714	Molecular basis of inherited calcium channelopathies: role of mutations in pore-forming subunits. <b>2006</b> , 27, 799-812	11
713	Degeneration of ingestion-related brainstem nuclei in spinocerebellar ataxia type 2, 3, 6 and 7. <b>2006</b> , 32, 635-49	72
712	Histone deacetylase inhibitors as therapeutics for polyglutamine disorders. <b>2006</b> , 7, 784-96	176
711	Channeling studies in yeast: yeast as a model for channelopathies?. <b>2006</b> , 8, 279-306	12
710	Calcium channelopathies. <b>2006</b> , 8, 307-18	15
709	A -16C>T substitution in the 5' UTR of the puratrophin-1 gene is prevalent in autosomal dominant cerebellar ataxia in Nagano. <b>2006</b> , 51, 461-466	26
708	Een kwestie van komen en gaan: neurologische aandoeningen ten gevolge van ionkanaalmutaties. <b>2006</b> , 74, 97-103	
707	Paediatric and adult ataxias (update 5). <b>2006</b> , 10, 249-53	2
706	Voltage-gated calcium channels in genetic diseases. <b>2006</b> , 1763, 1169-74	57

705	Conditional inactivation of the Cacna1a gene in transgenic mice. <b>2006</b> , 44, 589-94	25
704	The potential role of ribosomal frameshifting in generating aberrant proteins implicated in neurodegenerative diseases. <b>2006</b> , 12, 1149-53	19
703	The genetics of vertigo. <b>2006</b> , 26, 484-91	4
702	The role of ataxin 10 in the pathogenesis of spinocerebellar ataxia type 10. <b>2006</b> , 67, 607-13	52
701	Chapter 38 Other inherited neuropathies. <b>2006</b> , 771-811	
700	Dominant-negative effects of human P/Q-type Ca <sup>2+</sup> channel mutations associated with episodic ataxia type 2. <b>2006</b> , 290, C1209-20	43
699	The contactin 4 gene locus at 3p26 is a candidate gene of SCA16. <b>2006</b> , 67, 1236-41	30
698	Transgenic and Gene Replacement Models of Epilepsy: Targeting Ion Channel and Neurotransmission Pathways in Mice. <b>2006</b> , 199-222	3
697	A genome-wide scan and HCRTR2 candidate gene analysis in a European cluster headache cohort. <b>2006</b> , 66, 1888-93	74
696	C-termini of P/Q-type Ca <sup>2+</sup> channel alpha1A subunits translocate to nuclei and promote polyglutamine-mediated toxicity. <b>2006</b> , 15, 1587-99	113
695	Polyglutamine neurodegenerative diseases and regulation of transcription: assembling the puzzle. <b>2006</b> , 20, 2183-92	121
694	Clinical features of chromosome 16q22.1 linked autosomal dominant cerebellar ataxia in Japanese. <b>2006</b> , 67, 1300-2	23
693	Primary episodic ataxias: diagnosis, pathogenesis and treatment. <b>2007</b> , 130, 2484-93	268
692	Protein Misfolding, Aggregation, and Conformational Diseases. <b>2007</b> ,	13
691	Deletion at ITPR1 underlies ataxia in mice and spinocerebellar ataxia 15 in humans. <b>2007</b> , 3, e108	221
690	Altered frequency-dependent inactivation and steady-state inactivation of polyglutamine-expanded alpha1A in SCA6. <b>2007</b> , 292, C1078-86	13
689	Human heart failure is associated with abnormal C-terminal splicing variants in the cardiac sodium channel. <b>2007</b> , 101, 1146-54	99
688	Multiplex families with multiple system atrophy. <b>2007</b> , 64, 545-51	101



687	Triplet repeat instability correlates with dinucleotide instability in primary breast cancer. <b>2007</b> , 17, 193	1
686	Chapter 4 Clinical and Genetic Aspects of Spinocerebellar Ataxias with Emphasis on Polyglutamine Expansions. <b>2007</b> , 113-144	1
685	Characterization of acetylcholine release and the compensatory contribution of non-Ca(v)2.1 channels at motor nerve terminals of leaner Ca(v)2.1-mutant mice. <b>2007</b> , 144, 1278-87	25
684	The Kelch-like protein 1 modulates P/Q-type calcium current density. <b>2007</b> , 145, 841-50	18
683	Age and gender-dependent alternative splicing of P/Q-type calcium channel EF-hand. <b>2007</b> , 145, 1026-36	29
682	Gene table: Gene location. <b>2007</b> , 17, 81-119	1
681	Properties of human Cav2.1 channel with a spinocerebellar ataxia type 6 mutation expressed in Purkinje cells. <b>2007</b> , 34, 261-70	59
680	The P/Q-type voltage-dependent calcium channel as pharmacological target in spinocerebellar ataxia type 6: gabapentin and pregabalin may be of therapeutic benefit. <b>2007</b> , 68, 131-6	20
679	Increased Ca <sup>2+</sup> channel currents in cerebellar Purkinje cells of the ataxic groggy rat. <b>2007</b> , 426, 75-80	4
678	Voltage-gated calcium channels, calcium signaling, and channelopathies. <b>2007</b> , 127-166	5
677	Calcium Signalling and Disease. <b>2007</b> ,	20
676	Chapter 8 Spinobulbar muscular atrophy (Kennedy's disease). <b>2007</b> , 82, 155-69	2
675	Trinucleotide repeat disorders. <b>2007</b> , 30, 575-621	1120
674	Clinical Overview and Phenomenology of Movement Disorders. <b>2007</b> , 1-42	2
673	[Role of P/Q calcium channel in familial hemiplegic migraine]. <b>2007</b> , 23, 53-63	3
672	Ataxias. <b>2007</b> , 765-780	2
671	The Paroxysmal Dyskinesias. <b>2007</b> , 553-575	2
670	Dynamic mutations as digital genetic modulators of brain development, function and dysfunction. <b>2007</b> , 29, 525-35	78

669	Monogenic migraine syndromes highlight novel drug targets. <b>2007</b> , 68, 432-440		2
668	Decreased cortical inhibition and yet cerebellar pathology in 'familial cortical myoclonic tremor with epilepsy'. <b>2007</b> , 22, 2378-85		43
667	Episodic ataxia type 2. <b>2007</b> , 4, 267-73		127
666	Familial hemiplegic migraine. <b>2007</b> , 4, 274-84		149
665	Mutations in SYNE1 lead to a newly discovered form of autosomal recessive cerebellar ataxia. <i>Nature Genetics</i> , <b>2007</b> , 39, 80-5	36.3	246
664	Severely impaired neuromuscular synaptic transmission causes muscle weakness in the <i>Ca<sub>v</sub>1a</i> -mutant mouse rolling Nagoya. <b>2007</b> , 25, 2009-20		45
663	Novel <i>Ca<sub>v</sub>2.1</i> clone replicates many properties of Purkinje cell <i>Ca<sub>v</sub>2.1</i> current. <b>2007</b> , 26, 2950-61		21
662	The leaner <i>P/Q</i> -type calcium channel mutation renders cerebellar Purkinje neurons hyper-excitabile and eliminates $Ca^{2+}+Na^{+}$ spike bursts. <b>2008</b> , 27, 93-103		33
661	Successful treatment of spinocerebellar ataxia 6 with medicinal herbs. <b>2007</b> , 7, 195-197		5
660	The cerebellum and migraine. <b>2007</b> , 47, 820-33		68
659	The <i>P/Q</i> -type voltage-dependent calcium channel: a therapeutic target in spinocerebellar ataxia type 6. <b>2007</b> , 115, 356-63		5
658	Clinical and genetic epidemiological study of 16q22.1-linked autosomal dominant cerebellar ataxia in western Japan. <b>2007</b> , 116, 123-7		12
657	CAG-encoded polyglutamine length polymorphism in the human genome. <b>2007</b> , 8, 126		60
656	Functional compensation by other voltage-gated $Ca^{2+}$ channels in mouse basal forebrain neurons with <i>Ca<sub>v</sub>(V)2.1</i> mutations. <b>2007</b> , 1140, 105-19		17
655	The ataxic groggy rat has a missense mutation in the <i>P/Q</i> -type voltage-gated $Ca^{2+}$ channel $\alpha 1A$ subunit gene and exhibits absence seizures. <b>2007</b> , 1133, 168-77		41
654	Modified behavioral characteristics following ablation of the voltage-dependent calcium channel $\beta 3$ subunit. <b>2007</b> , 1160, 102-12		27
653	Expression and function of the gene encoding the voltage-dependent calcium channel $\beta 3$ -subunit in the mouse placenta. <b>2007</b> , 28, 412-20		2
652	Migraine: a complex genetic disorder. <b>2007</b> , 6, 521-32		134

651	Spinocerebellar ataxia type 17 is caused by mutations in the TATA-box binding protein. <i>Cerebellum</i> , <b>2007</b> , 6, 300-7	4-3	16
650	The search for migraine genes: an overview of current knowledge. <b>2007</b> , 64, 331-44		33
649	Genetics of migraine and pharmacogenomics: some considerations. <b>2007</b> , 8, 334-9		33
648	CAG repeat disorder models and human neuropathology: similarities and differences. <b>2008</b> , 115, 71-86		107
647	Spectrum and prevalence of autosomal dominant spinocerebellar ataxia in Hokkaido, the northern island of Japan: a study of 113 Japanese families. <b>2007</b> , 52, 848-855		41
646	Identification of the porcine homologous of human disease causing trinucleotide repeat sequences. <b>2007</b> , 8, 207-18		5
645	Molecular pathogenesis of spinocerebellar ataxia type 6. <b>2007</b> , 4, 285-94		46
644	Spinocerebellar ataxia 17 (SCA17) and Huntington's disease-like 4 (HDL4). <i>Cerebellum</i> , <b>2008</b> , 7, 170-8	4-3	77
643	The highly heterogeneous spinocerebellar ataxias: from genes to targets for therapeutic intervention. <i>Cerebellum</i> , <b>2008</b> , 7, 97-100	4-3	11
642	Clinical and genetic analysis of spinocerebellar ataxia type 11. <i>Cerebellum</i> , <b>2008</b> , 7, 159-64	4-3	17
641	The clinical diagnosis of autosomal dominant spinocerebellar ataxias. <i>Cerebellum</i> , <b>2008</b> , 7, 101-5	4-3	52
640	Spinocerebellar ataxias caused by polyglutamine expansions: a review of therapeutic strategies. <i>Cerebellum</i> , <b>2008</b> , 7, 215-21	4-3	39
639	The cerebellum, cerebellar disorders, and cerebellar research--two centuries of discoveries. <i>Cerebellum</i> , <b>2008</b> , 7, 505-16	4-3	53
638	Migraine: a genetic disease?. <b>2008</b> , 29 Suppl 1, S47-51		21
637	The primary headaches: genetics, epigenetics and a behavioural genetic model. <b>2008</b> , 9, 57-69		37
636	Cognitive and social cognitive functioning in spinocerebellar ataxia : a preliminary characterization. <b>2008</b> , 255, 398-405		78
635	Downbeat positioning nystagmus is a common clinical feature despite variable phenotypes in an FHM1 family. <b>2008</b> , 255, 1541-4		13
634	Benign paroxysmal tonic upgaze, benign paroxysmal torticollis, episodic ataxia and CACNA1A mutation in a family. <b>2008</b> , 255, 1600-2		66

633	Pathogenesis of inclusion bodies in (CAG) <sub>n</sub> /Q <sub>n</sub> -expansion diseases with special reference to the role of tissue transglutaminase and to selective vulnerability. <b>1999</b> , 72, 889-99	55
632	Hereditary episodic ataxias. <b>2008</b> , 1142, 250-3	49
631	Toxicity and endocytosis of spinocerebellar ataxia type 6 polyglutamine domains: role of myosin IIb. <b>2008</b> , 9, 1088-100	14
630	Pathogenic expansions of the SCA6 locus are associated with a common CACNA1A haplotype across the globe: founder effect or predisposing chromosome?. <b>2008</b> , 16, 841-7	7
629	Experience and outcome of 3 years of a European EQA scheme for genetic testing of the spinocerebellar ataxias. <b>2008</b> , 16, 913-20	21
628	Selective regulation of spontaneous activity of neurons of the deep cerebellar nuclei by N-type calcium channels in juvenile rats. <b>2008</b> , 586, 2523-38	44
627	Frequency analysis of autosomal dominant cerebellar ataxias in Japanese patients and clinical characterization of spinocerebellar ataxia type 6. <b>2008</b> , 53, 13-19	
626	Calcium channels, neuromuscular synaptic transmission and neurological diseases. <b>2008</b> , 201-202, 136-44	13
625	Premature stop codons in a facilitating EF-hand splice variant of CaV2.1 cause episodic ataxia type 2. <b>2008</b> , 32, 10-5	23
624	Prefrontal hypoperfusion and cognitive dysfunction correlates in spinocerebellar ataxia type 6. <b>2008</b> , 271, 68-74	32
623	Presynaptic calcium channels: structure, regulators, and blockers. <b>2008</b> , 45-75	26
622	Inhibitory Regulation of Excitatory Neurotransmission. <b>2008</b> ,	
621	Cell-type-specific alternative splicing in spinocerebellar ataxia type 6. <b>2008</b> , 447, 78-81	15
620	Motor and cognitive deficits in the heterozygous leaner mouse, a Cav2.1 voltage-gated Ca <sup>2+</sup> channel mutant. <b>2008</b> , 29, 1733-43	24
619	Calcium channel regulation and presynaptic plasticity. <b>2008</b> , 59, 882-901	482
618	Two novel alleles of tottering with distinct Ca(v)2.1 calcium channel neuropathologies. <b>2008</b> , 155, 31-44	52
617	Channelopathies: a review. <b>2008</b> , 38, 73-85	50
616	Spinocerebellar ataxia types 1, 2, 3, and 6: disease severity and nonataxia symptoms. <b>2008</b> , 71, 982-9	188

615	Eye hyperdeviation in mouse cerebellar mutants is comparable to the gravity-dependent component of human downbeat nystagmus. <b>2008</b> , 171, 503-8	7
614	Composite cerebellar functional severity score: validation of a quantitative score of cerebellar impairment. <b>2008</b> , 131, 1352-61	68
613	Progressive cerebellar ataxia with variable episodic symptoms--phenotypic diversity of R1668W CACNA1A mutation. <b>2008</b> , 60, 16-20	18
612	Disease causing mutations of calcium channels. <i>Channels</i> , <b>2008</b> , 2, 163-79	3 21
611	Periodic alternating nystagmus and periodic alternating skew deviation in spinocerebellar ataxia type 6. <b>2008</b> , 28, 287-8	15
610	Oculomotor abnormalities in myoclonic tremor: a comparison with spinocerebellar ataxia type 6. <b>2008</b> , 131, 2295-303	24
609	Spinocerebellar ataxia type 6 knockin mice develop a progressive neuronal dysfunction with age-dependent accumulation of mutant CaV2.1 channels. <b>2008</b> , 105, 11987-92	130
608	Cognitive impairment in spinocerebellar ataxia type 6. <b>2008</b> , 79, 496-9	54
607	PKC gamma mutations in spinocerebellar ataxia type 14 affect C1 domain accessibility and kinase activity leading to aberrant MAPK signaling. <b>2008</b> , 121, 2339-49	63
606	Spinocerebellar ataxia type 2 (SCA2): clinical features and genetic analysis. <b>2008</b> , 54, 350-2	8
605	Movement Disorders. <b>2008</b> ,	
604	Familial hemiplegic migraine. <b>2008</b> , 63, 57-83	25
603	Migraine genetics. <b>2008</b> , 8, 1321-30	17
602	Human disorders caused by the disruption of the regulation of excitatory neurotransmission. <b>2008</b> , 44, 223-42	4
601	Impaired eye movements in presymptomatic spinocerebellar ataxia type 6. <b>2008</b> , 65, 530-6	39
600	4. Mechanism of Molecular Pathogenesis of Spinocerebellar Degeneration and Perspective on Treatment. <b>2008</b> , 97, 61a-65a	
599	Conformational changes and aggregation of expanded polyglutamine proteins as therapeutic targets of the polyglutamine diseases: exposed beta-sheet hypothesis. <b>2008</b> , 14, 3267-79	50
598	Neuropsychiatric and Cognitive Symptoms in Spinocerebellar Ataxia: Relationship to Neuropathological Differences. <b>2008</b> , 4, 157-161	

597	Coincident trinucleotide repeat expansions in a patient with myotonic dystrophy type 1 and spinocerebellar ataxia. <b>2008</b> , 10, 22-3		1
596	Recent advances in the genetics of recurrent vertigo and vestibulopathy. <b>2008</b> , 21, 3-7		20
595	Recent Advancements in Targeted Delivery of Therapeutic Molecules in Neurodegenerative Disease—Spinocerebellar Ataxia—Opportunities and Challenges. <b>2008</b> , 3, DTI.S378		2
594	Spinocerebellar ataxia type 6 in Brazil. <b>2008</b> , 66, 691-4		15
593	[Molecular genetic approach to spinocerebellar ataxias]. <b>2009</b> , 49, 907-9		
592	Intrinsic disorder in proteins associated with neurodegenerative diseases. <b>2009</b> , 14, 5188-238		169
591	Spinocerebellar ataxias: microsatellite and allele frequency in unaffected and affected individuals. <b>2009</b> , 67, 1124-32		7
590	Post-translational modifications of expanded polyglutamine proteins: impact on neurotoxicity. <b>2009</b> , 18, R40-7		60
589	Thermosensory and mechanosensory perception in human genetic disease. <b>2009</b> , 18, R146-55		12
588	Cognitive impairment in spinocerebellar degeneration. <b>2009</b> , 61, 257-68		48
587	Ca(V)2.1 P/Q-type calcium channel alternative splicing affects the functional impact of familial hemiplegic migraine mutations: implications for calcium channelopathies. <i>Channels</i> , <b>2009</b> , 3, 110-21	3	60
586	Prevalence of spinocerebellar degenerations in the Hokuriku district in Japan. <b>2009</b> , 32, 176-83		17
585	Multi-domain misfolding: understanding the aggregation pathway of polyglutamine proteins. <b>2009</b> , 22, 447-51		60
584	Episodic ataxia type 2 showing ictal hyperhidrosis with hypothermia and interictal chronic diarrhea due to a novel CACNA1A mutation. <b>2009</b> , 13, 191-3		9
583	Progressive neurocognitive decline in two children with Dravet syndrome, de novo SCN1A truncations and different epileptic phenotypes. <b>2009</b> , 149A, 2339-45		28
582	SCA-LSVD: a repeat-oriented locus-specific variation database for genotype to phenotype correlations in spinocerebellar ataxias. <b>2009</b> , 30, 1037-42		25
581	Alternative splicing of voltage-gated calcium channels: from molecular biology to disease. <b>2009</b> , 458, 481-7		34
580	Vertigo and vestibular abnormalities in spinocerebellar ataxia type 6. <b>2009</b> , 256, 78-82		29

579	The ataxic Cacna1a-mutant mouse rolling nagoya: an overview of neuromorphological and electrophysiological findings. <i>Cerebellum</i> , <b>2009</b> , 8, 222-30	4-3	21
578	Spinocerebellar ataxia type 6 (SCA6): neurodegeneration goes beyond the known brain predilection sites. <b>2009</b> , 35, 515-27		39
577	Deficit of heat shock transcription factor 1-heat shock 70 kDa protein 1A axis determines the cell death vulnerability in a model of spinocerebellar ataxia type 6. <b>2009</b> , 14, 1253-69		14
576	Infantile nystagmus and late onset ataxia associated with a CACNA1A mutation in the intracellular loop between s4 and s5 of domain 3. <b>2009</b> , 23, 2251-5		12
575	Clinical features and genetic analysis of a Spanish family with spinocerebellar ataxia 6. <b>1999</b> , 99, 43-7		18
574	Identification of five spinocerebellar ataxia type 2 pedigrees in patients with autosomal dominant cerebellar ataxia in Taiwan. <b>1999</b> , 100, 189-94		6
573	Genetic calcium signaling abnormalities in the central nervous system: seizures, migraine, and autism. <b>2009</b> , 1151, 133-56		83
572	Familial episodic ataxia: a model for migrainous vertigo. <b>2009</b> , 1164, 252-6		14
571	Vertigo as a symptom of migraine. <b>2009</b> , 1164, 242-51		63
570	Genetics and pathogenesis of inherited ataxias and spastic paraplegias. <b>2009</b> , 652, 263-96		7
569	Intrinsic Disorder in Proteins Associated with Neurodegenerative Diseases. <b>2009</b> , 21-75		6
568	Modified autonomic regulation in mice with a P/Q-type calcium channel mutation. <b>2009</b> , 381, 27-32		10
567	Knockdown of Cav2.1 calcium channels is sufficient to induce neurological disorders observed in natural occurring Cacna1a mutants in mice. <b>2009</b> , 390, 1029-33		18
566	Clinical neurophysiology of the episodic ataxias: insights into ion channel dysfunction in vivo. <b>2009</b> , 120, 1768-76		33
565	Newly characterised 5' and 3' regions of CACNA1A gene harbour mutations associated with Familial Hemiplegic Migraine and Episodic Ataxia. <b>2009</b> , 276, 31-7		13
564	Spinocerebellar ataxia type 6 (SCA6): clinical pilot trial with gabapentin. <b>2009</b> , 278, 107-11		28
563	Deranged calcium signaling and neurodegeneration in spinocerebellar ataxia type 2. <b>2009</b> , 29, 9148-62		215
562	Vestibular migraine. <b>2009</b> , 27, 379-91		48

561	Induction of molecular chaperones as a therapeutic strategy for the polyglutamine diseases. <b>2010</b> , 11, 188-97		62
560	Prevalence of autosomal dominant cerebellar ataxia in Aomori, the northernmost prefecture of Honshu, Japan. <b>2010</b> , 49, 2409-14		4
559	[SCA6: From gene identification to recent progress on pathogenesis]. <b>2010</b> , 50, 858-60		0
558	Mapping of autosomal dominant cerebellar ataxia without the pathogenic PPP2R2B mutation to the locus for spinocerebellar ataxia 12. <b>2010</b> , 67, 1257-62		6
557	Repeat expansion diseases: when a good RNA turns bad. <b>2010</b> , 1, 173-92		6
556	Targeted next-generation sequencing of a 12.5 Mb homozygous region reveals ANO10 mutations in patients with autosomal-recessive cerebellar ataxia. <b>2010</b> , 87, 813-9		98
555	The carboxy-terminal fragment of alpha(1A) calcium channel preferentially aggregates in the cytoplasm of human spinocerebellar ataxia type 6 Purkinje cells. <b>2010</b> , 119, 447-64		40
554	CaV2.1 channelopathies. <b>2010</b> , 460, 375-93		149
553	Cellular and molecular pathways triggering neurodegeneration in the spinocerebellar ataxias. <i>Cerebellum</i> , <b>2010</b> , 9, 148-66	4-3	73
552	Modifiers and mechanisms of multi-system polyglutamine neurodegenerative disorders: lessons from fly models. <b>2010</b> , 89, 497-526		17
551	Unigene derived SSR analysis for the Fugu rubripes and insights into the characteristics of EST-SSR distribution in tissues/organs. <b>2010</b> , 4, 121-127		2
550	Génétique de la migraine. <b>2010</b> , 23, 133-139		
549	Two novel missense mutations in the myelin protein zero gene causes Charcot-Marie-Tooth type 2 and DeJérine-Sottas syndrome. <b>2010</b> , 3, 99		5
548	Paediatric and adult autosomal dominant ataxias (update 6). <b>2010</b> , 14, 261-3		1
547	Somatic Ca <sup>2+</sup> signaling in cerebellar Purkinje neurons. <b>2010</b> , 88, 275-89		11
546	An ITPR1 gene deletion causes spinocerebellar ataxia 15/16: a genetic, clinical and radiological description. <b>2010</b> , 25, 2176-82		40
545	Pentobarbital inhibition of human recombinant alpha1A P/Q-type voltage-gated calcium channels involves slow, open channel block. <b>2010</b> , 161, 365-83		8
544	Consensus and controversies in best practices for molecular genetic testing of spinocerebellar ataxias. <b>2010</b> , 18, 1188-95		56



543	Spinocerebellar ataxia type 6: Systematic patho-anatomical study reveals different phylogenetically defined regions of the cerebellum and neural pathways undergo different evolutions of the degenerative process. <b>2010</b> , 30, 501-14	12
542	Splice isoforms of the polyglutamine disease protein ataxin-3 exhibit similar enzymatic yet different aggregation properties. <b>2010</b> , 5, e13695	45
541	Differential regulation of Purkinje cell dendritic spines in rolling mouse Nagoya (tg/tg), P/Q type calcium channel ( $\alpha_1A$ )/Ca(v)2.1) mutant. <b>2010</b> , 43, 211-7	14
540	Hereditary channelopathies in neurology. <b>2010</b> , 686, 305-34	23
539	Congenital ataxia, mental retardation, and dyskinesia associated with a novel CACNA1A mutation. <b>2010</b> , 25, 892-7	38
538	Analgesic effects of a substituted N-triazole oxindole (TROX-1), a state-dependent, voltage-gated calcium channel 2 blocker. <b>2010</b> , 334, 545-55	79
537	Genetics of headaches. <b>2010</b> , 97, 85-97	12
536	KCa channels as therapeutic targets in episodic ataxia type-2. <b>2010</b> , 30, 7249-57	93
535	Loss of beta-III spectrin leads to Purkinje cell dysfunction recapitulating the behavior and neuropathology of spinocerebellar ataxia type 5 in humans. <b>2010</b> , 30, 4857-67	99
534	Conditional Niemann-Pick C mice demonstrate cell autonomous Purkinje cell neurodegeneration. <b>2010</b> , 19, 837-47	102
533	Severe and progressive neurotransmitter release aberrations in familial hemiplegic migraine type 1 Cacna1a S218L knock-in mice. <b>2010</b> , 104, 1445-55	22
532	Transgenic mouse models of Parkinson's disease and Huntington's disease. <b>2010</b> , 9, 455-70	9
531	Biological science of headache channels. <b>2010</b> , 97, 73-83	15
530	Towards the treatment of polyglutamine diseases: the modulatory role of protein context. <b>2010</b> , 17, 3058-68	34
529	Protein-DNA interaction at the origin of neurological diseases: a hypothesis. <b>2010</b> , 22, 375-91	33
528	Ataxia. <b>2010</b> , 70-86	
527	Inherited vestibular and vestibulocerebellar disorders. <b>2010</b> , 433-439	
526	Pathogenesis of Polyglutamine Diseases. <b>2010</b> ,	6

525	Neurological channelopathies. <b>2010</b> , 33, 151-72	90
524	Molecular genetic analysis of a new form of spinocerebellar ataxia in a Chinese Han family. <b>2010</b> , 479, 321-6	2
523	A neuropathological study at autopsy of early onset spinocerebellar ataxia 6. <b>2010</b> , 17, 751-5	14
522	Neonatal motor functions in Cacna1a-mutant rolling Nagoya mice. <b>2010</b> , 207, 273-9	13
521	Episodic neurological channelopathies. <b>2010</b> , 68, 282-92	66
520	Management of sporadic and familial hemiplegic migraine. <b>2010</b> , 10, 381-7	3
519	The occurrence of spinocerebellar ataxias caused by dynamic mutations in Polish patients. <b>2010</b> , 44, 238-45	16
518	Ion Channels and Human Disorders. <b>2010</b> ,	
517	Spinocerebellar Ataxias. <b>2011</b> , 273-287	1
516	Spinocerebellar degenerations. <b>2011</b> , 100, 113-40	18
515	Head tremor related to CACNA1A mutations. <b>2011</b> , 31, 1315-9	8
514	Dizziness and vertigo in the adolescent. <b>2011</b> , 44, 309-21, vii-viii	10
513	Molecular biology of Huntington's disease. <b>2011</b> , 100, 25-81	15
512	Autosomal dominant cerebellar ataxias. <b>2011</b> , 167, 385-400	12
511	Cognitive repercussions of hereditary cerebellar disorders. <b>2011</b> , 47, 81-100	22
510	Early-onset cerebellar atrophy associated with mutation in the CACNA1A gene. <b>2011</b> , 45, 328-30	18
509	The Aggregation Inhibitor Peptide QBP1 as a Therapeutic Molecule for the Polyglutamine Neurodegenerative Diseases. <b>2011</b> , 2011, 265084	16
508	Genetics of recurrent vertigo and vestibular disorders. <b>2011</b> , 12, 443-50	28

507	Transglutaminase in epidermis and neurological disease or what makes a good cross-linking substrate. <b>2011</b> , 78, 97-160	5
506	[Clinicoepidemiological analysis of genetic testing in 1,000 cases of hereditary neurological disorders]. <b>2011</b> , 51, 471-7	1
505	An autopsy case of an aged patient with spinocerebellar ataxia type 2. <b>2011</b> , 31, 510-8	12
504	The adverse event profile of pregabalin: a systematic review and meta-analysis of randomized controlled trials. <b>2011</b> , 52, 826-36	131
503	Splice isoform-specific suppression of the Cav2.1 variant underlying spinocerebellar ataxia type 6. <b>2011</b> , 43, 533-42	23
502	Speech characteristics associated with three genotypes of ataxia. <b>2011</b> , 44, 478-92	22
501	A new sulcus-corrected approach for assessing cerebellar volume in spinocerebellar ataxia. <b>2011</b> , 193, 123-30	10
500	Sporadic and familial hemiplegic migraine: pathophysiological mechanisms, clinical characteristics, diagnosis, and management. <b>2011</b> , 10, 457-70	263
499	Neurotoxic effects of androgens in spinal and bulbar muscular atrophy. <b>2011</b> , 32, 416-25	41
498	Voltage-gated calcium channels and disease. <b>2011</b> , 37, 197-205	52
497	The elimination of accumulated and aggregated proteins: a role for aggrephagy in neurodegeneration. <b>2011</b> , 43, 17-28	122
496	Therapeutic potential of peptide toxins that target ion channels. <b>2011</b> , 10, 322-42	17
495	The natural history of spinocerebellar ataxia type 1, 2, 3, and 6: a 2-year follow-up study. <b>2011</b> , 77, 1035-41	150
494	Experimental models of dystonia. <b>2011</b> , 98, 551-72	10
493	Genetics of the dominant ataxias. <b>2011</b> , 31, 461-9	29
492	Epigenetics in nucleotide repeat expansion disorders. <b>2011</b> , 31, 470-83	34
491	Functional importance of L- and P/Q-type voltage-gated calcium channels in human renal vasculature. <b>2011</b> , 58, 464-70	32
490	Clinical overview and phenomenology of movement disorders. <b>2011</b> , 1-35	4

489	The paroxysmal dyskinesias. <b>2011</b> , 476-495	
488	Comparison of an expanded ataxia interactome with patient medical records reveals a relationship between macular degeneration and ataxia. <b>2011</b> , 20, 510-27	40
487	Clinical and genetic features of spinocerebellar ataxia type 8. <b>2012</b> , 103, 493-505	8
486	Spinocerebellar ataxia type 11. <b>2012</b> , 103, 521-34	2
485	Cell biology of spinocerebellar ataxia. <b>2012</b> , 197, 167-77	123
484	Mini-review: spinocerebellar ataxias: an update of SCA genes. <b>2012</b> , 6, 115-21	15
483	Spinocerebellar ataxia type 10. <b>2012</b> , 103, 507-19	11
482	Dentatorubral-pallidoluysian atrophy. <b>2012</b> , 103, 587-94	50
481	Spinocerebellar ataxia type 5. <b>2012</b> , 103, 451-9	25
480	Development of Purkinje cell degeneration in a knockin mouse model reveals lysosomal involvement in the pathogenesis of SCA6. <b>2012</b> , 109, 17693-8	37
479	Genetics of migraine: an update. <b>2012</b> , 7, 613-626	0
478	Epidemiology and population genetics of degenerative ataxias. <b>2012</b> , 103, 227-51	45
477	P/Q-type calcium channel modulators. <b>2012</b> , 167, 741-59	45
476	Spatial Organization and Diffusion in Neuronal Signaling. <b>2012</b> , 133-161	3
475	Exome sequencing in an SCA14 family demonstrates its utility in diagnosing heterogeneous diseases. <b>2012</b> , 79, 127-31	29
474	Potassium channels in Drosophila: historical breakthroughs, significance, and perspectives. <b>2012</b> , 26, 275-90	24
473	Cell-autonomous and non-cell-autonomous toxicity in polyglutamine diseases. <b>2012</b> , 97, 152-72	31
472	Pinceau organization in the cerebellum requires distinct functions of neurofascin in Purkinje and basket neurons during postnatal development. <b>2012</b> , 32, 4724-42	50

471	Familial hemiplegic migraine type 1 mutations W1684R and V1696I alter G protein-mediated regulation of Ca(V)2.1 voltage-gated calcium channels. <b>2012</b> , 1822, 1238-46	25
470	Genetically engineered mouse models of the trinucleotide-repeat spinocerebellar ataxias. <b>2012</b> , 88, 33-42	18
469	Computational analysis of calcium signaling and membrane electrophysiology in cerebellar Purkinje neurons associated with ataxia. <b>2012</b> , 6, 70	18
468	Genetic epidemiology of Charcot-Marie-Tooth disease. <b>2012</b> , 126, iv-22	59
467	. <b>2012</b> , 126,	
466	Spinocerebellar ataxia type 6. <b>2012</b> , 103, 461-73	27
465	Neuronal P/Q-type calcium channel dysfunction in inherited disorders of the CNS. <b>2012</b> , 8, 86-96	99
464	Clinical features and molecular genetics of adult onset dominant cerebellar ataxias in ethnic Bengalees of India. <b>2012</b> , 2, 109-113	2
463	Comparative aspects of polyglutamine binding domain in PQBP-1 among Vertebrata. <b>2012</b> , 511, 243-7	5
462	Spinocerebellar ataxia type 31 exists in northeast China. <b>2012</b> , 316, 164-7	8
461	Mouse models of polyglutamine diseases: review and data table. Part I. <b>2012</b> , 46, 393-429	41
460	Enhanced synaptic inhibition disrupts the efferent code of cerebellar Purkinje neurons in leaner Cav2.1 Ca <sup>2+</sup> channel mutant mice. <i>Cerebellum</i> , <b>2012</b> , 11, 666-80	4-3 13
459	Tandem Repeat Polymorphisms. <b>2012</b> ,	7
458	Cerebellar ataxia rehabilitation trial in degenerative cerebellar diseases. <b>2012</b> , 26, 515-22	143
457	The ataxias. 52-63	
456	Channelopathies. 121-135	
455	Spinocerebellar ataxias: an example of the challenges associated with genetic databases for dynamic mutations. <b>2012</b> , 33, 1359-65	4
454	Recent advances in the genetics of cerebellar ataxias. <b>2012</b> , 12, 227-36	62

453	Spinocerebellar ataxia types 1, 2, 3 and 6: the clinical spectrum of ataxia and morphometric brainstem and cerebellar findings. <i>Cerebellum</i> , <b>2012</b> , 11, 155-66	4-3	65
452	Brain pathology of spinocerebellar ataxias. <b>2012</b> , 124, 1-21		246
451	CaV2.1 voltage activated calcium channels and synaptic transmission in familial hemiplegic migraine pathogenesis. <b>2012</b> , 106, 12-22		11
450	DRPLA transgenic mouse substrains carrying single copy of full-length mutant human DRPLA gene with variable sizes of expanded CAG repeats exhibit CAG repeat length- and age-dependent changes in behavioral abnormalities and gene expression profiles. <b>2012</b> , 46, 336-50		20
449	Distinct critical cerebellar subregions for components of verbal working memory. <b>2012</b> , 50, 189-97		45
448	Reduced brain-derived neurotrophic factor (BDNF) mRNA expression and presence of BDNF-immunoreactive granules in the spinocerebellar ataxia type 6 (SCA6) cerebellum. <b>2012</b> , 32, 595-603		15
447	Autosomal dominant cerebellar ataxia type III: a review of the phenotypic and genotypic characteristics. <b>2013</b> , 8, 14		21
446	Recent advances in RNA interference therapeutics for CNS diseases. <b>2013</b> , 10, 473-85		19
445	Anomalous protein-DNA interactions behind neurological disorders. <b>2013</b> , 91, 37-63		7
444	Trinucleotide Repeat Protocols. <b>2013</b> ,		2
443	Modulation of Presynaptic Calcium Channels. <b>2013</b> ,		
442	The Hereditary Ataxias. <b>2013</b> , 1-32		1
441	Clinical features, neurogenetics and neuropathology of the polyglutamine spinocerebellar ataxias type 1, 2, 3, 6 and 7. <b>2013</b> , 104, 38-66		204
440	Novel CACNA1A mutation(s) associated with slow saccade velocities. <b>2013</b> , 260, 3010-4		11
439	[Genetics of migraine]. <b>2013</b> , 169, 360-71		15
438	CACNA1A variants may modify the epileptic phenotype of Dravet syndrome. <b>2013</b> , 50, 209-17		27
437	Motor dysfunction and cerebellar Purkinje cell firing impairment in Ebf2 null mice. <b>2013</b> , 52, 51-61		9
436	Calcium channels and migraine. <b>2013</b> , 1828, 1655-65		54

435	A progressive multifocal conundrum. <b>2013</b> , 13, 127-31	
434	The unstable repeats--three evolving faces of neurological disease. <b>2013</b> , 77, 825-43	151
433	Alternative splicing: functional diversity among voltage-gated calcium channels and behavioral consequences. <b>2013</b> , 1828, 1522-9	82
432	Second cistron in CACNA1A gene encodes a transcription factor mediating cerebellar development and SCA6. <b>2013</b> , 154, 118-33	119
431	Unilateral pallidal deep brain stimulation in a patient with dystonia secondary to episodic ataxia type 2. <b>2013</b> , 91, 233-5	7
430	Pearls and pitfalls in genetic studies of migraine. <b>2013</b> , 33, 614-25	32
429	Genotype-specific patterns of atrophy progression are more sensitive than clinical decline in SCA1, SCA3 and SCA6. <b>2013</b> , 136, 905-17	92
428	Aqueous Extract of Paeonia lactiflora and Paeoniflorin as Aggregation Reducers Targeting Chaperones in Cell Models of Spinocerebellar Ataxia 3. <b>2013</b> , 2013, 471659	17
427	Acetazolamide-responsive ataxia. <b>2012</b> , 32, 533-7	24
426	X-linked dystonia parkinsonism syndrome (XDP, lubag): disease-specific sequence change DSC3 in TAF1/DYT3 affects genes in vesicular transport and dopamine metabolism. <b>2013</b> , 22, 941-51	27
425	Changes in Purkinje cell firing and gene expression precede behavioral pathology in a mouse model of SCA2. <b>2013</b> , 22, 271-83	111
424	A novel CACNA1A mutation associated with adult-onset, paroxysmal head tremor. <b>2013</b> , 28, 842-3	8
423	Causes of imbalance and abnormal gait that may be misdiagnosed. <b>2013</b> , 33, 270-5	9
422	Autosomal Dominant Spinocerebellar Ataxias and Episodic Ataxias. <b>2013</b> , 2193-2267	5
421	Stable respiratory activity requires both P/Q-type and N-type voltage-gated calcium channels. <b>2013</b> , 33, 3633-45	28
420	The E1015K variant in the synprint region of the CaV2.1 channel alters channel function and is associated with different migraine phenotypes. <b>2013</b> , 288, 33873-33883	7
419	Huntington's Disease and Polyglutamine Expansion Neurodegenerative Diseases. <b>2013</b> , 203-225	
418	Genes and genetic testing in hereditary ataxias. <b>2014</b> , 5, 586-603	28

417	How voltage-gated calcium channels gate forms of homeostatic synaptic plasticity. <b>2014</b> , 8, 40	40
416	The triple power of D <sub>1</sub> protein intrinsic disorder in degenerative diseases. <b>2014</b> , 19, 181-258	62
415	GABAA Receptor Expression in the Forebrain of Ataxic Rolling Nagoya Mice. <b>2014</b> , 06,	4
414	Revelations from a bicistronic calcium channel gene. <b>2014</b> , 13, 875-6	3
413	The role for alterations in neuronal activity in the pathogenesis of polyglutamine repeat disorders. <b>2014</b> , 11, 751-63	18
412	Oligonucleotide-based strategies to combat polyglutamine diseases. <b>2014</b> , 42, 6787-810	41
411	The Clinical Spectrum of Autosomal-Dominant Episodic Ataxias. <b>2014</b> , 1, 285-290	10
410	Association of single nucleotide polymorphisms of CACNA1A gene in migraine. <b>2014</b> , 20, 59-63	1
409	Indole and synthetic derivative activate chaperone expression to reduce polyQ aggregation in SCA17 neuronal cell and slice culture models. <b>2014</b> , 8, 1929-39	6
408	Genetic cerebellar ataxias. <b>2014</b> , 34, 280-92	35
407	Polyglutamine (PolyQ) diseases: genetics to treatments. <b>2014</b> , 23, 441-58	113
406	From mice to men: lessons from mutant ataxic mice. <b>2014</b> , 1, 4	47
405	Studying the Molecular Determinants of Protein Oligomerization in Neurodegenerative Disorders by Bimolecular Fluorescence Complementation. <b>2014</b> , 133-145	
404	Current understanding of the role of microRNAs in spinocerebellar ataxias. <b>2014</b> , 1, 7	19
403	Monomeric, oligomeric and polymeric proteins in huntington disease and other diseases of polyglutamine expansion. <b>2014</b> , 4, 91-122	34
402	Pharmacological correction of gating defects in the voltage-gated Ca(v)2.1 Ca <sup>2+</sup> channel due to a familial hemiplegic migraine mutation. <b>2014</b> , 81, 91-102	14
401	Consensus paper: pathological mechanisms underlying neurodegeneration in spinocerebellar ataxias. <i>Cerebellum</i> , <b>2014</b> , 13, 269-302	4-3 97
400	Mutational consequences of aberrant ion channels in neurological disorders. <b>2014</b> , 247, 1083-127	2



399	The potential of indole and a synthetic derivative for polyQ aggregation reduction by enhancement of the chaperone and autophagy systems. <b>2014</b> , 5, 1063-74		14
398	[Genetics of primary headache syndromes]. <b>2014</b> , 57, 919-27		4
397	Clinical analysis of adult-onset spinocerebellar ataxias in Thailand. <b>2014</b> , 14, 75		18
396	Congenital ataxia and hemiplegic migraine with cerebral edema associated with a novel gain of function mutation in the calcium channel CACNA1A. <b>2014</b> , 342, 69-78		30
395	A novel missense mutation in CACNA1A evaluated by in silico protein modeling is associated with non-episodic spinocerebellar ataxia with slow progression. <b>2014</b> , 57, 207-11		15
394	Homeostatic plasticity at the Drosophila neuromuscular junction. <b>2014</b> , 78, 63-74		99
393	Bibliography. <b>2014</b> , 617-737		
392	Safety of pregabalin among hemodialysis patients suffering from uremic pruritus. <b>2015</b> , 23, 614-20		4
391	Spinocerebellar ataxia type 6: Lessons from faithful knock-in mouse models. <i>Neurology and Clinical Neuroscience</i> , <b>2015</b> , 3, 14-17	0.3	1
390	[SCA6 presenting parkinsonism without ataxia--A case report]. <b>2015</b> , 55, 243-7		2
389	'Medusa-head ataxia': the expanding spectrum of Purkinje cell antibodies in autoimmune cerebellar ataxia. Part 1: Anti-mGluR1, anti-Homer-3, anti-Sj/ITPR1 and anti-CARP VIII. <b>2015</b> , 12, 166		59
388	'Medusa head ataxia': the expanding spectrum of Purkinje cell antibodies in autoimmune cerebellar ataxia. Part 2: Anti-PKC-gamma, anti-GluR-delta2, anti-Ca/ARHGAP26 and anti-VGCC. <b>2015</b> , 12, 167		42
387	Mouse polyQ database: a new online resource for research using mouse models of neurodegenerative diseases. <b>2015</b> , 8, 69		4
386	A mutation in the low voltage-gated calcium channel CACNA1G alters the physiological properties of the channel, causing spinocerebellar ataxia. <b>2015</b> , 8, 89		60
385	Rapid Onset of Motor Deficits in a Mouse Model of Spinocerebellar Ataxia Type 6 Precedes Late Cerebellar Degeneration. <b>2015</b> , 2,		26
384	New Role of P/Q-type Voltage-gated Calcium Channels: From Transmitter Release to Contraction of Renal Vasculature. <b>2015</b> , 65, 406-11		4
383	Alternatively Spliced Human TREK-1 Variants Alter TREK-1 Channel Function and Localization. <b>2015</b> , 93, 122		4
382	Molecular mechanism of Spinocerebellar Ataxia type 6: glutamine repeat disorder, channelopathy and transcriptional dysregulation. The multifaceted aspects of a single mutation. <b>2015</b> , 9, 36		19

381	Molecular pathophysiology and pharmacology of the voltage-sensing module of neuronal ion channels. <b>2015</b> , 9, 259	8
380	A Single Amino Acid Deletion (E1502) in the S6 Segment of CaV2.1 Domain III Associated with Congenital Ataxia Increases Channel Activity and Promotes Ca <sup>2+</sup> Influx. <b>2015</b> , 10, e0146035	16
379	Computational neurobiology is a useful tool in translational neurology: the example of ataxia. <b>2015</b> , 9, 1	187
378	DnaJ-1 and karyopherin $\beta$ suppress degeneration in a new Drosophila model of Spinocerebellar Ataxia Type 6. <b>2015</b> , 24, 4385-96	25
377	Absence-like seizures and their pharmacological profile in tottering-6j mice. <b>2015</b> , 463, 148-53	10
376	The Inherited Ataxias. <b>2015</b> , 811-832	
375	Loss of MyD88 alters neuroinflammatory response and attenuates early Purkinje cell loss in a spinocerebellar ataxia type 6 mouse model. <b>2015</b> , 24, 4780-91	22
374	Genetic neurological channelopathies: molecular genetics and clinical phenotypes. <b>2016</b> , 87, 37-48	52
373	Stem Cells in Modeling Human Genetic Diseases. <b>2015</b> ,	
372	CACNA1A haploinsufficiency causes cognitive impairment, autism and epileptic encephalopathy with mild cerebellar symptoms. <b>2015</b> , 23, 1505-12	109
371	Differential cerebellar GABAA receptor expression in mice with mutations in CaV2.1 (P/Q-type) calcium channels. <b>2015</b> , 304, 198-208	5
370	Dystonia and cerebellar degeneration in the leaner mouse mutant. <b>2015</b> , 1611, 56-64	9
369	Rare frequency of downbeat positioning nystagmus in spinocerebellar ataxia type 31. <b>2015</b> , 350, 90-2	6
368	Mouse Models of Episodic Ataxia Type 2. <b>2015</b> , 809-814	0
367	Genomic analysis identifies candidate pathogenic variants in 9 of 18 patients with unexplained West syndrome. <b>2015</b> , 134, 649-58	32
366	Mouse Models of SCA3 and Other Polyglutamine Repeat Ataxias. <b>2015</b> , 991-1016	0
365	The autosomal dominant spinocerebellar ataxias: emerging mechanistic themes suggest pervasive Purkinje cell vulnerability. <b>2015</b> , 86, 554-61	29
364	Genetic landscape remodelling in spinocerebellar ataxias: the influence of next-generation sequencing. <b>2015</b> , 262, 2382-95	15

363	iPS Cells and Spinocerebellar Ataxia. <b>2015</b> , 45-61	0
362	Spinocerebellar ataxia type 6 protein aggregates cause deficits in motor learning and cerebellar plasticity. <b>2015</b> , 35, 8882-95	47
361	Clinical characteristics of combined cases of spinocerebellar ataxia types 6 and 31. <b>2015</b> , 29, 80-4	0
360	Studying polyglutamine diseases in Drosophila. <b>2015</b> , 274, 25-41	23
359	Long-term disease progression in spinocerebellar ataxia types 1, 2, 3, and 6: a longitudinal cohort study. <b>2015</b> , 14, 1101-8	139
358	Age-dependent gait abnormalities in mice lacking the Rnf170 gene linked to human autosomal-dominant sensory ataxia. <b>2015</b> , 24, 7196-206	8
357	Genetics and Clinical Features of Inherited Ataxias. <b>2015</b> , 939-978	
356	Dominantly Inherited Spinocerebellar Syndromes. <b>2015</b> , 1003-1032	
355	Migraine pathophysiology: lessons from mouse models and human genetics. <b>2015</b> , 14, 65-80	243
354	Polyglutamine Diseases-Understanding the Mechanism of Pathogenesis. <b>2016</b> , 04,	1
353	Eye movement disorders are an early manifestation of CACNA1A mutations in children. <b>2016</b> , 58, 639-44	47
352	Nomenclature of genetic movement disorders: Recommendations of the international Parkinson and movement disorder society task force. <b>2016</b> , 31, 436-57	148
351	Upregulation of L-type calcium channels in colonic inhibitory motoneurons of P/Q-type calcium channel-deficient mice. <b>2016</b> , 311, G763-G774	1
350	Paroxysmal movement disorders: An update. <b>2016</b> , 172, 433-445	40
349	Evaluation of parkinsonism and striatal dopamine transporter loss in patients with spinocerebellar ataxia type 6. <b>2016</b> , 263, 2302-2307	5
348	Advances in Sequencing Technologies for Understanding Hereditary Ataxias: A Review. <b>2016</b> , 73, 1485-1490	16
347	Cerebellar ataxias: $\beta$ -III spectrin's interactions suggest common pathogenic pathways. <b>2016</b> , 594, 4661-76	19
346	An miRNA-mediated therapy for SCA6 blocks IRES-driven translation of the CACNA1A second cistron. <b>2016</b> , 8, 347ra94	40

345	Vulnerability of Purkinje Cells Generated from Spinocerebellar Ataxia Type 6 Patient-Derived iPSCs. <b>2016</b> , 17, 1482-1490	54
344	Clinical features and genetic diagnosis of hereditary spinocerebellar ataxia 3. <b>2016</b> , 14, 3731-4	2
343	4-aminopyridine reverses ataxia and cerebellar firing deficiency in a mouse model of spinocerebellar ataxia type 6. <b>2016</b> , 6, 29489	51
342	Spinocerebellar ataxia: relationship between phenotype and genotype - a review. <b>2016</b> , 90, 305-14	79
341	Climbing fibers in spinocerebellar ataxia: A mechanism for the loss of motor control. <b>2016</b> , 88, 96-106	25
340	The Role of Calcium Channels in Epilepsy. <b>2016</b> , 6, a022723	39
339	Whole Exome Sequencing and Heterologous Cellular Electrophysiology Studies Elucidate a Novel Loss-of-Function Mutation in the CACNA1A-Encoded Neuronal P/Q-Type Calcium Channel in a Child With Congenital Hypotonia and Developmental Delay. <b>2016</b> , 55, 46-51	16
338	Rare neurological channelopathies--networks to study patients, pathogenesis and treatment. <b>2016</b> , 12, 195-203	7
337	Spinocerebellar ataxias in Venezuela: genetic epidemiology and their most likely ethnic descent. <b>2016</b> , 61, 215-22	23
336	Early Cerebellar Network Shifting in Spinocerebellar Ataxia Type 6. <b>2016</b> , 26, 3205-18	25
335	Critical evaluation of in silico methods for prediction of coiled-coil domains in proteins. <b>2016</b> , 17, 270-82	14
334	A rendezvous with the queen of ion channels: Three decades of ion channel research by David T Yue and his Calcium Signals Laboratory. <i>Channels</i> , <b>2016</b> , 10, 20-32	3 4
333	P/Q-type and T-type voltage-gated calcium channels are involved in the contraction of mammary and brain blood vessels from hypertensive patients. <b>2017</b> , 219, 640-651	7
332	Keeping Our Calcium in Balance to Maintain Our Balance. <b>2017</b> , 483, 1040-1050	24
331	Gene dosage effect in spinocerebellar ataxia type 6 homozygotes: A clinical and neuropathological study. <b>2017</b> , 373, 321-328	9
330	Diagnosis of Spinocerebellar Ataxias Caused by Trinucleotide Repeat Expansions. <b>2017</b> , 92, 9.30.1-9.30.22	1
329	Using the shared genetics of dystonia and ataxia to unravel their pathogenesis. <b>2017</b> , 75, 22-39	26
328	Genetics of Migraine: Insights into the Molecular Basis of Migraine Disorders. <b>2017</b> , 57, 537-569	62

327	Neurotoxicity Pathways in Drosophila Models of the Polyglutamine Disorders. <b>2017</b> , 121, 201-223	16
326	Proteins Containing Expanded Polyglutamine Tracts and Neurodegenerative Disease. <b>2017</b> , 56, 1199-1217	77
325	Inclusions of R6/2 Mice Are Not Amyloid and Differ Structurally from Those of Huntington Disease Brain. <b>2017</b> , 89, 5201-5209	2
324	A panel study on patients with dominant cerebellar ataxia highlights the frequency of channelopathies. <b>2017</b> , 140, 1579-1594	67
323	Alternative splicing in the C-terminal tail of Cav2.1 is essential for preventing a neurological disease in mice. <b>2017</b> , 26, 3094-3104	6
322	Novel missense variant of CACNA1A gene: A case report of a family with episodic ataxia type 2. <b>2017</b> , 376, 119-120	1
321	Lessons learned from additional research analyses of unsolved clinical exome cases. <b>2017</b> , 9, 26	125
320	C-terminal splice variants of P/Q-type Ca channel Ca <sub>v</sub> 2.1 $\beta$ subunits are differentially regulated by Rab3-interacting molecule proteins. <b>2017</b> , 292, 9365-9381	20
319	Resting-state functional connectivity and cognitive dysfunction correlations in spinocerebellar ataxia type 6 (SCA6). <b>2017</b> , 38, 3001-3010	8
318	Cognitive dysfunction in patients with spinocerebellar ataxia type 6. <b>2017</b> , 264, 260-267	5
317	Bicistronic CACNA1A Gene Expression in Neurons Derived from Spinocerebellar Ataxia Type 6 Patient-Induced Pluripotent Stem Cells. <b>2017</b> , 26, 1612-1625	15
316	Exome sequencing and network analysis identifies shared mechanisms underlying spinocerebellar ataxia. <b>2017</b> , 140, 2860-2878	68
315	Polyglutamine spinocerebellar ataxias - from genes to potential treatments. <b>2017</b> , 18, 613-626	174
314	Spinocerebellar Ataxias. <b>2017</b> , 284-295	0
313	Large normal-range TBP and ATXN7 CAG repeat lengths are associated with increased lifetime risk of depression. <b>2017</b> , 7, e1143	15
312	The Ubiquitin Proteasome System and Cerebellar Developmental Disease. <b>2017</b> , 179-196	
311	Voltage-gated calcium channels: Novel targets for cancer therapy. <b>2017</b> , 14, 2059-2074	70
310	Combined Central and Peripheral Degenerative Vestibular Disorders: CANVAS, Idiopathic Cerebellar Ataxia with Bilateral Vestibulopathy (CABV) and Other Differential Diagnoses of the CABV Phenotype. <b>2017</b> , 5, 167-174	2

309	Distinct cerebellar regions related to motor and cognitive performance in SCA6 patients. <b>2017</b> , 107, 25-30	11
308	The Complexity of Clinical Huntington's Disease: Developments in Molecular Genetics, Neuropathology and Neuroimaging Biomarkers. <b>2017</b> , 15, 129-161	7
307	Cerebellar Ataxia. <b>2017</b> , 1-33	
306	Epilepsy Comorbidity. <b>2017</b> , 41-63	
305	Cellular defects by deletion of ANO10 are due to deregulated local calcium signaling. <b>2017</b> , 30, 41-49	26
304	Transient cerebellar alterations during development prior to obvious motor phenotype in a mouse model of spinocerebellar ataxia type 6. <b>2017</b> , 595, 949-966	15
303	Discovery of Therapeutic Approaches for Polyglutamine Diseases: A Summary of Recent Efforts. <b>2017</b> , 37, 860-906	12
302	Electronystagmographical studies of a patient with spinocerebellar ataxia type 6 (SCA 6) mainly complaining of the positional vertigo. <b>2017</b> , 76, 162-173	0
301	. <b>2017</b> ,	1
300	Physical Therapy for Cerebellar Ataxia. <b>2017</b> ,	4
299	Intrinsic Disorder in Proteins with Pathogenic Repeat Expansions. <b>2017</b> , 22,	33
298	Danger: High Voltage-The Role of Voltage-Gated Calcium Channels in Central Nervous System Pathology. <b>2017</b> , 6,	21
297	Cognitive Changes in the Spinocerebellar Ataxias Due to Expanded Polyglutamine Tracts: A Survey of the Literature. <b>2017</b> , 7,	15
296	As a Model Organism to Study RNA Toxicity of Repeat Expansion-Associated Neurodegenerative and Neuromuscular Diseases. <b>2017</b> , 11, 70	13
295	Cerebellar Atrophy and Changes in Cytokines Associated with the R583Q Mutation in a Russian Familial Hemiplegic Migraine Type 1 Family. <b>2017</b> , 11, 263	9
294	Brain MRI Pattern Recognition Translated to Clinical Scenarios. <b>2017</b> , 11, 578	6
293	A positive feedback loop linking enhanced mGluR function and basal calcium in spinocerebellar ataxia type 2. <i>ELife</i> , <b>2017</b> , 6,	8.9 28
292	RNA biology of disease-associated microsatellite repeat expansions. <b>2017</b> , 5, 63	44

291	SUMOylation and calcium signalling: potential roles in the brain and beyond. <b>2017</b> , 1, NS20160010		3
290	Channelopathies. <b>2017</b> , 405-411		
289	m-AAA proteases, mitochondrial calcium homeostasis and neurodegeneration. <b>2018</b> , 28, 296-306		58
288	Targeting the CACNA1A IRES as a Treatment for Spinocerebellar Ataxia Type 6. <i>Cerebellum</i> , <b>2018</b> , 17, 72-77	4-3	13
287	The CAG-polyglutamine repeat diseases: a clinical, molecular, genetic, and pathophysiologic nosology. <b>2018</b> , 147, 143-170		48
286	Spinocerebellar [corrected] Ataxia Type 6: Molecular Mechanisms and Calcium Channel Genetics. <b>2018</b> , 1049, 147-173		12
285	Divalproex sodium modulates nuclear localization of ataxin-3 and prevents cellular toxicity caused by expanded ataxin-3. <b>2018</b> , 24, 404-411		11
284	Calcium Channels, Synaptic Plasticity, and Neuropsychiatric Disease. <b>2018</b> , 98, 466-481		200
283	From gene to therapy in spinal and bulbar muscular atrophy: Are we there yet?. <b>2018</b> , 465, 113-121		12
282	Polyglutamine expansion diseases: More than simple repeats. <b>2018</b> , 201, 139-154		16
281	Experimental and Clinical Strategies for Treating Spinocerebellar Ataxia Type 3. <b>2018</b> , 371, 138-154		6
280	19p13 microduplications encompassing NFIX are responsible for intellectual disability, short stature and small head circumference. <b>2018</b> , 26, 85-93		4
279	Balanced Activity between Kv3 and Nav Channels Determines Fast-Spiking in Mammalian Central Neurons. <b>2018</b> , 9, 120-137		9
278	Aberrant cerebellar Purkinje cell activity as the cause of motor attacks in a mouse model of episodic ataxia type 2. <b>2018</b> , 11,		8
277	Trinucleotide Repeat Expansion Diseases, RNAi, and Cancer. <b>2018</b> , 4, 684-700		11
276	Response to the paper titled "Identification of a novel mutation in a Chinese family with autosomal recessive progressive myoclonic epilepsy". <b>2018</b> , 14, 2329		1
275	New Insights Into the Role of Ca <sup>2+</sup> Protein Family in Calcium Flux Deregulation in -KO Neurons. <i>Frontiers in Molecular Neuroscience</i> , <b>2018</b> , 11, 342	6.1	15
274	Epidemiology of inherited cerebellar ataxias and challenges in clinical research. <b>2018</b> , 2, 2514183X1878525		9

273	DNA repair in trinucleotide repeat ataxias. <b>2018</b> , 285, 3669-3682	7
272	Whole-exome sequencing for variant discovery in blepharospasm. <b>2018</b> , 6, 601	15
271	RNA Metabolism in Neurodegenerative Diseases. <b>2018</b> ,	2
270	Molecular Characterization of an SV Capture Site in the Mid-Region of the Presynaptic CaV2.1 Calcium Channel C-Terminal. <b>2018</b> , 12, 127	5
269	Purkinje Cell Signaling Deficits in Animal Models of Ataxia. <b>2018</b> , 10, 6	43
268	Paradigm for disease deconvolution in rare neurodegenerative disorders in Indian population: insights from studies in cerebellar ataxias. <b>2018</b> , 97, 589-609	2
267	Spinocerebellar ataxias. <b>2018</b> , 155, 143-174	36
266	Episodic ataxias. <b>2018</b> , 155, 205-215	26
265	Episodic ataxias. <b>2018</b> , 148, 521-529	4
264	Deregulation of RNA Metabolism in Microsatellite Expansion Diseases. <b>2018</b> , 20, 213-238	5
263	The neuropsychiatric phenotype in CACNA1A mutations: a retrospective single center study and review of the literature. <b>2019</b> , 26, 66-e7	26
262	Dizziness and Vertigo in the Adolescent. <b>2019</b> , 83-93	
261	Major intra-familial phenotypic heterogeneity and incomplete penetrance due to a CACNA1A pathogenic variant. <b>2019</b> , 62, 103530	21
260	Paroxysmal movement disorders - practical update on diagnosis and management. <b>2019</b> , 19, 807-822	8
259	SCA6 : cerebellar ataxia with characteristic neuro-otological features. <b>2019</b> , 78, 55-60	
258	Genetic Associations between Voltage-Gated Calcium Channels and Psychiatric Disorders. <b>2019</b> , 20,	29
257	Implementation of a genomic medicine multi-disciplinary team approach for rare disease in the clinical setting: a prospective exome sequencing case series. <b>2019</b> , 11, 46	13
256	Repeat variations in polyglutamine disease-associated genes and cognitive function in old age. <b>2019</b> , 84, 236.e17-236.e28	3



255	Unraveling Novel Mechanisms of Neurodegeneration Through a Large-Scale Forward Genetic Screen in. <b>2018</b> , 9, 700	20
254	Conformational studies of pathogenic expanded polyglutamine protein deposits from Huntington's disease. <b>2019</b> , 244, 1584-1595	9
253	Advances in genetics of migraine. <b>2019</b> , 20, 72	56
252	Paroxysmal Movement Disorders: Recent Advances. <b>2019</b> , 19, 48	5
251	Transient Confinement of Ca <sub>v</sub> 2.1 Ca-Channel Splice Variants Shapes Synaptic Short-Term Plasticity. <b>2019</b> , 103, 66-79.e12	32
250	Motor Performances of Spontaneous and Genetically Modified Mutants with Cerebellar Atrophy. <i>Cerebellum</i> , <b>2019</b> , 18, 615-634	4-3 8
249	Bi-allelic Loss-of-Function CACNA1B Mutations in Progressive Epilepsy-Dyskinesia. <b>2019</b> , 104, 948-956	17
248	Spinocerebellar ataxia. <b>2019</b> , 5, 24	188
247	Modeling Polyglutamine Expansion Diseases with Induced Pluripotent Stem Cells. <b>2019</b> , 16, 979-998	10
246	Genetics, Mechanisms, and Therapeutic Progress in Polyglutamine Spinocerebellar Ataxias. <b>2019</b> , 16, 263-286	49
245	Genetic analysis of undiagnosed ataxia-telangiectasia-like disorders. <b>2019</b> , 41, 150-157	13
244	Repeat length variations in ATXN1 and AR modify disease expression in Alzheimer's disease. <b>2019</b> , 73, 230.e9-230.e17	4
243	Spinocerebellar ataxia: an update. <b>2019</b> , 266, 533-544	82
242	Why do so many genetic insults lead to Purkinje Cell degeneration and spinocerebellar ataxia?. <b>2019</b> , 688, 49-57	29
241	Ion channel dysfunction in cerebellar ataxia. <b>2019</b> , 688, 41-48	28
240	Cognitive impairment in children with CACNA1A mutations. <b>2020</b> , 62, 330-337	20
239	Exploring the Potential of Small Molecule-Based Therapeutic Approaches for Targeting Trinucleotide Repeat Disorders. <b>2020</b> , 57, 566-584	11
238	Receptor protein tyrosine phosphatases control Purkinje neuron firing. <b>2020</b> , 19, 153-159	3

237	Disrupted Calcium Signaling in Animal Models of Human Spinocerebellar Ataxia (SCA). <b>2019</b> , 21,	14
236	Investigating the interactions of the first 17 amino acid residues of Huntingtin with lipid vesicles using mass spectrometry and molecular dynamics. <b>2020</b> , 55, e4470	4
235	Essential Tremor Within the Broader Context of Other Forms of Cerebellar Degeneration. <i>Cerebellum</i> , <b>2020</b> , 19, 879-896	4-3 9
234	Aberrant Cerebellar Circuitry in the Spinocerebellar Ataxias. <b>2020</b> , 14, 707	8
233	Investigating developmental and disease mechanisms of the cerebellum with pluripotent stem cells. <b>2020</b> , 107, 103530	2
232	Episodic Ataxias: Faux or Real?. <b>2020</b> , 21,	0
231	Targeting Alternative Splicing as a Potential Therapy for Episodic Ataxia Type 2. <b>2020</b> , 8,	8
230	Commentary to: "The Pathophysiology and Clinical Manifestations of Spinocerebellar Ataxia Type 6" by Rentiya et al., <i>Cerebellum</i> 2020;19(3):459-464). <i>Cerebellum</i> , <b>2021</b> , 20, 484-485	4-3
229	Phase Separation as a Missing Mechanism for Interpretation of Disease Mutations. <b>2020</b> , 183, 1742-1756	34
228	Association of A Novel Splice Site Mutation in P/Q-Type Calcium Channels with Childhood Epilepsy and Late-Onset Slowly Progressive Non-Episodic Cerebellar Ataxia. <b>2020</b> , 21,	9
227	Rare CACNA1A mutations leading to congenital ataxia. <b>2020</b> , 472, 791-809	10
226	Gene Deregulation and Underlying Mechanisms in Spinocerebellar Ataxias With Polyglutamine Expansion. <b>2020</b> , 14, 571	8
225	A homozygous missense variant in CACNB4 encoding the auxiliary calcium channel beta4 subunit causes a severe neurodevelopmental disorder and impairs channel and non-channel functions. <b>2020</b> , 16, e1008625	6
224	Weighted gene co-expression network analysis of chronic kidney disease and hemodialysis patients. <b>2020</b> , 24, 100689	
223	Ameliorating effect of rovatirelin on the ataxia in rolling mouse Nagoya. <b>2020</b> , 882, 173271	2
222	Cav2.1 C-terminal fragments produced in <i>Xenopus laevis</i> oocytes do not modify the channel expression and functional properties. <b>2020</b> , 51, 1900-1913	0
221	On the wrong DNA track: Molecular mechanisms of repeat-mediated genome instability. <b>2020</b> , 295, 4134-4170-79	
220	Genetic screening for potassium channel mutations in Japanese autosomal dominant spinocerebellar ataxia. <b>2020</b> , 65, 363-369	5

219	Effect of rovatirelin in patients with cerebellar ataxia: two randomised double-blind placebo-controlled phase 3 trials. <b>2020</b> , 91, 254-262		9
218	Exploring Neuronal Vulnerability to Head Trauma Using a Whole Exome Approach. <b>2020</b> , 37, 1870-1879		4
217	Cerebellar Development and Circuit Maturation: A Common Framework for Spinocerebellar Ataxias. <b>2020</b> , 14, 293		3
216	Two distinct phenotypes, hemiplegic migraine and episodic Ataxia type 2, caused by a novel common CACNA1A variant. <b>2020</b> , 20, 155		9
215	Pathogenic mechanisms underlying spinocerebellar ataxia type 1. <b>2020</b> , 77, 4015-4029		2
214	Distribution of the CAG Triplet Repeat in ATXN1, ATXN3, and CACNA1A Loci in Peruvian Population. <i>Cerebellum</i> , <b>2020</b> , 19, 527-535	4-3	0
213	Temporal Invariance in SCA6 Is Related to Smaller Cerebellar Lobule VI and Greater Disease Severity. <b>2020</b> , 40, 1722-1731		2
212	Ataxic phenotype and neurodegeneration are triggered by the impairment of chaperone-mediated autophagy in cerebellar neurons. <b>2021</b> , 47, 198-209		2
211	Clinical phenotypes of infantile onset CACNA1A-related disorder. <b>2021</b> , 30, 144-154		4
210	Cerebellar developmental deficits underlie neurodegenerative disorder spinocerebellar ataxia type 23. <b>2021</b> , 31, 239-252		1
209	Targeting Expanded Repeats by Small Molecules in Repeat Expansion Disorders. <b>2021</b> , 36, 298-305		2
208	Huda Yahya Zoghbi. <b>2021</b> , 997-999		
207	Clinical overview and phenomenology of movement disorders. <b>2021</b> , 1-51.e27		0
206	More than a pore: How voltage-gated calcium channels act on different levels of neuronal communication regulation. <i>Channels</i> , <b>2021</b> , 15, 322-338	3	3
205	Restoration of BDNF-TrkB signaling rescues deficits in a mouse model of SCA6.		
204	Juvenile Huntington's Disease and Other PolyQ diseases, Update on Neurodevelopmental Character and Comparative Bioinformatic Review of Transcriptomic Data.		
203	The electrophysiological footprint of CACNA1A disorders. <b>2021</b> , 268, 2493-2505		5
202	Zebrafish Models of Autosomal Dominant Ataxias. <b>2021</b> , 10,		3

201	From Genotype to Phenotype: Expanding the Clinical Spectrum of Variants in the Era of Next Generation Sequencing. <b>2021</b> , 12, 639994	14
200	Sporadic Hemiplegic Migraine Type 1 and Congenital Ataxia due to a Single Amino Acid Deletion (E1502) in CACNA1A: A Challenging Diagnosis.	
199	Conventional MRI findings in hereditary degenerative ataxias: a pictorial review. <b>2021</b> , 63, 983-999	5
198	Mechanisms of repeat-associated non-AUG translation in neurological microsatellite expansion disorders. <b>2021</b> , 49, 775-792	7
197	Paroxysmal Genetic Movement Disorders and Epilepsy. <b>2021</b> , 12, 648031	4
196	The Electrophysiological Findings in Spinocerebellar Ataxia Type 6: Evidence From 24 Patients. <b>2021</b> ,	0
195	PiggyBac Transposable Element-derived 1 controls Neuronal Progenitor Identity, Stress Sensing and mammal-specific paraspeckles.	1
194	Mutations Causing Early Onset Ataxia: Profiling Clinical, Dysmorphic and Structural-Functional Findings. <b>2021</b> , 22,	0
193	30 years of repeat expansion disorders: What have we learned and what are the remaining challenges?. <b>2021</b> , 108, 764-785	26
192	An update on the neurological short tandem repeat expansion disorders and the emergence of long-read sequencing diagnostics. <b>2021</b> , 9, 98	15
191	The childhood migraine syndrome. <b>2021</b> , 17, 449-458	4
190	Calcium Channels Genes and Their Epilepsy Phenotypes.	
189	-Butylidenephthalide Modulates Autophagy to Ameliorate Neuropathological Progress of Spinocerebellar Ataxia Type 3 through mTOR Pathway. <b>2021</b> , 22,	3
188	Biallelic variants in genes previously associated with dominant inheritance: CACNA1A, RET and SLC20A2. <b>2021</b> , 29, 1520-1526	2
187	Clinical and genetic profile in index patients with spinocerebellar ataxia type 3 in Indonesia: case report. <b>2021</b> , 7, e07519	
186	Juvenile Huntington's Disease and Other PolyQ Diseases, Update on Neurodevelopmental Character and Comparative Bioinformatic Review of Transcriptomic and Proteomic Data. <b>2021</b> , 9, 642773	3
185	Genotypic Differences in Networks Supporting Regional Predictors of Speech Rate in Spinocerebellar Ataxia: Preliminary Observations. <b>2021</b> , 11, 408-417	1
184	Cell type-specific biotin labeling in vivo resolves regional neuronal proteomic differences in mouse brain.	1

183	Consensus Paper: Strengths and Weaknesses of Animal Models of Spinocerebellar Ataxias and Their Clinical Implications. <i>Cerebellum</i> , <b>2021</b> , 1	4-3	2
182	Therapeutic Potential of Sodium Channel Blockers as a Targeted Therapy Approach in -Associated Episodic Ataxia and a Comprehensive Review of the Literature. <b>2021</b> , 12, 703970		2
181	Treatment Options in Congenital Disorders of Glycosylation. <b>2021</b> , 12, 735348		1
180	Editorial: Genetics of Paroxysmal Movement Disorders. <b>2021</b> , 12, 752000		1
179	Advances in Next-Generation Sequencing Technologies and Functional Investigation of Candidate Variants in Neurological and Behavioral Disorders. <b>2022</b> , 390-404		
178	Paroxysmal dyskinesias. <b>2021</b> , 560-578.e13		
177	Calcium Channelopathies. <b>2005</b> , 240-261		0
176	Calcium channelopathies: voltage-gated calcium channels. <b>2007</b> , 45, 215-51		38
175	Trinucleotide-Expansion Diseases. <b>2011</b> , 319-358		1
174	Alternative Splicing in Voltage Gated Calcium Channels. <b>2004</b> , 369-409		6
173	Calcium Channel Mutations and Associated Diseases. <b>2004</b> , 303-330		1
172	Polyglutamine aggregation in Huntington and related diseases. <b>2012</b> , 769, 125-40		11
171	Spinocerebellar ataxias caused by polyglutamine expansions. <b>2002</b> , 516, 47-77		16
170	Spinocerebellar ataxia type 10: a disease caused by a large ATTCT repeat expansion. <b>2002</b> , 516, 79-97		8
169	DRPLA: recent advances in research using transgenic mouse models. <b>2013</b> , 1010, 277-92		5
168	Motor Circuit Abnormalities During Cerebellar Development. <b>2017</b> , 105-127		1
167	The fragile X syndrome and other fragile site disorders. <b>1998</b> , 21, 1-46		15
166	Molecular genetics of Huntington's disease. <b>1998</b> , 21, 47-75		7

165	Neuropathology of Ataxias. <b>2013</b> , 2327-2347	2
164	Autism Spectrum Disorders and Ataxia. <b>2013</b> , 1895-1906	2
163	Aspects of Tandemly Organized, Repetitive Sequences in Chromosomal DNA. <b>2002</b> , 1-10	3
162	VLG Ca. <b>1999</b> , 22-153	2
161	Molecular Genetics of Spinocerebellar Ataxia Type 8. <b>2006</b> , 417-431	1
160	Polyglutamine Disorders Including Huntington's Disease. <b>2007</b> , 257-275	8
159	Migraine as a Cerebral Ionopathy with Impaired Central Sensory Processing. <b>2007</b> , 439-461	9
158	Spinocerebellar Ataxia 6 (SCA6). <b>2003</b> , 81-84	1
157	Interaction of expanded polyglutamine stretches with nuclear transcription factors leads to aberrant transcriptional regulation in polyglutamine diseases. <b>2000</b> , 20, 326-33	31
156	Current status of genetic discoveries in migraine: familial hemiplegic migraine and beyond. <b>1998</b> , 11, 211-6	11
155	Ion channel mutations affecting muscle and brain. <b>1998</b> , 11, 461-8	16
154	A second mechanism of increase of cerebellar hypermetria in humans. <b>2003</b> , 547, 989-94	8
153	Neurological channelopathies. <b>1998</b> , 316, 1104-5	12
152	Founders and CAG repeats: cause or effect?. <b>1999</b> , 52, 685-6	1
151	Perinuclear localization of huntingtin as a consequence of its binding to microtubules through an interaction with $\beta$ -tubulin: relevance to Huntington's disease. <b>2002</b> , 115, 941-948	119
150	Therapeutic prospects for spinocerebellar ataxia type 2 and 3. <b>2009</b> , 34,	15
149	Clinically severe CACNA1A alleles affect synaptic function and neurodegeneration differentially. <b>2017</b> , 13, e1006905	42
148	Cytoplasmic location of $\beta$ A voltage-gated calcium channel C-terminal fragment (Cav2.1-CTF) aggregate is sufficient to cause cell death. <b>2013</b> , 8, e50121	9

147	Requirement for zebrafish ataxin-7 in differentiation of photoreceptors and cerebellar neurons. <b>2012</b> , 7, e50705	24
146	Identification of a novel nonsense mutation p.Tyr1957Ter of CACNA1A in a Chinese family with episodic ataxia 2. <b>2013</b> , 8, e56362	13
145	Ablation of Ca(V)2.1 voltage-gated Ca <sup>2+</sup> channels in mouse forebrain generates multiple cognitive impairments. <b>2013</b> , 8, e78598	22
144	Impaired Spatio-Temporal Predictive Motor Timing Associated with Spinocerebellar Ataxia Type 6. <b>2016</b> , 11, e0162042	9
143	Genetic Screening for Spinocerebellar Ataxia Genes in a Japanese Single-Hospital Cohort. <b>2017</b> , 10, 116-122	3
142	Familial Hemiplegic Migraine Type I: The Molecular Signaling Pathway. <b>2017</b> , 7,	0
141	Molecular characteristics of Machado-Joseph disease mutation in 25 newly described Brazilian families. <b>1997</b> , 20, 717-724	10
140	Genetic and molecular aspects of spinocerebellar ataxias. <b>2005</b> , 1, 125-33	6
139	Pregabalin in neuropathic pain: evidences and possible mechanisms. <b>2014</b> , 12, 44-56	95
138	Calcium Signaling, PKC Gamma, IP3R1 and CAR8 Link Spinocerebellar Ataxias and Purkinje Cell Dendritic Development. <b>2018</b> , 16, 151-159	27
137	The contribution of the cerebellum to cognition in Spinocerebellar Ataxia Type 6. <b>2010</b> , 23, 3-15	17
136	Jan Evangelista Purkyně and the cerebellum then and now. <b>2015</b> , 64, S567-84	2
135	Clinical and Genetic Overview of Paroxysmal Movement Disorders and Episodic Ataxias. <b>2020</b> , 21,	19
134	Dysfunction of the Ca(V)2.1 calcium channel in cerebellar ataxias. <b>2010</b> , 2,	6
133	Spinocerebellar Ataxias in India: Three-year Molecular Data from a Central Reference Laboratory. <b>2020</b> , 68, 86-91	6
132	Spinocerebellar ataxia type 6 in eastern India: Some new observations. <b>2016</b> , 19, 360-6	3
131	The human $\eta$ glutamate receptor gene is not mutated in patients with spinocerebellar ataxia. <b>2014</b> , 9, 1068-74	3
130	Novel missense variant of CACNA1A gene in a Slovak family with episodic ataxia type 2. <b>2017</b> , 161, 107-110	6

129	Homeostatic synaptic depression is achieved through a regulated decrease in presynaptic calcium channel abundance. <i>ELife</i> , <b>2015</b> , 4,	8.9	44
128	Novel CACNA1A Variant p.Cys256Phe Disrupts Disulfide Bonds and Causes Spinocerebellar Ataxia. <b>2021</b> ,		1
127	Polyglutamine Ataxias: Our Current Molecular Understanding and What the Future Holds for Antisense Therapies. <b>2021</b> , 9,		0
126	Dentatorubral-pallidoluysian atrophy (DRPLA). <b>2000</b> , 167-80		
125	Molekulare Grundlagen neurologischer Trinukleotidblockexpansionssyndrome. <b>2000</b> , 512-544		
124	Ion Channels and Disease - Pages 419-464. <b>2000</b> , 419-464		
123	Calcium Channelopathies in Nervous System. <b>2000</b> , 379-400		
122	Neurodegenerative Disorders of the Cerebellum. <b>2000</b> , 417-455		
121	Ataxias espinocerebelares causadas por expansi3n de poliglutamina. <b>2010</b> , 18, 512-522		
120	Polyglutamine Repeats.		
119	Evidence for Neuronal Dysfunction in a Mouse Model of Early Stages of Huntington's Disease. <b>2002</b> , 107-115		
118	The genetics of migraine: implication for treatment approaches. <b>2002</b> , 111-27		3
117	Spinocerebellar Ataxia 10 (SCA10). <b>2003</b> , 103-116		
116	Inherited and Noninherited Ataxias. <b>2003</b> , 1011-1020		
115	Spinocerebellar Ataxia 5 (SCA5). <b>2003</b> , 75-80		
114	The Therapeutic Utility of Targeting Cav2 Channels. <b>2004</b> , 73-93		
113	New RNAi Strategy for Selective Suppression of a Mutant Allele in Polyglutamine Disease. 100621062326027		
112	Autosomal Dominant Ataxias. <b>2005</b> , 306-350		



111 Spinocerebellar Ataxia Type 6. **2006**, 379-385

110 Phosphorylation of Ataxin-1: A Link Between Basic Research and Clinical Application in Spinocerebellar Ataxia Type 1. **2006**, 339-349

109 Migraine: Genetics.

108 The Proteasome, Protein Aggregation, and Neurodegeneration. **2007**, 371-408

107 [Molecular and genetic analysis of spinocerebellar ataxia type 10 (SCA10)]. **2008**, 48, 1-10

106 Disorders of the Cerebellum, Including the Degenerative Ataxias. **2008**, 2123-2145

1

105 Reliability of Serum Anti-thyroid Antibody Screening in the Diagnosis of Parkinson Disease and Multiple System Atrophy. **2008**, 1, 75-81

104 Ataxia in a son and mother. **2008**, 361-364

103 Cerebellum and equilibrium function. **2009**, 68, 214-217

102 SCA6. **2010**, 72-74

101 Genetic Contributors to Headache. **2011**, 83-106

1

100 The Cerebellum and the Hereditary Ataxias. **2012**, 939-964

1

99 Channelopathies. **2012**, 544-553

98 CaV2.1 (P/Q) Voltage Activated Ca<sup>2+</sup> Channels and Synaptic Transmission in Genetic and Autoimmune Diseases. **2013**, 263-288

97 Splicing and Editing to Customize CaV Channel Structures for Optimal Neural Function. **2013**, 289-318

96 Rolling Nagoya Mouse. **2013**, 1541-1561

95 Ataxia and CACNA1A: Episodic or Progressive?. **2014**, 27-45

94 GABA Receptor Expression in the Forebrain of Ataxic Mice. **2014**, 6,

- 93 Calcium Channels for Exocytosis and Endocytosis. **2014**, 1091-1138
- 92 Direkte Gendiagnostik und Mutationstypen. **1998**, 27-34 2
- 91 Spinocerebellar Ataxia and Other Disorders of Trinucleotide Repeats. **1998**, 913-920 1
- 90 Hereditäre Ataxien. **1998**, 249-277
- 89 Migräne und episodische Ataxien. **1998**, 115-119
- 88 Lexikon der Syndrome und Fehlbildungen. **1999**, 35-1198
- 87 Transgenic Mouse Models of CAG Trinucleotide Repeat Neurologic Diseases. **1999**, 163-185
- 86 Trinukleotid-Repeat-Erkrankungen. **1999**, 67-102
- 85 Molecular Genetics of Neurologic Diseases. **1999**, 8, 26-32
- 84 Anticipation in a family with autosomal dominant spinocerebellar ataxia. **1999**, 19, 434-7
- 83 Spinocerebellar Ataxia Type 6?. **2017**,
- 82 Epidemiological, clinical, and genotype characterization of spinocerebellar ataxia type in families in Buriram province, northeast Thailand. **2017**, 11, 469-474 1
- 81 Ion Channels and Human Disorders. 1-13
- 80 Pathogenesis of Polyglutamine Diseases. 1-10 0
- 79 Combined Central and Peripheral Degenerative Vestibular Disorders. **2019**, 337-351
- 78 Eye Movements in Autosomal Dominant Spinocerebellar Ataxias. **2019**, 415-449
- 77 Channelopathies and Cerebellar Disease. **2019**, 1-16
- 76 Development of Physiological Activity in the Cerebellum. **2019**, 1-30 1

- 75 Development of Physiological Activity in the Cerebellum. **2019**, 1-30
- 74 Population genetics of spinocerebellar ataxias caused by polyglutamine expansions. **2019**, 23, 473-481
- 73 Calcium Channel Diversity. 1-9
- 72 Rolling Nagoya Mouse. **2020**, 1-23
- 71 Neuropathology of Ataxias. **2020**, 1-23
- 70 Dopaminergic function in spinocerebellar ataxia type 6 patients with and without parkinsonism. **2020**, 267, 2692-2696 0
- 69 An Ordering of Letters: My Own Personal Genome. **2020**, 145-158
- 68 The inherited ataxias. **2020**, 75-97
- 67 Autism Spectrum Disorders and Ataxia. **2020**, 1-17
- 66 Differential Expression of Ca Channels and Synaptic Transmission in Normal and Ataxic Knock-Out Mice. **2005**, 73-78
- 65 The Enigma of Spinocerebellar Ataxia Type 6. **2006**, 233-250
- 64 Spinocerebellar Ataxia Type 8. **2006**, 167-183
- 63 Mechanistic Insights into the Polyglutamine Ataxias. 465-479
- 62 Precision medicine in spinocerebellar ataxias: treatment based on common mechanisms of disease. **2016**, 4, 25 12
- 61 Cloning of human Ca<sup>2+</sup> homeostasis endoplasmic reticulum protein (CHERP): regulated expression of antisense cDNA depletes CHERP, inhibits intracellular Ca<sup>2+</sup> mobilization and decreases cell proliferation. **2000**, 348 Pt 1, 189-99 9
- 60 Aberrant phosphorylation of dentatorubral-pallidolusian atrophy (DRPLA) protein complex in brain tissue. **2000**, 351 Pt 3, 587-93 3
- 59 ACMG/ASHG statement. Laboratory guidelines for Huntington disease genetic testing. The American College of Medical Genetics/American Society of Human Genetics Huntington Disease Genetic Testing Working Group. **1998**, 62, 1243-7 55
- 58 Analysis of spinocerebellar ataxia type 2 gene and haplotype analysis: (CCG)<sub>1-2</sub> polymorphism and contribution to founder effect. **1999**, 36, 112-4 9

57	Familial cortical myoclonic tremor with epilepsy and cerebellar changes: description of a new pathology case and review of the literature. <b>2012</b> , 2,	7
56	Familial Cortical Myoclonic Tremor and Epilepsy, an Enigmatic Disorder: From Phenotypes to Pathophysiology and Genetics. A Systematic Review. <b>2018</b> , 8, 503	8
55	Progressive Non-familial Adult onset Cerebellar Degeneration: An Unusual Occurrence with Hashimoto's Thyroiditis. <b>2018</b> , 48, 42-46	1
54	The complexities of CACNA1A in clinical neurogenetics. <b>2021</b> , 1	1
53	Autosomal Dominant Spinocerebellar Ataxias and Episodic Ataxias. <b>2022</b> , 2483-2559	
52	Neuropathology of Ataxias. <b>2022</b> , 2615-2637	
51	Development of Physiological Activity in the Cerebellum. <b>2022</b> , 379-407	
50	Rolling Nagoya Mouse. <b>2022</b> , 1733-1755	
49	Single-Tube Screen for Rapid Detection of Repeat Expansions in Seven Common Spinocerebellar Ataxias.. <b>2022</b> ,	0
48	An Insight into Potential Pharmacotherapeutic Agents for Painful Diabetic Neuropathy.. <b>2022</b> , 2022, 9989272	3
47	Inhibition of Polyglutamine Misfolding with D-Enantiomeric Peptides Identified by Mirror Image Phage Display Selection.. <b>2022</b> , 12,	0
46	Molecular Mechanisms in Pentanucleotide Repeat Diseases.. <b>2022</b> , 11,	0
45	Patient-Specific iPSCs-Based Models of Neurodegenerative Diseases: Focus on Aberrant Calcium Signaling.. <b>2022</b> , 23,	0
44	Paradigm for disease deconvolution in rare neurodegenerative disorders in Indian population: insights from studies in cerebellar ataxias. <b>2018</b> , 97, 589-609	
43	Calcium Channel Splice Variants and Their Effects in Brain and Cardiovascular Function.. <b>2021</b> , 1349, 67-86	1
42	Trinucleotide CGG Repeat Diseases: An Expanding Field of Polyglycine Proteins?. <b>2022</b> , 13, 843014	2
41	Regulation of presynaptic Ca <sup>2+</sup> channel abundance at active zones through a balance of delivery and turnover.	
40	Migraine and Its Equivalents: What Do They Share? A Narrative Review on Common Pathophysiological Patterns.. <b>2021</b> , 11,	0

39	Advancing genomic technologies and clinical awareness accelerates discovery of disease-associated tandem repeat sequences.. <b>2021</b> ,	2
38	The molecular pathogenesis of repeat expansion diseases.. <b>2021</b> ,	0
37	Autism Spectrum Disorders and Ataxia. <b>2022</b> , 2159-2175	
36	Channelopathies and Cerebellar Disease. <b>2022</b> , 1399-1413	
35	A symposium of the Society for Experimental Neuropathology under the auspices of the American Neurological Association. <i>Cerebellum</i> , <b>2002</b> , 1, 143-158	4-3
34	The highly heterogeneous spinocerebellar ataxias: From genes to targets for therapeutic intervention. <i>Cerebellum</i> , <b>2008</b> , 7, 1-4	4-3
33	Spinocerebellar ataxia 17 (SCA17) and Huntington's disease-like 4 (HDL4). <i>Cerebellum</i> , <b>2008</b> , 7, 1-9	4-3
32	Clinical and genetic analysis of spinocerebellar ataxia type 11. <i>Cerebellum</i> , <b>2008</b> , 7, 1-6	4-3
31	The clinical diagnosis of autosomal dominant spinocerebellar ataxias. <i>Cerebellum</i> , <b>2008</b> , 7, 1-5	4-3
30	Spinocerebellar ataxias caused by polyglutamine expansions: A review of therapeutic strategies. <i>Cerebellum</i> , <b>2008</b> , 7, 1-7	4-3
29	Data_Sheet_1.pdf. <b>2018</b> ,	
28	Image_1.TIFF. <b>2018</b> ,	
27	Image_2.TIFF. <b>2018</b> ,	
26	Image_3.tif. <b>2018</b> ,	
25	Image_4.tif. <b>2018</b> ,	
24	Expression profile analysis in cells overexpressing DRPLA cDNA to explore the roles of DRPLAp as a transcriptional coregulator. <i>Neurology and Clinical Neuroscience</i> ,	0-3
23	Hippocampus-related cognitive disorders develop in the absence of epilepsy and ataxia in the heterozygous mutant mice .. <i>Channels</i> , <b>2022</b> , 16, 113-126	3
22	CACNA1A Mutations Associated With Epilepsies and Their Molecular Sub-Regional Implications. <i>Frontiers in Molecular Neuroscience</i> , <b>2022</b> , 15,	6-1

21	Cell type-specific biotin labeling in vivo resolves regional neuronal and astrocyte proteomic differences in mouse brain. <i>Nature Communications</i> , <b>2022</b> , 13,	17.4	○
20	Ataxia. <b>2022</b> , 333-394		
19	The impact of rare protein coding genetic variation on adult cognitive function.		○
18	Vulnerability of Human Cerebellar Neurons to Degeneration in Ataxia-Causing Channelopathies. <i>Frontiers in Systems Neuroscience</i> , 16,	3.5	
17	Regulation of presynaptic Ca <sup>2+</sup> channel abundance at active zones through a balance of delivery and turnover. <i>ELife</i> , 11,	8.9	○
16	Developmental and epileptic encephalopathies: from genetic heterogeneity to phenotypic continuum.		○
15	The Emerging Key Role of the mGluR1-PKC $\beta$ Signaling Pathway in the Pathogenesis of Spinocerebellar Ataxias: A Neurodevelopmental Viewpoint. <b>2022</b> , 23, 9169		○
14	Loss of Flocculus Purkinje Cell Firing Precision Leads to Impaired Gaze Stabilization in a Mouse Model of Spinocerebellar Ataxia Type 6 (SCA6). <b>2022</b> , 11, 2739		○
13	A Novel Gene Controls a New Structure: PiggyBac Transposable Element-Derived 1, Unique to Mammals, Controls Mammal-Specific Neuronal Paraspeckles. <b>2022</b> , 39,		○
12	A survey of protein interactions and posttranslational modifications that influence the polyglutamine diseases. 15,		○
11	Activation of TrkB-Akt signaling rescues deficits in a mouse model of SCA6. <b>2022</b> , 8,		○
10	Rapid and comprehensive diagnostic method for repeat expansion diseases using nanopore sequencing. <b>2022</b> , 7,		○
9	Splicing and Editing to Fine-Tune Activity of High Voltage-Activated Calcium Channels. <b>2022</b> , 47-72		○
8	Huntingtin and Other Neurodegeneration-Associated Proteins in the Development of Intracellular Pathologies: Potential Target Search for Therapeutic Intervention. <b>2022</b> , 23, 15533		○
7	CACNA1A-Related Channelopathies: Clinical Manifestations and Treatment Options. <b>2023</b> ,		○
6	Functional Characterization of Four Known Cav2.1 Variants Associated with Neurodevelopmental Disorders. <b>2023</b> , 13, 96		○
5	The length of uninterrupted CAG repeats in stem regions of repeat disease associated hairpins determines the amount of short CAG oligonucleotides that are toxic to cells through RNA interference. <b>2022</b> , 13,		○
4	G-Quadruplexes in Repeat Expansion Disorders. <b>2023</b> , 24, 2375		○

- 3 Charge transport properties of ideal and natural DNA segments, as mutation detectors. ○
- 2 The Ubiquitin-Proteasome System and Cerebellar Developmental Disease. **2023**, 255-272 ○
- 1 Motor Circuit Abnormalities During Cerebellar Development. **2023**, 129-154 ○