

CITATION REPORT

List of articles citing

Antidepressant-like effect of brain-derived neurotrophic factor (BDNF)

DOI: 10.1016/s0091-3057(96)00169-4

Pharmacology Biochemistry and Behavior, 1997, 56, 131-7.

Source: <https://exaly.com/paper-pdf/28577926/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
730	BDNF induction of tryptophan hydroxylase mRNA levels in the rat brain. 1998 , 52, 149-58		95
729	Effect of chronic antidepressant treatment on transcription factor binding activity in rat hippocampus and frontal cortex. 1998 , 22, 787-802		55
728	Novel therapeutic approaches beyond the serotonin receptor. 1998 , 44, 324-35		221
727	The Role of Complex Combination Therapy in the Treatment of Refractory Bipolar Illness. 1998 , 3, 66-86		14
726	Brain-derived neurotrophic factor-deficient mice develop aggressiveness and hyperphagia in conjunction with brain serotonergic abnormalities. 1999 , 96, 15239-44		694
725	Exercise, antidepressant medications, and enhanced brain derived neurotrophic factor expression. 1999 , 21, 679-82		291
724	Neurotrophins and depression. 1999 , 20, 59-61		411
723	Deprived of habitual running, rats downregulate BDNF and TrkB messages in the brain. 1999 , 34, 125-32		122
722	Neural plasticity to stress and antidepressant treatment. 1999 , 46, 1181-91		537
721	Clinical implications of mechanisms of action of antidepressants. 2000 , 6, 178-186		10
720	Mapping the differences in the brain concentration of brain-derived neurotrophic factor (BDNF) and nerve growth factor (NGF) in an animal model of depression. 2000 , 11, 1369-73		87
719	Termination of psychotherapy: a training perspective. 2000 , 6, 334-40		5
718	Long-term repetitive transcranial magnetic stimulation increases the expression of brain-derived neurotrophic factor and cholecystokinin mRNA, but not neuropeptide tyrosine mRNA in specific areas of rat brain. 2000 , 23, 205-15		187
717	Administration of a cAMP phosphodiesterase 4 inhibitor enhances antidepressant-induction of BDNF mRNA in rat hippocampus. 2000 , 22, 42-51		92
716	Repetitive transcranial magnetic stimulation induces active coping strategies and attenuates the neuroendocrine stress response in rats. 2000 , 34, 265-76		59
715	An in-vivo magnetic resonance imaging study of the olfactory bulbectomized rat model of depression. <i>Brain Research</i> , 2000 , 879, 193-9	3-7	57
714	Expression of neurotrophins BDNF and NT-3, and their receptors in rat brain after administration of antipsychotic and psychotropic agents. 2000 , 14, 27-37		55

713	BDNF promotes the regenerative sprouting, but not survival, of injured serotonergic axons in the adult rat brain. 2000 , 20, 771-82	273
712	Intracellular Mechanisms of Antidepressant Drug Action. 2000 , 8, 161-174	19
711	[New antidepressive drugs in comparison with classical tricyclics. Mechanism of action and clinical evaluation]. 2000 , 68, 17-24	4
710	Depression therapy: Future prospects. 2000 , 4, 281-6	
709	Physical activity and antidepressant treatment potentiate the expression of specific brain-derived neurotrophic factor transcripts in the rat hippocampus. 2000 , 101, 305-12	281
708	Implanted BDNF-producing fibroblasts prevent neurotoxin-induced serotonergic denervation in the rat striatum. 2000 , 76, 306-14	16
707	Prolonged c-Jun expression in the basolateral amygdala following bulbectomy: possible implications for antidepressant activity and time of onset. 2000 , 76, 7-17	27
706	Serotonin transporter function is modulated by brain-derived neurotrophic factor (BDNF) but not nerve growth factor (NGF). 2000 , 36, 197-202	156
705	Expression of the cAMP response element binding protein (CREB) in hippocampus produces an antidepressant effect. 2001 , 49, 753-62	261
704	Current perspectives on the development of non-biogenic amine-based antidepressants. 2001 , 43, 411-23	109
703	Dexamethasone induces limited apoptosis and extensive sublethal damage to specific subregions of the striatum and hippocampus: implications for mood disorders. 2001 , 104, 57-69	105
702	Glial cell abnormalities in major psychiatric disorders: the evidence and implications. 2001 , 55, 585-95	365
701	Physical activity-antidepressant treatment combination: impact on brain-derived neurotrophic factor and behavior in an animal model. 2001 , 120, 87-95	274
700	Serotonergic cells of the rat raphe nuclei express mRNA of tyrosine kinase B (trkB), the high-affinity receptor for brain derived neurotrophic factor (BDNF). 2001 , 93, 56-63	59
699	Influence of thyroid hormone on 5-HT(1A) and 5-HT(2A) receptor-mediated regulation of hippocampal BDNF mRNA expression. 2001 , 40, 48-56	28
698	Antidepressant-like actions of an AMPA receptor potentiator (LY392098). 2001 , 40, 1028-33	191
697	Regulation of BDNF expression in primary neuron culture by LY392098, a novel AMPA receptor potentiator. 2001 , 40, 1019-27	92
696	Mice with targeted mutations of glucocorticoid and mineralocorticoid receptors: models for depression and anxiety?. 2001 , 73, 811-25	97

695	Performance of heterozygous brain-derived neurotrophic factor knockout mice on behavioral analogues of anxiety, nociception, and depression.. 2001 , 115, 1145-1153	185
694	Neurotrophins: possible role in affective disorders. 2001 , 16, 61-64	8
693	Expanding the horizons of depression: beyond the monoamine hypothesis. 2001 , 16, 203-218	86
692	Regulation of GFRalpha-1 and GFRalpha-2 mRNAs in rat brain by electroconvulsive seizure. 2001 , 39, 42-50	40
691	Brain-derived-neurotrophic-factor (BDNF) stress response in rats bred for learned helplessness. 2001 , 6, 471-4, 358	82
690	Repeated electroconvulsive stimulation, but not antidepressant drugs, induces mossy fibre sprouting in the rat hippocampus. <i>Brain Research</i> , 2001 , 893, 53-8	3-7 64
689	Transcranial magnetic stimulation as a therapeutic tool in psychiatry: what do we know about the neurobiological mechanisms?. 2001 , 35, 193-215	171
688	Depression--emerging insights from neurobiology. 2001 , 57, 61-79	153
687	Antidepressants: pharmacological profile and clinical consequences. 2001 , 5, 19-28	9
686	How antidepressants work: new perspectives on the pathophysiology of depressive disorder. 2001 , 178, 299-303	77
685	Involvement of striatal and extrastriatal DARPP-32 in biochemical and behavioral effects of fluoxetine (Prozac). 2002 , 99, 3182-7	197
684	Cyclic AMP response element-binding protein and depression. 2002 , 2, 347-54	13
683	Stress, synaptic plasticity, and psychopathology. 2002 , 13, 195-208	69
682	Synaptic plasticity and mood disorders. 2002 , 7 Suppl 1, S29-34	264
681	Sex Steroids and Neuronal Growth in Adulthood. 2002 , 717-XXXIII	15
680	Exercise enhances and protects brain function. 2002 , 30, 75-9	232
679	Brain-derived neurotrophic factor produces antidepressant effects in behavioral models of depression. 2002 , 22, 3251-61	1307
678	Structural alterations in depression: cellular mechanisms underlying pathology and treatment of mood disorders. 2002 , 7, 140-2, 144-7	27

677	Timing is everything: does the robust upregulation of noradrenergically regulated plasticity genes underlie the rapid antidepressant effects of sleep deprivation?. 2002 , 52, 921-6	39
676	Pathophysiology of depression: the concept of synaptic plasticity. 2002 , 17 Suppl 3, 306-10	244
675	Morphological brain changes in depression: can antidepressants reverse them?. 2002 , 16, 361-72	49
674	An AMPA receptor potentiator modulates hippocampal expression of BDNF: an in vivo study. 2002 , 43, 1-10	108
673	Regulation of cAMP phosphodiesterase mRNAs expression in rat brain by acute and chronic fluoxetine treatment. An in situ hybridization study. 2002 , 43, 1148-57	85
672	Neurobiology of depression. 2002 , 34, 13-25	2305
671	Schizophrenia and other mental disorders require long-term adoptive immunotherapy. 2002 , 59, 154-8	14
670	Decreased serum brain-derived neurotrophic factor levels in major depressed patients. 2002 , 109, 143-8	931
669	New Antidepressants in Comparison with Classical Tricyclics1. 2002 , 21, 79-94	2
668	cAMP response element-binding protein is essential for the upregulation of brain-derived neurotrophic factor transcription, but not the behavioral or endocrine responses to antidepressant drugs. 2002 , 22, 3262-8	285
667	Modulation of glutamate receptors: strategies for the development of novel antidepressants. 2002 , 23, 153-9	36
666	Antidepressants and neuroplasticity. 2002 , 4, 183-94	375
665	The application of transcranial magnetic stimulation in psychiatry and neurosciences research. 2002 , 105, 324-40	90
664	BDNF-mediated signal transduction is modulated by GSK3beta and mood stabilizing agents. 2002 , 82, 75-83	147
663	Subchronic treatment with lithium increases nerve growth factor content in distinct brain regions of adult rats. 2002 , 7, 604-8	62
662	Family-based association study of 76 candidate genes in bipolar disorder: BDNF is a potential risk locus. Brain-derived neurotrophic factor. 2002 , 7, 579-93	506
661	Neuropeptides involved in the pathophysiology of schizophrenia and major depression. 2002 , 4, 453-468	43
660	Glutamate receptor genes: susceptibility factors in schizophrenia and depressive disorders?. 2002 , 25, 191-212	38

659	Enhancement of antidepressant potency by a potentiator of AMPA receptors. 2003 , 23, 419-30		96
658	Brain-derived neurotrophic factor as a potential risk locus for bipolar disorder: evidence, limitations, and implications. 2003 , 5, 469-76		37
657	Stress models of depression. 2003 , 3, 245-251		84
656	Modeling depression with transgenic mice: the neurotrophin hypothesis revisited. 2003 , 3, 263-269		4
655	Different regulation of adenylyl cyclase and rolipram-sensitive phosphodiesterase activity on the frontal cortex and hippocampus in learned helplessness rats. <i>Brain Research</i> , 2003 , 991, 142-9	3-7	19
654	Effects of chronic exercise and imipramine on mRNA for BDNF after olfactory bulbectomy in rat. <i>Brain Research</i> , 2003 , 974, 228-35	3-7	61
653	Noradrenergic and serotonergic blockade inhibits BDNF mRNA activation following exercise and antidepressant. <i>Pharmacology Biochemistry and Behavior</i> , 2003 , 75, 81-8	3-9	124
652	Electroconvulsive stimuli alter nerve growth factor but not brain-derived neurotrophic factor concentrations in brains of a rat model of depression. 2003 , 37, 51-6		34
651	Association study of a brain-derived neurotrophic-factor genetic polymorphism and major depressive disorders, symptomatology, and antidepressant response. 2003 , 123B, 19-22		165
650	Neuropsychiatry, Psychopharmacology and Drug. 2003 , 87, 64-64		
649	Affective disorders, antidepressant drugs and brain metabolism. 2003 , 8, 773-85		77
648	Brain-derived neurotrophic factor in the ventral midbrain-nucleus accumbens pathway: a role in depression. 2003 , 54, 994-1005		333
647	Congenitally learned helpless rats show abnormalities in intracellular signaling. 2003 , 53, 520-9		20
646	Mechanisms of depression in epilepsy from a clinical perspective. <i>Epilepsy and Behavior</i> , 2003 , 4 Suppl 3, S25-30	3-2	121
645	Neurotransmitters, neurosteroids and neurotrophins: new models of the pathophysiology and treatment of depression. 2003 , 4, 98-102		20
644	Inhibition of the oligosaccharides extracted from <i>Morinda officinalis</i> , a Chinese traditional herbal medicine, on the corticosterone induced apoptosis in PC12 cells. 2003 , 72, 933-42		51
643	Bi-phasic change in BDNF gene expression following antidepressant drug treatment. 2003 , 44, 903-10		204
642	Dynamic changes in AP-1 transcription factor DNA binding activity in rat brain following administration of antidepressant amitriptyline and brain-derived neurotrophic factor. 2003 , 45, 251-9		23

641	Effects of electroconvulsive seizures and antidepressant drugs on brain-derived neurotrophic factor protein in rat brain. 2003 , 54, 703-9	260
640	Alterations of serum levels of brain-derived neurotrophic factor (BDNF) in depressed patients with or without antidepressants. 2003 , 54, 70-5	887
639	Forebrain-specific trkB-receptor knockout mice: behaviorally more hyperactive than "depressive". 2003 , 54, 972-82	124
638	Reduced cell proliferation in the dentate gyrus is not correlated with the development of learned helplessness. 2003 , 54, 1035-40	188
637	The neurobiology and control of anxious states. 2003 , 70, 83-244	748
636	Association study of the brain-derived neurotrophic factor (BDNF) gene with bipolar disorder. 2003 , 337, 17-20	123
635	The influence of specific noradrenergic and serotonergic lesions on the expression of hippocampal brain-derived neurotrophic factor transcripts following voluntary physical activity. 2003 , 119, 721-32	89
634	Attention-deficit hyperactivity disorder and brain-derived neurotrophic factor: a speculative hypothesis. 2003 , 60, 849-51	32
633	Brain-derived neurotrophic factor: a bridge between major depression and Alzheimer's disease?. 2003 , 61, 110-3	49
632	Sequence variants of the brain-derived neurotrophic factor (BDNF) gene are strongly associated with obsessive-compulsive disorder. 2003 , 73, 370-6	222
631	Brain-derived neurotrophic factor in the ventral midbrain nucleus accumbens pathway: a role in depression. 2003 ,	1
630	Association study of a brain-derived neurotrophic-factor genetic polymorphism and mood disorders, age of onset and suicidal behavior. 2003 , 48, 186-9	175
629	Neurotrophins. 2002 , 513, 303-34	51
628	Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects. 2003 , 60, 804-15	643
627	The role of estrogen in mood disorders in women. 2003 , 15, 280-90	95
626	A BDNF coding variant is associated with the NEO personality inventory domain neuroticism, a risk factor for depression. 2003 , 28, 397-401	287
625	Antidepressant-like effect of different estrogenic compounds in the forced swimming test. 2003 , 28, 830-8	161
624	rTMS as treatment strategy in psychiatric disorders--neurobiological concepts. 2003 , 56, 100-16	10

623	Dose-related effects of chronic antidepressants on neuroprotective proteins BDNF, Bcl-2 and Cu/Zn-SOD in rat hippocampus. 2003 , 28, 53-62	143
622	Gene profile of electroconvulsive seizures: induction of neurotrophic and angiogenic factors. 2003 , 23, 10841-51	299
621	. 2003 ,	9
620	Mood Disorders, Biology. 2003 , 202-208	0
619	Neurotrophic Signaling in Mood Disorders. 411-445	3
618	Activation of the TrkB neurotrophin receptor is induced by antidepressant drugs and is required for antidepressant-induced behavioral effects. 2003 , 23, 349-57	632
617	[Stress, depression and the hippocampus]. 2003 , 25 Suppl 2, 46-51	19
616	BDNF serum concentrations in healthy volunteers are associated with depression-related personality traits. 2004 , 29, 795-8	184
615	The delta-opioid receptor agonist (+)BW373U86 regulates BDNF mRNA expression in rats. 2004 , 29, 649-59	53
614	Affective disorder and epilepsy comorbidity: implications for development of treatments, preventions and diagnostic approaches. 2004 , 35, 53-68	19
613	Neurotrophic factors and CNS disorders: findings in rodent models of depression and schizophrenia. 2004 , 146, 151-65	90
612	Structural effects and neurofunctional sequelae of developmental exposure to psychotherapeutic drugs: experimental and clinical aspects. 2004 , 56, 103-47	57
611	Experience-driven brain plasticity: beyond the synapse. 2004 , 1, 351-63	307
610	Invited review: the evolution of antidepressant mechanisms. 2004 , 18, 1-21	127
609	Adaptation of the serotonergic neuronal phenotype in the absence of 5-HT autoreceptors or the 5-HT transporter: involvement of BDNF and cAMP. 2004 , 19, 937-44	40
608	From monoamines to genomic targets: a paradigm shift for drug discovery in depression. 2004 , 3, 136-51	174
607	Stress increases dynorphin immunoreactivity in limbic brain regions and dynorphin antagonism produces antidepressant-like effects. 2004 , 90, 1258-68	248
606	Exercise, antidepressant treatment, and BDNF mRNA expression in the aging brain. <i>Pharmacology Biochemistry and Behavior</i> , 2004 , 77, 209-20	3.9 103

605	Physiology of BDNF: focus on hypothalamic function. 2004 , 25, 77-107	254
604	Neurotrophic actions of the novel AMPA receptor potentiator, LY404187, in rodent models of Parkinson's disease. 2004 , 486, 163-74	51
603	Effects of rolipram, a phosphodiesterase 4 inhibitor, in combination with imipramine on depressive behavior, CRE-binding activity and BDNF level in learned helplessness rats. 2004 , 498, 135-42	72
602	The effect of escitalopram, desipramine, electroconvulsive seizures and lithium on brain-derived neurotrophic factor mRNA and protein expression in the rat brain and the correlation to 5-HT and 5-HIAA levels. <i>Brain Research</i> , 2004 , 1024, 183-92	3.7 155
601	Neurotrophins as mediators of drug effects on mood, addiction, and neuroprotection. 2004 , 29, 289-302	73
600	Regulation of antidepressant activity by cAMP response element binding proteins. 2004 , 30, 143-55	26
599	State of the art of the neurotrophin hypothesis in psychiatric disorders: implications and limitations. 2004 , 111, 387-411	104
598	Brain plasticity and antidepressant treatments: new cells, new connections. 2004 , 6, 483-9	5
597	Brain-derived neurotrophic factor as a potential risk locus for bipolar disorder: Evidence, limitations, and implications. 2004 , 2, 153-159	1
596	Intrahippocampal administration of BDNF in adult rats affects short-term behavioral plasticity in the Morris water maze and performance in the elevated plus-maze. 2004 , 14, 802-7	124
595	Exploring the relationship between serotonin and brain-derived neurotrophic factor: analysis of BDNF protein and extraneuronal 5-HT in mice with reduced serotonin transporter or BDNF expression. 2004 , 140, 81-92	119
594	GSK-3 and neurotrophic signaling: novel targets underlying the pathophysiology and treatment of mood disorders?. 2004 , 1, 419-428	7
593	Rapid antidepressant-like activity of specific glycogen synthase kinase-3 inhibitor and its effect on beta-catenin in mouse hippocampus. 2004 , 55, 781-4	242
592	Neurotrophic effects of antidepressant drugs. 2004 , 4, 58-64	198
591	Critical role of brain-derived neurotrophic factor in mood disorders. 2004 , 45, 104-14	373
590	Fluoxetine-induced change in rat brain expression of brain-derived neurotrophic factor varies depending on length of treatment. 2004 , 128, 597-604	194
589	Mice with reduced brain-derived neurotrophic factor expression show decreased choline acetyltransferase activity, but regular brain monoamine levels and unaltered emotional behavior. 2004 , 121, 28-36	141
588	Regulation of FOXO3a by brain-derived neurotrophic factor in differentiated human SH-SY5Y neuroblastoma cells. 2004 , 126, 45-56	54

587	Life stress, genes, and depression: multiple pathways lead to increased risk and new opportunities for intervention. 2004 , 2004, re5	237
586	Is mania caused by overactivity of central brain-derived neurotrophic factor?. 2004 , 62, 19-22	39
585	Down-regulation of the Trk-B signal pathway: the possible pathogenesis of major depression. 2004 , 62, 215-8	26
584	Is there a role for the endocannabinoid system in the etiology and treatment of melancholic depression?. 2005 , 16, 333-52	147
583	[Method for evaluation of emotionality in preclinical studies: usefulness of the hole-board test]. 2005 , 126, 88-93	1
582	Effects of R(-)-BPAP on the expressions of neurotrophins and their receptors in mesencephalic slices. 2005 , 28, 1524-6	4
581	The role of sigma receptors in depression. 2005 , 97, 317-36	120
580	What should animal models of depression model?. 2005 , 29, 515-23	107
579	Is mood chemistry?. 2005 , 6, 241-6	444
578	BDNF in schizophrenia, depression and corresponding animal models. 2005 , 10, 345-52	434
577	Central administration of IGF-I and BDNF leads to long-lasting antidepressant-like effects. <i>Brain Research</i> , 2005 , 1037, 204-8	3-7 273
576	BDNF protects against stress-induced impairments in spatial learning and memory and LTP. 2005 , 15, 246-53	140
575	Association study of neurotrophic tyrosine kinase receptor type 2 (NTRK2) and childhood-onset mood disorders. 2005 , 132B, 90-5	21
574	Forced swimming test in mice: a review of antidepressant activity. 2005 , 177, 245-55	651
573	Chronic administration of the delta opioid receptor agonist (+)BW373U86 and antidepressants on behavior in the forced swim test and BDNF mRNA expression in rats. 2005 , 183, 31-40	27
572	The Flinders Sensitive Line rat: a selectively bred putative animal model of depression. 2005 , 29, 739-59	304
571	Mutant mouse models of depression: candidate genes and current mouse lines. 2005 , 29, 805-28	95
570	Effect of treatment on serum brain-derived neurotrophic factor levels in depressed patients. 2005 , 255, 381-6	270

569	Enhanced BDNF signaling is associated with an antidepressant-like behavioral response and changes in brain monoamines. 2005 , 25, 973-80	109
568	Cellular mechanisms underlying the effects of an early experience on cognitive abilities and affective states. 2005 , 4, 8	29
567	The Role of Transcription Factors in the Biology of Depression. 2005 , 823-854	2
566	Emerging Treatments for Depression: Beyond the Monoamine Hypothesis. 2005 , 945-964	
565	Unipolar Depression. 2005 , 189-203	
564	AMPA receptor potentiators as novel antidepressants. 2005 , 11, 1511-27	47
563	Brain-derived neurotrophic factor and antidepressant activity. 2005 , 11, 1495-510	132
562	Association of BDNF serum concentrations with central serotonergic activity: evidence from auditory signal processing. 2005 , 30, 1148-53	50
561	Decrease in the AP-2 DNA-binding activity and in the protein expression of AP-2 alpha and AP-2 beta in frontal cortex of rats treated with lithium for 6 weeks. 2005 , 30, 2006-13	36
560	The role of cAMP response element-binding proteins in mediating stress-induced vulnerability to drug abuse. 2005 , 65, 147-78	5
559	Increasing hippocampal neurogenesis: a novel mechanism for antidepressant drugs. 2005 , 11, 145-55	129
558	Electroconvulsive seizures increase the expression of MAP kinase phosphatases in limbic regions of rat brain. 2005 , 30, 360-71	32
557	Prophylactic lithium response and polymorphism of the brain-derived neurotrophic factor gene. 2005 , 38, 166-70	92
556	Effects of exercise on gene expression in the central nervous system. 2005 , 3, 285-301	
555	Brain-derived neurotrophic factor and antidepressant drugs have different but coordinated effects on neuronal turnover, proliferation, and survival in the adult dentate gyrus. 2005 , 25, 1089-94	631
554	Partial normalization of serum brain-derived neurotrophic factor in remitted patients after a major depressive episode. 2005 , 51, 234-8	157
553	Effects of estrogen treatment on expression of brain-derived neurotrophic factor and cAMP response element-binding protein expression and phosphorylation in rat amygdaloid and hippocampal structures. 2005 , 81, 294-310	108
552	Enhancing resilience to stress: the role of signaling cascades. 2005 , 751-771	1

551	Exercise activates the phosphatidylinositol 3-kinase pathway. 2005 , 135, 181-93	104
550	Neurotrophin levels in postmortem brains of suicide victims and the effects of antemortem diagnosis and psychotropic drugs. 2005 , 136, 29-37	426
549	Serotonergic 5-HT _{2A} receptor stimulation induces steroid 5 α -reductase gene expression in rat C6 glioma cells via transcription factor Egr-1. 2005 , 139, 193-200	14
548	Possible involvement of the BDNF-dependent pathway in treatment-emergent suicidality or decreased response to antidepressants. 2005 , 65, 942-6	18
547	Announced rewards counteract the impairment of anticipatory behaviour in socially stressed rats. 2005 , 161, 183-9	34
546	Neurotrophins in clinical diagnostics: pathophysiology and laboratory investigation. 2005 , 352, 49-74	51
545	Antidepressant action: to the nucleus and beyond. 2005 , 26, 631-8	159
544	Neurotrophic factors and regulation of mood: role of exercise, diet and metabolism. 2005 , 26 Suppl 1, 88-93	111
543	Sequential changes in BDNF mRNA expression and synaptic levels of AMPA receptor subunits in rat hippocampus after chronic antidepressant treatment. 2005 , 49, 1178-88	75
542	Innovative approaches for the development of antidepressant drugs: current and future strategies. 2005 , 2, 590-611	163
541	Low brain-derived neurotrophic factor (BDNF) levels in serum of depressed patients probably results from lowered platelet BDNF release unrelated to platelet reactivity. 2005 , 57, 1068-72	464
540	Evidence for a relationship between genetic variants at the brain-derived neurotrophic factor (BDNF) locus and major depression. 2005 , 58, 307-14	255
539	Overview of the field. 2005 , 54, 5-9	5
538	Dopamine and Glutamate in Psychiatric Disorders. 2005 ,	5
537	Signaling pathways regulating gene expression, neuroplasticity, and neurotrophic mechanisms in the action of antidepressants: a critical overview. 2006 , 58, 115-34	246
536	Endogenous opioids upregulate brain-derived neurotrophic factor mRNA through delta- and micro-opioid receptors independent of antidepressant-like effects. 2006 , 23, 984-94	59
535	A neurotrophic model for stress-related mood disorders. 2006 , 59, 1116-27	2473
534	Central and medial amygdaloid brain-derived neurotrophic factor signaling plays a critical role in alcohol-drinking and anxiety-like behaviors. 2006 , 26, 8320-31	153

533	The possible role of tissue-type plasminogen activator and the plasminogen system in the pathogenesis of major depression. 2006 , 66, 319-22	28
532	Deltamethrin, a pyrethroid insecticide, could be a potential antidepressant agent. 2006 , 66, 605-8	9
531	Cysteamine-related agents could be potential antidepressants through increasing central BDNF levels. 2006 , 67, 1185-8	12
530	Voluntary exercise and clomipramine treatment elevate prepro-galanin mRNA levels in the locus coeruleus in rats. 2006 , 408, 1-4	33
529	Brain-derived neurotrophic factor (BDNF) changes in the serum of depressed women. 2006 , 30, 1256-60	159
528	The Val66Met polymorphism of the brain-derived neurotrophic-factor gene is associated with geriatric depression. 2006 , 27, 1834-7	201
527	Examination of behavioral deficits triggered by targeting Bdnf in fetal or postnatal brains of mice. 2006 , 142, 49-58	103
526	Neurogenesis and the Effect of Antidepressants. <i>Drug Target Insights</i> , 2006 , 1, 117739280600100	3-4 9
525	. 2006 ,	8
524	Clinical relevance of the neurotrophins and their receptors. 2006 , 110, 175-91	217
523	Gender-Dependent Modulation of Brain Monoamines and Anxiety-Like Behaviors in Mice with Genetic Serotonin Transporter and BDNF Deficiencies. 2006 , 1	
522	Acetylsalicylic acid accelerates the antidepressant effect of fluoxetine in the chronic escape deficit model of depression. 2006 , 21, 219-25	78
521	The extracellular signal-regulated kinase pathway: an emerging promising target for mood stabilizers. 2006 , 19, 313-23	95
520	Behavioral and Neurological Phenotyping in the Mouse. 135-175	3
519	Synaptic Pathology in Depression. 2006 , 419-430	
518	The CRF1 receptor antagonist, antalarmin, reverses isolation-induced up-regulation of dopamine D2 receptors in the amygdala and nucleus accumbens of fawn-hooded rats. 2006 , 23, 3319-27	51
517	LY404187: a novel positive allosteric modulator of AMPA receptors. 2002 , 8, 255-82	74
516	Variants in Apaf-1 segregating with major depression promote apoptosome function. 2006 , 11, 76-85	37

515	Neural circuitry and neuroplasticity in mood disorders: insights for novel therapeutic targets. 2006 , 3, 22-41		111
514	Emerging Novel Treatments for Severe Mood Disorders Involving Cellular Plasticity Cascades. 2006 , 4, 181-190		1
513	Gender-dependent modulation of brain monoamines and anxiety-like behaviors in mice with genetic serotonin transporter and BDNF deficiencies. 2006 , 26, 755-80		84
512	[Brain-derived neurotrophic factor: from nerve growth factor to modulator of brain plasticity in cognitive processes and psychiatric diseases]. 2006 , 77, 523-37		21
511	Cyclic AMP response element binding protein and brain-derived neurotrophic factor: molecules that modulate our mood?. 2006 , 31, 423-34		97
510	Repeated electroconvulsive stimuli increase brain-derived neurotrophic factor in ACTH-treated rats. 2006 , 529, 114-21		36
509	Caffeic acid attenuates the decrease in cortical BDNF mRNA expression induced by exposure to forced swimming stress in mice. 2006 , 534, 115-21		46
508	Peptidic delta opioid receptor agonists produce antidepressant-like effects in the forced swim test and regulate BDNF mRNA expression in rats. <i>Brain Research</i> , 2006 , 1069, 172-81	3.7	68
507	Somato-dendritic distribution of 5-HT(1A) and 5-HT(1B) autoreceptors in the BDNF- and cAMP-differentiated RN46A serotonergic raphe cell line. <i>Brain Research</i> , 2006 , 1085, 121-6	3.7	9
506	Biphasic change in BDNF gene expression following antidepressant drug treatment explained by differential transcript regulation. <i>Brain Research</i> , 2006 , 1106, 12-20	3.7	56
505	Chronic corticosterone decreases brain-derived neurotrophic factor (BDNF) mRNA and protein in the hippocampus, but not in the frontal cortex, of the rat. <i>Brain Research</i> , 2006 , 1110, 221-5	3.7	101
504	Chronic mild stress inhibits BDNF protein expression and CREB activation in the dentate gyrus but not in the hippocampus proper. <i>Pharmacology Biochemistry and Behavior</i> , 2006 , 85, 842-9	3.9	216
503	Maternal serum concentrations of BDNF and depression in the perinatal period. 2006 , 31, 388-94		83
502	Severe deficits in 5-HT _{2A} -mediated neurotransmission in BDNF conditional mutant mice. 2006 , 66, 408-20		54
501	The role of GABAB receptors in depression and antidepressant-related behavioural responses. 2006 , 67, 477-494		12
500	Hippocampal neurogenesis: opposing effects of stress and antidepressant treatment. 2006 , 16, 239-49		589
499	Transmission distortion of BDNF variants to bipolar disorder type I patients from a South American population isolate. 2006 , 141B, 435-9		20
498	Prospects for the treatment of depression. 2006 , 40, 394-401		8

497	Identification and characterization of compounds that potentiate NT-3-mediated Trk receptor activity. 2006 , 69, 1396-404	18
496	Chronic antidepressants potentiate via sigma-1 receptors the brain-derived neurotrophic factor-induced signaling for glutamate release. 2006 , 281, 12941-9	92
495	Metabotropic glutamate receptor subtype 7 ablation causes dysregulation of the HPA axis and increases hippocampal BDNF protein levels: implications for stress-related psychiatric disorders. 2006 , 31, 1112-22	114
494	The neuropeptide VGF produces antidepressant-like behavioral effects and enhances proliferation in the hippocampus. 2007 , 27, 12156-67	121
493	Neurotrophic factors in combination: a possible new therapeutic strategy to influence pathophysiology of spinal cord injury and repair mechanisms. 2007 , 13, 1841-74	58
492	AMPA receptors in the therapeutic management of depression. 2007 , 6, 117-26	90
491	Theacrine, a special purine alkaloid with sedative and hypnotic properties from <i>Cammelia assamica</i> var. <i>kucha</i> in mice. 2007 , 9, 665-72	32
490	Emerging treatments for major depression. 2007 , 7, 203-13	14
489	Estrogens and Depression in Women. 2007 , 307-320	1
488	Neurogenesis and neuroenhancement in the pathophysiology and treatment of bipolar disorder. 2007 , 77, 143-78	17
487	Neurotrophic Factors in Etiology and Treatment of Mood Disorders. 2007 ,	0
486	The role of neurotrophic factors in adult hippocampal neurogenesis, antidepressant treatments and animal models of depressive-like behavior. 2007 , 18, 391-418	522
485	Brain-Derived Neurotrophic Factor and Major Depression. 2007 , 42, 59-66	
484	Psychopharm Review: CME QUIZ. 2007 , 42, 66	
483	A Clinical View of BDNF-TrkB Signaling in the Treatment of Major Depression. 2007 , 2, 186-189	0
482	The brain-derived neurotrophic factor rs6265 (Val66Met) polymorphism and depression in Mexican-Americans. 2007 , 18, 1291-3	71
481	Effects of paroxetine or milnacipran on serum brain-derived neurotrophic factor in depressed patients. 2007 , 31, 1034-7	137
480	CP-809,101, a selective 5-HT _{2C} agonist, shows activity in animal models of antipsychotic activity. 2007 , 52, 279-90	120

479	Learned helplessness is independent of levels of brain-derived neurotrophic factor in the hippocampus. 2007 , 144, 1193-208	54
478	Calcineurin (protein phosphatase 2B) is involved in the mechanisms of action of antidepressants. 2007 , 144, 1470-6	27
477	Social defeat, a paradigm of depression in rats that elicits 22-kHz vocalizations, preferentially activates the cholinergic signaling pathway in the periaqueductal gray. 2007 , 182, 290-300	65
476	Repeated electroconvulsive stimuli have long-lasting effects on hippocampal BDNF and decrease immobility time in the rat forced swim test. 2007 , 80, 1539-43	48
475	TrkB partial agonists: potential treatment strategy for major depression. 2007 , 68, 674-6	15
474	Glatiramer acetate could be a potential antidepressant through its neuroprotective and anti-inflammatory effects. 2007 , 69, 145-8	19
473	The endomorphin system and its evolving neurophysiological role. 2007 , 59, 88-123	192
472	A model for the involvement of neural cell adhesion molecules in stress-related mood disorders. 2007 , 85, 158-76	65
471	Consensus paper of the WFSBP Task Force on Biological Markers: biological markers in depression. 2007 , 8, 141-74	175
470	Collaborative depression care, screening, diagnosis and specificity of depression treatments in the primary care setting. 2007 , 7, S59-80	2
469	Modulation of stress consequences by hippocampal monoaminergic, glutamatergic and nitrenergic neurotransmitter systems. 2007 , 10, 227-49	108
468	Pharmacologically diverse antidepressants rapidly activate brain-derived neurotrophic factor receptor TrkB and induce phospholipase-Cgamma signaling pathways in mouse brain. 2007 , 32, 2152-62	230
467	Brain-derived neurotrophic factor conditional knockouts show gender differences in depression-related behaviors. 2007 , 61, 187-97	412
466	A role for MAP kinase signaling in behavioral models of depression and antidepressant treatment. 2007 , 61, 661-70	271
465	Antidepressant-like effects of the histone deacetylase inhibitor, sodium butyrate, in the mouse. 2007 , 62, 55-64	382
464	Altered brain activation pattern associated with drug-induced attenuation of enhanced depression-like behavior in rats bred for high anxiety. 2007 , 61, 782-96	65
463	Social isolation increases number of newly proliferated cells in hippocampus in female flinders sensitive line rats. 2007 , 17, 1193-200	21
462	New insights into BDNF function in depression and anxiety. 2007 , 10, 1089-93	853

461	Is it time to reassess the BDNF hypothesis of depression?. 2007 , 12, 1079-88	317
460	Brain-derived neurotrophic factor (BDNF) gene not associated with antidepressant-induced mania. 2007 , 9, 521-5	17
459	Serotonin transporter function, but not expression, is dependent on brain-derived neurotrophic factor (BDNF): in vivo studies in BDNF-deficient mice. 2007 , 101, 641-51	55
458	Which clinical and experimental data link temporal lobe epilepsy with depression?. 2007 , 103, 2136-52	77
457	Reduced brain-derived neurotrophic factor is associated with a loss of serotonergic innervation in the hippocampus of aging mice. 2007 , 6, 482-90	56
456	Central kappa-opioid receptor-mediated antidepressant-like effects of nor-Binaltorphimine: behavioral and BDNF mRNA expression studies. 2007 , 570, 89-96	69
455	Neuroactive steroids modulate HPA axis activity and cerebral brain-derived neurotrophic factor (BDNF) protein levels in adult male rats. 2007 , 32, 1062-78	90
454	Role of BDNF in bipolar and unipolar disorder: clinical and theoretical implications. 2007 , 41, 979-90	236
453	[New insights into the pathogenesis and pathophysiology of depression]. 2007 , 78 Suppl 3, 531-47; quiz 548-9	7
452	Early maternal separation alters the response to traumatization: resulting in increased levels of hippocampal neurotrophic factors. 2007 , 22, 183-95	53
451	Life-long hippocampal neurogenesis: environmental, pharmacological and neurochemical modulations. 2007 , 32, 1762-71	42
450	Brain-derived neurotrophic factor (BDNF) polymorphisms G196A and C270T are not associated with response to electroconvulsive therapy in major depressive disorder. 2007 , 257, 31-5	32
449	Effects of the Chinese traditional prescription Xiaoyaosan decoction on chronic immobilization stress-induced changes in behavior and brain BDNF, TrkB, and NT-3 in rats. 2008 , 28, 745-55	62
448	BDNF level in the rat prefrontal cortex increases following chronic but not acute treatment with duloxetine, a dual acting inhibitor of noradrenaline and serotonin re-uptake. 2008 , 28, 457-68	46
447	Antidepressant-like activity of zinc: further behavioral and molecular evidence. 2008 , 115, 1621-8	95
446	Antidepressant drug treatments induce glial cell line-derived neurotrophic factor (GDNF) synthesis and release in rat C6 glioblastoma cells. 2001 , 79, 25-34	103
445	Stimulation of adenylyl cyclase and induction of brain-derived neurotrophic factor and TrkB mRNA by NKH477, a novel and potent forskolin derivative. 1999 , 72, 2198-205	22
444	Evidence for association between genetic variants of p75 neurotrophin receptor (p75NTR) gene and antidepressant treatment response in Chinese major depressive disorder. 2008 , 147B, 594-9	19

443	Stress, depression, and neuroplasticity: a convergence of mechanisms. 2008 , 33, 88-109		1242
442	Major depression: emerging therapeutics. 2008 , 75, 204-25		37
441	BDNF and the diseased nervous system: a delicate balance between adaptive and pathological processes of gene regulation. 2008 , 105, 1-17		120
440	Volumetric neuroimaging investigations in mood disorders: bipolar disorder versus major depressive disorder. 2008 , 10, 1-37		222
439	Neurobiology of addiction. An integrative review. 2008 , 75, 266-322		276
438	Voluntary exercise produces antidepressant and anxiolytic behavioral effects in mice. <i>Brain Research</i> , 2008 , 1199, 148-58	3-7	319
437	Curcumin protects against glutamate excitotoxicity in rat cerebral cortical neurons by increasing brain-derived neurotrophic factor level and activating TrkB. <i>Brain Research</i> , 2008 , 1210, 84-91	3-7	102
436	Temporal expression of brain-derived neurotrophic factor (BDNF) mRNA in the rat hippocampus after treatment with selective and mixed monoaminergic antidepressants. 2008 , 578, 114-22		57
435	Antidepressant-like behavioral effects of IGF-I produced by enhanced serotonin transmission. 2008 , 594, 109-16		35
434	Serum brain-derived neurotrophic factor levels in patients with major depression: effects of antidepressants. 2008 , 42, 521-5		125
433	Consequences of changes in BDNF levels on serotonin neurotransmission, 5-HT transporter expression and function: studies in adult mice hippocampus. <i>Pharmacology Biochemistry and Behavior</i> , 2008 , 90, 174-83	3-9	46
432	Differential effect of environment enrichment and social isolation on depressive-like behavior, spontaneous activity and serotonin and norepinephrine concentration in prefrontal cortex and ventral striatum. <i>Pharmacology Biochemistry and Behavior</i> , 2008 , 89, 85-93	3-9	175
431	Fetal alcohol spectrum disorder-associated depression: evidence for reductions in the levels of brain-derived neurotrophic factor in a mouse model. <i>Pharmacology Biochemistry and Behavior</i> , 2008 , 90, 614-24	3-9	86
430	Brain-derived neurotrophic factor and its receptor tropomyosin-related kinase B in the mechanism of action of antidepressant therapies. 2008 , 117, 30-51		150
429	From menarche to menopause: exploring the underlying biology of depression in women experiencing hormonal changes. 2008 , 33, 3-17		175
428	BDNF gene: functional Val66Met polymorphism in mood disorders and schizophrenia. 2008 , 9, 1589-93		81
427	Interaction between BDNF and serotonin: role in mood disorders. 2008 , 33, 73-83		507
426	Selective loss of brain-derived neurotrophic factor in the dentate gyrus attenuates antidepressant efficacy. 2008 , 63, 642-9		289

425	A postpartum model in rat: behavioral and gene expression changes induced by ovarian steroid deprivation. 2008 , 64, 311-9	106
424	Serum brain-derived neurotrophic factor, depression, and antidepressant medications: meta-analyses and implications. 2008 , 64, 527-32	891
423	Neurogenic factors are targets in depression. 2008 , 5, 157-160	3
422	CREB-regulated diurnal activity patterns are not indicative for depression-like symptoms in mice and men. 2008 , 70, 117-21	0
421	The differential regulation of BDNF and TrkB levels in juvenile rats after four days of escitalopram and desipramine treatment. 2008 , 54, 251-7	34
420	Gender-related urocortin 1 and brain-derived neurotrophic factor expression in the adult human midbrain of suicide victims with major depression. 2008 , 152, 1015-23	70
419	Extinction-induced "despair" in aged and adult rats: links to neurotrophins in frontal cortex and hippocampus. 2008 , 90, 519-26	22
418	Acute administration of ketamine induces antidepressant-like effects in the forced swimming test and increases BDNF levels in the rat hippocampus. 2008 , 32, 140-4	321
417	Nature vs. nurture: can enrichment rescue the behavioural phenotype of BDNF heterozygous mice?. 2008 , 192, 254-8	86
416	VEGF as a potential target for therapeutic intervention in depression. 2008 , 8, 14-9	109
415	Les modèles biologiques de la récurrence dépressive. 2008 , 53, 357-374	1
414	Neuroprotection by Imipramine against lipopolysaccharide-induced apoptosis in hippocampus-derived neural stem cells mediated by activation of BDNF and the MAPK pathway. 2008 , 18, 128-40	112
413	Acute tryptophan depletion does not alter central or plasma brain-derived neurotrophic factor in the rat. 2008 , 18, 317-22	9
412	The dorsal raphe nucleus and serotonin: implications for neuroplasticity linked to major depression and Alzheimer's disease. 2008 , 172, 233-64	113
411	Reelin Glycoprotein. 2008 ,	6
410	Plasma brain-derived neurotrophic factor as a peripheral marker for the action mechanism of antidepressants. 2008 , 57, 194-9	100
409	The neurotrophin-inducible gene Vgf regulates hippocampal function and behavior through a brain-derived neurotrophic factor-dependent mechanism. 2008 , 28, 9857-69	103
408	Targeting TrkB neurotrophin receptor to treat depression. 2008 , 12, 705-15	27

407	A brain-derived neurotrophic factor (BDNF) haplotype is associated with antidepressant treatment outcome in mood disorders. 2008 , 8, 101-12	68
406	Brain-derived neurotrophic factor and antidepressant action: another piece of evidence from pharmacogenetics. 2008 , 9, 1353-8	20
405	Evidence of association between brain-derived neurotrophic factor gene and bipolar disorder. 2008 , 18, 267-74	47
404	Traumatic brain injury: future assessment tools and treatment prospects. 2008 , 4, 877-92	39
403	Adenylyl cyclase-cyclicAMP signaling in mood disorders: role of the crucial phosphorylating enzyme protein kinase A. 2008 , 4, 161-76	59
402	Brain-derived neurotrophic factor: role in depression and suicide. 2009 , 5, 433-49	210
401	Target identification for CNS diseases by transcriptional profiling. 2009 , 34, 18-54	121
400	Correlations and discrepancies between serum and brain tissue levels of neurotrophins after electroconvulsive treatment in rats. 2009 , 42, 270-6	205
399	The 3beta-hydroxysteroid dehydrogenase inhibitor trilostane shows antidepressant properties in mice. 2009 , 34, 644-59	18
398	Exercise increases BDNF levels in the striatum and decreases depressive-like behavior in chronically stressed rats. 2009 , 24, 587-97	138
397	Exercise in the treatment of depression. 2009 , 11, 466-72	47
396	Opposite effects of milnacipran, a serotonin norepinephrine reuptake inhibitor, on the levels of nitric oxide and brain-derived neurotrophic factor in mouse brain cortex. 2009 , 380, 479-86	9
395	Zinc: the brain's dark horse. 2009 , 63, 1029-49	206
394	The mood stabilizers lithium and valproate selectively activate the promoter IV of brain-derived neurotrophic factor in neurons. 2009 , 14, 51-9	263
393	Depression. 2009 ,	
392	Higher BDNF concentrations in the hippocampus and cortex of an aggressive mouse strain. 2009 , 197, 246-9	20
391	Neuropeptides in depression: role of VGF. 2009 , 197, 262-78	69
390	Deficit in BDNF does not increase vulnerability to stress but dampens antidepressant-like effects in the unpredictable chronic mild stress. 2009 , 202, 245-51	89

389	Family-based association study between brain-derived neurotrophic factor gene and major depressive disorder of Chinese descent. 2009 , 169, 169-72	14
388	Sex-specific expression of BDNF and CART in the midbrain non-preganglionic Edinger-Westphal nucleus in the rat. 2009 , 30, 2268-74	9
387	Effects of fluoxetine and venlafaxine on serum brain derived neurotrophic factor levels in depressed patients. 2009 , 33, 281-5	62
386	Peony glycosides produce antidepressant-like action in mice exposed to chronic unpredictable mild stress: effects on hypothalamic-pituitary-adrenal function and brain-derived neurotrophic factor. 2009 , 33, 1211-6	96
385	Acute harmine administration induces antidepressant-like effects and increases BDNF levels in the rat hippocampus. 2009 , 33, 1425-30	84
384	Neurotrophin receptor activation and expression in human postmortem brain: effect of suicide. 2009 , 65, 319-28	85
383	Mood and Anxiety Related Phenotypes in Mice. 2009 ,	69
382	Influences of chronic venlafaxine, olanzapine and nicotine on the hippocampal and cortical concentrations of brain-derived neurotrophic factor (BDNF). 2009 , 61, 1017-23	54
381	Panicolytic-like effect of BDNF in the rat dorsal periaqueductal grey matter: the role of 5-HT and GABA. 2010 , 13, 573-82	25
380	Sleep pathologies in depression and the clinical utility of polysomnography. 2010 , 55, 413-21	24
379	Genetics of Bipolar Disorder. 2010 , 110-123	6
378	Kinin B1 receptors mediate depression-like behavior response in stressed mice treated with systemic E. coli lipopolysaccharide. 2010 , 7, 98	28
377	p11 and gene therapy for severe psychiatric disorders: a practical goal?. 2010 , 2, 54ps51	14
376	Announced reward counteracts the effects of chronic social stress on anticipatory behavior and hippocampal synaptic plasticity in rats. 2010 , 201, 641-51	15
375	Chronic administration of harmine elicits antidepressant-like effects and increases BDNF levels in rat hippocampus. 2010 , 117, 1131-7	60
374	Serotonergic functioning as measured by the loudness dependence of auditory evoked potentials is related to a haplotype in the brain-derived neurotrophic factor (BDNF) gene. 2010 , 44, 541-6	21
373	Regulation of brain-derived neurotrophic factor (BDNF) in the chronic unpredictable stress rat model and the effects of chronic antidepressant treatment. 2010 , 44, 808-16	120
372	Nerve growth factor (NGF) has novel antidepressant-like properties in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2010 , 94, 553-60	3-9 33

371	The behavioral and biochemical effects of BDNF containing polymers implanted in the hippocampus of rats. <i>Brain Research</i> , 2010 , 1321, 40-50	3-7	38
370	Ozonized autohaemotransfusion could be a potential rapid-acting antidepressant medication in elderly patients. 2010 , 25, 208-13		6
369	Association of BDNF Val66Met polymorphism with both baseline HRQOL scores and improvement in HRQOL scores in Chinese major depressive patients treated with fluoxetine. 2010 , 25, 145-52		20
368	An update on the role of glutamate in the pathophysiology of depression. 2010 , 122, 192-210		66
367	Meta-analysis of the BDNF Val66Met polymorphism in major depressive disorder: effects of gender and ethnicity. 2010 , 15, 260-71		341
366	Brain-derived neurotrophic factor as a biomarker for mood disorders: an historical overview and future directions. 2010 , 64, 341-57		281
365	Brain-derived neurotrophic factor: a dynamic gatekeeper of neural plasticity. 2010 , 3, 12-29		281
364	Deoxygedunin, a natural product with potent neurotrophic activity in mice. 2010 , 5, e11528		70
363	Brain-derived neurotrophic factor controls cannabinoid CB1 receptor function in the striatum. 2010 , 30, 8127-37		54
362	Peripheral BDNF produces antidepressant-like effects in cellular and behavioral models. 2010 , 35, 2378-91		287
361	The level of serum brain-derived neurotrophic factor is associated with the therapeutic efficacy of modified electroconvulsive therapy in Chinese patients with depression. 2010 , 26, 121-5		44
360	N-acetylserotonin activates TrkB receptor in a circadian rhythm. 2010 , 107, 3876-81		122
359	BDNF Val66Met is associated with introversion and interacts with 5-HTTLPR to influence neuroticism. 2010 , 35, 1083-9		85
358	Association of brain-derived neurotrophic factor genetic Val66Met polymorphism with severity of depression, efficacy of fluoxetine and its side effects in Chinese major depressive patients. 2010 , 61, 71-8		41
357	The neuropeptide VGF is reduced in human bipolar postmortem brain and contributes to some of the behavioral and molecular effects of lithium. 2010 , 30, 9368-80		40
356	Intermittent hypoxia promotes hippocampal neurogenesis and produces antidepressant-like effects in adult rats. 2010 , 30, 12653-63		141
355	Brain-derived neurotrophic factor (BDNF) gene: no major impact on antidepressant treatment response. 2010 , 13, 93-101		87
354	A synthetic 7,8-dihydroxyflavone derivative promotes neurogenesis and exhibits potent antidepressant effect. 2010 , 53, 8274-86		149

353	Functional interactions between steroid hormones and neurotrophin BDNF. 2010 , 1, 133-43	54
352	GABAB receptors and depression. Current status. 2010 , 58, 427-51	75
351	A role for p11 in the antidepressant action of brain-derived neurotrophic factor. 2010 , 68, 528-35	73
350	Effects of SYJN, a Chinese herbal formula, on chronic unpredictable stress-induced changes in behavior and brain BDNF in rats. 2010 , 128, 336-41	29
349	Fluvoxamine and sigma-1 receptor agonists dehydroepiandrosterone (DHEA)-sulfate induces the Ser473-phosphorylation of Akt-1 in PC12 cells. 2010 , 86, 309-14	24
348	Effects of beta-carboline harmine on behavioral and physiological parameters observed in the chronic mild stress model: further evidence of antidepressant properties. 2010 , 81, 491-6	66
347	Neurochemical and behavioural effects of acute and chronic memantine administration in rats: Further support for NMDA as a new pharmacological target for the treatment of depression?. 2010 , 81, 585-9	87
346	Underlying mechanisms mediating the antidepressant effects of estrogens. 2010 , 1800, 1136-44	61
345	Sensorimotor modulation of mood and depression: an integrative review. 2010 , 207, 249-64	53
344	Long-term treatment with peony glycosides reverses chronic unpredictable mild stress-induced depressive-like behavior via increasing expression of neurotrophins in rat brain. 2010 , 210, 171-7	79
343	The putative neurodegenerative links between depression and Alzheimer's disease. 2010 , 91, 362-75	95
342	Curcumin produces neuroprotective effects via activating brain-derived neurotrophic factor/TrkB-dependent MAPK and PI-3K cascades in rodent cortical neurons. 2010 , 34, 147-53	83
341	Higher serum tropomyosin-related kinase B protein level in major depression. 2010 , 34, 610-2	11
340	Effect of antidepressants on brain-derived neurotrophic factor (BDNF) release from platelets in the rats. 2010 , 34, 1450-4	42
339	TrkB signaling is required for behavioral sensitization and conditioned place preference induced by a single injection of cocaine. 2010 , 58, 1067-77	27
338	Effects of neonatal flutamide treatment on hippocampal neurogenesis and synaptogenesis correlate with depression-like behaviors in preadolescent male rats. 2010 , 169, 544-54	39
337	BDNF expression in perirhinal cortex is associated with exercise-induced improvement in object recognition memory. 2010 , 94, 278-84	95
336	Effects of brain-derived neurotrophic factor on sodium-induced apoptosis in human olfactory neuroepithelial progenitor cells. 2010 , 178, 391-4	1

335	Meta-analysis of BDNF Val66Met polymorphism association with treatment response in patients with major depressive disorder. 2010 , 20, 535-44	78
334	Neurotrophic Factors and Antidepressant Action: Recent Advances. 2010 , 199-223	2
333	Effects of chronic and acute stress on rat behaviour in the forced-swim test. 2010 , 13, 533-40	36
332	Role of brain-derived neurotrophic factor in the aetiology of depression: implications for pharmacological treatment. 2010 , 24, 1-7	87
331	Effects of different CMS on behaviors, BDNF/CREB/Bcl-2 expression in rat hippocampus. 2011 , 1, 138-146	9
330	Stress-induced deficits in cognition and emotionality: a role of glutamate. 2012 , 12, 189-207	17
329	DISC1: Structure, Function, and Therapeutic Potential for Major Mental Illness. 2011 , 2, 609-632	89
328	Depression and Alzheimer® disease: is stress the initiating factor in a common neuropathological cascade?. 2011 , 23, 177-93	69
327	Effects of BDNF polymorphisms on brain function and behavior in health and disease. 2011 , 86, 287-97	86
326	The hydrophobic dipeptide Leu-Ile inhibits immobility induced by repeated forced swimming via the induction of BDNF. 2011 , 220, 271-80	20
325	Ketamine plus imipramine treatment induces antidepressant-like behavior and increases CREB and BDNF protein levels and PKA and PKC phosphorylation in rat brain. 2011 , 221, 166-71	128
324	Curcumin reverses corticosterone-induced depressive-like behavior and decrease in brain BDNF levels in rats. 2011 , 493, 145-8	96
323	Brain-derived neurotrophic factor (BDNF) infusion restored astrocytic plasticity in the hippocampus of a rat model of depression. 2011 , 503, 15-9	100
322	Brain-derived neurotrophic factor and hypothalamic-pituitary-adrenal axis adaptation processes in a depressive-like state induced by chronic restraint stress. 2011 , 46, 55-66	101
321	A cognitive neuropsychological model of antidepressant drug action. 2011 , 35, 1586-92	90
320	In animal models, psychosocial stress-induced (neuro)inflammation, apoptosis and reduced neurogenesis are associated to the onset of depression. 2011 , 35, 744-59	298
319	Expression of Ca ²⁺ -dependent activator protein for secretion 2 is increased in the brains of schizophrenic patients. 2011 , 35, 1738-43	11
318	Serum BDNF levels before treatment predict SSRI response in depression. 2011 , 35, 1623-30	108

317	Propofol pretreatment increases antidepressant-like effects induced by acute administration of ketamine in rats receiving forced swimming test. 2011 , 185, 248-53		24
316	Serum brain-derived neurotrophic factor and glucocorticoid receptor levels in lymphocytes as markers of antidepressant response in major depressive patients: a pilot study. 2011 , 189, 239-45		34
315	RACK1 affects morphine reward via BDNF. <i>Brain Research</i> , 2011 , 1416, 26-34	3.7	27
314	Biological Alterations in Depression. 2011 ,		2
313	Antidepressant drugs transactivate TrkB neurotrophin receptors in the adult rodent brain independently of BDNF and monoamine transporter blockade. 2011 , 6, e20567		89
312	Neurogenesis and affective disorders. 2011 , 33, 1152-9		212
311	A role for BDNF/TrkB signaling in behavioral and physiological consequences of social defeat stress. 2011 , 10, 424-33		55
310	Val66Met polymorphism and serum brain-derived neurotrophic factor concentration in depressed patients. 2011 , 23, 229-34		3
309	Administration of cannabidiol and imipramine induces antidepressant-like effects in the forced swimming test and increases brain-derived neurotrophic factor levels in the rat amygdala. 2011 , 23, 241-8		41
308	The GABAergic deficit hypothesis of major depressive disorder. 2011 , 16, 383-406		515
307	Altered expression of glutamate signaling, growth factor, and glia genes in the locus coeruleus of patients with major depression. 2011 , 16, 634-46		264
306	The role of BDNF in depression on the basis of its location in the neural circuitry. 2011 , 32, 3-11		201
305	The antidepressant effects and mechanism of action of total saponins from the caudexes and leaves of <i>Panax notoginseng</i> in animal models of depression. 2011 , 18, 731-8		58
304	BDNF-secreting capsule exerts neuroprotective effects on epilepsy model of rats. <i>Brain Research</i> , 2011 , 1368, 281-9	3.7	22
303	Functional biomarkers of depression: diagnosis, treatment, and pathophysiology. 2011 , 36, 2375-94		305
302	Postpartum depressive symptoms and the BDNF Val66Met functional polymorphism: effect of season of delivery. 2011 , 14, 453-63		40
301	Brain-derived neurotrophic factor expression is increased in the hippocampus of 5-HT(2C) receptor knockout mice. 2011 , 21, 434-45		30
300	Altering BDNF expression by genetics and/or environment: impact for emotional and depression-like behaviour in laboratory mice. 2011 , 35, 599-611		89

299	Depression: a repair response to stress-induced neuronal microdamage that can grade into a chronic neuroinflammatory condition?. 2011 , 35, 742-64	118
298	Neurotrophins role in depression neurobiology: a review of basic and clinical evidence. 2011 , 9, 530-52	109
297	Intravenous injection of neural progenitor cells improved depression-like behavior after cerebral ischemia. 2011 , 1, e29	12
296	N-3 (omega-3) Fatty acids in postpartum depression: implications for prevention and treatment. 2011 , 2011, 467349	13
295	A standardized chinese herbal decoction, kai-xin-san, restores decreased levels of neurotransmitters and neurotrophic factors in the brain of chronic stress-induced depressive rats. 2012 , 2012, 149256	31
294	A study of brain and serum brain-derived neurotrophic factor protein in Wistar and Wistar-Kyoto rat strains after electroconvulsive stimulus. 2012 , 45, 244-9	25
293	The impact of chronic imipramine treatment on amino acid concentrations in the hippocampus of mice. 2012 , 15, 26-33	5
292	Antidepressant-like activity of 10-hydroxy-trans-2-decenoic Acid, a unique unsaturated Fatty Acid of royal jelly, in stress-inducible depression-like mouse model. 2012 , 2012, 139140	22
291	BDNF Val66Met impairs fluoxetine-induced enhancement of adult hippocampus plasticity. 2012 , 37, 1297-304	131
290	Serum brain-derived neurotrophic factor, vascular endothelial growth factor and leptin levels in patients with a diagnosis of severe major depressive disorder with melancholic features. 2012 , 2, 65-74	36
289	The existence of FGFR1-5-HT1A receptor heterocomplexes in midbrain 5-HT neurons of the rat: relevance for neuroplasticity. 2012 , 32, 6295-303	15
288	Pharmacology of sigma (σ)receptor ligands from a behavioral perspective. 2012 , 18, 863-74	18
287	Pathophysiology of mood disorders in temporal lobe epilepsy. 2012 , 34 Suppl 2, S233-45	31
286	Metaanálisis de la asociación del polimorfismo BDNF Val66Met con la respuesta al tratamiento en pacientes con trastorno depresivo mayor. 2012 , 19, 100-109	
285	The antidepressant-like effects of glutamatergic drugs ketamine and AMPA receptor potentiator LY 451646 are preserved in bdnf+/? heterozygous null mice. 2012 , 62, 391-7	76
284	Sustained expression of brain-derived neurotrophic factor is required for maintenance of dendritic spines and normal behavior. 2012 , 212, 1-18	76
283	The dendritic tree and brain disorders. 2012 , 50, 10-20	269
282	Peony glycosides reverse the effects of corticosterone on behavior and brain BDNF expression in rats. 2012 , 227, 305-9	30

281	Two selected models of missense mutations in mice for the study of learning behaviour. 2012 , 88, 429-33		1
280	Reprint of: Effects of BDNF polymorphisms on brain function and behavior in health and disease. 2012 , 88, 406-17		3
279	Tramadol reinforces antidepressant effects of ketamine with increased levels of brain-derived neurotrophic factor and tropomyosin-related kinase B in rat hippocampus. 2012 , 6, 411-5		11
278	Neurotrophic tyrosine kinase polymorphism impacts white matter connections in patients with major depressive disorder. 2012 , 72, 663-70		45
277	Physical Activity and Mental Health. 2012 , 467-491		28
276	The responsiveness of TrkB to BDNF and antidepressant drugs is differentially regulated during mouse development. 2012 , 7, e32869		29
275	Studies of depression-related states in animal models of Parkinsonism. 2012 , 2, 87-106		11
274	Mood disorders. 27-79		
273	The genetics of major depression. 212-229		
272	[The development of depression: the role of brain-derived neurotrophic factor]. 2012 , 83, 869-77		7
271	Bipolarity and inadequate response to antidepressant drugs: clinical and psychopharmacological perspective. <i>Journal of Affective Disorders</i> , 2012 , 136, e13-e19	6.6	29
270	Brain-derived neurotrophic factor expression after acute administration of ethanol. 2012 , 687, 9-13		22
269	From depressive symptoms to depression in people with epilepsy: contribution of physical exercise to improve this picture. 2012 , 99, 1-13		23
268	Supplemental dietary choline during development exerts antidepressant-like effects in adult female rats. <i>Brain Research</i> , 2012 , 1443, 52-63	3.7	21
267	Modulatory effects of sex steroid hormones on brain-derived neurotrophic factor-tyrosine kinase B expression during adolescent development in C57BL/6 mice. 2012 , 24, 774-88		77
266	Social deprivation stress is a triggering factor for the emergence of anxiety- and depression-like behaviours and leads to reduced brain BDNF levels in C57BL/6J mice. 2012 , 37, 762-72		131
265	Mechanistic explanations how cell-mediated immune activation, inflammation and oxidative and nitrosative stress pathways and their sequels and concomitants play a role in the pathophysiology of unipolar depression. 2012 , 36, 764-85		568
264	Delivery of brain-derived neurotrophic factor via nose-to-brain pathway. 2012 , 29, 441-7		34

263	Hippocampal CLOCK protein participates in the persistence of depressive-like behavior induced by chronic unpredictable stress. 2013 , 227, 79-92	32
262	Luteal serum BDNF and HSP70 levels in women with premenstrual dysphoric disorder. 2013 , 263, 685-93	8
261	A Rehabilomics focused perspective on molecular mechanisms underlying neurological injury, complications, and recovery after severe TBI. 2013 , 20, 39-48	39
260	Ethanol withdrawal-induced depressive symptoms in animals and therapeutic potential of sigma1 receptor ligands. 2013 , 65, 1681-7	8
259	Etazolate rescues behavioral deficits in chronic unpredictable mild stress model: modulation of hypothalamic-pituitary-adrenal axis activity and brain-derived neurotrophic factor level. 2013 , 63, 465-75	32
258	Epigenetics and psychiatry. 2013 , 10, 734-41	52
257	Environmental and pharmacological modulations of cellular plasticity: role in the pathophysiology and treatment of depression. 2013 , 57, 28-37	67
256	Activation of mammalian target of rapamycin and synaptogenesis: role in the actions of rapid-acting antidepressants. 2013 , 73, 1189-98	86
255	BDNF and VEGF in the pathogenesis of stress-induced affective diseases: an insight from experimental studies. 2013 , 65, 535-46	49
254	Electroconvulsive therapy exerts mainly acute molecular changes in serum of major depressive disorder patients. 2013 , 23, 1199-207	47
253	Depressed Adolescents Treated with Exercise (DATE): A pilot randomized controlled trial to test feasibility and establish preliminary effect sizes. 2013 , 6, 119-119	57
252	Additional ECT increases BDNF-levels in patients suffering from major depressive disorders compared to patients treated with citalopram only. 2013 , 47, 908-15	57
251	Second messenger/signal transduction pathways in major mood disorders: moving from membrane to mechanism of action, part I: major depressive disorder. 2013 , 18, 231-41	31
250	Involvement of brain-derived neurotrophic factor in late-life depression. 2013 , 21, 433-49	50
249	Learned helplessness: unique features and translational value of a cognitive depression model. 2013 , 354, 171-8	87
248	Rapid antidepressant effects: moving right along. 2013 , 18, 856-63	26
247	Nrf2 participates in depressive disorders through an anti-inflammatory mechanism. 2013 , 38, 2010-22	84
246	Antidepressants and anti-inflammatory drugs differentially reduce the release of NGF and BDNF from rat platelets. 2013 , 46, 29-34	26

245	Electroconvulsive seizure, but not imipramine, rapidly up-regulates pro-BDNF and t-PA, leading to mature BDNF production, in the rat hippocampus. 2013 , 16, 339-50	45
244	Kai-xin-san, a chinese herbal decoction containing ginseng radix et rhizoma, polygalae radix, acori tatarinowii rhizoma, and poria, stimulates the expression and secretion of neurotrophic factors in cultured astrocytes. 2013 , 2013, 731385	21
243	Estrogen, predominantly via estrogen receptor β attenuates postpartum-induced anxiety- and depression-like behaviors in female rats. 2013 , 154, 3807-16	45
242	Gender-specific effects of brain-derived neurotrophic factor Val66Met polymorphism and childhood maltreatment on anxiety. 2013 , 67, 6-13	16
241	Acute administration of ketamine in rats increases hippocampal BDNF and mTOR levels during forced swimming test. 2013 , 118, 3-8	108
240	Glycogen synthase kinase 3 substrates in mood disorders and schizophrenia. 2013 , 280, 5213-27	47
239	The mechanisms of electroconvulsive stimuli in BrdU-positive cells of the dentate gyrus in ACTH-treated rats. 2013 , 122, 34-41	14
238	BDNF and CREB1 genetic variants interact to affect antidepressant treatment outcomes in geriatric depression. 2013 , 23, 301-13	44
237	Neurochemical Linkage Among Metabolic Syndrome, Alzheimer Disease, and Depression. 2013 , 197-217	
236	A Tale of Two Maladies? Pathogenesis of Depression with and without the Huntington ^C Disease Gene Mutation. 2013 , 4, 81	24
235	The neural plasticity theory of depression: assessing the roles of adult neurogenesis and PSA-NCAM within the hippocampus. 2013 , 2013, 805497	104
234	Neurobiology of major depressive disorder. 2013 , 2013, 873278	69
233	Neural plasticity and proliferation in the generation of antidepressant effects: hippocampal implication. 2013 , 2013, 537265	63
232	Biological Markers and Genetic Factors of Major Depressive Disorder. 2013 ,	
231	Anxiolytic-like effect of trans-2-decenoic acid ethyl ester in stress-induced anxiety-like model mice. 2013 , 34, 259-67	4
230	Altered behavior in mice with deletion of the alpha2-antiplasmin gene. 2014 , 9, e97947	14
229	Enhancement of BDNF concentration and restoration of the hypothalamic-pituitary-adrenal axis accompany reduced depressive-like behaviour in stressed ovariectomised rats treated with either Tualang honey or estrogen. 2014 , 2014, 310821	17
228	Mice with altered BDNF signaling as models for mood disorders and antidepressant effects. 2014 , 8, 143	68

227	BDNF–TrkB signaling as a therapeutic target in neuropsychiatric disorders. 2014 , 61	1
226	Chronic administration of bacopa monniera increases BDNF protein and mRNA expressions: a study in chronic unpredictable stress induced animal model of depression. 2014 , 11, 297-306	30
225	Glycyrrhiza uralensis flavonoids inhibit brain microglial cell TNF- β secretion, p-IB expression, and increase brain-derived neurotrophic factor (BDNF) secretion. 2014 , 1, 28-37	3
224	Effect of central administration of the neurotrophic factors BDNF and GDNF on the functional activity and expression of 5-HT _{2A} serotonin receptors in mice genetically predisposed to depressive-like behavior. 2014 , 48, 864-869	10
223	Molecular and genetic basis of depression. 2014 , 93, 879-92	18
222	Repeated psychosocial stress at night, but not day, affects the central molecular clock. 2014 , 31, 996-1007	25
221	Hippocampal neurogenesis and antidepressive therapy: shocking relations. 2014 , 2014, 723915	55
220	Regulation of GSK-3 Activity as A Shared Mechanism in Psychiatric Disorders. 2014 , 24, 97-108	5
219	Antidepressant treatment response is modulated by genetic and environmental factors and their interactions. 2014 , 13, 17	13
218	Synaptic regulation of affective behaviors; role of BDNF. 2014 , 76 Pt C, 684-95	72
217	Neurotrophins and psychiatric disorders. 2014 , 220, 461-79	88
216	Neurotrophic Factors. 2014 ,	24
215	Antidepressant and neuroprotective effect of the Chinese herb kaixinsan against lentiviral shRNA knockdown brain-derived neurotrophic factor-induced injury in vitro and in vivo. 2014 , 69, 129-39	19
214	MicroRNA expression profile and functional analysis reveal that miR-206 is a critical novel gene for the expression of BDNF induced by ketamine. 2014 , 16, 594-605	44
213	Brain-derived neurotrophic factor signalling mediates the antidepressant-like effect of piperine in chronically stressed mice. 2014 , 261, 140-5	66
212	Alteration in the expression of exon IIC transcripts of brain-derived neurotrophic factor gene by simvastatin [correction of simvastain] in chronic mild stress in mice: a possible link with dopaminergic pathway. 2014 , 92, 985-92	3
211	Electroconvulsive therapy and aerobic exercise training increased BDNF and ameliorated depressive symptoms in patients suffering from treatment-resistant major depressive disorder. 2014 , 57, 117-24	33
210	Epigenetic and epistatic interactions between serotonin transporter and brain-derived neurotrophic factor genetic polymorphism: insights in depression. 2014 , 275, 455-68	46

209	Maternal Epigenetic Inheritance and Stress During Gestation. 2014 , 197-219	1
208	Genetic variation in brain-derived neurotrophic factor val66met allele is associated with altered serotonin-1A receptor binding in human brain. 2014 , 94, 33-39	9
207	Dietary choline supplementation to dams during pregnancy and lactation mitigates the effects of in utero stress exposure on adult anxiety-related behaviors. 2014 , 268, 104-10	28
206	Disruption of fetal hormonal programming (prenatal stress) implicates shared risk for sex differences in depression and cardiovascular disease. 2014 , 35, 140-58	54
205	VGF (TLQP-62)-induced neurogenesis targets early phase neural progenitor cells in the adult hippocampus and requires glutamate and BDNF signaling. 2014 , 12, 762-77	44
204	Sex and litter effects on anxiety and DNA methylation levels of stress and neurotrophin genes in adolescent rats. 2014 , 56, 392-406	39
203	Mood, food, and obesity. 2014 , 5, 925	194
202	New insight in expression, transport, and secretion of brain-derived neurotrophic factor: Implications in brain-related diseases. 2014 , 5, 409-28	111
201	Neurobiologic Foundations of Mood Disorders. 2015 , 341-358	
200	The effects of the glial cell line-derived neurotrophic factor (GDNF) on the levels of mRNA of apoptotic genes Bax and Bcl-xl in the brain of mice genetically predisposed to pathological behavior. 2015 , 5, 407-412	3
199	Research on the Pathological Mechanism and Drug Treatment Mechanism of Depression. 2015 , 13, 514-23	49
198	Danggui-Jakyak-San enhances hippocampal long-term potentiation through the ERK/CREB/BDNF cascade. 2015 , 175, 481-9	14
197	Plant-derived flavanol (-)epicatechin mitigates anxiety in association with elevated hippocampal monoamine and BDNF levels, but does not influence pattern separation in mice. 2015 , 5, e493	50
196	Dietary DHA during development affects depression-like behaviors and biomarkers that emerge after puberty in adolescent rats. 2015 , 56, 151-66	31
195	New hypothesis and treatment targets of depression: an integrated view of key findings. 2015 , 31, 61-74	50
194	Mechanisms linking depression co-morbid with obesity: An approach for serotonergic type 3 receptor antagonist as novel therapeutic intervention. 2015 , 17, 3-9	10
193	Transcranial focused ultrasound as a possible treatment for major depression. 2015 , 84, 381-3	30
192	Sigma receptors [Rs]: biology in normal and diseased states. 2016 , 36, 327-388	67

191	Rhythms and blues: modulation of oscillatory synchrony and the mechanism of action of antidepressant treatments. 2015 , 1344, 78-91		42
190	Analysis of dependence of antidepressant properties of TrkB receptor ligands on MAP-kinase pathway activation. 2015 , 460, 20-2		3
189	Enhancement of the FGFR1 signaling in the FGFR1-5-HT _{1A} heteroreceptor complex in midbrain raphe 5-HT neuron systems. Relevance for neuroplasticity and depression. 2015 , 463, 180-6		31
188	Chronic stress associated with hypercaloric diet changes the hippocampal BDNF levels in male Wistar rats. 2015 , 51, 75-81		19
187	Serum brain-derived neurotrophic factor differences between the luteal and follicular phases in premenstrual dysphoric disorder. 2015 , 37, 266-72		10
186	Can Stem Cells Be Used to Enhance Cognition?. 2015 , 167-192		1
185	Evaluation of TrkB and BDNF transcripts in prefrontal cortex, hippocampus, and striatum from subjects with schizophrenia, bipolar disorder, and major depressive disorder. 2015 , 77, 220-7		90
184	Type 4 phosphodiesterase enzyme inhibitor, rolipram rescues behavioral deficits in olfactory bulbectomy models of depression: Involvement of hypothalamic-pituitary-adrenal axis, cAMP signaling aspects and antioxidant defense system. <i>Pharmacology Biochemistry and Behavior</i> , 2015 , 132, 20-32	3.9	21
183	The BDNF gene Val66Met polymorphism as a modifier of psychiatric disorder susceptibility: progress and controversy. 2015 , 20, 916-30		173
182	Neighborhood matters: divergent patterns of stress-induced plasticity across the brain. 2015 , 18, 1364-75		158
181	Antidepressants for neuroprotection in Huntington's disease: A review. 2015 , 769, 33-42		15
180	Comparison of efficacy, safety and brain derived neurotrophic factor (BDNF) levels in patients of major depressive disorder, treated with fluoxetine and desvenlafaxine. 2015 , 18, 37-41		18
179	Effects of environmental enrichment on behavioral deficits and alterations in hippocampal BDNF induced by prenatal exposure to morphine in juvenile rats. 2015 , 305, 372-83		43
178	Depressive-like phenotype induced by AAV-mediated overexpression of human β synuclein in midbrain dopaminergic neurons. 2015 , 273, 243-52		40
177	Voluntary exercise enhances activity rhythms and ameliorates anxiety- and depression-like behaviors in the sand rat model of circadian rhythm-related mood changes. 2015 , 151, 441-7		25
176	How does ketamine elicit a rapid antidepressant response?. 2015 , 20, 35-9		73
175	Chronic depression is associated with a pronounced decrease in serum brain-derived neurotrophic factor over time. 2015 , 20, 602-8		81
174	Modulations of Mammalian Brain Functions by Antidepressant Drugs: Role of Some Phytochemicals as Prospective Antidepressants. 2016 , 02,		1

173	Molecular Pathways Bridging Frontotemporal Lobar Degeneration and Psychiatric Disorders. 2016 , 8, 10	13
172	Gene-Environment interactions in the etiology of psychiatric and neurodevelopmental disorders. 2016 , 47-72	
171	Brain-derived Neurotrophic Factor (BDNF)-TrkB Signaling in Inflammation-related Depression and Potential Therapeutic Targets. 2016 , 14, 721-31	216
170	Brain-derived Neurotrophic Factor Signaling Mediates the Antidepressant-like Effect of the Total Flavonoids of <i>Alpinia Oxyphyllae</i> Fructus in Chronic Unpredictable Mild Stress Mice. 2016 , 30, 1493-502	17
169	Neurotrophin Genes and Antidepressant-Worsening Suicidal Ideation: A Prospective Case-Control Study. 2016 , 19,	10
168	Agmatine produces antidepressant-like effects by activating AMPA receptors and mTOR signaling. 2016 , 26, 959-71	40
167	Mice with Sort1 deficiency display normal cognition but elevated anxiety-like behavior. 2016 , 281, 99-108	19
166	The HDAC inhibitor SAHA improves depressive-like behavior of CRT1-deficient mice: Possible relevance for treatment-resistant depression. 2016 , 107, 111-121	54
165	Serum BDNF levels before and after the development of mood disorders: a case-control study in a population cohort. 2016 , 6, e782	23
164	MicroRNA impact on neurotransmitter and neuropeptide systems: small but mighty mediators of anxiety. 2016 , 468, 1061-9	6
163	Pre- and postnatal dietary protein deficiency influences anxiety, memory and social behaviour in the African striped mouse <i>Rhabdomys dilectus chakae</i> . 2016 , 161, 38-46	12
162	Alterations in the corticotropin-releasing hormone (CRH) neurocircuitry: Insights into post stroke functional impairments. 2016 , 42, 53-75	18
161	Brain-Derived Neurotrophic Factor (BDNF): TrkB Signaling in Depression [Biomarker and Novel Therapeutic Target. 2016 , 621-629	1
160	Acupuncture for Depression: The Mechanism Underlying Its Therapeutic Effect. 2016 , 28, 301-307	3
159	Estrogen therapy increases BDNF expression and improves post-stroke depression in ovariectomy-treated rats. 2016 , 12, 1843-1848	23
158	ProBDNF Signaling Regulates Depression-Like Behaviors in Rodents under Chronic Stress. 2016 , 41, 2882-2892	66
157	Affective dysfunction in a mouse model of Rett syndrome: Therapeutic effects of environmental stimulation and physical activity. 2016 , 76, 209-24	18
156	Mice lacking the serotonin 5-HT _{2B} receptor as an animal model of resistance to selective serotonin reuptake inhibitors antidepressants. 2016 , 26, 265-279	28

155	Microbiota-gut-brain signalling in Parkinson's disease: Implications for non-motor symptoms. 2016 , 27, 1-8	112
154	Electroconvulsive therapy (ECT) and aerobic exercise training (AET) increased plasma BDNF and ameliorated depressive symptoms in patients suffering from major depressive disorder. 2016 , 76, 1-8	27
153	BDNF - a key transducer of antidepressant effects. 2016 , 102, 72-9	460
152	TrkB in the hippocampus and nucleus accumbens differentially modulates depression-like behavior in mice. 2016 , 296, 15-25	15
151	Preliminary Associations Between Brain-Derived Neurotrophic Factor, Memory Impairment, Functional Cognition, and Depressive Symptoms Following Severe TBI. 2016 , 30, 419-30	39
150	Antidepressant drug action--From rapid changes on network function to network rewiring. 2016 , 64, 285-92	31
149	Consequences of brain-derived neurotrophic factor withdrawal in CNS neurons and implications in disease. 2017 , 97, 73-79	43
148	Brain-Derived Neurotrophic Factor Levels in Autism: A Systematic Review and Meta-Analysis. 2017 , 47, 1018-1029	52
147	Stem Cells and Neurogenesis for Brain Development, Degeneration and Therapy. 2017 , 217-243	
146	Repeated co-treatment with antidepressants and risperidone increases BDNF mRNA and protein levels in rats. 2017 , 69, 885-893	8
145	Neuronal plasticity and neurotrophic factors in drug responses. 2017 , 22, 1085-1095	109
144	Neurotrophin signalling: novel insights into mechanisms and pathophysiology. 2017 , 131, 13-23	130
143	Association of low serum BDNF with depression in patients with Parkinson's disease. 2017 , 41, 73-78	27
142	Voluntary running improves depressive behaviours and the structure of the hippocampus in rats: A possible impact of myokines. <i>Brain Research</i> , 2017 , 1657, 29-42	3.7 16
141	Anxiolytic effects of muscarinic acetylcholine receptors agonist oxotremorine in chronically stressed rats and related changes in BDNF and FGF2 levels in the hippocampus and prefrontal cortex. 2017 , 234, 559-573	27
140	Timosaponin B-III exhibits antidepressive activity in a mouse model of postpartum depression by the regulation of inflammatory cytokines, BDNF signaling and synaptic plasticity. 2017 , 14, 3856-3861	5
139	Multiplex quantitative assays indicate a need for reevaluating reported small-molecule TrkB agonists. 2017 , 10,	38
138	Mechanisms of action and clinical efficacy of NMDA receptor modulators in mood disorders. 2017 , 80, 555-572	26

137	Brain-derived neurotrophic factor (BDNF) and neurotrophin 3 (NT3) levels in post-mortem brain tissue from patients with depression compared to healthy individuals - a proof of concept study. 2017 , 46, 65-71		34
136	Adult hippocampal neurogenesis: Is it the alpha and omega of antidepressant action?. 2017 , 141, 86-99		37
135	Association analysis between mitogen-activated protein/extracellular signal-regulated kinase (MEK) gene polymorphisms and depressive disorder in the Han Chinese population. <i>Journal of Affective Disorders</i> , 2017 , 222, 120-125	6.6	4
134	The role of 5-HT receptors in depression. 2017 , 10, 28		185
133	Effect of co-administration of memantine and sertraline on the antidepressant-like activity and brain-derived neurotrophic factor (BDNF) levels in the rat brain. 2017 , 128, 29-33		23
132	Brain-derived neurotrophic factor in mood disorders and antidepressant treatments. 2017 , 97, 119-126		187
131	Salivary Gland Derived BDNF Overexpression in Mice Exerts an Anxiolytic Effect. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	10
130	Integral Characterization of Defective BDNF/TrkB Signalling in Neurological and Psychiatric Disorders Leads the Way to New Therapies. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	58
129	Brain-Derived Neurotrophic Factor, Depression, and Physical Activity: Making the Neuroplastic Connection. 2017 , 2017, 7260130		145
128	Paeoniflorin, the Main Active Ingredient of Shuyu Capsule, Inhibits Ca ^{1.2} and Regulates Calmodulin/Calmodulin-Dependent Protein Kinase II Signalling. 2017 , 2017, 8459287		5
127	Effects of tianeptine on symptoms of fibromyalgia via BDNF signaling in a fibromyalgia animal model. 2017 , 21, 361-370		10
126	Relationship Between Brain-Derived Neurotrophic Factor (Bdnf) and Sleep on Depression: A Critical Review. 2017 , 13, 213-219		19
125	Central irisin administration affords antidepressant-like effect and modulates neuroplasticity-related genes in the hippocampus and prefrontal cortex of mice. 2018 , 84, 294-303		26
124	Effects of postnatal handling on adult behavior and brain mRNA expression of serotonin receptor, brain-derived neurotrophic factor and GABA-A receptor subunit. 2018 , 68, 17-25		4
123	Association of BDNF Val66Met Polymorphism and Brain BDNF Levels with Major Depression and Suicide. 2018 , 21, 528-538		94
122	Effectiveness of memantine on depression-like behavior, memory deficits and brain mRNA levels of BDNF and TrkB in rats subjected to repeated unpredictable stress. 2018 , 70, 600-606		17
121	Intermittent metabolic switching, neuroplasticity and brain health. 2018 , 19, 63-80		192
120	The Use of Animal Models in Defining Antidepressant Response: A Translational Approach. 2018 , 233-242		

119	PRoneurotrophins and CONsequences. 2018 , 55, 2934-2951		25
118	Neural basis of major depressive disorder: Beyond monoamine hypothesis. 2018 , 72, 3-12		144
117	Saffron in the treatment of depression, anxiety and other mental disorders: Current evidence and potential mechanisms of action. <i>Journal of Affective Disorders</i> , 2018 , 227, 330-337	6.6	73
116	Ketamine enhances structural plasticity in mouse mesencephalic and human iPSC-derived dopaminergic neurons via AMPAR-driven BDNF and mTOR signaling. 2018 , 23, 812-823		73
115	BDNF rats exhibit depressive phenotype and altered expression of genes relevant in mood disorders. 2019 , 18, e12546		1
114	Resveratrol and dimethyl fumarate ameliorate depression-like behaviour in a rat model of chronic unpredictable mild stress. <i>Brain Research</i> , 2018 , 1701, 227-236	3.7	25
113	Social defeat stress before pregnancy induces depressive-like behaviours and cognitive deficits in adult male offspring: correlation with neurobiological changes. 2018 , 19, 61		14
112	The effect of exercise on resting concentrations of peripheral brain-derived neurotrophic factor (BDNF) in major depressive disorder: A meta-analysis. 2018 , 105, 123-131		20
111	Neurotrophic factors and neuroplasticity pathways in the pathophysiology and treatment of depression. 2018 , 235, 2195-2220		104
110	Gene-based analysis of genes related to neurotrophic pathway suggests association of BDNF and VEGFA with antidepressant treatment-response in depressed patients. 2018 , 8, 6983		14
109	Regulation of Locomotor activity in fed, fasted, and food-restricted mice lacking tissue-type plasminogen activator. 2018 , 18, 2		7
108	Anti-Depressant Fluoxetine Reveals its Therapeutic Effect Via Astrocytes. 2018 , 32, 72-83		53
107	Role of a VGF/BDNF/TrkB Autoregulatory Feedback Loop in Rapid-Acting Antidepressant Efficacy. 2019 , 68, 504-509		17
106	Acid sphingomyelinase - a regulator of canonical transient receptor potential channel 6 (TRPC6) activity. 2019 , 150, 678-690		8
105	Pharmacological Treatment of Depression in Alzheimer® Disease: A Challenging Task. 2019 , 10, 1067		24
104	The effects of eicosapentaenoic acid dietary supplementation on behavioral parameters and expression of hippocampal brain-derived neurotrophic factor in an animal model of post-traumatic stress disorder. 2019 , 865, 172751		4
103	Brain-Derived Neurotrophic Factor: A Key Molecule for Memory in the Healthy and the Pathological Brain. 2019 , 13, 363		277
102	Short peptide with an inhibitory activity on the NMDA/Gly-induced currents. 2019 , 30, 683-695		0

101	Brain-Derived Neurotrophic Factor Precursor in the Hippocampus Regulates Both Depressive and Anxiety-Like Behaviors in Rats. <i>Frontiers in Psychiatry</i> , 2018 , 9, 776	5	23
100	Resveratrol and dimethyl fumarate ameliorate testicular dysfunction caused by chronic unpredictable mild stress-induced depression in rats. 2019 , 665, 152-165		16
99	The ERK Pathway: Molecular Mechanisms and Treatment of Depression. 2019 , 56, 6197-6205		72
98	The Neurotrophic Hypothesis of Depression Revisited: New Insights and Therapeutic Implications. 2019 , 43-62		7
97	TrkB neurotrophin receptor at the core of antidepressant effects, but how?. 2019 , 377, 115-124		10
96	Neuroprotective roles of neurotrophic factors in depression. 2020 , 125-144		3
95	Neuroprotective roles of neurotrophic growth factors in mood disorders. 2020 , 145-172		
94	, a Traditional Herbal Formula, Ameliorates Depression by Regulating Hyperactive Glucocorticoid Signaling and. 2020 , 2020, 8834556		0
93	Leptin regulates exon-specific transcription of the Bdnf gene via epigenetic modifications mediated by an AKT/p300 HAT cascade. 2021 , 26, 3701-3722		10
92	Depression-like behaviors induced by defective PTPRT activity through dysregulated synaptic functions and neurogenesis. 2020 , 133,		3
91	Brain-Derived Neurotrophic Factor in the Cerebrospinal Fluid Increases During Electroconvulsive Therapy in Patients With Depression: A Preliminary Report. 2020 , 36, 193-197		3
90	Is neurotrophin-3 (NT-3): a potential therapeutic target for depression and anxiety?. 2020 , 24, 1225-1238		5
89	Antidepressant-Like Effects and Cognitive Enhancement of Coadministration of Chaihu Shugan San and Fluoxetine: Dependent on the BDNF-ERK-CREB Signaling Pathway in the Hippocampus and Frontal Cortex. 2020 , 2020, 2794263		17
88	Astrocytic GABA Receptors in Mouse Hippocampus Control Responses to Behavioral Challenges through Astrocytic BDNF. 2020 , 36, 705-718		3
87	Lack of antidepressant effects of burst-suppressing isoflurane anesthesia in adult male Wistar outbred rats subjected to chronic mild stress. 2020 , 15, e0235046		2
86	Topologically Guided Prioritization of Candidate Gene Transcripts Coexpressed with the 5-HT1A Receptor by Combining In Vivo PET and Allen Human Brain Atlas Data. 2020 , 30, 3771-3780		6
85	The therapeutic potential of exercise for neuropsychiatric diseases: A review. 2020 , 412, 116763		8
84	CRTC1 signaling involvement in depression-like behavior of prenatally stressed offspring rat. 2021 , 399, 113000		2

83	Effects of Two Months of Very Low Carbohydrate Ketogenic Diet on Body Composition, Muscle Strength, Muscle Area, and Blood Parameters in Competitive Natural Body Builders. 2021 , 13,	13
82	(-)-Gallocatechin gallate from green tea rescues cognitive impairment through restoring hippocampal silent synapses in post-menopausal depression. 2021 , 11, 910	2
81	A new molecular target for antidepressants. 2021 , 31, 489-490	0
80	Remedial effects of caffeine against depressive-like behaviour in mice by modulation of neuroinflammation and BDNF. 2021 , 1-9	3
79	Hijacking Dorsal Raphe to Improve Metabolism and Depression-Like Behaviors via BDNF Gene Transfer in Mice. 2021 , 70, 1780-1793	2
78	The (Poly)Pharmacology of Cannabidiol in Neurological and Neuropsychiatric Disorders: Molecular Mechanisms and Targets. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3 8
77	Effect of Electroacupuncture at Siguan Acupoints on Expression of BDNF and TrkB Proteins in the Hippocampus of Post-Stroke Depression Rats. 2021 , 71, 2165-2171	1
76	The Periaqueductal Gray and Its Extended Participation in Drug Addiction Phenomena. 2021 , 37, 1493-1509	2
75	Brain-Derived Neurotrophic Factor Signaling in Depression and Antidepressant Action. 2021 , 90, 128-136	31
74	Antidepressant-like effects of acupuncture via modulation of corticosterone, sex hormones, and hippocampal BDNF expression in male rats. 2021 , 173, 53-65	2
73	5-HT _{2B} Receptors and Antidepressants. 2021 , 349-366	
72	A Tale of Two Genes: Reelin and BDNF. 2008 , 237-250	0
71	Glial Pathology in Major Psychiatric Disorders. 2002 , 49-73	7
70	A Role for CREB in Antidepressant Action. 1997 , 173-194	2
69	Glutamate and Depression. 2005 , 215-234	4
68	Learned Helplessness in Mice. 2009 , 177-196	4
67	The Forced Swimming Test in Mice: A Suitable Model to Study Antidepressants. 2009 , 85-118	8
66	Postpartum environmental challenges alter maternal responsiveness and offspring development. 2020 , 122, 104761	5

65	Synaptic plasticity and mood disorders.	5
64	Tachykinins and Tachykinin Receptor Antagonists in Depression: Therapeutic Implications. 2011 , 350-357	7
63	Stress leads to contrasting effects on the levels of brain derived neurotrophic factor in the hippocampus and amygdala. 2012 , 7, e30481	169
62	Role of tissue-type plasminogen activator and plasminogen activator inhibitor-1 in psychological stress and depression. 2017 , 8, 113258-113268	18
61	Glycogen synthase kinase-3 (GSK3) in psychiatric diseases and therapeutic interventions. 2006 , 7, 1421-34	286
60	Assessing the neuronal serotonergic target-based antidepressant stratagem: impact of in vivo interaction studies and knockout models. 2008 , 6, 215-34	8
59	N-3 (omega-3) polyunsaturated Fatty acids in the pathophysiology and treatment of depression: pre-clinical evidence. 2013 , 12, 450-9	32
58	Hippocampal Mechanisms Linking Chronic Pain and Depression. 2006 , 2, 15-32	2
57	Pathophysiology of depression and mechanisms of treatment. 2002 , 4, 7-20	99
56	Cellular plasticity and resilience and the pathophysiology of severe mood disorders. 2004 , 6, 217-25	7
55	Neural plasticity: consequences of stress and actions of antidepressant treatment. 2004 , 6, 157-69	50
54	The neurotrophic and neuroprotective effects of psychotropic agents. 2009 , 11, 333-48	83
53	Neuronal damage and protection in the pathophysiology and treatment of psychiatric illness: stress and depression. 2009 , 11, 239-55	128
52	Ketamina, da anestesia ao uso abusivo. 2010 , 18, 227-237	4
51	Imipramine protects retinal ganglion cells from oxidative stress through the tyrosine kinase receptor B signaling pathway. 2016 , 11, 476-9	6
50	Effects of BDNF polymorphisms on antidepressant action. 2010 , 7, 236-42	40
49	Psychedelics and Other Psychoplastogens for Treating Mental Illness. <i>Frontiers in Psychiatry</i> , 2021 , 12, 727117	5 7
48	Modulating Neuroplasticity: Lessons Learned from Antidepressants and Emerging Novel Therapeutics. 1	

47	Neurobiologie affektiver Störungen. 2000 , 409-429	
46	Neurobiology of Affective Disorders. 2001 , 1637-1647	
45	References. 2001 , 192-224	
44	Neurobiologische Grundlagen. 2002 , 1-77	
43	DEPRESSION AND BIPOLAR DISORDERS. 2009 , 787-795	
42	Depression: Phenomenology, Epidemiology, and Pathophysiology. 2009 , 1-21	3
41	Phosphatidylinositol 3-Kinase/Glycogen Synthase Kinase and Mitogen-Activated Protein Kinase Signalling Cascades in Neuronal Cell Survival: What the Neurotrophins Have Taught Us and Implications For Neuropsychiatric Disorders. 2010 , 135-164	
40	Beta-Arrestins in Depression: A Molecular Switch from Signal Desensitization to Alternative Intracellular Adaptor Functions. 2011 , 404-423	
39	Molekulare Mechanismen der Depressionstherapie. 1999 , 273-318	3
38	The Role of Arrestins in the Neuroprotective Effects of Antidepressant Drugs. 2016 , 793-804	
37	Association of BDNF Val66Met Polymorphism and Brain BDNF levels with Major Depression and Suicide.	
36	Effect of venlafaxine on hippocampal BDNF levels in depression-induced rats. 2018 , 10, 766-775	
35	A gene-based analysis of variants in the Brain-derived Neurotrophic Factor gene with psychological distress in a Taiwanese population. 2019 , 33, 33	1
34	The Role of Brain-Derived Neurotrophic Factor in Mediating the Action of Antidepressants in the Treatment of Depression. 2019 , 74, 20-28	0
33	Screening study of nerve growth factor α and brain-derived neurotrophic factor α mimetics effects at the experimental depression model. 2020 , 11-17	1
32	Fluoxetine acts concomitantly on dorsal and ventral hippocampus to Trk-dependently modulate the extinction of fear memory. 2022 , 113, 110451	1
31	Implications of adult hippocampal neurogenesis in antidepressant action. 2004 , 29, 196-205	130
30	The underlying neurobiology of bipolar disorder. <i>World Psychiatry</i> , 2003 , 2, 136-46	14.4 91

29	Neurogenesis and the effect of antidepressants. <i>Drug Target Insights</i> , 2006 , 1, 13-7	3.4	8
28	Antidepressant Effect of Dimeric Dipeptide GSB-106, an Original Low-Molecular-Weight Mimetic of BDNF. <i>Acta Naturae</i> , 2013 , 5, 105-9	2.1	8
27	Role of brain-derived neurotrophic factor in the molecular neurobiology of major depressive disorder. <i>Translational Perioperative and Pain Medicine</i> , 2017 , 4, 20-30	1.7	3
26	BDNF signaling in context: From synaptic regulation to psychiatric disorders.. <i>Cell</i> , 2021 ,	56.2	11
25	Analysis of Antidepressant-like Effects and Action Mechanisms of GSB-106, a Small Molecule, Affecting the TrkB Signaling.. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	0
24	Brain-derived neurotrophic factor and inflammation in depression: Pathogenic partners in crime?. <i>World Journal of Psychiatry</i> , 2022 , 12, 77-97	3	3
23	Depression, Estrogens, and Neuroinflammation: A Preclinical Review of Ketamine Treatment for Mood Disorders in Women.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 797577	5	1
22	Possible role of arginase 1 positive microglia on depressive/anxiety-like behaviors in atopic dermatitis mouse model.. <i>Archives of Pharmacal Research</i> , 2022 , 45, 11	6.1	0
21	The neuropeptide cyclopropylglycine produces antidepressant-like effect and enhances gene expression in the mice cortex.. <i>Journal of Psychopharmacology</i> , 2022 , 2698811211069101	4.6	0
20	Vitamin D3 suppresses astrocyte activation and ameliorates coal dust-induced mood disorders in mice.. <i>Journal of Affective Disorders</i> , 2022 , 303, 138-138	6.6	1
19	Probiotic supplementation alleviates absence seizures and anxiety- and depression-like behavior in WAG/Rij rat by increasing neurotrophic factors and decreasing proinflammatory cytokines.. <i>Epilepsy and Behavior</i> , 2022 , 128, 108588	3.2	2
18	Neuroimmune crosstalk through brain-derived neurotrophic factor and its precursor pro-BDNF: New insights into mood disorders.. <i>World Journal of Psychiatry</i> , 2022 , 12, 379-392	3	0
17	Pro-cognitive effect of acute imipramine administration correlates with direct interaction of BDNF with its receptor, TrkB <i>Brain Research</i> , 2022 , 1789, 147948	3.7	0
16	The Role of Brain-Derived Neurotrophic Factor Signaling in Central Nervous System Disease Pathogenesis. <i>Frontiers in Human Neuroscience</i> , 16,	3.3	1
15	Loureirin C and Xanthoceraside Prevent Abnormal Behaviors Associated with Downregulation of Brain Derived Neurotrophic Factor and AKT/mTOR/CREB Signaling in the Prefrontal Cortex Induced by Chronic Corticosterone Exposure in Mice.		1
14	Effect of vitamin K2 administration on depression status in patients with polycystic ovary syndrome: a randomized clinical trial. 2022 , 22,		
13	Encore: Behavioural animal models of stress, depression and mood disorders. 16,		1
12	Various BDNF administrations attenuate SPS-induced anxiety-like behaviors. 2022 , 788, 136851		

11	The Potential Role of Exercise-Induced Neurotrophic Factors for Mental Health.	0
10	BDNF receptor TrkB as the mediator of the antidepressant drug action. 15,	3
9	Gut microbiota: A new target for traditional Chinese medicine in the treatment of depression. 2023 , 303, 116038	0
8	Neurotrophic Factors. 2022 , 203-215	0
7	BDNF as a Mediator of Antidepressant Response: Recent Advances and Lifestyle Interactions. 2022 , 23, 14445	1
6	Alcohol Withdrawal and the Associated Mood Disorders: A Review. 2022 , 23, 14912	0
5	New insights into effects of Kaixin Powder on depression via lipid metabolism related adiponectin signaling pathway. 2023 ,	0
4	Antidepressive mechanisms of rhynchophylline in mice with chronic unpredictable stress-induced depression. 2023 , 309, 116302	0
3	Peripheral Regulation of Central Brain-Derived Neurotrophic Factor Expression through the Vagus Nerve. 2023 , 24, 3543	0
2	Common mechanisms involved in lung cancer and depression: The dominant role of interleukin-6-IDO pathway in the lung-brain axis. 2023 , 12, 100580	0
1	The Melanocortin System: A Promising Target for the Development of New Antidepressant Drugs. 2023 , 24, 6664	0